

**NEW** **CRIMSONTRACE LASERGRIPS®**  
**HANDGUN LASER SIGHTS**

Instant On-Off Aiming Without The Bulk Of An Accessory Laser Unit

Lasergrips give you an immediate, decisive advantage because 80% of self-defensive shootings occur in low light conditions or complete darkness. With just a squeeze of your shooting hand, the Lasergrips instantly project a bright red aiming dot on your intended target, even in broad daylight. Makes a great training tool; provides instant feedback to shooting students learning how to achieve a steady trigger pull, consistent follow through, proper sight alignment, and instinctive aiming. Grips are made from rugged, overmolded **Soft** rubber for excellent grasp and shooting comfort, or durable, reinforced **Hard** polymer. Laser units are located in the top of the grip; fully adjustable for windage and elevation. Wrap Around (W/A) models are activated by the pressure-sensitive finger pads located on both sides or a single button on the rear of the grip. A pressure switch located on the front strap activates the laser on Front Activated (F/A) models. All models except Glock include a manual on/off switch on the lower left side to help prevent dead batteries caused by accidental laser activation. **Glock F/A** has an ultra-low profile to fit most Level 3 holsters. **S&W J Frame Extended** covers backstrap and has extended length to give you an extra-secure grasp on the gun. **S&W J Frame Compact** has an ultra-low profile for concealed carry; soft rubber for a secure grip. **S&W J Frame "Defender"** - Minimal profile with exposed backstrap for deep concealment, molded hard polymer for fast, no-snap presentation; does not have master switch.

**SPECS:** Injection molded hard polymer or soft rubber, black, matte. Includes batteries, installation instructions and training manual.

STOCK #	STYLE	FITS	PRICE
<b>new 100-002-591AN</b>	W/A Soft	Beretta 92/96/M9	<b>4B289H80 \$ 299.00</b>
<b>#100-005-032AN</b>	F/A Hard	Glock 17, 17L, 19, 22, 23, 31, 32, 34, 35, 37, 38	<b>4B289F80 \$ 299.00</b>
<b>#100-002-603AN</b>	W/A Hard	Glock 17, 17L, 20SF, 21SF, 22, 24, 31, 34, 35, 37	<b>4B199G99 \$ 199.99</b>
<b>#100-002-604AN</b>	W/A Hard	Glock 19, 23, 25, 35, 38	<b>4B199J99 \$ 199.99</b>
<b>new 100-011-231AN</b>	F/A	Glock Gen 4 models: 17, 22, 31, 34, 35	<b>4B239L46 \$ 249.00</b>
<b>new 100-002-605AN</b>	W/A Soft	Glock 26, 27, 28, 33, 39	<b>4B199M99 \$ 199.99</b>
<b>#100-004-499AN</b>	F/A Soft	Ruger Mark II/III™ (will not fit 22/45™)	<b>4B239M46 \$ 249.00</b>
<b>#100-002-596AN</b>	W/A Soft	SIG P226	<b>4B289C80 \$ 299.00</b>
<b>#100-003-366AN</b>	W/A Hard	S&W M&P Full Size 9mm/.40/.357 SIG/.45 ACP (will not fit ambi safety models)	<b>4B289L80 \$ 299.00</b>
<b>#100-005-025AN</b>	F/A Hard	S&W J-Frame "Defender" Revolver	<b>4B199L00 \$ 199.00</b>
<b>new 100-003-365AN</b>	F/A Hard	Springfield Armory XD 9mm/.40/.357 SIG/.45 GAP	<b>4B289P80 \$ 299.00</b>
<b>#100-005-028AN</b>	F/A Soft	Taurus Judge & Tracker (will not fit Public Defender)	<b>4B299C00 \$ 299.00</b>

**LASERGUARD®** - Minimal-profile hard-polymer housing clamps around triggerguard and won't interfere with your pistol's concealability. Activation button is on front strap; normal shooting grasp automatically turns on the laser.

STOCK #	FITS	PRICE
<b>new 100-008-985AN</b>	Kahr CW9, CW40, P9, PM9, PM40	<b>4B194G56\$ 209.00</b>



Glock W/A

**LASERMAX UNI-MAX RAIL MOUNT GREEN LASER SIGHT**

Low-Profile, Lightweight, Mounts On Weapon Accessory Rail

Compact, lightweight laser sight outputs a bright green beam that's more visible to the human eye in all lighting conditions and over longer ranges. Mounts in seconds on any pistol, rifle, or shotgun with 1/4" or more of Picatinny or Weaver-style rail space. Ambidextrous switch is comfortably positioned for quick engagement when pistol shooter's index finger rests along the slide in the Universal Cover Mode. Beam may be set to constant output or rapidly pulsating mode for even greater visibility. Low-profile housing allows many guns fitted with the Uni-Max to be carried in standard holsters. Integral Picatinny rail on underside of housing allows mounting of tactical weapon light. Windage and elevation adjust easily with the included tools, also used to set beam output mode. Normal battery life is 1 hour. Timeout circuit automatically turns the unit off after 10 minutes to extend battery life. Operates in temperatures from 40 to 100° F. **SPECS:** Fiber reinforced nylon, black. 2 1/4" (5.7cm) long, 1" (2.5cm) wide, 3/4" (1.9cm) high. 1 oz. (28g) wt. 532 nm wavelength laser. Beam Diameter - 3/16" (1.6cm) at 7 yards, 3/4" (1.9cm) at 25 yards. Includes polymer hardcase, two (2) DL1/3N Lithium batteries, and adjustment tool.

**#100-003-568AN Uni-Max Green Laser Sight, 1B346Q67 . . . . . \$ 369.99**

**REPLACEMENT BATTERIES** - The exact size and type of batteries that ship from the factory with the Uni-Max Green Laser Sight. **SPECS:** Sold in 2- and 10-paks. DL1/3N - 3 volt lithium cell for the Green Uni-Max, two required.

**#100-006-295AN DL1/3N Battery for Green Uni-Max, 2-Pak, 1B9M00 . . . . . \$ 10.49**

**#100-006-296AN DL1/3N Battery for Green Uni-Max, 10-Pak, 1B35E99 . . . . . 35.99**

**75 YEARS BROWNELLS EST. 1939**

**Celebrate with us!**  
**Go to page 384**  
**to see the Brownells timeline.**

STOCK #	FITS	PRICE
<b>#100-005-026AN</b>	Kel-Tec P3AT, P32	<b>4B199M00\$ 199.00</b>
<b>new 100-005-036AN</b>	Kel-Tec PF9	<b>4B194L56\$ 209.00</b>
<b>new 100-008-983AN</b>	Ruger LCP	<b>4B194N56\$ 209.00</b>

**DEFENDER** - Laser sighting system features cutting-edge technology in a compact, amazingly affordable package. Don't let the small size fool you: the Defender emits a powerful (5mW peak, 620-670nm, Class 3R) red aiming laser. Beam Lock™ Adjustments enable the user to easily adjust laser for both windage and elevation. Comes from the factory pre-sighted at 50 ft. **DS-122** clamps to triggerguard of the Ruger LCP and has dual, ambidextrous side-mounted activation buttons. **DS-124** replaces the grips on a Smith & Wesson J-Frame revolver and features a large, easy-to-find, bright red activation button on top.

**new 100-012-468AN DS-122 Laser Sight, Ruger LCP, 4B92E86 . . . . . \$ 99.99**

**new 100-012-469AN DS-124 Laser Sight, S&W J-Frame, 4B111H43 . . . . . 114.99**



**LASERMAX UNI-MAX MICRO LASER SIGHT**

Fits Nearly Any Pistol Accessory Rail

Super-small laser sight with powerful red beam is ideal for compact and sub-compact concealed carry pistols. Despite its small size, the Micro delivers the strength and durability needed to withstand the shock of rapid-fire recoil. Ultra-compact housing lets it fit in many soft-sided and "general fit" holsters. Attaches to gun in seconds using a flat blade screwdriver. Ambidextrous tap on/off switch won't hang up or snag when holstered. A 10-minute timeout feature preserves battery life, for a 5-hour total run time. Adjustable for windage and elevation with the included Allen wrench. **SPECS:** Zytel, matte black. Laser output: 5mW, 650nm. 1" (2.5cm) long, 1 1/8" (2.9cm) wide, 1/2" (1.3cm) high. .43 oz. weight. Includes instructions, windage/elevation wrench, and 1/3N lithium battery.

**#100-006-164AN Uni-Max Micro Rail Mount Laser, 1B124A00 . . . . . \$ 129.99**

**LASERLYTE LIGHTGUARD**

Easy-To-Install Tactical Light Clamps To Pistol Triggerguard

**NEW**



The Lightguard easily clamps to your handgun's triggerguard, giving you a 100-lumen tactical light that conforms to the contours of your gun. Pressure switch on the front strap, just below the triggerguard, is activated with the middle finger in a normal shooting grip. Compatible with Crimson Trace LG-617, LG-619 and LG-660 laser sights, so you can operate both the light and the laser with only one hand.

**SPECS:** Reinforced hard polymer, matte black. 4.6" (11.6cm) long, .84" (2.1cm) wide. 1.4 oz. (40g) wt. Output 100 lumens. Runtime 2 hours on one 3-volt Lithium CR-2 battery. Battery and mounting hardware included. **LTG-736** fits Glock 17, 19, 22, 23, 31, 32, 34, 35, 37, 38 Gen3 and Gen4 variants. **LTG-760** fits full-size Smith & Wesson M&P (9mm, .357 SIG, .40 S&W, .45 ACP).

**#100-008-841AN LTG-736 Lightguard for Glock, 4B145Q58 . . . . . \$ 149.00**

**#100-008-843AN LTG-760 Lightguard for S&W M&P, 4B145B58 . . . . . 149.00**

**INFORCE AUTO PISTOL LIGHT**

Versatile, Powerful Pistol Light With Ambidextrous Controls

**NEW**



Designed specifically for pistols, this lightweight, low-profile light delivers a brilliant white beam, and securely attaches to Glock or MIL-STD 1913 Picatinny rails. High-efficiency, 200-lumen LED emitter provides up to 1.5 hours of runtime. Easy-to-operate paddles - conveniently positioned on both the left and right sides of the triggerguard - allow for speedy, ambidextrous operation. User may select between constant-on and momentary-on modes. Attaches/detaches quickly; no tools required.

**SPECS:** Fiber composite, matte gray. 3" (76cm) OAL. 1.2" (3cm) wide. 2.8 oz. (79.4g). Fits most rail-equipped pistols. Not compatible with Beretta PX4 Storm or H&K USP. 1.5 hr battery life. Includes universal mount, Picatinny mount, one CR-123A battery, and instructions.

**#100-011-625AN Inforce Auto Pistol Light, 4C131I29 . . . . . \$ 149.99**

**EOTECH SHOTGUN INTEGRATED FOREND LIGHT**

Instant Target Illumination Built Right In - No Extra Bulk

**NEW**



Ergonomically shaped replacement forend with powerful built-in light provides 250 lumens of brilliant illumination without exterior bulk or clamp-on switches. Features ambidextrous, easy-to-activate pressure pads that provide constant-on, momentary-on, and strobe options. Hard on/off master switch deactivates the pressure pads to prevent accidental illumination and battery drain. Lightweight thermo-molded polycarbonate resin withstands hard use and won't crack or split. Comfortable, hand-filling contour, with integral hand stop that keeps hands in place when racking slide and positions it for fast fingertip control of the pressure switches.

**SPECS:** Thermo-molded, glass-fiber reinforced polycarbonate resin, black. 7" (17cm) long, 2" (5cm) wide, 12.2 oz (345g) wt. 120 lumens output, 90 minutes minimum run time. Waterproof to 1 meter for 30 min. Uses one CR-123 battery, included. Mounting hardware included. **Rem 870** fits Remington 870, 12 gauge only. **Moss 500** fits Mossberg 500/590/590A1. Will not fit 500 with fixed slide action bars or 500/590/590A1 with tri-rail, 500/590 with 14" barrel, or Maverick 88.

**#100-011-868AN Integrated Forend Light, Rem 870, 9K279A00 . . . . . \$ 279.00**

**#100-011-869AN Integrated Forend Light, Moss 500, 9K279D00 . . . . . 279.00**

**INSIGHTTECHNOLOGY M3™/M6™ TACTICAL ILLUMINATOR**

**NEW**



Bright, Compact Light Quickly Attaches Without Tools

Powerful weaponlight projects a beam of white light for easy target identification in the dark. Universal Slide-Lock® system allows for quick, tool-free attachment to most popular pistols. Simply slide the light onto the accessory rail, and the spring-loaded latch holds it securely in place. Ambidextrous back plate rocker switch allows for easy activation in either momentary or constant on mode. Can also be used as a handheld light. **M3 Incandescent** model produces 90+ lumens of light for up to 60 minutes

and requires beam adjustment. **M3 LED/M6 LED** models have a fixed focus and emit 125+ lumens of light for up to 120 minutes. **M6 LED** also features a class 3A red aiming laser offering a range of 200 meters with adjustable windage and elevation (hex key wrenches included). Selector switch enables laser only, light only, or laser-plus-light activation.

**SPECS:** Molded polymer body, matte black finish. Includes two CR123 lithium batteries, storage case, and owner's manual. **M3 Incandescent/LED** - 3.4" (8.6cm) OAL, 1.5" (3.8cm) high, 1.5" (3.8cm) wide. **M3 Incandescent** 3.2 oz. (90.7g) wt., including batteries. **M3 LED** 3.6 oz. (102.1g) wt., including batteries. **Incandescent model includes spare bulb assembly.** **M6 LED** - 3.4" (8.6cm) OAL, 1.85" (4.7cm) high, 1.5" (3.8cm) wide, 3.7 oz. (104.9g) wt., including batteries. Laser class 3A, red.

**#100-011-966AN M3 Incandescent Handgun Light, 6B81F29 . . . . . \$ 99.99**

**#100-011-967AN M3 LED Handgun Light, 6B150A00 . . . . . 179.99**

**#100-011-968AN M6 LED Handgun Light w/Laser, 6B243E29 . . . . . 299.99**

READ REVIEWS ONLINE ★★★★★ 5.0

**INSIGHTTECH-GEAR WL1-AA WEAPON LIGHT**

Runs On Two Ordinary AA Batteries;  
Powerful 150 Lumen Output



Rugged tactical weapon light mounts to a rifle handguard or pistol's under-receiver rail and provides 150 lumens of bright, powerful light at a touch of the ambidextrous paddle switches at the rear of the reinforced polymer housing. For extra convenience and cost-saving, the WL1-AA runs on two readily available AA lithium or alkaline batteries. Integral, quick-release Rail-Grabber mount clamps to MIL-STD 1913 Picatinny and Universal pistol rails – no tools required. Robust LED emitter stands up to shock and impact far better than traditional incandescent bulbs. Light output can be set to momentary-on, constant-on, or strobe modes. Available as a light only or with a built-in red aiming laser. Laser is windage and elevation adjustable; laser only, light only, or simultaneous light-plus-laser operation.

**SPECS:** Reinforced, molded hard polymer housing, black, 3.6" long x 1.4" wide x 1.3" high, 1.7" high (light/laser model). Light output: 150 lumens, 90 minute runtime. Laser: Class 3R, red, 2 AA lithium batteries and instructions included.

#100-008-734AN WL1-AA Light, 6B241Q29 . . . . . \$ 299.99

#100-008-733AN WL1-AA Light+Laser, 6B329C29. 419.99

**SMITH & WESSON MICRO90 PISTOL LIGHT**

Ultra-Low-Profile, Clamps To  
Most Pistol Accessory Rails



Super-compact light clamps to pistol accessory rail to provide powerful, 90 lumen illumination of targets. Filament-less LED lamp ensures this light is up to the rigors of hard use.

Ambi switch allows momentary or constant-on operation. Delivers full output at ambient temperatures ranging from -15° F to +113° F. Float glass lens of exceptional uniformity eliminates distortion for a clean, focused beam. "Drop-on," integral UniBAR universal mount requires no tools to install on almost any currently available semi-auto pistol frame accessory rail. Sealed to keep moisture out of electronics for use in humid environments.

**SPECS:** Reinforced molded polymer and hardcoat anodized aluminum, matte black, 2 1/4" (6cm) long, 1" (2.5cm) wide, 1 1/2" (3.8cm) high, 1.6 oz. (45g) weight, 90 lumen maximum output; 2 hours runtime until output drops to 10% of maximum. CR-2 lithium battery and instructions included.

#100-006-128AN Micro90 Pistol Light, 7C61K45 . . \$ 69.99

**INFORCE LED WEAPON LIGHTS**

Compact & Powerful  
Picatinny Mounted Light;  
IR Option Available

Rugged, powerful LED weapon light attaches quickly to any MIL-STD

1913 Picatinny rail to provide brilliant light for close- to mid-range applications. Rear-facing activation switch toggles between momentary-on, constant-on, strobe, and high/low. Mechanical lockout system prevents accidental activation. White model offers a 200-lumen high mode with 1.5 hour battery life. Low mode provides 30 lumens for up to 10 hours. White/IR model has 175-lumen white LED output for 1.5 hours, 30 lumens for 10 hours, and adds an infrared light option with 75mW high (3.5 hours) and 25mW low (17 hours) modes.

**SPECS:** Fiber-reinforced hard polymer composite, Black or Desert Sand, 4.1" (10.4cm) OAL, 1" (2.5cm) bezel O.D. 3 oz. (85g) wt. Uses one CR-123A battery, included.

#100-009-784AN White Light, Black, 4C120A49 . . \$ 129.00

#100-009-785AN White Light, Sand, 4C120E49 . . 129.00

#100-009-782AN White/IR Light, Black, 4C141L49 149.00

#100-009-783AN White/IR Light, Sand, 4C141K49 149.00

**STREAMLIGHT® TACTICAL WEAPON LIGHTS**

Lightweight, Powerful; Mounts Directly To Gun

**TLR-1 WEAPON LIGHT** - Powerful weapon-mounted light fully illuminates target with intense, white light. Ambidextrous, momentary or constant-on paddle switch lets you control light output to match your needs. High-output C4® LED lamp with impact-resistant Borofloat glass lens and deep-dish parabolic reflector produces a uniform beam with peripheral illumination and no hot spots or shadows. **TLR-1** produces 135 lumens continuous output. **TLR-1s** increases the light output to 160 lumens and adds a strobe setting instantly activated by two, rapid, successive taps on the paddle. Both models run on two CR-123 lithium batteries for 2.5 hours of continuous runtime. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Lightweight, machined 6000 series aluminum construction adds just 4.2 ounces; doesn't upset weapon balance, yet withstands hard field use. Unique locking bar system has interchangeable locating keys for secure mounting directly to MIL-STD 1913 Picatinny, Glock-style, S&W 99, S&W TSW, and Beretta 90-Two accessory rails. Fits all holsters designed to accept pistols mounted with the earlier Streamlight M-3/-5/-6 series lights.

**SPECS:** Machined aluminum, anodized, matte black, 3 1/4" (8.3cm) long, 1 1/2" (3.8cm) wide, 1 1/8" (3.7cm) high, 4.2 oz. (119g) weight, including batteries. Uses two CR-123 lithium batteries, included.

**TLR-1** - 135 lumen output; **TLR-1s** - 160 lumen output, with continuous and strobe settings.

#100-003-009AN TLR-1 Weapon Light, 1K109M99 \$ 109.99

#100-005-925AN TLR-1s Weapon Light w/Strobe, 1K120N46. . . . . 129.99

**TLR-2 WEAPON LIGHT/LASER SIGHT**

Expands the TLR-1 system with a high visibility, red 650-660 nm aiming laser to aid in precise shot placement. Selector switch lets you choose light only, laser only, or light plus laser illumination.

Ambidextrous, momentary-on/ constant-on/off paddle switch lets you apply your selection exactly when you need it. Advanced C4 LED technology uses a powerful, shock-resistant LED and a proprietary parabolic reflector to generate an intense, uniform beam free of hot spots or shadows, with excellent peripheral illumination. **TLR-2** produces 135 lumens continuous light output. **TLR-2s** increases the light output to 160 lumens and adds a strobe setting instantly activated by two, rapid, successive taps on the control paddle. Both models run on two CR-123 lithium batteries for 2.5 hours continuous runtime for light, 45+ hours in laser-only mode. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Laser is fully adjustable for windage and elevation, with screws mounted in brass bushings for precise settings and reliable return to zero. Lightweight, sealed housing of machined 6000 series aluminum adds less than 5 oz. to weapon. Unique locking bar system has interchangeable locating keys for secure mounting directly to MIL-STD 1913 Picatinny, Glock-style, S&W 99/ TSW, and Beretta 90-Two accessory rails.

**SPECS:** Machined aluminum, anodized, matte black, 3 1/4" (8.3cm) long, 1 1/2" (3.8cm) wide, 1 1/8" (4.5cm) high, 4.7 oz. (134g) weight, including batteries. LED service life: 50,000 hours. Uses two CR-123 lithium batteries, included. **TLR-2** - 135 lumen light output; **TLR-2s** - 160 lumen light output, with continuous and strobe settings.

#100-004-220AN TLR-2 Weapon Light/Laser Sight, 1K259A99 . . . . . \$ 259.99

#100-005-924AN TLR-2s Weapon Light w/Laser & Strobe, 1K288E95 . . . . . 299.99

**TLR-3 COMPACT WEAPON LIGHT**

Even smaller than the popular TLR-1, this ultra-low-profile light uses the same system of interchangeable locating keys as the rest of the TLR series to fit a wide variety of pistol receiver rails. Employs Streamlight's C4 LED technology to project a highintensity, 90-lumen beam that's 2 to 3 times brighter than standard LEDs. Electronic power-

**SIG ARMS STL-900L TACTICAL WEAPON LIGHT/LASER**

Powerful, Dual-Mode  
Illumination & Precise  
Aiming Laser

Low-profile combination weapon light and laser sight clamps securely to pistol or rifle accessory rail to provide powerful illumination and precise aiming in any light conditions from daylight to total darkness. High-output LED gives an intensely bright 130 lumens of steady, white light, or optional strobe function for disorienting a perpetrator. Advanced integrated circuits provide "smart" power management to maximize battery life while ensuring a steady, consistent beam. Up to 80 minutes constant light output from one CR123A lithium battery. Laser projects a steady, bright, red aiming dot that's visible even when target is illuminated by the light. Sealed push-button switches on left side of body allow operator to select laser only, steady light only, strobe light only, or laser plus light. Large, easy-to-find, ambidextrous buttons mounted on rear panel give operator instant choice of continuous-on or momentary light operation. Integral, quick-release mount clamps securely to MIL-STD 1913 Picatinny and similar accessory rails. Spring-loaded latch allows temporary installation; lockdown feature may be activated (no tools required) for extra security. Included windage/elevation hex wrench stores securely on the light/laser body, so it's always available. Removable rubber plugs in adjustment ports seal out moisture and dust.

**SPECS:** Molded polymer, tempered glass, anodized aluminum, matte black, 3 1/2" (8.9cm) O.A.L., approximately 1 1/2" (3.8cm) wide. Extends 1 1/4" (3.2cm) below rail. 3.7 oz. (104g) weight. (1) CR123 battery and hex wrench included, plus instructions.

#732-000-445AN STL-900L Tactical Light/Laser, 2C192J85 . . . . . \$ 242.99

control system helps maintain consistent brightness, while the parabolic reflector and Borofloat glass lens produce a focused beam with minimal fade at the edges. One CR2 lithium battery, included, provides 1 1/2 hours of continuous operation and a storage life up to 10 years. Ambidextrous switch offers an instant choice of momentary or steady-on operation. Rail clamp system allows easy, onehanded attachment/removal from the side of the weapon, so hands stay away from the muzzle. Body constructed of reinforced, impact-resistant polymer, with a lens cap of strong, yet lightweight, machined 6000-series aluminum with a matching matte black anodized finish. Waterproof to 1 meter for 30 minutes.

**SPECS:** Reinforced polymer body and anodized aluminum lens assembly, black, 2 1/4" (7cm) long, 1 1/8" (2.9cm) wide, 1 1/2" (3.8cm) high from top of rail clamp to bottom of housing, 2.4 oz. (67g) weight with battery. Fits MIL-STD 1913 Picatinny rail, and includes five rail keys to allow installation on Beretta 90-Two and Vertec, Glock, Kel-Tec PF-9, Kimber TLE/RLII, Sig GSR, Smith & Wesson M&P and TSW, Springfield XD compact and full frame, Springfield 1911, and others.

#100-004-290AN TLR-3 Weapon Light, 1K74I99. . . \$ 74.99

**LIGHT ADAPTERS** - Permits TLR-1/2 and M-3/-5/-6 lights to be used on listed firearms.

#100-000-828AN 12 Ga. Ext. Mag Tube Adapter, 1K17E99. . . . . \$ 17.99

#100-000-829AN Remington 870 Light Adapter, 1K14K89. . . . . 17.99

**TACTICAL ILLUMINATOR MOUNT** - Tough, polymer mount attaches to AR-15 handguards to accept your TLR-1/2 or M-3/-5/-6 light. Winged end stop keeps light from sliding off.

**SPECS:** Polymer, black, matte finish, 80-90 lumens, 3.4" (8.6cm) L, 1.57" (4cm) W, 1.52" (3.8cm) H, 3.3 oz (90.4 g) wt. Accepts TLR-1/2 and M-3/-5/-6 lights. Includes lithium batteries. Mounting hardware and instructions included.

#100-000-831AN Tactical Illum. Mount, 1K21K49. \$ 22.49

**SUREFIRE X300/X400 ULTRA WEAPON LIGHTS**

Powerful Tactical Illumination  
For Rail-Equipped Handguns



Compact, lightweight weapon light provides powerful target illumination for tactical pistols equipped with

Picatinny and Universal Standard mounting rails. Solid-state, shock-isolated, electronically controlled LED outputs 500 lumens of intense, white light for up to 1 1/2 hours runtime. LED is protected by a tempered Pyrex® lens; anti-reflective coating ensures maximum light transmission. Specially engineered Total Internal Reflection focusing lens tightens light beam to project a more focused beam at longer distances, yet provides enough surround beam to support peripheral vision. Ambidextrous constant on/off toggle switch provides fail-safe operation under stress. Push button, spring-loaded mounting clamp allows you to instantly attach or detach light for any situation. O-ring sealed fittings are waterproof to 70 feet. Adapter plates and mounting hardware for Picatinny and Universal Standard rails included.

**SPECS:** Aluminum body, mil-spec Type III hardcoat anodized, black, 3 1/8" (9.2cm) long, 1 1/8" (3.5cm) wide, approximately 1" (2.5cm) high when mounted, 3.8 oz. (108g) wt., with two, included, CR-123A lithium batteries installed. Output: 500 lumens of light for up to 1 1/2 hours.

#100-011-406AN X300 Ultra Weapon Light, 2E00CLG . . . . . \$ 249.99

**X400 ULTRA WEAPON LIGHT/LASER** - Includes the same powerful 500 lumen LED and other technical features as the X300 with the addition of a fully-adjustable, super-bright red aiming laser that puts you on target immediately. Makes the X400 the perfect choice for military, law enforcement, and self defense use. Laser outputs 5 milliwatts at a wavelength of 635 nanometers, making the beam brighter and more visible than comparable units. Five-position switch, located behind the laser, offers four modes of operation, including light only, laser only, light and laser together, and two disable positions. Nylok® adjustment screws won't back out under recoil, so loss of zero is a thing of the past. Fully sealed to keep dust and moisture out. Includes adapters and hardware for mounting to Picatinny and Universal Standard rails.



**SPECS:** Aluminum body, mil-spec Type III hardcoat anodized, black. Approx. 3 1/8" (9.2cm) long, 1 1/8" (3.7cm) wide, 1 1/4" (4.8cm) high, 4.4 oz. (125g) wt., with two, included, CR-123A lithium batteries installed. Output: 500 lumens of light for up to 1 1/2 hours.

#152-000-137AN X400 Ultra Weapon Light/Laser, 2E449N99. . . . . \$ 449.99

**STREAMLIGHT TLR-1 GAME SPOTTER GREEN WEAPON LIGHT**

Powerful, Long Range Hunting Light  
Illuminates Game



Machined from lightweight, aircraft aluminum with an unbreakable polycarbonate lens, this weapon mounted hunting light produces a beam of green light capable of reaching 350 meters. Combining a shockproof, green C4 LED with a deep dish parabolic reflector, produces intense green light that won't spook game or affect your night vision. Spotlight attaches to your weapon with a one-handed, snap-on rail clamp to keep your hands away from the muzzle. Comes with four rail keys for mounting to 1913 Picatinny, Glock style, Beretta 92, S&W 99 and S&W TSW rails. Ambidextrous rocker switch allows you to select between momentary or steady on. Light is O-ring sealed and IPX7 waterproof to 1 meter for 30 minutes. Powered by two 3V CR123A lithium batteries (included), light produces 150 lumens for 1.75 hours.

**SPECS:** Aluminum, anodized finish, black, 5.25" (13.3cm) long, 1.44" (3.7cm) wide, 2.2" (5.6cm) high, 5.6 oz. (158.8g) wt. Output: 150 lumens for 1.75 hrs. Intensity: 31,000 candela.

#100-012-955AN TLR-1 Game Spotter, 1K00BEH \$ 129.99



## SUREFIRE M952V MILLENNIUM UNIVERSAL WEAPON LIGHT

Powerful Illumination;  
Switch Between Bright White  
& Infra-Red Output

Powerful, modular weapon light gives either a tightly focused white beam or a tactical infra-red beam. A throw lever clamp with a free-floating index plate lets you mount the M952V on almost any Picatinny or Weaver-style rail, even on off-spec rails. White LED outputs 150 lumens of pure, white light for long-range applications, yet with enough surround light for close-quarter illumination. IR mode delivers 120mw of infrared light visible only through night vision gear. Up to 2 hours continuous white output, or 8 hours of IR output, on one pair of CR-123 batteries. Tailcap switch offers momentary or constant on operation. Optional remote pressure switch with 7' cable can be mounted on vertical grip or side rail. Heavy duty, machined aluminum body protects the electronics from impact, while O-ring seals keep out moisture in adverse weather.

**SPECS:** Aluminum, mil-spec Type III hardcoat anodized, matte black or tan. 6" (15.2cm) long, 9.2 oz. (261g) weight. Requires two CR-123A batteries, included

#152-000-073AN Millennium Weapon Light, Black, 2E459D99..... \$ 459.99

#152-000-074AN Millennium Weapon Light, Tan, 2E459E99..... 459.99

**XM-06 DUAL SWITCH TAILCAP** - Replace tailcap assembly fits all Millennium® Universal Weapon Lights and provides two independently operating switches. Assembly screws directly into your existing light and comes with a 6" long cable with pressure switch and pushbutton on/off disable feature. Mounting hole can be plugged with attached plastic cap to keep moisture and debris out.

**SPECS:** Plastic housing, black. Kit includes tailcap assembly, 6' long cable w/ pressure switch, hook-and-loop fastener, alcohol wipe, and operator's manual.

#152-000-033AN XM-06 Dual Switch Tailcap, 2E129A00..... \$ 129.00

**REPLACEMENT SF-123 BATTERIES** - SF 123, three-volt lithium batteries fit all Surefire hand-held and weapon mounted lights.

#152-000-023AN SF-123 Batteries, 2-Pak, 2E5C99. \$ 5.99



## SUREFIRE MINI SCOUT LED WEAPONLIGHT

Ultra-Compact, Powerful LED  
Light Has Two Switch Options &  
Quick-Install Picatinny Mount

Rugged, ultra-compact light clamps to any MIL-STD 1913 Picatinny Rail and provides a blinding 200 lumen beam, but needs only one CR 123 lithium battery.

Optic-coated, specially shaped Total Internal Reflection (TIR) lens helps extend the beam and gives enough surround light for close-quarter operations. Recoil-proof LED produces tactical-level light for up to 1.3 hours on one battery, has no filament to burn out, and produces far less heat than incandescent bulbs. Choose between ergonomic tailcap on-off switch or included pressure-pad switch that can be taped to a handguard or vertical foregrip. Machined aluminum body features O-ring seals for long service life. Large thumbscrew is easy to use and makes for fast install onto rail.

**SPECS:** Machined aluminum, hardcoat anodized, matte black finish. 200 lumen output. Tactical runtime on one battery, 1.3 hours. Includes CR-123 battery & instructions.

#100-011-901AN Mini Scout LED Weaponlight, 2E299D99..... \$ 299.99

## TAC-STAR WLS 2000 WEAPON LIGHT

Compact, Powerful,  
Multi-Configuration  
Light System

For Rifles & Shotguns

Clamp-on light system for rifles and shotguns puts control of 75 lumens (15,000 candle power) of bright, white light at your touch to illuminate your intended target. Multi-configuration system lets you choose the setup that suits your needs: a push button tailcap switch or the pressure-sensitive on/off switch with expandable coiled cord that attaches to a vertical grip or forearm and provides instant activation without shifting your grip. Includes two clamps that allow mounting to a variety of guns ranging from .22 caliber rifles to 12 gauge shotguns. "O" ring seals protect against shock and make the WLS 2000 water-proof to 100 feet. Shock-resistant, fixed-beam, Xenon gas filled bulb; up 1 hour continuous output from a pair of lithium batteries.

**SPECS:** 6061 T6 aluminum, anodized, black. Body - 4 1/8" (11.4cm) long, 1" (2.5cm) diameter. Reflector - 1 1/4" (3.1cm) diameter. Mounting Clamps - Steel, black oxide finish. 5.7 ounces (170g) total weight with batteries. Includes two CR-123A lithium batteries, rifle and shotgun barrel clamps, mounting hardware, and instructions.

#867-000-023AN WLS 2000 Weapon Light, 7F89A99 \$ 96.99



## SUREFIRE KM4 LED/IR UPGRADE KIT

Upgrades An Existing Light  
To Brighter LED;  
Switchable White Or Infra-Red Output



Replacement head fits Surefire M3/M9/M96-series weapon lights to provide a super-bright white beam plus a powerful infra-red beam for use with night vision

devices. Both shockproof LED light sources are contained in a single assembly with no separate infrared filter needed. Turn the detent-locking selector ring to "White" mode for up to 150 lumens output and plenty of reach, yet enough peripheral light for close-quarter situations. Turn the ring to "IR" mode for a powerful 120 mW infrared beam visible only through night vision devices. Precision-focused Total Internal Reflection lens produces tight, uniform beams free of hot spots or dark blotches. Easy to install by simply removing the light's original head assembly and screwing on the self-contained LED/IR unit.

**SPECS:** Aluminum, hardcoat anodized, black. Output: 150 lumens white light, 120 mW infra-red (IR) light. Fits Surefire M5-series forend weapon lights, M9-series vertical foregrip weapon lights, and M96-series Millennium universal weapon lights. Kit includes replacement head, cleaning brush, (2) replacement O-rings, and thread lubricant.

#152-000-078AN KM4 LED/IR Upgrade Kit, 2E299E00..... \$ 299.00

## SUREFIRE ST07 REMOTE TAIL SWITCH

Put Switch Exactly Where You Want It  
For Instantaneous Light Activation

Sealed, weatherproof pressure switch lets you remotely activate your SureFire WeaponLight for immediate, on-demand target illumination. Plugs directly into the tail cap switch of a variety of SureFire lights. Comes with a 7" long cable ending in the pressure pad that can be taped to the forearm or vertical grip of a tactical rifle or shotgun. Fits all Surefire lights with a plug-in socket in the tailcap, including the X300, X400, XT, Scout Light, Millennium Universal, and Classic Universal lights. NSN #5930-01-531-2192.

**SPECS:** Plastic housing, black. 7" long cable w/sealed synthetic rubber pressure switch.

#152-000-065AN ST07 Remote Switch, 2E69D00. \$ 69.00



## BROWNELLS TACTICAL TAPE

Secure Temporary Attachment  
Of Tactical Gear To Weapons



A strong, waterproof, nonreflective tape for secure but temporary attachment of pressure switches or as camo to break up your gun's silhouette. Use to tape down zippers, swivels, straps and other sources of noise that could give away your position during stealthy operations. Has a thousand and one other uses in the field, in the army, or on your workbench. This is vinyl-coated, high thread count cloth tape, not cloth reinforced vinyl "duct" tape. Tears off the roll clean and straight. High-tack, synthetic rubber adhesive won't leave behind sticky residue and provides excellent adhesion and conformability over a wide temperature range. 42 lb. per inch tensile strength means this tape won't come loose during stressful tactical operations. Once you've used this stuff, you won't settle for ordinary electrical or duct tape ever again!

**SPECS:** Vinyl coated cotton cloth, synthetic rubber resin adhesive. 1" (2.5cm) wide, 180' (55m) long, .001" (12 mil) thick. Available in Black and Coyote Brown.

#100-002-654AN Tactical Tape, Black, 5A10F49... \$ 15.99

#100-002-656AN Tactical Tape, Coyote Brown, 5A11P79..... 18.49

## COMMAND ARMS

### FLASHLIGHT/LASER MOUNT

Durable, Lightweight Mounts For Rifle Or  
Pistol Accessory Rails



Fixed



5-Position

Combat-proven, fiber-filled polymer mounts easily and securely slide onto Picatinny or Weaver-style rails to provide a stable mounting platform for 1" O.D. flashlights/lasers. Spring-loaded, push-button release facilitates quick attach/detach, and the integrated C-clamp firmly tightens to ensure maximum light retention. Available in Fixed or 5-Position configuration, which pivots and locks into five, definable positions up to 90° left or right of center allowing you to reposition the flashlight if necessary.

**SPECS:** Fiber-filled polymer, black. Fits 1" (2.5cm) O.D. lights/lasers. Fixed Mount - 2" (5cm) OAL, 1 1/8" wide, 2" tall. 1.6 oz (45.3g) wt. 5-Position Mount - 2 1/4" (7cm) long. 1.5" (3.8cm) wide, 2 1/2" (6.3cm) tall. 2.8 oz (79g) wt. Allen wrench included.

#100-009-741AN Fixed Flashlight/Laser Mount, 6C16L35..... \$ 19.80

#100-003-353AN 5-Position Flashlight/Laser Mount, 6C22K23..... 27.00

## MISSION FIRST TACTICAL

### FAS2 TACTICAL LIGHT MOUNT

Get Flashlight Illumination &  
Keep Both Hands On Your Gun



Injection-molded, reinforced, polymer-resin mount makes it easy to use your hand-held flashlight as a weaponlight in tactical situations. Accepts any light with a 1" body. Screw-adjustable, radiused pads hold light tightly in place; push-button locking system gives quick attachment and removal. Use on rifle or shotgun equipped with Picatinny or Weaver-style rails.

**SPECS:** Polymer, black. 1 1/8" (4cm) long, 1 1/4" (4cm) high, 1 1/4" (3.2cm) wide. Accepts flashlights with a 1" O.D. body.

#100-001-022AN FAS2 Mount, 9C13H99..... \$ 16.99

## BROWNELLS BERETTA 92/96 & 1911 AUTO LIGHT RAIL MOUNT

Add Lights & Lasers  
To Non-Railed Frames



Add-on light rail makes it cost-effective to convert any 1911 Auto-type pistol or early model Beretta 92/96 pistol without an integral frame rail to accept a wide assortment of popular weapon lights and lasers. Rail attaches permanently with the supplied screws and Acraglas Gel® to form a seamless mate with the dust cover. Aluminum model keeps aluminum-framed pistols lightweight and maneuverable. Steel version provides extra strength and added weight for improved balance and recoil control, plus it can be welded into place and finish-shaped for a "built-in" appearance on steel framed pistols. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist.

**SPECS:** Aluminum or steel, matte black. 1 1/8" (4cm) long, 1 3/16" (2.1cm) wide, 3/8" (9.5mm) high. Weight: Aluminum - .6 oz. (17g). Steel - 1.2 oz. (34g). Fits Beretta 92/96 and 1911 Auto-type pistols. Slot centers located .510" from each end.

#078-000-076AN Aluminum Light Rail Mount, 8G40A50..... \$ 49.99

#078-000-078AN Steel Light Rail Mount, 9A40F53 49.99

## BROWNELLS GLOCK® TACTICAL LIGHT MOUNT

Converts Early Model Pistols  
To Accept Weapon Lights & Lasers



It's now possible to upgrade the hundreds upon thousands of early model Glock medium frame pistols in the 17/19 family to accept an assortment of weapon lights and lasers without the expense of replacing the

original frames. This low profile, add-on rail permanently attaches to the dust cover for solid mounting of the most popular pistol-mounted combat accessories. Mount is contoured for a smooth, clean appearance and features a milled slot for unobstructed viewing of the factory serial number plate. Provided nut plate and screws completely immobilize rail from all movement, even after thousands of rounds with extra power loads. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist.

**SPECS:** Aluminum, matte black. 1 1/8" (3.8cm) long, 1 3/16" (2.1cm) wide, 1/4" (6.4mm) high. .4 oz. (11.3g) wt. Fits early model Glock 17/19 pistols without integral frame rail. Requires gunsmith fitting.

#078-000-079AN Tactical Light Mount, 9A58P29. \$ 65.99

## LASER DEVICES AR-15/M16

### 1" NATO PICATINNY RING MOUNT

Mounts Tactical Accessories  
To Picatinny Rail Systems



Lightweight, aluminum ring clamps securely to picatinny rails for mounting lasers, lights, and other tactical accessories. Knurled, .62" knob secures the ring to the rail. Hex screw tightens mount to device in the ring without crushing or marring the device. Ring fits Picatinny rails.

**SPECS:** 6061-T6 aluminum, matte black. .413" (10.5mm) from bottom of ring to top of base. Accepts 1" (25.4mm) diameter devices. Hex key included.

#100-001-969AN 1" Picatinny Ring Mount, 9A52A35..... \$ 65.99

YOUR 100% SATISFACTION IS OUR GUARANTEE!!

Orders/Tech: 800-741-0015

order on the web  
www.brownells.com

BROWNELLS  
... ONLY THE BEST... PAGE 387

## TACSTAR UNIVERSAL FLASHLIGHT MOUNTS



Steel, Two-Piece Mount  
Clamps Securely To Barrel

Made especially to mount flashlights to your shotguns and rifles without modifications to the barrel. These all-steel, two-piece light mounts fasten securely to the barrel with two Allen head screws. Available in four different flashlight/barrel sizes. Allen wrench and two spare screws included. **USA**

**SPECS:** Steel, gloss black finish. **#1 Mount** - Attaches 3/4" light to 1/2" to 3/4" barrel. **#2 Mount** - Attaches 1" light to 1/2" to 3/4" barrel. **#3 Mount** - Attaches 3/4" light to 3/4" to 1" barrel. **#4 Mount** - Attaches 1" light to 3/4" to 1" barrel. Two extra Allen head screws included.

- #867-000-008AN #1 Universal Flashlight Mount, 7F14B66** ..... \$ 21.98
- #867-000-009AN #2 Universal Flashlight Mount, 7F14N66** ..... 21.98
- #867-000-010AN #3 Universal Flashlight Mount, 7F14M66** ..... 21.98
- #867-000-011AN #4 Universal Flashlight Mount, 7F14Q66** ..... 21.98

## WILSON COMBAT

### SCOPE ACCESSORY MOUNT

For Mounting Light Or Red Dot Sight  
On A 1" Scope Tube



Compact, rugged mount fully machined from 6061 T6 aluminum clamps directly to any 1" diameter scope tube and provides 1 1/16" of Picatinny rail space for mounting a light, red dot sight, laser, or other accessory. Enables quick transition from long-range (scope) targeting to close-range (red dot) simply by shifting your eyes. Durable hardcoat anodized finish resists surface wear and matches most tactical scope finishes. **USA**

**SPECS:** 6061 T6 Aluminum, hardcoat anodized, matte black. 1 1/8" long rail. Fits 1" scope tube.

- #965-000-099AN Scope Accessory Mount, Only, 5F57H34** ..... \$ 64.99



## VIKINGTACTICS FLASHLIGHT/LASER MOUNT



Offset For Fast, Easy Access To Activation Switches

Extra-wide, offset base mounts flashlights and lasers

to any railed handguard for easy light/laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9- o'clock positions to accommodate right- or left-handed shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC alloy thermoplastic that's resistant to most solvents. Adjustable to fit flashlights and lasers from .800" to 1" diameter. **USA**

**SPECS:** PVC alloy thermoplastic, Black, Coyote Tan, or Flat Dark Earth. 1 1/2" (3.8cm) long, 2 1/2" (6.3cm) wide, 1 1/4" (3.2cm) high. 1.8 oz. (51g) weight. Fits .800" (20mm) to 1" (2.5cm) diameter flashlight and laser.

- #100-004-371AN Flashlight/Laser Mount, Black, 7K23E61** ..... \$ 24.99
- #100-004-372AN Flashlight/Laser Mount, Coyote, 7K23N61** ..... 24.95
- #100-005-402AN Flashlight/Laser Mount, Flat Dark Earth, 7K23Q61** ..... 24.95



Size

## VLTOR SCOUT MOUNT

Turns Handheld Flashlight Into Compact, Rail-Mounted Weaponlight



Flashlight Not Included



SM-CK

All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triple-function cross-bolt with large, easy-grasp thumbscrew tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny or similar accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below. Off-set models let you position the light to the left, right, or below the rail, approximately 1/4" off-set from the centerline of the rail. **SM-OCG** - Dual thumbscrew cross-bolts ensure extra secure attachment to rail. **SMQ-OCG** adds an American Defense quick-release lever for ultra-fast attachment and removal. Lever releases the mount only when you depress the release tab, and may be configured to swing to the front or the rear. Mount is adjustable to ensure a secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. **USA**

**SPECS:** Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. **SM-E** fits lights with .810" to .826" O.D., including SureFire Executive series. **SM-CK** fits lights with 1.010" to 1.026" O.D., including SureFire Classic series with diamond knurled bodies and Blackhawk Gladius. **SM-OCG** off-set mount fits flashlights with 1.010" to 1.040" O.D., including Surefire G- and CK-series. **SMQ-OCG** quick-release off-set mount accepts flashlights with .980" to 1.040" O.D., including SureFire G- and CK-series.

- #100-003-714AN SM-E Scout Mount, 3A29F95** ... \$ 33.20
- #100-003-716AN SM-CK Scout Mount, 3A30L29** ... 33.20
- #100-004-279AN SM-OCG Off-Set Scout Mount, 3A53N75** ..... 56.95
- #100-004-711AN SMQ-OCG Off-Set Scout Mount, 3A74B89** ..... 80.70

## MCCANN INDUSTRIES SIRS RAIL MOUNT

Forward Accessory Mounting For Bolt Action Rifles



Stock Imbedded Rail Mount System (SIRS) lets you install night vision devices, optics, lasers and additional accessories up front, around the barrel and forearm, on a bolt action rifle. Features three MIL-STD 1913 Picatinny rails, including a 4" top rail that

enables mounting of a night vision device in front of an optic. Compact side rails detach easily with an Allen wrench if not needed. Installation requires making a permanent cutout in the forend. Lower half is epoxied into cutout, then six, steel, Allen head screws clamp the top half on for a rock-solid installation that still allows the barrel to free float. **USA**

**SPECS:** 7075 T6 aluminum, hardcoat anodized, matte black. 4" (10.2cm) long, 3 1/2" (8.9cm) wide, 2 1/4" (5.7cm) high. 1 1/4" ID. Requires a forearm at least 1.66" wide and a barrel O.D. not larger than 1.16". Includes installation instructions.

- #100-005-311AN SIRS Rail Mount, 4K248M28** ... \$ 274.99



Instructional videos available at [brownells.com](http://brownells.com)

## MIDWEST INDUSTRIES RUGER® MINI-14® TACTICAL LIGHT MOUNT



Provides Secure, Up-Front Mounting Of Lights & Lasers

All-aluminum mount clamps to the barrel in front of the gas block to provide two MIL-STD 1913 Picatinny rails for mounting tactical lights

and laser devices. Allows easy activation of light or laser using your thumb, without your hand leaving the forearm. Rails are located at the 3 and 9 o'clock positions to accommodate both right- and left handed shooters. Low profile maintains an unobstructed field-of-view and won't interfere with removal of stock during maintenance. **USA**

**SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Steel hardware. Base - 1 1/2" (3.8cm) long, 1 1/2" wide, 1 1/4" (3.2cm) high. Rails - 3" (7.6cm) long. 3.8 oz. (108 g) weight. Fits Ruger Mini-14.

- #100-004-402AN Mini-14 Tactical Light Mount, 2A48K00** ..... \$ 64.95

## MIDWEST INDUSTRIES

### M14/M1A TACTICAL LIGHT MOUNT

Lightweight, Easy To Install Mount Provides A Rugged Platform For Your Lights & Accessories



When you're shooting in low light conditions, you want to be sure your light stays fastened securely to your rifle, especially with heavy-recoil M14 and M1A's. Lightweight construction keeps weapon balance changes to a minimum. Attaches firmly to the barrel and gas piston tube and allows you to mount lights, lasers, or accessories on the right or left hand side. Will not interfere with stock removal during field stripping and cleaning. No gunsmithing required. **USA**

**SPECS:** Aluminum, CNC machined from billet hard-coat anodized to Mil-Spec, black. Rail is 2 1/8" (7.5cm) long, 1 1/8" (2.1cm) wide. Allen wrenches included.

- #100-002-327AN M14/M1A Tactical Light Mount, 2A54K75** ..... \$ 69.95

## FALCON INDUSTRIES UNIVERSAL ACCESSORY MOUNTING PLATFORM



Easy Installation; Mount Tactical Accessories

Injection-molded, nylon-based, polymer platform installs easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts picatinny and Weaver-style accessories. **USA**

**SPECS:** Injection-molded polymer, black. 5 1/2" (14.3cm) OAL.

- #573-000-027AN Universal Accessory Mounting System, 3G8M12** ..... \$ 9.99

## MESA TACTICAL REMINGTON/BENELLI TACTICAL BARREL/MAGAZINE CLAMP



Secures Extended Mag Tube & Mounts Accessories Up Front

Lightweight, aluminum clamp locks barrel and extended magazine tube together to form a rigid, rock-solid assembly. Can be used as a tactical light mount: install a 1" diameter light in one side of the clamp and secure the other side to the barrel or magazine. Left- and

right-side sling swivel sockets accept standard pushbutton swivels. Two steel Allen head screws pull the clamp halves together for a tight, non-slip hold. Also available with a 2" long, 4-slot, MIL-STD 1913 Picatinny rail that can be installed in the 3- or 9- o'clock position, for mounting additional accessories. Fits Remington 870, 1100, 11-87 and Benelli M1, M2, M4, M1014, 12 gauge shotguns. **USA**

**SPECS:** 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1 1/2" (3.8cm) long, 1 1/8" (3.5cm) wide, 1 1/8" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

- #100-004-032AN Barrel/Mag Clamp, w/Rail, 5A75D85** ..... \$ 84.99
- #100-005-447AN Barrel/Mag Clamp, Only, 5A51C13** ..... 54.99

## LITE MOUNT TECHNOLOGIES

### 3-RAIL PICATINNY SHOTGUN MOUNT

Mounts Easily Under Barrel; Accepts Picatinny Accessories

Rigid, aluminum, tri-rail mount lets you attach picatinny accessories such as lights, lasers, and other tactical equipment to your shotgun. Installs on the magazine tube without modifications to the gun, and will hold up to three attachments. Low mounting point keeps lights and lasers in proper alignment with the shot pattern and prevents interference with iron sights. Secures with two 1/8" clamping screws. Models for most popular brands of tactical shotguns. **USA**

**SPECS:** 6061-T6 aluminum, matte black. 1 1/8" (4.2cm) long. 1" - Fits Winchester, Remington, and FN shotgun magazine tubes. 25mm - Fits Mossberg and Ithaca shotgun magazine tubes. 26mm - Fits Benelli and Franchi SPAZ shotgun magazine tubes.



- #100-002-041AN 1" 3-Rail Shotgun Mount, 2Z42A67** ..... \$ 55.00
- #100-002-015AN 25mm 3-Rail Shotgun Mount, 2Z42A67** ..... 55.00
- #100-002-052AN 26mm 3-Rail Shotgun Mount, 2Z42H67** ..... 55.00

## LITE MOUNT TECHNOLOGIES TACTICAL SHOTGUN MOUNT



Won't Interfere With Sights

Contoured, aluminum mount clamps to the extended magazine tube for secure mounting of a flashlight or laser sight on tactical shotguns. Positions the light/laser below the barrel for a clear line of sight. **USA**

**SPECS:** 6061-T6 aluminum, black matte finish. Fits 1" (2.5cm) dia. magazine tube and accepts 1" dia. flashlight or laser.

- #100-000-400AN 1" Tactical Light/Laser Mount, 2Z25F00** ..... \$ 33.95

QUESTIONS BEFORE YOU BUY? — Ask Our Full-Time Tech Staff

**NEW**

**SUREFIRE HANDHELD LIGHTS**

**Small Size, Lightweight, Tremendous Illuminating Power; For Personal & Tactical Applications**



Compact and durable, high-output lithium-powered handheld lights illuminate darkened rooms, entryways, hallways - anyplace you need bright, white light instantly. Anodized aluminum or precision-molded polymer bodies with O-ring seals to keep moisture and dirt out. Lamp modules use a pre-focused, metallic vapor coated reflector and a Lexan or Pyrex lens to prevent dark spots or unevenness in the beam. Sealed, tailcap switches offer two modes of operation for total light control: push for momentary activation or twist for constant-on. Switch lockout prevents accidental activation during storage or transport. Batteries included with all models.

**SPECS:** All models except G2, aluminum body, hardcoat anodized, black.

**6P ORIGINAL** - High-output Xenon incandescent lamp and high-energy lithium batteries provide brighter light than flashlights many times larger. Checkered body with hexagonal, anti-roll flats at the base of the bezel ensure a no-slip grip. Optically coated Pyrex lens ensures a consistent, even beam.

**E2D LED DEFENDER** - Dual-output LED light features a pocket clip and crenellated Strike Bezel® that turns it into an emergency self defense tool. Two-stage tailcap switch toggles between powerful 200-lumen high setting with a runtime of up to 1.9 hours and a 5-lumen low setting that can last up to 76 hours. Machined aluminum body, hard-anodized, matte black.

**E2D DEFENDER ULTRA LED** - High performance LED light features a Total Internal Reflection lens that focuses and maximizes the beam. Dual stage tailcap switches between powerful 500 lumen high setting with a 2.25 hour runtime and a low 5 lumen low setting lasting 67.75 hours. Aerospace aluminum body, Mil-Spec-anodized for durability and corrosion-resistance. Crenellated Strike Bezel® and scalloped tail cap deliver bone crunching blunt force to repel an assailant. Two-way steel pocket clip allows head up or head down carry.

**G2 NITROLON** - Same output ratings as the 6P/9P, with an exceptionally lightweight, rugged, shock-resistant body of reinforced, corrosion-proof Nitrolon® polymer. Tough Lexan® lens. **SPECS:** Nitrolon polymer body, black.



**P2X FURY** - Rugged, dual-output LED light offers an incredible 500-lumen high-output mode for up to 1.5 hours runtime. 15-lumen low mode gives up to 46 hours of operation. Two-stage tailcap switch toggles between momentary-on and constant-on settings. Rugged hard-anodized aluminum body, black finish.



**6PX LED TACTICAL COMBATLIGHT** - Single-mode light has the exceptional compactness of the original 6P light with a tremendously powerful 320 lumen LED emitter and 2.5 hours runtime.



**6PX PRO** - The exceptional compactness of the original 6P light with a tremendously powerful, virtually indestructible LED emitter. Dual-modes allow you to select between a 320-lumen max output beam for bright light for up to two hours, or the 15-lumen low output mode for up to 45 hours. Constant-on and momentary-on modes provide even greater versatility.



**G2X PRO DUAL-OUTPUT LED** - The same rugged, shock- and impact-resistant, corrosion-proof Nitrolon polymer body as the rest of the G2 series, with an incredibly powerful, and nearly indestructible LED emitter. Outputs a remarkable 320 lumens in high mode for 2.5 hours of runtime or 15 lumens in low mode for up to 45 hours of runtime in momentary- and constant-on modes.



**G2X LED COMBATLIGHT** - The same rugged, shock and impact resistant, corrosion-proof Nitrolon polymer body as the rest of the G2 series, with an incredibly powerful LED emitter. **Tactical** model outputs 320 lumens in momentary or constant-on operation. 2.5 hours runtime. **Pro** model features a 200-lumen high-mode and a 15-lumen low-mode that allows up to 45 hours of runtime. Just press the sealed tailcap switch for low output, then double click for high output.



STOCK #	MODEL	OUTPUT (LUMENS)	BATTERIES	LENGTH	WEIGHT	PRICE
#152-100-006AN	6P Original	65	(2) CR-123A	5.2" (13.2cm)	5.3 oz. (150g)	2E68M99 \$ 68.99
#152-000-085AN	E2D LED Defender	200/5*	(2) CR-123A	5.4" (13.7cm)	3.7 oz (105g)	2E164H50 \$ 164.50
<b>NEW</b> 100-012-207AN	E2D LED Defender Ultra	500/5*	(2) CR-123A	5.6" (10.2 cm)	4.2 oz. (119 g)	2E209I99 \$ 209.99
#152-000-026AN	G2 Nitrolon	65	(2) CR-123A	5.1" (12.9cm)	4.1 oz. (116g)	2E50H99 \$ 59.99
#152-000-112AN	P2X Fury	500/15*	(2) CR-123A	5.4" (13.7cm)	5.7 oz. (161g)	2E134H99 \$ 139.99
<b>NEW</b> 152-000-126AN	6PX LED Tactical Combatlight	320	(2) CR-123A	5.2" (13.2cm)	5.2 oz. (147g)	2E98C99 \$ 98.99
<b>NEW</b> 100-011-404AN	6PX Pro	320/15*	(2) CR-123A	5.2" (13.2cm)	5.2 oz. (147g)	2E00QSD \$ 99.99
<b>NEW</b> 152-000-128AN	G2X Tactical	320	(2) CR-123A	5.2" (13.2cm)	4.4 oz. (124g)	2E78K99 \$ 78.99
<b>NEW</b> 152-000-089AN	G2X Pro	200/15*	(2) CR-123A	5.2" (13.2cm)	4.4 oz. (124g)	2E95N00 \$ 95.00
<b>NEW</b> 100-011-405AN	G2X Pro Dual-Output	320/15*	(2) CR-123A	5.2" (13.2cm)	4.4 oz. (124g)	2E81H99 \$ 86.99

\* High-power/low-power settings.

**NEW**

**STREAMLIGHT ARGO HEADLAMP**

**Lightweight Headlamp**

**Pierces The Darkness With An Intense Beam**



With advanced C4 LED technology and an enhanced reflector, the Argo is casts a powerful beam of light beyond 200 yards. An easy to use, recessed rubber pushbutton allows you to select between three modes: high, medium and low. Headlamp produces 150 lumens for 3 hours on high, 100 lumens for 4½

hours on medium, and 45 lumens for 30 hours on low. The 90° tilting head offers hands free use and reduces neck strain. Headlight housing is water and impact resistant for heavy duty jobs. A low level battery indicator in the facecap flashes red to let you know when the batteries are dying.

**SPECS:** Co-molded rubber/plastic body, yellow and black. 2 1/8" (6cm) high, 2 3/4" (7cm) wide, 2 3/4" (7cm) long. 5.4 oz. (153g) wt. Adjustable, elastic headband, red and black. Adjustable rubber headband, black. 3 AAA alkaline batteries, included.

#100-012-798AN Streamlight Argo Headlamp, 1K32H25..... \$ 35.99

**NEW**

**STREAMLIGHT® HANDHELD LIGHTS**  
Powerful & Nearly Indestructible

**POLYTAC LED HANDHELD LIGHT** - Compact, ultra-lightweight hand-held light packs powerful C4 LED technology to deliver a super-bright 120 lumen (4,800 candle-power) beam. Features a rugged, high-impact polymer body, with deep grasping grooves for a non-slip grip. O-ring seals make the light waterproof down to 1 meter for 30 minutes. The LED lamp is far more resistant to shock than traditional filament lamps, and has a 50,000 hour lifetime expectancy. Push-button switch in the tailcap provides one-handed momentary or constant-on operation. Rotate the cap to "lockout" off position to prevent accidental activation and battery run down. Three hours of continuous runtime on two batteries.



Polytac

**SPECS:** Reinforced nylon polymer, Black or Coyote. 5 1/4" (13.3cm) long, 1" (2.5cm) O.D. 4.1 oz. (116g) wt. Two CR-123A lithium-ion batteries included.

#100-004-725AN PolyTac Flashlight, Black, 1K39A99..... \$ 39.99

#100-004-726AN PolyTac Flashlight, Coyote, 1K39B99..... 44.99

**PROTAC® HL™ TACTICAL LIGHT** - Powerful, tactical light produces a 600 lumen beam capable of illuminating targets up to 276 yards (253m) away. Ten-Tap™ programming lets you select from three operating modes: High/Strobe/Low (factory default), High only, or Low/High. C4® LED technology is impervious to shock and has a 50,000 hour life expectancy. Machined aluminum body is impact resistant and waterproof to a depth of 1 meter for 30 minutes. The anti-roll head ensures the light stays where you place it.



ProTac HL

**SPECS:** Aluminum, hardcoat anodized, black finish. 5.4" (13.7cm) long, 1" (2.54cm) barrel diameter. 5.6 oz. (159g) weight with batteries. Runtime: 1 1/2 hours on High (600 lumens), 18 hours on Low (33 lumens), and 2 1/2 hours on Strobe (600 lumens). Includes two CR-123A batteries, instructions, removable clip, and nylon holster.

**NEW** 100-011-262AN ProTac HL Tactical Light, 1K89N99..... \$ 99.99

**MICROSTREAM** - Mini-flashlight features a 20 lumen high-flux LED (30,000 hour lifetime) with Micro-Optical System technology for optimized output and run-time, and "battery-booster" electronics to provide a super-bright beam. 1 1/2 hour run-time on one AAA battery. Push-button momentary or constant-on tail cap switch. **SPECS:** Aluminum, hardcoat anodized, black finish. 3 1/2" (8.9cm). 1.1 oz., (30g). Includes key ring, pocket clip, breakaway lanyard, and one AAA alkaline battery.



Microstream

#100-005-923AN Microstream LED Flashlight, 1K16G79..... \$ 18.99

**NEW**

**STREAMLIGHT ENDURO HEADLAMP**

**Compact Headlamp Delivers Bright, Hands Free Lighting**



Lightweight, high performance LED headlamp is made of impact resistant, ABS plastic with an unbreakable polycarbonate lens. Handy, push-button switch lets you select between high and low beam. Light produces 14.5 lumens for six hours on high setting and on low 6 lumens for twelve hours. Solid state power regulator ensures maximum light output throughout life of the batteries. The tilt head lets you aim the light right where you need it for hands free operation. Light is O-ring sealed and waterproof down to 3 feet. Light can also be attached to your hat brim, car visor, or coat using the built in clip.

**STREAMLIGHT® TRIDENT LIGHT**

**Powerful Hands-Free Illumination**



Head harness and swivel lamp lets you keep both hands free, while directing light where you need it. Three-way light source: (1) C4 LED primary light gives 80 lumen output with 413 ft. beam distance and 5 hour run time. (2) green, LED gives excellent visibility with little glare, while preserving night vision; 6 lumen output, 50 ft. beam distance, 63 hour run time. (3) Two white LEDs provide brilliant, close-in illumination, with 25 lumen output, 108 ft. beam distance, and 19.5 hour run time. Pushbutton switch is easy to use when wearing gloves and is recessed to protect it from inadvertent activation. 90° tilting head features a robust ratcheting system, so you can set the angle of the light output exactly where you want it.

**SPECS:** Plastic body, green and black. 1 1/4" diameter lens. 5.5 oz. total wt. Uses (3) AAA batteries.

#100-000-820AN Trident Headlamp, 1K21K99... \$ 24.99

**TACSTAR**

**T6 ENDCAP PRESSURE SWITCH**

**Easily Converts Standard Flashlight For Remote Weapon-Mounted Operation**



Replacement endcap pressure switches enable you to convert your off-the-shelf flashlight into a tactical light for mounting on all types of

military and law enforcement weapons. Remote pressure switch allows quick on/off function and coiled cord expands up to 10" for versatile light mounting and easy operation. Endcap unit is machined from Delrin® for an exact, waterproof fit on the flashlight and holds up to the toughest use. Hook-and-loop tape included for convenient switch placement. **SPECS:** Machined Delrin endcap, black. Fits standard Tacstar T6, Surefire 6P, C2, C3 and Nitrolin flashlights.

#867-000-013AN T6 Pressure Switch, 7F20J67... \$ 24.99

**SUREFIRE SF-123A LITHIUM BATTERIES**

**Always Have Spares So You're Never In The Dark**



Direct replacements for CR-123A type batteries used in many weapon lights, hand-held lights and powered optics.

#152-000-023AN SF-123 Batteries, 2-Pak, 2E5C99... \$ 5.99

#152-000-099AN SF-123A Batteries, 6 Pak, 2E00GBG 19.99

#749-003-691AN SF-123A Batteries, 12 Pak, 2E00HLJ 29.99

**DURACELL® PROCELL® BATTERIES**

**NEW**



Economical bulk packs of Duracell alkaline batteries in sizes commonly-used by shooters for electronic muffs, flashlights, red dot sights, timers, and other electronic shooting accessories.

#100-010-675AN Procell AA Batt., 24-Pak, 3F9A29... \$ 9.99

#100-010-676AN Procell AAA Batt., 24-Pak, 3F9L79... 9.99

#100-010-677AN Procell CR-123A Batt., 6-Pak, 3F16J49..... 17.99

**SPECS:** ABS plastic, black. 2 1/4" (5.7cm) wide, 2 1/4" (5.7cm) long, 1" (2.5cm) high, 2 3/4 oz. (78g) wt. Adjustable, elastic headband, black. Uses two AAA batteries, included.

#100-012-799AN Streamlight Enduro Headlamp, 1K14F79..... \$ 17.99