#### REVOLVER / SILHOUETTE / TC INDEX Single Action Parts......241-243 Double Action & T/C Parts.....241

#### **APEX TACTICAL** S&W J-FRAME DUTY/CARRY KIT

Improve Your J-Frame's Trigger Pull

Replacement parts kit reduces S&W J-Frame trigger pull weight by as many as 3 lbs. No fitting or modification required. Easy trigger pull helps increase firing



speed and accuracy. Includes reduced-power springs, and replacement firing pin.

SPECS: Kit contains replacement main spring, rebound slide spring, firing pin, and firing pin spring. Fits all modern centerfire J-Frame revolvers with frame-mounted firing pin.

#100-007-219AQ S&W J-Frame Duty/Carry Kit, 7F22D24.....\$ 25.99

## **BOWEN CLASSIC ARMS S&W REVOLVER** MACHINED BAR STOCK SEAR

**High-Quality Replacement For** Discontinued Factory Part

EDM-cut bar stock steel sear drops into S&W K, L, and N-frame

revolvers to give proper fit and function for repair or replacement. Copied from the original for correct geometry, sear features blued finish that resists wear and corrosion. Comes in 3-pak. Requires gunsmith installation.

#100-015-465AQ Machined S&W Sear, 1A29N96 ..... \$ 34.99

## CYLINDER & SLIDE S&W REVOLVER **EXTRA LENGTH FIRING PIN**

Gives Reliable & Consistent Ignition

.015", extra-length pin lets you use the lightest possible mainspring weight and still achieve consistent and reliable ignition. Improves fir-



ing pin strike on new model revolvers with the frame mounted firing pin. Drop-in fit.

SPECS: Special steel, in the white. Heat treated to factory specs. .510' (12.95mm) OAL. .210" (5.33mm) pin length. .071" (1.79mm) pin diameter. Fits J. K. L and N frames.

#206-000-010AQ Ex Long S&W Firing Pin, 6K12A81.. \$ 14.99

## STRATTON CUSTOM THOMPSON CENTER HAMMER SPUR

Provides Easy, Positive Cocking

Round, knurled pad for non-slip thumb purchase, gives extra reach

for easy cocking of Contenders and Encores equipped with a scope. May be mounted left- or right-hand; slips over the hammer spur and locks in place.

SPECS: Aluminum, anodized, black, 11/8" (3cm) long, 3/8" (9.3mm) diameter, #100-000-522AQ TC Hammer Spur, 5K14L38...... \$ 16.99

#### **HOGUE S&W REVOLVER EXTENDED CYLINDER RELEASE LATCH**

Unlock Cylinder Without Repositioning **Grip Hand For Fast Reloads** 

Oversized, extended cylinder release latch allows you to unlock the cylinder without having to reposition your grip



(31.5mm) long. Fits Smith & Wesson K, L and N frame revolvers. Some fitting may be required. #408-000-090AQ Standard Extended, 8K63Q96 . . . . . \$ 68.99 #408-000-071AQ Long Extended Latch, 8K63D96.... 68.99



#### **CUSTOM TRIGGER KIT** For A Smooth, Consistent

Trigger Pull

Precision-machined replacement for factory trigger in current-production Smith & Wesson K/L/N/X-frame revolvers has a diamond-ground single action sear and hand finished contact surfaces for a smooth, consistent 21/4 to

21/2 lb. single action pull. Trigger face is rounded and polished smooth for the serious competitor. EDM and CNC machined from a solid billet of tool steel, with a spring steel trigger lever. Comes with hand torsion spring and hard pins installed. Trigger stop pin requires fitting for overtravel stop on double and single action revolvers. Extra metal in the right places for

precise gunsmith fitting. **SPECS:** Trigger - Tool steel, in-the-white, polished. Trigger Lever - Spring steel. .4" (10.2mm) wide shoe. Kit includes trigger, 12 lb. trigger rebound spring, (2) trigger shims, and (2) trigger stop pins (one extra). Fits currentproduction Smith & Wesson K, L, N, X frame revolvers with factory trigger.

#713-000-101AQ Custom Trigger Kit, 3A106J06 .... \$ 114.99

# POWER CUSTOM S&W **COMPETITION HAND**

Oversize For Fitting & Correcting Timing

No more heating and bending, oversize dimensions can be fitted to all S&W "K", "L" and "N" revolvers.

SPECS: Tool steel, i-t-w. Gunsmith fitting required.

#713-028-002AQ	"K" Frame Hand,	3A21B43	23.99
#713-028-003AQ	"L" Frame Hand,	3A21N43	23.99
#713-028-004AQ	"N" Frame Hand,	3A21N43	23.99

## **POWER CUSTOM** STAINLESS CRANE **LOCK BALL & SPRING KIT**

Add Lockup Strength

Adds extra lockup strength. 20 Locking Balls, 20 Springs, Staking Punch and complete instructions.

SPECS: 302 stainless, .125" (3.17mm) diameter balls. 1/4" (6.35mm) long springs. Refill contains 10 balls, 10 springs.

#713-035-000AQ Crane Ball & Spring Kit, 3A17I01.... \$ 18.99 #713-035-001AQ Crane Ball & Spring Refill, 3A5A56 . 6.99



Install one of these oversize cylinder stops to help improve the function and accuracy of worn and loose Smith & Wesson K, L, and N frame revolvers. CNC machined from A-2 tool steel, these stops are slightly oversized in width to allow for

worn frame windows and cylinder notches. SPECS: A-2 tool steel. Fits K, L, and N frame revolvers.

#713-000-066AQ Oversize Cylinder Stop, 3A25B67... \$ 27.99

#### SDM FABRICATING S&W REVOLVER THUMB LATCH

Gives You A "No-Slip" Surface When Unlatching The Cylinder

Thumb latch machined from bar stock gives S&W K, L and N frame revolvers true, 30 lpi checkering that "sticks" to your thumb for positive contact when unlatching the cylinder. Shape matches the "new" angular style latches. Careful manufacturing processes ensure that checkering stays sharp with no peening. Requires little or no fitting. 💻

SPECS: Steel, blued finish or stainless steel (SS), natural finish. 30 lpi checkering. Fits S&W K. L. & N frame revolvers.

<b>#864-000-023AQ Thumb Latch,</b> Blued, 4F27E16	\$ 33.95
<b>#864-000-021AQ</b> Thumb Latch, SS, 4F27B16	33.95

## POWER CUSTOM COLT/RUGER® SINGLE ACTION REVOLVER TRIGGERS

#### Restore Your Old Single Action Revolver's Trigger

Machined steel replacement for factory trigger has extra metal in the right places to resist breakage. Sear contact surface and other contact areas are oversized to allow gunsmith fitting for a tight action, smooth pull, and crisp letoff. Uses existing sear and spring. Constructed of heat-treated carbon steel, blued finish. Models available for **Colt** Single Action Army and older, three-screw Ruger revolvers.

SPECS: Heat-treated steel, blued. Gunsmith fitting required. Colt fits Colt Single Action Army and clones, including Überti, EMF, and Armi San Marco. Ruger fits Old Model (three screw) Blackhawk®, Super Blackhawk®, and Single Six® revolvers (does not fit Bearcat®).

#713-000-084AQ Colt SAA Trigger, 3A30N00\$	
#713-000-085AQ Ruger Old Model Single Action	
<b>Trigger,</b> 3A30M00	32.99



## POWER CUSTOM CYLINDER & YOKE **ENDSHAKE BEARINGS**

**Quickly Eliminates Excess** Cylinder/Yoke Endplay

It's easy to eliminate excess cylinder and voke endplay with these stainless steel bearings. Made by pistolsmith Ron Power as an alternative to stretching the voke. Whether rebuilding worn guns or building contains 10 bearings of 1 thickness.

custom ones, these will help turn out a 1st-class job. Each pak

SPECS: Hardened 302 stainless steel. Cylinder Bearings - see chart. Yoke Bearings - .002" (.051mm) thick for S&W K,L,N.

#### CYLINDER BEARINGS

STOCK #	MODEL	THICK	FITS
#713-100-002AQ	PC-2	.002 (.051mm)	S&W K,L,N
#713-100-004AQ	PC-4	.004 (.10mm)	S&W K,L,N
#713-100-001AQ	PC-J2	.002 (.051mm)	S&W J Centerfire
#713-200-002AQ	PC-R2	.002 (.051mm)	Sec Six, GP, R'hawk
#713-122-001AQ	10/22HS	.004 (.10mm)	Colt Anaconda, Ruger SP-10:

- Advise # - Cyl Endshake Bearings, 3A13M89.... #713-012-002AQ Yoke Endshake Bearings, S&W

K,L,N only, 3A13E89 .... \$ 15.99



#### **POWER CUSTOM** SIDEPLATE SHIMS

Improves S&W Trigger Pull - Smooths Function



By taking the "slop" out between the S&W hammer or trigger and the sideplate, you can smooth up and improve trigger pull significantly. Fits S&W K, L & N frame only. SPECS: 302 Stainless steel. .002"(.0508mm)

thick. Two models; #1 for S&W hammer pivot; #2 for S&W trigger pivot.

STOCK #	MODEL	STOCK#	MODEL
#713-050-001AQ	#1	#713-050-002AQ	#2

- Advise # - Sideplate Shims, 3A13L89...... \$ 15.99



## **POWER CUSTOM** SINGLE ACTION REVOLVER GAS RING SHIMS

Fast, Drop-In Solution For Eliminating Excess Cylinder Endshake

Eliminate excess cylinder endshake on Colt and clones, plus all Ruger® single action revolvers with these stainless steel gas ring shims. Installs between frame and the front of the gas

ring to eliminate cylinder binding caused by the cylinder face rubbing the rear of the barrel, and helps cure headspace problems that can lead to misfires. Shim thickness of .0045" accommodates most revolvers that have cylinder endshake problems; remove material from the gas ring for "tighter" guns. Developed by master pistolsmith Ron Power as a cost-effective alternative to stretching the gas ring. Whether you're servicing a worn gun or building a custom one, these shims will help turn out a firstclass job. Available in 10-paks.

SPECŚ: Stainless steel. .0045" thick. For guns with base pin diameter no larger than .260" and gas ring no smaller than .380". Fits Gen. 1, 2, 3 Colt SA and clones, and all Ruger SA revolvers.

#713-000-080AQ SA Gas Ring Shims, 10-pak, 

order on the web

brownells.com



## **POWER CUSTOM RUGER® SA-**HALF-COCK HAMMER & TRIGGER KIT

Gives An Instant Trigger Job



Bisley Kit shown

CNC machined hammer and trigger reduce pull weight to an easy-breaking  $2^{1}/_{2}$  to 3 pounds. Smoothly contoured trigger face gives a lighter feel. Half-cock notch provides an additional click when cocking, located so chambers will line up with loading gate. Allows cylinder to rotate without opening

loading gate. Raised boss around hammer pivot hole eliminates side play; honed and polished engagement surfaces provide consistent trigger release. Requires no modification to grip frame. Hammers provide a drop-in fit only when used with Power Custom trigger. Requires gunsmith fitting/alteration to factory trigger.

SPECS: Steel, polished blue or bright polished, natural finish. Hardened to Rc 56-58. Kits include 17 lb., 18 lb. and 19 lb. hammer springs, 30% reduced power trigger spring and extra power cylinder latch spring.

RUGER SA HALF COCK HAMMER & TRIGGER - Duplicates the clean, simple styling of the factory hammer.

SPECS: Standard fits new model large frame Blackhawk®, Super Blackhawk® and Vaquero®. Single-Six its all Ruger Single-Six® models with no

#713-020-000AQ	<b>Standard Kit,</b> Blue, <i>3A139M99</i>	149.99
#713-000-039AQ	Standard Kit, Silver, 3A154F24	169.99
#713-000-055AQ	Standard Kit, Blue, 3A137K10	149.99
#713-000-056AQ	Standard Kit, Silver, 3A154G24	169.99

RUGER BISLEY HAMMER/VAQUERO TRIGGER KIT - Hammer features gracefully shaped and well-defined serrations for excellent thumb purchase. Low, round spur is great for scopeequipped guns.

SPECS: Fits Bisley frame with no modifications.
#713-000-00940 Rislay Vit Rhy 7415-41

#/13-000-009AQ	Bisley Kit, Blue, 3	3A154K24 \$	169.99
#713-000-042AQ	Bisley Kit, Silver,	3A169Q99	189.99

RUGER BISLEY HAMMER & VAQUERO TRIGGER - Graceful styling and serrations of the Bisley-styled hammer. Drop-in fit for new model large frame Blackhawk, Super Blackhawk, and Vaguero.

SPECS: Fits new model Blackhawk, Super Blackhawk, and large frame Vaguero with no modifications

vagacio viidi no m	Jameatons.	
#713-000-045AQ	Bisley/Vaquero Kit, Black,	
	3A154D24	\$ 169.99
#713-000-046AQ	Bisley/Vaquero Kit, Silver,	
	3A169I.99	189.99

#### RUGER COLT-STYLE HAMMER & NEW VAQUERO® TRIGGER KIT

 $Original\,Colt\,SA\,styling.\,Features\,a\,Colt$ style hammer, standard trigger, 30 oz. trigger spring, 14 lb. hammer spring, and extra-power base pin latch spring. SPECS: Steel, blue finish or bright polished, silver finish. Fits small frame New Vaguero and 50th anniversary Blackhawk models with



RUGER ALTERED TRANSFER BAR - Re-designed, dropin transfer bar gives a Ruger single action the feel and operation of a Colt single action. Allows loading gate to open with hammer at half cock. Cylinder can then rotate clockwise and the pawl is functional. For use with Power Custom Half Cock Hammer/Trigger Kits. Saves time and effort modifying the factory part.

SPECS: Steel, in-the-white. Fits new model Blackhawk, Super Blackhawk, and large frame Vaguero with no modifications.

#713-000-047AQ Altered Transfer Bar, 3A25E70 .... \$ 27.99





**Fits Your Hand To** Improve Control

Get the Colt-grip feel on your large-frame, Old Model, Ruger single action, CNC machined, twopiece, steel grip frame is slightly smaller than the Ruger factory original,

with a shorter reach, too. Oversize for precise fitting/finishing; requires no modifications to frame. Heel is designed for easy modification to a birdshead shape. Accepts 2nd and 3rd Generation Colt grips (may require fitting).

SPECS: 4140, steel in-the-white, 240 grit finish. Fits all Old Model (three screw) Blackhawk and Super Blackhawk frames.

#713-000-019AQ Colt-Style Grip Frame, 3A189P99. \$ 199.99

## RUGER® SINGLE ACTION **NEW MODEL HAMMER ASSEMBLY**

**Factory Original Hammer Assembly** For Repair & Restoration

Finding Ruger factory parts is absolutely essential when you want to keep your favorite gun in original condition or don't want the extra fitting that goes along with installing aftermarket parts. Comes with plunger,

plunger spring, and plunger cross pin. SPECS: Stainless steel (SS), natural silver finish. May require minor fitting. Fits New Model Blackhawk®, Super Blackhawk®, and Vaguero®; will not fit Bisley model.

#780-000-535AQ Hammer Assy, SS, 8G26F84 . . . . . . \$ 30.99



#### POWER CUSTOM COLT SAA **ENDSHAKE BEARINGS**

**Quickly Eliminates Endplay** 



Eliminate excess cylinder play with these stainless steel bearings. Made by pistolsmith Ron Power. Fits on the base pin bushing between the shoulder and the front of the cylinder. Fits 1st and 2nd Generation Colt SAA and authentic reproductions only.

SPECS: 302 Stainless steel, .002" thick. 10 bearings per pak

#713-100-073AQ SAA Endshake Bearings, 3A13H89.....\$ 15.99

RUGER HAMMER & TRIGGER SHIMS - Eliminates excessive side-to-side movement of hammer and trigger for wobble-free cycling. Available in 10-paks.

SPECS: Stainless steel. .002" thick. Fits all Ruger SA revolvers except Bearcat. Pak of 10. #713-000-063AQ Hammer Shims. 3A14P29 ..... \$ 15.99 #713-000-064AQ Trigger Shims, 3A14B29..... 15.99

RUGER LARGE FRAME SA LOADING GATE SPRING - Heat-treat-

ed, loading gate spring has more metal in areas needing additional strength and less metal in thinner areas for a lighter, softer spring. Drops in all large frame Ruger SA revolvers.

SPECS: Heat-treated spring steel, in-the-white. Fits large frame Ruger SA revolvers

#713-000-065AQ Loading Gate Spring, 3A25B67..... \$ 27.99

SATISFACTION GUARANTEED

**SINCE 1939** 



#### POWER CUSTOM RUGER® SA OVERSIZE CYLINDER LATCH

Gives Tighter Lockup To Improve Accuracy



Oversized dimensions to remove the lateral play in frames and cylinders with out-of-spec notches. Thicker and longer, for precise fitting; tightens cylinder lockup and helps give correct stop timing. Gunsmith fitting is required. Models

available for both current-production and Old Model ("three screw") Ruger single actions. SPECS: A2 tool steel, heat treated . . 097" (2.46mm) thick. New Model fits all

current production New Model single actions, Blackhawk®, Super Blackhawk®, Bisley, Single-Six® and Vaquero®, does not fit Bearcat®. Old Model fits all Old Model (three screw) Blackhawk®, Super Blackhawk®, and Single

IN (GOCS HOUTH DC	arcat /.	
#713-000-013AQ	Oversize Cylinder Latch, New	
	Model, 3A23C10	\$ 24.99
#713-000-093AQ	Oversize Cylinder Latch, Old Model,	
	3A30K00	32.99



## **POWER CUSTOM RUGER® SA** FREE SPIN PAWL™

Quicker & Easier Loading, Unloading

Redesigned pawl enables faster and easier loading/unloading of Ruger single action revolvers. Holds the bolt away from the cylinder locking notches when the loading gate is open, so the cylinder can rotate freely in either direction. No need to spin the cylinder around again if you miss a click and go too far: makes it easier to set an empty chamber under the hammer. Helps competitive shooters improve reload times and scores. Hunters, target shooters, and

outdoorsmen will enjoy the added convenience of easier reloading.

SPECS: Steel. Blackhawk fits Ruger new model Blackhawk, Bisley, pre-2005 Vaguero and Super Blackhawk single actions. Vaguero fits the New Vaquero®, with the smaller "XR3" grip frame, introduced in 2005. **Single** Six (S6) fits small frame Single Six and Bisley. Includes complete, detailed instructions. Gunsmith fitting required.

#713-105-000AQ	Blackhawk Free Spin Pawl, 3A34B27	\$ 36.99
#713-000-077AQ	New Vaquero Free Spin Pawl, 3A34B27	36.99
#713-105-001AQ	<b>.22 Cal. S6 Free Spin Pawl,</b> 3A32A56	35.99

## **POWER CUSTOM** RUGER® LARGE FRAME SINGLE-ACTION REVOLVER BASE PINS



#### **Eliminates Cylinder Wobble**

Oversized replacement base pins for Ruger single action revolvers help reduce cylinder "wobble." Redesigned head offers a more positive grip for easy removal. Pins are shorter than factory originals, allowing for longer ejector rod travel and im-

proved ejection. Minor fitting may be required. SPECS: CNC machined 4140 steel, blued, 2.875" pin fits Ruger New Model Blackhawk®, Vaguero®, Super Blackhawk and Bisley™. 2.75" pin fits Ruger New Vaguero®, and Bisley™.

#713-000-156AQ	<b>Large Frame Base Pin,</b> 2.875", 3A32H95
#713-000-157AQ	<b>Large Frame Base Pin,</b> 2.75", 3 <i>A</i> 32 <i>E</i> 95

#### MK TECHNOLOGIES RUGER® SA **CRESCENT EJECTOR ROD/BUTTON**



Easy-To-Hit, Colt SAA-Style **For Cowboy Shooters** 


Larger, crescent size makes ejecting shells faster, smoother and more positive. Helps lower times, too. Fits all models of Blackhawk® and Vaguero®. Minor fitting required.

SPECS: Blued steel. 3.8" (96.8mm) long, head .643" (16.3mm) wide. SASS lega #737-400-001AQ Blue Crescent Ejector, 7C34P48 . . . . \$ 39.99

> SMITH ENTERPRISE COLT SAA SAA BOLT & HAND

Rebuilding, Accurizing, Tuning & Restoration

Heat-treated, spring steel, hardened and over-



tion guns. Hand, fits 1st and 2nd generation guns. SPECS: 1065 spring steel. Blue, polished finish. Rc 40-42. All will require

3		
#851-000-021AQ	1st Generation Bolt, 1E57G14	\$ 64.99
#851-000-022AQ	2nd/3rd Generation Bolt, 1E57L14	64.99
#851-000-023AQ	1st/2nd Generation Hand,	
	1E57H14	64.99

## **BROWNELLS RUGER® SA** ROUND HAMMER STRUT



**Gives Smoother** Cocking & Consistent Hammer Drop

Holds mainspring in alignment, prevents spring kink and binding for consistent hammer drop and improved ignition. Round strut helps provide a smoother feel when cocking. Saves time and effort, eliminates the filing and polishing necessary to remove the burrs and rough edges on the stamped, factory part. Assembled with a 17 pound Wolff hammer spring and ready to drop in.

SPECS: Steel. Fits Blackhawk®, Super Blackhawk® and Old Vaguero®. Will not fit the New Vaguero with the smaller grip frame.

#078-000-019AQ Ruger Round Hammer Strut, 

## **BROWNELLS** RUGER® SA REVOLVER **BASE PIN LATCH KIT**

Replaces Commonly Lost Parts; Don't Leave Home Without It



If you do a lot of shooting, you're bound to wear out or lose those small parts critical to securing the base pin in the cylinder. This kit safeguards against down time at the range or failure to complete all the stages at your next Cowboy Action event due to a base pin working loose. Kit includes a genuine factory latch and nut, plus the Wolff extra power base pin spring you want for improved function and longer service life. SPECS: Steel, blued finish, Includes factory base pin latch and nut. Wolff extra power base pin spring. Fits Blackhawk®, Super Blackhawk®, Super Blackhawk® Hunter, Maximum Blackhawk®, Bisley, Vaguero®, and New

Vaguero®, and Single Six®, #080-000-372AQ Ruger Base Pin Latch Kit, 8K9I64... \$ 14.99

Office/Tech: 641-623-5401

**BROWNELLS** PAGE 242

#### **TAYLOR** CARTRIDGE CONVERSION CYLINDER

#### Switch From Percussion To Cartridge By Changing Cylinders

Six shot conversion cylinder allows you to fire .45LC cartridges in your steel frame .44 caliber cap-and-ball revolver. To load, simply remove the cylinder, remove the backplate, drop cartridges into the cylinder, replace the backplate, and reinsert the cylinder. Indexing pin on cylinder ensures the floating firing pins in the backplate align properly with the chambers. Cylinders are available for reproduction .44 1858 Remington, .44 Walker Colt, and .45 Ruger® Old Army®. For use in steel frame revolvers with BLACK POWDER cartridges or black powder equivalent cartridges ONLY. DO NOT use in brass frame revolvers or with jacketed bullets. No FFL required to purchase.



SPECS: Steel, blue, polished finish or stainless steel finish. .45 Colt black powder cartridges or

cowboy action loads only. Chamber length - 1.625" (4.1cm). May require fitting to cylinder pin.

STOCK #	FITS	PRICE
#633-185-101AQ	Pietta, 1858 Rem., Blue	3C250B00 \$ 250.00
#633-185-102AQ	Uberti, 1858 Rem., Blue	3C240A00 \$ 240.00
#633-185-103AQ	Ruger, Old Army, Blue	3C240F00 \$ 240.00
#633-000-001AQ	Ruger, Old Army, SS	3C280I00 \$ 280.00
#633-000-004AQ	Uberti, 1858 Rem., SS	3C289P99 \$ 289.99
#633-000-005AQ	Uberti, Walker Colt, Blue	3C260B00 \$ 260.00

#### **CLARK CUSTOM S&W** PPC MATCH BARREL



Competition Quality, Easy Installation

Easily converts S&W revolvers to PPC-style. Fully threaded indexed to factory specs with the extractor rod relief already cut. Ready for finishing. Machined from Douglas blanks. SPECS: Chrome moly steel, 6" (15.2cm) long. K-round: 1.1" (28mm) dia. 1 lb. 4 oz. (567 g). K-slab: .9" (22.8mm) across flats. 1 lb. 2 oz. (510 g). Gunsmith fitting required.

#181-379-101AQ	K-Round PPC Barrel, 1H109M99 \$ 121.99	
#181-379-111AQ	K-Slab PPC Barrel, 1H119L99 133.99	

#### DOUGLAS HANDGUN BARREL


#### .38/.357 Blanks In 1-10 & 1-14 Twist, Plus .44 & .45

Famous Douglas Double XX premium quality blanks in the two most popular twist rates for PPC and other precision shooting. 1-14 duplicates the Python twist rate that is given much of the credit for the Colt's accuracy. 1-10 rate gives superb accuracy with 148 grain wadcutters and the heavier bullets needed to keep the .357 competitive in silhouette.

SPECS: 4140 CM Steel. 27<sup>1</sup>/<sub>2</sub>" (69.8cm) rough blank, finishes to 1.2" (3cm)

STOCK #	GROOVE DIA	TWIST	LENGTH
#237-358-014AQ	.357	1-14	271/2"
#237-358-010AQ	.357	1-10	271/2"
#237-429-016AQ	.429	1-16	271/2"
#237-451-016AQ	.451	1-16	271/2"
- Advise # - Do	\$ 219.99		

#### SHILEN HANDGUN BARREL



Famous Shilen accuracy in barrel blanks for silhouette or custom hunting handguns. Available in chrome moly or stainless steel (.38 and .44 cal. only). Stainless barrels are hand lapped at the factory.

SPECS: 4140 chrome moly or stainless steel (Stnls). 1.250" (31.8cm) diameter.

STK# 14" LONG	STK# 28" LONG	CALIBER	GROOVE DIA.TWI	
NA	#787-224-140AQ	.22 Centerfire	.224	14"
NA	#787-222-160AQ	.22 Rimfire	.222	16"
#787-037-140AQ	NA	.38	.357	14"
#787-037-940AQ	NA	.38 Stnls**	.357	14"
NA	#787-429-200AQ	.44	.429	20"
#787-042-900AQ	NA	.44 Stnls**	.429	20"
NA	#787-451-160AQ	.45	.451	16"

**14"	Stainless	blanks	are	priced	higher	-see	priceline	belov

— Advise # — 14" Unturned Blank, 7H88H29	\$ 98.99
- Advise # - **14" Stnls Unturned Blank, 7H124J71.	. 139.99
- Advise # - 28" Unturned Blank, 7H141P43	. 158.99

#### BANG, INC. S&W K, L & N REVOLVER MICULEK REVOLVER SPRING KIT

Fast Trigger Action & Reduced Pull Weight For Competition & Speed Shooting

Balanced compression and rebound rates allow hammer spring and trigger return spring to work in unison. Together, they give a seven pound, double action trigger pull with a fast trigger return. Recontoured hammer spring helps smooth trigger pull, prevents stacking.

SPECS: Spring steel. Fits K, L and N frame revolvers. For best results, ammo should use Federal primers.

#100-000-223AQ Miculek S&W Spring Kit, 2K15E71 .. \$ 17.99

## HEINIE SINGLE ACTION TRIGGER/BOLT SPRING

Modern Design Improves Reliability

Stronger wire spring replaces the flat leaf trigger spring in the Colt Single Action Army and clones for improved reliability and smoother function. Gives cleaner letoff for better accuracy ==

SPECS: Spring steel. Fits Colt SAA, EMF Hartford, other clones.
#394-630-000AQ Trigger/Bolt Spring, 4C6J43 \$ 7.99

#### WISNER COLT SAA REDUCED POWER SPRING KIT



Lightens & Smooths Felt Trigger Pull

Kit contains a medium weight hammer spring that reduces tension for easier trigger pull, plus medium and light sear/ bolt springs; lets you select the

best combination for a reliable trigger release. SPECS: Spring steel. For Colt Single Action and clones. Sold as a pack of three springs. Gunsmith fitting may be required on 3rd Generation Colts and various clones.

#895-001-000AQ Colt SAA Reduced Power Spring Kit, 5H21I99.....\$27.99

# 0

## **BROWNELLS** PRO-SPRINGS™ FOR ACTION-TUNING by WOLFF —

#### "Guaranteed Superior"

Brownells Pro-Spring™ Kits are made from the very finest high-tensile spring wire - wire that is formulated and drawn especially for finest quality springs. The tension is actually built into the wire as it is being drawn - not added afterwards by heat treating. Consequently, Brownells Springs will continue to function correctly and continually, long after many of the other springs have taken on so much "set" that they have lost their ability to return to the required length and tension you need.

It's simply not worth taking a chance when the best quality springs are only a small part of the project. Try Brownells Pro-Spring Kits and find out for yourself the satisfaction of using a really good gun spring - designed and made expressly for us by Wolff, the Dean of quality gun springs for the professional firearms industry.

SPECS: RP = Reduced Power, XP = Extra Power, FSW = Factory Standard

#### FOR RUGER® SINGLE ACTION REVOLVER

An excellent base from which fully smooth and reliably functioning gun. Includes a redesigned trigger spring and a



reduced power hammer spring to give controlled trigger pull. Also includes extra power, base pin latch spring. Factory hammer spring is 23 lb.

RSA-003 17 LB. FOR NEW MODEL - Kit contains one 17 lb. hammer spring, 35% reduced power trigger spring and extra power base pin latch spring.

#080-66	5-003AQ	Kit RSA-0	<b>003</b> . 6K10B56	\$ 15.83

RSA-100 19 LB. FOR NEW MODEL - Kit contains 19 lb. hammer spring, 35% reduced power trigger spring and extra power base

pin latch spring. #080-665-100AQ Kit RSA-100, 6K10G56.....\$ 15.83

RSA-108 FOR OLD ARMY® AND OLD MODEL - Kit contains 19 lb. hammer spring, 25% reduced power trigger spring, and increased power, base pin latch spring (use on old model only).

#080-665-108AQ Kit RSA-108, 8K5B97 ..... \$ 9.99

RSA-106 FOR NEW MODEL - Kit includes (3) different, reduced power hammer springs; 17 lb., 18 lb. and 19 lb. (Factory is 23 lb.), (1) 35% reduced power trigger spring, plus (1) extra power base pin latch spring.

#080-665-106AQ	Kit RSA-106, 6K14F99	19.99
#969-000-163AQ	30 oz. Reduced Power Trigger	
	<b>Spring</b> , 9F5P33	7.99
	Ruger SA Trigger Return Springs,	
	3-pak, 9F14K49	19.99

RSA-107 FOR OLD MODEL AND OLD ARMY - Kit includes (3) different, reduced power hammer springs; 17 lb., 18 lb. and 19 lb. (Factory is 23 lb.), (1) 25% reduced power trigger spring, plus one extra power base pin latch spring.

**#080-665-107AQ** Kit RSA-107, 6K10D49 \$15.73

#### FOR RUGER® DOUBLE ACTION REVOLVER

RRH-102 FOR RUGER® REDHAWK - Kit contains (3) different, RP hammer springs with each hammer spring having a different power output. Smooths hammer, reduces trigger, maintains reliability.

#080-665-102AQ Kit RRH-102, 6	5 <i>K7J03</i> <b>\$ 10.4</b>
-------------------------------	-------------------------------

SRH-104 FOR RUGER SUPER REDHAWK - Includes (3) different RP hammer springs: 9 lb., 10 lb., and 12 lb. (factory is 14 lb.), plus (2) RP trigger springs: 10 lb. and 12 lb. (factory is 15 lb.).

#080-665-104AQ Kit SRH-104, 6K7I95..... \$ 11.93

RDA-101 FOR RUGER DOUBLE ACTION - Contains a RP trigger spring and a RP hammer spring for Ruger Security Six, Speed Six and Service Six.

RGP-103 FOR RUGER GP100° - Contains (3) RP hammer springs: 9 lb., 10 lb., and 12 lb. (factory is 14 lb.), plus (2) RP trigger springs, 8 lb. and 10 lb. (factory is 11 lb.). Gives choice of best springs for individual gun. Reduces, smooths hammer actuation and trigger pull, yet ensures reliability on factory issued or professionally tuned guns.

#080-665-103AQ Kit RGP-103, 6K7Q89....

#### FOR S&W K, L, N FRAME REVOLVER

REVOLUTIONARY POWER RIB™ DESIGN

Kits contain a new flat mainspring with a unique, Power Rib™ designed by Wolff that is slowly "squeezed" into place



for correctly flowed grain structure of the spring steel. Gives fantastically improved smoothness and consistency of pull. Eliminates any possibility of stacking and provides optimum hammer actuation - the likes of which you have longed for in the action-tuning jobs you have done on S&W's in the past. (Requires unaltered strain screw).

SWK/L/N-201 - Reduced power kit with lighter than stock Power Rib mainspring plus 13, 14, and 15 lb. rebound springs for precise tuning. Lightens trigger pull and gives superior smoothness and consistency of both double and single action pull.

#080-665-201AQ Kit SWK/L/N-201, 8K12L29...... \$ 19.99

SWK/L/N-202 - Standard power kit with a Power Rib™ mainspring that duplicates the factory spring's rate. Gives positive ignition of magnum primers, vastly improved smoothness and consistency of pull. Includes 13, 14, and 15 lb. rebound springs for precise tuning.

#080-665-202AQ Kit SWK/L/N-202, 8K13H17.....\$ 19.99

**SW-MS-222** - The same Power Rib™ mainspring used in the SWK/L/N-201 kit above. 1 spring or 10 spring packages.

#080-665-210AQ SW-MS-222 Mainspring, 8K11F13 .. \$ 16.72 #080-665-211AQ SW-MS-222 Mainspring, 10-pak, 8K102E32..... 153.43

**SW-MS-223** - The same Power Rib™ mainspring used in the SWK/L/N-202 kit above. 1 spring per package.

#080-665-220AQ SW-MS-223 Mainspring, 8K11B13 . . \$ 16.72

#### FOR S&W J-FRAME REVOLVER

SWJ-200 FOR S&W J-FRAME - Contains (3) different rate RP rebound springs: 13 lb., 14 lb., and 15 lb. to give you the proper selection, plus (1) RP hammer spring.

#080-665-200AQ Kit SWJ-200, 6K6Q72

#### WHY ARE PRO-SPRINGS™ SO GOOD?

Brownells Pro-Spring™ Kits are made from the very finest high-tensile spring wire that is formulated and drawn especially for the finest quality springs. The tension is actually built into the wire as it is being drawn - not added afterwards by heat treating. Consequently, Brownells Springs will continue to function correctly and continually, long after many of the other springs have taken on so much "set" that they have lost their ability to return to the required length and tension you need.

It's simply not worth taking a chance when the best quality springs are only a small part of the price of the job - the labor costs are the same with bad springs - or Brownells Pro-Spring Kits. Buy Brownells Pro-Spring Kits and find out for vourself the satisfaction of using a really good gun spring designed and made expressly for us by Walter Wolff, the Dean of quality gun springs for the professional firearms industry.

order on the web

brownells.com

**BROWNELLS** PAGE 243

#### WOLFF S&W

## REDUCED POWER REBOUND SPRING

The Final Step For A Great

Trigger Job

Five weights of reduced power springs allow precise tuning of trigger pulls in all Smith & Wessson revolvers. **Kit 1667** contains 1 each: 11, 12, 13, 14, and 15 lb. springs. Kit 1664 contains 50 springs, 10 of each weight. Refill Paks include 10 springs of a single weight.

#969-166-600AQ	1667	Rebound S	pring Kit,	9F6B00	\$ 9.00
#969-166-400AQ	1664	Rebound S	pring Kit,	9F32B66	48.99
#969-000-033AQ	11 lb.	Refill Pak,	9F10K67.		16.00
#969-166-410AQ	12 lb	Refill Pak,	9F10F67.		16.00
#969-166-420AQ	13 lb.	Refill Pak,	9F10P67.		16.00

## **WOLFF SAA** SAA COWBOY ACTION SPRINGS

Unique Design Smooths Action, Reduces Trigger Pull

**REDUCED POWER MAINSPRINGS** - Lightens trigger pull and cocking effort for fast, accurate shooting. Open center retains durability of factory spring, gives consistent, uniform, spring tension.

SPECS: Spring steel. Colt/EMF fits Colt Cowboy and Single Action Army, EMF Hartford. **Uberti** fits private-label, SAA clones made by Liberti May require minor fitting

#969-322-800AQ	Colt/EMF Mainsprin	g, 9F10P00	\$ 13.99
#969-322-850AQ	Uberti Mainspring,	9F10M00	15.00

**SEAR/BOLT SPRINGS** - Traditional flat or modern wire springs with reduced power. Each smoothes and lightens trigger pull. Gives improved function and reliability.

SPECS: Spring steel. Colt/EMF/Uberti Flat Spring fits Colt Cowboy, Single Action Army, EMF Hartford and Uberti. May require minor fitting.

Colt/EMF/Uberti Flat Sear Spring, 9F4A33	\$ 6.49
Colt/Uberti Wire Sear Spring, 9F4H33	6.49

SAA SHOOTERS PAK - Complete set of springs to improve reliability, smooth trigger pull, and improve accuracy. Includes reduced power mainspring and sear/bolt spring, extra power base pin spring, stainless steel ejector spring. Wire features wire sear/bolt spring; flat uses traditional flat sear/bolt spring. SPECS: Spring steel. Colt/EMF fits Colt Cowboy and Single Action Army EMF Hartford. May require minor fitting.

#969-322-270AQ	Colt Wire Shooters Spring Pak, 9F16N00\$	23.99
#969-323-290AQ	<b>Uberti Wire Shooters Spring Pak,</b> 9F16Q00	23.99
#969-323-250AQ	Colt/EMF Flat Shooters Spring Pak, 9F16C00	23.99
#969-323-260AQ	<b>Uberti Flat Shooters Spring Pak,</b> 9F16F00	23.99
RUGER® EXTRA P	OWER BASE PIN SPRING - Re-	Č.

RUGER® EXTRA POWER BASE PIN SPRING - Re-
places factory spring for positive cylinder pin
latching. Extra power helps prevent the possi-
bility of the cylinder pin becoming unlocked.
SPECS: Spring steel. Fits Ruger® Single Six®, Black-
hawk®, Super Blackhawk®, Super Blackhawk Hunter®,
Maximum Blackhawk®, Bisley, and Vaguero®. Sold (1) each.
#969-000-139AQ Extra Power Base Pin Spring, Ruger,
9F2B33

#### **WOLFF RUGER®SA** REDUCED POWER REVOLVER SPRINGS



We've carried these high-quality springs a good long time, but we almost left them out of this catalog by they are "oops" just in time, and here they are.

They'l give your New Vaquero®, 50th Anniversary Blackhawk®, or other Ruger single-action revolver, a lighter cocking pull and ultra-smooth trigger with these easy-to-install, high-grade replacements for the factory springs. No time-consuming honing, filing, and other reworking of parts. These precision action springs are carefully manufactured for easy fitting to your revolver with only minor disassembly. SPECS: Spring steel, natural finish.

NEW VAQUERO/ANNIVERSARY BLACKHAWK SHOOTERS PAKS

- Reduced power springs make cocking easier, lighten trigger pull, and improve accuracy. Kits include reduced power, 14 lb. hammer spring for easier cocking, and a choice of light 30 oz. or 40 oz. trigger spring, plus extra-power base pin latch spring for positive cylinder latching.

SPECS: Fits New Model Vaguero and New Blackhawk 50th Anniversary models with internal hammer lock and XR-3 grip frame.

	<b>30/14</b> Reduced Power Shooters Pak, 9F9F47	,
#969-000-157AQ	<b>40/14 Reduced Power Shooters Pak</b> , 9F9E00 <b>13.50</b>	)

TRIGGER SPRINGS - Choice of two levels of reduced let-off force for smoother trigger pulls, greater accuracy, and faster shooting times. Great for cowboy competition.

SPECS: Fits Single Six®, Blackhawk, 50th Anniversary New Blackhawk, Super Blackhawk, Super Blackhawk Hunter, Maximum Blackhawk, Bisley®, New Vaguero with XR-3 grip frame, and large frame Vaguero.

#969-000-163AQ	30 oz. Reduced Power Trigger Spring, 9F5P33	\$ 7.99
	40 oz. Reduced Power Trigger Spring, 9F5J33	7.99

HAMMER SPRINGS - Substantially lighter than factory, standard 23-lb. springs for easier cocking and faster follow-up shots. SPECS: Fits Single Six, Blackhawk, Super Blackhawk, Super Blackhawk Hunter, Maximum Blackhawk, Bisley, and large frame Vaguero.

	17 lb. Reduced Power Hammer	
	<b>Spring</b> , 9F2F87	\$ 4.29
#969-000-159AQ	18 lb. Reduced Power Hammer Spring, 9F2P92	4.99
#969-000-160AG	19 lb. Reduced Power Hammer Spring, 9F2P87	4.29

NEW VAQUERO/BLACKHAWK HAMMER SPRINGS - Lighter than the 17-lb. factory spring for smoother, easier cocking. Available individually in 14- and 15-lb. weights, or in a Pak with one each 14-, 15- and 16-lb. springs, so you can try all three to find the weight that works best in your gun.

SPECS: Fits small frame New Vaquero and 50th Anniversary New Blackhawk with XR-3 grip frame.

#969-000-200AQ	Reduced Power Hammer Spring	
	Pak, 9F5K95	\$ 8.95
	14 lb. Reduced Power Hammer Spring, 9F2P99	4.99
	15 lb. Reduced Power Hammer Spring, 9F2M95	4.95

A NOTE ON SPRING "SET" - "Set" is normal in all springs, and is the "held-compression" all springs take after being put under compression for a length of time. What is critical about "set" is that all springs do not take it equally, or stabilize at a predetermined amount of "set". In actual measured tests, Brownells Pro-Springs" took 4 to 10 times less set after equal time under compression than did other springs tested. And once stabilized, took no more set. The other springs continued to take "set" until we stopped testing them. Prove it to yourself ... measure the springs you want to test; lock them in a vise overnight, and when you take them out, measure how much length has been lost. (Do the test on the same springs a second - or third - time. Consider the effect this "shortening" will have an action job that was based on the spring's original length. Trigger pull, action smoothness and even the safe functioning of the gun can be ruined by an inferior spring.

#### LEE'S GUNSMITHING SINGLE ACTION **GUNSLINGER SPRING KITS**



Lightens Trigger Pull & Smoothes Action Cycling

High-quality springs provide smoother action function and operation, plus reduce felt trigger pull. Coil springs are slightly reduced in diam-

eter to eliminate guide rod spring bind. Colt hammer spring is narrowed along the sides, maintains strength and reduces cocking effort; trigger spring is durable wire-type. SPECS: Spring steel. Includes hammer and trigger springs. Fits Colt Single Action Army and clones.

#100-000-509AQ Colt SAA Spring Kit, 5K16L64..... \$ 26.99

## WILSON COMBAT "CUSTOM TUNE" REVOLVER **SPRING KITS**

Add Reliability, Improve Function

High quality springs drop-in to improve handgun performance. High tensile strength wire delivers reliable function. SPECS: Kit contains one each of the springs listed below. RP = Reduced Power, XP = Extra Power.

#246 RUGER GP 100 - RP 9, 10, and 12 lb. hammer springs; RP 8 and 10 lb. trigger return springs.
#965-246-000AQ Wilson Kit #246, 5F9D13 \$ 9.99
#297 RUGER SUPER REDHAWK - RP 9, 10, and 12 lb. hammer springs; RP 10 and 12 lb. trigger return springs.
#965-297-000AQ Wilson Kit #297, 5F7Q80 \$ 8.99
#176 RUGER SINGLE ACTION - 30 oz. RP trigger spring; 19 lb. RP hammer spring; XP cylinder latch spring.

#965-176	00AQ Wilson Kit #176, 5F12C22 \$ 13	.99
#349 RU	<b>R SP 101</b> - RP 10 and 12 lb. hammer springs; RP tr	rig-

# <b>965-349-000AQ</b> Wilson Kit #349,	5F7D80\$ <b>8.99</b>
#321 SMITH & WESSON J - RP 8 lb.	hammer spring; RP 13, 14,

#965-321-000AQ Wilson Kit #321, 5F7P80\$8	.99
#178 SMITH & WESSON K, L, & N - RP mainspring; RP 12, 13, a	nd

14 lb. rebound springs. #965-178-000AQ Wilson Kit #178, 5F13Q09 ..... \$ 14.99

#### WOLFF REVOLVER SPRING KITS

RUGER SP101° KIT - Contains (1) 9 lb., (1) 10 lb., and (1) 12 lb. reduced power hammer spring for tailoring trigger pull. Includes (1) 8 lb. reduced power trigger return spring.

#969-171-130AQ Ruger SP101 Kit, 9F6C53 ...... \$ 9.79

TAURUS 73, 85, & 605 SHOOTERS PAK - Fits small-framed Taurus Models 73, 85 and 605. Kit includes (1) 9 lb. hammer spring, FSW - 11 lb.; (1) 9 lb. and (1) 6.5 lb. trigger return spring, FSW

#969-301-510AQ Taurus Shooters Pak, 9F5N82....

TAURUS 669 SERIES SHOOTERS PAK "A" - Kit contains (1) 10 lb.. (1) 11 lb., and (1) 12 lb. reduced power hammer spring. (1) 10 lb. and (1) 11 lb. reduced power trigger return spring. Fits 65, 66, 669, 689, 80, 82 and 83,

**#969-171-900AQ 669 Shooters Pak**, *9F7M30* . . . . .

#### ISMI S&W REVOLVER CHROME SILICON SPRINGS

Consistent, Reliable

MMMMM

Performance With No Stacking: Won't Take A Set

Premium quality springs manufactured to ISO 9002 quality control standards from aerospace-grade chrome silicon steel for consistent, reliable performance and superior durability. Your trigger pull feels better, and your gun performs consistently and reliably. These springs maintain a constant compression rate so they don't stack as spring tension increases. Heat treated, shot peened, and stress relieved to retain loading capability through thousands of compression cycles without taking a set. **Trigger Rebound Spring** provides a 10% reduced-power (approximately 16.2 lbs.) loading for a lighter, more consistent trigger pull from J, K and L frame revolvers. Hammer/ **Trigger Spring Pak** adds a factory-weight hammer spring for consistent let-off and positive ignition.

SPECS: Chrome silicon steel wire.

#445-000-026AQ S&W Trigger Rebound Spring, 5D3A74..... \$ 5.25 #445-000-025AQ J-Frame Hammer/Trigger Spring Pak, 5D7K49 ..... 9.95

## BROWNELLS **ESCUTCHEON SCREWS**

For Repair Or New Grips: Ever Popular - Ever In Demand




For pistol grip escutcheons. Escutcheon head countersunk for screw head; nut is round, milled edges (as is head), slightly countersunk on one side for attractive outside appearance when installed. Solid stainless steel, end won't rust after being cut to desired length.

SPECS: 18-8 stainless steel. 5-40 screws, 13/8" (3.5cm) long. Brass nut. Sold in paks of 6 or 12 only

#080-034-006AQ 6 Escutcheon Screws, 8K11Q99.... \$ 18.99 #080-034-012AQ 12 Escutcheon Screws, 8K19J97.... 35.99

#### **ESCUTCHEON SCREW COUNTER BORE**

- Drills perfect, proper-fitting holes and countersinks for the Brownell Escutcheon Screws all in one easy step.



dia. shaft. M2 tool steel Rc 56-58, blued finish.



#### HOGUE SINGLE ACTION GRIPS

Dress Up Your Colt or Ruger® Six Gun With Exotic Grips

Add a little romance to your favorite single action with high quality grips cut from exotic materials. Precision machined from

the finest hard woods and synthetics to look better and wear longer than the originals. Because of variations in grip frames, grip panels will require minor fitting.

SPĒCS: Available in the following materials: Pau Ferro (PAU), Cocobolo (CO), Black Micarta (BM). Ruger fits New Model Blackhawk®, New Model Single Six®, and old, large frame Vaguero®.

STOCK#	FITS	ITS MATERIAL	PRICE	
#408-650-100AQ	Ruger	PAU	8K51C39	\$ 55.99
#408-650-101AQ	Ruger	CO	8K59P96	\$ 64.99
#408-650-120AQ	Ruger	ВМ	8K59J96	\$ 64.99
#408-651-100AQ	Colt	PAU	8K51N39	\$ 55.99
#408-652-101AQ	Ruger Bisley	СО	8K59Q96	\$ 64.99

#### HANDGUN FRAME & MODEL CROSS REFERENCE CHART

Most grip manufacturers list their grips according to which frame they fit. If you don't know which frame size a gun is, check the Model Numbers & Names column in the chart, then which Frame Designation it is under. The list is general and may not include every model made under a frame designation.

	FRAME	
GUN MFG.	DESIG.	MODEL NUMBERS & NAMES
Astra		Astra .357 Magnum
Charter Arms	-	Undercover .38; Pathfinder .22 LR;
		Undercoverette .32 S&W Long;
		Bulldog .38 & .44 Spec.
Colt	D	Det. Special-Sq. Butt; Police Pos. SpecSq
		Butt; Cobra; Agent; Diamondback
Colt	E	Official Police (Pre'70)
Colt	I	OfficI Mod. Match; Police Python;
		Trooper (Pre '70)
Colt	J	Metropolitan Mk III; Lawman Mk III;
		Official Police Mk III; Trooper Mk III
Colt	V	Trooper Mk IV, Mk V, Anaconda King
		Cobra, Peace-maker (D/A)
Colt		1917 Army
Colt		Single Action Army, 1860 Army;
		New Frontier S/A
Dan Wesson	Small	8-2 .32 Spec. Service; 14-2 .357 Mag.
		Service; 9-2 .38 Spec. Target; 15-2 .357
		Mag. Target
Dan Wesson	Large	M40, 741, 744 (.357 Max, .41 & .44 Mag)
Ruger	151	.38; .357 Service Six; SDA 32/34/84;
		GF 34/84, Blued & Stnls; .357 Security Six,
RDA & GA; 32/3	34/36, Blue	ed & Stainless; 9mm; .38; .357 Speed Six,

33: .38 Regulation Police; 34: '53, 22/32 Kit gun, Round Butt; 34: '53, 22/32 Target; 36: .38 Chiefs Spec. Rd. Butt; 36: .38 Chiefs Spec. Sq. Butt; 37: .38 Chiefs Special Airweight Round Butt; 37: .38 Chiefs Special Airweight Square butt; 38: Bodyguard Airweight; 43: '5, 22/32 Kit gun Airweight, Square butt; 49, 649: Bodyguard (steel frame); 51: '0, 22/32 Kit Gun, .22 WMRF, Round butt; 51, 651: '0,22/32 Kit Gun, .22WMRF, Sq. butt; 60: .38 Chiefs Special, Stnls, Round butt; 60: .38 Chiefs Special, Stnls, Square butt; 63: 22/32 Kit gun, Stnls.

SS&GS; 32/34/82, Blued & Stainless

RED

J

Ruger

Ruger

Ruger

Ruger

Sa. butt

Smith & Wesson

-- GP-100

Redhawk

Old Army

Super Blackhawk (except XR-3 Frame)

30: .322 Hand Ejector; 31: .32 Regulation

XR-3 New Mod. Blackhawk Super Single Six;

Police: 32: Terrier Double Action:

10: .38 M&P, Round butt; 10: .38 M&P,

	Square butt; 12: .38 M&P Airweight,
Round butt; 12: .38 N	// // // // // // // // // // // // //
butt; 13: .357 M&P, S	quare butt; 14: K38 Masterpiece, D/A & S/A; 15:
K38 Combat Master	piece; 16: K32 Masterpiece; 17: K22 Masterpiece;
18: K22 Combat Mas	terpiece; 19: .357 Combat Mag. Rd. butt; 19: .357
Combat Mag. Sq. bi	utt; 48: K22-MRF Masterpiece; 53: .22 Magnum
(.22 Jet) D/A; 64,	65, 66: .38/.357 M&P, Combat Masterpiece,
Stainless, Rd. butt; 6	4, 65, 66: .38/.357 M&P, Combat Mag. Stainless,

Smith & Wesson	L	547, 581, 586, 681, 686 Disting. Combat
		Mag.
Smith & Wesson	N	20: .38/.44 Heavy Duty; 21: '0, .44 Mil. D/A;
		23: .38/.44 Outdoorsman; 24: '0

Target .44 D/A; 25: '0 Target .45 D/A; 27: .357 Mag. D/A; 28: Highway Patrolman; 29: .44 Mag. D/A; 57: .41 Mag. D/A; 58: .41 Mag., M&P; 629: .44 Mag. Stnls; All w/round butt

Thompson	 Contender - Grip (Below #195,000);
Center	Contender-Forend, 14" Round Barrels
Taurus	 Model 73 & 85

#### HOGUE MONOGRIPS

#### Contoured Palmswell & Finger Grooves

One-piece construction keeps the grip rock-solid in your hand and your hand in the same position, shot after shot for repeatable accuracy. Nylon and Rubber grips feature a stippled surface that prevents hand slip without causing clothing wear when carried in a holster. Smooth and checkered wood grips available in **Goncalo Alves** with light tan color and contrasting dark brown strips. Pau Ferro is dark brown with darker brown contrasting stripes. Rubber, Round-To-Square grips give the

look and feel of a hand-filling square grip on factory, round-grip frames.

SPECS: Nylon molded and reinforced, a hard, tough grip. Rubber molded from recoil-absorbing rubber. Wood made from aged, premium grade wood, smooth or checkered. Blackhawk® fits new model Blackhawk®, new model Single Six®, and old, large frame Vaguero®.



_			-	,	
STK# NYLON	STK# RUBBER	STK# GONCALO ALVES	STK# PAU FERRO	STK# CHECKERED PAU FERRO	FITS
#408-501-001AQ	#408-502-001AQ	#408-503-001AQ	#408-504-001AQ	#408-506-001AQ	S&W K & L Square
NA	#408-502-002AQ	NA	NA	NA	S&W K & L Round
NA	#408-000-032AQ	NA	NA	NA	S&W K & L Round-To-Square
NA	#408-502-003AQ	NA	NA	NA	S&W J Round
NA	#408-502-004AQ	#408-503-004AQ	NA	#408-506-004AQ	S&W N Square
NA	#408-000-033AQ	NA	NA	NA	S&W N Round-To-Square
NA	#408-502-005AQ	NA	#408-504-005AQ	#408-506-005AQ	S&W N Round
NA	#408-502-010AQ	NA	NA	NA	Colt Python
NA	#408-502-015AQ	NA	NA	NA	Dan Wesson Small
NA	#408-502-100AQ	NA	NA	NA	Ruger® GP 100®/Super Redhawk®
NA	#408-502-102AQ	NA	NA	NA	Ruger® Redhawk®
NA	#408-502-104AQ	NA	NA	NA	Ruger® Blackhawk
NA	#408-502-106AQ	NA	NA	NA	Ruger® Security Six® Series 151
					& higher
NA	#408-502-101AQ	NA	NA	NA	Ruger® SP101®
NA	#408-502-066AQ	NA	NA	NA	Taurus Medium
NA	#408-502-067AQ	NA	NA	NA	Taurus Small
NA	#408-000-053AQ	NA	NA	NA	Taurus Tracker
— Advise # —	Nylon Grips, 8K	17C33	. <b>\$ 18.99</b> — Ad	vise # — Smooth Pau Ferro	, 8K64N24\$ <b>69.99</b>
— Advise # — 1	Rubber Grips, 81	K17N33		vise # — Checkered Pau Fe	
- Advise # -	Smooth Goncald	Alves, 8K64K24	69.99		

## **PACHMAYR** "GRIPPER" HANDGUN **GRIPS**

#### Famous Quality & Super Fit

The combination you've been looking for. Positive, no-slip grip provided by Pachmayr's famous grip material, plus . . the excellent accuracy advantage of contoured finger grooves for consistent hand placement. Won't chip, crack or break.

SPECS: Molded, black, neoprene rubber.

STOCK #	FITS	MODEL
#692-600-001AQ	S&W "J" frame w/round butt	SJ-G
#692-600-002AQ	S&W "J" frame w/square butt	SJ-GS
#692-601-001AQ	S&W "K/L" frame w/square butt	SK-G
#692-601-011AQ	S&W "K/L" frame w/square butt open back,	SK-GP
	fits smaller hands	
#692-602-001AQ	S&W "K" frame w/round butt	SK-GR
#692-603-003AQ	S&W "N" frame w/square butt	SN-G
#692-605-005AQ	Ruger® Security® and Service Six® w/square	RS6-G
	butt #151 or higher	
#692-606-006AQ	Colt D frame all w/short square butt	CD-G
#692-607-007AQ	Colt I frame w/square butt	CI-G
#692-610-010AQ	Charter Arms Bulldog	CHA-G
#692-613-100AQ	Ruger GP-100®	GP-G
— Advise # — G	ripper Grip, 2F23Q88	\$ 26.99

CONTENDER FOREND - Black, Pachmayr rubber, forend replaces the wood forend to match your new Contender grip. SPECS: Molded, black, neoprene rubber. Fits 10" and 14" Contenders with round harrels

#692-451-001AQ TCF-1 Contender Forend, 2F48Q74. \$ 54.99



## **PACHMAYR** "PROFESSIONAL" GRIPS

Open Back Strap For Smaller Hands

Same superb Pachmayr feel and recoil absorption but with back strap open for those with smaller hands, shorter fingers. Designed in cooperation with law enforcement agencies. Checkered, non-slip black rubber with gold Pachmayr emblem.

SPECS: Molded, black, neoprene rubber. GP for square butt, has finger grooves as on Gripper series. CP for round butt, is Compact style with no finger grooves.

STOCK #	FITS	MODEL	PRI	CE
#692-602-400AQ	Colt "I" Frame	CI-GP	2F23E88	\$ 26.99
#692-602-011AQ	S&W "K/L" w/Round Butt	SK-CP	2F24E49	\$ 27.99
#692-602-012AQ	S&W "N" w/Square Butt	SN-GP	2F23L88	\$ 26.99

#### PACHMAYR S&W K/L/N FRAME "COMPAC" GRIP

Improves Recoil Control & Concealability

Comfortable, one-piece, contoured grip that cushions recoil, while offering a superior gripping surface. Slim, solid back design with rounded edges helps keep your carry gun concealed and minimizes drag on clothing. Includes molded checkering and gold-color, Pachmayr emblem. SPECS: Molded rubber, black. SK/C - Fits Smith & Wesson "K" and "L

frame round butt revolvers including 9mm/.38 Military & Police and .357 Combat Magnum models. SN/C - Fits Smith & Wesson "N" frame round butt revolvers.

	2F23A88	\$ 26.99
#692-403-002AQ	SN/C "N" Frame Compac Grip, 2F23C88.	26.99
	ZFZ3C00	. 20.93



#### N.C. ORDNANCE REVOLVER GRIPS

Mirror-Image Reproductions Of Hard-To-Find Grip Panels

Affordable, exotic grips for single action revolvers are molded from polyurethane resin and finished by hand for a precise fit.



Molding process uses the highest-quality molds cast from mint-condition original factory grips to ensure no unsightly air bubbles in the finished product. Grips look and feel like the hard-wearing stag antlers, jigged bone, or ivory used to customize original Old West sixguns.

SPECS: Molded polyurethane resin, in simulated Stag, Ivory, or Jigged Bone (JB). Minor fitting may be required. Ruger Vaquero also fits Blackhawk and Single Six. Ruger Old Model fits old model three-screw Blackhawk frames. Ruger Vaquero XR3-RED fits Ruger Vaquero models built from 1972 - 2004 with XR3-RED stamped in the frame under the grips, also Plackbawk and Cingle Civ

i sirigle six.	
Beretta Stampede, Ivory/Checkered, 8B25N00	\$ 29.99
Colt SAA, Stag, 8B34L48	39.99
<b>High Standard Double Nine,</b> Stag, 8B34J48	39.99
Remington 1858, Ivory/Smooth, 8B25L00	29.99
Ruger Super Blackhawk, Stag, 8B34D48	39.99
Ruger Vaquero, Ivory, 8B23I08	29.99
Ruger Vaquero, Stag, 8B34G48	39.99
Ruger Vaquero XR3-RED, Stag, 8B34H48	39.99
Ruger Bisley, JB, 8B34P62	44.99
Ruger Old Model, JB, 8B34P75	44.99
Ruger Old Model, Stag, 8B34P48	39.99
<b>Uberti Model P,</b> Ivory, 8B26L50	34.99
	Beretta Stampede, Ivory/Checkered, 8B25N00 Colt SAA, Stag, 8B34L48 High Standard Double Nine, Stag, 8B34J48 Remington 1858, Ivory/Smooth, 8B25L00 Ruger Super Blackhawk, Stag, 8B34D48 Ruger Vaquero, Ivory, 8B23I08 Ruger Vaquero, Stag, 8B34G48 Ruger Vaquero XR3-RED, Stag,

COLT WALNUT GRIPS - Plain, uncheckered reproduction grips of genuine U.S. black walnut turn an old, classic Colt Model 1917 double action revolver into a prized collector's item. Replicates the simple, clean, elegant lines of the original World War I era U.S. Army service revolver. Beautifully



finished and sealed with two coats of linseed oil. Comes with brass escutcheon, nut, and blued screw, like the original grips. SPECS: Black walnut, linseed oil finish. Fits Smith & Wesson Model 1917

#100-005-908AQ Colt M-1917 Grips, 8B73P36 ...... \$ 94.99



#### BANG, INC. S&W MICULEK COMPETITION GRIPS

**Excellent For Concealed Carry.** Pin Shooting & Hunting Revolvers

Smooth, narrow design by the "fastest revolver shooter alive" gives competition and speed shooters a fast draw and maximum recoil control. One-piece construction features an open backstrap for a comfortable grip and excellent trigger reach; provides a solid fit to the frame. Minimal size helps prevent "printing". Non-checkered so clothing slides over it easily. Made of attractive Pau Ferro. SPECS: Pau Ferro. Fits square (SB) or round (RB) butt

SAW K L and N frame revolvers



, ,			
STK# SB	STK# RB	FITS	PRICE
#100-000-219AQ	#100-000-221AQ	K/L frame	8K84I33 \$ 90.99
#100-000-220AQ	#100-000-222AQ	N frame	8K84F33 \$ 90.99

order on the web



# Compact shown

#### **PACHMAYR** "PRESENTATION" GRIPS

Non-Slip Grips For All Conditions

Neoprene rubber absorbs recoil, provides absolute, no-slip grip, wet or dry. Molded-in checkering makes grip even more secure. Extra thickness and/or length, plus filler material in critical areas. All have speed loader clearance.

SPECS: Molded, black, neoprene rubber./S = small. /L = large. /C = compact round butt. /CS = compact square butt. TCF-1 is the forend for 10° and 14", round barrel Contenders. Blackhawk® fits New Model Blackhawk®, New Model Single Six®, and old, large frame Vaguero®.

STOCK #	FITS	MODEL	PRIC	CE
#692-150-001AQ	Colt "D" frame	CD/C	2F23K88	\$ 26.99
#692-150-002AQ	Colt "D" frame	CD/S	2F22L62	\$ 25.99
#692-152-003AQ	Colt "J" frame	CJ/L	2F22Q62	\$ 25.99
#692-300-001AQ	Blackhawk	RB	2F22H62	\$ 25.99
#692-000-004AQ	S&W "J" frame	SJ/C	2F23A88	\$ 26.99
#692-401-001AQ	S&W "J" frame	SJ/CS	2F23L88	\$ 26.99
#692-402-003AQ	S&W "K/L" frame	SK/L	2F22Q62	\$ 25.99
#692-403-003AQ	S&W "N" frame	SN/L	2F22P62	\$ 25.99
#692-451-001AQ	Contender Forend	TCF-1	2F48Q74	\$ 54.99

## **PACHMAYR DECELERATOR™ GRIPS**

**Decelerator Rubber Absorbs Recoil** Force For Greater Shooting Comfort

Specially formulated Decelerator rubber compound isolates your hand from recoil force. Finger groove, gripper design increases control to counter muzzle rise. SPECS: Molded rubber



STOCK #	FITS	MODEL
#692-032-002AQ	Ruger® Super Blackhawk®	RSB-G/D
#692-032-001AQ	Ruger Redhawk®	RHK-G/D
#692-030-004AQ	S&W "N" Sq. Butt	SN-G/D
#692-030-001AQ	S&W "N" Rd. Butt	SN-GRD

- Advise # - Decelerator Gripper Grip, 2F26N72 ... \$ 29.99

GRIP & FOREND FOR THOMPSON/CENTER - Absorbs felt re-

coil and provides a more secure, consistent grip on your Thompson/ Center pistol for more accurate shot placement. Recoil-reducing internal chambers in the pis-



tol grip protect the shooter's hand, while finger grooves and molded-in diamond pattern grip control to counter muzzle rise. Soft forend provides secure contact with shooting rest in the field or on the range. Easy, drop-in installation requires no permanent alterations to gun. All grips and forends include sling swivel studs.

SPECS: Molded neoprene rubber, black. Encore fits all standard and magnum calibers of T/C Encore and Pro Hunter pistols with 12" and 15" barrels. Contender Forend fits 10" and 14" T/C Contenders with round barrels. G2 Contender fits all calibers of T/C G2 Contender pistols.

#692-000-009AQ	T/C Encore Forend/Grip Set,	
	2F55I03	

	ZF551U5	01.99
#692-034-001AQ	Contender Pistol Grip, only,	
	2F48H74	54 99



#### **BUFFER TECHNOLOGIES REVOLVER JETLOADER**

For Fast & Fumble-Free Reloads

Just a single, straight push drives cartridges into the cylinder. Twist lock holds ammo securely.

SPECS: High impact plastic, black. .38 Spl/.357 Magnum caliber. **J** fits S&W J-frame and Ruger® SP101®. **K** fits S&W K-frame and Taurus 80, 82, 83, 86, 65, 66. L fits S&W I -frame and Ruger GP100®

#071-000-006AQ "J" Jetloader, 1G20D89	\$ 24.99
#071-000-007AQ "K" Jetloader, 1G20L89	24.99
#071-000-008AQ "L" Jetloader, 1G20D89	24.99

JETLOADER POUCH - 1000 Denier, Cordura pouch carries two, "J", "K", or "L" Jetloaders on your belt. SPECS: Cordura nylon, black, Approx, 31/2" (8,9cm) long, 4 (10.2cm) high 11/2" (3.8cm) wide


(10.2011) Tilgit, 172 (3.0011) Wide.		
#071-000-014AQ Jetloader Pouch,	1G22I09	\$ 26.99



#### **5 STAR FIREARMS** REVOLVER SPEEDLOADERS

For Fast Reloads - Keep Up With The Semi-Auto Shooters

Dramatically cuts reload time - ideal for range or competition. Lightweight yet very rugged: machined billet aluminum construction with stainless steel internal components and precisionground bearings ensure smooth, easy operation. Lets you release rounds into



SPECS: Aluminum, polished finish. 1.3" (3.3cm) tall. Weight and diameter varies. Taurus Judge model requires cartridge rims to be larger than .508".

STOCK #	FITS	MODEL	PRIC	CE
#100-012-386AQ	S&W J-Frame .38	J1-357/38	7C19L99	\$ 19.99
	Spec/.357 Mag			
#100-008-505AQ	S&W 327/627	8 N-357/38	7C24P99	\$ 24.99
#100-008-504AQ	S&W 500	500-05X	7C24Q99	\$ 24.99
w100-009-988AQ	S&W Governor .45LC	6GV-45	7C24I99	\$ 24.99
w100-009-987AQ	S&W Governor .410	6GV-410	7C24I99	\$ 24.99
#100-008-508AQ	Taurus Judge	5J-410/45	7C19B99	\$ 19.99



## **SAFARILAND** COMP II SPEEDLOADER

Rapid Reloading For Competition & Law Enforcement

Fast, reliable speedloader for competition, law enforcement and sporting use. Holds six rounds ready for instant,

all-at-once loading into the cylinder. Single "push" motion releases rounds, no twisting. Just hold the outer ring, start the bullet noses into the cylinder and push down.

**SPECS:** High-impact, black plastic. 1<sup>1</sup>/<sub>2</sub>" (3.8cm) dia., 1<sup>1</sup>/<sub>2</sub>" (3.8cm) high. Wt., <sup>1</sup>/<sub>2</sub> oz. (14 g). For .38 Spl./.357 Mag.only.

Encore and Pro Hunter pistois with 12 and 15 barreis.	STOCK #	FITS
I fits 10" and 14" T/C Contenders with round barrels. <b>G2</b> calibers of T/C G2 Contender pistols.	#797-200-002AQ	S&W "K", Dan Wesson, Taurus 66, 669, 689
T/C Encore Forend/Grip Set,	#797-200-008AQ	S&W "L", Ruger® GP-100®
2F55I03\$ <b>61.99</b>	#797-200-004AQ	Ruger Security-Six®/Speed-Six®/Service-Six®
Contender Pistol Grip, only,	#797-200-003AQ	Colt Python
2F48H74	- Advise # - Cor	mp II Speedloader, 7G9L89 \$ 10.99



#### HKS SPEEDLOADER

Loads 5 Or 6 Cartridges Instantly For Super Fast Reloads

Compact, lightweight carrier provides an excellent combination of reloading speed, secure carry and dependability. Cartridges are held securely until you're ready, then release with just a twist of the

knurled knob. Simple to load: turn the knob to the load position, set rounds in place, and twist the knob to latch. Metal cam points move into place over the cartridge rims. To load the gun, quide the bullet noses into the cylinder, twist the knob, and ammo instantly drops into place.

SPECS: High-impact, black plastic body. Knurled aluminum knob. Aluminum latch. 17/16" (3.6cm) high. Diameter varies 15/8" (4.1cm) to 13/8" (3.5cm). Weighs 1/4 oz. (7 g) empty.

STOCK #	FITS	MODEL
#392-100-010AQ	.38/.357 S&W 10, 12, 13, 14, 15, 19, 64, 65, 66,	10-A
	67 & Dan Wesson 14 & 15	
#392-000-004AQ	H&R (9 shot), Taurus 94	22HR
#392-100-027AQ	.38/.357 S&W 27, 28	27-A
#392-100-036AQ	.38/.357 S&W 36, 37, 38, 40, 49, 60 (5 shot)	36-A
	Ruger® SP101®	
#392-100-053AQ	.38/.357 Colt MK III, Ruger Sec. Six, Speed Six	MK-3A
#392-100-067AQ	.38/.357 Colt Python, Officers' Model Match	PY-A
#392-100-586AQ	.38/.357 S&W "L" Frame, Ruger GP-10°	586-A
#392-000-001AQ	.44 Spec. S&W 696, Taurus, Rossi (5-shot)	CA-44
#392-100-029AQ	.44 Spec/.44 Mag. S&W 29, R'hawk, DW-44	29-M
#392-100-587AQ	.357 Mag. S&W 686 (7-Shot)	587-A
— Advise # — I	HKS Speedloader, 3K7M99	\$ 9.99

#### **SAFARILAND COMP I SPEEDLOADER**

Fast, Sure Reloading For Law Enforcement, CCW & Competition

Small knob offers maximum concealment. Twist lock holds rounds secure till you drop them into the cylinder.

Very fast reloads; start the cartridges into the cylinder, give a quick downward push and the speedloader automatically releases the cartridges. Won't release unintentionally even if dropped on either end. 💻

SPECS: High-impact plastic, black. 1½" (3.8cm) dia., 1¼" (3.2cm) high Wt. 1/2 oz. (14 a).

STOCK #	FITS
#797-200-007AQ	S&W "J", .38 Spl., .357 Mag.
#797-200-005AQ	S&W, Ruger Redhawk®, Colt Anaconda, .44 Mag.
- Advise # - Co	omp I Speedloader, 7G9G89 \$ 10.99

#### **SAFARILAND** 333 SPEEDLOADER CARRIER

Puts 18 Rounds In Easy Reach



Made from Safari-Laminate™ Holds three, Safariland Comp Series speedloaders open and ready for quick reloads. External clips provide extra stability and security. "K" frame carrier accepts Comp I, II, and III

speedloaders. "L" frame carrier accepts Comp I and II speedloaders only.

SPECS: Plain Black	(BLK) only. Fits belts up to 13/4" wide.	
#797-333-001AQ	"K" Frame Speedloader Carrier,	
	7G31P79	34.99
#797-333-002AQ	"L" Frame Speedloader Carrier,	
	7G31E79	34.99

#### **SAFARILAND** COMP III SPEEDLOADER



#### For The Competitor; Spring-Loaded For Fastest Cylinder Filling

The latest stage of speedloader development. Extra length so it's easy to hang onto. No-twist, no-

turn, spring-loaded design launches rounds into cylinder the instant the loader touches it. SPECS: High-impact, black plastic, 11/2" (3.8cm) diameter, 3" (7.6cm) long.

38/.357. **002 fits -** D/Wesson .38/.357, "K" Frame, Taurus 66, 669, 689. 008 fits - Ruger GP 100, "L" Frame.

#797-350-002AQ	002 Comp III Speedloader,	
#707-751-00940	7G14L29	\$ 15.99
#/9/-351-008AG	7G14P29	15.99

## **SAFARILAND** SPEEDLOADER LOADING BLOCKS

Charge Your Speedloaders Even Faster

Positions wadcutter, semi-wadcutter and round nose .38/.357 ammo for fast loading into all popular brands of speedloaders.



Leave the filled speedloaders in place for easy carrying with the removable handle. 2 models; both hold 14 speedloaders, 84 rounds total.

SPECS: J-KTR for S&W "K" frame, Ruger "Six", Colt Trooper Mk III, Mk V and King Cobra **J-LP** for S&W 1-1, Ruger GP-100, Colt Python OMM & OM Trooper. Both 13<sup>1</sup>/<sub>4</sub>\* (33.6cm) L x 3<sup>1</sup>/<sub>2</sub>\* (8.9cm) W x 1<sup>1</sup>/<sub>2</sub>\* (1.3cm) thick. Black polypropylene, 61/4 oz. (177.2a).

#797-301-138AQ	J-KTR Loading Block, 7G18M09	19.99
#797-301-238AQ	J-LP Loading Block, 7G18M09	19.99

## BROWNELLS MOON CLIP STRIPPER



Strip & Hold Every Round From Your Revolver

Long steel tube holds all the empty cases you're

stripping from your revolver's moon clip - even 8-rounds of empty .357 mag. Durable, Brownells screwdriver handle makes the tool easy and comfortable to use. Extended-length **10 mm** holds 9mm, .38 Spl., .357 Mag. and 10mm; also available in standard length .45 ACP.

SPECS: Hardened steel, blued, Plastic handle, 10mm - 10<sup>7</sup>/<sub>8</sub>" (27.6cm) OAL. 45 ACP - 7" (17.8cm) OAL.

#352-197-100AQ	Extended 10 mm Moon Clip
	Stripper, 2E12D79 \$ 14.99
#352-197-000AQ	.45 ACP Moon Clip Stripper,
	2E14G49 18.99

## **SAFARILAND** SPEEDLOADER HOLDER

Handy Belt Clip Speedloader Carrier

Open design for minimum bulk; holds tightly. No snaps or covers. Vinyl padded inside. Holds Safariland or comparable HKS models.

SPECS: Spring steel, black epoxy coated. CD-2 holds 5/6 shot medium and large frame loaders.

#797-100-002AQ CD-2 Speedloader Holder, 7G9I49. \$ 10.99

## BROWNELLS **SMITH & WESSON MOON CLIPS**




#### Gives Rapid Reloads For Smith & Wesson Revolvers

Fast and easy-to-use, provides your S&W revolver with quick, sure reloads and keeps spent brass together. Available for a variety of different S&W revolvers in .40 caliber, .357, and .38 Super. .40 Caliber Moon Clips are available for the S&W Model 646 in two sizes to allow proper headspace depending upon rim thickness; choose style "N" for .035" or style "T" for .042" .357 Caliber Moon Clips are available for three, .357 S&W revolvers. Order the 686P-7 for the 7-shot 686 Plus or 586 L-Comp; order the 627M-8 for the 8-shot S&W M-27. .38 Super Moon Clips are also available for the 6-shot S&W 686 and the 8-shot 627. SPECS: Steel, blue. Approximately 11/2" (3.8cm) diameter. Available in paks of 5 or paks of 10. .357 Cal. requires machining of cylinder, and are designed for use with Federal and Remington-Peters brass; others may be difficult to load

STOCK #	MODEL/CALIBER	CAP.	PRICE		
5-PAKS					
#084-000-013AQ	646N/.40	6 RD	4H15F10	\$ 18.99	
#084-000-015AQ	646T/.40	6 RD	4H19K48	\$ 24.99	
#084-000-004AQ	686P-7/.357	7 RD	4H12M49	\$ 13.99	
#084-000-006AQ	627M-8/.357	8 RD	4H12G79	\$ 15.99	
#084-000-087AQ	686M/.38 Super	6 RD	4H16G81	\$ 21.99	
#084-000-089AQ	627M/.38 Super	8 RD	4H17C44	\$ 21.99	
	10-PAKS				
#084-000-014AQ	646N/.40	6 RD	4H29J82	\$ 37.28	
#084-000-016AQ	646T/.40	6 RD	4H30M78	\$ 38.48	
#084-000-005AQ	686P-7/.357	7 RD	4H22P99	\$ 24.99	
#084-000-007AQ	627M-8/.357	8 RD	4H22E49	\$ 31.99	
#084-000-088AQ	686M/.38 Super	6 RD	4H34A64	\$ 49.71	
#084-000-090AQ	627M/.38 Super	8 RD	4H30N78	\$ 43.74	

## **CALIFORNIA COMPETITION WORKS** DEMOONER



**Durable Construction** For Super Fast Unloading


Easy to use tool rapidly removes empty brass and loaded ammo from moon clips. Long, easy-to-grasp handles provide enough leverage to unload a clip in a matter of seconds. Standard

model unloads S&W N-frame .45 ACP and 10mm clips. Super Demooner unloads .45 Win. Mag and shorter; rugged aluminum construction for added strength and durability

SPECS: Standard - Rynite, black. 83/4" (81cm) long. Super Demooner -Aluminum, anodized. 7½ (25 cm) long.

#151-110-000AQ	Standard Demoone	er, 1E14A89	\$ 19.99
#151-000-019AQ	Super Demooner,	1E28G89	34.99

**REMOONER** - Greatly reduces the time and effort required to reload your full-moon clips. Lets you quickly snap all six rounds of .45 ACP and .40 S&W ammo into the clip using just one hand. Supplied with two adapters for .40 S&W: one for factory clips, one for Scherer.





STOCK #

#100-013-653AQ 5-shot 38/357 Mag

#100-013-655AQ 5-Shot 38/357 Mag

#100-015-807AQ 5-Shot 9mm J-Frame

#100-013-650AQ 6-shot .38/357 Mag

#100-013-658AQ 6-Shot 38/357 Mag

#100-013-659AQ 7-Shot 38/257 Mag

#100-013-652AQ 6-shot 38/357

#100-013-654AQ 5-Shot 38/357 Mag w/Starline Brass

#100-013-651AQ 6-shot 38/357 Mag w/Starline Brass

#100-013-657AQ 7-Shot 38/357 Mag w/Starline Brass

#100-013-656AQ 6-shot 38/357 Mag L-Frame w/Starline Brass

#### TK CUSTOM SMITH & WESSON MOONCLIPS

#### Competition Grade Moonclips For Fast, Fumble-Free Reloads

FINISH

SS

SS

SS

SS

SS

SS

In The White

SS

SS

SS

SS

**L FRAME** 

K FRAME

**J-FRAME** 

Long-lasting moonclips keep revolver cartridges together for use with Starline Brass. Available in and properly aligned for fast, positive reloads in Smith & Wesson revolvers. Made to uniform tolerances from rigid steel for consistent fit and function. Some models intended specifically

FITS

silver stainless steel. J-Frame in 10-paks.






ss steel <b>(SS)</b> or <b>bl</b> i es sold in 5-paks, <b>=</b>		Y	4
THICKNESS	QTY	PRIC	E
.025"	5	6A00KZK	
.025"	5	6A00EEA	\$ 32.50
.020"	5	6A00IYA	\$ 32.50
.035"	5	6A32Q59	\$ 37.50
.025"	10	6A00EEK	\$ 64.95
.025"	10	6A00MSE	\$ 64.95
.020	10	6A00QXJ	\$ 64.95
.025"	10	6A00NXD	\$ 64.95
.025"	10	6A00FIQ	\$ 64.95
.025"	10	6A00QJD	\$ 64.95
.025"	10	6A00FBS	\$ 64.95
.020"	10	6A00QMQ	\$ 64.95

#100-013-660AQ 7-Shot 38/357 Mag	SS	.020"	10	6A00QMQ \$ 64.95
#100-013-661AQ 6-Shot 9mm//40 S&W	Blued	.035"	10	6A00NNL \$ 39.95
#100-013-662AQ 6-shot 38/357 Mag	SS	.020"	10	6A00HEQ \$ 64.95
	N FRAME			
#100-013-663AQ 8-Shot 38/357 Mag	SS	.020"	10	6A00QEQ \$ 64.95
#100-013-664AQ 8-shot 38 Super/9mm	Blue	.035"	10	6A00PWK \$ 39.95
#100-013-665AQ 6-Shot 45 ACP	SS	.040"	10	6A00PMP \$ 74.95
<b>#100-013-666AQ</b> 8-shot 38/357 Mag w/Starline Brass	SS	.025"	10	6A00KXG \$ 64.95
#100-013-667AQ 8-shot 38/357 Mag	SS	.025"	10	6A00BSF \$ 64.95
<b>#100-002-058AQ</b> Governor	Blue	.040"	10	6A15L96 <b>\$ 19.95</b>

#### **WILSON COMBAT** .45 CALIBER MOON CLIPS



Brand-New, Clean & Springy - Forget About Saving Worn, Bent-Up Old Clips!

Speeds loading/unloading of S&W 25-2, 625, plus Colt/S&W 1917 revolvers. Reusable clip holds six rounds in a lightweight, easyto-load unit. Keeps all your spent

brass together, too. SPECS: Available in blue or nickel plated (NK). Approx. 11/2" (3.8cm) dia.

#965-069-005AQ Blue .45 ACP Moon Clips, 5F4I29 . . . . \$ 4.99 #965-069-105AQ NK .45 ACP Moon Clips, 5F9L99..... 10.99

#### **CALIFORNIA COMP WORKS** "SHOOT A MOON' CLIP HOLDERS

Carry Additional Clips For Competition & Hunting

Spring steel clip provides quick-to-grasp, instant access to loaded moon clips for rapid reloads. Steel lip holds carrier secure to belt; won't slide or pull off. Nylon cartridge guide positions rounds for correct alignment. 2 per package. Designed to work specifically with six-shot .45 ACP revolvers but can be modified to work with 9mm. .357 and 10mm six-shot revolvers.

SPECS: Spring steel, nickel plated. Nylon guide. 45 ACP clips. Sold in pak of 2

#151-111-000AQ Shoot A Moon Clip Holders, 1E14M89.....\$ 17.99

## **BECKHAM DESIGN S&W REVOLVER** RIMZ SPEEDLOADER



mer, moon clips provide a means of ejecting rimless cartridges from early and late model Smith & Wesson revolvers. High-strength, hydrocarbon polymer won't rust, break or deform; fires 300-400+ rounds before requiring replacement.

costly equipment. Keeps empties together, too. RIMZ 625 fits S&W M625-4 and newer revolvers in .45 ACP. RIMZ 25 fits S&W M1917, M25 and M625-3 and earlier in .45 ACP. SPECS: Hydrocarbon polymer, black. 17/16" (3.7cm) diameter. Sold in

Loads easily by hand without the need for special tools or

<b>RIMZ 625 Speedloader,</b> 5-pak, 2A4K89 <b>\$ 5.</b>	99
<b>RIMZ 25 Speedloader,</b> 5-pak, 2A4I89 <b>5.</b>	99

## **CALIFORNIA COMPETITION WORKS** "SHOOT A MOON" **CLIP HOLDER**

Get Rapid Reloads With Moon Clips

Aluminum post and spring steel clip holds loaded 8-shot moon clips correctly for easy access. Slips over belt for quick on and off. SPECS: Aluminum quide, spring steel clip.

#151-000-023AQ 8 Shot Moon Clip Holder, 1E10F79. \$ 13.99

#### TK CUSTOM TAURUS MOON CLIPS

Correct-Size Moon Clips For Your Taurus Wheelguns

Steel moonclips drop into popular nodels of Taurus revolvers and ease oading and unloading. Fit 5-shot revolvers only. All moon clips sold separately. 💻

#100-014-286AQ	.380 Moonclip,	6A321	B <i>50</i>		32.50
#100-014-287AQ	9mm Moonclip	, 6A32	2P50 .		32.50
#100-014-288AQ	.40S&W Moonc	lip, 64	A32D5	2	32.50

#### RESCOMP **CR 2001 "HI-TORQUE" BELT**



Won't Slip Or Shift & Won't Snag Clothing

Shooter friendly, buckleless design features nonsnag Velcro® loop inner belt that won't wear on clothing and car seats. Inner and outer belts are nylon cloth sewn to a reinforced nylon-plastic liner; provides a firm, stable

foundation for your holster and accessories that won't slip or shift. Fast on and off; rig can be positioned in just seconds. SPECS: Nylon cloth over a nylon-plastic liner, black, black + pink trim, or black + purple trim. 11/2" (3.8cm) wide. Order one size larger than actual

waist size.		
#775-000-010AQ	<b>34" Hi-Torque Belt,</b> Blk, <i>5G57M79</i> .	\$ 64.99
#775-000-011AQ	<b>36" Hi-Torque Belt,</b> Blk, 5G57Q79.	64.99
#775-000-012AQ	<b>38" Hi-Torque Belt,</b> Blk, 5G57A79.	64.99
#775-000-013AQ	40" Hi-Torque Belt, Blk, 5G57F79.	64.99
#775-000-014AQ	<b>42" Hi-Torque Belt,</b> Blk, <i>5G57B79</i> .	64.99
#775-000-015AQ	44" Hi-Torque Belt, Blk, 5G57D79.	64.99
#775-000-022AQ	<b>46" Hi-Torque Belt,</b> Blk, <i>5G57J79</i> .	64.99
	48" Hi-Torque Belt, Blk, $5G57E79$ .	64.99
#775-000-024AQ	50" Hi-Torque Belt, Blk, $5G57Q79$ .	64.99
	52" Hi-Torque Belt, Blk, $5G57G79$ .	64.99
775-000-034AQ	<b>34" Hi-Torque Belt,</b> Blk/Pink, <i>5G57B79</i>	64.99
₩775-000-035AQ	<b>36" Hi-Torque Belt,</b> Blk/Pink, <i>5G57F79</i>	64.99
₩775-000-036AQ	<b>38" Hi-Torque Belt,</b> Blk/Pink, 5G57H79	64.99
775-000-037AQ	<b>40" Hi-Torque Belt,</b> Blk/Pink, 5G57N79	64.99
775-000-038AQ	<b>42" Hi-Torque Belt,</b> Blk/Pink, <i>5G57N79</i>	64.99
775-000-039AQ	<b>34" Hi-Torque Belt,</b> Blk/Purple, <i>5G57A79</i> .	64.99
775-000-040AQ	<b>36" Hi-Torque Belt,</b> Blk/Purple, 5G57Q79	64.99
775-000-041AQ	<b>38" Hi-Torque Belt,</b> Blk/Purple, <i>5G57M79</i>	64.99
775-000-042AQ	<b>40" Hi-Torque Belt,</b> Blk/Purple, <i>5G57L79</i>	64.99
775-000-043AQ	<b>42" Hi-Torque Belt,</b> Blk/Purple, <i>5G57C79</i>	64.99

BELT TAG - Nylon webbing "keeper" attaches around Rescomp CR 2001 holster belt to keep the inner belt properly aligned with the outer belt and hold the belt tip in place. Large, Velcro® closure ensures the tag stays where you put it, and internal plastic stiffener prevents it from bending as you move around. Rub ber face pad with bright red "CR Speed" logo.

SPECS: Nylon webbing, black. 2" (5.1cm) x 2" when installed. Fits Rescomp CR 2001 "Hi Torque" belt system.

#775-000-033AQ Hi Torque Belt Tag, 5G8I49...... \$ 9.99

order on the web

brownells.com

