

BROWNELLS

SWIVEL STUD INSTALLATION TOOL

Handy Tool Makes
Installing Swivel Studs
Easy & Accurate



Steel shank centers the swivel stud directly in the center of the tool to properly align the stud in the hole in the stock. Tool prevents stock scratches that happen if you crank it in with a punch through the swivel hole. Use sling swivel drills for a properly sized hole. Plastic handle gives you a large gripping surface to keep your hand steady while driving the stud. ■

SPECS: Steel shank, plastic handle, 5.8" (14.8cm) long. Fits common swivel studs.

#080-000-253AQ Swivel Stud Installation Tool, 8K13M75..... \$16.99



KLEINENDORST SLING SWIVEL DRILL JIG

For Precise Alignment &
Drilling Of Stock Swivel
Stud Holes



Precision adjustable jig maintains the proper drill bit alignment to ensure the correct location of the rear swivel stud hole. Fits any size stock and automatically self-centers for perfect stud

hole alignment. Felt lining prevents marring finished stocks. Includes 3/32" diameter carbon steel drill bit contains a special relief tip to help prevent wood splintering and break-out when drilling. Adjustable drill-depth indicator prevents drilling too deep and ruining the hole. For use with hand-held drill. Perfect for the high volume shop or beginner just starting out. ■

SPECS: Aluminum cylinders, anodized. Steel frame & adjustment bolt, black, matte finish. Includes fixture, 5/32" (3.9mm) dia. drill, and complete instructions.

#488-000-006AQ Sling Swivel Drill Jig, 8H169P99... \$169.99

UNCLE MIKE'S SWIVEL DRILLS

Speed Up The Job With This Special Drill

Special drill designed by Uncle Mike's to install their plain and quick detachable swivels with a minimum of time and effort. Correct diameter to drill and counterbore swivel stud holes for neat, no-splinter, professional installations.

SPECS: #1 drill - 2 1/4" (7.0cm) overall length, 1/16" (4.8mm) bit dia. #2 drill - 2" (5.1cm) overall length, 1/8" (3.2mm) bit dia.

#593-255-202AQ Uncle Mike's Swivel Drill Set, 7K27N10..... \$29.99



OUTDOOR CONNECTION SWIVEL BASE DRILL BIT SET

For Easy, Clean Swivel Stud Holes

Easy to use, carbon steel drill bits contain a special relief tip to help prevent wood splintering and break-out when drilling sling stud holes. Features a built-in counter-sink for precise inletting of the stud spacer and a flush fit every time. Pre-set, drill-depth indicator prevents drilling too deep and ruining the hole. Includes two drill bits, 3/32" dia. and 1/8" dia., for both front and rear stud holes. ■

SPECS: Steel, black, finish. Drills - 3/32" (3.9mm) dia. & 1/8" (4.6mm) dia.

#683-000-005AQ Swivel Base Drill Bit Set, 3H10D49... \$13.99

BROWNELLS UNCLE MIKE'S SLING SWIVEL STUD KIT

Every Swivel Stud & Part You Need

Saves money and "scrounge-time" by putting all the most needed swivel stud parts at your fingertips. Uncle Mike's is the most popular brand on the market, so you'll have what most of your customer's guns need.

SPECS: Kit includes: 1 dz. each of 7 individual 10-32, dome-top sling studs; 3 dz., 1/8" (19mm) wood screw studs; 1 dz., 1/2" (12.7mm) wood screw studs; 2 dz., 10-32 hex nuts; 4 dz., 10-32 dome top nuts; 4 dz. white plastic spacers; 4 dz., black plastic spacers; all in bench box. Order refills from chart.

#080-769-000AQ Swivel Stud Kit, 8K86E29..... \$89.99

#080-769-301AQ 12 Wood Screws, 8K8A89..... 9.99

REFILLS

STOCK #	DESCRIPTION	# IN PAK	PRICE
#080-769-101AQ	10-32 x 1/4" Dome Stud	12	8K7A49 \$ 19.99
#080-769-111AQ	10-32 x 3/8" Dome Stud	12	8K6G30 \$ 19.99
#080-769-131AQ	10-32 x 1/2" Full Thread	12	8K7I89 \$ 19.99
#080-769-141AQ	10-32 x 3/8" Dome Stud	12	8K7H89 \$ 10.99
#080-769-161AQ	10-32 x 3/8" Dome Stud	12	8K7D89 \$ 9.99
#080-769-151AQ	10-32 x 1/8" Dome Stud	12	8K6I89 \$ 9.99
#080-769-311AQ	1/2" Wood Screw Stud	12	8K1I99 \$ 19.99
#080-769-201AQ	10-32 Hex Nuts	12	8K5P89 \$ 8.99
#080-769-211AQ	10-32 Dome Nuts	12	8K8L49 \$ 8.99
#080-769-501AQ	White Spacers	48	8K8D89 \$ 12.99
#080-769-502AQ	Black Spacers	48	8K6M89 \$ 9.99

N.E.C.G. CLASSIC SWIVEL STUD

Easy-To-Install, Gives A Custom Inletted Look



Machined steel, European-style, gives the look of a custom inletted base without the extra work. Gracefully rounded contour, with parallel sides; accepts Uncle Mike's-style swivels.

SPECS: Steel, blue, polished finish. Base - .745" (19mm) long, .40" (10mm) wide, .43" (11mm) high. Sold per each. Machine Stud - .80" (20mm) long, 10-32 tpi. Wood Stud - 1.10" (28mm) long, 1/4"-20 tpi.

#661-000-032AQ Machine Swivel Stud, 1F19K99..... \$22.00

#661-000-033AQ Wood Swivel Stud, 1F19D99..... 22.00

TALLEY ACCESSORIES

STANDARD SWIVEL BASES - Wood screw-attached rear and machine screw-attached front bases with straight sides and prominent posts. ■

SPECS: 1" (2.5cm) long, 3/16" (8mm) wide. Base is 1/16" (1.4.3mm) thick. Hole spacing: .700 center-to-center. Total height: 1/16" (11.1mm). Use Michaels QD 115.

#874-003-100AQ Forend Screw w/Nut, 4G1L21..... \$1.80

#874-002-000AQ Talley Swivel Base Set, 4G19Q99..... 22.99

SCREW-ON OVAL BASES - Oval shape looks graceful and contoured, secured with wood and machine screws.

SPECS: 1 1/8" (2.7cm) x 1/2" (9.5mm). 1/16" (1.0.3cm) high. Holes, .740" (18.9mm) center-to-center.

#874-002-202AQ Talley Oval Screw-On Base Set, 4G22G35..... \$24.00

EUROPEAN SWIVEL BASES - European-style bases with the traditional, wide swivel slot.

SPECS: 1 1/8" (2.7cm) x 1/2" (7.9mm). Holes, .740" (18.8mm) c-to-c. 2° draft. 1/16" (10.3mm) total height.

#874-002-300AQ Talley European Bse Set, 4G19F99... \$23.00



CUSTOM GUN STOCK SERVICE BALL STUD SLING SWIVEL

In-The-White Sling Swivels
For Custom Builds & Finishes



Steel ball stud sling swivels screw into rifle stocks and accept most sling loops. In-the-white steel lets you finish the swivels to match custom rifle finishes. Set includes one #10 wood screw with ball stud and one 1/4-28 machine screw with ball stud and nut.

SPECS: Steel, in-the-white. 1.21" (3cm) long. Wood screw has .73" (1.8cm) shank. Machine screw has .74" (1.8cm) threaded shank.

#100-013-353AQ Ball Stud Sling Swivels, 5G16K09... \$18.99

DAKOTA SWIVEL STUD

Elegant Sling Swivel Studs
Dress-Up The Finest Gun



Premier sling swivel studs machined from steel to fit Michaels swivels. Classic designs with barrel-shaped top and "scooped out" edge where top blends gracefully into base. Won't let swivel hit stock. High-top screws can be crowned or fitted flush. #1 Pre-'64 Winchester Super Grade has straight-sided base and round head screws. #2 Ken Howell model has European-style oval base and round head screws. ■

SPECS: Steel, blue (#2) or in-the-white (#1). 2° draft for easy inletting. Sold in pairs. Unfinished Stud Screws sold singly.

#359-111-001AQ #1 Swivel Stud, 9E24H19..... \$29.99

#359-111-002AQ #2 Swivel Stud, 9E24A19..... 29.99

#359-112-010AQ Unfinished Stud Screw, 9E2D80... 3.99

BLUE FORCE GEAR UNIVERSAL WIRE LOOP

Fast, Easy, Versatile Sling Attachment
System; No Gunsmithing



Nylon-coated, stainless steel cable with permanently attached sling loop provides simple, easy-to-install, ambidextrous sling attachment on any rifle or shotgun. Thread around barrel and forend, through buttstock swivel studs, or through front sight towers to create an instant, no-gunsmithing sling attachment point. Lightweight yet strong aluminum loop accepts slings up to 1 1/4" wide. Stainless steel shank ends can't pull loose, while nylon coating on cable prevents damage to firearm and muffles unwanted sound. QD Socket Loop lets you add an attachment point for a pushbutton QD sling to virtually any location on your weapon. ■

SPECS: 6061 T6 aluminum billet, hardcoat anodized, and stainless steel wire cable, nylon coated, black. Loop - 3/4" (8.2cm) O.A.L. QD Socket Loop - 3/2" (9cm) O.A.L.

#100-004-870AQ Universal 3/4" Loop, 7A23L39..... \$25.99

#100-009-100AQ Univ. 3/2" Loop w/QD, 7A32L89... 35.99



ALG DEFENSE FORGED QD SLING SWIVEL

Strong Aluminum Swivel Is Lighter Than Steel

Forged aluminum QD sling swivel weighs less than steel swivels, but remains strong and rugged. Made from 7075 T6 aluminum, just like AR-15 upper and lower receivers. Detents give smooth, fast function. Accepts slings up to 1" wide, and supports loads up to 750 lbs. when inserted into steel socket. ■

SPECS: Forged aluminum. 1/2 oz. (14g) wt.

#100-012-542AQ Forged Alum. QD Swivel, 8Z31J99... \$31.99

BLACKHAWK INDUSTRIES LOK-DOWN™ SLING SWIVEL SETS

All Steel Construction;
Made In The U.S.A.



Machined steel swivels have no plastic parts to crack and fail, so you'll have full confidence when field carrying your valuable firearms. Exclusive LOK-DOWN™ system features a knurled, steel, locking collar to completely immobilize the swivel gate and prevent accidental opening. Bolt Action Machine Screw (BAMS) set contains a machine screw front swivel stud with locknut for maximum strength on medium to heavy weight bolt action rifles with wooden stocks. Set also includes a rear wood screw swivel stud, spacers, and 1" swivels. Swivel pairs also available separately in 1" and 1 1/4" loop diameter, blue. ■

SPECS: Steel, blued, matte finish. Swivels available with 1" (2.5cm) or 1 1/4" (3.1cm) loop diameter; sold in pairs.

#100-003-028AQ Blue 1" Swivels, only, 1A8L99..... \$9.99

#100-003-029AQ Blue 1.25" Swivels, only, 1A9B99..... 10.99

#100-003-031AQ Blue 1" BAMS Set, 1A9I89..... 10.99

GROVTEC MOSSBERG 500 SHOTGUN MAGAZINE CAP SLING SWIVEL SETS

Rugged, U.S.-Made, All-Steel
Quick Release System



Sturdy, all-steel, quick-detach swivel system lets you attach or remove a sling as needed or even use the same sling on several shotguns. Made entirely

in the U.S.A. from the finest quality materials, with no plastic parts to wear out and let you down in the field. Replacement magazine cap has integral swivel stud with 1/4" screw in stud for the buttstock. Pair of 1" swivels attach to studs and lock down with knurled cylinder nut to prevent accidental opening. ■

SPECS: Steel, blued, semi-gloss finish. Includes magazine cap with stud, 1/4" wood screw rear stud, (2) locking 1" swivels, (2) spacers, and instructions. Fits 12 gauge only.

#100-003-375AQ GTSW-37 Moss 500 Swivel Set, 4B24I49..... \$29.99

OUTDOOR CONNECTION SHOTGUN MAGAZINE TUBE CAP WITH SWIVEL BASE

Installs Easily For
Instant Sling Attachment



Machined steel magazine cap with built-in, 360° rotating swivel stud makes it easy to convert your Remington shotgun to accept a carry sling. Unique cap design includes both ratchet and ball/spring type detent systems for no-hassle installation. Includes a 3/4" long, wood screw swivel stud for the buttstock. Sling loops not included. Installation requires drilling of buttstock. ■

SPECS: Steel, black, matte finish. Includes magazine cap with swivel stud, wood screw stud w/black spacer, and instructions. Models available for Remington 870/1100/11-87/11-96, 12 ga. only and Mossberg 500 and Maverick 88, 20 ga. & 12 ga. Moss/Mav includes spanner wrench.

#683-000-006AQ Rem Mag. Cap w/Swivel Base, 3H15E79..... \$16.99

#683-000-015AQ Moss/Mav Mag. Cap w/Swivel Base, 3H15I79..... 18.99



UNCLE MIKE'S QD SWIVELS

Quick Detachable; Positive Locking - The Industry Standard

Uncle Mike's locking, proven, Super Swivel design found on hundreds of thousands of guns. Holds securely on the base, yet detaches quickly and easily for those times when you'd rather not have the sling mounted on the gun. To use, disengage the SwiveLock® and press the spring-loaded plunger. Disengage the gate from the pin and rotate it out of the way. Insert the pin through the base and rotate the gate back into position to engage the pin. Tighten the lock for fail-safe attachment that won't open accidentally.

SPECS: Steel, nickel finish

#593-109-300AQ 1" QD 115 Swivels, Nickel, 7K9N09 . . . \$ 10.99

SUPER SWIVELSM™ WITH SWIVELOCK

QD SS BL LOOP SET - Absolutely fail-safe and won't ever open accidentally. The plunger sleeve on the SwiveLock screws in to lock, and unscrews to release, the gate. Super Swivels fit any Uncle Mike's base and interchange with the older QD 115 BL sets. Set includes 2 blue swivels, 1 wood screw mount, 1 machine screw mount and nut. Available for 1" and 1 1/4" wide slings.

#593-100-100AQ 1" QD 115, SS-BL Set, 7K8K39 . . . \$ 9.99

#593-100-125AQ 1 1/4" QD 115, SS-BL Set, 7K9J99 . . . 12.99

QD 115 NICKEL PLATED SET - Plated to resist rust and look right on stainless guns. Includes 2 plated swivels, 1 wood screw mount, 1 machine screw mount and nut.

#593-100-200AQ 1" QD 115 Nickel Set, 7K11I50 . . . \$ 12.99

QD 115 REPLACEMENT PARTS

115 WOOD SCREWS - As supplied in QD 115 Sets.

#080-769-300AQ 1 Wood Screw, 8K0A88 . . . \$ 1.50

#080-769-301AQ 12 Wood Screws, 8K8A89 . . . 9.99

115 SWIVEL PART SET - QD Stud with one 7/8" machine screw and nut, one 7/8" wood screw. Blue or nickel plated. Plated looks right on stainless guns.

#080-000-008AQ Blue Swivel Parts Set, 8K4G47 . . . \$ 5.99

#080-000-009AQ Plated Parts Set, 8K2H46 . . . 3.99

QD 115 RGS SWIVEL SET - Standard length rear, 3/8" (15.8mm) forend wood screw.

#593-131-100AQ 1" QD 115 RGS, 7K8C39 . . . \$ 9.99

#593-131-125AQ 1 1/4" QD 115 RGS, 7K9A99 . . . 12.99

PUMP/AUTO SHOTGUN

QD 115 MCS SWIVEL SYSTEM - For most pumps and autos including Beretta 390. Rear QD base screws into inletted receptacle in stock. Front base has adapter to fit magazine cap. Does not fit Browning 2000, Winchester 1400, Ithaca 37, Savage 30, Sears 21, or Stevens pumps.

#593-123-100AQ 1" QD 115 MCS, 7K12P29 . . . \$ 13.99

BARREL BAND SWIVELS

MAGNUM BAND™ - Split band clamps to magazine tube or barrel. Fits Marlin lever actions and many shotguns. Wood screw rear base also provided. Fits .775" (19.7mm) to .825" (21mm) dia. barrel. Includes 1" Super Swivels.

#593-000-004AQ SGW-12 Swivel, 7K16K49 . . . \$ 16.99

FOOTNOTE Before deciding which of the barrel, magazine tube or ferrule bands to use, you must first know the diameter of your barrel. Measure the barrel at the point of installation (usually 13" - 17" forward of the trigger or 3" - 4" ahead of the magazine or stock). All are Style A except 1331-2, 1341-2 and 1441-2 which are Style B.

1" BARREL BAND FIT LIST			
STOCK #	SET #	ØBL O.D.	PRICE
#593-000-004AQ	1071-2	.420" - .470"	7K12P49 \$ 12.99
#593-134-100AQ	1341-2	.430" - .445"	7K12J29 \$ 13.99
#593-105-100AQ	1051-2	.540" - .590"	7K15C49 \$ 15.99
#593-144-100AQ	1441-2	.645" - .660"	7K11F49 \$ 12.99
#593-159-004AQ	1591-2	.700" - .750"	7K16E49 \$ 16.99
#593-159-003AQ	1591-2	.750" - .800"	7K16H49 \$ 16.99
#593-159-002AQ	1591-2	.800" - .850"	7K16R49 \$ 16.99
#593-159-001AQ	1591-2	.850" - .900"	7K15I29 \$ 17.99

QD SWIVELS FOR SPECIFIC FIREARMS - Uncle Mike's offers QD swivels for a variety of rifles and shotguns. Find your gun and the swivels that fit it in the table below.

#593-131-100AQ	1311-2	1" Swivel Set, 7K8C39	\$ 9.99
#593-148-100AQ	1481-2	1" Swivel Set, 7K12J49	12.99
#593-107-100AQ	1071-2	1" Swivel Set, 7K12F49	12.99
#593-144-100AQ	1441-2	1" Swivel Set, 7K11F49	12.99
#593-159-003AQ	1591-2	1" Swivel Set, 7K16H49	16.99
#593-159-004AQ	1591-2	1" Swivel Set, 7K16E49	16.99
#593-105-100AQ	1051-2	1" Swivel Set, 7K15C49	15.99
#593-159-002AQ	1591-2	1" Swivel Set, 7K16K49	16.99
#593-101-100AQ	11011-2	1" Swivel Set, 7K16D78	16.99
#593-118-100AQ	1181-2	1" Swivel Set, 7K12H99	14.99
#593-122-100AQ	1221-2	1" Swivel Set, 7K12H99	14.99
#593-146-100AQ	1181-2	1" Swivel Set, 7K11D49	12.99
#593-131-125AQ	1311-3	1 1/4" Swivel Set, 7K9A99	12.99

STK# W/1" LOOPS	STK# W/1 1/4" LOOPS	FITS
ANSCHUTZ		
#593-131-100AQ	#593-131-125AQ	54, 54MS, 5418MS, 64, 64MS, 141, 164, 184, 520, 525 Sporter, Kadett, Exemplar Pistol, 1365, 1388, 1416, 1418, 1432, 1450, 15518, 1808ED Super
BERETTA		
See Footnote		Over/Under
BERNARELLI		
#593-131-100AQ	#593-131-125AQ	All Rifles
BRNO		
#593-131-100AQ	#593-131-125AQ	All Rifles
BROWNING		
#593-148-100AQ	NA	81 BLR
#593-107-100AQ	NA	BL-22 Lever Action .22, BAR-22, BPR-22
#593-131-100AQ	#593-131-125AQ	T-Bolt .22, A-Bolt .22, Lightning BLR
#593-144-100AQ	NA	Auto-loading .22
#593-159-003AQ	NA	Model 1895
#593-159-004AQ	NA	Model 1886, Model 71
#593-105-100AQ	NA	Jonathan Browning Mt. Rifle
CHIPMUNK		
#593-131-100AQ	#593-131-125AQ	22 Rifle
COLT		
#593-107-100AQ	NA	Coltner Autoloader .22
FN-SAUER		
#593-144-100AQ	NA	Bolt Action Rifle
FRANCHI		
See Footnote		All Over/Under, All Autos
GLENFIELD (SEE MARLIN)		
HARRINGTON & RICHARDSON		
#593-131-100AQ	#593-131-125AQ	157, 301, 317, 330, 340, 333, 165 .22, 865 Plainsman, Bolt Action .22's, 700 Auto .22, 750 Pioneer, 5200 Sporter, 700 DLX
#593-144-100AQ	NA	158, 1871
#593-107-100AQ	NA	749, .22
See Footnote		Springfield 171, 172, 174, 177
See Footnote		Topper 58, 98, 258, 162, 490, 490 Greenwing, 088, 088 Jr., Pumps
#593-159-002AQ	NA	162, 1212
#593-131-100AQ	#593-131-125AQ	176, 176 Slug
HECKLER & KOCH		
#593-131-100AQ	#593-131-125AQ	1981 and earlier HK 270, HK 300, HK 630, HK 770, HK 940
#593-101-100AQ	NA	1982 and later HK 270, HK 300, HK 630, HK 630D, HK 770, HK 770D, HK 940, SL6, SL7


STK# W/1" LOOPS	STK# W/1 1/4" LOOPS	FITS
HIGH STANDARD		
#593-107-100AQ	NA	Sport King, Flite King .22, .22 Carbinas
INTERARMS		
#593-131-100AQ	#593-131-125AQ	Bolt Action Mk X, Whitworth/Mini Mauser, All
ITHACA (PRE- '87)		
#593-131-100AQ	#593-131-125AQ	Model 5X
#593-107-100AQ	NA	Model 49, 49 Deluxe, 72, 72 Deluxe
IVER JOHNSON		
#593-131-100AQ	#593-131-125AQ	M1 & M2 Carbinas, Paratrooper, Super Enforcer, Trailblazer .22, Lil' Champ Single Shot .22
#593-107-100AQ	NA	EW 22 HBL & MHL .22 Lever
MARLIN		
#593-105-100AQ	NA	1894C, 1894CS
#593-131-100AQ	#593-131-125AQ	422, 455, 99 M1 Auto., 989 M2 Auto. Carbine, 995, 70, Other .22's w/Clip, Model 9, Model 45
#593-107-100AQ	NA	57M, .22s w/Tube Magazine, 781, 990, 40, 60, 75C, M-93TDS
#593-131-100AQ	#593-131-125AQ	56, 101 Single Shot .22, 780, 782, 783, 25, 25M, 15, 15Y, 20
#593-131-100AQ	#593-131-125AQ	Bolt Action, 50, 55 Goose Gun
See Footnote		Single Barrels
MAUSER		
#593-131-100AQ	#593-131-125AQ	Model 66, 77
MOSSBERG		
#593-101-100AQ	NA	1700
#593-131-100AQ	#593-131-125AQ	22, 353K, 453T, 453TS, 640K, 740T, 740TS, 800 Series, 810 Series, M800 Supergrade, M800D Supergrade, 380, 383 Auto., Bolt Action .22's, .22's w/Clip
#593-101-100AQ	NA	650K Chuckster, 900 Series, 910 Series, 321, 144, 341, 640K
#593-107-100AQ	NA	All .22's w/Tube Magazine
#593-131-100AQ	#593-131-125AQ	181, 183K, 385K, 395, 395K, 395S, 595APS
See Footnote		485T, 495T, 283T, Mossberg/Pederson Over/Under
NEW ENGLAND FIREARMS (H&R)		
See Footnote		Pardner 10 Ga., 12 Ga., 20 Ga., 410 Ga., Jr. 410 Ga
#593-144-100AQ	NA	Rifle/Shotgun Combinations Combo Gun
NEW HAVEN (MOSSBERG)		
#593-101-100AQ	NA	Centerfire 900 & 910 Series
#593-131-100AQ	#593-131-125AQ	Rimfire 453T, 453TS, 740T, 740TS
See Footnote		Bolt Action 283T, 485T, 495T
PARKER-HALE 1000		
#593-131-100AQ	#593-131-125AQ	Standard, 1200 Super, Midland Guns
#593-144-100AQ	NA	M81 African
See Footnote		All Over/Under
REMINGTON		
#593-107-100AQ	NA	552 A, 552 BDL, 552 C, 582, .22's with Tube Magazine, 572, 572 A, 572 BDL
#593-131-100AQ	#593-131-125AQ	600, 660, Mhwk M600, 700 ADL Pre-83, 721, 722, 788, 78 Bolt, 700 Safari, 725, 40XB-BR, 541S, 580, 581 Single Shot .22's
#593-144-100AQ	NA	740
#593-122-100AQ	NA	742 (1968 and earlier)
#593-118-100AQ	NA	742 ADL, 742 FW, 742 Carbine

STK# W/1" LOOPS	STK# W/1 1/4" LOOPS	FITS
#593-144-100AQ	NA	7600, Six, 760 Standard (1969 & later), 760F, 760ADL (1968 & later), 760BDL Carbine (1969 & later)
#593-122-100AQ	NA	760 (1968 & earlier), 760 Carbine w/1 1/4" forend stud (1968 & earlier)
See Footnote		3200, Parker Single Barrel
#593-131-100AQ	#593-131-125AQ	XP100 w/Wood Stock
RICHLAND ARMS		
See Footnote		810 10 Ga
ROSSI (INTERARMS)		
#593-107-100AQ	NA	Gallery .22 M59, 62
#593-105-100AQ	NA	M92
RUGER		
#593-146-100AQ	NA	No. 3 Single Shot Carbinas, 10/22 R, Standard Carbinas, Model 44 Magnum Carbine
#593-131-100AQ	#593-131-125AQ	10//22 DSP Deluxe Sporter
#593-159-002AQ	NA	O/U 12 Ga.
#593-159-004AQ	NA	O/U 20 Ga
#593-159-003AQ	NA	Redhawk
SAKO		
#593-131-100AQ	#593-131-125AQ	Forester
SAVAGE/STEVENS/FOX		
#593-159-003AQ	NA	24 Series: 22LR/20, 22 Mag/20, 24C 22LR/20, 24CS 22LR/20, 24D Series: 22LR/20, 22 Mag/20, 24V Series, 222/20, 223/20, 22 Hornet/20, 30-30/20 357 Rem. Max/20, 24VS 357 Rem. Max/20
#593-105-100AQ	NA	24 Series: 22LR/410, 24D 22LR/410
#593-144-100AQ	NA	23A
#593-131-100AQ	#593-131-125AQ	35, 35M, 36, 73, 73-Y, 110 Series without Factory Installed Swivel Studs, 125, 125-Y, .22's w/Clip, 34, 65M, Bolt Actions w/Clip
#593-107-100AQ	NA	80, 89, 90, .22's w/Tube Mag, 246, 887, 887-T, 980-DL, 982, 982-DL, 982-MDL, 987, 987-T
#593-159-002AQ	NA	Semi-Automatics
See Footnote		FA-1, FP-1, 67 Series, 79 Series, 330, 330 Set, 333, 333-T, Stevens 94 Series, 675 Pump
#593-131-100AQ	#593-131-125AQ	58 Bolt Action, 9478, 9478-Y Springfield Bolt Actions
SEARS		
#593-131-100AQ	#593-131-125AQ	Model 53
#593-107-100AQ	NA	Automatic .22's, Model 5 Lever Action
#593-131-100AQ	#593-131-125AQ	Bolt Action .22's
#593-131-100AQ	#593-131-125AQ	Bolt Actions
See Footnote		Single Barrels
SKB		
See Footnote		100, 200, 280, 300, 400 and 480 500, 600, 680 Over/Under
SMITH & WESSON		
#593-131-100AQ	#593-131-125AQ	M125 Bolt Actions
#593-101-100AQ	NA	1700
See Footnote		916T Pump
STEVENS (SEE SAVAGE)		
STEYR MANNLICHER		
#593-101-100AQ	NA	1975 & Earlier Model L, M, S, SL, S/T, SSG Marksman
#593-131-100AQ	#593-131-125AQ	M72
THOMPSON/CENTER		
#593-107-100AQ	NA	Seneca, Cherokee

SATISFACTION GUARANTEED SINCE 1939

TANK'S RIFLE SHOP M14/M1A SLING/BIPOD ADAPTER PLATE

Enables Quick Change From Sling To Stud-Mounted Bipod

All-steel adapter replaces your M14's factory front sling swivel stud to let you mount a quick-detach swivel or a Harris-type bipod that attaches to a front sling stud. A fast, easy way to increase the versatility of your rifle. Comes with a QD sling swivel and all parts required for installation. 

#901-000-003AQ M14/M1A Sling/Bipod Adapter Plate, 1K39M99..... \$39.99


PACHMAYR

QD FLUSH MOUNT SWIVELS




1/4 Turn Attaches & Detaches; Flush Installation Means No Protrusions

Elegant, flush-mount swivels release with just a push and a quarter turn. Flush-mounted receptacles blend with the surface of the stock, no protruding

bumps or lumps to ruin the lines of your rifle. Top surface is machined to closely match the contour of the forend or buttstock. Made from steel, case-hardened for extra strength. Installation requires a 7/16" diameter, brad-point drill.  **SPECS:** Steel, blue, polished finish. 1"(2.5cm) loops. Set includes 1 forearm and one buttplate receptacle, and two sling loops. **#692-925-002AQ QD Flush Mnt Swivels, 2F20E33.... \$24.99**

OUTDOOR CONNECTION TALON SLING SWIVEL SETS

Quick-Detach For Easy Sling Removal

Quick-detach swivels allow one sling to be used on multiple rifles. Talon sling swivels lock to the base with a push-pin that's spring loaded to the closed position to prevent accidental opening. All steel construction for durability. **Wood Screw Set** includes front and rear wood screw swivel studs. Includes spacers. Purchase swivel set and screw set separately.  **SPECS:** Talon Swivels - Steel, black, matte finish. Wood Screw Set - 1/2" front & 3/4" rear screw.

#683-000-013AQ Talon 1" Loop, 3H7N89..... \$9.99
#683-000-014AQ Talon 1 1/4" Loop, 3H7J86..... 9.99
#683-000-007AQ Wood Screw Set, 3H4F56..... 7.99


GROVTEC

SLING SWIVEL SET

Dependable, All Steel With Quick Release System



All-steel swivels are made in the U.S.A. and contain no plastic parts to crack and fail when you least expect it. Quick-detach feature allows you to use one sling for several rifles. Swivel attaches to mounting stud and locks down with knurled cylinder nut to prevent accidental

opening. Available for 1" or 1 1/4" wide slings. Swivels are available in pairs with or without mounting studs. Model **GTSW-23** uses a wood screw front stud, all other sets use a front stud with machine screw and nut or specific hardware for attaching to a magazine tube or barrel. **GTWS-30** uses a low-profile mounting bracket that attaches to the underside of the rib between the barrels (drilling and tapping required) and a 3/4" screw-in stud for the buttstock.  **SPECS:** Steel, blued, matte finish except GTSW-05 with Mil-Spec phosphate finish.

STOCK #	KIT	MODEL	SIZE	PRICE
#100-003-367AQ	Swivels w/wood screw front stud & rear stud	GTSW-23	1"	4B7C49 \$ 8.99
#100-003-380AQ	Swivels w/machine screw front stud, wood screw rear stud	GTSW-07	1"	4B7N49 \$ 8.99
#100-003-377AQ	Sling swivels only	GTSW-01	1"	4B6G69 \$ 7.99
#100-003-381AQ	Swivels w/machine screw front stud, wood screw rear stud	GTSW-08	1 1/4"	4B7F49 \$ 8.99
#100-003-378AQ	Sling swivels only	GTSW-02	1 1/4"	4B6K69 \$ 7.99
#100-003-379AQ	Mil-Spec phosphate square-cornered, swivels only	GTSW-05	1 1/4"	4B15F19 \$ 17.99
#100-012-184AQ	Wood Screw Set	GTSW307	1 1/4"	4B7G49 \$ 8.99
#100-004-937AQ	Fits side-by-side shotguns; includes swivels, forend mounting bracket & rear stud	GTSW-30	1"	4B15I89 \$ 18.99
#100-003-368AQ	Fits .22 rimfire w/420-470 dia. magazine tube, incl. swivels & rear stud	GTSW-40	1"	4B10D69 \$ 11.99
#100-003-369AQ	Fits Win./Marlin lever action centerfire w/.645-.660 dia. mag tube, includes swivels & rear stud	GTSW-41	1"	4B12H19 \$ 13.99
#100-003-370AQ	Fits lever action w/.630-.675 dia. barrel or mag tube, incl. swivels & rear stud	GTSW-43	1"	4B11P39 \$ 12.99

UNCLE MIKE'S QD 100 SLING SWIVEL SET

Universal Design Fits Virtually Every Bolt Action Rifle Made




Quickly attaches or detaches with recessed push button. Provides secure sling attachment that can't come loose. Mounting system will fit nearly every centerfire or rimfire bolt action made, plus many other action types. When detached, leaves a non-slug, flush base. Use Epoxy to hold base in stock, no screw required. Set includes two bases and two loops.

SPECS: Steel, blued. 1" (2.5cm) swivels. Requires 7/16" (16mm) thick forend wood to mount. Includes instructions.
#593-101-100AQ QD 100 Swivel Set, 7K16D78..... \$16.99
#593-000-037AQ 1" QD 100 Loops, only, 2-pak, 7K9H05..... 15.99
#593-000-038AQ 1" QD 100 Bases, only, 10-pak, 7K5L65..... 15.99
#593-000-039AQ 1" QD 100 Bases, only, 40-pak, 7K21N45..... 39.99

UNCLE MIKE'S MAGAZINE CAP SWIVEL SETS

Fast, No-Gunsmithing Installation




Add sling swivels to pump and semi-auto shotguns without altering the gun. Replacement magazine cap has swivel stud already installed. Includes a 3/4" wood screw base for buttstock and 1" QD sling swivels.  **SPECS:** Steel, black, low luster finish. Includes screws, swivels, magazine cap and instructions. Rem 870 - External tube ratchet (ER), internal tube ratchet (IR). Fits 12 gauge unless otherwise indicated.

STOCK #	FITS	PRICE
#593-180-120AQ	ER Rem. 870	7K16K56 \$ 16.99
#593-180-020AQ	IR Rem. 870	7K16Q56 \$ 16.99
#593-000-021AQ	ER Rem. 870, 20 Ga.	7K16P56 \$ 16.99
#593-181-020AQ	Moss. 500	7K16J56 \$ 16.99

MAGPUL QD SLING SWIVEL

Plugs Into Quick-Detach Sockets To Firmly Mount Your Sling



Heavy-duty steel sling swivel features a 1 1/4" loop and is compatible with standard quick-detach cups commonly found on lower receivers, receiver end plates, buttstocks, and many low-profile forward QD sling mounts, including the Magpul RSA®-QD. Smooth-operating push button and polished ball-bearing lock system allow for secure attachment and easy release. Slip one onto each end of Magpul's MS1™ Multi Mission Sling for dedicated dual-point functionality, or combine with an MS1 MS4™ Adapter to rapidly switch between one- and two-point modes. Mount, sling, and adapter sold separately.  **SPECS:** Steel, manganese-phosphate finish, black. Accepts slings up to 1 1/4" (3.2cm) wide. Assembly instructions included.

#100-013-937AQ QD Sling Swivel, 3K12N59..... \$14.99

UNCLE MIKE'S MIL-SPEC SWIVELS



Withstands The Toughest, Most Demanding Conditions

Heavy duty, 1 1/4 inch swivels provide necessary stamina and durability for extended tactical and field use. 500 pounds of pull strength plus stainless steel construction that meets the

BROWNELLS HK-STYLE SLING SNAP HOOK

Rugged, Clip-On Sling Attachment For Long Guns



Heavy-duty steel sling clip enables quick attachment and removal of a tactical sling. Fits any long gun with eyelet or ring-type sling attachment point that accepts an HK-style snap hook. Overbuilt with reinforced stress points for worry-free carry, even in extreme operational conditions. Pronounced grooves on the snap jaw ensure a non-slip finger contact. Strong internal spring keeps the jaw securely closed. Ideal for use with Brownells Low-Profile Ambidextrous or A2 Single-Point Sling Adapters, available separately. Models available for 1" or 1 1/4" slings.


SPECS: Heat-treated carbon steel, black oxide finish.
#080-000-798AQ 1" HK-Style Sling Snap Hook, 6A4M24..... \$4.99
#080-000-797AQ 1 1/4" HK-Style Sling Snap Hook, 8K5A44..... 6.99



MAGPUL MSA®-QD MOE® SLING ATTACHMENT



Adds Quick-Detach Socket To Handguards & Forends

Forward connection point for push-button sling swivels mounts directly to Magpul Original Equipment handguards and forends. Simply remove the handguard, center the MSA over desired accessory hole, and tighten two bolts into the anchor nuts for a rattle-free hold. Requires drilling to slightly enlarge MOE slot so it clears the QD post. Low-profile, anti-slug design maximizes usable grip space, and limited-rotation feature keeps sling strap from twisting. Precision-cast, durable steel is case-hardened and coated with Melonite® for extreme resistance to wear and corrosion.  **SPECS:** Steel, Melonite finish, matte black. 1.288" (3.27cm) long, .628" (1.6cm) wide, .2" (.51cm) thick, .2 oz. (5.67g) wt. Installation instructions, hardware, and hole saw included. Drill and 3/16" Allen wrench required.


#100-015-152AQ MSA-QD Sling Attachment, 3K16A89..... \$18.99

IMPACT WEAPONS COMPONENTS

QD MICRO FLUSH SLING MOUNT

Easy-To-Install Mount Goes Where You Need It



QD sling mounting point has one of the lowest profiles available and eliminates sharp edges that can snag on your gear. Accepts any push-button, quick-detach sling swivel. 8 rotation limiters machined into the stainless steel body give you nearly unlimited adjustment options, and eliminate sling wrap. Mount is held in place by a "Spirolock" retainer on the outer surface, and a pair of setscrews on the back side that prevents rotation. Mounts through a 1/2" diameter hole in most polymer stocks, handguards, forends and buttstocks. Installation requires drilling a hole with a 1/2" drill bit, available separately. Instructions included.  **SPECS:** Stainless steel, oxide coated, black. 1" (2.5cm) long, 1/2" (1.3cm) wide, 7/16" (1.1cm) thick. 0.23 oz. (6.5g) weight. Instructions included.

#100-009-719AQ QD Micro Flush Mount, 2C13M79... \$15.99

weather resistance standards of the U.S. Military. SwivelLock® prevents accidental opening, provides fast attachment.

SPECS: MIM 4600 stainless steel, matte finish. 1 1/4" loops.
#593-000-002AQ Mil-Spec Swivels, 7K17C29..... \$17.99

TAT JACKET SLING BANDIT



Keeps Tactical Rifle & Shotgun Slings Neatly Stowed

Two-piece retention system keeps tactical rifle and shotgun slings neatly stowed and lets you deploy instantly with one quick hand motion. Helps prevent slings from tangling in storage and helps make it easier to get weapon out of a bag fast. Fits any length sling, and slings up to 2" wide. Includes two pieces for fore and aft sling orientation.
SPECS: Nylon, elastic, hook-and-loop.

#100-012-707AQ Sling Bandit, 9Z8M29 \$ 9.99



IMPACT WEAPONS COMPONENTS 2-TO-1 POINT TRIGLIDE ADAPTER

Converts Your 2-Point Sling To A Single-Point Sling



Aluminum adapter threads on the rear strap of any 1" wide sling to quickly convert a 2-point sling into a highly maneuverable single-point sling, and back. "Universal" socket accepts any pushbutton QD sling swivel, HK-style clip, and MASH connectors - amazingly handy and easy to use. Instructions included. Separate models for 1" and 1 1/4" wide slings.
SPECS: 6061 T6 aluminum, Type III hardcoat anodized, black. 2 7/8" (2.1cm) long, 1 1/2" (3.8cm) high.

#100-006-831AQ 1" Triglidge Sling Adapter, 2C17K29 \$ 19.99

#100-007-208AQ 1 1/4" Triglidge Sling Adapter, 2C17D29 19.99



BROWNING RIO LOBO LEATHER SLING



Padded For All Day Comfort

Padded for extra comfort, this classic rifle sling is made of top grain, silicone treated leather and features three cartridge loops for quick access to extra ammunition. Suede underside offers a non-slip surface to keep the sling securely on your shoulder. Sling uses Chicago screws and leather ties at each end, plus a sliding leather keeper to maintain bottom loop. Shoulder strap is embossed with the Browning logo and Buckmark.
SPECS: Leather. 29 3/4" OAL. 2 1/2" wide at pad. Fits 1" (2.5cm) or 1 1/4" (3.2cm) swivels.

#150-000-035AQ Rio Lobo Leather Sling, 5A47D89 . . . \$ 54.99

GALCO INTERNATIONAL SAFARI CHING SLING

Split-Strap Design Offers Full Support For All Day Comfort

Extra wide, split-strap design fits over the shoulders and behind the neck, so you get less fatigued. Keyhole system makes adjustments fast and precise without using tools. Delivers rock-solid stability for off-hand shooting. Accommodates left- and right-hand shooters.
SPECS: Steer hide, black. Requires 1" sling swivels, not included.

#100-001-682AQ Ching Sling, 7A68H89 \$ 79.99



ANDY'S LEATHER CHING SPECIALTY SLING



Premium Leather 3-Point Hunting & Competition Sling

Three-point sling developed by Eric Ching in cooperation with the Gunsite training school is perfect for target shooting, competition and dangerous game hunting where fast, accurate shot placement is essential. Hand made from high quality bridle leather that's been tumbled for days with special oils and waxes for maximum flexibility and toughness in the field or at the bench. Features 38 punched holes for a variety of different length adjustments, and includes a solid brass buckle that locks tight for a secure hold that can't slip. Brass screw fasteners keep sling loops closed for a level of security you can depend on. Available in 1" and 1 1/4" widths. Center strap locks around the shooter's upper arm for rock-solid stability without using a bipod. Works like a "Deliberate" sling, but much faster to use, and once it's preset, no further loop adjustments are necessary.
SPECS: Leather, Black or Chestnut Brown, with brass hardware. 44" (112cm) long x 1" (2.5cm) or 1 1/4" (3.2cm) wide. Center strap, 9" (23cm) long. Sling swivels not included.

#100-004-471AQ Black Specialty Sling, 1", 7C40F29 . . \$ 49.99

#100-004-472AQ Black Specialty Sling, 1 1/4", 7C40C29 49.99

#100-006-722AQ Brown Specialty Sling, 1", 7C40I29 49.99

#100-006-723AQ Brown Specialty Sling, 1 1/4", 7C40A29 49.99



BUTLER CREEK COMFORT STRETCH SLINGS

Neoprene Shoulder Pad Supports Rifle Weight & Absorbs Shock

Waterproof nylon webbing sling with flexible closed-cell neoprene pad and stretchable backing absorbs the impact from motion and bounce to reduce felt weight during carry. Non-slip "knobby" rubber insert on the back of the shoulder pad keeps the rifle from slipping off your shoulder. Alaskan Magnum model adds four, vertical, elastic shell loops to hold extra rounds at the ready for quick reloads in the field.
SPECS: Nylon webbing, neoprene shoulder pad, black. 34" (86.4cm) long, 1" (2.5cm) wide, 2 1/2" (6.4cm) wide pad. Fits 1" sling swivels.

#593-000-103AQ Comfort Stretch Sling, 7K16J69 . . . \$ 19.99

#593-000-104AQ Alaskan Magnum Comfort Stretch Sling, 7K19K49 21.99



QUAKE "CLAW" SLING SYSTEM



Quiet, Comfortable & Completely Weatherproof

Tough, nylon webbing with rubber pad cushions and grips your shoulder for all day comfort and control. Provides just enough stretch to absorb shock without generating rifle bounce. Synthetic materials eliminate weakening or rot in wet environments. Includes quiet polymer swivels for direct attachment to standard sling swivel studs.
SPECS: Nylon webbing, rubber pad, polymer swivels, black. 38" (96.5cm) long. 2.5" (6.5cm) pad width.

#735-500-112AQ Claw Nylon Sling, 3A17N89 \$ 19.99



IST DESIGNS MONTANA SLING



Single Loop Design Never Over Tightens; Adjusts Instantly With Light Finger Pressure

Pack your hunting rifle in complete comfort all day long with this premium leather sling that adjusts from carry position to shoulder-ready in only seconds. Single loop design with an innovative sliding knot never over-tightens; can be adjusted instantly with a minimum of effort when your quarry is sighted. Makes the perfect choice as a comfortable, dependable carry sling or helps improve accuracy when used as a hasty sling. Made from thick, high quality, oil-tanned bridle leather. Includes sling swivels.
SPECS: Sling - Leather, brown or black. 40" long x 1" (2.5cm) or 1 1/4" (3.2cm) wide. Swivels - Steel, matte blue finish.

#100-002-517AQ Brown 1" Montana Sling, 3B30P29 \$ 35.99

#100-002-519AQ Brown 1 1/4" Montana Sling, 3B36J29 43.99

#100-002-520AQ Black 1 1/4" Montana Sling, 3B36C29 43.99

OUTDOOR CONNECTION SUPER SLING®



Instant, One-Hand Adjustment

Switch from carry to shooting sling without buckles, hooks or snaps. Use as a "hasty sling" for off-hand shots or adjust to lock into other positions. Mil-spec nylon webbing won't rot, mildew or break down.
SPECS: Nylon webbing, black. Includes Talon™ Q/R swivels. 1" (2.5cm) wide adjusts from 23 1/2" to 33 1/2" long. 1 1/4" (3.1cm) wide adjusts from 27 3/4" to 39 1/4" long.

#683-100-003AQ 1" Black Super Sling, 3H15N19 \$ 16.99

#683-125-003AQ 1 1/4" Black Super Sling, 3H15G79 . . . 16.99

PADDED SUPER SLING - Comfortable, shoulder pad of silicone-treated, suede leather lock-stitched over a neoprene rubber pad. Integral thumb loop reduces hand and arm fatigue; helps control the rifle on rough terrain. Includes Talon™ Q/R swivels. Go from carry to shooting sling without buckles or hooks
SPECS: Mil-Spec nylon webbing, black. 1" (2.5cm) wide adjusts from 23 1/2" to 33 1/2" long.

#683-209-130AQ Padded Super Sling, 3H19J69 \$ 21.99

C.J. WEAPONS M1/M14/M1A GI-STYLE SLING



Correct Military Style For Vintage Garand & M14 Rifles

New production, adjustable military sling gives the correct period look to M1 Garand and M14-style rifles. Still one of the most practical and economical sling designs for carrying your rifle. **M1 Garand** sling is made from heavy cotton webbing and fits 1 1/4" swivels. This type of sling was also issued with early production M14 rifles. **M14/M1A** sling is made from long-wearing nylon; fits 1 1/4" swivels.
SPECS: O.D. Green. Steel hardware, phosphate coated, black. **M1** - Cotton webbing. 43" (109cm) long. 1 1/4" (3.2cm) wide. **M14/M1A** - Nylon webbing. 50" (127cm) long. 1 1/4" (3.2cm) wide.

#100-006-589AQ M1 Garand Sling, 5K12E59 \$ 13.99

#100-006-590AQ M14/M1A Sling, 5K12A59 13.99

OUTDOOR CONNECTION RAZOR™ SLING



Economical Sling With Stretch Shoulder Pad & Built-In Swivels

Simple, inexpensive, lightweight carry sling of close-weave nylon webbing has a "razor"-thin, elasticized shoulder pad that absorbs shock as you walk, so you can carry your rifle all day without killing your shoulder. Pad is made of tough, 800-lb. test elastic material that won't slip off the shoulder as you move. Can be used in for traditional or across-the-back carry. The Thumb-Loop adjustment system enables quick, easy length adjustments, while polymer swivels sewn directly to the sling ends ensure quiet operation without squeaking or scratching the stock. Knurled steel cross-bolts with screwdriver slots in the heads lock the swivels to standard sling studs.
SPECS: Nylon webbing and 800-lb. test elasticized nylon fabric, polymer hardware, black. 41" (104cm) O.A.L., 1" (2.5cm) wide web straps with 13" (33cm) long x 2" (5cm) wide shoulder pad.

#683-000-024AQ Razor Sling, 3H9A09 \$ 9.99



BROWNELLS TACTICAL PLUS RIFLE SLING

Urethane-Coated Nylon Wears Like Iron, Flexes Like Leather



Extreme-duty, tactical sling stands up to the rigors of military/law enforcement operations, yet offers the comfort and mobility of leather. Based on the 1907 Military sling that's still one of the finest slings ever invented for carry and shooting. Strong, adjustable, 1 1/4" wide, BioThane® strap won't crack, peel, or stiffen in frigid temperatures. Non-slip, urethane coating flexes like leather and needs no "break-in," yet is impervious to sweat and water. Hardened, steel D-ring and hooks are parkerized for extra strength and corrosion protection. 7/8" wide keepers provide excellent sling retention; will not stretch or lose original shape.
SPECS: Strap/Keepers - BioThane; black, brown, or O.D. green. 1 1/4" (3.2cm) wide. D-Ring/Hooks - Steel, parkerized finish w/brass rivets. 108" (2.75mm) thick.

#084-000-122AQ Blk Tactical Plus Sling, 2T66E99 . . . \$ 66.99

#084-000-123AQ Brown Tact. Plus Sling, 2T66F99 . . . 66.99

#084-000-124AQ O.D. Green Tact. Plus Sling, 2T66B99 66.99

BLACK RAIN ORDNANCE

HK-STYLE SINGLE POINT SLINGS




Comfortable & Adjustable Slings Provide Maximum Range Of Motion; Release Quickly

Comfortable, high-quality slings securely attach to any firearm equipped or modified to accept an HK-style snap hook to provide a maximum range for movement. 2" wide elastic comfort band eliminates neck pinching and disperses the gun's weight to allow for easy, all-day carry. Length-adjustable, 1" mil-spec nylon webbing merges each end into one, quick-release buckle that enables the firearm to be freed from the sling without removing the sling from your body.
SPECS: Carbon steel, powder-coated HK-type hook, black. 2" (5cm) wide elastic comfort band, black. 1" (2.5cm) high-tensile nylon webbing, black. Fits HK-type snap hooks.

#100-009-883AQ HK-Style Single Point Sling, Black, 1G25E29 \$ 27.99


GALCO INTERNATIONAL SLC TACTICAL SLING

Allows Hands-Free Carry & Quick Weapon Access

Simple Lanyard and Carrying strap™ (SLC) features a steel, HK-style snap hook for quick and effortless transition from a conventional two-point sling to a single-point sling position that keeps your tactical rifle or shotgun in front of you for easy cross-shoulder transition. Conventional, two-point sling position allows muzzle-up or muzzle down carry over the shoulder or across the back. Polycarbonate clasps allow easy adjustment to fit any shooter. Built from durable, 1" wide, nylon webbing for maximum strength and long service life. Ambidextrous design accommodates right- and left-hand shooters. 

SPECS: Nylon webbing with steel snap hook and polycarbonate adjustment clasps, black, 44" (112cm) long x 1" (2.5cm) wide.
#100-003-978AQ SLC Tactical Sling, 7A20F99..... \$ 20.99

UNCLE MIKE'S SLINGS

Belt-grade leather or heavy-duty nylon for great looking, great feeling slings and carrying straps. Top-quality leather is tough and supple; oil finished with brass-plated hardware and leather keepers. Nylon is ideal for wet weather, damp or humid hunting conditions where leather might stain, mildew, or rot. 

COBRA STRAP - Wide, comfortable with basket weave pattern on shoulder pad. Suede lining prevents slip.
SPECS: Leather, 2" (5.1cm) wide at pad, 44" (111.7cm) overall length. Fits 1" or 1 1/4" (3.2cm) swivels.
#593-264-100AQ #2641 Cobra Basket Weave Strap, 7K20M99..... \$ 23.99

MILITARY SLINGS - Traditional military style with double row of holes, 2-piece construction. Brass plated ring and hooks.
SPECS: Leather, Available in 1" (2.5cm) or 1 1/4" (3.2cm) width.
#593-261-105AQ #2611-2 1" Plain Military Sling, 7K19E49..... \$ 21.99

#593-261-140AQ #2611-3 1 1/4" Plain Military Sling, 7K20B09..... 22.99

NYLON WEB UTILITY SLINGS - Tough, heavy gauge nylon webbing. Blued steel buckles permit adjustment for carry or as a hasty sling for shooting. Lightweight, perfect for featherweight guns. Long wear, comfort, top-quality at low cost.
SPECS: Nylon, black, 1" (2.5cm) or 1 1/4" (3.2cm) wide x 48" (122cm) long.
#593-267-010AQ #2670-2, 1" Utility Sling, 7K9K99... \$ 12.99

#593-000-036AQ #2670-3, 1 1/4" Utility Sling, 7K10C22..... 11.99

SLOGAN OUTDOORS

ULTRAFLEX FIREARM SLING




Silent, Comfortable & Impervious To Weather

Thermoplastic rubber sling that fits any long gun is impervious to weather and easy on the shoulder. Non-slip rubber keeps it on your shoulder, makes it completely quiet, and keeps it flexible down to -40° F. The adjustable loop can be extended for use as a practical shooting sling or tightened to accommodate different carry positions. The Ultraflex has enough "stretch" to be comfortable, even when adjusted tighter than a

OUTDOOR CONNECTION TACTICAL SLINGS

Single- & Two-Point Models
For Comfortable, Secure Carry & Fast Transitions

Durable tactical slings provide a comfortable carry options while ensuring rapid, smooth transitions to a shooting stance. These slings are manufactured from durable, mil-spec materials, featuring close-weave nylon webbing, heavy-duty 800-lb. tensile strength elastic, double stitching and shockproof polymer hardware that won't rattle or rust. Quick-release buckles can be disengaged with one hand, and tri-glide slip locks let the operator adjust overall length quickly for rapid shifts from strong side to support side and back. **A-Tac** - Single-point sling fits any weapon that accepts an HK-type snap hook. Provides maximum range of weapon movement for fast transition from many carry positions, including over either shoulder, across the back, under the opposing arm, and around the neck. Three-point polymer buckle allows selective release of the left side of the strap, the right side, or both simultaneously to free the weapon from the sling. **Duty** - Basic two-point sling of straight 1 1/4" wide nylon webbing attaches easily to USGI steel swivel. Loops through rear swivel, secures at front with two steel screw closures. 


SPECS: Mil-spec nylon webbing, polymer hardware, black.
#683-000-016AQ A-Tac Single-Point Sling, 3H15L09... \$ 15.99
#683-000-017AQ Duty Two-Point Sling, 3H8B49... 9.99

NEW! QD Style CROSSTAC AMBI SLING

Fast Transitions From Two-Point To Single-Point Carry

Rugged nylon web sling works as a traditional two-point sling for comfortable hands-free carry, then transitions rapidly to single-point configuration if the mission dictates. Features a 9/16" section of bungee cord that keeps the weapon tight to the body to prevent hang-ups; durable nylon sheath protects the bungee. Two steel alligator snaphooks with spring loaded safety locks prevent unintentional release, yet allow fast changes from two- to single-point use. Polymer quick release buckle instantly opens the sling for emergency egress. Polymer adjustment buckles enable easy fit over tactical vests and other gear. Two steel D-rings allow optional advanced single-point configurations. Available with two HK-style clips or two push-button QD swivels. 

SPECS: Nylon webbing, elastic bungee cord, black. Hardware - Polymer quick-release and adjustment buckles, steel snap hooks/D-rings, black. Adjusts from 29" (73.6cm) to 60" (152cm) long. 1 1/4" (3.2cm) wide.
#100-004-988AQ Ambi Sling, HK-Style, 5A37L49... \$ 39.99
#100-013-562AQ Ambi Sling, QD Swivels, 5A65D59... 69.99

leather sling would normally allow. Fitted with high-strength Gorilla swivels. UV-stabilized to protect the rubber from sunlight damage. 

SPECS: Thermoplastic rubber, matte black. Approximately 27" (68.9cm) long, 1 1/4" wide.
#100-006-131AQ Ultraflex Firearm Sling, 9D27N19... \$ 34.99



BROWNELLS® COMPETITOR PLUS™ RIFLE SLING

- PREMIUM LEATHER • EXTRA HEAVY HOOKS • STITCHED KEEPERS
- U.S. MADE • 6" LONGER - 54" FRONT STRAP INCREASES USEABLE LENGTH
- 100% SATISFACTION GUARANTEED • AVAILABLE IN TAN OR BLACK

If you love fine leather, fine craftsmanship and a superbly functional, useful sling, our Competitor Plus is going to make you extremely happy! What you get is a no-compromise reproduction of the original 1907 Military Sling, the one that's become the standard among hi-power service rifle shooters and many knowledgeable hunters; the one that's sought after by collectors and restorers of pre-WWII military firearms and the one that's carried more guns, more miles on more shoulders than darn near any other. Ours has all the good stuff: 1) It's all U.S. made of the finest, oak-tanned, top grain, U.S. steer hide. 2) It's fitted with thick, forged, blued steel hooks. 3) Each hook is attached with three rivets. 4) The Keepers are stitched and fit TIGHT! Once we eliminated all the shortcomings of the current crop of '07 copies, we convinced a sling maker that folks who use their guns really do want better not cheaper. Once the maker believed, they gave us suggestions concerning the leather.

Oooh, the leather! It's absolutely wonderful. A full heavyweight, 9-10 ounce leather, tanned correctly for sling use to give maximum flexibility, stability and toughness without stretching or being oily. The tanning makes the Competitor Plus Sling leather what it is. The process starts with a complete hide that's shaved just enough to make it even thickness throughout. Then it's painstakingly tanned using oak tannage, NOT chromic salts. (Chromic salts cause tarnish and corrosion on any metal the leather touches.) Finally, the smooth, burnished finish which shows off the natural grain of this high-grade leather. All this time and effort means Competitor Plus Slings can bend and twist for a tight grip with no splitting or cracking, even across the holes, with no more than the barest minimum of medium tanning oil being added during the process. Your careful adjustments and precise shooting position won't be fouled up by a rubbery sling.

Each extra thick, blued steel hook is locked onto the leather with three, hand-hammered, copper rivets. The extra steel keeps the hooks from bending under the extreme pressure created when you lock into position. And, the hooks fit their holes TIGHTLY...no slop to mess up a hard hold and no accidental unhookings.

Even the keepers are designed as part of a working sling. Since they absolutely must fit and grab the straps tightly, ours are skived at a taper, overlapped and then glued and stitched with 5-cord waxed linen thread. They'll hold your adjustments!

The end result is a sling that gives you so much more: more service for so much longer as a traditional field sling; more authenticity as a replacement for restorations; plus more, higher match scores by eliminating a concentration-breaking source of problems. You can spend your time glassing for game, doping the wind or paying attention to sight picture and trigger squeeze instead of fiddling with the sling.

This level of exceptional quality is a little more expensive, but we honestly believe you'll agree it's more than worth it.

As you can tell, we're pretty proud of the Competitor Plus. We think you'll love it, too. It's unconditionally guaranteed to satisfy you 100%. If it doesn't, send it back for a full refund. 

SPECS: 1 1/4" (3.2cm) wide. 9-10 oz. leather. .108" (2.75mm) thick hooks. Front strap length = 54" (1.37m). Instructions.
#084-270-110AQ Tan Competitor Plus Sling, 4H48E99..... \$ 66.99
#084-270-210AQ Black Competitor Plus Sling, 4H45N08..... 60.99

BROWNELLS COMPETITOR PLUS SLING W/NUMBERS - Our Competitor Plus sling with 16 numbered reference points makes it easy for you to return to your sling setting for each shooting position.
SPECS: 1 1/4" (3.2mm) wide. 9-10 oz. leather. Front length 54" (1.37m). 3/16" (14.7mm) numbers.
#084-270-120AQ Tan Numbered Competitor Plus Sling, 4H50Q49..... \$ 66.99
#084-270-220AQ Black Numbered Competitor Sling, 4H40K29..... 49.99

COMPETITOR PLUS SLING W/SWIVELS - Add the Competitor Plus Sling to any rifle equipped with Michael's-style swivel studs. Comes complete with two of the correct 1/4" Michael's easy-on, easy-off, quick-detachable loops.
#084-270-112AQ Tan Competitor Plus Sling w/ 1/4" Swivels, 4H62B90..... \$ 81.99
#084-270-211AQ Black Competitor Plus Sling w/ 1/4" Swivels, 4H53C36..... 71.99

BROWNELLS COMPETITOR PLUS KEEPERS - The same high-quality keepers used on the Competitor Plus Rifle Sling. Use when a three-keeper-hold is wanted or as replacement keepers for other slings. 1 1/4" (3.2cm) wide, sold 2 each per bag.
#084-270-002AQ Tan Competitor Plus Keepers, 2 each, 4H6149..... \$ 7.99
#084-270-212AQ Black Competitor Plus Keepers, 2 each, 4H80Q99..... 12.99

BROWNELLS COMPETITOR PLUS SLING HOOKS - The same high-quality, steel hooks and copper rivets that we use on the Competitor Plus Sling. Use to replace bent hooks or, make your own custom slings. Package contains six hooks and 18 rivets.
#084-270-006AQ Competitor Plus Sling Hooks, 4H13N57..... \$ 18.99





BROWNELLS® QUICK-SET LATIGO® SLING

- NO EXPOSED METAL TO SCRATCH YOUR STOCK
- INSTANTLY CHANGES FROM CARRY SLING TO SHOOTING SLING

PULL DOWN - SNAP OUT and the Brownell LATIGO Sling is ready for action. Faster than it takes you to drop to the ground into a shooting position. So quick that the Pull Down - Snap Out can be done during the time you are throwing the gun to your shoulder AFTER sighting your game...never missing a beat.

Simply stating fact, the Brownell LATIGO Sling is the first sling ever offered shooters that does not require an assortment of hooks, laces or gimmicks to give you quick, positive setting of any length sling desired. Nothing to fumble with in cold weather, nothing you have to stop and figure out each time you want to change length. And, once you set the LATIGO Sling to the length you want for shooting, it will not slip out of that position. Yet, you can instantly change the sling length to any position wanted just by following the instructions.

No metal can touch your finest stock. No slips, laces, snaps, hooks or toggles to change or adjust. Just one continuous piece of fabulous leather that, through a clever design, can be set instantly to any length you want.

Using one continuous 84" to 86" strap of the most unusually supple, old-world, pit-tanned Swiss and German leather, guild leather craftsmen hand fashion this handsome and versatile sling to our specifications. In fact, this beautiful, top grain shell leather is so rare that we buy the entire world's supply just to bring you the LATIGO Slings.

Three Colors - Natural tan that gradually darkens with use. Matte black is professionally dyed to match service rifles and for those who simply prefer the elegant appearance black provides. Gloss black is dyed then given a final coat of Resolene, a flexible, water resistant, acrylic top finish that provides added weather protection.

LATIGO Slings With QD Swivels - Simply snap this popular quick-detachable swivel onto your existing studs, or mount the studs included with the sling on your gun. Saves time/fuss - mounts in a jiffy.

SPECS: Natural tan, black matte or black gloss color, 1" (2.5cm) and 1 1/4" (31.8mm) wide.

STOCK #	COLOR	MODEL	PRICE
#084-004-000AQ	Tan	1"	4H47J00 \$ 49.99
#084-004-025AQ	Tan	1 1/4"	4H47E00 \$ 49.99
#084-004-100AQ	Tan	1" w/QD Swivels	4H58Q00 \$ 59.99
#084-004-125AQ	Tan	1 1/4" w/QD Swivels	4H65F00 \$ 79.99
#084-004-050AQ	Matte Black	1"	4H38N50 \$ 43.99
#084-004-250AQ	Matte Black	1 1/4"	4H47B00 \$ 49.99
#084-004-055AQ	Matte Black	1" w/QD Swivels	4H62A50 \$ 65.99
#084-004-255AQ	Matte Black	1 1/4" w/QD Swivels	4H62I50 \$ 69.99
#084-004-051AQ	Gloss Black	1"	4H50L00 \$ 69.99
#084-004-251AQ	Gloss Black	1 1/4"	4H50L00 \$ 69.99
#084-004-056AQ	Gloss Black	1" w/QD Swivels	4H50C00 \$ 69.99
#084-004-256AQ	Gloss Black	1 1/4" w/QD Swivels	4H49N99 \$ 74.99

- 3 or More -	LATIGO SLINGS, tan 1" wide, each, 4H46N00	\$ 48.00
- 3 or More -	LATIGO SLINGS, tan 1 1/4" wide, each, 4H46N00	48.00
- 3 or More -	LATIGO SLINGS w/QD Swivels, tan 1" wide, each, 4H54L00	56.00
- 3 or More -	LATIGO SLINGS w/QD Swivels, tan 1 1/4" wide, each, 4H63J00	75.00
- 3 or More -	LATIGO SLINGS, matte black 1 1/4" wide, each, 4H46L00	48.00
- 3 or More -	LATIGO SLINGS w/QD Swivels, matte black 1" wide, each, 4H60N00	64.00
- 3 or More -	LATIGO SLINGS w/QD Swivels, matte black 1 1/4" wide, each, 4H60J00	68.00
- 3 or More -	LATIGO SLINGS, gloss black 1" wide, each, 4H48P00	67.00
- 3 or More -	LATIGO SLINGS, gloss black 1 1/4" wide, each, 4H48C00	69.99
- 3 or More -	LATIGO SLINGS w/QD Swivels, gloss black 1" wide, each, 4H48N00	68.00
- 3 or More -	LATIGO SLINGS w/QD Swivels, gloss black 1 1/4" wide, each, 4H48I50	74.99

LATIGO SLING CHICAGO SCREWS - Replace lost or damaged studs. The same studs used on current manufacture Latigo Slings. Brass, 1/4" long.

#084-004-200AQ LATIGO Chicago Screws, per set (2 pieces), 4H2N58 \$ 3.99

- 12 or More - LATIGO Chicago Screws, per set, 4H2F48 \$ 3.89



FNH TACTICAL SLINGS

Specially Designed For FNH Rifles & Shotguns

Designed specially by FNH to adapt easily to their firearms, these durable, webbed-nylon slings provide users with all-day comfort and ultra-secure carry. **Universal Tactical Sling** is a 1 1/2" wide, 3-point sling that includes your option of SCAR-type J-Hooks, standard rifle swivels, a buttstock saddle or front/rear shotguns loops making it adaptable to most FNH firearms. **SCAR Tactical** sling features two, snap-clip attachment points with covers for added security. **SLP/SLP Mark I Shotgun** Tactical

sling has Velcro® buttstock straps and a nylon barrel loop for forward attachment. All models adjust to user's size.

SPECS: Webbed-nylon. **Universal Tactical** not compatible with FNH P9/P90 or FS/F2000. Other slings are specific to model.

#119-000-065AQ **Universal Tactical Sling, Black, 9A79L99** \$ 79.99

#119-000-067AQ **SCAR Tactical Sling, Dark Earth, 9A24L99** 24.99

#119-000-064AQ **SLP/SLP Mark I Tactical Shotgun Sling, Black, 9A49E99** 49.99



WEST ONE M1 CARBINE SLING & OILER

Reproductions Of USGI Originals Give Your Carbine An Authentic Look



High-quality, new-production replicas of the original-issue G.I. sling and oiler give an authentic, vintage look to an M1 Carbine or a Ruger® 10/22" equipped with a West One M1-style stock. The sling is made from period-correct O.D. green cotton, not nylon, webbing with stamped steel tabs on the ends to prevent unraveling and make it easy to thread the sling through the stock. The stamped steel buckle is an exact replica of the original, while the snap closely resembles the "Klikit" snap, down to the brass stud and retaining clip. The steel oiler/sling bar has a slightly different serrated cap (originals were knurled), O-ring seal, and a pin dauber for applying small amounts of oil. Still the handiest, most practical sling for carrying an M1.

SPECS: Sling - Cotton webbing, O.D. green, with steel hardware, black oxide finish. 46" (117cm) long x 1" (2.5cm) wide. Oiler - Steel, Parkerized, light gray finish. 2 1/8" (7.1cm) long, 7/16" (11.1mm) diameter.

#100-006-115AQ **M1 Carbine Sling & Oiler, 7B13M79** . \$ 14.99



CSM GEAR SINGLEPOINT SLING



Single Point Attachment Smooths Transition From Rifle To Sidearm

Hailed as a tremendous improvement in rifle carry by military and police, the single attachment point sling actually speeds the shooter's transition from long gun to side arm safely without losing control of his weapon. Provides a secure cross shoulder carry that allows the shooter to easily aim rifles

SPEC-OPS PATROL SLING



Single- & Two-Point Modes For Secure, Comfortable Weapon Retention

Efficient, easy-to-use tactical sling is designed for law enforcement and military personnel who need a secure, economical sling that fits a variety of tactical rifles and shotguns. Installs quickly on any weapon with a fixed or collapsible stock that has 1 1/4" sling loops. Configure for basic two-point operation, or use the included clip-on strap for single-point carry that lets the shooter free the weapon from the sling with a squeeze of two fingers. Ambidextrous design shifts easily from one shoulder to the other for strong- or support-side carry. Made of durable, military-grade nylon webbing with reinforced zig-zag stitched seams and heat-sealed edges. "Strike Zone" section of two thick elastic cords fully encased by webbing material provides extra stretch for maneuvering the weapon during CQB or when fast transition from carry to shooting position is required. Heavy duty molded polymer slip locks allow plenty of adjustment for operator comfort and secure attachment to weapon. All hardware has smooth, rounded edges to prevent snagging on other gear.

SPECS: Nylon webbing, molded polymer hardware, black or coyote tan. Kit includes main sling body and detachable single-point strap section.

#100-004-451AQ **Patrol Sling, Black, 7K23D89** \$ 29.99

#100-004-452AQ **Patrol Sling, Coyote, 7K23K89** 29.99

BLACKHAWK INDUSTRIES STORM SINGLE-POINT TACTICAL SLING



Quiet, Adjustable, Dependable Weapon Retention

Adjustable single-point sling is constructed of heavy-duty 1 1/4" nylon webbing and 1" elliptical elastic bungee cord for optimum performance and stealth. High-density bungee allows 4" of flex - just right for weapon agility in CQB maneuvers - and is covered with tough, weather-resistant compressed tubular nylon sheathing that prevents noise, limits bounce, and provides optimum retention. Strong, single-piece, quick attach/detach "mash" clip snaps securely to any single point sling adapter to keep your weapon within easy reach when you need it most. Elastic sleeve slides over clip to prevent rattling against gun. Heavy duty tri-glide nylon buckle allows adjustment to permit wear over bulky tactical vests and gear on all body sizes. A 300-lb test nylon "quick ditch" buckle instantly opens the sling if you need to release your weapon quickly.

SPECS: Nylon and elastic bungee cord, black. Carry strap is 1 1/4" (3.2cm) wide. Adjustable from approximately 27" (68.6cm) to 36" (91.4cm) OAL.

#100-003-349AQ **Storm Single-Point Tactical Sling, 1A28G29** \$ 32.99

with a single sling attachment point at or near the pistol grip or balance point. Durable 1" wide nylon with flat, all-steel quick-release clip. Includes sewn-in elastic for added comfort. Can be used for either right- or left-hand carry.

SPECS: Nylon. Black, Coyote Tan, or O.D. Green. 26" (66cm) OAL, 1" (2.5cm) wide.

#100-002-589AQ **Singlepoint Sling, Black, 2240P49** \$ 47.99

#100-002-658AQ **Tan Singlepoint Sling, Coyote, 2240C49** 47.99

#100-002-659AQ **Singlepoint Sling, O.D. Green, 2240G49** 47.99



SPECTER GEAR

TACTICAL SLINGS

Keeps Your Hands Free & Your Weapon Ready

Heavy-duty, nylon-web slings with durable polycarbonate clasps and keepers hold your weapon in a comfortable ready position until it's time to fire. Double-stitched with #69 thread at all stress points. Available in a number of tactical styles for a wide variety of guns. All are ambidextrous. **USA**



CLOSE QUARTERS COMBAT (CQB) SLING - Provides a choice of six carry options. Lets you keep your hands free and bring the weapon into action quickly. Soft and flexible for quiet, comfortable carry, will not generate a noise signature. Easily adjustable with no unnecessary straps, buckles or fasteners. **QR** models have a quick release buckle that lets you quickly disengage from the weapon in emergency situations.

SPECS: Nylon web, black, 1 1/2" (3.2cm) wide. Length varies per model.

STOCK #	MODEL	PRICE
#100-000-376AQ	AR-15, full stock	4K20M49 \$ 24.99
#100-000-377AQ	CAR-15 w/std handguard	4K20N49 \$ 24.99
#100-000-378AQ	CAR-15 w/M4 handguard	4K20L49 \$ 24.99
#100-002-276AQ	Benelli QR M1/M2/M3/M4 w/factory sling mounts	4K23A39 \$ 29.99
#100-000-385AQ	Rem. 870 w/fixd stock	4K25D59 \$ 29.99

SPECIAL OPERATIONS PATROL (SOP) SLING - Wide, 1 1/2" nylon webbing distributes weight for comfortable carry. 1" mounting straps provide free, non-binding movement, so the sling moves with your body. Transition-release buckle lets you quickly shift from right- to left-shoulder carry or firing. Sling remains attached so you can drop the rifle to your side and keep both hands free. All models feature the ERB, quick release buckle that lets you disengage from the firearm in emergency situations unless otherwise noted in price line. Ambidextrous design fits right- and left-handed shooters.

SPECS: Nylon web, Velcro fasteners, black, 1 1/2" (3.8cm) wide. Approximately 38" (96.5cm) long. CAR-15 fits M4-style collapsible stocked rifles only.

STOCK #	MODEL	PRICE
#100-000-797AQ	AR-15, full stock, black	4K26Q69 \$ 34.99
#100-001-231AQ	CAR-15 w/M4 adjustable stock and front side sling swivel - Black	4K26P69 \$ 34.99

GEN II MOUT TACTICAL SLING

- Redesigned, "Gen II" version of the popular Military Operations on Urbanized Terrain (MOUT) dynamic entry sling includes all the life-saving features recommended by U.S. troops returning from service in Afghanistan and Iraq. A separate, 1" wide, connector strap attaches to your rifle's receiver sling mount, while the heavy-duty polycarbonate quick-release clasp allows immediate disconnect of weapon from the shoulder harness, so you can instantly mount/dismount a vehicle or take an unconventional shooting position without removing the body loop. 1 1/2" wide webbing ensures hours of comfortable carry. Single attachment point enables rapid, unobstructed cross-shoulder and secondary weapon transitions.

SPECS: Nylon webbing, polycarbonate clasp and keepers, black. Approximately 40" (107cm) long including connector. Attaches to weapons equipped with a side mounted, receiver sling mount. Gen II connector fits Gen II MOUT sling only; will not fit original MOUT sling.

#100-005-608AQ Gen II MOUT Sling w/Connector, 4K15A99 \$ 16.99

GEN II VIPER SLING - Single-point, nylon sling with two elastic shock cords lets you wear the sling a little tighter, yet easily allows cross shoulder transition. Heavy-duty double-ring mash



TACTICAL INTERVENTION QUICK CUFF PRECISION SLING

You & Your Rifle Become An Integrated Shooting System

Use as a cuff sling, traditional sling or hasty sling for hunting, competition or tactical situations. Constructed of mil-spec nylon, that won't stretch, resists weather and most chemicals and provides quiet, tangle-free operation. Detachable armband draws rifle tightly to your shoulder, improves stability in any shooting position. Features a Velcro-adjustable, quick release buckle for fast hook up; can be sewn to hunting jacket or ghillie suit. **Military Model One** - comes with Uncle Mike's QD swivels. **Military Model Two** - without swivels; for use on AR-15 and other rifles and carbines equipped with fixed swivels. **USA**

SPECS: Nylon webbing, black or O.D. green, 1 1/2" wide.

#100-000-290AQ Model One Sling, Black, 3K64N49 .. \$ 69.99

#100-000-291AQ Model One Sling, Green, 3K64B49 .. 69.99

#100-000-292AQ Model Two Sling, Black, 3K60P89 .. 64.99



TAPCO TACTICAL SLING SYSTEM



Versatile Single- & Two-Point Configurations To Support Multiple Mission Profiles

Modular sling can be configured for single- or two-point

attachment so you can change your carry mode for each mission. Designed for convenient integration with Tapco's Intra-use modular rifle furniture, this sling works with common sling attachment systems on today's tactical rifles. Configure with the included Y adapter and HK-style snap hook for single-point carry that allows fast transition from one shoulder to the other. Snap on the strap modules and thread the straps through 1 1/4" sling loops to configure for traditional, two-point carry for maximum comfort and stable weapon retention. Made with ultra-thin, yet exceptionally strong, military-grade nylon webbing, box stitched at stress points for added strength, with heavy-duty reinforced polymer hardware. Main sling body is 1 1/2" wide to help disperse load and prevent digging into neck and shoulders. **USA**

SPECS: Nylon webbing, molded polymer hardware, steel snap hook, black. Kit includes main sling body, two strap attachment modules, Y-attachment harness, and HK-style snap hook module.

#100-004-127AQ Tactical Sling, Black, 5A33129 \$ 39.99

hook clips securely to any loop-style sling adapter. Built-in release buckle lets you disconnect the weapon quickly and keep the sling on your body—ideal for fast mounting/dismounting from vehicle or transition to unconventional shooting position. A second, "emergency" release buckle in the loop itself allows quick egress from the entire sling. 1 1/2" wide nylon webbing provides optimal comfort with heavier weapons. Additional Mash hook attachments available separately, below.

SPECS: Nylon webbing, polycarbonate buckles and clasp, black. Steel Mash hook. 30" (76cm) diameter, 1 1/2" (3.8cm) wide.

#100-005-966AQ Gen II Viper Sling, 4K27M69 \$ 34.99



TROY INDUSTRIES BATTLESLING

Overbuilt For Secure Weapon Support & Adjustable For All-Day Carry Comfort

Heavy-duty CQB sling is designed for strength, durability, and comfortable at-the-ready carry for long periods of time without fatigue. The BattleSling is overbuilt from tough 1.375" wide nylon webbing that resists tearing, stretching, and fraying under punishing tactical use. Rugged molded polymer ITW Nexus/Fastex hardware adjusts easily to place the weapon anywhere on the operator's chest for hands-free carry, while keeping it positioned for immediate deployment. Wide, non-slip shoulder pad helps distribute the rifle's weight and is reversible for strong- or weak-side carry. Available in **Single-Point** or **Two Point** configuration. **USA**

SPECS: Heavy-duty nylon webbing with polymer hardware, black.

#100-004-057AQ Single-Point BattleSling, 3B33149 .. \$ 36.99

#100-004-121AQ Two-Point BattleSling, 3B36E69 ... 38.99



WILDERNESS TACTICAL PRODUCTS SINGLE-POINT SLING



Allows Rapid Left- Or Right-Side Transition & Hands-Free Carry

Heavy-duty, nylon sling holds your weapon in a comfortable ready position for easy access when needed. Features a single loop for unlimited freedom of movement and rapid cross-shoulder transition from right- to left-side carry. Premium 1 1/2" wide webbing is extremely dense and abrasion-resistant, plus the extra deep, horizontal weave provides maximum strength. Proprietary quick-release buckle made of high-strength Delrin® lets you quickly open and disengage the sling in emergency situations. Webbing threads into all 1 1/4" wide, loop-type sling attachment points. **USA**

SPECS: Nylon webbing, black. Delrin buckles & quick releases, black. 32" (81cm) long x 1 1/2" (2.9cm) wide.

#100-004-332AQ Single-Point Sling, 3A21C95 \$ 25.00



SIMS VIBRATION LABORATORIES KODIAK SLING


Innovative Features Reduce Shoulder Fatigue

Lightweight, contoured, ambidextrous sling provides increased comfort and reduces fatigue by spreading the rifle's weight over more of your shoulder. Made of a proprietary NAVCOM material, sling has non-slip ridges to ensure it stays in place. Ergonomically designed handgrip offers a firm place for your entire hand to grasp while also helping to support the weight of your arm. With its Muddy Girl camo, this sling makes a great accessory to any woman's rifle. Available with or without a quick detach system. **USA**

SPECS: NAVCOM, Muddy Girl camo. Nylon, adjustable straps, black.

#100-014-222AQ Muddy Girl Kodiak Rifle Sling, 7K19A69 \$ 24.99

#100-014-221AQ Muddy Girl Kodiak Sling w/QD, 7K27H79 34.99



NEW! TROY INDUSTRIES RAPID ADJUST TWO-POINT SLING

Comfortable Carry; Quickly Transitions To Assist With Targeting

Nylon tactical sling provides comfortable all-day carry of heavy rifles, plus a quick-adjust loop that assists in forming a stable shooting platform when engaging targets. 1 1/4" webbing and an integrated bungee system supports and distributes weight evenly, and ITW Nexus/Fastex infrared inhibiting buckles help to keep the wearer hidden from IR-signature seeking devices. Quick-detach system allows the user to separate from the sling if necessary. Fits 1 1/4" sling loops (not included). **USA**

SPECS: Heavy-duty nylon webbing, black. Approx. 47" (119cm) OAL. 1 1/4" (3.1cm) wide.

#100-011-302AQ Two-Point Rapid Adjust BattleSling, 3B27M09 \$ 29.99



VIKING TACTICS V-TAC QUICK ADJUST SLING



Simple One-Hand Transition From Firing Position To Carry

Nylon web sling adjusts from carry to firing while moving into position. After firing, a quick tug on the lanyard returns sling to carry position. Designed to carry gun, muzzle down on your back. **Padded** model features a closed-cell foam shoulder pad for greater comfort when carrying heavy weapons long distances. **Buttstock Adapter** provides a correct, top-of-stock sling mounting point on fixed-stock rifles and shotguns. **USA**

SPECS: Nylon web, Black, Coyote, O.D. Green, or Foliage Green. 1" (2.5cm) wide. **Padded** model includes 20" (50.8cm) long x 1 1/8" (4.7cm) wide shoulder pad. Adjusts 58" (147cm) to 63" (160cm).

#100-000-669AQ V-TAC Sling, Black, 7K34M99 \$ 34.99

#100-005-403AQ V-TAC Sling, Coyote, 7K34L99 34.99

#100-005-404AQ V-TAC Sling, O.D. Green, 7K34L99 34.99

#100-005-405AQ V-TAC Sling, Foliage Green, 7K34E99 34.99

#100-002-868AQ Padded V-TAC Sling, Blk, 7K40F99 40.99

#100-005-406AQ Padded V-TAC Sling, Coyote, 7K40P99 40.99

#100-005-407AQ Padded V-TAC Sling, O.D. Green, 7K40N99 40.99

#100-005-408AQ Padded V-TAC Sling, Foliage Green, 7K40G99 40.99

#100-000-670AQ V-TAC Buttstck Adapter, Blk Only, 7K8N79 9.99

AIMTECH HANDGUN SCOPE MOUNT

Lightweight, No-Drill, No-Tap Pistol Mount System

Installs quickly to let you add scope capabilities to pistols. Issue sights remain fully functional. Accepts Weaver-style rings. **USA**

SPECS: Machined 6061 T6 aluminum, black anodized finish. 5" long (12.7cm), 1" wide (2.5cm), 4 oz. (113 g) wt. Loctite®, screws and wrench included. Glock w/ Acc Rail fits 9mm/.40 models only. HK USP fits 9mm/.40 only.

STOCK #	FITS	PRICE
#017-192-001AQ	Beretta 92/Taurus 99	7A55D26 \$ 63.49
#017-000-005AQ	Glock w/Acc Rail	7A55C26 \$ 63.49
#017-000-006AQ	HK USP full size	7A55M26 \$ 63.49
#017-103-001AQ	Ruger® Mk I & Mk II	7A49K99 \$ 49.99



SLINGS & SWIVELS

RINGS & BASES

Orders/Tech: 800-741-0015

order on the web
brownells.com

BROWNELLS PAGE 261