### CRIMSON TRACE LASERGRIPS® HANDGUN LASER SIGHTS

Instant On-Off Aiming Without The Bulk Of An Accessory Laser Unit

Lasergrips give you an immediate, decisive advantage because 80% of self-defensive shootings occur in low light conditions or complete darkness. With just a squeeze of your shooting hand, the Lasergrips instantly project a bright red aiming dot on your intended target, even in broad daylight. Makes a great training tool; provides instant feedback to shooting students learning how to achieve a steady trigger pull, consistent follow through, proper sight alignment, and instinctive aiming. Grips are made from rugged, overmolded Soft rubber for excellent grasp and shooting comfort, or durable, reinforced Hard polymer. Laser units are located in the top of the grip; fully adjustable for windage and elevation. Wrap Around (W/A) models are activated by the pressure-sensitive finger pads located on both sides or a single button on the rear of the grip. A pressure switch located on the front strap activates the laser on Front Activated (F/A) models. All models except Glock include a manual on/off switch on the lower left side to help prevent dead batteries caused by accidental laser activation. Glock F/A has an ultra-low profile to fit most Level 3 holsters. S&W J Frame Extended covers backstrap and has extended length to give you an extra-secure grasp on the gun. S&W J Frame Compact has an ultra-low profile for concealed carry; soft rubber for a secure grip. S&W J Frame "Defender" - Minimal profile with exposed backstrap for deep concealment, molded hard polymer for fast, no-snaq presentation, does not have master switch. Holster Option - some Lasergrips packages come with a Tuff Products holster (TP) or a Gould & Goodrich (GG) leather belt slide holster (full-size or compact pistols).



SPECS: Injection n	nolded hard polymer or soft rubber, black, matte. Inc	ludes batteries,	installation instructions
STOCK #	FITS	STYLE	PRICE
#100-002-591AQ	Beretta 92/96/M9	W/A Soft	4B289H80 \$ 299.00
#100-005-032AQ	Glock Gen3 17, 17L, 19, 22, 23, 31, 32, 34, 35, 37, 38	F/A Hard	4B289C80 \$ 299.00
#100-002-603AQ	Glock Gen3 17, 17L, 20SF, 21SF, 22, 24, 31, 34, 35, 37	W/A Hard	4B199F99 <b>\$ 199.99</b>
100-015-549AQ	Glock Gen3 17, 20SF, 21SF+, 22, 31	W/A Hard + GG Holster	4B199B00 <b>\$ 199.00</b>
#100-011-231AQ	Glock Gen4 17, 22, 31, 34, 35	F/A Hard	4B239P46 \$ 249.00
#100-002-604AQ	Glock Gen3 19, 23, 25, 32, 38	W/A Hard	4B199G99 <b>\$ 199.99</b>
100-015-542AQ	Glock Gen3 19, 23, 25, 32, 38	W/A Hard + GG Holster	4B199D00 <b>\$ 199.00</b>
#100-002-605AQ	Glock Gen3 26, 27, 28, 33, 39	W/A Hard	4B199J99 <b>\$ 199.99</b>
100-015-543AQ	Glock Gen3 26, 27, 28, 33, 39	W/A Hard + GG Holster	4B199A00 <b>\$ 199.00</b>
NEW 100-008-991AQ	Ruger LCR	F/A Hard	4B272H11 <b>\$ 299.00</b>
100-015-547AQ	Ruger LCR	F/A Hard + GG Holster	4B289I00 <b>\$ 289.00</b>
#100-004-499AQ	Ruger Mark II/III™ (will not fit 22/45™)	F/A Soft	4B239G46 <b>\$ 249.00</b>
#100-002-596AQ	SIG P226	W/A Soft	4B289B80 <b>\$ 299.00</b>
#100-003-366AQ	S&W M&P Full Size 9mm/.40/.357 SIG/.45 ACP (will not fit ambi safety models)	W/A Hard	4B289M80 <b>\$ 299.00</b>
100-015-545AQ	S&W M&P Full Size 9mm/.40/.357 SIG/.45 ACP (will not fit ambi safety models)	W/A Hard + GG Holster	4B299K00 <b>\$ 299.00</b>
NEW 100-015-530AQ	S&W M&P Compact 9mm/.40/.357 (will not fit .45 ACP or ambi safety models)	W/A Hard	4B299E00 <b>\$ 299.00</b>
100-015-546AQ	S&W M&P Compact 9mm/.40/.357 (will not fit .45 ACP or ambi safety models)	W/A Hard + GG Holster	4B299G00 <b>\$ 299.00</b>
NEW 100-015-531AQ	S&W J-Frame Revolver	F/A Soft	4B299G00 \$ 299.00
#100-005-025AQ	S&W J-Frame Revolver	F/A Hard	4B199G00 \$ 199.00
NEW 100-008-988AQ	S&W J-Frame Revolver	F/A Hard + TP Holster	4B271E55 <b>\$ 289.00</b>
100-015-544AQ	S&W J-Frame Revolver	F/A Soft + TP Holster	4B299H00 <b>\$ 299.00</b>

CE
\$ 299.00
\$ 299.00
)

**LASERGUARD®** - Minimal-profile hard-polymer housing clamps around triggerguard and won't interfere with your pistol's concealability. Activation button is on front strap; normal shooting grasp automatically turns on the laser. Runs on one 1/3N lithium battery.



STOCK #	FITS	PRIC	CE
100-015-534AQ	Glock 42	4B209C00	\$ 209.00
100-005-041AQ	Glock Gen3 19/23/25/26/27/28/32/33/36/38/39, plus Gen4 19/23	4B247H62	\$ 269.00
#100-008-985AQ	Kahr CW9,CW40, P9, PM9, PM40	4B194P56	\$ 209.00
#100-005-036AQ	Kel-Tec PF9	4B194L56	\$ 209.00
#100-008-983AQ	Ruger LCP	4B194H56	\$ 209.00
W100-015-532AQ	Ruger LC380/LC9	4B199N00	\$ 199.00
100-015-536AQ	SIG P238 & P938	4B209F00	\$ 209.00
WW100-015-535AQ	Smith & Wesson M&P Shield	4B209P00	\$ 209.00
100-015-904AQ	S&W M&P Shield - GREEN laser	4B279L00	\$ 279.00
100-015-907AQ	S&W M&P Shield - GREEN laser w/Holster	4B289B00	\$ 289.00
NEW 100-015-533AQ	Springfield XD-S	4B209P00	\$ 209.00

**DEFENDER** - Laser sighting system features cuttingedge technology in a compact, amazingly affordable package. Don't let the small size fool you: the Defender emits a powerful (5mW peak, 620-670nm, Class 3R) red aiming laser. Beam Lock™ Adjustments enable the user to easily adjust laser for both windage and elevation. Comes from the factory pre-sighted at 50

\$ 369.99



ft. **DS-122** clamps to triggerguard of the Ruger LCP and has dual, ambidextrous side-mounted activation buttons. **DS-124** replaces the grips on a Smith & Wesson J-Frame revolver and featues a large, easy-to-find, bright red activation button on top.

<b>#100-012-468AQ DS-122 Laser Sight</b> , Ruger LCP, 4B92A86	\$ 99.99
<b>#100-012-469AQ DS-124 Laser Sight,</b> S&W J-Frame, 4B111H43	114.99



**CRIMSON TRACE** 

RAIL MASTER LASER SIGHTS

Super-Compact, Universal Mount - Fits Picatinny,

Weaver & Most Handgun Rails

preserves battery life. Universal mount attaches to Picatinny, Weaver-style, and most com-

to provide you with an instan-



sighting reference. Comes with four inserts that enable adjustment of the sight position fore and aft on the rail, depending on your finger length/preference. Requires only 3/4" rail space to mount. Windage/elevation adjustable. Rail Master + CRKT - Special offer adds the CRKT Multi-Tool to the sight. Tool includes 2.8" stainless steel blade, hex wrench/driver w/Phillips, Torx®, and Hex bits, pin punch, molded Zytel™ handle. **Rail Master Pro** combines a powerful 100-lumen LED light with your choice of a Red or Green aiming laser. Approx. runtime: 2 hours (red) or 1 hour (green) laser only.

SPECS: High-impact polymer, black. 1.5" (3.8cm) OAL. .7 oz. (19.8g) wt. Fits Picatinny or Weaver-style rails, and most rail-equipped pistols with a minimum of 11/16" recoil lug. Includes Allen wrenches for windage/elevation adjustment, spacing inserts, instructions, and lithium battery. Factory sighted at 50 feet. Dot size is approx. 1/2" at 50 feet.

	Rail Master Laser Sight, 4B131G03	\$ 149.00
#100-015-548AQ	Rail Master Laser Sight + CRKT Tool, 4B199N00	199.00
	Rail Master Pro w/Red Laser, 4B249G00	249.00
	Rail Master Pro w/Green Laser, 4B349Q00	349.00

# LASERMAX UNI-MAX RAIL MOUNT -GREEN LASER SIGHT



#### Low-Profile, Lightweight, Mounts On Weapon Accessory Rail

Compact, lightweight laser sight outputs a bright green beam that's more visible to the

human eye in all lighting conditions and over longer ranges. Mounts in seconds on any pistol, rifle, or shotgun with 13/4" or more of Picatinny or Weaver-style rail space. Ambidextrous switch is comfortably positioned for quick engagement when pistol shooter's index finger rests along the slide in the Universal Cover Mode. Beam may be set to constant output or rapidly pulsating mode for even greater visibility. Low-profile housing allows many guns fitted with the Uni-Max to be carried in standard holsters. Integral Picatinny rail on underside of housing allows mounting of tactical weapon light. Windage and elevation adjust easily with the included tools, also used to set beam output mode. Normal battery life is 1 hour. Timeout circuit automatically turns the unit off after 10 minutes to extend battery life. Operates in temperatures from 40 to 100° F.

SPECS: Fiber reinforced nylon, black. 21/4" (5.7cm) long, 1" (2.5cm) wide, 3/4" (1.9cm) high, 1 oz. (28g) wt. 532 nm wavelength laser, Beam Diameter -5/16" (1.6cm) at 7 yards, 3/4" (1.9cm) at 25 yards. Includes polymer hardcase, two (2) DL1/3N Lithium batteries, and adjustment tool.

#### #100-003-568AQ Uni-Max Green Laser Sight, 1B346F67.....

**REPLACEMENT BATTERIES** - The exact size and type of batteries that ship from the factory with the Uni-Max Green Laser Sight. SPECS: Sold in 2- and 10-paks. DL1/3N - 3 volt lithium




Uni-Max, 2-Pak, 1B9E00 ... #100-006-296AQ DL1/3N Battery for Green Uni-Max, **10-Pak**, 1B39P99 .....



**WANT MORE NEW PRODUCTS?** SHOP ON LINE! **PRODUCTS ADDED DAILY** 

# LASERMAX **UNI-MAX MICRO LASER SIGHT**





Super-small laser sight with pow-



SPECS: Zytel, matte black. Laser output: 5mW, 650nm. 1" (2.5cm) long, 1<sup>1</sup>/<sub>8</sub>" (2.9cm) wide, <sup>1</sup>/<sub>2</sub>" (1.3cm) high. .43 oz. weight. Includes instructions, windage/elevation wrench, and 1/3N lithium battery

#100-006-164AQ Uni-Max Micro Rail Mount Laser, 



# **LASERLYTE CENTER MASS LASER SIGHT**



#### Gets Home Defense & Tactical **Shooters On Target Faster**

Laser sight system features a specialized refractive lens cap, allowing you to change from a single dot to a center mass pattern with eight dots around a center aiming point. Center mass pat-

tern expands at 1" per yard, replicating the spread of a shotgun, allowing the shooter to aim with both eyes while maintaining a wide field of view. Single dot and center mass pattern use a powerful green laser for daylight visibility. Activation button lets you switch from momentary to constant on mode, or use the remote switch to activate the laser. Military style housing is constructed of glass filled nylon with an aluminum core to keep the laser accurate and reliable. Offset design gives you a variety of mounting options on ARs, AKs, other rifles, or shotguns with at least a 3" long Picatinny rail.

SPECS: Glass filled nylon, 6061 aluminum core, black or tan. 2.8" (7.3 cm) long, 2.5" (6.6 cm) wide, 1.5" (3.9) cm. 5 oz. (141.7g) wt. 532 NM, 5MW, Class IIIA, green laser. Uses (1) CR-123 battery, included

#100-013-951AQ	Center Mass Laser Sight, Black, 1B172E79	\$ 199.9
#100-013-952AQ	Center Mass Laser Sight, Tan, 1B172G79	199.9

order on the web

brownells.com

### LASERLYTE V4 LASER SIGHT

**Increases Accuracy Without Adding Bulk** 



High performance laser sight fits any handgun with a 1" Picatinny rail. The durable, 55% glass filled nylon body features an inner aluminum core for reliable accuracy. Ambidextrous switch allows user to easily turn sight on or off, and switch between constant on and pulse modes. Auto off feature prevents accidental acti-

vation. Sight's smooth contour lines eliminates snagging, permitting the user to draw quickly and reholster without catching. Low profile design blends into the pistol form, reducing printing when carrying concealed. Sight mounts on rail with an easy to use crossbar screw. Uses four 392 batteries with a runtime of up to 5 hours in constant use, or 10 hours with pulse

SPECS: 55% glass filled nylon body, black. 6061 aluminum core. 650nm, 5MW, Class IIIA laser. 1.1" (2.8cm) long, 1" (2.7cm) wide, .76" (1.9cm) high 0.75 oz. (21.3q) wt.

#100-013-946AQ V4 Laser Sight, 1B94L99......\$ 94.99

#### CRIMSON TRACE LIGHTGUARD

Easy-To-Install Tactical Light Clamps To Pistol Triggerguard

The Lightguard easily clamps to your handgun's triggerguard, giving you a 100-lumen tactical light that conforms to the contours of your gun. Pressure switch on the front strap, just below the triggerguard, is activated with



the middle finger in a normal shooting grip. Compatible with Crimson Trace LG-617, LG-619 and LG-660 laser sights, so you can operate both the light and the laser with only one hand. SPECS: Reinforced hard polymer, matte black. 4.6" (11.6cm) long. .84" (2.1cm) wide. 1.4 oz. (40g) wt. Output 100 lumens. Runtime 2 hours on one 3-volt Lithium CR-2 battery. Battery and mounting hardware included. LTG-736 fits Glock 17, 19, 22, 23, 31, 32, 34, 35, 37, 38 Gen3 and Gen4 variants. LTG-760 fits full-size Smith & Wesson M&P (9mm, .357 SIG, .40 S&W, .45 ACP).

<b>#100-008-841AQ</b> LTG- <b>736</b> Lightguard for Glock, 4B149P99	\$ 149.99
#100-008-843AQ LTG-760 Lightguard for S&W M&P, 4B149F99	



## **TRUGLO** MICRO-TAC LASER SIGHT



Machined from lightweight aluminum, this compact tactical laser takes up very little space and can be mounted on Picatinny or Weaver rails. The ambidextrous on/off buttons are recessed to pre-

vent accidental activation. Laser can be set for either constant on or pulse and automatically shuts off after 5 minutes. Adjustable sight is shock and water resistant. Sight comes with two sets of LR626 batteries and two Allen wrenches. Select either red (650mm) or green (520mm) laser.

SPECS: Aluminum case, black. 1 ½\* (3.2cm) OAL, ½\* (1.6cm) high, 1\* wide (2.5cm). 1 oz. (28.3g) wt. 14°F (-10°C) to 122°F (50°C) operating temperature.

Micro-Tac Laser Sight, Green, 2K118D06	\$ 126.99
Micro-Tac Laser Sight, Red, 2K63G10	69.99



### **STREAMLIGHT®**

#### TACTICAL WEAPON LIGHTS



Powerful, Compact, Feather-Weight Lighting With Laser Sight Option

Gun-mounted light illuminates dangerous plates with intense, white light. Ambidextrous, momentary or constant-on paddle

switch lets you control light output to match your needs. High-output C4® LED lamp produces a uniform beam with peripheral illumination and no hot spots or shadows. Runs on two CR-123 lithium batteries for up to 2.5 hours of continuous runtime. Rugged aluminum housing has unique locking bar system with interchangeable locating keys for secure mounting directly to MIL-STD 1913 Picatinny, Glock-style, S&W 99, S&W TSW, and Beretta 90-Two accessory rails. Fits all holsters that accept pistols mounted with the earlier Streamlight M-3/-5/-6 series lights.

TLR-1 WEAPON LIGHT - TLR-1 produces 135 lumens continuous output. TLR-1s increases the light output to 160 lumens and adds a strobe setting instantly activated by two, rapid, successive taps on the paddle. TLR-1 HP delivers 200 lumens; no strobe.



High-output **TLR-1 HL** provides up to 630 lumens of intense white light to illuminate large areas, ideal for clearing a room or searching an alley. Also has programmable strobe setting. TLR-1 HPL delivers an astonishing 775 lumens of white light with excellent peripheral illumination and maximum downrange performance.

SPECS: Machined aluminum, anodized, matte black . 31/4" (8.3cm) long x 11/2" (3.8cm) wide x 17/16" (3.7cm) high. Uses two CR-123 lithium batter-

ics, iriciaaca.		
#100-003-009AQ	TLR-1 Weapon Light, 1K135C49	\$ 139.99
#100-005-925AQ	TLR-1s Weapon Light w/Strobe, 1K139E29	144.99
ew100-009-755AQ	<b>TLR-1 HP Weapon Light,</b> 1K124K89	139.99
ew100-011-713AQ	TLR-1 HL Weapon Light w/High- Output Lamp, 1K151N29	169.99
w100-016-759AQ	<b>TLR-1 HPL</b> , 1K144F49	169.99

TLR-2 WEAPON LIGHT/LASER SIGHT - Expands the TLR-1 system with a high visibility, red 650-660 nm aiming laser to aid in precise shot placement. Selector switch lets you choose light only, laser only, or light plus laser illumination. Laser is fully adjustable for windage and eleva-



TI R-2/2s/2 HI G

tion, with screws mounted in brass bushings for precise settings and reliable return to zero. TLR-2 produces 135 lumens continuous light output. TLR-2s increases the light output to 160 lumens and adds a strobe setting instantly activated by two, rapid, successive taps on the control paddle. TLR-2 HL provides up to 630 lumens of intense white light to illuminate large areas, ideal for clearing a room or searching an alley. Also has programmable strobe setting. TLR-2 HL G offers an even more powerful 720-lumen light output plus a 510-530 nm green laser for even longer-range targeting than the red laser TLR-2 models.

SPECS: Machined aluminum, anodized, matte black, 31/4" (8.3cm) long  $\times$  1½,2" (3.8cm) wide  $\times$  1¾,4" (4.5cm) high. Uses two CR-123 lithium batteries, included.

#100-004-220AQ	TLR-2 Weapon Light/Laser Sight, 1K309G89	\$ 349.99
#100-005-924AQ	TLR-2s Weapon Light w/Laser & Strobe, 1K311D19	359.99
NEW 100-011-714AQ	TLR-2 HL Weapon Light/Laser, 1K329K09	369.99
NEW 100-016-763AQ	TLR-2 HL G Weapon Light/Laser, 1K374Q49	429.99



## **INFORCE AUTO PISTOL LIGHT**

Versatile. Powerful Pistol Light With Ambidextrous Controls

Designed specifically for pistols, this lightweight, low-profile light

delivers a brilliant white beam, and securely attaches to Glock or MIL-STD 1913 Picatinny rails. High-efficiency, 200-lumen LED emitter provides up to 1.5 hours of runtime. Easy-to-operate paddles - conveniently positioned on both the left and right sides of the triggerguard - allow for speedy, ambidextrous operation. User may select between constant-on and momentary-on modes. Attaches/detaches quickly: no tools

SPĒCS: Fiber composite, matte gray. 3" (7.6cm) OAL. 1.2" (3cm) wide. 2.8 oz. (79.4a). Fits most rail-equipped pistols. Not compatible with Beretta PX4 Storm or H&K USP. 1.5 hr battery life. Includes universal mount, Picatinny mount, one CR-123A battery, and instructions.


#100-011-625AQ Inforce Auto Pistol Light, 4C134P99.....\$ 134.99



#### INFORCE LED WEAPON LIGHTS

Compact & Powerful Picatinny Mounted Light: IR Option Available

Rugged, powerful LED weapon light attaches quickly



SPECS: Fiber-reinforced hard polymer composite, Black, Desert Sand, or Flat Dark Earth. 4.1" (10.4cm) OAL. 1" (2.5cm) bezel O.D. 3 oz. (85g) wt. Uses one CR-123A battery, included. WMLx - 5.3" (13.5cm) OAL. 1.1" (2.8cm) bezel O.D. 4 oz. (113.4g) wt. Uses two CR-123A batteries, included.

#100-009-784AQ	Black, 4C134F99	\$ 134.99
#100-009-782AQ	LED White/IR Weapon Light, Black, 4C159P99	159.99
100-015-377AQ	White/IR Light, FDE, 4C159N99	159.99
MEW 100-015-378AQ	LED WMLx Weapon Light, Black, 4C159A99	159.99
NEW 100-015-379AQ	LED WMLx Weapon Light, FDE, 4C159E99	159.99
100-015-380AQ	<b>LED WMLx Weapon Light,</b> Desert Sand, 4C159J99	159.99

TACTICAL ILLUMINATOR MOUNT - Tough, polymer mount attaches to AR-15 handguards to accept your TLR-1/-2 or M-3/-5/-6 light. Winged end stop keeps light from sliding off. SPECS: Polymer, black, matte finish. 80-90 lumens. 3.4" (8.6cm) L, 1.57" (4cm) W, 1.52" (3.8cm) H. 3.3 oz (904 g) wt. Accepts TLR-1/-2 and M-3/-5/-6 lights. Includes lithium batteries. Mounting hardware and instructions included.

#100-000-831AQ Tactical Illuminator Mount. 

#### TLR-3 COMPACT WEAPON LIGHT



#### TLR Power In A Pistol-Mountable Package!

Even smaller than the popular TLR-1/2 series, this ultra-lowprofile light uses the same system of interchangeable locating keys as the rest of the TLR series to fit a wide variety of pistol receiver

rails. Streamlight's C4 LED technology project a high intensity, 90-lumen beam, while electronic power-control system helps maintain consistent brightness. Parabolic reflector and Borofloat glass lens produce a focused beam with minimal fade at the edges. One CR2 lithium battery, included, provides 11/2 hours of continuous operation and a storage life up to 10 years. Ambidextrous switch offers an instant choice of momentary or steady-on operation. Rail clamp system allows easy, onehanded attachment/removal from the side of the weapon, so hands stay away from the muzzle. Waterproof to 1 meter for

SPECS: Reinforced polymer body and anodized aluminum lens assembly, black. 23/4" (7cm) long, 11/8" (2.9cm) wide, 11/2" (3.8cm) high from top of rail clamp to bottom of housing. 2.4 oz. (67g) weight with battery. Fits MIL-STD 1913 Picatinny rail, and includes five rail keys to allow installation on Beretta 90-Two and Vertec, Glock, Kel-Tec PF-9, Kimber TLE/RLII, Sig GSR, Smith & Wesson M&P and TSW, Springfield XD compact and full frame, Springfield 1911, and others.

#100-004-290AQ TLR-3 Weapon Light, 1K86F69 ..... \$ 99.99

# **STREAMLIGHT TLR-1 GAME SPOTTER GREEN WEAPON LIGHT**

Powerful, Long Range Hunting Light Illuminates Game

Machined from lightweight, aircraft aluminum with an unbreakable polycarbonate lens, this weapon mounted hunting light produces a beam of green light ca-



pable of reaching 350 meters. Combining a shockproof, green C4 LED with a deep dish parabolic reflector, produces intense green light that won't spook game or affect your night vision. Spotlight attaches to your weapon with a one-handed, snapon rail clamp to keep your hands away from the muzzle. Comes with four rail keys for mounting to 1913 Picatinny, Glock style, Beretta 92, S&W 99 and S&W TSW rails. Ambidextrous rocker switch allows you to select between momentary or steady on. Light is O-ring sealed and IPX7 waterproof to 1 meter for 30 minutes. Powered by two 3V CR123A lithium batteries (included), light produces 150 lumens for 1.75 hours.

SPECS: Aluminum, anodized finish, black. 5.25" (13.3cm) long, 1.44" (3.7cm) wide, 2.2" (5.6cm) high. 5.6 oz. (158.8g) wt. Output: 150 lumens for 1.75 hrs. Intensity: 31,000 candela.

#100-012-955AQ TLR-1 Game Spotter, 1K127D79.... \$ 149.99

## **GOT A SPECIAL INTEREST?**


We have several catalogs that are tailored to specific firearm platforms or interest areas including AR-15 & 1911 platforms, personal protection, and precision shooting from Sinclair International - with more on the way!


Get your FREE specialty catalog at www.brownells.com

SATISFACTION GUARANTEED **SINCE 1939** 

## SUREFIRE X300/X400 ULTRA WEAPON LIGHTS

#### Powerful Tactical Illumination For Rail-Equipped Handguns







SPECS: Aluminum body, mil-spec Type III hardcoat anodized, Black or Tan. 35/8" (9.2cm) long. 13/8" (3.5cm) wide, approximately 1" (2.5cm) high when mounted. 3.8 oz. (108g) wt., with two, included, CR-123A lithium batteries installed. Output: 500 lumens of light for up to 1½ hours.

#100-011-406AQ X300 Ultra Weapon Light, Black,

2E266F29.....\$ 269.99

152-000-145AQ X300 Ultra Weapon Light, Tan,

269.99 2E266E29.....

### X400 ULTRA WEAPON LIGHT/LASER

- Includes the same powerful 500 lumen LED and other technical features as the X300 with the addition of a fully-adjustable, super-bright red aiming laser that puts you on target im-




mediately. Makes the X400 the perfect choice for military, law enforcement, and self defense use. Laser outputs 5 milliwatts at a wavelength of 635 nanometers, making the beam brighter and more visible than comparable units. Five-position switch, located behind the laser, offers four modes of operation, including light only, laser only, light and laser together, and two disable positions. Nylok® adjustment screws won't back out under recoil, so loss of zero is a thing of the past. Fully sealed to keep dust and moisture out. Includes adapters and hardware for mounting to Picatinny and Universal Standard rails.

SPECS: Aluminum body, mil-spec Type III hardcoat anodized, black. Approx. 35/8" (9.2cm) long, 17/16" (3.7cm) wide, 17/8" (4.8cm) high, 4.4 oz. (125g) wt., with two, included, CR-123A lithium batteries installed. Output: 500 lumens of light for up to 11/2 hours.

#### #152-000-137AQ X400 Ultra Weapon Light/Laser,

2E519G19 \$ 535.99
For more choices of SUREFIRE LIGHTS visit brownells.com

# SUREFIRE ST07 REMOTE TAIL SWITCH



Sealed, weatherproof pressure switch lets you remotely activate your SureFire WeaponLight for immediate, on-demand target illumination. Plugs directly into the tail cap switch of a variety of SureFire

lights. Comes with a 7" long cable ending in the pressure pad that can be taped to the forearm or vertical grip of a tactical rifle or shotgun. Fits all Surefire lights with a plug-in socket in the tailcap, including the X300, X400, XT, Scout Light, Millenium Universal, and Classic Universal lights. NSN #5930- 01-531-

SPECS: Plastic housing, black. 7" long cable w/sealed synthetic rubber pressure switch.

#152-000-065AQ ST07 Remote Switch, 

## SUREFIRE M952V MILLENNIUM UNIVERSAL WEAPON LIGHT

Powerful Illumination; Switch Between Bright White & Infra-Red Output

Powerful, modular weapon light gives either a tightly focused white beam or a tactical infra-red beam. A throw lever clamp with a



free-floating index plate lets you mount the M952V on almost any Picatinny or Weaver-style rail, even on off-spec rails. White LED outputs 150 lumens of pure, white light for long-range applications, yet with enough surround light for close-quarters illumination. IR mode delivers 120mw of infrared light visible only through night vision gear. Up to 2 hours continuous white output, or 8 hours of IR output, on one pair of CR-123 batteries. Tailcap switch offers momentary or constant on operation. Optional remote pressure switch with 7" cable can be mounted on vertical grip or side rail. Heavy duty, machined aluminum body protects the electronics from impact, while O-ring seals keep out moisture in adverse weather.


SPECS: Aluminum, mil-spec Type III hardcoat anodized, matte black or tan. 6" (15.2cm) long. 9.2 oz. (261g) weight. Requires two CR-123A batteries, included

#152-000-073AQ Millennium Weapon Light, Black, 

#152-000-074AQ Millennium Weapon Light, Tan, 2E514N49.....

XM-06 DUAL SWITCH TAILCAP -Replacement tailcap assembly fits

all Millennium® Universal Weapon Lights and provides two independently operating switches. Assem-



SPECS: Plastic housing, black. Kit includes tailcap assembly, 6" long cable w/ pressure switch, hook-and-loop fastener, alcohol wipe, and opera-

#152-000-033AQ XM-06 Dual Switch Tailcap, 2E120N29 ..... \$ 126.99

REPLACEMENT SF-123 BATTERIES - SF 123, three-volt lithium batteries fit all Surefire handheld and weapon mounted lights.



#152-000-023AQ SF-123 Batteries, 2-Pak, 2E4I49..... \$ 4.49

# SUREFIRE KM4 LED/IR UPGRADE KIT



Upgrades An Existing Light To Brighter LED; Switchable White Or Infra-Red Output

Replacement head fits Surefire M3/ M9/M96-series weapon lights to provide a super-bright white beam plus a powerful infra-red beam for use with night vision

devices. Both shockproof LED light sources are contained in a single assembly with no separate infrared filter needed. Turn the detent-locking selector ring to "White" mode for up to 150 lumens output and plenty of reach, yet enough peripheral light for close-quarter situations. Turn the ring to "IR" mode for a powerful 120 mW infrared beam visible only through night vision devices. Precision-focused Total Internal Reflection lens produces tight, uniform beams free of hot spots or dark blotches. Easy to install by simply removing the light's original head assembly and screwing on the self-contained LED/IR unit. SPECS: Aluminum, hardcoat anodized, black. Output: 150 lumens white

light, 120 mW infra-red (IR) light. Fits Surefire M5-series forend weapon lights, M9-series vertical foregrip weapon lights, and M96-series Millennium universal weapon lights. Kit includes replacement head, cleaning brush, (2) replacement O-rings, and thread lubricant.

#152-000-078AQ KM4 LED/IR Upgrade Kit, 2E257I79 . . . . . . . . . . . . \$ 269.99

#### TAC-STAR WLS 2000 WEAPON LIGHT

Compact, Powerful, **Multi-Configuration Light** System For Rifles & Shotguns

Clamp-on light system for rifles and shotguns puts control of 75 lumens (15,000 candle power) of bright, white



light at your touch to illuminate your intended target. Multiconfiguration system lets you choose the setup that suits your needs: a push button tailcap switch or the pressure-sensitive on/off switch with expandable coiled cord that attaches to a vertical grip or forearm and provides instant activation without shifting your grip. Includes two clamps that allow mounting to a variety of guns ranging from .22 caliber rifles to 12 gauge shotguns. Light body of machined aluminum is lightweight yet strong, with a knurled surface for nonslip engagement with the barrel clamp. "O" ring seals protect against shock and make the WLS 2000 water-proof to 100 feet. Shock-resistant, fixedbeam, Xenon gas filled bulb; up 1 hour continuous output from a pair of lithium batteries.

SPECS: 6061 T6 aluminum, anodized, black. Body - 4<sup>1</sup>/<sub>2</sub>" (11.4cm) long, 1" (2.5cm) diameter. Reflector - 1<sup>1</sup>/<sub>4</sub>" (3.1cm) diameter. Mounting Clamps - Steel, black oxide finish. 5.7 ounces (170g) total weight with batteries. Includes two CR-123A lithium batteries, rifle and shotgun barrel clamps, mounting hardware, and instructions.

#867-000-023AQ WLS 2000 Weapon Light, 7F89A99 . \$ 96.99

## **BROWNELLS** TACTICAL TAPE

#### Secure Temporary Attachment Of **Tactical Gear To Weapons**

A strong, waterproof, nonreflective tape for secure but temporary attachment of pressure switches or as camo to break up your gun's silhouette. Use to tape down zippers, swivels, straps and other sources of noise that could give away your posi-

tion during stealthy operations. Has a thousand and one other uses in the field, in the armory, or on your workbench. This is vinylcoated, high thread count cloth tape, not cloth reinforced vinyl "duct" tape. Tears off the roll clean and straight. Hightack, synthetic rubber adhesive won't leave behind sticky residue and provides excellent adhesion and conformability over a wide temperature range, 42 lb, per inch tensile strength means this tape won't come loose during stressful tactical operations. Once you've used this stuff, you won't settle for ordinary electrical or duct tape ever again!

SPECS: Vinyl coated cotton cloth, synthetic rubber resin adhesive. 1\* (2.5cm) wide, 180' (55m) long, .001" (12 mil) thick. Available in Black and Covote Brown.

#100-002-654AQ Tactical Tape, Black, 5A10E49 \$ 15.9	9
#100-002-656AQ Tactical Tape, Coyote Brown,	
5A11N79 <b>18.4</b>	9

### **COMMAND ARMS** FLASHLIGHT/LASER MOUNT

#### Five-Position Mount For Rifle Or Pistol Accessory Rails

Combat-proven, fiber-filled polymer mounts easily and securely slide onto Picatinny or Weaver-style rails to provide a stable mounting platform for 1" O.D. flashlights/ lasers. Spring-loaded, push-button release

facilitates quick attach/detach, and the integrated C-clamp firmly tightens to ensure maximum light retention. Pivots and locks into five, definable

positions up to 90° left or right of center allowing you to reposition the flashlight, so it's exactly where you need it. SPECS: Fiber-filled polymer, black. Accepts 1" (2.5cm) O.D. lights/lasers. 2³/₄" (7cm) long. 1.5" (3.8cm) wide, 2¹/₂" (6.3cm) tall. 2.8 oz (79g) wt.

#100-003-353AQ 5-Position Flashlight/Laser Mount, 6C22P29.....\$ 26.99

order on the web



resin mount makes it easy to use your handheld flashlight as a weaponlight in tactical situations. Accepts any light with a 1" body. Screw-adjustable, radiused pads hold light tightly in place; push-button locking system gives quick attachment and removal. Use on rifle or shotgun equipped with Picatinny or Weaver-style rails. SPECS: Polymer, black. 13/4" (4cm) long, 13/4" (4cm) high, 11/4" (3.2cm) wide.

Get Flashlight Illumination &

Keep Both Hands On Your Gun

Injection-molded, reinforced, polymer-

Accepts flashlights with a 1" O.D. body. 

MISSION FIRST TACTICAL

**FAS2 TACTICAL LIGHT MOUNT** 

BROWNELLS BERETTA 92//96 & 1911 AUTO



#### Add Lights & Lasers To Non-Railed Frames

Add-on light rail makes it cost-effective to convert any 1911 Auto-type pistol or early model Beretta 92/96 pistol without an integral frame rail to accept a wide assortment of popular

weapon lights and lasers. Rail attaches permanently with the supplied screws and Acraglas Gel® to form a seamless mate with the dust cover. Aluminum model keeps aluminum-framed pistols lightweight and maneuverable. Steel version provides extra strength and added weight for improved balance and recoil control, plus it can be welded into place and finish-shaped for a "built-in" appearance on steel framed pistols. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist.

SPECS: Aluminum or steel, matte black. 19/16" (4cm) long, 13/16" (2.1cm) wide, <sup>3</sup>/<sub>8</sub>" (9.5mm) high. Weight: Aluminum - .6 oz. (17g). Steel - 1.2 oz. (34g). Fits Beretta 92/96 and 1911 Auto-type pistols. Slot centers located 510" from each end

#078-000-076AQ Alum. Light Rail Mount, 8G40J50.....\$ **49.99** #078-000-078AQ Steel Light Rail Mount. 

# **BROWNELLS** GLOCK® TACTICAL LIGHT MOUNT

**Converts Early Model Pistols** To Accept Weapon Lights & Lasers

It's now possible to upgrade the hundreds upon thousands of early model Glock medium frame pistols in the 17/19 family to accept an assortment of weapon lights and lasers without the expense of replacing the



original frames. This low profile, add-on rail permanently attaches to the dust cover for solid mounting of the most popular pistol-mounted combat accessories. Mount is contoured for a smooth, clean appearance and features a milled slot for unobstructed viewing of the factory serial number plate. Provided nut plate and screws completely immobilize rail from all movement, even after thousands of rounds with extra power loads. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist. SPECS: Aluminum, matte black. 11/2" (3.8cm) long, 13/16" (2.1cm) wide, 1/4" (6.4mm) high. .4 oz. (11.3g) wt. Fits early model Glock 17/19 pistols without integral frame rail. Requires gunsmith fitting.

078-000-079AQ	Tactical Light Mount,	
	9A58M29 \$ <b>65.99</b>	

brownells.com

BROWNELLS PAGE 409

# **TACSTAR** UNIVERSAL FLASHLIGHT MOUNT



Made especially to mount flashlights to your shotguns and rifles without modifications to the barrel. This all-steel, two-piece light mount fasten securely to the barrel with two Allen head screws - Allen wrench and two spare screws included.


SPECS: Steel, gloss black finish. Attaches 1" light to 3/4" to 1" barrel. Two extra Allen head screws included.

#867-000-011AQ #4 Universal Flashlight Mount, 7F14H66.....\$21.98

# **WILSON COMBAT SCOPE ACCESSORY MOUNT**

For Mounting Light Or Red Dot Sight On A 1" Scope Tube

Compact, rugged mount fully machined from 6061 T6 aluminum clamps directly to any 1" diameter scope tube and provides 13/16" of Picatinny rail space for mounting a light, red dot sight, laser, or other accessory. Enables quick transition from long-range (scope) targeting to close-range (red dot) simply by shifting your eyes. Durable hardcoat anodized finish resists surface wear and matches most



rail. Fits 1" scope tube.

#965-000-099AQ Scope Accessory Mount, Only, 



# **VIKING TACTICS** FLASHLIGHT/LASER MOUNT



Offset For Fast, Easy Access To **Activation Switches** 

Extra-wide, offset base mounts flashlights and lasers to any railed handquard for easy

light/laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9- o'clock positions to accommodate right- or left-handed shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC alloy thermoplastic that's resistant to most solvents. Adjustable to fit flashlights and lasers from .800" to 1" diameter.

SPECS: PVC alloy themoplastic, Black, Coyote Tan, or Flat Dark Earth. 11/2" (3.8cm) long, 2<sup>1</sup>/<sub>2</sub>" (6.3cm) wide, 1<sup>1</sup>/<sub>4</sub>" (3.2cm) high. 1.8 oz. (51g) weight. Fits .800" (20mm) to 1" (2.5cm) diameter flashlight and laser.

#100-004-371AQ	Flashlight/Laser Mount, Black, 7K23I61	\$ 24.99
#100-004-372AQ	Flashlight/Laser Mount, Coyote, 7K23H61	24.95
#100-005-402AQ	Flashlight/Laser Mount, Flat Dark Earth, 7K23E61	24.95

# FALCON INDUSTRIES AR-15/M16 -UNIVERSAL ACCESSORY MOUNTING **PLATFORM**

Easy Installation; **Mount Tactical Accessories** 

Injection-molded. nvlonbased, polymer platform installs

easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes



All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triple-function cross-bolt with large, easy-grasp thumbscrew tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny or similar accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below. Off-set models let you position the light to the left, right, or below the rail, approximately 11/4" off-set from the centerline of the rail. **SM-OCG** – Dual thumbscrew cross-bolts ensure extra secure attachment to rail. SMQ-OCG adds an American Defense quick-release release lever for ultra-fast attachment and removal. Lever releases the mount only when you depress the release tab, and may be configured to swing to the front or the rear. Mount is adjustable to ensure a secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails.

SPECS: Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. **SM-E** fits lights with .810" to .826" O.D., including SureFire Executive series. SM-OCG off-set mount fits flashlights with 1.010" to 1.040" O.D., including Surefire G- and CK-series. SMQ-OCG guick-release offset mount accepts flashlights with .980" to 1.040" O.D., including SureFire

G- aria CK-series.		
#100-003-714AQ	SM-E Scout Mount, 3A29D95	33.20
#100-004-279AQ	SM-OCG Off-Set Scout Mount,	
	3A53F75	56.95
#100-004-711AQ	SMQ-OCG Off-Set Scout Mount,	
	3A74I89	80.70

#### MCCANN INDUSTRIES SIRS RAIL MOUNT

Forward Accessory Mounting For Bolt Action Rifles

Stock Imbedded Rail Mount System (SIRS) lets you install night vision devices, optics, lasers and additional accessories up front, around the barrel and forearm, on a bolt action rifle. Features three MIL-STD 1913 Picatinny rails, in-



least 1.66" wide and a barrel O.D. not larger than 1.16". Includes installa-

#100-005-311AQ SIRS Rail Mount. 4K248N28...... \$ 274.99

and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts picatinny and Weaver-style accessories. SPECS: Injection-molded polymer, black. 55/8" (14.3cm) OAL

#573-000-027AQ Universal Accessory Mounting System, 3G8J12 ..... \$ 9.99

## **MIDWEST INDUSTRIES** M14/M1A TACTICAL LIGHT MOUNT



Lightweight, Easy To Install Mount Provides A Rugged Platform For Your Lights & Accessories

When you're shooting in low light conditions, you want to be sure your light stays fastened securely to your rifle, especially with heavy-recoil M14 and M1A's. Lightweight construction keeps weapon balance changes to a minimum. Attaches firmly to the barrel and gas piston tube and allows you to mount lights, lasers, or accessories on the right or left hand side. Will not interfere with stock removal during field stripping and cleaning. No gunsmithing required.

SPECS: Aluminum, CNC machined from billet hard-coat anodized to Mil-Spec. black. Rail is 215/16" (7.5cm) long. 13/16" (2.1cm) wide. Allen wrenches

microsco.	
#100-002-327AQ	M14/M1A Tactical Light Mount,
	2A57M79

## MESA TACTICAL REMINGTON/BENELLI TACTICAL BARREL/MAGAZINE CLAMP

Secures Extended Mag Tube & Mounts Accessories Up Front

Lightweight, aluminum clamp locks barrel and extended magazine tube together to form a rigid, rock-solid assembly. Can be used as a tactical light mount: install a 1" diameter light in one side of the clamp and secure the other side to the barrel or magazine. Left- and



right-side sling swivel sockets accept standard pushbutton swivels. Two steel Allen head screws pull the clamp halves together for a tight, non-slip hold. Also available with a 2" long, 4-slot, MIL-STD 1913 Picatinny rail that can be installed in the 3- or 9- o'clock position, for mounting additional accessories. Fits Remington 870, 1100, 11-87 and Benelli M1, M2, M4, M1014, 12 gauge shotguns.

SPECS: 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 11/2" (3.8cm) long, 17/16" (3.5cm) wide, 15/8" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

#100-004-032AQ	<b>Barrel/Mag Clamp,</b> w/Rail, 5A75K89	\$ 83.99
#100-005-447AQ	Barrel/Mag Clamp, Only, 5A54C99	54.99

## LITE MOUNT TECHNOLOGIES 3-RAIL PICATINNY SHOTGUN MOUNT

Mounts Easily Under Barrel; **Accepts Picatinny Accessories** 

Rigid, aluminum, tri-rail mount lets you attach picatinny accessories such as lights, lasers, and other tactical equipment to your shotgun. Installs on the magazine tube without modifications to the gun, and will hold up to three attach-

ments. Low mounting point keeps lights and lasers in proper alignment with the shot pattern and prevents interference with iron sights. Secures with two 8/32" clamping screws. Models for most popular brands of tactical shotguns.

SPECS: 6061-T6 aluminum, matte black. 15/8" (4.2cm) long. 1" - Fits Winchester, Remington, and FN shotgun magazine tubes. 25mm - Fits Mossberg and Ithaca shotgun magazine tubes. 26mm - Fits Benelli and Franchi SPAZ shotgun magazine tubes.

#100-002-041AQ	1" 3-Rail Shotgun Mnt,	2Z46Q09\$	54.99
	25mm 3-Rail Shotgun		
	2Z46G09		54.99
	<b>26mm 3-Rail Shotgun</b> 2 <i>Z</i> 4 <i>6J</i> 0 <i>9</i>		54.99

## LITE MOUNT TECHNOLOGIES TACTICAL SHOTGUN MOUNT

Won't Interfere With Sights

Contoured, aluminum mount clamps to the extended magazine tube for secure mounting of a flashlight or laser sight on tactical shotguns. Positions the light/laser below the barrel for a clear line of sight. SPECS: 6061-T6 aluminum, black matte finish. Fits 1" (2.5cm) dia. magazine tube and accepts 1" dia. flashlight or laser.

#100-000-400AQ 1" Tactical Light/Laser Mount, 2Z26C69......\$ 33.99



# **BROWNING BLACK LABEL TACTICAL FLASHLIGHT**

Versatile Tactical Light Produces Intense Illumination

Compact, high performance, tactical flashlight features an impact resistant aluminum body with a powerful LED emitter. Select between low, high, or strobe settings using the push-button tail cap. Crenelated tail cap includes a glass breaker tip which can be replaced with the enclosed plastic



cap. Constant on and momentary modes provide greater versatility. Light comes with interchangeable smooth and crenelated bezel rings. Removable, anti-roll finger ring ensures the light stays put, even on sloped surfaces. O-ring seals deliver waterproof protection down to 3 feet. Both the AA and 3V tactical flashlights include a handy belt clip. Batteries included. SPECS: Aluminum body, hardcoat anodized, black. Scratch resistant

\$ 44.99
9 <b>54.99</b>
9 <b>89.99</b>

# **SUREFIRE** MAXIMUS VISION HEADLAMP



Light Adjusts To **Meet Your Needs** 

Lightweight, variable output, LED headlamp allows you to go from 1 lumen up to 450 lumens with the twist of a knob. The high

efficiency LED produces a warm colored light, similar to tungsten lamps, which easily penetrates dust and fog. Housed inside a magnesium body, the customized reflector produces a wide, diffused beam that is optimized for your natural field of view. Adjustable headlamp can be rotated up or down 90° and includes a long running SOS beacon which can be activated in an emergency situation. An integrated gauge displays how much battery life remains. Headband is made of a no chafe, fine weave fabric and comes with a moisture wicking forehead pad for hours of comfortable wear. Lamp comes with a rechargeable lithium ion battery and chargers for both AC and DC outlets.

SPECS: Magnesium body, matte black. Output: High – 450 lumens; Low -1 lumen. Runtime: High-1 hour; Low - 70 hours. Includes rechargeable lithium ion battery, plus AC and DC chargers.

#152-000-144AQ Maximus Vision Headlamp, 2E238P39.....\$ 247.99

ASK ABOUT **OVERNIGHT** DELIVERY!

SATISFACTION GUARANTEED **SINCE 1939** 

#### SUREFIRE HANDHELD LIGHTS —

Small Size, Lightweight, Tremendous Illuminating Power; For Personal & Tactical Applications

Compact and durable, high-output lithium-powered handheld lights illuminate darkened rooms, entryways, hallways - anyplace you need bright, white light instantly. Anodized aluminum or precision-molded polymer bodies with Oring seals to keep moisture and dirt out. Lamp modules use a pre-focused, metallic vapor coated reflector and a Lexan or Pyrex lens to prevent dark spots or unevenness in the beam. Sealed, tailcap switches offer two modes of operation for total light control: push for momentary activation or twist for constant-on. Switch lockout prevents accidental activation during storage or transport. Batteries included with all models. SPECS: All models except G2, aluminum body, hardcoat anodized, black.

E2D DEFENDER ULTRA LED - High performance LED light features a Total Internal Reflection lens that focuses and maximizes the beam. Dual stage tailcap switches between powerful 500 lumen high setting with a 2.25 hour runtime and




a low 5 lumen low setting lasting 67.75 hours. Aerospace aluminumbody, Mil-Spec-anodized for durability and corrosion-resistance. Crenellated Strike Bezel® and scalloped tail cap deliver bone crunching blunt force to repel an assailant. Two-way steel pocket clip allows head up or head down carry.

G2 NITROLON - Same output ratings as the 6P/9P, with an exceptionally lightweight, rugged, shock-resistant body of reinforced, corrosion-proof Nitrolon® polymer. Tough Lexan® lens. SPECS: Nitrolon polymer body, black.




P2X FURY - Rugged, dual-output LED light offers an incredible 500-lumen high-output mode for up to 1.5 hours runtime. 15-lumen low mode gives up to 46 hours of operation. Two-stage tail-



settings. Rugged hard-anodized aluminum body, black finish.

6PX LED TACTICAL COMBATLIGHT - Singlemode light has the exceptional compactness of the original 6P light with a tremendously powerful 320 lumen LED emitter and 2.5 hours runtime



6PX PRO - The exceptional compactness of the original 6P light with a tremendously powerful, virtually indestructible LED emitter. Dual-modes allow you to select between a 320-lumen max output beam for bright light for up to two hours.

or the 15-lumen low output mode for up to 45 hours. Constanton and momentary-on modes provide even greater versatility.

G2X TACTICAL LED COMBATLIGHT

The same rugged, shock and impact resistant, corrosion-proof Nitrolon polymer body as the rest of the G2 series. with an incredibly powerful LED emitter. Outputs 320 lumens in momentary or constant-on operation. 2.5 hours runtime.

**G2X PRO DUAL-OUTPUT LED** - The same rugged, shock- and impact-resistant, corrosion-proof Nitrolon polymer body as the rest of the G2 series, with an incredibly powerful, and nearly indestructible LED emitter. Outputs a remarkable

320 lumens in high mode for 2.5 hours of runtime or 15 lumens in low mode for up to 45 hours of runtime in momentary-on and constant-on modes.

For more choices of SUREFIRE LIGHTS visit brownells.com



STOCK #	MODEL	OUTPUT (LUMENS)	BATTERIES	LENGTH	WEIGHT	PRICE	
#100-012-207AQ	E2D LED Defender Ultra	500/5*	(2) CR-123A	5.6" (10.2 cm)	4.2 oz. (119 g)	2E229H89	\$ 238.99
#152-000-026AQ	G2 Nitrolon	65	(2) CR-123A	5.1" (12.9cm)	4.1 oz. (116g)	2E51P19	\$ 53.99
#152-000-112AQ	P2X Fury	500/15*	(2) CR-123A	5.4" (13.7cm)	5.7 oz. (161g)	2E133G39	\$ 139.99
#152-000-126AQ	6PX LED Tactical Combatlight	320	(2) CR-123A	5.2" (13.2cm)	5.2 oz. (147g)	2E77I79	\$ 81.99
#100-011-404AQ	6PX Pro	320/15*	(2) CR-123A)	5.2" (13.2cm)	5.2 oz. (147g)	2E77H79	\$ 81.99
#152-000-128AQ	G2X Tactical	320	(2) CR-123A	5.2" (13.2cm)	4.4 oz. (124g)	2E60I49	\$ 63.99

\* High-power/low-power settings.

### **STREAMLIGHT** RO-TAC® 2L LED FLASHLIGHT



Powerful, Long-Lasting Illumination In A **Pocket-Sized Package** 



The ultra-compact light has powerful C4 LED technology to produce a superbright 260 lumen beam, with an impressive 3-hour run time. Low-output mode gives 50-hour runtime with 13 lumen beam, and strobe mode good for 6-hours'

output. User-programmable for high-only or low-only output, easily reset if your needs change. Impact-resistant tempered glass lens and computer-designed reflector ensure a smooth, even beam. Rugged machined aluminum body is Oring sealed, so it's waterproof down to 3 feet for 30 minutes. Pushbutton tailcap switch enables one-handed momentary or constant-on operation. Nylon belt sheath included.

SPECS: Aluminum, hardcoat anodized, black finish. 45/8" (11.8cm) long, 3/4" body O.D. 2.8 oz., (79q). Uses two CR-123A batteries, included.

#100-012-271AQ PT2L LED Flashlight, 1K52M29 . . . . \$ 58.99

#### STREAMLIGHT ARGO HEADLAMP



Lightweight Headlamp Pierces The Darkness With An Intense Beam

With advanced C4 LED technology and an enhanced reflector, the Argo is casts a

powerful beam of light beyond 200 yards. An easy to use, recessed rubber pushbutton allows you to select between three modes: high, medium and low. Headlamp produces 150 lumens for 3 hours on high, 100 lumens for 4½ hours on medium, and 45 lumens for 30 hours on low. The 90° tilting head offers hands free use and reduces neck strain. Headlight housing is water and impact resistant for heavy duty jobs. A low level battery indicator in the facecap flashes red to let you know when the batteries are dying.

SPECS: Co-molded rubber/plastic body, yellow and black. 23/8" (6cm) high, 2 ¾" (7cm) wide, 2 ¾" (7cm) long. 5.4 oz. (153g) wt. Adjustable, elastic headband, red and black. Adjustable rubber headband, black. 3 AAA alkaline batteries, included.

#100-012-798AQ Streamlight Argo Headlamp. 1K32N29.....\$ **35.99** 

#### STREAMLIGHT® HANDHELD LIGHTS

#### Powerful & Nearly Indestructible

POLYTAC LED - Compact, ultra-lightweight light packs powerful C4 LED technology to deliver a super-bright 120 lumen (4,800 candlepower) beam with a 3-hour continuous runtime. Rugged, high-impact polymer body has deep grasping grooves for a non-



slip grip. O-ring seals make the Polytac waterproof down to 1 meter for 30 minutes. The LED lamp is far more resistant to shock than traditional filament lamps and has a 50,000 hour lifetime expectancy. Pushbutton tailcap switch enables onehanded momentary or constant-on operation. Rotate the cap to "lockout" and prevent accidental activation and battery run

SPECS: Reinforced nylon polymer, Black or Coyote. 51/4" (13.3cm) long, 1' (2.5cm) O.D. Two CP-123A lithium-ion hatteries included

(2.3C/11) O.D. 1000 C	IN 1237 HILLIAM FOR DARRETTES INCIDACE.	
#100-004-725AQ	PolyTac Flashlight, Black,	
	1K43J39\$	49.99
#100-004-726AQ	PolyTac Flashlight, Coyote,	
	1K43K39	49.99


PROTAC® HL™ - Powerful, tactical light produces a 600 lumen beam capable of illuminating targets up to 276 yards (253m) away. Ten-Tap™ programming lets you select operating mode: High/



SPECS: Aluminum, hardcoat anodized, black finish. 5.4" (13.7cm) long, 1' (2.54cm) O.D. Runtime: 11/4 hrs on High (600 lumens), 18 hours on Low (33 lumens), 2½ hours on Strobe (600 lumens). Includes two CR-123A batteries, removable pocket clip, and nylon belt sheath.

#100-011-262AQ	ProTac HL Tactical Light,	
	1K83C39	\$ 94.99

MICROSTREAM - Mini-flashlight features a 20 lumen high-flux LED (30,000 hour lifetime) with Micro-Optical Sys-



SPECS: Aluminum, hardcoat anodized, black finish, 31/2" (8.9cm), 1.1 oz., (30g). Includes key ring, pocket clip, breakaway lanyard, and one AAA alkaline battery.

#100-005-923AQ	Microstream LED Flashlight,	
	1K17H39	.99

## **STREAMLIGHT** ENDURO HEADLAMP



**Compact Headlamp Delivers** Bright, Hands Free Lighting

Lightweight, high performance LED headlamp is made of impact resistant, ABS plastic with an unbreakable polycarbonate lens.

Handy, push-button switch lets you select between high and low beam. Light produces 14.5 lumens for six hours on high setting and on low 6 lumens for twelve hours. Solid state power regulator ensures maximum light output throughout life of the batteries. The tilt head lets you aim the light right where you need it for hands free operation. Light is O-ring sealed and waterproof down to 3 feet. Light can also be attached to your hat brim, car visor, or coat using the built in clip.


SPECS: ABS plastic, black, 21/4" (5.7cm) wide, 21/4" (5.7cm) long, 1" (2.5cm) high, 23/4 oz. (78g) wt. Adjustable, elastic headband, black. Uses two AAA batteries, included.

100-012-799AQ	Streamlight Enduro Headlamp,
	1K14C19 \$ 15.9

# **STREAMLIGHT®**

# TRIDENT LIGHT

Powerful Hands-Free Illumination





with 413 ft. beam distance and 5 hour run time. (2) green, LED gives excellent visibility with little glare, while preserving night vision; 6 lumen output, 50 ft. beam distance, 63 hour run time. (3) Two white LEDs provide brilliant, close-in illumination, with 25 lumen output, 108 ft. beam distance, and 19.5 hour run time. Pushbutton switch is easy to use when wearing gloves and is recessed to protect it from inadvertent activation. 90° tilting head features a robust ratcheting system, so you can set the angle of the light output exactly where you want it.

SPECS: Plastic body, green and black. 13/4" diameter lens. 5.5 oz. total wt. Uses (3) AAA batteries.

**#100-000-820AQ** Trident Headlamp, 1K24I49 ..... \$ 27.99

## **SUREFIRE** SF-123A LITHIUM BATTERIES



**Always Have Spares** So You're Never In The Dark

Direct replacements for CR-123A type batteries used in many weapon lights, hand-held lights and powered

#152-000-023AQ	<b>SF-123 Batteries</b> , 2-Pak, 2E4I49 <b>\$ 4.49</b>	
#749-003-691AQ	SF-123A Batteries, 12-Pak,	
	2E24L99	

#### **DURACELL® PROCELL® BATTERIES**

Economical bulk packs of Duracell alkaline batteries in sizes commonly-used by shooters for electronic muffs, flashlights, red dot sights, timers, and other electronic shooting accessories.



AA Batteries, 24-Pak, 3F9K99	\$ 9.99
AAA Batteries, 24-Pak, 3F9N99	9.99
CR-123A Batteries, 6-Pak,	
3F17H99	17.99
CR-2032 Batteries, 6-Pak, 3F7A99	7.99
N Batteries, 2-Pak, 3F2E29	2.99
	AAA Batteries, 24-Pak, 3F9N99 CR-123A Batteries, 6-Pak, 3F17H99 CR-2032 Batteries, 6-Pak, 3F7A99

## POWERPAX STORACELL BATTERY **MANAGEMENT SYSTEM**



Organizes Batteries & Protects Them From Power Drain

Bright orange dispenser keeps batteries ready when you need them. Protects and prolongs battery life by isolating each cell's terminals at both ends to prevent shorts and

current drain from accidental contact with metal objects. Models to hold four CR-123 or four AA batteries.

#100-006-326AQ	Storacell, Holds 4 CR-	123,	
	8C2H99		\$ 2.99
#100-006-325AQ	Storacell, Holds 4 AA.	8C2J99	2.99

order on the web

brownells.com