

BROWNELLS

SELECTION. SERVICE. SATISFACTION.®

800-741-0015
brownells.com

CATALOG NUMBER
6
2010 - 2011

2010 SHOOTING
INDUSTRY MASTERS

BROWNELLS
DISTRIBUTOR OF THE YEAR

AR15BUILDER.COM
ACCESSORY OF THE YEAR



AR-15 M16

& AR-TYPE .308

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™



Dear Folks:

Here it is! Our latest AR-15/M16 Catalog, #6, packed with well over 3,000 specialty products for the AR-15/M16 enthusiast. Pete and I, along with the entire Brownells Team, think you'll really enjoy it. AR catalog #5 featured the largest number of new AR products we'd ever

offered, but we beat our own record this time - in #6 you'll find over 350 new products for the AR platform, plus all the old stand-by items you gotta have in order to build, customize, and service your rifle.



Whether you use your AR for work or play, you'll find plenty of custom-built rifle images showing what you can do with the products we have to offer. The options seem are almost limitless, which is one of the main reasons we love to personalize this unique firearm platform so much! No other gun offers such a huge variety of aftermarket accessories to help you enjoy building and shooting it! If you don't see exactly what you're looking for on one of the custom guns, please make sure and visit **AR15Builder.com**. It was recently voted "Accessory of the Year" at the 2010 Shooting Industry Masters! It makes it fast and easy to create a graphic model of your dream AR with the specific parts you want. It's the best way to see exactly what your rifle will look like before ever placing the order or installing the parts.

To help keep this catalog at a manageable size, we've had to leave out many of the general cleaning and shooting products you need, but rest assured they're all still available in our state-of-the-art warehouse and listed on our website, as well as in our Big Book, plus there are hundreds of non-cataloged products on our website that can be great additions to your AR-15 gear.

For all you folks who are still thinking about jumping on the AR-15 band-wagon, now is a great time to do it - all the high demand products that were tough to get following the election are now readily available again for immediate delivery. There's simply no substitute for building your dream gun with the exact parts you always wanted to use.

Bringing you as many new, high-quality products as possible is just a small part of our long-standing promise. Our commitment to you - the best **Selection**, the best **Service**, and the very best **Satisfaction** guarantee in the industry - hasn't changed. For over 71 years, that's the way it's been and that's what you'll get from us. No hidden charges, no restocking fees, no run-arounds, no minimum order requirements to deal with. You'll speak with a live person on our order line or in our Tech department when you call. And, of course, if any product you purchase from us does not meet your expectations - return it for a refund or exchange. We Guarantee Your Satisfaction 100% - Forever!

Very Best,

 
Frank Brownell Pete Brownell

*Congratulations to our president, Pete Brownell, for his recent election to the **NRA** Board of Directors!*



Old John Still Has The Right Idea

"It's unwise to pay too much . . . but it's worse to pay too little. When you pay too much, you lose a little money . . . that is all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. And if you do that, you will have enough to pay for something better."
- JOHN RUSKIN


At BROWNELLS, The Customer Is Always

#1

Your Satisfaction Guaranteed-Period! - Here's our pledge to you - which has never changed: If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. No hassle, no problem. We don't bog you down in endless paperwork. Your complete satisfaction with each and every product we sell is what's most important to us.

We do not artificially mark up our prices to cover potential increases from the manufacturers. When notified of a price adjustment, we change our price at that time. As a result, prices are subject to change without notice.

GSA **GSA pricing available on products marked with the  star. Contract #: GS-07F-0139T**

 **Stock numbers shown in red indicate the product is made in the U.S.A.**

This information is not available for all items at time of catalog production; nor does it imply that foreign merchandise is of lesser quality. We will keep our website current with the latest information.

 **Online Product Videos Available at brownells.com**

BROWNELLS is a Small Business and Veteran owned Company. Government Procurement
CCR: #829833; Cage: #12238
Call for Special Procurement Needs, Over 30,000 items in stock daily!

BROWNELLS

SELECTION. SERVICE. SATISFACTION[®]
200 S. Front Street, Montezuma, IA 50171
800-741-0015 • Fax: 800-264-3068
brownells.com



The horizontal catalog format is a trademark of Brownells.®




AR-15/M16 CATALOG - #6
© 2010, BROWNELLS




We're the world's largest source for firearms accessories, gunsmithing tools, shooting supplies, and cleaning equipment. If you want to see our full line of over 30,000 in-stock products, you need Brownells Catalog #63. Take a look through any of our catalogs, or browse our website and you'll find at least one item you can't

live without. Purchase that item and we'll send you our big Catalog #63 - a five dollar value - absolutely FREE! #077-100-000EG



Dedicated to the Colt 1911 Auto, clones and other variations - no rifle, shotgun, or "other pistol" stuff. Over 3,000 products you need for building, maintaining, and shooting the most popular pistol in history. See custom builds by well-known pros like Cylinder & Slide, Ed Brown, Nighthawk Custom, and Wilson Combat, plus our own

staff of 1911 experts. #077-100-004EG



Whether duty takes you down city streets, back roads, or to the far corners of the world, your life depends on quality gear. Our all new Law Enforcement Catalog provides the duty gear, cleaning supplies, tools, parts, and other items to keep you duty-ready. Over 1,700 items total. Call for a handful of items or a quote for a truckload

of products. #077-000-005EG



Sinclair International is dedicated to metallic cartridge reloading and the precision shooter. This catalog is packed with the highest quality reloading equipment, components, ammunition, and shooting supplies. Includes everything to assemble precision handloads, plus cleaning and maintenance supplies to keep your firearms shooting with match-winning accuracy. Request your FREE catalog at Sinclairintl.com today! #077-400-001EG

HOLIDAY SCHEDULE We will be closed for the following:

2010	2011
Labor Day, Mon. 6 Sept.	New Year's - Fri. 31 Dec. 2010
Thanksgiving, Thurs. 25 & Fri. 26 Nov.	Memorial Day - Mon. 30 May
Christmas, Fri. 24 Dec.	Independence Day - Fri. 1 & Mon. 4 July
	Labor Day - Mon. 5 Sept.
	Thanksgiving - Thurs. 24 & Fri. 25 Nov.
	Christmas - Mon. 26 Dec.

ORDER LINE HOURS	GUNTECH HOURS	WALK-IN HOURS
7:30 A.M. to 5:00 P.M. (Central Time)	8:30 A.M. to 4:30 P.M. (Central Time)	7:30 A.M. to 4:30 P.M. (Central Time)
Open Monday thru Friday. Order Recording Lines Open 24 Hours Per Day		



OFFICE
641-623-5401
INTERNATIONAL ORDERS
641-623-4000
FAX LINE
641-623-3896



AR-15/M16 CONTENTS

Upper Receivers	1-3, 84-85	Magazines & Parts	41-45, 89
Lower Receivers	3-7, 85	Magazine Accessories	45-47, 89
Caliber Conversions	7-9, 90	Sights	47-51, 90
Bolts & Carriers	9-11, 85	Carry Handles	51
Gas Blocks & Tubes	11-14, 85	Slings & Adapters	52-56, 90
Gas Piston Kits	14-15, 85	Gun Cases	56-57
Barrels	15-16, 86	Range & Training Gear	57-58
Comps/Flash Hiders	16-20, 86	Cleaning Supplies	58-61, 90
Triggers	20-21, 86	Gunsmithing Tools	61-67, 90-91
Triggerguards	22, 87	Books & Videos	67-68, 91
Springs	22-23	Accessory Mounts	68-71, 91
Recoil Buffers	23-24, 88	Optic Mounts	71-75, 91
Charging Handles	24, 87	Lights/Lasers	77
Bolt & Mag Releases	24-25, 87	Optics	78-83
Safety Selectors	25	Bipods	83-84
Parts Kits	25-28, 87-88	Late New Arrivals	83-84
Stocks	28-32, 88	Colt Factory Parts	92-95
Handguards	32-37, 88-89	DPMS Factory Parts	95-96
Pistol Grips	37-39, 89	High Standard Factory Parts	96
Vertical Grips	39-41, 89		

ARMALITE®/EAGLE ARMS AR-15/M16 A4 FLATTOP RECEIVER

Superb Quality,
Forged Receiver
For Building
AR-15 Rifles



Made to the same high quality and mil-spec standards as the original ArmaLites. Fully machined from heat-treated, aircraft-grade aluminum forgings for superior strength and durability. Finished with a tough, mil-spec, black-anodized coating that resists chipping and abrasion. Comes complete with forward assist and ejection port cover. Integral Stanag/Weaver-compatible accessory rail. **US**
SPECS: Aluminum, anodized finish, matte black. .250" (6.3mm) diameter pivot and takedown pin holes.
#062-203-250EG A4F/T Upper Assembly 2F158H06 \$ 194.99

BUSHMASTER AR-15/M16 CARBON 15 FLATTOP UPPER RECEIVER ASSEMBLY



Lightweight, Tough Aerospace Composite

Carbon fiber composite upper comes fully assembled and ready to install on your choice of lower. Flattop upper receiver made from carbon fiber reinforced polymer composite keeps weight to a minimum. Originally developed for the aerospace industry, this chemical- and heat-resistant composite is as strong as milled aluminum. Machined aluminum Picatinny-style rail gives maximum accessory-mounting flexibility. M4-profile, 16" chrome-lined barrel is button rifled with 1:9" right-hand twist for optimal accuracy with a wide variety of commercial .223/5.56mm ammunition. Includes A2 front sight with square, elevation-adjustable post, bayonet lug, and front sling swivel. High-quality Bushmaster bolt and carrier fit receiver precisely to ensure smooth, reliable cycling. Bushmaster's "Izzy" compensator diverts hot combustion gases through three longitudinal gas ports to minimize muzzle flash and help control muzzle rise during rapid fire; closed bottom prevents kicking up dust during prone shooting. Steel components are manganese phosphate parkerized with a uniform matte black finish. Charging handle is precision machined from 7075 T6 aluminum forging and hard-coat anodized matte black to match other components. Military type carbine-length ribbed handguard included. **US**
SPECS: Receiver – Carbon fiber reinforced polymer, black. Barrel, Bolt/Carrier, Front Sight – Steel, parkerized, matte black. Charging Handle – 7075 T6 aluminum. Handguard – Plastic, black.
#100-003-602EG Carbon 15 Upper Receiver, 9B00TPU \$ 645.99



BEAVER CREEK ARMORY AR-15/M16 UPPER RECEIVER ASSEMBLY



Precision Machined To Mil-Spec Dimensions
For Maximum Compatibility, Superb Fit & Finish

Ready-to-install flattop upper receiver is forged from high-grade 7075 T6 aluminum alloy for exceptional strength to handle the battering from thousands of firing cycles, even with full-power military ammo. Precision CNC machined to final, mil-spec dimensions with tolerances of less than .001", so you can select the barrel, bolt assembly, carrier, charging handle, and other components that suit your specific needs. Standard .250" pivot and takedown pin holes ensure compatibility with a broad variety of lower receivers. Pre-installed forward assist and ejection port cover save you time during assembly. Includes integral shell deflector and 5½" long Picatinny accessory rail for maximum flexibility in mounting scopes, red dot reflex sights, and flip-up "iron" backup sights. Hardcoat anodized to MIL-A-8625 Type III Class 2 spec to ensure superb surface hardness, before application of a tough, commercial-grade Teflon® coating to resist the scratches, scuffs, and dings of hard competition or tactical use.

SPECS: 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black finish. Fits mil-spec AR-15 lower receiver with .250" (6.3mm) pivot/takedown pin holes.

#100-004-468EG Upper Receiver Assembly, 1D204V29 \$ 250.99

COLT AR-15/M16 UPPER RECEIVER

Stripped Uppers
In A2 & Flattop Styles;
Genuine Factory Parts



Build your next custom AR-15 with an original Colt factory upper fully finished and ready for installation.

Made from a high-quality aluminum alloy forging machined to precise tolerances for correct fit on Colt lowers and clones. Hardcoat anodized for added surface strength, abrasion resistance, and corrosion protection, with a uniform, matte black finish that matches other factory components and easily accepts alternate finishes. These are "stripped" receivers (except as noted below), so you can select the bolt assembly, carrier, gas key, and other components to suit your specific needs. All models designed to accept spring-loaded ejection port covers. **Carry Handle** models are the classic carry handle configuration of the U.S. military M16A2 rifle. Models for .223/5.56 and 7.62 x 39 chamberings come with forward assist housing and shell deflector behind the ejection port, and are pre-cut for an A2-style adjustable rear sight assembly (not included). 9mm upper does not have shell deflector or provisions for forward assist; accepts original A1-type rear sight. **Flattop** for .223/5.56 rifles and carbines has topside Picatinny accessory rail for mounting optics and red dot sights. White alphanumeric position markers on rail slots aid in removal and reinstallation of sights without loss of zero. Includes factory-installed forward assist and ejection port cover.

SPECS: Aluminum, hard anodized, matte black. Fits standard Colt AR-15 lowers and clones with .250" pivot pins.

- #160-302-051EG Carry Handle Upper Rec'r, .223/5.56, 6A259V67 \$ 324.59**
- #160-302-052EG Carry Handle Upper Rec'r, 9mm, 6A151V83 189.79**
- #160-302-054EG Carry Handle Upper Rec'r, 7.62 x 39, 6A151V12 189.99**
- #160-302-053EG Flattop Upper Rec'r w/Assist & Cover, .223/5.56 6A168V16 210.99**

BUSHMASTER AR-15/M16 V-MATCH UPPER RECEIVER

Extra-Strong Alloy For Durability;
Fully Machined For Precise Fit



Stripped, A3-style flattop upper receiver is carefully machined to mil-spec or better dimensions to serve as the foundation for a top-quality AR rifle customized to your exact requirements. Just add the bolt/carrier, charging handle, ejection port cover, and forward assist of your choice to complete the upper. Precision machined from a forging of 7075 T6 aluminum that is almost 40% stronger than the alloy used in standard AR-15 receivers, so it stands up to the unrelenting tempo of competition or tactical operations. After machining, a dark gray, non-reflective, hard-anodized finish is applied for strength and corrosion resistance, with a baked-on dry-lube coating inside to reduce wear and ensure exceptionally smooth carrier operation. Integral 5½" long Picatinny rail maximizes the versatility of your rifle by letting you take advantage of the wide variety of optics, red dot sights, and other accessories for the AR platform. **US**

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte dark gray. .250" (6.3mm) diameter pivot pin holes.
#100-003-667EG V-Match Upper Receiver, 9B164H27 \$ 181.99

DPMS AR-STYLE .308 LR-308 FLATTOP UPPER RECEIVER



Complete Top End Includes Barrel,
Free-Float Handguard, Bolt & Carrier

Ready to install .308/7.62 NATO upper receiver comes fully assembled with bolt/carrier, charging handle, free-float handguard, gas block, and barrel. Lets you change your LR-308 from a sporter to a match rifle or long-range varmint in just minutes—or build a completely new gun customized to your exact needs. Beefy, thick-walled receiver of extruded 6066 T6 aluminum is hardcoat anodized to military standards for extra surface strength, with a hard, black Teflon coating to resist scuffs and scratches. Free-floated forend of smooth, rigid machined aluminum gives plenty of air space to protect your hand from a hot barrel during sustained shooting. Includes swivel stud and QD sling swivel. All barrels have 1-10" twist for proper bullet stabilization. **Bull Barrel** models have a heavy .920" O.D. barrel with recessed 90° target crown. Snag-free, smooth-side receiver without ejection port cover, shell-deflector, or forward assist; an elevated Picatinny rail allows easy scope mounting without adding a riser mount. Lightweight, aluminum gas block has plenty of metal to withstand the hot gasses from thousands of firing cycles; topside Picatinny rail lets you mount the front sight of your choice, including flip-up models. Available with 18" barrel of 4140 chrome-moly (CM) carbon steel alloy and 7¼" carbine-length forend, or 24" bull barrel of 416 stainless steel (SS) with 12" rifle-length forend. **AP4 Carbine** has A3-style Lo-Rider receiver with forward assist and ejection port cover. 16" USGI-style, light contour barrel of 4140 chrome-moly, with M203 mount cutout, 7¼" forend, and A2-type gas block/front sight tower with bayonet lug and sling swivel. Includes Panther flash suppressor with gas-dispersing helical ports and aggressive, serrated CQB tip.

SPECS: Receiver/Handguard/Gas Block/Charging Handle – 6066 T6 aluminum, anodized and teflon coated, black. Bolt/Carrier – 4140 steel, parkerized, matte black. Barrel – 4140 chrome-moly steel, parkerized, matte black, or 416 stainless steel, natural finish. Fits DPMS LR-308 lower receivers only.

- #231-000-237EG LR-308 Upper w/18" CM Bull Bbl, 3B667V66 \$ 812.99**
- #231-000-236EG LR-308 Upper w/24" SS Bull Bbl, 1C682V54 804.99**
- #231-000-238EG LR-308 Upper w/16" AP4 Carbine CM Bbl 1C800V22 885.99**

Courtesy of Brownells Product Marketing Manager, Jeff Molaschi



TangoDown



BROWNELLS



- A** #100-003-991EG VLTOR MIL-SPEC EMOD COMBO KIT See Page 31.
- B** #100-004-450EG MAGPUL ASAP SLING ADAPTER See Page 55.
- C** #100-003-516EG MAGPUL MOE GRIP See Page 38.
- D** #100-004-157EG MAGPUL MOE TRIGGERGUARD See Page 22.
- E** #080-000-529EG **BROWNELLS** OVERSIZE MAGAZINE RELEASE See Page 25.
- F** #078-000-107EG **BROWNELLS** 30-ROUND MAGAZINE See Page 41.
- G** #100-004-419EG SIXELL INNOVATIONS NEVER QUIT GRIP See Page 6.
- H** #100-003-867EG TANGODOWN QUICK-DETACH STUBBY BATTLEGRIP See Page 40.
- I** #573-000-030EG FALCON INDUSTRIES RAIL GUARD See Page 37.
- J** #080-000-382EG **BROWNELLS** MODULAR GAS BLOCK See Page 11.
- K** #452-000-055EG J.P. ENTERPRISES BENNIE COOLEY TACTICAL COMP See Page 18.
- L** #100-003-447EG TROY INDUSTRIES FOLDING FRONT BATTLE SIGHT See Page 50.
- M** #100-003-456EG TROY INDUSTRIES MODULAR RAIL FOREND See Page 36.
- N** #336-000-018EG GG&G QUICK-DETACH ACCUCAM MOUNT See Page 72.
- O** #892-800-335EG TRIJICON TA11 3.5 x 35 ACOG SCOPE See Page 81.
- P** #939-000-001EG LES BAER NATIONAL MATCH BOLT CARRIER See Page 10.
- Q** #739-000-002EG ROCK RIVER ARMS NATIONAL MATCH RECEIVER SET See Page 3.
- R** #100-004-248EG MIDWEST INDUSTRIES EMERGENCY REAR SIGHT See Page 50.

**DPMS AR-15
UPPER RECEIVER w/BARREL**



Easy-To-Swap, Complete, Fully Assembled Top Ends

Complete, ready-to-install, semi-auto receivers make it fast and easy to assemble a rifle. All barrels have six-groove, 1-9" right-hand twist rifling and M4-type feed ramp. Pre-ban style standard (Std) barrels are chambered for 5.56mm NATO, with chrome-lined bore, A2 flash suppressor, military-style polymer handguard, and A2 front sight housing that includes bayonet lug and sling loop. **AP4** adds to Std configuration the cutout for M204 grenad launcher mount. **Bull** barrels are stainless steel, post-ban style, and chambered for .223 Remington, with low-profile Picatinny gas block, aluminum free-float handguard, and non-threaded muzzle with target crown. Most models available with standard manganese-phosphate **Parkerized** bolt or **Chrome-plated** bolt for additional lubricity and wear resistance.
SPECS: Receiver - aluminum, anodized and Teflon® coated, black. **A2** carry handle with adjustable rear sight or **Flat Top (FT)** rail. **Barrel - Std** - 4140 steel, Parkerized finish, dark gray. .725" dia. at muzzle. **Chrome-lined AP4** - 4140 steel, Parkerized finish, dark gray. .725" dia. at muzzle. **Not chrome-lined Bull** - 416 stainless steel, natural finish. .925" dia. at muzzle.

STOCK #	CAL/ SIGHT	BBL	BOLT	PRICE
#231-000-201EG	5.56/A2 16" Std	Chrome	3B523P53	\$ 649.99
#231-000-253EG	5.56/A2 16" Std	Parkrzd	3B493Z94	\$ 605.99
#231-000-172EG	5.56/FT 16" Std	Chrome	3B435T29	\$ 479.99
#231-000-171EG	5.56/FT 16" AP4	Chrome	3B570T00	\$ 712.99
#231-000-019EG	.223/FT 16" Bull	Chrome	3B634P29	\$ 792.99
#231-000-254EG	.223/FT 16" Bull	Parkrzd	3B591Z43	\$ 739.99
#231-000-199EG	5.56/A2 20" Std	Chrome	3B500P00	\$ 619.99
#231-000-251EG	5.56/A2 20" Std	Parkrzd	3B470Z00	\$ 587.50
#231-000-200EG	5.56/FT 20" Std	Chrome	3B527P94	\$ 654.99
#231-000-252EG	5.56/FT 20" Std	Parkrzd	3B470Z00	\$ 587.50
#231-000-020EG	.223/FT 20" Bull	Chrome	3B620P00	\$ 775.00
#231-000-255EG	.223/FT 20" Bull	Parkrzd	3B620Z00	\$ 775.00

**DPMS AR-15/M16
STRIPPED UPPER RECEIVER**



Carry Handle & Flattop Models For Custom Builds; Machined From High-Grade Forgings

Fully machined and finished, military style uppers ready for you to install your choice of barrel, carrier, bolt, forearm, and lower to build a custom AR-15. Choose from rugged A2 carry handle style, complete with cuts for mounting A2 rear sight, or A3 flattop with Picatinny accessory rail for mounting a scope, holographic sight, or flip-up "iron" sights, plus etched position numbers in rail slots to ensure repeatability of sight mounting position. Both models feature shell deflector, forward assist housing, and provisions for installing an ejection port cover. Precision machined from a premium-grade aluminum forging and hardcoat anodized for extra strength, with a tough, scratch-resistant Teflon coating.
SPECS: Aluminum, hard anodized, Teflon coated, matte black. Fits mil-spec AR-15 lower receiver with .250" pivot pins.
#231-000-152EG Stripped A2 Upper Receiver, 1C82Y24 \$ 99.99
#231-000-053EG Stripped A3 Flattop Upper Receiver, 1C95A08 \$ 125.99

**EGW
A4 FLATTOP UPPER RECEIVER**

Flattop Rail Lets You Mount Scopes & Accessories



A4-style flattop upper receiver is forged from extra-strong 7075 T6 aluminum, with a 5" long rail to accept your tactical accessories, including Weaver-style rings. Finished with mil-spec, hardcoat, black anodizing for protection from scratches, mars, and abrasion.
SPECS: 7075 T6 aluminum, hardcoat anodized, black, matte finish. .250" (6.3mm) diameter pivot pin holes.
#296-000-054EG A4 Flattop Upper Receiver, 6B115U07 \$ 139.99

DPMS
COMPETITION UPPER RECEIVER

Quality, Rugged,
Match Grade
Upper Unit

Fully machined from aircraft grade aluminum alloy, with extra material around the bolt carrier to provide a strong, rigid, platform for mounting heavy match barrels. Integral Picatinny-style scope rail gives complete flexibility for mounting all types of sight systems. Accepts Weaver-style rings. Eliminates the forward assist and ejection port cover for easier operation and smoother profile. **High Rider** - 1" high rail height is correct for scope mounting with low rings. No need for a cheek pad; permits large objective scopes to clear the hand guards. **Lo-Pro** - Standard height rail allows use of detachable carry handles. Convenient mounting for electronic dot sights.

SPECS: Aircraft aluminum alloy, black, hardcoat anodized. Teflon coated. .250" (6.3mm) pivot pin dia. .254" (6.47mm) thick side walls.

- #231-015-110EG **High Rider Receiver, 1C85H61**..... \$ 109.99
- #231-015-111EG **Lo-Pro Receiver, 1C106H58**..... 125.99

D.S.ARMS AR-15/M16 STRIPPED FLATTOP UPPER RECEIVER



Precision Forged From High-Strength 7075 Alloy For High Quality Custom Builds

Stripped, A3-style upper receiver is precision machined from a 7075

T6 aluminum alloy forging to USGI dimensions, ready to mate with the mil-spec lower and internal components of your choice. Includes M4-type feed cuts and alphanumeric position markers stamped into the rail slots. Extra hard 7075 T6 alloy offers superb strength to handle the battering of thousands of firing cycles. Hardcoat anodized to resist wear, add strength, and protect from corrosion. Hard dry-lube surface treatment protects the anodizing from scuffs and reduces friction between bolt carrier and receiver walls for ultra-smooth operation, less wear, and longer service life. Matte black finish matches most factory upper receiver and barrel finishes.

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte black. .250" takedown/pivot pin holes.

- #274-000-019EG **Stripped Flattop Upper Receiver, 4G69V70**..... \$ 89.99

L.A.R. AR-15/M16 A-2 UPPER RECEIVER

High Quality, Fully Finished,
Ready-To-Assemble

Forged, Mil-Spec upper, precisely machined from aircraft grade aluminum, heat-treated then given a tough, black-anodized finish for superior strength and durability. Ready for final fitting with your parts and barrel. Stripped receiver does not include sight, forward assist or dust cover assembly.

SPECS: 6061 T6 aluminum, Mil-Spec anodized, black. .250" (6.3mm) dia. pivot pin.

- #100-000-375EG **L.A.R. A-2 Upper Receiver, 4K73Z33**..... \$ 92.00



HIGH STANDARD AR-15/M16 HSA-15 FLATTOP UPPER RECEIVER ASSEMBLY



Ready To Install On Your Choice Of Lower;
Stripped & Completely Assembled Models

COMPLETE FLATTOP UPPER RECEIVER ASSEMBLY - Complete, fully assembled M4-type upper receiver is ready to install on your lower of choice. Add a rear sight or scope, and you're ready to go shooting. Perfect for converting a rifle to a carbine, or build a completely new gun customized to your exact requirements. Manufactured in the U.S. from top-quality materials to original Colt specs; each part is gauge-checked during assembly for correct tolerances under MIL-STD 105D. Forged from 7075 T6 aluminum alloy, then hardcoat anodized for added strength and wear resistance. Includes a standard military contour, 16" barrel with six-groove, 1-9" twist rifling, plus an A2 gas block/front sight with bayonet lug and 1/4" wide sling loop. A2-style flash suppressor has five ports on top and a solid bottom to prevent dust signature when shooting prone. Flattop accepts a detachable carry handle, scope, or red dot sight; laser-etched white index numbers aid in temporary removal and replacement of sight without loss of zero. M4 handguard is molded from tough, high-impact polymer that resists moisture, temperature extremes, and chemicals.

SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, black. Barrel - 4140 steel, parkerized finish, black. 16" (40cm) long. .725" O.D. at the muzzle. Handguard - High-impact polymer, black.

- #430-000-528EG **HSA-15 Upper Receiver Assembly, 3D551T11**..... \$ 688.99

STRIPPED A2 UPPER RECEIVER - Sturdy, carry handle configuration of military M16A2 rifles is the perfect foundation for a rugged tactical carbine. Precision machined from a 7075 T6 aluminum forging to original Colt specs and military tolerances just like the complete upper sold above. Later, A2 style includes shell deflector, forward assist housing, and provisions for mounting A2 rear sight and ejection port cover (not included).

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Fits mil-spec AR-15 lower receiver with .250" pivot pins.

- #430-000-514EG **Stripped HSA-15 A2 Upper Receiver, 3D99T63**..... \$ 124.54

WILSON COMBAT AR-15/M16 STRIPPED FLATTOP UPPER RECEIVER



M4-Style Upper With Popular Features;
CNC Machined From 7075 Aluminum Forging

The same high-quality M4-style flattop upper

Wilson uses in their custom AR-15s is now available to serve as the foundation for your own custom build. Comes ready for you to install the required components to meet your—or your customer's—exact needs. Includes integral receiver rail cut to MIL-STD 1913 Picatinny specs, M4-type feed cuts, shell deflector, forward assist housing, and provisions for installing an ejection port cover, if desired (available separately). Precision CNC-machined to final dimensions from a U.S.-sourced forging of high-grade 7075 T6 aluminum alloy, prized by AR shooters for its exceptional strength, hardness, and resistance to surface wear. Hardcoat anodized for additional surface hardness, with a durable matte black finish.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. .250" takedown/pivot pin holes.

- #965-000-084EG **Stripped Flattop Upper Receiver, 5F119X05**..... \$ 139.99

SABRE DEFENCE AR-15/M16 FLATTOP UPPER RECEIVERS



Extra-Strong 7075 Alloy Forgings, Tight Tolerances,
Match-Grade Barrels & Premium Performance Features

Complete, flattop upper receiver comes fully assembled and ready to install on your choice of lower to build a tactical or varmint rifle customized to your needs. Built around an extra-strong 7075 T6 aluminum forging machined to exceptionally tight tolerances, all models include bolt and carrier, forward assist, shell deflector, and spring-loaded ejection port cover. A MIL-STD 1913 Picatinny receiver rail lets you mount a scope, red dot, or other sighting device—even a detachable carry handle. White, laser-etched alpha-numeric position markers in the rail slots enable temporary removal and reinstallation of sights without loss of zero. Match-grade barrels machined from extra-hard 410 stainless steel or chrome-moly-vanadium steel alloy are heat treated to relieve internal stress in the steel's grain structure to prevent point-of-impact drift during sustained fire. Stainless barrels are fluted to provide the rigidity of a bull barrel without the weight penalty. All barrels have M4-style feed ramp to aid in smooth, reliable chambering of each round.

SPECS: Receiver - 7075 T6 aluminum alloy, hardcoat anodized, matte black finish. Barrel - 410 stainless steel, natural matte gray finish, or chrome-moly-vanadium steel alloy, matte black finish. Handguard - 6061 T6 aluminum, hardcoat anodized, matte black. Sights - Steel, Parkerized, matte black. Fits mil-spec AR-15/M16 lower receiver with .250" pivot pins.

VARMINT - 20" barrel chambered in .223 Remington, with flared muzzle (no flash hider) and recessed target crown. Includes mid-length gas system and rifle-length tubular free-float handguard that won't put accuracy compromising stress on the barrel. 1-8" twist rifling. Swivel stud; no sights.

SPECS: Barrel - 410 stainless steel. 20" (50.1cm) long. 1-8" twist rate. Chambered for .223 Remington.

- #100-003-951EG **Varmint Upper Rec'r 5D790B43**... \$ 909.99

SPECIAL PURPOSE RIFLE (SPR) - 18" barrel chambered in 5.56mm NATO gives the operator a shooting platform of unparalleled stability with maximum accessory mounting capability. Includes extended handguard and a Harris S1A2 bipod with quick-deploy, telescoping legs that conveniently fold forward, parallel to the barrel for ease of carry. Rifle-length, free-float handguard has 12" left, right, and bottom rails extending around the gas block/flip-up front sight, and 15" of top rail space for outstanding flexibility in mounting optics. Barrel includes recoil-reducing "shark gill" flash hider/muzzle brake.

SPECS: Barrel - 410 stainless steel. 18" (45.7cm) long. 1-8" twist. Chambered for 5.56mm NATO.

- #100-003-953EG **SPR Upper Rec'r 5D1389B37**... \$ 1,549.99

TACTICAL CARBINE - M4-style upper is ready to be the top half of a rugged, finely tuned tactical carbine. Ventilated, four-rail, free-float handguard helps keep the barrel cool and has a continuous top rail that aligns with receiver rail to provide 13" of uninterrupted rail space. Removable bottom panel allows installation of M203 grenade launcher, shotgun, or tear gas launcher. Yankee Hill flip-up front and rear sights. Windage-adjustable rear sight has A2-style long- and short-range apertures; front sight has A2 post, bayonet lug, and sling swivel. M4-contour barrel of chrome-moly-vanadium steel alloy is chrome lined for maximum bore life. Includes "shark gill" flash hider/muzzle brake.

SPECS: Barrel - Chrome-moly-vanadium steel alloy, matte black finish. Chrome lined. 16" (40.6cm) long. 1-7" twist. Chambered for 5.56mm NATO.

- #100-003-952EG **Tactical Carbine Upper Receiver, 5D1143B45**..... \$ 1,249.99

ROCK RIVER ARMS AR-15 UPPER & LOWER RECEIVER SET

Hand Picked & Precisely
Matched For Exact Fit



Forged, upper and lower receivers are CNC machined to tighter than mil-spec tolerances, with critical contact points held to +/- .0005". Hand selected and matched to ensure a tight, movement-free, lockup between the upper and lower halves. Accepts all aftermarket and mil-spec internal parts. **NMA2** has carry handle machined to accept A2 rear sight. **NM A4** is flattop style with multiple cross-slot, Weaver-style base for mounting optical and match sights. **FFL required for purchase.**

SPECS: 7075-T6 aluminum, black, hardcoat anodized, matte finish. Small pin, hammer/trigger and pivot/takedown holes. .154" (3.9mm) diameter hammer/trigger pin holes. .250" (6.3mm) diameter pivot/takedown pin holes.

- #739-000-001EG **NM A2 Receiver Set, 9C00XCH**..... \$ 380.00
- #739-000-002EG **NM A4 Receiver Set, 9C00ZAY**..... 380.00

TKS ENGINEERING AR-15 MACHINED UPPER & LOWER RECEIVERS



Machined From Billet
For Maximum Strength
& Accuracy

Stripped receiver halves
CNC machined from solid

6061 T6 aluminum billet to produce an AR-15 upper and lower of outstanding strength and stability. Extra metal adds rigidity, making these components the perfect platform for a hard-running tactical rifle or a heavy duty, match-grade gun. All holes, inletting, and pin locations have been machined to final dimensions. Add the bolt, carrier, fire-control system, and internal components of your choice to build the perfect custom rifle for your application. Flattop Upper includes case deflector and opening for forward assist, plus MIL-STD 1913 Picatinny accessory rail. Lower has integral triggerguard milled from the billet with the rest of the receiver to provide extra support between the pistol grip area and the magwell. "Safe" and "Fire" markings at selector switch hole.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black finish. Small-pin, .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **FFL required to purchase lower receiver.**


- #100-003-658EG **Machined AR-15 Upper Receiver, 9B152H03**..... \$ 189.99
- #100-003-659EG **Machined AR-15 Lower Receiver, 2F190H97**..... 209.99

NEED HELP CHOOSING?
Read the customer reviews at
brownells.com

WILSON FLATTOP UPPER RECEIVER



Snug fit to my lower, rock solid, and a great value. I was extremely pleased with this product.
- By Wild Bill from Oskaloosa, IA



- A** #100-003-524EG MAGPUL UBR BUTTSTOCK *See Page 30.*
- B** #452-000-043EG J.P. ENTERPRISES SAFETY SELECTOR *See Page 25.*
- C** #100-003-643EG MAGPUL MIAD BASIC MODULAR GRIP KIT *See Page 38.*
- D** #100-002-198EG MAGPUL ENHANCED TRIGGERGUARD *See Page 22.*
- E** #080-000-490EG **BROWNELLS** 30-ROUND TACTICAL MAGAZINE *See Page 41.*
- F** #100-003-220EG HIGH STANDARD HSA-15 LOWER RECEIVER *See Page 5.*
- G** #071-000-040EG TANGODOWN STUBBY BATTLEGRIP *See Page 40.*
- H** #152-000-041EG SUREFIRE X300 WEAPON LIGHT *See Page 78.*
- I** #152-000-044EG SUREFIRE MB556AR MUZZLE BRAKE *See Page 19.*
- J** #231-000-025EG **BROWNELLS/DPMS** BL-11-M4 16" BARREL *See Page 15.*
- K** #100-003-133EG VLTOR CASV MODULAR FREE-FLOAT HANDGUARD *See Page 36.*
- L** #160-302-053EG COLT FLATTOP UPPER RECEIVER *See Page 1.*
- M** #100-002-094EG YANKEE HILL MACHINE REAR FLIP SIGHT *See Page 51.*
- N** #556-000-003EG PRECISION REFLEX, INC. CHARGING HANDLE *See Page 24.*

BUSHMASTER AR-15



LOWER RECEIVERS
Rugged, High-Quality Machined Forging For Building A Custom Rifle

Semi-auto, small pin lower receivers are premium-quality forgings machined to precise dimensions and ready to serve as the foundation of a fully customized tactical, competition, or hunting rifle. Exceptionally strong, rigid 7075 T6 aluminum forging has extra metal in the right places for added strength without unnecessary bulk. Features a beefy, M16A2-pattern reinforced area around the front pivot pin, a strengthening ridge over the receiver extension threads, and a ridge around the mag release button to guard against accidental magazine drop by preventing unintentional button activation. Bead blasted after machining to ensure a uniform, non-reflective surface before application of lusterless black military hardcoat A8625, Type III, Class 2 anodized finish that adds surface strength and resists abrasion. A final, nickel acetate seal coat provides extra protection against corrosion. Available as a complete, fully assembled lower, with fire control system, pistol grip, receiver extension, buffer, spring, and buttstock installed and ready for the upper receiver of your choice. Choose adjustable, six-position M4-style buttstock of high-impact, molded polymer, or fixed, A2 buttstock with "trapdoor" storage compartment just like original USGI rifles. Both stocks include sling loop at the toe. **Stripped Lower** is the perfect companion for Bushmaster Lower Receiver Parts Kit, available separately, and the receiver extension/buttstock system of your choice.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. Buttstock - Reinforced molded polymer. .154" hammer/trigger pin holes. .250" pivot pin holes. **FFL required for purchase.**

CAVALRY ARMS AR-15
CAV-15 MKII LOWER RECEIVER



Build The Fastest Handling, Lightest Weight AR-15 Possible

Buttstock, pistol grip and receiver are injection molded in two halves from glass-filled, Nylon 6 polymer, then permanently fused together by a vibration welding process that forms one, solid, stripped receiver of outstanding strength that's impervious to corrosion. At just over 27 oz., this receiver keeps your rifle's weight to a minimum for adventures that require long treks and swift target acquisition. A1 length stock is 5/8" shorter than the A2 configuration for optimal handling capabilities, and includes trap door buttplate and integral sling loop. Quick take-down pins with internal ball detents make separation of upper and lower assemblies fast and easy. Wider magazine well accepts .45 caliber, Thompson or Grease Gun magazines when mated with pistol caliber upper and magazine adapter; takes standard AR-15 magazines without modification. Fully compatible with mil-spec parts. Integral buffer tube uses carbine buffer spring, not included.

SPECS: Fiberglass reinforced Nylon 6 polymer, Black, Dark Earth, or Foliage Green. 13" (33cm) length of pull. 27.2 oz (772 g) weight. .154" hammer/trigger pin holes. Pivot and takedown pins included. **FFL required for purchase.**

#100-000-360EG	CAV-15 Receiver, Black	2F120C00	\$ 149.99
#100-004-890EG	CAV-15 Receiver, Dark Earth,	2F120V00	\$ 149.99
#100-004-889EG	CAV-15 Receiver, Foliage Green	2F120V00	149.99

#100-003-636EG	Complete M4-Style Lower Receiver,	1F329D95	\$ 360.00
#100-003-637EG	Complete A2-Style Lower Receiver,	1F299D95	335.00
#100-003-638EG	Stripped Lower Rec'r	1F179D95	195.95

NEW Models **CMMG AR-15/AR-STYLE .308 LOWER RECEIVERS**

Stripped Or Fully Assembled With Precision Trigger Group

MOD4SA LOWER RECEIVER - Semi-auto AR-15 receiver made from a high-quality forging is built to handle the hard use and reliability requirements of tactical and competitive shooting. Forged from 7075 T6 aluminum alloy for maximum strength and rigidity before final machining to mil-spec dimensions. Hardcoat anodized for added strength, then Teflon®-coated for outstanding resistance to surface abrasion or discoloration from solvents and lubes. **Stripped** lower includes receiver only without any additional parts for full, custom build projects. **Complete** is fully assembled with all receiver components and is available with single, left side-mounted safety selector or ambidextrous safety selector; does not include buttstock or related parts. Includes polymer A2 pistol grip, trigger group, bolt release lever, mag release button, and aluminum triggerguard. CMMG's engineers designed custom fixtures for final grinding of ten separate contact surfaces on the trigger, disconnect, and hammer to ensure a trigger pull that's far superior to many factory triggers. Proprietary bronze bushings on trigger and hammer pins reduce friction for a consistent, ultra-smooth pull and exceptionally fast locktime. Rounded, low-mass hammer further speeds locktime and reduces wear on contact surfaces. Trigger is function tested before lower leaves the factory; compatible with .22 LR conversions.

SPECS: Forged 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. .223/5.56mm stamped on side of magwell. .154" hammer/trigger pin holes. .250" pivot pin holes. **FFL required for purchase.**

- #100-004-243EG Complete Receiver, Single Safety, 3B00HDZ** \$ 339.99
- #100-004-098EG Complete Receiver, Ambi Safety, 3B00VBX** 359.99
- #100-004-106EG Stripped Receiver, only, 3B139H99** 149.99

STRIPPED AR-STYLE .308 LOWER RECEIVER - Semi-auto lower receiver is precision machined from solid 7075 T6 aluminum billet, with dished, grooved, trigger finger rest machined into both sides of the receiver, and an integral, oversized "winter" triggerguard ready for use in harsh environments where gloves are required. Extra-thick triggerguard milled as part of the receiver provides additional structural rigidity for an exceptionally strong, no-flex receiver built to handle any high-stress application. Beveled magwell aids in positive mag seating under stress. Drop-in ready for the AR-15 trigger/fire control components of your choice. Hardcoat anodized for extra surface strength, then Teflon-coated for added lubricity and resistance to surface abrasion. **DPMS**-compatible model accepts .308/7.62mm magazines and upper receivers from DPMS, Remington, Bushmaster, and Patriot Ordnance Factory. **G3** fits the same upper receivers and uses H&K G3 7.62mm magazines; requires minor milling of upper receiver for magazines to properly seat and feed.

SPECS: Machined 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. "762" stamped on side of magwell. .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **FFL required for purchase.**

- NEW #100-004-000EG Stripped .308 Lower Rec'r, DPMS-style, 3B366P97** \$ 339.95
- NEW #100-004-001EG Stripped .308 Lower Receiver, G3-style, 3B406P97** 459.95



DOUBLE STAR AR-15 LOWER RECEIVERS

Mil-Spec Lowers Ready For Your Next AR-15 Project

High strength, hammer forged receiver is CNC machined and hardcoat anodized black. Extra reinforcement around the front pivot pin, reinforcing ridge over the buffer tube area, and a full fence around the magazine catch button ensure it's built for rugged use. Safe and Fire are engraved on both sides for guns with ambi safeties. Complete receivers include triggerguard, magazine catch button, mil-spec trigger group and pistol grip. Available complete and fully assembled with M4 or A2 stock configuration, complete without buttstock, and as a stripped receiver only. Made in USA with mil-spec parts only.

SPECS: 7075-T6 forged aluminum, CNC machined to Mil-Spec. Hard coat anodized, Teflon coating, matte black. **FFL required for purchase.**

- #100-002-315EG M4 Lower, Complete 9Z234B00** \$ 292.00
- #100-002-314EG A2 Lower, Complete 9Z235B00** 295.00
- #100-002-313EG Lower, Complete w/o Stock, 9Z180B00** 225.00
- #100-002-312EG Lower, Stripped 9Z113B84** 139.99



DPMS AR-15 FORGED LOWER RECEIVER

Forged Construction Adds Toughness To The Rifle You're Building

7075-T6, aircraft-grade aluminum receiver is forged and tempered for strength, just like the M16 lowers used by the U.S. military. CNC machined and ready to be the foundation for your match, tactical or hunting rifle. Hard coat anodized to mil-spec 8625 for durability; Teflon® coating gives additional lubricity and an attractive, matte, black finish.

SPECS: 7075-T6 aluminum, Teflon, black, matte finish. 8.6 oz. (244 g.) wt. **FFL required for purchase.**

- #231-000-113EG Forged Lower Rec. 1C132X99** \$ 159.99

DPMS AR-15 AR-15 LOWER RECEIVER

High-Quality, Forged Lower For Precision Fit & Function

Forged, fully assembled lower is ready for your choice of upper. Precision machined from 7075-T6 aircraft-grade, aluminum alloy, mil-spec hardcoat anodized, then Teflon-coated black for superior wear and scratch resistance. Includes mil-spec trigger group and pistol grip. **A-2** model features a fixed, black Zytel buttstock with rear sling mount and trapdoor buttplate for storage of backup parts and cleaning supplies. **M4** version is equipped with a 6-position, collapsible, carbine stock made of impact-resistant polymer.

SPECS: Receiver - Forged, 7075-T6 aluminum, hard anodized, Teflon-coated black. A2 Buttstock - Zytel, black. M4 buttstock - plastic, black. **FFL required for purchase.**

- #231-000-180EG A2 Lower Receiver 1C248T25** \$ 279.99
- #231-000-205EG M4 Lower Receiver 1C251P50** 289.99



NEW Item **DPMS AR-STYLE .308 LR-308 LOWER RECEIVER**

High-Quality, Machined Lower For Precise Fit & Smooth Function

Rugged, fully machined lower is ready to be the foundation of a hard-hitting long-range tactical, competition, or hunting rifle built to meet your exact specifications. Available stripped or complete with fire control group, buttstock, and pistol grip, ready for your choice of upper. Precision milled from a solid billet of high-grade 7075 T6 aluminum, with extra metal in the right places to handle thousands of rounds of full-power ammo without flexing or stress-cracking. Mil-spec hardcoat anodized for extra surface strength and corrosion resistance. Complete lowers also have a proprietary Teflon coating for outstanding resistance to surface wear and scratches. Beveled mag well aids in fast reloads, and the integral, straight triggerguard milled from the billet with the rest of the receiver provides clearance for a gloved trigger finger while adding to the structural strength of the receiver. **Fixed** model features an A2 pistol grip and an A2-style, black Zytel buttstock with rear sling mount and trapdoor buttplate for storage of backup parts or cleaning supplies. **Collapsible** model is equipped with an A2 grip and a 6-position, M4-style adjustable stock made of heavy-duty impact-resistant polymer. **Stripped** "small-pin" lower comes with a matte black hard-anodized finish.


SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, Teflon-coated, black. Pistol Grip - Injection-molded polymer, black. Accepts AR-style .308/7.62mm upper receivers and magazines from DPMS, Bushmaster, Patriot Ordnance Factory, and Remington Arms. **Fixed** - Zytel, A2-style buttstock, black. **Collapsible** - Polymer M4-style buttstock, black. **Stripped** - Matte black, hard-anodized finish. .154" (3.9mm) hammer/trigger pin holes. .275" pivot/takedown pin holes. **FFL required for purchase.**

- #231-000-234EG LR-308 Lower w/Fixed Buttstock, 1C534V21** \$ 729.99
- #231-000-233EG LR-308 Lower w/Collapsible Buttstock, 1C518V57** 699.99
- NEW #231-000-245EG LR-308 Stripped Lower Receiver, 1C357B14** 446.43

D.S. ARMS AR-15 ZM4 STRIPPED LOWER RECEIVER

Precision Forging From High-Strength Alloy

Stripped, small-pin semi-auto lower receiver is precision machined from an aluminum alloy forging to the same dimensions as USGI receivers to ensure proper fit of components and accessories designed for mil-spec receivers. An affordable platform for any type of custom gun you want to build—from a fast-handling tactical carbine to a match-grade competition rifle. Simply add the upper, fire control components, buttstock assembly, and pistol grip of your choice. Extra hard 7075 T6 alloy gives superior strength and stands up to the battering of thousands of firing cycles; hardcoat anodized surface resists wear and actually adds strength, while providing excellent corrosion resistance. Matte black finish matches most factory upper and barrel finishes. Holes, inletting, and pin locations have already been cut to final



HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER

Extra Strong, Mil-Spec Receiver With Custom-Quality Trigger Group

Complete, semi-auto M4-type lower receiver with trigger group A2 pistol grips and collapsible stock is ready to accept the upper that meets your exact needs. A supplier to the U.S. military since WWII, High Standard's name means top-quality materials and workmanship throughout. All parts are manufactured in the U.S. to original Colt specs, and each part is gauge-checked for correct tolerances in accordance with MIL-STD 105D during assembly. Receiver is forged from 7075 T6 aluminum alloy, which has nearly twice the tensile strength of the standard 6061 alloy, then hardcoat anodized for even greater strength. The steel trigger/hammer group's precision-ground engagement surfaces provide a crisp, near-match-grade trigger pull. M4-style, 6-position collapsible buttstock includes buffer tube, buffer, recoil spring, receiver lock plate, lock nut, and rear sling swivel. **Lower Receiver w/o Buttstock** includes lower receiver assembly with trigger group and pistol grip fully assembled for those who wish to install their own buttstock.

SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Buttstock/Pistol Grip - High-impact polymer, black. **FFL required for purchase.**

- #100-002-328EG HSA-15 Lower Receiver, w/Buttstock, 3D265X77** \$ 324.99
- #100-003-220EG HSA-15 Lower Receiver, w/o Buttstock, 3D193Y24** 239.99

NEW **J.P. ENTERPRISES AR-15 FORGED LOWER RECEIVER**

Teflon Coated For Superior Scratch & Wear Resistance

Stripped, small-pin lower receiver is forged from ultra-strong 7075 T6 aluminum to serve in the ultimate semi-auto tactical, competition, or varmint AR-15 rifle. Mil-spec hard-anodized for excellent surface strength and corrosion-resistance. A special Black Teflon® coating provides lubricity for smooth operating components and helps resist scuffs and scratches, so your gun stays nice-looking. Built to mil-spec dimensions for correct fit to any mil-spec upper receiver, internal components, and aftermarket accessories.

SPECS: 7075 T6 forged aluminum, hardcoat anodized, Teflon-coated, matte black finish. .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **FFL required for purchase.**

- #100-004-482EG Forged Lower Receiver, 7G163V82** \$ 200.99



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

dimensions. .154" hammer and trigger pin holes accept the most readily available fire control components, with standard .250" pivot and takedown pin holes. **SPECS:** 7075 T6 aluminum, hardcoat anodized matte black. 9 oz. (255g) weight. .154" hammer/trigger pin holes. .250" takedown/pivot pin holes. **FFL required for purchase.**

- #274-000-017EG ZM4 Lower Receiver 4G135V71** \$ 169.64

Shop

lower receiver

Search

brownells.com

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 5

AR-15/M16

LOWER RECEIVERS

Courtesy of Brownells
Marketing Analyst, Jill Honken



BROWNELLS



AR-15/M16

LOWER RECEIVERS

- A** #100-002-619EG DOUBLE STAR M4 ADJUSTABLE BUTTSTOCK *See Page 29.*
- B** #080-000-381EG **BROWNELLS** LOW-PROFILE AMBI SLING ADAPTER *See Page 54.*
- C** #739-000-002EG ROCK RIVER ARMS NATIONAL MATCH RECEIVER SET *See Page 3.*
- D** #100-002-557EG JEWELL SMALL PIIN RIFLE TRIGGER *See Page 21.*
- E** #080-000-558EG CMMG .22 LR CONVERSION KIT w/26-RND MAGAZINE *See Page 7.*
- F** #100-002-213EG SOG ARMORY GRAPHITE VERTICAL GRIP *See Page 40.*
- G** #100-002-076EG YANKEE HILL MACHINE 2-RAIL GAS BLOCK *See Page 13.*
- H** #231-000-024EG **BROWNELLS/DPMS** BL-11 CAR-15/M4 BARREL *See Page 15.*
- I** #100-003-114EG VLTOR VC-1 FLASH SUPPRESSOR/COMPENSATOR *See Page 19.*
- J** #080-000-521EG **BROWNELLS** FLIP-UP TACTICAL FRONT SIGHT *See Page 49.*
- K** #100-003-414EG YANKEE HILL MACHINE FREE-FLOAT HANDGUARD *See Page 35.*
- L** #100-003-197EG EOTECH 557 HOLOGRAPHIC SIGHT *See Page 79.*
- M** #080-000-510EG **BROWNELLS** 360 SERIES TACTICAL SIGHT *See Page 49.*

**PATRIOT ORDNANCE FACTORY
AR-15/AR-STYLE .308
MACHINED LOWER RECEIVER**



Machined From 7075 Aluminum Billet For Precise Dimensions & Superb Strength

Stripped, semi-auto lower receiver is fully machined from U.S.-sourced 7075 T6 aluminum billet for superb strength and precise dimensions. Extra metal in the right places gives a big payoff in added support and rigidity with minimal extra weight. Available in AR-15 and AR-style .308 sizes, both models accept mil-spec and aftermarket components, so you can select the upper, trigger group, pistol grip, receiver extension, and buttstock that best serve your needs—the perfect foundation for a custom tactical rifle. Integral, oversized triggerguard machined as part of the receiver further enhances structural rigidity and provides plenty of clearance for trigger finger when wearing gloves. Radiused inside and outside edges protect finger from cuts and scrapes when mounting weapon quickly or during extended fire. Flared magwell with smoothly radiused inside corners helps ensure fast reloads, without fumbling, when seconds count. Cut for ambidextrous bolt release to allow strong- or weak-hand operation; right-side button included with receiver. Laser etched, international “fire” and “safe” symbols give the operator instant, intuitive feedback on the weapon’s safety status in high-stress situations. Mil-spec hardcoat anodized for additional surface strength and corrosion resistance. **P-415** is available with a durable, low-friction black Teflon® finish or a tough, gray NP3 electroless nickel/Teflon outer coating that’s highly resistant to surface wear. NP3 is exceptionally thin, hard (Rc 48-51), and self-lubricating, so it prolongs weapon life by minimizing wear fouling buildup. **P-308** is available with NP3 finish only. All heat-treatment, plating, coatings applied by U.S.-owned and operated contractors.

SPECS: 7075 T6 aluminum, hardcoat anodized. Small-pin, .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. P-415 - Accepts mil-spec AR-15/M16 rifle or carbine upper

**SIXELL INNOVATIONS AR-15/M16
NEVER QUIT GRIP**



Helps Promote A Secure, Non-Slip Grip For The Support Hand On The Magwell

Ergonomically shaped rubber grip enhancer helps promote a secure, comfortable, non-slip grip for the tactical shooter who prefers to position his support hand on the magazine well. Encourages the operator to maintain a firm grasp on the magwell, not the magazine, for improved recoil control and fast followup shots. Oil, dirt, and UV-resistant Santoprene™ thermoplastic elastomer is textured to fit the hand and cushion it from recoil. The surface is just “grippy” enough for a secure hand-hold and to keep the grip from moving on the magwell. Installs easily on any AR-15/M16 rifle or carbine with a standard triggerguard. Just depress the forward pin, swing the guard out of the way, and the Never Quit Grip over the magwell, and reinstall the pin. **USA**

SPECS: Santoprene synthetic rubber, black, desert tan, or O.D. green. Fits AR-15/M16/M4 and clones with removable trigger-guard.

- #100-004-418EG Never Quit Grip, Black 3Z18D76 . . . \$ 24.99**
- #100-004-419EG Never Quit Grip, Desert Tan, 3Z18D76 24.99**
- #100-004-420EG Never Quit Grip, O.D. Green, 3Z18D76 24.99**

*receiver and internal components. Available with matte black Teflon finish or matte medium gray NP3 finish. P-308 - Accepts AR-style .308/762mm upper receivers from Patriot Ordnance, DPMS, and Remington Arms. Uses standard small-pin AR-15 trigger, pistol grip, takedown pin, and receiver extension. Requires .308 buffer, buffer spring, pivot pin. Matte medium gray NP3 finish. **FFL required for purchase.***

- #100-004-193EG P-415 AR-15 Lower Receiver, Teflon, 1G322U15. \$ 325.99**
- #100-004-486EG P-415 AR-15 Lower Receiver, NP3, 1G363Y02 325.99**
- #100-004-349EG P-308 AR-Style .308 Lower Receiver, 1G412Z16 449.99**

**ROGGIO ARSENAL AR-15/M16
RA-15 STRIPPED LOWER RECEIVER**

Precision-Machined 7075 Aluminum Forging For Superb Strength & Exact Dimensions



Semi-auto, small-pin lower receiver offers features usually found only on custom-machined specialty receivers—for the price of a basic, mil-spec receiver. Perfect for building a custom AR in the traditional .223/5.56mm chambering, or a special-purpose rifle in 6.5mm, 6.8mm, 9mm, or other caliber that fits a standard AR-15 receiver. Forged from high-grade 7075 T6 aluminum alloy for superb strength. Precision CNC machined to final dimensions with tolerances of less than .001", so it's ready to accept the combination of mil-spec parts that fulfill your requirements. Magazine well is wire-EDM machined with a flared opening, ultra-smooth interior surfaces, and square corners for snag-free magazine insertion. Serrations cut into the front of the receiver provide an extra-secure gripping surface when the support hand is placed on the high magwell. Standard .154" holes for hammer and trigger pins let you install the aftermarket trigger of your choice; .250" pivot and takedown pin holes for compatibility with a broad range of upper receivers. Diamond-cut engraving produces the crisp, clean, serial number, logo, and markings without inducing unwanted stress in the metal caused by other methods. Hardcoat anodized to MIL-A-8625 Type III Class 2 spec to ensure superb surface hardness, before application of a tough, commercial-grade Teflon® coating to resist scratches, scuffs, and dings.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black finish. Small-pin, .154" (3.9mm) hammer and trigger pin holes. .250" (6.3mm) pivot/takedown pin holes. **FFL required for purchase.**

#100-004-368EG RA-15 Lower Receiver 7C140D00. \$ 175.00



**SPIKE'S TACTICAL AR-15
LOWER RECEIVER**



High-Quality Forgings Machined to Mil-Spec Dimensions; Stripped & Assembled Models

Semi-auto lower receiver is machined from a 7075 T6 aluminum forging to mil-spec dimensions for precise fit and outstanding performance. Ruggedized hardcoat anodized finish resists scuffs, scratches, and wear. Stamped and color-coded bullet selector position markings notify operator when weapon is in "safe" or "semi-auto." A "full-auto" position is not selectable but gives this semi-auto lower receiver the appearance of being multi-burst capable. Magazine well features Spike's spider logo and multi-cal engraving. **Complete Lower w/ Buttstock** includes stainless steel trigger, black oxide finished triggerguard and hammer assembly, pistol grip, six-position mil-spec buffer tube (1.146" O.D.), receiver end plate with snag-resistant single-point sling connector on left side, ST-T2 tungsten heavy buffer, mil-spec 17-4 stainless steel buffer spring, and Spike's M4 stock. **Complete Lower w/o Buttstock** includes trigger/hammer group and all other internal components ready for the receiver extension and buttstock of your choice. **Stripped Lower** comes as a standalone component without trigger group, mag release, selector, or bolt release.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black finish. Buttstock - Reinforced molded polymer, black. .154" hammer/trigger pin holes. .250" takedown/pivot pin holes. **FFL required for purchase.**

- #100-004-686EG Complete AR-15 Lower Receiver w/ Buttstock 3H243T24. \$ 249.99**
- #100-004-687EG Complete AR-15 Lower Receiver w/o Buttstock 3H185T71. 199.99**
- #100-004-685EG Stripped AR-15 Lower Receiver, 3H00DZA. 89.99**

**SUPERIOR ARMS AR-15
S-15 LOWER RECEIVER**

Strong, Forged Receiver; Perfect Foundation For A Custom Rifle Or Carbine



Stripped, semi-auto, lower receiver delivers custom shop quality without the typical custom shop price. Perfect platform for building the ultimate, mission-specific, AR-15 rifle or carbine. Made from a high-strength, 7075 T6 aluminum forging for reliable performance and outstanding durability. Mil-Spec, hard anodized finish adds extra strength to the receiver walls and delivers superior abrasion-resistance for rugged field use. Precision-machined to ensure drop-in installation of Mil-Spec, aftermarket components. Secondary setscrew in pistol grip allows trigger preset adjustment to eliminate creep for a crisp, clean break. Features standard, .250" diameter takedown and pivot pin holes.

SPECS: 7075 T6 aluminum, hard-anodized, black finish. 9 oz. (255 g) wt. **FFL required for purchase.**

#100-003-161EG S-15 Lower Receiver 6F96H00 . . . \$ 139.99

**YANKEE HILL AR-15 YHM-15 LOWER
RECEIVER**



M4



A2 Rifle



Stripped

Mil-Spec Dimensions & Finish For Superb Fit & Maximum Compatibility

Semi-auto lower is precision machined entirely at Yankee Hill's manufacturing facility from a high-strength 7075 aluminum alloy forging. The perfect foundation for

almost any kind of AR you want to build: tactical, competition, sporting—even a non-standard caliber. Mil-spec dimensions ensure superior fit and maximum compatibility with a wide range of available uppers, aftermarket parts, and accessories. Slightly oversized magwell chamfers help ensure fast, positive magazine changes when the pressure is on. YHM logo stamped on left side of mag well. Accepts standard .154" hammer/trigger pins and .250" takedown/pivot pins. Pin holes are left slightly undersized, so you can open them up just the right amount for an exact pin fit without slop or slippage. Hardcoat anodized with a durable, fine-grain, mil-spec matte black finish. Available as a **Stripped** lower receiver or in three fully assembled configurations with all internal components installed, including mil-spec trigger group, safety selector, bolt catch, mag release button, and aluminum triggerguard. **A2 Grip** comes with polymer A2 pistol grip installed and is ready for you to add the receiver extension tube, buffer components, and buttstock of your choice. **M4** comes with A2 grip, "commercial" 1.17" O.D. receiver extension tube/buffer components, and an adjustable-length, six-position M4-style buttstock. **A2 Rifle** comes with M16A2-style fixed buttstock with trapdoor storage compartment, complete receiver extension/buffer system, and A2 grip.

SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Accepts .154" hammer/trigger pins and .250" takedown/pivot pins. Pistol Grip/M4 Stock - Reinforced molded polymer, black. A2 Stock - Fiberglass-reinforced thermoset nylon polymer, dark gray. **FFL required for purchase.**

- #100-004-301EG Stripped Lower Receiver, only, 5G114H95 \$ 176.00**
- #100-004-350EG Complete Lower Rec'r, w/A2 Grip, only, 5G234Z33 280.00**
- #100-004-348EG Complete Lower Receiver, w/M4 Stock, 5G312Z00 390.00**
- #100-002-921EG Complete Lower Rec'r, w/A2 Rifle Stock, 5G329Y33 395.00**

**BROWNELLS/ROCK RIVER ARMS
CAR-15/M4 9mm LOWER RECEIVER
CONVERSION KIT**



Drop-In Kit Converts A Stock Lower Receiver To Accept A Sub-Caliber Upper

One-stop, drop-in solution with the parts you need to convert a mil-spec small pin (.154" dia.), .223 lower receiver with collapsible stock to accept a 9mm upper receiver assembly. Kit includes a replacement hammer, recoil spring, and buffer optimized to handle the reduced recoil force of the 9mm Luger round, as well as a Magwell Conversion Block that installs in your rifle's magazine well to allow it to accept Rock River's 25-round 9mm magazines, available separately. To use the Kit on a full-size rifle with fixed A1/A2-style buttstock, install the separately available Delrin® Spacer in buffer tube behind recoil spring.

SPECS: Hammer & Buffer - Steel, matte black oxide finish. Action Spring - High tensile strength spring steel. Magwell Conversion Block - Steel with matte black oxide finish and aluminum with matte black, hardcoat anodized finish. Fits CAR-15/M4 collapsible stock models with .154" diameter receiver pin holes. Spacer - Machined Delrin. 2 1/8" (5.4cm) long. Fits buffer tube for standard, fixed A1/A2-style AR-15/M16 buttstock. Not included in kit; must be purchased separately.

- #080-000-442EG 9mm Lower Receiver Conversion Kit, 8K174B83 \$ 205.99**
- #739-000-018EG 9mm Magwell Conversion Block, 9C00ZAY. 175.00**
- #739-000-015EG 9mm Hammer 9C00PUA 20.00**
- #739-000-016EG 9mm Carbine Buffer 9C00BXC 25.00**
- #739-000-019EG 9mm Fixed Stock Buffer Tube Spacer, 9C00PUA 8.00**
- #739-000-005EG Carbine-Length Recoil Spring, 9C00ZAY. 4.00**
- #739-000-014EG 9mm Magazine, 25-Round, 9C00ZAY. 35.00**

**ROCK RIVER ARMS AR-15/M16
9mm UPPER RECEIVER ASSEMBLY**



Easily Convert Your .223 AR Into A Fast-Shooting 9mm


Sub-caliber upper assemblies allow fast and simple conversion of ARs chambered in .223 to 9mm Luger. True, dedicated, complete upper receivers are assembled from military specification components; includes a Wilson, 1-10 twist barrel, bolt and carrier, charging handle, shell deflector, heat-shield lined handguards, sling swivel, and A1-style flash hider. Additional items not included but required for conversion to 9mm are a 9mm magazine, (sold below), magazine adapter, action spring, and recoil buffer, sold separately. **A2** configuration has A2 adjustable sights regulated for 9mm. **A4** unit has flattop receiver that accepts most aftermarket accessories designed to fit a Picatinny rail.

SPECS: Barrel - 4140 steel, blue, matte finish, 16" (40.6cm) long, .725" (18cm) O.D. Receiver - Aluminum, anodized finish, matte black. Designed to fit lower receiver with .25" (6.3mm) diameter takedown pins.

- #739-000-012EG A2 9mm Upper Rec'r 9C00PUA. . . \$ 506.99**
- #739-000-013EG A4 9mm Upper Rec'r 9C00BXC. . . . 486.99**



**CMMG AR-15/M16
.22 LR CONVERSION KIT**



Use Economical .22 LR Ammo To Practice More & Hone Critical Shooting Skills

Drop-in .22 LR conversion system comes fully assembled and ready to install in any semi-auto AR-15 to help you practice critical shooting skills with economical rimfire ammunition. Concentrate on improving grip, sight alignment, trigger pull, and other skills without burning up expensive, centerfire ammo. Installs in seconds and requires no gunsmithing or permanent alterations to your rifle. Uses your gun's factory upper receiver, barrel, fire control system, buffer, and spring. Simply replace the bolt and carrier with the conversion unit, load up the included magazine with high-velocity round-nose .22 LR ammo, and you're ready to shoot. Precision machined from high-grade steel to the highest standards of workmanship for proper function in any mil-spec .223/5.56mm rifle or carbine. Every unit is test fired by the manufacturer before leaving the factory to ensure correct fit and function. **Kit** comes with conversion unit and one smoke-colored 26-round or 10-round magazine; conversion unit also available separately, without magazine. Magazines are molded from impact-resistant polycarbonate and are available in translucent clear or smoke, or solid black. Self-lubricating anti-tilt follower and constant-force spring help ensure reliable feeding. Follower functions to hold bolt open after last round is fired. 26-round magazines are the same size as USGI 30-round AR-15 magazines; 10- and 15-round magazines are the size of standard 20-round AR-15 magazines.

SPECS: Kits include conversion unit, plus one (1) smoke colored 26-rd or 10-rd magazine. Conversion Unit - Steel, Parkerized, matte black finish. Designed for high-velocity, round nose .22 LR ammo only. Fits semi-auto, .223/5.56mm AR-15 rifles and carbines. Magazine - Injection-molded polycarbonate, Smoke, Black, or Clear.

- #080-000-558EG .22 LR Conversion Kit w/26-Rd Mag, 8K174Y99 \$ 179.99**
- #080-000-557EG .22 LR Conversion Kit w/10-Rd Mag, 8K174Y99 179.99**
- #100-003-921EG .22 LR Conversion Unit only, 3B159V99 164.99**
- #080-000-548EG 26-Rd Mag for 22 LR Conversion, Smoke, 2B27A56 35.99**
- #080-000-547EG 26-Rd Mag for 22 LR Conversion, Black, 2B27A56 35.99**
- #100-003-328EG 26-Rd Mag for 22 LR Conversion, Clear, 1B27V34 35.99**
- #100-003-673EG 10-Rd Mag for 22 LR Conversion, Smoke, 1B27H56 35.99**
- #100-004-183EG 15-Rd Mag for .22 LR Conversion, Smoke, 1B25P55 32.99**
- #100-004-182EG 15-Rd Mag for .22 LR Conversion, Black, 1B25P55 32.99**

25-ROUND 9MM MAGAZINE - High-capacity UZI-type design has been specifically modified for use in 9mm AR-15 conversions. Robust, all-steel construction with metal follower and tough Parkerized finish for years of smooth, reliable service. Requires the Brownells/Rock River Lower Receiver Conversion Kit, sold separately.

SPECS: Steel, Parkerized matte dark gray finish. 25-round capacity.

- #739-000-014EG 9mm Magazine, 25-Round, 9C00ZAY. \$ 35.00**

BUTLER CREEK "LULA" MAGAZINE LOADER/UNLOADER - A must for loading Rock River's 25-round 9mm AR-15 mags! As you move the lever back and forth, loader securely grasps each round for effortless loading/unloading. Reduces wear on feed lips. Fits in your pocket.

- SPECS: Reinforced polymer, black. Fits Rock River 25-round 9mm AR-15 magazines, as well as 20-, 25-, 32- and 40-round 9mm Uzi metal magazines.**
- #593-000-045EG 9mm AR-15/UZI Mag Loader, 3E28Y53 \$ 34.95**

Courtesy of Brownells
Photographer, Matthew Peake



- A** #100-002-212EG SOG ARMORY CHARGING HANDLE See Page 24.
- B** #739-000-011EG ROCK RIVER ARMS NATIONAL MATCH TRIGGER See Page 21.
- C** #078-000-159EG **BROWNELLS** 20-ROUND MAGAZINE See Page 41.
- D** #100-002-328EG HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER See Page 5.
- E** #452-000-040EG J.P. ENTERPRISES V-TAC MODULAR HANDGUARD See Page 36.
- F** #452-000-036EG J.P. ENTERPRISES 4" TACTICAL RAIL See Page 36.
- G** #336-000-028EG GG&G BIPOD ADAPTER See Page 84.
- H** #416-005-001EG HARRIS BR-1A2 BIPOD See Page 83.
- I** #787-000-036EG SHILEN 20" SERVICE RIFLE BARREL BLANK See Page 16.
- J** #504-100-022EG OPS INC R342C MUZZLE BRAKE See Page 17.
- K** #100-002-237EG YANKEE HILL MACHINE FRONT SIGHT GAS BLOCK See Page 14.
- L** #638-000-081EG HI-VIZ FIBER OPTIC FRONT SIGHT See Page 47.
- M** #452-000-038EG J.P. ENTERPRISES 11½" RIFLE RAIL See Page 36.
- N** #892-000-043EG TRIJICON TR22-1 ACCUPOINT 2.5-10x SCOPE See Page 82.
- O** #336-000-012EG GG&G ACCUCAM OPTIC MOUNT See Page 72.
- P** #100-004-449EG FAILZERO BOLT/CARRIER GROUP See Page 9.
- Q** #274-000-019EG D.S. ARMS FLATTOP UPPER RECEIVER See Page 3.

HAHN PRECISION AR-15 9mm CONVERSION BLOCK

Reliable Feeding With A Host Of Ammo Types;
Models For Every Shooting Application



One-piece, machined aluminum block converts AR-15 lower receiver to 9mm. Compatible with all Colt-type, 9mm upper receivers, the feed ramp is cut for reliable feeding with all types of ammo, including hollow point and frangible ball. Roller retention device holds block securely in receiver, prevents accidental release. Hardened steel ejector, feed ramp and bolt hold open give long service life; last-round-hold open feature on bottom-loading model works when used with Colt magazines. Also works with modified UZI magazines but last-round-hold-open will not function. No receiver modification required. **Top-Loading** Block installs from the top of the lower receiver (no hold open feature) and **Bottom-Loading** Block installs from the bottom of the lower receiver.

loading model works when used with Colt magazines. Also works with modified UZI magazines but last-round-hold-open will not function. No receiver modification required. **Top-Loading** Block installs from the top of the lower receiver (no hold open feature) and **Bottom-Loading** Block installs from the bottom of the lower receiver.

SPECS: Aluminum, black, matte finish.

- #100-000-920EG **Top-Loading 9mm Conversion Block,**
6K140T00 \$ 175.00
- #100-000-443EG **Bottom-Loading 9mm Conversion Block,**
6K160B00 200.00

DEDICATED 9mm CONVERSION BLOCK - Designed, manufactured, and field-tested specifically for law enforcement personnel who require an AR-15/M16 dedicated to 9mm ammo using Colt and modified Uzi-type magazines. Integral "leg" hooks over the top of the lower receiver to prevent accidental fall-out during actual combat situations where reliability is paramount. Two-piece, aluminum body features extra tight, mating surfaces to minimize the collection of carbon and brass buildup; scalloped hold-actuator allows unburned powder and other debris to pass through for uninterrupted cycling. Hold actuator is wire EDM-machined from high grade, O1 tool steel and functions with the standard 5.56mm bolt hold-open, which is strong, reliable and more readily available than the 9mm version. (Last round hold-open feature functions with Colt magazines only.) Ejector is of standard, Colt configuration for easy



HAHN PRECISION AR-15/CAV-15 MAGAZINE ADAPTERS

Converts Your Lower Receiver
To Accept Sub Gun Magazines
For Olympic Arms Upper Conversions



Drop-in, magazine adapters make it fast and fool-proof to convert your AR-15 or CAV-15 lower receiver to accept unmodified, submachine gun magazines in pistol calibers. Each block is precision-machined from aluminum billet to deliver a perfect, drop-in fit and years of reliable service. Steel, magazine release features a large, serrated pad for non-slip magazine drops. **AR-15 Sten Adapter** fits any mil-spec, AR-15 lower receiver and accepts Sten magazines for use with Olympic Arms 9mm upper receiver conversions. **CAV-15 Grease Gun Adapter** allows the use of M3/M3A1 magazines with your Olympic Arms .45 ACP upper conversion. Fits only the Cavalry Arms CAV-15 MKII lower receiver and must be used with the Hahn Precision **Pistol Caliber Buffer (#100-002-513)** to prevent receiver damage. Installation of magazine adapters disables bolt hold-open operation.

AR-15 lower receiver and accepts Sten magazines for use with Olympic Arms 9mm upper receiver conversions. **CAV-15 Grease Gun Adapter** allows the use of M3/M3A1 magazines with your Olympic Arms .45 ACP upper conversion. Fits only the Cavalry Arms CAV-15 MKII lower receiver and must be used with the Hahn Precision **Pistol Caliber Buffer (#100-002-513)** to prevent receiver damage. Installation of magazine adapters disables bolt hold-open operation.

SPECS: 6061-T651 billet aluminum, Mil-A-8625 "F" Type III hard anodized, black. Approximately 3¼" (8.3cm) long x 1" (2.5cm) wide.

- #100-002-226EG **AR-15 Sten Adapter,**
6K60Y00 \$ 75.00
- #100-002-227EG **CAV-15 Grease Gun Adapter,**
6K68Y00 85.00

replacement by any department armorer. Funneled magazine well ensures smooth entry for rapid mag changes and limits rotational movement caused by variances in magazine taper. Spring-loaded roller maintains constant tension against the lower receiver well to prevent free play. Steel, feed ramp is heat-treated for extra strength and superior wear-resistance; provides consistent round delivery with most bullet types. Armorer installation recommended.

SPECS: Body - 6061-T6 billet aluminum, Mil-Spec black anodized finish. **Components** - Steel, parkerized finish. Fits all Mil-Spec AR-15/M16 receivers. Armorer installation recommended.

- #100-002-321EG **Dedicated 9mm Conversion Block,**
6K160X00 \$ 200.00

BROWNELLS/

BLACK DOG MACHINE AR-15/M16

HIGH-CAPACITY MAGAZINE FOR .22 LR CONVERSIONS

Shoot More, Reload Less; Full-Body Design Handles Like A Mil-Spec Magazine

Dependable, high-capacity magazine handles like a standard AR-15/M16 magazine and delivers up to 26 rounds of .22 LR ammunition in an AR-15 fitted with the CMMG AR-15/M16 .22 LR Conversion Kit or any Atchisson-type conversion system. Rigorously range-tested for reliable function in both semi- and full-auto rifles. Extended, anti-tilt follower acts as a bolt stop after last round is fired. Tough, impact-resistant polycarbonate shell and follower are self-lubricating, so they work with the constant-force spring to deliver smooth, uniform feeding for consistent operation. Steel hex screws securely hold the mag body halves together to ensure exceptional strength and rigidity, yet are easily removable for disassembly and cleaning. Available in transparent Smoke and Clear for easy round counting or solid Black. 26-round models are the same size as USGI 30-round AR-15 magazines. 10-round and 15-round models are the same size as a standard 20-round AR-15 magazine to meet the needs of benchrest shooters and others who prefer a shorter magazine. **Rebuild Kit** contains all the internal components needed to rebuild three (3) 26-round magazines and return them to factory specs.

SPECS: Injection-molded polycarbonate, Smoke, Clear, or solid Black depending on model. Fits AR-15/M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system. **Rebuild Kit** contains three (3) each of follower, spring, base plate, and plug for 26-round magazines only.

- #080-000-548EG 26-Rd Mag for .22 LR, Smoke, 2B27A56 \$ 35.99
- #100-003-328EG 26-Rd Mag for .22 LR, Clear, 1B27V34 35.99
- #080-000-547EG 26-Rd Mag for .22 LR, Black, 2B27A56 35.99
- #100-004-183EG 15-Rd Mag for .22 LR, Smoke, 1B25P55 32.99
- #100-004-182EG 15-Rd Mag for .22 LR, Black, 1B25P55 32.99
- #100-003-673EG 10-Rd Mag for .22 LR, Smoke, 1B27H56 35.99
- #100-004-087EG Rebuild Kit for 26-Rd Mag, 3-pak, 1B05Y56 6.99

CHRISTIE & CHRISTIE MAGAZINE LOADER - Helps you load up a lot of magazines quickly, without pinched fingers, so you spend precious range time shooting your .22 LR AR-15 conversion, not loading mags. Simple to use: slide over the magazine, push down on the follower with your finger to get it started, and begin inserting rounds, pressing down on the loader to take up spring pressure as you go. Rugged, one-piece design is molded from lightweight 50% glass-filled polymer, so it's heat-, impact-, and solvent-resistant.



Magazine not included

SPECS: Molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.

- #100-004-398EG .22 LR Magazine Loader 8A07X99 \$ 14.99

VM HY-TECH AR-15/M16

9mm MAG BLOCK ADAPTER

Use UZI Magazines In Your 9mm AR-15

Aircraft-grade aluminum adapter fits in AR-15 magazine wells and accepts UZI magazines. Requires absolutely no modifications to UZI magazine or lower receiver. CNC machining ensures close tolerances and proper fit.

SPECS: Aircraft-grade, CNC-machined aluminum, black anodized.

- #100-001-402EG 9mm Mag Block Adapter, 7A141Y89 \$ 165.99

CMMG AR-15/M16

ENHANCED 9mm BOLT/CARRIER

Lets You Keep The .223/5.56mm Hammer In Your 9mm Conversion



Complete, drop-in carrier/bolt assembly is ramped on the bottom to provide clearance for a factory .223/5.56mm hammer in your 9mm conversion. Eliminates the need to install a dedicated 9mm hammer, so the original fire control system stays intact for easier conversion back to original caliber. Precision machined from high-grade ordnance steel, the one-piece design combines bolt and carrier as a single unit to provide outstanding strength, durability, and reliability. Includes a staked-on carrier key.

SPECS: Steel, black oxide finish. Fits rifles and carbines with Rock River Arms and Colt-style 9mm blow back system.

- #100-004-363EG 9mm Bolt/Carrier 3B159V99 \$ 199.99



Kit

BUSHMASTER AR-15 BOLT & CARRIER



Machined To Mil-Spec Or Better Tolerances For Precise Fit & Smooth Cycling

Bolt and carrier assemblies provide smooth, efficient cycling and improved reliability in any AR-15 application. Precision

machined from the highest quality ordnance-grade steels to current military—or higher—tolerances, then hardened and magnetic particle inspected to ensure there are no microscopic cracks or flaws that could lead to premature failure. **Bolt** made from high-strength Carpenter 158 steel alloy is heat-treated for exceptional surface hardness to handle the battering of thousands of cycles. Includes extractor, gas rings, ejector, pins, and springs; does not include firing pin. **Carrier** of 8620 steel is chrome lined to ensure smooth bolt function and superb wear resistance for years of reliable service. Comes with chrome-lined carrier key installed. **Complete Kit** includes bolt and carrier assemblies, plus the firing pin, cam pin, and firing pin retaining pin.

SPECS: Steel, parkerized, dark gray, matte finish.

- #100-004-772EG Complete Bolt/Carrier Kit, 4L171H86 \$ 199.00
- #100-003-605EG Bolt Assembly, 9B56Z00 64.00
- #100-003-604EG Bolt Carrier, 9B92Z50 99.95



DANIEL DEFENSE AR-15/M16

COMPLETE BOLT/CARRIER GROUP

Drop-In Assembly With Strength & Durability Features For Dependable Service



Complete, mil-spec assembly with bolt, bolt carrier, and firing pin ready to drop into the rifle or carbine upper of your choice. Features a shot-peened bolt for increased surface strength and durability, and an extractor booster to ensure reliable cycling during rapid semi-auto or full-auto fire. Each assembly is magnetic particle inspection tested to ensure it's free from imperfections that can lead to premature failures. Properly staked gas key prevents gas leakage that can lead to short stroking. M16-style carrier has full-length shroud for tripping auto sear, so this carrier may be installed on full-auto law enforcement and military rifles. Carrier is chrome lined for smooth cycling and resistance to wear from hot combustion gases for years of dependable service.

SPECS: Steel, Parkerized, matte black finish. Fits mil-spec semi-auto and full-auto AR-15/M16 upper receiver chambered for .223/5.56mm.

- #100-004-634EG Complete Bolt/Carrier Group, 8K00VBX \$ 139.99



DOUBLE STAR AR-15/M16

BOLT/CARRIER ASSEMBLY

Mil-Spec Dimensions For Drop-In Fit; MPI Inspected For Soundness



Complete bolt/carrier assembly comes ready to drop in your rifle—ideal as a replacement, in a custom build, or as a backup for extra insurance during competition. Machined from high-grade 8620 carbon steel to mil-spec dimensions, with hard-chrome plated steel firing pin and chrome-lined, staked gas key for added durability. Carrier is notched for forward assist. Magnetic particle inspection (MPI) during manufacture ensures each component is solid and free of internal flaws.

SPECS: 8620 steel, Parkerized, matte black.

- #100-004-911EG Bolt/Carrier Assembly 2Z124X14 \$ 149.99

DPMS AR-15/M16 BOLT ASSEMBLY



Replaces Factory Bolt; Use For Building Custom Sporter & Varmint Rifles

Steel, Teflon-coated, to eliminate bind on bearing surfaces which can prevent reliable cycling. Mil-spec bolt assembly is machined to strict tolerances for a drop-in fit and requires no gunsmithing.

SPECS: Steel, Teflon-coated, matte black. Meets mil-spec #8448510.

- #231-000-196EG Bolt Assembly 3B50P10 \$ 62.99

DPMS

BOLT & BOLT CARRIER COMBO

Matched Set Provides Smooth, Reliable Cycling



Steel bolt and bolt carrier combos are either titanium nitride (TiN) coated or hard-chrome plated for natural lubricity, positive cycling, and less wear. Both finishes make cleaning extremely easy. Machined to military specs to ensure correct fit and functioning. These parts are function tested at the factory prior to packaging and may exhibit some light fouling.

SPECS: Carrier - Machined, heat-treated, 8620 steel. Bolt - Machined, heat-treated Carpenter 158 steel.

- #231-000-177EG Bolt & Carrier Combo, Chrome, 1C166T67 \$ 205.99
- #231-000-178EG Bolt & Carrier Combo, TiN, 1C197T11 244.99

FAILZERO AR-15

BOLT/CARRIER GROUP



Self-Lubricating Surface Treatment Provides Smooth, Reliable Function

Drop-in bolt and carrier group has a self-lubricating surface that eliminates the need to apply oil or grease that can attract dirt, dust, unburned powder, and carbon and lead to cycling failures. Proprietary EXO treatment produces an exceptionally hard surface that's 40% more wear resistant than chrome plating, with an ultra-low friction coefficient. Surface is actually harder than the substrate underneath and will not peel, flake, gall, or rub off. EXO-treated bolt/carrier groups have been tested to function reliably without additional lubrication up to 50,000 rounds. Reduced friction also means less heat generated by metal-on-metal contact, so the gun runs cooler and parts last longer. Easy to clean, too—fouling brushes right off. Before treat-

J.P. ENTERPRISES AR-15

STAINLESS STEEL BOLT CARRIER

Burnished & Hand Polished For Smooth, Reliable Operation



Custom, stainless steel bolt carrier features a 100% increase in bearing surface for smooth cycling and outstanding reliability. Includes forward assist serration and dust cover notch for tactical duty or any application requiring absolute "no-fail" operation. Expanded, exterior, bearing surfaces are hand polished and ensure precise alignment in upper receiver for less wear. Non-plated carrier bore is roller burnished for low-drag movement. Rear of carrier is designed in the AR-15, semi-auto configuration with longer, mil-spec cocking pad in the front. Five-step QPQ process produces an exceptionally hard, wear-resistant high-lubricity black finish. Comes with steel gas key installed.

SPECS: 416 stainless steel, polished, black QPQ finish. Includes steel key, 9 oz. (255g).

- #452-000-022EG Stainless Steel Bolt Carrier, 2E164B38 \$ 199.99

J.P. ENTERPRISES AR-15/M16

HIGH-PERFORMANCE BOLT ASSEMBLY



Designed For Extra-Long Service Life

Complete bolt assembly is precision machined from an ultra-strong steel alloy to last up to 10

times longer than a standard carbon steel bolt, minimizing the risk of bolt failure during a critical tactical engagement. SAE 9310 nickel-chromium-molybdenum steel alloy has a tough, ductile inner core highly resistant to stress fracturing, with a hard outer surface that resists galling and wear, to ensure a service life of up to 60,000 rounds. This is the same steel used in the transmission gears of Formula 1 racing cars, so it's ideal for handling high-impact, high-heat applications like sustained full-auto fire. Meticulously machined radiuses on all 90-degree corners on the locking lugs help distribute impact force evenly and further reduce risk of premature wear and cracking. Fully supported extractor face and precise extractor engagement further ensure smooth, reliable cycling. Developed for use with J.P.'s high performance bolt carriers (available separately), yet fully compatible with any mil-spec carrier.

SPECS: SAE 9310 steel, in-the-white. Includes extractor, gas rings, ejector, pins, and springs. Fully assembled.

- #452-000-064EG High-Performance Bolt Assembly, 2E129C73 \$ 139.99

ment, parts are shot peened for surface uniformity and magnetic particle inspected to make sure there are no hidden flaws. Gas key is hardened to USGI specs, chrome lined to resist erosion, and comes already staked to the carrier. **Complete Bolt/Carrier Group** comes fully assembled and ready to drop into any mil-spec AR-15 upper receiver. Includes bolt, bolt carrier, hammer, firing pin, extractor, cam pin, and gas key. Every kit is test fired for proper function before leaving the factory. Separately available **Carrier** comes with gas key installed and staked. **Bolt** includes extractor, ejector, and gas rings installed. Add the firing pin of your choice.

SPECS: Heat-hardened carbon steel, EXO-treated surface, silver finish. Fits mil-spec AR-15 upper receiver. Carrier does not have provision for auto sear trip.

- #100-004-449EG AR-15 Bolt/Carrier Group w/Hammer, 8B00AYT \$ 269.99
- #100-004-475EG AR-15 Bolt, 8B102V02 124.95
- #100-004-476EG AR-15 Carrier, 8B142V65 174.95

Shown camouflaged with Brownells ALUMA-HYDE® II Spray-On Finishes

Search "alumahyde" at brownells.com



AR-15/M16

BOLTS & CARRIERS

TangoDown **Aimpoint**



- A** #739-000-004EG **ROCK RIVER ARMS A-4 COLLAPSIBLE BUTTSTOCK** See Page 31.
- B** #100-003-185EG **VLTOR SASE-2 SLING ENDPLATE** See Page 55.
- C** #100-002-328EG **HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER** See Page 5.
- D** #071-000-015EG **TANGODOWN BG-16 BATTLEGRIP** See Page 38.
- E** #100-004-156EG **MAGPUL MOE TRIGGERGUARD** See Page 22.
- F** #100-003-600EG **BUSHMASTER COMPETITION TRIGGER** See Page 20.
- G** #078-000-107EG **BROWNELLS 30-ROUND MAGAZINE** See Page 41.
- H** #100-004-455EG **BOONIE PACKER STANDARD REDI-MAG** See Page 45.
- I** #080-000-325EG **BROWNELLS 6.1" RAIL COVER** See Page 36.
- J** #231-000-025EG **BROWNELLS/DPMS BL-11-M4 BARREL** See Page 15.
- K** #851-000-047EG **SMITH ENTERPRISE VORTEX FLASH ELIMINATOR** See Page 18.
- L** #100-002-413EG **DOUBLE STAR FRONT SIGHT HOUSING** See Page 11.
- M** #573-000-028EG **FALCON INDUSTRIES LOWPRO RAIL GUARD** See Page 37.
- N** #100-003-002EG **AIMPOINT COMPM4 2MOA RED DOT SIGHT** See Page 80.
- O** #430-000-503EG **HIGH STANDARD FLATTOP UPPER RECEIVER** See Page 96.
- P** #231-000-166EG **DPMS STEEL CHARGING HANDLE** See Page 24.

NEW J.P. ENTERPRISES AR-15/M16 JPBC-3 LOW-MASS BOLT CARRIER



Reduces Reciprocating Mass To Soften Recoil

Lightweight, stainless steel bolt carrier has significantly lower reciprocating mass than a standard mil-spec carrier for softer recoil impulse on competition rifles. Helps limit felt recoil to get you back on target for fast follow-up shots. Lightening cuts eliminate extra metal to reduce weight without sacrificing strength, and the forward assist serrations have been omitted for competition use. Extra-wide carrier rails have extra bearing surface to improve bolt alignment and reduce wear. Comes with carrier key installed and staked, and features a dust cover notch. For best performance and to minimize impact wear, use only in rifles with 20" or longer barrel and J.P. Low-Mass Recoil Buffer, Speed Hammer, and Reduced-Power Spring Kit, all available separately.

SPECS: 416 stainless steel, polished, black QPQ finish. Recommended for competition rifles only.

#452-000-039EG JPBC-3 Bolt Carrier 2E198X00 . \$ 219.99

LES BAER AR-15 NATIONAL MATCH BOLT CARRIER



Extra Weight Improves Reliability With Competition Loads



Machined to National Match specifications with additional surface area that improves carrier/receiver alignment

for smoother operation, more consistent bolt lockup. Features a hard chromed and fluted exterior surface that keeps more lubrication around the carrier to reduce wear and friction. Machined hammer ramp prevents damage to titanium firing pins. One ounce additional weight compared to standard carriers gives reliable cycling and feeding with heavy competition loads. Hard chromed inside surfaces provide superior gas seal. Drop-in, requires no additional fitting. **Slickside** manufactured without ejection port cover release or forward assist notches; use only in receivers with no ejection port dust cover or forward assist.
SPECS: Machined 8620 steel. Hardened to Rc 58. Includes hard chromed key.

LES BAER AR-15 BOLT/CARRIER GROUP

Complete, Mil-Spec; Ready To Drop In & Run Like Clockwork



Complete, .223/5.56mm AR-15 bolt and carrier assembly comes with all the parts, fully assembled, and ready to go. Drop it in your AR, check headspace, and you're ready to shoot. Precision-machined in Les Baer's state-of-the-art manufacturing facility from durable, high-grade 8620 nickel-chromium-molybdenum alloy steel billet. Mil-spec dimensions ensure proper fit and function in a wide variety of OEM and aftermarket upper receivers. All components, including bolt and gas key, have a uniform matte black Parkerized finish for extra strength and corrosion resistance. Interiors of the carrier and carrier key are hard-chromed for additional durability and to aid in clockwork reliability. Car-

- #939-000-001EG National Match Bolt Carrier, 4B205T37 \$ 255.99
- #939-000-002EG Slickside Bolt Carrier, 4B205T37 255.99

rier and stripped bolt also available separately. **Bolt** - Stripped bolt allows you to build up a custom, high-performance bolt to suit your exact needs by installing the firing pin, extractor, ejector, gas rings, pins, and springs of your choice. **Carrier** - Comes with gas key installed and staked.

- SPECS:** 8620 carbon steel. Parkerized, matte black finish. Fits mil-spec AR-15 upper receiver. Carrier does not have provision for auto sear trip.
- #124-000-001EG AR-15 Bolt/Carrier Group, 4B203P72 \$ 249.99
- #124-000-002EG AR-15 Bolt, only 4B32P85 39.99
- #124-000-003EG AR-15 Bolt Carrier, only, 4B94P71 109.99

SMITH ENTERPRISE AR-15/M16 MATCH BOLT CARRIER

Hard-Chromed
For Less Friction,
Easier Cycling



True, match-spec bolt carrier increases cycling efficiency for greater dependability. Machined to military specs, heat treated and hardened to Rc 58, then hard-chrome plated for a much lower friction coefficient between the upper receiver and carrier. Inside surfaces of bolt recess are polished and also hard-chromed for a better gas seal and less carbon build-up. Includes hard-chromed gas key and stainless steel screws. **SPECS:** 8620 steel, hard-chrome plated, silver color. **#851-110-015EG AR-15 Bolt Carrier 1E133Y90 . . . \$ 159.99**
#851-110-016EG M16 Bolt Carrier 1E133Y90 159.99

SMITH ENTERPRISE CHROME PLATED BOLT & PARTS



Hard-Chromed For Reduced Wear

Combine with the Smith Enterprise Match Bolt Carrier to have a long-wearing bolt carrier assembly. High-quality, mil-spec components are heat treated and hardened, then hard-chrome plated to reduce friction coefficient and make the

surface of the part almost impervious to wear. Magnetic particle inspected for flaws before leaving factory. **SPECS:** 8620 steel, hard-chrome plated, silver color. Fits AR-15 and M16 bolt carriers. **Complete Bolt** includes extractor spring & pin and ejector spring & pin; does not include carrier key or cam pin. **#851-111-000EG Complete H-C Bolt 1E87Y84 \$ 108.99**
#851-111-002EG Hard-Chromed Extractor 1E31Y54 . 40.99
#851-111-003EG Hard-Chromed Cam Pin 1E22Y39 . . 29.99

MGI MILITARY AR-15/M16 AR-15 REGULATED GASTUBE

Adjust Gas Flow For Heavy Or Light Loads

Tiny valve on top of the tube lets you adjust gas flow and bolt speed to match individual loads. Dial down to slow bolt for softer recoil impulse, close completely for single shot operation, or open up more for reliable cycling with light loads. Reduces gas port erosion, as well as wear and battering of recoil system. Helps control secondary recoil movement so rifle stays on target for quick follow-up shots. Easy to install—just like changing the factory gas tube. Includes hex wrench for operating the valve. **SPECS:** Stainless steel. Fits AR-15/M16/M4 and clones. Requires no other modification to rifle. **#741-000-001EG Rifle Gas Tube 1D40P87 \$ 59.99**
#741-000-006EG Mid-Length Gas Tube 1D41P03 59.99
#741-000-002EG Carbine Gas Tube 1D40P87 59.99

DPMS AR-15 GAS SYSTEM KIT




Critical Replacement Parts To Keep Your AR-15 Functioning

The essential parts you need to repair and maintain rifle and carbine gas systems. Ideal for emergency repairs, or use to build a new rifle. Includes gas tube, roll pin, bolt carrier key and screws, plus three gas rings. **Mid-Length Gas Tube** – Use when modifying a rifle or carbine for a mid-length gas system or for repairing an existing mid-length installation. Includes tube only. Retain rifle's existing roll pin, carrier key, screws, and gas rings. **SPECS:** Stainless steel gas tube and gas rings. Remaining parts steel, black, matte finish. **Mid-Length Gas Tube** – 11 3/4" (29.9cm) long. **#231-000-045EG Rifle Gas System Kit 1C17U04 . . . \$ 29.99**
#231-000-046EG Carbine Gas System Kit 1C17U04 . . 29.99
#231-000-244EG Mid-Length Gas Tube, only 1C11V70 14.99

M16 CLINIC AR-15/M16 PIGTAIL GASTUBE

Controls Gas Pressure To
Cure Cycling Problems



Extra-length tube lengthens the gas pressure curve to help prevent bolt bounce, short-stroke and feeding jams. Helps prevent cycling problems common to carbines and pistols. Slows bolt carrier to improve feeding reliability and reduce wear and battering. Gives softer recoil impulse, decreases cyclic rate in full-auto fire. Fits under free float tubes and handguards. **Carbine** fits all 10 inch to 16 inch barrels. **Pistol** fits 7.5 inch barrels only. **SPECS:** Stainless steel, cryo treated. **#100-000-553EG Carbine Pigtail 6K69Y20 \$ 86.50**
#100-000-554EG Pistol Pigtail 6K69Y20 86.50

FULTON ARMORY AR-15 MCFARLAND™ BOLT GAS RING



Stops Gas Leaks & Sluggish Performance

Single spiral of spring steel loops around the bolt three times and leaves no path for gas leakage. Replaces conventional three-piece "piston ring"-style sets that can accidentally line up, causing a major leak from the gas expansion chamber in the carrier. **SPECS:** Polished spring steel. **#100-001-257EG McFarland Gas Ring 3K03T26 \$ 3.99**

A.R.M.S. AR-15/M16 #41-B SILHOUETTE SIGHT

Folds Down When Not Needed



Sight tower folds neatly out of the way when not needed, deploys fast when do. To fold, press straight down on top of the diagonal rear support to release the lock while pulling back on the sight tower. A2-type sight post is the same height as factory post, so it works with any factory height rear sight. Easy to install; dual clamping rings fit standard .750" diameter barrels, and hex-head bolts (hex wrench included) provide plenty of clamping force. Base/gas block of rugged, precision machined steel provides exceptional strength and resistance to erosion by hot gases. Includes bayonet lug, and rear clamping ring drilled to accept sling swivel pin. Aluminum sight post minimizes weight while still providing plenty of strength. Uniform, black finish. **SPECS:** Steel and aluminum, matte black finish. Fits barrels that are .750" O.D. at the gas port. **#100-003-742EG #41-B Folding Sight 3A00CHD . . . \$ 163.99**

For more choices of A.R.M.S. SIGHTS
visit brownells.com

BADGER ORDNANCE AR-15/M16 ULTRA LOW PROFILE GAS BLOCK



Provides Maximum Clearance

Provides maximum clearance for optics and free-float handguards. Low profile reduces forward weight and improves your rifle's appearance. Set screws, gas tube mounting pin, and installation instructions included. **Parkerized Gas Block** is an exact copy of the gas manifold on the Mk12 Mod 1 Special Purpose Rifle used by the U.S. Army and Navy. Made from 4140 ordnance steel with a tough, wear-resistant Parkerized finish and fits barrels with .750" O.D. **Stainless Gas Block** is made from 416 stainless steel and has the same appearance as the Mk12 Mod 1 gas manifold, and fits barrels with .875" O.D. **SPECS:** Parkerized – 4140 steel, matte black. 1" (25.4mm) long, 7/8" (22.2mm) wide, 1 1/16" (36.5cm) high. Fits .750" (19mm) O.D. barrels. **Stainless** – 416 stainless steel, natural finish. 1" (25.4mm) long, 1" wide, 1 1/16". Fits .875" (22.2mm) O.D. barrels. **#093-000-026EG Parkerized Gas Block 3K53T73 . . \$ 65.00**
#093-000-027EG Stainless Steel Gas Block 3K59T07 . 69.00



BROWNELLS AR-15/M16 LOW-PROFILE GAS BLOCK

Lightweight, Minimal Profile
To Fit Under Tactical Handguards
& Free-Float Tubes



Low-profile gas block fits under just about any extended handguard while ensuring proper gas flow to keep your rifle cycling reliably. Precision machined from lightweight, yet tough 6061 T6 aluminum, so it weighs less and won't add unwanted forward weight to rifles equipped with handguard-mounted accessories. Slide over the barrel and anchor in position by tightening the three, flush-mounted steel hex screws on the underside to ensure it won't shift even under sustained full-auto fire. For installations where the gas block is exposed, rounded edges give a "melted" profile that won't snag on foliage or other gear. Hardcoat anodized for additional strength and resistance to surface wear; matte black finish blends with most factory gun finishes. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Includes (3) hex-head screws and instructions. **.750" O.D. Barrel** - 1.25" (3.2cm) long, 1.35" (3.4cm) overall height, .95" (2.4cm) outside width. .8 oz. (23g) weight. Fits barrel with .750" O.D. at gas port. **.936" O.D. Barrel** - 1.25" (3.2cm) long, 1.5" (3.8cm) overall height, 1.15" (2.9cm) outside width. 1 oz. (28g) weight. Fits barrel with .936" (2.38cm) O.D. at gas port. **#080-000-528EG Gas Block, .750" Barrel 8K25D00 . . \$ 34.99**
#080-000-700EG Gas Block, .936" Barrel 8K25B96 . . 34.99

BROWNELLS AR-15/M16 MODULAR GAS BLOCK



Unique, Modular Design
For Ultimate Customization



Easy-to-install gas block features an integral fixed rail and a modular design that allows fast installation and removal of up to three, additional Picatinny rails for mounting lasers, lights, night vision optics, back-up sights, and a variety of other tactical accessories. Side and bottom rails attach easily with two screws, so you can configure the unit for each mission's requirements. Precision-machined from rugged, 6061 billet aluminum for superior strength without weighing down your weapon. Mounts securely to barrel with three, hardened steel setscrews. **SPECS:** Aluminum, matte black, hardcoat anodized finish. Fits standard .750" (19mm) dia. barrels. **Gas Block** - 1 1/8" (4.8cm) long, 1" (2.5cm) wide, 1 7/8" (3.6cm) high. **Gas Block Kit** - Includes modular gas block with three add-on rails. 1 1/8" long, 2 1/4" (5.3cm) wide, 2" (5.0cm) tall. **#080-000-382EG Modular Gas Block, only 8K29H06 \$ 33.99**
#080-000-383EG Modular Gas Block Rail, 1 each, 8K10H98 13.99
#080-000-384EG Modular Gas Block Kit 8K44H62 . . 54.99
BAYONET LUG - Bolts directly to Modular Gas Block to allow installation of a mil-spec bayonet or lug-mounted bipod on your AR-15. Installs and removes easily with an Allen wrench so you can configure your rifle's accessory package at any time to fit mission requirements. Precision machined from 4140 steel for optimal strength and rigidity. Includes mounting screws. Modular Gas Block not included. **SPECS:** Steel, matte black Parkerized finish. 2 3/16" (5.9cm) long, 1/2" (1.3cm) wide, 2 1/16" (8.3mm) tall. Allen wrench not included. **#080-000-439EG Modular Gas Block Lug 8K09B99 . \$ 14.47**

Shop
gas block
brownells.com
Search

DPMS AR-15 4 RAIL GAS BLOCK

Versatile Platform For Sighting
& Lighting Accessories



Four Picatinny rails allow you to mount the right accessories for the task at hand. Lets you attach an iron sight, laser, night vision device and flashlight, all at the same time. Accepts Picatinny or Weaver-style rings. Attaches with dual set screws. Models for standard, .750" diameter barrels and .936" diameter, heavy, match barrels. **SPECS:** Aluminum, black, anodized, matte finish. 1 3/4" (4.5cm) long, 1 1/2" (3.5cm) wide, .750" (19mm) or .936" (23.8mm) I.D. **#231-000-197EG .750" 4 Rail Gas Block 3B26P22 . . . \$ 39.99**
#231-015-026EG .936" 4 Rail Gas Block 3B26U42 . . . 39.99

DOUBLE STAR AR-15/M16 ACCESSORY RAIL GAS BLOCKS



Secure Forward Accessory
Mounting With Minimal
Weight & Bulk;
2- & 4-Rail Models

Lightweight aluminum gas blocks with integral MIL-STD 1913 Picatinny rails expand your AR's accessory mounting options without adding excess weight or bulk. Lets you mount a backup iron sight, weaponlight, laser sight, folding bipod, vertical grip, and other tactical accessories. Both models fit barrels with .750" O.D. at gas port. **2-Rail** - Two-piece, clamp-on design with top and bottom rails doesn't require removal of flash hider to install or remove. Clamps securely in place with four hex-head cap screws for a rock-solid installation that won't shift under recoil. Circular cutouts in the sides reduce weight without compromising strength. **4-Rail** - Innovative, slim-line design adds side rails, yet is only .05" wider than the 2-Rail model and actually weighs less. Solid, one-piece construction with cutouts to eliminate unnecessary metal. Slides over barrel and anchors in place with three recessed hex-head screws for a tight friction fit. Installation requires removal and re-installation of muzzle attachment and front sight housing. **SPECS:** Aluminum, hardcoat anodized. Fits barrels with .750" O.D. **2-Rail** - Matte black finish. 1 7/8" (4.8cm) long, 1.2" (3cm) wide, 1 3/4" (4.5cm) high. 2.6 oz. (74g) wt. **4-Rail** - Satin black PTFE-impregnated finish. 1 7/8" long, 1 1/4" (3.2cm) wide, 1 3/4" high. 2.2 oz. (63g) wt. **#100-004-516EG 2-Rail Gas Block 2Z56V92 \$ 61.99**
#100-004-517EG 4-Rail Gas Block 2Z56V92 61.99


DOUBLE STAR AR-15 FRONT SIGHT HOUSING

Forged Steel Replacement
With Integral Bayonet Lug



High-quality replacement for factory front sight housing includes bayonet lug, so you can upgrade a rifle manufactured during the now-expired Assault Weapons Ban to authentic military appearance. Forged from C1137 steel, then heat-treated for superior strength before final machining to military specifications. Ready to accept an A1- or A2-type front sight post, spring, and detent of your choice. Hole for sling swivel rivet is predrilled. Holes must be drilled for setscrews or taper pins for precise fit to your gun. Matte black finish matches standard mil-spec finish. **HBAR** fits both M16A2 and M4 contour heavy barrels currently used by the U.S. Military. **A1** fits lightweight M16A1 contour barrel only. **SPECS:** Forged C1137 steel, matte black Parkerized finish. Height from top of barrel to top of sight housing without blade installed - 1.9" (4.8cm). **HBAR** - Fits .750" (19.1mm) OD M16A2 and M4 contour barrels. **A1** - Fits .625" (15.9mm) OD M16A1 contour barrels only. **#100-002-413EG HBAR-Type AR-15 Front Sight Housing, 2Z23T83 \$ 32.45**
#100-002-414EG A1-Type AR-15 Front Sight Housing, 2Z27T50 37.44

Courtesy of Brownells
E-Commerce Manager, Clayton Whipple



BROWNELLS



- A** #100-002-946EG **MAGPUL MIL-SPEC CTR BUTTSTOCK** See Page 29.
- B** #080-000-555EG **BROWNELLS MIL-SPEC STOCK COMPLETION KIT** See Page 28.
- C** #100-003-220EG **HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER** See Page 5.
- D** #408-150-000EG **HOGUE OVERMOLDED PISTOL GRIP** See Page 38.
- E** #100-002-198EG **MAGPUL ENHANCED TRIGGERGUARD** See Page 22.
- F** #078-000-107EG **BROWNELLS 30-ROUND MAGAZINE** See Page 41.
- G** #100-003-226EG **GRIP POD SYSTEMS GPS-02 GRIP POD** See Page 40.
- H** #100-002-986EG **DANIEL DEFENSE PAK OFFSET FLASHLIGHT MOUNT** See Page 69.
- I** #100-002-408EG **SOG ARMORY MINI WEAPON LASER** See Page 77.
- J** #851-000-047EG **SMITH ENTERPRISE VORTEX FLASH ELIMINATOR** See Page 18.
- K** #080-000-384EG **BROWNELLS MODULAR GAS BLOCK KIT** See Page 11.
- L** #080-000-521EG **BROWNELLS FLIP-UP TACTICAL FRONT SIGHT** See Page 49.
- M** #100-003-318EG **SPIKES TACTICAL FREE-FLOAT HANDGUARD** See Page 35.
- N** #100-001-738EG **EOTECH 512 HOLOGRAPHIC SIGHT** See Page 79.
- O** #336-000-007EG **GG&G EOTECH LENS COVER MODULE** See Page 79.
- P** #231-000-172EG **DPMS FLATTOP UPPER RECEIVER w/16" BARREL** See Page 2.
- Q** #100-002-094EG **YANKEE HILL MACHINE REAR BACKUP FLIP SIGHT** See Page 51.
- R** #553-000-006EG **M & A AMBIDEXTROUS TACTICAL LATCH** See Page 24.

DOUBLE STAR AR-15/M16 PICATINNY RAIL GAS BLOCK



Ensures Reliable Gas Flow; Models For
Three Popular Barrel Diameters

Compact gas block clamps securely to barrel with a unique three-point attachment system to provide a solid accessory mounting platform and ensure proper gas system alignment for reliable cycling. Precision machined from high-grade 6061 T6 aluminum for an ideal combination of strength and low weight, with an integral MIL-STD 1913 Picatinny rail on the topside. Anchors to the barrel with a pair of hex-head setscrews on the underside, plus a third screw on top to ensure a superior gas seal and resist unwanted movement that can impair gas system function. Streamlined design has clean, good-looking, angular lines with all exposed edges radiused to eliminate sharpness. Mil-spec hardcoat anodized for superior surface strength and wear resistance with an even, matte black finish that matches most manganese phosphate Parkerized barrel finishes. Models available to fit three common barrel outside diameters: hard-to-find **.625"** for A1 barrels, **.750"** for H-Bar and similar-style barrels, and **.937"** for bull barrels.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. All models 1.875" (cm) long. Rail heights are measured from top of barrel to top of rail. **.625"** - 1" (2.5cm) wide, 1.5" (3.8cm) overall height, .600" (1.5cm) rail height, 3 oz. (84g) wt. **.750"** - 1" wide, 1.5" overall height, .545" (13.8cm) rail height, 2.6 oz. (73g) wt. **.937"** - 1.25" (3.2cm) wide, 1.625" (4.1cm) overall height, .445" (11.3cm) rail height, 2.5 oz. (71g) wt.

#100-004-537EG .625" Picatinny Gas Block 2Z22X87 . \$29.99
#100-004-536EG .750" Picatinny Gas Block 2Z22X87 . \$29.99
#100-004-535EG .937" Picatinny Gas Block 2Z22X87 . \$29.99

DOUBLE STAR .625" GAS BLOCK



It worked perfectly on my pencil barrel. Why didnt someone make this long ago?

- By Howie from the valley, CT

NEW ^{size} MIDWEST INDUSTRIES AR-15/M16 STEEL GAS BLOCKS

One-Piece Design & Tough Steel Construction

LOW PROFILE - One-piece, low profile, steel gas block fits under most free-float handguards for a clean, uncluttered look. Models available to fit .750" or .936" O.D. barrels. Locks securely to barrel with three steel setscrews.

SPECS: 4140 billet steel, manganese Parkerized finish, matte black. **.750"** - 1 3/4" (4.4cm) long, 1 3/8" (3.4cm) high, 3.6 oz. (102g) weight. **.936"** - 1 13/16" (4.6cm) long, 1 1/2" (3.8cm) high, 3.6 oz. weight.

#100-002-854EG .750" Low Profile Gas Block, 2A35D00 \$45.00
#100-004-908EG .936" Low Profile Gas Block, 2A37V24 \$39.99

PICATINNY RAIL GAS BLOCK - Steel gas block with integral Picatinny rail has extra height that lets you mount a flip up or co-witness front sight on the same plane as the receiver rail of your flattop AR-15/M16. Add a Picatinny rail handguard to have a continuous rail extending from the receiver to the gas block for superb accessory mounting flexibility. Precision machined from tough 4140 billet steel to stand up to tens of thousands of rounds without eroding. Fits .750" O.D. barrels, and locks securely to barrel with three setscrews.

SPECS: 4140 steel, dark gray Parkerized finish, 1 13/16" (4.6cm) long, 1 13/16" high. Fits .750" O.D. barrels, 6.2 oz. (175g) weight.
#100-003-073EG Steel Picatinny Rail Gas Block, 2A55V25 \$69.99

MIDWEST INDUSTRIES LOW PROFILE GAS BLOCK



Installation was a snap! And it works like a champ! Strong construction and perfect fit to M4 contour barrel.

- By Dave from Poquoson, VA

EGW AR-15/M16 CLAMP-ON GAS BLOCK

Low Profile Provides Clearance
For Optics & Free-Float Tubes

Machined aluminum gas block properly directs gas and won't interfere with optics, accessories, or free-float tubes. Installs easily with hex screws. Gives your gun a sharp, clean look.

SPECS: Aluminum, anodized, black, matte finish. 1½" (3.8cm) long, .875" (22.2mm) I.D.

#296-000-079EG .875" Clamp-On Gas Block, 6B40A00 \$ 50.00



G.B. SYSTEMS AR-15/M16 GAS MANIFOLD

Fits Match Diameter Barrels



Lightweight, machined aluminum, replaces front sight bridge on flattop rifles equipped with large diameter match barrels. Permits use of free float

tubes and match sights or scopes. Attaches to barrel with two set screws.

SPECS: Aluminum, black, matte finish. 1.9" (4.8cm) long. Fits barrels .750" (19mm) or .940" (23.8mm) diameter.

#100-000-041EG .750" Gas Block 1K29H95 \$ 39.95
#100-000-042EG .940" Gas Block 1K29H95 \$ 39.95

J.P. ENTERPRISES AR-15/M16 ADJUSTABLE GAS BLOCK

Pressure Adjustable For Smooth Cycling

Replaces the factory front sight/gas block and allows you to tune the gas system for smoother cycling and operation. Especially critical on match and varmint rifles when shooting both factory and custom-loaded ammunition. Simple setscrews let you control the gas flow, so you can customize the setting for each load. Hex head set screws clamp the block securely to the barrel. Installation instructions included. **Standard** model features a topside Picatinny rail for mounting flip-up front sights and other accessories. Available in lightweight aluminum or stainless steel for additional muzzle weight. Fits barrels with .750" O.D. at gas block. **Heavy** - Aluminum, with rail, fits heavy barrels with .936" O.D. **Low Profile** model fits under handguard on .750" barrels. Rugged, all-steel construction resists gas erosion and helps maintain rifle's weight distribution. **A2-Style** - Retains the classic sight tower look of military rifles and carbines. Two side-mount hex head screws clamp the block securely to barrels with .750" O.D. at the gas block position. Rugged, stainless steel construction resists gas erosion and helps maintain rifle's weight distribution. Hard, abrasion-resistant black oxide finish.

SPECS: **Standard** - Aluminum, hard anodized, matte black, or stainless steel, natural finish. 1½" (4.7cm) long, ¾" (19mm) wide, .750" (19mm) I.D. **Heavy** - Aluminum, hard anodized, matte black. 1½" long, 1¼" (3.2cm) wide, .936" (23.7mm) I.D. **Low Profile** - Carbon steel, matte black. 1½" long, 1" (2.5cm) wide, .750" I.D. **A2-Style** - 416 stainless steel, matte black oxide finish. 1½" long, ¾" (2.2cm) wide, 3⅝" (8.6cm) high, .750" I.D.

#452-015-110EG Standard Gas Block, Aluminum, 2E56A38 \$ 69.99

#452-000-023EG Standard Gas Block, Stainless, 2E64B86 \$ 79.99

#452-015-111EG Heavy Gas Block 2E67A20 \$ 79.99

#452-000-050EG Low-Profile Gas Block, 2E56X76 \$ 69.99

#452-000-065EG A2-Style Gas Block, 2E105C88 \$ 119.99



Standard



Low Profile



A2-style

TROY INDUSTRIES AR-15/M16 LOW-PROFILE GAS BLOCK

Won't Interfere With
Extended-Length Tactical Forearms

Minimal-profile replacement for factory front sight/gas block won't interfere with extended-length tactical forearms, while ensuring proper function of gas system for reliable cycling. Protrudes only .420" above barrel, covers less than 1" of barrel length, and adds only 1.4 oz. of weight. Compatible with M4-style carbines and M16A2/A3/A4-style rifles with any length, .750" O.D. barrel. Two steel setscrews keep the block securely anchored to the barrel to prevent shifting even under the force of full-auto recoil. Black oxide finish matches most factory barrel finishes.

SPECS: Carbon steel, oxide finish, matte black. .950" (24mm) long, 1.375" (3.5cm) overall height, 1.4 oz. (41g) weight. Fits AR-15/M16 with .750" O.D. barrel at gas block mounting position. Includes hex-head setscrews.

#100-004-062EG Low-Profile Gas Block 3B45X00 . . . \$ 49.99



VLTOR AR-15/M16 LOW-PROFILE GAS BLOCK

Clamp-On One-Piece Design Fits Under
Free-Float Handguards



Clamp-on replacement for cumbersome USGI front sight/gas block tower features a low profile for a more streamlined appearance and less chance of snagging on vegetation and other gear. Covers only 1" of barrel length and reduces weapon's forward weight for improved handling and maneuverability. Machined from high-grade 4140 carbon steel to precise tolerances to fit on barrels with a .750" O.D. at gas block mounting position. Hard, manganese phosphate Parkerized finish adds strength and resists surface abrasion; matches most factory barrels. Will not fit under small diameter freefloat handguards or some models with an exposed bottom rail channel on the inside of the handguard.

SPECS: 4140 carbon steel, Parkerized, matte black. Includes hex-head mounting bolts and gas tube pin. Fits AR-15/M16 with .750" O.D. barrel at gas block position. Will not fit under small diameter freefloat tubes or those with an exposed bottom rail channel on the inside of the handguard such as the VLTOR VIS and models manufactured by Daniel Defense and LaRue Tactical.

#100-003-996EG Low-Profile Gas Block 3A54P99 . . . \$ 69.99

VULCAN ARMS AR-15/M16 GAS BLOCK

Picatinny Rails On Three Sides
Hard-Coat Anodized Per Mil Spec 8625

Machined, aircraft-grade, aluminum, gas block with picatinny rails attaches easily and lets you mount accessories to three sides. Grit blasted for a durable matte finish and hard-coat anodized as per mil spec 8625.

SPECS: Aircraft-grade aluminum. Black, matte, anodized finish. Fits barrels with .750" (19mm) diameter.

#997-000-002EG Gas Block 7Z38V89 \$ 44.99



MIDWEST INDUSTRIES AR-15/M16/AR-10® FOLDING FRONT SIGHT TOWER

Flip-Up Tower Provides Instant Sight Backup

Low-profile, steel gas block with integral aluminum flip-up front sight adds minimal weight and bulk to your rifle. Easy bolt-on design for simple installation; three hardened steel hex-head bolts clamp gas block to barrel. Dual ball-and-detent system locks sight tower securely in folded and deployed positions. Standard A2 front sight post adjusts for elevation. Gas block/base with bayonet lug is precision machined from 4140 steel, with manganese phosphate parkerized finish for added strength and wear resistance. Sight tower is machined from 6061 T6 aluminum and hardcoat anodized. MI-FST fits AR-15/M16 with .750"



Item

VLTOR AR-15/M16 VST-1C SIGHT TOWER

Built Like A Tank To Withstand
The Rigors Of Battle

Vltor Sight Tower (VST) is precision machined from solid tool steel to provide reliable function of the gas system and the option for emergency back-up sight deployment during battle conditions. Dual clamping rings fit standard diameter barrels and can withstand up to 100 ft-lbs of rotational torque without failure. Large, hex head clamping screws can be staked after installation for added security. Short, Picatinny rail on top of the gas block is the same height as a standard M4 flattop rail and allows mounting of small tactical accessories when sight is in the folded position. Stainless steel insert accepts right- or left-side attachment of QD push-button sling loops. To avoid damage, the front sight tower is non-locking and uses spring-loaded plungers and detents for automatic disengagement if struck during combat. AK-style, front sight post is easy-to-adjust with the included sight tool.

SPECS: Steel, magnesium phosphate finish, matte black. 2" (5cm) long, 5.4 oz. (153g) wt. Includes AK-style front sight adjustment tool. Fits .750" (1.9cm) diameter barrels.

#100-003-221EG VST-1C Sight Tower 3A190Y05 . . \$ 225.00



WILSON COMBAT AR-15/M16 FLIP-UP FRONT SIGHT

Tactical Back-Up Sight
For Optic-Equipped Rifles

Rugged, all steel, flip-up front sight (FUFS) provides dependable backup in the event your primary optical sight fails. Designed from the ground up to be exceptionally robust, accurate, and reliable, the perfect match for Wilson's Flip-Up Rear Sights (FURS). Pushbutton-activated mechanism deploys instantly for immediate use, so you can adapt to quick changes in fluid tactical situations. Minimal profile and weight; folds down out of the line of vision when you don't need it. Spring-loaded, detent locks positively in the up or down position to further guard against unintentional raising or lowering of sight. Precision-machined from ordnance-grade steel, with a protective "fence" machined into the side of the sight post to shield the button from damage or accidental activation. Two, massive, side posts protect the elevation-adjustable A2-style sight post from damage. All edges are radiused to resist snagging. Replaces factory gas block and front sight on .750" O.D. barrels. Clamps to barrel with two hidden setscrews on underside.

SPECS: Steel, black, matte finish. 2.25" (5.72cm) long, 2.26" (5.74cm) deployed height from top of barrel to top of post, .825" (2.1cm) folded height. Fits .750" O.D. barrels. Muzzle accessories must be removed to allow installation.

#965-000-072EG Wilson Combat FUFS 5F125U96 . \$ 146.99

**NEED IT NOW?!
ASK FOR OVERNIGHT DELIVERY!**

O.D. barrel. Deployed height is the same as F-marked USGI front sights; regulated for rifle or carbine with 16" barrel. **MI-AR10-FST** fits ArmaLite® AR-10® rifles with 16" and 20" barrels with .750" O.D. at gas port. Tower is correct height to regulate with readily available, standard AR-15 rear backup sights.

SPECS: Base - 4140 steel, Parkerized, dark gray finish. **Sight Tower** - 6061 T6 aluminum, hardcoat anodized, matte black. **MI-FST** - 2⅜" (5.6cm) overall length, ⅞" (2.2cm) wide, 3⅝" (9.2cm) high with sight tower extended, 2⅜" (6.2cm) high with tower folded, 5.3 oz. (151g) wt. Fits barrels with .750" O.D. at gas block position. **MI-AR10-FST** - 1⅜" (4.6cm) overall length, 3¾" (9.8cm) high with sight tower extended, 2½" (6.3cm) high with tower folded, ⅞" (2.2cm) wide, 5.8 oz. (164g) wt. Fits barrels with .750" O.D. at gas port.

#100-003-433EG MI-FST Sight Tower 2A134X95 . . \$ 159.95
#100-004-036EG MI-AR10-FST Sight Tower, 2A139V95 \$ 169.95

YOUNG MANUFACTURING AR-15/M16 FRONT SIGHT GAS BLOCK

Provides Instant Back-Up Sight When You Need It

Flip-up front sight deploys instantly when you need it, folds down when you don't. Down position allows unobstructed sight path when using optics. Detent, front post elevation adjustment. Protective ears guard against damage. Gas block locks onto standard diameter barrels with three set screws; includes single, Weaver-style rail for mounting flashlight or other small tactical accessories.

SPECS: Aluminum, black anodized. 3" (7.6cm) long, 1" (2.5 cm) wide. Sight Ramp: 2½" (6.4cm) high when raised. Fits .750" (1.9cm) standard barrels. Weight - 3.6 oz (102 g). Requires AR-15 type front sight blade spring and plunger, not included.

#939-000-004EG Front Sight Gas Block 9C82T04 . . . \$ 97.99



YANKEE HILL MACHINE AR-15/M16 GAS BLOCK

Picatinny Or Low
Profile Options To Fit
Your Application



Single-Rail

Specter

4-Rail

Low Profile

2-Rail

Five, fully functional, steel gas block designs provide much needed rail space or help you add long handguards to short-barreled rifles. Machined from bar stock for

extra strength and rigidity, then mil-spec Parkerized for exceptional wear- and corrosion-resistance. One-piece, **4-Rail** model features top/bottom and side rails that accept Weaver or Picatinny mounted, tactical accessories, including the Yankee Hill Gas Block Front Flip Sight. Secures to barrel with included setscrews. **Low Profile** version is a low and narrow, one-piece block designed to fit inside most free-float handguards; allows use of rifle length forearms on carbine length barrels for a clean, streamlined look and added gripping surface. Secures to barrel with included setscrews. **2-Rail** gas block is an easy-to-install, two-piece unit that clamps around the barrel using four hex screws; includes machined top and bottom Picatinny rails only. **Single-Rail** gas block adds a top-side Picatinny rail for mounting accessories, and provides a bayonet lug and sling mount like a mil-spec front sight housing. Two-piece design clamps your rifle's standard contour, .750" diameter barrel with four, cap screws—no need to remove muzzle brake or flash suppressor to install. Bayonet lug accepts a mil-spec bayonet or lug-mounted bipod, and pivoting, rubber-coated sling swivel accepts tactical slings up to 1¼" wide. **Specter** model provides plenty of clearance to mount a free-float forearm that extends over the gas block, including Yankee Hill Specter handguards. Fits under any forearm with an inside diameter of 1⅝" or greater. Easy to install two-piece design eliminates the need to remove a pinned or welded-on flash hider or muzzle brake. Clamps securely to barrel with four, hardened steel, hex-head cap screws.

SPECS: Steel, mil-spec phosphate finish. Fit standard, .750" diameter barrels. **4-Rail** - 1⅝" (4.8cm) long, 1¼" (3.2cm) wide, 1¼" (4.4cm) high, 5.7 oz. (162 g) wt. **2-Rail** - 1¾" long, 1¼" wide, 1¼" high, 5.4 oz. (153 g) wt. **Single-Rail** - 1⅝" (4.8cm) long, 1⅜" (3cm) wide, 1¾" (4.5cm) high, 5.5 oz. (155g) weight. **Low Profile** - 1⅝" long, 1" (2.5cm) wide, 1⅜" (3.3cm) high, 4.4 oz. (125 g) wt. **Specter** - 1⅝" (4.7cm) long, 1½" (3.8cm) wide, 4.4 oz. (125 g) weight. Fits barrel with .750" O.D. at gas port.

#100-002-074EG 4-Rail Gas Block 9A60T05 \$ 80.00
#100-002-075EG Low Profile Gas Block, 9A49T46 . . . \$ 64.00
#100-002-076EG 2-Rail Gas Block 9A50T75 \$ 72.00
#100-003-172EG Single-Rail Gas Block w/Lug & Swivel, 9A52H78 \$ 76.99
#100-004-501EG Specter Gas Block 9A32V78 \$ 39.99



- A** #100-003-187EG VLTOR MIL-SPEC ENHANCED MODSTOCK COMBO KIT *See Page 31.*
- B** #100-003-643EG MAGPUL MIAD BASIC MODULAR GRIP KIT *See Page 38.*
- C** #100-002-198EG MAGPUL ENHANCED TRIGGERGUARD *See Page 22.*
- D** #078-000-159EG **BROWNELLS** 20-ROUND MAGAZINE *See Page 41.*
- E** #231-000-113EG DPMS FORGED LOWER RECEIVER *See Page 5.*
- F** #100-004-310EG YANKEE HILL MACHINE FREE FLOAT HANDGUARD *See Page 35.*
- G** #100-002-072EG YANKEE HILL MACHINE BIPOD ADAPTER *See Page 84.*
- H** #416-005-100EG HARRIS S-BRM BIPOD *See Page 83.*
- I** #100-004-607EG PRIMARY WEAPONS FLASH SUPPRESSING COMP *See Page 18.*
- J** #231-000-022EG **BROWNELLS/DPMS** BL-10 20" BARREL *See Page 15.*
- K** #100-002-077EG YANKEE HILL MACHINE FRONT SIGHT GAS BLOCK *See Page 14.*
- L** #526-000-064EG LEUPOLD MARK 4® LONG RANGE TACTICAL SCOPE *See Page 82.*
- M** #526-520-830EG LEUPOLD MARK 4® STEEL TACTICAL RINGS *See Page 76.*
- N** #160-302-053EG COLT FLATTOP UPPER RECEIVER *See Page 1.*

**YANKEE HILL MACHINE AR-15/M16
CLAMP-ON FRONT SIGHT GAS BLOCK**



Immediate Response Sighting For Tactical Emergencies

Multi-purpose front sight works as a fully functional gas block, plus delivers

lifesaving backup when primary optics fail or become hindered by low light or poor weather conditions. Machined, steel body features a spring-loaded pushbutton that locks sight in the deployed position. When not in use, simply depress the button and fold down for an unobstructed view through your optics. Protective ears guard the sight post from blows incurred during duty. Split, barrel clamp design allows easy mounting to standard contour barrels without removal of flash hiders or muzzle brakes. Hex cap screws pull clamping halves tight to barrel for complete sight immobilization when properly tightened. Durable, mil-spec, phosphate finish resists rust and corrosion. **YHM-9394** includes bayonet lug and pivoting sling swivel that accepts tactical slings up to 1 1/4" wide. Rubber coating prevents swivel from rattling and giving away your position while on patrol. **YHM-9395** has sling swivel, no bayonet lug. **YHM-9835A** has Picatinny-style under-rail that accepts lights, lasers, and other forward-mounted accessories. No sling swivel. **USA**

- SPECS:** Steel, phosphate-coated finish, dark gray. 1 7/8" (4.8cm) long, 1 3/16" (3cm) wide. Sight Post - 2 1/4" (5.7cm) high when raised. Fits standard, .750" diameter barrels. **YHM-9394** - 6 oz. (170g) weight. **YHM-9395** - 5.5 oz. (156g) wt. **YHM-9835A** - 7.7 oz. (219 g) wt.
- #100-002-237EG **YHM-9394** Gas Block, w/lug, 9A65T36 \$ 91.99
 - #100-002-077EG **YHM-9395** Gas Block, no lug, 9A65T36 91.99
 - #100-003-174EG **YHM-9835A** Gas Block, w/Rail, 9A83H10 118.99



**ADAMS ARMS AR-15/M16
GAS PISTON CONVERSION KIT**



Makes Rifle Run Cooler & Cleaner With Less Recoil

Kit has everything you need to replace the standard gas system in your

AR-15 and convert it to a reliable, positive-cycling, gas piston system. Eliminates venting of hot gases and burned powder into the bolt carrier and receiver, meaning less fouling and wear on the action, smoother feeding, easier maintenance, and a cooler-running gun. Short-stroke piston shaft eliminates concussive gas expansion in the upper receiver for less violent cycling and reduced felt recoil. Easy to adjust for three levels of gas release: normal fire, firing with a suppressor attached, or a single round fired without cycling. Picatinny rail on the gas block provides mounting space for a variety of front sights. Installation requires removal of original gas block, with no permanent alterations to barrel or upper receiver. Remove the piston system at any time and reinstall the original parts. Replacement handguard provides extra internal clearance for piston rod and has internal shield to protect your hand from heat buildup during sustained fire. Separate models for three popular gas system lengths: **Carbine, Mid-Length, and Rifle.** **USA**

- SPECS:** Gas Block, Piston Tube, Bolt Carrier, Handguard Retainer Cap - Steel, black oxide finish. Piston - Stainless steel. Handguard - Reinforced polymer composite, black. Kit contains piston assembly, gas block, one-piece bolt carrier, handguard, handguard retainer, and installation instructions. Fits rifles with .750" O.D. barrel at gas port. Gunsmith installation recommended.
- #100-004-907EG **Gas Piston Conversion Kit, Carbine,** 4Z298V57 \$ 379.99
 - #100-004-922EG **Gas Piston Conversion Kit, Mid-Length,** 4Z298C57 379.99
 - #100-004-923EG **Gas Piston Conversion Kit, Rifle,** 4Z298C57 379.99

**CMMG AR-15/M16
GAS PISTON CONVERSION KIT**

Makes Rifle Run Cooler, Cleaner, Smoother For Improved Function, Reduced Recoil & Less Frequent Cleaning



Drop-in conversion kit replaces the standard gas system on an AR-15/M16/M4 carbine with a reliable, positive cycling direct impingement gas piston system. Updates AR to the type of operating system used on advanced weapons like the FN SCAR, Heckler & Koch G36, and HK416, as well as the highly reliable, classic FAL and AK-series rifles. Makes weapon run cooler, smoother, and more reliably, with less wear and easier maintenance. Because the gas no longer vents inside the receiver, fouling and carbon buildup are greatly reduced, requiring less frequent disassembly of the receiver for cleaning. Less fouling and lower operating temperatures mean substantially reduced wear on bolt, carrier, and receiver interior for fewer malfunctions caused by worn parts. Piston's cushioning effect reduces felt recoil to help you stay on target for better control during rapid fire and fast, accurate follow-up shots. "Straight-line" design of the replacement gas block further ensures reliable operation by venting gas pressure directly on the operating rod. Rod transmits the force directly to a lug on the top side of the one-piece bolt carrier redesigned specifically to work with the piston system. Carrier is machined from a solid billet of steel with an integral impingement lug to eliminate breakage that can occur with a standard carrier modified for use with a gas piston system. A knob on the gas block allows gas flow to be shut off to allow use of a suppressor or a .22 LR conversion kit. Kit may be installed on semi-auto and burst/full-auto rifles, as well as ARs chambered in non-standard calibers, including 6.8 SPC and 5.45 x 39. Requires no permanent alterations to barrel or upper receiver; remove piston system any time and reinstall the original parts.

SPECS: Piston Tube, Bolt Carrier, Handguard Retainer Cap - Steel, black oxide finish. Piston - Steel, hard-chromed. Gas Block - Aluminum, hardcoat anodized, matte black. Handguard - Reinforced polymer composite, black. Kit contains preassembled piston assembly, gas block, bolt carrier, handguard, handguard retainer, mounting hardware, and installation instructions. Does not include bolt assembly. Fits semi-auto and burst/full-auto rifles with carbine-length gas system and .750" O.D. barrel. Gunsmith installation recommended.
#100-004-370EG AR-15/M16 Gas Piston Conversion Kit, 3B275D79..... \$ 299.99



**DANIEL DEFENSE AR-15/M16
PISTON OMEGA RAIL™**



Free-Float Quad-Rail Handguard Fits Over Gas-Piston Systems; No Gunsmithing

Free-float handguard with four MIL-STD 1913 Picatinny rails is engineered specifically for AR-15s with gas piston systems. The Piston Omega Rail features additional internal clearance for weapons with piston systems and a removable top rail for access to piston components. Installs in minutes with absolutely no permanent modifications to weapon. Two-piece design allows installation without removing the gas block, using only a common flat-head screwdriver and the included hex key. Tighten the four Allen-head screws against the barrel nut with the hex key to eliminate movement and align the extended top rail with the receiver rail for an exceptionally long expanse of accessory mounting space. **Mil-Spec** model fits AR-15s with carbine-length gas piston systems from Adams Arms, Ares Defense, LWRC International, and Primary Weapons Systems. **Large Diameter** model has additional internal clearance to accommodate Bushmaster, CMMG, and Patriot Ordnance Factory (POF) carbine-length gas piston systems. Plenty of ventilation cuts keep barrel cool and minimize weight—perfect for short tactical carbines where every ounce saved improves speed and

**MIDWEST INDUSTRIES AR-15/M16
GAS PISTON CARBINE
FREE-FLOAT FOREND**

Eliminates Stress On Barrel & Maximizes Accessory Mounting Options On Guns With Gas Piston Operating Systems



Clamp-on forend has proper internal clearance to fit AR-15/M16 carbines fitted with gas piston operating systems from CMMG, Bushmaster, and others. Free-float design clamps directly to the factory barrel nut, so the forend doesn't put any accuracy-compromising external stress on the barrel. No need to remove the barrel or front sight to install; simply cut off the delta ring and clamp the forend firmly in place with the included mounting hardware. Each of the four MIL-STD 1913 Picatinny rails has 15 mounting slots for lasers, lights, vertical grips, bipods, and other tactical accessories. Slots are laser etched with white alphanumeric position markings to aid in fast mounting and remounting of accessories. Large vent holes reduce weight and allow plenty of air circulation for barrel cooling. Bottom rail can be removed to provide clearance for a grenade launcher, tear gas launcher, or shotgun.

SPECS: Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 2 1/2" (6.4cm) diameter. Fits AR-15/M16/M4 and clones with carbine-length gas piston operating system and 1/2" diameter gas cylinder. Mounts over existing factory barrel nut without removing front sight base. Requires removal of Delta ring.
#100-004-464EG Gas Piston Carbine Free-Float Forend, 2A168V93..... \$ 189.99

**BEAVER CREEK ARMORY AR-15/M16
CARBINE BARREL**



M4-Style Barrel With Light or Heavy Contour

Carbine-length barrel machined from high-grade 4140 carbon steel replicates the exact dimensions of a mil-spec M4 barrel forward of the gas port. The portion under the handguard is .140" thicker than a standard M4 barrel to provide extra rigidity to resist loss of accuracy caused by barrel overheating. Chambered for 5.56mm NATO, with 1-9" rifling. Comes with gas port pre-drilled, barrel extension with M4-style feed ramps, and 1/2"-28 tpi muzzle threads to accept a wide range of aftermarket flash hiders and muzzle brakes. A hard, black oxide finish adds surface strength and corrosion resistance, and matches the factory hardcoat anodizing on most receivers.

SPECS: 4140 chrome-moly steel, matte black oxide finish. 16 1/2" long, .780" O.D. under handguard, .750" O.D. at gas port, .700" O.D. at muzzle. Chambered for 5.56mm NATO. 1-9" twist. Not chrome lined.

#100-004-483EG AR-15/M16 Carbine Barrel, 1D184V00..... \$ 229.99

maneuverability. Rail slots are indexed with white letters and numbers for precise positioning and remounting of accessories. Receptacles for push-button QD sling swivels in the side rails have built-in rotation limiters. Precision CNC machined from 6061 T6 aluminum and mil-spec Type 3 hardcoat anodized for added strength and a rock-hard surface that resists wear and scuffing.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Includes mounting screws, Allen key, and instructions. Approximately 6 3/8" (16.2cm) long, 1 7/8" (4.8cm) wide, 2 1/2" (6.4cm) high. Top Rail - 7" (17.8cm) long, 8 oz. (226g) wt. **7.0 Mil-Spec** - fits rifles with carbine-length gas piston systems from Adams Arms, Ares Defense, LWRC, and Primary Weapons Systems. **7.0 Large Diameter** - fits rifles with carbine-length gas piston systems from Bushmaster, CMMG, and Primary Ordnance Factory.

#100-004-458EG Piston Omega Rail 7.0 Mil-Spec, 8K269A51..... \$ 309.95

#100-004-459EG Piston Omega Rail 7.0 Large Diameter, 8K269A51..... 309.95



**BROWNELLS AR-15/M16
M4 CARBINE BARREL**



Standard Contour For Building A Lightweight Carbine

Stripped, M4-contour barrel machined from ordnance-grade 4140 chrome-moly steel is ready for your next custom carbine build or re-barrel job. Comes with the ramped, M4-type barrel extension installed and gas port pre-drilled. You supply the gas block, front sight, muzzle brake/flash hider, and handguard of your choice, so you don't pay for extra parts you won't use. Muzzle is pre-threaded with 1/2"-28 tpi threads to accept a wide array of aftermarket flash suppressors, compensators, and muzzle brakes. Chambered for 5.56mm NATO, with a choice of 1-7" twist rifling for best performance with military ammo, or 1-8" twist for compatibility with a wider range of bullet weights. Stress relieved to prevent accuracy-robbing distortion when barrel heats up, with a corrosion- and wear-resistant dark gray/black Parkerized finish that matches many factory receiver finishes.

SPECS: 4140 chrome-moly carbon steel, Parkerized, dark gray, matte finish. .750" O.D. at gas port position, .700" O.D. at the muzzle shoulder. Chambered for 5.56mm NATO. Not chrome lined. Length measured from rear of barrel extension to muzzle. **1-7" Rifling** - 16 1/2" (41.9cm) long, .670" O.D. under handguard. 1 lb. 12 oz. (794g) weight. **1-8" Rifling** - 17" (43.2cm) long, .650" O.D. under handguard. 1 lb. 14 oz. (859g) weight.

#080-000-681EG M4 Barrel, 1-7" Rifling 7B169X67... \$ 219.99
#080-000-678EG M4 Barrel, 1-8" Rifling 4B220U80... \$ 275.95

BROWNELLS/DPMS AR-15 BARREL



Match Quality, Drop-In, Ready-To-Shoot

High-quality barrels improve accuracy while maintaining the mil-spec look and feel. Front sight tower and barrel nut are pre-installed for ease of installation (sight post, spring and detent must be purchased separately). Stress relieved, headspaced and phosphate finished, ready to fit to your rifle. Button rifled with versatile 6 groove, 1-9" twist to stabilize a wide range of bullet weights. All, except BL-11-M4 and BL-AP4, are heavy barrel contour, turned to .960" diameter under the handguards, with bayonet lug and 1/2"-28 threaded muzzle. **BL-10P** and **BL-11P** have crowned muzzle and no bayonet lug. Carbine-style **BL-11-M4** is .640" diameter under handguard. **BL-12B** is 11 1/2" long and **BL-AP4** is .700" diameter under the handguard and 14 1/2" long to provide a more compact, maneuverable package for M4 carbines; all **NFA rules apply**.

SPECS: 4140 chrome moly steel. Matte dark gray manganese phosphate Parkerized finish. **BL-10/BL-10P** - 20" (50cm) long. **BL-11/BL-11P/BL-11-M4** - 16" (40cm) long. **BL-12B** - 11 1/2" (29.2cm) long, uses standard carbine length handguard and gas tube. **BL-AP4** - 14 1/2" (36.8cm) long; carbine-length gas tube and handguard required.

#231-000-021EG BL-10P AR-15/M16 Bbl. 3B164P60 \$ 205.75
#231-000-022EG BL-10 AR-15/M16 Barrel 3B140P00 179.00
#231-000-023EG BL-11P CAR-15/M4 Barrel, 3B134U00..... 169.99

#231-000-024EG BL-11 CAR-15/M4 Barrel 3B152U58 189.99
#231-000-025EG BL-11-M4 CAR-15/M4 Barrel, 3B176U81..... 199.99

#231-000-219EG BL-12B M4 Barrel 3B156U46..... 199.99
#231-000-239EG BL-AP4 AR-15/M16 Barrel 1C183V56..... 205.99

BROWNELLS/DPMS BL-11P BARREL



The quality is excellent with a good finish and it's well built... I will purchase more of these barrels in the future. It seems anything Brownells puts their name on is top quality stuff. - By copyman from N.W. Oklahoma

**DANIEL DEFENSE AR-15/M16
M4 BARREL**



Chrome-Lined Carbine Barrel With Premium Features At An Economical Price

Stripped, M4-profile 16" barrel delivers features you expect to find on a premium-grade rifle at a remarkably economical price. Machined from ordnance-grade 4150 chromium-molybdenum alloy steel for exceptional strength, and magnetic particle inspected (MPI) to ensure there are no internal flaws in the metal before application of the durable, heavy-duty matte black manganese phosphate finish for superb resistance to corrosion and surface abrasion. Chambered for 5.56mm NATO, with 1-7" right-hand twist cut rifling in the chrome-lined bore. Includes pre-installed barrel extension, with M4 feed ramp and locator pin. Gas port is drilled and muzzle is pre-threaded to accept 1/2"-28 tpi accessories.

SPECS: 4150 chrome-moly carbon steel alloy, manganese phosphate finish, matte black. 16 1/2" long, .640" O.D. under handguard, .750" O.D. at gas port position, .700" O.D. at muzzle. Chambered for 5.56mm NATO. 1-7" twist.

#100-004-633EG M4 Carbine Barrel 8K00TPU... \$ 169.99

EVOLUTION AR-15 MATCH BARREL



Streamlined Shape, Superb Accuracy

Button rifled and fully machined to very tight tolerances for unmatched accuracy. Integral muzzle brake and a sleek, contoured gas block for an unobstructed view. Legal for installation on both pre- and post-ban receivers.

SPECS: 410 stainless steel, bright-machined finish. .223 Rem. 1-9" twist, nominal 16" (40cm) or 20" (50cm) long, .951" (24mm) dia. under the handguard. Includes gas block and barrel extension.
#298-015-016EG 16" Match Barrel, 8B341Z25..... \$ 452.75
#298-015-020EG 20" Match Barrel, 8B375Z10..... 449.99

**DPMS AR-15 .204 RUGER
VARMINT/TARGET BARREL**



Convert Your AR-15 To A Fast, Flat-Shooting .204 Ruger

Extra-heavy contour, stainless steel barrel changes any AR-15 into a well-balanced, easy-shooting, highly accurate .204 Ruger target/varmint rifle. Full 24" length for maximum accuracy. Button rifled with a six-groove, right-hand, 1-12 twist for outstanding accuracy with a variety of bullet weights. On the outside, six precision-machined, longitudinal flutes let you enjoy the benefits of a bull barrel with less weight to lug around. Stepped target crown provides excellent protection for rifling at the muzzle. Solid, precision machined aluminum gas block included. Must be used with a free-float handguard.

SPECS: Barrel - 416 stainless steel, natural finish. Chambered for .204 Ruger, 1-12" twist. 24" (61cm) long, 1.05" (2.67cm) O.D. under handguard, .92" (2.34cm) O.D. ahead of gas block. Gas Block - Aluminum, hardcoat anodized, matte black, .936" (2.38cm) I.D.

#231-000-215EG 24" SS .204 Ruger Barrel, 3B198U57..... \$ 302.99

BROWNELLS WebBench™

Your Internet Gunsmithing Newsletter!
Sign-up at brownells.com

DOUBLE STAR CARBINE BARRELS




Original A1 and HBAR Factory Contours;

Ready-to-install barrels let you customize your AR-15/M16/CAR-15 or replace a "shot-out" factory barrel with one that preserves your gun's original specs and appearance. Machined from 4140 steel, with a dark gray, military-type Parkerized finish. Button-cut, six groove rifling with 1-9 right-hand twist provides superb accuracy with most bullet weights. Barrel nut and handguard retainer cap included. Forged front sight housing has integral bayonet lug, and muzzle is threaded to accept the flash hider or compensator of your choice. Choose from **Chrome Lined** for maximum bore life or **Standard** (unlined) for an extra edge in accuracy. **A1** has the correct dimensions and contours of the original M16A1 barrel. Offers a substantial weight reduction (10 1/2 oz. in 16" configuration) for carrying ease and faster deployment in combat, with accuracy equal to the heavier HBAR barrel out to 100 meters. Front sight housing is specifically manufactured to fit the .625" forward barrel, not a modified .750" housing, to maintain correct appearance. 11 1/2" model provides an even lighter, more compact and maneuverable package; **all NFA rules apply.**

- SPECS:** 4140 steel, dark gray Parkerized finish. **A1** - .675" (1.71cm) OD under handguard, .625" (1.59cm) at front sight housing, .600" (1.52cm) at muzzle. **HBAR** - .870" (2.21cm) OD under handguard, .750" (1.91cm) at front sight housing, .730" (1.85cm) at muzzle.
- #100-002-665EG Standard 16" A1 Bbl 2Z176B06 . . . \$ 220.99
 - #100-002-666EG Standard 16" HBAR Barrel, 2Z176B06 . . . 220.99
 - #100-002-667EG Chrome Lined 16" A1 Barrel, 2Z216B22 . . . 269.99
 - #100-002-668EG Chrome Lined 16" HBAR Barrel, 2Z214B05 . . . 269.99
 - #100-002-669EG Chrome Lined 11 1/2" A1 Barrel, 2Z227B42 . . . 286.99
 - #100-002-670EG Chrome Lined 11 1/2" HBAR Barrel, 2Z226B61 . . . 286.25

SABRE DEFENCE AR-15/M16 TACTICAL & COMPETITION BARRELS



Match-Grade Tolerances & Stress-Relieved For Outstanding Accuracy; Carbine, Mid-Weight & Heavy Styles

Ready-to-install, match-grade barrels machined from premium-quality steels for building a precise-shooting, customized tactical, varmint, or competition rifle. A leading manufacturer of M2 .50 caliber machine gun and 7.62mm mini-gun barrels for the United States military, Sabre brings the same advanced materials and manufacturing technology to their AR-15/M16 barrels.

SHILEN AR-15/M16 DROP-IN BARREL/BOLT SET



Custom-Fitted For Match-Grade Performance

Custom-fit to its own bolt for exceptional accuracy. Button rifled with a recessed 90° target crown, and gas block shank machined to .001" tolerances. Comes with M4-style barrel extension installed; extension has pre-cut feed ramp. Available in **.204 Ruger** with 24" heavy barrel or **.223 Wyld** with 20" service-rifle contour. Wyld chamber delivers enhanced accuracy and reliability with a wide variety of .223 or 5.56 NATO ammo. **SPECS:** Stainless steel, natural finish. **.223Wyld** - 20" (50.8cm) long, .750" O.D. at gas block. 1-8" twist, 6 groove rifling. **.204 Ruger** - 24" (60.1cm) long, .936" O.D. at gas block. 1-9" twist, 6 groove rifling. **#787-000-034EG .223 Wyld Bbl/Bolt Set 7H381Z66 \$ 461.99** **#787-000-035EG .204 Ruger Bbl/Bolt Set 7H378Z52 . 461.99**

SHILEN AR-15/M16 MATCH-GRADE BARREL BLANK



Produce A Custom-Fitted, Match-Grade Barrel

Helps you produce a custom barrel with less work than starting from scratch. Button rifled .224 diameter bore; requires finish facing at the breech, chambering, and gas port drilling. Comes pre-threaded with M4-type barrel extension with pre-cut feed ramp. Gas block shank is machined +.010" oversized to allow precise gas block fitting. Unfinished muzzle may be cut for a target crown or threaded for a muzzle brake. Available in 20" long **Service Rifle** contour with 1-8" rifling twist or 24" long bull barrel **Heavy Varmint** style with 1-14" twist. **SPECS:** SS, natural finish. .224 dia. bore. **Service Rifle** - 20" (50.8cm) long. .760" O.D. at gas block, .725" O.D. at muzzle. 1-8" twist, 4 groove rifling. **Heavy Varmint** - 24" (61cm) long. .940" O.D. at gas block, .920" O.D. at muzzle. 1-14" twist, 6 groove rifling. Unchambered. Includes M4 barrel extension with feed ramp; barrel extension pin not included. Gunsmith fitting required. **#787-000-036EG 20" Blank, Service Rifle 7H280Z95 \$ 351.25** **#787-000-033EG 24" Blank, Hvy. Varmint 7H281Z92 . 299.99**

BROWNELLS AR-15/M16 M4 BARREL EXTENSION



For Custom Barreling Projects; Includes Feed Ramp Cut For Reliable Chambering

Specifically designed for carbine installations, this is a correct-spec M4 barrel extension with feed ramp and pre-drilled hole for locator pin. Perfect for custom builds, rebarreling jobs, and caliber conversion projects. Integral feed ramp is required for proper chambering in carbine configurations and adds an extra measure of insurance for smooth, reliable feeding in rifles. Fully machined from high-grade 4140 chrome-moly steel for precise fit, strength, and durability. **SPECS:** 4140 carbon steel, in-the-white. **#800-000-574EG M4 Barrel Extension 8K20H58 . . . \$ 24.99**

BEAVER CREEK ARMORY AR-15/M16 M4 BARREL EXTENSION

Ready-To-Install M4 Barrel Extension

Ready-to-install M4 barrel extension for your next barrel installation project is machined from heat-treated 4140 chrome-moly steel for superior durability. The locator pin hole is already drilled and feed ramps machined in for reliable chambering of rounds. Locator pin included. **SPECS:** 4140 chrome-moly steel, in-the-white. **#100-004-605EG M4 Barrel Extension 1D19Z31 . . . \$ 24.99**

DPMS AR-15 BARREL EXTENSION



Fit The Special Barrels Your Customer Requests

Fully machined barrel extension makes it possible to fit truly custom barrels to AR-15 rifles and carbines. Provides the custom rifle builder additional options when selecting caliber, contour or twist rate. **SPECS:** 4140 cm steel, in-the-white. .8125"-16UNF thread. **#231-015-032EG AR-15 Barrel Extension 3B21V14 . . . \$ 26.99**

WHITWORTH TOOL AR-15/M16 M4 BARREL EXTENSION



Fits Rifle Or Carbine Barrels; Ramped To Help Guide Rounds Into Chamber

Economical, high-quality M4 barrel extension is machined to mil-spec standards with integral feed ramps and predrilled locator pin hole for fast, easy barrel installations. Machined from 4140 chrome-moly steel and head-treated for additional surface hardness to resist erosion by hot combustion gases for years of reliable service. Great for custom barrel jobs and caliber conversions. **SPECS:** 4140 chrome-moly steel, in-the-white. .8125"-16UNF thread. Barrel locator pin required, available separately. **#100-004-728EG M4 Barrel Extension 5B16A18 . . . \$ 19.99**

BROWNELLS AR-15/M16 PEEL WASHER

Easy, Precise Alignment Of Flash Suppressors Or Muzzle Brakes

Mil-spec washers split apart to allow exact alignment of A2-style flash suppressors or other brakes that require indexing. **SPECS:** Steel. Sold in paks of 5 each. Fits 1/2" O.D. threads. **#078-015-005EG Peel Washers 8G15C29 . . . \$ 24.99**

YANKEE HILL MACHINE AR-STYLE .308 CRUSH WASHER

For Accurate Alignment Of Flash Suppressors & Other Muzzle Accessories

Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with 5/8" threaded muzzles. **SPECS:** Steel, blued. 5/8" (.625"/1.59cm) I.D. 13/16" (.813"/2.06cm) O.D. **#100-003-123EG 5/8" Crush Washer 9A02C07 . . . \$ 3.10**

SCHERER AR-15 THREAD ADAPTER

Put Threaded Muzzle Brakes On Non-Threaded Barrels

Steel adapter allows you to install muzzle brakes and flash hiders on tactical rifles with an unthreaded barrel. No machining necessary; four setscrews secure adapter to barrel in seconds. **C-5 Adapter** has 1/2-28 threads for installation on Colt sporter and similarly contoured, AR-15 barrels. **SPECS:** Steel, blued finish. 1 3/16" long, .708" (18mm) I.D., .978" (25mm) O.D. Fits Colt AR-15. **#861-000-012EG C-5 Thread Adapter, 1F05P35 . . . \$ 7.01**

ADVANCED ARMAMENT AR-15/M16 BLACKOUT FLASH HIDER



Reduce Muzzle Flash & Stay On Target


Three equally spaced, horizontal slots reduce muzzle flash for improved target acquisition during night ops. Flat, smooth muzzle face with rounded corners prevents hang-ups and allows unencumbered weapon deployment. Two machined flats allow simple installation with a standard-size wrench. Precision machined from heat-treated 17-4 stainless steel and given a proprietary SCARmor™ coating for high surface hardness and durability. Fits 5.56 NATO (.223) caliber, threaded barrels only. **SPECS:** 17-4 SS, SCARmor finish, matte black. For 5.56 NATO (.223) cal. 1/2"-28 tpi. 2 1/8" (5.4cm) long x 7/8" (2.2cm) dia. 2.9 oz. (82g) wt. **#276-000-010EG Blackout Flash Hider 6G49B99 . . . \$ 59.99**

STOCK #	STYLE	LENGTH	CALIBER	TWIST	STEEL	GAS SYSTEM	FLASH HIDER	PRICE
#100-003-947EG	M5 Carbine w/A2 front sight	14.5"	5.56mm	1-7"	CM	Mid-Length	A2, permanent	5D419B95 \$ 479.00
#100-003-948EG	M5 Carbine w/flip-up front sight	14.5"	5.56mm	1-7"	CM	Mid-Length	A2, permanent	5D420B74 \$ 479.99
#100-003-944EG	M4 Carbine w/A2 front sight	16"	5.56mm	1-9"	CM	Carbine	A2, threaded	5D349B99 \$ 399.99
#100-003-946EG	Mid-Weight w/low-profile aluminum gas block	18"	5.56mm	1-8"	SS	Mid-Length	"Shark Gill"	5D399B79 \$ 449.99
#100-003-949EG	Mid-Weight w/ultra-low-profile steel gas block	20"	5.56mm	1-8"	SS	Mid-Length	"Shark Gill"	5D397B07 \$ 449.99
#100-003-945EG	Heavy Bench Target w/low-profile aluminum gas block	24"	.223	1-8"	SS	Rifle	None	5D366B69 \$ 409.99

SATISFACTION GUARANTEED SINCE 1939

CAVALRY ARMS AR-15/M16 CAV COMP


Reduces Muzzle Rise & Recoil

Machined from bar stock with an integral, solid baffle that won't shoot out. Top and side ports counter recoil and muzzle rise. Solid bottom controls dust printing. A-2-style looks correct on pre- and post-ban rifles. 

SPECS: Steel, black, matte finish. 1 3/4" (4.4cm) long, 3/4" (19mm) diameter, 1/2"-28 tpi. For .223 (5.56 NATO) caliber.
#100-000-189EG .223 Cav Comp 2K24Z30 \$ 27.00

DPMS AR-15 MICULEK COMP


Six-Port Design Directs Blast Away From Shooter

Three large baffles with six side ports and no top vents direct muzzle gases to the side, away from the shooter. Effectively counters muzzle rise and recoil, minimizes felt muzzle blast. High volume shooters will appreciate reduced noise and ease of cleaning. Solid bottom minimizes dust printing when shooting prone. Easy installation, secured with the supplied lock-nut. Designed and used by Jerry Miculek. 

SPECS: Steel, parkerized finish. 2" (5cm) long, .925" (23.5mm) diameter. 1/2"-28 tpi.
#231-000-038EG AR-15 Miculek Comp 1C30Z29 . . . \$ 50.99

DPMS AR-15 A2 FLASH SUPPRESSOR

Reduces Muzzle Flash; Dissipates Gas

Machined steel, five-port flash suppressor effectively controls muzzle flash to minimize shooter exposure in both daytime and low-light situations. Ports are located along the top of the suppressor and bottom is solid to reduce dust printing when shooting prone. 

SPECS: Machined steel, matte black. 1 3/4" (4.4cm) long, 7/8" (2.2cm) O.D. 1/2"-28 tpi. Requires peel washer (not included) for proper indexing.

#231-000-198EG A2 Flash Suppressor 3B06Z43 \$ 8.04

DPMS AR-15/M16

LEVANG LINEAR COMPENSATOR

Reduces Muzzle Jump Without Hurting Ears



Front-facing ports direct all of the muzzle blast and noise away from your ears. Large, single expansion chamber helps


control muzzle flip and recoil. **SPECS:** Steel, blue, matte finish. 2 1/2" (5.3cm) long, .971" (24.6mm) diameter, 1/2"-28 tpi.

#231-015-022EG Linear Compensator 3B27Z45 . . . \$ 34.31



DOUBLE STAR AR-15/M16 CARLSON MINI COMPENSATOR

Redirects Combustion Gas To Reduce Felt Recoil & Muzzle Rise

Low-profile compensator has five longitudinal vents on top to redirect muzzle blast for steady placement of follow-up shots on the target and improved accuracy. Post-ban compliant design acts like an AK-47 slant brake to reduce felt recoil and counter muzzle rise. Solid bottom minimizes dust printing. 

SPECS: 1018 steel, Parkerized, matte black finish. 1 1/8" (3.3cm) long x .900" (2.3cm) O.D. 2 oz. (57g) weight. Fits AR-15/M16 chambered in .223/5.56mm with 1/2"-28 tpi muzzle threads. Installation on some rifles may require peel or crush washer (not included).
#100-004-969EG Mini Compensator 2Z27C86 \$ 34.99

DREADNAUGHT INDUSTRIES AR-15/M16

F2 COMPENSATOR

Reduce Muzzle Climb & Stay On Target




Three large expansion chambers, asymmetric baffles along with four unique top ports redirect muzzle gases to reduce muzzle rise and allow you to stay on target. CNC machined from 416-series stainless steel and black oxide coated for durability. Fits 5.56 NATO (.223) caliber, 1/2"-28 tpi threaded barrels only.

SPECS: Stainless steel, matte black. For 5.56 NATO (.223) caliber. 1 1/2"-28 tpi. 3" (7.6cm) long x 1" (2.5cm) dia. 4.1 oz. (116g) weight.
#100-003-655EG F2 Compensator, 7B74H98 \$ 99.99

EGW AR-15/M16 SPACE COMP

Tames Felt Recoil, Reduces Muzzle Rise For Fast Follow-Up Shots & Tighter Groups



Machined steel compensator has four equally spaced vents on each side that redirect combustion gases upward and to the sides for a significant reduction in felt recoil. Helps you keep the muzzle down and the sights on the target for fast follow-up shots and smaller groups. Solid bottom prevents kicking up ground debris when shooting prone, while solid top keeps muzzle flash and venting gas from obstructing your view of target. Models available to fit rifles chambered in .223/5.56mm, .308/7.62mm, and 9mm. Precision machined from carbon steel bar stock, with a hard, matte black, Parkerized finish that resists heat, and abrasion. Legal for USPSA Limited Division competition. 

SPECS: Carbon steel, Parkerized, matte black finish. 2" (5.1cm) long x .990" (2.5cm) O.D. 3.4 oz. (96.4g) weight. .223/5.56mm - 1/2"-28 thread. .308/7.62mm - 3/8"-24 thread. 9mm - 1/2"-36 thread. Gunsmith installation recommended.

#296-000-106EG .223/5.56mm Space Comp, 6B70D83 \$ 89.99
#296-000-108EG .308/7.62mm Space Comp 6B70D83 \$ 89.99
#296-000-107EG 9mm Space Comp 6B70D83 \$ 89.99

THREAD PROTECTOR - Guards threads from damage and gives muzzle a finished look when compensator or flash hider isn't installed. Precision turned on a CNC lathe from steel barstock, then given crisp, diamond-pattern knurling that makes it easy to tighten and loosen protector on barrel. Available to fit 1/2"-28 and 3/8"-24 threads.

SPECS: Carbon steel, blued. 1/2"-28 - .650" (1.6cm) long x .810" (2.1cm) O.D. 3/8"-24 - .800" (2cm) long, .960" (2.4cm) O.D.
#296-000-104EG 1/2"-28 Thread Protector 6B12D86 . . \$ 15.99
#296-000-105EG 3/8"-24 Thread Protector 6B12D86 . . \$ 15.99

GO GUN AR-15/M16 TALON BRAKE

Powerful Recoil Control Keeps You On Target



Vents gas up and to the sides through nine ports to counteract recoil and keep you on target even in full auto fire. Distinctive "claws" at muzzle give your rifle an aggressive appearance, but won't cut bare skin unless intentional force is applied, making the Talon an excellent CQB device. Machined from pre-hardened chrome-moly steel, and available in-the-white, ready for your choice of finish, Parkerized, to match the factory finish on most barrels, or with Lava Shield, an extremely hard, chemical- and corrosion-resistant ceramic coating.

SPECS: Machined chrome-moly steel, in-the-white, Parkerized, or Lava Shield black finish. 2.9" (7.4cm) overall length. 1.2" (3cm) O.D. 6.5 oz. (184g) weight. Fits barrels with 1/2"-28 tpi RH threads. Crush washer included.


#100-005-068EG Talon Brake, In-The-White, 1S69B29 \$ 79.99
#100-005-069EG Talon Brake, Parkerized 1S69B29 \$ 79.99
#100-005-070EG Talon Brake, Lava Shield 1S69B29 \$ 79.99

J.P. ENTERPRISES AR-15/M16/AR-STYLE .308

RECOIL ELIMINATOR

Added Surface Area Wipes Out Recoil & Muzzle Lift; Available For .223 & .308



Dual, curved restrictor plates with a tremendous amount of surface area stop exiting barrel gases and pull the barrel forward to counteract recoil and muzzle flip. The front sight or scope stays right on target for a faster second shot. Produces less felt recoil and shooter fatigue. Models available for rifles chambered in .223/5.56mm and .308/7.62mm. 

SPECS: Steel, blued, matte finish. 1 1/2" (3.8cm) dia., 2 1/4" (5.7cm) long. .223 - 5.3 oz. (149g) wt. Fits 1/2"-28 tpi muzzle threads. .281" exit hole accommodates bores up to .243/6mm without modification; may be enlarged for bores up to .358". .308 - 4.8 oz. (136g) wt. Fits 3/8"-24 tpi muzzle threads. .350" exit hole may be enlarged to fit bores up to .416".

#452-015-120EG .223 Recoil Eliminator 2E80A00 . . . \$ 99.95
#452-000-066EG .308 Recoil Eliminator 2E80H00 . . . \$ 99.99

J.P. ENTERPRISES .223 RECOIL ELIMINATOR



This is an excellent product. It offers great recoil reduction. The noise is a bit louder for the shooter, more so for bystanders. Other breaks tend to hit you in the face with a pressure wave, but there is no such effect with this. The speed of accurate follow up shots is only limited by your trigger finger. And it looks great. Really the best in my opinion!

- By Quintin from SA

JOJO'S GUNWORKS AR-15/M16 MUZZLE BRAKE

Counteracts Muzzle Climb; Retains Appearance Of USGI A2 Flash Hider



Low-profile muzzle brake has an internal expansion chamber and five longitudinal vents that direct combustion gases upward to counteract muzzle rise. Tames muzzle climb during full- and semi-auto fire to help you keep the sights on the target for fast, accurate follow-up shots. Classic A2 profile replicates the external appearance of the USGI A2 flash hider, so your AR keeps an "as-issued" look and will continue to accept blank-firing adapters, sound suppressors, and other muzzle devices that fit the original A2 hider. Precision machined from A2 chromium-molybdenum alloy tool steel, heat-treated for additional hardness to resist erosion from hot gases, with a durable, black oxide finish.

SPECS: A2 tool steel, black oxide finish. 1.925" (4.9cm) long, .905" (2.3cm) O.D. 2.4 oz. (68g) weight. 1/2"-28 tpi RH thread. Fits AR-15/M16-type rifles and carbines chambered in .223/5.56mm.


#100-004-591EG AR-15 Muzzle Brake 1B48P65 \$ 59.99

OPS INC AR-15/M16

R3E2C MUZZLE BRAKE

Maximum Recoil Reduction With Reduced Blast



Single, large expansion chamber with forward baffle, traps and redirects muzzle gases to greatly reduce muzzle rise and blast. Dust printing and muzzle rise are all but eliminated. Stainless steel construction for superior resistance to powder corrosion. For all calibers center hole is .030" or bullet diameter. May be gunsmith enlarged to larger diameter. Exclusive supplier to elite U.S. military forces. 

SPECS: 304 stainless steel, polished finish. 2.6" (6.8cm) long, .866" (22mm) diameter, 1/2"-28 tpi. .224 caliber, muzzle hole can be enlarged for other calibers.
#504-100-022EG R3E2C Muzzle Brake 4K90A00 . . . \$ 115.00




Calibers

BROWNELLS

AR-15/M16/AR-STYLE .308

TACTICAL FLASH SUPPRESSOR & MUZZLE BRAKE

Kill Muzzle Flash Or Tame Felt Recoil; "Pain Compliance" Tip For CQB

Low-profile, screw-on muzzle accessories meet the needs of the most demanding tactical and competition shooters. Developed by Brownells' in-house engineering team with plenty of input from the many dedicated shooters on our staff to give you the choice of a powerful flash suppressor that also helps reduce muzzle rise or a muzzle brake that substantially reduces felt recoil without the penalty of increased flash. Unique "posthole digger" muzzle has cuts that form four chisel-points to provide a backup pain compliance weapon for hand-to-hand combat without creating unusually sharp projections that snag on other objects or cause unintentional injury during routine weapon handling. Precision machined from solid 4140 carbon steel bar stock and hardened to Rc 38-42 to resist blast erosion. Long-wearing, matte black oxide finish matches many factory barrel finishes. 

FLASH SUPPRESSOR - Disperses combustion gases through five longitudinal vents to reduce the blinding, football-sized fireball of an unsuppressed rifle to a low-intensity golf ball sized burst. Greatly lowers the chance of muzzle flash giving away the operator's position day or night, and helps preserve night vision. Vent walls are cut at an angle for maximum surface area to help cool gas and redirect it to counteract muzzle rise for fast follow-up shots. Solid underside prevents dust signature that can obscure the shooter's view of the target or give away his position when shooting prone. Separate models available for rifles chambered in .223/5.56mm, .308/7.62mm, and 9mm.

SPECS: 4140 steel, black oxide finish, matte black. .223 - 2 3/8" (6cm) long, .859" (2.2cm) O.D. 3.3 oz. (94g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. .308 - 2 1/2" (6.3cm) long, .903" (23mm) O.D. 3.3 oz. (94g) weight. 3/8"-24 tpi RH thread. Fits AR-style rifles chambered in .308/7.62mm. 9mm - 2 1/2" long, .859" O.D. 3.2 oz. (92g) weight. 1/2"-36 tpi RH thread. Fits AR-style rifles chambered in 9mm Luger.

#800-000-534EG .223 Tactical Flash Suppressor, 8K39A99 \$ 59.99
#080-000-672EG .308 Tactical Flash Suppressor, 8K44X90 \$ 59.99
#080-000-702EG 9mm Tactical Flash Suppressor, 8K44D90 \$ 59.99

MUZZLE BRAKE - Sixteen tuned oblong ports arranged in pairs evenly spaced around the brake redirect gas to counteract recoil force. Delivers outstanding reduction of felt recoil and minimizes recovery time for fast follow-up shots. Helps you produce tighter groups at long range during sustained fire. Precisely angled walls in the ports direct the gas evenly to the sides, above, and below the muzzle, rather than back at the shooter, without increasing muzzle flash. An internal expansion chamber provides a slight delay in gas release to spread the recoil impulse over a longer time.

SPECS: 4140 steel, black oxide finish, matte black. .223 - 2 3/8" (6cm) long, .859" (2.2cm) O.D. 3.3 oz. (94g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. .308 - 2 1/2" (6.3cm) long, .903" (23mm) O.D. 3.3 oz. (94g) weight. 3/8"-24 tpi RH thread. Fits AR-style rifles chambered in .308/7.62mm.

#800-000-551EG .223 Tactical Muzzle Brake, 8K40T95 \$ 59.99
#080-000-657EG .308 Tactical Muzzle Brake, 8K44P90 \$ 59.99

BrownellsBusinessAdvantage.com

**J.P. ENTERPRISES AR-15/M16
BENNIE COOLEY TACTICAL
COMPENSATOR**



Efficient Reduction Of Felt Recoil; Standard Profile For Tactical Matches Or Large Profile For Maximum Recoil Reduction

Low-profile steel compensator redirects and harnesses combustion gas energy to reduce felt recoil by as much as 70% compared to an uncompensated barrel. Helps the shooter stay on target for accurate follow-up shots and fast transition to the next target. Built to the exacting requirements of noted professional weapons instructor and tactical competition shooter Bennie Cooley to combine the recoil reduction of J.P.'s popular Recoil Eliminator muzzle brake in a slim, streamlined compensator that meets the 1" x 3" size requirements of SOF, WC 3-Gun, USPSA Limited, and other tactical rifle competitions. Large, flat interior baffle surfaces allow the bullet to pass through while redirecting the rapidly expanding gas to the sides and slightly forward through the square-cut side vents to create forward thrust that counteracts bullet recoil. The higher the pressure, the more counteracting force the comp actually provides. In addition, four tuned ports on top minimize muzzle rise, further helping the shooter keep the sights on target. Solid bottom prevents kicking up a dust signature when shooting prone. Precision-machined from high-grade carbon steel, with a tough matte black oxide finish, or stainless steel with a brightly polished surface. All models fit rifles chambered in .223/5.56mm; can be bored out for larger calibers. **Standard Profile** available for barrels with .750" or .875" O.D. at muzzle. **Large Profile** is a beefed-up version of Standard model for .875" O.D. bull barrels and has extra baffle surface area for maximum reduction of felt recoil while retaining the cosmetics of the Standard series. *Not legal for Limited Tactical Division competition.*

SPECS: Carbon steel, matte black oxide finish, or stainless steel, polished finish. All models bored for .223/5.56mm with 1/2"-28 threads. .281" I.D. exit hole may be enlarged to fit other calibers. Installation instructions included. **Standard Profile** - 2 1/8" (5.9cm) long, .989" (2.5cm) O.D. Models to fit .750" (1.9cm) and .875" (2.2cm) O.D. barrels. SOF, WC 3-Gun, and USPSA Limited competition legal. **Large Profile** - 2 3/4" (7cm) long, 1.22" (3.1cm) O.D. Fits .875" O.D. barrels. *Not Limited Tactical Division competition legal.*

- #452-000-055EG **Standard .750" Comp, Black, 2E72H00** \$ 89.95
- #452-000-056EG **Standard .750" Comp, Stainless, 2E75H52** 89.99
- #452-000-057EG **Standard .875" Comp, Black, 2E72H97** 89.99
- #452-000-058EG **Standard .875" Comp, Stainless, 2E72H00** 89.95
- #452-000-059EG **Large .875" Comp, Stainless, 2E96H00** 99.99

**MICOR INDUSTRIES AR-15/M16
FLASH SUPPRESSOR**



Angled Ports Align With Bullet Gas Path For Increased Accuracy & Less Muzzle Flash

Five helical ports align with the bullet gas path and allow complete venting of combustion gasses for increased accuracy with less muzzle flash. Precision machined ports are angled to match the 1:9 twist rate of the most popular AR-15/M16 barrels, while eliminating accuracy-robbing back pressure. Rigorous testing showed a significant decrease in group size, by almost 1/2, when compared to a standard A2 flash suppressor. Helps preserve night vision and prevent pin-pointing the shooter's position. Precision machined from steel bar stock, then treated with an advanced Melonite™ finish for



**NOVESKE AR-15/M16
KX3 FLASH SUPPRESSOR**



Reduces Muzzle Flash & Protects Nearby Personnel From Side Blast

Unique, patent-pending design re-directs concussion forward to provide better flash suppression than standard A2 suppressor on short-barreled AR-15/M16/M4 rifles and other centerfire gas-operated weapons. Virtually eliminates side blast to protect nearby personnel during CQB, building entries, and when shooting from inside vehicles. Lessens felt recoil and reduces muzzle rise to help keep sights on the target for fast follow up shots and superior recoil management on full-auto assault rifles, especially with barrels 13" or shorter. High-carbon steel with matte black manganese phosphate finish stands up to the heat and pressure of thousands of rounds. Convenient, 3/4" wrench flats allow easy installation with the same wrench used to remove factory flash suppressor. Crush washer included. Each unit individually serial numbered for quality control. **SPECS:** Heat-treated steel, phosphate finish, matte black. 1/2"-28 tpi. 3 3/32" (8.3cm) O.A.L. 1 1/2" (3.4cm) diameter. 72 oz. (g) weight. Fits AR-15/M16/M4 rifles in 5.56mm/.223. #100-003-335EG **KX3 Flash Suppressor 1A120Y99** . \$ 129.99

PRACTICAL SOLUTIONS AR-15/M16

CARLSON FLASH .223 COMPENSATOR

Directs Gases Upwards To Counteract Muzzle Rise & Help You Stay On Target



Machined steel compensator employs a simple, open-topped design that directs combustion gases upward to virtually eliminate muzzle rise and felt recoil. Allows fast, accurate follow-up shots in semi-auto mode and superb control in full auto. Based on an original design by Greg Carlson, a dedicated Class 3 shooter, for use on machine pistols, the Flash .223 is exceptionally effective on carbines and short-barreled AR-15/M16 rifles. Two large, longitudinal ports vent gas upward at roughly 45° angles to counteract upward force on the muzzle without directing concussion and noise back at the shooter, so a rifle equipped with the Flash .223 is no louder than one with a standard A2 flash hider. **SPECS:** Steel, Parkerized, matte black. 2" (5.1cm) long, .906" (2.3cm) O.D. Fits AR-15/M16 rifles and carbines in .223/5.56mm with 1/2"-28 tpi threaded muzzle.

- #100-004-043EG **Carlson Compensator, 2Z47A95** \$ 60.00

**SMITH ENTERPRISE AR-15/M16/
AR-STYLE .308 MUZZLE BRAKE**



No-Gunsmithing Recoil Control

Puts an end to muzzle flip and felt recoil for more comfortable shooting and faster follow-up shots. Models available to fit rifles chambered in calibers ranging from .223/5.56mm to .308/7.62mm with standard threaded muzzles. No machining, cutting, or fitting required to install on most guns. Just remove the factory brake and screw this one on. **SPECS:** Machined steel, mil-spec manganese phosphate finish, black. Lock nut included. .223 - 2" (5cm) long, 3/4" (19mm) dia. Fits rifles with 1/2"-28 tpi threads and chambered in .223/5.56mm, 6.5mm, and 6.8mm. .308 - 2 1/8" (7.3cm) long, 1" (2.5cm) dia. Fits rifles with 5/8"-24 tpi threads and chambered in .308/7.62mm. #851-100-015EG **.223 Muzzle Brake 1E51P70** \$ 66.25

- #851-000-082EG **.308 Muzzle Brake 1E88S89** 99.99

durability and corrosion resistance. Compatible with most blank firing adapters and noise suppressors. Includes steel crush washer for proper timing. **SPECS:** Steel, black, matte, Melonite finish. 2" (5.1cm) long, 7/8" (21.8mm) O.D. 1/2"-28 tpi threads. 2.4 oz. (68g) wt. Includes crush washer. Fits AR-15/M16 rifles chambered in .223/5.56mm, for 1:9 twist rate barrel. #100-004-354EG **Flash Suppressor 3Z47A78** \$ 59.99

**PRIMARY WEAPONS SYSTEMS
AR-15/M16/AR-STYLE .308**

**TACTICAL
COMPENSATORS**




FSC556




FSC556YHM



FSC556 QDSS



FSC30



COB

Tames Muzzle Jump For Improved Weapon Control During Rapid Fire

Aggressive, scallop-type cuts deliver superior gas dispersion to help stabilize the muzzle during periods of sustained fire. Special internal blast chamber with side-facing ports helps reduce recoil with no adverse effect on gas system function. Also provides enough flash suppression to keep flash out of the shooter's line of sight. Wrench flats directly over the internal threads ease installation. All models include a peel washer for precise indexing of the side ports. **FSC556** fits rifles chambered in .223/5.56mm. **FSC556YHM** and **FSC556 QDSS** serve as mounts for the Yankee Hill Machine Phantom and Knight Armament QDSS-NT4 quick-attach/detach sound suppressors. Both provide the same compensation/flash reduction as the standard FSC556 when the

suppressors are removed. **FSC30** fits rifles chambered in calibers from 6.8mm up to .308/7.62mm. Threaded for muzzles with 5/8"-24 tpi thread; includes a screw-on adapter for installation on rifles with 1/2"-28 tpi threads. The **COB** is designed primarily for entry teams and other operators working in confined spaces like buildings. Directs the entire force of the muzzle blast forward to protect the shooter and team members next to him from hot gasses and concussion. Also helps suppress muzzle flash and provides some recoil compensation. **SPECS:** Steel, black, matte finish. Includes washer. **FSC556** and **COB** models fit AR-15/M16/M4 and clones chambered in .223/5.56mm, with 1/2"-28 tpi RH muzzle threads. **FSC556** - 2 1/8" (5.4cm) long x 7/8" (2.2cm) diameter. 2.2 oz. (62g) wt. **FSC556YHM** - 2 5/8" (6.7cm) long x 7/8" diameter. 4.9 oz. (138g) weight. **FSC556 QDSS** - 1 7/8" (4.8cm) long x 7/8" diameter. 2.3 oz. (64g) weight. **FSC30** - Fits AR-style rifles in 6.8mm, .270, and .308/7.62. 2 3/4" (7cm) long x .960" (2.4cm) diameter. 3.6 oz. (101g) weight. 5/8"-24 tpi RH thread. Includes 1/2"-28 adapter. **COB** - 2 3/4" (7cm) long x 1 3/8" (3.5cm) diameter. 9.1 oz. (258g) weight. 1/2"-28 tpi RH thread.

- #100-003-302EG **FSC556 Compensator, 4B86X11** \$ 99.99
- #100-004-607EG **FSC556 YHM Compensator, 4B100C20** 124.99
- #100-004-608EG **FSC556 QDSS Compensator, 4B120C20** 149.99
- #100-003-564EG **FSC30 Compensator, 4B99X95** 119.99
- #100-004-609EG **CQB Compensator 4B120C20** 149.99

**SMITH ENTERPRISE AR-15/M16
DIRECT CONNECT
COMPENSATOR**



Reduces Felt Recoil, Improves Control & Increases Accuracy

Easy to install compensator substantially reduces felt recoil and muzzle flip for smooth shooting, better control, and improved accuracy. Screws directly to any barrel with standard 1/2"-28 tpi muzzle threads - no crush washer or peel washer required. Twelve recessed gas ports redirect combustion gases to counteract recoil force. Made from the same 8620 steel bar stock as the popular Vortex Flash Eliminator, and heat-treated to a surface hardness of Rc 60 to resist gas erosion. Rounded edges give a streamlined profile and minimize risk of snagging on other gear. Accepts Smith Enterprise quick-detach sound suppressors. **SPECS:** 8620 steel, Parkerized, matte black finish. 2 1/8" (5.9cm) long, .860" (2.2cm) dia. 3.4 oz. (97g) wt. Fits 5.56mm/.223 barrels with 1/2"-28 tpi threaded muzzles. No washers required. #851-000-080EG **Direct Connect Compensator, 1E54V26** \$ 69.99



**SMITH ENTERPRISE AR-15/M16
VORTEX FLASH ELIMINATOR**

Helical Flutes Dissipate Gas, Hide Muzzle Flash

Four, specially angled flutes hide nearly 100% muzzle flash, even during full-auto fire, by dissipating gas and retaining un-burned powder for increased residual burn. Constructed of the same 8620 bar stock steel used in the manufacture of AR-15/M16 bolts and carriers, then case-hardened to provide a high-strength core and tough, outer shell. Special, helix design helps align exiting barrel gas to improve accuracy with all bullet types. **AR-15/M16 G6-A2 VORTEX** - Skirt extension conceals gap between barrel shoulder and flash hider on AR-15, M16, and M4 rifles. Grooved base ring allows integration of Blank Firing Attachment (BFA) used by law enforcement trainers, and permits installation of the Smith Enterprise M4DC CQB sound and flash suppressor (available factory direct to USG/LE and FMS customers). Thread-on design requires no washer. Torque to 10 ft. lbs. maximum, self-tightens as weapon is fired. Use M-193, SS-109 (M855), and MK 262 service ammo for highest degree of flash suppression. Can be permanently attached to 14.5" long, M4 barrels for an overall length of 16.1". **SPECS:** 8620 steel, parkerized, black, matte finish. 1/2"-28 tpi. 2.31" (5.9cm) long, .858" (22mm) dia. 2.9 oz. (82 g) wt. Fits AR-15, M16, and M4. #851-000-047EG **AR-15/M16 Vortex 1E46H99** \$ 50.99



6.8mm/.30 CAL. VORTEX - Provides the Vortex system's superior flash hiding benefits for 6.8mm/7.62mm/.30 caliber AR-15-type rifles and carbines. Streamlined design with rounded edges minimizes snagging; skirt extension conceals gap between barrel shoulder and flash eliminator. Thread-on design requires no washer. Models available to fit rifles with 1/2"-28 tpi and 5/8"-24 tpi threaded muzzles. **SPECS:** 8620 steel, Parkerized matte black finish. 2 1/4" (5.7cm) long, .859" (22mm) O.D. 2.9 oz. (81 g wt). Fits AR-15/M16/M4 type rifles. #851-000-072EG **6.8mm/.30 Cal. Vortex, 1/2"-28 tpi, 1E45V79** \$ 57.99



6.8mm/.30 Cal. Vortex, 5/8"-24 tpi, 1E46V30 57.99

.308 VORTEX - Streamlined unit reduces muzzle flash with four, 15° helical flutes. Provides Vortex technology for Remington 700 Tactical and AR-Style .308 rifles. **SPECS:** 8620 steel, parkerized, black, matte finish. 5/8"-24 tpi. 2 1/8" (6.8cm) long, .905" (2.3cm) dia. 3.9 oz. (112g) weight. Fits Rem 700 Tactical and AR-15 Style .308 rifles. #851-000-032EG **.308 Vortex 1E73C83** \$ 91.99



9mm SMGVORTEX - The very best choice to achieve maximum low light visibility when using tactical entry carbines. Fits AR-15 carbines chambered in 9x19mm with muzzles threaded to the original Colt 1/2"-36 tpi. Exit hole is properly clearanced to provide minimum blow-by flash without bullet interference. Rigid, unique Vortex helical flutes capture exiting gasses for improved final burn and significant reduction in muzzle flash. **SPECS:** 8620 steel, Black, military magnesium phosphate finish. 1/2" x 36 tpi. 2 1/8" (5.9cm) long, .860" (2.1cm) dia. 3 oz. (81g) weight. #851-000-067EG **9mm SMG Vortex 1E48D28** \$ 59.99



BUILD IT YOURSELF at brownells.com!

Building your own rifle has never been easier. View our *How to Build an AR-15* video series.

SUREFIRE AR-15/M16/AR-STYLE .308 MUZZLE BRAKES, FLASH SUPPRESSORS & COMPENSATORS

Get The Right Combination Of Recoil Control & Flash Suppression

Complete line of thread-on muzzle devices gives the tactical rifle shooter a variety of options for recoil reduction, flash suppression, or a combination of both to meet his exact needs. Precision CNC machined to exact tolerances from high-quality stainless steel alloy that withstands extreme heat and gas particle erosion, even after thousands of rounds. Stands up to the intense tempo of combat conditions without loss of performance. Easily replaces factory flash suppressor on military-configuration AR-15/M16/M4/AR-style .308 rifles with no permanent modifications to gun. Install on other assault rifles, semi-autos, and bolt actions with muzzle threaded to accept the device. Not only improves the performance and enhances the appearance of your rifle, but also provides a rock-solid mounting platform for Sure-Fire Fast-Attach® sound suppressors. Each kit includes a set of varying-thickness crush washers for proper indexing.

SPECS: Heat-treated stainless steel, matte black finish. Fits rifles with threaded muzzles only. Crush washer set, tube of Rocksett heat-resistant thread locker, and complete instructions included.

MUZZLE BRAKES - Substantially reduces muzzle rise and provides outstanding felt recoil reduction for better shot follow-through, improved accuracy, and faster follow-up shots. Patented Impulse Diffusion™ technology diffuses muzzle blast to the sides, virtually eliminating gas dispersion back to the shooter and minimizing felt concussion to help keep the sights firmly on the target.



FLASH SUPPRESSORS - Advanced design provides superior muzzle flash reduction to help conceal the shooter's position and preserve night vision. Rugged stainless steel construction gives exceptional strength and durability, with a variety of styles to fit AR-type rifles and carbines in both 5.56/.223 and 7.62/.308, as well as other assault rifles, semi-autos, and bolt actions.

COMPENSATORS - Stainless steel compensators offer a carefully balanced combination of effective flash suppression and a muzzle brake's recoil reduction benefits. Externally resembles the birdcage-style flash hiders used by the U.S. military to preserve the stock appearance of your weapon.



MUZZLE BRAKES

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-044EG	MB556AR	AR-15/M16/M4 w/12½" or longer barrel; any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749".	5.56/.223	½-28	4.2" (10.7cm)/.865" (2.2cm)	1.6" (4.1cm)	2E00YTP \$ 139.00
#152-000-045EG	MB556K	M16/M4/Colt Commando; any rifle w/unobstructed barrel exterior .170" behind muzzle threads & O.D. less than .800".	5.56/.223	½-28	2.5" (6.4cm)/.865"	1.9" (4.8cm)	2E00AVB \$ 144.99
#152-000-046EG	MB68AR	6.8 Rem SPC rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749".	6.8mm	⅝-24	4.2" / .865"	1.6" (4.1cm)	2E00CHD \$ 139.99
#152-000-047EG	MB68K	6.8 Rem SPC rifle w/unobstructed barrel exterior .170" behind muzzle threads & O.D. less than .800".	6.8mm	⅝-24	2" (5.1cm) / .865"	1.3" (3.3cm)	2E00AYT \$ 139.99
#152-000-049EG	MB762SSAL/RE	AR-Style .308 and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .775".	7.62/.308	⅝-24	4.2" / .865"	1.6" (4.1cm)	2E00XCH \$ 149.99

FLASH SUPPRESSORS

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-052EG	FH556K	AR-15/M16/M4/HK416/Colt Commando and any semi-auto or bolt action rifle w/threaded muzzle.	5.56/.223	½-28	2.3" (5.8cm)/.865"	1.7" (4.3cm)	2E00BXC \$ 109.99
#152-000-055EG	FH556SA	AR-15/M16/M4/Diemaco SFW and any semi-auto or bolt action rifle w/threaded muzzle.	5.56/.223	½-28	2.1" (5.3cm)/.865"	1.5" (3.8cm)	2E00VBX \$ 108.00
#152-000-057EG	FH762K03	AR-Style .308, including ArmaLite® AR-10®, Bushmaster BAR-10, DPMS LR308, and any semi-auto or bolt action rifle w/threaded muzzle.	7.62/.308	⅝-24	2.8" (7.1cm) / .865"	2.2" (5.6cm)	2E00YTP \$ 125.00
#152-000-056EG	FH762K	Knight SR-25 and any semi-auto or bolt action rifle w/threaded muzzle.	7.62/.308	⅜-24	2.7" (6.9cm) / .865"	2" (5.1cm)	2E00HDZ \$ 125.00

COMPENSATORS

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-042EG	CAM4FA556	AR-15/M16/M4 w/12½" or longer barrel and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749".	5.56/.223	½-28	3.8" (9.7cm)/.865"	1.25" (3.2cm)	2E00VBX \$ 85.00
#152-000-040EG	CAR556AR203	M4 w/QD M203 grenade launcher or 11½" Commando barrel w/o bayonet lug.	5.56/.223	½-28	3.8" / .865"	1.7" (4.3cm)	2E00AYT \$ 95.99
#152-000-043EG	CA76233AL/RE	AR-style .308 rifle and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .775".	7.62/.308	⅝-24	3.8" / .865"	1.25" (3.2cm)	2E00HDZ \$ 110.00



WILSON COMBAT AR-15/M16 ACCU-TAC FLASH HIDER

Effectively Suppresses Flash With No Loss Of Accuracy

State of the art, three-prong flash suppressor effectively dissipates combustion gas to suppress muzzle flash without sacrificing accuracy. External acurizing flutes improve muzzle harmonics to minimize blast signature and dissipate flash. Precision machined from 4140 steel bar stock and heat hardened for extra resistance to blast erosion, with a durable matte black Parkerized finish to match most factory barrel finishes. **SPECS:** 4140 steel, Parkerized, matte black finish. 2" (5.1cm) long, .865" (22mm) O.D. 2.4oz (68g). Fits rifles chambered in .223/5.56mm with ½"-28 tpi RH muzzle threads. Crush washer included. **#965-000-086EG Accu-Tac Flash Hider 5F42C53... \$ 49.99**



VAIS AR-15/M16 MUZZLE BRAKE

Superior Recoil Control

Multiple venturi expansion chambers disperse and redirect gases for effective recoil control, while limiting blast effects. Unique design features attenuating holes that are both horizontal and perpendicular to the centerline of the bore to disperse gas and sound equally to all sides. Available in steel with Parkerized or stainless steel matte finish. **SPECS:** Steel, Parkerized finish, matte black, or 416 stainless steel, matte finish. 2" (5.8cm) long x ¾" (19mm) O.D., ½"-28 tpi thread. 1.6 oz. (46 g) wt. Fits .223/5.56mm caliber rifles. **#927-000-028EG Steel Muzzle Brake 7B109U00... \$ 144.95**
#927-000-027EG SS Muzzle Brake 7B116U00... \$ 154.95



VLTOR AR-15/M16/AR-STYLE .308

FLASH SUPPRESSOR/COMPENSATOR

Dissipates Hot Gas To Minimize Muzzle Flash

Highly-efficient helical design uses ten precisely contoured longitudinal ports with a unique, cloverleaf-shaped exit port to trap unburned powder particles long enough for full burn and dissipation of hot combustion gasses. Muzzle flash cancels itself out to minimize shooter exposure during daytime and low-light situations. Also serves as a compensator by directing venting gasses to help reduce muzzle jump and improve shooter control for better shot placement. Precision machined from 4140 steel to stand up to rough tactical operations. 2½" overall length



TRIANGLE SHOOTING SPORTS

AR-15/M16/AR-STYLE .308 BENNY HILL "ROLLING THUNDER" COMPENSATOR

Eliminates Muzzle Rise; Sight Stays On Target For Fast Follow Up Shots

Heavy duty compensator designed by noted custom gunsmith and 3-gun competitor Benny Hill employs a unique internal expansion chamber that redirects some of the combustion gas out a topside gas port to virtually eliminate muzzle climb. The sights stay on the target, so you can make exceptionally fast follow up shots. Precision machined from a solid billet of high-grade stainless steel, with large side ports that vent more gas to help reduce felt recoil. Solid bottom prevents dust signature when shooting close to the ground. Perfect for USPSA and 3-gun competition where seconds count, and for varmint hunters who want the sight to stay the target when they take a shot. Models available for rifles chambered in .223 and .308. **SPECS:** Stainless steel, natural finish. .223 fits AR-15 chambered in .223/5.56 with ½"-28 tpi muzzle threads. .308 fits AR-style rifle chambered in .308/7.62 with ⅝"-24 tpi muzzle threads. **#100-003-689EG .223 Rolling Thunder Comp, 3Z81B91... \$ 98.99**
#100-003-981EG .308 Rolling Thunder Comp, 3Z92X53... 108.99



TROY INDUSTRIES AR-15/M16 MEDIEVAL MUZZLE DEVICES



Choice Of Flash Suppression Or Recoil Reduction To Suit Your Mission; Aids In Hand-To-Hand Combat

Muzzle attachments specifically designed to enhance your CQB effectiveness install on any AR-15 rifle or carbine with ½"-28 tpi muzzle threads. Aggressive, diamond-shaped teeth aid in effective less-lethal muzzle strikes during hand-to-hand combat, while wide strike face lessens danger of a penetrative wound on contact. Also serves as a stand-off device for body contact shots. Precision formed from 8620 steel, heat hardened to resist erosion by combustion gases, with a tough, parkerized finish that matches most black/dark gray rifle finishes. **Flash Suppressor** minimizes muzzle flash by dispersing and cooling gases through three irregularly shaped vents. Prevents flash from giving away your position at night or in low-light situations. **Muzzle Brake** helps you stay on target by venting gases upward to counteract muzzle rise for fast follow-up shots; improves control and accuracy during full-auto fire. Accepts most over-the-barrel sound suppressors and actually increases their effectiveness. **SPECS:** Steel, parkerized, matte black finish. .860" (2.2cm) O.D., 2½" (6.4cm) long. 3.1 oz. (81g) wt. Fits barrels with ½"-28 tpi right-hand threads. **#100-003-440EG Medieval Flash Suppressor, 3B45X00... \$ 49.99**
#100-003-441EG Medieval Muzzle Brake, 3B45X00... 49.99

brings a 14½" barrel up to legal length for civilian use when flash suppressor is permanently pinned or welded in place. Accepts most sound suppressors and Blank Firing Attachments designed to fit a M16/M4 flash hider. **VC-1** fits .223/5.56mm AR-15/M16/M4 rifles; **VC-301** fits .308/7.62mm AR-style rifles. **SPECS:** Steel, matte black Parkerized finish. 2½" (5.4cm) long, .856" (2.2cm) O.D. Includes peel washer. **VC-1** fits .223/5.56mm AR-15/M16/M4 rifles with ½"-28 tpi threaded muzzle. **VC-301** fits AR-style .308/7.62mm rifles with ⅝"-24 tpi threaded muzzle. **#100-003-114EG VC-1 Flash Suppressor/Comp, 3A50T92... \$ 59.99**
#100-003-997EG VC-301 Flash Suppressor/Comp, 3A50C92... 59.99

YANKEE HILL MACHINE AR-15/M16 PHANTOM MUZZLE ACCESSORIES

Dedicated Flash Suppressor Or Comp/Flash Suppressor Combo; Aggressive Front End Cuts For CQB Maneuvers

PHANTOM FLASH SUPPRESSOR - Longitudinal ports help minimize the blinding effects of muzzle flash in low light for improved target acquisition during night operations. Screw-on design for threaded barrels only. Includes crush washer for proper timing of vents. **.223** model has four ports and aggressive, serrated notches at the tip that provide extra insurance in hand-to-hand combat. Integral rings at the base accept military sound suppressors and allow mounting of Blank Firing Attachments (BFAs) for training exercises. **.308** has five ports and smooth, non-serrated muzzle tip; no BFA ring at base.



SPECS: Steel, mil-spec phosphate coating. **.223** - 1/2"-28 tpi, 2 1/4" (5.7cm) long, 3/8" (2.2cm) diameter, 2.3 oz. (65g) wt. **.308** - 5/8"-24 tpi, 2 15/16" (7.5cm) long, 1" (2.5cm) diameter, 4.5 oz. (127g) wt.

#100-002-070EG .223 Phantom Flash Suppressor, 9A21C48 \$ 30.99
#100-003-227EG .308 Phantom Flash Suppressor, 9A36C05 48.00

PHANTOM 5C1 COMP/FLASH SUPPRESSOR

Flat, non-serrated muzzle face helps prevent catching or snagging muzzle tip during storage or deployment. Five, longitudinal vents help hide flash while dispersing gases up and outward; tames muzzle rise and keeps your front sights on target. Outward facing ports and solid panel on bottom help eliminate dust signature when shooting in the prone position. For threaded barrels only, includes crush washer. **.223** model has grooved, base rings that accept training attachments and sound suppression devices for LE and military personnel.



SPECS: Steel, mil-spec phosphate coating. **.223** - 1/2"-28 tpi, 2 1/4" (5.7cm) long, 3/8" (2.2cm) diameter, 2.1 oz. (60g) wt. **.308** - 5/8"-24 tpi, 2 15/16" (7.5cm) long, 1" (2.5cm) diameter, 4.5 oz. (127g) wt.

#100-002-859EG .223 Phantom 5C1 Comp/Flash Suppressor 9A21T05 \$ 30.50
#100-003-228EG .308 Phantom 5C1 Comp/Flash Suppressor 9A36C05 48.00

PHANTOM 5C2 COMP/FLASH SUPPRESSOR - Five, straight, longitudinal vents hide flash while dispersing gases up and outward to tame muzzle rise. No downward facing port helps eliminate dust signature when shooting in the prone position. For threaded barrels only, includes crush washer. **.223** model has grooved base rings that accept training attachments and sound suppression devices for LE and military personnel. Chisel-shaped front notches keep muzzle planted on your attacker during CQB situations.



SPECS: Steel, mil-spec phosphate coating. **.223** - 1/2"-28 tpi, 2 1/4" (5.7cm) long, 3/8" (2.2cm) diameter, 2.1 oz. (60g) wt. **.308** - 5/8"-24 tpi, 2 15/16" (7.5cm) long, 1" (2.5cm) diameter, 4.5 oz. (127g) wt.

#100-002-071EG .223 Phantom 5C2 Comp/Flash Suppressor 9A21C79 \$ 30.99
#100-003-229EG .308 Phantom 5C2 Comp/Flash Suppressor 9A36C05 48.00

5/8" CRUSH WASHER - Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with 5/8" threaded muzzles.



SPECS: Steel, blued. 5/8" (.625"/1.59cm) I.D. 13/16" (.813"/2.06cm) O.D.
#100-003-123EG 5/8" Crush Washer 9A02P07 \$ 3.10

ACCURACY SPEAKS AR-15 COMPETITION TRIGGER SYSTEM

Gives A Smooth,
Clean-Breaking Trigger



Redesigned geometry adds a clean-breaking, smooth-feeling trigger with a light pull to any AR-15. Speedlock hammer and disconnect are EDM-cut from solid stainless, then heat treated for durability. Trigger and hammer feature improved sear angle and notch with neutral engagement for lighter letoff and minimum creep. Adjustable for weight of pull from 3 1/2 to 4 1/2 lbs.

SPECS: Kit includes trigger, hammer, disconnect, disconnect spring and complete instructions. Available to fit rifles with either the .154" (military and current aftermarket) or the .173" (current Colt) diameter hammer and trigger pins. Requires gunsmith fitting.

#054-100-015EG .154" Pin Competition Trigger, 4E214Y49 \$ 283.99
#054-100-016EG .173" Pin Competition Trigger, 4E214Y49 283.99

AMERICAN TRIGGER CORP. AR-15/M16 AR GOLD TRIGGER MODULE

Drop-In Fire Control System
Gives A Light, Safe,
Match-Grade Pull



Self-contained trigger/assembly installs in minutes and delivers a light, smooth, match-grade trigger pull free of grittiness, with an ultracrisp letoff and short reset. Simply remove factory trigger and safety selector, drop in the module, reinstall selector and pins, and you're ready to shoot. Completely new engagement geometry design produces the light 3-lb. pull and crisp release without compromising reliability or safety. The two-stage design is adjustable for sear engagement and overtravel, with a first-stage takeup of approximately 6 ounces, followed by actual sear movement taking up the rest of the weight, the reverse of the military two-stage AR trigger pull profile. Instead, the shooter can build force steadily, maintaining precise control and keeping his attention on the target. After release, reset travel is only .030", less than half the .070" typical of standard match triggers, to aid in fast, accurate follow-up shots. The sear captures the hammer at the back instead of near the pivot point to help produce the light pull and maintain safety. A second, independent, intercepting sear is positioned to block the hammer if it slips off the primary sear, as when the weapon is dropped or suffers hard impact. If the intercepting sear captures the hammer, pulling the trigger will still fire the rifle, though with a heavier pull weight. In addition, the AR Gold system uses the rifle's factory safety to positively capture the hammer, like an M1 Garand, and roll it back below the primary sear for an extra margin of safety. A lightweight aluminum housing contains the entire system and maintains the correct tolerances between the working parts. The receiver pins serve only to anchor the module in the receiver, with no effect on trigger function. Hammer and sear are wire-EDM cut from ultra-hard S7 tool steel to exceptionally tight tolerances with precision-ground surfaces for consistent contact and smoothness.

SPECS: Trigger/Hammer - S7 tool steel. Housing - Aluminum, anodized, black. Fits any mil-spec AR-15 with .154" trigger and hammer pins without Colt-type sear block. Does not fit AR-style .308 rifles.

#100-004-262EG AR Gold Modular Trigger, 5A273T97 \$ 279.99

NEW Triggers GEISSELE AUTOMATICS AR-15/M16/AR-STYLE .308 HI-SPEED TRIGGERS



Two-Stage Trigger With
Ultra-Fast Lock Time;
Adjustable & Pre-Set Models

Fully adjustable trigger gives a smooth, two-stage pull with a precise "icicle sharp" break and ultra-fast lock time to minimize accuracy loss caused by gun movement during trigger pull. Set first stage pull weight by bending the legs of the trigger spring; set second-stage weight with a pre-set range by turning its adjustment screw. Another screw on the trigger lets you adjust overtravel for clean, crisp let-off. Lightweight hammer provides a 50% reduction in lock time over factory hammer, yet uses standard weight hammer spring to ensure sufficient energy transfer for reliable primer ignition, even on AR-style .308 weapons. Trigger shoe is positioned 1/8" farther forward than factory shoe for comfortable finger position during the squeeze. All contact surfaces are wire EDM cut to exact dimensions for full, precise engagement free of unwanted play. Available to fit both large (.169") and small (.154") pin receivers; small pin models include spare hammer pin to aid in proper fit on receivers with slightly oversized holes. Service model provides nominal 4 1/2 lb. pull weight required for NRA High Power Service Rifle competition and is also approved for CMP-sanctioned competitions. Most of the pull weight is loaded on the first stage, followed by a quick, clean second-stage break. First stage, 3.2 to 5 lb.; second stage, 1/2 to 1 1/2 lb. Match model allows a very low combined pull weight for superb trigger control on highly modified raceguns used in unlimited NRA High Power Rifle competition. Helps you shave those extra hundredths of an inch from your groups for a competitive edge. First stage, 1.3 to 3 lbs.; second stage, 4 oz. to 14 oz. Designated Marksman Rifle (DMR) model combines the light first stage of the Match trigger with the heavier Service second stage to reduce risk of premature release in high stress situations. Perfect for precision tactical and competitive shooting where trigger pull is not regulated. Allows a high rate of semi-auto fire; an experienced shooter can fire 30 rounds in as little as 4 1/2 seconds. First stage, 1.3 to 3 lbs.; second stage, 1/2 to 1 1/2 lbs.

SPECS: Steel, black finish. Available for receivers with .154" (military, current aftermarket, older Colt) and .169" (current Colt without sear block) hammer and trigger pins. Kit includes trigger and hammer assemblies, plus oversized hammer pin, compact pin punch, three hex wrenches, tube of GA No. 1 grease, bottle of GA No. 2 oil, and complete illustrated instructions.

#100-003-614EG .154" Hi-Speed Service Trigger, 7B00AVB \$ 279.99
#100-003-619EG .169" Hi-Speed Service Trigger, 7B00VBX 279.95
#100-003-613EG .154" Hi-Speed DMR Trigger, 7B00YTP 279.99
#100-003-615EG .169" Hi-Speed DMR Trigger, 7B00HDZ 279.95
#100-003-611EG .154" Hi-Speed Match Trigger, 7B00UAD 279.99
#100-003-617EG .169" Hi-Speed Match Trigger, 7B00YTP 279.99

SSA/SSF TRIGGER - Two-stage combat trigger originally designed for U.S. SOCOM has a fixed 4 1/2 lb. total pull weight, non-adjustable sear engagement, and additional safety features ideal for CQB and mid-range carbine work. To prevent unintended discharge, a secondary "safety sear" captures the hammer if the primary sear accidentally releases due to hard impact on the weapon, ensuring the rifle can fire only when the shooter actually pulls the trigger. The trigger pull is optimized for both deliberate, aimed fire and quick, "snap" shooting. The first stage builds gradually to 2 1/2 lbs., with a 2 lb. second stage that breaks more like snapping a raw carrot than an icicle, for smooth trigger operation that helps the shooter keep the sights on the target throughout



BUSHMASTER AR-15 COMPETITION TRIGGER

Two-Stage Design
For Ultra-Precise Release



Ready-to-install, match-grade trigger kit gives a light, ultra-smooth, two-stage trigger pull and exceptionally clean, precise letoff for superb accuracy. Adjustable spring plunger on the safety selector allows you to set the second-stage release, while an adjustable setscrew on the selector lets you eliminate trigger overtravel. Full-width hammer and trigger engagement surfaces are precision-ground to eliminate grittiness. Available in Standard configuration with single, left-side safety lever or Ambi with ambidextrous safety lever. Kit includes trigger, trigger spring, disconnect, disconnect spring, hammer, hammer spring, safety lever with adjustment screws, hex wrench, and instructions.

SPECS: Steel, black phosphate finish. Will not fit large-pin lowers or Colt lowers with safety block.
#100-003-600EG Std Trigger Group 9B127X99 ... \$ 139.99
#100-003-601EG Ambi Trigger Group 9B148X95 ... 159.95

NEW CHIP McCORMICK AR-15 TACTICAL TRIGGER GROUP

Drop-In Trigger Module Is Factory
Tuned For A Super-Smooth,
Clean-Breaking Pull



Self-contained, drop-in trigger module replaces the heavy factory trigger found in many commercial AR-15 rifles and delivers a crisp, pre-set 3 1/2 lb. pull weight. Provides all the advantages of a fine, match-grade, single-stage trigger without the need to fit and adjust multiple components. Rigid, steel, trigger housing holds all the precision-fit, factory-tuned, internal components in proper alignment for easy, fast installation. Generous, precision-ground sear/hammer engagement surfaces provide a remarkably clean, crisp release while preserving reliable function. Each trigger assembly is tweaked at the factory to minimize take-up and over-travel. Threaded sleeves provide an ultra-smooth pivot surface for the hammer and trigger. Completely eliminates conventional trigger pins to save wear, reduce friction, and prevent trigger wobble. Two, slightly oversized center pins replace the standard, trigger/hammer pins to secure trigger in receiver; E-clips at both ends prevent pin walk.

SPECS: Hammer/Trigger - Steel, blued finish. Housing - Steel, in-the-white. 3 1/2 lb. pull weight. Includes (2) center pins w/E-clips. Fits AR-15 rifles with .154" diameter trigger and hammer pins.

#207-000-017EG Tactical Trigger Group, 7K214P29 \$ 249.99

the pull. A lightweight hammer driven by a full-power hammer spring ensures exceptionally fast locktime and positive ignition of all types of ammo. All contact surfaces are wire-EDM cut to exact dimensions for full, precise engagement free of unwanted play. Direct replacement for factory trigger; may be installed without removing the safety. Operation and parts layout is similar to the USGI M16 trigger for easy maintenance staff training and minimal changes to SOPs. All springs are captive to simplify maintenance and field disassembly for cleaning. Hammer and trigger pins are a close slip-fit in nominal .154" (small pin) mil-spec receiver holes to enable installation with basic tools. **Super Semi-Automatic (SSA)** model fits semi-auto rifles; **Super Select-Fire (SSF)** fits full-auto/burst M16/M4.

SPECS: Steel, black finish. Fits AR-15/M16 receivers with .154" diameter hammer and trigger pin holes. May be installed in AR-style .308 rifles that accept AR-15 triggers. Kit includes trigger and hammer assemblies, springs, hammer pin, tube of grease, and illustrated instructions.

#100-003-620EG .154" Hi-Speed SSA Trigger, 7B00HDZ \$ 175.99
#100-003-622EG .154" Hi-Speed SSF Trigger, 7B00YTP 259.95


DROP-IN/PRE-FIT TRIGGERS

Due to manufacturing tolerances, any drop-in or pre-fit trigger may require minor fitting.

SATISFACTION GUARANTEED
SINCE 1939

J.P. ENTERPRISES AR-15 SPEED HAMMER

Faster Ignition; Cleaner Pull

36% lighter than the standard hammer for faster ignition and a crisper trigger pull. Works great with the standard trigger group or, install along with the J.P. Enterprises **Adjustable Trigger Kit** for even better performance. 


SPECS: Hardened steel, parkerized finish. .7 oz (20 gr). Available to fit rifles with either the .154" (military and current aftermarket) or .169" (current Colt) diameter hammer pins. Measure your pins and select the correct kit.
#452-015-100EG .154" Speed Hammer 2E40U54 . . . \$ 49.99
#452-015-101EG .169" Speed Hammer 2E40U00 . . . 49.95

J.P. ENTERPRISES AR-15/AR-STYLE .308 ADJUSTABLE TRIGGER SYSTEM

Smooth, Even Trigger Pull, Precise Letoff; Easy Installation



Easy-to-fit replacement for factory trigger is fully adjustable for engagement and overtravel, and is available


with pull weight as light as 3.5 lbs. Redesigned sear geometry and advanced metallurgy result in a precision-ground sear edge that delivers a precise, consistent letoff and prevents the kind of wear that causes doubling and other problems. Extremely short reset enables fast follow-up shots, a critical advantage on tactical and competition rifles. Machined to exceptionally tight tolerances from hardened steel, and installs in minutes with no permanent alterations to the rifle. Models to fit small (.154") and large (.169") pin receivers. **Standard** pull weight is between 3 and 3.5 lbs.—perfect for competition and recreational shooting. **Tactical** pull weight is between 3.5 and 4 lbs. for applications demanding a high level of ignition reliability, including police/military use, mil-spec ammunition with hard primers, and in AR-style .308 rifles. **Adjustable Trigger Kit** lets you install J.P. trigger components while keeping your factory or aftermarket hammer and pins. Disconnector spring, engagement screw, and overtravel screw are already installed; also includes disconnector, trigger return spring, hammer spring, and .050" hex key. Use with J.P. Enterprises Speed Hammer for best performance. **Fire Control Package** contains contents of the Kit, plus low-mass J.P. Speed Hammer for faster lock time and two anti-walk pins with button head cap screws for easy removal and reinstallation of trigger system when making adjustments. 

SPECS: Steel, parkerized finish. Models for rifles with either .154" (military and current aftermarket) or .169" (current Colt) diameter trigger pins. Measure your pins and select the correct kit. Includes complete instructions and a CD-ROM with 35-minute video showing step-by-step installation.
#452-015-000EG .154" Standard Adj. Trigger Kit, 2E139U99 . . . \$ 149.99
#452-000-048EG .154" Tactical Adj. Trigger Kit, 2E112C00 . . . 139.95
#452-015-001EG .169" Standard Adj. Trigger Kit, 2E113U51 . . . 139.99
#452-000-053EG .169" Tactical Adj. Trigger Kit, 2E112H00 . . . 139.95
#452-000-046EG .154" Std Fire Control Package, 2E148C97 . . . 182.99
#452-000-049EG .154" Tactical Fire Control Package, 2E148H97 . . . 182.99
#452-000-047EG .169" Std Fire Control Package, 2E148C97 . . . 182.99
#452-000-054EG .169" Tactical Fire Control Package, 2E148H97 . . . 182.99

SERVICE RIFLE SPRING KIT - Replacement spring for the J.P. Adjustable Trigger Kit lets Service Rifle, law enforcement and tactical shooters achieve a clean-breaking, 4.5 lb. trigger when used with J.P. components. Can also be used with factory or aftermarket triggers and hammers to improve felt trigger pull.
SPECS: High tensile spring wire. Includes (1) hammer and (1) trigger spring.
#452-000-015EG Service Rifle Spring Kit 2E08X00 . . . \$ 9.95

JEWELL RIFLE TRIGGER


Fully Adjustable, Finest Quality For A Light, Reliable Trigger Pull

Patented trigger mechanism provides outstanding reliability, function, and performance for benchrest, varminting, and other types of precision shooting. All internal components are CNC machined from stainless steel, then heat-treated to Rc 58 for extended service life. Adjustable screws are fitted with a nylon insert to maintain your trigger settings without using thread locking compounds. Features a two-stage pull that is uniquely adjustable from above the lower receiver for first stage pull weight, second stage sear engagement, second stage pull weight, and overtravel. Models available to fit rifles with small and large hammer/trigger pins. 

SPECS: Internal Components - 440 stainless steel, hardened to Rc 58. Housing - 300 Series stainless steel sheet, .050" (1.2mm) thick. 1 lb. to 7 lb. pull weight, available for nominal trigger pin diameters of .154" and .169". Installation instructions included.
#100-002-557EG AR-15 .154" Pin Trigger, 5A00VBX \$ 214.99
#100-002-558EG AR-15 .169" Pin Trigger, 5A00HDZ . 214.99

JARD AR-15 NON-ADJUSTABLE TRIGGER KIT


Provides A Fast, Easy Trigger Upgrade Without Complicated Tuning

Easy to install, non-adjustable, AR-15 trigger replaces the heavy, gritty-feeling, factory hammer and trigger for a smooth, clean-breaking pull that's sure to improve accuracy. Unique, single-stage design positions the sear engagement point behind the hammer for added leverage and a dependable, 3-pound pull weight. High-performance, low mass hammer reduces lock time. Precision-cut engagement surfaces are heat-treated for low wear. Requires gunsmith fitting in receivers with a sear block. 

SPECS: Steel, black matte finish. Includes hammer, hammer spring, trigger and trigger spring. Non-adjustable, 3 lb. (1.4 kg) pull weight. Available for .154" or .171" hammer and trigger pins.
#100-001-567EG .154" Non-Adj. Trigger 2K119X60 \$ 148.99
#100-001-597EG .171" Non-Adj. Trigger 2K118C80 . 148.50

JARD AR-15 ADJUSTABLE TRIGGER KIT

Four-Way Adjustment; Improves Trigger Function & Accuracy

Single-stage trigger kit reduces pull weight to improve accuracy, without gunsmith fitting. 2, 3, and 4.5 lb. models provide the perfect pull weight for hunting or competition. Adjustments for sear engagement, trigger overtravel, disconnector engagement and safety lets you achieve a smooth, consistent trigger pull. Sear engagement point located behind the hammer improves leverage to reduce pull weight; low mass hammer gives faster lock time. Engagement surfaces are hardened and polished for a smooth, clean-breaking pull. Trigger requires gunsmith fitting in receivers with a sear block. 

SPECS: Steel, black, matte finish. 2 lb. (1 kg), 3 lb. (1.4 kg), or 4.5 lb. (2 kg) pull weight. Includes hammer, hammer spring, trigger, trigger spring and sear engagement screw. Available to fit rifles with .154" or .171" hammer and trigger pins.


STOCK # .154"	STOCK # .171"	WEIGHT
#100-000-208EG	#100-000-209EG	2 lb.
#100-001-695EG	#100-001-697EG	3 lb.
#100-001-696EG	#100-001-698EG	4.5 lb.

— Advise # — AR-15 Adj. Trigger Kit 2K121P22 . . . \$ 149.99

ADJUSTABLE TRIGGER FOR ARMA LITE AR-10® - Jard's proven, single-stage design greatly improves trigger feel and function so you can concentrate on your shots instead of a stiff, factory trigger pull. Sear engagement point behind the hammer provides added leverage for a clean-breaking, 2, 3, or 4 lb. pull weight. Sear and

ROCK RIVER ARMS AR-15 NATIONAL MATCH 2-STAGE TRIGGER


Lightens & Smooths Trigger Pull For Improved Accuracy

Drop-in, match grade trigger provides a crisp, 4½ to 5 lb., 2-stage, trigger pull to improve accuracy for competition or varmint shooting. Sear engagement point is located behind the hammer to reduce pull weight. Low mass hammer speeds lock time. Includes trigger and hammer pins. Fits AR-15 receivers with .154" hammer and trigger pins. 

SPECS: Steel, matte black finish. Fits AR-15 receivers with .154" hammer/trigger pins only.
#739-000-011EG .154" 2-Stage Trigger 9C00YTP . . . \$ 120.00

WILSON COMBAT AR-15/M16 TACTICAL TRIGGER UNIT


Match-Grade Single-Stage Pull From A Rugged, Reliable Drop-In Module

Drop-in trigger module fits any mil-spec small-pin AR-15 and delivers a light, superbly crisp trigger pull right from the box, with no adjustment or fine-tuning. Single-stage, 4-lb. pull has zero take-up and an ultra-clean break that's closer to a bolt action than a typical tactical rifle. Exceptionally short, positive reset gets you back on target and ready to take the next shot almost instantly. Unique hammer geometry keeps weight to a minimum for ultra-fast lock time, yet provides plenty of kick to ensure reliable ignition, even on hard military primers. A secondary "rescue" sear grabs the hammer if the primary sear fails when the weapon is dropped or severely jarred—meets military specifications for drop safety. CNC-machined, hardened tool steel hammer, sear, and trigger body with precision-ground contact surfaces are built to run hard in competition or combat, all contained in the rugged machined aluminum housing. Includes two .154" pins and installation instructions. 

SPECS: Trigger/Hammer/Sear - Hardened tool steel, matte gray finish. Housing - Aluminum, anodized, matte black. Fits AR-15 with .154" trigger and hammer pins. Includes two .154" pins and instructions.
#965-000-071EG Tactical Trigger Unit 5F249V99 . . . \$ 269.99

DPMS AR-15/M16 FIRE CONTROL CONVERSION KIT

The Right Parts To Convert An M16 To An AR-15


Capable of semi-auto fire only, four trigger parts convert a full-auto, M16 to semi-auto configuration. Helps local departments/agencies take advantage of military surplus guns without having to train officers for full-auto fire. OEM-style to function correctly. Hardened steel, with black oxide finish, maintains factory function and appearance. Kit includes trigger, disconnector, hammer and selector. Gunsmith or armorer fitting recommended. 

SPECS: Steel, black, matte finish.
#231-000-165EG M16 to AR-15 Fire Control Conv. Kit, 1C30H21 . . . \$ 49.99

disconnector engagement, overtravel and safety movement adjustments allow fine-tuning for ultimate crispness and less stress on parts. Engagement surfaces are precision-ground and honed to minimize drag, then heat-treated to prevent wear. Includes hard striking, low mass hammer to reduce locktime.
SPECS: Steel, matte black. 2 lb. (.9kg), 3 lb. (1.4kg), or 4 lb. (1.8 kg) pull weight. For ArmaLite® AR-10® rifles with .154" hammer and trigger pins.
#100-003-124EG Trigger for AR-10, 2 lb. 2K132P00 \$ 165.00
#100-001-948EG Trigger for AR-10, 3 lb. 2K132P00 . 165.00
#100-003-125EG Trigger for AR-10, 4 lb. 2K132P00 . 165.00

J & L RESEARCH AR-15 DROP-IN TRIGGER ADJUSTER


Improves The Factory Trigger

Trigger adjuster replaces the factory grip screw to reduce trigger creep, lessen pull weight, and improve hammer break for better accuracy. Use alone or as part of a complete trigger job. 
SPECS: Stainless steel. Gunsmith installation recommended.
#072-000-001EG Trigger Adjuster 2G34T90 \$ 44.20

KNS PRECISION AR-15/M16 NON-ROTATING HAMMER & TRIGGER PINS

Precision-Machined To Upgrade Your Existing Hammer & Trigger Pins; Available Standard & Oversized



Redesigned hammer pin and anti-rotation links provide the strongest possible system to eliminate pin rotation, and will withstand the additional force exerted by 9mm conversions and suppressed .223 upper receivers. Prevents wear to receiver holes, which is especially important for increasingly-valuable M16 and pre-ban receivers. Notched hammer pin locks into slots in the anti-rotation links; trigger is secured with locking screws, and includes lube ports so adequate lubrication reaches the trigger. Anti-rotation links fit on the outside of the receiver to prevent all movement. Pins are CNC-machined, centerless ground for uniformity and heat treated for durability. Available in Standard .154", Oversized .155", and .170" for larger receivers. **Oversized Pins** help improve accuracy and trigger control by tightening up any trigger slack that may exist in worn or new receivers. Standard-sized pins drop-in and require no modification to the receiver; oversized pins require the use of the **3.95mm Reamer** listed below. 


SPECS: 416 stainless steel pins. .900" (22.8mm) long, .154" (3.91mm), .155" (3.93mm), or .170" (4.31mm) diameter. **Set** includes (1) hammer pin, (1) trigger pin, (2) screws, (2) anti-rotation links, hex wrenches, and installation tool. **Anti-Rotation Links - Steel, Parkerized finish. Retaining Screws - Steel, black oxide finish. 3.95mm Reamer - Steel. .1555" (3.95mm) diameter cut.**

#923-000-036EG .154" Non-Rotating Trigger Pins, 3B26C43	\$ 31.99
#923-000-040EG .155" Non-Rotating Trigger Pins, 3B25C25	32.00
#923-000-037EG .170" Non-Rotating Trigger Pins, 3B25C25	32.00
#317-000-008EG 3.95mm Reamer 7A22H03	29.46

GEN. 2 MOD. 2 NON-ROTATING PIN SET - Identical function as the standard sets listed above, but with ultra-low-profile links that protrude even less above the receiver. Available with standard .154" diameter pins, oversized .155" pins, or .170" pins for large-pin receivers; .155" pins require use of the 3.95mm reamer listed above.

SPECS: 416 stainless steel pins, carbon steel anti-rotation links and retaining screws, matte black finish. Kit - hammer pin, trigger pin, (2) low-profile anti-rotation links, (2) screws, hex wrenches, and installation tool.

#923-000-046EG .154" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B26C43	\$ 32.99
#923-000-047EG .155" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B25C69	32.99
#923-000-048EG .170" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B25C25	32.00

M16/M4 NON-ROTATING SEAR PIN - Steel pin replaces original pin and locks into place against the take-down pin on M16/M4 rifles to prevent rotation and wear on receiver holes. Drop-in installation requires no tools or gunsmithing. 

SPECS: Steel, matte black phosphate finish. Fits M16/M4 receivers only.

#923-000-043EG M16/M4 Non-Rotating Sear Pin, 3B23C25 \$ 29.50



BROWNELLS AR-15/M16 OVERSIZED TRIGGERGUARD



Protects Trigger During Rough Handling & Allows Fast Access Even When Wearing Gloves

Heavy duty machined aluminum triggerguard provides generous clearance for fast, unobstructed access to the trigger under any conditions, even when you're wearing heavy winter gloves. Open geometry makes the trigger face easily accessible but protects the trigger finger from getting caught behind the trigger shoe. Extra-wide design has plenty of metal to protect the trigger from impact during rough handling or jostling inside vehicles. Machined from the same lightweight yet ultra-hard 7075 T6 aluminum alloy as many premium-quality AR-15 receivers, with smooth, rounded edges that won't scratch or cut your hand. Evenly spaced holes reduce weight and give your rifle a distinctive appearance while preserving the structural strength of a solid piece of metal.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Fits AR-15/M16 rifles with mil-spec lower receivers. Uses existing plunger, spring and roll pins. Instructions included.

#080-000-692EG Oversized Triggerguard 8K17C09 . . . \$24.99

MAGPUL AR-15/M16

MOE™ TRIGGERGUARD

Provides Extra Clearance When Wearing Gloves; Drop-In Installation



Enhanced triggerguard has a shallow "V" shape that provides extra clearance for a shooter wearing gloves, and eliminates the gap at the rear of the USGI triggerguard that can trap or pinch finger. Smooth, ergonomically contoured surface and rounded edges protect the trigger finger from abrasion and won't snag on the operator's glove to impede the speed of target engagement. Replaces factory guard in minutes and requires no permanent alterations to receiver; reinstall original guard any time. Manufactured from high-grade, reinforced polymer that's lightweight, almost as strong as aluminum, and resistant to heat, cold and moisture. Fits mil-spec AR-15/M16 and clones, as well as many AR-style .308 models; installation instructions included.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Includes roll pin, set screw, instructions. Fits most AR-15/M16 and AR-style .308 rifles including ArmaLite® AR-10®, Knight SR-25, and DPMS LR-308. Due to variances in manufacturer specs, minor fitting may be required on some rifles.

#100-004-156EG MOE Triggerguard, Black 3K06P90 . . . \$8.99
#100-004-157EG MOE Triggerguard, Dark Earth, 3K06P90 . . . 8.99

#100-004-158EG MOE Triggerguard, O.D. Green, 3K06P90 . . . 8.99

#100-004-159EG MOE Triggerguard, Foliage Green, 3K06P90 . . . 8.99

MAGPUL AR-15/M16

ENHANCED TRIGGERGUARD



Keeps Trigger Accessible, Even With Gloves

Aluminum triggerguard replaces factory guard and gives full access to the trigger, even when you're wearing gloves. Ends the complication of having to drop the triggerguard in cold weather environments in order to get to the trigger. Triggerguard gives you an oversized opening and is held in place with standard roll pins and set screws. Eliminates need for gap plug and works with most grips.

SPECS: Aluminum, matte black. Fits AR-15/M16 rifles. Includes roll pin and set screw.

#100-002-198EG M16/AR-15 Enhanced Triggerguard, 3K16B99 . . . \$19.99



BROWNELLS AR-15/M16 TACTICAL TRIGGERGUARD



Fast, Unobstructed Access To Trigger; End Of Trigger Pinch

Oversized, drop-in replacement for factory triggerguard provides plenty of extra room to get your finger on the trigger quickly, even when you're wearing gloves. Comfortable, compound-curve shape helps prevent finger from being pinched between trigger pad and guard, while gently radiused edges protect finger from cuts or abrasions. Rugged, machined aluminum construction handles the abuse of intensive tactical operations. Installs easily using the original triggerguard's plunger, spring and roll pins; compatible with factory and aftermarket pistol grips.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Fits AR-15/M16 rifles with mil-spec lower receivers. Uses existing plunger, spring and roll pins.

#080-000-535EG Tactical Triggerguard 8K14A71 . . . \$17.99

FALCON INDUSTRIES AR-15/M16 LOWER RECEIVER SPRING KIT

Finish A Stripped Receiver Or Replace Worn Springs

All the factory-weight springs needed to build up a stripped lower receiver or refurbish an existing lower. Replace worn, corroded, or fatigued springs before they fail—inexpensive insurance against game-ending stoppages caused by spring failure during competition or tactical operations. Kit includes springs for trigger, hammer, disconnect, safety selector, magazine catch, bolt catch, buffer retainer, and takedown pin detents.

SPECS: Spring steel.

#573-000-053EG Lower Rec'r Spring Kit 3G04V99 . . . \$ 6.99

J.P. ENTERPRISES AR-15

REDUCED POWER SPRING KIT



Gives A Smooth, Light Trigger Pull

Reduced-power springs provide a 3.5 pound trigger pull when used with J.P. triggers, and a pull of 4.5 to 5 pounds when used with standard trigger components. Includes hammer spring, trigger return spring, and disconnect spring. Installation instructions also explain engagement surface polishing to obtain a smooth, reliable trigger.

SPECS: Steel, yellow-coded hammer and trigger springs.

#452-000-007EG AR-15 Spring Kit 2E08X57 . . . \$ 9.99

SUPERIOR SHOOTING SYSTEM AR-15 HAMMER & TRIGGER SPRING SET

Reduced Power Plus Consistent Pull Weight

10% reduced power set made from heat-treated, chrome silicon wire that's stress relieved and shot peened; reduces compression weight while maintaining striking power.

SPECS: Chrome silicon wire.

#840-000-039EG AR-15 Hammer/Trigger Spring Set, 4H13A00 . . . \$ 16.25



BROWNELLS AR-15/M16/M4 REPLACEMENT SPRINGS



Assorted Replacement Springs Restore Performance

Put the zing back into your AR-15. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available singly, or in 3-paks. **SPECS:** Materials and finish at least equal to OEM parts. Chrome silicon springs indicated by (CS).

#078-101-113EG AR-15 A2 Action Spring (CS), each, 8G00X06 . . . \$ 4.99

#078-000-102EG AR-15 A2 Action Spring (CS), 3-pak, 8G00T35 . . . 11.76

#078-101-112EG AR-15 A-2 Action Spring, each, 8G02X44 . . . 3.99

#078-000-093EG AR-15 A-2 Action Spring, 3-pak, 8G05D69 . . . 8.99

#078-101-114EG AR-15 Auto Sear Spring, each, 8G00X6199

#078-000-089EG AR-15 Auto Sear Spring, 3-pak, 8G01D30 . . . 2.08

#078-101-115EG Bolt Catch Spring, each 8G00X6099

#078-000-096EG Bolt Catch Spring, 3-pak 8G01D20 . . . 1.92

#078-101-116EG Bolt Gas Ring, each 8G00X6699

#078-000-099EG Bolt Gas Ring, 3-pak 8G01D35 . . . 2.16

#078-101-117EG AR-15 Buffer Retainer Spring, each, 8G00X6299

#078-000-084EG AR-15 Buffer Retainer Spring, 3-pak, 8G01D25 . . . 2.00

#078-101-118EG AR-15 A2 Charging Handle Latch Spring, each 8G00X6299

#078-000-094EG AR-15 A2 Charging Handle Latch Spring, 3-pak 8G01D25 . . . 2.00

#078-101-119EG AR-15 Detent Takedown Spring, each, 8G00X74 . . . 1.99

#078-000-100EG AR-15 Detent Takedown Spring, 3-pak, 8G01D55 . . . 4.99

#078-101-120EG AR-15 Disconnect Spring, each, 8G00X65 . . . 1.02

#078-000-095EG AR-15 Disconnect Spring, 3-pak, 8G01D78 . . . 2.85

#078-101-121EG AR-15 Ejection Port Cover Spring, each, 8G00X6199

#078-000-091EG AR-15 Ejection Port Cover Spring, 3-pak, 8G01D50 . . . 2.40

#078-101-123EG AR-15 Ejector Spring (CS), each, 8G00X96 . . . 1.54

#078-000-103EG AR-15 Ejector Spring (CS), 3-pak, 8G02T40 . . . 3.84

#078-101-122EG AR-15 Ejector Spring, each 8G00X66 . 1.06

#078-000-098EG AR-15 Ejector Spring, 3-pak 8G01D65 2.64

#078-000-112EG AR-15 Elevation Index Spring A3, 3-pak, 8G01T45 . . . 1.92

#078-000-086EG AR-15 Extractor Spring, 3-pak, 8G01D70 . . . 2.72

#078-101-125EG AR-15 Extractor Spring (CS), each, 8G00X72 . . . 1.15

#078-000-104EG AR-15 Extractor Spring (CS), 3-pak, 8G01T80 . . . 2.88

#078-101-126EG AR-15 Forward Assist Spring, each, 8G00X6199

#078-000-080EG AR-15 Forward Assist Spring, 3-pak, 8G01D20 . . . 1.92

#078-101-127EG AR-15 Front Sight Detent Spring, each, 8G00X6199

#078-000-082EG AR-15 Front Sight Detent Spring, 3-pak, 8G01D25 . . . 2.00

#078-101-129EG M4 Action Spring, each 8G02C24 . . . 3.58

#078-000-105EG M4 Action Spring, 3-pak 8G05T81 . . . 8.99

#078-101-130EG M4 Action Spring (CS), each, 8G03C06 . . . 4.99

TTI INTERNATIONAL CUSTOM SHOPPE AR-15/M16 REDUCED POWER ACTION KIT



Lighten AR-15/M16 Trigger Pull

Three-spring kit lightens trigger pull and smoothes letoff. Drops in, requires no modifications to gun.

SPECS: Stainless steel, spring steel. Kit includes hammer, trigger, and disconnect springs. Fits AR-15/M16.

#989-000-001EG RP Spring Kit 9H03D13 . . . \$ 4.99

WOLFF AR-15/M16

EXTRA-POWER HAMMER SPRING

Helps Eliminate Common Ignition Problems

Durable, steel springs provide extra hammer power to ensure proper ignition. Replaces factory spring.

SPECS: Steel, Approx. ²³/₃₂" (18.2mm) wide, 2" (5.1cm) long.

#969-000-100EG XP AR-15 Hammer Spring 9F03Y34 \$ 4.99

#969-000-101EG XP AR-15 Hammer Spring, 3-pak, 9F09Y37 . . . 13.99

#969-000-102EG XP AR-15 Hammer Spring, 10-pak, 9F20Y09 . . . 29.99



DPMS AR-15 SPRING KIT

Genuine Mil-spec AR-15 replacement springs on handy blister pak cards.

SPECS: One each of springs for: trigger, hammer, ejector, extractor, bolt catch, disconnect, selector, takedown pin detent, (2) mag catch, front sight, ejection cover, forward assist.

#231-015-002EG AR-15 Spring Kit 1C09V22 . . . \$ 14.99

DPMS AR-15/M16

EXTRACTOR SPRING ASSEMBLY

Helps Ensure Proper Extraction

Matches the original equipment specs to keep the extractor under the correct tension. Rubber insert gives stability to the spring and lengthens service life.

SPECS: Steel, ³/₁₆" (4.7mm) long.

#231-000-071EG Extractor Spring Assy 3B01A20 \$ 1.50

#078-000-087EG M4 Action Spring (CS), 3-pak, 8G07D35 . . . 11.76

#078-101-132EG AR-15 Mag Catch Spring, each, 8G00C6199

#078-000-083EG AR-15 Mag Catch Spring, 3-pak, 8G01D25 . . . 2.00

#078-101-133EG AR-15 Rear Sight Elev Knob Spring, each, 8G00C6199

#078-000-090EG AR-15 Rear Sight Elev Knob Spring, 3-pak 8G01D50 . . . 2.40

#078-101-134EG AR-15 Rear Sight Index Spring, each, 8G00C6199

#078-000-085EG AR-15 Rear Sight Index Spring, 3-pak, 8G01D45 . . . 2.32

#078-101-136EG Trigger Spring, each 8G00C70 . . . 1.12

#078-000-088EG Trigger Spring, 3-pak 8G01D75 . . . 2.80

#078-101-135EG AR-15 Triggerguard Spring, each, 8G00C6199

#078-000-097EG AR-15 Triggerguard Spring, 3-pak, 8G01D20 . . . 1.92

#078-101-137EG AR-15/M16 Hammer Spring, each, 8G00C78 . . . 1.25

#078-000-077EG AR-15/M16 Hammer Spring, 3-pak, 8G01H95 . . . 3.12

#078-000-092EG M16 Clutch Spring, 3-pak 8G01D25 . 2.00

#078-101-128EG M16M4 Hammer Spring Burst Fire, each, 8G00X95 . . . 1.50

#078-000-081EG M16M4 Hammer Spring Burst Fire, 3-pak 8G02D20 . . . 3.52

AFM AR-15/M16 HEAVY DUTY EXTRACTOR SPRING

For Positive, Consistent Extraction
Even On Carbiners & SBRs




Extra-strong extractor spring increases extractor's grip on case groove and helps ensure reliable, complete extraction. Especially effective for improving reliability of an AR-15 style carbine, pistol, or short barreled rifle (SBR) where a weak extractor spring can cause extractor lift, leading to failure to fully extract the spent case before the fresh round is fed from the magazine, resulting in a stoppage. Heavy-grade, high-quality spring steel and a proprietary heat-treating process ensure long service life with less weakening over time than ordinary springs.

SPECS: Tempered spring steel. Fits all AR-15/M16/M4-style rifles, carbines, and pistols.

#100-004-041EG Heavy Duty Extractor Spring, 2C02Z87 \$ 3.99

SUPERIOR SHOOTING SYSTEMS AR-15/CAR-15/AR-STYLE .308 CHROME SILICON SPRINGS



Flat Wire Construction
For Maximum Reliability & Performance

These flat wire, high-quality action/buffer springs from champion shooter David Tubb will perform flawlessly and are duty rated for 500,000 compression cycles at maximum performance. Made to "extra power" specs without the extra material, these springs are surprisingly lightweight, yet extremely durable. Gives correct timing and resistance on the recoil stroke and a controlled rebound ensures reliable feeding with consistent forward thrust on every shot. Keeps the bolt locked a little longer to allow pressures more time to subside for perfect cycling.

SPECS: Chrome silicon steel. AR-15 fits both fixed and collapsible stocked AR-15 rifles and carbines without modification to spring or gun. AR-Style .308 fits standard length rifles only.

#840-000-048EG AR-15 CS Buffer Spring 4H20A21 . \$ 24.99
#840-000-047EG AR-Style .308 CS Buffer Spring, 4H22A60 29.99


AR-15/CAR-15 EXTRACTOR/EJECTOR SPRING SET - Replacement, drop-in fit chrome silicon extractor and ejector springs from David Tubb provide long term durability and up to 80% more power than factory springs in AR-15 rifles. Precision manufacturing and high quality steel give extremely consistent compression cycle for smooth operation over thousands of rounds.

SPECS: Chrome silicon steel.

#840-000-051EG CS Extractor/Ejector Spring Set, 4H09A95 \$ 12.95

WOLFF AR-15/M16 TUNE-UP KITS & INDIVIDUAL SPRINGS

Kits & Individual Springs
To Improve Functioning



Service Pak returns the rifle to original Colt factory specifications. Includes extra power (XP) action/buffer spring that improves reliability and function.

SPECS: Includes one each of the following: XP buffer spring, bolt catch spring, buffer retainer spring, charging handle latch spring, disconnect spring, dust cover spring, ejector spring, extractor spring, forward assist spring, front sight retainer spring, hammer spring, magazine catch spring and trigger spring.

#969-304-500EG AR-15 Service Pak 9F23C33 \$ 34.99
#969-165-000EG Std XP Buffer Spring, only 9F10V00 14.99
#969-165-010EG CAR-15 XP Buffer Sprng, only, 9F10V00 14.99

TACTICAL SPRINGS CAR-15/M4 SPRING RELIABILITY KIT



Consistent Performance For High-Stress,
High-Volume Shooting

Premium-quality buffer spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume tactical or competition shooter who needs a finely tuned spring that delivers its full power as reliably on the 50,000th shot as it did on the first. Made from chromium-silicon steel alloy selected specifically for its hardness, heat resistance, and ability to withstand high stresses—the same alloy used for valve springs on automobile engines. Cryogenically treated to relieve internal stress, and surface impregnated with Sprinco's proprietary Plate+ molybdenum disulfide lubricating coating. Available with **Standard Weight** buffer spring that matches your carbine's original factory spec or **Extra Power** that keeps the bolt closed a bit longer, which helps some rifles cycle better and eject more positively. Both kits include an extra-power extractor spring that aids in complete extraction and ejection of spent shells, even from a tight or dirty chamber.

SPECS: Cryo-treated chrome silicon alloy. Fits CAR-15/M4 carbine and AR-15/M16 fitted with M4-type collapsible buttstock.

#943-000-018EG CAR-15/M4 Std Weight Reliability Kit, 3D19P12 \$ 23.95
#943-000-017EG CAR-15/M4 Extra Power Reliability Kit, 3D19P12 23.95

WOLFF AR-15/M16 REDUCED POWER ACTION SPRING




Helps Reduce Bolt "Bounce" For Improved Feeding

High-quality, reduced power, action spring helps cure feeding problems caused by excessive bolt "bounce" in rifles configured for 3-shot burst or full-auto modes of fire. Helps shooters fine-tune action cycling for light, target/varmint loads in semi-auto rifles.

SPECS: Tempered, spring steel. Fits .223 cal. AR-15/M16 rifles.

#969-000-140EG Reduced Power Action Spring, 9F10E34 \$ 14.99

WOLFF AR-15/M16 EXTRA POWER EXTRACTOR SPRING



Improves Extraction & Ejection Reliability

Stronger spring prevents "extractor bounce" during rapid semi-auto or full-auto fire. Provides extra force against case rim to give AR-15 rifles and carbines reliable extraction from a dirty chamber; ensures fired case is completely extracted and ejected from gun. Recommended for use with black, carbine, extractor spring insert.

#969-000-032EG AR-15/M16 XP Extractor Spring, 3-pak, 9F07Z33 \$ 10.99

BUFFER TECHNOLOGIES RIFLE RECOIL BUFFER



Cushions Rifle Bolt & Receiver,
Prevents Excess Wear

Shock-absorbing, polyurethane buffer helps extend the service life of your rifle; gives better muzzle stability, reduces action noise. Provides a gentle cushion that gradually slows the bolt and helps prevent expensive receiver damage. Installs easily; no permanent modifications required. AR-15 replaces the synthetic pad on factory buffer assembly. Requires drilling the recoil buffer for cross pin.

SPECS: Polyurethane, clear.

#071-000-010EG AR-15 Recoil Buffer 1G06V97 \$ 9.95

ADVANCED ARMAMENT AR-15/M16 CYCLIC RATE REDUCER



Slows Rate Of Fire Up To 50%; Save Ammo, Increase Accuracy

Easy-to-install, machined-steel unit slows rate of fire and reduces felt recoil to increase full-auto accuracy and reduce ammunition use. Virtually eliminates muzzle climb, helps you control sustained, full-auto fire. Simple installation requires no permanent modifications, installs in just seconds.

MODEL M16SS - Fits A1 and A2 standard or heavy barrel M16 with fixed stock. Approximately 475 RPM rate of fire. Includes buffer, buffer spring, insertion/extraction tool and instructions. **SPECS:** Recoil Buffer- stainless steel, tungsten, matte finish.

#276-016-001EG M16SS Cyclic Rate Reducer, 6G63B20 \$ 79.00

MODEL M16CS - Fits standard and heavy barrel M16 with collapsible stocks, both .223 and 9mm carbines. Approximately 650 RPM rate of fire. Includes buffer, buffer spring, insertion/extraction tool and instructions.

SPECS: Recoil Buffer - stainless steel, tungsten, matte finish.

#276-016-003EG M16CS Cyclic Rate Reducer, 6G63B20 \$ 79.00



BROWNELLS/ENIDINE

AR-RESTOR™

Hydraulic, Rate-Reducing
Buffers Tame Recoil & Bolt
Bounce For Maximum Reliability,
Accuracy & Service Life



Our Gun Techs tested these units and were so impressed with the performance, we teamed-up with the weapon experts at Enidine to offer them directly to you. Quite possibly, the AR-RESTOR is the biggest breakthrough in rate-reducing, recoil reduction systems available for the AR-15. Best of all, they install in minutes, without any modifications. Long known for their successful development of recoil absorption devices for the U.S. Military's M240B, M249, and M2 machine gun, Enidine now produces these easy-to-install, direct replacements for the conventional, inertia mass type buffers currently in production today. Never before has it been this easy and economical to manage recoil and rate of fire in full- or semi-automatic modes of fire, plus improve the overall reliability of your AR-15. Each steel buffer assembly features a sealed hydraulic cylinder with high-impact striker cap and smooth running, nickel-plated cylinder rod - all of which work in unison with your factory recoil spring to cushion carrier impact, lessen felt recoil, and minimize the overall beating your rifle and optics endure when shooting. But, that's not all - you get better accuracy and significantly reduced muzzle rise to maintain efficient target acquisition during rapid fire maneuvers. These benefits are amplified with short-barreled carbines. For rate of fire reduction, nothing works better - AR-RESTOR has been tested by the U.S. Army and proven to drop cyclic rates from 900 rounds per minute to 650 - 700! **AR-15 Collapsible** fits rifles with M4-type collapsible buttstocks. **AR-15 Fixed** fits rifles with fixed A1/A2-type stocks. **AR-308 Standard Collapsible** fits collapsible stock ArmaLite® AR-10® and other AR-style .308 rifles with 3/4" recoil buffers. **AR-308 Shorty Collapsible** fits collapsible stock DPMS Panther LR-308 carbines and other AR-style .308 rifles with 2 1/4" recoil buffers.

SPECS: Steel, black oxide finish. **AR-15 Collapsible** - 3 5/8" (76cm) long, 4.3 oz. (122g) wt. **AR-15 Fixed** - 6 1/4" (15.9cm) long, 5.9 oz. (167g) wt. **AR-308 Standard Collapsible** - 3 5/8" (79cm) long, 5 oz. (140g) wt. **AR-308 Shorty Collapsible** - 2 3/4" (7cm) long, 4 oz. (112g) wt.

#100-002-389EG AR-15 Collapsible Buttstock AR-Restor, 4A79U99 \$ 84.99

#100-002-390EG AR-15 Fixed Buttstock AR-Restor, 4A79U99 99.99

#100-003-634EG AR-308 Standard Collapsible AR-Restor, 4A79V96 99.95

#100-003-212EG AR-308 Shorty Collapsible AR-Restor, 4A80X77 99.99

DPMS CAR-15 COUNTERWEIGHT BUFFER

Improves Reliability & Control,
Softens Felt Recoil



Extra-heavy to soften felt recoil on semi-auto and full-auto guns; added mass reduces cyclic rate during full-auto fire. Provides smoother function for faster follow-up shots to help improve on-target accuracy. Stops bolt bounce on full-auto CAR-15's to increase feeding and extraction reliability. Drop-in installation, uses standard recoil spring. Fits AR-15/CAR-15 with collapsible stock only.

SPECS: Steel body, 3 1/4" (8.3cm) long, 5.4 oz. (155 g) wt.

#231-000-039EG Counterweight Buffer 3B25Z75 . . . \$ 61.99

HAHN PRECISION AR-15/CAR-15/CAV-15 PISTOL CALIBER BUFFER



Reduces Recoil, Improves
Controllability, Extends Receiver Life

Drop-in replacement for factory buffer shortens stroke and reduces recoil on pistol caliber AR-15 conversions with collapsible M4 carbine-type stocks. Extra weight behind carrier reduces cyclic rate for improved controllability, feeding, and extraction on full-auto carbines. Self-contained unit with long head consists of long-wearing, precision-machined, cold-rolled Parkerized steel exterior, fully enclosed 8 oz. lead insert, and polyurethane bumper. Will not work with rifle caliber uppers. Installation of this buffer is mandatory on Cavalry Arms CAV-15 Mk II receivers converted to .45 ACP with the Hahn Precision Grease Gun Adapter to prevent elongation of the receiver hole that eventually renders rifle unusable.

SPECS: Cold-rolled steel exterior, Parkerized, matte dark gray; lead insert; polyurethane bumper. 3 1/16" (9.4cm) long. Fits rifles and carbines with pistol caliber upper receiver and collapsible M4 carbine-type stock.

#100-002-513EG Pistol Caliber AR-15 Buffer, 6K49A97 \$ 59.97

J.P. ENTERPRISES AR-15/M16 LOW-MASS RECOIL BUFFER

Reduces Recoil Impulse
For Precision Competitive
Shooting



Lightweight, aluminum alloy buffer reduces the reciprocating mass of the operating system to reduce the overall recoil impulse felt by the shooter. Helps the competitive shooter keep the sights on the target for precise follow-up shot placement and tight groups. Designed for competition rifles with full-length receiver extension tubes and lightweight titanium or aluminum alloy bolt carriers, as well as any conventional mil-spec carrier where reduced mass is desired. Combine with a lightweight carrier to virtually eliminate felt recoil and increase bolt velocity without significantly impairing reliability.

SPECS: Aluminum, anodized, red. 3 oz. (86g) weight. Fits AR-15 chambered in .223/5.56mm with rifle-length receiver extensions for fixed buttstock. For competition only; not recommended for duty weapons.

#452-000-063EG Low-Mass Recoil Buffer 2E40H00 \$ 49.95

M16 CLINIC AR-15/M16/AR-10 AR BUFFER PAD



Prevents Battered Buffers & Carriers;
Simple, Stick-On Installation

High-strength polymer part protects expensive buffers and bolt carriers for a fraction of their cost. Round disc adheres to the buffer and eliminates metal-to-metal contact between the bolt carrier and buffer.

SPECS: Polymer, white. .95" (24mm) diameter, .14" (3.6mm) thick.

#100-001-469EG AR-15/AR-10 Buffer Pad 6K04H99 . . . \$ 6.50

MGI MILITARY AR-15/M16/M-4 RATE REDUCING BUFFER



Reduces Bolt & Receiver Wear; Absorbs Recoil For Improved Accuracy

Steel, rate-reducing buffer system slows down recoil two ways to improve accuracy and control. Extra weight lowers velocity for less wear on your bolt and receiver.

- #741-000-003EG Rifle Rate Reducing Buffer, ID137Y27... \$171.58
#741-000-004EG Carbine Rate Reducing Buffer, ID132Y00... 164.99

SUPERIOR SHOOTING SYSTEMS AR-15 CARRIER WEIGHT SYSTEM

Slows & Softens Recoil

Stainless steel sleeve, plus stainless and tungsten inserts help cure cycling problems caused by high-pressure, heavy-bullet loads.

- #840-000-024EG Carrier Weight System 4H46U67... \$58.33

ARMAMENT DYNAMICS AR-15/M16 ACLM™ AMBIDEXTROUS CHARGING HANDLE



Operate The Bolt With Left Or Right Hand For Extra Tactical Advantage

Fully ambidextrous charging handle lets the operator charge the weapon from any position for a critical tactical advantage that can make the difference between winning or losing in competition or combat.

- #100-004-341EG ACLM Ambidextrous Charging Handle, 6C69X39... \$84.99

DPMS AR-15/M16 STEEL CHARGING HANDLE



Tough, Steel For Competition & Tactical Use

Machined steel won't bend or break during rapid loading drills or left-hand slap, stoppage clearing. Complete and fully assembled with latch, ready to drop into your rifle.

- #231-000-166EG Steel Charging Handle 1C43H41... \$53.99

PRECISION REFLEX, INC. AR-15/M16 GAS BUSTER CHARGING HANDLE



Keeps Gas Blowback Away From Shooter's Face

Extra-thick handle includes a gas deflection groove to protect shooter from gas blowback. Extended finger latches aid in fast jam clearing.

- #556-000-002EG Flat Latch Charging Handle, 4A82B37... \$108.99
#556-000-003EG Mil. Latch Charging Handle, 4A89B99... 99.99
#556-000-004EG Flat Latch, only 4A17B40... 22.99
#556-000-005EG Military Latch, only 4A19B13... 23.99

SOGARMORY AR-15/M16 CHARGING HANDLE WITH TACTICAL LATCH



Extra Leverage For One-Hand Operation

When you have to cycle the charging handle quickly, you need to be able to find it easily. 3/8" square steel pad extends 3/16" from the charging handle.

- #100-002-212EG Charging Handle w/ Tactical Latch, 9A34X99... \$46.99

M & A PARTS AR-15/M16 AMBIDEXTROUS TACTICAL LATCH

Light, Quick-Grab Design; Gives Extra Leverage

Large, extended latch levers are easy to find and grab, even on flat top receivers with low-mounted optics; gives superior leverage for bolt retraction.

- #553-000-006EG Ambi Tactical Latch 3E00YTP... \$13.99

BADGER ORDNANCE AR-15/M16 TACTICAL LATCH



One Hand Operation Of Charging Handle

Oversized for quick access from all shooting positions. Allows brisk, easy operation with left hand. Makes the charging handle easier to find and operate, especially on scope-mounted flat top receivers.

- #093-249-020EG Tactical Latch 3K17H99... \$19.99

GEN II TACTICAL LATCH - Mid-sized latch for those who want a size between standard and oversized. Makes the charging handle easier to find for brisk operation with the left hand without protruding too far.

- #093-000-024EG Gen II Tactical Latch 3K15A87... \$19.99

DPMS AR-15 TACTICAL BOLT RELEASE

Easy-To-Locate Thumb Pads Give Positive Operation

Large, serrated, thumb pads are easier to feel and activate in the dark. Extended lower pad gives your thumb positive purchase to quickly lock the bolt carrier to the rear.

- #231-000-027EG AR-15 Tact Bolt Release 1C06D99... \$13.99

MAGPUL AR-15/M16 B.A.D. LEVER™

Lets You Release The Bolt With The Trigger Finger; Improves Readiness & Efficiency



The Magpul Battery Assist Device (B.A.D.) is an extended bolt release that allows the shooter to keep his hand in the ready position on the pistol grip and operate the bolt catch with the trigger finger.

- #100-004-755EG Magpul B.A.D. Lever 3K24Y79... \$29.99

SURE SHOT PRODUCTS AR-15 EXTENDED BOLT RELEASE

Release The Bolt With Your Trigger Finger

Lets you close the bolt without shifting firing position. One-piece unit clamps over factory release, extends the release down, to be just opposite your trigger finger.

- #722-015-001EG Extended Bolt Release I 2B33H75... \$45.00
#722-015-002EG Extended Bolt Release II 2B35H25... 47.00

WILSON COMBAT AR-15 TACTICAL BOLT RELEASE



Versatile, 3-Position Button Accommodates Individual Shooting Styles

Innovative, two-in-one design is the perfect choice for setting up AR-15s that double as tactical and sport-

ing rifles. Large, tactical button installs vertically or horizontally removes quickly and easily by loosening the setscrew and sliding it off.

- #965-000-037EG Tactical Bolt Release 5F25A78... \$29.99

NORGON AR-15/M16 AMBI-CATCH™

Rapid Reloads With The Non-Firing Hand

Quicker, easier reloads for right- or left-hand shooters. Lets you activate the magazine release with the thumb of the non-firing hand while keeping the rifle on target.

- #635-001-015EG Ambi-Catch 5C79Y99... \$89.99

POWER CUSTOM AR-15 OVERSIZE, AMBI MAG RELEASE

Easy, One-Finger Operation



Push the giant, oversize button's checkered face with the right-hand trigger finger or the extra large, paddle shaped, off-side thumb lever with the left hand.

- #713-215-002EG Ambi Mag Release 3A81P25... \$96.99

ARREDONDO AR-15/M16 OVERSIZE MAGAZINE RELEASE BUTTON

Change Mags Quickly Without Fumbling To Find The Release

Oversized magazine release button allows fast mag changes in competition or combat, in daylight or total darkness. Serrated surface and slightly angled configuration draws your finger immediately to the button and enables positive, no-slip release in all weather conditions.

- #069-000-027EG Oversize Magazine Release Button, 9F22B60... \$27.99



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.



BROWNELLS AR-15/M16 OVERSIZE MAGAZINE RELEASE

"Can't Miss" Release Button Aids
In Ultra-Fast Magazine Changes

Extended, drop-in replacement for factory part offers a wide, flat finger pad for fast, "can't miss" magazine changes. Perfect for competition, tactical operations, and self-defense—any high-stress situation where the speed of a magazine change makes the difference between success and failure. Nearly three times the surface area of the factory button with crisp, 24 lpi checkering for positive, nonslip finger contact, so you release the mag on the very first try. Stands .225" higher to give you extra leverage that ensures the mag catch disengages completely. Precision machined from 4140 steel and heat treated for added hardness and wear resistance, with a tough, black oxide finish. May require minor fitting. **USA**
SPECS: Steel, oxide finish, matte black. Fits any AR-15/M16/CAR-15/M4 with a USGI-spec magazine release.

#080-000-529EG Oversize Magazine Release, 8K15A89 \$ 19.99



POWER CUSTOM AR-15/M16 EXTENDED OVERSIZED MAGAZINE RELEASE

Large Diameter & Extended Length
Ensure Fast, Easy Reloads

Machined, steel magazine release extends more than half an inch and has a checkered oversized button for quick reloads. Installs just like the factory part. Includes replacement spring. **USA**

SPECS: Steel, black oxide finish. $.33\frac{1}{4}$ " (14mm) long, $\frac{5}{8}$ " (16mm) diameter. Spring - $1\frac{3}{8}$ " (3.5cm) long.

#713-215-003EG Extended Oversized Mag Release, 3A15P42 \$ 18.99

DPMS AR-15 OVERSIZED SELECTOR SWITCH

Large, Can't Miss, Thumb Pad
Gives Fast, Sure Operation

Long, wide thumb pad provides fast, sure safety operation when wearing gloves, or when speed is important. Upturned lip ensures positive thumb engagement for full selector travel. Drop-in installation.

SPECS: Steel, gray, parkerized finish. Heat treated. Fits AR-15 only. Thumb pad - 1.2" (3.5cm) long, .525" (13.3mm) wide.

#231-000-036EG Oversized Selector Switch, 3B14Z95 \$ 29.95



DPMS AR-15 AMBI SAFETY/SELECTOR

Easier Engagement
For Left-Handed Shooters

Puts the same, easy-to-operate safety lever on both sides of the receiver for fast, easy operation by left-handed shooters or when shooting with the weak hand. Swings through the same arc as the standard safety; will not interfere with grip position or thumb placement. **LR-08B** - Ambi safety lever for semi-auto AR-15s. **LR-08C** - Ambi selector/safety lever for full-auto AR-15/M16s only.

SPECS: Steel, black finish. **LR-08B** - .650" (16.5mm) long, .234" (6mm) wide contact area. Fits semi-auto rifles only. **LR-08C** - .675" (17.7mm) long, .234" (6mm) wide contact area. Fits full-auto rifles only.

#231-015-012EG LR-08B AR-15 Ambi Safety, 3B24X41 \$ 30.99

#231-000-231EG LR-08C Full-Auto AR-15 Ambi Selector, 1C24Y32 \$ 29.99



J.P. ENTERPRISES AR-15 ADJUSTABLE/REVERSIBLE/AMBI SAFETY SELECTOR

Eliminates "Fitting" The Safety; Works
With Factory & Aftermarket Triggers

Easy-to-install, reversible safety selector ensures ultra-reliable engagement and eliminates the time-consuming job of "fitting the safety" to a factory or aftermarket trigger—the perfect upgrade to accompany a J.P. Enterprises Adjustable Trigger. Eliminates the risk of damaging the trigger during fitting and shortens installation time by as much as one-third. An adjustment screw on the selector drum lets you quickly and easily set the correct trigger/safety relationship to completely block trigger movement when the selector is set to "safe." A second screw inside the drum ensures the adjustment screw stays locked in place. Deeply grooved control pad gives positive thumb engagement even when wearing gloves, and can be installed in the standard position on the left-side of the receiver or on the right side for fast, natural operation by left-handed shooters. Add the **Ambi Selector Lever** to give your rifle a safety lever on both sides of the receiver for fully ambidextrous operation. Ideal for tactical and competition shooters who may need to operate the selector with the weak hand to accommodate an unconventional shooting position or if the strong hand is injured. **USA**
SPECS: Steel with aluminum control pad, matte black finish. Installation instructions included.

#452-000-043EG Adj./Reversible Selector 2E41C96 \$ 50.99

#452-000-069EG Ambi Selector Lever 2E14H40 \$ 17.99



ROCK RIVER ARMS AR-15 STAR SAFETY SELECTOR

Round Profile Rolls Under Your Thumb

Round thumb pad gives fast, positive operation; ideal when wearing gloves.

SPECS: 4140 steel, black, matte finish. For AR-15 only. **#739-000-007EG Star Safety Selector 9C00HDZ \$ 9.00**

J.P. ENTERPRISES AR-15 ANTI-WALK PINS

Eliminate Hammer & Trigger Wobble

Oversize pins hold hammer and trigger in precise alignment without free play for consistent trigger letoff. Moly impregnated to reduce friction. Sizes for large or small pin receivers. Hex-head screws locate pins to frame, eliminate the hammer J spring. Installation may require reaming hammer for proper fit. **USA**
SPECS: Tool steel, moly coated. **Small** - .156" (3.9mm), **Large** - .172" (4.3mm) diameter. 1" (2.5cm) long. Pack of two pins.

#452-015-028EG Small Anti-Walk Pins 2E08U00 \$ 9.95

#452-015-029EG Large Anti-Walk Pins 2E08U00 \$ 9.95

BROWNELLS E-CLIPS FOR OLD MODEL ANTI-WALK PIN - Replacement steel E-Clips for old model J.P. Enterprises Anti-Walk Pins. Clips keep pin in frame. Sold in paks of four.

SPECS: Steel, black. Sold in paks of 4. Fit old model J.P. Anti-Walk Pins only.

#080-000-320EG E-Clip For Anti-Walk Pin, (4), 8K00P90 \$ 2.99



HELP YOUR BOTTOM LINE



BrownellsBusinessAdvantage.com

J.P. ENTERPRISES AR-15/AR-10/SR-25 REAR TENSIONING PIN

Removes Upper/Lower Slop
For Increased Accuracy

Takes out the play between upper and lower AR-15 receivers: provides a rock-solid lockup for more consistent accuracy and improved trigger pull. Thread-adjustable, all stainless steel pin installs quickly, replaces the push pin and will not alter or enlarge existing hole dimensions. **USA**
SPECS: Stainless steel. **AR-15** - .250" (6.3mm) nominal diameter. Fits receivers with .250" diameter receiver takedown pin holes, only. **AR-10/SR-25** - .281" (7.1mm) nominal diameter. Fits .281" receiver takedown pin holes, only.

#452-015-105EG AR-15 Rear Tension Pin 2E28U00 \$ 34.95

#452-015-106EG AR-10/SR-25 Rear Tension Pin, 2E32U00 \$ 39.95



DPMS AR-15/M16 ACCESSORIES

COLT PUSH PIN - Steel pin with ball detent speeds takedown. Replaces the two-piece, threaded pin on Colt AR-15s with the Hartford "Horse" logo on the lower receiver.

SPECS: Aluminum, black, hard-coat anodized. 1.4" (3.5cm) long. **Old** - .315" nominal (8mm) diameter. **New** - .250" (6.3mm) diameter.

#231-015-011EG Old Colt Push Pin 3B04X00 \$ 6.00

#231-015-013EG New Colt Push Pin 3B05X33 \$ 7.00

RECEIVER ADAPTER - Use this off-set bushing and pivot-pin screw to adapt pre-ban and current after-market, upper receivers that accept the .250" dia. pivot pin to Colt Sporter lower receivers that take the larger (.315" dia.) pivot pin. Installation requires no alterations to either unit. **Measure your pivot pin before ordering.**

SPECS: Steel, blued. **#231-015-016EG AR-15 Receiver Adapter 1C05X17 \$ 7.40**

PIVOT-PIN ADAPTER BUSHING - Eccentric, steel bushing fits tightly inside .315" upper-receiver, pivot-pin holes reducing the internal diameter to correspond with .250" lowers. Matches the military finish of your gun. Measure your pivot pin before ordering.

SPECS: Steel, parkerized. .380" (9.6mm) OAL. **#231-000-181EG Pivot-Pin Adapter Bushing, 1C02D50 \$ 3.12**



KNS PRECISION AR-15/M16 PUSH-BUTTON RECEIVER PINS

Quick-Release For Fast Takedown Without
Tools; Pivot Pin Available With Swivel Stud

Steel, push-button pins give a positive lock that quickly release with finger pressure for easy access to the inside of upper and lower receivers. Three, spring-loaded detent balls hold pins in place and prevent wear or binding. **Pivot Pin** replaces the factory front pivot pin and is available for receivers drilled for .315" or .250" pivot pins. **Swivel Stud Pivot Pin** has a convenient sling swivel stud on one side for easy sling mounting close to your weapon's point of balance on the left side of the receiver. Detent balls lock into the base of the stud, yet leave it free to rotate a full 360°. **Takedown Pin** replaces the rear, factory takedown pin to eliminate the need for a punch or other tools to disengage the pin. **USA**

SPECS: Steel, black oxide finish. **Pivot Pin** - Available for receivers with .250" or .315" diameter pivot pin. **Swivel Stud Pivot Pin** fits receiver with .250" diameter pivot pin. **Takedown Pin** - Fits receivers with .250" diameter takedown pin.

#923-000-039EG .315" P-B Pivot Pin 3B13C70 \$ 16.99

#923-000-042EG .250" P-B Pivot Pin 3B13C33 \$ 16.67

#923-000-045EG .250" P-B Swivel Stud Pivot Pin, 3B16C89 \$ 20.99

#923-000-044EG .250" P-B Takedown Pin 3B14C29 \$ 16.99



YANKEE HILL MACHINE AR-15/M16 EZ PULL PIVOT & TAKEDOWN PIN SET

Easy, Fast Separation
Of Upper & Lower Receiver Halves

Pivot and takedown pins with easy-to-grasp, oversized heads make separating upper and lower receiver halves fast and easy. Simply grasp the large, button-style head and disengage the pin—no fumbling for a punch and scratching the receiver. Pin shafts are designed to lock as securely as factory pins. Perfect for the shooter who mounts different top ends for different applications on a single lower receiver. Precision machined, heat-hardened steel with long-wearing mil-spec Parkerized finish. **USA**

SPECS: Steel, matte black finish. Set of 1 front pivot pin, 1 rear takedown pin. Fits receivers with .250" (6.3mm) diameter pivot and takedown pins.

#100-003-690EG EZ Pull Takedown Pin Set, 9A14B99 \$ 19.99



BROWNELLS AR-15/M16 ACCU-WEDGE

Drop-In Accuracy Fix; Stops Unwanted
Movement Between Receiver Halves

One of the fastest, easiest, cheapest accuracy improvements you'll ever find for your AR! Tough, high-density synthetic rubber wedge drops into the space behind the takedown pin in the lower receiver to provide tension between the receiver halves and prevent movement for improved accuracy. Takes the "loose gun" factor out of the equation, so you shoot tight, consistent groups. Can be trimmed to accommodate any variation in upper-to-lower receiver fit. **USA**

SPECS: Synthetic rubber. $\frac{3}{4}$ " (1.9cm) high, $\frac{1}{2}$ " (1.3cm) diameter. **#080-000-663EG Brownells ACCU-Wedge 8K03U94 \$ 4.99**



Z-M WEAPONS AR-15/M16 ACCU-WEDGE

Instantly Tightens Loose Upper & Lower Receivers

Helps promote better accuracy by making the upper and lower receiver fit tighter. Open upper receiver; drop this long-wearing, rubber wedge into the rear of the lower, behind the push pin. Absolutely no modifications required. **USA**

SPECS: High-density, thermo-plastic rubber, $\frac{1}{2}$ " (12.5mm) long. **#993-150-100EG ACCU-Wedge 3Z04A33 \$ 4.99**

- 3 or More - ACCU-Wedge, per each 3Z03A50 \$ 4.95



BROWNELLS AR-15 EXTRACTOR BUFFER

Stronger Base For Eliminating Extractor Bounce

Tough, dense rubber insert replaces factory buffer inside the extractor spring to prevent "extractor bounce" that can occur in rapid-fire conditions. Insert keeps the extractor from losing contact with casings and reducing faulty ejection of the spent casing. Sold in 10-paks. **USA**
SPECS: Rubber, black. .15" (3.8mm) long, .11" (2.8mm) dia. 10-paks. **#078-000-071EG Extractor Buffers, 10-pak 2D10H71 \$ 13.40**

MGI MILITARY AR-15/M16 D-FENDER D-RING

Drop-On Installation Gives
A Lifetime Of Improved Extraction


Firm, rubber, D-shaped ring surrounds the extractor spring to multiply extractor spring tension by 400%. Easy installation prevents virtually all extraction problems associated with AR-15 and M16 firearms.

SPECS: Rubber, black. .068" (1.7mm) thick. **#741-015-003EG D-Fender D-Ring 1D11Y94 \$ 15.99**



JOJO'S GUNWORKS AR-15/M16 BOLT UPGRADE KIT

For Smoother Bolt Operation & Improved Extraction


High-quality, drop-in replacement parts upgrade critical bolt components to improve extraction and ejection for more reliable bolt operation. High-lubricity nickel-Teflon finish reduces wear, repels fouling, and enhances smoothness of operation, plus it resists corrosion and cleans easily. All parts, including the precision machined extractor, are manufactured to original Colt specifications to fit mil-spec bolts. Kit includes replacement extractor, extractor pin, extractor spring assembly, ejector, ejector spring, and ejector pin. 

SPECS: Stainless steel, nickel-Teflon finish.

#100-003-219EG Bolt Upgrade Kit, 1B24C32 \$ 29.99

BUFFERTECHNOLOGIES AR-15/M16 EXTRACTOR UPGRADE KIT

Increased Extraction Force For More Reliable Function, Fewer Jams

Drop-in replacement kit for factory extractor spring assembly helps ensure more positive, dependable extraction to improve the reliability of your rifle. Stiffer springs, plus an extra rubber doughnut that slips over the coil spring, increase extraction force to four times the factory rating. Helps reduce jams caused by weak spring pressure that allows the extractor to slip off the rim and leave a spent shell in the chamber. Especially effective in short-barreled carbines like Colt M4 Commando, DPMS Panther Kitty Kat, and HK416. A simple, inexpensive solution for many extraction problems. 


SPECS: Spring steel and synthetic rubber. Fits AR-15/M16/M4, AR-18/AR-180, Bushmaster M-17 Bullpup, Daewoo 5.56 & 7.62 x 39, DPMS Kitty Kat, HK416, and Steyr Aug.

#071-000-043EG AR-15 Extractor Upgrade Kit, 1G09Y06 \$ 12.99

AR-15/M16 UPPER RECEIVER PARTS KITS




Everything You Need To Assemble A Complete Upper

Handy kits gather up all the small parts needed to complete a functional upper receiver. Eliminates the hassle of tracking down every component separately, including hard-to-find pins and springs, so you can start a custom build knowing you won't be held up waiting for that one part you forgot to order. Select the stripped upper, barrel, gas block, flash hider, bolt/carrier, and handguard you want, then purchase the completion kit to fit the handguard style and gas system length. Each kit contains original factory parts, so you can install parts made by the manufacturer of your receiver. AR components from one manufacturer will fit another manufacturer's receiver, but fitting may be required. Use **Standard (STD)** kits with GI-style snap-on handguards. Includes gas tube, delta ring, handguard retainer ring, barrel slip ring spring, forward assist assembly, ejection port cover assembly, flash hider crush washer, peel washer, and all required pins, springs, and clips. Use **Free Float (FF)** kits with free-float forends that attach to the barrel nut and do not require delta ring handguard attachment system. Includes gas tube, forward assist assembly, ejection port cover assembly, flash hider crush washer, and peel washer, plus pins, springs, and clips. 



BROWNELLS CAR-15 RECEIVER END PLATE

Maintains Proper Alignment Of Stock & Buffer Tube

M4-style receiver plate includes the engagement tab required to align the buttstock and buffer tube with the lower receiver on carbine models. Precision, fineblanking process ensures precise edges and superior flatness for correct fit and solid installation. 


SPECS: Steel, black oxide finish.

#080-000-290EG CAR-15 Receiver End Plate, 8K04P07 \$ 4.99

BUSHMASTER AR-15 LOWER RECEIVER PARTS KIT



All The Internal Parts Needed To Complete A Smooth-Functioning, Reliable Lower

Complete kit of all the internal parts, plus the pistol grip, allows you to build or refurbish on the small-pin lower of your choice. Unified set of components designed to work together helps ensure proper fit and smooth operation. Engagement surfaces on trigger and hammer are precision ground to give you a crisp letoff without sacrificing reliability. Pistol grip is injection molded from high-impact polymer and offers the streamlined contours of a standard A2-style grip, with a ledge for the second finger, molded in checkering, and deep grooves on the backstrap for improved control under recoil. Separate triggerguard molded from the same high-density polymer is included. 

SPECS: Steel, blued finish on metal parts; injection-molded polymer, black grip. Includes trigger, hammer, disconnect, safety selector lever, bolt catch, magazine catch, magazine button, pistol grip, front and rear pivot pins, and all necessary pins, detents, and springs.

#100-003-639EG Lower Receiver Parts Kit, 9B00VBX \$ 69.99

SPECS: Carbine - 9 3/4" (24.8cm) gas tube length. Mid-Length - 11 1/4" (29.9cm) gas tube length. Rifle - 15 1/8" (38.4cm) gas tube length.

DPMS - Factory parts used in the popular Panther™ rifle series available for carbine, mid-length, and rifle gas systems with Standard or Free Float handguards.

#080-000-607EG Upper Rec'r Parts Kit, STD Carbine, 8K47D46 \$ 63.99

#080-000-605EG Upper Rec'r Parts Kit, STD Mid-Length, 8K46D13 \$ 58.99

#080-000-604EG Upper Rec'r Parts Kit, STD Rifle, 8K45D29 \$ 66.99

#080-000-616EG Upper Rec'r Parts Kit, FF Carbine, 8K38Z37 \$ 55.99

#080-000-594EG Upper Rec'r Parts Kit, FF Mid-Length, 8K36H50 \$ 45.99

#080-000-593EG Upper Rec'r Parts Kit, FF Rifle-Length, 8K36C85 \$ 51.99

HIGH STANDARD - Parts manufactured to U.S. military specs and used in HSA-15 rifles and carbines. Kits to fit carbine (16" barrel) and rifle length (20" barrel) gas systems.

#080-000-603EG Upper Rec'r Parts Kit, STD Carbine, 8K62D43 \$ 78.99

#080-000-601EG Upper Rec'r Parts Kit, STD Rifle, 8K62H43 \$ 78.99


#080-000-591EG Upper Rec'r Parts Kit, FF Rifle, 8K46C15 \$ 57.99

DPMS AR-STYLE .308

LOWER RECEIVER PARTS KIT



Full Set Of Internal Parts Needed To Complete A Stripped Lower Receiver

All the internal parts you need to turn a stripped LR-308 series lower receiver into a fully functional bottom half, ready for assembly to the upper receiver and buttstock. Or, use to rebuild the worn internals of an old rifle and restore it to like-new function and reliability. Eliminates the hassle of scrounging up the parts one by one, plus single-manufacturer source means the kit parts are designed to work together and will require minimal fitting. Kit includes the complete fire-control system with trigger, trigger spring, disconnect, .153" diameter hammer/trigger retaining pins, hammer spring, and extra-weight hammer for positive ignition of .308 ammo. Also includes polymer A2-style pistol grip, bolt stop, bolt stop screw, selector, selector detent, bolt catch, magazine catch, magazine release button, front pivot pin, rear takedown pin, buffer retainer, and all necessary pins, springs, detents, and screws. 


SPECS: Steel, matte black finish. Grip - injection-molded polymer, black. Fits DPMS LR-308 series lower receivers and compatible .308/7.62mm lowers, including Remington and Patriot Ordnance.

#231-000-250EG Lower Receiver Parts Kit, 1C59V93 \$ 85.99

BROWNELLS AR-15/M16 BOLT/CARRIER COMPLETION KIT



Critical Parts Needed To Assemble Bolt & Bolt Carrier For Installation In Receiver

Convenient kit contains the components you need to complete an AR-15 bolt and bolt carrier for installation in the rifle. Perfect for custom builds where bolt and carrier are obtained from different sources, and you need a firing pin, cam pin, and firing pin retaining pin to complete the assembly. Also a good idea to replace these critical parts when refurbishing existing rifles to help ensure reliability. Manufactured from high-quality steels, hardened as necessary, to mil-spec tolerances, and ready for installation. Installation instructions included. 

SPECS: Firing Pin - Steel, chrome finish. Cam Pin & Retaining Pin - Steel, black oxide finish. Kit contains firing pin, firing pin retaining pin, cam pin, and instructions. Fits Colt-manufactured bolt carriers and clones.

#080-000-552EG Bolt/Carrier Completion Kit, 8K27T80 \$ 36.99

Shop

ar-15 parts kit

Search

brownells.com

DPMS AR-15 FIRING PIN & RETAINER

OEM Quality For Long Life


FIRING PIN - Quality made, original-style chrome pin. Perfect for replacement of worn or damaged pins; great for building new rifles. Small collar fits all carriers. 
SPECS: Steel, chrome. Fits AR-15 and M16.
#231-000-005EG AR-15 Firing Pin 3B06H09 \$ 9.99

EARLY-STYLE FIRING PIN RETAINER - Has the strength and appearance of the original machined, solid steel pin used on the first AR-15's. Heat treated for strength and greater resistance to bending. 
SPECS: Steel, silver, hard chrome finish. Fits AR-15 and M16.
#231-000-029EG Early-Style Firing Pin Retainer, 3B12D26 \$ 15.33

DPMS AR-15 PARTS KITS



Sub-Assembly, Mil-Spec Parts Packaged In Money-Saving Kits

The easiest way to stock and sell genuine, mil-spec AR-15 parts, or use to assemble rifles on your receivers. Much lower in total cost than buying the parts one at a time. All kits listed contain only new, current-production, genuine, mil-spec parts; never pull-offs or direct-exchange surplus. 
SPECS: Unassembled kits packaged in heat-sealed, poly bags, labeled for resale. Fits AR-15 only.

BOLT CARRIER ASSEMBLY - Kit includes: bolt carrier, bolt, extractor, extractor spring, extractor pin, ejector, ejector spring, ejector pin, (3) gas rings, firing pin, firing pin retainer, cam pin, gas key and screws.
#231-000-176EG Bolt Carrier Assembly 1C121D98 \$ 150.99

A2 UPPER RECEIVER PARTS KIT - Kit includes: charging handle assembly, A2 rear sight assembly, forward assist assembly, and ejection port cover assembly.
#231-115-002EG Upper Receiver Kit 1C51A70 \$ 68.99

LOWER RECEIVER PARTS KIT - Kit includes: trigger, trigger spring, trigger pin, hammer, hammer spring, hammer pin, disconnect and spring, bolt catch, b/c plunger, b/c spring, b/c roll pin, selector, selector detent, selector detent spring, (2) takedown detents and springs, pivot pin, rear takedown pin, buffer retainer and spring, magazine catch, button and spring, A2 pistol grip, screw and washer, triggerguard assembly and pin.
#231-115-003EG Lower Parts Kit 1C55A10 \$ 59.99

BUTTSTOCK ASSEMBLY - Kit includes buttstock shell, door assembly, buttplate, hinge and pin, rear swivel, lower buttstock screw, upper buttstock screw, aluminum buttstock spacer, extension tube, buffer, and buffer spring.
#231-115-004EG Buttstock Assembly 1C71A36 \$ 95.99

DPMS AR-15 ULTIMATE REPAIR KIT

Replace Worn Parts, Restore Lost Performance

Thirty six of the most often needed parts to replace those broken, lost or just worn out. Restore performance and function, keeps rifle operational. 
SPECS: Kit contains: (1) firing pin, (1) extractor, (1) disconnect, (1) disconnect spring, (3) firing pin retainer pins, (1) extractor pin, (1) ejector, (1) ejector roll pin, (3) bolt gas rings, (1) rear takedown pin .250", (1) front pivot pin .250", (2) trigger pins, (1) takedown detent, (2) selector detents, (1) gas tube roll pin, (1) triggerguard pin, (1) bolt catch roll pin, (1) forward assist pin, (1) rear base spring pin, (1) extractor spring, (1) front sight spring, (1) forward assist spring, (1) magazine catch spring, (1) buffer retainer spring, (2) detent springs, (1) selector spring, (1) hammer spring, (1) bolt catch spring, (1) ejector spring.
#231-000-026EG AR-15 Ultimate Repair Kit, 1C44D96 \$ 59.99

DPMS AR-15 ROLL, PIN & REPAIR KITS

Genuine Mil-Spec Parts
On Convenient Blister Pak Cards

Absolutely the easiest way to keep genuine Mil-spec AR-15 replacement parts in your shop and available for your customers. A complete selection of springs, pins and parts, ready to hang on a wall or display rack for easy sales. **SPECS:** Steel and spring steel. Matte finish.



AR-15 PIN KIT - Contains one each of the following pins: pivot pin, takedown pin (not mil-spec), hammer/trigger pin, bolt catch pin, forward assist pin, triggerguard pin, gas tube roll pin, extractor pin, ejector pin, firing pin retaining pin, A2 sight roll pins (3), takedown/selector detents (2).

#231-015-001EG AR-15 Pin Kit 1C12V50 \$ 19.99

AR-15 SPRING KIT - Contains one each of the following springs: trigger spring, hammer spring, ejector spring, extractor spring, bolt catch spring, disconnect spring, selector spring, takedown spring (2), mag catch spring, front sight spring, ejection cover spring, forward assist spring.

#231-015-002EG AR-15 Spring Kit 1C09V22 \$ 14.99

AR-15 REPAIR KIT - Contains one each: hammer spring, trigger spring, extractor, extractor return spring, firing pin, ejector pin, ejector, firing pin retaining pin, disconnect spring.

#231-015-003EG AR-15 Repair Kit 1C23V85 \$ 29.99



J. DEWEY AR-15/M16 MIL-SPEC PARTS

Genuine Mil-Spec Individual Parts

Genuine AR-15/M16 parts made to military specifications by a government contractor. These often-replaced parts are supplied in individual bags. **SPECS:** Gas tubes, stainless steel. Pins, steel. Knobs, aluminum.

STOCK #	ITEM	PRICE
#234-901-020EG	Long Gas Tube (20" bbl)	4C07Y70 \$ 9.99
#234-901-016EG	Short Gas Tube (16" bbl)	4C07Y43 \$ 10.00
#234-902-100EG	Take Down Pin	4C03Y00 \$ 5.00
#234-902-250EG	Pivot Pin (.250" dia.)	4C03Y00 \$ 5.00
#234-902-101EG	Bolt Cam Pin	4C03Y00 \$ 5.00
#234-903-102EG	Elevation Knob (A2 rear)	4C03Y00 \$ 5.00
#234-903-202EG	Windage Knob (A2 rear)	4C03Y02 \$ 5.99

BROWNELLS AR-15 FIELD PARTS KIT

Essential Parts
For Emergency
Repairs

Don't let a broken part spoil your hunt or ruin an important match.

Convenient, pre-packaged kit contains selected DPMS and Yellow Tavern Custom Shoppe parts most often required for emergency field repairs. Contains: (1) pivot pin, (1) pivot pin spring, (3) bolt gas rings, (2) bolt catch pins, (1) bolt catch spring, (1) buffer retainer pin, (1) buffer retainer spring, (1) buffer spring (CAR), (1) buffer spring (STD), (1) carrier key screw, (2) disconnect springs, (1) ejector, (2) ejector pins, (1) ejector spring, (1) ejection port cover spring, (1) extractor, (1) extractor spring, (1) extractor pin, (1) firing pin, (3) firing pin retaining pins, (1) flash suppressor lock washer, (2) forward assist pins, (1) forward assist spring, (1) front sling swivel rivet (black), (1) front sight detent spring, (2) gas tube roll pins, (1) hammer/trigger pin, (2) hammer springs, (1) handguard retainer ring, (1) mag catch spring, (1) pistol grip star washer, (1) pistol grip screw, (2) trigger springs, (1) takedown pin (not mil-spec), (1) takedown pin spring, (2)

COLT M16/M4 FULL-AUTO PARTS

Factory Replacement Parts
For Military & Law Enforcement
Applications



Factory original, fire control parts keep your select-fire Colt M16/M4 shooting reliably, so you'll be prepared to face intensive tactical operations with the confidence of knowing your weapon won't let you down. These parts are precision engineered and manufactured to strict quality control standards from the finest materials for correct fit in your gun. **All NFA rules apply.**

SPECS: Steel. Matte black finish.

#160-000-370EG	Auto Sear Assembly, A2 6A11B87	.. \$ 14.84
#160-000-366EG	Cam, Burst, A2 6A14V45 18.07
#160-000-367EG	Clutch Spring, A2 6A03V28 4.10
#160-000-373EG	Disconnect, Full Auto, A1 6A10B48	.. 13.10
#160-000-375EG	Disconnect Spring 6A02B80 4.99
#160-000-365EG	Hammer, A2, w/Detent Spring, 6A52V45 65.56
#160-000-372EG	Hammer, Full Auto, A1 6A44B60 55.75
#160-305-103EG	Hammer Spring 6A03U58 4.48
#160-000-368EG	Hammer Spring, 3-Shot Burst, A2, 6A02B22 2.78
#160-000-371EG	Key & Bolt Carrier, A2 6A228B40	.. 285.50
#160-000-369EG	Trigger & Disconnect Spring Assy, A2, 6A20B00 25.00
#160-000-374EG	Trigger, Full Auto, A1 6A37B59 46.99

DPMS FULL-AUTO & BURST PARTS

Maintain & Repair
Select Fire Rifles

High-quality, M16/M4 components from DPMS keep select fire weapons shooting longer and give you the confidence you need to get the job done in all tactical situations.

All parts are precision engineered and made to rigid quality standards to ensure excellence and long-lasting strength when failure is not an option. **All NFA rules apply.**

SPECS: Steel, Black, Heat-treated, hardened, or alloy steel.

#231-000-209EG	Bolt Carrier w/Bolt Assembly, 1C117Z39 \$ 144.99
#231-000-210EG	Bolt Carrier 1C56Z16 69.99
#231-000-211EG	Full Auto Disconnect, M16, 1C04Z53 5.66
#231-000-212EG	Full Auto Firing Pin, M16 1C04Z79	.. 4.99
#231-000-213EG	Full Auto Mil-Spec Hammer, 1C17Z84 22.30
#231-000-214EG	Full Auto Selector, M16 1C08Z47 10.58
#231-000-133EG	Full Auto Trigger 3B13X47 34.99
#231-000-216EG	LR-AS1 Auto Sear, M16 3B10Z24	.. 12.80
#231-000-217EG	LR-AS2 Auto Sear Pin, M16 3B01Z67	2.08
#231-000-218EG	Tri Burst Kit 3B56Z22 69.99
#231-000-220EG	Burst Cam 3B08Z25 12.69
#231-000-221EG	Burst Disconnect 3B07A08 10.89
#231-000-222EG	Burst Disconnect 3B14A62 18.27
#231-000-224EG	Burst Hammer Spring 3B03A50	.. 4.38
#231-000-225EG	Burst Trigger 3B18A57 23.21
#231-000-226EG	Burst Trigger Spring 3B03A60 4.50
#231-000-106EG	Burst Disconnect Spring, 2 ea., 3B01T31 1.64
#231-000-228EG	Burst Cam Spring 3B02A22 2.78

takedown/selector detents, (2) triggerguard pins, (1) A-1 sight drum pin, (1) A-1 sight drum spring and (4) A2 windage knob pins. **SPECS:** Parkerized finish. Take down pins - .250" diameter.

#078-060-015EG AR-15 Field Repair Kit 8G52B55 .. \$ 70.99

HIGH STANDARD AR-15/M16 PARTS KITS

High-Quality, Correct-Spec Parts Finished & Ready To Install

High-quality, mil-spec parts from a respected name in precision firearms for more than 75 years, now a premier maker of complete AR-15 rifles. Replace worn or damaged parts to return a service rifle to factory specs or use in building a precision custom rifle that meets your exact requirements. Complete, pre-packaged kits include all the parts you need for specific sub-assemblies. Saves time and money—no need to hunt down each item individually.

SPECS: Steel, parkerized, dark gray finish; aluminum, hardcoat anodized, matte black finish; or spring steel.

BOLT/CARRIER - Includes carrier, carrier key, bolt, extractor, extractor spring, extractor pin, ejector, ejector spring, ejector pin, firing pin, firing pin retainer, cam pin, (3) gas rings, and screws.

#430-000-527EG Bolt/Carrier Assembly 3D148C09 .. \$ 179.99

A2 UPPER RECEIVER KIT - Includes A2 rear sight kit, forward assist assembly, and ejection port cover, described in detail below.

#430-000-520EG Upper Receiver Kit 3D84X79 \$ 105.99

A2 REAR SIGHT - Includes sight base, windage knob, windage knob pin, windage screw, sight aperture, sight spring, elevation wheel, elevation knob, elevation spring, index screw, forward assist retainer pin, (3) detent balls, and (3) index springs.

#430-000-526EG A2 Rear Sight Kit 3D48X67 \$ 60.84

CHARGING HANDLE - Includes handle, latch, latch/pawl pin, and spring.

#430-000-522EG Charging Handle Assembly, 3D20X56 \$ 22.99

FORWARD ASSIST - Includes plunger, forward assist pawl spring, and retainer pin.

#430-000-524EG Forward Assist Assembly, 3D13X90 \$ 17.38

EJECTION PORT COVER - Includes cover, hinge pin, spring, and snap ring.

#430-000-523EG Ejection Port Cover, 3D10X80 \$ 13.99

A2 BUTTSTOCK - Includes buffer, buffer spring, and buttstock shell with buffer tube, buttplate, storage compartment door, hinge and pin, rear swivel, lower buttstock screw, upper buttstock screw, and spacer installed.

#430-000-521EG A2 Buttstock Assembly, 3D77X53 \$ 95.99

FRONT SIGHT KIT - Includes sight post, sight detent, detent spring, sling swivel, swivel rivet, and gas tube roll pin.

#430-000-525EG Front Sight Kit, 3D09X60 \$ 12.00

LOWER RECEIVER KIT - Includes all the parts needed to complete a stripped, small-pin, semi-auto lower receiver in a custom build, or replace worn parts to return a service rifle to factory specs. Manufactured to precise tolerances in accordance with MIL-STD 105D to ensure correct fit in mil-spec receiver. Includes complete trigger/hammer group with precision-ground engagement surfaces for a smooth, clean trigger pull and crisp release. Aluminum triggerguard with pre-installed detent pin, and A2-style pistol grip of high-impact polymer.

SPECS: Steel, matte black finish. Grip - injection-molded polymer, black. Triggerguard - aluminum, anodized, matte black. Kit includes trigger, hammer, disconnect, safety selector lever, bolt catch, magazine catch, magazine button, pistol grip, front pivot pin, rear takedown pin, buffer retainer, .154" diameter hammer and trigger pins, plus all other necessary pins, detents, and springs.

#430-000-543EG Lower Rec'r Parts Kit 3D77C43 ... \$ 89.99

TTI INTERNATIONAL AR-15/M16 MIL-SPEC SMALL PARTS

Replacement Pins, Springs & Rings Keep Your AR Shooting

Genuine, Mil-spec quality small pins, springs, washers and screws for the AR-15/M-16 that wear out, break, or just get lost. Great for creating your own emergency parts kits. **SPECS:** Springs - steel, music wire or stainless steel wire. Parts sold 5 per pack.

SPECS: Steel, parkerized, dark gray finish; aluminum, hardcoat anodized, matte black finish; or spring steel.

STOCK #	ITEM	PRICE
#989-015-001EG	A-1 Sight Drum Pin	9H01D01 \$ 1.99
#989-015-003EG	A-2 Windage Knob Pin	9H01D43 \$ 1.99
#989-015-004EG	Bolt Catch Pin	9H01D60 \$ 1.99
#989-015-005EG	Bolt Catch Spring	9H01D28 \$ 1.99
#989-015-006EG	5 paks of (3) Bolt Gas Rings	9H06D02 \$ 7.99
#989-015-007EG	Buffer Retainer Spring	9H01D28 \$ 1.99
#989-015-008EG	CAR Buffer Spring	9H11D97 \$ 14.99
#989-015-009EG	STD Buffer Spring	9H11D97 \$ 14.99
#989-015-010EG	Carrier Key Screw	9H01D01 \$ 1.99
#989-015-011EG	Disconnect Spring	9H02D00 \$ 2.99
#989-015-012EG	Ejection Port Cover Spring	9H02D38 \$ 2.99
#989-015-013EG	Ejector Retainer Pin	9H01D28 \$ 1.99
#989-015-014EG	Firing Pin Retainer Pin	9H02D00 \$ 2.99
#989-015-015EG	Flash Suppr Lock Washer	9H01D28 \$ 1.99
#989-015-016EG	Forward Assist Pin	9H01D60 \$ 1.99
#989-015-017EG	Forward Assist Spring	9H01D37 \$ 1.99
#989-015-018EG	Front Sling Swivel Rivet, Black	9H01D01 \$ 1.99
#989-015-019EG	Front Sight Detent Spring	9H01D28 \$ 1.99
#989-015-020EG	Gas Tube Pin	9H01D01 \$ 1.99
#989-015-021EG	Hammer Spring	9H04D72 \$ 5.99
#989-015-022EG	Mag Catch Spring	9H01Z28 \$ 1.99
#989-015-023EG	Pivot Pin Spring	9H01Z47 \$ 1.99
#989-015-024EG	Takedown Pin Spring	9H01Z47 \$ 1.99
#989-015-025EG	Snap Ring	9H03Z91 \$ 4.99
#989-015-026EG	Trigger Spring	9H04Z72 \$ 5.99
#989-015-027EG	Triggerguard Pin	9H01Z60 \$ 1.99
#989-015-028EG	Pistol Grip Star Washer	9H01Z01 \$ 1.99
#989-015-029EG	Pistol Grip Screw	9H02Z03 \$ 2.99

MIL-SPEC SMALL PART KIT - One each of every AR-15 part listed in the chart above. With one of these economical kits on hand you'll always have the part you need.

#989-015-000EG Small Parts Kit 8K15D92 \$ 19.99

**STAY UP-TO-DATE ON OUR
EXCLUSIVE OFFERS & INFORMATION**

Follow us on Twitter,
Facebook, and
YouTube

BROWNELLS
SELECTION. SERVICE. SATISFACTION.

NEW AR-15/M16 BUTTSTOCK MOUNTING KITS



All The Original Factory Parts Needed To Install Rifle & Carbine Buttstocks

Convenient kits contain all the components needed to securely mount the buttstock of your choice using original

factory parts from the manufacturer of your receiver. Eliminates the hassle of tracking down every part and accidentally getting incorrect ones for your stock. Have everything you need to finish your build, so you won't be held up waiting for that one part you forgot to order. Each kit contains original factory parts; parts from one manufacturer will fit another manufacturer's receiver but may require minor fitting. Select the buttstock you want (available separately), then purchase the mounting kit for that type of stock. **A2 Rifle** kit is for mounting any fixed rifle buttstock based on the military M16A2 stock. Includes receiver extension tube, recoil buffer, buffer spring, buttstock spacer, and buttstock screw. **Mil-Spec Carbine** kit is for adjustable-length carbine buttstock that requires M4-type 1.14" O.D. buffer tube. Includes receiver extension tube, carbine recoil buffer, buffer spring, receiver plate, and lock nut. **Commercial Carbine** - For adjustable-length carbine buttstock that requires a "commercial" 1.17" O.D. buffer tube; same components breakdown as Mil-Spec kit.

SPECS: A2 Rifle - Receiver extension: 10¹/₈" (25.7cm) OAL. **Mil-Spec Carbine** - Receiver extension: 7¹/₄" OAL (18.4cm), 1.14" O.D. Six locking positions for buttstock, unless otherwise indicated. **Commercial Carbine** - Receiver extension: 7³/₄" (19.7cm) OAL, 1.17" O.D. Six locking positions.

COLT - From the original manufacturer of the M16 battle rifle, this kit contains the four-position, Mil-Spec receiver extension used on the Colt M4 and Law Enforcement carbines.

#080-000-620EG Buttstock Mounting Kit, Mil-Spec Carbine, 8K159A49 \$ 199.99

DPMS - Factory parts used in the popular Panther™ rifle series. A2 Rifle, Mil-Spec and Commercial Carbine kits available.

#080-000-627EG Buttstock Mounting Kit, A2 Rifle, 8K40A89 \$ 51.99

#080-000-622EG Buttstock Mounting Kit, Mil-Spec Carbine, 8K65A46 \$ 99.99

#080-000-623EG Buttstock Mounting Kit, Comm. Carbine, 8K54A92 \$ 91.99

HIGH STANDARD - Original parts used in the HSA-15 series of rifles and carbines. Commercial Carbine and fixed A2 Rifle kits available.

#080-000-626EG Buttstock Mounting Kit, A2 Rifle, 8K43A39 \$ 53.99

#080-000-624EG Buttstock Mounting Kit, Comm. Carbine, 8K51A69 \$ 63.99

BROWNELLS AR-15/M16 STOCK COMPLETION KITS

For Secure Installation Of Almost Any Rifle Or Carbine Buttstock



Convenient kit contains all the components needed to mount the buttstock of your choice on an AR-15 rifle or carbine. Perfect for stock conversions such as altering a rifle to accept a collapsible carbine stock. All parts are manufactured from the highest quality materials and held to strict dimensional tolerances for proper fit and function. Kits available for the four standard buttstock types. **A1** rifle kit contains receiver extension tube, recoil buffer, recoil buffer spring, and buttstock cap screw. **A2** rifle kit adds to A1 kit contents the correct buttstock spacer required for A2 rifle stocks. Carbine kits contain receiver extension, car-

ADVANCED TECHNOLOGY AR-15/M16 STRIKEFORCE STOCK & PISTOL GRIP



Rugged, Adjustable Length Buttstock & Pistol Grip For All Tactical Ops

Six position, length adjustable stock lets you determine length of pull and benefit from a shorter overall length when the tactical situation dictates. High strength, glass-filled nylon composite stock features a rubber buttpad with a slight negative angle for fast shouldering, especially when wearing body armor. Combat proven design includes an easy-to-operate, spring-loaded release lever for lightening quick adjustments. Cheekrest is adjustable 3/4" up to provide correct eye alignment with optics for fast target acquisition. When in the full-down position, provides a very comfortable, streamlined stock that works perfectly with iron sights. Includes standard swivel base stud. Installation requires receiver extension, locknut and end plate, recoil spring and buffer. Included, hollow core, composite pistol grip fills the contours of your hand for improved weapon control in all types of shooting scenarios. Features equally proportioned finger grooves to allow both right- and left-handed operators to shoot with confidence. Pebble textured surface provides a non-slip grasp, even when wet. **SPECS: Glass-filled nylon, matte black. 7¹/₂" (19cm) long. 3⁷/₈" (9.8cm) maximum extension. 10.3 oz. (292g) weight. Pistol Grip - 4¹/₄" (10.8cm) long x 1¹/₈" (3.5cm) wide. 4.3 oz. (122g) weight. Installation requires receiver extension, locknut and end plate, recoil buffer and spring. Includes instructions.**

#019-000-022EG Strikeforce Stock & Grip, 9A54H95 \$ 69.95

CAVALRY ARMS AR-15/M16 BUTTSTOCK

Mil-Spec Quality, Durability & Appearance



Traditional-length Rifle Buttstocks feature an easy-to-open storage compartment for emergency field tools, parts, or a Brownells AR-15 Buttstock Cleaning Kit. Fits both A1 and A2. **SOCOM/M4 Carbine Buttstock** collapses to save space or accommodate shooters wearing body armor. Replacement only—fits existing carbine extension tubes. **SPECS: Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer. Rifle Buttstock** - 9⁵/₈" (23.8cm) long, 5" (12.7cm) high at tallest point, 2¹/₈" (5.4cm) high at shortest point, 1⁵/₈" (4.1cm) wide. **SOCOM/M4 Carbine Buttstock** - 6³/₄" (17.1cm) long, 5¹/₈" (13cm) high. Buttstock only, does NOT include extension tube.

#100-000-939EG Rifle Stock, Black 2K40X50 \$ 45.00
#100-000-940EG Rifle Stock, Green 2K40X50 \$ 45.00
#100-000-962EG Rifle Stock, Coyote 2K36C00 \$ 45.00
#100-000-943EG Carbine Stock, Black 2K36X00 \$ 45.00
#100-000-944EG Carbine Stock, Coyote 2K36X00 \$ 45.00
#100-000-964EG Carbine Stock, Coyote 2K36C00 \$ 45.00

bine recoil spring, carbine recoil buffer, lock ring, and receiver plate. **Commercial** carbine kit comes with 1.17" O.D., six-position receiver extension for use with commercial or "universal" buttstocks. **Mil-Spec** kit has a 1.14" O.D., five-position receiver extension for correct fit of military M4 carbine buttstocks. M4 buttstocks and clones will not fit Commercial tubes. **SPECS: Receiver Extension & A2 Stock Spacer** - Aluminum, anodized, matte black. Recoil Buffer - Aluminum and steel. Spring, Lock Ring, Receiver Plate - Steel. Kits fit standard, mil-spec AR-15/M16/M4 lower receiver and clones. Installation instructions included.


#080-000-553EG A1 Rifle Stock Completion Kit, 8K30T34 \$ 38.99

#080-000-554EG A2 Rifle Stock Completion Kit, 8K31T08 \$ 38.99

#080-000-556EG Commercial Adj. Carbine Stock Completion Kit 8K39P96 \$ 50.99

#080-000-555EG Mil-Spec Adj. Carbine Stock Completion Kit 8K54T67 \$ 65.99

BROWNELLS AR-15/M16/M4 COLLAPSIBLE BUTTSTOCK



Six-Position Adjustment For L.O.P. & Easy Storage

Provides six-position adjustment to fit different-size shooters, including those wearing body armor. Ready to install on any standard AR-15 rifle or carbine lower receiver; includes 1.17" diameter commercial buffer tube, receiver lock plate, lock nut, toe-mounted steel sling loop, carbine recoil spring and buffer. Convert a fixed-stock, flattop rifle to M4 carbine configuration without permanent alterations to gun. Buttstock made from extremely tough, fiberglass-reinforced, injection-molded nylon that resists impact, heat, moisture, extreme cold, and most cleaning solvents. Stock interior diameter is matched to buffer tube O.D. for a snug fit that eliminates unwanted play and rattles that can give away your position. Steel lock nut has four square notches and pre-cut detents for staking to lock plate. Heavy duty, machined aluminum receiver extension, hardcoat anodized for extra strength, stands up to the punishment of harsh tactical operations. **SPECS: Aluminum and fiberglass-reinforced, injection-molded nylon, matte black. 8³/₄" (22.2cm) OAL collapsed; 11³/₄" (29.9cm) OAL fully extended.**

#080-000-545EG Collapsible Buttstock 1Z66A32 ... \$ 87.99

COMMAND ARMS AR-15/M16 SNIPER STOCK



Fully Adjustable For The Precision Shooter

Fulfills the tactical marksmen's requirements of a precision adjustable stock. Push-button release, 10-position length adjustment system retains the rifle's fixed A2 buffer tube and allows a 4" range of adjustment to fit any size shooter/body armor combination. Selected position can then be locked with an Allen head screw for extra security. Wide cheek rest is continuously adjustable up to 1¹/₄" for height to ensure a solid cheek weld, and offers 13 positions for eye relief to suit a wide range of optics. Deeply curved, vertically adjustable rubber buttpad seats securely in shoulder pocket without slippage, even during sustained shooting. Includes two ambidextrous attachment points for quick-release, push-button sling swivels. Injection molded polymer construction provides optimal combination of light weight and impact resistance, with molded in reinforcements at stress points for extra strength. **SPECS: Polymer, black. OAL adjusts from 10³/₄" (27.3cm) to 14³/₄" (37.5cm). Comb height can be raised 1¹/₈" (2.9cm). Fits AR-15/M16/SR-25 rifles with A2 fixed buffer tube. Buffer tube not included.**

#100-003-140EG AR-15/M16 Sniper Stk 2Z184P62 \$ 234.99

NEW DPMS AR-STYLE .308 AP4 CARBINE STOCK ASSEMBLY



Give Your .308 An Adjustable, M4-Style Carbine Stock

M4-style, six-position collapsible stock provides plenty of length-of-pull adjustment for different-sized shooters, or operators wearing body armor. Includes commercial, 1.17" O.D. machined aluminum receiver extension with correct-weight buffer and buffer spring for proper cycling of .308/7.62mm rifles. Easy to install with a standard AR-15 buttstock tool, hammer, and punch. Toe-mounted sling swivel and integral slot allow attachment of a variety of sling types for carry, competition, or tactical use. **SPECS: Stock** - Injection-molded, reinforced polymer, black. Buffer Tube - Machined aluminum, hardcoat anodized, black. 1.17" (2.9cm) O.D. 8" (20.3cm) OAL collapsed; 11³/₄" (29.8cm) OAL fully extended. Includes buffer, buffer spring, end plate and locking nut. **#231-000-249EG AP4 Carbine Stock Assy 1C61V30** ... \$ 99.95

NEW COMMAND ARMS AR-15/M16 MODULAR BUTTSTOCK



Unique Design Incorporates Battery Storage Plus Picatinny Accessory Rail

Replace your existing buttstock with this updated, collapsible, six-position design that includes secure storage for up to four CR123, 3-volt batteries in the snap-latch side compartment. Plus, the storage lid is interchangeable for either right- or left-side carry with a convenient Picatinny rail unit that accepts the Command Arms Rail Mounted Magazine Pouch. Kit comes with all the hardware, including the receiver extension and recoil buffer/spring assembly, necessary to convert your AR-15/M16 rifle to accept this stock. Made from long lasting and durable fiber-filled plastic composite with rubber buttpad that features a negative angle for faster shouldering and increased comfort, especially when wearing body armor. Combat proven design includes an easy-to-operate release lever, lower sling swivel and dual position receptacles for push-button type sling swivels.

SPECS: Fiber-filled polymer composite, black. 7¹/₂" (19cm) long, 11 oz. (313g) weight. Fits AR-15/M16/M4 or equivalent buffer tube guns. Includes buttstock, receiver extension, recoil buffer/spring assembly, receiver extension nut, and receiver plate.

#100-002-598EG M4 Modular Buttstock 2Z87Y43 ... \$ 109.99

ADJUSTABLE CHEEK PIECE - Adjustable cheek piece quickly installs on the accessory rail of your Command Arms Modular Buttstock to provide added cheek support and correct eye alignment with sights or optics for fast target acquisition. Easy installation and removal, just hold down the spring-loaded lever, slide the cheek piece onto the rail, then release the lever to lock the dual square pins into the rail grooves. Front-to-rear adjustable up to 1", friction lock knob allows up to 1/2" vertically adjustment. When in the full-down position, provides a very comfortable, streamlined stock that works perfectly with iron sights. Made from high-strength, lightweight, fiber-filled polymer composite. **SPECS: Fiber-filled polymer composite, black. 4¹/₂" (12cm) long, 2³/₄" (7cm) wide, 2⁵/₈" (6.6cm) high. 3.5 oz. (100g) weight. Adjusts 1/2" vertically, 1" horizontally. Right hand only.**

#100-003-331EG Adjustable Cheek Piece 2Z22A39 ... \$ 30.59

RAIL MOUNTED MAGAZINE POUCH - Attaches instantly to any Picatinny accessory rail; provides fast and secure access to one additional .223 magazine for quick reloads when every second counts. A great add-on to the Command Arms Modular Butt Stock. Magazine body is held securely by molded internal ribbing or finger release tab. Convenient, spring-loaded thumb lever allows fast installation and removal of entire pouch assembly. **SPECS: Fiber-filled polymer composite, black. 3" (7.6cm) wide, 2¹/₂" (6.3cm) high, 1⁵/₈" (4.1cm) thick including rail mount, 3 oz. (85g) weight.**

#100-002-599EG Rail Mounted Magazine Pouch, 2Z13Y62 \$ 20.39

PUSH BUTTON SLING SWIVEL - Extra-wide steel swivel accepts slings up to 1⁵/₈" wide for your Command Arms Modular Buttstock or similar component that accepts a standard push button swivel. Smooth-operating, centrally located button and polished ball-bearing locking mechanism ensure easy attachment to either socket in the buttstock. **SPECS: Steel, black oxide finish. Accepts slings up to 1⁵/₈" wide.**

#100-004-881EG Push Button Sling Swivel, 2Z08V79 \$ 9.99



Buttstock Installation Videos Available Online

www.brownells.com

DPMS AR-STYLE .308 BUTTSTOCKS

Fixed & Adjustable Models Ready To Install, With Correct-Weight Buffer & Spring

Easy-to-install replacement buttstocks let you replace a stock that's seen better days or convert to a different style better suited to the kind of shooting you do. These are the same high-quality stocks DPMS Panther LR-308 rifles leave the factory with, and they'll also fit similar AR-style .308's including ArmaLite® AR-10®, Knight SR-25, and Patriot Ordnance Factory P-308. Both models come fully assembled and ready to install, with correct-weight buffer and buffer spring for proper cycling of weapons firing .308/7.62mm ammo.

A2-STYLE - Classic, fixed buttstock style originally developed for the U.S. military's M16A2 rifle has a lightweight yet rigid foam plastic core, with a durable outer shell of tough fiberglass-reinforced molded polymer. Polymer buttplate has aggressive diamond texturing and trapdoor with spring-loaded catch for easy access to internal storage compartment. Includes receiver extension tube, spacer, recoil buffer, buffer spring, and toe-mounted 1¼" sling loop.

SPECS: Fiberglass reinforced molded polymer over foam core, medium gray, 10½" (27cm) O.A.L., 5" (12.7cm) high at buttplate. Fits DPMS Panther LR-308, ArmaLite® AR-10®, Knight SR-25, Patriot Ordnance Factory P-308, and similar AR-style .308 rifles.
#231-000-247EG A2-Style Fixed Buttstock, 1C81V95 \$ 104.95

PARDUS - Six-position, adjustable-length stock provides the advantages of the USGI M4 carbine stock, with added comfort and reliability enhancements. Four integral slots, plus a steel toe-mounted sling loop, provide a wide array of options for mounting 1¼" wide slings. A reinforced latch pin and ergonomically shaped latch ensure fast, positive length-of-pull adjustments. Curved integral buttplate with saw-tooth texturing aids secure, non-slip shoulder contact. Comb is wider than standard M4 stock to provide a more secure cheekweld. Constructed of incredibly strong, lightweight, impact-resistant molded DuPont Zytel® nylon resin reinforced with fiberglass. Comes with a "commercial" 1.17" O.D. receiver extension tube.

SPECS: Fiberglass-reinforced molded Zytel nylon resin, 8¼" (20.1cm) fully retracted length, 10½" (26.7cm) fully extended length, 4¾" (12.4cm) high at buttplate. Fits DPMS Panther LR-308, ArmaLite® AR-10®, Knight SR-25, Patriot Ordnance Factory P-308, and similar AR-style .308 rifles.
#231-000-248EG Pardus Adj. Buttstock 1C56V03 ... \$ 69.95

DOUBLE STAR CAR-15/M4 ADJUSTABLE BUTTSTOCK



Tough, Six Position Stock For All Tactical Situations

Six position, machined 7075-T6 tube and Nylon 66 buttstock with 33% more glass for strength provide a durable stock system built to meet the demands of the toughest

tactical environments. Buttplate, adjustment latch, and latch nut are slightly radiused and contoured to reduce snagging on clothing or equipment. Extra material around the latch hole provides additional strength. Four flats on the buffer tube make it easier for sand and debris to fall out and not hinder stock adjustment. Furnished with buffer tube, recoil spring, receiver plate, rear sling swivel and lock-nut. Made in the USA.

SPECS: Aluminum tube, synthetic nylon stock, black. Length of pull: closed - 10¼" (26cm), extended - 13¾" (34.6cm).
#100-002-619EG M4 Adjustable Buttstock, 2Z68Y70 \$ 89.99

DOUBLE STAR AR-15/M16 BOOMTUBE STOCK

Light & Strong For Fast Handling In Extreme Environments

Multiple sling points are but one of the many features that make these lightweight, aluminum stocks ideal for competition and tactical use. Supplied with an Uncle Mike's QD, 1.25" sling swivel and stud.

ARFX SKELETON STOCK - A lightweight, fast handling stock for sporting, tactical and competition use. Gives three sling attachment points. Uses your existing buffer tube as the top tube to keep weight to a minimum. Closed-cell, foam over-tube provides a soft, comfortable cheek weld, plus insulates your face from vibration and inclement weather. Over-tube is formulated to withstand cleaning solvents and gun oils, UV radiation, freezing temperatures, salt water and rough handling. Machined aluminum buttplate is drilled and tapped for rubber Butt Pad (included). Installation requires no modification to rifle.

SPECS: 6061-T6, heat-treated, aircraft grade aluminum, Type 3, mil. spec. hard-anodized, matte finish. 10" (25.4cm) long. 10.4 oz. (296 g) wt.

#100-000-809EG ARFX Skeleton Stock 2Z61D31 ... \$ 89.99
#100-002-544EG ARFX Replacement Foam Sleeve, 2Z03T00 4.00

M4 SOCOM STOCK - Tactical M4 stock, for pre-ban rifles, features two full inches of adjustability to go from close quarters situations to fully extended in seconds. Quick-release button quickly switches the stock length to five different positions. Soft foam tube provides a soft, comfortable cheek weld. Also features four, silent, 1½" sling mounts, a rubber recoil pad, and a machined-in hammer on the butt for breaching doors and hand-to-hand combat. Precision-machined from a solid, heat-treated, aluminum billet for superb durability and strength. Quick release button can be replaced with the included machine screw to convert it into a rock-solid, adjustable-length-of-pull stock. Available to fit Carbine or Long Extension Tube Model.

SPECS: 6061-T6 heat-treated, aircraft grade aluminum, Type 3, mil. spec. hard-anodized, matte finish. Includes ½" thick, rubber recoil pad and screws. **Carbine** - 7½" (19cm) OAL collapsed, extends to 9½" (24cm) OAL. 10½" (27cm) L.O.P. collapsed, extends to 12½" (32cm) L.O.P. **Long Extension Tube Model** - 10" (25.4cm) OAL collapsed, extends to 12" (30.1cm) OAL. 13¾" (33.5cm) L.O.P. collapsed, extends to 15½" (39cm) L.O.P.

#100-001-173EG M4 SOCOM Carbine Stock, 2Z177V42 \$ 204.99
#100-001-174EG M4 SOCOM Long Ext. Tube Stock, 2Z162V76 224.99
#100-002-542EG M4 SOCOM Replacement Foam Sleeve, 2Z03T00 4.00
#100-002-543EG M4 SOCOM Replacement Foam Sleeve, Long 2Z03T00 4.00

RUBBER RECOIL PAD - Soft, rubber buttpad reduces felt recoil on all ARs fitted with the Ace ARFX stock. Contoured to fit your shoulder, provides a non-slip fit that improves comfort and control. Available in two models, ½" and 1" thick.

SPECS: Rubber, black. Aluminum backing plate. 4¾" (11.8cm) long, 1½" (2.8cm) wide. Available in ½" (1.3cm) and 1" (2.5cm) thicknesses. Includes mounting screws.

#100-000-811EG ½" Recoil Pad 2Z08D00 \$ 12.00
#100-003-437EG 1" Recoil Pad 2Z09X00 12.95

DOUBLE STAR ARFX SKELETON STOCK



Rock solid, great looking and lightweight. Feels and handles better than a standard A2 buttstock but is lighter and stronger, I'm replacing all my A2 stocks with the ARFX.

- By M. Nelson from Yuma, Arizona

DUOSTOCK DESIGNS CAR-15/M4 TACTICAL BUTTSTOCK

Specially Contoured For Use With Body Armor

Patented design provides maximum comfort, speed, and freedom of movement for operators wearing body armor in CQC situations. Same top-side contours as a standard M4 carbine stock allow the shooter to maintain a solid cheekweld when firing, but overall length is slightly shortened to maintain correct length of pull. The deeper, curved underside is angled so the lower tip rides comfortably on the upper chest or collarbone in a forward, high carry position near the dominant eye; keeps the sights and barrel close to the line of sight, ready to be engaged with minimal head movement. Forward carry also provides better armor protection than the traditional angled stance that leaves the vulnerable arm holes exposed to threats. Made of lightweight, glass reinforced composite polycarbonate specially formulated for maximum impact and heat resistance. Reinforced at stress points for added strength. Aggressive checkering on contact surfaces minimize slippage. Matte black finish accepts most paints, so you can customize the color of your Duostock to fit your tactical requirements. **Universal** fits all M4-type buffer tubes. Sand interior to fit oversized tubes. **Colt** model provides a snug fit without "play" on the narrower-diameter buffer tube of Mil-Spec M4 carbines.

SPECS: Impact-resistant polycarbonate, black, 6¼" (15.9cm) OAL, 6¾" (17.5cm) high. **Universal** fits M4/CAR-15 carbine buffer tubes. **Colt** fits Mil-Spec M4 tubes.

#100-002-540EG Universal Duostock 2Z64T97 \$ 79.99
#100-002-541EG Mil-Spec Duostock 2Z73T97 89.99

EGW AR-15/M16 WHITLEY SPACE STOCK

Adjusts For Comfortable Fit

Loosen three screws for fast adjustment of length of pull, drop-at-buffer tube.

Non-slip, rubber buttplate; includes buffer tube.

SPECS: Machined aluminum, anodized, black, matte. Length of pull - 13" (33cm) to 14½" (36.8cm). 3½" (8.9cm) vertical adjustment. 41 oz. (1.2 kg) wt.

#296-000-038EG Whitley Space Stock 6B200X00 ... \$ 250.00

KENSIGHT AR-15/M16 BACKUP 20 BUTTSTOCK

Rifle Buttstock With Internal Storage For A Loaded 20-Round Magazine



Magazine not included

Fixed, A2-style rifle buttstock is the "no-profile" way to carry a spare, straight-body 20-round magazine for emergency reloads. Pull the recessed release lever on the back of the buttplate, swing open the storage compartment door, and hit the button on the right-hand side of the stock to pop out the backup magazine. A window in the side of the stock gives you an instant visual check to see if a backup mag is inside. Guide slots inside the compartment ensure the mag can be inserted only the right way. Made from solid, reinforced molded fiberglass, with a non-reflective dark gray finish, black polymer buttplate, and a fixed, steel sling loop in the toe accepts 1¼" wide slings. Fits rifles with receiver extension for A2 buttstock; kit includes buttstock spacer and screw.

SPECS: Molded fiberglass, matte dark gray finish. 10¾" (27.3cm) OAL, 1¾" (4.1cm) wide across buttplate, 5½" (12.8cm) high at highest point. 19½ oz. (553g) wt. Fits receiver extension for fixed A2-style buttstock. Accepts straight-body 20-round magazines only.

#100-004-441EG Backup 20 Buttstock 5A145X40 ... \$ 199.99

MAGPUL AR-15/M16/AR-STYLE .308 GENERATION II PRECISION RIFLE STOCK

Adjustable Length Of Pull & Comb Height



Fully adjustable stock and comb for AR-15/M16/AR-Style .308 rifles readily adapts length of pull and comb height with two click-detent adjustment wheels. Drop-in installation on rifles with standard A1/A2 fixed buffer tubes without A2 spacer. Rubber buttpad seats securely onto your shoulder and won't slip during sustained shooting exercises. Fully-raised comb will not get in the way of charging handle operation. Removable base cover conceals an accessory rail to provide a mounting platform for a monopod. Removable sling loops can be mounted on either side of stock to accommodate your preferred carry position. **AR-15/M16** model available in Black, Dark Earth, and O.D. Green to provide a close match to rifles painted in military colors. Separate **AR-Style .308** model in black only.

SPECS: Molded polymer, black. **AR-15/M16** model also available in Dark Earth and O.D. Green. L.O.P. adjusts from 13¼" (33.6cm) to 14½" (36.8cm). Comb height can be raised 1" (2.5cm). 1 lb. 12 oz. (.79kg) wt.

#100-002-457EG AR-15/M16 Precision Rifle Stock, Black, 3K212X50 \$ 255.99

#100-003-139EG AR-15/M16 Precision Rifle Stock, Dark Earth 3K212P50 255.99

#100-003-138EG AR-15/M16 Precision Rifle Stock, O.D. Green 3K212P50 255.99

#100-002-947EG AR-Style .308 Precision Rifle Stock, Black 3K212B50 255.99

MAGPUL CTR BUTTSTOCK

Locking System Eliminates "Play"



Features a friction locking mechanism that eliminates movement between the buffer tube and buttstock for a solid "feel" when mounting rifle to shoulder. Heavy duty, spring-loaded hand lever allows fast length-of-pull

adjustments. Nylon polymer body provides maximum impact and heat resistance, with molded-in reinforcements at stress points. Accepts a variety of ambidextrous sling attachment options, including web slings and single-point, push-button sling mounts. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid cheekweld. Synthetic rubber buttpad increases comfort and helps prevent slippage. Fits buffer tubes that accept both four- and six-position collapsible stocks. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. Available in Black, Dark Earth, and O.D. Green, so you can match the color of your stock to your tactical rifle's color scheme. **Mil-Spec** fits smaller 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec carbines. **Commercial** fits larger diameter 1.17" O.D. commercial buffer tubes.

SPECS: Impact-resistant nylon polymer, Black, Dark Earth, and O.D. Green. LOP adjustment range, 3.5" (8.9cm). **Mil-Spec** - 6¾" (17.5cm) OAL, 5¼" (13.34cm) high. Fits fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** - 7¾" (21cm) OAL, 5¼" high. Fits 1.17" O.D. commercial carbine buffer tubes.

#100-002-946EG Mil-Spec CTR Buttstock, Black, 3K85B59 \$ 94.99

#100-003-137EG Mil-Spec CTR Buttstock, Dark Earth, 3K85P59 94.99

#100-003-135EG Mil-Spec CTR Buttstock, O.D. Green, 3K85P59 94.99

#100-002-982EG Commercial CTR Buttstock, Black, 3K85X59 94.99

#100-003-136EG Commercial CTR Buttstock, Dark Earth, 3K85P59 94.99

#100-003-134EG Commercial CTR Buttstock, O.D. Green, 3K85P59 94.99

MAGPUL AR-15/M16 MOE™ STOCK SETS



Lightweight, Rugged, Streamlined Tactical Furniture Improves Weapon Control & Eases Carry

Convenient kits contain everything needed to fit an AR-15/M16 carbine with durable, lightweight, ergonomically enhanced Magpul Original Equipment (MOE) tactical stock furniture. Affordable MOE system improves operator comfort and weapon control for quick target engagement, fast follow up shots, and speedy transition to the next target. Strong A-frame buttstock offers a wide comb for an excellent cheekweld, protected heavy duty release lever for fast length-of-pull changes, and attachment points for both web slings and single-point clip-on slings. Two-piece, snap-on MOE handguard's trapezoidal cross-section, deep grasping ridges on the underside, side extensions, and pronounced lip at the front edge help the operator maintain a secure grip under stress or during sustained rapid fire. Integral aluminum heat shield protects hand from hot barrel, while horizontal slots at the 2, 6, and 10 o'clock positions accept Falcon Industries bolt-on Picatinny accessory rails, available separately. Aggressively textured pistol grip provides a secure, non-slip grasp, with a curved beavertail that fills the grip-to-receiver junction to protect the web of the hand during sustained fire. MOE triggerguard's shallow "V" shape provides extra clearance for a shooter wearing gloves and eliminates the gap at the rear of the USGI guard that can trap or pinch finger. All components are constructed of rugged, heat- and impact-resistant fiberglass-reinforced injection-molded polymer with molded-in reinforcements at critical stress points. Installs in minutes and require no permanent alterations to gun; remove MOE components and reinstall original parts any time. Sets available in black, and three popular tactical camo colors, Dark Earth, O.D. Green, and Foliage Green. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes. **Universal** fits larger, 1.17" O.D. commercial carbine buffer tubes. **SPECS:** Reinforced molded polymer, Black, O.D. Green, or Foliage Green. Fits AR-15/M16/M4 rifles with buffer tube for M4-style adjustable buttstock, carbine-length gas system, Delta ring, and standard A2 gas block/front sight base. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. **Mil-Spec** fits rifles with mil-spec 1.14" O.D. buffer tubes. **Universal** fits rifles with commercial 1.17" O.D. buffer tubes.

- #100-004-520EG **Mil-Spec MOE Stock Set**, Black, 3K98V41 \$ 119.99
- #100-004-521EG **Mil-Spec MOE Stock Set**, Dark Earth, 3K98B41 119.99
- #100-004-522EG **Mil-Spec MOE Stock Set**, O.D. Green, 3K98B41 119.99
- #100-004-523EG **Mil-Spec MOE Stock Set**, Foliage Green, 3K98B41 119.99
- #100-004-524EG **Universal MOE Stock Set**, Black, 3K98B41 119.99
- #100-004-525EG **Universal MOE Stock Set**, Dark Earth, 3K98B41 119.99
- #100-004-526EG **Universal MOE Stock Set**, O.D. Green, 3K98B41 119.99
- #100-004-527EG **Universal MOE Stock Set**, Foliage Green, 3K98B41 119.99



MAGPUL AR-15/M16 ACS™ BUTTSTOCK



Drop-In Replacement For M4 Stock With Storage & Enhanced Comfort Features

Adaptable Carbine/Storage (ACS) stock is a drop-in replacement for standard USGI M4 collapsible stock that gives the operator extra storage options, a secure, comfortable cheekweld, and an advanced dual-locking lever. Smooth, streamlined exterior contours prevent snagging on clothing, sling, or vegetation, and helps ensure fast exits from vehicles without snagging on gear. Removable battery storage compartments run the full length of the extra-wide comb and hold 2 AA or 3 CR-123 batteries, while providing a wide, contoured area for an exceptionally solid, comfortable cheekweld. Secure molded rubber caps keep water and dust out of compartments and face the rear of the stock for easy removal; cap exterior is beveled to resist snagging when shouldering weapon. Positive-locking trapdoor on right side of the stock reveals a roomy storage compartment for additional batteries, coiled up cleaning cable and other cleaning supplies, ear plugs, spare parts, or other small items. Magpul's dual locking system uses an additional cam lever to protect the release lever from accidental operation, yet still allows you to adjust length of pull by simply pushing on the release lever. Slot molded in the toe provides an attachment point for a 1/4" wide sling. Also includes the same detachable rubber buttpad found on Magpul CTR and UBR buttstocks to help keep stock firmly mounted on shoulder. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. **Commercial** fits larger, 1.17" O.D. commercial carbine buffer tubes. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. **SPECS:** Reinforced molded polymer, Black, Dark Earth, O.D. Green or Foliage Green. 7 7/8" (20cm) OAL, 5 1/4" (13.3cm) high. 13.6 oz. (385g) wt. **Mil-Spec** fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** fits commercial 1.17" O.D. carbine buffer tubes.

- #100-003-527EG **Mil-Spec ACS Buttstock**, Black, 3K112Y46 \$ 134.99
- #100-003-529EG **Mil-Spec ACS Buttstock**, Dark Earth 3K112Y46 134.99
- #100-003-784EG **Mil-Spec ACS Buttstock**, O.D. Green 3K112Y46 134.99
- #100-003-528EG **Mil-Spec ACS Buttstock**, Foliage Green 3K112Y46 134.99
- #100-003-531EG **Commercial ACS Buttstock**, Black, 3K110Y92 134.99
- #100-003-533EG **Commercial ACS Buttstock**, Dark Earth 3K109Y95 134.95
- #100-003-534EG **Commercial ACS Buttstock**, Foliage Green 3K109Y95 134.95



MAGPUL AR-15/M16 UBR BUTTSTOCK



Compact, Convenient Collapsible Stock With The Comfort & Solidness Of A Fixed Stock

Rugged, adjustable carbine buttstock combines the solidness of a fixed stock with

a unique set of convenience and comfort features to provide a highly versatile, stable shooting platform. The Utility/Battle Rifle (UBR) stock's tough, reinforced polymer construction stands up to the pounding of the new large-bore chamberings found in AR-style rifles. It can handle high-tempo tactical operations, while providing an extremely secure cheekweld in almost any position. Compact, streamlined design has minimal protrusions to snag on foliage, clothing, sling, or other gear. Provides seven length-of-pull positions, with a proprietary preset system that lets you pull the release lever and instantly snap the stock open to the position that's right for you. Set your preferred preset position simply by moving a machine screw. Depress the Preset button and pull the release lever again to open the stock the rest of the way; then hit the Remove button, pull the release, and slide the stock completely off the UBR main tube. Includes a slot at the toe for a 1 1/4" sling, plus front and rear QD pushbutton sling receptacles that may be positioned on either side of the stock. Storage compartment for spare batteries, cleaning supplies, or other small items has a positive-locking door that may be positioned on either side. Or remove the compartment entirely to give the UBR a skeletonized look. Removable buttpad of synthetic rubber over hard-polymer core gives a comfortable, non-slip shoulder fit without impeding maneuverability. Kit includes Magpul's machined aluminum "entry length" receiver extension that replaces your gun's factory extension. If mounting on a rifle with A1/A2 fixed stock, you must also install an M4 carbine buffer and action spring (not included) for correct weapon function with UBR mounted. Instructions included. **SPECS:** Impact-resistant polymer and machined aluminum, Black, Dark Earth, O.D. Green, or Foliage Green. 8" (20.3cm) OAL retracted. 11 1/4" (28.6cm) OAL fully extended. Approximately 5 1/4" (13.3cm) high. LOP adjustment range, 3 3/8" (8.6cm).

- #100-003-524EG **UBR Buttstock**, Black 3K235Y96 .. \$ 264.99
- #100-003-526EG **UBR Buttstck**, Dark Earth, 3K235Y96. 264.99
- #100-003-783EG **UBR Buttstck**, O.D. Green, 3K235T96 .. 264.99
- #100-003-525EG **UBR Buttstock**, Foliage Green, 3K235Y96 264.99

Selection. Service. Satisfaction.

MAGPUL AR-15/M16

MOE™ BUTTSTOCK

Economical, Drop-In Upgrade For Carbine Collapsible Stock



Magpul Original Equipment (MOE) carbine buttstock provides the quality, durability, and ergonomic benefits of Magpul's CTR stock in a rugged, economical, drop-in package. Strong, A-frame design is lightweight and comfortable, yet provides operator with plenty of support. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid, consistent cheekweld. Streamlined exterior and protected release lever won't snag on clothing, gear, vehicle interior, or vegetation. Heavy duty, spring-loaded release lever allows fast length-of-pull adjustments and won't dig into your hand. Impact- and heat-resistant, polymer construction includes molded-in reinforcements at stress points, plus two slots for web slings and a hole for a toe-mounted sling swivel or clip-on sling. Soft, synthetic rubber buttpad increases comfort and helps prevent slippage. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. **Commercial** fits larger, 1.17" O.D. commercial carbine buffer tubes. Buffer tube, carbine

buffer, receiver extension nut, and carbine-length action spring not included. Available in Black and three popular tactical colors, Dark Earth, O.D. Green, and Foliage Green. **SPECS:** Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. 7 1/4" (18.4cm) OAL, 5 1/4" (13.3cm) high. **Mil-Spec** fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** fits rifles with 1.17" O.D. commercial AR-15 carbine buffer tubes.

- #100-003-535EG **Mil-Spec MOE Buttstock**, Black, 3K49Y27 \$ 59.99
- #100-003-536EG **Mil-Spec MOE Buttstock**, Dark Earth, 3K49Y27 59.99
- #100-003-786EG **Mil-Spec MOE Buttstock**, O.D. Green, 3K49T27 59.99
- #100-003-537EG **Mil-Spec MOE Buttstock**, Foliage Green, 3K49Y27 59.99
- #100-003-538EG **Commercial MOE Buttstock**, Black, 3K49Y27 59.99
- #100-003-539EG **Commercial MOE Buttstock**, Dark Earth, 3K49Y27 59.99
- #100-003-787EG **Commercial MOE Buttstock**, O.D. Green, 3K49T27 59.99
- #100-003-540EG **Commercial MOE Buttstock**, Fol. Green, 3K49T27 59.99

Selection. Service. Satisfaction.

TAPCO AR-15/M16 T6 COLLAPSIBLE STOCK CONVERSION KIT



Convert Your Rifle To A Six-Position Carbine Stock

Easy-to-install kit contains everything you need to convert a fixed-stock AR-15 rifle to a GI-style collapsible carbine stock system, or use to complete a custom-built carbine. Lets you easily adjust length of pull for different-stature shooters and clothing/armour configurations. Kit includes 1.17" O.D. commercial receiver extension tube with six, positive-locking notches for the T6 buttstock of tough, durable fiberglass-reinforced molded polymer. Also includes steel release lock plate, steel lock nut, polymer sling loop, carbine recoil spring, and carbine buffer. Requires no permanent alterations to rifle. Installation instructions included.

- SPECS:** Aluminum and reinforced injection-molded polymer, Black or Dark Earth. 8" (20.3cm) OAL collapsed; 11 1/4" (29.9cm) OAL fully extended.
- #100-004-296EG **T6 Collapsible Stock Kit**, Black, 5A65T99 \$ 79.99
 - #100-004-548EG **T6 Collapsible Stock Kit**, Dark Earth, 5A62C85 79.99



VLTOR AR-15/M16 BASIC CARBINE MODSTOCK

Body-Armor Friendly Tactical Stock With Detachable Cheek Supports For Superior Cheekweld



Rugged, tactical carbine stock combines ergonomic benefits from other Modstock models with the simplicity and traditional contours of the standard M4 carbine buttstock. Slightly shorter than M4 stock for easier deployment with body armor or heavy clothing, with a textured buttpate that angles forward more at the toe to ensure a secure hold in the "ready" and heads-up positions. Two, detachable, full-length storage compartments provide extra support for an exceptionally solid cheekweld to enhance stability and weapon control. Each waterproof compartment holds up to 3 AA or 4 CR123 batteries. Two, molded-in sling loops accept military-style, nylon web slings; socket accepts a quick-detach, push-button swivel for ambidextrous single-point sling attachment. Fits mil-spec (1.14" O.D.) receiver extension tubes only. **SPECS:** Molded polymer, black or dark earth. 6 1/4" (15.9cm) long. Fits mil-spec 1.14" O.D. carbine receiver extension only. Includes buttstock and two (2) detachable storage compartments.

- #100-003-992EG **Basic Carbine Modstock**, Black, 3A80C84 \$ 99.99
- #100-003-993EG **Basic Carbine Modstock**, Dark Earth, 3A80C84 99.99

QUICK-DETACH SLING SWIVEL - Heavy-duty loop sling swivel made from durable stainless steel fits QD swivel receptacles on the Vltor Modstock or other accessories. Features a 1 1/4" loop to accept a variety of standard tactical sling types. Easy operating push-button allows quick attachment and release.

SPECS: Stainless steel, matte black finish. Accepts slings up to 1 1/4" wide. Fits quick-detach swivel receptacles on accessories from Vltor, Magpul, LMT, KAC, Midwest Industries, Daniel Defense, GG&G, Uncle Mikes, and others.

- #100-004-880EG **Quick-Detach Sling Swivel**, 3A12V65 \$ 14.99

Shop

brownells.com

**ROCK RIVER ARMS AR-15/M16
A-4 COLLAPSIBLE BUTTSTOCK**

**Reduces Overall Length
For Easier Carry, Storage**

Six-position, extendable stock lets you select the length of pull best suited to your shooting needs. Converts your rifle to A-4-style with the added benefit of shorter overall length. Includes buffer tube, receiver lock plate, lock nut, rear sling swivel, recoil spring and buffer. Carbine spring and buffer also available separately.

SPECS: Zytel® nylon plastic stock and latch, matte black or matte green. Aluminum buffer tube. Length of pull: closed- 10½" (26.2cm), extended - 13" (33cm).

- #739-000-004EG Black AR-15 A-4 Stock 9C00HDZ . . . \$75.99
- #739-000-008EG Green AR-15 A-4 Stock 9C00YTP . . . 80.00
- #739-000-005EG AR-15 Carbine Spring 9C00YTP 4.00
- #739-000-006EG AR-15 Carbine Buffer 9C00AVB 11.00



**ROCK RIVER ARMS AR-15/M16
LE ENTRY TACTICAL STOCK**

**Compact Length
Improves Handling
In Confined Areas**

A full stock, with the same length as a collapsed M4, CAR stock; quick to shoulder, fast handling and maneuverable in confined or restricted areas. Provides a consistent and comfortable cheek weld for greater control and accuracy. Compact dimensions reduce overall length to 32" when used with a 16" barrel. Furnished with carbine-length buffer, tube and recoil spring.

SPECS: Fiberglass/kevlar, black, matte finish. 7" (17.8cm) long.

#739-000-009EG LE Entry Tactical Stock 9C00AVB. \$ 57.50

**VLTOR AR-15/M16 MODSTOCK BASIC
CARBINE COMBO KIT**

**Better Control &
More Options In
Tactical Situations**

Rugged, tactical stock system contains all the parts you need to replace your AR-15/M16 or existing collapsible stock with an advanced, five-position, carbine stock. Unique, clubfoot design provides better overall control and a firm, tight grip in all combat situations. Three sling loops are molded directly into the stock and are wide enough for use with military-style, nylon web slings. One sling locking sleeve is also built-in to accept a quick-detach, push-button sling swivel. Two battery compartments with waterproof caps hold up to four, spare, 3-volt lithium batteries. Kit includes Clubfoot Modstock, buffer, buffer spring, endplate, locking nut, and two, long accessory storage compartments with caps.

SPECS: Molded polymer, black. 11" (27.9cm) to 14½" (36.8cm) l.o.p.

#100-002-479EG Modstock Clubfoot Basic Kit, 3A139C99 \$ 159.99

RUBBER SLIPOVER BUTTPAD - Tough, rubber buttpad slips snugly over the buttplate of Vltor Clubfoot Modstock and Standard Modstock to provide instant comfort during long shooting sessions. No screws or special tools required; slip it on when needed, remove it and stow away in a pocket or bag when not in use.

SPECS: Rubber, black. 5½" (13.9cm) tall, 2" (5.1cm) wide, ¾" (1.9cm) thick.

#100-002-480EG Rubber Slipover Buttpad, 3A15C96 \$ 19.95



**VLTOR AR-15/M16
ENHANCED MODSTOCK**

**Precise Weapon Control
In All Tactical Situations;
Comes With Customizable
Storage Options**

"Clubfoot"-style adjustable stock with modular storage options gives the tactical shooter exceptional versatility and weapon control. The EMOD is 1½" longer than the original Modstock to ensure a solid, comfortable cheekweld even on rifles with long eye relief scopes. Two, detachable, full-length storage compartments provide additional cheek support for more comfort and stability. Each waterproof compartment holds up to 3 AA or 4 CR123 batteries, and a permanent flip-open compartment on the left side of the stock holds two more AA batteries or other small items. Extra-length buttplate with removable rubber pad angles forward from heel to toe for a better hold in the "ready" position and when the weapon is held above the shoulder pocket in the heads-up position. Two, molded-in sling loops accept military-style, nylon web slings; molded-in sling socket accepts a quick-detach, push-button swivel for ambidextrous single-point sling attachment. **Basic EMOD Kit** includes buttstock and detachable storage compartments only, available for **Mil-Spec** and **Commercial** buffer tubes. **Mil-Spec Combo Kit** contains all parts needed to replace an existing A1 or A2 stock, including a five-position, mil-spec buffer tube with white index numbers visible through a witness hole in the top of the stock.

SPECS: Molded polymer, black or dark earth. 7¾" (19.7cm) long. **Basic EMOD Kit** includes buttstock and two (2) detachable storage compartments. **Mil-Spec** fits 1.14" O.D. carbine buffer tubes only. **Commercial** fits larger, 1.17" O.D. commercial buffer tubes. **Mil-Spec Combo Kit** includes stock, storage compartments, mil-spec buffer tube, buffer spring, endplate, and locking nut. L.O.P. adjusts from 11½" (29.2cm) to 14¾" (37.5cm).

- #100-003-222EG Commercial EMOD Basic Kit, Black, 3A103C39 \$ 125.99
- #100-003-990EG Commercial EMOD Basic Kit, Dark Earth, 3A101X87 125.99
- #100-003-186EG Mil-Spec EMOD Basic Kit, Black, 3A101V87 125.99
- #100-003-989EG Mil-Spec EMOD Basic Kit, Dark Earth, 3A101X87 125.99
- #100-003-187EG Mil-Spec EMOD Combo Kit, Black, 3A179V57 204.99
- #100-003-991EG Mil-Spec EMOD Combo Kit, Dark Earth, 3A179C57 204.99



**DOUBLESTAR CAR-15/M4
MIL-SPEC RECEIVER EXTENSION**

**For Mil-Spec
M4-Style Buttstocks;
Gives 6-Position Adjustment**

Machined aluminum receiver extension tube has the correct 1.145" O.D. to accept an M4-style adjustable carbine buttstock. Six precision-machined notches on the underside provide plenty of options for setting length-of-pull. Perfect for a custom build, installing a mil-spec stock on a civilian carbine, or updating a fixed-stock rifle with an adjustable M4 stock. Machined from a lightweight aluminum extrusion then hardcoat anodized for extra strength, and dry film lube-coated inside for smooth movement of the buffer and buffer spring. Requires carbine recoil spring and buffer, lock ring, and receiver plate, all available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¾" (20cm) long, 1.145" O.D.

#100-004-978EG Mil-Spec Receiver Extension, 2Z29H71 \$ 36.99



**D.S. ARMS CAR-15/M4
RECEIVER EXTENSION**

**Provides Six-Position
Adjustment**

M4-style receiver extension tube has six precision-machined notches on the underside for maximum flexibility in setting length-of-pull with adjustable buttstocks. Lets you install a mil-spec stock on a civilian carbine or refit a rifle with an A2-style fixed buttstock with an adjustable M4 stock. Outside diameter of tube is machined approximately .003" oversized for snug, rattle-free fit of stocks designed for mil-spec extensions. Lightly sand interior of stock to get just the right combination of snugness and freedom over movement. Machined from a lightweight aluminum extrusion before hardcoat anodizing with a wear-resistant matte black finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¼" (18.2cm) long, 1.149" O.D.

#274-000-018EG Receiver Extension Tube, 4G18X18 \$ 24.99



**HIGH STANDARD CAR-15/M4
MIL-SPEC RECEIVER
EXTENSION TUBE**

**Replace Factory USGI
Tube Or Convert
Commercial Carbine
To Accept Mil-Spec
Adjustable Buttstock**

Replacement receiver extension tube is the correct length and 1.146" outside diameter for proper fit of a mil-spec carbine adjustable buttstock. Replace a worn out USGI tube, or convert a commercial carbine or fixed-stock rifle to accept an adjustable buttstock that requires the smaller, mil-spec tube. Six precision-machined notches on the underside grasp the stock's locking pin securely to ensure fast, positive stock length adjustments without slippage. One-piece aluminum construction with a tough, abrasion-resistant matte black hardcoat anodized finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¼" (18.2cm) long, 1.146" O.D.

#100-004-252EG Mil-Spec Receiver Extension Tube, 3D43Y61 \$ 54.99



**VLTOR CAR-15/M4
MIL-SPEC RECEIVER EXTENSION**

**Correct Size For Rattle-Free
Mounting Of Mil-Spec
Collapsible Buttstocks**

Receiver extension tube has the correct, 1.146" outside diameter for mounting collapsible buttstocks designed for the smaller, mil-spec tube. Lets you mount a mil-spec stock on a civilian carbine or convert a rifle with A2-style fixed buttstock to collapsible configuration; carbine action spring and buffer assembly required. Allows fast, easy repeatability of buttstock position with five notches on underside to accept the stock's locking pin and corresponding white position numbers on top visible through the witness hole on many stocks. Precision machined from aluminum bar stock for consistent dimensions that ensure smooth, snag-free sliding of buttstock.

SPECS: Aluminum, hardcoat anodized, matte black. 7¾" (18.7cm) long, 1.146" O.D.

#100-003-750EG Mil-Spec Receiver Extension, 3A39Y07 \$ 46.99



AR-15/M16 BUTTSTOCK WEIGHT

**Balances The Rifle
For Consistent Accuracy**

Pre-formed lead ingot increases rear weight to balance out muzzle-heavy, match AR-15's for best accuracy. Denser than loose, lead shot; conveniently drops into the A-2 buttstock and is retained by the trap door. Can be cut, drilled or trimmed to achieve perfect balance.

SPECS: Lead. 8" (20cm) long, 3 lb. 11 oz. (1.7 kg) wt.

#776-015-001EG AR-15 A-2 Buttstock Weight, 6G20U15 \$ 29.99



DPMS AR-15 BUTTSTOCK EXTENDER

**Extends Length Of Pull,
Improves Shooting Comfort**

Aluminum extension provides an extra inch of stock length for AR-15A1 and A2 rifles. Helps tall and long-armed shooters achieve a comfortable head position for fast sight alignment, plus the extra length improves recoil and trigger control. Installs between stock and receiver; has the correct profile for a "belongs there" look.

SPECS: 6061 T-6 aluminum, black, matte finish. Includes buffer tube extension and longer stock screws.

#231-000-009EG AR-15 Stock Extension 1C25H67 . . . \$ 29.95



**ACCURACY SPEAKS AR-15
ADJUSTABLE BUTT PLATE**

Four-Way Adjustment; Fits AR-15 Stock

No-gunsmithing! Add increased shooting comfort to any AR-15 equipped with an A1 trap door butt plate. After mounting, loosen the two set screws to make fast adjustments in length of pull, drop at heel, height at comb and angle of stock. Replaces the A-1 trap door butt plate and includes a serrated-face, rubber recoil pad.

SPECS: Alum. plates, black, anodized finish. 5" (12cm) long, 1½" (4.1cm) wide. 12 oz. (351 g).

#054-115-100EG AR-15 Adjustable Butt Plate, 4E117T01 \$ 146.28



**MAGPUL AR-15/M16
TACTICAL RECOIL PADS**

**Enhances Shoulder
Purchase For Comfort &
Better Weapon Control**

Replacement recoil pads give you enhanced shoulder purchase and recoil control with your Magpul CTR™, MOE™, UBR™, or ACS™ stock. Non-slip rubber surface holds firmly to your clothing when it counts in tactical operations or competition for improved target acquisition and reduced felt recoil.

Standard is the original factory pad for ACS, UBR, and Mil-Spec CTR and MOE stocks. Will also fit CTR/MOE stocks mounted on commercial buffer tubes shorter than 7¼". **Extended** is the original factory pad for Commercial CTR and MOE stocks. May also be mounted on ACS, UBR, and Mil-Spec CTR/MOE stocks to increase length of pull by ¼". **Enhanced** model's thicker, vented, shock-absorbing construction helps reduce felt recoil for better weapon control and faster follow-up shots. Fits ACS, UBR, and Mil-Spec CTR/MOE. Will also fit CTR/MOE stocks mounted on commercial buffer tubes shorter than 7¼".

SPECS: Rubber exterior over hard molded polymer core, black. **Standard** - .30" (7.6mm) thick; **Extended** - .55" thick (14mm); **Enhanced** - .70" (17mm) thick.

#100-003-042EG Standard Recoil Pad 3K15Y37 . . . \$ 19.99

#100-004-167EG Extended Recoil Pad 3K15U37 19.99

#100-004-168EG Enhanced Recoil Pad 3K15U37 19.99



GunsmithSupplies.com

Create personalized printed business materials
with your business or shop name



MASEN AR-15/M16 RUBBER RECOIL PAD

Extra-Length Plus No-Slip Surface

Increases stock length to better fit shooters with long arms. Provides a cushioned, recoil absorbing, non-slip surface. Replaces original pad with no permanent alterations. **AR-15/M16** model fits A-1 and A-2 trap door buttstocks; adds 3/4" length. **CAR-15** model fits collapsible stock; adds 3/4".

SPECS: Polyethylene rubber, black. Serrated face.
#560-153-700EG AR-15/M16 Recoil Pad 6E10T66 . . . \$ 14.99
#560-153-800EG CAR-15 Recoil Pad 6E07T60 11.50

SOG ARMORY CAR-15/M4 BUTTSTOCK PAD

Comfortable Pad Adds Length To M4 Stock

Rubber buttstock pad covers the hard plastic M4 stock for more comfortable shooting. Slip-on pad helps keep the gun against your shoulder and adds 1/2" to the length of pull. Plus, it protects the stock from bumps and dings. Installs with no modifications to the stock. Fits M4 stocks only.

SPECS: Rubber, black or green. Adds 1/2" (12.7mm) to length of pull. Fits M4 stocks only.
#100-002-210EG M4 Buttstock Pad, Black, 9A11X30 \$ 19.99
#100-002-211EG M4 Buttstock Pad, Green, 9A11X30 19.99

TAPCO CAR-15/M4 T6/M4 RECOIL PAD

Increase Shooting Comfort & Length-Of-Pull

No permanent alterations necessary to your M4 or Tapco T6 collapsible stock to add increased shooting comfort, lower felt recoil, plus an additional 1/2" to the length-of-pull. Rubber pad slips easily over the plastic buttplate; held in position by rubber tabs and a friction collar. Won't shoot loose, stays put until it's removed. Great accessory for competitive shooters; raised, non-slip surface helps keep your rifle or shotgun on-shoulder during long shooting strings or moving courses of fire.

SPECS: Rubber, black. Adds 1/2" (12.7mm) to length-of-pull. Fits current M4 collapsible stock designs and Tapco T6 stocks.
#100-002-500EG Tapco M4/T6 Recoil Pad, 5A09C87 \$ 9.99

WHIDDEN GUNWORKS AR-15/M16 STINGER MONOPOD

For Consistent Accuracy Without Rear Sandbags

Compact, height adjustable monopod eliminates the need for cumbersome rear sandbags and provides a rock-solid rest for shot-to-shot consistency. Features a 4140 steel, adjustable leg that extends up to 4" vertically for coarse elevation adjustments and a micro-adjustable foot for fine-tuning. Extra long, polycarbonate lever provides plenty of leverage to lock the monopod leg in position. Lightweight, 6061 aluminum buttplate is hardcoat anodized for durability. Large, horizontal serrations provide a non-slip grip against the shoulder. Fits fixed, mil-spec buttstocks on AR-15 and AR-10 rifles (A1 and A2 variants). Includes new bottom mounting screw. Requires use of original top mounting screw.

SPECS: 6061 aluminum buttplate, 4140 steel leg and foot, polycarbonate lever, black, matte finish. 5 1/16" (13.2cm) long, 1 1/8" (4.1cm) wide, 3/8" (1.6cm) thick. 10.2 oz. (289g) weight. Fits mil-spec fixed buttstock on AR-15 and AR-10 rifles (A1 and A2).
#100-004-038EG Stinger Monopod, 3B109Z72 \$ 134.99



DPMS/CHEROKEE CAR-15/M4 CAR-15 CHEEKPIECE

Proper Eye Relief For CAR-15's

Instantly gives correct eye-relief and cheek support for scoped, CAR-15 rifles equipped with collapsible buttstocks. Provides 1 3/8" additional height for proper scope-to-eye alignment. No permanent alterations to the buttstock.

SPECS: Plastic, black. 5 1/2" (12cm) long, 3 1/2 oz. (.99g) wt. Fits collapsible buttstocks with 1 1/4" (3.1cm) minimum O.D. tubes.
#231-115-101EG CAR-15 Cheekpiece 1C25A00 \$ 33.95

COMMAND ARMS CAR-15/M4 COLLAPSIBLE STOCK SADDLE

Lightweight Cheek Support Plus Convenient Battery Storage

Provides added cheek support for increased comfort and shooting accuracy to AR-type rifles equipped with M4-style collapsible stocks. Plus, gives an advanced tactical appearance similar to the SOPMOD stock. Made from a very lightweight, fiberglass reinforced plastic that's as strong as it is functional. Waterproof, sealed compartments on each side will hold four "AA" or six CR123 cell batteries. No gunsmithing required for installation; saddle locks onto stock with accessory sling loop hardware that's provided. **Rubberized** model includes all the features of the standard model and adds a rubberized, non-slip coating that gives an exceptionally solid cheekweld for even greater shooter comfort and control.

SPECS: Injection molded plastic, black, matte finish. 5 3/4" (14.5cm) long, 2 3/4" (6.9cm) wide. Fits M4-style stocks only.
#100-002-567EG Std. M4 Stock Saddle 2Z17H79 . . . \$ 26.49
#100-003-046EG Rubberized M4 Stock Saddle, 2Z22Y46 30.59

MASEN AR-15/M16 RAISED CHEEKPIECE

Improves Shooting Comfort, Accuracy

AR-15 Cheekpiece provides correct head position and eye alignment for scope sighted rifles. Clamps over A-1 and A-2 buttstocks, installs in minutes with no modifications to stock. Textured, matte-black surface blends well with stock. Soft rubber top section gives added comfort. **Shorty Cheekpiece** provides correct scope-to-eye alignment to AR-15 rifles with collapsible buttstock. Soft rubber cheekpad improves shooting comfort, gives 1 1/4" additional height. Quick, snap-on installation.

SPECS: **AR-15 Cheekpiece** - Plastic, black. 6" (15.2cm) long. Raises height of comb 1 1/4" (3.2cm). **Shorty Cheekpiece** - Plastic, black. 5 3/4" (14.6cm) long.
#560-154-200EG AR-15 Cheekpiece 6E20T00 \$ 29.95
#560-154-300EG Shorty Cheekpiece 6E15T00 24.95

SMITH ENTERPRISES STRAP-ON CHEEK PAD

Improves Shooting Form & Comfort

Comfortable, strap-on cheek pad helps you gain a positive and consistent cheekweld on buttstocks without an integral cheekrest or raised comb. Felt-like, waterproof inner pad with overlaid PVC shell cushions recoil and minimizes perceived vibration, so your face takes less of a beating when firing large caliber rifles or full automatic weapons. Outer covering of heavyweave, 1000 Denier ballistic cloth resists abrasion and perspiration. Three, extra-thick, hook-and-loop straps with loops allow you to cinch it down tight on the stock for absolutely no movement under recoil. Installs and removes in just seconds.

SPECS: 1000 Denier nylon, black or tan. 1 1/2" (12.7mm) thick.
#851-200-500EG Blk Strap-On Cheek Pad 1E43A00 . \$ 65.69
#851-000-073EG Tan Strap-On Cheek Pad 1E43V53 . 65.99

BADGER ORDNANCE AR-15 STABILIZER HANDGUARD

Rifle-Length, Solid Platform For Precise Shooting

Trapezoid shape and thick sidewalls of this free float handguard provide maximum rigidity and greater stability when shooting from a rest. Full-length, Picatinny rail for mounting optics or accessories. Elongated cooling slots reduce heat buildup. Includes contoured barrel nut. Includes two sling swivel studs.

SPECS: Aluminum, hardcoat anodized, matte black finish. 2 1/4" (5.7cm) wide, .153" (3.9mm) thick. 13 3/8" (34cm) long. 25.9 oz. (736g) weight.
#093-249-040EG AR-15 Stabilizer Rifle Handguard, 3K152H70 \$ 175.99

CAA AR-15/M16 4-RAIL HANDGUARD

Extra Mounting Area For Your Accessories

Four Picatinny rails and rigid aluminum construction provide a two-piece handguard capable of supporting all your accessories, while holding up to the tough demands of tactical and competition exercises. Each rail is equipped with removable thermal rubber covers for better grip and protection for the rails when not in use. Integral metal heat shields with 24 ventilation holes help dissipate heat away from the barrel during sustained fire. Mounts easily using existing delta ring. No gunsmithing required.

SPECS: Aluminum, painted matte black. 6" (15.2cm) long.
#100-002-822EG M4 Carbine 4-Rail Handguard, 2Z28A80 \$ 117.99

CAVALRY ARMS AR-15/M16 HANDGUARDS

Various Tapers & Lengths For Any Application

Ridged gripping surface gives a positive hold, and the internal aluminum heat shield protects your hand from a hot barrel. Models available in Black, Coyote, and O.D. Green.

SPECS: Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer. **C3 Carbine** - Approximately 6 7/8" (16.8cm) long, 2 1/4" (5.6cm) external diameter at widest point, 1 1/16" (4.9cm) external diameter at narrowest point.

C4 Carbine - M4-style contour, approximately 6 7/8" (16.8cm) long, 2 5/8" (6.6cm) external diameter at widest point, 2 3/16" (5.6cm) external diameter at narrowest point. **C6 Mid-Length** - Non-tapered contour, approximately 8 3/8" (21.9cm) long, 2 9/16" (6.5cm) high, 2 3/8" (6cm) wide. **C8 Mid-Length** - Approximately 8 3/8" (21.9cm) long, 2 9/16" (6.5cm) external diameter at widest point, 2" (5.1cm) external diameter at narrowest point. **C5 Rifle** - Non-tapered contour, approximately 12" (30.5cm) long, 2 5/8" (6.7cm) high, 2 3/8" (6cm) wide. **C7 Rifle** - A2-style contour, approximately 12" (30.5cm) long, 2 5/8" (6.6cm) external diameter at widest point, 1 3/32" (5cm) external diameter at narrowest point.

#100-002-823EG C3 Carbine, Black 2K24A00 \$ 30.00
#100-000-941EG C4 Carbine, Black 2K28X38 34.99
#100-000-942EG C4 Carbine, Green 2K28X00 35.00
#100-000-963EG C4 Carbine, Coyote 2K28C00 35.00
#100-002-828EG C6 Mid-Length, Black, 2K20A00 25.00
#100-002-825EG C8 Mid-Length, Black, 2K24A00 30.00
#100-002-827EG C5 Rifle, Black 2K20A00 25.00
#100-000-937EG C7 Rifle, Black 2K24X00 30.00
#100-000-938EG C7 Rifle, Green 2K24X00 30.00
#100-000-961EG C7 Rifle, Coyote 2K24C00 30.00

CLARK CUSTOM AR-15/M16 CARBON FIBER HANDGUARD

Lightweight; Unique Appearance; Stays Cool

One-piece tube with aluminum barrel nut eliminates barrel pressure points to improve accuracy. Lightweight and strong, carbon fiber tube with front swivel stud won't absorb heat, so tube remains cool, even after long strings of fire. Attractive and durable with a distinctive weave pattern that changes when viewed from the viewing angle. Requires installation of supplied, separate barrel nut and gluing of tube to nut with Elmer's Ultimate, Devcon High Strength, Gorilla Glue, or equivalent bonding agent.

SPECS: Carbon fiber, black. 12" (30.6cm) long. 2" (5cm) diameter. 6.2 oz (175 g) weight.
#181-000-013EG Carbon Fiber Handguard, 1H87T93 \$ 102.99

DPMS AR-15/M16 HANDGUARDS

Military Style Look & Feel

Raised ribs improve grasp for easier carry and firing. Constructed from mil-spec, thermo-resin for improved strength and durability. Includes aluminum heat shield. Fits standard or delta slip ring. **A-2 Long** is a strong, comfortable-to-hold replacement for the older, triangular handguards. **AR-15 Short** fits CAR-15/M4 rifles with a 11 1/2" or 16" long barrels.

SPECS: Plastic resin, black. **A-2 Long**; 12" (30.5cm) long. Fits AR-15 with 20" barrel. **AR-15 Short**; 6 3/4" (17.1cm) long. Fits CAR-15/M4 with 11 1/2" or 16" barrel.
#231-000-011EG A-2 Long Handguard 1C20H23 . . . \$ 27.95
#231-000-012EG AR-15 Short Handguard 1C13H69 . . 21.25

DPMS AR-15/M16 4-RAIL FREE-FLOAT HANDGUARD

Optimum Versatility For Mounting Accessories

One-piece, carbine-length free-float tube lets you mount the optics, lasers and foregrips your mission requires, without putting accuracy-robbing stress on the barrel. Four, Picatinny rails, machined as a part of the tube, provide additional strength and support. Vent slots prevent heat buildup. Furnished with a separate barrel nut for accurate indexing. Fits CAR-15.

SPECS: 6000 series aluminum, anodized, black, matte finish. 2 3/8" diameter, fits barrels up to 1" in diameter. 6 3/4" (17.1cm) long.
#231-000-161EG Carbine 4-Rail Handguard, 1C14H00 \$ 169.00

DANIEL DEFENSE AR-15/M16 CARBINE FOREND TUBES

Extra Rails For Mounting Tactical Accessories

Machined, extruded aluminum free-float tube with four picatinny rails actually weighs less than the original handguards and shields. Replaces the barrel nut and eliminates stress on the barrel. Rails give plenty of space for mounting scopes, lights, lasers and more. Pins index the guard to the barrel nut to eliminate the possibility of spin. Large ventilation holes provide maximum cooling for sustained fire situations.

SPECS: Machined, extruded aluminum. Black. Models available: 9.5" (22cm) Carbine, 12" (30.5cm) Carbine.
#100-001-784EG 9.5" Carbine Forend Tube, 8K292X00 \$ 319.00
#100-001-785EG 12" Carbine Forend Tube, 8K332X99 359.99

DPMS AR-15/M16 FREE FLOATTUBE

Two-Piece Design; Free-Floats AR-15/ M16 Barrels For Greater Accuracy

Lightweight, two-piece handguard eliminates exterior pressure points on AR-15/M16 barrels to help increase accuracy. Extra-rigid design is made from extruded aluminum. Separate barrel nut and forend tube thread together; easy to install and torque to proper specifications. Completely replaces the plastic, factory handguard, barrel nut and front cap for less weight and better heat dissipation.

SPECS: Extruded aluminum, black-anodized finish. 2" (5cm) diameter. **Standard;** 12³/₈" (31.4cm) long. **Carbine;** 7¹/₄" (18.4cm) long. Fits AR-15, M16 rifles or CAR-15 carbines. Both models accept barrels up to 1" (2.5cm) in diameter. Check distance from front of receiver to rear of front sight bridge.

#231-015-006EG Std. Free Float Tube 1C47D61 . . . \$ 63.99
#231-015-007EG Carbine Free Float Tube 1C37D74 . 49.99

VENTED FREE FLOAT TUBE - Longitudinal slots allow excess barrel heat to rapidly dissipate. Improves barrel ventilation and cooling. Tube remains cooler for increased shooter comfort.

SPECS: Extruded aluminum, anodized, black matte finish. 2" (5cm) diameter. **Standard;** 12³/₈" (31.4cm) long. **Carbine;** 7¹/₄" (18.4cm) long. Fits barrels up to 1" (2.5cm) in diameter.

#231-000-001EG Vented Standard Free Float Tube, 1C81T21 . . . \$ 90.99

#231-000-002EG Vented Carbine Free Float Tube, 1C62T88 . . . 85.99

NEW Lengths DANIEL DEFENSE AR-15/M16 OMEGA RAIL/X RAIL

Lightweight, Versatile & Easy To Install Rail Systems Maximize Accessory Mounting Options



Free-float handguard with four MIL-STD 1913 Picatinny rails installs in minutes with no permanent modifications to weapon. Two-piece design allows installation using basic tools and the included hex key. Tighten the four Allen-head screws against the barrel nut with the hex key to eliminate movement and align the extended top rail with the receiver rail for an exceptionally long expanse of uninterrupted accessory mounting space. Plenty of ventilation cuts keep barrel cool and minimize weight—perfect for tactical rifles where every ounce saved improves speed and maneuverability. Rail slots are indexed with white letters and numbers for precise positioning and remounting of accessories. Receptacles for push-button QD sling swivels in the side rails have built-in rotation limiters. Precision machined from 6061 T6 aluminum and mil-spec Type 3 hardcoat anodized for added strength and a rock-hard surface that resists wear and scuffing. The standard Omega Rail clamps directly to factory barrel nut; remove it and reinstall factory handguard any time. Omega X Rail comes with a replacement barrel nut for a streamlined, minimal-profile installation that maximizes available rail space for accessories. 7.0 fits rifles with carbine-length gas systems. 9.0 is designed for rifles with mid-length gas systems. 12.0 fits AR-15s with rifle-length gas systems. X Rail 12.0 provides extended accessory mounting space on any AR-15 with a carbine-length gas system. Cutout in the top rail allows clearance for the front sight tower/gas block. All models come with Santoprene rubber rail covers to provide a more comfortable, secure grip and protect the machined surfaces from damage. Rail covers resist temperatures up to 350° F.

SPECS: 6061 T6 aluminum, hardcoat anodized, Matte Black or Flat Dark Earth (70 only). Includes mounting screws, ladder-style rail covers, and instructions. **7.0** - 6⁵/₈" (16.2cm) long. Top Rail - 7" (17.8cm) long. 7.6 oz. (217g) wt. Fits AR-15 with carbine-length gas system. **9.0** - 8³/₈" (21.3cm) long. Top Rail - 9" (22.9cm) long. 9.6 oz. (273g) wt. Fits AR-15 with mid-length gas system. **12.0** - 11³/₄" (29.9cm) long. Top Rail - 12³/₈" (31.4cm) long. 13.6 oz. (386g) wt. Fits AR-15 with rifle-length gas system. **7.0 X Rail** - 7¹/₄" (18.4cm) O.A.L./top rail length. 9.4 oz. (266g) weight. Fits AR-15 with carbine-length gas system. **9.0 X-Rail** - 9¹/₄" (23.5cm) O.A.L./top rail length. 11.7 oz. (333g) weight. Fits AR-15 with mid-length gas system. **X Rail 12.0** - 12¹/₂" (31.8cm) O.A.L. 13.8 oz. (391g) weight. Fits AR-15/M16 with carbine-length gas system. X Rail models require replacement of factory barrel nut with the included Omega X barrel nut.

#100-003-309EG Omega Rail 7.0, Black 8K257V53 . . . \$ 264.99
#100-003-834EG Omega Rail 7.0, Flat Dark Earth, 8K257Z53 . . . 264.99
#100-003-629EG Omega Rail 9.0, Black 8K269A33 . . . 299.99
#100-003-630EG Omega Rail 12.0, Black 8K305A33 . . . 339.99
#100-005-072EG Omega X Rail 7.0, Black 8K280Z55 . 289.99
#100-005-071EG Omega X Rail 9.0, Black 319.99 . . . 319.99
#100-004-496EG Omega X Rail 12.0, Black 8K320D24 349.99

DANIEL DEFENSE AR-15/M16 M4 RAIL FREE FLOAT HANDGUARD™



Extra-Lightweight, Permits Multiple Accessory Mounting

Vented, aluminum handguard, with four Picatinny rails, provides nearly unlimited options for sight and accessory mounting. Two indexing pins prevent the handguard from working loose and spinning. Multiple, gas tube cooling slots and ventilation holes prevent heat buildup and keep weight to a minimum.

SPECS: Aluminum, anodized black, matte finish. Two lengths: **Carbine** - 7" (17.8cm) and **Rifle** - 12" (30.5cm) long. Carbine weighs 8.5 oz. (241 g).
#100-000-783EG 7" M4 Rail Handguard 8K250H67 \$ 259.00
#100-000-784EG 12" M4 Rail Handguard 8K330H00. 399.00

DOUBLE STAR AR-15/M16/M4 CARBINE HANDGUARD

Drop-In Replacement For M4-Style Factory Handguard



Snap-on USGI-type replacement for your carbine's factory-original handguard is made of fiberglass-reinforced, injection-molded polymer that delivers superior impact and abrasion resistance. The ridged gripping surface and top/bottom vent holes retain the weapon's authentic military look, while an internal heat shield of lightweight aluminum protects your hand from barrel heat. **M4 model** is available with standard-issue single-layer heat shield or a double shield for extra insulation during sustained rapid or full-auto fire. **Skinny M4 model** has narrower diameter for operators who prefer a minimal bulk handguard. All models fit AR-15/M16/M4 with carbine-length gas system.

SPECS: Fiberglass-reinforced polymer, matte black. 6¹/₂" (16.5cm) long. **Standard** - Approx. 2¹/₂" (6.4cm) O.D. at rear tapering to 2¹/₄" (5.7cm) O.D. at front. Available with single or double heat shield.

Skinny - Approx. 2¹/₄" O.D. at rear tapering to 2" (5.1cm) O.D. at front. Single heat shield only.

#100-004-513EG M4 Carbine Handguard, Single Shield, 2Z14T52 . . . \$ 17.99

#100-004-514EG M4 Carbine Handguard, Double Shield, 2Z16T03 . . . 19.99

#100-004-515EG Skinny M4 Carbine HG 2Z12T84 . . . 15.99

DOUBLE STAR AR-15/M16 FOUR-RAIL HANDGUARD



Robust Construction, Plenty Of Accessory Mounting Space

Easy to install, all-metal replacement for factory handguard gives your AR-15/M16 rifle or carbine the added versatility of Picatinny-type

rails at the 3, 6, 9, and 12 o'clock positions for mounting lights, lasers, vertical grips, bipods, bolt-on swivel studs, and other tactical accessories. Slots indexed with white, alphanumeric position markers ensure precise positioning of accessories for fast, repeatable configuration changes. Lightweight, extra-slim design is easy to grasp even with gloves on. Plenty of large vent holes allow free flow of air to help cool barrel. Two-piece design installs without removing gas block and requires no permanent alterations to your rifle; delta ring is left intact to allow re-mounting of factory handguard. Bottom rail may be left off to allow mounting on rifles with shotguns or grenade launchers. Precision CNC machined from high-quality 6061 T6 aluminum and mil-spec hardcoat anodized for extra strength and a hard, scuff-resistant surface that handles the wear and tear of intensive tactical operations.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 6⁵/₈" (16.8cm) long, 2" (5.1cm) wide, 2³/₈" (6cm) high. 7.4 oz. (210g) weight. Fits AR-15/M16 with carbine-length gas system. **Rifle** - 12" (30.5cm) long, 2" (5.1cm) wide, 2.375" (6cm) high. 13.2 oz. (374g) weight. Fits AR-15/M16 with rifle-length gas system.
#100-003-827EG Four-Rail Carbine HG 2Z111D43 \$ 139.99
#100-004-518EG Four-Rail Rifle HG 2Z178T46 . . . 194.99

FOBUS AR-15/M16 M33 HANDGUARD

Integral Accessory Rails Offer Convenient Attachment Points



Easily mount lasers, lights, optics, bi-pods, and other mission-specific accessories. Picatinny rails are injection molded directly into each handguard top and bottom half. Furnished with a slide-on cover that gives a comfortable grip, plus protects the rails when not in use. Stainless steel heat shield dissipates the high temperatures created during rapid fire.

SPECS: High density polymer, black. 6⁵/₈" (17.5cm) long. Fits all M-16/AR15 style carbines.
#100-000-615EG M33 Handguard 2Z57H80 . . . \$ 81.59

ERGO AR-15/M16 Z RAIL HANDGUARD

Increases Accessory Mounting Options; Easy To Install



Machined aluminum carbine-length handguards expand accessory mounting options for your rifle and don't require barrel removal to install. Four MIL-STD 1913 Picatinny rails enable easy, secure mounting of lights, lasers, vertical grips, backup sights, bipods, and other accessories. **Z Rail** is a drop-in replacement for an M4/CAR-15 carbine handguard and requires no modifications to weapon. Exclusive side lock system ensures a stable, rattle-free installation. **Z Float Rail** clamps to the barrel nut and free-floats your barrel for increased accuracy; requires permanent removal of delta ring. Has enough internal clearance for use with the Adams Arms piston system. Both handguards feature a black, hardcoat anodized finish for excellent resistance to surface wear, and include a set of snap-on ERGO LowPro Rail Covers that protect unused portions of the rails and give the operator a smooth, comfortable grasping surface.

SPECS: Machined aluminum, hardcoat anodized, matte black. **Z Rail** - 6.5" (16.5cm) long, 1.9" (4.8cm) wide, 9.8 oz. (277g) weight. **Z Float Rail** - 7" (17.7cm) long, 1.9" wide, 14.2 oz. (402g) weight. **LoPro Covers** - Flexible nylon plastic, black. 2.5" (6.3cm) long.

#573-000-050EG ERGO Z Rail Handguard, 3G100H00 . . . \$ 150.00

#573-000-051EG ERGO Z Float Rail Handguard, 3G113H33 . . . 170.00

FA ENTERPRISES AR-15/M16 TACTICAL HANDGUARD



Integral Accessory Rails For Maximum Versatility

Free-float tube eliminates barrel pressure points to help improve accuracy. Four, Picatinny rails let you mount accessory lights, lasers and hand grips to meet mission requirements. Separate lock ring allows you to orient rails at any position; prevents tube from working loose and spinning. Multiple cooling slots prevent heat buildup.

SPECS: 6061 aluminum, anodized, matte black. Fits barrel up to 1" (2.5cm) in diameter. **Carbine** - 7" (17.8cm) long. **Rifle** - 11¹/₂" (29.2cm) long.

#246-000-008EG Carbine Tactical Handguard, 6D144B95 . . . \$ 179.95

#246-000-009EG Rifle Tactical Handguard, 6D154B95 . . . 189.95

COMMANDARMS AR-15/M16 HANDGUARD & ACCESSORY MOUNTING SYSTEM

Snaps Into Delta Ring & Handguard Front Mounts; No Need To Remove Sight Or Barrel Nut



Picatinny-railed, plastic handguard attaches to the Delta Ring and handguard mounts to let you mount accessories on all four sides; puts the tactical equipment you need on your gun. Simple, drop-on installation requires no alterations, tools, or removal of the gun's sight or barrel nut. Thermal-rubber covers protect the rails when not in use and provide a sure grip for your hand. Metal, heat shield dissipates high temperatures produced during shooting. Available in both **Rifle** and **Carbine**.

SPECS: Plastic and rubber, black, matte finish. **Rifle** - 12" (30.5cm) long, 2¹/₄" (5.8cm) O.D.

#100-001-130EG M44L AR-15 Rifle Handguard, 2Z71U40 . . . \$ 106.99

#100-001-131EG M44S AR-15 Carbine Handguard, 2Z71U40 . . . 106.99

NEW Models DANIEL DEFENSE AR-15/M16 LITE RAIL HANDGUARD



Lots Of Rail Space; Minimal Weight

Free-float, quad-rail handguard gives maximum accessory-mounting versatility while keeping weight to a minimum. Provides a continuous, uninterrupted upper rail platform, plus three additional rails for tactical lighting, laser, or grip accessories. Machined from lightweight aluminum; completely replaces the standard barrel nut with an exclusive Bolt-Up System that improves strength and rigidity, while significantly reducing weight. **12.0** - For users who require a light and rugged rifle and desire a tactical upgrade with long-range capability. **12.0 FSP** - Features a precision cut-out opening in the top rail to accommodate the front sight post and gas block. **12.0 FSPM** - Provides an opening in the top rail for the front sight post and gas block of a mid-length AR15 gas system. **10.0** - Works with a low-profile gas block on either a carbine or mid-length gas system. **9.5 FSP** - Provides extra rail space along sides and bottom with a cut in the top rail for the front sight post and gas block to fit a rifle with a carbine-length gas system. **9.0** - Ideal for rifles with mid-length gas systems where size and weight are mission-critical attributes. **7.0** - Fits carbine-length gas systems; perfect for short barreled rifles. **4.0** - For use on a 7.5" barrel with an Adams Arms or Spikes Tactical pistol-length gas piston system. Installation of all models requires use of proprietary **Barrel Nut Wrench** available separately.

SPECS: Forend - 6061 T6 aluminum, Type 3 hardcoat anodized, black. Barrel Nut - steel, Parkerized, gray. **12.0, 12.0 FSP & 12.0 FSPM** - 12" (30cm) long, 14 oz. (396g) wt. **10.0** - 10" (25cm) length, 11 oz. (287g) wt. **9.5 FSP** - 9.5" (24cm) length, 9.1 oz. (258g) wt. **9.0** - 9" (22cm) length, 11 oz. (262g) wt. **7.0** - 7.25" (18.4cm) length, 9 oz. (255g) wt. **4.0** - 4" (10cm) length, 7 oz. (198g) wt. Each kit includes forend, barrel nut, forend attachment base, (6) attachment screws, (3) ladder rail covers, thread locking compound, and instructions. Installation requires removal of barrel and front sight housing.

#100-004-675EG Lite Rail 12.0 339.99 . . . \$ 339.99
#100-004-672EG Lite Rail 12.0 FSP 8K349V99 . . . 364.99
#100-004-674EG Lite Rail 12.0 FSPM 8K346V99 . . . 359.99
#100-004-676EG Lite Rail 10.0 8K324V99 . . . 334.99
#100-004-671EG Lite Rail 9.5 FSP 8K314V99 . . . 334.99
#100-004-673EG Lite Rail 9.0 8K305V99 . . . 314.99
#100-002-985EG Lite Rail 7.0 8K265T99 . . . 299.00
#100-004-678EG Lite Rail 4.0 8K214V99 . . . 229.99
#100-003-141EG Lite Rail Bbl Nut Wrench 8K19A33. 20.00

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 33

AR-15/M16

HANDGUARDS

HOGUE AR-15/M16 FREE-FLOAT FORENDS



Ultra-Secure, Non-Slip Gripping Surface For Maximum Weapon Control

Machined aluminum free-float forends provides an exceptionally positive, non-slip gripping surface for the support hand to help ensure maximum weapon control.

Easy-to-install, two-piece free-float design eliminates handguard stress on the barrel that can compromise accuracy. Use with rifle's factory gas tube; if changing barrel length, purchase replacement gas tube of appropriate length. Rifle- and carbine-length models available in all-aluminum **Ridged** design or cobblesh-tone-texture **Overmolded™** rubber grasping surface. **Kits** include an Overmolded pistol grip with a shock-absorbing pebble-textured rubber covering, palm swells, and finger grooves for increased shooting comfort.

SPECS: **Forend** – Aluminum, hardcoat anodized, matte black, with synthetic rubber covering on Overmolded models. Rifle - 12 1/4" (31.1cm) long, 2" (5cm) diameter. Fits AR-15/M16 and clones with rifle-length gas system. Carbine – 7 1/2" (17.8cm) long, 2" diameter. Fits AR-15/M16/M4 and clones with carbine-length gas system. **Pistol Grip** – Molded synthetic rubber exterior over fiberglass core, black.

#408-150-020EG Rifle Forend, Overmolded 8K61Z72... \$94.95
#408-000-091EG Rifle Forend, Ridged 8K44H96... 59.95
#408-150-120EG Carbine Forend, Overmolded, 8K64Z97... 99.95
#408-000-093EG Carbine Forend, Ridged 8K44H96... 59.95
#408-150-030EG Rifle Kit, Overmolded 8K64Z97... 99.95
#408-000-092EG Rifle Kit, Ridged 8K53H18... 59.95
#408-150-130EG Carbine Kit, Overmolded 8K68Z22... 99.95
#408-000-094EG Carbine Kit, Ridged 8K44H96... 59.95

PISTOL GRIP - Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance.

SPECS: Fiberglass core, rubber covered.

#408-150-000EG Pistol Grip 8K15Z60... \$17.99



MAKO AR-15/M16 QUAD-RAIL HANDGUARD



Increases Accessory Mounting Options; Easy, Drop-In Installation

Four-rail Picatinny handguard expands the versatility of any tactical AR-15/M16 carbine by allowing you to mount a wide array of lights, lasers, flip-up sights, vertical grips, and bipods. True, drop-in replacement for factory plastic handguard clamps securely to the barrel nut and front handguard cap with four steel cap screws that let you easily adjust the tension to prevent unwanted movement. Requires no permanent alterations to rifle; remove Quad Rail at any time and reinstall factory guard. Provides a full load of features that tactical shooters want, including white numeric index markings in slots to ensure repeatability of accessory positions, and large cooling vents to help prevent barrel overheating during sustained fire. Top rail aligns with flattop receiver rail to provide plenty of uninterrupted rail space to position an optic exactly where you need it for best performance, with space left for backup iron sights. Bottom rail can be removed to prevent interference with under-barrel tactical shotgun, tear gas launcher, or grenade launcher. Durable, all-aluminum construction... with a tough, hardcoat anodized finish for extra strength, scratch resistance, and protection from corrosion. Comes with four, full-length, snap-on rail covers to protect unused portions of the rail, as well as your hand.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 6 1/4" (15.9cm) overall length. Fits AR-15/M16/M4 with carbine-length gas system and retention system for USGI plastic handguard. Rail Covers - Synthetic rubber, black. 4 included. May be cut to length.

#100-004-275EG Quad-Rail Handguard 2B55Y90... \$63.75



MAGPUL AR-15/M16 MOE™ HANDGUARD



Gives A Secure, Comfortable Grip, Better Weapon Control & Versatile Accessory Mounting

Carbine-length handguard combines the light weight and slim profile of the USGI M4 plastic handguard with more comfortable ergonomics and the accessory mounting versatility of aluminum railed handguards. Trapezoidal cross-section and pronounced grasping ridges on the underside help the operator maintain a secure grip for better weapon control under stress or during sustained rapid fire. Integral aluminum heat shield protects hand from hot barrel, while side extensions and a pronounced lip at the front edge prevent the hand from slipping forward onto the hot gas block. Horizontal slots at the 2, 6, and 10 o'clock positions let you install Falcon Industries bolt-on Picatinny rails, available below, exactly where you want to mount lights, lasers, and other accessories. Two-piece, snap-on design fits any AR-15/M16 with a carbine-length gas system, Delta ring, and standard A2 gas block/front sight base—no gunsmithing required. Constructed of rugged, heat- and impact-resistant fiberglass-reinforced injection-molded polymer. Available in black, and three popular tactical camo colors, Dark Earth, O.D. Green and Foliage Green.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Fits AR-15/M16/M4 rifles with carbine-length gas system. **Falcon Handguard Rails** – Aluminum, anodized, matte black. Available in 2" (5cm), 4" (10.1cm), and 6" (15.2cm) lengths. Mounting hardware included.

#100-004-152EG MOE Handguard, Black, 3K25P31... \$29.99
#100-004-153EG MOE Handguard, Dark Earth, 3K24P62... 29.99
#100-004-154EG MOE Handguard, O.D. Green, 3K24P62... 29.99
#100-004-155EG MOE Handguard, Foliage Green, 3K24P62... 29.99
#573-000-017EG Falcon Handguard Rail, 2", 3G12C69... 15.99
#573-000-009EG Falcon Handguard Rail, 4", 3G21X15... 24.99
#573-000-019EG Falcon Handguard Rail, 6", 3G23C79... 28.99

MIDWEST INDUSTRIES AR-15/M16 TWO-PIECE FREE-FLOAT FOREND

Free Float Design Clamps On To Relieve Stress



Quality, two-piece free-float forend clamps firmly in place without having to remove the barrel or front sight. Simply cut off the delta ring, install and you'll experience better accuracy at the range and in tactical situations with significantly less stress on your barrel. Four Picatinny 1913 rails with fifteen mounting slots are laser etched with letters and numbers for precise mounting and re-mounting of all your accessories. Available in four lengths.

SPECS: CNC machined from 6061 aluminum. Hard coat anodized to Mil-Spec, black. Mounts over existing OEM barrel nut without removing front sight base. Requires removal of Delta ring. **Carbine** - 7" (17.7cm) long. Fits carbine length, 16" Mil-Spec barrels. **Extended Length** - Rail extends past front sight. Top and side rails are 10 1/2" (26.6cm) long. Fits carbine length, Mil-Spec barrels. Will not fit Colt-made AR-15's/M4's. **Mid Length** - 8 1/2" (21.5cm) overall length. Fits carbine length barrels with extended gas system as made by Rock River Arms and ArmaLite. **Full Length** - 12 3/8" (31.4cm) long. Fits standard 20" barrels with rifle length gas systems.

#100-002-487EG Carbine Forend 2A159V80... \$197.99
#100-002-842EG Extended Forend 2A180H00... 225.00
#100-002-843EG Mid-Length Forend, 2A193H09... 241.36
#100-002-844EG Full Length Forend, 2A211H96... 264.95

MIDWEST INDUSTRIES AR-15/M16/AR-10® TWO-PIECE FOREND



Versatile, Easy To Install, Snap-On Forend Rails For Optics & Accessories

Carbine length, two-piece vented forearm snaps solidly in place and replaces factory plastic handguard on AR-15 type rifle. Each of the four MIL-STD 1913 Picatinny rails contains 15 mounting slots for optics, lasers, vertical grips, bipods, and lights. Two-piece design permits removal of lower section to install a grenade launcher or shotgun. Both pieces remove easily for cleaning and maintenance. Rails are laser etched with white alphanumeric position markings to aid in fast mounting and re-mounting of optics and accessories. Large vent holes allow plenty of air circulation for barrel. No gunsmithing, no permanent alterations to rifle required.

SPECS: Machined 6061 billet aluminum, mil-spec hardcoat anodized, matte finish, Black, Dark Earth, or O.D. Green. 6 3/8" (16.8cm) long. Fits mil-spec 16" carbine-length barrels with round front attaching point. Will not fit Colt-made AR-15/M4.

#100-002-330EG Two Piece Carbine Length Rail Forend, 2A125V17... \$154.99
#100-004-246EG Two-Piece Carbine Length Rail Forend, Dark Earth 2A125U17... 154.99
#100-004-247EG Two-Piece Carbine Length Rail Forend, O.D. Green 2A125U17... 154.99

EXTENDED-RAIL CARBINE FOREND

Extended, MIL-STD 1913 Picatinny side rails give 10" of uninterrupted rail space and top rail extension past front sight provides flexibility in accessory mounting options. Laser-etched with alphanumeric designations. Bottom section is removable to allow installation of grenade launcher or shotgun.

SPECS: CNC machined from 6061 aluminum, hardcoat anodized, matte black. 6 3/8" (16.8cm) long, 2 1/2" (6.35cm) diameter. Top and side rails are 10" (25.4cm) long. Fits carbine length, Mil-Spec barrels. Will not fit Colt-made AR-15s/M4s.

#100-002-411EG Two-Piece Extended-Rail Carbine Forend 2A148T00... \$185.00

MID-LENGTH TWO-PIECE CARBINE FOREND

Four Picatinny rails contain 20 mounting slots for lasers, optics, bipods, vertical grips, and lights and each MIL-STD rail is USGI type laser etched with lettering and numbering. Two-piece design permits removal of lower section for installation of a shotgun or grenade launcher.

SPECS: CNC machined from 6061 billet aluminum, hard coat anodized to Mil-Spec. Black. 8 1/2" (21.5cm) overall length. Fits carbine length barrels with extended gas system as made by Rock River Arms and ArmaLite.

#100-002-455EG Two-Piece Mid-Length Carbine Forend, 2A148U00... \$185.00

FULL-LENGTH TWO-PIECE FOREND

Versatile, rifle-length vented forearm replaces factory handguard on full-size AR-15 rifles and provides four Picatinny rails, each with 28 mounting slots for optics, lasers, vertical grips, bipods, and lights. Two-piece design permits easy installation without removing gas block; no gunsmithing required. Bottom section is removable to allow installation of a grenade launcher or shotgun. Each rail has precise laser-etched alphanumeric markings for fast re-mounting of optics and accessories. 60 oversized vent holes reduce weight and ensure plenty of airflow to help prevent barrel overheating. Will not fit Colt manufactured AR-15 rifles.

SPECS: CNC machined from 6061 billet aluminum, hardcoat anodized, matte black. 12" (30.5cm) long. Fits 20" rifle-length Mil-Spec barrels with round front attaching point. Will not fit Colt manufactured AR-15.

#100-002-841EG Two-Piece Full-Length Rifle Forend, 2A167H96... \$209.95

MIDWEST INDUSTRIES AR-15/M16 T-SERIES FREE-FLOAT HANDGUARD



Eliminates Stress On Barrel, Maximizes Accessory Mounting Options

Lightweight, machined aluminum forend combines the accuracy-improving benefit of free-float attachment with four Picatinny rails for customized mounting of tactical accessories. One-piece free-float design attaches directly to upper receiver with the included barrel nut to eliminate pressure points on the barrel that can compromise accuracy. Large vent holes help keep weight to a minimum and ensure plenty of air circulation to cool barrel. Unobstructed interior provides adequate internal clearance for most gas piston systems, and allows installation on a rifle/carbine with a gas system shorter than the handguard if a low-profile gas block is also installed. Clean, streamlined exterior has no gap between receiver rail and top rail of handguard. Slots are marked with white, laser-etched alphanumeric position markers for precise positioning of accessories and fast, repeatable configuration changes. Includes anti-rotation pin to keep handguard aligned. Requires removal of factory barrel nut and delta ring.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. All models 2.4" (6.1cm) wide x 2.4" high. **T7** - 7" (17.8cm) OAL. Fits AR-15/M16 with carbine-length gas system. **T9** - 9" (22.9cm) OAL. Fits AR-15/M16 with mid-length gas system or shorter gas system with low-profile gas block. **T10** - 10" (25.4cm) OAL. Fits AR-15/M16 with carbine-length gas system and low-profile gas block. **T12** - 12" (30.5cm) OAL. Fits AR-15/M16 with rifle-length gas system or shorter gas system with low-profile gas block.

#100-004-305EG T7 Free-Float Handguard, 2A129Z95... \$149.95
#100-004-307EG T9 Free-Float Handguard, 2A119Z93... 159.95
#100-004-306EG T10 Free-Float Handguard, 2A126Z60... 164.95
#100-004-308EG T12 Free-Float Handguard, 2A133Z27... 174.95

ROCK RIVER ARMS AR-15/M16 NM FREE FLOAT BARREL SLEEVE

DCM Legal, A2-Style Relieves Barrel Tension For Better Accuracy



Two-piece steel tube isolates barrel from forend pressure for consistent accuracy on target and tactical rifles. Lets you use a tight shooting sling or a bipod without putting external pressure on barrel and shifting point of impact. Furnished with A2 handguards, sling swivel and gas tube. DCM legal, does not alter exterior profile.

SPECS: Steel, parkerized finish. High-temp injection-molded handguards, black. 13" (33cm) long. 16 oz. (454 g) weight. Fits AR-15 with 20" barrel.

#739-000-003EG Free Float Barrel Sleeve, 9C00PUA... \$100.00

AR-10® CARBINE FOREND - Snap-on railed forearm gives your ArmaLite AR-10 carbine all the accessory mounting versatility of Midwest Industries two-piece AR-15 forearms. Four MIL-STD 1913 Picatinny rails contain 20 mounting slots each, and are laser etched with white alphanumeric position markings. Lower section may be left off to provide clearance for a grenade launcher, tear gas launcher, or shotgun. Direct replacement for plastic factory handguard—no gunsmithing or permanent alterations required.

SPECS: Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 8 3/8" (20.6cm), 2 1/2" (6.4cm) diameter. Fits ArmaLite AR-10 carbines only.

#100-004-421EG AR-10 Carbine HG 2A173B43... \$216.99

SATISFACTION GUARANTEED
SINCE 1939

Office/Tech: 641-623-5401

TACTICAL HANDGUARDS

Fixed Or Removable
Rail Models For
Extreme Tactical Duty



Lightweight, vented handguards allow the shooter to choose fixed, permanent Picatinny rails or easily removable ones for high-level customization. Precision machined from aircraft grade aluminum, then mil-spec hardcoat anodized for extra strength and superior abrasion resistance.

CUSTOMIZABLE FREE-FLOAT TUBE - Versatile forearm system lets you choose exactly how much rail space you need to accommodate add-on, tactical accessories. Lightweight, aluminum, tube free-floats the barrel to eliminate shifts in bullet point-of-impact caused by sling or bipod tension on the handguard. Four, evenly spaced rows of threaded mounting holes accept Yankee Hill's Picatinny-type, modular, Add-On Rails. One full-length rail and one 3" elevated rail included; additional rails available separately below. Front end is internally threaded to accept the ported, Yankee Hill End Cap. Included barrel nut features a slotted lock ring to allow proper indexing of added accessory rails. Lock ring is best tightened using the Yankee Hill Forearm Wrench. Choose from **Carbine**, **Specter**, or **Rifle** length tubes.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Includes tube, full-length rail, 3" elevated rail, jam nut, and barrel nut. **Carbine** - 7 1/16" (18.3cm) long x 2" (5.1cm) dia. 9.5 oz. (269 g) wt. Accepts up to four 3", 4" or 7" rails. **Specter** - 9 5/8" (24.4cm) long x 2" dia. 12 oz. (340g). Covers gas block on a carbine-length gas system; low-profile gas block required. Accepts four 6", 7" or 9 1/4" rails or a combination of eight 3" and 4" rails. **Rifle** - 12 1/2" (31.8cm) long x 2" dia. 14.6 oz. (414 g) wt. Accepts up to four 7", 9 1/4" or 12" rails; eight 3" and 4" rails; four 6" rails and four 3" or 4" rails; four 7" rails and four 3" or 4" rails.

- #100-002-078EG Carbine Customizable Tube, 9A91B13 \$ 128.99
- #100-002-452EG Specter Customizable Tube, 9A100U36 140.99
- #100-002-079EG Rifle Customizable Tube, 9A121B90 169.99

"SMOOTH" FREE FLOATHANDGUARD - Lightweight, machined aluminum forearm combines the accessory mounting versatility of a quad-railed forearm with a "smooth," un-railed area for support hand comfort to aid in enhanced weapon control. Integral, full-length Picatinny top rail, plus forward 2.5" rails on the sides and bottom, offer plenty of attachment space for lights, lasers, optics, backup sights, and other accessories. Modular design accepts a variety of bolt-on YHM accessories, available below. Smooth areas are drilled and tapped to accept Add-On Rails for additional accessory mounting options. Side and bottom rails have receptacles for Threaded Swivel Studs; also accepts YHM Forearm End Cap. YHM's free-float attachment system eliminates accuracy-compromising pressure on the barrel, while anti-rotation screws prevent the forearm from working loose even during rigorous tactical operations. Large ventilation slots allow plenty of air circulation to dissipate heat and keep the barrel cool. **Carbine** - Side and bottom rails extend around the front sight/gas block to get the accessories as far forward as possible and provide more grasping surface for the support hand. Cutout on top provides enough clearance to fold down a Yankee Hill flip-up front sight. **Rifle** - Extends to just behind gas block and includes a forward attachment point for Threaded Swivel Stud on the top rail.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 9 1/4" (23.5cm) OAL, 2 1/2" (6.4cm) diameter. 12.4 oz. (352g) weight. Fits AR-15/M16 with carbine-length gas system. **Rifle** - 12 1/2" (31.8cm) OAL, 2 1/2" diameter. 16.6 oz. (471g) weight. Fits AR-15/M16 with rifle-length gas system.

- NEW** 100-004-309EG Smooth Free Float Forearm, Carbine, 9A112Y00 \$ 140.00
- NEW** 100-004-310EG Smooth Free Float Forearm, Rifle, 9A128Y00 160.00

CUSTOMIZABLE 2-PIECE CARBINE HANDGUARD - Two-piece

forearm replaces your AR-15 carbine's mil-spec, factory plastic handguard and allows you to install Picatinny rails at 45-degree intervals for precise, custom positioning of lights, lasers, vertical grips, and other accessories. Eight, evenly spaced rows of threaded mounting holes accept Yankee Hill's Picatinny-type, modular, Add-On Rails. One full-length rail and one 3" elevated rail included; additional rails available separately below. Bottom half removes easily to provide clearance for a shotgun or grenade, flare, or tear gas launcher. Sixteen, lengthwise cooling vents ensure thorough dissipation of heat from barrel. Machined from rugged but lightweight aluminum, then hardcoat anodized matte black for added strength and exceptional wear resistance.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 6 3/8" (16.8cm) long x 2" (5.1cm). 7.6 oz. (216g) wt. Accepts up to four 3", 4" or 6" add-on rails.

- #100-002-896EG Customizable 2-Pc Carbine Handguard, 9A116Y75 \$ 146.00

ADD-ON RAILS - Bolt-on Picatinny rails give you almost unlimited accessory mounting options for your Yankee Hill customizable handguards. Choose only as much rail as you need to avoid cluttering handguard with unused rail space. 6" rail is a full-length rail for Carbine-length handguards, 9 1/4" rail is the correct length for Specter tubes, and 12" rail is full-length for Rifle tubes.


SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Fits Yankee Hill Customizable Free-Float and Two-Piece Handguards. Mounting screws included.

- #100-002-081EG 3" Add-On Rail 9A12B65 \$ 18.00
- #100-002-082EG 4" Add-On Rail 9A13B85 19.50
- #100-003-157EG 6" Add-On Rail 9A16Z35 23.00
- #100-002-083EG 7" Add-On Rail 9A17B25 24.50
- #100-003-158EG 9 1/4" Add-On Rail, 9A19Z85 28.50
- #100-002-080EG 12" Add-On Rail, 9A27B00 34.00

4-RAILFREE-FLOATHANDGUARD - Four, integral, full-length Picatinny rails machined into a single piece of high-strength, rigid aluminum forms a handguard that delivers maximum stability and reliability. Stress-free tube design ensures complete free-float of the barrel for optimal accuracy. Barrel nut locks in place with two anti-rotation screws to ensure handguard remains locked in place, even under the added torque from vertical grips. Four, threaded, swivel stud mounting holes allow attachment of Yankee Hill threaded swivel stud at the top, bottom, or either side of the handguard. Available in Carbine or Rifle lengths. Heavy duty, **Standard** model features narrow cooling vents that run lengthwise along the handguard. **Lightweight** model is a skeletal version specifically machined to reduce weight from the rails; oversized cooling holes provide maximum ventilation and allow clear view of the barrel for the ultimate tactical look.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine Models** - 7 1/16" (18.3 cm) long x 2 3/8" (6 cm) wide. **Rifle Models** - 12 1/2" (31.8cm) long x 2 3/8" wide. Weight: **Standard Carbine** - 14.3 oz. (405 g). **Standard Rifle** - 22.5 oz. (638 g). **Lightweight Carbine** - 10.6 oz. (300 g). **Lightweight Rifle** - 14.75 oz. (418 g).

- #100-002-169EG Std Carbine Handguard, 9A91T73 \$ 119.99
- #100-002-170EG Std Rifle Handguard, 9A124T62 159.99
- #100-003-414EG Lightwt. Carbine Handguard, 9A92Z42 122.99
- #100-003-413EG Lightwt. Rifle Handguard, 9A123Z05 134.99



DIAMOND-PATTERN FREE-FLOAT HANDGUARD - Diamond-

shaped vents in a unique, latticework pattern give your weapon a distinctive look and provide superb airflow to prevent barrel from overheating. Helps keep your hand cool, too, while reducing weapon's overall weight. Provides four, full-length Picatinny rails for maximum flexibility in mounting tactical accessories. Four, full-length Picatinny rails provide maximum flexibility in mounting tactical accessories. Machined from high-grade 6061 T6 aluminum and mil-spec hardcoat anodized to withstand combat and heavy-duty usage. Extended top rail gives a gap-free fit to receiver rail. Slots are marked alphanumerically to help identify accessory locations. Threaded front end accepts Yankee Hill screw-in end cap, available separately. Comes with jam nut, barrel nut and anti-rotation screws to ensure handguard stays locked in place.

SPECS: 6061 T6 aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 7 1/4" (23.5cm) OAL, 2 1/2" (6.4cm) dia. 12.5 oz. (354g) weight. Fits AR-15/M16 with carbine-length gas system. **Mid-Length** - 9 1/4" (23.5cm) OAL, 2 1/2" dia. 15.2 oz. (431g) wt. Fits AR-15/M16 with mid-length gas system. **Specter** - 9 3/4" (24.8cm) OAL, 2 1/2" dia. 16.1 oz. (456g) wt. Fits AR-15/M16 with carbine-length gas system and covers gas block when installed. **Rifle** - 12 1/2" (31.8cm) OAL, 2 1/2" dia. 16.6 oz. (471g) wt. Fits AR-15/M16 with rifle-length gas system.

- #100-004-311EG Diamond Series Handguard, Carbine, 9A105Y60 \$ 132.99
- #100-004-312EG Diamond Series Handguard, Mid-Length, 9A112Y00 140.00
- #100-004-313EG Diamond Series Handguard, Specter, 9A113Y82 139.99
- #100-004-314EG Diamond Series Handguard, Rifle, 9A141Y94 134.99

2-PIECE HANDGUARD - Tough, 2-piece, forearm uses your existing delta ring, so it's easy to replace the standard issue, mil-spec handguard with a strong, lightweight aluminum version. Four, fixed, Picatinny rails provide a solid mounting platform for backup sights, lasers, tactical lights, vertical grips and more. Oversize cooling ports prevent heat buildup and allow clear view of the barrel section underneath for a radical, tactical look. Bottom panel removes easily to provide clearance for grenade and flare launchers if needed. Drilled and tapped in four locations to accept the Yankee Hill Threaded Swivel Stud. Use Colts Carbine model on Colt-manufactured guns.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 6 3/8" (16.8cm) long x 2 3/8" (6cm) wide. 9.9 oz. (281 g) wt. **Colt Carbine model fits Colt-manufactured guns only. Standard Carbine model fits carbines made by most other manufacturers. Rifle** - 12" (30.5cm) long x 2 3/8" wide. 20 oz. (567 g) wt.

- #100-002-093EG Std Carbine 2-Piece Handguard, 9A105X28 \$ 149.99
- #100-003-122EG Colt Carbine 2-Piece Handguard, 9A105D28 149.99
- #100-002-096EG Rifle 2-Piece Handguard, 9A149X25 199.00

SLING RING MOUNT - Steel sling loop manufactured by Starling Enterprises accepts slings with an HK-style snap hook for quick and effortless transition to a two-point sling. Extra large, 3/16" I.D. loop allows a full-range of movement to keep your sling from tangles and your weapon at the ready. Fits Yankee Hill tactical handguards that have been factory drilled and tapped for threaded swivel studs. Includes laminated aluminum shims for aligning loop in proper position. Black oxide, alkaline finish matches the black anodized finish of the forearm and prohibits rust.

SPECS: Steel, alkaline black oxide, matte finish. 5/16"-32 tpi. #100-003-999EG Sling Ring Mount, 4B25X96 \$ 31.99



FREE-FLOAT CARBINE HANDGUARD

Machined From
Solid Aluminum Billet
For Strength & Rigidity



Carbine-length handguard free-floats your carbine's barrel for improved accuracy, while providing a sturdy, no-flex accessory mounting platform. Precision machined in the U.S.A. from solid 6061 T6 aluminum billet for exceptional strength and rigidity. Clamps securely to the barrel nut with four, sturdy Torx® screws for solid attachment free of unwanted movement or play. Top and bottom MIL-STD 1913 Picatinny rails offer plenty of space to mount optics, lights, lasers, vertical grips, and other accessories. Compact, low-profile design and narrow width aid in control and maneuverability; large ventilation slots help cool barrel and reduce weight. Mil-spec hardcoat anodized for extra strength and resistance to nicks, dings, and scuffs during rigorous tactical operations.

SPECS: 6061 T6 aluminum, hardcoat anodized, black. 7 1/4" (18.4cm) long, 2" (5cm) wide, 2 1/2" (6.4cm) high. 1 3/8" (3.5cm) I.D. 13.4 oz. (380g) wt. Fits carbine-length AR-15 gas systems.

- #100-003-318EG Free-Float Carbine Handguard, 3B169H95 \$ 200.00

TACTICAL SWIVEL MOUNTS -

Steel, swivel stud features a full, 360 degrees of rotation to allow your tactical sling to follow the movements of your body, not just the rifle. Virtually eliminates sling tangle. Accepts standard, quick-detach type swivels.

Threaded Swivel Stud is a 3/16"-32 tpi pivoting stud. Fits Yankee Hill drilled and tapped handguards. Add-on to other applications with at least 1/4" depth clearance. **Dovetail Sling Mount** - Threaded Swivel Stud (above), combined with an aluminum dovetail clamp and steel cross-bolt. Secures directly to any Picatinny or Weaver-style rail.

SPECS: Threaded Swivel Stud - Steel, blued finish. 3/16"-32 tpi. Approx. 3/4" (1.9cm) OAL, requires 1/4" (6.4mm) depth clearance for drill/tap applications. **Dovetail Sling Mount** - Steel stud, blued; aluminum clamp, matte black mil-spec hardcoat finish. Approx. 1 1/4" (3.2cm) wide x 1 1/4" high.

- #100-002-084EG Threaded Swivel Stud, 9A03B55 \$ 5.00
- #100-002-087EG Dovetail Sling Mount, 9A16X85 24.00

FOREARM END CAP - Screws into the front of any Yankee Hill free-float handguard to provide added protection for the end of the forearm. Hides view of the barrel from the front of the handguard for a clean, finished look, and keeps large debris out. Cooling ports allow rapid escape of barrel heat and promote airflow under the handguard. Available with 1 5/16" or 1 1/16" inside diameter. Install using supplied threadlocker.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 1 5/16" (2.4cm) I.D. or 1 1/16" (2.7cm) I.D.

- #100-002-897EG 1 5/16" I.D. End Cap, 9A13Y85 \$ 19.50
- #100-002-086EG 1 1/16" I.D. End Cap, 9A13X85 19.50

FOREARM WRENCH - Heavy, steel, spanner wrench makes it easy to tighten handguard barrel nuts to the correct torque. Notched end engages the indexing ring on Yankee Hill handguards and others with similar, slotted indexing rings for aligning the accessory rails.

SPECS: Steel, black oxide finish. 8" (20.3cm) long, 2" (5.1cm) wide, 1/4" (6.4mm) thick.

- #100-002-090EG Forearm Wrench, 9A22X05 \$ 30.00



J.P. ENTERPRISES AR-15/M16 V-TAC MODULAR FREE-FLOAT HANDGUARD/RAIL SYSTEM



Configure Accessory Rails & Swivels On Tactical Rifles For Each Mission

Modular handguard/rail system provides the tactical shooter maximum flexibility to customize the number, position, and length of accessory rails on his AR-15. Mount rails or sling swivels at 45° intervals around the handguard. Free-float handguard eliminates barrel pressure points for maximum accuracy; use a bipod or sling without affecting point of impact. Ventilated tube provides maximum heat dissipation, and the textured surface assures a non-slip grip in any weather conditions. Dual barrel nut system provides precise alignment of tube with top of receiver. Inner nut can be secured with a standard armorer's wrench. Fluted aluminum outer nut reduces weight without compromising strength and prevents accidental hand contact with hot gas tube, and protects the tube from damage if rifle is dropped. Outer nut is secured to handguard with seven, flush-fitting, Allen head screws for rock-solid alignment with upper receiver. Handguard comes with two sling swivels; rails sold separately. Rail Kits designed for JP system, will also work with many other free-float tubes. **Rifle Length Handguard** leaves gas block exposed on 18", 20" or 24" barrels; covers gas block on 16" barrels. **Mid-Length Handguard** leaves gas block exposed on rifles with a mid-length gas system; covers gas block on carbine-length gas systems for a clean, streamlined profile. **Carbine-Length Handguard** leaves gas block exposed on 14" and 16" barrels. **USA**

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel inner barrel nut, swivel studs, and setscrews with matte black oxide finish. Handguard - 2" (5cm) dia. without attachments. Rifle handguard is 11½" (29.2cm) long; mid-length handguard is 9½" (23.2cm) long; carbine handguard is 7½" (18.1cm) long. Includes inner and outer barrel retainer nuts and 2 sling swivels with backer plates, Allen head setscrews. Rails - Picatinny cut, backer plates and Allen head mounting screws included. Rifle rail is 11½" (29.2cm) long; mid-length rail is 9" (22.9cm) long; carbine rail is 7½" (18.1cm) long.

- #452-000-040EG Rifle-Length Modular Handguard,**
2E142A86 \$ 175.99
- #452-000-051EG Mid-Length Modular Handguard,**
2E163Y33 204.99
- #452-000-034EG Carbine-Length Modular Handguard,**
2E164A06 174.99
- #452-000-038EG 11½" Rifle Rail 2E60A00 75.00**
- #452-000-052EG 9" Mid-Length Rail 2E56Y00 69.95**
- #452-000-037EG 7½" Carbine Rail 2E56A00 70.99**
- #452-000-035EG 2" Tactical Rail 2E20A27 24.99**
- #452-000-036EG 4" Tactical Rail 2E32A65 39.99**

TAPCO AR-15/M16

INTRAFUSE HANDGUARD

Increases Accessory Mounting Flexibility, Enhances Comfort & Control



Modular, snap-on carbine handguard offers a comfortable, secure hand-hold and integral Picatinny rails to give the operator exceptional accessory mounting flexibility without sacrificing weapon controllability. Comfortable, hand-filling contours, molded-in grasping ridges, and a non-slip textured surface ensure a secure grip for superior weapon control that aids speedy target acquisition and quick recovery for follow-up shots. Picatinny rails at the 3, 6, 9, and 12 o'clock positions provide plenty of real estate for mounting verti-

SAMSON MFG. CORP. AR-15/M16 STAR SERIES FORENDS

Puts Plenty Of Secure Accessory-Mounting Space Up Front; Free-Float & Drop-In Models Available

The STAR (Samson Tactical Accessory Rail) forend system puts four, MIL-STD 1913 rails up front to provide plenty of space for mounting lights, lasers, optics, vertical grips, bipods, quick-detach sling swivels, and other accessories. White, etched alpha-numeric slot markings help you make sure accessories get reinstalled in the right locations after temporary removal. Large, S-shaped vent slots ensure plenty of airflow to keep barrel and forend cool, even during sustained fire. Two-piece design easily replaces factory handguards without removing front sight/gas block. Precision machined from 6061 T6 aluminum alloy; hardcoat anodized for extra strength with a wear-resistant, non-reflective, matte black finish. **USA**

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black.

FREE-FLOAT HANDGUARD-

Clamps to the barrel nut with four, steel, hex-head cap screws to provide a solid accessory mounting platform without putting stress on the barrel that can compromise accuracy. Top rail is same height as receiver rail to provide a long, uninterrupted expanse of mounting space, so optics can be positioned for best eye relief. Bottom rail can be removed to allow mounting of M203 grenade launcher. Anti-rotation tabs on the clamp prevent unwanted movement. **STAR-C** fits rifles with carbine-length gas system. **STAR-MX** provides extended rail area on rifles with carbine- or mid-length gas systems and a low-profile gas block.

SPECS: Carbine - 7" (17.8cm) OAL. Fits AR-15/M16/M4 with carbine-length gas system. **Mid-Length** - 10" (25.4cm) OAL. Fits AR-15/M16/M4 with mid-length gas system. Requires low-profile gas block.

- #100-004-236EG STAR-C 7" Carbine Forend,**
1B221Z43 \$ 279.95
- #100-004-237EG STAR-MX 10" Mid-Length Forend,**
1B240Z00 299.95

STAR-DI DROP-IN FOREND - Two-piece, four-rail forend is a direct replacement for factory plastic M4 carbine handguard. Provides the versatility and appearance of a railed handguard with no need to remove Delta ring or make any permanent alterations to rifle. Simply remove the plastic guard and snap the STAR-DI in its place. Bottom rail may be left off to allow clearance for M203 grenade launcher.

SPECS: 6½" (15.6cm) OAL. Fits AR-15/M4 with carbine-length gas system and retention system for military-style two-piece plastic forend.


- #100-004-240EG STAR-DI Carbine Forend,**
1B159Z95 \$ 199.00

cal grips, laser sights, flashlights, bipods, and other tactical accessories in a custom configuration to meet the shooter's needs. Removable panels cover the bottom and side rails when they're not in use to protect them from damage and the shooter's hand from abrasion. Plenty of ventilation slots provide air circulation to keep the barrel cool, while a generous stand-off distance from barrel protects the hand from heat, especially during rapid or full-auto fire. Two-piece, snap-on design is a direct replacement for M4-style carbine handguard; remove the original guard and replace with the Intrafuse—no gunsmithing required. Durable, impact- and heat-resistant reinforced molded polymer construction stands up to hard operational use.

SPECS: Reinforced injection-molded polymer composite, black or Dark Earth. 6½" (16.5cm) OAL, 2¾" (7cm) wide, 2½" (7.3cm) high with panels installed. Fits AR-15/M16/M4 rifles with carbine-length gas system, Delta ring, and round handguard cap.

- #100-004-128EG Intrafuse Handguard, Black,**
5A47Z81 \$ 49.99
- #100-004-129EG Intrafuse Handguard, Dark Earth,**
5A47Z81 49.99

TROY INDUSTRIES AR-15/M16 MODULAR RAIL FOREND



Four-Rails For Maximum Accessory Mounting Versatility; Free-Float & Non-Free-Float Models

Free-float handguard provides four U.S. MIL-STD 1913 Picatinny rails at 3, 6, 9, and 12 o'clock positions for mounting a wide variety of accessories. Top rail aligns with flattop receiver rail to provide an extra-long expanse of uninterrupted rail space without additional cantilever mounts that add complexity and weight to your gun. Two-piece design allows easy installation on original factory barrel nut without removing front sight; factory delta ring must be removed, or low-profile gas block installed. A robust clamp and four anti-rotation alignment bolts lock the forend to the rear of the barrel and actually reinforce the barrel/receiver connection. Large vent holes dissipate heat from the barrel and minimize weight. White alphanumeric identifiers on cross slots ensure easy repeatability of accessory positions when changing configuration from one mission to another. All models, except MRF-MX, have two receptacles on each side rail for 360° push-button sling swivels. Precision machined from high-grade aluminum billet, then Type III hardcoat anodized for strength and corrosion protection, with Teflon® additive for extra resistance to surface abrasion. **MRF-C** - 7" long, fits carbine-length gas system. **MRF-CX** - 12" long, extended rail fits carbine-length gas system and has opening for the gas block/front sight. **MRF-M** - 9" long, fits mid-length gas system and has clearance for factory front sight/gas block and handguard cap. **MRF-MX** - 10" long, fits carbine- and mid-length gas system; requires low-profile gas block. Does not have sling swivel receptacles. **MRF-RX** - 13.5" long, fits any-length gas system; requires low-profile gas block. **USA**

- #100-003-453EG MRF-C 7" Forend, Black,**
3B222V07 \$ 229.99
- #100-003-454EG MRF-C 7" Forend, Dark Earth,**
3B222V07 229.99
- #100-003-458EG MRF-CX 12" Forend, Black,**
3B260V69 269.99
- #100-003-455EG MRF-M 9" Forend, Black 3B226V90 234.99**
- #100-003-456EG MRF-M 9" Forend, Dark Earth,**
3B226V90 234.99
- #100-004-060EG MRF-MX 10" Forend, Black,**
3B231T72 239.99
- #100-004-061EG MRF-MX 13.5" Forend, Black,**
3B285T00 314.99

MRF-DI NON-FREE-FLOAT CARBINE HANDGUARD - Direct, drop-in replacement for factory plastic handguard provides the accessory mounting benefits of the free-float Modular Rail Forend without removal of the delta ring. Secure clamping design installs in minutes and gives a rock-solid mount for optics and other accessories. Four positions for 360° pushbutton sling swivels; numbered cross slots. Removable bottom rail allows installation on rifles equipped with M203 Grenade Launcher.

SPECS: Aluminum, hardcoat anodized, Black or Dark Earth, matte finish.

- #100-003-459EG 7" Std. MRF-DI, Black,**
3B149V00 \$ 149.99
- #100-003-460EG 7" Standard MRF-DI, Dark Earth,**
3B149V00 159.99



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

VLTOR AR-15/M16 CASV MODULAR FREE-FLOAT HANDGUARD



12" Of Top Rail Space Plus Add-On Rails For Customized Accessory Mounting

Highly versatile accessory rail/free-float handguard system mounts "piggyback" on the receiver rail of your flattop carbine to provide 12" of elevated rail space. Five additional, bolt-on Picatinny rails can be installed on the handguard at 3-, 6-, and 9-o'clock, plus two lower 45° positions, so you can add, remove, or reposition rail space depending on specific mission requirements. Includes one 6" rail, two 4" rails, and two 2" rails for mounting lights, laser sights, vertical grips, bipods, and any other accessories requiring Picatinny rail attachment. Lower half of handguard detaches easily to allow mounting of an M203 grenade launcher. Entire assembly installs in minutes directly to the receiver rail and barrel nut, so it places no stress on the barrel itself. Delta ring and factory gas block front sight may be retained, but gas-block mounted sling swivel (if present) must be removed. Anodized aluminum construction with stainless steel mounting hardware adds less than 1 lb. to total weight of firearm. Available in all-black or two-tone tan/black scheme that blends well with many desert camo patterns. **USA**

SPECS: Aluminum, hardcoat anodized, black or two-tone tan/black, matte finish. 13½" (35.2cm) OAL, 2½" (5.4cm) wide, 2¾" (7cm) high without bolt-on rails attached. Fits rifles with carbine-length gas systems only. Kit includes handguard/extended top rail assembly, (1) 6" accessory rail, (2) 4" rails, (2) 2" rails, (11) 10-32 hex-head mounting screws, (2) hex wrenches, and installation instructions.

- #100-003-133EG CASV Handguard, Black,**
3A256Z81 \$ 299.99
- #100-003-995EG CASV Handguard, Tan/Black,**
3A239B95 289.95

SHOP ONLINE at brownells.com

ar-15 handguard

Product Search

Satisfaction Guaranteed!

BROWNELLS AR-15/M16 AR-15 RAIL COVERS

Protects Picatinny Rails; Rubber Overmolding Gives Positive Grip



Strong, polymer rail covers slide over picatinny rails to prevent dings and damage. Textured overmolding gives a sure grip that protects your hand from getting cut up when you grab a rail. Push-button, sliding clasp provides quick, secure attachment. Available singly or in an eight-piece set. Set includes three 6.1" covers and one each of other five. **USA**

SPECS: Synthetic Polymer, black, matte finish. Fits picatinny rails. Select the size you need in price line. 1" = 2.54cm

- #080-000-330EG 1.6" Rail Cover 8K16H68 \$ 20.99**
- #080-000-329EG 2.6" Rail Cover 8K16H52 20.66**
- #080-000-328EG 3.6" Rail Cover 8K16H68 20.99**
- #080-000-327EG 4.3" Rail Cover 8K16H60 20.99**
- #080-000-326EG 5.3" Rail Cover 8K16H32 20.99**
- #080-000-325EG 6.1" Rail Cover 8K16H60 20.99**
- #080-000-331EG Replacement Latch Pin, 3-pak,**
8K04H28 5.35
- #080-000-332EG Complete Rail Cover Set,**
8K123H24 149.97

COMMAND ARMS AR-15/M16 X6 RAIL COVERS

No-Slip Grip;
Protects Hand &
Prevents Damage
To Rails

Strong, flexible, thermo-plastic polymer covers snap over unused handguard accessory rails to protect your hand from sharp edges and provide a superb, non-slip gripping surface for improved weapon control. Protects rails from damage and provides an added layer of insulation from a hot handguard. Curved exterior helps ensure a comfortable grip, while aggressive surface ridges guarantee a solid grip even when hands are wet. Fits both Picatinny or Weaver-style rails. Available in **Long** (5¼") and **Short** (1¾") lengths, and in a **Kit** that includes two Long and six Short covers.

SPECS: Polymer, black. **Short** – 1¾" (4.5cm) long. **Long** – 5¼" (14.6cm) long. **Kit** contains six (6) Short and two (2) Long covers. **#100-003-283EG Long X6 Rail Cover**, each 2Z07C48 . . . \$ 10.19
#100-003-284EG Short X6 Rail Cover, each 2Z03C22 . . . 4.59
#100-003-282EG X6 Rail Cover Kit 2Z24C23 30.59

MAGPUL AR-15/M16 ACCESSORY RAIL COVER

Improves Grip, Protects Rails From Damage

Tough, polymer cover slides over Picatinny rails to protect shooter's hand from sharp edges of unused rails, and shield exposed rails from damage during rough tactical operations. Makes rail less likely to snag clothing and equipment and gives the rounded contour of a smooth, circular handguard with the freedom to reconfigure accessories whenever you need to. Rubber-like, pebble-texture grip surface helps shooter maintain better weapon control. Each panel covers 15 rail slots—the correct length to fit many carbine-length handguards without modification. Pre-segmented construction for ease in cutting to length to custom fit on other handguards. Multiple sections can be mounted one after the other for smooth, visually continuous cover on longer handguards.

SPECS: Synthetic polymer, matte black pebble finish. 6¼" (15.9cm) long x 1½" (3.5cm) wide. Fits Picatinny and Weaver-style accessory rails. Covers 15 rail slots.
#100-003-074EG AR-15 Rail Cover 3K08X79 \$ 11.99

MAGPUL AR-15/M16 XTM™ RAIL PANELS

Customizable Snap-On
Rail Cover System
Protects Your Hands;
Easy To Install & Remove

Modular, snap-on panels cover exposed portions of Picatinny-type handguard rails to help you maintain a firm grip on your weapon while protecting hands from sharp edges of rail slots and grooves. Textured, low-profile panels install quickly and easily without removing already-mounted light, laser, vertical grip, bipod, or other accessories. Simply snap two panels together over the rail to cover a 1½" segment of rail. Unique locking system ensures the panels go on easily and remain securely affixed even during strenuous tactical operations. Remove them using the tips of two .223/5.56 NATO rounds or any tools with similar non-marring rounded tips. No need to match up "left" and "right" halves because each panel fits on either side of rail. As long as you have two XTM rail panels in your hand, you can snap them together and cover four rail slots. Sold in 8-Paks—enough to cover one standard carbine-length rail.

SPECS: Molded polymer, Black, Flat Dark Earth, or Foliage Green. Eight (8) panels per Pak. Fits MIL-STD 1913 Picatinny rails.
#100-003-521EG XTM Rail Panels, Black 3K06H63 . . . \$ 7.99
#100-003-522EG XTM Rail Panels, Flat Dark Earth, 3K06H63 7.99
#100-003-523EG XTM Rail Panels, Foliage Green, 3K06H63 7.99

MAGPUL XTM RAIL COVERS

★★★★★ 5.0

These are simple, rugged, and easy to use. Great product. Magpul does it again.

– By edinalaska from Panama City Beach, Florida

BROWNELLS

AR15 BUILDER™

PATENTS PENDING

AR15BUILDER.COM

NEW TANGODOWN AR-15/M16 BATTLEGRIP RAIL COVER



Tough Combat-Tested Grips With Built-In Utility Features

Dual-purpose cover slides on and snaps into place on any Picatinny handguard rail. Protects the machined surfaces while offering a secure, non-slip gripping surface for maximum weapon control. Impact and heat resistant for years of rugged use. **BGR** features six, highly textured grip recesses. **BGRP** includes switch pocket with interchangeable adapters for SureFire® and Insight Technologies® remote pressure switches. **SCAR** is based on feedback from special forces operators using the new FN SCAR rifle, with a lower profile and more aggressive texture than BGR models. Available in 2", 4", and 6" lengths. 4" also available with pockets for SureFire (SF) or Insight Technologies (ITI) weapon light remote switches.

SPECS: Injection-molded polymer resin, Black, Dark Earth, or Foliage Green. 1½" (3.5cm) wide. Lengths as indicated in table. **BGRP** accepts SureFire, Insight Technologies, and similar pressure switches measuring approx. 3½" (7.9cm) long x ½" (2.2cm) wide or 2½" (5.9cm) long x ¾" (1.4cm) wide. **SCAR 2"** model comes in 2-pak; others sold individually.

STK # BLACK	STK # DK EARTH	STK # FG	MODEL	PRICE
#071-000-028EG	#071-000-037EG	#071-000-030EG	6" BGR	9B13A07 \$ 16.33
#071-000-031EG	#071-000-039EG	N/A	6" BGRP	9B21A79 \$ 27.24
NEW 100-004-659EG	NEW 100-004-660EG	NEW 100-004-661EG	2" SCAR (2-pak)	9B10A83 \$ 12.99
NEW 100-004-653EG	NEW 100-004-654EG	NEW 100-004-655EG	4" SCAR	9B12A00 \$ 13.99
NEW 100-004-665EG	NEW 100-004-666EG	NEW 100-004-667EG	4" SCAR SF	9B21A43 \$ 24.99
NEW 100-004-662EG	NEW 100-004-663EG	NEW 100-004-664EG	4" SCAR ITI	9B21A43 \$ 24.99
NEW 100-004-656EG	NEW 100-004-657EG	NEW 100-004-658EG	6" SCAR	9B12A00 \$ 13.99

FALCON INDUSTRIES AR-15/M16 ERGO GRIP™ RAIL COVERS

Snap-On, Non-Slip Gripping Surface
Improves Weapon Control, Protects Rails & Hands

Molded polymer covers snap over exposed portions of accessory rails to form a positive gripping surface for a comfortable, non-slip hand hold and improved weapon control. Protects your hands from the exposed rail edges and provides a soft cushion to help prevent damage to the rails during storage or transport. Available in a variety of styles to suit the requirements of different shooters and weapon configurations. Modular designs allow you to customize coverage area and configuration, even mix and match styles on the same handguard.

LOWPRO RAIL GUARD - Low-profile, flexible polymer guard snaps neatly into the cross-slots on Picatinny rails.

SPECS: Synthetic rubber polymer, Black, Coyote Brown, or O.D. Green. 6½" (17.5cm) long x 1" (2.5cm) wide.

#573-000-028EG LowPro Rail Guard, Black, 3G08C55 \$ 11.99

#573-000-030EG LowPro Rail Guard, Coyote Brown, 3G10C71 12.00

#573-000-029EG LowPro Rail Guard, O.D. Green, 3G10C71 12.00

LOWPRO WIRE LOOM RAIL GUARD -

Slightly overhangs the rail on one side, so wires from remote switches for lights or red dot optics can be threaded through the built-in wire loom. Retains wires close to the rail, out of the way, so they don't snag on other gear.

SPECS: Synthetic rubber polymer, Black or Combat Beige. 1¾" (4.5cm) long x 1¼" (3.2cm) wide.

#573-000-056EG Wire Loom Guard, Black, 3G04H00 \$ 6.00

#573-000-057EG Wire Loom Guard, Combat Beige, 3G04H00 6.00

FULL RAIL COVER - Completely covers the rail and contoured to give a rounded shape to Picatinny or Weaver-style rails. Grippy synthetic rubber snaps securely over rail and provides an excellent grasping surface. **Long** model has raised diamond-plate texture. **Short** model has two raised gripping ridges.

SPECS: Synthetic rubber polymer, Black or Coyote Brown. **Long** model is 5¾" (14.6cm) long x 1½" (3.8cm) wide. **Short** model is 1¾" (4.5cm) long x 1½" wide; sold in 12 pak.

#573-000-031EG Long Rail Cover, Black, each, 3G08C55 \$ 12.00

#573-000-058EG Long Rail Cover, Coyote Brown, each, 3G08H21 12.95

#573-000-014EG Short Rail Covers, Black, 12-Pak, 3G31X94 39.05

ERGOLOK RAIL COVER -

Complete rail coverage with minimal bulk and a checkered surface texture for a secure, non-slip grip even when hands are wet. Slides easily over rail, and hinged locking panel snaps tightly into a slot to prevent movement of cover. To reposition the cover, simply flip up the locking panel, slide to the new location on the rail, and snap down the lock.

SPECS: Injection-molded hard polymer, black. **4 Panel** - 3½" (7.9cm) long x 1½" (3.8cm) wide. **8 Panel** - 6½" (16.2cm) x 1½" wide.

#573-000-054EG ErgoLok Cover, 4 Panel, 3G08H00 \$ 12.00

#573-000-055EG ErgoLok Cover, 8 Panel, 3G08H00 12.00

FALCON INDUSTRIES ERGO GRIP® RAIL HANDSTOPS

Fast, Precise, Tactile
Hand Placement On
Railed Forends



During competition or a tactical situation, you can't afford to lose time fumbling to position your hand on the forearm, or, worse yet, have it slide off when racking a pump action shotgun. These ergonomically shaped handstops attach to a Picatinny rail forend to provide precise, tactile indexing of the support hand, so you keep your eyes on the target while mounting the weapon. Helps keep hand in position during recoil, too, for fast follow-up shots. Molded-polymer **Snap-On** stop snaps securely into a single rail slot. Rubber-coated **SureStop** protects the hand and resists snagging on other gear. Dual cross-bolts clamp the stop tightly to the rail for a solid, movement-free installation.

SPECS: **Snap-On** - Molded polymer, black. 1¼" (3.2cm) wide, ½" (1.2cm) thick. Sold in 2-Pak. **SureStop** - Synthetic-rubber coated molded polymer, black. Steel cross-bolts, oxide finish, matte black. 1¼" long x 1¼" wide at base. Extends 1¾" (4.5cm) below rail.

#573-000-036EG Snap-On Rail Handstop, 2-pak, 3G03C79 \$ 4.40

#573-000-052EG SureStop Rail Handstop, 3G03H33 5.00

DPMS AR-15/M16 PANTHER TACTICAL PALM GRIP

Hand Filling, Improves Trigger Control,
Shooting Comfort

Precisely molded, upswep grip extension and non-slip, pebble-grain finish give a solid, hand filling grip for comfortable weapon handling and faster follow-up shots. Adjustable palm rest gives exact fit to your hand, ensures correct hand placement for excellent trigger control. Features a dual palm swell, with right thumb rest and finger grooves to improve grasp.

SPECS: High impact polyurethane, black, matte finish. 5" (12.7cm) long. Palm shelf: 4¾" (11.1cm) long, 2¾" (6.67cm) wide, 1" (2.5cm) thick.
#231-000-034EG Panther Palm Grip 1C19P92 \$ 29.99

CAVALRY ARMS AR-15/M16 A2-STYLE GRIP

Proven, Mil-Spec A2 Design

Provides a comfortable hold for those who prefer the straight, uncluttered lines of the standard A2-style grip. Extremely rigid and durable with hand-filling contours and molded-in ledges that lock your hand into position. Available in black only.

SPECS: Polymer. 4" (10.2cm) high, 2" (5.1cm) wide, 1½" (3.1cm) thick. Fits both rifle and carbine.

#100-002-830EG A2-Style Pistol Grip, Black, 2K04C80 \$ 6.00

COMMAND ARMS AR-15/M16 G27 TACTICAL HANDGRIP

Beavertail & Finger Swells Enhance Grip;
Increases Handling For Improved Performance

Strong, synthetic polymer handgrip comfortably fills the contours of your hand. Integral beavertail gives better control during firing. Detachable, rubber plug provides easy access to the grip's internal, storage compartment. Ambidextrous. Drop-on installation.


SPECS: Synthetic Polymer, black, matte finish. Approximately 4½" (11.4cm) high, 2" (5.1cm) wide, 1¼" (3.2cm) thick.

#100-001-129EG G27 Tactical Handgrip 2Z21U40 . . . \$ 31.99

FALCON AR-15/M16

ERGO GRIP

Improves Trigger & Recoil Control

Hand-filling, ergonomic profile with finger grooves, palm swells, and many other features improves shooting comfort and accuracy. Tactical grips feature either Suregrip or Rigid grip for a non-slip, textured finish. **Suregrip** adds an overmolded, rubberized covering to the polymer body for a superior grip and added cushion. **Rigid** grip features Rhinohide™, a hard textured finish molded directly into the polymer. 


STANDARD - Slightly thinner than the factory grip but with additional depth front to back. Pebble grain, non-slip surface and subtle finger grooves improve grasp and promote correct trigger finger position. Curved rear backstrap fills web of hand. **Right-Hand** models have a distinct thumb shelf. Includes a tethered grip plug and triggerguard gapper. Models available with Suregrip or Rigid textured finish.

SPECS: Polymer, hard texture or overmolded rubber, black. 4" (10cm) long.

#573-000-008EG Ambi AR-15 Rigid ERGO Grip, 3G16X49 \$ 29.99

#573-000-025EG Ambi AR-15 SureGrip ERGO, 3G18C99 24.99

#573-000-026EG R-H AR-15 SureGrip ERGO, 3G18C99 24.99

TACTICAL DELUXE - Upward-curved, grip extension fills the web of the shooting hand, spreads recoil over a large area for excellent feel and comfort. **Tactical Deluxe w/Palm Shelf** features palm shelf that adjusts vertically 1/2" providing a custom fit for maximum recoil control. All models feature Rigid grip textured finish. 


SPECS: Polymer, hard texture, black. 5" (12.5cm) long. Palm shelf 3" (7.6cm) wide, 4" (10cm) long, 1" (2.5cm) thick. Includes attachment screw.

#573-101-404EG AR-15 Tact. Deluxe Grip 3G25H43 \$ 40.70

#573-101-405EG AR-15 Tact. Deluxe Grip w/Palm Shelf, 3G42H31 60.50

#573-101-001EG AR-10 Tact. Deluxe Grip 3G34H22 .. 46.20

#573-101-002EG AR-10 Tact. Deluxe Grip w/Palm Shelf, 3G48H18 66.00

AR-15 GAPPER - Soft, polyurethane pad fits between pistol grip and frame to fill the gap under the triggerguard latch. Prevents the sharp edges of the frame from rubbing or cutting your index finger. 


SPECS: Polyurethane, black. 1/2" (12mm) long. Solvent resistant.

#573-000-004EG Gapper 3G02U60 \$ 3.25

HOGUE AR-15/M16

OVERMOLDED™ PISTOL GRIP

Non-Slip Grip Surface; Increases Comfort

Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance. 


SPECS: Fiberglass core, rubber covered.

#408-150-000EG Pistol Grip 8K15Z60 \$ 17.99

SIERRA PRECISION RIFLES AR-15/M16

SPR PISTOL GRIP

Enhanced Grip & Comfort For Accurate Shooting

Repositions the hand for a comfortable grasp and improved trigger finger location. Hand filling design with thumbrest and palmwell provide enhanced gripping endurance. Matte surface gives good, non-slip purchase. 

SPECS: Black, glass filled Polypropylene, matte finish. Fits AR-15, AR-10 and AR-25 rifles. Right-hand only.


#936-001-015EG SPR Handgrip 6C18Z95 \$ 27.95

MAGPUL AR-15/M16 PISTOL GRIPS

Improves Comfort For Better Weapon Handling & Control



Ergonomically enhanced pistol grips provide a more comfortable, secure grasp than standard, A2-style grip for better trigger control and recoil management

with less fatigue. Improves weapon handling during precisely aimed shots as well as sustained semi- or full-auto fire. Hand-filling palm swells and non-slip "crackle" texturing keep your hand firmly in place, even when wet. Removable grip cap provides access to a roomy internal storage compartment for spare batteries, cleaning supplies, small bottle of oil, or even a spare bolt. Reinforced, high-impact, molded polymer construction stands up to the rigors of harsh operational environments. Drop-in installation in minutes with included mounting hardware and instructions. All models available in black and two popular tactical colors, Dark Earth and Foliage Green. 


MIAD™ MODULAR BASIC GRIP KIT - MISSION ADAPTABLE (MI-AD) modular grip system with interchangeable inserts lets you find the grip configuration that fits your hand size and mission requirements. All models come with main grip body and detachable rubber core in cap for rattle-free internal storage of three spare rounds of .223/5.56 ammo. Additional cores for storing batteries and other items are available separately, below. Front- and backstrap inserts slide on easily, yet snap firmly into place and require no glue or screws to stay put. Comes with one straight and two different beavertail backstrap inserts, plus one straight and one finger-ledge frontstrap insert.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green.

#100-003-643EG MIAD Basic Kit, Black 3K30A22 ... \$ 35.99

#100-003-644EG MIAD Basic Kit, Dark Earth, 3K30V22 35.99

#100-003-645EG MIAD Basic Kit, Foliage Green, 3K30V22 35.99


MIAD GRIP CORES - Further customize your MIAD grip to suit your specific needs with one of these interchangeable internal storage compartments. No tools or permanent alternations required. **123 Battery Core** holds two, spare CR123 batteries in a sealed, waterproof compartment, keeping them ready for quick deployment if the batteries in your laser, light, or red dot sight fail. 

AA/AAA Battery Core provides waterproof, rattle-free storage of two AA batteries or, with the included internal spacer installed, two AAA batteries. Reversible rubber cap has "SPENT" stamped on one side, so you always know the status of the batteries in the compartment. **Bolt & Firing Pin Core** securely holds one, standard AR-15/M16 bolt, plus a spare firing pin, should your gun suffer a failure in competition or during a critical operation. **SPECS:** Molded polymer, black.

#100-003-043EG MIAD 123 Battery Grip Core, 3K09B00 \$ 12.99

#100-003-044EG MIAD AA/AAA Battery Grip Core, 3K09B00 12.99

#100-003-045EG MIAD Bolt & Firing Pin Grip Core, 3K09B00 12.99

MOE™ GRIP - Magpul Original Equipment (MOE) grip is a durable, economical, easy-to-install replacement for factory pistol grip that gives the shooter a solid, secure grasp. Rigid, fully supported one-piece construction from the same reinforced, high-impact polymer as the MIAD grip, with crackle texture on the sides and deep horizontal grooves on frontstrap and backstrap. Curved beavertail similar to the MIAD B2 insert fills the grip-to-receiver junction to help you maintain a comfortable hold and protect the web of your hand during sustained firing. 

Color STARK EQUIPMENT CORP. AR-15/M16 PISTOL GRIP



Ergonomic Comfort, Less Fatigue, Maximum Control During Rapid Fire

Drop-in replacement for factory pistol grip is designed to give the tactical operator maximum weapon control with minimum fatigue. Every aspect of the shooter-to-weapon interface was analyzed and tested to improve on the USGI A2 grip and give the shooter the best control in any type of operational environment. One-piece construction with integral triggerguard ensures the operator's finger doesn't get caught between the guard and the trigger and eliminates other pinch points. Over-molding where the grip meets the receiver helps keep the hand positioned exactly where it should be during fast movement, long periods in the ready position, and during rapid or full-auto fire. Palm swell, arched backstrap, flared bottom with forward finger ledge, and molded-in stippling further ensure to a firm, stress-free grip on the weapon. Molded from durable, reinforced polymer that resists impact, temperature extremes, moisture, and most cleaning solvents and oils. Snug-fitting, synthetic rubber plug in the bottom pulls out to allow storage inside the grip. Cavities inside the plug provide rattle-free storage for two spare CR-123 batteries. Standard **SE-1** model available in Black, Dark Earth, or Digital Desert Camo. **SE-2** adds a sling swivel attachment point at the top rear of the grip. Available with a loop for a hook swivel or a receptacle for a quick-detach pushbutton (**PB**) sling swivel. Black only. **SPECS:** Molded polymer, Black, Dark Earth or Digital Desert Camo. Includes mounting hardware and instructions.

#100-004-343EG SE-1 Grip, Black 5C31T72 \$ 39.99


#100-004-344EG SE-1 Grip, Dark Earth 5C31T72 39.99

#100-005-195EG SE-1 Grip, Digital Desert Camo, 5C4AZ96 49.99

#100-004-638EG SE-2 Grip w/PB, Black 5C42P99 49.99

#100-004-639EG SE-2 Grip w/Loop, Black 5C42P99 ... 49.99


STARK EQUIPMENT CORP. PISTOL GRIP



Places your hand perfectly to manipulate all of the controls easily. Hand is placed slightly lower and at a straighter angle. There is even a thumb rest built into the grip. Your thumb falls naturally to this position. Best grip on the market today. **PERIOD!** - By Canadian Shooter from Ontario

TAPCO AR-15/M16 SAW-STYLE PISTOL GRIP

Larger Diameter Than Issue, Increases Gripability & Shooting Comfort


Inspired by the grip found on the M249 Squad Automatic Weapon; features a more ergonomic angle and increased width for greater comfort and shooting control. Inside the grip housing is a useful storage compartment that's secured by a positive locking spring latch. Extension at top of grip covers the gap between the triggerguard and the receiver. Constructed of military-grade composite for years of use. **SPECS:** Nylon composite, black. 4" (10cm) high, 1 1/4" (3.1cm) wide. 3 oz. (85g) wt. Fits AR-15/M16 and AR-style .308 rifles. **#100-002-915EG Saw-Style AR Grip 5A16H40** \$ 16.99 

MAKO AR-15/M16 ERGONOMIC PISTOL GRIP




Drop-in replacement for factory pistol grip has sculpted, ergonomic contours designed to provide an exceptionally comfortable, secure grip that minimizes hand fatigue, enhances trigger control, and improves weapon handling during sustained rapid fire. Also helps reduce hand fatigue during long periods in the ready position. A wide, hand-filling palm swell and gently curved finger grooves provide plenty of support, while molded-in stippling and vertical grooves on the backstrap help you maintain a firm grip with wet hands. Sweeping, integral beavertail allows a high hand position for outstanding recoil control. Positive-locking trapdoor in the bottom opens to reveal a roomy internal storage compartment large enough for two AA or CR123 batteries, spare ammo, cleaning supplies, or small parts. Molded from rigid, nearly indestructible reinforced polymer composite. **SPECS:** Reinforced molded polymer composite, black. Fits rifles and carbines that accept standard AR-15/M16 pistol grips. **#100-003-842EG Ergonomic Pistol Grip 2B20Z15** ... \$ 29.99

TANGODOWN AR-15/M16 BATTLEGRIP



Tough, Combat-Tested Grip With Built-In Utility Features

Unique, storage grip features internal cavities for two Aimpoint-type power cells, plus two AA or 123 lithium batteries, or your choice of other small spare parts or supplies. Anti-rattle foam spacers keep everything quiet. Flexible cap includes integral seals to protect contents from dirt and moisture. Curved backstrap is shaped to fill and support the hand and provides the correct finger-to-trigger position; aggressive grip texture ensures positive hold. Includes stainless steel, Dry-Lok attaching screw and installation tool. **SPECS:** Resin-impregnated polymer, Black, Dark Earth, or Foliage Green. 4 1/2" (10.5cm) high. Fits rifles that accept standard AR-15/M16 grips. 


#071-000-015EG BG-16 Rifle Grip, Black 9B28A28 .. \$ 34.99

#071-000-025EG BG-16 Rifle Grip, Dark Earth, 9B27A99 34.89

#071-000-027EG BG-16 Rifle Grip, Foliage Green, 9B27Y99 34.89

ARMSTECH LLC AR-15/M16 RITE-PULL GRIP ADAPTER

Positions The Trigger Finger For Precision Shooting

Relocates the grip so just the tip of your finger is on the trigger. Gives precise trigger control for more accurate shot placement. Adapter fits between the grip and frame without alteration to the rifle. Moves the grip .75" (19mm) to the rear. **SPECS:** Plastic, black. Includes attaching screws and instructions. **#432-001-015EG Rite-Pull Adapter 2C22P16** \$ 27.77 

DPMS AR-15/M16 STOWAWAY PISTOL GRIP PLUG

Convenient Storage & Weather Protection


Nifty rubber plug fits into the bottom of A2-style pistol grips. Durable rubber with friction fit, seals opening in grip against dirt and moisture. Creates convenient storage for extra parts or emergency equipment. Two styles, **Plain** for general storage and **Cartridge Holder** with provision to hold three, .223 cartridges without rattling. **SPECS:** 70 Durometer rubber, black. 2 3/8" (6cm) x 1" (2.5cm). **#231-015-031EG Plain Pistol Grip Plug 3B00PUA** ... \$ 6.99

- 3 or More - Plain Pistol Grip Plug 3B02A75 5.95

#231-000-162EG Cartridge Holder Grip Plug 3B09A62 12.03 

**TACSTAR AR-15/M16
TACTICAL GRIPS**

Provides A Comfortable,
Secure Hold For Improved Control
& Recoil Management


Ergonomically engineered tactical grips give the operator a comfortable, secure hold for maximum weapon control and recoil management to ensure fast, accurate follow up shots. Molded from high-impact hard polymer with deep finger grooves and palm swells to minimize fatigue and enhance the grasp. Covered with Pachmayr Decelerator rubber to absorb the shock of recoil. Pistol grip is a drop-in replacement for factory grip and offers a wide, smooth backstrap with a generous "beavertail" at the top to protect the web of the hand. Vertical grip clamps securely to any forend with a Picatinny rail on the underside. Hit the release button to fold the grip forward or backward, parallel with the forend. No gunsmithing required. 

SPECS: Synthetic rubber exterior over hard molded polymer core, black. **Pistol Grip** - Approx. 3¾" (9.5cm) long. **Vertical Grip** - Approx. 4¾" (12.4cm) long when extended. Requires 2½" (5.4cm) rail space.

- #867-000-019EG Front/Rear Tactical Grip Set, 7F36A79 \$ 40.99**
- #867-000-020EG Front Vertical Grip, only 7F19A70 . . . 20.99**
- #867-000-021EG Rear Pistol Grip, only 7F19A70 20.99**

**ADVANCED ARMAMENT AR-15
VERTICAL FOREND GRIP**


Provides A Solid Hold For
Improved Muzzle Control & Weapon Retention

Molded, polymer, vertical grip attaches to Picatinny and Weaver-style accessory rails on your AR-15 handguard for superior control and improved weapon retention. Grooved, grip area ensures positive, non-slip hold in all tactical situations. Reduces fatigue and improves muzzle control in close quarters. Threaded shaft, with tightening knob, locks grip to rail, plus, makes removal fast and easy when shooting from a bench or bipod. Rubber O-ring prevents accidental loosening. 

SPECS: Polymer, black. 4¾" (12.1cm) long.
#276-000-009EG Vertical Forend Grip 6G26V67 . . . \$ 35.70

**ADVANCED TECHNOLOGY AR-15/M16
FOLDING VERTICAL FOREND GRIP**

Helps You Get On Target Fast & Improves
Recoil Control; Folds Away For Storage

Fold-away vertical grip clamps to any forend with a bottom accessory rail and provides a comfortable platform for the support hand to improve control. Makes weapon easier to point to help you get on target—or change targets—fast. Pronounced finger grooves, textured surface, and a hand-filling shape help you maintain steady downward force to counteract muzzle rise during rapid fire. Hit the pushbutton on the left side of the grip to change between five locking positions: vertical, 45° forward/rearward, or folded forward/backward parallel with the handguard for storage or carry. Constructed of lightweight, yet robust, fiberglass-reinforced molded nylon to stand up to hard use; slides over Picatinny forend rail and locks in place with a steel crossbolt for solid, wobble-free installation. 


SPECS: Fiberglass-reinforced, injection-molded nylon, black. 4¾" (12.1cm) long fully extended. Requires 2½" (5.4cm) rail space. 4.4 oz. (125g) weight.

- #019-000-025EG Folding Vertical Grip 9A29X06 . . . \$ 35.95**

SINCLAIR = RELOADING
Shop online at reloading.com

**BOTACTACTICAL AR-15/M16
KZ TACTICAL FOREGRIP
WITH SIDE RAIL**


All-Metal Grip Improves Weapon Control

Rugged vertical forend grip provides enhanced weapon control and mounting for a light or laser for easy operation by support hand. The 2½" rail accepts both Picatinny and Weaver-style accessories and positions them directly above the grip—the perfect location for operating the controls of tactical lights or lasers with the thumb of the support hand. Also keeps the light or laser beam close to the bore axis for accurate aiming. Available with rail on right or left side of grip. Screw-on, O-ring sealed grip cap provides access to waterproof storage compartment for spare batteries or even a spare AR-15 bolt. KZ's integral "Rail Grabber" locking bar with two, internal, steel support lugs and hex head bolt securely anchors the grip and rail tightly to the handguard to prevent unwanted movement during strenuous combat maneuvers or heavy full-auto fire. Bolt also acts as a recoil lug, further ensuring the mount won't shift. Grip body and rail are machined separately from solid 6061 T6 aluminum billet, then Type II Class 3 hardcoat anodized for added strength and surface wear resistance. 

- SPECS:** Aluminum, anodized, matte black. Grip extends 4½" (11.4cm) below rail. Approx. 1¾" (3.5cm) at widest point. 6.3 oz. (179g) wt.
- #100-003-558EG Foregrip w/Right Side Rail, 8B52P45 \$ 70.00**
 - #100-003-559EG Foregrip w/Left Side Rail, 8B52P45 70.00**

**COMMAND ARMS AR-15/M16
VERTICAL FOREND GRIP**

Improves Handling, Comfort & Controllability;
Provides Extra Storage

Injection-molded, polymer-resin, forend grips improve overall rifle control. Helps you maintain a natural fighting stance, reduces on-target time, and helps maintain muzzle control during rapid fire. Hollow center provides convenient storage space for spare batteries or other small items; rubber cap keeps out dust and moisture. All models clamp securely to forends with Picatinny or Weaver-style rails on underside. 

SPECS: Molded, reinforced polymer, black.

QUICK DETACH - Quickly detachable and compact. Mounts securely to Picatinny and Weaver-style rail systems using an internal threaded tension rod. Deeply ribbed, no-slip gripping surface. Removable plug is threaded into the base of the tension rod with a rubber O-ring to provide waterproof storage for up to three, lithium 123 size batteries.

SPECS: 4¾" (12.4cm) long.
#100-002-454EG Q-D Forend Grip 2Z20U39 \$ 30.95

SHORT - Simple "broomhandle" style has deep, ridges that give a no-slip grip for wet hands or gloves. Low profile is less likely to snag on other gear and keeps your hand close to the weapon for maximum control. Clamps to rail with a steel crossbolt.

SPECS: 3¾" (9.5cm) long.
#100-004-136EG Short Vertical Grip, 2Z15A43 \$ 20.99

FINGER GROOVE - Ergonomically designed grooves keep your fingers properly positioned for repeatable hand placement and excellent recoil control, even in full-auto mode. **AVG** model has cross-bolt locking system with convenient palm swell on backstrap. **VG1** has quick-detach push-button locking system with slimmer profile and straight backstrap.


SPECS: **AVG** - 4½" (11.4cm) long, approx. 1½" (4.1cm) wide, 1¾" (3.5cm) thick. **VG1** - 4½" long, approx. 1½" (3.8cm) wide, 1½" (2.9cm) thick.

- #100-004-134EG AVG Vertical Grip 2Z16A62 \$ 20.99**
- #100-001-027EG VG1 Vertical Grip 2Z20V40 30.59**

AVG VG1

**COMMAND ARMS AR-15/M16
FLASHLIGHT GRIP ADAPTER**

Provides Improved Weapon Control
With Provisions For Flashlight Attachment


Rugged, molded polymer vertical grip with integral flashlight mount helps improve weapon retention, while providing a solid forward mounting platform for your personal tactical light. Dual clamping screws with oversize thumb nuts lock the Flashlight Grip Adapter (FGA) to any Picatinny-railed handguard without the need for special tools. Front housing accepts any 1" diameter tactical flashlight equipped with a push-button tail cap. Conveniently located thumb switch at rear of grip allows for both constant-on and intermittent light control modes. Side mounted safety switch is positioned for fast, easy lockout of the flashlight to eliminate any chance of accidental activation during covert operations. Included, 1½" long Picatinny rail allows for optional attachment of your own laser directly to the bottom or sides of the FGA. Molded recesses on both right- and left-hand sides of the grip handle accommodate ½" wide pressure switches. Honeycombed inserts allow for custom spacing and fitting of the pressure pad, while rubber exterior panels seal out moisture and debris. Hollow core handle with large, contoured grip cap provides clean, secure storage for extra batteries or other small tools and accessories. 

SPECS: Molded polymer with rubber pressure switch covers, steel hardware, black. Grip Handle - 5½" (14cm) long x 1½" (3.8cm) diameter. Overall Length - 5¾" long. Overall Width - 2" (5.1cm) wide.

- #100-003-382EG Flashlight Grip Adapter 2Z51P00 . \$ 76.49**

**DANIEL DEFENSE AR-15/M16
VERTICAL GRIP**


Lightweight, Streamlined, No-Snag Design
Improves Weapon Control & Maneuverability

Ergonomically shaped vertical forend grip gives the shooter a secure, comfortable hold for positive control and easy maneuvering in close-quarter environments. Durable, lightweight molded nylon construction with checkered finger positions and ribbed panels to ensure a full, positive grip. Attaches securely to any Picatinny handguard rail simply by tightening the cap of the internal storage compartment—no nuts, clamps, or thumbscrews on the exterior to snag on other gear or foliage. O-ring sealed, water-tight inner chamber holds one AA or AAA battery, or two CR-123 batteries. No tools required for installation. 

SPECS: Injection-molded nylon, black. Approx. 4½" (11.4cm) long.
#100-004-460EG Vertical Grip 8K51T10 \$ 60.99

**FA ENTERPRISES AR-15/M16
HANDGUARD GRIP**

Improves Control & Handling
For Tactical Response Rifles & Carbines

Comfortable, hand-filling grip, machined from high-strength aluminum, improves close-quarters weapon retention and control. Slides onto Picatinny or Weaver-style accessory rails; locks tightly with no external bolts or screws that can snag or catch. 

SPECS: T6061 aluminum, anodized, black, matte finish. 4¼" (10.8cm) long.
#246-000-007EG AR-15 Handguard Grip 6D46B95 . \$ 58.95

FOLDING - Five-position locking system with push-button release allows the grip to be extended 90° from handguard or at a 45° forward or rearward angle. Folds parallel with the handguard, forward or rearward, when not in use. Clamps to rail with a steel crossbolt.

SPECS: 4½" long when extended.
#100-004-135EG Folding Vertical Grip, 2Z41A25 \$ 56.99

**FALCON AR-15/M16
VERTICAL FOREND GRIP**


Gives Steady Hold,
Improves Handling & Retention

Gives AR-15 rifles a forward hand hold that improves weapon retention and recoil control. Attaches quickly to a Weaver-style or Picatinny, handguard accessory rail. Single-screw attaching clamp provides fast on/off for storage or deployment. **ERGO** - Easy-to-grasp, pebble grain texture provides comfortable, hand filling control. **Broomhandle** - Rubber-covered grip has a ribbed, non-slip surface. Waterproof storage compartment lets you carry spare batteries for sights and night vision devices. Select from Straight or Angled 11° to the rear. Attaches to Weaver-style accessory rail. **Handguard** model mounts directly to rifle or carbine handguard vent holes. 

SPECS: Steel mount; high impact polyurethane grip. Black. 4½" (11.4cm) long. Broomhandle is 1½" (3.8cm) in diameter.
#573-000-011EG ERGO Forend Grip 3G65X85 \$ 75.99
#573-000-013EG Broomhandle, Weaver, angled, 3G57X89 77.00
#573-000-012EG Broomhandle, Weaver, straight, 3G50X62 60.00
#573-000-016EG Handguard Grip, straight 3G31C55 . 40.70

**GG&G AR-15/M16
VERTICAL FOREGRIP**


Better Control & Recoil Management;
Reduced Hand Fatigue In The Ready Position

Lightweight vertical grip clamps securely to Picatinny forend rail to give the operator a more comfortable shooting stance and better weapon control. Helps control muzzle climb during sustained fire for quicker, more accurate follow-up shots, and minimizes hand fatigue when holding weapon in the ready position for long periods of time. Shape is narrow at the top for secure purchase by the thumb and forefinger, with a palm-filling swell at the middle, and wide, deep, concentric ribs around the lower ½ of the grip for a comfortable, ultra-secure grasp. Removable core has a large, waterproof storage compartment that can hold a spare bolt assembly, two AA or CR123 batteries, or other small parts. Screw-on, O-ring sealed cap removes easily and has padded interior to prevent rattling of items inside. Easy-to-use clamping system attaches simply by unscrewing the entire core, sliding the grip onto the rail, and lining it up over a slot with the aid of the alignment windows. Then screw the core back in tight for a rock-solid attachment that won't let loose. Reinforced, Acetal cold polymer construction handles the knocks and dings of tactical operations, as well as extremes of heat, cold, and humidity. 

SPECS: Acetal polymer, matte black. Grip extends 4¾" (12.1cm) below rail. Approx. 1¾" (3.3cm) at widest point. 2.4 oz. (69g) wt.
#336-000-022EG Vertical Foregrip 6C27D49 \$ 34.99

**SOG ARMORY AR-15/M16
GRAPHITE VERTICAL GRIP**

Rubber-Coated Gripping Surface
For Maximum Weapon Control

Molded vertical grip with tread-like, rubber coating ends the potential for loss of weapon control in wet, slippery conditions, or when hands become slick with sweat. Made from a new, graphite blend that reduces weight without compromising strength or rigidity. Will not heat up during high volume shooting sessions or after exposure to sunlight for long periods. Deep, textured, block pattern sticks to your hand for an exceptional grip. Dove-tail locks onto any Picatinny or Weaver-style, handguard rail. Aluminum lockdown post with threaded cap provides a snug, pressure fit that won't rattle loose under recoil or rigorous use. **SPECS:** Graphite body w/rubber grip, black. 4½" (11.4cm) long x 1¼" (3.2cm) dia. 3.8 oz. (108g) wt.
#100-002-213EG ABS Vertical Grip 9A23X57 \$ 39.99 



GRIP POD SYSTEMS AR-15/M16 GRIP POD

Vertical Forend Grip
With Built-In Quick-Deploy Bipod

Dual-function vertical grip locks to the bottom accessory rail of your tactical rifle's forend to give you enhanced control during CQB and a stable bipod rest for precise long-range fire. The grip's hand-filling contours and deep grooves provide a solid purchase even when your hands are wet. Hit the large, deeply grooved release

button, and a powerful spring deploys the legs instantly. Conveniently placed for thumb activation, the button sits flush with the surrounding surface to prevent accidental deployment. Extended legs provide sufficient elevation for a standard 30-round magazine to clear the ground, and will not snag on brush, vehicle interior, or other gear when retracted. Legs and grip are made of tough, injection-molded polymer; steel cross-bolt with easy-grip thumbscrew locks directly to any MIL-STD 1913 Picatinny rail to ensure a rock-solid fit. **GPS-02** has steel inserts in legs for maximum strength in high-stress tactical operations. **GPS-LE** (Law Enforcement) is an economical alternative for applications where the steel reinforcements are excess to requirements. Both models accept GPRS1 and GPRS2 bolt-on accessory rails, available separately. May be used on many non-AR rifles and light machine guns with forend accessory rails.

SPECS: Reinforced polymer, Black or Desert Tan. 6¼" (15.9cm) long with legs retracted. 8½" (21.6cm) high with legs extended. 1¾" (3.5cm) diameter. **GPS-02** - Steel inserts in legs. 7.8 oz. (220g) weight. **GPS-LE** - 7 oz. (197g) weight.

- | | | |
|----------------|---------------------------------------|-----------|
| #100-003-226EG | GPS-02 Grip Pod, Black, 3B129V87 | \$ 154.99 |
| #100-004-611EG | GPS-02 Grip Pod, Desert Tan, 3B129V87 | 154.99 |
| #100-003-633EG | GPS-LE Grip Pod, Black 3B86Y96 | 94.99 |
| #100-004-610EG | GPS-LE Grip Pod, Desert Tan, 3B85V99 | 99.99 |

ACCESSORY RAILS - Bolt-on, Picatinny-type rail increases the versatility and effectiveness of your Grip Pod by adding mounting space for tactical accessories directly below the handguard. Puts controls for lights and lasers in easy reach of your support hand for exceptionally fast activation in any situation. Made of the same tough, reinforced, high-density polymer as the Grip Pod itself, so it stands up to the rigors of tactical operations. No drilling or other permanent alterations required to install; simply remove a pin and plug from the front of the Grip Pod, insert the rail unit and lock it down by tightening the steel hex-head bolt with the included hex-wrench. Available in single, right-hand rail (**GPRS1**) and double rail (**GPRS2**) models.

SPECS: Reinforced, injection-molded polymer, Black or Desert Tan. **GPRS1** - 2½" (5.4cm) length rail on right side of weapon. **GPRS2** - 2½" of rail space on each side.

- | | | |
|----------------|--|----------|
| #100-003-478EG | GPRS1 Single Rail, Black 3B21X50 | \$ 26.99 |
| #100-004-612EG | GPRS1 Single Rail, Desert Tan, 3B21V50 | 26.99 |
| #100-003-479EG | GPRS2 Double Rail, Black 3B24X95 | 31.99 |
| #100-004-613EG | GPRS2 Double Rail, Desert Tan, 3B24V95 | 31.99 |

GRIP POD



The Grip Pod made handling my AR15 easy and the legs make a great platform for prone shooting. I am very satisfied with this product. - By Officer M. from Kauai, Hawaii

PAY ANY WAY

VISA/MC/Am Ex/Discover/CrossCheck/IMPAC/C.O.D.



MAGPUL AR-15/M16 ANGLED FORE-GRIP

Enhances Control & Pointability While Minimizing Fatigue In The "Ready" Position



Low-profile forward grip/hand stop takes advantage of natural body mechanics to give the shooter more precise control, faster pointing, and less operator fatigue. The Magpul AFG™ (Angled Fore-Grip) positions the support hand close to the centerline of the bore for maximum recoil control to aid in fast, accurate follow-up shots. Provides a consistent reference point for finding the correct hand position quickly when mounting the weapon under stress. The natural, ergonomic hand position with the palm facing up results in better blood flow than the "clenched fist" stance often used with vertical grips that leads to fatigue and loss of sensation during long periods in the ready position. Improves on the "thumb break" hold often used with standard vertical grips by allowing the thumb to rest comfortably alongside the top rail, pointing forward, with the rest of the hand in full contact with the forend. Heavy-duty reinforced molded polymer construction stands up to the hard knocks of tactical operations, and deep, molded-in grooves help you maintain a firm grip even with wet hands. Interchangeable inserts give the choice of a straight, uninterrupted gripping surface or one with a convenient ledge to support the index finger. Slides over any Picatinny-style rail and locks securely in place with a hardened steel crossbolt. The AFG may be installed on tactical shotguns and other rifles with railed forends; won't interfere with insertion and removal of magazines on AK-47s.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. 5½" (14cm) long, approximately 1½" (4.1cm) wide, an extends approximately 1¼" (4.5cm) below rail. 2.8 oz. (79g) weight. Fits Picatinny-type rails.

- | | | |
|----------------|------------------------------------|----------|
| #100-004-989EG | Magpul AFG, Black, 3K29A96 | \$ 34.99 |
| #100-004-990EG | Magpul AFG, Dark Earth, 3K29A96 | 34.99 |
| #100-004-991EG | Magpul AFG, O.D. Green, 3K29A96 | 34.99 |
| #100-004-992EG | Magpul AFG, Foliage Green, 3K29A96 | 34.99 |

MAKO AR-15/M16 T-GRIP VERTICAL FOREND GRIP

Improves Weapon Control;
Allows Mounting
Of Handheld Light

Gives the operator improved weapon pointability and recoil control, plus convenient mounting of a handheld flashlight for use as a weaponlight. Ergonomically shaped pistol grip is narrow at the top, with a comfortable palm swell, finger grooves, and stippled texturing to give the operator an exceptionally solid and comfortable grasp. Trapdoor in bottom allows access to roomy storage compartment. Screw-tightened collar securely retains any handheld tactical flashlight with a 1" diameter body for economical weapon-mounted illumination. For an added tactical advantage, a convenient trigger mechanism operates most pushbutton end cap switches, so the operator can activate the light without breaking grip. Master on/off switch locks out the trigger to prevent accidental activation. T-Grip clamps securely to any Picatinny or Weaver-style rail; quick-release pushbutton lock allows fast installation and removal. Includes an additional locking bolt for extra-secure mounting. Rugged, reinforced, molded polymer composite construction stands up to hard tactical operations.

SPECS: Reinforced polymer composite, black. Grip height approximately 3⅞" (9.8cm). 5⅞" (14.3cm) O.A.L., 1½" (3.8cm) wide.

- | | | |
|----------------|--------------------------------------|----------|
| #100-003-846EG | T-Grip Vertical Forend Grip, 2B69Z95 | \$ 89.95 |
|----------------|--------------------------------------|----------|

RAINIER ARMS AR-15/M16 BOBRO VERTICAL FOREND GRIP

Innovative Locking System Provides Quick Installation Without Removing Accessories



Vertical forend grip uses a unique, spring-loaded Self Aligning Compression Lock (SACL) to quickly install onto your Picatinny handguard rail without removing flashlights, lasers or other accessories. Easy installation; press and rotate grip onto rail, then tighten bottom knob to lock. Remove bottom knob to access battery storage compartment, interior foam keeps batteries tight, so they won't rattle. **Standard Grip** is 4" long to provide the ultimate in positive control, and stores two CR-123 batteries. **Short Grip** is 3¾" long to provide additional clearance for vehicle gun racks, and stores one CR-123 or AA battery. SACL is machined from durable, high strength aluminum; grip and core are machined from Delrin. Fastener and index pin phosphated to Mil-STD171.

SPECS: Aluminum locking system, Delrin grip and core, black finish. **Standard** - 4" (10.1cm) long x 1¾" (3.1cm) OD. **Short** - 3¾" (8.1cm) long x 1¾" (3.1cm) OD.

- | | | |
|----------------|--------------------------------|----------|
| #100-003-347EG | Standard Vertical Grip 9B68U00 | \$ 79.95 |
| #100-003-348EG | Short Vertical Grip 9B68U00 | 79.95 |

TROY INDUSTRIES AR-15/M16 MODULAR COMBAT GRIP

Easily Converts From Full-Length To Stubby Configuration



Provides a comfortable, secure grasp for outstanding recoil control and ultra-fast pointability. Modular design lets you choose a secure, full-palm configuration, or by unscrewing and removing the center section, a low-profile "stubby" grip. Streamlined, spring-loaded locking bar, plus front and rear rail lugs ensure a rock-solid installation on any Picatinny rail. Comes with a flush-fit crossbolt to minimize risk of snagging or use the wide thumb screw for fast, easy installation with only finger pressure. All-aluminum construction with waterproof O-ring seals to keep contents of the roomy internal storage compartment dry.

SPECS: Aluminum, hardcoat anodized, Black or Dark Earth. 4½" (11.43 cm) long, 3" (7.62 cm) long in stubby configuration, 1¼" (3.2 cm) O.D. 5.9 oz. (167g) weight. Fits Picatinny rail systems.

- | | | |
|----------------|--------------------------------|----------|
| #100-004-377EG | Modular Grip, Black 3B00XCH | \$ 79.00 |
| #100-004-378EG | Modular Grip, Dk Earth 3B00ZAY | 79.00 |

TAPCO AR-15/M16

INTRAFUSE VERTICAL GRIPS

Clamps To Under Rail; Keeps Battery Dry



Hand-filling vertical grip mounts securely to handguard bottom rail and provides the shooter with increased weapon control and additional waterproof battery storage. Oval contour with external ribbing provides comfortable no-slip grip. Waterproof compartment has room for spare batteries or small tools. Plenty of surface area on the sides of the grip provide secure attachment area for tape-on tactical light switches. Large, composite clamp with slotted crossbolt locks grip securely to forend rail. **Standard** holds one AA battery or two CR-123 lithium batteries with special internal support ribs for optimal battery protection. Inside of rubber grip plug fits terminal end of AA battery to insulate against electrical discharge. **Short** holds one CR-123 lithium battery.

SPECS: Molded polymer, Black, Dark Earth, or O.D. Green. **Standard** - 4¾" long (12cm). **Short** - 3⅞" long (8cm).

- | | | |
|----------------|--|----------|
| #100-003-293EG | Intrafuse Vertical Grip, Black, 5A22Y27 | \$ 24.99 |
| #100-004-721EG | Short Vertical Grip, Black, 5A21T20 | 24.99 |
| #100-004-722EG | Short Vertical Grip, Dark Earth, 5A21T20 | 24.99 |
| #100-004-723EG | Short Vertical Grip, O.D. Green, 5A21T20 | 24.99 |

TANGODOWN AR-15/M16 BATTLEGRIP VERTICAL GRIP

Improves Weapon Control;
Standard & Short Models Available
With Quick-Detach System



Large diameter, ribbed vertical grip helps prevent hand fatigue and cramping during long periods in the ready position. Improves weapon control and keeps hand away from hot handguard during sustained fire. Dual locking bars provide a rock-solid mounting interface to MIL-STD 1913 rails. Internal storage compartment for spare batteries or parts. O-ring on the screw-on cap forms a waterproof seal down to 66 ft. deep. **Standard BattleGrip** - Full-size grip has enough internal storage for a complete M4/M16 bolt assembly. Integral pocket for a light/laser remote pressure switch allows easy access to the switch yet protects it from bumps, damage, and accidental activation. Sliding panel covers pocket when switch is not mounted. **Stubby BattleGrip** - Low-profile "Stubby" grip keeps M4 carbines, breaching shotguns, and other CQB weapons as compact as possible and won't interfere with most vehicle gun racks. No pressure switch pocket.

SPECS: Injection-molded, fiberglass-reinforced polymer resin, Black, Dark Earth, or Foliage Green. **Standard** - 4¾" (12.1cm) long. **Stubby** - 3⅞" (8.6cm) long.

- | | | |
|----------------|---|----------|
| #071-000-034EG | BattleGrip, Black 9B58Y91 | \$ 69.99 |
| #071-000-038EG | BattleGrip, Dark Earth 9B59Y63 | 68.73 |
| #071-000-036EG | BattleGrip, Foliage Green, 9B56Y49 | 69.99 |
| #071-000-040EG | Stubby BattleGrip, Black 9B50Y41 | 62.55 |
| #071-000-041EG | Stubby BattleGrip, Dark Earth, 9B51Y06 | 62.99 |
| #071-000-042EG | Stubby BattleGrip, Foliage Green, 9B50Y41 | 62.55 |

QUICK DETACH BATTLEGRIP - Adds a quick-detach locking system to the standard BattleGrip. Clamps to the forend rail as securely as the original mounting interface, yet releases with the flick of a finger. Patented design will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the grip easily detaches from the rail. Adjustable with a flathead screwdriver or even a coin for an ultra-secure, no-slip fit on Picatinny and Weaver-style rails, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference.

SPECS: Injection-molded, fiberglass-reinforced polymer resin grip, Black, Dark Earth, or Foliage Green. Aluminum and steel locking mechanism, matte black **Standard** - 4¾" (12.1cm) long. **Stubby** - 3⅞" (8.6cm) long.

- | | | |
|----------------|--|----------|
| #100-003-862EG | QD BattleGrip, Black 9B72P46 | \$ 87.99 |
| #100-003-864EG | QD BattleGrip, Dark Earth 9B72P46 | 87.55 |
| #100-003-863EG | QD BattleGrip, Foliage Green, 9B72P46 | 87.55 |
| #100-003-865EG | QD Stubby BattleGrip, Black, 9B72P46 | 87.55 |
| #100-003-867EG | QD Stubby BattleGrip, Dark Earth, 9B72P46 | 87.55 |
| #100-003-866EG | QD Stubby BattleGrip, Foliage Green, 9B72P46 | 87.55 |

INTRAFUSE BIPOD - Quick-deploy bipod system works in conjunction with Tapco Intrafuse Vertical Grip (available separately) to supply a fast, stable platform for accurate shooting at long ranges. Slides quickly into the underside of the grip and retained securely by a snug friction fit. Spring-loaded legs deploy instantly with a twist of the dual thumb clips. Includes handy nylon belt carry pouch. **SPECS:** Reinforced, molded, polycarbonate, black. 5" (12.7cm) long with legs retracted, 9½" (24.1cm) deployed height. 4 oz. (113g) weight.

- | | | |
|----------------|--|----------|
| #100-004-626EG | Intrafuse Vertical Grip Bipod, 5A14X94 | \$ 15.99 |
|----------------|--|----------|



**YANKEE HILL MACHINE AR-15/M16
FOLDING VERTICAL GRIP**

Robust, Battle-Ready Construction
For Hardcore Tactical Work;
Folds Out Of The Way When Not In Use



Beefy, hand-filling, vertical grip deploys fast from the stowed position so you have maximum weapon control and retention during CQB maneuvers. Hollow-core handle is formed using the same mold and Mil-Spec, thermoset polymer used for the spade grips of Browning M2 .50 caliber machine guns. Machined, aluminum, pivot mount with steel hex screw attaches grip to any Picatinny or Weaver-style accessory rail. **3-Position Grip** uses a threaded, steel shank pinned to the pivot mount for full 180° of rotation; secures in the down, forward or rearward positions by simply tightening down the handle. **Quick Action Grip** pivots in one direction, and includes a spring-loaded pushbutton that instantly locks and unlocks the handle. Folds down to the battle-ready position or forward/rearward for storage, depending on installation.

SPECS: Pivot Mount - Aluminum, matte black, Mil-Spec phosphate coating. **Handle** - Mil-Spec Thermoset polymer, matte black. 5 1/2" (14cm) long. **Weight - Folding:** 6.6 oz. (187 g). **Quick Action:** 4.7 oz. (133 g).

- #100-002-088EG 3-Position Grip 9A33X45..... \$ 47.50
- #100-002-092EG Quick Action Grip 9A55X35..... 79.00

**BROWNELLS/BLACK DOG
MACHINE AR-15/M16
HIGH-CAPACITY MAGAZINE
FOR .22 LR CONVERSIONS**

Shoot More, Reload Less; Full-Body Design
Handles Like A Mil-Spec Magazine



Dependable, high-capacity magazine handles like a standard AR-15/M16 magazine and delivers up to 26 rounds of .22 LR ammunition in an AR-15 fitted with the CMMG AR-15/M16 .22 LR Conversion Kit or any Atchisson-type conversion system. Rigorously range-tested for reliable function in both semi- and full-autorifles. Extended, anti-tilt follower acts as a bolt stop after last round is fired. Tough, impact-resistant polycarbonate shell and follower are self-lubricating, so they work with the constant-force spring to deliver smooth, uniform feeding for consistent operation. Steel hex screws securely hold the mag body halves together to ensure exceptional strength and rigidity, yet are easily removable for disassembly and cleaning. Available in transparent Smoke and Clear for easy round counting or solid Black. **26-round** models are the same size as USGI 30-round AR-15 magazines. **10-round** and **15-round** models are the same size as a standard 20-round AR-15 magazine to meet the needs of benchrest shooters and others who prefer a shorter magazine. **Rebuild Kit** contains all the internal components needed to rebuild three (3) 26-round magazines and return them to factory specs.

SPECS: Injection-molded polycarbonate, Smoke, Clear, or solid Black depending on model. Fits AR-15/M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system. **Rebuild Kit** contains three (3) each of follower, spring, base plate, and plug for 26-round magazines only.

- #080-000-548EG 26-Rd Mag for .22 LR, Smoke, 2B27A56..... \$ 35.99
- #100-003-328EG 26-Rd Mag for .22 LR, Clear, 1B27D34..... 35.99
- #080-000-547EG 26-Rd Mag for .22 LR, Black, 2B27A56..... 35.99
- #100-004-183EG 15-Rd Mag for .22 LR, Smoke, 1B25U55..... 32.99
- #100-004-182EG 15-Rd Mag for .22 LR, Black, 1B25U55..... 32.99
- #100-003-673EG 10-Rd Mag for .22 LR, Smoke, 1B27Y56..... 35.99
- #100-004-087EG Rebuild Kit for 26-Rd Mag, 3-pak, 1B05V56..... 6.99

CHRISTIE & CHRISTIE MAGAZINE LOADER - Helps you load up a lot of magazines quickly, without pinched fingers, so you spend precious range time shooting your .22 LR AR-15 conversion, not loading mags. Simple to use: slide over the magazine, push down on the follower with your finger to get it started, and begin inserting rounds, pressing down on the loader to take up spring pressure as you go. Rugged, one-piece design is molded from lightweight 50% glass-filled polymer, so it's heat-, impact-, and solvent-resistant.



Magazine not included

SPECS: Molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.

- #100-004-398EG .22 LR Magazine Loader 8A07P99... \$ 14.99

**COLT AR-15/M16
9-ROUND FACTORY MAGAZINE**
Use For Backup, Hunting Or Competition

Genuine Colt factory, 9-round magazine is guaranteed to fit and function correctly. Lightweight and compact for easy carry and fast loading. Use as an emergency spare or for applications where 20- and 30-round high capacity magazines are restricted or just too big and clumsy.

SPECS: Matte blue, 9-round, accepts .223 (5.56NATO). Fits AR-15 Accurized HBAR, Government Carbine Match Target, Match Target Competition HBAR, Match Target Competition HBAR II, Match Target HBAR, Match Target Lightweight A3 Tactical Carbine.

- #160-000-213EG 9-Rd AR-15 Magazine 6A20U73... \$ 25.99

ARMALITE® AR-10® MAGAZINES

Same Factory-Built Magazines
That Ship With New AR-10s



Brand-new, factory-made, Generation II magazines built by ArmaLite® feature a spot-welded, heavy gauge steel body that won't distort when fully loaded and a contoured follower designed to ensure exceptionally smooth, reliable feeding. These aren't converted M14 magazines, but mags

purpose-built specifically for the AR-10—the same mags that come with new rifles. Available in 5-, 10-, 15-, 20- and 25-round capacities to fit a wide range of hunting, competition, and law-enforcement applications. Factory marked floorplate.

SPECS: Steel, Parkerized, matte black. Fits ArmaLite AR-10 chambered in .308/7.62mm.

- #062-000-001EG AR-10 Magazine, 25-Rd, 2F00ZAV..... \$ 54.99
- #062-000-002EG AR-10 Magazine, 20-Rd, 2F00XCH..... 44.99
- #062-000-003EG AR-10 Magazine, 15 Rd, 2F00ZAY..... 44.99
- #062-000-004EG AR-10 Magazine, 10 Rd, 2F00PUA..... 44.99
- #062-000-005EG AR-10 Magazine, 5 Rd, 2F00BXC..... 44.99

**ARMALITE® AR-15/M16
7.62 x 39mm MAGAZINE**

Stainless Steel Body, Heat-Treated Lips &
Tough Melanite Finish For Years Of Service

High-quality 30-round magazine for AR-15s chambered in 7.62 x 39mm features a spot-welded, stainless steel body with a hard, Melanite QPQ finish for superior wear- and corrosion-resistance and extended service life. Heat-treated feed lips resist bending out of shape to ensure a secure hold on the cartridges for reliable feeding. Includes a tough, self-lubricating polymer follower and long-lasting chrome-silicon spring. Factory original magazine for ArmaLite® M-15A4 rifle chambered in 7.62 x 39.

SPECS: Stainless steel, Melanite QPQ finish, matte black. 30-round capacity. Fits ArmaLite M-15A4 and similar AR-15 lowers chambered in 7.62 x 39mm.

- #062-000-006EG 7.62 x 39 Magazine 2F00DZA..... \$ 40.99



**BROWNELLS AR-15/M16
20- & 30-ROUND MAGAZINES**

The Most Up-To-Date & Reliable
Civilian Magazine Available



Supplier Of
U.S. Military Mags;
Order In Quantity &
Save Over 30%

When we decided to build our own AR-15/M16 magazines, reliability was our first priority. Some of us have sons and daughters serving overseas or in law enforcement, and we aimed to build the kind of magazine we'd trust their lives with. We started with a clean slate, then worked out the bugs on the drawing board and the test range before we offered a single mag for sale, so you get a magazine of uncompromising quality and reliability that's built to last and ready to run hard. When failure is not an option, these magazines deliver on the range, in the field, in a tactical situation, under fire. Load these smooth-feeding magazines to maximum capacity and fire the full 30 rounds you expect. No jams, no misfeeds, no hangups.

★★★★★ 5.0

I have used my Mags in sandy conditions, muddy conditions, light rain and they have delivered whenever I have asked them to! A great product for a fantastic price! I am active duty Military and would recommend these to anyone and everyone! Great product guys, well done!

- By Chad from Atoka, TN

stainless steel spring or our high lubricity, dry-lube-coated chrome silicon spring that's corrosion-resistant certified to 500 hour salt spray standards, and less prone to spring "set." Updated material and design features like those in our 30-round magazine have been adapted to our straight-bodied, 20-round model. Since we manufacture these mags ourselves, we can maintain a large inventory. So, if you need magazines in a hurry, even in quantity, we can get them to you ASAP. **When ordering bulk Paks using the stock numbers shown below, also specify your choice of magazine spring type.**

SPECS: Aluminum body, gray hard-anodized with dry-lube coating. Fiberglass-filled, green plastic follower. Available with dry-lube-coated chrome silicon spring or stainless steel spring.

CAPACITY	SPRING	STK # EACH	STK # 25-PAK	STK # 100-PAK	STK # 1000-PAK
30-Round	Chrome Silicon	#078-000-107EG	#078-300-025EG	#078-300-100EG	#078-300-999EG
30-Round	Stainless	#078-000-113EG	#078-300-025EG	#078-300-100EG	#078-300-999EG
20-Round	Chrome Silicon	#078-000-159EG	#078-200-025EG	#078-200-100EG	#078-200-999EG
20-Round	Stainless	#078-000-160EG	#078-200-025EG	#078-200-100EG	#078-200-999EG

- Advise # - AR-15/M16 Magazine, each 8K12H50..... \$ 17.99
 - Advise # - 25-Pak AR-15/M16 Magazines, per each, advise by spring type 8K11A00..... 12.50
 - Advise # - 100-Pak AR-15/M16 Magazines, per each, advise by spring type 8K09A50..... 12.50
 - Advise # - 1000-Pak AR-15/M16 Magazines, per each, advise by spring type 8K09A00..... 12.50

BROWNELLS AR-15/M16 TACTICAL MAGAZINE

Our Ultra-Reliable Magazine With Popular Aftermarket Accessories Pre-Installed

We added two of the most popular aftermarket accessories to our ultra-reliable chrome silicon spring magazines, so you get a customized magazine ready to run hard right out of the bag. The curved **30-round** model comes with the Magpul Self-Leveling Follower. This follower won't tilt as rounds are fed into or stripped from the magazine, and its self-lubricating polymer composition helps ensure smooth movement in the mag body for easier loading and ultra-smooth feeding. For an added tactical or competitive edge, the 30-round Tactical Magazine is also available with the Magpul Ranger® floorplate to ensure lightning-fast magazine changes. An easy-to-grasp finger loop aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Made of tough stainless steel overmolded with non-slip Santoprene™ synthetic rubber to cushion the magazine from impact when dropped on concrete or other hard surfaces. Straight-body **20-round** model comes with the Ranger floorplate and a fiberglass-reinforced plastic follower specially designed for smooth operation in a straight-body magazine.

- #080-000-489EG 30-Rd Tactical Mag., Military Gray 8K13X50..... \$ 19.99
- #080-000-490EG 30-Rd Tactical Mag. w/Ranger Plate, Military Gray 8K18X50..... 24.99
- #080-000-541EG 20-Rd Tactical Mag. w/Ranger Plate, Military Gray 8K17Z50..... 19.99



Magpul
Self-Leveling
Follower!

Optional
Ranger floorplate
for high speed
mag changes

BROWNELLS AR-15/M16 TACTICAL MAGAZINE/POUCH READINESS PACK



Economically Load, Store & Carry Up To 90 Rounds Ready For Instant Use

Convenient kit helps you maintain peak tactical readiness with everything you need to load, store, and carry up to 90 rounds of .223/5.56 ammo for your AR-15/M16. Each pack contains three, ultra-reliable Brownells 20- or 30-round Tactical Magazines equipped with Magpul's Ranger® floorplate to help ensure fast, positive extraction from the pouch and lightning-quick mag changes. 30-round magazines are further enhanced with a Magpul self-leveling follower to ensure snag-free movement of the round stack for easier loading and smooth, reliable feeding. You also get a Butler Creek LULA® loader for pain-free loading and unloading of a full mag in seconds, and our Signature Series Triple Magazine Pouch for secure storage and carrying of the mags. Pouch has fold-over snap closures that loop through the exterior straps on our M4 rifle case or other MOLLE-compatible gear, so you have plenty of spare mags where you need them—with your rifle. Available with Military Gray magazines and a black pouch.

SPECS: Magazines - Aluminum body, hard-anodized Military Gray, dry-lube coated. Dry-lube coated chrome silicon spring. 20-Rd Magazines are equipped with green, fiberglass-filled plastic follower. 30-Rd Magazines have gray, Mag-pul self-leveling follower. **Triple Mag Pouch** - 1000 denier Cordura Plus nylon, Black. 30-rd - 9 1/2" (24.1cm) long, 8 3/4" (27.3cm) high. 20-rd - 10" (25.4cm) long, 6 1/2" (16.5cm) high. **LULA Magazine Loader/Unloader** - Reinforced polymer, black.

#080-000-560EG 30-Rd Mag/Pouch Pack, Gray/Black, SK74T99 \$ 89.99
#080-000-562EG 20-Rd Mag/Pouch Pack, Gray/Black, SK64T99 84.99

CMMG AR-15/M16 HOSTILE ENVIRONMENT 42-ROUND BATTLE MAGAZINE

Holds 40% More Ammo Than USGI Mags

Built to handle the punishment of combat and competition and reliably deliver 42 rounds between reloads—40% more than a standard 30-round USGI mag. Perfect for three-gun competitions where added seconds of an extra mag change could make the difference between winning and finishing in the middle of the pack. Rigid steel mag body is formed through a progressive die, not welded up from modified 30-round mag bodies, to ensure the correct-radius curve for smooth, snag-free follower travel. Non-reflective, matte black "WASP" (Weapon Armored Surface Protection) finish adds surface strength, corrosion protection, and resistance to abrasion similar to chrome plating at a fraction of the cost. Anti-tilt stainless steel follower rides evenly in all four corners of the magazine body to eliminate uneven round stack movement that can lead to nose-dives and failures to feed. High-lubricity, polished finish helps reduce drag in the mag body. Triple-strand, braided wire spring maintains consistent pressure, regardless of the number of rounds in mag. Nano-ceramic coating has been tested in salt spray for 400+ hours without developing corrosion. Removable steel floorplate allows easy disassembly for cleaning.

SPECS: Steel, matte black finish. Approximate overall length, 9 1/4" (23.5cm). 11.2 oz. (317g) weight. Fits rifles that accept standard AR-15/M16 .223/5.56mm magazines. Spring may require a break-in period before loading to full 42-round capacity.

#100-004-288EG 42-Rd Steel AR-15 Mag 3B24T84 . . . \$ 29.99

BETA AR-15/M16 C-MAG

100-Round Capacity For Enhanced Firepower



Super-capacity, dual drum magazine allows you to spend more time shooting and less time reloading. 100-round capacity is great for extended shooting sessions with inexpensive surplus .223 ammunition. Even weight distribution ensures a well-balanced weapon that's not cumbersome or awkward to shoot. Included tool provides easy loading, simply

push five rounds at a time into the interlinking straight clip to automatically double stack and alternately load both drums. Polymer composite body is available in solid **Black**, or black with a **Clear** drum face to allow visual check of remaining ammo. Steel hardware and aluminum feed rails provide years of reliable service. Includes two tubes of graphite lubricant for optimal feeding, plus a snap-on, synthetic cover to keep dirt from entering the follower end of the magazine. Double-stitched, nylon carry case attaches to your web belt and includes individual compartments for the magazine, loading tool, and graphite tubes.

SPECS: Polymer composite body, aluminum feed rails, steel hardware. Available with solid black housing or black with clear drum face. Accepts .223 caliber, 2 5/8" (6.7cm) long, 10" (25.4cm) wide, 4" (10.2cm) high. 2.24 lb. (1kg) weight.

#100-003-386EG Black C-Mag 9B00UAV \$ 289.99

#100-003-387EG Clear C-Mag 9B00XCH 289.99

DPMS AR-15/M16

10 ROUND POLYMER MAGAZINE

Semi-Transparent, Easy Round Counting

Lightweight, waffle pattern, polymer body with a self-lubricating, nylon follower provides smooth, reliable feeding. Fits flush with bottom of magazine well. Resists rust and corrosion.

SPECS: Polymer, transparent black. .223 caliber, 10 round capacity. Resistant to all known gun solvents.

#231-000-010EG AR-15 Polymer Magazine 1C14T92 \$ 19.99

DPMS PANTHER LONG RANGE 19-ROUND STEEL MAGAZINE

Durable & Dependable Magazine For AR-Style .308 Rifles

Tough, durable, 19-round magazine is constructed of heat-treated 1050 steel with a manganese phosphate finish to fit and function properly and stand up to harsh conditions. Steel floorplate removes for cleaning; steel spring and plastic follower give you reliable, smooth feeding of every round. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight SR-25, Remington R-25 (.308), and Stoner SR-25.

SPECS: 1050 steel, manganese-phosphate finish, black. Will not fit ArmaLite AR-10®.

#231-000-207EG 19-Rnd Panther LR Mag 1C36T48 \$ 44.99

JOHN MASEN CO. AR-15/M16 RIFLE MAGAZINES

Heavy-Gauge Body & Long-Life Spring

Heavy-duty springs for stable loading, reliable following, and a long life. Formed, high-lubricity, black polymer follower helps improve feeding. Five- or nine-round capacity with an ergonomically contoured base pad that removes quickly and easily for cleaning and maintenance; keeps feed lips strong and effective for a long time.

SPECS: Body - 7075 aluminum, hardened to Mil Spec T6. Follower - Polymer, black. Fits all AR-15 and M16, .223 Rem./5.56mm

#560-000-003EG 5-Rd AR-15/M16 Mag. 6E16Z78 . . . \$ 19.99

#560-000-004EG 9-Rd AR-15/M16 Mag. 6E16Z38 19.95

DPMS PANTHER AR-15/M16 45-ROUND MAGAZINE

Extra Capacity For More Firepower



Extra-high-capacity magazine gives you 15 more shots between mag changes for longer target engagement with fewer pauses to reload. Designed to function properly in any .223/5.56mm AR-15-type rifle that accepts a standard 30-round magazine. Body stamped from .040" thick 6061 T6 aluminum sheet for structural rigidity, hardcoat anodized to MIL-A-8525 Type 3 spec for superior strength, and Teflon® coated to resist abrasion. Disassembles like USGI 30-round magazine for cleaning, and uses the same follower and floorplate for ease of replacement parts acquisition.

SPECS: Aluminum body, anodized, matte black. Polymer follower, green. Fits AR-15/M16 chambered for .223 Rem./5.56mm.

#231-000-235EG 45-Rd AR-15/M16 Mag 1C62U42 . . . \$ 89.99

FUSIL USA AR-15/M16 30-ROUND STEEL MAGAZINE

All-Steel Construction

Newly designed, 30-round magazine features a one-piece steel body built to handle combat operations. Precision manufactured to ISO 9001:2000 quality management standards to exceed DoD specs for USGI magazines. Advanced features include a tilt-resistant steel follower and stainless steel spring that ensure even pressure on the round stack for smooth feeding. Two-part floorplate with integral lanyard loop removes easily for cleaning. Fits minimum-dimension magwells and guaranteed to drop free from mil-spec magwells under its own weight, even when empty. Body is precision formed on an 18-stage progressive die system from a single piece of .021" thick 1050 sheet steel and robotically MIG welded for strength and dimensional consistency. Crush resistant to 1,000 lbs. (500 lbs. side load) fully loaded, and impact tested to withstand dropping 1.5m onto a flat concrete surface. Function tested to ensure operation at temperatures from -67°F to +329°F. Body is nitride heat-treated to Rc 60 surface hardness, then pickled to remove the oxide layer before application of the manganese phosphate Parkerized finish (MIL-DTL-16232G Type M). After nitride hardening, follower, floorplate, and retainer receive a dry-lube-impregnated powder coating. Both finishes resist continuous salt fog exposure for 96 hours.

SPECS: 1050 steel, Parkerized/powder coated, dark gray, with 17-7 stainless steel spring. 5.8 oz. (165g) weight empty. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm. 30-rd capacity.

#100-004-151EG 30-Rd Steel Magazine 3Z24P99 . . . \$ 29.99

MWG AR-15/M16 90-ROUNDER® MAGAZINE

Ultra High Capacity For Increased Shooting Fun



Precision built, ultra-high capacity, drum-style magazine allows extended shooting strings and plenty of shooting fun with your favorite AR-15 or M16 rifle. Made from extra-strong polycarbonate resin with a clear back cover so you can see at a glance the remaining rounds. Holds a maximum of 90 rounds of .223 Rem./5.56 NATO ammunition and is guaranteed not to jam or malfunction. Offset design keeps the weight of all rounds directly below the magazine well, so the balance point of your rifle remains unchanged. Very easy to load, includes a 10-round loading chute and stripper clips to help speed reloads.

SPECS: Injection-molded synthetic nylon, black. 1lb. 4 oz (56kg) wt. empty. Includes magazine, loading chute, plunger, (9) stripper clips, nylon spacer and instructions.

#556-000-006EG 90-Rounder Magazine 6E90Y00 . . \$ 124.00

LANCER SYSTEMS AR-15/M16 L5 POLYMER MAGAZINE

Rugged See-Through Polymer Body



Cartridges not included

Tough, translucent polymer body with mold-in round-count markers gives instant visual feedback on ammo status. Tested to withstand temperature extremes of -50° F to +180° F and 5-foot drop, fully loaded, to hard concrete without impairment of function. Impervious to cleaning solvents, oils, and many other chemicals. Mold-in ridges provide strength and a solid grasping surface. 30-round model fits mag pouches designed for standard USGI-spec magazines; both models fit Brownells MOLLE-compatible mag pouches. Constant-radius curve helps ensure smooth, snag-free follower/spring operation for reliable feeding. Feed lips are hardened steel inserts with a corrosion-resistant PTFE coating. Hard polymer base plate has a rubberized exterior to provide a positive gripping surface for extracting mag from tight-fitting pouches and secure seating in weapon. Prevents damage when mag is ejected on a hard surface, and removes easily for cleaning.

SPECS: Molded polymer, translucent smoke gray. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm.

#100-004-105EG L5 30-Rd Magazine 1C18H99 \$ 20.99

#100-004-356EG L5 20-Rd Magazine 1C15A53 19.95

L5 COMPETITION - 48-round version of the standard L5 magazine gives the 3-gun and tactical rifle competitor the extra round capacity to cut down the number of mag changes during long stages. These mags come fully assembled and ready to run, built from two 30-round L5 bodies held in precise alignment by a rigid, machined aluminum coupler secured by four hardened-steel machine screws. The lower mag body is cut down to maintain the correct, internal constant-radius geometry. Retains all the other features of the original L5.

SPECS: Molded polymer, translucent smoke gray. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm. 48-round capacity.

#100-004-358EG L5 48-Rd Magazine 1C64A95 \$ 79.95

MWG AR-15 PLASTIC MAGAZINE

Lightweight, Nearly Indestructible

Carry more clips with less extra weight. Made from light, extra-tough, nylon-impregnated, ABS plastic that's impact resistant and won't break down, rot or rust. Includes tempered steel springs and self-lubricating nylon followers.

SPECS: Nylon ABS, black. Will fit M16.

STOCK #	MODEL	CALIBER	RNDS	PRICE
#556-115-210EG	AR-15	.223	10	6E13X58 \$19.00
#556-115-310EG	AR-15	7.62 x 39mm	10	6E11X07 \$14.75
#556-115-205EG	AR-15	.223	5	6E13X58 \$19.00

PRECISION REFLEX, INC. AR-15/M16 6.8mm MAGAZINE

Durable Steel Maintains Its Shape

Make the most of your 6.8mm chambered AR with long wearing, extra-tough steel magazines. Hardened bodies with tempered feed lips hold shape and won't deform. Tempered steel springs help maintain reliable feeding. Lightweight, Magpul-brand, nylon composite followers are marked 6.8 to avoid confusion with AR magazines for other calibers. Available in 10- or 25-round capacity.

SPECS: Steel, blue. Fits AR-15/M16 rifles chambered for 6.8 x 43mm Rem. SPC.

#714-000-002EG 10-Round 6.8mm Mag 4A33Y95 . . . \$ 41.00

#714-000-001EG 25-Round 6.8mm Mag 4A34Y95 43.00

REMINGTON AR-15/M16

5-ROUND MAGAZINE

Low Profile Is Perfect For Hunting

Compact, low-profile 5-round magazine offers minimal weight and bulk, making it perfect for hunting, where a long USGI 30-round magazine is cumbersome or not permitted. Aluminum body is finished with Advantage[®] MAX-1™ high-definition camouflage to match Remington R-15 VTR rifle, but will fit any mil-spec AR-15. Magpul Gen III self-leveling follower helps ensure smooth, reliable feeding. Chrome-silicon steel spring is highly resistant to corrosion.

SPECS: Aluminum body, Advantage MAX-1 camouflage finish, polymer follower, chrome-silicon steel spring, 5-round capacity. For AR-15 rifles chambered in .223/5.56mm and .204 Ruger.


#768-194-520EG R-15 Magazine, 5-Rd #F31Z161 \$ 39.95



PRO-MAG AR-15/M16

32-ROUND 9mm MAGAZINE

For Reliable Operation In Sub-Caliber Conversions

Rugged, lightweight, high-capacity magazine designed for 9mm AR-15 conversions like Colt and Rock River Arms that use a Colt or modified UZI magazine. Tough, molded polymer construction resists damage if dropped on a hard surface, and the anti-tilt follower ensures smooth movement of the round stack for reliable feeding. Easy to remove floorplate makes disassembly for cleaning fast and simple. Requires a lower receiver conversion block, available separately. 

SPECS: Molded polymer, matte black. 32-round capacity. #687-000-022EG 32-Rd 9mm AR-15 Mag. 7H14Y17 . . . \$ 28.35

ROCK RIVER ARMS AR-15

9mm MAGAZINE

Solid, All-Steel Construction
For Reliable Operation In Sub-Caliber Conversions

High-capacity UZI-type design has been specifically modified for use in 9mm AR-15 conversions. Robust, all-steel construction with metal follower and tough Parkerized finish for years of smooth, reliable service. Requires the Brownells/Rock River Lower Receiver Conversion Kit, available separately.

SPECS: Steel, matte gray, Parkerized finish. 25-round capacity.

#739-000-014EG 9mm AR-15 Magazine 9C00PUA . . . \$ 35.00

BUTLER CREEK "LULA" MAGAZINE LOADER/UNLOADER - A must for loading Rock River's 25-round 9mm AR-15 mags! As you move the lever back and forth, loader securely grasps each round for effortless loading/unloading. Reduces wear and tear on magazine feed lips—and your fingers. Fits in your pocket. Loader is made in the U.S.A.


SPECS: Reinforced polymer, black. Fits Rock River 25-round 9mm AR-15 magazines, as well as 20-, 25-, 32-, and 40-round 9mm Uzi metal magazines.

#593-000-045EG 9mm AR-15/UZI Magazine Loader, 3E28Z53 \$ 34.95

TANGODOWN AR-15/M16

ARC MAGAZINE

Ultra-Rigid, Sealed Polymer Body;
Smooth-Feeding Anti-Tilt Follower

ARC 30-round magazine has a reinforced polymer body with unparalleled crush- and impact resistance, plus the latest features to ensure outstanding reliability. Two-piece body has straight walls and the optimal angle for the top half of the mag, with a constant-radius curve in the lower half for stable movement of the round stack. Molded-in reinforcing ridges, four interlocking tabs, and advanced, industrial-strength adhesive ensure that the joint between the halves is the strongest part of the body. Without a separate floorplate or lengthwise welded seam, the body forms an ultra-rigid, five-sided box that won't fail. Sealed body keeps out dirt, dust, and moisture; if necessary, clean the inside by blowing compressed air or water through relief holes in the top of the follower. Proprietary anti-tilt follower of self-lubricating polymer rides smoothly. Premium-grade chrome-silicon steel spring is heat-treated and moly-coated; fully tested to ensure retention of spring force through 100,000 compression cycles. Deep serrations on the front and rear of the body, plus an aggressive waffle pattern on the sides gives a non-slip grasp. 

SPECS: Injection-molded polymer, black, dark earth, foliage green, or clear translucent. Fits AR-15/M16/M4, FN SCAR-Light, and M249 machine gun. Holds 30 rounds of .223/5.56mm ammunition.

#100-004-138EG ARC Mag, Blk 9B17Y53 \$ 20.99


#100-004-139EG ARC Mag, Dark Earth 9B17Y53 \$ 20.99

#100-004-140EG ARC Mag, Foliage Green 9B17Y53 \$ 20.99



MAGPUL AR-15/M16/AR-STYLE .308 PMAG POLYMER MAGAZINE

Dependable & Nearly Indestructible; Store Fully Loaded Without Loss Of Reliability

Exceptionally rugged, combat- and competition-ready magazine functions flawlessly, even when left fully loaded for extended periods. Corrosion-proof, self-lubricating one-piece body of fiber-reinforced, molded polymer has no spot welds or joints to impair the follower, and the constant internal curve ensures smooth, unobstructed movement of the round stack. Anti-tilt follower stabilizes the stack to help prevent nose-diving and bolt-over-head failures. Heat-treated, stainless steel spring is stress-relieved for optimal performance. Included quick-release magazine cover seals out dirt and alleviates feed lip deformation caused by pressure from a full ammo stack during long-term storage. Withstands the heat from prolonged full-auto fire and is not harmed by most bore cleaners and solvents. Exterior ribbing provides added gripping surface; magazine catch notch, rather than a traditional hole, keeps dirt and debris out. Easy-to-grasp ledge on floorplate aids in extracting magazine from pouches; floorplate removes easily for cleaning. Curved-body 30-Round model is also available in MagLevel configuration with windows on both sides of the magazine and a bright, orange indicator to display ammo level. Compact, straight-body 20-Round model makes a tactical rifle easier to store and retrieve from a vehicle, and provides a stable rest for target shooting. All models available in Black, Flat Dark Earth, O.D. Green, and Foliage Green. 

SPECS: Molded polymer, stainless steel spring. 20- or 30-round capacity. Available in Black, Flat Dark Earth, O.D. Green, and Foliage Green.

CAPACITY/STYLE	BLACK	FLAT DK EARTH	O.D. GREEN	FOLIAGE GREEN	PRICE
30-Rd PMAG	#100-003-119EG	#100-003-305EG	#100-003-581EG	#100-003-580EG	3K12D97 \$ 14.99
30-Rd MagLevel PMAG	#100-003-144EG	#100-003-304EG	#100-003-593EG	#100-003-592EG	3K16A55 \$ 17.99
20-Rd PMAG	#100-003-541EG	#100-003-544EG	#100-003-542EG	#100-003-543EG	3K12D60 \$ 13.99

.308/7.62MM PMAG - Molded polymer 20-round magazine is less than half the weight of a steel magazine and delivers all the benefits of the AR-15/M16 PMAG for ultra-reliable function in a variety of AR-style rifles chambered in .308/7.62mm.

SPECS: Molded polymer, black, stainless steel spring. 20-round capacity. Fits DPMS LR-308, Patriot Ordnance Factory P-308, Remington R-25, and Knight SR-25 in .308/243/7mm-08. Not compatible with ArmaLite[®] AR-10[®]. Optimized for military-type .308/7.62mm NATO ammunition with overall cartridge length less than 2.820" (5.13cm).

#100-004-161EG .308/7.62mm PMAG 3K15P90 \$ 19.99

RANGER[®] FLOORPLATE FOR PMAG - Replacement floorplate brings the speed and controllability of the original Magpul Ranger Floorplate to both 20- and 30-round PMAGs for fast, secure tactical magazine changes under stress. Smoothly contoured, easy-to-grasp finger loop and grooved thumb dimple aid in positive extraction from tight mag pouches and help you hang onto the empty magazine with just a finger after a tactical reload. Made from tough, reinforced polymer overmolded with soft, non-slip synthetic rubber that also cushions the magazine from impact if dropped on a hard surface. Includes molded-in para-cord hole for custom loop configurations. Easy, drop-in installation: simply remove the PMAG's factory floorplate as you do for cleaning, and replace it with the Ranger Floorplate. Sold in 3-paks and available in Black, Dark Earth, O.D. Green, and Foliage Green. 

SPECS: Reinforced polymer, rubber coated. 3 per pak. Fits all PMAG models.

#100-003-501EG PMAG Ranger Floorplate, Black, 3K11C78 \$ 14.99

#100-003-502EG PMAG Ranger Floorplate, Dark Earth, 3K11C78 \$ 14.99

#100-003-504EG PMAG Ranger Floorplate, O.D. Green, 3K11C78 \$ 14.99

#100-003-503EG PMAG Ranger Floorplate, Foliage Green, 3K11C78 \$ 14.99

RAINIER ARMS ENHANCED MAGAZINE GRIP

Press-on panels of textured rubber create a superior grip on your Magpul PMAG AR-15/M16 magazine, providing confident, positive handling, even when wet. Precut, waterproof panels are coated with an industrial strength pressure adhesive designed to bond firmly to the grip recesses on the PMAG. Will also bond directly to USGI magazines or similar equipment where a non-slip surface is critical.


SPECS: Rubber, black. 1" (2.5cm) long x 3/8" (1.5cm) wide. Contains 24 per pack.

#100-003-346EG Enhanced Mag Grip 9B16U50 \$ 19.95



MAGPUL AR-15/M16 EMAG™

Compatible With A Wide Range Of
AR-Type Weapon Platforms

Features Magpul's popular PMAG with exterior dimensions engineered to meet NATO STANAG 4179 compatibility requirements. The EMAG (Export MAGazine) is fully compatible with all AR-15/M16 variants, HK 416, FN SCAR, SA-80, Beretta ARX-160, IMI Tavor, and other .223/5.56mm weapons that use AR-type mags. Crush-resistant, one-piece body of fiberglass-reinforced molded polymer has a slim, unribbed exterior that ensures it'll fit in magazine pouches and couplers designed for USGI M16 magazines. Features same sealed, constant-curve body and self-lubricating anti-tilt follower as the PMAG, and accepts the PMAG Ranger Floorplate (available separately). A MagLevel window on the left side with numeric indicators (5, 15, and 25 rounds) molded into the body and a bright orange marker on the spring provide instant visual feedback on ammo status. Stainless steel spring is coated with a MIL-DTL-13924D black oxide finish. Quick-release, snap-on cover protects the top round and seals out dirt. When the mag is loaded in a rifle, the cover can be snapped over the floorplate to prevent loss; also serves as a floorplate removal tool and a gauge for checking feed lip gap. 

SPECS: Molded polymer body and follower, stainless steel spring. Available in black only. 30-round capacity.

#100-004-886EG Magpul EMAG 3K21H31 \$ 22.99



NORDIC COMPONENTS AR-15/M16

PMAG EXTENSION

Increases Capacity Of 30-Round
PMAG To 48 Rounds

Lightweight, streamlined clamp-on kit increases the capacity of a 30-round Magpul PMAG to a full 48 rounds. Perfect for competition and tactical operations where more rounds and fewer mag changes can make the difference between winning or losing. Easy to install: simply remove the PMAG's floorplate, clamp the mag body extension to the PMAG by tightening the four steel socket head cap screws, install the kit's replacement spring, reinstall the original floorplate on the extension, and you're ready to shoot. Available in Black or Clear for fast visual checks of ammo status. Works with both standard and MagLevel PMAGs. Nordic guarantees at least an 18-round increase in capacity. 

SPECS: Molded polymer, black or clear. 2.4 oz. (68g) weight. Kit contains extension, (4) screws, spring, and instructions. 30-round PMAG not included.

#100-004-544EG PMAG Extension, Black 1B22A36 . . . \$ 27.99

#100-004-543EG PMAG Extension, Clear 1B23A96 . . . 29.95



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.



TAPCO AR-15/M16 30-ROUND MAGAZINE

Rugged, One-Piece Body; Aggressive Grasping Ridges For Fast Mag Changes

Designed with input from a variety of AR shooters—military, law enforcement, and competitors—these lightweight 30-round magazines deliver exceptional reliability in all types of extreme conditions. One-piece body of glass fiber-reinforced polymer composite has the structural rigidity to resist damage from dropping on hard surfaces like concrete and side-impact crushing forces. Ridges on the outside give you a secure grip during reloads. Continuous-curve interior with slick, mirror-finish surfaces and a polymer, non-tilt follower that runs in grooves virtually eliminate risk of jams caused by uneven pressure on the round stack. Corrosion-resistant chrome-silicon spring won't lose power when a loaded mag is stored for extended periods. Seamless body, tight-fitting floorplate, and an indentation for the mag catch to grab rather than a hole through the body, keep out dust, moisture, grit, and contaminants that can impede ammo flow. Floorplate removes easily for cleaning simply by pressing the locking tab with the tip of an unfired .223 cartridge. Captive follower and floorplate locking tab stay with the spring, so they won't get lost. Flared floorplate and extra grooves help you extract the magazine from tight-fitting mag pouches for fast reloads. Fits most pouches for USGI mags, including Brownells MOLLE pouch system. Drops free from mil-spec mag wells, and compatible with LULA loader, stripper clips, Maglula Universal Benchloader, and other loaders that fit USGI mags. Available in Black and also Dark Earth and Olive Drab that match popular camo schemes.

SPECS: Injection-molded polymer, Black, Dark Earth, or Olive Drab. Fits AR-15/M16/M4 rifles and carbines, and clones. Holds 30 rounds of .223/5.56mm ammunition.

#100-004-270EG 30-Rd Magazine, Black 5A14Y17 . . . \$ 14.99
#100-004-271EG 30-Rd Mag, Dark Earth 5A14Y17 . . . 14.99
#100-004-272EG 30-Rd Magazine, Olive Drab 5A14Y17 14.99

CMMG AR-15/M16 STAINLESS STEEL ANTI-TILT FOLLOWER

Ultra-Stable, Low Drag Design
For Reliable Feeding



Stainless steel follower rides evenly in all four corners of the magazine body to eliminate tilting, so the ammo stack stays fully supported for smooth, reliable feeding. High-lubricity, polished finish helps reduce drag on spot welds, seams, and rough patches in the mag body, even under inconsistent spring pressure. Easy to install-drops in and secures to top of standard mag spring. Use with CMMG Braided Wire Magazine Spring (found elsewhere in catalog) for added reliability.

SPECS: Stainless steel, natural, polished finish. Available in 3-Paks.
#100-003-142EG Anti-Tilt Mag Follower, 3-pak, 3B08A43 \$ 9.99

ORIGINAL BOB SLED PRODUCTS AR-15/M16

ORIGINAL BOB SLED

Single Round Loading
For Competition & Varminting



Self-lubricating, Delrin® loading block replaces the magazine and follower for smooth, single round loading. Bolt holds open after every shot.

CNC-machined loading tray ensures proper cartridge alignment and reliable feeding. OBS10 provides a short, match-length loading block. OBS20 is the same size and shape as a 20-round AR-15 magazine; approved for Service Rifle competitions.

SPECS: Delrin. OBS10 - Approx. 2 1/2" (6.4cm) long, 7/8" (2.2cm) wide, 3" (7.6cm) high. OBS20 - Approx. 2 1/2" long, 7/8" wide, 5" (12.7cm) high. Fits AR-15/M16, .223 cal.

#100-001-736EG OBS10 Bob Sled 7A33B78 \$ 41.99
#100-001-737EG OBS20 Bob Sled 7A33B33 41.67

MAGPUL AR-15/M16 GENERATION III SELF-LEVELING FOLLOWER



Won't Tilt; Feeds Smoothly; Helps Prevent Magazine-Related Failures

Molded plastic follower won't tilt as rounds are fed into or stripped from the magazine, so it helps prevent jams, misfeeds, and other magazine-related failures. Rectangular extensions at the front and rear prevent tilt of the round stack to eliminate jams caused by over-compression and binding of the spring. Self-lubricating polymer composition helps ensure smooth movement for easier loading and ultra-smooth feeding. Extended bolt catch makes sure bolt locks open after the last round is fired. Generation III improvements include a spring stabilizer molded into the underside to keep spring force centered no matter how many rounds are in the mag, rounded edges on the extensions for even slicker movement in the mag body, and more streamlined ramp geometry for easier travel of the round from the magazine into the chamber. Drop-in fit on standard USGI 30-round magazines.

SPECS: Molded polymer, Foliage Green. Fits standard 30-round magazine. Instructions included. Available in 3-paks.

#100-003-500EG Gen III Self-Leveling Follower, 3-pak, 3K04C66 \$ 5.99

MAGPUL AR-15/M16 USGI MAGAZINE UPGRADE KIT

Improves Function,
Reliability & Convenience
of Standard 30-Round
Magazines



Convenient kit lets you improve the reliability and tactical effectiveness of three standard USGI 30-round magazines by replacing the factory followers and floorplates with Magpul Generation III Self-Leveling Followers and Ranger® Floorplates. Simply disassemble each magazine and reassemble with the Magpul parts. Gen III Self-Leveling Follower of high-lubricity molded polymer helps ensure smooth movement of the round stack for easy loading and ultra-reliable feeding. Fully supported at all four corners to prevent nosedives and other feeding failures caused by uneven spring pressure or roughness inside the mag body. Ranger Floorplate has easy-to-grasp finger loop for lightning fast magazine changes. Ensures positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Two-piece construction, polymer and stainless steel overmolded with soft, non-slip synthetic rubber that also cushions the magazine from impact if dropped on a hard surface.

SPECS: Kit contains 3 followers and 3 floorplates. Follower - Molded polymer, Foliage Green. Floorplate - Stainless steel, rubber-covered, black.

#100-003-718EG Magazine Upgrade Kit 3K17C98 . . . \$ 22.99

Sinclair AR-15 ALUMINUM SINGLE SHOT FOLLOWER



Allows Single Loading Of Long
Varmint/Target Cartridges

Easy to install, one-piece insert machined from solid aluminum bar stock rests on top of factory magazine follower to allow single shot loading of long cartridges with heavy varmint bullets. Prevents bullet or case damage caused by normal feeding from magazine. Perfect for precision target competition or varmint hunting. Fits Brownells 20- and 30-round magazines and similar USGI-type mags. No need to disassemble magazine to install because follower slides in from the top. Locks bolt open after the shot. Clear anodized to resist wear; silver color contrasts with plastic factory follower to give you instant visual recognition that the insert is installed.

SPECS: Aluminum, anodized, natural silver finish. Fits USGI-style metal magazines.

#988-000-010EG Single Shot Follower 8H14T49 . . . \$ 17.99



BROWNELLS AR-15/M16 HIGH CAPACITY MAGAZINE REBUILD KIT



Bring Magazines Back To Top Performance

Replacement spring, follower, and floorplate install easily to eliminate problems caused by worn-out parts. Chrome silicon spring maintains proper tension and gives consistent feeding, also available with stainless steel spring. 20- and 30-round followers are made of fiberglass-filled plastic. Anodized aluminum floorplate. Available for straight body 20-round magazines and mil-spec 30-round magazines.

SPECS: Spring - Chrome silicon (CS) or stainless steel (SS). 30-Rnd Follower - Fiberglass-filled plastic, green. 20-Rnd Follower - Fiberglass-filled plastic, black. Floorplate - Aluminum, anodized black. Kits available in 1, 3, & 6 Paks. Kits and individual components for 20-round magazines are designed to fit straight body, 20-round magazines.

STRAIGHT BODY 20-ROUND REBUILD KIT

STOCK #	CS	STOCK #	SS	PAK	PRICE
USA 080-000-470EG		USA 080-000-473EG	1	8K05D50	\$ 6.95
USA 080-000-471EG		USA 080-000-474EG	3	8K15D50	\$ 19.95
USA 080-000-472EG		USA 080-000-475EG	6	8K29D99	\$ 37.95

30-ROUND REBUILD KIT

STOCK #	CS	STOCK #	SS	PAK	PRICE
USA 080-000-281EG		USA 080-000-351EG	1	8K05X59	\$ 6.99
USA 080-000-282EG		USA 080-000-353EG	3	8K18X27	\$ 19.99
USA 080-000-283EG		USA 080-000-358EG	6	8K29X99	\$ 37.99

INDIVIDUAL COMPONENTS

USA 080-000-476EG	20-Rnd Straight Body Mag Spring (CS), only, each	8K03Z80	\$ 4.99
USA 080-000-477EG	20-Rnd Straight Body Mag Spring (CS), only, 10-pak	8K30Z40	38.00
USA 080-000-311EG	30-Round Spring (CS), only, each,	8K03Y80	4.99
#080-000-324EG	30-Round Spring (CS), only, 10-pak,	8K30H63	38.99
#078-000-109EG	30-Round Spring (SS), only, each,	8G03H80	4.99
#078-000-114EG	30-Round Spring (SS), only, 10-pak,	8G30H40	38.00
USA 080-000-481EG	20-Rnd Straight Body Mag Floorplate,	each 8K01Z20	1.50
USA 080-000-482EG	10-pak 8K10Z45	12.99	
USA 080-000-312EG	30-Round Magazine Floorplate, each,	8K01Y20	1.50
#080-000-322EG	30-Round Magazine Floorplate, 10-pak,	8K09H60	11.99
#080-000-479EG	20-Rd Straight Body Mag Follower,	each 8K01Z00	1.25
#080-000-480EG	20-Rnd Straight Body Mag Follower,	10-pak 8K08Z23	10.97
USA 080-000-313EG	30-Round Mil-Std Follower, each,	8K01Y00	1.25
USA 080-000-317EG	30-Round Mil-Std Follower, 10-pak,	8K08V38	10.99
#080-000-478EG	20-Round Straight Mag Body, each,	8K10Z59	12.50
USA 100-001-985EG	30-Round Mag Body, each,	8K10Y59	12.50

CMMG AR-15/M16 BRAIDED WIRE MAGAZINE SPRING



Extra Power For More Reliable Feeding; Won't Take A Set

Multi-strand, braided spring delivers 40% greater force than standard USGI springs for more consistent release of pressure and smoother, more reliable feeding of 30-round magazines. These springs will not reduce magazine capacity and will not take a set. Corrosion resistant, olive drab ceramic coating was tested in salt spray for 400+ hours without developing corrosion. Compatible with standard-issue and most aftermarket followers, including CMMG's Stainless Steel Anti-Tilt follower, also available from Brownells.

SPECS: Spring steel. 11 1/4" (28.6cm) long. Fits 30-round AR-15/M16 magazines.

#100-003-143EG Braided Wire Mag Spring 3B05A50 \$ 6.95

DPMS AR-15/M16 30 ROUND MAGAZINE REPAIR KIT



Corrects Feeding Problems, Prevents Jamming

Restores reliability to worn or damaged magazines. Corrects feeding and function problems, extends the life of valuable hi-cap magazines. Repair kit includes everything you need: Mil-Spec, polycarbonate follower plus a steel floorplate and factory weight, 30-round or 20-round spring.

SPECS: Polycarbonate follower, 2 5/8" (6cm) long, 30-round - green, 20-round - black, aluminum floorplate with black phosphate finish, steel spring.

#231-000-041EG 30-Rd Magazine Repair Kit, 3-pak, 1C10P50 \$ 17.67

#231-000-163EG 20-Rd Mag Repair Kit, 1-pak, 1C04A99 5.99

FOLLOWER - The "Green" follower as used on all current, military contract magazines. Developed for 30-round magazines to prevent misfeeding on 28th round.

SPECS: Molded polycarbonate, green. 2 5/8" (6cm) long. Package of 10.

#231-015-025EG AR-15/M16 Magazine Follower, 10-pak, 1C12P72 \$ 21.99



ISMI AR-15/M16 PREMIUM MAGAZINE SPRING



Modern Design & Materials For Consistency,
Reliability & Superb Performance

Chrome silicon wire gives superior durability and performance. After winding, each spring is heat-treated, shot peened and stress relieved. 20-round springs are designed for use with standard magazine followers. 30- and 40-round springs should be used with green, mil-spec followers.

SPECS: Chrome silicon steel wire.

#445-000-016EG 20-Rd AR-15 Mag. Spring 5D06U56 \$ 8.75
#445-000-017EG 30-Rd AR-15 Mag. Spring 5D07U68 \$ 10.25
#445-000-018EG 40-Rd AR-15 Mag. Spring 5D08U41 \$ 12.75

Shop

ar-15 mag spring

Search


brownells.com

SATISFACTION GUARANTEED

SINCE 1939

**SUPERIOR SHOOTING SYSTEMS AR-15/M16
MAGAZINE SPRING**

Delivers Consistent Pressure & Feeding

Provides positive pre-load against the follower, plus consistent tension and less drag against the magazine side walls. 

SPECS: Chrome silicon steel.
#840-000-044EG AR-15 Mag. Spring, 30-Rd 4H09C00 \$ 11.25
#840-000-045EG AR-15 Mag. Spring, 40-Rd 4H10C33 . 12.92

**WOLFF AR-15/AR-STYLE .308
EXTRA POWER MAGAZINE SPRING**



High-Quality Replacement Springs For High-Capacity Magazines

Drop-in, extra-power replacement springs for Colt 20- and 30-round AR-15/M16 magazines, plus old generation 20-round Armalite AR-10® mags. Precision wound and tempered from high-grade music wire for long-lasting performance and reliability. May fit many factory-spec, after-market magazines as well. **SPECS:** Steel, heat treated and tempered. AR-10 springs will not fit new generation magazines. Available in 3-paks only.

#969-609-020EG 20-Rd AR-15/M16 Mag. Spring, 3-pak, 9F12Z33 \$ 18.49
#969-609-060EG 30-Rd AR-15/M16 Mag. Spring, 3-pak, 9F12Z33 18.49
#969-000-093EG 20-Rd AR-Style .308 Mag. Spring, 3-pak, 9F15D35 22.99

**WOLFF AR-15/M16
EXTRA POWER MAGAZINE SPRINGS**



Better Feeding For 32 Round Magazines

Extra power magazine springs for 32 round 9mm SMG magazines in Colt AR-15's improve function and round feeding. 5% more power helps stabilize the follower for full power loads. **SPECS:** Fits 32 round magazines. Available singly or in 3-Paks.
#969-000-164EG Colt 9mm Mag Spring 9F06T00 \$ 8.99
#969-000-165EG Colt 9mm Mag Spring, 3-pak, 9F15T33 22.99



**BLADE-TECH INDUSTRIES
AR-15/M16/AR-STYLE .308
KYDEX® MAGAZINE POUCH**

Comfortable, Simple, Secure; Impervious To Wear


Provides secure, custom-fit retention and easy accessibility for one spare magazine for AR-15 or AR-Style .308 rifles. Thermoformed Kydex provides long-lasting weapon and shape retention, plus it stands up to the harshest environment, does not squeak, and it's impervious to solvents and oils. Two tension screws allow you to adjust retention. Tek-Lok belt-clip system with adjustable setscrews lets you configure pouch for high- or low-ride placement, and three different carry angles. Ambidextrous design.


SPECS: Kydex, matte black. Both models fit belts up to 2 1/4" (5.7cm) wide. AR-15 - 3 1/2" (8.9cm) high, 3 1/2" wide, 1 7/8" (4.8cm) deep. AR-Style .308 - 3 13/16" (9.7cm) high, 4 2/16" (10.6cm) wide, 2 1/8" (5.4cm) deep.
#098-000-015EG AR-15 Mag Pouch 8K31T19 \$ 38.99
#098-000-046EG AR-Style .308 Mag Pouch 8K27V27 . 38.95


**BLADE-TECH AR-15/M16
MAGAZINE POUCHES**


Holds Spare Magazines Securely Within Easy Reach

Tough, injection molded Kydex magazine pouches allow you to carry extra magazines for fast reloads in tactical and competitive situations. Rigid, specially formed pouch bodies are molded to the shape of AR-15 and M-16 magazines to hold them firmly in place without crushing or denting. Adjustable tension screws eliminate the need for awkward flaps and hold magazines securely without rattling or falling out. Ambidextrous so you can put magazines in from either way depending on your preference. **SPECS:** Injection molded polymer, black matte finish.

TEK-LOK MAGAZINE POUCH - Holds one spare 20- or 30-round AR-15/M16 magazine. Patented Tek-Lok belt clip system mounts tightly to belts and will not come loose and fall off in the heat of battle or competition. Convertible for high ride or low ride placement on the hip and offers three-position adjustment for angle of carry. Hinge pin locking tabs make it easy to clip and unclip from your belt. 
#098-000-038EG Mag Pouch w/Tek Lok 8K21P56 . . . \$ 26.95

PADDLE MAGAZINE POUCH - Contoured paddle adjusts to your preferred angle of carry and holds one extra magazine. Adjustable wedge grips inside the waistband and under the belt for great stability on to 2 1/2" wide belts. 
#098-000-040EG Mag Pouch w/Paddle, 8K19P96 \$ 24.95

MAGAZINE POUCH w/1 3/4" BELT LOOP - Designed to hold one additional magazine and fits belts 1 3/4" wide. Adjusts to fit your preferred angle of carry. 
#098-000-041EG Mag Pouch w/1 3/4" Loop, 8K21P56 \$ 26.95

MAGAZINE POUCH w/3" BELT LOOP - Low-profile single magazine pouch fits snugly and adjusts to fit from 1 3/4" to 3" belts. Two adjustment screws allow you to modify the amount of tension holding the magazine in place. Also adjusts to fit your most comfortable angle of carry. 
#098-000-042EG Mag Pouch w/ 3" Belt Loop, 8K17P47 \$ 24.95

TRIPLE HIP POUCH - Three individual magazine pouches capable of holding Mil-Spec 5.56mm 20- or 30-round magazines are mounted in this one piece rig. Features a 2" wide adjustable nylon loop with two vertical Velcro straps. Entire unit is mounted to a contoured hip/leg bracket with interior foam padding to protect your leg from excess rubbing during shooting exercises. Fully adjustable tension screws hold magazines firmly in place without the need for flaps to prevent excess noise and provide smooth, fast reloads. A second, 2" adjustable nylon strap fastens with a belt clip to hold the unit firmly in place around your leg below. 
SPECS: Injection molded polymer, black matte finish. Top Velcro straps with fit belts up to 3" (7.6cm) wide.
#098-000-039EG Triple Hip Mag Pouch 8K60P71 . . . \$ 74.99



**BROWNELLS
AR-15/M16 TEK-LOK
MAGAZINE POUCH**

Secure Magazine Retention With Easy Accessibility



Tough, shock-resistant polymer magazine pouch holds one spare 20- or 30-round AR-15/M16 magazine ready for fast reloads in combat or competition. Rigid, pouch body is specially formed to the shape of standard AR magazine for secure retention without crushing or denting. Adjustable ten-

**BROWNELLS AR-15/M16
MAGAZINE COUPLER**

Keeps A Spare Mag Ready For An Instant Reload

Tough, molded nylon magazine coupler binds a backup magazine directly to the mag in the gun for lightning fast tactical reloads without moving your trigger hand. Three, steel bolts let you adjust retention force, so the magazines won't slip out even during vigorous combat maneuvers. Side-by-side configuration with staggered heights, plus fixed standoff points between the compartments further ensure the magazines won't shift position or rattle. Includes a Top Round Protector (TRP) to protect the feed lips of the backup mag, prevent accidental dislodgement of the top round, and keep out dirt. TRP instantly detaches by applying downward thumb pressure on the release tab while pushing forward. Rubber retention strap keeps TRP from getting lost. 
SPECS: Molded nylon, black, with steel tension adjustment bolts. 2 3/4" (7cm) long, 2 1/16" (6.2cm) wide, 3 1/4" (8.3cm) high.
#080-000-511EG AR-15/M16 Magazine Coupler, 9B16X99 \$ 24.99

Magazines not included

**BOONIE PACKER AR-15/M16
IMPROVED REDI-MAG**

Holds Spare Magazine On The Receiver For Ultra-Fast Reloads



Don't lose precious seconds in competition or combat fumbling for a spare magazine during a reload. Rugged, all-steel speed loading system clamps directly to the receiver of any AR-15/M16 rifle or carbine and securely holds a second, fully loaded magazine alongside the mag well for super-fast mag changes. More reliable and easier to use than improvised methods, like taping two magazines together, that can cause malfunctions at critical moments. Closed-top design protects

the spare mag from rain, dirt, dust, and debris and prevents the top round from jumping forward under recoil. Independent release system lets you drop the spare mag and the mag in the weapon separately to allow tactical reloads and greater flexibility in clearing malfunctions. Includes Bolt Catch Extension (BCE) that mounts directly to the factory bolt catch and lets you release the bolt, with or without the Redi-Mag attached to the gun, simply by slapping the BCE with an open palm. Installation requires no permanent alterations to receiver or mag well. Available in Standard configuration and Quick-Attach model that enables faster installation and removal of the entire Redi-Mag from the weapon. **SPECS:** Steel, Parkerized finish, dark gray, with reinforced molded polymer BCE and spacer. Approximately 3 1/2" (8.9cm) long, 2 1/2" (6.4cm) wide, 2 3/4" (7cm) high. 8.4 oz. (234g) weight. Fits AR-15/M16/M4 rifles and carbines.

#100-004-455EG Improved Redi-Mag, Standard, 7K76Y67 \$ 79.99
#100-004-456EG Improved Redi-Mag, Quick-Attach, 7K80Y36 84.99

**BLACKHAWK INDUSTRIES AR-15
BUTTSTOCK MAGAZINE POUCH**


Carry Extra Magazines Within Easy Reach

Abrasion resistant, denier magazine pouch fastens snugly with two hook-and-loop straps to either the left- or right-hand side of fixed AR-15 buttstocks and holds either 20- or 30-round magazines for fast reloads. Two, steel D-rings provide sturdy lifting points and elastic forward slip strap on the back of the pouch prevents slippage. Fully adjustable, flap holds magazine securely in place in all tactical and competition exercises. Also fits M4 collapsible stocks but must be removed to adjust stock length. 

SPECS: 1000 denier NyTaneon, black. Accepts 20- or 30-round AR-15/M16 type magazines.
#100-002-839EG Buttstock Magazine Pouch, 8K20H05 \$ 25.99

**BUFFERTECHNOLOGIES
AR-15/M16/AR-STYLE .308
MAGCINCH**


Holds Spare Ammo At The Ready

Clamps a second, high capacity magazine right to the one in the gun; your extra ammo is instantly available for super fast reloads. Stops fumbling when seconds count, holds magazines rock solid, without scratching or damage. Very light weight to keep your tactical or competition rifle as easy to handle as possible. 
SPECS: Black, fiberglass-filled nylon. Dbl indicates double-strap unit. Sgl indicates single-strap unit.

#071-100-223EG 30-Rd AR-15/M16 MagCinch, Dbl, 1G14T78 \$ 19.95
#071-100-001EG 20-Rd AR-15/M16 MagCinch, Sgl, 1G14Y09 19.95
#071-100-003EG AR-10®/SR-25 MagCinch, Sgl, 1G14Y09 19.95

**CALIFORNIA COMPWORKS
AR-15 MAGAZINE POUCH**

Organizes, Protects & Stores Magazines

Heavy duty, double-stitched nylon pouch uses a tension strap to hold a single backup magazine securely without compromising fast access during competition. Hook-and-loop fasteners attach pouch to belts or web gear. Holds one 20- or 30-round magazine vertically. 
SPECS: Nylon, black color. 4" (10cm) deep. 3" (7.5cm) wide.
#151-198-100EG AR-15 Mag Pouch 1E10A24 \$ 13.99

**CALIFORNIA COMPWORKS AR-15/AR-STYLE .308
RIFLE MAGAZINE STORAGE POUCH**

Organizes & Protects

Cordura nylon with full-width cover and velcro closures to keep magazines clean. .223 holds eight AR-15 30-round mags. .308 holds eight 20-round AR-Style .308 mags. **SPECS:** Cordura nylon. Closed: 8 1/2" (21.6cm) w. 13" (33cm) lg.
#151-000-001EG .223 Black Storage Pouch, 1E26D70 \$ 34.99
#151-000-007EG .308 Black Storage Pouch 1E25D75 . 34.95
#151-000-006EG .223 Olive Drab Storage Pouch, 1E26D60 34.99
#151-000-012EG .308 Olive Drab Storage Pouch, 1E25D75 34.95



CENTER MASS AR-15/M16 PATROL RIFLE INTEGRATED MAG POUCH

Ensures You Have A Critical Rifle Reload In An Emergency

Tough, molded polymer magazine pouch lets you carry an extra 20- or 30-round AR-15/M16 magazine, including a Magpul PMAG, on your duty belt behind any standard pistol magazine pouch. Provides a single ammunition management point, saves valuable belt space, and ensures you have a critical rifle reload when you need it. Open-top design and the adjustable, spring-loaded tension system holds the magazine securely, while allowing fast extraction under stress. Set screws let you adjust mag retention force and prevent shifting on belt. Can be worn in the vertical or horizontal position on duty belts up to 2 1/4" wide.

SPECS: Molded polymer, black. 4 1/4" (10.8cm) tall, 3 1/2" (8.9cm) wide, 1 3/4" (4.4cm) thick. Fits mil-spec 20- and 30-round AR-15/M16 magazines and similar-dimensioned commercial magazines, including PMAGs.

#100-004-396EG Integrated Magazine Pouch, 1C33P09 \$ 39.99

COMMAND ARMS AR-15/M16 MAG COUPLER

Put An Extra Magazine Right Where You Need It

Injection-molded, plastic mag coupler joins two magazines, side by side, for fast, tactical reloads without taking your trigger hand out of position. Steel bolts tighten and compress the coupler for a firm grip on your magazines. Holds magazines in parallel or staggered position.

SPECS: Polymer, black. 2 1/4" (5.7cm) high, 1 1/2" (6.4cm) long, 2 1/2" (6.4cm) wide.

#100-001-018EG AR-15/M16 Mag Coupler, 2Z10Y00 \$ 14.99



Magazines not included

MAKO TACTICAL RIFLE MAGAZINE COUPLER

Clamps A Spare Mag To The One In The Gun For Ultra-Fast Mag Changes



Magazines not included

Lightweight, minimal-profile coupling system securely clamps two tactical rifle magazines together so the backup mag is right next to the one in the gun for exceptionally fast mag changes under stress. Universal design works with mags for a variety of .223/5.56mm and 7.62 x 39 weapons, including AR-15/M16, AK-47, Galil, H&K 93, Ruger® Mini-14®, and SIG 556. Durable, reinforced molded polymer clamps resist the rigors of tactical operations, including heat, cold, and impact, while steel bolts provide tensioning force for secure, non-slip, rattle-free grasp of the mag body. Smooth surface and rounded edges prevent snagging on BDUs, sling, foliage, or other gear. Installs in seconds with a standard slot-head screwdriver; no permanent alterations to magazines. Sold in 2-Paks. For an ultra-secure installation, use both couplers on one pair of mags; for less strenuous operations, one clamp may be used.

SPECS: Reinforced molded polymer composite, black, steel bolts. Fits USGI-style metal AR-15/M16 magazines, AK-47/AKM, Galil 762x39 and 5.54x39, H&K 33/53/93, Ruger Mini-14, and SIG 540/543/550/551/552/553/556. Sold in 2 paks.

#100-003-844EG Universal Mag Coupler, 2-pak, 2B10Z00 \$ 14.99

MAKO AR-15/M16 FOREND GRIP/SPARE MAG HOLDER



Magazine not included

Improves Weapon Control; Speeds Magazine Changes

Convenient two-in-one vertical grip locks securely to any forend with an underside accessory rail to provide secure, on-board storage of a spare magazine for exceptionally fast magazine changes. Drop the spent mag from the gun, release the spare by hitting the oversized, release button, and move it the short distance to the magwell without breaking the horizontal plane. Gently curved finger grooves provide a secure grip that improves recoil control, especially during sustained rapid fire. Helps operator maintain a steady hold during extended periods in the ready position. Stippling molded into the finger grooves helps you maintain a firm grip even with wet hands. Slides onto any Pictainny-type accessory rail; push-button locking bar prevents movement after grip is in place, yet allows quick release and removal. Or add the steel locking bolt to ensure a zero-movement installation. Molded from lightweight, yet rigid, nearly indestructible reinforced polymer composite.

SPECS: Reinforced molded polymer composite, black. Fits Picatinny-type accessory rail.

#100-003-843EG Forend Grip/Spare Mag Holder, 2B34Z99 \$ 44.99



MERCOB SECURITY GROUP AR-15/M16 PMAG™ MAG GRIP

Securely Clamps Two PMAGs For Fast Reloads In Combat Or Competition

Lightweight, low-profile clamping system attaches the backup magazine directly to the one in the gun for ultra-fast reloads. Holds two 20- or 30-round Magpul PMAGs side-by-side, with a tension-adjustable coupling that prevents the spare magazine from shifting. Precision-machined from billet aluminum with minimal bulk and smooth, radiused edges that won't abrade the hand. Rugged and reliable enough for tactical and competition use.

SPECS: Tempered aluminum, hardcoat anodized, matte black. Fits all models of 20- and 30-round .223/5.56mm Magpul PMAGs.

#100-004-542EG PMAG Magazine Grip, 8K19A04 \$ 24.99



Magazines not included

RAIL-MAG LLC AR-15/M16 RAIL-MAG MAGAZINE POUCH



Mag not included

Change Mags & Return To Fire In Seconds

Lightweight, rail-mounted, magazine pouch puts an extra 20 or 30 round magazine right at your fingertips. Aircraft-grade, aluminum mount clamps to the slotted rail on your AR-15/M14 handguard. Lets you keep weapon "at ready" for minimal interruption of your shooting position. Tension-adjustable, Kydex pouch holds magazine secure during any level of physical activity. R.H. model attaches at left side of rifle for right-handed shooters; L.H. clamps to right side of weapon.

SPECS: Kydex, flat black. 3 3/8" (8.6cm) long, 1 1/16" (4.9cm) wide, 3 3/8" (9.2cm) high. 4.7 oz. (133g) wvt.

#100-001-739EG Rail-Magazine, RH 7A32B97 \$ 40.97
#100-001-740EG Rail-Magazine, LH 7A32B97 \$ 40.97

OLONGAPO OUTFITTERS AR-15/M16 GRAB & GO MAGAZINE POUCH



Magazines not included

Holds Plenty Of Spare Mags At The Ready; Sling Over Shoulder For Easy Carry

Heavy-duty magazine pouch made from top-quality mil-spec materials slings over your shoulder, so you can easily carry up to eight, fully loaded magazines while on the move. Constructed of woven, water-repelling ballistic nylon that resists tearing and fraying. Heavy-duty stitching won't give way under stress, and all exposed edges are protected with tape binding. Adjustable carry strap of extra-tough nylon webbing lets you position the

pouch exactly where you need it for fast reloads. Each compartment has a separate flap, so you won't expose the other mags to the elements when you retrieve one. Generously proportioned hook-and-loop fasteners keep the flaps securely closed, yet release easily when you need a fast reload. Grommetted drain holes ensure mags don't get water-logged when you're on patrol in the rain. Large pocket behind the mags, with full-width hook-and-loop closure, provides storage for maps or other flat items. Models available for 30-round .223/5.56mm AR-15/M16/M4 magazines and UZI-style 9mm stick mags. Pockets on .223/5.56 pouch have plenty of length to accommodate magazines fitted with the Magpul Ranger® Floorplate, including Brownells Tactical Magazines. Both models available in Coyote Brown and O.D. Green.

SPECS: Heavy duty ballistic nylon, Coyote Brown or O.D. Green. .223 - 12 1/2" (31.8cm) long 8" (20.3cm) high. Holds eight (8) 30-round magazines. 9mm - 12 1/2" long 9 1/2" (24.1cm) high. Holds six (6) UZI-style 9mm stick magazines.

#100-004-231EG .223 Grab & Go Pouch, Coyote, 3B48Z63 \$ 56.99

#100-004-232EG .223 Grab & Go Pouch, O.D. Green, 3B47Z44 \$ 56.99

#100-004-233EG 9mm Grab & Go Pouch, Coyote, 3B53Z43 \$ 66.99

#100-004-234EG 9mm Grab & Go Pouch, O.D. Green, 3B53Z43 \$ 66.99

SHELLBACK TACTICAL AR-15/M16 MAG GRIP™

Keeps Spare Ammo Instantly Ready

Aluminum, bar stock clamp holds two twenty- or thirty-round, .223 caliber magazines side-by-side, for rapid reloads. Mag Grip 1 holds magazines parallel. **SPECS:** T6 aluminum, black, anodized. 3/4" x 3/4" 2 1/8". Fits AR-15/CAR-15, Mini-14, M4, FNC.

#100-000-769EG Magazine Grip 1, 8K17B65 \$ 24.99



SPEC.-OPS.

MAGAZINE DUMP POUCH

Fast Access Storage For Empty Mags Or Other Tactical Gear; 100% Made In The U.S.A.



Heavy-duty pouch provides a dry and secure place to dump spent magazines, combat or medical supplies, contraband, or personal items needed to accomplish the mission. Double-thick, rip-resistant 1000 Denier Cordura® nylon shell is lined with "Dura-panel" material for weather-resistance. Elastic trap-door opening allows one-handed magazine drops; ventilation/drain port at the bottom eliminates moisture buildup inside. MOLLE- and SPEC.-OPS. GRIDLOK-compatible. Holds up to a dozen AR-15/M16 30-round magazines.

BROWNELLS/SPRINGER PRECISION AR-15/M16 PMAG COUPLER



Mag not included



Clamps Two PMAGs Together For Ultra-Fast Reloads

Rugged, yet lightweight, machined aluminum coupler puts extra firepower at your fingertips by clamping two Magpul PMAGs together, so your reload is right next to the mag in the gun. Saves you valuable seconds during competition or combat that would otherwise be lost fumbling for the spare mag in a pouch and raising it to the weapon. Simply remove the factory floorplates from two PMAGs and slip them into the Firebird. One-piece aluminum construction, with rounded edges and smooth contours makes it as easy and comfortable to

grasp as a single magazine. Ensures proper clearance for access to magazine release button and bolt release.

SPECS: Aluminum, hardcoat anodized, black finish. 30/30 - Holds two 30-round PMAGs; will not work with 20-round PMAGs. 20/30 - Holds a 30-round PMAG in the left-hand position and a 20-round PMAG in the right-hand position.

#100-004-352EG 30/30 PMAG Coupler 1B34A58 \$ 42.99
#100-004-442EG 20/30 PMAG Coupler 1B34C00 \$ 42.50

STRAC TECHNOLOGIES AR-15/M16 F.A.S.T. SYSTEM

MAGAZINE CARRIER

Hold Three Spare Mags Ready For Ultra-Fast Mag Changes



Magazines not included

Chest-mounted magazine dispenser holds three, spare, 30-round USGI magazines ready for lightning-fast mag changes without taking your eyes off the target. Drop the spent mag from the weapon, retrieve a fresh one from the F.A.S.T. (Fast And Smooth Transition) pack, and seat it in the mag well, ready to fire, in as little as two seconds. When the operator pulls the first spare magazine from the carrier, a powerful spring-loaded mechanism snaps the next one into place, ready to grab for the next reload. The fresh mag is always in the exact same position, so there's no fumbling for a different pocket each time. With brief training, the operator quickly develops muscle memory and instinctively reaches to the correct spot for the next mag without looking down. Fully ambidextrous design mounts on either side of chest for strong- or weak-hand access by left- and right-handed shooters. Shell is made from exceptionally strong, yet lightweight, high-impact polymer composite, and comes with a durable, fitted, 1000 Denier nylon case fully compatible with load-bearing vests using MOLLE attachment systems. Case has removable dust cover secured via a hook-and-loop attachment system, plus MOLLE loops on the front to allow attachment of additional pouches or accessories.

SPECS: Molded hard polymer, black; steel spring. Carrying Case - 1000 Denier nylon, black or O.D. Green. Requires mil-spec USGI-dimension 30-round magazines without extended floorplates or external accessories.

#100-004-149EG Mag Carrier, Black 1C269P49 \$ 339.99
#100-004-150EG Mag Carrier, O.D. Green 1C269P49 \$ 339.99

SPECS: 1000 denier Cordura nylon, Black or Coyote Brown. 9 1/2" (24.1cm) long, 8 1/2" (21.6cm) wide, 4" (10.2cm) deep. 360 cubic inches (5900 cubic cm).

#100-002-197EG Black Dump Pouch, 7K35B96 \$ 44.95


#100-002-229EG Coyote Brown Dump Pouch, 7K35H96 \$ 44.95

Product Videos Available at brownells.com

SATISFACTION GUARANTEED SINCE 1939

MAGPUL AR-15/M16 RANGER® FLOORPLATE

Easier Mag Changes With Just A Finger


Two-piece, slide-on replacement for factory floorplate has a smoothly contoured, easy-to-grasp finger loop that helps you perform lightning-fast magazine changes in high stress situations. Aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Also cushions magazine from impact when dropped concrete or other hard surfaces. Made from tough, yet soft, non-slip synthetic rubber over a stainless steel core that snaps into a reinforced polymer insert to keep the Rangerplate firmly locked to the magazine. Includes molded-in para-cord hole for custom loop configurations. Sold in 3-paks and available in Black, Dark Earth, and O.D. Green. 

SPECS: Synthetic rubber, stainless steel, and reinforced polymer. Fits 20- and 30-round USGI-style magazines. Instructions included. Sold in 3-paks.

- #100-002-196EG Ranger Floorplate, Black, 3K16B92 \$ 19.99
- #100-003-720EG Ranger Floorplate, Dark Earth, 3K16C92 19.99
- #100-003-721EG Ranger Floorplate, O.D. Green, 3K16C92 19.99

MAGPUL INDUSTRIES AR-15/M16 MAGPUL™

Fast, Fumble-Free Mag Changes

Thermoplastic loop installed on the base of a rifle or subgun magazine provides an easy-to-grasp handle for unsurpassed speed and controllability during high stress, tactical magazine changes. Recessed, rough texture provides positive gripping surface under slippery or wet conditions. Finger loop acts as shock absorber to protect magazine from damage when dropped from rifle. Silences magazines stored next to each other in pouch. 

SPECS: Industrial thermoplastic, Black, Flat Dark Earth or Olive Drab depending on model. Impervious to most chemical compounds. Pak of 3. 5.56 NATO fits 20- and 30-round AR-15/M16. 7.62 NATO fits AR-Style .308, 9mm Subgun fits Colt SMG.

- #100-000-308EG 5.56 NATO Magpul, Black, 3K07X43 \$ 9.99
- #100-003-424EG 5.56 NATO Magpul, Flat Dark Earth, 3K07Z66 9.99
- #100-003-425EG 5.56 NATO Magpul, Olive Drab, 3K07A66 9.99
- #100-000-309EG 7.62 NATO Magpul, Black, 3K07X43 9.99
- #100-000-310EG 9mm Subgun Magpul, Black, 3K07X43 9.99

ARREDONDO MFG. AR-15 MAG WELL

Extra-Big Mag Well Lets You Insert Magazines On Feel Alone


Durable, black, polycarbonate mag well is oversized and ultra smooth on the inside for easy, friction-free magazine insertion. Easy-to-install, drop-in unit clamps together with three hex screws and makes it possible to change magazines without ever taking your eyes off your target! Black, matte finish matches most AR-15s. 

SPECS: Polycarbonate, black, matte finish. Approximately 3 1/16" (9.4cm) wide, 1 1/16" (2.4cm) tall. 2.4 oz. (68g) wt.

- #069-000-007EG AR-15 Magazine Well, 9F38Z82 \$ 43.99

BLINDHOGG, INC. AR-15/M16 THE JIMMY PLUG

Seals The Magazine Well From Sand & Grit


Lightweight, magazine well plug keeps your lower receiver free of contaminants that could compromise reliable function of the weapon. Developed by a soldier to protect the M16 rifle in dusty and other harsh-weather environments. Plug is retained by the magazine catch and effectively seals the bottom of the rifle to help keep fine sand, grit and rain from reaching the bolt, carrier and chamber. Intended for use during storage or transport when weapon is unloaded. 

SPECS: Molded, reinforced plastic, with neoprene seal, black. 2 1/2" (6.3 cm) high, 3" (7.6cm) long, 1 oz. (28.3g) wt. Fits AR-15/M16.

- #100-002-647EG Jimmy Plug 5A08V69. \$ 10.95

BUTLER CREEK AR-15/M16 L.U.L.A. MAGAZINE LOADER/UNLOADER

Load & Unload Magazines Fast; Saves Overworked Fingers & Thumbs


Tough, lightweight, reinforced, polymer loader/unloader saves fingers, thumbs, and wasted time. Extends magazine life and lessens wear and tear on feed lips. Staggered, triangular pieces of plastic securely grasp rounds for effortless loading/unloading when you move the lever back and forth. Fits in your pocket. 

SPECS: Reinforced polymer. AR-15/M16 fits 10, 20, 30, 100 rd., .223 caliber magazines. Colt SMG fits Colt SMG 9mm-type metal and polymer magazines.

- #100-000-637EG AR-15/M16 Mag Loader 3E25Y34 . . . \$ 29.99
- #593-000-044EG Colt SMG Mag Loader 3E26A25 . . . 29.99

COMMAND ARMS AR-15/M16 MAGAZINE LOADER

Refill Any Capacity Magazine Quickly—No Bruised Fingers


Easy-to-use loader snaps over top of any AR-15/M16 magazine to help you quickly and efficiently insert rounds without pinching, bruising, or cutting fingers and thumbs. Lets you load up mags fast, so you spend more precious range time shooting. Wide thumb pad provides plenty of leverage to compress the magazine spring, even when close to full capacity. Quick-release tab locks into mag catch notch to prevent unwanted movement during loading. Rugged, molded polymer construction with a textured, no-slip surface. 

SPECS: Molded polymer, black. Fits any capacity AR-15/M16 and STANAG-compatible magazines in .223/5.56mm or 6.8mm. Also fits Ruger® Mini-14®.

- #100-004-133EG AR-15/M16 Mag Loader 2Z09A41 . . \$ 12.99

MAGLULA AR-15/M16 STRIPLULA™

Easy, Painless Way To Load AR-15/M16 Magazines In The Field

Thumb-saving, lightweight magazine loader provides fast, painless 30-round magazine loading in less than 13 seconds. Accepts 10-round stripper clips or loose rounds for easy loading of 10-, 20-, and 30-round magazines, and is capable of unloading a 30-round magazine in 15 seconds. Ambidextrous, grooved thumb slide provides a non-slip grip for right- or left-hand loading. Constructed of durable, reinforced polymer for dependable operation under extreme field conditions. Fits all AR-15/M16 metal and plastic magazines. 


SPECS: Polymer, black. 5 3/16" (13.5cm) long, 1 1/8" (2.8cm) wide, 1 3/16" (3cm) high. 1.2 oz. (34g) weight. Accepts 10-round stripper clips or loose rounds. Fits all AR-15/M16 magazines.

- #100-003-330EG Striplula 3E31D49 \$ 34.99

MAGLULA AR-15/M16 BENCHLOADER



Takes The Pain Out Of Loading All Types Of AR-15/M16 Magazines

Heavy-duty, polymer loader makes it easy for you to load a 10-, 20- or 30-round magazine in less than 30 seconds. Load hundreds of magazines a day without the pain, pinched fingers, or bruises of hand-loading—perfect for military/law enforcement armorer, shooting ranges, and any high-volume AR-15 shooter. Standard model accepts USGI-type AR-15/M16 (NATO STANAG 4179) magazines; Universal also accepts other AR-style magazines, including HK 416, SAR-80, Beretta AR-70/90, plus Magpul PMAG, Thermold, Orlite, and SIG Sauer polymer mags. Foolproof design, with only one moving part, makes it impossible to load magazines incorrectly and requires no maintenance. Feeds rounds into the magazine without contacting the feed lips, so it prolongs magazine life. Rounds are held securely in the tray and won't fly out when the slider is moved. Numbered indicators show the number of rounds in the tray, so no more guessing how many rounds have been loaded. Convenient carrying handle makes it easy to take to the range; includes heavy duty padded ballistic nylon carrying case. 

SPECS: Machined polymer, black. Stainless steel magazine retention bar. 2 1/2" (54.6cm) long x 5 1/2" (14cm) wide. Both models accept 10-, 20-, and 30-round USGI-type AR-15/M16 magazines. Universal also accepts HK 416, SAR-80, Beretta AR-70/90, Magpul PMAG, Thermold, Orlite, SIG Sauer, and similar AR-style 5.56/.223 magazines.

- #100-002-234EG Standard Benchloader 9A409Z03 \$ 509.99
- #100-003-340EG Universal Benchloader 9A422U00 . 526.99

AMERIGLO AR-15/M16 NIGHT SIGHT SET

Easy-To-See, Glowing Tritium Dots For Fast Targeting In Low Light




Self-illuminating, green, Trijicon® Tritium inserts provide an easy-to-acquire, 3-dot sight picture for fast target acquisition in low-light conditions. Inserts appear as white dots for enhanced targeting in

normal daylight conditions. Ghost ring rear aperture features dual side-on-side dots for easy sight alignment, and the elevation-adjustable, standard-width front blade is a drop-in replacement for an A2-type front post with a single green lamp for an instantly recognizable six o'clock hold. A block-out locking ring helps maintain your careful front sight adjustments. **SPECS:** Machined steel, matte black finish. Front Blade - .090" (2.3mm) wide, .250" (6.3mm) high. Rear Sight - battle aperture .083" (2.1mm) dia.; ghost ring aperture .207" (5.2mm) dia. Fits AR-15/M16 equipped with A2-type elevation-adjustable rear sights. Kit includes rear sight aperture, front sight blade with lock ring, front sight detent, and stainless steel four- and five-prong A2 sight adjustment wrench.

- #100-004-185EG AR-15/M16 Night Sight Set, 4K85U67 \$ 109.99

ARMALITE/EAGLE ARMS AR-15/M16 NATIONAL MATCH FRONT SIGHT


Extra Fine Blade For Extra Long Ranges

Upgrades the standard issue front sight to National Match specs. Features an extra-fine, tapered, sharp-edged post for a clean sight picture at ranges up to 600 yds. 

- #062-111-100EG NM Front Sight 2F10T26 \$ 14.49

HIVIZ AR-15/M16 FIBER OPTIC FRONT SIGHT

Bright Fiber Optic For Easy Aiming

Replacement front sight post uses a light-gathering fiber optic rod to produce a bright, easy-to-acquire dot in all light conditions. Easily replaces the post in A1- and A2-style sights, no gunsmithing required. Unique, U-shaped design of rod gathers far more light than a standard straight rod, perfect for low-light situations. Kit comes with two green and two red interchangeable rods that are easily removed and installed using the included removal tool, so you can customize the sight picture or replace a damaged rod quickly. Fully adjustable in 180° increments using supplied sight wrench, for a total elevation adjustment of up to 2.5" at 100 yards. 

SPECS: Black steel post with 2 green and 2 red fiber optic rods. Includes replacement detent pin, sight wrench, optic rod removal tool, carrying case, and instructions.

- #638-000-081EG AR-15 Fiber Optic Front Sight, 8C22A17 \$ 31.45

KNS PRECISION AR-15 FRONT SIGHT PACK

Pick The Exact Blade You Need For Fast, Accurate Sighting




Seven, A2-style, front posts let you choose the right sight picture for improved hunting and target shooting accuracy. Tapered, round post with .072" (1.8mm) ball top, tapered post with .052" (1.3mm) ball top, tapered post with .034" (.87mm) ball top, square post with .072" (1.8mm) square top, square post with .052" (1.3mm), square top, square post with .034" (.87mm), square top, two-way, .072" wide, square post with v-notch top and inverted v (point up) top. **SPECS:** Steel, black, matte finish.

- #923-000-038EG AR-15 A2 Front Sight Pack, 3B21V68 \$ 32.95

KNS PRECISION AR-15/M16 KNS PRECISION FRONT SIGHT

Crosshair Sight Gives Scope-Like Sight Picture

CNC machined sight post has integral crosshairs to provide quick, consistent sight alignment for improved accuracy at any range. Large diameter aperture offers a wide field of view that does not obscure target; gives a sight picture that's like looking through a scope. Compatible with factory rear sights and variable-diopter target sights. Non-hooded AR-15 sight is .082" thick. Hooded sight has .250" hood that shields crosshair from reflected light, offers greater crosshair protection for duty use. STD, thin wire crosshair. Duplex, styled after the popular duplex scope reticle, improves low light visibility. AR-15 fits M-16 and AR-10 rifles with standard sight housings. 

STOCK #	TYPE	STYLE	PRICE
#923-015-001EG	AR-15 N/hood	STD	3B20X66 \$ 32.00
#923-000-001EG	AR-15 N/hood	Duplex	3B20A66 \$ 32.00
#923-015-002EG	AR-15 Hood	STD	3B20X66 \$ 32.00
#923-000-002EG	AR-15 Hood	Duplex	3B21A68 \$ 32.95

JOIN **GUNSMITHS.com** TODAY!



MEPROLIGHT® AR-15/M16 TRITIUM SIGHTS

For Low Light Tactical Operations

Replacement sights equipped with Mepro-light's standard, tritium inserts guaranteed for five years. Rear sight features a large, 2-dot peep with tritium inserts for low light shooting, plus a smaller diameter peep sight without inserts for improved accuracy at longer ranges. Front post has single, short tritium stripe.

SPECS: Steel sight body, blued. Tritium inserts. *Set - Includes front and rear sight. Fits AR-15/M16 A1/A2 sight configurations.*

#387-304-117EG Front/Rear Sight Set 7H75D55 . . . \$109.99
#387-304-115EG Front Sight, only 7H33D00 51.00

MERIT AR-15/M16

ADJUSTABLE APERTURE SIGHT

For Optimal Contrast & Focus

Hand-built, precision aperture with eleven iris settings (.022" to .125" dia.) to ensure excellent sight focus and contrast in all light conditions. Click-adjustable settings are spring-loaded for a positive stop that holds tight under rapid fire. Iris adjustments do not move bullet point-of-impact. Mounts to standard A2 rear sight.


SPECS: Steel, black, matte finish. Rubber eyepiece. 1 1/4" (3.2cm) long x 1 1/2" (3.8cm) diameter.

#571-000-004EG Adj. Aperture Sight, 1G64P95 \$84.95



MOUNTING SOLUTIONS AR-15/M16 SIGHTLINK™ FRONT SIGHT

Easy-To-See Dot For Long & Short Range Shooting

Adjustable, fiber optic, front sight creates a bright, easy-to-see dot for short- or long-range shooting. Steel, sight blade secures a fiber optic rod with small and large diameter ends (dots). Custom, detent plunger allows easy blade switch between large dot to small. Precise, 3/8" MOA click adjustments (Mil-Spec is 1 1/4" MOA per click). Replaces the issue, front sight using the provided tools. Comes with red, green, and amber fiber optic rods. **Military** - standard, mil-spec width blade with .040" diameter fiber optic rod. **Match** - medium width blade with .030" diameter rod for long ranges. **Ultra-Match** - narrow blade with .020" diameter rod for tiny targets at extreme ranges. 

SPECS: Steel, blued. **Military** - .070" (1.8mm) wide blade, .040" (1mm) dia. rod. **Match** - .060" (1.5mm) wide blade, .030" (.75mm) dia. rod. **Ultra-Match** - .050" (1.3mm) wide blade, .020" (.5mm) dia. rod. Includes front sight blade, detent, installation tools, fiber optic rods, and detailed instructions. Uses factory detent spring, not included. **Universal Front Sight Adjustment Tool** - Combination front sight wrench and detent tool. Works on any AR-15/M16 front sight.

#100-001-463EG Military AR-15 Front Sight, 1K36A75 \$49.95

#100-001-464EG Match AR-15 Front Sight 1K36A75 . 49.95

#100-001-465EG Ultra-Match AR-15 Front Sight, 1K36A75 49.95

#100-001-466EG Universal Front Sight Tool 1K07A26. 9.95

TRUGLO AR-15/M16 BRITE-SITE

Advanced Fiber Optic Front Sight With Tritium; Visible Day Or Night



TFO technology combines the brightness of fiber optics with the glowing properties of tritium to produce a highly visible, bright green dot that keeps you on target, day or night. Radial designed fiber optic rod with tritium tube bends 90 degrees around a machined steel base to keep the sight protected and as compact as possible. Included, steel wrench makes installation easy and allows precise elevation

TRIJICON® AR-15/M16 TRITIUM SIGHT

Self-Luminous Replacement Sights



The ultimate, self-luminous AR-15 sight. Improves sight pickup and visibility during low-light hours when game is most active. All sights include the rugged Traser® luminous, sapphire crystal, tritium lamps for a bright, well-defined aiming point and extra-long life. Lamps guaranteed by the manufacturer to remain self-luminous for 12 years. **SPECS:** Steel body, blued. Tritium insert. Includes front and rear sight unless shown in chart.

STOCK #	FITS	PRICE
#892-415-125EG	AR-15 A1/A2 front only	2H47A30 \$ 59.99
#892-415-025EG	AR-15 A1/A2 with 10-36 windage screws	2H66A67 \$ 85.00



DPMS AR-15/M16

HOODED APERTURE REAR SIGHT

Flip-Up Aperture Improves Accuracy, Reduces Eye Strain

Hooded, long-range aperture replaces the standard two-position aperture on any A2-style rear sight and helps the eye focus easily for long strings of fire with less eye strain. The .040" diameter hooded peep hole helps ensure precise sight alignment for improved accuracy on shots beyond 200 meters. Or flip to the .045" diameter military-style aperture for targeting at closer ranges. Durable, steel construction stands up to the rigors of hard competition. **SPECS:** 8620 steel, black, matte finish. Hood - .561" (14.3mm) long. **#231-000-035EG Hooded Aperture Rear Sight, 3B08P24 \$15.50**



XS SIGHT SYSTEMS AR-15/M16

CSAT COMBAT SIGHT

Switch From CQB Mode To Long-Range Targeting Without Changing The Aperture

Easy-to-use replacement for standard A2 rear aperture allows the shooter to engage targets at ranges up to 300 yards without changing the aperture, eliminating the need to reposition your head or take hands off weapon. The .095" wide notch at the top of the dual-function aperture face provides point-of-impact zero that lets the operator engage close-range targets with ease by simply shooting to the point of aim like a pistol. Takes the thinking out of the equation for fast, instinctive target acquisition. Use the .070" diameter aperture below the notch for precise long-range target engagement. Flip the CSAT face down to reveal a standard, A2-style .200" diameter peep for close-range only operations. CSAT is easy to zero; even easier to train shooters to use. Zero the notch at 7 yards by aligning the front sight in the notch like a handgun sight, then move back to 100 yards and zero the aperture. Fire test shots sighted through the notch in 5-yard intervals, starting at 10-yards to determine where offset sets in; that's the range where you should transition to the peep hole. Precision machined from steel, with a serrated rear face that minimizes glare, and a dished area around the peep hole that helps the eye acquire the front sight quickly. Adjusts for windage and elevation just like a standard A2 peep. Developed by Paul Howe, combat shooting trainer and retired U.S. Army assault team leader, sniper, and senior instructor. **SPECS:** Steel, matte black finish. Fits A2-style AR-15/M16 rear sights. **#006-000-163EG CSAT Combat Rear Sight, 6K25T00 \$34.99**



adjustments. Directly replaces sight post in mil-spec front sight housing; spring with retaining nut holds adjustments tight and keeps sight from shaking loose during sustained fire. **SPECS:** Steel, blued base with fiber optic/tritium rod. .42" (1.1cm) long, .13" (3.3mm) wide, .35" (8.9mm) high. Includes sight, sight wrench, and installation dowel. **#902-000-106EG AR-15 Brite-Site 2K69A95 \$89.95**



XS SIGHT SYSTEMS AR-15/M16 HIGH VISIBILITY SIGHT

Fast, Accurate Sighting In All Light Conditions

WHITE LINE FRONT POST - Draws your eye to the sight and increases contrast on dark targets. Double-faced, 30° angle blade offers 2.5 MOA elevation per click. .080" wide version for improved accuracy at long range, .100" wide version is faster to acquire at close range. **SPECS:** Stainless steel, black, matte finish. Includes sight adjustment tool. .080" (2mm) or .100" (2.5mm) wide post. .030" (.76mm) wide, white stripe, square top.

#006-111-080EG .080" White Front Post, 6K22U50 \$30.00

#006-111-100EG .100" White Front Post, 6K22U50 30.00

24/7 TRITIUM STRIPE POST - Features a strip of glowing, green, tritium gas inset against a white stripe, surrounded by a .100" wide black blade. Ideal for low-light tactical situations where rapid sight acquisition is critical. Available with, or without, rear aperture. Rear aperture features a large, ghost-ring, .230" I.D. opening for close ranges and a precision, .100" I.D. opening for long distances. **SPECS:** Stainless steel, black, matte finish. Includes sight adjustment tool. **24/7 Tritium Stripe Post** - .100" (2.5mm) wide post, square top. Green tritium stripe is inset against the .030" (.76mm) wide, white stripe. Rear Aperture - .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture. **#006-000-103EG 24/7 Tritium Stripe Front Post, only, 6K52X50 \$60.00**

#006-000-104EG 24/7 Tritium Stripe Front Post/Rear Set, 6K67X50 90.00

ROUND TOP TRITIUM DOT FRONT POST - Round Top, single-faced, .080" wide front post with a bright, green tritium dot with a .11" O.D. white ring for fast, low-light, target acquisition. 5 MOA elevation per click. **SPECS:** Stainless steel, black, matte finish. Includes sight adjustment tool. .080" (2mm) wide, round top with .11" (2.8mm) O.D. white ring with tritium center. **#006-111-181EG Round Top Tritium Dot Front Post, 6K45U00 \$60.00**

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. **SPECS:** Stainless steel, black matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture. **#006-111-001EG AR-15/M16 Rear Aperture, 6K22U50 \$30.00**

24/7 PRECISION TACTICAL SIGHT SET - Tritium sight set provides excellent sight visibility in all light conditions. Front post is .100" wide and features a green, tritium vial for low-light operations. Easy-to-see, white outline reflects ambient light for day missions. Rear sight features two, flip-style apertures (.100" and .225" I.D.) for long-range and close-quarter engagement. Close-range aperture features two, subdued, tritium dots at 3 o'clock and 9 o'clock for proper alignment with the front sight post in low-light conditions. Same-plane design eliminates elevation differences between small and large apertures. Rear sight aperture can be chosen for the lighting situation as well as the range of target. **SPECS:** Stainless steel, black matte finish. **Front Post** - .100" (2.5mm) wide post, square top. Green tritium strip is inset against the .055" (1.4mm) wide, .17" (4.3mm) high, white stripe. **Rear Aperture** - .100" (2.5mm) I.D. small aperture, .225" (5.7mm) I.D. large aperture. **#006-000-149EG 24/7 Precision Tactical Sight Set, 6K101H25 \$135.00**

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. **SPECS:** Stainless steel, black matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture. **#006-111-001EG AR-15/M16 Rear Aperture, 6K22U50 \$30.00**

24/7 PRECISION TACTICAL SIGHT SET - Tritium sight set provides excellent sight visibility in all light conditions. Front post is .100" wide and features a green, tritium vial for low-light operations. Easy-to-see, white outline reflects ambient light for day missions. Rear sight features two, flip-style apertures (.100" and .225" I.D.) for long-range and close-quarter engagement. Close-range aperture features two, subdued, tritium dots at 3 o'clock and 9 o'clock for proper alignment with the front sight post in low-light conditions. Same-plane design eliminates elevation differences between small and large apertures. Rear sight aperture can be chosen for the lighting situation as well as the range of target. **SPECS:** Stainless steel, black matte finish. **Front Post** - .100" (2.5mm) wide post, square top. Green tritium strip is inset against the .055" (1.4mm) wide, .17" (4.3mm) high, white stripe. **Rear Aperture** - .100" (2.5mm) I.D. small aperture, .225" (5.7mm) I.D. large aperture. **#006-000-149EG 24/7 Precision Tactical Sight Set, 6K101H25 \$135.00**

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. **SPECS:** Stainless steel, black matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture. **#006-111-001EG AR-15/M16 Rear Aperture, 6K22U50 \$30.00**

24/7 PRECISION TACTICAL SIGHT SET - Tritium sight set provides excellent sight visibility in all light conditions. Front post is .100" wide and features a green, tritium vial for low-light operations. Easy-to-see, white outline reflects ambient light for day missions. Rear sight features two, flip-style apertures (.100" and .225" I.D.) for long-range and close-quarter engagement. Close-range aperture features two, subdued, tritium dots at 3 o'clock and 9 o'clock for proper alignment with the front sight post in low-light conditions. Same-plane design eliminates elevation differences between small and large apertures. Rear sight aperture can be chosen for the lighting situation as well as the range of target. **SPECS:** Stainless steel, black matte finish. **Front Post** - .100" (2.5mm) wide post, square top. Green tritium strip is inset against the .055" (1.4mm) wide, .17" (4.3mm) high, white stripe. **Rear Aperture** - .100" (2.5mm) I.D. small aperture, .225" (5.7mm) I.D. large aperture. **#006-000-149EG 24/7 Precision Tactical Sight Set, 6K101H25 \$135.00**

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. **SPECS:** Stainless steel, black matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture. **#006-111-001EG AR-15/M16 Rear Aperture, 6K22U50 \$30.00**

24/7 PRECISION TACTICAL SIGHT SET - Tritium sight set provides excellent sight visibility in all light conditions. Front post is .100" wide and features a green, tritium vial for low-light operations. Easy-to-see, white outline reflects ambient light for day missions. Rear sight features two, flip-style apertures (.100" and .225" I.D.) for long-range and close-quarter engagement. Close-range aperture features two, subdued, tritium dots at 3 o'clock and 9 o'clock for proper alignment with the front sight post in low-light conditions. Same-plane design eliminates elevation differences between small and large apertures. Rear sight aperture can be chosen for the lighting situation as well as the range of target. **SPECS:** Stainless steel, black matte finish. **Front Post** - .100" (2.5mm) wide post, square top. Green tritium strip is inset against the .055" (1.4mm) wide, .17" (4.3mm) high, white stripe. **Rear Aperture** - .100" (2.5mm) I.D. small aperture, .225" (5.7mm) I.D. large aperture. **#006-000-149EG 24/7 Precision Tactical Sight Set, 6K101H25 \$135.00**

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. **SPECS:** Stainless steel, black matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture. **#006-111-001EG AR-15/M16 Rear Aperture, 6K22U50 \$30.00**



WEAPON SOLUTIONS AR-15/M16 CQB NOTCH/PEEP SIGHT

Easy Co-Witnessing & Two Apertures For Different Shooting Applications

Drop-in replacement for the mil-spec A1/A2 flip-up rear sight aperture co-witnesses with red dot optical sights and gives you a choice between traditional peep and easy-to-acquire notch. Notch won't interfere with view of the primary sight's reticle, so both sight pictures are easy to see, and you can switch between them quickly. Also maximizes field of view during CQB operations, especially in low-light conditions. For more precise targeting, flip up the peep side for a "medium"-sized peep that falls between the two hole sizes on standard A1/A2 sights. Elevation does not change when switching from notch to peep. Precision CNC-machined from 6061 aluminum and hardcoat anodized. **SPECS:** Machined aluminum, hardcoat anodized, matte black. .045" (1.16mm) wide notch. .100" (2.6mm) diameter peep aperture. **#100-003-250EG Notch/Peep Rear Sight 4B23X95 . . \$29.95**

A.R.M.S. AR-15/M16 FLIP-UP REAR SIGHT

Spring-Loaded, Dual Range Flip-Up Sight For Use With Or Without Optics

Well-thought-out design can be used in one of two ways: in a backup mode, folded and locked down when using optics, or leave it up to co-witness with your optical sights. If the batteries on your optics fail, disengage the no-sag release lever to instantly release the spring-loaded sight to the up position while remaining on target. Dual apertures are calibrated for mid-range and close-range targets, simply aim through both or fold the first one down and use the second aperture. Sight easily mounts to A2 rail with stainless steel cross bar and clamp secured by a locknut that's safety wired, so you can't lose it. Similar in construction to the standard issue military sight, well known for its strength and reliability. Features precision machined aluminum base with stainless steel hardware and steel apertures. Regulates properly with standard issue front sights. **40 Std. A2** is 1/16" high from top of flattop when folded down and is calibrated for 500 - 600 meters and 250 - 300 meters. Windage adjustable using 3/4" diameter side knob. **40 L Low Profile** is 3/16" high from top of flattop when folded down. Calibrated for 300 meter and 250 meter combat ranges. Vertical notches above both apertures provide a secondary sighting system, designed for shooting inside 50 meters. Windage adjustable using 1/16" diameter side knob. **SPECS:** Apertures - Steel, matte, black. Hardware - Stainless steel, matte, dark gray. Base - aluminum, hardcoat anodized, matte, dark gray. 2 1/8" (5.4cm) long, 1 3/8" (3.4cm) wide, 1 5/8" (4.2cm) high (upright position). **40 Std. A2 Sight** - 1/16" (2.4cm) high (fold down height). **40 L Low profile sight** - 3/16" high (1.5cm) (fold down height). **#100-003-316EG 40 Std. A2 Sight 3A00YTP \$115.99**
#100-003-317EG 40 L Low Profile Sight 3A00VBX 130.99



40 L Low Profile 40 Std. A2

For more choices of A.R.M.S. SIGHTS visit brownells.com



DPMS AR-15/M16 STEEL DETACHABLE FRONT SIGHT

Detaches Quickly; Fits Weaver & Picatinny Rails

Machined, steel, detachable front sight lines up at the perfect height for A2s and A3s. Serrated clamp screw tightens unit to Weaver or Picatinny gas blocks or front sight bases. Skeletonized center lightens weight and lets you mount sling attachments. Parkerized finish matches the look of your barrel. Slight post adjusts for elevation. **SPECS:** 4140 chrome molly steel, parkerized finish. 1 3/4" (4.4cm) high, 1 1/2" (14mm) wide across center. **#231-000-170EG Steel Front Sight 1C42Z86 \$53.58**

Machined, steel, detachable front sight lines up at the perfect height for A2s and A3s. Serrated clamp screw tightens unit to Weaver or Picatinny gas blocks or front sight bases. Skeletonized center lightens weight and lets you mount sling attachments. Parkerized finish matches the look of your barrel. Slight post adjusts for elevation. **SPECS:** 4140 chrome molly steel, parkerized finish. 1 3/4" (4.4cm) high, 1 1/2" (14mm) wide across center. **#231-000-170EG Steel Front Sight 1C42Z86 \$53.58**

Machined, steel, detachable front sight lines up at the perfect height for A2s and A3s. Serrated clamp screw tightens unit to Weaver or Picatinny gas blocks or front sight bases. Skeletonized center lightens weight and lets you mount sling attachments. Parkerized finish matches the look of your barrel. Slight post adjusts for elevation. **SPECS:** 4140 chrome molly steel, parkerized finish. 1 3/4" (4.4cm) high, 1 1/2" (14mm) wide across center. **#231-000-170EG Steel Front Sight 1C42Z86 \$53.58**

Machined, steel, detachable front sight lines up at the perfect height for A2s and A3s. Serrated clamp screw tightens unit to Weaver or Picatinny gas blocks or front sight bases. Skeletonized center lightens weight and lets you mount sling attachments. Parkerized finish matches the look of your barrel. Slight post adjusts for elevation. **SPECS:** 4140 chrome molly steel, parkerized finish. 1 3/4" (4.4cm) high, 1 1/2" (14mm) wide across center. **#231-000-170EG Steel Front Sight 1C42Z86 \$53.58**



BROWNELLS CAR-15/M4 FLIP-UP TACTICAL SIGHTS



Standard Rear 360 Series Rear Front

Fast Deploying Backup Sights For Emergency Situations

Rugged flip-up sights provide instant backup when primary sight fails or weather conditions limit its use. Robust cross-bolt with oversized, slotted hex nut locks clamping block tightly to Picatinny accessory rail for zero sight movement. Clean, low profile design won't snag on other gear when folded down. All models regulate with mil-spec A2 carbine sights or same-height aftermarket sights—perfect for co-witnessing with non-magnifying red dot and holographic optical sights. Precision machined from hardcoat anodized 6061 T6 aluminum and heat-treated 4140 steel for repeatable settings and the strength to handle the rigors of combat. A2 windage knob on rear sights provides precise 1/2 MOA adjustment. **Standard Rear** - Versatile, .108" diameter aperture gives an excellent field of view for both short- and long-range targets. Deep grooves on the sides ensure positive grip for quick deployment, while ball detent lock resists accidental folding down during strenuous maneuvers. **Tritium Rear Sight** - Adds to the Standard rear sight, self-illuminating, Triticon® Tritium inserts on each side of the aperture that glow in low light to help you quickly align the aperture with a Tritium front sight post in all light conditions. **360 Series Rear** - HK-style rotating turret for maximum accuracy out to 300 yards. Knurled turret collar with machine engraved range index marks allow quick aperture changes; two ball detents lock turret in place at each position. Close-range .160" aperture provides a large field of view for close combat; three .070" apertures are trajectory calibrated for the mil-spec M4 at 100, 200, and 300 yard ranges. (Best accuracy with 5.56mm (.223) ammunition that duplicates the military M855 62 grain FMJ load.) **Front Sight** clamps to gas block accessory rail. A2-style .070" wide adjustable post is correct height for both rear sight models. Thick, protective ears guard sight post from bending or breakage. **USA**

SPECS: 6061 T6 aluminum and 4140 steel, matte black. **Standard Rear & Tritium Rear Sight** - 1 3/8" (3.5cm) overall length, 1 1/8" (4.3cm) high (extended), 7/8" (2.2cm) high (folded). **360 Series Rear** - 1 3/8" overall length, 1 1/8" high (extended), 1 3/16" (3cm) high (folded). Trajectory calibrated for carbines with 16" long barrel equipped with A2 front sight or sights of equivalent height. **Front** - 7/8" (2.2cm) long, 1" (2.5cm) wide, 1.650" (4.2cm) high (extended), 3/4" (1.9cm) high (folded).

- #080-000-509EG Std Rear Sight 8K65Z71 \$ 79.99
- #080-000-523EG Tritium Rear Sight 8K79T99 99.99
- #080-000-510EG 360 Series Rear Sight 9A99Z99 139.99
- #080-000-521EG Front Sight 8K40T60 49.99
- #080-000-524EG Front/Std Rear Sight Set, 8K89T99 109.99
- #080-000-525EG Front/360 Rear Sight Set, 8K121T27 159.99

DPMS AR-15/M16 DETACHABLE REAR SIGHT



Secondary Sight System For Tactical Rifles

Mil-Spec, A-2-style, rear sight gives tactical rifles an accurate, reliable backup to scopes and electronic sights. Adjustable for windage and elevation; uses two, steel, thumb screws that lock the sight to Picatinny or Weaver-style bases with precise return to zero. Lets you determine correct sight settings, then remove sight for safe storage. Correct height for issue front sight when mounted on flattop receiver.

SPECS: Aluminum base, steel sight parts, parkerized finish. #231-000-006EG Detachable Rear Sight 1C58A33 . . . \$ 72.99

DANIEL DEFENSE AR-15/M16 A1.5 FIXED BACKUP REAR SIGHT

Rugged, Reliable Always-Deployed Relief Sight; Won't Interfere With Charging Handle

Lightweight, streamlined backup sight is built on the K.I.S.S. principle to ensure the tactical operator has a reliable, always-deployed sighting option if the main optic fails. One-piece design slides easily on the rear of the receiver rail and clamps securely with a single machine screw. Combines windage adjustment system of the original USGI A1 rear sight with large peep for close range and small peep for long-range targeting. Compact profile doesn't hang over the rear of the receiver to interfere with the shooter's access to the charging handle. Rounded edges and recessed attachment screw head resist snagging on other gear. **USA**

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. 1 3/8" (3.5cm) long, 1 1/4" (3.2cm) wide, 1 1/8" (4.1cm) high from top of receiver rail to top of sight housing. 1.7 oz. (49g) weight.

- #100-004-457EG A1.5 Fixed Backup Rear Sight, 8K68X45 \$ 80.99

DPMS AR-15/M16 MANGONEL SIGHTS



Quick & Easy To Flip Up & Down

CNC-machined, aluminum and steel sights let you leave your iron sights on your gun when using optics and nightvision. Spring-loaded, steel support flips into place when sights are in up position; folds down and out of the way when you don't need them. Thumb screws tighten down for quick attachment to picatinny bases. Front sight adjusts for elevation; rear sight adjusts for windage.

SPECS: Steel and aluminum, parkerized gray and anodized black finishes. **Front Sight** - Approx. 1.35" (3.4cm) long, 1.6" (4.1cm) wide, 1.6" (4.1cm) high when up, .73" (18.5cm) high when down. **Rear Sight** - 2.3" (5.8cm) long, 1.8" (4.6cm) wide, 1.4" (3.6cm) high when up, .82" (21cm) high when down. .150" (3.8mm) sight aperture.

- #231-000-183EG Front Mangonel Sight 1C80Z20 . . . \$ 99.99
- #231-000-184EG Rear Mangonel Sight 1C99Z93 . . . 124.91

HAHN PRECISION AR-15/M16 BACKUP IRON SIGHT

Clean, Low Profile Design For Less Weight, Easy Access To Main Optics

Use as a standalone rear sight or attach to A4 receiver rail directly behind the BUIS Scout Rail by Hahn Precision. Provides easy co-witnessing of open sights with red-dot optics. Spring-loaded detent prevents aperture movement under recoil. Has standard A1 windage hardware. Angled forward profile allows easy access to holographic sight buttons. **USA**

SPECS: 6061-T651 billet aluminum, hard black anodized. Body - 2.15" (5.4cm) long x 1.2" (3cm) wide x .9" (23mm) high. 1.53 oz. (42g) wt. Aperture - .117" diameter. Fits mil-spec flattop receivers.

- #100-002-869EG Backup Iron Sight 6K96X00 \$ 120.00

J.P. ENTERPRISES AR-15/M16 SHORT RANGE TACTICAL SIGHT



For Fast Close-Range Target Engagement

Compact, secondary sight attaches to a Picatinny mount on the side of the handguard to supplement optics and other long-range sight setups. Simply cant the rifle to instantly acquire the easy-to-see, A2 style, front sight post. Dovetailed, rear notch provides windage adjustment; set front sight elevation with standard A2 tool. Includes five, polymer sight posts in blue, orange, red, white, and yellow. **USA**

- #452-000-028EG Short Range Sight 2E96D00 \$ 119.95



GG&G AR-15/M16 BACKUP IRON SIGHTS

Fast Deployment, With Excellent Accuracy

Lightweight aluminum, flip-up sights provide instant backup if your primary sight fails or the tactical requirements change. Innovative, spring loaded detent button locks the sight in the upright position to ensure it won't fold down unexpectedly. Steel cross-bolt is countersunk to provide a smooth, snag-free surface.

A2-STYLE REAR SIGHT - Clamps to Picatinny or Weaver-style flattop rails and with proper setup will co-witness with an Aimpoint, EOTech, or similar red-dot sight system. All feature standard military A2-style double peep apertures for short- and long-range targets. Large, knurled windage knob is easy to grab and provides 0.48 MOA adjustment on M16E4 rifles and 0.65 MOA on M4 carbines. Precision machined from 6061 T6 aluminum and Type III hardcoat anodized for durability; includes heat-treated, 4140 steel hardware. **Standard** sight includes a .062" diameter aperture for precision accuracy during daylight, especially at long range. Large, .195" diameter aperture provides a wide field of view for close quarters operations. **XS Same Plane** sight features the XS same plane aperture to eliminate noticeable shifts in point-of-impact when switching between short- and long-range apertures. Includes .100" diameter aperture for precision accuracy during daylight and at long range. Extra large, .230" diameter aperture allows superior low light visibility and faster close range target acquisition. **Tritium** sight with large .210" diameter aperture and two self-luminous, tritium dots provide fast, close range target acquisition during low light or night operations. Includes a plain black .090" diameter aperture for exceptional long range accuracy.

SPECS: Base - 6061 T6 aluminum, matte, black, hardcoat anodized finish. Aperture/Hardware - 4140 steel, matte, black, mil-spec manganese phosphate coating. 2" (5.1cm) overall length (folded), 1 9/16" (2.9cm) high extended, 1 1/16" (1.7cm) high folded.

- #100-003-548EG Std. Backup Iron Sight 6C99Y95 . . . \$ 124.95
- #100-003-550EG XS Same Plane Backup Iron Sight, 6C159T95 169.95
- #100-003-549EG Trit. Backup Iron Sight 6C159T95 . . . 169.95

FLIP-UP FRONT SIGHTS - Flip-up front sights clamp to MIL-STD 1913 Picatinny rails to meet almost any tactical or competition application. All models have a standard A2 front post, detent, and spring, with full elevation adjustment. Sight bodies are precision machined from either solid aluminum billet or steel for extra strength, and feature hardened detents and hinge pins for durability. Protective ears guard the sight post from impact, and all edges have been dehorned to protect the shooter. All-aluminum **Forearm** model is correct height for proper sight alignment when mounted on a tactical forearm or on a gas block that is the same height as the upper receiver. Sight body folds rearward. **Aluminum Gas Block** model has taller overall height for mounting to gas block equipped with a Picatinny rail. Same command height as the original AR15/M16 front sight for proper regulation with USGI-style rear sight. Folds forward to avoid interfering with large diameter tactical forearms. **Steel Gas Block** model mounts to gas block rail and deployed height of the post is the same height as an A2 front sight, ideal for co-witnessing with red dot optics. Made from solid 4140 chrome-moly steel billet for extra strength to handle extreme operating conditions. Bead-blasted and manganese phosphated to provide a corrosion resistant, non-reflective matte black finish.

SPECS: 6061 T6 aluminum, hardcoat anodized, or 4140 carbon steel, manganese phosphated, matte black. All models fit MIL-STD 1913 Picatinny rail. Includes installation instructions and Allen wrench. **Forearm** - Height: 1.330" (3.38cm) from top of base to top of sight. 2.5 oz. (70g) wt. **Aluminum Gas Block** - Height: 1.650" (4.19cm) from top of base to top of sight. 1.9 oz. (53g) wt. **Steel Gas Block** - Height: 1.650" (4.19cm) from top of base to top of sight. 3.2 oz. (90g) wt.

- #336-000-033EG Flip-Up Forearm Front Sight, 6C149D95 \$ 179.95
- #336-000-032EG Alum. Flip Up Gas Block Front Sight, 6C149D95 179.95
- #336-000-034EG Steel Flip Up Gas Block Front Sight, 6C108D00 135.00

GG&G AR-15/M16 MAD FLIP-UP REAR SIGHT

Fast Deployment In Emergencies; Multiple-Setting Aperture For Precise Accuracy

Originally manufactured under contract for Picatinny Arsenal, the MAD (Multiple Aperture Device) rear sight gives the tactical shooter fast-deploying back-up sight system with preset range points out to 600 yards. A robust locking bar and cross-bolt clamp the MAD securely to the rearmost slot in any flattop receiver rail. Rotating disc has five numbered .070" apertures preset to provide the right elevation for quick, short-range engagements or precise accuracy at longer distances: 0 - 0 to 200 yards, 3 - 300 yards, 4 - 400 yards, 5 - 500 yards, 6 - 600 yards. (Calibrated for 5.56 NATO ammunition with 55-62 grain bullet fired from a 16" barrel.) Position number is clearly visible to the shooter through a window below the aperture. Easy-to-grasp serrated windage adjustment knob provides approximately 1/2 MOA adjustment per click on standard-issue M16A3 rifle and .65 MOA on M4 carbine. Co-witnesses with most non-magnifying holographic and red dot optical sighting systems. Folds down out of the way for low-profile storage when not in use; radiused edges and rounded corners help prevent snagging on other gear. Folded MAD overhangs the upper receiver by approximately 1/4", providing a lip for solid thumb contact to deploy the sight instantly, even when the operator is wearing gloves. Locking detent ball prevents the raised sight from accidental lowering; the operator must depress a spring-loaded release button to lower the sight. Precision machined base of strong, hardcoat anodized 6061 T6 aluminum and sight tower/aperture wheel of Parkerized 4140 steel handle the punishment of high-tempo combat operations.

SPECS: Steel and aluminum, matte black finish. Covers 1 3/4" of rail space. .070" diameter apertures. Fits flattop AR-15/M16/CAR-15/M4. #100-003-551EG MAD Flip-Up Rear Sight, 6C116T44 \$ 140.99

MAKO AR-15/M16 CLAMP ON SIGHTS



Rugged & Reliable With Classic A2 Sight Picture; Co-Witness With Optics

Economical, clamp-on "iron" sights let you temporarily convert your flattop to an A2-style sight system for close-range tactical operations or as backups to co-witness with non-magnifying optics. Streamlined shape with rounded edges resists snagging on other gear, and rugged, solid aluminum construction stands up to rough handling without adding excess weight. Integral metal ears protect front sight post and rear sight aperture from impact. Side clamping bars, steel cross-bolts, and oversized thumb-screws grab the rail tightly to ensure zero movement under recoil, yet allow quick removal to reconfigure your weapon. **FS1 Front Sight** clamps to Picatinny rail on extended handguard or gas block. Includes elevation-adjustable A2-style post. **RS1 Rear Sight** attaches to flattop receiver and has detent-locking wheel for elevation adjustment, plus a deeply grooved knob on the right side for windage. Includes GI-type, two-position aperture with long- and close-range peep holes.

SPECS: Aluminum, matte black finish. **FS1** - 1 3/8" (3.5cm) long 1.665" (4.23cm) height measured from top of base to top of blade. **RS1** - 2 1/8" (7.3cm) long 1.475" (3.75cm) height measured from top of base to center of aperture.

- #100-004-273EG FS1 Clamp-On Front Sight, 2B27V95 \$ 31.90
- #100-004-274EG RS1 Clamp-On Rear Sight, 2B27V98 31.99



Brownells Flip-Up Tactical Sight Product Video Available Online

MAGPUL AR-15/M16 MBUS SIGHT SYSTEM



Reliable, Low-Profile, Quick-Deploy Backup Sights

Low-profile, flattop-mounted backup sights deploy instantly at the touch of a finger to provide relief sighting in fluid tactical situations. Drawing on their extensive manufacturing experience with high-grade, reinforced molded polymer technology, Magpul's engineering team designed the versatile Magpul Back-Up Sight (MBUS) system to be robust, reliable, lightweight, easy to use, and affordable. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when the MBUS is folded. Spring-loaded ambi release mechanism lets you hit the grooved tab on either side, and the sight deploys and locks in place. Hit the same tabs to retract when you're done. Integral mount requires less than 1" of MIL-STD 1913 Picatinny receiver rail space and locks securely in place with the included steel crossbolt. The A2-style front post has plenty of height adjustment for accurate sight regulation on rifles and carbines with any-length barrel; use a standard, four-prong AR-15/M16 front sight adjustment tool. Windage-adjustable rear sight has two apertures: a large, .185" peep for engaging close-range targets, and a .70" peep for longer-range shooting. Although designed for AR-type rifles and carbines, the MBUS may be installed on other weapons with Picatinny receiver rails. Available in black, Dark Earth, O.D. Green, and Foliage Green, either as matched front/rear sets or separately. **NOTE: Due to the nature of materials used, these sights are not to be installed on railled gas blocks.**

SPECS: Reinforced, injection-molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Dimensions apply to front and rear sights; heights measured from top of rail to top of sight. 1.625" (4.1cm) long when deployed, 2.625" (6.7cm) long when folded, 1.25" (3.2cm) wide, .630" (1.6cm) high when folded, 1.5" (3.8cm) high extended. Large aperture, .185" dia. Small aperture, .70" dia.

#100-004-177EG MBUS Sight Set, Black 3K78A52... \$97.99

#100-004-178EG MBUS Sight Set, Dark Earth, 3K78A52... 97.99

#100-004-179EG MBUS Sight Set, O.D. Green, 3K78A52... 97.99

#100-004-180EG MBUS Sight Set, Foliage Green, 3K78Y52... 97.99

#100-004-169EG MBUS Front Sight, Black 3K32A06... 39.99

#100-004-170EG MBUS Front Sight, Dark Earth, 3K32A06... 39.99

#100-004-171EG MBUS Front Sight, O.D. Green, 3K32A06... 39.99

#100-004-172EG MBUS Front Sight, Foliage Green, 3K32A06... 39.99

#100-004-173EG MBUS Rear Sight, Black 3K48A29... 57.99

#100-004-174EG MBUS Rear Sight, Dark Earth, 3K48A29... 57.99

#100-004-175EG MBUS Rear Sight, O.D. Green, 3K48A29... 57.99

#100-004-176EG MBUS Rear Sight, Foliage Green, 3K48A29... 57.99

Shop

mbus

Search

BROWNELLS mobile

Now you can shop using your mobile device

Enter www.brownells.com on your mobile phone's web browser



MIDWEST INDUSTRIES AR-15/M16 FIXED REAR BACKUP SIGHT

Rugged Design Keeps You In The Fight If Primary Sight System Fails

Rugged, all-metal rear sight clamps directly to flattop receiver rail and is always "deployed" to provide no-fail backup if primary sight system fails. Built like a tank to withstand the punishment of hard combat operations, including entering and exiting vehicles in a hurry, so you can stay in the fight. Two thick protective ears fully shield the A2-style aperture from blows. Beveled corners on the ears and radiused edges on the entire sight body resist snagging on other gear. Flip-style aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact won't change when switching from one aperture to the other. Flush A1-style windage knob provides positive clicks for .50 MOA of adjustment on rifles with 20" barrel and .65 MOA on carbines with 16" barrels. Precision machined from high-quality 6061 T6 aluminum billet and mil-spec hardcoat anodized matte black for extra strength and superb resistance to surface wear.

SPECS: Aluminum, hardcoat anodized, matte black. Fits flattop AR-15/M16 rifles. 1.125" (2.9cm) long, 1.25" (3.2cm) wide, 1.875" (4.8cm) overall height. Center of aperture is 1.360" (3.5cm) above top of rail. 2.3 oz. (64g) wt.

#100-004-463EG Fixed Rear Backup Sight, 2A70X00... \$ 80.95

MIDWEST INDUSTRIES AR-15/M16/AR-STYLE .308 FLIP-UP SIGHTS

Instant Back-Up Sighting At All Ranges

Flip-up sights deploy with the flick of a finger to provide instant back-up, so you stay in the fight if your optical/laser sight fails or conditions render it ineffective. Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the pushbutton release. Sight folds down neatly out of your sight path when not in use. Machined from high-quality 6061 T6 aluminum and hardcoat anodized matte black for increased wear-resistance. Hex wrench included with all models for easy installation.

REAR SIGHTS - Clamp securely to flattop receivers. Flip-style A2 aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact will not change when switching from one aperture to the other. Deeply grooved knob provides positive clicks for windage adjustment in .65 MOA increments on rifles and carbines with 16" barrels and .49 MOA on rifles with 20" barrels. **MCTAR-ERS** - Emergency Rear Sight with protective "ears" to guard the aperture from accidental damage. Aperture has .060" and .200" diameter peep openings; same windage knob as standard A2 sight. Available in Black, Flat Dark Earth, or O.D. Green. **MCTAR-SPLP** - Low-profile design is less than 1/2" high when folded, yet provides full windage adjustment like the ERS model. Aperture has .070" and .200" diameter peeps. Available in Black only.

SPECS: Aluminum, hardcoat anodized, matte black, Dark Earth, or O.D. Green. Fits flattop AR-15/M16 rifles. **MCTAR-ERS** - 1 3/8" (3.5cm) long, 1 3/8" wide, 1 3/4" (4.4cm) high deployed, 1" (2.5cm) high folded. 2.2 oz. (61g) weight. **MCTAR-SPLP** - 1 1/8" (2.9cm) long, 1 1/4" (3.2cm) wide, 1 3/4" high deployed, 7/16" (1.1cm) high folded. 1.5 oz. (41g) weight.

#100-001-992EG MCTAR-ERS Emergency Rear Sight, Blk, 2A82H12... \$ 105.99

#100-004-248EG MCTAR-ERS Emergency Rear Sight, Dark Earth 2A82H12... 105.99

#100-004-249EG MCTAR-ERS Emergency Rear Sight, O.D. Green 2A82H12... 105.99

#100-003-432EG MCTAR-SPLP Flip-Up Rear Sight, Black, 2A107C07... 124.99



MCTAR-SPLP MCTAR-ERS

MATECH AR-15/M16 USGI BACKUP IRON SIGHT

Deploys Quickly; Fast, Easy Range Setting; Compact Profile When Folded



Current U.S. Army standard-issue backup rear sight for M4 carbines and M16A4 rifles flips up instantly at the touch of your thumb when primary sight fails or tactical situation makes iron sights preferable. Designed in conjunction with Picatinny Arsenal engineering staff and rigorously tested at Fort Benning and Aberdeen Proving Ground for robustness, ease of use, and effective targeting out to 600 meters. Detent-locking lever lets you quickly switch to one of eight range settings: 200, 300, 350, 400, 450, 500, 550, and 600 meters. Adjust windage easily with grooved, A2-style windage knob and position markers on the back of the sight for repeatability of settings. Bright, white, laser etched numbers and markers are clearly visible even in low light. Rugged machined steel construction ensures sight retains zero even under heavy, full-auto fire. Clamps securely to the rear-most slot of MIL-STD 1913 Picatinny or Weaver-style accessory rail on flattop receiver via simple but strong locking bar and bolt. Rounded corners and beveled edges further reduce danger of snagging on other gear when sight post is down. Regulates correctly with A2 front sight on any AR-15-style rifle or carbine; instructions included for adjusting front sight post height to set exact zero. Designed to co-witness with most non-magnifying optical sights.

SPECS: Steel, matte black finish.

#100-003-702EG USGI Backup Sight 6B127Y67... \$ 154.99

TRUGLO AR-15/M16 FIBER OPTIC FRONT GAS BLOCK SIGHT

Glowing Fiber Optic Element For Fast Sight Alignment In Any Light Conditions



Front sight tower clamps directly to a gas block with a topside accessory rail and provides a super-bright, green fiber optic dot for fast, easy-to-see sight pickup in all ambient light conditions. Push the rubber-sealed on/off button, and the integral battery-powered light source illuminates the extra-long, fiber optic rod so you are never left without a highly visible front sight, even at night. Front blade is easy to adjust for elevation. Lightweight aluminum base with dual protective ears attaches without gunsmithing to Picatinny or Weaver rail front gas blocks.

SPECS: CNC-machined aluminum, black finish. Front Blade - .080" (2mm) wide. Height - 1.80" (4.6cm) from top of base to top of blade at lowest setting. Weight - 1.9 oz. (54g). Fits AR-15/M16 equipped with MIL-STD 1913 Picatinny or nominal Weaver rail on gas block. Includes three 1.5 volt SR-60 batteries and sight adjustment wrench.

#902-000-113EG AR-15/M16 F/O Front Sight Tower, 2K50A36... \$ 61.99

FRONT SIGHTS - Designed to work with Midwest Industries flip-up rear sights, all three models have standard A2 front sight post and clamp directly to Picatinny rails. **MCTAR-FFR** mounts on AR-15/M16 handguard rail; **MCTAR-FFG** attaches to gas block rail. **MCTAR-10-AFFG** mounts on gas block rail and positions sight post at correct height for ArmaLite AR-10® carbine with factory-installed gas block and 16" barrel. May fit other AR-style .308 rifles with gunsmith modification.

SPECS: Aluminum, hardcoat anodized, matte black. 1 1/8" (2.9cm) long, 1 1/2" (3.1cm) wide, 7/8" (2.2cm) high folded. Approx. 1.7 oz. (50g) wt. **MCTAR-FFR** - 1 7/8" (4.8cm) high extended. **MCTAR-FFG** - 2 1/8" (5.4cm) high extended. **MCTAR-10-AFFG** - 2 3/8" (6cm) high extended.

#100-003-422EG MCTAR-FFR Forearm Rail Front Sight, 2A69X96... \$ 89.99

#100-003-423EG MCTAR-FFG Gas Block Front Sight, 2A69X96... 89.99

#100-002-984EG MCTAR-10-AFFG Gas Block Front Sight, 2A69H96... 89.99



TROY INDUSTRIES AR-15/M16

BATTLE SIGHTS

Rugged, Reliable Backup Sighting; Same Height As Factory Iron Sights



HK-Style Rear HK-Style Front M4/M16-Style Front

Rugged, flip-up sights provide fail-safe backup when your primary optic or red dot sight fails. Sight post flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base with sturdy side clamp and heavy duty stainless steel crossbolt attaches to any military or commercial Picatinny rail. Installs with a standard flathead screwdriver—no protruding knobs or levers to catch on brush, clothing, or other equipment. Machined from 6061 T6 aluminum and Type III hardcoat anodized for durability with Teflon® additive to resist surface abrasion; available in Black and Dark Earth. Front sight clamps to handguard accessory rail and is only 1/2" high when folded. Available in **HK** and **M4** styles, both with M4-type sight post that is elevation adjustable in 1/2 MOA increments. Protective ears on both models shield the post from damage. Distinctive "globe" shape of HK sight aids in fast target acquisition under stress. Deep grooves in sides of M4/M16 sight post ensure a firm grasp for fast deployment. **HK-Style Rear Sight** bolts to flattop receiver rail and is only .460" high when folded. Flip between two same-plane apertures; large .190" aperture provides a wide field of view for close-in targets, while .070" aperture is calibrated for engaging long-range targets. Sturdy, protective "ears" guard the aperture from impact. Large adjustment wheel with deep serrations lets you change the windage setting in 1/2 MOA increments; positive-locking detent ensures settings change only when you want them to.

SPECS: Stainless steel and aluminum, Black or Dark Earth finish. **Rear** - 1.17" (3cm) long, 1.25" (3.2cm) wide, 1.85" (4.7cm) high extended. 1.8 oz. (52g) wt. **HK Front** - 1.17" long, 1.25" wide, 1.9" (4.9cm) high extended. 1.6 oz. (45g) weight. **M4/M16 Front** - 1.17" long, 1.25" wide, 1.75" (4.5cm) high extended. 1.6 oz. weight.

#100-003-442EG Folding Rear Sight, Blk 3B140Y00... \$ 149.99

#100-003-443EG Folding Rear Sight, Dark Earth, 3B140Y00... 149.99

#100-003-444EG HK-Style Front Sight, Black, 3B120Y00... 129.99

#100-003-445EG HK-Style Front Sight, Dark Earth, 3B120Y00... 129.99

#100-003-446EG M4/M16-Style Front Sight, Black, 3B120Y00... 129.99

#100-003-447EG M4/M16-Style Front Sight, Dark Earth, 3B120Y00... 129.99

FIXED REAR BATTLE SIGHT - Tactical backup

sight is always deployed, so there's absolutely no delay, no fumbling when you need to transition from the primary optic. Troy designed this sight to be simple, rugged, and reliable—and it takes up only 1 1/8" of rail space. Precision machined from solid aluminum, with plenty of metal on the protective "ears" around the two-position aperture. All edges and corners are rounded, and there are no protruding knobs or levers to catch on brush, clothing, or other equipment. Rear of the base is undercut to provide clearance for access to the charging handle. Same-plane aperture flips easily between .190" and .070" diameter peeps, just like the Folding Rear Battle Sight. Windage adjustable in 1/2 MOA clicks using a coin in the slot of the flush A1-style detent-locking adjustment wheel. Clamps to any Picatinny rail; installs with a standard flathead screwdriver.

SPECS: 6061 T6 aluminum, hardcoat anodized, Black or Dark Earth finish. 1.5" (3.8cm) OAL, 1.25" (3.2cm) maximum width, 1.875" (4.8cm) high from top of rail to top of sight housing. 1.8 oz. (52g) weight.

#100-004-381EG Fixed Rear Sight, Black 3B83X17... \$ 103.50

#100-004-382EG Fixed Rear Sight, Dark Earth, 3B83X17... 103.50



SATISFACTION GUARANTEED
SINCE 1939

Office/Tech: 641-623-5401

**PRECISION REFLEX AR-15/M16
FLIP-UP TACTICAL SIGHTS**

Ready When You Need Them,
Fold Out Of The Way
When You Don't



Flip up sights deploy instantly to keep you operational if the primary sight system on your flattop AR-15 fails or loses effectiveness in low light conditions. Push-button controlled, positive locking, ball-detent system snaps sights firmly into position when you need them and locks them down when you don't. Folded sights allow a completely unobstructed view through optics and won't snag on brush, clothing, or gear. Large, spring-loaded button is easy to find and operate, even under stressful conditions. Protective hood over front sight posts and ears around rear sight aperture guard against damage during rough handling. Rugged, machined steel and aluminum construction will stand up to years of hard use. Durable, matte black, mil-spec finishes resist corrosion. **Barrel Mount Front Sight** - Solid, 4140 steel integral gas block/sight base clamps on .750" diameter barrel. Hex head crossbolts pull clamp halves tight to barrel to completely immobilize sight when properly tightened. Lightweight aluminum sight body comes with A2 sight post installed; also accepts aftermarket posts. Sight assembly folds to the rear when retracted. **Rail Mount Front Sight** - Functions like the barrel mount front sight when installed on a Picatinny style forearm rail positioned at the same height as the receiver rail. Folds to the rear in the down position. **Rail Mount Rear Sight** - Low-profile, windage-adjustable sight allows the use of optics and folds down compactly to the rear when not in use. A2-style same-plane aperture system is designed to flip between .090" and .195" diameter peep openings without losing zero. Ensures the correct sight picture for both close up and long range targets. **USA**

SPECS: 4140 steel base, Parkerized, and aluminum hardcoat anodized; matte black finish.

- #714-000-003EG Bbl Mount Front Sight 4A167H12 \$ 189.99
- #714-000-005EG Rail Mount Front Sight 4A99H00 . 119.00
- #714-000-004EG Rail Mount Rear Sight 4A114H95 . 135.00

**YANKEE HILL MACHINE AR-15/M16
BACKUP FLIP SIGHTS**

Deploys Fast For Instant Emergency Use

Heavy-duty, steel construction makes these emergency rear/front flip sights the tactical shooter's choice for LE and military tasks requiring a compact, backup, sight system of superior strength and dependability. Deploys easily with the flick of your thumb; disengages down, out of your sight path when not in use by depressing the spring-loaded pushbutton. Protective ears guard against blows that could potentially bend or break the sight post or aperture. Solid clamp with large crossbolt provides solid attachment to Weaver or Picatinny rail systems. Quick-release thumbscrew makes sight easy to install/remove. **USA**

GAS BLOCK FRONT FLIP SIGHT- Designed specifically to regulate properly when attached to a gas block rail. Positions the front sight post approximately 1/4" above the accessory rail. All steel components; includes standard sight post. Does not function as a gas block.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1/2" (3.8cm) wide, 2" (5.1cm) high when raised. 2.5 oz. (71 g) wt.

- #100-002-089EG Gas Block Flip Sight 9A58T88 . . . \$ 82.99

FOREARM FRONT FLIP SIGHT - Shortened version of the Gas Block Front Flip Sight for use on tactical handguards with accessory rails. Provides the proper sight regulation by placing the sight post approximately 1/8" above most forearm rails. All steel construction. Includes standard sight post.

SPECS: Steel, Mil-Spec phosphated. 1" (2.5cm) long, 1/2" (3.8cm) wide, 1 1/2" high when raised. 2.5 oz. (71 g) wt.

- #100-002-091EG Forearm Flip Sight 9A61T99 \$ 79.99



**WILSON COMBAT AR-15/M16
FLIP-UP SIGHTS**

Tactical Back-Up Sights
For Optic-Equipped Rifles



Rugged, all-steel, flip-up sights provide dependable backup in the event your primary optical sight fails. Designed from the ground up to be exceptionally robust, accurate, and reliable, they fold down out of the line of vision when you don't need them, flip up for instant use. Spring-loaded, detent mechanism locks positively in the up or down position to prevent unintentional raising or lowering. Precision-machined from ordnance-grade steel, with a hard, matte black finish for extra surface strength and resistance to scratches. **USA**

FLIP-UP REAR SIGHT (FURS) - Large aperture peep is fast to pick up, doesn't interfere with field of view. Dual clamp screws with a single cross bolt adapt to Weaver- or Picatinny-style bases. Click adjustment for elevation and windage gives excellent repeatability. **TR-FURS** - Has a coin-slot windage screw to prevent accidental changes on zeroed rifles. **TR-FURS2C** - Coin-slot windage screw plus push-button activated flip-up aperture for raising the sight without shifting your hands. **TR-FURS2K** - Push-button flip-up sight plus easy-to-locate, knurled windage screw for quick changes in fluid tactical situations.

SPECS: Steel, black, matte finish. 1 3/4" (4.4cm) long, 1 3/4" high.

- #965-000-017EG TR-FURS Flip-Up Rear Sight, 5F110X46 \$ 129.95
- #965-000-021EG TR-FURS2K Flip-Up Rear Sight, 5F153X20 179.99
- #965-000-022EG TR-FURS2C Flip-Up Rear Sight, 5F152X96 179.95

FLIP-UP FRONT SIGHT (FUFS) - Pushbutton-activated mechanism deploys instantly for immediate use, so you can adapt to quick changes in fluid tactical situations. Protective "fence" machined into the side of the sight post shields the button from damage or accidental activation. Two, massive, side posts protect the elevation-adjustable A2-style sight post from damage. All edges are radiused to resist snagging. Replaces factory gas block and front sight on .750" O.D. barrels. Clamps to barrel with two hidden setscrews on underside.

SPECS: Steel, black, matte finish. 2.25" (5.72cm) long, 2.26" (5.74cm) deployed height from top of barrel to top of post, .825" (2.1cm) folded height. Fits .750" O.D. barrels. Muzzle accessories must be removed to allow installation.

- #965-000-072EG Wilson Combat FUFS 5F125D96. . \$ 146.99



**YANKEE HILL MACHINE AR-15/M16
A2-STYLE REAR SIGHT**

Factory-Profile Backup Sight Co-Witnesses
With Most Red Dot Sight Systems



Solid, A2-style rear sight clamps to the rear of your flattop receiver to co-witness with an Aimpoint, E.O. Tech, or similar red-dot sight system. Functions like the original carry handle sight—perfect for a combat-ready backup sight—and regulates correctly with standard, M16/M4 front sights and Yankee Hill front sights. Two, hardened steel cross-bolts clamp the sight to the rail for zero movement under recoil. Large, grooved, steel windage knob and elevation wheel provide full click-adjustments in 1/2 M.O.A. increments. Standard, flip-style aperture has .065" and .200" diameter peepholes for short- and long-range shooting. Large, steel "ears" protect the aperture from blows. Rugged, aluminum base keeps weight to a minimum without sacrificing strength. **USA**

SPECS: Aperture, Housing & Hardware - Steel, matte, black, mil-spec phosphate coating. Base - Aluminum, matte, black, anodized finish. 1 1/8" (2.9cm) long, 1 1/4" (3.2cm) wide at base, 1 7/8" (4.8cm) high. 3.6 oz. (101g) weight.

- #100-003-173EG A2-Style Rear Sight 9A82T76 . . . \$ 102.99

**YANKEE HILL MACHINE AR-15/M16
QDS SIGHT SYSTEM**



Rugged, Quick-Deploy Backup System;
Minimal Profile When Folded

Spring-loaded sights deploy at the push of a button to provide instant backup sighting. Quick Deploy System locks securely and requires a firm, positive press of the button to deploy or retract the sight, so it won't accidentally activate when bumped—these sights stay where you put them. Minimal profile when folded—only .435" high—with radiused edges and a smoothly curved front surface to prevent snagging on foliage, gear, or clothing. Crossbolt and side bar provide solid attachment to MIL-STD 1913 Picatinny or Weaver-style rail systems. All-aluminum construction is lightweight, yet plenty strong to handle the hard knocks of tactical operations, with a durable, scratch-resistant hardcoat anodized finish for extra surface strength. **Front Sights** have mil-spec A2 post that adjusts for elevation; same-plane alignment with rear sights. Available with thick, protective ears that shield the post or an H&K-style hood for even greater security. **Rear Sight** adjusts for windage with the easy-to-grasp knurled knob and is available with a small peep (.065"), a large peep (.200"), or a two-position, A2-style aperture that lets you flip between both peep sizes. **Set** contains the front sight with ears and the two-position rear sight. **USA**

SPECS: Aluminum, hardcoat anodized, matte black. All models 1" (2.5cm) deployed length, 1 1/4" (3.2cm) wide, .435" (11mm) folded height. **Front Sight w/Ears** - 2 1/8" (5.4cm) folded length, 1.420" (3.61cm) deployed height from top of base to top of blade. **Front Sight w/Hood** - 2.1" folded length, 1.360" (3.45cm) deployed height from top of base to top of blade. **Rear Sight** - 2 1/4" (5.7cm) folded length, 1.425" (3.62cm) deployed height from top of base to center of aperture. Available with .065" or .200" peep hole or dual-aperture with both-size peeps.

- #100-004-315EG QDS Front/Rear Sight Set, 9A159P00 \$ 199.00
- #100-004-316EG QDS Front Sight w/Ears 9A79P00 . . 99.00
- #100-004-317EG QDS Front Sight w/Hood 9A79P00 . 99.00
- #100-004-318EG QDS Rear Sight w/Dual Apertures, 9A94P20 116.99
- #100-004-320EG QDS Rear Sight w/.065" Peep, 9A93P50 117.00
- #100-004-319EG QDS Rear Sight w/.200" Peep, 9A93P50 117.00

LIPSKI COMPETITION BARREL BAND

Easy Mount, High Quality, Adjustable Target Base



No gunsmithing required to attach this height-adjustable, machined steel base to AR-15 and other heavy-barrel, match rifles. Clamp on muzzle and adjust riser block to correct height for rear sight. Accepts Redfield and similar target globe assemblies. **USA**

SPECS: Steel, matte black. Base - 1" (2.5cm) long. Fits .812" (20mm), .750" (19mm), .732" (18.6mm) (Colt factory Flattop competition) and .922" (23.4mm) barrels. 1.25" (3.2cm) high from center of barrel to top of base. Riser height adjusts 1" (2.5cm).

- #527-101-812EG .812" Comp. Barrel Band 7B97T28 \$ 119.95
- #527-101-750EG .750" Comp. Barrel Band 7B97T28 . 119.95
- #527-101-732EG .732" Comp. Barrel Band 7B97T28 . 119.95
- #527-000-003EG .922" Comp. Barrel Band 7B97T28 . 119.95

**LIPSKI AR-15/M16
COMPETITION REAR SIGHT BASE**



Easy Rear Aperture Sight
Mounting For Target Rifles

Attach receiver-style target sights to your favorite rifle without drilling and tapping. Clamps to flat top rails. Once sight is mounted to base, the entire unit may be removed and re-installed without loss of zero. Pre-drilled side mounting plate accepts Redfield Palma, Warner, Zelenak and other sights using 10-32 mount screws. Mounting plate is adjustable for vertical and horizontal position. **USA**

SPECS: Steel, matte black. Adapter base 2.25" (5.7cm) long, .90" (23mm) high. Threaded 10-32. Weighs 3.1oz. (68 g).

- #527-100-015EG AR-15 Sight Base 7B65T99 \$ 80.95

DPMS AR-15/M16

DETACHABLE CARRY HANDLE

Back-Up Iron Sights &
Comfortable Carry
For Your Flattop



Mil-Spec, A-2-style rear sight provides primary or back-up sighting with the additional convenience of a carry handle. Full length clamping bar with two, large, easy-to-grasp, thumb nuts gives fast installation with instant return to zero. Correct height for issue front sight. Fits all flat top rifles and carbines with a Picatinny base.

SPECS: Steel sight parts, gray, parkerized finish. Aluminum handle, hard coat anodized and teflon-coated, black, matte. 7" (17.8cm) long, 9 oz. (256 g) weight.

- #231-000-030EG Detachable Carry Hdle IC82Y99 . . \$ 89.99

**HIGH STANDARD AR-15/M16 DETACHABLE
CARRY HANDLE/REAR SIGHT**



Easy To Carry

Military-style carry handle attaches to receiver rail to provide a simple, rugged iron sight system that converts flattop rifle for CQB operations or CMP Service Rifle Competition. Also serves as a mounting platform for ACOGs and other optics with a base already configured to fit carry handle. A2 rear sight assembly provides reliable primary or back-up sighting; correct height for issue front sight. Full-length clamping bar with two cross-bolts and thumb nuts lock handle securely to receiver rail and prevent unwanted movement during strenuous tactical operations. Deep grooves on nuts provide extra purchase for hand tightening, and slots accept a U.S. nickel or quarter for more tightening leverage. **SPECS:** Hardcoat anodized aluminum handle and parkerized steel sight parts, matte black. Fits flattop rifles and carbines with Picatinny-style receiver rail.

- #430-000-533EG Detachable Carry Handle/Rear Sight, 3D111U35 \$ 139.99

SHOP ONLINE at brownells.com

Search

ar-15 sight

Product Search

Search

Satisfaction Guaranteed!

REAR FLIP SIGHT - Low-profile design attaches to A4 flattop receivers and regulates correctly with standard, M16/M4 front sights, as well as all Yankee Hill front sights. Rugged, steel base features an aluminum stem to keep weight to a minimum. Deploys instantly with thumb pressure. Large, knurled, screw head provides 1/2 M.O.A. windage adjustment. Includes flip-style aperture with .065" and .200" diameter peepholes for short- and long-range accuracy.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 1 3/8" (3.5cm) high when raised, 2.5 oz. (71 g) wt.

- #100-002-094EG Rear Flip Sight, 9A79T99 \$ 89.99



BLACKHAWK INDUSTRIES
STORM SINGLE-POINT TACTICAL SLING



Quiet, Adjustable,
Dependable Weapon
Retention

Adjustable single-point sling is constructed of heavy-duty 1 1/4" nylon webbing and 1" elliptical elastic bungee cord for optimum performance and stealth. High-density bungee allows 4" of flex—just right for weapon agility in CQB maneuvers—and is covered with tough, weather-resistant compressed tubular nylon sheathing that prevents noise, limits bounce, and provides optimum retention. Strong, single-piece, quick attach/detach "mash" clip snaps securely to any single point sling adapter to keep your weapon within easy reach when you need it most. Elastic sleeve slides over clip to prevent rattling against gun. Heavy duty tri-glide nylon buckle allows adjustment to permit wear over bulky tactical vests and gear on all body sizes. A 300-lb test nylon "quick ditch" buckle instantly opens the sling if you need to release your weapon quickly.

SPECS: Nylon and elastic bungee cord, black. Carry strap is 1 1/4" (3.2cm) wide. Adjustable from approximately 27" (68.6cm) to 36" (91.4cm) OAL.
#100-003-349EG Storm Single-Point Sling, 8K26U39..... \$ 32.99

BLUE FORCE GEAR CAR-15/M4
COMBAT APPLICATIONS SLING

Adjusts Quickly,
Won't Tangle
Or Twist



Two-point design with front quick adjustment strap lets the operator change sling length without creating loose ends that can tangle with other gear. Allows for a variety of carry and shooting positions based on required tactical response. Fits M4 carbines with side sling swivels with 1 1/4" wide loop. **Vickers** is composed of two, separate sections of Cordura® nylon webbing; 17" forearm end, including quick adjustment loop, and 30" rear buttstock end; joined together with a high strength steel channel. Separate 10" removable, modular quick-release on the buttstock end allows for fast exit from sling and weapon in emergency situations. Can be used with or without modular release feature. Features machined aluminum front buckle, steel mid-section connector and polymer buckles. **Vickers Padded** is the same basic design as the **Vickers** with the addition of an extra wide shoulder strap with foam core padding for comfortable, all day carry without pinching or binding. Modular quick release not included. Composed of two, separate sections of Cordura® nylon webbing; forearm end, including quick adjustment loop, and rear buttstock end with shoulder pad. **Victory** is composed of two, separate sections of filament nylon webbing; 16" forearm end, including quick adjustment loop, and 28" rear buttstock end; joined together with a high strength steel channel. Modular quick-release not included. Advanced polymer non-slip adjustment buckles are resistant to solvents.

SPECS: Black, Coyote, or O.D. Green depending on model. **Vickers/Vickers Padded** - Cordura® nylon web. Aluminum front buckle, with steel mid-section connector, other buckles are polymer. 1 1/4" (3.1cm) wide. Adjusts from 46" (117cm) to 55" (140cm) OAL. **Victory** - Filament nylon web. Steel mid-section connector with polymer buckles. 1 1/4" (3.1cm) wide. Adjusts from 34" (86cm) to 44" (112cm) OAL.

- #100-002-950EG Vickers Sling, Black, 7A48Y56..... \$ 59.99
- #100-003-476EG Vickers Sling, Coyote, 7A47T96..... 59.95
- #100-003-477EG Vickers Sling, O.D. Green, 7A47T96..... 59.95
- #100-003-577EG Vickers Padded Sling Black, 7A54D36..... 67.99
- #100-003-411EG Victory Sling, Black 7A30X56..... 37.99

CSM GEAR SINGLEPOINT SLING



Singlepoint Attachment
Smooths Transition
From Rifle To Sidearm

Hailed as a tremendous improvement in rifle or shotgun carry by military and police, because the single attachment point sling actually speeds the shooter's transition from long gun to side arm safely without losing control of his weapon. Provides a secure cross shoulder carry that allows the shooter to easily aim and point rifles and shotguns equipped with a single sling attachment point at or near the pistol grip or balance point. Made from durable 1" wide nylon with flat, all-steel quick-release clip. Includes sewn-in elastic for added comfort. Can be used for either right- or left-hand carry.

- SPECS:** Nylon. Black, Coyote Tan, or O.D. Green. 26" (66cm) OAL, 1" (2.5 cm) wide.
- #100-002-589EG Black Singlepoint Sling 2Z38D66 . \$ 47.99
 - #100-002-658EG Coyote Tan Singlepoint Sling, 2Z38D66..... 47.99
 - #100-002-659EG O.D. Green Singlepoint Sling, 2Z38D66..... 47.99

BROWNELLS
COMPETITOR PLUS™
RIFLE SLING



- PREMIUM LEATHER • U.S. MADE
- EXTRA HEAVY HOOKS
- STITCHED KEEPERS
- 100% SATISFACTION GUARANTEED

If you love fine leather, fine craftsmanship and a superbly functional, useful sling, our Competitor Plus is going to make you extremely happy! What you get is a no-compromise reproduction of the original 1907 Military Sling; the one that's become the standard among hi-power service rifle shooters and many knowledgeable hunters; the one that's sought after by collectors and restorers of pre-WWII military firearms and the one that's carried more guns, more miles on more shoulders than darn near any other. Ours has all the good stuff: 1) It's all U.S. made of the finest, oak-tanned, top grain, 9-10 ounce, U.S. steer hide. 2) It's fitted with thick, forged, blued steel hooks. 3) Each extra-thick, steel hook is attached with three rivets. 4) The Keepers are skived at a taper, overlapped and glued; then stitched with 5-cord waxed linen thread. They fit TIGHT!

We're pretty proud of the Competitor Plus. We think you'll love it, too. It's unconditionally guaranteed to satisfy you 100%. If it doesn't, send it back for a full refund.

SPECS: 1 1/4" (3.2cm) wide. 9-10 oz. leather. .108" (2.75mm) thick hooks. Front strap length = 54" (1.37m). Instructions.

- #084-270-110EG Tan Comp Plus Sling 4H48B99... \$ 66.99
- #084-270-210EG Black Comp Plus Sling 4H45T08... 60.99

BROWNELLS COMPETITOR PLUS SLING w/NUMBERS - Our Competitor Plus sling with sixteen numbered reference points makes it easy for you to return to your sling setting for each shooting position.

SPECS: 1 1/4" (3.2mm) wide. 9-10 oz. leather. Front length 54" (1.37m). 3/8" (14.7mm) numbers.

- #084-270-120EG Tan Numbered Competitor Sling, 4H50B49..... \$ 66.99

COMPETITOR PLUS SLING w/SWIVELS - Add the Competitor Plus Sling to any rifle equipped with Michael's-style swivel studs. Comes complete with two of the correct 1 1/4" Michael's easy-on, easy-off, quick-detachable loops.

- #084-270-112EG Tan Competitor Plus Sling w/Swivels 4H54B70..... \$ 70.99

- #084-270-211EG Blk Comp. Plus Sling w/Super Swivels, 4H47T19..... 62.99

BUTTON SLING AR-15/M16/M4

THROW & GO SLING



Quick-Detach; Elastic For
Tangle-Free Operation

Innovative sling uses a polymer loop and steel button attachment system for quick, one-handed removal and installation. Single-point, rubberized sling takes up the slack and prevents getting tangled in weapon mounted lights and accessories. **Throw & Go Sling** is built from high-elastic, bungee cord material that allows just the right amount of flex for CQB maneuvers; with a tough, weather-resistant nylon outer covering that prevents noise and limits expansion for optimum stealth and control. **Button Pins** are built from high carbon steel to withstand the toughest use without cracking and breaking. M4-M16 fits receiver end plate with collapsible stocks and is right-hand only; requires removal of buttstock for installation. M4 clamps around all standard diameter buffer tubes on collapsible stocks. Can be mounted for right- or left-hand shooters.

SPECS: **Throw & Go Sling** - nylon, elastic, black. Polymer buckle. 1" (2.5cm) wide, 27 1/2" (70cm) long. Adjustable for length. **Button Pin** - Steel, blue, matte finish. M4 - Stainless steel clamp.
#100-003-664EG M4 Button Pin, 7B22H95..... \$ 29.95
#100-003-662EG M4-M16 Button Pin, 7B14H95..... 19.95
#100-003-661EG Throw & Go Sling, 7B30H27..... 39.99

The Brownells Guarantee!
If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. Your complete satisfaction is what's most important to us.

COMMAND ARMS
SINGLE-POINT SLING



Fully Adjustable For Easy Movement In CQB Situations

Rugged, fully-adjustable single-point tactical sling gives the operator the maximum range of weapon movement in tight quarters. Thick, elastic bungee section encased in protective tubular webbing stretches to aid in ease of movement and help return the weapon to the carry position. Side release buckle allows quick breakaway in an emergency. Sturdy carabiner-style snap clip resists accidental release yet quickly attaches/detaches weapon from sling.

SPECS: Nylon strap, 1 1/2" wide, rubber bungee, polymer side release and adjuster, steel snap clip, black.

- #100-004-627EG Single Point Sling 2Z30D68..... \$ 35.99

BROWNELLS COMPETITOR PLUS SLING



I bought this for my AR-15 to use for marksmanship training. This sling is very high quality and should last a long time. I bought another brand for my Ruger 10/22 for about a third the price, but should have bought two of these. It's very comfortable, holds its position, and made of high quality materials and workmanship. - By Beezer from Dallas, TX

DANIEL DEFENSE

SIMPLE SLING SYSTEM™



Allows Rapid, Left - Or Right-Hand
Transition & Hands-Free Carry

Simple, rugged, single point sling is constructed of heavy-duty nylon webbing with reinforced stitching for years of reliable service. Attaches to Daniel Defense Burnsed Loop Sling Adapters (found elsewhere in catalog) or others with 1 1/4" loop. Designed for single point mounting at the rear of the receiver for hands-free access to a second weapon, while maintaining complete control of your rifle or carbine. Allows rapid switch from right- to left-hand carry. Simple design prevents tangles in weapon mounted lights and other accessories. Receiver mounted sling adapter plate not included.

SPECS: Nylon web, black. 1.25" (3.2cm) wide, 30" (76.2cm) long. Adjustable for length.

- #100-000-782EG Simple Sling, Black 7A15T16..... \$ 18.99

GEAR SECTOR AR-15/M16
SINGLE-POINT SLING

Designed To Provide Fast & Easy
Weapon Attachment



Ambidextrous nylon web sling features a high strength, polycarbonate quick-release buckle that attaches to most weapon platforms and connects directly to your sling. Loops around your shoulder and torso providing unlimited freedom of movement and cross-shoulder transition. Universal buckle design accepts all current weapon attachment stubs allowing use of a single sling with multiple weapons. Features rip-cord pull adjustment for instant height adjustment without taking your eyes off the target. Contains dual quick-release adapters.

SPECS: Nylon webbing, black. Polycarbonate buckles, black. 3 1/2" (2.5cm) long x 1" wide, 4" stub.

- #100-003-363EG ASP Torso Ambi Sling 9B29U20... \$ 36.50

GALCO INTERNATIONAL
SLCTACTICAL SLING

Allows Hands-Free Carry
& Quick Weapon Access



Simple Lanyard and Carrying (SLC) strap™ features a steel, HK-style snap hook for quick and effortless transition from a conventional two-point sling to a single-point sling position that keeps your tactical rifle or shotgun in front of you for easy cross-shoulder transition. Conventional, two-point sling position allows muzzle-up or muzzle down carry over the shoulder or across the back. Polycarbonate clasps allow easy adjustment to fit any shooter. Built from durable, 1" wide, nylon webbing for maximum strength and long service life. Ambidextrous design accommodates right- and left-hand shooters.

SPECS: Nylon webbing with steel snap hook and polycarbonate adjustment clasps, black. 44" (112cm) long x 1" (2.5cm) wide.

- #100-003-978EG SLC Tactical Sling 7A15H99..... \$ 19.99

IBD PRODUCTS THREE-POINT SLING

Hands-Free Control
Of Your Firearm;
No Swivels Needed



Adjustable, nylon, three-point tactical sling fits any fixed-stock long gun for comfortable, hands-free, ready-position control. Attaches without tools, swivels, or swivel studs. Available in black.

SPECS: Nylon webbing, black. Polymer keepers, black. Approximately 36" (91cm) OAL, 1 1/2" (3.8cm) wide. Ambidextrous.

- #100-001-339EG 3-Point Sling, Black 1A40H10..... \$ 49.99



MAGPUL AR-15/M16 MS2 MULTI-MISSION SLING



For Split-Second, Cross-Shoulder Transitions In Rapidly Changing Tactical Environments

Developed by the instructors at Magpul Dynamics™, this versatile tactical sling switches easily from single-point to two-point operation. Choose traditional two-point attachment for secure, hands-free carry, or single-point configuration for ultra-fast transitions in rapidly changing tactical environments. Use in combination with the Magpul ASAP™ rear adapter plate (available separately) for 180° of unrestricted sling movement that lets you change shoulders to take maximum advantage of available cover, address targets around corners or other barriers, and even shift weapon position if one arm is injured. Built from ultra-thin, exceptionally strong, tubular nylon webbing, double stitched at stress points for added strength, with heavy-duty, corrosion-proof bronze and polymer friction buckles and steel D-ring. High-strength, bronze snap-hooks have spring-loaded safety locks to resist accidental release under stress. "Lock jaw" snap-hook rotates 360° to help prevent twisting and binding; serves as the quick-release connector for single-point operation and the front attachment point for two-point carry. Rear "snap shackle" with para-cord pigtail on the pull safety allows easy one-handed operation for immediate weapon release during emergency egress. Thick, double-layered, thumb loop allows fast, one-handed length adjustments. Compatible with most loop-style sling adapters. ■

SPECS: Nylon webbing, Black or Dark Earth. Hardware - Bronze, molded polymer, and steel, matte black finish. Adjusts from 33" (84cm) to 54" (137cm) long x 1" (2.6cm) wide.

#100-004-938EG MS2 Sling, Black 3K46T98..... \$ 49.99
#100-004-939EG MS2 Sling, Dark Earth, 3K46T98..... 49.99

SPEC.-OPS. MAMBA SLING

Quiet, Tangle-Free; Keeps Collapsible Stocked Weapon At The Ready



Three-point, tactical sling uses a unique stretch material to provide tangle-free motion in all tactical situations. Attaches to front sling adapter and to slot on collapsible buttstock. Floating strap adjusts quickly for different firing

positions and releases quickly for hands-free mobility. Compatible with SOPMOD components. ■

SPECS: Nylon, black. Fits rifles with M4 collapsible stock. 72" (183cm) long.

#100-002-130EG Mamba Sling 7K31U96..... \$ 39.95

SPEC.-OPS. SLING 101

Three Point Sling Won't Interfere With Movement Or Accessories

Provides tangle-free use with rifles having lights, lasers and other attachments. One-piece construction lessens the chance of failure. Double-strap shoulder



harness allows weapon to be carried backpack-style. Emergency quick-release lets user safely disengage from the sling by releasing one disconnect. Compatible with SOPMOD components. ■

SPECS: Nylon, black. 72" (183cm) long. Models available for fixed (AR-15/M16) and collapsible (M4) buttstocks.

#100-002-131EG Sling 101, AR-15/M16 7K23U96..... \$ 29.95
#100-002-132EG Sling 101, M4 7K24U59..... 29.99

SPEC.-OPS. PATROL SLING

Single- & Two-Point Modes For Secure, Comfortable Weapon Retention



Efficient, easy-to-use tactical sling designed for law enforcement and military personnel who need a secure, economical sling that fits a variety of rifles and shotguns. Installs quickly on any weapon with a fixed or collapsible stock that has 1 1/4" sling loops. Configure for basic two-point operation, or use the included clip-on strap for single-point carry that lets the shooter free the weapon from the sling with a squeeze of two fingers. Ambidextrous design shifts easily from one shoulder to the other for strong- or support-side carry. Made of durable, military-grade nylon webbing with reinforced zig-zag stitched seams and heat-sealed edges. "Strike Zone" section of two thick elastic cords fully encased by webbing material provides extra stretch for maneuvering the weapon during CQB or when fast transition from carry to shooting position is required. Heavy duty molded polymer slip locks allow plenty of adjustment for operator comfort and secure attachment to weapon. All hardware has smooth, rounded edges to prevent snagging on other gear.


SPECS: Nylon webbing, molded polymer hardware, black or coyote tan. Kit includes main sling body and detachable single-point strap section.

#100-004-451EG Patrol Sling, Black 7K24X08..... \$ 29.99
#100-004-452EG Patrol Sling, Coyote 7K24X08..... 29.99



OUTDOOR CONNECTION TACTICAL SLINGS

Single-, Two- & Three-Point Models For Comfortable, Secure Carry & Fast Transitions



Durable tactical slings provide a wide variety of comfortable carry options while ensuring rapid, smooth transitions to a shooting stance. These slings are manufactured from durable, mil-spec materials, featuring close-weave nylon webbing, heavy-duty 800-lb. tensile strength elastic, double stitching and shockproof polymer hardware that won't rattle or rust. Quick-release buckles can be disengaged with one hand, and tri-glide slip locks let the operator adjust overall length quickly for rapid shifts from strong side to support side. **A-Tac** - Single-point sling fits any weapon that accepts an HK-type snap hook.

Provides maximum range of weapon movement for fast transition from many carry positions, including over either shoulder, across the back, under the opposing arm, and around the neck. Three-point polymer buckle allows selective release of the left side of the strap, the right side, or both simultaneously to free the weapon from the sling. **Duty** - Basic two-point sling of straight 1 1/4" wide nylon webbing attaches easily to USGI sling swivel. Loops through rear swivel, secures at front with two steel screw closures. **Edge** - Two-point sling designed for muzzle-down carry lets you place the sling diagonally over the shoulder and under the opposing arm; easily transitions to the opposite shoulder. Long section of ultra-thin, 2" wide elastic absorbs shock, spreads out weapon weight, and eliminates neck pinch for reduced operator fatigue. Three tri-glide adjustment loops. **Intrepid** - Three-point design with shock-absorbing elastic section positions the weapon horizontally or diagonally across body. Allows hands-free carry while keeping the weapon readily accessible and enabling fast transition from rifle to pistol. ■

SPECS: Mil-spec nylon webbing, polymer hardware, black.

#683-000-016EG A-Tac Single-Point Sling 3H14B95. \$ 19.95
#683-000-017EG Duty Two-Point Sling 3H14B95. 19.95
#683-000-018EG Edge Two-Point Sling 3H14B95. 19.95
#683-000-019EG Intrepid Three-Point Sling 3H14B95 19.95

SPECTER GEAR TACTICAL SLINGS

Keeps Your Hands Free & Your Weapon Ready



Specter Gear (formerly CQB Solutions) provides heavy-duty, nylon-web slings, with durable, polycarbonate clasps and keepers that hold your weapon in a comfortable, ready position until it's time to fire. Double-stitched with #69 thread at all stress points for maximum strength and a long service life. Available in a number of tactical styles for a wide variety of guns. All slings are configured for ambidextrous use. ■

CLOSE QUARTERS COMBAT (COB) SLING - Provides a choice of six carry options. Lets you keep your hands free and bring the weapon into action quickly. Soft and flexible for quiet, comfortable carry; will not generate a noise signature. Easily adjustable with no unnecessary straps, buckles or fasteners. **AR-15/CAR-15 QR** features a quick release buckle that lets you quickly disengage from the rifle in emergency situations.

SPECS: Nylon web, Velcro fasteners, black. 1 1/4" (3.2cm) wide. Approximately 38" (96.5cm) long.

STOCK #	MODEL	PRICE
#100-000-376EG	AR-15, full stock	4K22H00 \$ 36.99
#100-000-728EG	AR-15 QR, full stock	4K25C14 \$ 41.99
#100-000-377EG	CAR-15 w/std handguard	4K22H00 \$ 36.99
#100-000-729EG	CAR-15 QR, std handguard	4K25C14 \$ 41.99
#100-000-378EG	CAR-15 w/M4 handguard	4K22H00 \$ 36.99
#100-000-730EG	CAR-15 QR, M4 handguard	4K25C14 \$ 41.99
#100-001-226EG	CAR-15, Side-Mount Front Sling Swivel	4K22Y00 \$ 36.99
#100-001-227EG	CAR-15QR, Side-Mount Front Sling Swivel	4K25Y14 \$ 41.99

SPECIAL OPERATIONS PATROL (SOP) SLING - Wide, 1 1/2", nylon webbing distributes weight for comfortable carry. 1" mounting straps provide free, non-binding movement, so the sling moves with your body during carry and position shooting. Transition-release buckle lets you quickly shift from right- to left-shoulder carry or firing. Sling remains attached so you can drop the rifle to your side and keep both hands free. All models feature the ERB, quick release buckle that lets you disengage from the firearm in emergency situations unless otherwise noted in price line. Ambidextrous design fits right- and left-handed shooters.

SPECS: Nylon web, Velcro fasteners, black or OD green. 1 1/2" (3.8cm) wide. Approximately 38" (96.5cm) long. CAR-15 fits collapsible stock only.

STOCK #	MODEL	PRICE
#100-000-797EG	AR-15, full stock, black	4K28P81 \$ 48.99
#100-000-798EG	AR-15, full stock, OD	4K28P81 \$ 48.99
#100-000-799EG	CAR-15, std hndgrd, black	4K28P81 \$ 48.99
#100-000-800EG	CAR-15, std hndgrd, OD	4K28P81 \$ 48.99
#100-001-230EG	CAR-15 w/Front Side Sling Swivel (No ERB), black	4K25Y67 \$ 42.99
#100-001-231EG	CAR-15 w/Front Side Sling Swivel, black	4K28Y81 \$ 48.99
#100-001-228EG	AR-15, A1, A2, A2 w/M-203, Black	4K30Y27 \$ 50.99



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

TROY INDUSTRIES BATTLESLING



Overbuilt For Secure Weapon Support & Adjustable For All-Day Carry Comfort



Heavy-duty CQB sling is designed for strength, durability, and comfortable at-the-ready carry for long periods of time without fatigue. The BattleSling is overbuilt from tough 1.375" wide nylon webbing that resists tearing, stretching, and fraying under punishing tactical use. Rugged molded polymer ITW Nexus/Fastex hardware adjusts easily to place the weapon anywhere on the operator's chest for hands-free carry, while keeping it positioned for immediate deployment. Wide, non-slip shoulder pad helps distribute the rifle's weight and is reversible for strong- or weak-side carry. Rugged, steel clip snaps securely onto receiver plate sling adapter, yet enables quick release of weapon in an emergency. Available in **Single-Point** or **Two-Point** configuration in Black or IR-signature-inhibiting Coyote Tan. Single-Point also available in Foliage Green. ■

SPECS: Heavy-duty nylon webbing with polymer hardware and steel clip, Black, Coyote Tan, or Foliage Green.

#100-004-057EG	Single-Point BattleSling, Black, 3B49T00.....	\$ 59.99
#100-004-058EG	Single-Point BattleSling, Coyote Tan, 3B49T00.....	59.99
#100-004-059EG	Single-Point BattleSling, Foliage Green, 3B49T00.....	59.99
#100-004-121EG	Two-Point BattleSling, Black, 3B44H00.....	52.50
#100-004-122EG	Two-Point BattleSling, Coyote Tan, 3B44H00.....	52.50

HIGH-SPEED TRANSITIONS (HST) SLING - 1 1/4", nylon-webbed sling is perfect where rapid, cross-shoulder and secondary-weapon transitions are crucial to survival. Attaches easily to a side, single mounting point, receiver sling mount. Includes the ERB, quick-release buckle for emergency disengagement; ambidextrous design fits right- and left-handed shooters.

SPECS: Nylon web, Velcro fasteners, black. 1 1/4" (3.2cm) wide. Approximately 48" (122cm) long. Universal fit; attaches to sling mount.

#100-001-232EG Universal HST Sling 4K15Y65. \$ 26.99

MOUT TACTICAL SLING

Heavy nylon, dynamic entry sling includes all the life-saving features recommended by U.S. troops returning from Military Operations On Urbanized Terrain (MOUT) in Afghanistan and Iraq. Separate, 1" wide, connector strap attaches to your rifle's receiver sling mount; polycarbonate, quick release clasp allows disconnect from the shoulder harness, so you can instantly mount/dismount a vehicle, or take an unconventional shooting position without removing the body loop. 1 1/4" wide webbing provides hours of comfortable field carry. Single attachment point ensures rapid, unobstructed cross-shoulder and secondary weapon transitions. **Spare Connector** allows you to hook-up a single MOUT sling to more than one weapon in just seconds. Spare Connectors available separately.

SPECS: Nylon webbing, polycarbonate clasp and keepers, black. Approximately 40" (107 cm) long including connector. Attaches to weapons equipped with a side mounted, receiver sling mount.

#100-002-161EG MOUT Tactical Sling, 4K14H45..... \$ 23.99
#100-002-162EG Spare Connector, 4K03H00..... 5.00

TAPCO TACTICAL SLING SYSTEM

Versatile Single- & Two-Point Configurations To Support Multiple Mission Profiles



Modular sling can be configured for single- or two-point attachment so you can change your carry mode for each mission. Designed for convenient integration with Tapco's Intrafuse modular rifle furniture, this sling works with common sling attachment systems on today's tactical rifles. Configure with the included Y-adapter and HK-style snap hook for single-point carry that allows fast transition from one shoulder to the other. Snap on the strap modules and thread the straps through 1/4" sling loops to configure for traditional, two-point carry for maximum

comfort and stable weapon retention. Made with ultra-thin, yet exceptionally strong, military-grade nylon webbing, box stitched at stress points for added strength, with heavy-duty reinforced polymer hardware. Main sling body is 1 1/2" wide to help disperse load and prevent digging into neck and shoulders.

SPECS: Nylon webbing, molded polymer hardware, steel snap hook, black. Kit includes main sling body, two strap attachment modules, Y-attachment harness, and HK-style snap hook module.
#100-004-127EG Tactical Sling, Black 5A31D19 \$ 32.99
#100-004-295EG Tactical Sling, Coyote 5A31Z19 32.99

VIKING TACTICS

V-TAC QUICK ADJUST SLING



Simple One-Hand Operation Changes From Use To Carry

Adjust sling from carry to firing while moving into position. After firing, a quick tug on the lanyard returns sling to carry position. Designed to carry gun, muzzle down on your back. **Padded** model features a closed-cell foam shoulder pad for greater comfort when carrying heavy weapons long distances. **Buttstock Adapter** provides correct, top-of-stock sling mount point. ■

SPECS: Nylon web, black. 1" (2.5cm) wide. **Padded** model includes 20" (50.8cm) long x 1 1/2" (4.7cm) wide shoulder pad. Adjusts 58" (147cm) to 63" (160cm).

#100-000-669EG V-TAC Sling 7K28V97 \$ 34.99
#100-002-868EG V-TAC Sling, Padded 7K32X87 40.99
#100-000-670EG V-TAC Buttstock Adapter 7K06V80 8.50

WILDERNESS TACTICAL PRODUCTS

SINGLE-POINT SLING



Allows Rapid Left- Or Right-Side Transition & Hands-Free Carry

Heavy-duty, nylon sling holds your weapon in a comfortable ready position for easy access when

needed. Features a single loop for unlimited freedom of movement and rapid cross-shoulder transition from right- to left-side carry. Premium 1 3/8" wide webbing is extremely dense and abrasion-resistant, plus the extra deep, horizontal weave provides maximum strength. Proprietary quick-release buckle made of high-strength Delrin® lets you quickly open and disengage the sling in emergency situations. Webbing threads into all 1 1/4" wide, loop-type sling attachment points. **Quick Detach Adapter** is an optional quick-release buckle that allows complete weapon removal from the sling for vehicle transport or storage in a weapons rack. Single-Point sling threads through one side of the quick-release buckle and included webbing threads through weapon sling attachment point. With several Quick Detach Adapters, you can use one sling with multiple weapons.



STARLING ENTERPRISES AR-15/M16 SLING RING

Provides Quick & Easy Two-Point Sling Transition

Steel sling loop accepts slings with an HK-style snap hook for quick and effortless transition to a two-point sling. Extra large, 3/16" I.D. loop allows a full range of motion to keep your sling from tangles and your weapon at the ready. Fits Yankee Hill tactical handguards that have been factory drilled and tapped for threaded swivel studs, or can be added to other handguards and firearms custom drilled and tapped for 3/16"-32tpi. Includes laminated aluminum shims for aligning loop in proper position. Black oxide, alkaline finish matches the black anodized finish of the forearm and prohibits rust. ■

SPECS: Steel, alkaline black oxide, matte finish. 3/16"-32 tpi.

#100-003-999EG Sling Ring 4B25H96 \$ 31.99

BROWNELLS CAR-15/M4

LOW-PROFILE AMBI SLING ADAPTER

Compact, Slimline Design Won't Snag On Brush Or Clothing



Steel sling adapter features a unique slot/hole configuration that keeps the plate as slim and compact as possible to help eliminate snags on brush and your BDUs when carrying rifles with collapsible stocks. Accepts both 1 1/4" wide webbing and single-point clip-on tactical slings. Move the sling from one side of the receiver to the other or swap it for a different one in seconds. Provides plenty of clearance for forward assist and easy access for clearing jams. Replaces factory receiver plate without gunsmithing. ■

SPECS: Steel, black oxide finish. Fits CAR-15/M4 and collapsible-stocked AR-15 rifles. 2" (5.2cm) long, 1 1/16" (4.6cm) wide, 1/8" thick.

#080-000-381EG Low-Profile Sling Adapter, 8K19A64 \$ 23.99



CROSSTAC CAR-15/M4 AMBI SINGLE-POINT SLING CONNECTOR

Ultra-Low Profile, Snag-Free Design

Minimal profile sling adapter plate provides secure, ambidextrous attachment for single-point tactical slings on carbines or converted shotguns with M4 collapsible buttstocks. The attachment loop centers under the receiver extension nut, out of the way, where it can't snag on clothing, gear, brush or the sling, and won't interfere with access to the selector lever. Helps weapon hang flat against your body when released, yet also allows fast, positive re-grip when needed. Accepts most sling hooks, including MASH hooks, H&K connectors, and ZM-style clasps. Fits M4-type collapsible stocks with mil-spec and commercial buffer tubes, including shotgun conversions that use the M4 tube. Precision machined from high-quality steel, then Parkerized dark gray for wear resistance and a close match to factory rifle finishes. ■

SPECS: Steel, black, matte, Parkerized finish.

#100-003-181EG Single-Point Sling Adapter, 5A19T99 \$ 29.99

A second Quick Detach added to the front sling loop allows the Single-Point to immediately convert to a 2-point carry sling. Fits all rifles and shotguns equipped with a 1 1/4" wide, loop-type sling attachment point. Single-Point Sling and Quick Detach sold separately. Available in black and coyote brown.

SPECS: Nylon webbing, black or coyote brown. Delrin buckles & quick releases, black. 32" (81cm) long x 1 1/2" (2.9cm) wide.

#100-004-332EG Single-Point Sling, Black 3A21U95 \$ 25.00

#100-004-333EG Single-Point Sling, Coyote 3A21U95 25.00

#100-004-334EG Quick Detach Adapter 3A08U00 10.00



BROWNELLS AR-15/M16 A2 SINGLE-POINT SLING ADAPTER



Gives You Fixed-Stock Rifle The Versatility Of Quick-Detach Sling Mounting

Low-profile adapter gives an AR-15/M16 with an A2-style buttstock the convenience and versatility of single-point clip-on sling attachment. Lets you combine the stable cheekweld of a fixed rifle buttstock with the ease of the latest, quick-attach tactical slings. Precision machined from 4140 carbon steel for extra strength, with extra metal on the attachment loop, so no matter how hard you pull or twist the sling, this adapter won't break. **Right Hand (RH)** model has the loop on the left side to accommodate right-handed shooters; **Left Hand (LH)** model has the loop on the right for left-handed shooters. Requires no permanent alterations to rifle: simply remove the buttstock, slide the adapter over the receiver extension tube, and reinstall the stock using the included spacer and extended buttplate screw. ■

SPECS: 4140 steel, black oxide finish.

#080-000-687EG RH A2 Single-Point Sling Adapter, 8K34T77 \$ 39.99

#080-000-658EG LH A2 Single-Point Sling Adapter, 8K34Y77 39.99

DANIEL DEFENSE AR-15/M16/M4

BURNSED LOOP SLING ADAPTERS

Easy To Install; For Secure Mounting Of Tactical Slings



Lightweight sling adapter plates, designed by Ashley Burnsed, install easily on rifles with fixed A1/A2 buttstocks and CAR-15/M4 collapsible buttstocks. Provide 1/4" receiver sling loops for attaching single-point tactical slings. Precision CNC-machined from 6061 T6 aluminum and T3 mil-spec hardcoat anodized. Installs between buttstock and the lower receiver. Kit includes all necessary mounting hardware. Adapter may be removed easily, and rifle or carbine may be returned to original configuration. Separate models for **A1** and **A2** fixed stocks, and **CAR-15/M4** collapsible stocks. **Right Hand (RH)** style positions loop on left side of rifle for right-handed shooters. **Ambidextrous (Ambi)** style has sling loops on both sides of adapter plate. ■

SPECS: 6061-T6 aluminum, hardcoat anodized, matte black. A1 and A2 models include sling adapter plate, spacer, replacement buttstock screw, and instructions. CAR-15 model includes sling adapter plate and instructions. **A1** - Fits AR-15/M16 with A1 buttstock. **A2** - Fits AR-15 with A2 buttstock. **CAR-15/M4** - Fits carbines with collapsible stock.

#100-000-779EG RH A1 Sling Adapter 8K32T77 \$ 35.00

#100-000-780EG RH A2 Sling Adapter 8K32T88 35.99

#100-000-778EG RH CAR-15/M4 Adapter 8K23T19 25.00

#100-003-155EG Ambi A1 Sling Adapter 8K32T88 35.99

#100-003-156EG Ambi A2 Sling Adapter, 8K32T88 35.99



DPMS AR-15/M16 SLING ADAPTER

Tangle-Free Sling Operation

Repositions the sling attachment point to between the receiver and buttstock. Gives greater control and better handling. Rifle is instantly available, and the sling won't get tangled or interfere with rifle operation. Fits AR-15 fixed stocks.

SPECS: Aluminum, black, matte finish. Includes spacer and longer buttplate screw for A1/A2 model.

#231-000-008EG A2 Sling Adapter 3B40A24 \$ 50.30

DOUBLE STAR AR-15/M16 SLING ADAPTER END PLATE



Increases Sling-Attachment Versatility On Collapsible-Stock Rifles & Carbines

Machined steel replacement for the factory receiver plate gives an AR fitted with an M4-type collapsible buttstock a convenient, low-profile attachment point for clip-on, single-point slings. Precision machined from 1018 carbon steel for superior strength and an exact fit, with a durable manganese phosphate Parkerized finish that resists surface abrasion and corrosion, and matches the finish on mil-spec anodized receivers. Available in single-loop **Right-Hand (RH)** and **Left-Hand (LH)** models, as well as a convenient, versatile **Ambi** configuration that lets you swap the sling from one side of the receiver to the other. ■

SPECS: 1018 steel, Parkerized, matte black finish. Fits AR-15/M16/M4 and clones fitted with M4-style collapsible buttstock.

#100-004-532EG Ambi Sling Adapter Plate 2Z07D25 \$ 9.99

#100-004-533EG RH Sling Adapter Plate 2Z09D17 11.99

#100-004-534EG LH Sling Adapter Plate 2Z09D17 11.99

GG&G CAR-15/M4

AGENCY SLING ADAPTER

Designed To Fit All Carbines, Regardless Of Buffer Tube Diameter



Clamps around the castle nut to eliminate any fitting issues associated with different sized buffer tube diameters. Use with a single point sling, or install a front sling mount for two-point sling attachment. Contoured clamping halves draw tight with Allen head cross-bolt for a solid, no-slip fit. Slotted version accepts 1 1/4" wide web slings; loop model accepts HK-style clasps and other clip-on sling fasteners. Precision machined from 7075 aluminum alloy and Mil-Spec Type III hardcoat anodized. **Right Hand (RH) Slot** attaches sling to left side of receiver for right-hand shooters. **Left Hand (LH) Slot** attaches sling to right side of receiver to accommodate left-hand shooters. **Ambi Slot** includes slots on both sides for ambidextrous attachment of web slings; **Ambi Loop** provides the same provisions for clip-on slings. ■

SPECS: Aluminum, matte black. Fit AR-15 rifles and carbines with collapsible buttstocks. **RH/LH Models** - 3/8" (1.7cm) long, 2" (5.1cm) wide, 2" (5.1cm) high. **Ambi Models** - 3/8" long, 2 3/8" (6.1cm) wide, 2" high.

#336-000-001EG RH Slot Adapter 6C25H50 \$ 31.50

#336-000-002EG LH Slot Adapter 6C25H50 31.50

#336-000-003EG Ambi Slot Adapter 6C25H50 31.50

#336-000-004EG Ambi Loop Adapter 6C25H89 31.99



GRSC CAR-15/M4 CAR AMBI SLING ADAPTER

Allows Rapid Switch From Right-To Left-Hand Carry


Steel, sling adapter replaces the issue, receiver plate to provide a rock solid attachment point for fast handling, tactical slings on CAR-15 rifles. Ambidextrous slots accept 1 1/4" wide webbing, rings accommodate carry straps with snap fasteners. Allows the sling to be switched from right or left side of receiver in seconds. Keeps sling tangle-free and provides the proper balance and stability for hands-free carry. ■

SPECS: Steel, Parkerized finish. 2 3/16" (6.5cm) long, 2 1/16" (5.2cm) high, 3/32" (2.4mm) thick. Fits CAR-15 rifles.

#100-001-467EG CAR Ambi Sling Adapter 6A08B99 \$ 9.99

**MAGPUL AR-15/M16
ASAP SLING ADAPTER**

**Gives Operator A Major Tactical Advantage
With 180° Of Unrestricted Sling Movement**

Ambidextrous Sling Attachment Point helps the operator adapt quickly to changing tactical situations by allowing rapid switching of weapon from one shoulder to the other. An unrestricted 180° of sling movement lets you change shoulders to take maximum advantage of available cover, address targets around corners or other barriers, or shift weapon position if one arm is injured. Works with any single-point sling that attaches with a quick-release snap-hook, and fits any rifle or carbine with an M4-type collapsible buttstock. Simply remove the factory receiver end plate and replace with the ASAP; requires no other alterations to weapon, so you can continue to use your original receiver extension, buttstock, and sling. Heavy duty cast steel construction with a 1/8" thick link ring, protected by a durable, wear- and corrosion-resistant mil-spec black manganese phosphate Parkerized finish. Fits both Commercial and Mil-Spec receiver extensions. 

SPECS: Steel, Parkerized, matte black. Fits both mil-spec and commercial/universal M4-type receiver extensions.
#100-004-450EG ASAP Sling Adapter 3K25X64 \$ 29.99



**NOVESKE AR-15/M16
QD SLING ADAPTER &
SWIVEL**

**Replacement Receiver End Plate
For Mounting Pushbutton Sling Swivel**


Low-profile ambidextrous mount replaces the factory receiver end plate to allow easy attachment of a QD sling swivel to the rear of the receiver. Won't interfere with access to weapon's controls, and won't snag on foliage, vehicle, or other gear. Made of steel to allow proper staking of buffer tube lock nut on the lower receiver. Compatible with mil-spec lower receivers with M4-style collapsible stocks. Lets collapsible stocks collapse fully. Separately available QD sling swivel accepts 1 1/4" wide slings and gives a full 360° of rotation.

SPECS: Steel, Parkerized, dark gray finish. Fits AR-15/M16 with M4-type collapsible stock.

#100-004-756EG QD Receiver End Plate 1A00XCH . \$ 23.99
#100-004-757EG QD Sling Swivel 1A00UAV 14.99

**TITUSVILLE ARMORY AR-15/M16
REAR ROTATING SLING SWIVEL**

**Allows Rapid Switch From Right-To
Left-Hand Carry Without Tangles**


Innovative sling adapter ring rotates freely around and over the top of the buffer tube for easy left- to right-side transition without the sling twisting or binding. Steel ring fits between the included adapter plate and carbine buffer tube end plate. Tightening the receiver extension nut secures the adapter plate, yet allows the sling adapter ring to freely rotate almost 240° over the top of the stock. Accepts most H&K type connectors. Fits M4-type collapsible buttstocks with mil-spec and commercial buffer tubes. 

SPECS: Steel, blued, matte finish. 3/16" (5.1mm) thick, 3/8" (9.5mm) loop I.D. Includes sling adapter plate, sling adapter ring, and installation instructions. Fits M4-type collapsible buttstocks.
#100-004-392EG Rear Rotating Sling Swivel, 5B45X00 \$ 49.95


**QUESTIONS BEFORE YOU BUY?
Ask Our Full-Time Tech Staff
800-741-0015**

**MIDWEST INDUSTRIES AR-15/M16
SLING ADAPTER**


**Installs Easily; Choose Your Sling Position
On Collapsible Stocks; Made In The U.S.A**

Hard anodized, 6061 aluminum sling adapter clamps to collapsible stock buffer tubes with no need for special tools or to remove the buffer tube. Two models available: **Loop** for claw-type clasp; or **Slot** for conventional web slings. Adapters can be used with single-point, two-point, or three-point tactical slings and are ambidextrous for use with right- or left-hand operation. Does not interfere with normal operation of collapsible stock. 

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.
#100-002-123EG Loop Sling Adapter 2A27P62 \$ 35.99
#100-002-122EG Slot Sling Adapter 2A27P85 \$ 36.20

END PLATE SLING ADAPTER - Ambidextrous, quick-detach sling swivel can be mounted on either side of the mounting plate on adjustable M4-type buttstocks so you can position your sling for optimum comfort and versatility. Hard coat anodized, 6061 aluminum body with a matte black finish holds up to the toughest use and won't crack or break over years of shooting. Won't interfere with the operation of stock and works well with single-point, two-point, or three-point tactical slings. 


SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.
#100-002-613EG End Plate Sling Adapter 2A32V00 . \$ 42.99

MCTAR-30HD SLING ADAPTER - No gunsmithing required, extra heavy-duty ambidextrous sling swivel mount simply clamps onto the buffer tube. Includes 1 1/4", mil-spec, push-button, quick-detach sling swivel that can be mounted on either side or the center of the adapter body. Fits adjustable M4-type buttstocks. Hard coat anodized, 6061 aluminum body with a matte black finish is built to take extreme duty use without failure. Won't interfere with the operation of stock. Makes an excellent choice for adding an easy quick-release feature to any single-point, two-point, or three-point tactical sling. Made in the USA. 

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.
#100-002-876EG MCTAR-30HD Sling Adapter, 2A45C00 \$ 59.99

**TROY INDUSTRIES AR-15/M16
END PLATE SLING MOUNTS**

**For Secure, Ambidextrous
Attachment Of Slings With
Push-Button QD Swivels**


Replaces factory receiver end plate and provides secure, ambidextrous attachment for the push-button QD sling swivel. Made of hardened aluminum with extra metal at the stress points to ensure this mount won't fail during hard use. Rounded edges resist snagging on sling or other gear. Hardcoat anodized for extra strength and wear resistance, with a matte black finish that matches most factory buffer tubes. Heavy-duty stainless steel swivel accepts slings up to 1 1/4" wide and allows a full 360° of rotation. 

SPECS: Mount - Aluminum, hardcoat anodized, matte black. Swivel - Stainless steel, matte black finish. Accepts slings up to 1 1/4" (3.2cm) wide. M4 fits M4-style carbines with adjustable buttstock. M16A1 fits early A1-style fixed-stock rifles. M16A4 fits A2/A4-style fixed-stock rifles. M16 models include replacement spacer and buttstock screw.
#100-004-383EG M4 Sling Mount 3B42X00 \$ 52.95
#100-004-384EG M16A1 Sling Mount 3B42X00 \$ 52.95
#100-004-385EG M16A4 Sling Mount 3B42X00 \$ 52.95



**TROY INDUSTRIES AR-15/M16
PROFESSIONAL-GRADE
SLING ADAPTER**

**Provides Quick-Detach,
Ambi Sling Mounting; Built To Handle
The Stress Of Tactical Use**

Heavy-duty sling adapter slides over collapsible stock buffer tubes to provide secure, ambidextrous attachment for the push-button QD sling swivel. No gunsmithing required—simply tighten down the steel crossbolt with the included hex key wrench. Solid aluminum construction with plenty of extra metal at the stress points to ensure this mount won't twist, flex, or bend under pressure. Beveled and rounded edges help resist snagging on sling or other gear. Indexes to upper receiver to prevent unwanted rotation of buffer tube. Hardcoat anodized for extra strength and wear resistance; available in matte black or dark earth. Stainless steel swivel has a non-reflective black finish and allows a full 360° of rotation. 


SPECS: Aluminum, hardcoat anodize, matte black or dark earth, with stainless steel sling swivel, matte black finish. Accepts slings up to 1 1/4" (3.2cm) wide.
#100-004-055EG Pro-Grade Sling Adapter, Black, 3B49Y00 \$ 54.99
#100-004-056EG Pro-Grade Sling Adapter, Dark Earth, 3B49Y00 \$ 54.99

**VLTOR AR-15/M16
SINGLE ATTACHMENT
SLING ENDPLATE**

**Unique Indexing Washer
Allows Fast, Easy
Installation For Right- Or
Left-Hand Shooters**



Ambidextrous, all steel endplate provides secure, balanced single-point sling attachment, so your collapsible-stock rifle or carbine can

be carried tangle-free in the ready position at all times. Special indexing washer with screw interfaces with the rear of the receiver to allow easy installation for right- or left-hand use. SASE-1 features a single slot that accepts conventional 1 1/4" wide webbing. SASE-2 has loop to accept HK-style hook or carabineer clips. 

SPECS: Steel, black, matte finish. 2 1/16" (5.2cm) long, 1 3/8" (3.5cm) wide, 1/8" (3mm) thick. .7 oz. (20g) wt. Fits AR-15/M16/M4 and clones with collapsible stock.
#100-003-184EG SASE-1 Slotted Endplate 3A14P95 . \$ 19.95
#100-003-185EG SASE-2 HK-Style Endplate, 3A14P99 19.99

**COLT DEFENSE LL
M-4 USGI BARREL
MOUNT SWIVEL**

**The Same, Tactical Sling Mount
Used By Our Armed Forces**



This genuine, Colt factory part is the one used by our GI's on the M-4 carbine to allow attachment of M203 grenade launchers or forward mounted lights and lasers. Steel, two-piece unit clamps directly around the barrel between the barrel bands of the Mil-Spec front sight housing. Can be mounted at the right or left side of weapon and features a rubber-coated swivel to eliminate sling abrasion and noise. No modifications or gunsmithing required. Also fits AR-15/M16 rifles with conventional front sight housing. **SPECS:** Black, hardened steel. 9/16" (1.4cm) long, 1 1/16" (4.3cm) wide. Fits barrels .650" (16.5mm) to .750" (19.1mm) diameter.
#160-000-352EG Tactical Front Sling Mount, 6A40D89 \$ 51.11



**COMMAND ARMS AR-15/M16
PUSH BUTTON SLING SWIVEL**

**For Secure, Quick-Detach Installation
Of Extra-Wide Slings**




Extra-wide steel swivel accepts slings up to 1 3/8" wide for attachment to a Command Arms Modular Buttstock or similar component that accepts a standard push button swivel. Smooth-operating, centrally located button and polished ball-bearing locking mechanism ensure easy attachment.

SPECS: Steel, black oxide finish. Accepts slings up to 1 3/8" wide.
#100-004-881EG Push Button Sling Swivel, 2Z08H79 \$ 9.99

**DANIEL DEFENSE AR-15/M16
RAIL MOUNT QD SLING SWIVEL**

**Helps Stabilize Weapon
To Prevent Gun Roll**




Uniquely designed, quick-detach swivel mount limits rotational movement to help achieve optimum weapon balance and control with popular tactical slings. Attach anywhere along railed forearms; robust, aluminum clamping block with hex head cross-bolt locks mount securely to any Picatinny or Weaver-style rail platform. Extra heavy-duty, steel, push-button swivel removes quickly, so operator can break-away from the sling in emergency situations. Can be mounted for right- or left-hand use and adapts to 2- and 3-point sling configurations. Swivel rotation is limited to approximately 45° to help stabilize the weapon and eliminate sling tangle. 

SPECS: 6061 T6 aluminum, Mil-Spec Type III, hardcoat anodized, black. 1 1/4" (3.2cm) long, 1" (2.5cm) wide, 3/8" (1.6cm) high, 1 oz. (28g) wt.
#100-002-987EG QD Rail Mount Swivel, 8K36H73 \$ 39.99

**FALCON INDUSTRIES AR-15/M16
RAIL SLING ADAPTER**

**Locks To Accessory Rail
For Instant Sling Attachment**




Solid, one-piece aluminum mount with steel, pivot pin and swivel attaches to any Picatinny or Weaver-style accessory rail for instant sling attachment. Nylon tip set screw locks mount to rail. Quiet, rubber-coated swivel prevents metal-to-metal slap and eliminates sling wear at point of contact. Accepts slings up to 1 1/4" wide. 

SPECS: Base - Aluminum. Swivel/Hardware - Steel. Matte black finish. 9/16" (1.4cm) long, 1 1/4" (3.2cm) wide, 1 3/8" (4.1cm) high. Fits slings up to 1 1/4" wide.
#573-000-034EG Rail Sling Adapter 3G17A74 \$ 22.00

**KNS PRECISION AR-15/M16
QUICK RELEASE SLING SWIVELS**

**Tough,
Parkerized Finish,
Greater Sling
Attachment Options**



Swivel studs with cross drilled mounting holes allow vertical or side carry. Front swivel stud attaches to free float or A-2-style detachable handguards. Requires drilling a single mounting hole in free float tubes. Rear QD sling stud replaces fixed military-type without modification to stock. Uncle Mike's Quick Detachable, 1 1/4", Sling Swivels have a parkerized finish. 

SPECS: Steel, parkerized, dark gray finish.
#923-000-027EG Parkerized Front Swivel Stud, 3B10A66 \$ 14.00
#923-000-028EG Parkerized Rear Swivel Stud, 3B11A19 14.95
#923-000-029EG Parkerized Sling Swivels, pair, 3B08A00 11.95

NEW Adapter **MIDWEST INDUSTRIES AR-15/M16 FRONT SLING ADAPTER**



Provides Strong, Reliable Sling Attachment

Two-piece clamp with single cross-bolt secures adapter to Picatinny/Weaver-style handguard rails so you have a front sling attachment point. **MCTAR-06** has pivoting, 1/4" wide swivel for direct sling attachment. Rubber coating on swivel prevents noisy, metal-to-metal contact. **MCTAR-07** includes a fixed, dome-shaped stud that accepts your own, standard quick-detach swivel. **MCTAR-08** includes a 1/4" wide, 360° rotating, push-button swivel for rapid sling removal. **MCTAR-08HD** has heavy duty base and swivel that stands up to extreme tactical operations. 1/4" wide, quick-detach swivel limits travel to prevent sling wrapping yet allows necessary movement. **MCTAR-08HDO** has same features as MCTAR-08HD, but is offset from centerline for unobstructed use of weapon light, laser, vertical grip, or other tactical accessories. **MCTAR-TS** has a fixed, round, 3/16" (7.8mm) ID loop for clip-on, H&K-style or similar quick-release slings.

SPECS: Bases - 6061 aluminum, mil-spec hardcoat anodized, matte black; steel setscrew, matte black oxide. **MCTAR-08HD** - 7/8" (2.2cm) long x 1 3/16" (3cm) wide. **MCTAR-08HDO** - 2" (5cm) long x 1" (2.5cm) wide. Other models - 3/16" (1.4cm) long x 1 3/16" (3cm) wide. **Swivels/Studs** - Steel, black finish. Swivels accept slings up to 1 1/4" (3.2cm) wide.

- #100-001-922EG MCTAR-06 Adapter, 2A26B63** \$ 33.99
- #100-001-923EG MCTAR-07 Stud Adapter, 2A18B91** 23.99
- #100-001-993EG MCTAR-08 Adapter, 2A27H90** 33.99
- #100-003-198EG MCTAR-08HD Heavy Duty Adapter, 2A34P43** 42.99
- NEW #100-004-906EG MCTAR-08HDO Heavy Duty QD Adapter 2A35Y17** 35.99
- #100-002-428EG MCTAR-TS Front Sling Adapter Loop, 2A31C00** 40.00

COLLAPSIBLE BUTTSTOCK REAR SLING ADAPTER - Aluminum, clamping halves feature dual cross-bolts for maximum holding power in the rear sling slot on collapsible, carbine buttstocks. 1/4" wide, push-button swivel allows instant removal/installation; 360° rotation prevents sling twist. **MCTAR-09** fits the original, 4-position collapsible buttstock. **MCTAR-10** fits the current military issue M-4, 6-position buttstock.

- SPECS:** Base - 6061 aluminum, hardcoat anodized, black. **Swivel** - Steel, polished blue finish. Fits slings up to 1 1/4" (3.2cm) wide.
- #100-001-994EG MCTAR-09 Adapter 2A31H56** \$ 40.01
- #100-001-995EG MCTAR-10 Adapter 2A32H16** 40.99

QUICK DETACH SWIVEL - Machined steel swivels with 1/4" loops feature a smooth-operating, centrally-located push-button and polished ball bearing surfaces for easy attachment on firearms equipped with quick-detach bases. Provides quiet, 360° rotation of the swivel to eliminate sling tangle and improve all day carry comfort. **Standard** model features a standard weight loop formed from 1/8" diameter round stock. Base is knurled for a positive grip, even when wearing heavy gloves. Available with polished blue finish. **Heavy Duty** swivel is constructed with an extra beefy base and push-button, plus a 3/16" diameter loop to handle maximum weight and abuse; available with gray Parkerized finish.

- SPECS:** Steel. Accept slings up to 1 1/4" wide. **Standard** - Polished blue. **Heavy Duty** - Parkerized. Sold singly.
- #100-003-223EG Standard Swivel, each 2A08V95** ... \$ 10.95
- #100-003-224EG Heavy Duty Swivel, each 2A12V61** .. 14.99

SOG ARMORY AR-15/M16 FRONT SIGHT SLING ADAPTER WITH RAIL



Mounts Your Sling On The Sight & Adds An Accessory Rail

Heat-resistant, graphite sling adapter attaches to the left side an A2 front sight and securely holds a sling in place. Picatinny rail allows for mounting an additional accessory for mission-specific configurations. No special tools needed and no permanent modifications to the sight. **SPECS:** Heat-resistant graphite, black. Picatinny rail is 1.5" (3.7cm) long. Fits A2 front sights. Accepts 1 1/4" (3.2cm) slings

- #100-002-208EG Front Sight Sling Adapter w/Rail, 9A18Z00** \$ 29.95

VIKINGTACTICS AR-15/M16 VTAC-LUSA FRONT SLING ADAPTER

Accepts Most Swivel Types



Universal, four-in-one adapter accepts traditional Uncle Mike's style sling swivels, quick-release push-button swivels, H&K-style clip-on swivels, or simply thread your sling through the 1" wide loop. Eliminates the need to change sling adapters to match different style sling swivels. Lightweight aluminum clamping block with single cross-bolt locks mount securely to any Picatinny or Weaver-style rail. Quick-release push-button swivels, when installed, are limited to 45° rotation to help prevent sling twist.

SPECS: 6061 aluminum, hardcoat anodized, black. 1 5/16" (3.3cm) long x 1 1/8" (2.9cm) wide.

- #100-004-331EG VTAC-LUSA Sling Adapter, 7K39P95** \$ 49.95

NEW VLTOR QUICK-DETACH SLING SWIVEL

Heavy-Duty, Dependable & Strong Stainless Steel Construction



Heavy-duty push button sling swivel made from durable stainless steel fits QD swivel receptacles on the Vltor Modstock and other accessories for quick attachment of tactical slings. Features a 1/4" loop to accept a variety of standard sling types. Easy operating push-button allows quick attachment and release.

SPECS: Stainless steel, matte black finish. Accepts slings up to 1 1/4" wide. Fits quick-detach swivel receptacles on accessories from Vltor, Magpul, LMT, KAC, Midwest Industries, Daniel Defense, GG&G, Uncle Mikes, and others.

- #100-004-880EG Quick-Detach Sling Swivel, 3A12H65** \$ 14.99

AR-15/M16 Magazines by BROWNELLS

The Most Up-To-Date & Reliable Magazines Available!

- Mil-Spec Materials & Construction
- Proven Reliability
- 20- or 30-Round Capacity
- Standard & Tactical Models Available

SEE PAGE 41

Product Video Available Online At brownells.com

Supplier Of U.S. Military Mags; Save Over 30% When You Buy 25 Mags or More

BOYT HARNESS AR-15/M16 INTERCEPT® RIFLE CASE



Adds An Extra Layer Of Protection Against Corrosion & Mildew

Padded case with Corrosion Intercept lining of copper and plastic sheeting guard your rifle against rust and mildew by counteracting corrosive effects of humidity, vehicle exhaust, and salt air. Interior mesh allows increased air circulation for better absorption of corrosive vapors within the case. Accepts AR15 rifles up to 40" long, and has exterior pockets for five magazines, plus one large 27" x 10" triangular pocket to hold extra gear. All pockets are well equipped with full length hook-and-loop closure strips to securely hold contents. Features sturdy, nylon web handle.

SPECS: Cordura nylon, black. 42" (107cm) long, 13" (33cm) wide, 2 1/2" (6.4cm) thick.

- #100-003-148EG Intercept Rifle Case, 3A72B00** \$ 90.00

SHOOTING SYSTEMS TACTICAL DRAG BAG



Drag Bag & Shooter's Mat All In One

Durable, Cordura-nylon exterior and 1/2", closed-cell, foam padding protect your tactical or hunting firearm whether you're crawling or walking. Opens into a water-resistant mat for prone shooting. 3M™, Greptile™ surface gives your elbow a non-slip grip when shooting prone. Accessory pockets have mag pouches and a scope tie-down. Detachable, padded shoulder straps stow inside a flat, zippered pocket. Heavy-duty zippers and top-of-the-line materials ensure durability; made in the U.S.A.

SPECS: Cordura and Greptile nylon, Black and O.D. Green. 49" (124.5cm) long, 12" (30.5cm) tall.

- #100-000-987EG Black Sniper's Drag Bag, 9K159T96** \$ 199.95
- #100-000-988EG O.D. Green Sniper's Drag Bag, 9K159T96** 199.95

BLACKHAWK INDUSTRIES LONG GUN DRAG BAG



Self-Contained System For Comfortable Spec-Ops & Long Gun Transport

Whether you're quietly low crawling into position or covering five clicks at double time in the dark this entirely self-contained weapon transport system provides greater protection and carrying ease for both semi-auto and bolt action long guns. Shields your coveted, scoped rifle from damage with fully padded sides covered in 1000 denier Nytaneon nylon and high density, 1" closed cell foam. Hide-away/detachable padded shoulder straps with quick-clip center stabilizer allow either muzzle up or muzzle down carry position for faster deployment. Exterior pouches all feature durable YKK zippers with dual sliders. Accessory pouches and main rifle compartment feature 1" wide adjustable internal straps to secure your rifle and additional gear. Two, separate interior pouches are specifically sized to carry two boxes of .308 ammunition and a compact cleaning rod. Nose cover protects the bag and the double strength drag loop eases low crawling movement through heavy brush. Full-length security flap over main compartment zipper snaps shut for additional protection from ambient moisture.

SPECS: Nytaneon brand ballistic nylon, 1000 denier cordura, black. 51" (129cm) long 10" (25cm) tall at widest point, 6 1/2 lb (3 kg) wt. Front cargo pouch - 8 1/2" (21cm) wide, 23" (58cm) long, 2" (5cm) deep. Rear cargo pouch. 9 1/2" (23.2cm) wide, 12" (30cm) long, 2" deep. Accepts scoped rifles up to 48" long

- #100-002-877EG Long Gun Drag Bag, 8K199C50** \$ 284.99

BLACKHAWK INDUSTRIES TACTICAL RIFLE CASE



Added Padding Protects Rifle & Optics

A shell of abrasion- and mildew-resistant, 1000 denier, Nytaneon nylon surrounds 3/8" of padding on the top and bottom of the case for snug, no-slip protection of your rifle and its expensive optics. Padding on the bottom of the case covers the zipper tracks to protect your rifle from scratches. A double-stitched, nylon carry handle is attached to the case with multi-reinforced stitching; an adjustable, padded sling offers a tactical-carry option. All cases accept rifles with mounted optics and fully unzip to be used as a shooting mat. **Standard Rifle** case is available in 34", 37", and 41" lengths and features four high-capacity magazine pouches (five on 41" case) with positive-close hook-and-loop patch closures, plus zippered compartments in the front for additional storage. **Scoped Rifle** case provides 51" of length to accept a scoped rifle with longer barrel and includes two, large, outside cargo pouches for ammo, magazines, and supplies instead of separate magazine pouches.

SPECS: 1000 denier, Nytaneon nylon, black.

STOCK #	MODEL	LENGTH	PRICE
#100-002-880EG	Rifle	34"	8K67A95 \$ 94.95
#100-002-878EG	Rifle	37"	8K67Z95 \$ 95.95
#100-002-879EG	Rifle	41"	8K69A95 \$ 98.95
#100-000-816EG	Scoped Rifle	51"	8K87A96 \$ 109.95



BROWNELLS

SIGNATURE SERIES GUN CASES

Built To Take The Abuse Of Tactical Operations

Eliminate nicks, dings, and damage that impair the performance and tarnish the appearance of tactical weapons with our Signature Series Gun Cases. We combined the very best materials - 1000 denier Cordura® nylon, YKK zippers, closed-cell foam padding - with your ideas to create what we feel is the ultimate line of gun cases anywhere. Plus, they look amazing... like anything we put our name on, you know these are top-of-the-line.

TACTICAL WEAPONS CASE - All the structural and performance features to meet and exceed the stringent demands of today's military and law enforcement personnel and civilian AR-15 shooters. Heavy weight shell resists punctures and snags, repels moisture, and blocks micro-fine particles of sand and grit that can cause ejection failures in automatic weapons. Bellow-style construction, with 3" wide zipper margin, accommodates firearms equipped with bipods and high-mount, large diameter optics. Adjustable, 2" wide, carry sling is box-stitched at the correct angle for proper weight distribution across the back and shoulders to ensure maximum mobility and less fatigue. Large, zippered, side pocket holds cleaning supplies, maps, shooting gloves, goggles, and other tactical gear. Tight-weave, friction-reducing, polyester lining makes weapon removal fast and easy in high stress situations. Extra thick, closed-cell, foam-core padding cushions blows and provides complete case floatation. Four, external, magazine pouches accept 30 round, M16 magazines. Available in two sizes.



SPECS: 1000 denier, Cordura nylon exterior, black. 38" (96.5cm) or 46" (116.8cm) long, 12" (30.5cm) wide at buttstock, 5" (12.7cm) wide at muzzle, 3" (7.6cm) thick. Pocket - 19 1/2" (49.5cm) long, tapered 3 1/2" (8.9cm) to 8 1/2" (21.6cm) high.

- 084-000-157EG 38" Tact. Weapons Case 4H77B23 . \$ 93.99
- 084-000-158EG 46" Tact. Weapons Case 4H84B14 . 102.99

M4 RIFLE CASE -

You need to have 100% confidence that your gear won't fail. That's why Brownells built a case that will protect your rifle in the harshest operating conditions and give you added advantages. Three rows of MOLLE-compatible attachment points run the length of the case, letting you keep your gear with your rifle. A large, bellows-style front pocket includes a separate magazine pouch with MOLLE-compatible attachment points and three, separate, 30-round magazine compartments with hook-and-loop closures. (Additional pouches available separately, below.) The water-resistant 1000 denier, Cordura Plus nylon shell stands up to the toughest abuse. An outer layer of closed-cell foam and an inner layer of open-cell foam protect your rifle from the dings and dents that come from continuous use. A protective skirt keeps malfunction-inducing sand and grit out of your rifle and prevents contact with the zipper. Brushed tricot lining won't snag your rifle, optics, and accessories, allowing for fast weapon removal in high-stress situations. Rugged, oversized YKK zippers with leather assists help you get the case open quickly, even when wearing gloves. Heavy-duty D-rings are securely stitched to a nylon reinforcing strip. Swivel snaps securely attach an adjustable carry strap. Reinforced carry handles are double-stitched around the case and will not tear off. **Double Rifle Case** has an additional nylon outer shell with protective pad double-stitched to the main case, providing twice the carrying capacity for extra gear or another M4 rifle. Both models come with the triple magazine pouch and are available in black, coyote tan, and O.D. green. Overbuilt? There's no such thing when equipment failure is not an option.



SPECS: 1000 denier Cordura Plus nylon exterior, black, coyote tan, or O.D. green. 35" (89cm) long, 11" (28cm) wide, 2 1/2" (6.4cm) high. Front Pocket - 10 1/2" long, 8" (20.3cm) wide, 2" high. **Double Rifle Case** includes additional outer shell - 33" (84cm) long, 10 1/2" (26.7cm) wide, 2" (5.1cm) high.

- 084-000-319EG M4 Single Rifle Case, Black, 4H97A46 \$ 121.99
- 084-000-226EG M4 Single Rifle Case, Coyote, 4H96V99 121.99
- 084-000-320EG M4 Single Rifle Case, O.D. Green, 4H96A99 121.99
- 084-000-321EG M4 Double Rifle Case, Black, 4H149A55 183.99
- 084-000-264EG M4 Double Rifle Case, Coyote, 4H149B55 183.99
- 084-000-322EG M4 Double Rifle Case, O.D. Green, 4H149A55 183.99

ADJUSTABLE-LENGTH RIFLE CASE - Padded, soft-side case adjusts to fit the exact length of your rifle (up to 46"), with plenty of width to accommodate a fully tricked-out AR-15/M16/M4 rifle with a high-mounted optic and full-capacity 30-round magazine. Adjustable, padded shoulder straps of heavy-duty nylon webbing let you sling the cases over your back like a backpack for comfortable hands-free transport. Straps are positioned for proper weight distribution across your back and shoulders for maximum mobility and minimal fatigue. Adjustable, quick-release chest strap keeps the shoulder straps from slipping. Shoulder straps attach via spring-loaded clips to flat D-rings sewn to the case, so they can be removed completely and the case carried by the double-stitched, nylon web carry handle. For rapid weapon deployment, release the polymer clips holding the slip cover and pull the cover off with its handle. Three rows of MOLLE attachment points on the front of the case accept Brownells Triple Magazine Pouch, Dump Pouch (both available separately), or other MOLLE-compatible gear.



SPECS: 1000 denier Cordura® nylon shell, black or coyote. 48" (1.2m) approximate maximum extended length, 14" (35.6cm) wide, 4" (10.2cm) high.

- 084-000-326EG Adj.-Length Rifle Case, Black, 4H117Y47 \$ 144.99
- 084-000-327EG Adj.-Length Rifle Case, Coyote, 4H117Y47 144.99

TRIPLE MAGAZINE POUCH - Extra pouches for your M4 rifle case or Adjustable-Length case help you keep plenty of spare magazines where you need them—with your rifle. Available in Coyote Tan, O.D. Green, and contrasting Black, with separate models for straight-body 20- and curved 30-round magazines. The pockets on both models are deep enough to accommodate Brownells Tactical Magazines and other mags fitted with the Magpul Ranger® Floorplate. MOLLE attachment system on the back has two sturdy nylon web straps with fold-over snap closures that loop securely through the exterior straps on the MOLLE-compatible gear. Separate flaps with hook-and-loop closures let you retrieve one mag without exposing the others to the elements. Made from the same tough, water-resistant 1000 denier Cordura Plus nylon as the M4 case.



Magazines not included

- SPECS:** 1000 denier Cordura Plus nylon, black, coyote tan, or O.D. green. **30-rd** - 9 1/2" (24.1cm) long, 8 3/4" (22.2cm) high. **20-rd** - 10" (25.4cm) long, 6 1/2" (16.5cm) high.
- 084-000-309EG 30-Rd Mag Pouch, Black 4H18A49 \$ 22.99
 - 084-000-310EG 30-Rd Mag Pouch, Coyote, 4H18A64 22.99
 - 084-000-317EG 30-Rd Mag Pouch, O.D.Green 4H18A49 22.95
 - 084-000-311EG 20-Rd Mag Pouch, Black 4H17A33 21.99
 - 084-000-312EG 20-Rd Mag Pouch, Coyote 4H17A40 21.99
 - 084-000-318EG 20-Rd Mag Pouch, O.D. Green 4H16A97 21.95

MAGPUL MOLLE SPEEDTHREADER



Indispensable For Threading Straps Through MOLLE/PALS Web Gear

Clips to the straps of MOLLE/PALS modular pouches and guides them easily and quickly through vest webbing for smooth, hassle-free interlacing. Takes the frustration out of configuring MOLLE gear in a hurry, especially when preparing for deployment and other situations where time is of the essence. You can attach a two-strap pouch in less than 60 seconds—and get it interlaced correctly the first time! Tough, self-lubricating molded polymer is flexible enough to thread through the webbing easily, yet stiff enough not to get diverted as you push it through. **SPECS:** Molded polymer, black. 17 1/2" (44.5cm) long. **#100-004-160EG MOLLE Speedthreader, 3K08A56 \$ 10.99**

Signature Series Custom Quality In Every Case

DUMP POUCH - MOLLE-compatible pouch attaches to the outside of your M4 rifle case Adjustable-Length case to provide added storage capacity for extra magazines, tools, cleaning supplies, backup optics or other gear. Made from the same tough, tear-resistant Cordura Plus nylon, in matching colors—black, Coyote Tan, and O.D. green. Has the same rugged, oversized YKK zipper and two sturdy nylon web straps with fold-over snap closures that loop securely through the exterior straps on the MOLLE-compatible gear.



- SPECS:** 1000 denier Cordura Plus nylon, black, Coyote Tan, or O.D. green. 10 3/4" (27.3cm) long, 9" (22.9cm) high, 1 1/2" (3.8cm) wide.
- 084-000-314EG MOLLE Dump Pouch, Black, 4H18A79 \$ 22.95
 - 084-000-315EG MOLLE Dump Pouch, Coyote, 4H18A85 22.99
 - 084-000-316EG MOLLE Dump Pouch, O.D. Green, 4H18A78 22.99

THREE-GUN COMPETITION CASE - Built for the three-gun competitor who needs to transport a rifle, shotgun, and pistol safely and comfortably, without juggling multiple cases. The roomy, fully padded main compartment easily accommodates a scoped rifle and a tactical shotgun, separated by a full-length padded divider that prevents any contact between the guns. Adjustable straps of tough nylon with hook-and-loop fasteners let you cinch down both long guns to prevent shifting during transport. Outside, three roomy zippered compartments provide plenty of space for spare magazines, cleaning supplies, eye/ear protection, and other gear. One pocket includes a removable, soft-padded pistol rug. Adjustable, padded shoulder straps let you carry the case like a backpack. Straps are positioned for proper weight distribution for maximum mobility and minimal fatigue. Adjustable, quick-release chest strap keeps the shoulder straps from slipping. Reinforced carry handles include a leather wrap and are double-stitched around the case to ensure they won't tear off.



- SPECS:** 1000 denier Cordura® nylon shell, black or coyote. 48" (1.2m) long, 12" (33cm) wide, 5" (12.7cm) high. Exterior Pockets - Two (2) 15" (38.1cm) long x 10" (25.4cm) high x 2" (5.1cm) deep, and one 11" (28cm) long x 9" (22.9cm) high x 2" deep. Pistol Rug - 14" (35.6cm) long x 10" high.
- 084-000-324EG 3-Gun Case, Black 4H16A49 \$ 209.99
 - 084-000-325EG 3-Gun Case, Coyote 4H165Y51 209.99

3BUCC-LLP AR-15/AR-STYLE .308

BRASS-SAVR BRASS CATCHER

Stop Crawling Around On The Ground

Cotton-poly bag supported by steel frame holds 70 rounds of .223 brass. Easy-open bottom unloads fast. Mounts to AR-15/AR-Style .308 carry handle or flattop rail, depending on model.



SPECS: Cotton-poly bag, steel frame, polymer mount, black, matte finish. 4 1/4" (10.8cm) wide, 3 1/2" (9cm) long, 7 1/4" (18.4cm) deep.

- #100-000-428EG Carry Handle Brass-Savr 4K39Y99 . \$ 59.99
- #100-000-735EG Flattop Mount Brass-Savr 4K47H75 . 58.99

BLACKHAWK INDUSTRIES S.T.R.I.K.E. SPEED CLIPS

Easy To Use; Secures Accessories To MOLLE Gear



Flexible, carbon fiber polymer clips allow fast, easy, and secure attachment of tactical accessories to MOLLE platforms. Threads into the PALS webbing with self-locking end tabs for a tight hold that won't shake loose. Replaces the old, cumbersome snap or strap method of attachment, and each clip includes a lanyard hole for secure storage. Available in Paks of six, 5" or 9" long to accommodate a variety of configurations, and in colors to match your existing tactical gear.

- SPECS:** Carbon fiber polymer composite. 5" (12.7cm) or 9" (22.8cm) long x 1" (2.5cm) wide. Black, coyote tan, or O.D. green.
- #100-003-735EG 5" Black Clips, 6-pak 8K09V73 \$ 12.99
 - #100-003-737EG 5" Coyote Tan Clips, 6-pak 8K09V73 . 12.99
 - #100-003-739EG 5" O.D. Green Clips, 6-pak 8K09V73 . 12.99
 - #100-003-736EG 9" Black Clips, 6-pak 8K18V44 23.99
 - #100-003-738EG 9" Coyote Tan Clips, 6-pak 8K18V44 . 23.99
 - #100-003-740EG 9" O.D. Green Clips, 6-pak 8K18V44 . 23.99

BROWNELLS AR-15/M16 BRASS CATCHER

No More Scrounging On The Ground For Scattered Brass - Fits All Models Of AR-15 Rifles




Catches your spent brass so you don't have to scrounge around for it in the grass/gravel when you're done shooting. Guarantees you take only your own brass home to reload. Our catcher quickly attaches to the handguard, not the receiver, so it fits almost any AR-15-type rifle or carbine, even flattops. Cinches down tight with an extra wide hook-and-loop strap that's easy to install and remove—and won't harm your rifle's finish. Heavy-duty bag, with internal wire frame, is made from the same grade of ballistic nylon used for bulletproof vests and flack jackets to ensure superior wear resistance. Holds up to 40 spent .223 cases.

SPECS: 1050 denier Ballistic Nylon, black w/internal wire frame & hook-and-loop strap. Bag measures 6 3/4" (17.2cm) x 8" (20.3cm).

- #084-000-262EG AR-15 Brass Catcher 3B33V36 \$ 39.99

Sinclair AR-15/M16 CHAMBER SAFETY FLAG

"Show The Flag" For A Clear Chamber



Bright yellow color provides instant recognition, indicates a safe weapon to range safety officers. Solidly built to withstand accidental bolt slamming. Curved probe stays in chamber with bolt open. Approved for DCM/NRA competition.

- SPECS:** Plastic, yellow. 5 1/2" (14cm) long. Pak of 3.
- #988-004-001EG 3 Chamber Safety Flags, 8H03A99 \$ 5.99

Orders/Tech: 800-741-0015

www.brownells.com

BROWNELLS ONLY THE BEST...

PAGE 57

AR-15/M16

GUN CASES

RANGE & TRAINING GEAR

CHAMBERSAFE CHAMBER BLOCKING DEVICE



High Visibility Confirmation
That Firearm Is Unloaded

Bright orange chamber block fits in the ejection port and physically prevents chambering of a round to provide positive visual confirmation that the firearm is unloaded. Removes instantly by pulling the large, easy-to-grasp ring to clear the chamber and bring the weapon into operation. Use in any situation that requires fast, visual verification of firearm status—law enforcement, military, gun shops, as well as hunting, range, and competition applications. Fits semi- and full-auto rifles and carbines with an extractor enclosed within the bolt, including AR-15/M16/M4 and M14/M1A. Flexible, one-piece, molded polymer construction stands up to years of insertion and removal cycles. Tab on pull ring allows marking with individual weapon identification information.

SPECS: Molded polymer, orange. Fits AR-15/M16, M14/M1A, and other semi- and full-auto rifles and carbines with extractor enclosed within the bolt. Should not be used on any firearm with an extractor that extends forward from the bolt.

#100-003-782EG Chamber Blocking Device, 6B08T29 \$ 10.99

TCACCESSORIES BRASS DEFLECTOR

Collects All Your Empty Brass
In One Area; Saves Yourself &
Others From Being Burned



Lightweight steel, brass deflector redirects empty rounds to one place for easy pickup. Protects skin and clothes from hot, discharging brass. Available for a number of guns and legal for use in NRA Highpower competition. Installs with little to no gunsmithing; attaches to either picatinny rail or carry handle, depending upon model ordered.

SPECS: Steel, black, matte. Available for guns listed below.

#100-001-133EG A-2 Brass Deflector 9K16V00 \$ 21.00
#100-001-134EG A-3 Brass Deflector 9K16V00 \$ 21.00
#100-001-135EG A-3 Carry Handle Brass Deflector, 9K16V00 \$ 21.00
#100-002-568EG Picatinny Brass Deflector 9K16H00 21.00

BROWNELLS AR-15/M16 DUST COVER SAFETY FLAG



Highly Visible Indicator Shows Rifle
Is Unloaded & Seals Ejection Port
To Keep Out Dirt

Bright, highly-visible yellow insert instantly lets the RSO and other shooters know your weapon is unloaded and safe. Perfect for training exercises and classroom activities where it's vital to quickly identify that weapons are safe at all times. Blocks the chamber to ensure that a round cannot be loaded when the flag is installed. Completely seals the ejection port to keep out dust, dirt, and other debris.

SPECS: Plastic, yellow.

#084-000-300EG Dust Cover Safety Flag 4H04C88 . . . \$ 6.99

BROWNELLS DUST COVER SAFETY FLAG



The cost is reasonable and a small price to pay verses what could be an accidental firing with a bad ending. Don't hesitate adding this to your next order. Do it!

— By Snowshoe from Pinellas County - Florida

BROWNELLS AR-15/M16 SAFE PORT



Clearly Marks Rifle
As Unloaded; Ejects
When Bolt Is Charged

Safety orange, plastic flag clearly indicates, either close up or at a distance that there is no ammunition in the chamber. Ideal for range and classroom safety when identifying that a weapon is clear is of utmost importance. SafePort cannot be placed in chamber if there is a round loaded, but can be used when a loaded magazine is in the rifle and will eject from the chamber when the bolt is charged. Safe Port can be marked with serial numbers for ease of identification in storage.


SPECS: Plastic, safety orange. Fits AR-15/M16 rifles.

#084-000-194EG SafePort, 4E11T56 \$ 14.99



BLADE-TECH AR-15/M16 TRAINING BOLT CARRIER

Allows Dry-Fire Training
Without Risk Of
Accidental Discharge



Dummy bolt carrier enables realistic dry-fire weapon handling during training without risk of accidental discharge. Lets the student safely train with his actual duty weapon simply by replacing the factory bolt/carrier assembly with this inert replica made of high-visibility yellow polymer. Preserves full carrier and trigger function for jam-clearing and reset drills, plus realistic training in CQB tactics, room-clearing, disarming, and weapon retention. More economical, easier to store, and more realistic than full-size dummy training weapons. Ideal for law enforcement, professional firearm training schools, competition shooters, and firearm dealers. Remove factory bolt/carrier and insert the Training Bolt Carrier, dropping retention cord down the barrel to retain the bright yellow muzzle flag for instant visual verification of the weapon's safe status. Can be used in rifles fitted with gas piston systems. Tough, impact-resistant molded polymer resists bending, flexing, and the effects of most cleaning solvents.

SPECS: Injection-molded polymer, high-visibility yellow.

#098-000-082EG Training Bolt Carrier, 8K15U59 \$ 19.99

RING'S MANUFACTURING FIREARMS SIMULATOR



Safe, Non-Gun For
Law Enforcement &
Military Training

A realistic, safe alternative to using real firearms for law enforcement training exercises and weapons retention drills. Molded from actual weapons for true-to-life detail. Strong, polyurethane plastic has steel reinforcement to prevent bending and flexing; handles and balances like an actual firearm. Safety blue color signifies this is a non-firing training aid. CAR-15 model does not include provisions for attachment of grenade launcher.

SPECS: Polyurethane, safety blue. Approx. 5 lbs. 3 oz. (2.35kg) wt.

#100-000-226EG CAR-15 Simulator, 3K147X35 \$ 174.75

#100-002-556EG M4 Simulator, 3K147V35 \$ 174.75

PRECISION GUN SPECIALTIES SAF-T-TRAINERS



Brightly Colored "Dummies"
For Training Exercises

Brightly colored plastic and a different "feel" makes sure you won't confuse these for live rounds. Popular with many departments and agencies for use in Immediate Action training for just that reason. These do not duplicate weight and balance of loaded rounds or function-testing dummies.

SPECS: Orange or yellow plastic. Rifle and Handgun calibers supplied 50 or 10 rounds per bag, Shotgun calibers supplied 25 or 10 rounds per bag. 9mm Makarov: (9mm Mak).

STOCK #	CAL./GA.	QTY.	COLOR	PRICE
#729-050-223EG	.223 Rem.	50	Orange	9B25Z80 \$ 31.99
#729-000-045EG		10		9B05C69 \$ 6.99
#729-050-308EG	.308 Win.	50	Orange	9B25X80 \$ 31.99
#729-000-034EG		10		9B05X70 \$ 6.99

ARMSPORT DELUXE SNAP CAP

Save Firing Pins - Shoot Better
With Safe, Dry-Fire Practice



The spring-loaded "primers" in these snap caps act much like a live primer and cushion the blow so firing pin and bushing damage won't occur. Bright color and "different" feel to prevent mixing with live rounds or function-testing dummies. (Don't use snap caps as dummies - they don't duplicate loaded round weight/balance.)

SPECS: Brass base, plastic body.

STOCK #	CALIBER/GA.	CAPS PER PAK	PRICE
#055-811-223EG	.223 REM.	2	6H11X05 \$ 13.99
#055-812-308EG	.308 Win.	2	6H11X05 \$ 13.99

Sinclair AR-15 CLEANING LINK

Locks AR-15 Open For Fast, Easy Cleaning



Lets you easily clean and lube the action or swab out barrel, from the breech. Hold-open link separates upper and lower receiver assemblies, locks them solid, prevents the receiver from constantly flopping closed. Stainless steel and Delrin® link installs in seconds, is impervious to solvents.

SPECS: Delrin and stainless steel.

#988-003-001EG AR-15 Cleaning Link 8H11A64 . . . \$ 15.99

BROWNELLS

AR-15/M16/AR-STYLE .308 M-PRO 7® AR-15 CLEANING KIT

Complete System Ensures
Thorough Cleaning To Keep
Your AR Functioning Reliably

Brownells has teamed up with M-Pro 7 to develop this cleaning kit specifically for maintaining an AR-type rifle in peak operating condition. Now you can clean your AR using the same operationally tested products used by the United States Armed Forces. Inside the kit's compact hardshell case you'll find M-Pro 7 Gun Cleaner that safely penetrates deep beneath even tough, scorched-on carbon



BROWNELLS AR-15/M16 PROFESSIONAL CLEANING SYSTEM



Premium-Quality Components
For Detail Cleaning Of The Entire Rifle

Convenient, professional-grade cleaning system contains everything you need to thoroughly clean an AR-15 to ensure it operates with peak reliability and accuracy. We packed this kit with our best, premium-grade components and supplies to help you detail clean all parts of your rifle's operating system, including bore, chamber, gas system, and bolt carrier way. You get a top-quality Dewey cleaning rod long enough for any AR-15 barrel, our own Special Line bronze bore brushes, and our deep-scrubbing all-cotton, flannel patches, plus tools specifically developed for the AR-15. A hold-open link separates the upper and lower receivers and locks them in place so you can clean the bore and chamber the correct way, from the breech. Rugged Delrin® plastic bore guide centers the cleaning rod in the bore and protects the rifling from damage; silicone O-ring seals the chamber and keeps solvent out of the action and trigger. Our upper receiver cleaning tool has a properly sized bronze brush and cotton mop to let you quickly scrub stubborn carbon fouling from the bolt carrier way and lug recesses. Combination bronze and stainless steel chamber brush, originally designed for the USGI M16, makes short work of fouling that can prevent proper extraction of spent shells. All this gear comes packed in a rugged plastic storage/carry box with a roomy top compartment and three slide-out drawers with plenty of storage space for extra items.

SPECS: Kit contains Dewey 36" cleaning rod w/jag and 8-32 thread adapter, O-ring bore guide, cleaning link, (12) Special Line .22 bore brushes, (3) cotton bore mops, (250) 1 1/4" round cotton patches, (6) gas tube cleaners, (3) chamber brushes, gun parts cleaning brush, (2) shop cloths, 4 oz. Break Free CLP Cleaner/Lubricant/Protectant, and 24 oz. TCE Cleaner/Degreaser, plus Upper Receiver Cleaning Kit that includes handle, bronze brush, and cotton mop. For AR-15/M16 rifles and carbines chambered in .223/5.56mm only.

#080-000-573EG Professional AR-15 Cleaning System, 8K125T78 \$ 148.99

fouling to lift away the gunk and leave the bore sparkling clean. M-Pro 7 Cleaner/Lubricant/Protectant delivers superior lubrication and corrosion protection, and can also be used for quick cleaning on the go. You get a military-style multi-section steel cleaning rod with a folding handle, plus five high-quality bronze brushes to clean ARs in the standard .223/5.56mm and .308/7.62mm calibers, as well as 9mm and .45 chamberings, plus a brush for cleaning the bolt carrier way—critical for maintaining reliable weapon cycling. There's plenty of absorbent cotton flannel patches in three sizes to fit all those calibers, plus the M-Pro 7 Weapons Maintenance Guide. Due to its non-hazardous and non-flammable contents, this kit meets TSA regulations for legal transport in checked baggage aboard commercial airliners.

SPECS: Kit contains polycarbonate box, black; 2 fl. oz (59ml) Gun Cleaner; 2 fl. oz. Cleaner/Lubricant/Protectant; five-section steel cleaning rod w/30" maximum extended length; (4) bronze bore brushes to fit .22/.223/5.56mm, .308/7.62mm, 9mm, and .45; bronze bolt way cleaning brush; polymer patch loop; 1" circular, 2" square, and 2 1/2" square cotton flannel patches; lint-free gun cloth; and Weapons Maintenance Guide.

#080-000-686EG AR-15 Cleaning Kit 9K28T11 \$ 34.99

BROWNELLS AR-15/M16 BUTTSTOCK CLEANING KIT



Compact, Field-Ready Kits That Go Wherever Your Rifle Goes

Our crew of tactical weapons experts developed these 5.56mm cleaning kits to give the M16/AR-15 shooter a handy, carry-along system that fits snug in the storage compartment of A-1/A-2 buttstocks. **Standard Kit** includes a government-type 5-piece cleaning rod (with loop), bronze bore brush, bronze chamber brush, double-ended parts cleaning brush, and a heavy Nylon pouch tapered correctly for a rattle-free fit. **Deluxe Kit** adds a solvent-resistant Nylon chamber brush, 25-Pak of mil-spec cleaning patches, and ¼ oz. Brownells Friction Defense™ Gun Oil for superior weapons lubrication and corrosion protection. Detailed instructions in both kits guide you through the cleaning process. ■

SPECS: For 5.56mm (.223) caliber only. Fits A-1 and A-2 style buttstocks. Both kits include 5-piece cleaning rod, bore brush, bronze chamber brush, parts cleaning brush, buttstock pouch, and instructions. **Deluxe Kit** adds Nylon chamber brush, 25-Pak cleaning patches, and Friction Defense Gun Oil.

#084-000-229EG Std Bttstk Cleaning Kit 4H12B86 . . . \$16.99
#084-000-233EG Deluxe Buttstock Cleaning Kit, 4H16D73 21.99

DPMS AR-15/M16 A-2 CLEANING KIT

Fits The A-2 Stock Recess, For Always-Ready Convenience



Everything you need to clean your rifle. Stores in A-2 stock recess, instantly ready for in-the-field or at-home cleaning. Vinyl pouch holds military, five-piece cleaning rod assembly, oil bottle, bore brush, chamber brush and "toothbrush" parts cleaning brush.

SPECS: Vinyl pouch, OD green. Steel cleaning rod, parkerized. Bronze bore and chamber brushes, 1 oz. plastic oil bottle, "toothbrush".
#231-000-037EG AR-15 A-2 Cleaning Kit 3B11T49 . . . \$14.36

MASEN MIL-SPEC CLEANING KIT

Authentic, Issue Kits For Field Use

Genuine cleaning components make a great take-along kit for range and field use. Kit includes sectional cleaning rod with combo handle, patch loop, bore brush, chamber brush, double-ended parts brush, oiler bottle, and storage pouch. Fits snugly inside the trap-door compartment on A2 buttstocks. ■



DEWEY AR-15/M16/AR-STYLE .308 PULL-THROUGH CLEANING KIT

Complete, Pocket Size Kits For Fast, Effective Cleaning In The Field

Convenient, pull-through kit contains everything you need, in one compact unit, to effectively and easily clean your AR-15/M16 or AR-style .308 rifle while on the move. Flexible cable with protective coating allows thorough cleaning without damage to the bore or muzzle end. Large, nylon bead slides along the cable and provides a non-slip grasp and easy pulling. Patch loop, brush connector, and sliding pull bead are permanent parts of the cleaning cable. Connector is 8"-32 tpi for rifle size brushes. Includes a ½ oz. bottle of Shooter's Choice FP-10 for cleaning, lubricating, and deep-penetrating corrosion protection. Compact, 1000 denier Cordura® nylon pouch stores all components and stows easily in a range bag, pocket, or on your belt. Separate kits available for AR-type rifles chambered in .223/5.56mm, 6.8mm/.243/.260, and .308/7.62mm. ■

SPECS: Coated 30" cleaning cable with 8"-32 female end, brass loop, bronze/steel chamber brush, coated steel Thandle chamber rod, brass stuck case remover, brass scraper & brass/steel pick, nylon bore brush; ½ oz. bottle of Shooter's Choice FP-10, assorted cotton patches, and 1000 denier Cordura nylon pouch.

#234-000-081EG Pull-Thru Kit, .223 4C27B49 \$34.99
#234-000-076EG Pull-Thru Kit, 6.8mm 4C28B00 38.95
#234-000-082EG Pull-Thru Kit, .308 4C28B69 36.99

OTIS AR-15/M16/AR-STYLE .308 TACTICAL GUN CLEANING SYSTEM

Fully Contained Pocket Cleaning Pack



Everything you need to clean your AR in one compact kit. All kits include rod, solvent, slotted tip, patches, bore brushes and other accessories. Carries on your belt. **#224 Kit** fits recess in M-16A2 butt stock. **#308 Sniper Kit** is for .30 caliber rifles. Also contains lens cleaning solution, lens brushes, swabs and cloth. ■

SPECS: Black nylon carrying case, brass brushes, tips and handles. Cleaning solvent and patches. Plastic coated steel cable rods. **#Kit #308 case is 3.5" (8.9cm) diameter.**

#668-100-224EG #224 Cleaning System 8F36Y65 . . . \$55.99
#668-000-001EG #308 Cleaning System 8F60P08 77.99

AR-15 GRIP KIT - Provides a very useful, field and emergency cleaning kit that's always ready for use. All components are contained in a secure, grip insert that stores in the standard handgrip recess.
SPECS: Polymer insert, black. Contains: cleaning patches, 26" (66cm) flexible rod, bore brush, slotted, brass tip, NATO thread adapter and Thandle.

#668-000-005EG AR-15 Grip Kit 8F38P98 \$53.49

CLEANING PATCHES - The same patches used in the tactical cleaning system. Pre-slotted to fit loop-style rod tip. Each patch can be varied in size by pinching at the various slots. 100 patches for .22-.30 caliber.
SPECS: 100% virgin cotton. Diameter: 2" (5cm).

#668-000-002EG Small Caliber Patches 8F04P40 . . . \$6.99

SPECS: Rod/Handle - Steel, parkerized. Bore Brush - Bronze. Chamber Brush - Bronze w/stainless steel lug recess bristles. Oil Bottle - Plastic. Parts Brush - Nylon bristles, plastic handle. Fits .223 caliber.

#555-000-005EG M16 Cleaning Kit 6E14V92 \$17.99

BROWNELLS MILITARY THREAD BRASS LOOP

No Bore Damage; Fits Military Rods

Soft, brass loop threaded for 8-36 tpi Military-type cleaning rods helps prevent loss of accuracy due to bore wear caused by cleaning. Securely holds cleaning patch for .22-.30 calibers without damage to rifling. ■

SPECS: Brass. .22-.30 Cal., 8-36 tpi male threads.
#084-000-259EG .22-.30 Cal., 8-36 Brass Loop, 4H03T00 \$3.95

MILITARY CLEANING ROD ADAPTER

For 8-32 Attachments

Adapts the small arms military cleaning rods to accept 8-32 commercial brushes and jags. ■

SPECS: Steel, parkerized finish. 3¼" (8.26cm) long. Pak of 2.
#084-116-362EG 8-32F/8-36M Adapters, 4H04X27 \$6.99

BROWNELLS CLEANING ROD, SMALL ARMS

Original Military M16 Rod

New production of the original, military issue "Cleaning Rod, Small Arms" (NSN #1005-00-089-3994). Designed for the M16/AR-15's and perfect for range kit or hunting pak. Fold-over handle. ■

SPECS: 8-36 military thread. .204" (5.2mm) dia. rod, 4 sections, each 7¾" (18.7cm). Overall length, with Jag, 29¾" (75.6cm). All parts steel. O.D. parkerized finish. Includes 8-36 to 8-32 adapter.
#084-116-100EG Cleaning Rod, Small Arms, 4H10X61 \$15.99
#084-116-362EG 8-32F/8-36M Adapters, 2-pak, 4H04X27 6.99

DEWEY AR-15 MUZZLE GUARD

Guides The Cleaning Rod To Prevent Bore Damage



Made specifically for AR-15 rifles and carbines to help keep the cleaning rod from contacting the rifling when cleaning from the muzzle end. Provides proper fit on guns equipped with military-style, bird cage flash hiders. Prevents damage to the crown on guns without flash hiders. Integral oilite bearing decreases rod wear. Will install over any muzzle less than .865" diameter. ■

SPECS: Delrin®, 1½" (3.9cm) long x .865" (21.9mm) dia.
#234-014-016EG AR-15/M16 Muzzle Guard, 4C06Z45 \$9.95

DEWEY BRASS CHAMBER ROD

The Right Length For Upper Receiver Cleaning

Dewey's CHR brass chamber rod combined with a bronze/steel bristle brush cleans the chamber and critical locking lug area. ■

SPECS: Brass rod, plastic handle. 8-32 tpi. 12¼" (31.1cm) long.
#234-000-021EG AR-15 Combo 4C09Y05 \$13.95
#234-000-041EG AR-Style .308 Combo, 4C09V70 14.95

C.J. WEAPONS AR-15 BORE STAY™

Convenient, Lock-In-Place Bore Guide



Machined Delrin® bore guide replaces the bolt carrier while integral "locking lugs" keep guide firmly in the receiver. Lets you keep both hands free for better cleaning rod control. Helps keep solvents and other debris out of lower receiver during cleaning.
SPECS: Machined Delrin body. 9½" (24.1cm) long.
#100-000-432EG Bore Stay Bore Guide 5K18A75 . . . \$24.95

DEWEY AR-15/M16/AR-STYLE .308 CLEANING ROD GUIDE



Keeps Solvent Out Of The Action

Allows cleaning from the breech to protect the muzzle from cleaning rod damage. Rubber "O" ring seals the chamber and keeps solvent out of the lower receiver. ■

SPECS: Aluminum, anodized. Delrin handle. Rubber O-rings. Approximately 9" (22.9cm) long. Includes spare O-rings and O-ring installation tool. **AR-15/M16 model fits rifles chambered in .223/5.56mm and .204 Ruger.**

#234-015-000EG Rod Guide, AR-15/M16, .223/5.56, 4C13A60 \$20.95
#234-000-075EG Rod Guide, AR-15/M16 6.8mm, 4C18B50 26.95
#234-010-000EG Rod Guide, AR-Style .308 4C16Z20 . . 24.95

J.P. ENTERPRISES AR-15/AR-STYLE .308 CLEANING ROD GUIDE



Helps Prevent Crown, Throat & Chamber Damage

Replaces the bolt carrier, seals the upper receiver with rubber O-rings to keep solvents and crud out of the action. Solid aluminum rod guide helps prevent throat and chamber damage caused by cleaning rod contact. ■

SPECS: Machined aluminum, **AR-15 - red, anodized finish. 10" (25cm) long. Fits .223 only. AR-Style .308 - blue, anodized finish. 11.5" (29.2cm) long. Fits .308 only.**
#452-015-220EG AR-15 Rod Guide 2E28X35 \$34.99
#452-015-221EG AR-Style .308 Rod Guide 2E30X74 . . 37.99

POSSUM HOLLOW AR-15/M16 O-RING BORE GUIDE

Protects Chamber & Bore

Centers the cleaning rod in the bore to prevent rifling damage. Extra long for scoped rifles. O-ring seals chamber and keeps solvents out of the action and trigger, holds bore guide firmly in place. ■

SPECS: Delrin®, Silicone rubber O-ring. 9½" (24cm) long.
#528-101-019EG O-Ring Bore Guide, for AR-15/M16, 8B14P47 \$19.99

SATERN CUSTOM AR-15 BORE GUIDE



Prevents Damage To Chamber & Bore

Clean your AR-15 from the breech to prevent muzzle damage. Insert into the upper receiver, replacing the bolt carrier, for safe and easy cleaning. Self-centers in the receiver with O-ring seals. Has a solvent port to keep chemicals out of the action. ■

SPECS: Delrin®, 9.5" (24cm) long. Fits .223" (5.56mm) only.
#812-015-002EG Delrin AR-15 Bore Guide, 2A31P81 \$37.99

C.J. WEAPONS AR-15/AR-STYLE .308 CHAMBER MAID KITS

Scrubs Chamber & Lug Recesses Extra Clean—Fast



The perfect kit for fast, thorough cleaning of the chamber and hard-to-reach lug recesses in the barrel extension. Contains a detachable handle, a flexible steel braid, rubber coated cleaning rod, and a heavy duty bronze bore brush with a wider-diameter section of stainless steel bristles to scrub the lug recesses.

SPECS: Flexible, rubber-coated, braided steel 10" (25.4cm) rod, plastic handle, bronze/stainless steel brush. Models for AR-15 and AR-style .308 rifles. Accepts brushes with 8-32 thread.

#100-003-014EG AR-15 .223 Chamber Maid Kit, 5K10D60 \$ 13.25
#100-003-015EG AR-Style .308 Chamber Maid Kit, 5K12D00 15.00

CHAMBER MAID SWAB KITS -

Replaces the steel bristles on the standard .223 and .308 Chamber Maid kits with a super-absorbent, star-shaped felt swab precisely contoured for thorough yet gentle cleaning of the lug recesses on AR-15 and AR-style .308 rifles. Each kit contains five swabs, bronze bore brush, removable handle, and a flexible steel braid, rubber coated cleaning rod.

SPECS: Kits available for AR-15, .223 and AR-type .308 rifles. Each kit contains five swabs, bronze bore brush, removable handle, and a flexible steel braid, rubber coated cleaning rod, 10" (25.4cm) long. Felt swabs - .308 - replacement pak of 12. .223 - replacement pak of 20. Accepts brushes with 8-32 thread.

#100-002-569EG AR-Style .308 Swab Kit, 5K12H00 \$ 15.00
#100-002-570EG AR-Style .308 Replcmnt. Swabs, 12-pak, 5K07H96 9.95
#100-002-571EG AR-15 .223 Swab Kit, 5K10H00 12.50
#100-002-057EG AR-15 .223 Replcmnt. Swabs, 20-pak, 5K07Y57 10.99

C.J. WEAPONS AR-15/AR-STYLE .308 BARREL EXTENSION & LUG RECESS SWABS

Get Those Hard-To-Reach Areas Really-Clean

Super-absorbent felt swabs fit over the tip of any .223 or .308 bore brush and fit perfectly in the lug recess and barrel extension to get those areas completely clean. Use with your favorite bore cleaner to remove crud and deposits that other cleaning methods leave behind. Perfect for quick cleaning jobs on the range or thorough cleanings at home.

SPECS: Felt, white. Sold in 20-Paks for .223 or 12-Paks for .308.
#100-002-057EG AR-15 Swabs, 20-Pak 5K07Y57 \$ 10.99
#100-002-570EG AR-Style .308 Swabs, 12-Pak 5K07H96 9.95



BROWNELLS ... ONLY THE BEST ... PAGE 60

GSA BROWNELLS AR-15/M16 UPPER RECEIVER CLEANING KIT



The Right Tools For A Difficult Cleaning Job

Make short work of cleaning heavily fouled AR-15 upper receivers, right down to the locking lug recess. Specially sized and shaped bronze receiver brush and mop quickly loosen stubborn carbon residue from the bolt carrier way and locking lug recess. Choose kit with **Wool** or **Cotton** mop. **Standard Kit** for cleaning upper receiver, bolt carrier way. **Deluxe Kit** features a longer rod and a chamber brush that lets you thoroughly clean the bolt carrier way, plus the chamber and locking lug recess. **Wool**

SPECS: **Standard Kit** includes bronze receiver brush, mop, and brass cleaning rod with plastic handle. Overall length - 6 1/2" (16.5cm) long, threaded 3/16"-27 tpi. **Deluxe Kit** includes bronze receiver brush, mop, AR-15 chamber brush, thread adapter and brass cleaning rod with plastic handle. Overall length - 14 1/4" (36.2cm) long, threaded 8-32 tpi. **Replacement** brush and mop are threaded 3/16"-27 tpi.

#084-223-015EG **Standard Kit**, Wool Mop 4H14P63 . . . \$ 19.99
#084-823-115EG **Deluxe Kit**, Wool Mop 4H21D08 26.99
#084-000-028EG **Standard Kit**, Cotton Mop 4H23C71 . . . 32.99
#084-000-029EG **Deluxe Kit**, Cotton Mop 4H20C99 . . . 26.99
#084-223-003EG **Replcmnt Receiver Brush** 4H03T54 . . . 4.99
#084-223-004EG **Replacement Wool Mop** 4H06T72 . . . 11.99
#084-000-027EG **Replacement Cotton Mop** 4H05C92 . . . 7.99

Sinclair AR-15/M16 LUG RECESS CLEANING TOOL

Scrubs Lug Recesses Clean For Secure Bolt Lockup & Reliable Cycling



Easy-to-use cleaning tool helps remove accumulated powder residue, grease, and carbon from AR-15 lug recesses. Helps ensure secure bolt lockup, reliable cycling, and consistent accuracy. Simply remove the bolt, bolt carrier, and charging handle, and insert the tool with the disposable cotton cleaning tip retracted into the protective sleeve of solvent-resistant Delrin®. When the sleeve bottoms out on the barrel extension, push a little farther to expand the cleaning tip in the lug recesses, rotate the tool several times, and remove. Also perfect for cleaning the barrel extension face. May be used dry or with your favorite bore cleaning solvent. **Wool**

SPECS: Stainless steel & Delrin. 11 1/2" (29.2cm) long. Includes 50 cotton cleaning tips.
#988-000-008EG **Lug Recess Cleaning Tool**, 8H22A54 \$ 27.99
#234-000-049EG **Cotton Cleaning Rolls**, 50-pak, 4C01V90 2.95

GSA BROWNELLS M60 RECEIVER BRUSH

Square Profile Gets Into The Tight Spots

Ultra-fine, steel bristles in a unique, square shape get into tight corners to remove stubborn receiver fouling fast, without damaging the firearm. Originally designed for the M60 machine gun; works equally well to scrub out baked-on carbon deposits from inside AR-15 and other firearm receivers. Heavy-duty, looped and wound, steel shank provides extra strength and rigidity. Threaded brass coupling won't mar lightweight, aluminum receivers. **Wool**

SPECS: 8-32 thread. Bristles - 3" (7.6cm) long, 1" (2.5cm) wide. 4 1/2" (11.4cm) overall length.
#084-000-128EG M60 Receiver Brush 2A09V69 \$ 11.99

DEWEY GRENADE LAUNCHER CLEANING KIT



The Right Kit For The M203

Cleans military issue M203 (40mm) grenade launcher and 37mm variants. Two-piece, aluminum cleaning rod with 3/16"-27 female threads can also be used for short-barreled shotguns. **Wool**

SPECS: Kit includes: (1) 14" (36cm) aluminum rod w/fixed handle, (1) 8" (20cm) aluminum rod extension, (1) 3/16"-27 phosphor bronze brush, and (1) 3/16"-27 cotton mop.

#234-000-051EG **Complete Cleaning Kit** 4C32V36 . . . \$ 39.99
#234-000-058EG **37/40mm Replacement Brush**, 4C05V15 7.95
#234-000-059EG **37/40mm Replacement Mop**, 4C05V15 7.95

DEWEY 37/40mm GRENADE LAUNCHER PULL-THROUGH CLEANING KIT

Quickly Get Grenade Launchers & Riot Guns Clean Without The Fuss



Don't scrounge together cleaning items from other kits just to clean your grenade launcher. Convenient, pull-through kit contains everything you need to effectively and easily clean grenade launchers and riot guns. 22" long nylon cord can be shortened to any length necessary, plus the solid brass ends accept all standard 3/16"-27 tpi accessories like shotgun brushes and bore mops. Nylon pull bead slides along the cord for easy pulling from either end of the weapon. **Wool**

SPECS: Kit includes 37/40mm aluminum-wound, bronze bore brush, cotton bore mop, 22" (55mm) nylon pull cord, mil-spec M16 parts brush, and 3" (76mm) x 6" (15mm) silicon gun cloth.
#234-000-068EG **37/40mm Pull-Through Kit**, 4C22B35 \$ 27.95

HOPPE'S BORE SNAKE

Fast, Pull-Through Cleaning; Rod, Brush & Patch All In One

Scrubs and cleans in a single step. Apply bore cleaner to the front of the cord and oil to the end. Drop cord into the bore and pull through five times. The built-in, phosphor bronze brush and braided floss scrub, clean and oil the bore in just minutes. Washable and reusable; lightweight design folds neatly away for easy storage and carry. **Wool**

SPECS: Braided nylon cord, nylon floss.

STOCK #	FITS	PRICE
#664-100-022EG	.22 Rifle	3E12P79 \$ 13.59
#664-100-300EG	.30 Rifle	3E16P44 \$ 19.99
#699-000-020EG	37mm/40mm Gas Gun	3E33U72 \$ 40.95

MIL SPEC GUN CLEANING PATCHES

From The Same Supplier Uncle Sam Uses

100% cotton, single-nap, unbleached flannel patches made to get guns clean efficiently. The coarse, open weave side grabs and holds bore fouling and doubles as a "scrubber" for tough surface dirt. Soft, napped side holds solvents and oils. **Wool**

SPECS: 100% cotton flannel. 1000 patches per package. .223 - 1 1/4" (3.2cm) square. .30 - 2 1/2" (6.4cm) square.
#546-100-223EG .223 Mil Spec Patches 6D10H62 . . . \$ 14.99
#546-100-030EG .30 Mil Spec Patches 6D19H52 27.99

A&O MFG. AR-15/M16 BOLT CARRIER CARBON SCRAPER

Makes It Easy To Remove Carbon From Bolt Carriers



Tool steel scraper quickly removes carbon buildup in AR-15/M16 bolt carriers. Dual edges clean in both directions. **Wool**

SPECS: Tool steel, black, matte finish. 2 3/4" (7cm) long, 1/2" (12.7mm) wide, 3/16" (4.8mm) thick.
#100-001-451EG **Bolt Carrier Carbon Scraper**, 7A16B18 \$ 19.99

NEW BROWNELLS AR-15/M16 BOLT RADIUS SCRAPER

Easily Removes Carbon Deposits From Bolt Tail With A Few Gentle Turns



Easy to use hand-held tool is for serious AR-15 shooters who want to quickly eradicate the carbon buildup on the bolt tail that's difficult to remove with conventional cleaning methods. Helps ensure efficient gas system function and reliable cycling. This hard-working, stand-alone tool does the whole job - no need for brushes, solvents, or breakdown sprays. Just remove the bolt from your rifle and insert the bolt tail into scraper, then turn the scraper clockwise to remove the carbon. The comfortable, contoured handle provides excellent leverage. A few gentle turns should be all that's needed for the bolt tail to be clean and ready for action. **Wool**

SPECS: Hardened tool steel, plastic handle. Approximately 5 1/2" (14cm) long.
#080-000-639EG **Bolt Radius Scraper** 8K11A98 \$ 19.99

NEW COMBAT APPLICATION TOOLS AR-15/M16 CAT M4 TOOL

Compact Multi-Tool Helps Keep Bolt/Carrier Group Functioning Smoothly

Compact, easy to carry pocket tool performs four separate cleaning functions to help you quickly restore the critical bolt/carrier tolerances that can be compromised by carbon buildup after prolonged shooting. Use as a bolt scraper, firing pin cleaner, patch holder for swabbing the bolt recess, and scraper for removing carbon in the carrier. Plus, the center of the tool is equipped with a 1/4" hex head recess to use as a driver. Carry a few 1/4" driver bits, and you're all set to make adjustments that keep your rifle tuned and shooting. **Wool**

SPECS: Machined steel casting. 3 1/2" (8.8cm) long. 1 oz. (28.35g) wt. Includes shirt pocket card/carrier with illustrated instructions.
#100-004-448EG **CAT M4 Tool** 9C31U27 \$ 39.95

MARK BROWN AR-15/M16/AR-STYLE .308 CARRIER CARBON SCRAPER

Solves Cycling Problems Caused By Carbon Buildup In Bolt Recess



Breaks loose and removes hard-to-get-at carbon buildup without damaging the bolt carrier. Quickly solves function-related cycling problems caused by excessive carbon deposits inside the bolt recess. Hardened steel scraper tip will last indefinitely with proper use. **Wool**

SPECS: Steel reamer, plastic handle. 6 1/2" (16cm) long.
#133-100-016EG **AR-15/M16 Carbon Scraper** 3C00P0A \$ 22.99
#133-000-001EG **AR-Style .308 Carbon Scraper**, 3C2A261 29.95

SATISFACTION GUARANTEED SINCE 1939

Office/Tech: 641-623-5401

OTIS

BRASS SCRAPER TOOL SET

Eight-Piece Kit
Makes Short Work
Of Thoroughly Cleaning
M16's & AR-15's



Add these eight tools to your standard issue buttstock cleaning kit and you've got an unbeatable combination that will make your rifle the cleanest on the firing line. Each tool is threaded 8-32 tpi so they can be attached to or used in combination with standard cleaning rods. Kit includes one each of the following tools: Compact receiver brush, pin punch, 90 degree locking lug pick, brass scraper, end brush, straight pick, female rod section and male rod handle section.

SPECS: Brass, female rod section, 3/4" (8.2cm) long. Brass male rod section, 3 1/2" (8.8cm) long. All other tools except Compact Receiver Brush: Brass female, brass threads, 8-32 tpi. Receiver brush is nylon handle, nylon bristles.

#668-000-017EG Brass Scraper Set 8F11A24 \$ 16.71



BROWNELLS

**AR-15/M16/AR-STYLE .308
NYLON CHAMBER BRUSH**



Long-Wearing Bristles Won't
Break Down In Solvents

Durable, tough, nylon tufts reach and clean the locking lug recess. Available for M16, AR-15, and AR-Style .308 rifles. M16 has an 8-36 thread to directly thread into the military's "Cleaning Rod, Small Arms".

SPECS: Nylon brush, brass stem. M16 - 3 3/8" (9.8cm) overall. 8-36 military thread. AR-15 - 3 7/8" (9.8cm) overall. 8-32 standard thread. AR-Style .308 - 4 3/8" (11.2cm). 8-32 standard thread.

#084-117-002EG M16 Nylon Chamber Brush, 4H04X15 \$ 5.99

- 1 dz or More - M16 Nylon Chamber Brush 4H03X06 5.90
#084-117-001EG AR-15 Nylon Chamber Brush, 4H04X02 5.99

- 1 dz or More - AR-15 Nylon Chamber Brush, 4H03X45 5.67

#084-117-003EG AR-Style .308 Nylon Chamber Brush, 4H05X91 8.99

- 1 dz or More - AR-Style .308 Nylon Chamber Brush, 4H05X05 8.18



BROWNELLS

**M16/AR-15/AR-STYLE .308
CHAMBER BRUSH**



Original M16 Style
Chamber Brushes

Original military design, M16, with 8-36 thread for direct threading into the "Cleaning Rod, Small Arms," or AR-15 with 8-32 thread to fit standard rods. AR-Style .308 cleans the larger .308 chamber used on these rifles. Bronze bristles fit chamber, longer, stainless steel tufts clean locking lug recesses.

SPECS: M16 - NSN 1005-00-999-1435, has 8-36 military thread. Meets Mil Spec: MIL-B-20100C. AR-15 and AR-Style .308 have 8-32 standard thread. M16 and AR-15 are 3 3/8" (9.8cm) overall. AR-Style .308, 4 3/8" (11.2cm).

#084-116-016EG M16 Chamber Brush 4H02X94 \$ 3.99

- 1 dz or More - M16 Chamber Brush, per each, 4H02X43 3.99

#084-116-015EG AR-15 Chamber Brush 4H02X54 3.99

- 1 dz or More - AR-15 Chamber Brushes, each, 4H02X12 3.53

#084-116-025EG AR-Style .308 Chamber Brush, 4H03X65 5.99

- 1 dz or More - AR-Style .308 Chamber Brushes, each, 4H03X17 5.13

BROWNELLS

**M16/AR-15/AR-STYLE .308
CHAMBER MOP**



Distributes Lubricants & Rids
Fouling; Same Shape As Popular,
Military Chamber Brush

Unique, dual-purpose design cleans and lubricates both the chamber and locking lug recesses of your M16, AR-15 or AR-Style .308 with one mop. Long, skinny portion reaches the chamber with individually-tied strands that do the work of a thousand tiny fingers. Short, large-diameter section cleans and lubricates locking lug recesses.

SPECS: Cotton or wool. 8-32 threads. Approx. 3" (7.6mm) long.

#084-424-003EG .223 Cotton Chamber Mop, 3-pak, 4H05U84 \$ 7.99

#084-424-004EG .223 Cotton Chamber Mop, Dz., 4H16U70 26.95

#084-426-003EG AR-Style .308 Cotton Chamber Mop, 3-pak, 4H06A51 8.99

#084-426-004EG AR-Style .308 Cotton Chamber Mop, Dz., 4H17A98 30.99

- 4 dz or More - .308 Cotton Chamber Mops, per dz., 4H15A00 30.02

#084-426-001EG .223 Wool Chamber Mop, 3-pak, 4H06A51 8.99

#084-426-002EG .223 Wool Chamber Mop, Dz., 4H18A52 30.99

#084-426-005EG AR-Style .308 Wool Chamber Mop, 3-pak, 4H07A98 9.99

#084-426-006EG AR-Style .308 Wool Chamber Mop, Dz., 4H22A22 35.99

- 4 dz or More - AR-Style .308 Wool Chmbr Mops, per dz., 4H18A55 35.95

C.J. WEAPONS AR-15

GASTUBE CLEANERS



Extra Length
Reaches
Entire Tube

Extra long to let you scrub the full length of the gas tube. Highly-absorbent cotton carries solvent in and crud out. Regular use keeps gas tube free of fouling and carbon buildup for reliable function.

SPECS: Cotton, wire core. 16" (40.6cm) long, 1/8" (3.2mm) dia. Package contains 50 cleaners.

#100-000-433EG AR-15 Gas Tube Cleaners, 5K08T33 \$ 11.99



BROWNELLS

GUN/PARTS CLEANING BRUSH



Meets Mil Std. 129J

Military-Approved, Double-Ended
Cleaning Power For Guns & Parts

Developed for the U.S. Armed Forces to clean M16/M4 rifles quickly and effectively and get them back into action. Double-ended, solvent-proof, polypropylene handle provides a large, contoured series of nylon bristles to cover curves and open areas, while the short, extra-stiff, narrow line of bristles tackles the really tough crud in those hard to reach areas. Provides superior scrubbing action for individual parts. Enough bristle backbone to remove greasy gun dirt, yet won't scratch metal finishes. An exceptionally good, practical, cleaning brush for use at the bench or in the field.

SPECS: Handle - Solvent-resistant polypropylene, O.D. green. Bristles - Nylon. 7" (17.8cm) long. Meets Mil Spec 129J, NSN# 1005-00-494-6602.

#676-450-001EG Gun/Parts Brush 8K01P28 \$ 3.99

#676-450-006EG Gun/Parts Brush, 10-pak 8K11P00 20.99

ARRINGTON ACCURACY WORKS AR-15/M16

**ARMORER'S
WRENCH**



Installs/Removes Free-Float
Tubes, Barrel Nuts &
Receiver Extensions

Versatile, multi-role wrench provides plenty of torquing force to perform a variety of maintenance, repair, and assembly tasks that regularly come up when working on the AR platform. Makes installation and removal of screw-on free-float handguards, both round and railed types, fast and easy. Jaws are contoured for precise grasp in the notches on the locking ring (jam nut) that secures many free float tubes, including Yankee Hill models. Makes short work of loosening both encapsulated and peg-style barrel nuts. A big help in removing and installing receiver extensions for rifles with A2-style fixed buttstocks or M4-style collapsible stocks. Flat part of the jaws fits the flats at the rear of the fixed-stock receiver extension, while the jaw tips fit in the notches of the receiver extension nut on rifles with collapsible buttstocks.

SPECS: Steel with foam polymer grips. Approx. 10" (25.4cm) OAL. Fits AR-15/M16/M4 and clones, including S&W M&P15, SR-25, DPMS Panther LR-308 series, and similar AR-style .308 rifles.

#100-004-118EG AR-15 Armorer's Wrench, 3C52H02 \$ 64.99



BROWNELLS AR-15/M16

COMBINATION WRENCH

Original Factory Design
Simplifies Disassembly/Reassembly

An exact duplicate of the original factory/military design so you know it will fit and work. Use for several jobs: to remove the barrel nut; to remove and install old and new flash suppressors; to remove and install the lower receiver extension.

SPECS: Blued steel. 5" (12.7cm) long x 2" (5cm) wide x 1/4" (6.35mm) thick.

#080-216-015EG AR-15/M16 Combo Wrench, 8K25D43 \$ 34.99

DPMS AR-15/M16 MULTI-TOOL



Seven Function Tool Lets You Build & Repair AR-15's

Durable steel wrench gives you seven tools-in-one for maintenance, repair or building AR-15 and M16 rifles. Use to install or remove: free float tubes and peg-style barrel nuts, standard barrel nuts, carbine stock, compensator, extension tube and buttstock screw. Special features include 3/8" and 3/4" wrench slots, a 1/2" square hole for a torque wrench, plus screwdriver tip for buttstock.

SPECS: 4140 steel, black, parkerized finish. 12" (30cm) long, 1" (2.5cm) wide handle.

#231-000-007EG AR-15 Multi-Tool, 1C22A99 \$ 36.99

DPMS AR-15/M16/M4/AR-STYLE .308

STOCK NUT WRENCH



One Tool
For Carbines
& Rifles

No-fail armorer's tool provides all the leverage you need to tighten and loosen carbine stock nuts. Dual-purpose wrench fits the later M4 receiver extension nuts with .185" wide, slotted relief cuts, plus the additional slot fits the end of rifle buttstock

SMITH ENTERPRISE AR-15/M16/AR-STYLE .308

ARMORERS WRENCH



Fits All Standard Models;
Encapsulated & Peg-Style Nut Wrench

Extra-heavy duty armorers wrench provides easier installation and removal of all barrels up to 1 1/2" diameter with either encapsulated or peg-style barrel nuts. Extra-long handle features smooth, contoured edges for comfortable use. Includes 1/2" square drive opening for torque wrench application; 5/8" and 3/4" slots fit receiver extensions and A1/A2 flash suppressors. .223 for AR-15/M16 applications, .308 for use with AR-Style .308 rifles.

SPECS: 17-4 stainless steel, black oxide finish. 12" (30cm) long, 1" (2.5cm) wide handle.

#851-000-068EG .223 Armorer's Wrench 1E00DZA . . . \$ 45.99

#851-115-001EG .308 Armorer's Wrench 1E00XCH . . . 45.99



BROWNELLS AR-15/M16/M4

BUTTSTOCK TOOL



One Tool For Disassembling & Reassembling Buttstocks

Unique design combines several tools into one for taking apart the M4 collapsible buttstock on your AR-15 or M16. Features include blade for removing fixed stock screws; 1/2" square torque wrench opening; fixed stock receiver extension remover; receiver extension nut tightener for both old and new model collapsible stock - pins for both styles are included and easily changed by loosening a hex screw in the tool; and a hole for hanging the tool on your peg-board. Fits easily in a range bag or in your pocket for use outside the shop.

SPECS: Steel, black. 7" (17.8cm) long. Includes pins for old- and new-style receiver extension nuts.

#080-000-291EG Buttstock Tool 8K48H75 \$ 59.99

REPLACEMENT PINS - Keeps your Brownells Buttstock Tool functioning like new. Helps keep the edges of the receiver extension nut slots undamaged and lessens the chance of marring the metal. Square fits the newer, M4 style collapsible buttstock receiver extension nuts with .164" wide, square engagement slots. Round fits the older style collapsible buttstock extension nuts with 3/8" diameter, round pin engagement recesses.

SPECS: Round - Stainless steel, silver finish. .124" (3mm) diameter. Square - Steel, blue finish. .164" (4mm). Available in 3-Paks.

#080-000-451EG Square Replacement Pins, 3-pak, 8K14A97 \$ 19.97

#080-000-452EG Round Repl. Pins, 3-pak 8K04A97 . . . 7.97

**Product &
Instructional Videos
Available Online**

www.brownells.com

receiver extensions. Includes a convenient hang-up hole drilled on the end for storage.

SPECS: Tool steel, blue. 12" (30 cm) long, 1" (2.5cm) wide handle, 3/16" (7.9mm) thick. Fits AR-15/M16/M4 and AR-Style .308 rifles. Will not fit Colt CAR-15 stock nuts with .160" square relief cuts.

#231-000-229EG AR Stock Nut Wrench, 1C26Y01 \$ 27.99

BROWNELLS TOOL KITS FOR AR-15/M16/M4

Complete Tool Kits To Service & Repair Military & Civilian AR-15/M16 Rifles & M4 Carbines

The RIGHT way to repair and service the AR-15/M16/M4! These kits contain the tools the gunsmith or armorer needs to perform full maintenance and repairs of these rifles in the field or shop. Each tool is designed to do its job in the simplest, most effective manner to maintain and repair these guns correctly – and save time doing it. **Standard Kit** contains the tools needed to work on the AR-15 and the M16A1 through A4. **Premium Kit** contains all the tools of the Standard Kit, plus an additional 11 items necessary to repair and maintain the M4 carbine as well. Both kits come in a custom-fitted, hard-side tool box that's made from nearly indestructible molded polymer resin and meets mil-spec MIL-C-4150 and ATA specifications. The Standard kit's foam inserts are pre-cut with spaces for the M4 tools, so you can turn it into a Premium Kit anytime simply by adding the **Upgrade Kit**.

- 080-216-000EG AR-15/M16 Standard Armorer's Kit**, complete with tools and case 8K977D99 \$ 1,191.99
#080-216-004EG AR-15/M16 Standard Armorer's Kit, tools ONLY 8K745D99 1,004.99
080-216-003EG Upgrade Kit for AR-15/M16 Standard Armorer's Kit 8K287D56 349.99
080-216-002EG AR-15/M16/M4 Premium Armorer's Kit, complete with tools and case 8K1232D99 1,545.99

1 12 OUNCE BALLPEEN HAMMER - Heavy enough to drive out stubborn tapered front sight retaining pins, yet light enough for installation / removal of solid and roll pins.
SPECS: 12 1/4" (31.1cm) long overall. 1 lb. (454 g), 6 oz. (170 g) total. Head is 3 3/4" (9.5cm) long. 1 1/16" (3cm) diameter flat face. 1" (2.5cm) diameter peen.
#956-000-001EG 12 oz. Ballpeen 6E11P61 \$ 14.72

2 3/4" PLASTIC/BRASS HAMMER - For the thousand and one instances when a part needs a gentle tap during assembly/disassembly. Great when fitting stocks.
SPECS: 3/4" (19mm) diameter faces. 10" (25.4cm) hickory handle. Weighs approximately 4 oz. (113 g).
#818-600-343EG 3/4" Plastic/Brass Hmr 8A00ZAY \$ 14.98

3 FIRING PIN PROTRUSION GAUGE - Essential for properly measuring the amount of the firing pin projecting through the bolt. Too little causes misfires; too much, pierced primers.
SPECS: Steel. 2" (5.1cm) long, 1/2" (6.3mm) wide.
#080-216-013EG AR-15/M16 Firing/Pin Gauge, 8K28D45 \$ 35.99

4 1/2" SQUARE DRIVE TORQUE WRENCH - Necessary to apply the manufacturer's recommended 30 foot pounds of torque to the barrel nut when installing barrel on receiver. Self-limiting design "clicks" at torque setting.
SPECS: Chrome-plated steel. 17 1/8" (43.5cm) long. 1" (2.5cm) diameter handle. 30-150 ft. lb. range.
#018-150-050EG 1/2" Drive Torque Wrench, 8F00XCH \$ 136.99

5 BROWNELLS SHOP APRON - High quality, durable apron keeps clothing clean and free of grease, oil, and carbon.
SPECS: 39 1/2" (100.3cm) long. 30 1/2" (77.5cm) wide. Upper and lower pockets. Ties: each 27 1/2" (69.8cm) long. Neck strap: 21 3/4" (55.2cm) long.
#084-071-000EG Shop Apron 4A23D40 \$ 32.99

6 VISE JAWS - THE ONLY way to hold a barrel without damage. Non-marring aluminum with milled grooves to accept both standard or heavy barrels. **Standard Kit only. Replaced by #36 in Premium Kit.**
SPECS: 3 3/8" (9.2cm) L, 2 1/8" (5.7cm) W, 2 3/8" (7.3cm) H. 2 lb. (907 g), 5 oz. (142 g). Cast Aluminum.
#795-015-100EG Vise Jaws 8K00ZAY \$ 19.95

7 PARTS BOXES - A durable, break-resistant container for parts, smaller tools, and other loose items. Kit includes two boxes; replacement boxes sold per each.
SPECS: 11" (27.9cm) L x 6 3/4" (17.1cm) W. 6 compartments.
#313-100-606EG Parts Box, each, 3A07Z36 \$ 9.21

8 BROWNELLS BENCH MAT - Neoprene rubber mat provides a smooth, non-marring, oil- and solvent resistant work surface no matter where you are.
SPECS: 17 1/2" (44.4cm) long. 12" (30.5cm) wide. 3/16" (4.7mm) thick.
#358-128-316EG Bench Mat, 8E17V97 \$ 21.98

9 10 1/2" LONG, 1/2" SQUARE DRIVE HANDLE - Use with AR-15/M16 Combination Wrench to loosen the barrel nut and remove barrel. Long enough to provide ample leverage.
SPECS: Chrome-plated steel. 10 1/2" (26.7cm) long. 1 3/16" (20.6mm) diameter handle.
#221-141-600EG 10 1/2"x1/2" Drive Handle, 1B00XCH \$ 17.99

10 MAGNA-TIP® #81 HANDLE - Preferred by many for general use, shank is long enough to reach inside the pistol grip. Use with Stubby Handle to remove Pivot Pin.
SPECS: Overall length 8" (20.3cm).
#080-086-181EG MAGNA-TIP® #81 8K10Y60 \$ 12.99

11 MAGNA-TIP® STUBBY HANDLE - Use with various MAGNA-TIP® bits on butt plate screws, windage screw, AR-15 pivot pin head, etc. When removing the pivot pin, use Stubby Handle with the "RED" bit on the left side of the pin and the regular handle with the 445-6 bit on the right side.
SPECS: 2 1/2" (6.3cm) overall. 1 3/8" (4.8cm) handle, 5/8" (15.9mm) shank.
#080-090-000EG Stubby Handle 8K08V16 \$ 9.99

12 SNAP RING PLIERS - For removal and installation of the handguard snap ring. Extra tips included for other uses.
SPECS: Blue steel with vinyl dipped handles. Tip sizes - Straight, .045" (1.1mm); Straight, .060" (1.5mm); 45°; 90°.
#531-460-000EG Snap Ring Pliers 1C10V78 \$ 13.50
#531-462-500EG Replacement Snap Ring Plier Tips, 4 pair set 1C03V95 4.95

13 BARREL NUT ALIGNMENT GAUGE - Fits into the end of the bolt carrier key to ensure that the barrel nut is properly aligned during installation of AR-15/M16 barrel. Improper alignment can damage the bolt carrier key and/or the gas tube.
SPECS: Steel. .178" (4.5mm) diameter x 3" (7.6cm) long.
#080-216-014EG Barrel Nut Align. Gauge 8K04D73 \$ 5.99


14 5.56MM (.223) HEADSPACE GAUGE - Measures maximum headspace. Essential for checking out rifles that have seen heavy use or that have been rebarreled. Not a regular "field" gauge but made to Colt factory dimensions.
SPECS: 1.65" (4.2cm) overall (this is NOT the "Headspace" dimension). .3655" (9.3mm) diameter.
#319-418-033EG Colt 5.56 Hdspce Gge 8K00DZA \$ 16.99

15 BROWNELLS #250 CHAMBER MIRROR - Highly polished, steel mirror drops into the chamber to aid in detailed inspection. Will not move beyond throat.
SPECS: 1 3/16" (3cm) long.
#084-174-250EG #250 Chamber Mirror 4H08D97 \$ 14.99

16 CLEANING ROD SMALL ARMS (W/ADAPTER) - Threaded for 8-36 U.S. military cleaning brushes; includes adapter that accepts commercial 8-32 brushes and accessories.
SPECS: Steel, parkerized finish. .204" (5.2mm) diameter rod. 4 sections, each 7 3/8" (18.7cm) long - 3 thread into 4th handled section. Overall length, with Jag, 29 3/4" (75.6cm). Adapter is 3 1/4" (8.2cm). Jag is 2 3/4" (7cm) with oval slot.
#084-116-100EG Cleaning Rod 4H10X61 \$ 15.99

17 COMBINATION WRENCH - Removes the barrel nut. Removes/installs flash suppressor and lower receiver extension.
SPECS: Blue steel. 5" (12.7cm) lg x 2" (5cm) w x 1/4" (6.3mm) thick.
#080-216-015EG Combination Wrench 8K25D43 \$ 34.99

18 BROWNELLS ROLL PIN PUNCHES - The ONLY way to properly install or remove roll pins without damage to either the pin or the surrounding metal. A small raised projection in the face of the punch automatically centers the punch and prevents the roll pin from collapsing.
SPECS: #1, 1/16" (1.6mm) x 2 3/4" (7cm) L; #2, 5/64" (2mm) x 3 1/4" (8.2cm) L; #3, 3/32" (2.4mm) x 3 1/2" (9cm) L; #4, 1/8" (3.2mm) x 4" (10.2cm) L; #6, 3/16" (4.8mm) x 4 1/2" (11.4cm) L.
#230-112-105EG Roll Pin Pch Kit, set of 5 7H00XCH \$ 19.99



One Kit Does It All!

19 29 CARRIER KEY BIT KIT - Two hex bits for installing the bolt carrier key socket head screws, plus an adapter that will connect the Carrier Key Bits to the 3/8" Drive Torque Wrench. Small and large bits handle both early and late guns.
SPECS: Heat-treated steel. 185-2 Bit - 1/8" (3.2mm) hex bit. 185-10 Bit - 3/64" (3.6mm) hex bit. 1" (2.5cm) long. Adapter - Heat-treated steel with retention clip adapts 3/8" square drive to accept 1/4" shank hex bits.
#080-216-050EG Carrier Key Bit Kit 8K06D18 \$ 9.97
#080-185-200EG 185-2 Hex Bit 8K02Y52 2.99
#080-185-010EG 185-10 Hex Bit 8K02A52 2.99
#080-430-025EG Socket Drive Adapter 8K04X22 4.97

20 BROWNELLS ROLL PIN HOLDERS (STARTER/SETTER PUNCHES) - Easily hold even the smallest roll pins for positioning. Complete installation with Brownells Roll Pin Punches.
SPECS: 1/8" (3.2mm), 3.5mm (1.38") diameter - 5" (12.7cm) long. 3/32" (2.4mm), 5/64" (2mm), 1/16" (4.0mm) diameter - 4 1/2" (11.4cm) long.
#080-685-000EG Roll Pin Holders, set of 5 8K41T65 \$ 50.99

21 BOLT CATCH PIN PUNCH - Specially made, slab-sided punch clears left side of the magazine well allowing bolt catch pivot pin to be removed by driving it to the rear.
SPECS: Steel. 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.
#080-216-012EG Bolt Catch Pin Punch 8K11D76 \$ 15.99

22 STARRETT 1/8" PUNCH - A best-quality punch for removing solid pins such as those on the hammer or trigger.
SPECS: 4" (10.2cm) long. 1/8" (3.2mm) diameter tip.
#827-525-800EG 1/8" Punch 8K00BXC \$ 4.99

23 TAPER PIN STARTER - This tool's radiused face matches the end of the front sight housing taper pin to prevent damage during removal. The taper pin is removed by driving from left to right; the small end is on the left side of the barrel, the large end is on the right side!
SPECS: 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.
#827-530-320EG Taper Pin Starter 7B00HDZ \$ 11.99

24 STARRETT 1/4" PUNCH - Facilitates removal of the take-down pin and safety lever/fire control selector.
SPECS: 4" (10.2cm) long. 1/4" (6.3mm) diameter tip.
#827-525-840EG 1/4" Punch 8K00HDX \$ 4.99

25 STARRETT 5/32" CENTER PUNCH - Stakes socket-head cap screws securing the bolt carrier key to the bolt carrier.
SPECS: 4" (10.2cm) long. 5/32" (4mm) punch, 3/8" diameter body.
#827-512-820EG Starrett 5/32" Center Punch, 8K00ZAY \$ 7.99

26 PIVOT PIN DETENT DEPRESSOR - Depresses spring-loaded detent to free the pivot pin for removal. Virtually impossible without this tool. Does not fit Colt Mfg. AR-15.
SPECS: Blue steel. 1 1/8" (4.8cm) long.
#080-216-010EG Pivot Pin Depressor 8K03D79 \$ 4.99

27 PIVOT PIN DETENT INSTALLATION TOOL - Makes installation of the M16 pivot pin and its detent faster and easier. Prevents loss of detents. Guides detent and spring into place and serves as a slave pin when installing the pivot pin.
SPECS: Blue steel. 1/4" (6.3mm) diameter. 2 1/2" (6.3cm) and 1 1/2" (3.8cm) long "legs".
#080-216-011EG Pivot Pin Install. Tool 8K10D18 \$ 14.99

28 BROWNELLS BROKEN SHELL EXTRACTOR - Fastest way to remove the front portion of a separated 5.56mm (.223) case without field stripping. Engages the rim of case mouth and pulls case from the chamber when charging handle is pulled back. Adjustable to ensure complete engagement of case mouth.
SPECS: Blue steel. 2" (5cm) long.
#080-000-441EG Shell Extractor 8K16C24 \$ 19.99

30 445-6 BIT - Use on the AR-15 windage screw, pistol grip screw, and right side of the pivot pin.
SPECS: 1 1/2" (3.8cm) long. Approximately .360" (9.1mm) diameter x .055" (1.4mm) thick.
#080-445-655EG 445-6 Bit 8K02H52 \$ 2.99

31 RED BIT - Use on left side of the pivot pin.
SPECS: 1 1/2" (3.8cm) long. Approximately .398" (10.1mm) diameter x .078" (1.98mm) thick.
#080-430-400EG RED Bit 8K04X79 \$ 5.99

32 LB BIT - Use on the butt plate screws.
SPECS: 1 1/2" (3.8cm) long. Approx. .428" (10.9mm) diameter x .070" (1.8mm) thick.
#080-430-430EG LB Bit 8K04X90 \$ 5.99

33 SIGHT TOOLS - Quickly adjust front and rear sights. A1 fits older AR-15s and M16s, A2 fits M16A2 configuration rifles.
SPECS: Blue steel. 1 3/8" (3.5cm) long x 3/4" (19mm) diameter.
#078-015-001EG A1 AR-15/M16 Sight Tool, 7B07T67 \$ 9.99
#078-015-002EG A2 AR-15/M16 Sight Tool 7B07T55 \$ 9.99

TOOL KITS CONTINUED TOP OF NEXT PAGE

34 **3/8" SQUARE DRIVE T-HANDLE TORQUE WRENCH** - Precisely calibrated to apply the required 40 foot pounds of torque to tighten the two socket-head cap screws on the bolt carrier key. **SPECS:** Chrome-plated steel. 3 1/2" (8.9cm) long. 4-1/8" (10.5cm) wide handle.

#792-000-005EG 3/8" Drive Torque Wrench 2G87T60 \$ 109.50

35 **MIL-SPEC TOOL BOX** - Heavy-duty case with four drawers, top compartment, and double latches. O-ring seals keep dust and moisture out; built-in wheels and a sturdy, retractable pull handle for easy transport. Extra storage space for parts, manuals, etc.

SPECS: 24" (61cm) wide, 18" (45.7cm) high, 15" (38.1cm) deep. 38 lb. wt.

#636-000-003EG Mil-Spec Tool Box 6C316A76 \$ 474.99

ADDITIONAL TOOLS IN PREMIUM KIT:

36 **ACCU-GRIP BARREL VISE JAWS** - Massive aluminum jaws lined with space age, polyurethane elastomer grip tight without marring the barrel. Grooves for both standard and heavy barrel contours. **Replace Vise Jaws in Standard Kit.**

SPECS: Machined aluminum with blue polyurethane elastomer lining. 5" (12.7cm) wide, 1" (2.5cm) thick, 3/8" (9.8cm) long. 2 lb. 6 oz. (1 kg) wt. Fits 4" and wider vises.

#852-015-000EG Accu-Grip Vise Jaws 2E00VBX . . . \$ 59.99

37 **FRONT SIGHT BENCH BLOCK** - Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec AR-15 rifles and carbines.

SPECS: 4" (10.2cm) dia. x 1 1/16" (4.3cm) high.

#080-000-252EG AR-15 Front Sight Bench Block, 8D31U99 \$ 39.99

38 **UPPER RECEIVER ACTION BLOCK** - Tough Rynite block and insert surround the entire upper receiver to let you tightly clamp an A1, A2, or standard flattop receiver in a large bench vise for barrel removal/installation without twisting the receiver or damaging barrel detent pin and receiver detent notch.

SPECS: Block - 2.5" (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. **Insert** - 8" (20cm) long, 1" (2.5cm) diameter.

#080-000-661EG Upper Receiver Action Block, 8K42T99 \$ 54.99

39 **LOWER RECEIVER VISE BLOCK** - Unbreakable, high-density urethane vise block inserts into magazine housing and takes all the clamping force, so the lower receiver won't be damaged or distorted. Magazine catch locks to the block.

SPECS: 5" (12cm) high, 2 1/4" (5.7cm) wide, 3/4" (1.9cm) thick.

#080-000-662EG Lower Rec'r Vise Block 8K38T49 . . \$ 49.99

40 **HANDGUARD REMOVAL TOOL** - Takes the fumbling and frustration out of installing or removing AR-15, M16A1/A2, and AR-10 handguards. Rubber coated steel won't mar gun.

SPECS: 11 1/4" (28.6cm) long.

#100-000-438EG Handguard Tool 5K20T55 \$ 24.99

41 **MAGAZINE CATCH INSTALLATION & REMOVAL TOOL** - Compresses the spring for easy removal of the magazine catch. **SPECS:** High-impact plastic, black.

#100-002-127EG Magcatch Tool 3A05U95 \$ 7.95

42 **TAKEDOWN PIN REMOVAL TOOL** - Drives out the front and rear takedown pins without marring the metal. **SPECS:** High-impact plastic, black.

#100-002-125EG Takedown Pin Tool 3A05U49 \$ 7.49

43 **BOLT EJECTORTOOL** - Steel clamp captures the bolt head, and turnscrew depresses the ejector for faster, easier removal and installation of plunger-style ejectors.

SPECS: Steel, blued. Plastic handle.

#080-792-002EG AR-15/M16 Bolt Ejector Tool, 8K16D53 \$ 20.99

44 **MAGAZINE FEED LIPTOOL** - Bends the feed lips back into place, so they guide the cartridge body properly to prevent problems and jams caused by bent magazine feed lips.

SPECS: Steel shank, blued; plastic handle. 5 1/2" (14cm) long.

#080-000-314EG AR-15 Mag Feed Lip Tool 8K09Y81 \$ 12.99

45 **GAS TUBE WRENCH** - Clamps around the fragile gas tube to prevent damage during both removal and installation. **SPECS:** Steel, blued. 6" (15.2cm) long.

#133-100-015EG Gas Tube Wrench 3C00ZAY \$ 22.99

BROWNELLS CAR-15/M4 BUTTSTOCK WRENCH

Solidly Engages The Receiver Extension Nut For Easy Installation & Removal Of Carbine Buttstocks



Dedicated wrench has four precision-machined teeth that ensure full, non-slip engagement of all four notches in an M4-type receiver extension nut for easy removal and installation of collapsible carbine buttstocks. Transfers all the torquing force to the nut for fast tightening or removal without risk of damage to nut, extension tube, or receiver caused by the wrench slipping. Includes the handy add-on features of our universal M4 buttstock tool: pry blade/screwdriver, 1/2" square torque drive opening, fixed stock receiver extension remover, and a convenient hole in the handle for hanging the wrench on a pegboard. Heavy duty steel construction, machined from a single piece of .312" thick steel, with a durable black oxide finish.

SPECS: Steel, hardened, black oxide finish. 7 1/8" (18.1cm) long. Fits current-model M4-type receiver nuts with four square notches.

#080-000-670EG M4 Buttstock Wrench 8K69X99 . . . \$ 79.99

SMITH ENTERPRISE AR-15/M16 CARBINE STOCK WRENCH



Easy To Use; Plenty Of Leverage

Long handled for quicker, easier removal or installation of collapsible stocks. Grabs the receiver extension nut, no need for a breaker bar.

SPECS: Heat-treated, 17-4 stainless steel, black oxide finish. 9" (22.8cm) long. 7" (17.7cm) handle.

#851-015-150EG AR Carbine Wrench 1E00ZAY \$ 29.99

ROCK RIVER ARMS AR-15 M4 STOCK WRENCH

Install M4 Carbine Stocks Without Damage



Steel, dual function wrench lets you easily remove your old extension tube and install a new-style, A4 stock. Spanner has three lugs to fit the A4-style castle nut. Provides a non-slip fit so you can correctly torque the stock to the receiver. Also, the comfortable, rubber coated handle features a cutout to fit the receiver extension tube to remove the A1 or A2 stock.

SPECS: Steel, parkerized finish. 7 3/8" (19.3cm) long.

#739-000-010EG M4 Stock Wrench 9C00AVB \$ 6.00

DPMS AR-15 FREE-FLOAT TUBE WRENCH



Works For All Barrel/Tube Combinations

Engages the free-float tube from the rear so it works with any diameter barrel and tube combination. Plenty of leverage.

SPECS: Steel, blue, matte finish. 10" (25cm) long, 1" (3.4cm) wide.

#231-015-023EG Free-Float Tube Wrench 1C24Y76 \$ 29.99

46 **BOLT CARRIER CARBON SCRAPER** - Removes hard-to-get-at carbon buildup without damaging the bolt carrier. Solves cycling problems caused by carbon deposits in the bolt recess. **SPECS:** Steel reamer, plastic handle. 6 1/2" (16cm) long.

#133-100-016EG Carrier Carbon Scraper 3C00PUA \$ 22.99

47 **BUTTSTOCK TOOL** - Combines several tools into one for taking apart M4-style collapsible buttstocks. Includes pins for old- and new-style receiver extension nuts.

SPECS: Steel, black. 7" (17.8cm) long.

#080-000-291EG Buttstock Tool 8K48H75 \$ 59.99

BROWNELLS AR-15/M16/AR-STYLE .308 HANDGUARD REMOVAL TOOL

Makes Taking The Handguard Off Fast, Easy & Painless



Handy tool eliminates the need for a second pair of hands when removing AR-type handguards. Simply insert the hooked end of the tool into the mag well, position handles over delta ring, and push down to compress the delta ring spring. Made of strong 1/4" (6.4mm) steel rod, with synthetic rubber coating to protect gun from surface scratches.

SPECS: Steel, rubber-coated, black. 11" (27.9cm) long. Fits AR-15, M16A1 & A2, and AR-Style .308 rifles with delta rings.

#080-000-487EG AR-15/M16 Handguard Removal Tool, 8K14A99 \$ 19.99

DARREL'S CUSTOM AR-15/M16 HANDGUARD REMOVAL TOOL



Fast & Fumble-Free Handguard Removal

Takes all the fumbling, grumbling and frustration out of installing or removing AR-15 handguards. Easy-to-use, just hook tool into mag well and push down on the handles. Pushes the retaining ring straight down, allows both handguards to be removed in just seconds.

SPECS: Steel, rubber handles, matte finish, black. 11 1/4" (28.6cm) long. Fits AR-15 A1, A2, M-16 and AR-10.

#100-000-438EG Handguard Tool 5K20T55 \$ 24.99

DPMS AR-STYLE .308 FREE-FLOAT TUBE WRENCH

Removes & Installs A Wide Variety Of Tubes



No-fail armorer's tool allows precise, easy installation and removal of free-float tubes on a wide variety of AR-style .308 rifles. Dual-ended design works for the DPMS LR-Series, ArmaLite® AR-10®, and Knight's Mfg. SR-25. Made from solid steel with hardened steel pins, plus convenient, dual square cutouts to get additional leverage with a 1/2" drive breaker bar.

SPECS: Steel, blue. 16" (40.6cm) long, 1 1/4" (3.1cm) wide handle, 3/8" (9.5mm) thick. Fits DPMS LR-Series (.308, plus .260 and .243), ArmaLite AR-10, and Knight SR-25 rifles.

#231-000-230EG AR-Style .308 Barrel Nut Wrench, 1C39Y42 \$ 54.99

PRECISION REFLEX AR-15/M16/AR-10® BARREL NUT WRENCH



Plenty Of Leverage For Quick Barrel Removal & Installation

Heavy-duty wrench provides plenty of leverage for installing and removing barrel nuts when used with a 3/8" or 1/2" drive breaker bar, socket wrench, or torque wrench. Cut from 3/8" thick steel, with plenty of metal so it won't flex under pressure while transferring the torque evenly to the nut. Models available for AR-15/M16 and ArmaLite® AR-10®.

SPECS: Steel, Parkerized, dark gray. AR-15 fits AR-15/M16/M4 and clones. AR-10 fits ArmaLite AR-10 only.

#714-000-007EG AR-15 Barrel Nut Wrench, 4A19H49 \$ 24.95

#714-000-008EG AR-10 Barrel Nut Wrench, 4A20H29 \$ 24.99

ARRINGTON ACCURACY WORKS AR-15/M16 FREE-FLOAT HANDGUARD STRAP WRENCH

Plenty Of Leverage To Remove & Reinstall Any Diameter Float Tube



Heavy-duty strap wrench gives you plenty of leverage to remove screw-on free-float handguard tubes, even those sealed with thread locker or "frozen" on by corrosion between the barrel nut and guard. Large, adjustable strap of tough, reinforced rubber wraps securely around any diameter handguard, with no risk of scratching the finish, and grasps the guard tighter as you apply pressure. Lets you position the strap right over the threaded end of the tube for maximum torque transfer where it's needed most. Hefty steel handle won't bend, no matter how much force you apply, and machined aluminum head maintains optimal alignment of handguard, strap, and handle. Indispensable time-saver for professional armorers or anybody who regularly faces the chore of changing handguards.

SPECS: Steel handle, aluminum head, rubber strap. 10" (25.4cm) O.A.L.

#100-004-209EG Free-Float Handguard Wrench, 3C48T26 \$ 56.99

GLENAIR AR-15/M16 STRAP WRENCH



Safer, Easier Installation & Removal Of Tube Handguards

Easily grips all types and sizes of AR-15/M16 tube handguards, for faster installation and removal. Fiber reinforced rubber strap with steel handle gives plenty of leverage, and you can attach a 3/8" drive torque wrench.

SPECS: Nickel-plated aluminum handle, 6 3/8" (16cm) long. Fits handguards up to 3" (7.6cm) in diameter.

#382-100-015EG AR Strap Wrench 2H00XCH \$ 30.99

BROWNELLS AR-15/M16 BARREL EXTENSION TORQUE TOOL

Aids Fast, Easy Barrel Installation; Protects Barrel Nut & Receiver From Damage



Handy tool aids in applying straight-line torque for fast, easy installation of the barrel nut without scratching the exterior of the upper receiver. Helps ensure the right amount of torque is evenly applied, while maintaining proper alignment of the barrel, upper receiver, and gas tube ports. Use with any barrel nut wrench or free-float tube wrench and a torque wrench with a 1/2" square drive. Simply clamp the barrel nut wrench handle firmly in a bench vise, insert the barrel into the upper receiver, and finger tighten the barrel nut. Slide the barrel through the wrench, insert the Torque Tool in the back of the receiver until the teeth lock into the locking lugs in the receiver extension, and apply torque with the torque drive through the Tool to tighten the barrel nut. Precision machined from heavy-duty steel bar stock for years of reliable service.

SPECS: Machined steel, black oxide finish. 9" (22.9cm) long, 1" (2.5cm) diameter. Fits barrel extensions of AR-15/M16/M4 and clones chambered in .223/5.56mm only. Requires a 1/2" square drive torque wrench. Instructions included.

#080-000-637EG AR-15/M16 Barrel Ext. Torque Tool, 8K27Z44 \$ 34.99

Selection • Service • Satisfaction GUARANTEED

BROWNELLS AR-15/M16 HANDGUARD ALIGNMENT TOOL



Maintains Precise Handguard Alignment While Tightening The Locking Ring

Eyeballing a railed, free-float handguard for perfect alignment with your flattop receiver is only half the battle. Keeping it from going cockeyed as you tighten the locking ring is another story. Avoid the hassle with this handy jig that aligns the top handguard rail with the receiver rail and keeps it there. Just slide the jig on the rails, secure its setscrews, and tighten the locking ring—you're done! With the time it saves, this tool will pay for itself the first few times you use it. A must for maintaining handguard alignment to ensure night vision devices, vertical grips, flip-up front sights, and other add-on accessories are also properly aligned. Precision machined from high-quality 6061 billet aluminum, then hardcoat anodized for extra strength and years of wear resistance. Designed for use with railed, free-float tubes that have a locking ring.

SPECS: Aluminum, hardcoat anodized, black. 3½" (8.9cm) long, 1" (2.5cm) wide, 1½" (3.8cm) high.

#080-000-368EG HG Alignment Tool 8K47P33 \$ 59.99

SOUTH SHORE AR-15/AR-10 BARREL EXTENSION WRENCH

Plenty Of Strength To Get Even The Tightest Barrels Loose



Two models install or remove AR-15/AR-10 barrel extensions safely and easily without making a "wrench" from an old bolt head. Machined, hardened, steel engagement teeth fully engage locking lugs for precise fit; alignment sleeve holds wrench square with barrel, prevents slipping or damage. ¾" hex drive gives plenty of leverage to get really tight extensions loose.

SPECS: 8620 steel, blue. 2½" (73cm) long. Heat treated to Rc 48-52.

#841-015-001EG AR-15 Bbl. Ext. Wrench 1D43U95 . . . \$ 53.99

#841-000-001EG AR-10 Bbl. Ext. Wrench 1D53U55 \$ 65.99

TORQUE WRENCHES



2 Sizes For Barrel Nuts & Any Bolts You Want Precisely Tight

For AR-15/M16 Barrel Nuts, Bolt Carrier Key or action screws on any rifle. Set the dial handle to desired torque; wrench "clicks" when the number is reached.

SPECS: Chrome-plated steel. ¾" (9.5mm) Drive - 8½" (21.9cm) long. ¾" (19mm) diameter handle. 30 - 150 inch pound range. ½" (12.7mm) Drive - 17½" (43.5cm) long. 1" (2.5cm) diameter handle. 30 - 150 foot pound range.

#018-150-375EG ¾" Torque Wrench 8A00ZAY \$ 174.99

#018-150-050EG ½" Torque Wrench 8F00XCH \$ 136.99

BROWNELLS EXTRA-LARGE BENCH BLOCK

Surface Will Not Embed Or Mar



Extra size and weight helps keep these blocks where you put them and the big face eliminates much of the "balancing act" when you're driving pins. Cannot mar even the most highly polished surface. Drilled with four through holes for easier pin removal and disassembly. Center "V" holds cylindrically shaped parts steady so they won't roll. Can be drilled or modified with hand tools; will not melt when machined.

SPECS: Polyethylene, green. 4" (10cm) diameter, 1½" (2.8cm) high.

#080-000-492EG Rifle Bench Block 8D00YTP \$ 16.99

BROWNELLS AR-15/M16 FRONT SIGHT BENCH BLOCK



Two Working Sides For Installation & Removal

Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec, AR-15 rifles and carbines. Precision-machined and clearly marked on both sides for driving the mounting pins "IN" or "OUT" of the sight. Accommodates the sling swivel, plus, includes provisions for removing the gas tube roll pin.

SPECS: Polyethylene, orange. 4" (10.2cm) dia. x 1½" (4.3cm) high.

#080-000-252EG AR-15 Front Sight Bench Block, 8D31U99 \$ 39.99

BROWNELLS AR-15/M16 SIGHT WRENCH

Models For A1 & A2 Make Sight Adjusting Quick & Easy



Even tho' you're supposed to be able to adjust these sights with nothing more than a round of ammo, folks who've tried know it's just not that simple. This decidedly handy little Sight Wrench does the job, quick and easy.

SPECS: 1½" (3.5cm) long x ¾" (19.0mm) dia. Blued steel. Models for A1, five-prong (adjusts front and rear) and A2, four-prong.

#078-015-001EG AR15/M16 A1 AR Sight Wrench, 7B07T67 \$ 9.99

#078-015-002EG AR15/M16 A2 AR Sight Wrench, 7B07T55 \$ 8.99



BROWNELLS AR-15 SIGHT WRENCH

Two Styles, For A1 & A2, Give Fast, Convenient Sight Adjustment



Precision machined from tough, stressproof steel with square-profile fingers that grip the sight notches firmly and won't "roll out"; provides easy, exact sight adjustment. Plus, they resist bending and breaking to give years of service. Deeply drilled body fits both issue and tall blade sights. An extra-nice touch are the hex-shaped bodies; they're easy to grasp, easy to turn and won't roll off your bench. Three tools: A1 five-prong and A2 four-prong fit front and rear sights. A1/A2 is double ended to fit both five-detent A1 and four-detent, square blade, A2 front sights only.

SPECS: Stressproof steel, blue finish. A1: five-prong and A2: four-prong (adjusts front and rear). 1¾" (3.5cm) long x ¾" (19mm) dia. A1/A2: 2½" (6.4cm) long four-prong/five-prong front only wrench.

#078-000-008EG A1 AR-15 Sight Wrench 8G12H18 . . . \$ 15.99

#078-000-009EG A2 AR-15 Sight Wrench 8K14H02 . . . \$ 17.99

#078-000-010EG A1/A2 AR-15 Sight Wrench, 9A12H69 \$ 16.99

BROWNELLS AR-15/M16 REAR SIGHT ELEVATION SPRING TOOL

Eases Installation & Removal Of Rear Sight Elevation Spring



Hardened, drill-rod steel shaft depresses the elevation spring to ease installation or removal of the rear sight elevation spring retaining pin. Hand-filling plastic handle ensures a firm, comfortable grip while applying pressure to the spring.

SPECS: Steel shank, in-the-white; plastic handle, black. 4" (10.2cm) OAL, .250" (6mm) O.D.

#080-000-079EG AR-15 Rear Sight Elevation Spring Tool, 8K08B01 \$ 10.99

BROWNELLS AR-15/M16 UPPER RECEIVER LAPPING TOOL



Helps True The Upper Receiver For Precise Barrel Fit & Maximum Accuracy

Cold-rolled steel lapping tool chucks into a ¾" hand drill to easily "square" the upper receiver face on your AR-15. Helps ensure precise mating of barrel and receiver for added accuracy. Coat face of receiver with aluminum-oxide lapping compound; extra long pilot slides into the bolt carrier tunnel to maintain perfect concentricity with the receiver.

SPECS: Cold-rolled steel, in-the-white. 8¼" (21cm) long, ¾" (9.5mm) diameter shank.


#080-000-182EG AR-15 Lapping Tool 8K26Z95 \$ 34.95



BROWNELLS AR-15/M16/AR-STYLE .308 UPPER & LOWER RECEIVER BLOCKS

Protect Receiver From Damage When Clamping

Heavy-duty blocks allow you to firmly clamp AR-15/M16 receiver halves in a vise without risk of crushing, twisting, or otherwise distorting them when applying vise pressure or torquing the barrel nut. Keeps your rifle secure for safe, effective cleaning, assembly, and repair.



UPPER RECEIVER ACTION BLOCK - High pressure, solvent resistant, structural Rynite block and insert surround the entire upper receiver and support it inside and out to make rebarreling the AR-15/M16 an easy, one-man job. Lets you tightly clamp a carry handle receiver or flattop receiver in a large bench vise for barrel removal/installation. Torque generated while tightening the barrel nut is transmitted to the block and insert, not the receiver. Minimizes the possibility of damage to the barrel detent pin and receiver detent notch. Holds securely without marring the finish.

SPECS: Injection-molded Rynite, black. Fits A1, A2, and standard flattop receivers. Block - 2.5" (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. Insert - 8" (20cm) long, 1" (2.5cm) diameter. Torque tested to 200 ft. lbs.

#080-000-661EG Upper Receiver Action Block, 8K42T99 \$ 54.99

LOWER RECEIVER VISE BLOCK - Heavy-duty vise block takes all the clamping force, so your expensive lower receiver won't get scratched, distorted, or otherwise damaged. Insert block into the mag well, just like an ordinary magazine, then clamp the other end in your bench vise. The magazine catch locks to the block, safely and securely holding the rifle for assembly, disassembly, cleaning, or repair. Will not mar or scratch weapon's finish. AR-15/M16 model fits mil-spec .223/5.56mm rifles and carbines. Dual-purpose design can be inserted into mag well from bottom or, when upper receiver is removed, from the top. AR-Style .308 model is a double-ended design to fit ArmaLite® AR-10®, Bushmaster .308, DPMS Panther® LR-308, and Remington R-25. Does not fit Rock River Arms lower receivers. Machined from rugged, durable, chemical-resistant Delrin® polymer.

SPECS: AR-15/M16 - Injection-molded high-density urethane plastic, black. 5" (12cm) high, 2¼" (5.7cm) wide, ¾" (1.9cm) thick. Fits mil-spec .223/5.56mm rifles and carbines. AR-Style .308 - Machined Delrin, white. 5½" (13cm) high, 3" (7.6cm) wide, 1" (2.5cm) thick. Fits most AR-Style .308 rifles except Rock River Arms.

#080-000-662EG AR-15/M16 Lower Receiver, Vise Block, 8K38T49 \$ 49.99

#080-000-659EG AR-15/M16 Action Block/Vise, Block Set, 8K62T99 \$ 77.99

#080-000-494EG AR-Style .308 Lower Receiver, Vise Block 8K35C58 \$ 45.99

DPMS AR-15/AR-STYLE .308 UPPER RECEIVER BLOCK



Secure Support For Receiver While Fitting Parts

Machined from tough, long-wearing nylon to hold upper receiver in a bench vise without fear of crushing, marking or scratching the finish. Fits inside stripped or barreled, carry handle and flattop receivers with .250" diameter pivot pins. Holds receivers at any angle for cleaning, or fitting sights and accessories. Models to fit standard AR-15 and DPMS AR-style .308 receivers.

SPECS: Nylon, white. AR-15 - 7" (17.8cm) long, 1¾" (4.5cm) wide, 2½" (7.3cm) high. DPMS .308 - 7½" (18.7cm) long, 1½" (4.8cm) wide, 3" (7.6cm) high. Fits DPMS Panther AR-style .308 receivers.

#231-000-157EG AR-15 Upper Recvr Block 1C41D87 \$ 49.99

#231-000-240EG DPMS .308 Upper Receiver Block, 1C46T44 \$ 61.99

PRECISION REFLEX AR-15/M16 UPPER RECEIVER VISE BLOCK

Two Ways To Support Upper Receiver In A Vise Without Risk Of Damage



Heavy duty, machined aluminum vise block lets you clamp an AR-15/M16 upper receiver in a bench vise without risk of marring the finish or distorting the receiver from over-tightening. Dual-use design allows the receiver to be positioned top side up or, if it's a flattop, upside down; either way, the vise grasps the block and never touches the receiver. One side of the block fits in the underside of the receiver and is held securely in place with two, steel, T-pins inserted through the takedown pin holes, so you can install optics, perform thorough cleaning, and do other work on the exterior. Or, slide a flattop receiver rail into the grooves on the other side of the block and tighten the locking bar with the large thumbscrew to hold the receiver upside down for easy access to the underside.

SPECS: Body - Aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 1¼" (3.2cm) wide, 1¼" high. Pins - Steel, black oxide finish. Fits AR-15/M16/M4 and clones with .250" diameter takedown pin holes.

#714-000-006EG Upper Receiver Vise Block, 4A44H49 \$ 54.95

WILSON COMBAT AR-15/M16 VISE BLOCKS



Holds Rifle Securely & Damage-Free During Cleaning, Rebuild & Repair

High density, structural Rynite® blocks allow you to firmly clamp your AR-15/M16 in a vise for safe, damage-free cleaning, adjustment, maintenance, and repair. Keeps both hands free during delicate, internal component work. Two-piece block clamps around the MIL-STD 1913 Picatinny flattop rail and holds the rifle upside down for easy access to the bottom of the upper or lower receivers. Unbreakable Rynite absorbs the clamping force, so the flattop rail won't be damaged or distorted. Resistant to most solvents.

SPECS: Rynite thermoplastic polyester, black. Fits Mil-Std 1913 Picatinny rail. Blocks - 3½" (8.9cm) long, 1½" (4.6cm) wide, 1½" (4.8cm) high.

#965-000-073EG AR-15 Vise Blocks 5F14D20 \$ 16.99



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

SATISFACTION GUARANTEED SINCE 1939

10-8 PERFORMANCE ARMORER TOOL

Sturdy Non-Marring Tool Has Dozens Of Uses

Handy tool of extremely tough, non-marring glass-reinforced nylon is perfect for prying and pushing applications where a metal tool can damage the part or gun finish. Rigid chisel point on one end is useful for depressing springs and spring-loaded parts—even use to thread MOLLE straps through webbing—while the semi-flexible blade on the other end can get into tight spots or serve as a temporary shim. Great when working on service rifles like the AR-15/M16. Multiple ridges molded into the grasping area in the middle of the tool help prevent slippage when working with oily or greasy hands. Available in Black, Flat Dark Earth, and Foliage Green. **SPECS:** Glass reinforced nylon, Black, Flat Dark Earth, or Foliage Green. Approximately 5" (12.7cm) long, ¼" (6.4mm) diameter. **#100-003-708EG Armorer Tool, Black 1B06X49 \$ 7.95**
#100-003-709EG Armorer Tool, Dk Earth 1B06X49 \$ 7.95
#100-003-710EG Armorer Tool, Foliage Grn 1B06X49 \$ 7.95

AR-15/M16

ACCU-GRIP BARREL VISE JAWS

Fully-Lined Barrel Grooves Prevent Slipping & Damage



Massive aluminum jaws lined with space age, polyurethane elastomer, grip tight and prevent marring. Two grooves fit standard and heavy barrel contours.

SPECS: Machined aluminum with permanently bonded green polyurethane elastomer lining. 5" (12.7cm) wide, 1" (2.5cm) thick, 3 3/8" (9.8cm) long. 2 lb. 6 oz. (1 kg) wt. Fits 4" and wider vises. **#852-015-000EG Accu-Grip Vise Jaws 2E00TPU \$ 59.99**

ACCU-GRIP BARREL VISE JAWS



I've removed barrels using this product, as well as plain-jane wood blocks that are channeled out. The gripping surface on this tool is far superior to plain wood-- and grip is what it's all about when referencing blocks and vises. It's worth the extra cost. - By jkrispies from California

BROWNELLS

MILITARY WEAPON TAKEDOWN TOOL

Dozens Of Uses In Field Stripping A Variety Of Military Firearms



Handy steel tool eases the task of field stripping a variety of military weapons, including the AR-15/M16/M4, M14, and L1A1 rifles, as well as the M2 and M240 machine guns. Use the pointed end to remove pins, retainers, clips, and other subassemblies—much easier than using the tip of a cartridge. The other end can serve as a slot-tip screwdriver or pry bar. Deeply knurled handle won't slip and has a solid feel in the hand; adjust handle position by loosening the two hex head screws. Dozens of uses on the workbench and in a field tool kit. **SPECS:** Steel, black oxide finish. 7 1/4" (18.4 cm) long. **#080-000-580EG Takedown Tool 8K21C95 \$ 29.95**

BROWNELLS AR-15/M16 MULTITASKER TOOL

Pocket-Packable Multi-Tool With Everything You Need For Field Repair & Adjustment Of Your AR-15



Rugged, compact, fold-open tool contains an amazing array of tools to service your AR-15 and many popular add-on accessories, all in a package that's barely 4" long when folded and fits in pocket, backpack, range bag, or the included nylon belt pouch. You get a castle nut wrench for collapsible carbine stocks, adjustment tool for four-prong A2-style front sights, 3/8" box wrench for accessory mounts from LaRue Tactical and others, angled carbon scraper with radiused tip, file with chisel-tip carbon scraper, 440C stainless Tanto-style blade with liner lock safety, extended-length needle-nose pliers, wire cutter, and a bit driver with five, interchangeable double-ended bits. Comes with 2 slot-head, 1 Phillips, and 5 hex-head bit tips, plus T10 and T15 Torx® head bits. Bits have a ball-detent locking system to ensure they stay securely in the driver. The Multitasker is made of hardened, tool-grade stainless steel, with a scratch-resistant, matte black hardcoat finish for exceptional strength, and grip panels of durable G10 fiberglass composite with checkered surface pattern for a firm grasp.

SPECS: Stainless steel, matte black finish, with G10 fiberglass grips, matte black. 4 1/8" (10.5cm) OAL folded; 6 7/8" (17.5cm) OAL extended. Includes 5 double-ended driver tips with rubber storage sleeve and black 1000 denier nylon belt pouch.

#080-000-671EG AR-15 Multitasker Tool, 5C51B91 \$ 73.99

C.J. WEAPONS AR-15/M16

MK-16 COMBOTOOL



Eleven Convenient Tools In One For Cleaning, Maintaining & Repairing Your AR

Compact, all-in-one pocket toolkit has 11 basic tools needed to clean and service any AR-type rifle just about anywhere—at the range, in the field, on deployment. Think of it as a Swiss army knife for your rifle that's so convenient and easy to use you may even reach for it at the workbench when other tools are available. All-steel construction with a durable, scratch-resistant black finish ensures years of service. Includes A1 (5-pin) and A2 (4-pin) front sight adjustment tools, A1 rear sight adjustment tool, bolt carrier carbon scraper, screw-on 8-32 tpi bronze brush for cleaning bolt and bolt carrier key, pull-through bore cleaning cable with patch loop (also accepts the brush), broken shell extractor, receiver extension nut wrench for rifles with M4-style collapsible stock, screwdriver that also serves as a bolt face carbon scraper, small pin punch for disassembling bolt, and large pin punch for removing receiver takedown pins. Folds up into a compact 4 1/2" x 1 1/2" x 1 1/4" package that weighs a little more than a pound and fits in its rugged ballistic nylon case that clips to your belt with a sturdy spring steel belt clip.

SPECS: Steel, black finish. 18 1/2 ounces (524g) weight. Fits .223/5.56 AR-type rifles including AR-15, M16A1/A2/A4, M4, and CAR-15. Instructions included. **#100-003-674EG MK-16 Combo Tool 5K69C99 \$ 89.99**



GERBER AR-15/M16 "EFFECT" MILITARY MAINTENANCE TOOL

Compact, Multi-Function Tool Makes Field Cleaning, Repairs & Adjustment Easy



Convenient multi-function pocket tool contains six separate tools to perform on-the-spot field stripping and critical cleaning and maintenance functions on the AR-15/M16/M4 weapon platform. The eFFECT (Field Expedient Cleaning Tool) includes a flat blade screwdriver, pin punch, nylon bristle brush, angled pick, bolt carrier carbon scraper, and a sight adjustment tool that fits both A1 and A2 front sights. Exclusive, dual Wedge Lock holds tools in the open position, and they cannot be released until the wedge is pulled back. Removable angled pick can be replaced with any Otis cleaning accessory with 8-32 tpi female thread. Stores in the included MOLLE-compatible belt sheath or the internal compartment of an A2 buttstock. **SPECS:** Machined stainless steel and molded reinforced polymer, matte black. 3 3/8" (8.6cm) closed length, 8 1/2" (21.5cm) open length, 1" (2.5cm) wide. 4 oz. (113g) weight. Includes nylon, digital camo MOLLE-compatible sheath and illustrated instructions.

#100-004-875EG eFFECT Tool, 8A00YTP \$ 76.99



SAMSON MANUFACTURING CORP. AR-15/M16

FIELD SURVIVOR TOOL

Indispensable All-In-One Tool System Stores In Pistol Grip



Versatile multi-tool is like an armorer's kit that fits in the palm of your hand and stores in the pistol grip of your rifle, so you'll always have it when you need it. Open it up, and you'll find an array of tools for performing

emergency repairs to get your AR back in action fast in combat, on the range, or in the field. There's a flat-blade screwdriver, broken shell extractor, carbon scraper, cotter pin hook for removing firing pin from bolt, A2 front sight adjustment tool, magazine feed lip gauge, feed lip adjustment tool, and a refillable stainless steel tube that holds just enough oil for one field lube. Use the wire brush for cleaning the bolt and carrier key, or remove the brush and attach it to the pull cable for bore cleaning using the shell extractor as a T-handle. When folded, the tool slides easily into a standard A2-type pistol grip. Twist the base to activate the compression lock system and anchor the tool securely in the grip—no movement, no rattling. Aggressive, molded "teeth" on the base serve as an emergency strike plate during hand-to-hand combat. Teeth are designed to create painful pressure points on impact, but won't snag on you or your gear during ordinary activity. Hardened, corrosion-resistant stainless steel components and mechanism are encased in a tough shell of nearly indestructible, reinforced polymer to ensure years of reliable service. **SPECS:** Stainless steel and molded polymer. Fits in standard A2 pistol grip and similar grips with same-size cavity.

#100-004-235EG Field Survivor Tool, 1B95V65 \$ 119.99



BROWNELLS WEAPONS FIELD MAINTENANCE PACK



Complete, Dedicated Kit For Field Repair & Maintenance Of The M16/M4

Compact, model-specific field maintenance pack is designed for servicing M16/M4s during Military Ops. And, provide the soldier with all the required tools to field strip, repair, and maintain weapons while on the move. These are not run-of-the-mill cleaning kits, but carefully selected, high-quality field armorer tools dedicated to working on specific weapon types, so there is no confusion and no down time spent scrounging through a large field case of loose odds and ends. Individual pouches and compartments inside the water- and abrasion-resistant, denier Cordura case keeps all tools secure and separated to help minimize noise that could jeopardize your mission. Quiet, #9 YKK zippers with oversize pulls make it fast and easy to get tools in and out. Front panel features clear, I.D. card sleeve and loop strip for name tape. Includes two, nylon grab handles for easy carry. Made in the U.S.A. Field Pack Case is also available separately.

M16/M4 FIELD PACK - Allows complete weapon breakdown for routine maintenance and repair, plus includes tools for sight adjustments and field cleaning of the Colt M16/M4. Includes special tools for removal of barrel nut, flash hider and lower receiver extension without damage to any rifle component.

SPECS: Includes: #81 MAGNA-TIP® hollow screwdriver handle w/ Leupold windage (L/B) and #185-10 bits; 1/16", 1/8" and 1/4" pin punches; 1/2" drive handle; 3/4" nylon/brass hammer; buttstock tool; combination wrench; lower receiver vice block; A1/A2 sight wrench; carrier carbon scraper; Deluxe model buttstock cleaning kit. Approx. 5 lb. (2.3 kg) wt.

#080-000-458EG M16/M4 Field Pack, 8K194V49 \$ 258.99

FIELD PACK CASE - The same, heavy-duty, Cordura field case included with our Weapons Field Maintenance Packs. Made available separately for your additional tactical gear and accessories.


SPECS: Denier Cordura nylon, O.D. green. 12" (30.5cm) long, 10 1/2" (26.7cm) high, 3 1/2" (8.9cm) thick.

#080-000-459EG Field Pack Case 8K44V76 \$ 59.95

AR-15/M16 FLASH SUPPRESSOR TAP & DIE

FLASH SUPPRESSOR TAP & DIE

Accurately Thread Custom Barrels, Easily Clean Up Standard Barrels, or Recondition Damaged Threads



A must when threading custom barrels or chasing threads on standard barrels. Use to make custom suppressors or clean up existing factory threads. Custom-made to factory specs.

SPECS: High-speed steel. **AR-15/M16** - .500"-28 thread, 1 1/2" dia. body. **AR-Style .308** - 9/16"-24 thread.

#080-598-528EG AR-15/M16 Flash Suppressor Tap, 6K22H33 \$ 29.99

#080-598-529EG AR-15/M16 Flash Suppressor Die, 6K13H73 21.97

#080-598-530EG AR-Style .308 Thread Cutting Die, 2K20H20 25.25

#080-598-531EG AR-Style .308 Bottoming Tap, 2K19H99 24.99

QUESTIONS BEFORE YOU BUY — Ask Our Full-Time Tech Staff

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 65



BROWNELLS AR-15/M16 RECEIVER TAPS & DIES

Chase & Clean Threads For More Accurate Installation

Chases and cleans the two most important threads on the AR-15/M16 receivers. **1.250"-18 tpi** - Corrects out of spec or cross-threaded upper receivers and barrel nuts. **1 1/16"-16 tpi** - Makes receiver extension (recoil buffer) tube and lower receiver threads uniform for easier installation. **USA**
SPECS: High-speed steel. Plug taps; 2 1/2" (6.3cm) diameter dies.
#080-598-180EG 1 1/16"-16 tpi Tap 6K45C44 \$ 59.99
#080-598-181EG 1 1/16"-16 tpi Die 6K39C92 49.97
#080-598-125EG 1.250"-18 tpi Tap 6K55C92 65.97
#080-598-126EG 1.250"-18 tpi Die 8K38C79 49.99

CLYMER

.223 & .308 CHAMBER REAMING KITS

Complete Kits For Safe, Accurate Chambering



High-quality finish reamer and precision made headspace gauges make easy work when chambering a new barrel. Precision machined from high-quality steel for a lifetime of service when properly cared for. Finish reamers can be used in your lathe or hand-turned; perfect for fitting short chambered barrels. Includes headspace gauge to accurately measure chamber size and ensure a tight, safe chamber. Gauges are etched with "Go" or "No-Go" and caliber/gauge name for easy identification. Made to SAAMI specs. **USA**
SPECS: Reamer - M7 high speed steel, in-the-white. Right-hand cutting, six flutes. Solid pilot, integral throat. 7/16" round shank with 3/8" square drive. Headspace Gauge - Steel, in-the-white.
#184-000-043EG .223 Chamber Ream Kit 4H00AVB \$ 139.99
#184-000-044EG .308 Chamber Ream Kit 4H00CHD \$ 139.95

CHAMBERING REAMERS



Top Brands Cut Precise Chambers For Superb Accuracy

MANSON PRECISION - Ground from M-7 steel by one of the most respected names in the industry. Made to SAAMI specs with an integral throater and fixed pilot. **USA**
SPECS: M7 High speed steel, in-the-white. Solid pilot, six, straight flutes, right-hand cut. 3/8" (9.5mm) square drive shank.

STK # FINISH	STK # ROUGH	CALIBER	PRICE
#513-050-120EG	NA	.223 Rem.	3A00YTP \$ 100.00
#513-050-402EG	NA	.308 Win. Match	3A00HDZ \$ 125.00
#513-050-400EG	#513-050-401EG	.308 Win.	3A00YTP \$ 100.00

CLYMER - Made from best quality, M-7 High-Speed Steel. These are precision tools for the professional gunsmith. **USA**
SPECS: Six, right-hand cutting, straight flutes. Solid pilot, integral throat. 7/16" round shank with 3/8" square drive.

STK # FINISH	STK # ROUGH	CALIBER	PRICE
#184-050-004EG	NA	5.56 NATO	4H00UAV \$ 115.99
#184-050-120EG	#184-050-101EG	.223 Rem.	4H00AYT \$ 89.99
#184-050-400EG	#184-050-401EG	.308 Win.	4H00UAV \$ 90.95

BROWNELLS

5.56mm (.223) HEADSPACE GAUGE

Factory Specified Size Measures M16/AR-15 Maximum Headspace



Made to the Colt factory's special dimensions for M16/AR-15 rifles. It measures the maximum factory acceptable headspace; essential on well-used guns or those that have been rebarreled. **USA**
SPECS: Hardened and ground steel. 1.65" (4.2cm) overall (this is NOT the "headspace" dimension). .3655" (9.3mm) diameter.
#319-418-033EG 5.56 Headspace Gauge 8K00PUA . . . \$ 16.99

BROWNELLS MATCH RIFLE HEADSPACE GAUGES

In .001" Increments For Measurement Of "Match Grade" Chambers

Covers every size chamber from Go to Field. Perfect for match shooters and armors, looking for the most accurate way to track locking lug and chamber wear on match grade barrels. **USA**
SPECS: Individual high speed steel gauges, hardened and ground.
.308 Match Gauge Kit contains 1 of each .308 size listed in table, packaged in plastic case.

.223 (5.56 NATO) MATCH GAUGES			
STOCK #	SIZE/KIND	STOCK #	SIZE/KIND
#319-223-464EG	1.4636" Go	#319-223-470EG	1.4696" Field
#319-223-467EG	1.4666" No-Go		
.308 (7.62 NATO) MATCH GAUGES			
STOCK #	SIZE/KIND	STOCK #	SIZE/KIND
#319-308-630EG	1.630" Go	#319-308-635EG	1.635" Match
#319-308-631EG	1.631" Match	#319-308-636EG	1.636" Match
#319-308-632EG	1.632" Match	#319-308-637EG	1.637" Match
#319-308-633EG	1.633" Match	#319-308-638EG	1.638" Field
#319-308-634EG	1.634" No-Go		

— Advise # — Match Gauge 8K17X65 \$ 26.28
 — Advise # — Go, No-Go, Field Gauge 9A19X21 . . . 27.40
#079-308-000EG .308 Match Gauge Kit 8K150C15 . . . 199.99

CLYMER AR-15/M16/AR-STYLE .308 GO/NO-GO GAUGE SETS

Headspace Gauge Sets For AR's

Convenient kits contain "Go" and "No-Go" gauges for accurately checking chamber length. Helps ensure a tight, accurate, safe chamber when chambering a new barrel. Use to check for correct headspace before buying or firing a new gun. Includes plastic case. **USA**
SPECS: Steel, machined to SAAMI specs. Kit contains (1) go gauge and (1) no-go gauge in a single caliber as listed below.
#184-000-037EG .223 Rem. Gauge Kit 4H00UAV . . . \$ 59.99
#184-000-038EG .308 Win. Gauge Kit 4H00XCH . . . 50.99
#184-000-039EG 7.62 x 39 Gauge Kit 4H00AYT 50.99
#184-000-042EG 9mm Luger Gauge Kit 4H00AYT . . . 50.99

HEADSPACE GAUGES



Essential For Safe Chambering

Gives proper chamber headspace dimensions so you know a firearm is safe to fire. GO gauge gives the SAAMI-recommended, minimum chamber depth. NO/GO is slightly shorter than the SAMMI-recommended to give a small safety margin maximum chamber depth. **USA**

MANSON PRECISION - Precisely made by Dave Manson.
SPECS: M7 high speed steel, in-the-white, hardened.

STOCK # GO	STOCK # NO GO	CALIBER
#513-100-240EG	#513-100-241EG	.223 Remington
#513-100-260EG	#513-100-261EG	.308 Winchester

— Advise # — Manson Headspace Ga. 3A00YTP . . . \$ 30.00

CLYMER - Clymer GO gauges are marked with a green band, Clymer NO-GO gauges are marked with a red band.
SPECS: Machined Steel.

STOCK # GO	STOCK # NO GO	CALIBER
#184-100-240EG	#184-100-241EG	.223 Remington
#184-000-035EG	#184-000-036EG	5.56 NATO
#184-100-260EG	#184-100-261EG	.308

— Advise # — Clymer Headspace Ga. 4H00XCH . . . \$ 25.00

FORSTER - Long-time industry standard made to the highest quality standards.
SPECS: Machined Steel.

ACTION PROVING DUMMIES



Inert, Factory Spec Dummies Give Safe Function Testing

Manufactured to exact specifications, including diameter and length dimensions, weight and balance of factory loaded ammo, these DUMMIES have the proper functioning characteristics to reliably check magazine feeding, action timing, extraction and ejection of all guns. The only professionally accepted and safe way to check gun functioning; live ammo should never be used except in actual test-firing on the range - after you have checked the gun with DUMMIES. The very reasonable cost per DUMMY is an added incentive to use them regularly. The blackened case makes them distinct, and instantly recognizable as DUMMIES, which makes them ideal - and safe - to use as a sales aid. Especially useful when demonstrating how a particular gun functions or in gun safety instruction classes. They absolutely eliminate the chance of an accidental discharge. **USA**

CENTERFIRE RIFLE DUMMIES			
STOCK #	CALIBER	PER	PRICE
#367-223-005EG	.223 Rem.	5	7F07V38 \$ 9.82
#367-223-020EG	.223 Rem.	20	7F26V68 \$ 34.99
#669-308-005EG	.308	5	7F10H48 \$ 14.93
#669-308-020EG	.308	20	7F32H74 \$ 43.66



BROWNELLS BROKEN SHELL EXTRACTOR

Easily Removes Broken Cases Without Field Stripping



Case head separation from over-fired or out of spec brass won't ruin your shooting experience if you keep one of these handy tools in your pocket or field kit. Hardened, steel tool reliably and easily removes broken cases from AR-type or any other firearm chambered for the .223/5.56 NATO or .308/7.62 NATO cartridges. Exclusive, threaded, two-piece design is adjustable for overall length, so the tool completely engages the rim of the case mouth; cannot slip through or strip out. Very simple to use, drop the broken shell extractor into the chamber directly inside the broken case. Allow the bolt to close so the extractor engages the rim of the tool and draw back the bolt to open the chamber. The broken case will eject along with the broken shell extractor. **USA**
SPECS: Steel, blue. Models for .223 Remington/5.56 NATO or .308 Winchester/7.62 NATO cartridges.

#080-000-441EG .223 Broken Shell Extractor, 8K16V24 \$ 19.99
#080-000-530EG .308 Broken Shell Extr. 8K18B95 . . . 22.99

C.J. WEAPONS

.308 BROKEN SHELL EXTRACTOR



Fast, No-Fuss Removal Of Stuck Cases

Don't let case head separation take you out of the fight or put an end to your range time. Simple, reliable tool quickly and easily removes a stuck case from the chamber. Make sure gun is unloaded, then insert the shell extractor in the chamber and close the action, just like you're loading another round. The back of the tool takes the place of the missing case head, while the springy steel fingers slide through the case neck and expand to positively grab the case mouth. Manually work the action to extract the broken shell and the tool.
SPECS: Steel, blued. Fits rifles chambered in .308/7.62mm NATO only.

#100-003-126EG .308 Broken Shell Extractor, 5K05T50 \$ 9.95

STOCK # GO	STOCK # NO GO	CALIBER
#319-223-464EG	#319-223-467EG	.223 Remington
#319-308-630EG	#319-308-634EG	.308 (marked .243)

— Advise # — Forster Headspace Ga. 9A19D21 . . . \$ 27.40

BROWNELLS AR-15/M16 CARRIER KEY STAKING TOOL



Fast, Foolproof Staking Without Damaging Key, Screws, Or Carrier

Precision-machined, solid steel tool lets you stake the carrier key screws the best way—from the sides—to ensure they don't back out under the most strenuous rapid-fire conditions. Eliminates the hassle of trying to stake the screws with a hammer and punch that could slip and damage the key, screws, or carrier. Holds carrier securely and positions the key so it can be dimpled in the correct locations by tightening the four hex screws on the tool. An additional retaining screw on top of the tool prevents the carrier from moving. The tip of this screw is machined flat to make sure it applies even retaining force and won't mar the carrier. All screw tips are hardened to Rc 58-62 for durability.
SPECS: 1018 carbon steel, black oxide finish. 3" (76.2cm) long, 2" (5.1cm) wide, 2" high.
#080-000-638EG Carrier Key Staking Tool, 8K51A78 \$ 70.99



MICHIGUNS AR-15/M16 MOACKS CARRIER KEY STAKING TOOL

For Secure, Precise Staking of Carrier Key Bolts



Proper assembly of all AR-15 and M16 bolt carriers requires the staking of the gas key bolts after they're tightened to the required 50-58 inch pounds to prevent them from working loose. This high-quality, heavy-duty "Mother Of All Carrier Key Stakers" (MOACKS) ensures you'll be able to quickly perform reliable, precise staking every time. Clamp the carrier securely in the tool, then tighten each of the four staking screws with the included Allen wrench to stake the gas key bolts from both sides without damage. Stakes both 1/8" mil-spec and standard 3/16" bolts.
SPECS: 4140 chrome moly steel, black oxide finish. 2.1" (5.3cm) tall, 2" (5.2cm) wide, 1" (2.5cm) thick. Includes required Allen wrenches and instructions.
#100-004-876EG MOACKS Carrier Key Staking Tool, 3Z65A10 \$ 74.99



BROWNELLS EJECTOR REMOVAL TOOL



Eliminates The "Lost Parts" Hassle When Working On Rifle Bolts

Versatile fixture lets you remove plunger-style ejectors from standard .700" and .510" diameter bolts quickly and safely without launching parts across the room. Works for a variety of popular rifles, including AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako. Rugged, lightweight body machined from 6061 billet aluminum securely holds bolt while threaded, tool steel shank compresses and captures ejector spring and aligns the roll pin for easy removal with a punch. Gradually loosen the shank to relieve spring tension. **USA**
SPECS: Anodized 6061 aluminum body, dark green, steel shank. 3 13/16" (9.7cm) long with shank fully screwed in, 2 1/4" (5.7cm) wide, 1 3/4" (4.5cm) high. Fits AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako rifles.
#080-000-420EG Ejector Removal Tool 8K40T52 . . . \$ 60.99

ASK ABOUT **OVERNIGHT DELIVERY!**

Sinclair AR-15/M16 BOLT VISE

Saves Time During Bolt Disassembly & Prevents Lost Parts



Convenient, easy-to-use tool holds the bolt assembly securely while you compress the ejector to remove the spring pin without the risk of the ejector and ejector spring flying out and getting lost. Eliminates the "annoyance factor" of a job that seems to require three hands. The pin drops out of the way through a hole in the vise body, allowing you to slowly back off the pressure on compression screw and capture the ejector and spring. Equally helpful during reassembly. Can also be used to hold the bolt while replacing gas rings and extractor. May be clamped in a bench vise for added support. Tough, yet lightweight aluminum and stainless steel construction for years of reliable service.

SPECS: Aluminum body, anodized, black. Stainless steel compression screw, natural finish.

#988-000-003EG AR-15/M16 Bolt Vise 8H00DZA . . . \$ 26.95

YOUNG MANUFACTURING AR-15/M16 BOLT EJECTOR TOOL

Safe, Effective Bolt Maintenance, Prevents Loss Of Parts



Aluminum fixture securely cradles bolt and prevents flying parts. Threaded steel shank captures and compresses ejector spring and aligns roll pin

for easy removal with punch, loosens gradually to relieve spring tension. Works equally well for bolt assembly. Compact and light enough to take to the field. A must for all AR-15/M16 shooters.

SPECS: Aluminum, black anodized base. Steel shank. 4" (10.2 cm) long, 1 1/2" (3.2 cm) wide. 8 oz. (230 g) wt.

#939-000-003EG AR-15/M16 Bolt Ejector Tool, 9C36V23 . . . \$ 44.99



BROWNELLS BOLT EJECTOR TOOL



Faster Removal Of Plunger-Style Ejectors

Tough, steel clamp captures the bolt head, and the large-handled turn-screw depresses the ejector so the ejector pin can be safely removed or installed from bolts with plunger-style ejectors and forward-positioned locking lugs. Set includes turn-screws to fit both Standard and Small bolt faces plus separate bolt head retainers. One fits bolt bodies up to .720" diameter and the other fits AR-15/M16 bolts only. AR-15/M16 Bolt Ejector Tool also available separately.

SPECS: Steel, blued. Plastic handle. Includes instructions.

#080-792-100EG Bolt Ejector Tool Set 8K27D54 . . . \$ 35.99

#080-792-002EG AR-15/M16 Bolt Ejector Tool, 8K16D53 . . . 20.99



BROWNELLS AR-15 HAMMER DROP BLOCK

Saves The Frame & Your Thumb When Tuning AR-15 Triggers



Drop-in, Delrin block helps you gain a true feeling of trigger movement and pull weight without sacrificing your thumb. Go ahead, drop the hammer; this shock-absorbing

block prevents the hammer from striking the wall of the magazine well. Helps eliminate expensive receiver damage and broken hammers. Fits into the magazine well with the upper receiver open or removed, withstands thousands of hammer strikes.

SPECS: Delrin, black. 2 1/8" (5.4cm) high, 3" (7.6cm) long.

#080-953-000EG AR-15 Hammer Drop Block, 8K20U74 . . . \$ 25.99

BROWNELLS AR-15 HAMMER TRIGGER JIG w/ DRY FIRE BLOCK

Takes The Guesswork Out of Trigger Tuning



Allows full assembly and testing of any AR-15 trigger prior to installation. Aluminum angle bracket with extended length trigger pins secures trigger group to side of lower receiver. Provides an unobstructed view of the sear, hammer, and disconnect engagement points while under normal spring tension. Takes the guesswork out of achieving that perfect trigger pull. Delrin® dry fire block drops into magazine well for safe test firing. Great for trigger modifications or for use as an armorer's training aid.

SPECS: Bracket - Aluminum with black, protective finish. Dry Fire Block - Delrin. Fits .154" dia. pin holes. Includes instructions.

#080-000-070EG Trigger Jig & Block 8K44X37 . . . \$ 55.99



Adapter



POWER CUSTOM AR-15/M16 SERIES II STONING FIXTURE

Helps Achieve A Perfect Trigger Pull

Provides a repeatable method to achieve a crisp, clean-breaking trigger pull on AR-15 rifles. Adapters attach

to a precision-ground indexing elevator column and clamp both the hammer and sear in the correct position. Adjustable to allow you to change both hammer and sear angle. Use with Series II India or Hard Arkansas stones available separately.

SPECS: Steel, blued, precision ground and hardened. 5" (12.7cm) 4" (10cm) high, 3" (7.6cm) wide. Fixture includes (1) adapter, hammer and sear clamp, three Allen wrenches, and instructions. .154" Adapter fits AR-15/M16 with .154" dia. hammer and trigger pins. .173" Adapter fits Colt Commercial AR-15 only.

#713-270-016EG Fixture w/.154" Adapter 3A00ZAY \$169.99

#713-270-015EG Fixture w/.173" Adapter 3A00XCH . 169.99

#713-271-016EG .154" Adapter, only 3A00ZAY . . . 33.99

#713-271-015EG .173" Adapter, only 3A00XCH . . . 33.99

#080-815-000EG Series II India Stone 8K13U22 . . . 20.99

#080-815-001EG Series II Hard Ark. Stone 8K50U60. 64.99



BROWNELLS AR-15/M16 MAGAZINE FEED LIPTOOL

Reforms Feed Lips For Improved Magazine Performance



Designed specifically to bend the feed lips back into place, so they guide the cartridge body like they're supposed to. Trying to straighten the lips with pliers can create cracks in the metal that can't be repaired. The machined, steel shank with bevel cut and slot allows you to hook the lips and keep them supported, while you tweak their angle of contact on the cartridge case. Helps you recondition those old magazines.

SPECS: Handle - Impact-resistant polymer, black. Shank - Steel, blued finish. 5 1/2" (14cm) long.

#080-000-314EG Magazine Feed Lip Tool 8K09X81 \$ 12.99



NORGON AR-15/M16 AMBI-CATCH™ TOOL

Simplifies Magazine Catch Removal

Gives you the leverage to keep the magazine release button completely depressed while removing the magazine catch. Allows you to hold the

rifle and press down on the button with one hand and unscrew

MARK BROWN AR-15/M16/AR-STYLE .308 GASTUBE WRENCH

Protects Tube From Crushing During Installation & Removal



Clamps around those fragile, easy-to-bend gas tubes to prevent damage during both removal and installation and adds a convenient "handle."

SPECS: Steel, blued. Approximately 6" (15.2cm) long.

#133-100-015EG Gas Tube Wrench 3C00VBX \$ 22.99

SPECIAL OPSTRaining ACADEMY AR-15/M16 PIVOT PIN INSTALLATION TOOL



Takes The Frustration Out Of Installing This Critical Part

Compact tool makes the tricky process of installing the pivot pin fast and easy by eliminating the need to apply

pressure from two different planes while guiding the pin into the ears of the lower receiver. Puts an end to accidentally launching the spring and detent across the room while installing the pivot pin. Precision machined aluminum block and steel retaining pin fit between the pivot pin ears of the lower receiver to allow easy insertion of the pivot pin detent spring and detent, then keeps them in place while inserting the pivot pin. So simple, we wonder why nobody thought of this years ago!

SPECS: Aluminum body, hardcoat anodized, red. Hardened steel retaining pin.

#100-003-308EG Pivot Pin Tool 6B22H32 \$ 27.99

SPORTING CONVERSIONS AR-15/M16 TAKEDOWN TOOLS

Remove Takedown Pins & Mag Catch Quickly



High-impact plastic tools drive out the front and rear takedown pins or help get the magazine catch out from your M16/AR-15 without scratching or marring the metal. Pushtool for the takedown pins comes in two versions: a bench model or a handy key ring model. Magcatch tool compresses the spring to make it easy to remove the magazine catch.

SPECS: High-impact plastic, black.

#100-002-125EG Bench Model Pushtool 3A05U49 . . . \$ 7.49

#100-002-126EG Key Ring Pushtool 3A05U95 7.95

#100-002-127EG Magcatch Tool 3A05U95 7.95

FA ENTERPRISES AR-15 BARREL THREAD ALIGNMENT TOOL



Ends The Frustration Of Crooked Threads

Keeps your die perfectly aligned when threading for flash suppressors and muzzle brakes. 1" long shank inserts in the barrel to provide an accurate pilot point based on

the bore position. 1/2"-28 threaded guide portion is 1/2" long to help you get the die started correctly.

SPECS: Stainless steel, in-the-white. 1 1/2" (3.7cm) long, 1/2"-28 tpi. Fits AR-15 barrels with .224" bore size.

#246-000-031EG Barrel Thread Alignment Tool, 6D11B77 \$ 14.95

the catch with the other. Perfect for installing the Norgon Ambi-Catch, or for removing and reinstalling the factory catch during maintenance—as long as your rifle has the factory release button.

SPECS: Polymer in Black, Flat Dark Earth, or O.D. Green. Fits AR-15/M16/CAR-15/M4 with factory magazine release button.

#635-000-001EG Ambi-Catch Tool, black 5C05Y95 . . . \$ 6.95

#635-000-003EG Ambi-Catch Tool, Dk Earth 5C05Y95 . 6.95

#635-000-002EG Ambi-Catch Tool, O.D. 5C05Y95 6.95

GREEN EYES & BLACK RIFLES

The warriors guide to the combat carbine



Kyle E. Lamb. 219 pages. 8 1/2" x 11". Softbound. Over 400 B&W photographs. The author, a combat veteran passes along valuable lessons learned on the setup, operation, and deployment of the AR-15/M16/M4 that will help turn a novice into a pro. Teaches proven fundamentals along with non-traditional stances and shooting positions to enhance your shooting skills and improve accuracy. Over 75 pages on advanced techniques and tactics, both offensive and defensive, with detailed photographs that provide a step-by-step description. Separate sections on malfunctions, ballistics, accuracy, reloading, maintenance, and accessories.

#100-003-635EG Green Eyes & Black Rifles, 7K29X97 \$ 34.99



THE ART OF THE TACTICAL CARBINE

From the training arm of Magpul Industries, these hard-hitting programs cover development of a combat mindset and the techniques of employing a tactical carbine effectively under stress. Seasoned instructors with extensive real-world combat and competition experience, hosts Travis Haley and Chris Costa demonstrate the concepts through intensive live-fire drills captured in crystal clear, wide-screen video.


VOLUME I - DVD, 3 disc set, 4 hours. Provides a thorough grounding in the operational use of a tactical carbine. Topics include: gear selection, using optics and iron sights, stance, weapon grip/recoil control, shooting positions, tactical reloads, correcting malfunctions, shooting on the move, barricade drills, individual/team live-fire drills, threat analysis, multiple target engagement, transition to secondary weapon, and shooting around a vehicle. Disc 3 has detailed, multiple-angle breakdowns of drills from Discs 1 and 2 in slow motion, plus info on weapon accessories, disassembly and maintenance, storage, and transport of weapons.

#100-004-066EG Art Of The Tactical Carbine DVD Vol. I, 3K34Z45 \$ 39.99

VOLUME II - DVD, 4 disc set, 5 hours. Advanced course helps even seasoned operators hone their skills and develop better techniques and tactics for survival in combat, even when things go wrong. Topics include: balancing speed and accuracy, loading/press check drills, addressing threats off the line of attack, transitioning to a secondary weapon, dynamic shooting positions, switching shoulders with single- and two-point slings, advanced barricade techniques (including vehicles and urban environments), reflexive fire, coordinating with a partner, one-handed malfunction clearance, survival tactics, safety, and a MEDEVAC briefing. As in Volume I, disc 3 offers multiple-angle, slow-motion breakdowns of the drills demonstrated in the first two discs, while Disc 4 covers advanced weapons, gear, and accessories, including body armor.

#100-004-497EG Art Of The Tactical Carbine DVD Vol. II, 3K36X74 \$ 49.99

GUN DIGEST® BOOK OF THE AR-15, VOLUME 2



Patrick Sweeney. 286 pages. 8 1/2" x 11". Softbound. A generously illustrated look at the vast array of aftermarket parts and accessories for the AR-15, with plenty of tips and ideas for customizing your rifle. Detailed discussions of barrels, buttstocks, forearms, accessory rails, optics, backup sights, triggers, bolts, slings, flash suppressors, muzzle brakes, and complete lowers. Includes a survey of magazines and ammunition, plus a look at 6.8mm variants and Designated Marksman Rifles.

#491-000-021EG Gun Digest Book of the AR-15, Vol. 2, 1D20H13 \$ 27.95

HISTORY OF THE M16

A comprehensive, historical record of the design and development of the M16 battle rifle, including the behind-the-scenes politics. Follows the rifle from the beginning, tracing its development and detailing the calibers, accessories, sights, various models and much more. Well-written, eye-witness accounts of the actual events provide a narrative that's hard to put down. A must-have for shooters and collectors alike. Two volume set, available separately.

THE BLACK RIFLE, M16 RETROSPECTIVE - R. Blake Stevens. Edward C. Ezell. 416 pages. 8 1/2" x 11 1/4". Hardbound. Over 441 B&W photographs. Second printing of the original, 1987 1st edition. The standard reference source for anyone interested in researching the complex history of the M16 development.

#158-000-001EG **The Black Rifle 8E50U24** \$ 60.99

BLACK RIFLE II, THE M16 INTO THE 21ST CENTURY - Christopher R. Bartocci. 408 pages. 8 3/4" x 11 1/4". Hardbound. Over 626 B&W photographs. Volume II begins where the original book leaves off, and starts with an in-depth discussion on the M16A2 previously unavailable. Continues with a fascinating, concise history that covers the Advanced Combat Rifle (ACR), Mk12 SOCOM, Colt 9mm SMG, Fourth-Generation M16, 6.8 SPC variants, and finishes up with the H&K M16.

#158-000-002EG **Black Rifle II 8E56U49** \$ 69.95

THE AR-15 COMPLETE ASSEMBLY GUIDE

Walt Kulek. 154 pages. 6" x 9". Softbound. Ideal book for anyone who wants to correctly assemble and disassemble AR-15s. Text and hundreds of photographs explain everything necessary to work on this gun. Divided into upper and lower receiver sections for easy reference during projects.

#261-000-003EG **AR-15 Ambly Guide, 1F17Z53** \$ 19.99

THE M16/AR-15 RIFLE

Joe Poyer. 134 pages. 8 1/2"x11". Softbound. This shooter and collectors guide covers assembly/disassembly, cleaning and repair, how to shoot the AR-15 properly, where the parts come from, choosing the correct ammo, using optical sights, and building match rifles, plus, .22 Long Rifle conversions and .308 variants.

#637-000-001EG **The M16/AR-15 Rifle 7C18P62** \$ 22.95

COLT AR-15 TAKEDOWN GUIDE

J. Martin. Approximately 14 pages. 8 1/2" x 11". Covers field stripping and disassembly procedures for the Colt AR-15 rifle. Detailed, step-by-step instructions, with large photos of disassembly sequence and reassembly tips.

#100-002-254EG **Colt AR-15 Takedown Guide, 7K06P36** \$ 79.95

MILITARY FIREARMS MANUALS

29-250+ pages. Sizes range from 4 1/4" x 5 1/2" to 5 1/4" to 8 1/2". Reprints of original military manuals from the U.S. Army and the United States Marine Corps that include operating information, takedown and reassembly instructions, parts listings, help with stoppages immediate action, and other technical specifications. Well-illustrated with diagrams and photographs. Exact content varies by manual.

#231-016-000EG **USMC M16A2 W/E Manual, 3B05X37** \$ 6.44

#231-000-042EG **US Army M16 Manual, 3B08P53** \$ 12.99

BUILD YOUR OWN AR-15

Duncan Long. 98 pages. 5 1/2" x 8 1/2". Softbound. Comprehensive, how-to guide walks you through every step of building your own AR-15. Includes information on how to build your gun according to post-ban regulations. More than 40% of the book is devoted to assembly instructions; including easy-to-understand text and helpful illustrations.

#100-001-287EG **Build Your Own AR-15, 1A15X95** \$ 19.95

THE AR-15 COMPLETE OWNERS GUIDE

Walt Kulek & Scott Duff. 240 pages. 6" x 9". Softbound. Gives in-depth information needed to configure, select, operate, and maintain AR-15 rifles. Covers history, applications, details of components and subassemblies. Appendices cover serial number information, AR-style .308 info, and a list of parts and suppliers.

#261-000-001EG **AR-15 Owners Guide, 1F19Z16** \$ 23.95

THE COMPETITIVE AR-15

Compiled and edited by Glen D. Zediker, 300 pages, photo illustrated, 9" x 11". Softbound. Covers modifying, shooting, maintaining and handloading a match-grade AR-15 for NRA High Power Service rifle, Match Rifle, IPSC Practical Rifle, sniper, varmint and other special purpose applications. Includes interviews with top AR-15 shooters, gunsmiths, barrel makers, ammunition producers, parts designers and manufacturers.

#995-102-000EG **The Competitive AR-15 5Z24U00** . . \$ 29.95

THE NEW COMPETITIVE AR-15

Glen D. Zediker. 470 pages. 7" x 10". Softbound. Not just a revision of Glen's first, groundbreaking AR book, but a completely new volume written from the ground up with the benefit of the author's 10 additional years of competitive shooting with the AR-15. Detailed discussion of receivers, triggers, bolts, bolt carriers, barrels and twist rates, gas system options, springs, magazines and mag components, grips, buttstocks, handguards, and the selection of these components for specific competition, tactical, and field applications. Plenty of straight talk on ammunition and handloading, cleaning, and troubleshooting. Plus comprehensive discussion of "iron" combat sights, adjustable target sights, scopes, red dots, and sight mounts. Almost half the book is devoted to 10 project guns built by Glen, including tactical carbine, high-power match rifle, "raceguns," varmint rifle, civilian-legal carbine, AR-style .308, and .22 LR conversions. Illustrated with 475 detailed black-and-white photographs.

#995-000-004EG **The Competitive AR-15 5Z24U99** . . \$ 34.99

PRACTICAL SHOOTING: THE AR-15

Multi-gun triple crown champion and professional shooter Matt Burkett helps you learn how to set up and shoot your AR-15 in competition. Covered subjects include: effective off-hand stance, shooting positions, trigger control, sighting options, shooting on the move, and barricade work. Nearly every technique is tied to a practice drill that will help you improve your shooting. Includes interviews with John Paul of J.P. Enterprises and Mark Buchanan of 3 Gun Gear provide extensive info on equipment setup, gear, and how to keep your AR-15 running reliably. Over four hours of information for anyone wanting to learn what it takes to shoot a tactical or competition AR-15 faster. DVD format, 2-disc set. 275 minutes.

#100-004-764EG **Practical Shooting Vol. 6, 9K30V99** \$ 39.99

JERRY MICULEK: PRACTICAL RIFLE

Shoot Smarter, Better, Faster



A must-have for the serious shooter, hunter, competitor, and law enforcement officer, *Jerry Miculek Practical Rifle* helps you get the most out of your rifle and build your shooting skills. Learn how to shoot your AR-15 smarter, better, and faster from one of the world's fastest, most knowledgeable, and "winningest" shooters, Jerry Miculek. Jerry's achievements include three-time Masters International Long Gun Champion, five world records, winner of 28 multi-gun championships, and 85 national and international handgun titles. Provides over two hours of expert one-on-one instruction that covers everything about shooting the AR-15, from how to set up your rifle like his, to the stance, grip, and trigger technique used by the pros. Plus, he'll take you through plenty of basic and advanced drills that'll improve your shooting. Learn how to reload and clear malfunctions quickly, move and acquire targets faster, engage multiple and moving targets, and shoot from behind cover and in different positions. Produced entirely at Brownells studios in partnership with Bang Inc., this three-DVD set is broken down into short, easy-to-follow segments, and features innovative camera angles, slow-motion footage, and animated illustrations so you can fully comprehend Jerry's winning techniques. Fast paced, entertaining and educational, the format is designed to be instructionally sound and logical. 3 DVDs. Widescreen. 2 hours, 17 minutes.

#100-004-974EG **Practical Rifle 3-DVD Set, 2K29Y99** \$ 39.99

JERRY MICULEK: PRACTICAL RIFLE



I have come across some good shooting and instructional DVD's in my time, but this one takes the cake. Even a pro could benefit from this DVD. If you're serious about 3 gun or just thinking about it, this is the DVD you want.

- By Richard from Andover, KS



HOW TO BUILD AN AR-15

Produced by Brownells, this easy-to-follow, step-by-step video guide is your ticket to the custom AR-15 you've always wanted. Tim Dillon, Brownells Military/Law Enforcement Specialist and a former U.S. Army small arms repair specialist, shows you how to build your own AR with features and accessories that'll help you shoot your best. You don't need to be an expert riflemith or armorer because Tim walks you through each step in plain English and crystal-clear video. He explains AR-15 models and variations, laws and regulations, specifications, operation, deciding what rifle to build, selecting and ordering parts, tools, step-by-step assembly, function testing, safety checking, cleaning, and maintenance. The presentation is divided into a series of short segments, each devoted to a specific subassembly or variation of one. Watch only the segments that apply to the rifle you want to build. If you decide to modify your rifle later, go back and just watch the segments you need. A big help taking apart subassemblies like the bolt and gas system for cleaning or trouble-shooting, too. 1 DVD, 2 hours 10 minutes.

#080-000-587EG **How To Build An AR-15 DVD, 5B21C99** \$ 29.99



AMERICAN GUNSMITHING INSTITUTE VIDEO TRIGGER JOB COURSES

Robert Dunlap. 42 minutes. Demonstrates the proper way to achieve safe, clean-breaking triggers on AR-15 rifles. Explains sear/hammer relationship; also covers tool selection. One tape per job, DVD format.

#050-000-010EG **AR-15 Trigger Job, 5K31H96** \$ 39.95



AMERICAN GUNSMITHING INSTITUTE BUILDING THE AR-15

2 hours 5 min. 1 DVD. Robert Dunlap demonstrates building a complete AR-15. Covers assembling the upper and lower receivers, bolt, bolt carrier and head spacing the barrel, trigger and safety function, fitting and installing all parts and final tuning. DVD format only.

#050-000-016EG **Building The AR-15 5K32D09** \$ 39.99



AMERICAN GUNSMITHING INSTITUTE VIDEO ARMORER'S COURSES

Bob Dunlap. DVD format. 120 minutes. Unique, classes go from history and design through a detailed stripping, cleaning and inspection; each covering the AR-15 rifle. You get a close-up look at the identifying features. A How-It-Works section is followed by detailed, one-step-at-a-time disassembly instructions. You'll learn many handy tips, like when to watch out for, and prevent, flying springs. Next, Dunlap does a thorough cleaning and oiling, pointing out things to look for which indicate problems that can be corrected before they cause a malfunction. The reassembly portion isn't just "reassemble in reverse order". You'll stop and look at the parts, learn exactly how to put the pieces back together correctly and pick up more repair tricks. Tuning Tips shows you ways to make sure the gun functions better than it did when you started. Accessories covers spare parts you should keep around, and why. Throughout the tapes you'll pick up troubleshooting tips and cures.

#050-000-028EG **AR-15 Armorer's Course, DVD, 5K31D96** \$ 39.95

ADVANCED ARMAMENT AR-15/M16 ACCESSORY MOUNTING RAIL

Provides Solid Mounting For Accessories



Picatinny rail provides quick, secure mounting for weapon lights, lasers and vertical grips. Bolts to existing handguard holes and is compatible with mil-spec handguards for M16A2 rifles and M4 carbines, including those with or without heatshields. Installation requires removal of a single heatshield on handguards with double heatshields. **SPECS:** Aluminum alloy, hardcoat anodized, matte black. 5 3/8" (13.7cm) long. Includes all mounting hardware, tools, and instructions. Fits carbine handguards with 6 or 7 vent holes.

#276-000-007EG **AR-15 Accessory Rail 6G21V92** . . . \$ 26.99

AMERICAN DEFENSE QUICK-RELEASE ACCESSORY MOUNT



Patented, Easy-On/Easy-Off System For Mounting Lights, Vertical Grips & Other Accessories


Convenient, quick-detach mount clamps solidly to almost any Picatinny or Weaver-style rail for mounting weaponlights, vertical grips, lasers, optics, and other accessories that need to be removed and reinstalled quickly. Increases the flexibility of your weapon and allows quick changes of accessory configuration to meet individual mission requirements. Patented lever-lock system will not work loose under recoil; the more force acting on the lever, the tighter it locks, yet when you depress the release tab, the lever swings open easily. Adjust gripping force with a flat head screwdriver or coin for an ultra-secure fit even on non-mil-spec, over- or under-sized rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Locking bar on the side of the mount engages maximum rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement with rail slots.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 2 1/4" (5.7cm) long. Provides .615" (1.6cm) standoff from weapon rail.

#100-003-648EG **Quick-Release Accessory Mount, 7B79Z95** \$ 99.95

**ATLAS METAL PARTS AR-15/M16
ACCESSORY LIGHT
MOUNT**

**Rock Solid Mounting
For Lights & Lasers**

Solidly clamps to either side of an AR-15, front sight base. Features two Picatinny rails to hold lights, lasers, sling adapters and other accessories. Machined for a secure fit so it won't rotate or twist out of alignment. 

SPECS: Aluminum, anodized, black, matte. 1 3/4" long. 2.3 oz. (66 g) wt.

#100-000-727EG AR-15 Light Mount, 7K35A95 \$ 44.94




**BROWNELLS AR-15/M16
45-DEGREE ANGLE MOUNT**

**Offset Mount For Positioning
Tactical Accessories Right Where
You Need Them**



For situations where the standard 3, 6, 9, and 12 o'clock positions don't work, we developed this offset angle mount for positioning weapon lights, lasers, and other tactical accessories exactly where you need them. Won't interfere with the


view through the primary optic or backup iron sights, and allows mounting of a holographic red dot sight next to your scope for quick transitions to engage close-range targets. Simply cant the rifle slightly to the side to use the red dot. Lets you position a tactical flashlight for easy thumb activation of a tailcap switch without interfering with the optic. Fully machined from strong yet lightweight 6061 T6 aluminum billet, then hardcoat anodized for added strength, with a durable, non-reflective matte black finish that matches most AR-15 receiver finishes. A tunnel through the mount minimizes obstruction of your forward view, and additional circular cuts in the mount body further reduce weight without sacrificing strength. Ultra-secure clamping system fits any MIL-STD 1913 Picatinny rail, and is easy to install, remove, or reposition in the field or at the range. Full-length locking bar, hardened 4140 steel crossbolt, and an oversized, hex-head lock nut ensure a rock-solid installation even with the hex nut only finger tight. Deep-cut slot accepts a flat-head screwdriver, or even a U.S. quarter, for additional tightening torque. 

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Crossbolt/Nut - 4041 carbon steel, black oxide finish. 1.875" (4.8cm) long, 1.25" (3.2cm) wide, .900" (2.3cm) high. 1.7 oz. (46g) weight. **#080-000-533EG 45-Degree Angle Mount, 8K21B95** \$ 26.99

**COMMAND ARMS
FLASHLIGHT/LASER
MOUNT**

**Adjustable Five-Position Mount,
For Rifle Or Pistol Accessory Rails**



Flashlight/laser mount pivots and locks into five positions, up to 90 degrees left or right of center, allowing you to quickly reposition your laser sight or flashlight if the tactical situation dictates. Use one mount for both your rifle and pistol; spring-loaded push-button provides fast installation and removal on both Picatinny and Weaver-style rails, separate locking bars included. Integral mounting ring firmly clamps 1" diameter lights or laser sights. Made from high strength, durable fiber-filled polymer composite. 


SPECS: Fiber-filled polymer composite, black. 2 3/4" (7cm) long, 1 1/2" (3.8cm) wide, 2 1/2" (6.3cm) high. 2.8 oz. (79g) weight. Fits 1" O.D. flashlight/laser.

#100-003-353EG Flashlight/Laser Mount, 2Z20P00 \$ 29.99

**COMMAND ARMS
TACTICAL LIGHT MOUNT**

**Get Flashlight Illumination &
Keep Both Hands On Your Gun**



Injection-molded, reinforced, polymer-resin mount makes it easy to use your flashlight in tactical situations. Screw-adjustable, radiused pads hold light tightly in place; push-button locking system gives quick attachment and removal. Use on AR-15/M16, Glock, Sig, and Smith & Wesson guns equipped with Picatinny or Weaver-style rails. **FAS2 Mount** accepts Surefire® lights; **FAS3 Mount** accepts Scorpion® lights. 

SPECS: Polymer, black. 1 3/4" (4cm) long, 1 3/4" (4cm) high, 1 1/4" (3.2cm) wide. **FAS2 Mount - 1 1/16" (2.7cm) I.D.; FAS3 Mount - 3/16" (25mm) I.D. BK 1 Mount:** Polymer, green 1 7/8" (4.7cm) long. 1 5/8" (4.1cm) high. .75" (1.9cm) I.D.

#100-001-022EG FAS2 Mount 2Z18H93 \$ 25.49

#100-001-023EG FAS3 Mount 2Z18H93 \$ 25.49


#100-002-606EG BK 1 Tactical Light Mount, 2Z19H07 \$ 28.59

**COMMAND ARMS AR-15/M16
TRIPLE RAIL HANDGUARD MOUNT**

**Expands Accessory Mounting Options
On A2-Style Handguards**



Compact, Picatinny rail system greatly expands the accessory mounting options on AR-15/M16 rifles with A2-style handguards, while keeping clutter to a minimum. Mounts on top or bottom of handguard to provide fixed side rails positioned 45 degrees left and right of center, plus a center rail that can be positioned


up to 1 1/4" forward of the mount, or completely removed for unobstructed use of iron sights. Fits both, standard and thickened heat shields. Made from tough, fiber-filled polymer composite. **SPECS:** Fiber-filled polymer composite, black. 3 1/8" (8cm) long center rail, 2 1/2" (6.3cm) long left and right rails, 2 1/2" (6.3cm) wide, 1 1/4" (3.2cm) high. 1.8 oz. (51g) weight. 

#100-003-352EG Triple Rail Mount 2Z14P27 \$ 20.39

**CUSTOM DEFENSIVE PRODUCTS AR-15/M16
BAYONET LUG ACCESSORY MOUNT**

**Easy Forward Mounting
Of Tactical Lights & Lasers**



Provides a quick, convenient platform for tactical lights and other shooting accessories that mount on a Picatinny rail. Installs on any AR15/M16 variant equipped with a standard issue sight tower with bayonet lug. Installation is easy: simply drill out the forward sling swivel rivet, slide the Accessory Mount over the bayonet lug, and secure the mount through the swivel rivet hole with provided Allen screw. Specifically designed for the Surefire X200 and Insight Technology M3X series tactical lights. Precision CNC Machined from T6061 aluminum billet, then hard anodized with a MIL-A-8625F, Type III black finish for superior wear-resistance. Integral, sling attachment loops allow forward sling mounting. 

SPECS: Aluminum, matte black, Mil-Spec anodized finish. 2 1/4" (5.7cm) long, .831" (2.1cm) wide. 2 oz. (56g) wt.

#100-002-594EG Bayonet Lug Acc. Mnt 5A44H95 . . . \$ 55.95

**DANIEL DEFENSE
PAK™ OFFSET**

FLASHLIGHT MOUNT

**Mounts Your Tactical Light In The Best
Possible Position For Deployment**




Clamp-on mount puts your tactical light behind and directly to the side of the vertical grip, so your thumb rests naturally on the light's on/

**DANIEL DEFENSE AR-15/M16
ONE O'CLOCK OFFSET RAIL**

**For Convenient Mounting Of Auxiliary Optics,
Lights & Other Accessories**



Lightweight, low-profile, rail clamps to handguard side rail to allow easy off-axis mounting of red dot sights in the 1:00 or 11:00 position. Lets operator transition almost instantly from long-range primary optic to non-magnified CQB sight without breaking cheek weld. Viewing tunnel through the mount helps minimize obstruction of operator's view of area around the target. Plenty of other uses, too; clamps to any MIL-STD 1913 Picatinny rail. Install on underside of handguard to position a laser or weaponlight close to vertical forend grip for easy operation of controls with support hand. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength. Side bar and crossbolt locking system ensures secure, zero-movement attachment to primary rail, yet allows removal and reinstallation of backup sight without loss of zero. 

SPECS: 6061-T6 aluminum, hardcoat anodized, matte black. 1.2 oz. (34g) weight.

#100-003-943EG One O'Clock Offset Rail, 8K36T73 \$ 39.99

**DOUBLE STAR AR-15/M16
PICATINNY ANGLE MOUNT**

**Offsets Add-On Tactical Accessories
For Unobstructed Use of Primary Sights**



Low-profile, add-on rail lets you mount a flashlight, laser, red dot sight, or other tactical accessory at a 45° angle, so it's close to the rifle's center line without obstructing your primary sight system. Precision-machined aluminum body uses a full-length steel clamping bar and three hardened steel socket head bolts to anchor the mount securely to any Picatinny rail with minimal weight increase to your weapon. Five cross-slots; accepts Picatinny and Weaver-style accessories. 


SPECS: Aluminum, anodized, matte black finish. 2 1/8" (5.4cm) long, 1 1/8" (4.8cm) wide, 1 1/16" (1.8cm) high. 2.3 oz. (66g) wt.

#100-003-301EG 45° Picatinny Angle Mount, 2Z18H99 \$ 24.99

**FALCON INDUSTRIES AR-15/M16
UNIVERSAL ACCESSORY
MOUNTING PLATFORM**

**Easy Installation;
Mount Tactical
Accessories**



Injection-molded, nylon-based, polymer platform installs easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts picatinny and Weaver-style accessories. 

SPECS: Injection-molded polymer, black. 5 9/16" (14.3cm) OAL.


#573-000-027EG Universal Accessory Mounting System, 3G07U86 \$ 11.00

**ELZETTA MFG. ZROC TACTICAL
FLASHLIGHT HOLDER**



**Turns A Hand-Held Flashlight Into
An Offset Mounted Weaponlight**



Rugged, lightweight aluminum mount lets you install a compact hand-held flashlight in the low, side-offset position preferred by tactical shooters for precise illumination of targets. Eliminates the bulk of conventional mounting systems and positions the light for easy activation of tailcap switch with the support hand's thumb when used in combination with a vertical foregrip. Dual, coin-tightened thumb nuts and locking bar clamp to any MIL-STD 1913 Picatinny rail system. Comes with both safety wire and cotter pin locking capability, plus an integrated rail for mounting another accessory. Machined from high-grade 6061 T6 aluminum, then mil-spec hardcoat anodized for extra strength, with a tough, scuff-resistant black finish. 

SPECS: 6061 T6 aluminum, hardcoat anodized, black finish. 1.35" (3.5cm) wide, 2.8" (7.1cm) high, 2.5 oz. (70g) weight. Fits flashlights with .7" (18mm) to 1.1" (27mm) O.D., including Mini-MagLite, PentagonLight, Inova, Streamlight, Pelican, Laser Devices, and SureFire models. Includes nylon sizing adapters and cotter pins.


#100-004-253EG ZROC Tactical Flashlight Holder, 4B58H73 \$ 79.99

**FALCON INDUSTRIES AR-15/M16
UNIVERSAL MOUNTING PLATFORM**

**Quickly Mount Accessories
To AR Handguards**



Lightweight, aluminum mount attaches to AR-15 handguards; gives quick, sturdy mounting for lights, forward grips, bipods and tripods. Fits standard, round, plastic, AR-15 and

CAR-15 handguards without removing the heat shield. Requires removal of heat shield to fit M4 handguards. Can be attached to top or bottom handguard. Accepts Weaver-style accessories. **4" w/adapter** permits use with 2" diameter aluminum float tubes, also fits standard handguard. 

SPECS: Aluminum, anodized, black. 2", (5cm). 4" (10.1cm) and 6" (15.2cm) long. Includes mounting bolts and hardware. **4" w/adapter and 6" Platform** also include low profile rail covers.

#573-000-017EG 2" Mounting Platform, 3G12U69 \$ 15.99

#573-000-009EG 4" Mounting Platform, 3G21U15 \$ 24.99


#573-000-018EG 4" Mounting Platform w/adapter, 3G22U54 \$ 27.99

#573-000-019EG 6" Mounting Platform, 3G23U79 \$ 28.99

**GG&G AR-15/M16
FLASHLIGHT/LASER MOUNTING BASE**

**Offset Design Works Together
With Vertical Grip**



Low profile, "L-shaped" base attaches next to the vertical grip on railed handguards to allow easy light/laser activation using your thumb, without your hand ever leaving the grip. Light/laser can be positioned at the 3 or 9 o'clock position to accommodate both right- and left-hand shooters. Includes an optional rail designed to fit any of the newer, smaller flashlights and lasers with integral rings. Precision machined from T6 aluminum billet, then hardcoat anodized for added strength and wear resistance. Steel hardware. 

SPECS: T6 aluminum, matte black anodized finish. 1 13/16" (4.6cm) long, 2" (5.1cm) wide, 7/8" (2.2cm) high.

#336-000-008EG Light/Laser Mounting Base, 6C61V95 \$ 75.00

LASER DEVICES AR-15/M16

1" NATO PICATINNY RING MOUNT



Mounts Tactical Accessories
To Picatinny Rail Systems

Lightweight, aluminum ring clamps securely to picatinny rails for mounting lasers, lights, and other tactical accessories. Knurled, .62" knob secures the ring to the rail. Hex screw tightens mount to device in the ring without crushing or marring the device. Ring fits Picatinny rails.

SPECS: 6061 T6 aluminum, matte black. .413" (10.5mm) from bottom of ring to top of base. Accepts 1" (25.4mm) diameter devices. Hex key included.

#100-001-969EG 1" Picatinny Ring Mount 9A40X06 \$ 50.40

MIDWEST INDUSTRIES AR-15/M16

MX-SERIES HANDGUARD MOUNT

Mount Picatinny Accessories
On Mil-Spec Handguards



Precision-machined for positive contact on the flat, tapered, cooling port channel of A2 and M4 handguards. Stout, single-slot, Picatinny rail accepts one ringmount for tactical accessories or a front sling adapter for carry rifles. Two, specially designed, hex nuts seat perfectly in the ventilation holes and prevent forward tilt of the mount. Draws down tightly without removal of the heat shields.

SPECS: 6061 aluminum, hardcoat anodized, black. 1 3/4" (4.4cm) long, 1 3/16" (2.1cm) wide, 3/8" (9.5mm) high.

#100-002-035EG MX Handguard Mount 2A11Z37... \$ 14.99

MIDWEST INDUSTRIES AR-15/M16

MX-SERIES TACTICAL LIGHT MOUNT

Front Sight Mount For Flashlight,
Laser Sight & Other Tactical Accessories



Adds two, symmetrical, single-slot, Picatinny rails to your standard, front sight. An excellent alternative to swapping out a perfectly good handguard for a railed, forend tube in order to mount accessories. Helps give the right elevation for lights and laser sights in relation to bullet point-of-impact. Precision-cut angles and tapers deliver an extremely rigid mounting system that can't shift or rotate once tightened.

SPECS: 6061 aluminum, hardcoat anodized, black. 1 3/4" (4.4cm) long.

#100-002-061EG MX Tactical Light Mnt 2A26Y00... \$ 34.99

SAFARILAND AR-15/M16

RK-M4 FOREND RAIL MOUNT

Easiest Way To Get Accessory Rails Up
Front Without Changing Handguard



Rugged polymer mount is the quickest way to get accessory rails up front without having to get a new handguard or modify your rifle. Clamps securely over the factory plastic handguard to provide rail mounting space for lights, lasers, IR illuminators, vertical grips, bipods, and other tactical accessories. Provides one 3/4" bottom rail along the centerline of the barrel and two 1 3/4" long top rails offset at a 45° angle to allow installation of a weaponlight or laser sight without interference from front sight. Reversible design can be mounted upside down. Reinforced injection-molded polymer is strong, yet lightweight, with no sharp edges to snag on gear.

SPECS: Injection-molded polymer, matte black. 3 3/4" (9.5cm) long x 3" (7.6cm) wide x 3 1/2" (8.9cm) high. 3 oz. (86g) weight. Mounting hardware and installation instructions included.

#797-000-129EG RK-M4 Forend Rail Mount, 7G31D42... \$ 39.99

MOUNTING SOLUTIONS PLUS AR-15/M16

ADD-A-RAIL ARMORER'S KIT



Install Tactical Accessory
Rails On Factory Plastic
Forearms

Convenient, easy-to-use kit lets you install forend accessories that require a Picatinny-type rail without replacing the rifle's A2 or M4 factory plastic handguard. Bolt-on rails of tough, reinforced injection-molded polymer let you mount lights, vertical grips, bipods, Grip Pod™, lasers, infrared illuminators, and other tactical accessories exactly where you need them—on top, bottom, or at any angle on the sides of the forearm. Kit includes 10 rails, mounting hardware, and illustrated instructions for installing on common A2-style, M4, and commercial carbine handguards. Even includes drill bit for drilling pilot holes, Allen wrench, spanner wrench, and clear plastic storage box.

SPECS: Rails – Injection-molded polymer, black. Hardware – Steel & polymer. Kit contains (10) 3 1/2" rails and (15) each 8-32 flat head screws, 8-32 pan head screws, washers, screw nuts, shoulder washers, flat washers, large bushings, small bushings, and fenders. Also includes #19 drill bit, Allen wrench, spanner wrench, storage case, and instructions.

#100-003-826EG Add-A-Rail Armorer's Kit, 1K122U76... \$ 149.99



REMINGTON R-15 RAILS & RISERS

Picatinny Accessory
Mounts Match Your
Rifle's Camo



Remington factory accessory mounts provide an exact match for your Remington R-15 VTR hunting rifle with Advantage MAX-1 HD Camouflage. Easy to install without gunsmithing or permanent alterations, all mounts accept accessories that fit MIL-STD 1913 Picatinny rails. **Forend Picatinny Rail** - Compact 4" rail attaches directly to the factory-drilled and tapped free-float handguard on all R-15 VTR rifles. Height of rail allows co-witnessing with top of receiver. **Mini Risers** - Separate risers attach to receiver or forend rails to provide an additional 1/2" of elevation that's perfect for positioning scopes, red dots, or backup sights at the required height. Locking bar and hex-head cap screw attachment system provides plenty of clamping power to keep these risers securely on the rail. Available in 3/4" and 1 1/4" lengths. Sold in 2-paks.

SPECS: Machined aluminum, hardcoat anodized, Advantage MAX-1 HD Camouflage finish. **Forend Picatinny Rail** - 4" (10.2cm) long, 1/4" (6.3mm) high from top of base to top of rail. Includes mounting screws. **Mini Risers** - Available in 3/4" (1.9cm) and 1 1/4" (3.2cm) lengths. 1/2" (12.4mm) high from top of base to top of rail. Sold in 2-paks.

#768-194-490EG Forend Picatinny Rail 8F29A51... \$ 36.95
#768-194-490EG 1/2" Mini Risers, 3/4" length 8F29A51... 36.95
#768-194-470EG 1/4" Mini Risers, 1 1/4" length 8F40A67... 50.95

STREAMLIGHT® AR-15/M16
TACTICAL ILLUMINATOR MOUNT

Fits Standard Handguards
For Mounting Streamlight Lights & Lasers



Tough, polymer mount attaches to plastic USGI-style AR-15 handguards to accept your Streamlight TLR-1, TLR-2, M3, M5, or M6 light/laser.

SPECS: Polymer, black. 1.925" (4.9cm) long, .825" wide (2.1cm), .25" (6.4mm) high. Accepts Streamlight M3, M5, M6, TLR-1, and TLR-2 lights. Instructions included.

#100-000-831EG Tactical Illuminator Mount, 1K19T99... \$ 20.99

SOG ARMORY M16/AR-15

GRAPHITE RAIL SYSTEM



Add Picatinny Accessories
To Standard Round Handguards

Heat-resistant, graphite rail aligns with vent holes on standard issue, round M16/AR-15 handguards and lets you mount picatinny rail accessories without the expense of new handguards. Aluminum backing plate mounts on inside of handguard and attaches to rail with two screws (included) and can be mounted to full stock AR-15/M16, CAR, and M4 handguards. Installs with no permanent modifications to the handguard.

SPECS: Heat-resistant graphite, black. Aluminum backing plate. 2.16" (5.5cm) long. Mounting screws included.

#100-002-209EG Graphite Rail System, 9A10Y00... \$ 16.95

SOG ARMORY AR-15/M16

TRI-RAIL ACCESSORY MOUNT WITH
SLING SWIVEL

Space For Three Accessories;
Includes Detachable, Multi-Position
Sling Swivel



Add three, forward-mounted accessory rails and a multi-position, quick-detach sling swivel to your AR-15/M16 without permanent alterations to your rifle. Clamps secure around existing front sight housings with or without a bayonet lug. Push-button sling swivel can be repositioned quickly between six mounting holes, two per rail, for the ultimate in versatility. True, Picatinny cut allows mounting optics, lasers, lights, night vision gear, and a wide variety of other tactical accessories. Precision-machined from rugged, billet aluminum and hardcoat anodized for superior strength and wear resistance.

SPECS: Aluminum, hardcoat anodized, matte black finish. 1 1/16" (4.5cm) long, 2" (5.2cm) wide, 2" (5.2cm) high. Hardened-steel, Allen-head set screws included.

#100-002-410EG Tri-Rail Acc. Mount w/Sling Swivel, 9A52D46... \$ 69.95

TACSTAR UNIVERSAL
FLASHLIGHT MOUNTS

Steel, Two-Piece Mount
Clamps Securely To Barrel

Made especially to mount flashlights to your shotguns and rifles without modifications to the barrel. These all-steel, two-piece light mounts fasten securely to the barrel with two Allen head screws. Available in four different flashlight/barrel sizes. Allen wrench and two spare screws included.

SPECS: Steel, gloss black finish. **#1 Mount** - Attaches 3/4" light to 1/2" to 3/4" barrel. **#2 Mount** - Attaches 1" light to 1/2" to 3/4" barrel. **#3 Mount** - Attaches 3/4" light to 3/4" to 1" barrel. **#4 Mount** - Attaches 1" light to 3/4" to 1" barrel. Two extra Allen head screws included.

#867-000-008EG #1 Universal Flashlight Mount, 7F14X66... \$ 21.98

#867-000-009EG #2 Universal Flashlight Mount, 7F14X66... 21.98

#867-000-010EG #3 Universal Flashlight Mount, 7F14X66... 21.98

#867-000-011EG #4 Universal Flashlight Mount, 7F14X66... 21.98

Shop

light mount

Search

brownells.com

TACTICAL NIGHT VISION

SCOPE ACCESSORY RAIL



Securely Mounts Accessories
Directly To Scope Tube

Compact accessory rail clamps directly to scope tube to provide mounting space for holographic sights, lasers, IR illuminators, flashlights, and other accessories that fit Weaver-style rails. Increases accessory mounting options, especially on bolt guns, without restricting your scope base and ring options. Short enough not to interfere with rings, turret, or scope objective, yet provides adequate rail length to accept a wide variety of devices. Rail mounts at any angle on the scope tube and positions alternate sight close to the scope axis, so switching between main and secondary sights requires minimal head movement. **SAR-1** fits 1" scope tubes and can also be installed on the magazine tubes of many tactical shotguns. **SAR-3P** fits 30mm scope tubes and has one MIL-STD 1913 Picatinny slot in the middle of the rail to accommodate accessories that require a Picatinny mount. An Aimpoint Micro T1 red dot sight fits perfectly on this rail with no overhang. **SAR-3PS** is the slimline version of the 3P, with a ring that's 1/4" thick (vs. .720" on the 3P) for mounting on scopes with limited tube length. **SAR-4** fits 34mm scope tubes. Made of lightweight, precision machined aluminum and hardcoat anodized for added strength to withstand the pounding of recoil without losing adjustment.

SPECS: Machined aluminum, hardcoat anodized, matte black. **SAR-1** - 1.75" (4.5cm) long rail. 1.1 oz. (31g) weight. Fits 1" scope tubes. **SAR-3P** - 1.56" (4cm) long rail. 1.1 oz. weight. Fits 30mm scope tubes. **SAR-3PS** - 1.56" long rail. .6 oz. (18g) weight. Fits 30mm scope tubes. **SAR-4** - 1.75" long rail. 1.2 oz. (34g) weight. Fits 34mm scope tubes.

#100-003-129EG SAR-1 Scope Acc. Rail 1B59T95... \$ 78.95

#100-004-324EG SAR-3P Scope Acc. Rail 1B59Y95... 78.95

#100-004-323EG SAR-3PS Scope Acc. Rail 1B59Y95... 78.95

#100-003-546EG SAR-4 Scope Acc. Rail 1B69C95... 84.95

VIKINGTACTICS

FLASHLIGHT/LASER MOUNT

Offset Design For Fast, Easy Access
To Activation Switches

Extra-wide, offset base mounts flashlights and lasers to any railed handguard for easy light/laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9- o'clock positions to accommodate right- and left-hand shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC alloy thermoplastic that's resistant to most solvents. Fits flashlights and lasers from .800" to 1" diameter.

SPECS: PVC alloy thermoplastic, black or coyote tan. 1 1/2" (3.8cm) long, 2 1/2" (6.3cm) wide, 1 1/4" (3.2cm) high. 1.8 oz. (51g) weight. Fits 8" (20mm) to 1" (2.5cm) diameter flashlight and laser.

#100-004-371EG Flashlight/Laser Mount, Black, 7K21Y23... \$ 26.99

#100-004-372EG Flashlight/Laser Mount, Coyote Tan, 7K21Y39... 26.99

WARNE PICATINNY
SIDE-MOUNT ADAPTER

Fits Any Picatinny 1913 Mount
Perfect For Holding Tactical Accessories

Aluminum, space-saving, side-mount adapter fits on Picatinny rails to let you mount flashlights, laser-light systems, red-dot scopes, and more. Attachment leg doesn't interfere with the mounting of your scope; no need to sacrifice optics for accessories.

Will not fit Weaver bases. **SPECS:** Machined aluminum, powder-coated, black, matte finish. Approximately 1" (2.54cm) long, 2 1/2" (2.14cm) wide.

#947-000-095EG Picatinny Side-Mount Adapter, 7D23Z24... \$ 25.35

VLTOR SCOUT MOUNT

Turns Handheld Flashlight Into Compact, Rail-Mounted Weaponlight

All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triple-function cross-bolt with large, easy-grasp thumbscrew tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny or similar accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below.

SPECS: Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. **SM-E** fits lights with .810" to .826" O.D., including SureFire Executive series. **SM-CK** fits lights with 1.010" to 1.026" O.D., including SureFire Classic series with diamond knurled bodies and Blackhawk Gladius. **SM-G** fits lights with 1.025" to 1.040" O.D., including SureFire Nitrolon G Series.

- #100-003-714EG SM-E Scout Mount, 3A29X95 \$ 34.95
- #100-003-716EG SM-CK Scout Mount, 3A30X29 34.99
- #100-003-715EG SM-G Scout Mount, 3A30X29 34.99



Flashlight not included

YANKEE HILL MACHINE AR-15/M16

TRIPLE MOUNT

Solid, Clamp-On Design; Fits Around The Sight Tower

Compact, aluminum, tri-rail mount provides efficient use of the limited space on your rifle when attaching tactical accessories using Picatinny/Weaver-style rings or mounts. Slides over the muzzle end

of the barrel and contours of your Mil-Spec front sight tower; relief cut at the bottom prevents interference with the bayonet lug. Installation does not require removal of most military-style flash suppressors. Bushing sets (included) provide proper fit on .720" and .750" diameter barrels. Two hex screws ensure uniform clamping pressure around the barrel for maximum holding power.

SPECS: Aluminum, matte black, Mil-Spec phosphate coating. 2½" (6.4cm) long, 2" (5.1cm) wide, 2" high, 4 oz. (113 g) wt.

- #100-002-168EG Triple Mount for AR-15/M16, 9A67H50 \$ 90.00

YANKEE HILL AR-15/M16 MINI RISER ASSEMBLY

Adds Extra Mounting Space For Small Accessories

Compact, Picatinny mini-riser is perfect for raising lasers, lights, sights, and other essential accessories that need a little extra lift or clearance. Constructed of aircraft grade aluminum and hardcoat anodized for extra-durability and long-lasting wear. Milled out center slot considerably cuts down on weight. Fits Picatinny rail systems with two slightly oversize screws to increase clamping power.

SPECS: Aluminum, hardcoat anodized, black. 1½" long, 1¼" (3.1cm) wide, .72" (1.8cm) overall height. 1.1 oz. (31g) weight.

- #100-002-858EG Mini Riser Assembly, 9A11U81 \$ 16.99



YANKEE HILL MACHINE DOVETAIL ANGLE MOUNT

Solid, Offset Mount For Lights & Lasers; Prevents Interference With Primary Sights

Lightweight, clamp-on rail eliminates the issue of front sight obstruction when mounting a tactical flashlight or laser sight to AR-15/M16, handguard rails. Raised, 45° offset keeps light/laser outside the sight picture when using iron sights or optics. Compact, 3-slot rail accepts a Weaver or Picatinny ring. Aluminum body with steel, clamping jaw provides superior holding strength with minimal weight increase.

SPECS: Aluminum, matte black, Mil-Spec, hard coat finish. 1½" (3.5cm) long, 1½" wide, ¾" (2.2cm) high. 1.2 oz. (34 g) wt.

- #100-002-095EG Dovetail Angle Mount 9A19P50 ... \$ 26.00



AIMPOINT AR-15/M16

MOUNT FOR COMP SERIES SIGHTS

Easy, Fast, Secure Mounting To Flattop



Single-ring mount for attaching Aimpoint Comp series red dot optical sights or any similar sight requiring a single 30mm ring to a flattop AR-15/M16 receiver. Four, hardened steel hex-head screws securely anchor ring halves together for even ring contact around entire circumference of

sight. Extra-long scope ring provides ample contact area with scope to prevent slippage of sight under recoil. Oversize thumbscrew with easy-to-grasp knurled head has built-in torque limiter to prevent damage to rail caused by overtightening the screw; allows repeated removal and reinstallation of sight without loss of zero. Machined from strong, lightweight aluminum, hardcoat anodized for added strength and wear resistance, with a matte black finish to match most factory gun finishes. **Co-Witness Spacer** fits into QRP mount to raise the sight axis of Comp red dot optics for proper co-witnessing with factory-height backup iron sights. Blends smoothly into contours of mount for a streamlined one-piece appearance. Comes with four, extra-length hex head screws and Allen wrench.

SPECS: Aluminum, hardcoat anodized, matte black.

- #100-003-594EG QRP Quick-Release Picatinny Mount, 7A98Y47 \$ 112.00
- #100-004-137EG Co-Witness Spacer 7A25B13 26.00

BOTACTACTICAL AR-15/M16 KZ QUICK-DETACH MOUNT FOR AIMPOINT MICRO

Lightning Fast Attachment & Removal Of Sight; Allows Co-Witnessing With Iron Sights



Lightweight, quick-on/quick-off mount lets you install and remove your Aimpoint Micro series red dot optical sight in seconds without tools. Replaces sight's factory base and fits any AR-15 flattop carbine or rifle with a Picatinny or Weaver-style receiver rail. Full-length locking bar, hardened steel bolt, and easy-to-grasp spring-loaded wing nut clamp base securely to rail to eliminate unwanted movement under recoil. Provides correct height for co-witnessing with military-style front and rear iron sights, or aftermarket flip-up sights of the same height. Machined from 6061 T6 aluminum billet to precise dimensions for secure fit, then mil-spec Type III, Class II hardcoat anodized for superior strength and wear resistance, with matte black finish that matches most factory rifle finishes.

SPECS: Aluminum, hardcoat anodized, matte black. 2¾" (5.5cm) long, 1½" (3.0cm) wide; provides .895" (2.3cm) elevation from top of rail to bottom of sight body. 2.3 oz. (65g) weight. Fits Aimpoint Micro series red dot sights only.

- #100-003-556EG KZ Quick-Detach Mount, 8B49Y95 \$ 59.95

AMERICAN DEFENSE AR-15/M16 QUICK-RELEASE OPTICS MOUNTS

Rock-Solid Mounts With Patented Quick-Detach System

Patented quick-release lever-lock system clamps solidly to flattop rail and will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the mount easily lifts off the rifle. Adjustable with a flat head screwdriver or even a coin for an ultra-secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Large locking bar on the side of the mount engages the maximum amount of rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement of rail slots to prevent movement under recoil. Five heavy duty steel hex head screws (three on top, two on bottom) clamp the vertically split ring halves together. Cutouts in the ring sides and in the base reduce weight without sacrificing strength.

AD-68 AIMPOINT MOUNT - Designed for Aimpoint optics or similar aiming devices requiring a single, 30mm ring, including the Comp C3 and M2/ML2/M3/ML3 series. Available in four configurations to suit a variety of mounting needs. **Standard** co-witnesses "iron" sights near the center of the optic when mounted on an AR-15/M16/M4 with standard-height mil-spec sights. **Low** positions the scope as close as possible to the top of the receiver. **High** positions the backup sight picture in the lower ⅓ of the optic viewing area. **Cantilever** provides same co-witness elevation as High mount and positions the Aimpoint 1½" forward to provide room for rear-mounted night-vision device or Aimpoint 3X Magnifier.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Height measured from top of rail to bottom of scope body. **Standard** - .940" high. **Low** - .520" high. **High** - 1.120" high. **Cantilever** - 1.120" high.

- #100-003-650EG Standard Aimpoint Mount, 7B94Z95 \$ 119.95
- #100-003-652EG Low Aimpoint Mount, 7B94Z95 119.95
- #100-003-651EG High Aimpoint Mount, 7B94Z95 119.95
- #100-003-649EG Cantilever Aimpoint Mount, 7B124Z95 149.95

AD-B2 ACOG MOUNT - Same great features as the lightweight, quick-detach Aimpoint Micro Mount above, but attaches to 1.5x, 2x, and 3x model ACOG scopes. Replaces original ACOG factory base and secures with two, steel Torx® screws for a tight hold under heavy recoil. **B2-T1SOCOM Micro Mount Riser** adapts AD-B2 mount to accept an Aimpoint Micro T-1 series, optical red dot sight. Raises the Aimpoint Micro sight .83" above the AD-B2 mount to position the iron sights in the lower one third of the red dot sight. **B2-T1CO Micro Mount Riser** adapts AD-B2 mount to accept an Aimpoint Micro T-1 and raises the T-1 .71" above the mount to position iron sights in the center of the red dot sight for a true co-witness. Both risers secure to the Aimpoint Micro with four steel-Torx® screws.

SPECS: 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. **AD-B2 ACOG Mount** - Height measured from top of rail to bottom of scope body - .25" (78mm). Fits 1.5x, 2x, and 3x ACOG models only. **B2-T1SOCOM Micro Mount Riser** - Height measured from bottom of riser to bottom of scope body - .83" (21.1mm). Adapts AD-B2 mount to accept Aimpoint Micro T-1. **B2-T1CO Micro Mount Riser** - Height measured from bottom of riser to bottom of scope body - .71" (18mm). Adapts AD-B2 mount to accept Aimpoint Micro T-1.

- #100-004-583EG AD-B2 ACOG Mount, 7B60U99 \$ 74.99
- #100-004-585EG B2-T1SOCOM Micro Mount Riser, 7B19U70 24.99
- #100-004-584EG B2-T1CO Micro Mount Riser, 7B19U70 24.99

AIMTECH AR-15/M16

"SECOND SIGHT" SEE-THRU BASE

Low-Profile Bases Don't Obscure Factory Sights



Lightweight, see-thru bases attach quickly to factory drilled and tapped receivers with no modifications to the factory sights required. Hollow base gives you full vision of factory, barrel-mounted sights for closer shots, or if your scope becomes damaged. Clearance cut ensures proper ejection. Accepts Weaver-style rings. **AR-15 Short** has Weaver-style rail. **AR-15 Long** is Picatinny configuration.

SPECS: Aluminum, anodized, black, matte finish. Approx. 6" (16cm) long, 1 oz. (28 g) wt. **AR-15** bases fit carry handle receivers. **AR15 Short:** 4" (10cm) long. **AR-15 Long:** 7½" (19cm) long. Includes screws, instructions.

STOCK #	FITS	PRICE
#017-300-015EG	AR-15/M16 Short	7A17P33 \$ 23.50
#017-000-009EG	AR-15/M16 Long	7A19H65 \$ 26.50

AD-SCOUT OPTICS MOUNT - One-piece integral base and rings designed for traditional optics or similar sights that require two, 30mm rings for additional support. Available in three different

lengths for proper eye relief adjustment. **AD-Scout-S** is standard length for mounting traditional optics. **AD-Scout Cantilever** positions optics farther forward to provide 1½" of extra space at the rear for mounting night-vision devices or when additional eye-relief is needed. **AD-Scout-X** uses the same great cantilever design as the AD-Scout Cantilever, but position's optics 2½" farther forward for maximum room at the rear for mounting night-vision devices or making eye-relief adjustments.

SPECS: 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. Height measured from top of rail to bottom of scope body - .87" (2.2cm) high. Distance between rings - 2½" (6.3cm.) high. 7.1 ounces (201g) weight. **AD-Scout-S** - 4½" (11.4 cm) OAL. **AD-Scout Cantilever** - 6" (15.2cm) OAL. **AD-Scout-X** - 7" (17.8cm) OAL.

- #100-004-026EG AD-Scout-S Mount, 7B134V99 \$ 149.99
- #100-004-025EG AD-Scout Cantilever Mount, 7B149V99 164.99
- #100-004-027EG AD-Scout-X Extended Cantilever Mount, 7B164V99 179.99

QUICK-RELEASE SCOPE MOUNT

One-piece base with dual-lever system provides the same solid mounting and fast removal and reattachment of AD-68 Aimpoint Mount for traditional scopes requiring two rings. Models available for 1" and 30mm rings.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 4½" (11.4cm) long. Each ring covers 1" (2.5cm) of scope tube length. Height measured from top of rail to bottom of scope body (both models): .890"

- #100-003-653EG 1" Scope Mount, 7B134Z95 \$ 169.95
- #100-003-654EG 30mm Scope Mount, 7B134Z95 169.95


AD-T1-L AIMPOINT MICRO MOUNT - Lightweight, quick-detach mount lets you install and remove your Aimpoint Micro series red dot in seconds. Replaces original factory base and secures to the Aimpoint sight with four, high-strength, steel Torx® screws for a tight hold under heavy recoil.

SPECS: 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. Height measured from top of rail to bottom of scope body - .31" (7.8mm). Fits Aimpoint Micro series red dot sights only.

- #100-004-024EG Aimpoint T1-L Micro Mount, 7B70V29 \$ 81.99

THROW LEVER OPTIC MOUNTS

For Quick-Detach Mounting
Of Popular Optics To Flattop Rails

Compact, quick-detach mounts clamp directly to AR-15/M16/M4 flattop receiver rail for solid, ultra-secure attachment of optics and holographic sights. The strong, yet lightweight aluminum base is secured to the rail by steel throw levers and locking feet, while a recoil lug locks into one rail slot to prevent unwanted sight movement under recoil. Quick-release levers close securely against the side of the mount to prevent snagging on other objects, yet release easily when you want to remove the sight and mount as one unit without loss of zero. 

#19/#19S ACOG MOUNT

Adapter-mount lets you easily install a Trijicon® ACOG scope designed for carry-handle rifles on a flattop. Available in Dual Lever and Single Lever models. #19 Dual Lever has five mounting holes to allow plenty of flexibility in adjusting eye relief. Adds .440" to height of sight. #19S Single Lever model adds less weight and leaves more rail space free without compromising strength or stability. Raises the ACOG .275" above the receiver rail.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. **Dual Lever** - 5³/₈" (13.7 cm) long, 3.4 oz. (95 g) wt. **Single Lever** - 3¹/₁₆" (9.4 cm), 2.5 oz. (72 g) wt.

#100-003-312EG Dual-Lever ACOG Mount, 3A00YTP \$ 179.99
#100-003-311EG Single Lever ACOG Mount, 3A00HDZ 125.99

#54 EOTECH MOUNT - Riser mount raises your EOTech or similar holographic sight an additional 1¹/₂" (3.8cm) for comfortable sighting when wearing a gas mask or shooting from a chest-mounted heads-up position. See through tunnel allows continued use of iron sights on some guns.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. 4¹/₈" (10.5 cm) long, 4.3 oz. (121 g) weight.

#100-003-315EG EOTech Mount, 3A00YTP \$ 119.99

#22M68 AIMPOINT COMP MOUNT - Compact, single-ring mount for Aimpoint CompML, CompML2, CompML3, or similar red dot sight requiring a single 30mm ring. The top half of the ring is machined steel for superior strength and secured by four hex-head screws (wrench included) to ensure full contact with the sight body. Add your choice of 1/2" riser mount for co-witnessing with iron sights.

SPECS: Hardcoat anodized aluminum and parkerized steel, matte black. 2⁷/₁₆" (5.6 cm) long, 3.9 oz. (109 g) wt.

#100-003-314EG Aimpoint Comp Mount, 3A00HDZ \$ 119.99


#63 RISER MOUNT - Quick-detach riser mount provides 3/4" (1.9cm) additional height for mounting optics with large objective lenses. Compatible with STANAG mounts and features a see-through tuner that allows continued use of iron sights.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. 5³/₈" (13.7 cm) long, 4.5 oz. (128 g) wt.

#100-003-313EG Riser Mount, 3A00VBX \$ 153.99

GG&G AR-15/M16 QUICK-DETACH OPTIC MOUNTS

Rock Solid, Quick-Detach Mounts With Repeatable Accuracy

Quick-detach mounts provide a rock-solid platform for a variety of sight systems on Picatinny and Weaver-style flattop rails. Models with innovative Accucam system are tension adjustable to fit solid even on out-of-spec rails; provides quick removal and installation in just seconds while maintaining 1/2 MOA repeatable accuracy. Accucam lever features an extra large finger loop for easy operation when wearing gloves. Models with oversize thumbscrew provide a wide clamping surface for added holding power. All mounts are precision machined from 6061 T6 aluminum and hardcoat anodized for added durability; clamping systems are steel for maximum strength. 

ACCUCAM MOUNT W/INTEGRAL 30MM RINGS - Scope rings designed specifically for the AR weapon platform spaced 4.400" center-to-center for increased holding power and strength. Height from top of dovetail to centerline of ring is 1.400" to ensure the proper cheek weld. Each top ring strap is secured with four Allen head clamping screws for recoil-proof holding power.

SPECS: Mount - 6061 T6 aluminum, hardcoat anodized, matte black. 5" (12.7cm) long x 2³/₁₆" (5.6cm) wide. Lever - 4140 steel, matte black. Height from top of dovetail to center of ring is 1.400". Fits scopes with 30mm tube.

#336-000-012EG Accucam Mount w/30mm Rings, 6C199V95 \$ 209.95

QUICK-DETACH CANTILEVER MOUNT FOR AIMPOINT COMP

Extra wide ring with integral base and cross-bar attachment system provides a tight, solid fit to the flattop rail for Aimpoint Comp series red dot optics. Over-sized thumb screw with 1" wide clamping bar locks the mount to the rail and prevents recoil induced movement. Mounts to any of the forward rail slots so a night vision monocular can be used behind the Aimpoint and keep the same eye relief. Overbuilt rings with heavy duty top strap secured with six Allen head screws to hold firm during hard tactical use. Built-in, insulated battery compartment is located on the side of the ring for easy access. Lightening holes on the cantilever section reduce weight without sacrificing strength.

SPECS: Mount - 6061 T6 aluminum, hardcoat anodized, matte black. 4" (10cm) long x 1³/₈" (3.4cm) wide. Crossbar - steel, matte black. Height from top of dovetail to bottom of ring is 1" (2.5mm). Fits Aimpoint CompM series, CompC3, and other sights requiring a single 30mm ring mount.

#336-000-014EG QD Cantilever Mount For Aimpoint CompM 6C159V95 \$ 175.00

ACCUCAM ACOG MOUNT W/LENS COVERS - Quick-detach mount with built-in flip-up lens covers provides a rock-solid platform for attaching a Trijicon ACOG scope or Aimpoint Micro T-1 red dot optic directly to flattop rail. Correct height to position the optic's dot above the factory front sight post, yet low enough to co-witness with mil-spec A2 sights and similar aftermarket backup sights. Custom Butler Creek lens covers of tough, flexible polymer help seal out dirt, dust, and moisture to keep the lens surface clean and ready for use in any weather. Spring-loaded mechanism, plus actuation tabs on the left and right ensure fast, ambidextrous opening with thumb or finger pressure.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Accucam Lever - 4140 steel, matte black. Lens Covers - Polymer, matte black. Hex key wrenches, mounting hardware, and instructions included. **ACOG TA01/31** - 3¹/₂" (8.9cm) long x 1⁵/₈" (4.1cm) wide. Fits models TA01, TA31, and TA31RCO. **ACOG TA01NSN** - 3¹/₂" long x 1⁵/₈" wide. Fits TA01NSN Special Forces model. **Micro T-1** - 3¹/₈" (7.8cm) long x 1³/₈" (2.9cm) wide.

#336-000-026EG ACOG TA01/31 Mount 6C182V50 \$ 205.00
#336-000-027EG ACOG TA01NSN Mount 6C182V50. 205.00
#336-000-016EG Accucam T-1 Mount w/Lens Covers, 6C174V99 194.99

ACCUCAM CANTILEVER MOUNTS FOR TRIJICON & AIMPOINT - Single ring with integral base and cross-lug attachment system provides a tight, solid fit to the flattop rail. Positions the optic 2 inches forward so there's plenty of room to adjust eye relief or to mount a monocular night vision device or magnifier such as the Aimpoint 3XMag behind the sight. Cam operated quick-detach lever with an extra large finger loop allows easy removal and installation; should optic fail, it can be detached quickly so iron backup sights can be deployed. Heavy duty top strap is secured with six Allen head screws. Fits MIL-STD 1913 Picatinny and Weaver-style receiver rails. Models available for Trijicon TriPower TX30 and Aimpoint 9000 series, CompC3, and CompM1/M2/M3 series optics. Aimpoint mount includes built-in, insulated compartment for spare battery storage on the side of the ring.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Lever - 4140 steel, matte black. Height from top of rail to bottom of ring is 1" (2.5cm). **Trijicon** - 4" (10.2cm) O.A.L. x 1¹/₂" (3.8cm) wide. Fits Trijicon Tripower TX30 tactical sight. **Aimpoint** - 4" O.A.L. x 1³/₈" (3.5cm) wide. Fits optics with 30mm O.D. tubes, including Aimpoint 9000 series, CompC3, and CompM1/M2/M3; does not fit CompM4.

#336-000-024EG Accucam Cantilever Mount For TriPower 6C174V49 \$ 219.95
#336-000-015EG Accucam Cantilever Mnt For Aimpoint, 6C179V95 212.00

ACCUCAM LEVER FOR EOTECH - Cam operated quick-detach lever with an extra large finger loop replaces existing thumbnut mounting screw on EOTech for rapid installation and removal. Does not change the mounting height of EOTech and allows co-witnessing with iron sights. Fits new and existing EOTech sights with protective shroud.

SPECS: 4140 steel, matte black. 2⁵/₈" (6.7cm) long x 1³/₃₂" (1cm) wide.
#336-000-017EG Accucam Lever For EOTech, 6C75V63 \$ 84.99

ACCUCAM MOUNT FOR TRIJICON ACOG - Low-profile mount attaches directly to the body of the ACOG and holds firm with two large Allen head screws for a rock-solid installation. Cam operated quick-detach lever with an extra large finger loop allows easy removal and installation. Fits all standard and compact ACOG scopes designed for mounting to a flattop with Picatinny or Weaver-style rail.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. 3¹/₂" (8.9cm) long x 1⁵/₈" (3.5cm) wide. Height - .25" (6.3mm). Lever - 4140 steel, matte black. 2⁵/₈" (6.7cm) long x 1³/₃₂" (1cm) wide.
#336-000-018EG Accucam Mount For ACOG, 6C112V00 \$ 139.95

ACCUCAM MOUNT FOR REFLEX - Machined base mounts directly to the body of the Reflex and the quick-detach feature allows easy removal and installation on Weaver-style and Picatinny rails. Designed to provide a low-profile and mild cantilever for a mount height that allows co-witnessing with back-up iron sights like the A2 or MAD. The 2¹/₂" long mounting platform is contoured for a perfect fit to the Reflex and secures with three, heavy duty Allen head screws for a firm hold during hard tactical use.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized black, matte. 4" (10cm) long x 1³/₈" (3.5cm) wide. Height - .44" (11.2mm). Lever - 4140 steel black, matte. 2⁵/₈" (6.7cm) long x 1³/₃₂" (1cm) wide.
#336-000-019EG Accucam Mount For Reflex, 6C100V67 \$ 120.99



ACCUCAM MOUNT FOR AIMPOINT COMPM4/M4S - Mounts directly to the body of the CompM4 and the quick-detach feature allows easy removal for using back-up sights. Mounting platform is contoured for a perfect fit to the Aimpoint and holds firm with two, heavy duty Allen head screws for a rock solid attachment. Cam operated quick-detach lever with easy-to-grasp finger loop allows easy removal and installation. Available in **Standard** configuration or **Cantilever** model that positions the optic 2 inches farther forward to provide additional eye relief or extra room for mounting Aimpoint 3XMag Magnifier behind the CompM4. Both models fit MIL-STD 1913 Picatinny and Weaver-style receiver rails.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Lever - 4140 steel, matte black. **Standard** - 2³/₄" (7cm) O.A.L. x 1³/₈" (4.1cm) wide. Height from top of rail to bottom of optic is .25" (6.4mm). **Cantilever** - 4³/₄" (12.1cm) O.A.L. x 2" (5.1cm) wide. Height from top of dovetail to bottom of optic is .615" (15.6mm).

#336-000-020EG Accucam Standard Mount For CompM4/M4S 6C114V95 \$ 139.95
#336-000-023EG Accucam Cantilever Mount For CompM4/M4S 6C133V10 166.99

ACCUCAM MOUNT FOR LEUPOLD PRISMATIC RIFLESCOPE - Simplifies and expands the mounting applications for the Leupold Prismatic Rifle scope on the AR-15/M16/M4 and other tactical rifles. Lightweight but rugged Accucam clamping system allows fast installation and removal with 1/2 MOA repeatable accuracy. Includes a mounting adapter that attaches to the bottom of the scope to provide extra eye relief and an elevated sight position ideal for precise, comfortable, heads-up aiming.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. Base - 2⁵/₈" (6.7cm) long, 1¹/₄" (3.1cm) wide. Adapter - 2³/₄" (7cm) long, .70" (1.78cm) wide. 5.3 oz. (150g) weight. Kit includes mounting screws, Allen wrenches, and instructions. Use of Loctite 242 recommended.

#336-000-031EG Accucam Mount for Leupold Prismatic, 6C125V30 \$ 159.99

QUICK-DETACH STANDARD RING FOR AIMPOINT - Extra wide ring attaches to the rail with a single elliptical thumbnut and square locking cross bar that hold tight under continuous recoil. Mounts to any position on the rail so a night vision monocular can be used behind the Aimpoint and keep the same eye relief. Ring strap is secured with six Allen head screws to ensure it can withstand the tactical environment. Built-in, insulated battery compartment is located on the side of the ring for easy access.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1¹/₈" (2.9cm) long. Base is 1" (2.5cm) wide. Height from top of dovetail to bottom of ring is 1/2". Fits 30mm sights.

#336-000-013EG QD Ring For Aimpoint 6C139V95 \$ 164.95

ACCUCAM BASE W/PICATINNY RAIL - Precision machined to true MIL-STD 1913 specs, this base rail will accept both Weaver and Picatinny rings for a variety of sight options. Streamlined, shallow profile is low enough to allow the use of iron sights while installed, however optics may have to be removed. Fits Weaver-style and Picatinny receiver rails.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. 5" (12.7cm) long x 1⁵/₈" (4.1cm) wide. Height - .460" (11.7mm). Lever - 4140 steel black, matte. 2⁵/₈" (6.7cm) long x 1³/₃₂" (1cm) wide.

#336-000-011EG Accucam Base w/Picatinny Rail, 6C139V95 \$ 155.00



For more choices of A.R.M.S. MOUNTS
visit brownells.com

AR-15/M16

OPTIC MOUNTS

DANIEL DEFENSE AR-15/M16 AIMPOINT MICRO MOUNT

Compact Mount For Micro Series
Red Dots Co-Witnesses
With "Iron" Sights



Streamlined, minimal-profile mount clamps to flattop receiver rail and provides secure, correct-height attachment for Aimpoint Micro H-1, R-1, and T-1 red dot optics on flattop AR-15/M16 receivers. Positions optic for co-witnessing with factory iron sights in the lower 1/2 of the Micro's field of view. A wide viewing tunnel through the base allows the use of other types of backup sights as well. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength and resistance to surface wear. Clamps securely to MIL-STD 1913 Picatinny rail with two slot-head crossbolts. Stainless steel self-locking thrust inserts help prevent the bolts from working loose under recoil and vibration. ■

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1 7/8" (4.8cm) long, 1 1/4" (3.2cm) wide, 1 3/8" (3.5cm) overall height. Positions the bottom of the sight 1.035" above the receiver rail. 1.7 oz. (48g) weight. Fits Aimpoint Micro H-1, R-1, and T-1 optics.

#100-004-590EG Aimpoint Micro Mount, 8K63X51 \$ 69.99



MIDWEST INDUSTRIES AIMPOINT MOUNT

Lightweight, Rock-Solid
Mounting

Bantam-weight, aluminum mounts for Aimpoint, Trijicon

Tripower Tactical Sights, and other optics with 30mm tubes. Fits Picatinny and Weaver-style rails. Cantilever positions sight 2 1/2" forward for rear-mounted, night-vision monocular. Standard positions sight for co-witness use with a back-up sight. ■

SPECS: 6061 aluminum, black, hard-anodized finish. Fits 30mm diameter sights. Cantilever Mount - 3 3/8" (10cm) long, 1" (2.5cm) high from top of base to bottom of ring. Standard Mount - 1 1/2" (3.8cm) long, .950" high from top of base to bottom of ring.

#100-002-239EG Cantilever Aimpoint Mount, 2A133T10 \$ 174.99
#100-002-240EG Standard Aimpoint Mount, 2A98T33 124.95

RAINIER ARMS BOBRO MOUNT FOR AIMPOINT COMP SIGHTS

Anchors Sight Securely To Flattop Rail;
Quick-Release System For Instant
Sight Removal



Heavy-duty cantilever mount combines secure attachment of the popular Aimpoint Comp series red dot sights to flattop receivers with a quick-release system. Precision-machined aluminum construction provides superb strength while adding minimal weight. No tools required for installation. When the quick-release latch is closed, the mount is as strong as any cross-bolt mounting system; a spring-loaded lock tab ensures the latch won't work open under recoil or from snagging on sling or other gear. The only way to release the mount is to press the release tab as you pull the lever. Lets you remove and reinstall the mount and the Aimpoint as a single unit without loss of zero. Fits CompM2/ML2/M3/ML3 sights and is correct height for co-witnessing factory "iron" or aftermarket backup sights in the lower 1/2 of the optic's field of view. May be used with other 30mm O.D. optics that require single-ring mount.

SPECS: Aluminum, hardcoat anodized, matte black finish. 2 1/8" (5.4cm) long base, 1 7/8" wide. 4.7 oz. (134g) weight. Fits Aimpoint CompM2/ML2/M3/ML3 red dot sights and other optics that require a single 30mm ring mount.

#100-004-053EG Aimpoint Cantilever Mount, 9B140X50 \$ 159.99



SAMSON MANUFACTURING CORP. QUICK-FLIP MOUNT FOR AIMPOINT 3XMAG

Flips Magnifier
Aside For Instant
Transition From
Long-Range
To Close-Range
Targeting



Quick-transition mount combines secure, correct-height attachment of an Aimpoint 3XMAG behind a compatible red dot sight with a spring-loaded mechanism that flips the magnifier aside for instant return to unmagnified operation of sight. Lets you shift from long-range to short-range targeting almost instantly. Heavy-duty machined-aluminum construction ensures solid, wobble-free mounting on MIL-STD 1913 Picatinny receiver rail, so the magnifier stays correctly positioned behind the sight. Mount bolts directly to the factory holes in the bottom of the 3XMAG (machine screws included)—no gunsmithing required. Ambi design allows installation with lever and flip path on the left or right side. Quick-flip tab has deep, grooves for easy activation with a flick of your thumb. Bolt-On model clamps to rail with a robust locking bar and bolt system. Bolt serves as a recoil lug that locks into one rail slot to prevent unwanted movement under recoil. Also available with A.R.M.S. quick-release throw-lever base that lets you remove the magnifier and mount as a unit in seconds; re-mount just as fast without loss of zero. Steel lever system combines a cam and locking foot with a robust recoil lug to clamp the mount to the rail as tightly as the bolt-on base. Lever closes securely against the side of the mount to prevent snagging on other objects, yet releases easily when needed. ■

SPECS: Aluminum, hardcoat anodized, matte black. A.R.M.S. QD Base - Steel, black oxide finish.

#100-004-239EG Quick-Flip Mount w/Bolt-On Base, 1B146V94 \$ 195.99

#100-004-238EG Quick-Flip Mount w/A.R.M.S. QD Base, 1B177V03 219.99



SOG ARMORY AIMPOINT MOUNT

Strong, Lightweight;
Standard & Offset Models

Single-ring mounts of strong, lightweight aluminum secure your Aimpoint or similar aiming device to any Picatinny or Weaver-style rail. Extra-large ring surface area ensures zero scope movement under recoil, with six Torx T-15 screws (wrench included) securing the ring halves. A cross-bolt with integral recoil lug and .510" diameter hex nut anchor the mount to the rail. Standard model elevates the sight to the correct height to co-witness with a back-up iron sight. Cut-out in the base reduces weight without sacrificing strength. Cantilever-style Setoff model provides co-witness elevation and positions sight 1 1/4" forward to make room for a rear-mount night vision device. Both models accept 30mm diameter scope tubes; aluminum reducer included for mounting a 1" tube.

SPECS: Aluminum, hardcoat anodized, matte black. Steel Torx screws cross-bolt, oxide finish, black. Fits 30mm and 1" diameter sights. Standard Model - 1" (2.5cm) long, 1" high from top of base to bottom of ring. Setoff Model - 3 3/8" (8.6cm) long, 1" high from top of base to bottom of ring.

#100-003-048EG Standard Mount, 9A47Y95 \$ 59.95

#100-003-047EG Offset Mount, 9A63Y95 79.95



Instructional Video
Available Online

WILCOX INDUSTRIES COMP-M MOUNT

Strong, Lightweight,
Tactical Mount For Secure
Attachment Of Comp Series Sights



Compact tactical mount securely positions an Aimpoint red dot optic the correct height above a flattop receiver rail. Fits Aimpoint CompC3/M2/ML2/M3/ML3 series, 3XMAG magnifier, and other optics with 30mm tube that require single-ring mounting. Skeletonized construction provides full support without the weight of excess metal for an exceptionally strong, solid, yet lightweight mount. Four, steel, hex-head cap screws anchor the top ring half to the mount to ensure full contact with sight body to prevent slippage. Rail Grabber clamping system secures the mount to receiver and maintains sight alignment even under the battering of sustained rapid fire. Unique, captive cross-bolt is divided lengthwise; one side provides a slop-free fit in a MIL-STD 1913 Picatinny slot, while rotating the bolt a half turn exposes the side that snugs into the narrower Weaver-type slot. An oversized thumb nut with deep grasping grooves lets the operator tighten the mount with hand pressure only; coin slot in the head lets you apply additional tightening force with a U.S. nickel or quarter. ■

SPECS: Aluminum, hardcoat anodized, matte black finish. Height measured from top of rail to bottom of scope tube: 1.120" (2.84cm). 3.1 oz. (88g) weight. Fits Aimpoint CompC3/M2/ML2/M3/ML3, 3XMAG magnifier, and other optics that require a single 30mm ring mount.

#100-004-257EG Comp-M Mount 4B123H83 \$ 159.95



B-SQUARE AR-15/M16 SCOPE MOUNT

Ingenious, No Gunsmithing
Design For AR Flattops

One-piece, detachable base with see-thru integral 1" rings, raises scope over front sights. Attaches with dual thumb screws.

SPECS: Aluminum, black, anodized.

#122-151-500EG Flat Top Mount 6K42Z83 \$ 59.95



BROWNELLS AR-15/M16/AR-STYLE .308 MODULAR FLATTOP RISER MOUNT SYSTEM



Customizable,
Quick-Detach Mount
Positions Scope At Eye Level

Modular riser mount clamps to flat top Picatinny cut AR-15 receivers in seconds, so you can mount a scope at correct eye level for maximum accuracy. The separate base has two, easy-grip thumbscrews and full-contact clamping along entire length of base to provide rock-solid attachment to receiver without permanent modification of gun. Choose the precise rail height and angle to suit your needs; riser is secured to base with three Allen head setscrews. Risers are sold separately, so you can choose one with the precise rail height and angle to suit your needs; riser is secured to base with three setscrews. Use an angled riser when you need to raise or lower point of impact more than the scope's elevation will allow. Entire unit—base, riser, and attached scope—can be removed quickly. Reinstall unit in seconds without losing scope settings. True, MIL-STD 1913 Picatinny

BROWNELLS AR-15/M16 FLATTOP RISER

Raises Optical Sights To Eye Level
For Quick, Precise, Target
Acquisition



Machined aluminum riser clamps to flattop AR-15 receiver to position primary optic sights at eye level. Raises mounting height .750" to eliminate the need for extra-high rings in most applications. True, MIL-STD 1913 Picatinny cut accepts both Picatinny and Weaver-style rings. Two, easy-to-grip, slotted hex nuts accept a U.S. quarter for extra tightening leverage; full-length clamping bar locks riser securely to flattop receiver for zero movement even during harsh tactical operations. Precision CNC machined to ensure an exceptionally secure lock on the receiver rail. Smooth, curved front and rear contours on the underside provide a streamlined appearance, reduce weight, and minimize the chance of catching on gear. ■

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Approximately 5" (12.7cm) long, 1" (2.5cm) wide at the base, .975" (2.45cm) high overall. Adds .75" (1.9cm) to height of flattop. 4.8 oz. (136 g) weight.

#080-000-506EG Flattop Riser Assembly 8K34U99. . \$ 44.99

BROWNELLS AR-15/M16 CARRY HANDLE SCOPE BASE

Fast, Easy Mounting
For Scopes & Dot Sights



Mounts on carry handle. Open sight channel allows

use of sights. Cross-bar supports prevent crushing. Weaver model features eight cross-slots and accepts Weaver-style rings. Picatinny version has a true, Mil-SPec 1913 Picatinny cut along its entire length and accepts Weaver or Picatinny rings. ■

SPECS: Aluminum, black, matte. 7 1/2" (19cm) long, 3 1/2" oz. (99 g).

#080-000-668EG Weaver Carry Handle Base, 9A21B99 \$ 24.99

#080-000-660EG Picatinny Carry Handle Base, 9A22T46 24.99

C.R.T.C. AR-15/M16

BC-CAM OPTICAL SIGHT MOUNT

Maintain A Usable
Sight Picture Even If
Your Electronic Sight Fails



Elevation-adjustable, carry handle mount allows the user to zero the red dot with the iron sights for a quick, accurate back-up in the event of scope failure. Accepts Weaver-style rings. Fits AR-15 A1/A2 with fixed carry handle. ■

SPECS: Aluminum, anodized, matte black. 10 3/4" (27.3cm) long, 1/2" (12.7mm) vertical adjustment.

#182-000-006EG BC-CAM Sight Mount 2H113P34 . \$125.00

rail accepts both Weaver and Picatinny rings and mounts. CNC machined from 6061 T6 billet aluminum, then hardcoat anodized for outstanding strength and wear resistance. ■

SPECS: Precision machined 6061 T6 aluminum, hardcoat anodized matte black. 5 1/2" (14cm) long. Base is 1" (2.5cm) wide, .3" (7.62mm) thick. MOA mounts are .649" (16.5mm) thick at highest point. 3/4" Mount - .700" (1.8cm) high. 1" Mount - 1" high. 1 1/4" Mount - 1.25" (3.2cm) high. Base and riser mounts sold separately.

#080-000-410EG MFRMS Mount Rail Base, 8K31Y71 \$ 40.99

#080-000-413EG MFRMS 3/4" Riser Mount 8K15Y42 . . 20.99

#080-000-412EG MFRMS 1" Riser Mount 8K15Y42 . . 20.99

#080-000-411EG MFRMS 1 1/4" Riser Mount 8K18Y42 . 25.99

#080-000-414EG MFRMS 1" 15 MOA Mount 8K15Y42 20.99

#080-000-415EG MFRMS 1" 20 MOA Mount 8K15Y42 20.99

#080-000-416EG MFRMS 1" 30 MOA Riser Mount, 8K15Y42 20.99

CALIF. COMPWORKS AR-15/M16 DUAL LEVEL OPTIC MOUNT

For Scopes, Red-Dots,
Lasers & Flashlights



Dual-level mount with Weaver-style rails lets you attach any combination of

scope, red-dot, or laser, and retain the use of issue sights. Fits A1 and A2 carry handles.

SPECS: Aluminum, black, anodized, matte finish. 10" (25cm) long, 9.5 oz. (270 g) wt. Accepts Weaver-style rings.

#151-100-015EG Dual-Level Mount 1E80T10 \$ 110.99

DPMS AR-15/M16 FLATTOP RISER

Mount Scope, Laser &
Flashlight — All At Once



Adds three, Weaver-style rails to a flattop AR-15 and easily mount a huge variety of tactical accessories. Slide over the rail and tighten thumb screws to clamp steel locking bars in the rail's cross slots. Fits DPMS, Armalite, Olympic and Bushmaster.

SPECS: Aluminum, black anodized. 6 1/2" (16.5cm) long x 1.25" (3.17cm) wide. 8 oz. (227 g) wt.

#231-015-018EG FlatTop Riser 1C66H60 \$ 79.95

DPMS AR-15/M16 SCOPE MOUNTS

No-Gunsmithing Mount For A2s



Machined, aluminum mount clamps in your A2 carry handle with a knurled thumbscrew. U-shaped channel provides clear view of iron sights. Available in 6"

(15.2 cm) and 4 3/4" (12.1 cm).

SPECS: Aluminum, anodized, matte black. 5 1/64" (.2cm) high.

#231-100-171EG 6" Scope Mount 3B07X82 \$ 9.76

#231-100-172EG 4 3/4" Scope Mount 3B07X98 9.99

EGW AR-15/M16 EXTENDARISER 20 MOA FLATTOP MOUNT



Elevates Optics For Fast Target Acquisition;
Extra Length For More Eye Relief

Precision-machined aluminum riser mount adds approximately .600" to height of flattop so primary optics can be positioned higher for a more comfortable, heads-up shooting stance and faster target acquisition. Eliminates the need for extra-high rings in most installations. Top of mount is angled 20 MOA to compensate for added height and minimize effect on point-of-impact. Provides a full 7" of usable mounting length, 1 1/2" more than receiver rail; underside of extension is relieved to provide clearance over handguard. Precision CNC machined from lightweight, 6061 T6 aluminum billet, with MIL-STD 1913 Picatinny slot-and-rail spacing that allows fast and simple adjustment of eye relief, plus greater flexibility in choice of optics. Clamps securely to receiver rail with three heavy duty steel cross-bolts to prevent movement under recoil, and matches receiver profile for a smooth, seamless look. Accepts Picatinny and Weaver-style scope rings.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 8.875" (22.5cm) long, 1.125" (2.9cm) wide at base. Adds .600" (1.5cm) to height of flattop at rear. .570" (1.4cm) at front. 7.7 oz. (219g) wt.

#296-000-103EG Extendariser FlatTop Mount, 6B105P63 \$ 129.99

HAHN PRECISION AR-15/M16 LOW PROFILE TACTICAL RAILS

Clean, Streamlined Look; Made To Mil-Spec Standards

One-piece rails cut to true, MIL-STD 1913 Picatinny spec match the look and feel of your standard, A4 flattop while adding 1/2" of height for proper cheek weld with optics and tactical sights. Streamlined design encloses the receiver rail for a "built-in" appearance and eliminates protruding hardware that can snag on brush, slings, and clothing. Nylon-tipped, Allen screws, tapped through the top, deliver downward pressure between the receiver rail slots for exceptional holding power. Precision machined from strong, yet lightweight 6061-T651 billet aluminum, then hardcoat anodized with a tough, Teflon-impregnated finish to Mil-A-8625 for extra strength and superior wear resistance.

LOW PROFILE RISER - Adds 1/2" of height along the entire 7 1/4" length of a mil-spec, A4 flattop receiver, so you can use lower rings when mounting scopes and other optical sights. **BUIS Riser** includes an integral, flip-up rear peep sight. If your optical or laser sight fails, deploy the "Back Up Iron Sight" with a flick of your thumb to stay combat effective. BUIS is protected by the sides of the rail when folded down; regulates properly with a standard-issue front sight.

SPECS: Rail - 6061-T651 billet aluminum, hard black anodized. 7 1/4" (18.4 cm) long x 1/2" (1.3 cm) high. 4.2 oz. (119 g) wt. Fits mil-spec flattop receivers. **BUIS - Steel, matte gray Parkerized finish. Center of aperture is 1 7/16" (3.65cm) above top of existing flattop.**

#100-002-203EG Low Profile Riser 6K48A00 \$ 60.00

#100-002-657EG Low Profile BUIS Riser, 6K116V00 145.00

SCOUT RAIL - Provides 3 1/2" of valuable rail space over M4-style handguards for mounting tactical optics farther forward. **Standard** model provides maximum flexibility in positioning optics. **BUIS Scout Rail** - Chopped, tail section allows attachment of a flip-up, rear sight to the back of your existing flattop rail, so it regulates properly with standard issue front sights. **BUIS Scout Rail w/Flip Up Rear Sight** - Includes the same integral, flip-up rear peep sight used on the Low Profile BUIS Riser.

SPECS: 6061-T651 billet aluminum, hard black anodized. Fits mil-spec flattop receivers. **Scout Rail** - 10 1/2" (26.7cm) long x 1/2" (1.3cm) high. 4.4 oz. (125g) wt. **BUIS Scout Rail** - 8 1/4" (21cm) long x 1/2" (1.3cm) high. 3.3 oz. (94g) wt. **BUIS Scout Rail w/Flip Up Sight** - 10 7/16" (26.5 cm) long x 1/2" (1.3 cm) high. **Sight** - Steel, matte gray Parkerized finish. Center of aperture is 1 7/16" (3.65cm) above top of existing flattop.

#100-002-204EG Standard Scout Rail 6K72A79 \$ 90.99

#100-002-205EG BUIS Scout Rail 6K68A00 85.00

#100-002-505EG Scout Rail w/flip Up Rear Sight, 6K132Z00 165.00

BACKUP IRON SIGHT - Use as a standalone rear sight or attach to A4 receiver rail directly behind the BUIS Scout Rail. Provides easy co-witnessing of open sights with red-dot optics. Spring-loaded detent prevents aperture movement under recoil. Has standard A1 windage hardware. Angled forward profile allows easy access to the EOTech Holographic sight buttons.

SPECS: 6061-T651 billet aluminum, hard black anodized. Body - 2.15" (5.4cm) long x 1.2" (3 cm) wide x .9" (23mm) high. 1.53 oz. (42g) wt. Aperture - .117" diameter. Fits mil-spec flattop receivers.

#100-002-869EG Back Up Iron Sight, 6K96V00 \$ 120.00



Low Profile Riser



BUIS Riser



Standard Scout Rail



BUIS Scout Rail



BUIS Scout Rail w/Flip Up Sight



GG&G B-COMP 30mm RING SYSTEM

Allows Red Dot Sights As Backup Optics



One-piece ring clamps around your existing scope tube and provides a platform for mounting a red dot sight as a backup for close range work. Ambidextrous mounting platform is angled 45° from center and only requires a slight roll of the rifle to acquire a close range target. Top ring strap is secured with four Allen head clamping screws for recoil proof holding power. Removable waterproof battery compartment

provides easy access to spare battery. Precision machined from 6061 T6 aluminum and hardcoat anodized for durability. Fits mini red dot sights like the J Point™, the Docter® and the Trijicon RedDot™.

SPECS: 6061 T6 aluminum, black, matte. 30mm I.D. 2 3/4" (6.8cm) long x 1 1/2" (3.8cm) wide. Height from top of platform to centerline of ring is 1" (2.5cm).

#100-003-552EG B-Comp 30mm Ring System, 6C76A00 \$ 89.95

MATT BURKETT AR-15/M16 BURKETT OFFSET MINI RED DOT MOUNT

45° Position Enables
Fast Transition To Red Dot

Offset, 45° mount provides on-bore axis mounting for fast point-and-shoot sight placement. Clamps to the flattop receiver rail behind your primary optic; simply roll the rifle to the right or left, acquire your target with the red dot, and fire. Reversible base plate accepts a wide range of mini red dot sights, including Burris FastFire, J-Point, Trijicon RedDot, Tasco Optima, Firepoint, Docter, and Fowler/Pride. Precision machined from lightweight aluminum; removable guard wings protect the sight from impact and damage. Fits any MIL-STD 1913 Picatinny or Weaver-style rail.

SPECS: Aluminum, anodized, black finish. Base - 1.8" (4.4cm) long, 1.4" (2.9cm) wide. Mount - 1.9" (4.8cm) long, 1" (2.5cm) wide. Wings - 1.7" (4.3cm) wide, 1.3" (3.3cm) tall. 2.9 oz. (82g) total weight. Requires assembly, includes instructions. Fits Burris, J-Point, Trijicon, Tasco, Firepoint, Docter, and Fowler/Pride red dot sights.

#100-004-453EG Offset Mini Red Dot Mount, 9K100H12 \$ 124.95



WILCOX INDUSTRIES J POINT MOUNT

For Secure Piggyback Mounting
On ACOG Tactical Scopes

Low-profile mount enables piggyback installation of a J Point or Trijicon reflex sight on top of a Trijicon ACOG TA01NSN Special Forces optic to give the tactical shooter precise long- and short-range sighting options. Maximizes limited accessory mounting space on the receiver and helps the operator keep on top of fluid situations by allowing near-instant transitions from one sight to the other with minimal head/eye movement. Lightweight, machined aluminum construction adds minimal weight, yet anchors the J Point securely to prevent shifting under recoil. Won't interfere with ACOG's windage and elevation knobs.

SPECS: Aluminum, hardcoat anodized, matte black finish. Replaces rear backup sight of Trijicon ACOG TA01NSN Special Forces scope. Accepts J Point or Trijicon reflex sight.

#100-004-258EG J-Point Mount for ACOG, 4B177H08 \$ 229.00

J.P. ENTERPRISES JPOINT MOUNT

JPA-TANSN



Expanded
Mounting
Options &
Versatility For
JPoint Sight

Rugged, light-
weight, alumi-
num

mounts allow the proven JPoint Reflex or Trijicon RedDot holographic sights to be mounted piggyback on an ACOG or standard-diameter scope, as well as directly to a flattop receiver. Helps you get an effective secondary sight system that delivers fast, both-eyes-open engagement for close range targets. **JPA-TANSN** can be installed directly to the TA01NSN model ACOG scope as a standalone mount that replaces the existing rear aperture assembly and utilizes the factory mounting holes. Integral, raised "wings" fully guard the sides and top of your JPoint from blows incurred during combat or competition. **JPA-TAS** Bottom Strap allows the JPA-TANSN mount to be clamped around the eye-piece on all other models of ACOG scopes. **JPA-SM1C** - Two-piece mount clamps securely around 1" scope tube with four Torx® head capscrews (wrench included). May be mounted anywhere on scope—behind turret, ahead, or even on the side at a 90° angle. **JPA-30C** - Same features as SM1C; fits 30mm scope tubes. **JPA-RAIL** adapter fits any MIL-STD 1913 Picatinny rail and elevates JPoint to correct height for co-witnessing with A2-style iron sights. Includes protective wings and a water-tight compartment for storage of a spare CR-2032 battery.

SPECS: Aluminum, black, matte, anodized finish. **JPA-TANSN Mount** - 1 5/8" (4.13cm) long, 1 3/4" (4.4cm) wide, 1 11/16" (4.3cm) high. Fits TA01NSN model ACOG. Includes wrench, mounting screws, and instructions. **JPA-TAS Bottom Strap** - 5/16" (.79cm) long, 1 3/4" (4.4cm) wide, 7/8" (2.2cm) high. Includes mounting screws. Requires purchase of JPA-TANSN mount to fit all models of ACOG scopes except TA01NSN. **JPA-SM1C** - 1 5/8" (4.1cm) O.A.L., 1 3/4" (4.5cm) wide, .600" (1.5cm) high from top of scope tube. **JPA-30C** - 1 5/8" O.A.L., 1 3/4" wide, .520" (1.3cm) high from top of scope tube. **JPA-RAIL** - 1 5/8" O.A.L., 1 3/4" (3.5cm) wide, .890" (2.3cm) height from top of receiver to bottom of JPoint. CR-2032 battery included.

#452-000-041EG JPA-TANSN Mount 2E53U00 \$ 69.95

#452-000-042EG JPA-TAS Bottom Strap 2E20U00 24.95

#452-000-060EG JPA-SM1C Mount For 1" Scope Tube, 2E64U88 79.99

#452-000-061EG JPA-SM30C Mnt For 30mm Scope Tube, 2E64U88 79.99

#452-000-062EG JPA-RAIL Rail Mount For A3/A4 Flattop, 2E100U00 124.95

J.P. ENTERPRISES AR-15/M16 FLATTOP OPTIC MOUNT

Integral Offset Rings
For Rock-Solid Mounting;
Accepts Both 1" & 30mm Scopes



One-piece, aluminum mount with integral rings is precision machined to true MIL-STD 1913 Picatinny specs for a secure fit on flattop receiver rails. Accepts both 30mm and, using the included adapter shims, 1" scope bodies. Shim design eliminates risk of slippage and preserves the mount's clean, streamlined look. Ring height and forward offset are ideal for use with long eye relief scopes. Four, Allen head screws secure each top ring strap to hold the optics tight under heavy recoil. Full-length base clamps to the receiver with five, equally spaced crossbolts for a rock-solid fit and zero movement.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Approximately 5 1/2" (14cm) long, 1 3/4" (4.4cm) wide, 2 1/8" (5.4cm) high. 7.1 oz. (201 g) weight. Elevates a 30mm optic .965" (24.5mm), measured from top of receiver rail to bottom of scope.

#452-000-044EG FlatTop Optic Mount 2E132Z00 \$ 164.99

WANT MORE? OVER 30,000 PRODUCTS ONLINE! www.brownells.com

SATISFACTION GUARANTEED
SINCE 1939

**M & A AR-15/M16
FLATTOP SCOPE MOUNT**

Integrated Mount & Rings For Rugged Strength

One-piece mount provides strong, secure scope attachment that withstands the bumps and knocks of hard tactical use. Positions scope well above flattop receiver for easy heads-up aiming. Each ring is 1 5/8" long for maximum contact with scope body, and caps have four hex head clamping screws for recoil-proof holding power. Two, steel, thumb screws and full-length clamping bar securely lock mount to Picatinny receiver rail. Rounded contours and radiused edges resist snagging on other gear. Machined aluminum keeps weight to a minimum. Models available to fit 1" and 30mm scope bodies. **USA**

SPECS: Aluminum, hardcoat anodized, black, matte finish. 5 1/8" (13cm) O.A.L.. Height measured from top of rail to bottom of ring. 1" - 1.18" (2.99cm) high, 10.7 oz. (303g) weight; **30mm - 1.14" (2.89cm); 10 oz. (283.5g) weight.**

#553-000-005EG Flattop Scope Mount, 1", 3E45B26 \$ 53.99
#553-000-007EG Flattop Scope Mount, 30 mm, 3E41D58 53.60



**MARK BROWN AR-15/M16
CQB SCOPE MOUNT**

Mounts Optical Sights At Correct Height For Fast Sighting

Picatinny mount puts red-dot optics at the same level as the issue sights for faster aiming. Clamps to flattop upper and has A-3 adjustable rear sight. **USA**

SPECS: Anodized aluminum, matte black. 7 1/16" (18.9cm) long. 1 1/8" (2.8cm) wide. 76 oz. (216 g) wt.

#133-101-016EG A-3 CQB Scope Mount, 3C179Y40 \$ 195.00



MGW AR-15/M16 SCOPE MOUNT

Lightweight, Fast-On, Fast-Off Scope Mount Requires No Gunsmithing

Securely locks in top of the carry handle with a single, thumb screw. Ultra-rigid design will not deform under pressure from rings. Does not obscure the factory sights. Accepts Weaver-style rings. **USA**

SPECS: Extruded aluminum, black, hard-coat, anodized, matte finish. 1.5 oz. (43 g) wt. Includes thumbscrew and lock washer.

#584-590-015EG AR-15/M16 Mount, 4H18C80 \$ 25.38



**MOUNTING SOLUTIONS PLUS AR-15/M16
M4 CARRY HANDLE MOUNT**

Clears M4 & Other Large Handguards

Weaver-style front base lets you mount electronic and optical

sights and still use the issue sights. Clears M4 handguards and free-float tubes. **USA**

SPECS: Aluminum, black, anodized, matte finish. 10" (25cm) long. 4.1 oz. (115 g) wt. Fits A-1 and A-2. Accepts Weaver-style rings.

#100-000-498EG M4 Carry Handle Mount, 1K84Y00 \$ 113.29



**MIDWEST INDUSTRIES AR-15/M16
A-2 ADJUSTABLE
CANTILEVER MOUNT**

Solid Platform For Optics & Iron Sights

Heavy-duty construction, extremely lightweight mount fits perfectly on AR-15/M-16-type carry handles and lets you adjust optic height to co-witness with iron sights in case of battery failure. MIL-STD 1913 rail cantilevers 5" forward of carry handle and adjusts up or down from the side giving optics a solid mounting platform positioned where you want it. Machined from 6061 aluminum and hard-anodized for added strength and scratch resistance in all situations. No gunsmithing required. **USA**

SPECS: 6061 billet aluminum, black, hard-anodized finish. 10 1/16" (27.8cm) overall length. Adjusts from 3/16" (4.8cm) to 3/8" (9.5mm) above front handguard or free float tube. Allen wrench included.

#100-002-326EG A-2 Adjustable Cantilever Mount, 2A89B50 \$ 116.95



**ROCK RIVER ARMS AR-15/M16
DOMINATOR2 EOTECH MOUNT**

Solid Attachment Of Optic At Correct Height To Co-Witness With A2 "Iron" Sights

Rugged tactical mount provides secure attachment for an EOTech holographic weapon sight with correct elevation for co-witnessing iron sights through the optic. Clamps to flattop receiver and positions the EOTech's dot just above the factory front sight for fast transition from primary to backup sighting. Integral A2-style rear backup sight is adjustable for windage and elevation with two-position, flip-up aperture with .195" diameter peep for close-range targeting, and .065" peep for long range. Machined aluminum base has seven Picatinny slots on the top for mounting most EOTech models. Two, steel crossbolts snug the steel clamping bar tightly to the receiver rail for an installation that won't shift under recoil.

SPECS: Aluminum, hardcoat anodized, and steel, Parkerized, matte black finish. 7 1/4" (cm) OAL. Requires 6" of Picatinny receiver rail space. Compatible with current model EOTech holographic sights except 553 and 557.

#739-000-020EG Dominator2 EOTech Mount, 9C00TPU \$ 185.00



**SMITH ENTERPRISE AR-15/M16
CARRY HANDLE SCOPE MOUNT**

Lightweight, Streamlined Quick-Detach Mount Won't Block Iron Sights

Precision-machined aluminum scope mount attaches securely to the carry handle of your AR-15/M16/M4 to provide a solid, lightweight platform for tactical optics. MIL-STD 1913 rail cut accepts Picatinny, STAN-AG, and Weaver-style mounting systems, while hollow, .335" diameter sight channel offers unobstructed use of standard-issue iron sights without removing mount. Locks tightly in place with hardened steel stud and knurled nut that also allow fast, easy removal and reattachment of mount and attached optics without loss of zero. Positions scope to provide adequate eye relief when wearing a protective chemical/biological mask. Standard issue for Israeli Defense Forces, and deployed with the U.S. Armed Forces. NSN #1005-01-534-8696. **USA**

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, black, matte finish. 5 3/8" (13.6cm) long. 2.5 oz. (71 g) wt. Made in U.S.A.

#851-000-071EG Carry Handle Scope Mount, 1E53B95 \$ 66.95



**SMITH ENTERPRISE AR-15/M16
STEEL EXTENDER/RISER**

Super Strong & Recoil Proof

Machined from steel bar-stock to true 1913 Picatinny specs. 2" forward extension, plus 1/2" extra height provides clearance for large objective scopes and night vision devices. Attaches to any mount or AR-15 upper receiver with Picatinny slot spacing. **USA**

SPECS: 4140 steel, black, matte finish. 7" (17.7cm) long. (14.7 oz. 417 g) wt.

#851-000-028EG Steel Extender/Riser, 1E155A00 \$ 189.00



**TAPCO AR-15/M16
CARRY HANDLE MOUNT**

For Easy Mounting Of Optics To A2 "Carry-Handle" Rifles

Clamps to the carry handle of an A2-style rifle to allow installation of a scope, holographic red dot sight, or other optic that requires Picatinny receiver rail mounts. Removes easily with the optic still attached, so you can quickly switch back to A2 configuration. One-piece, fiberglass-reinforced molded polymer construction is lightweight yet incredibly strong. Installs in seconds and cinches down tight with a steel bolt and easy-to-grip thumb. Sight tunnel under the rail allows continued use of factory iron sights as backups or for close-range shooting.

SPECS: Fiberglass-reinforced molded polymer, Black or Dark Earth. 5 1/4" (13.3cm) O.A.L. Fits AR-15/M16 with A2-style carry handle.

#100-004-292EG Carry Handle Mount, Black, 5A10V72 \$ 10.99

#100-004-293EG Carry Handle Mount, Dark Earth, 5A10V72 10.99



**WILSON COMBAT AR-15/M16
ACCU-RIZER
FLATTOP SCOPE MOUNT**

Secure Mount For 1" Scopes; Integral Rail For A Back-Up Red Dot Sight

One-piece riser mount with integral rings and "see-through" tunnel for back-up iron sights is precision machined from aluminum bar stock for a secure fit on flattop receiver rails. Provides 1.5" of elevation from top of dovetail to centerline of ring to ensure a proper cheek weld. Scope and mount form a single unit for quick attachment or removal. Mounts by hand or using a 1 1/4" nut driver to tighten the knurled-thumb screw and clamp the locking plate. The captive, spring-loaded locking plate maintains a positive mechanical connection that resists loosening under shock and vibration. Picatinny rail on rear scope ring allows mounting of a holographic red dot sight. 1" rings with eight hardened Torx screws secure grip on the scope tube. **USA**

SPECS: Aluminum, hardcoat anodized, black. Approximately 5" (12.7cm) long, 1 7/8" (4.8cm) wide. Height measured from top of base to inside bottom of ring: 1.2" (30.5mm). Height from top of dovetail to center of ring: 1.5" (38.1mm). Accepts 1" (2.5cm) scopes. 8.3 oz. (236g) wt.

#965-000-087EG Accu-Rizer Flattop Scope Mount, 5F126T16 \$ 149.99



**WEAVER AR-15/M16
TACTICAL MOUNTING SYSTEMS**

Single & Triple Rail Designs Increase Accessory & Scope Mounting Options

Two, separate Picatinny rail designs increase your scope and accessory mounting options without gunsmithing or permanent alterations. Choose Single Rail (SR) to keep weight to a minimum or the Tri Rail (TR) design if maximum rail space for lights, lasers and other tactical accessories is required. Made from tough, extruded aluminum; attaches securely with easy-to-turn, steel thumbscrews with threaded steel studs. Accepts both Picatinny or Weaver-style accessories and rings and includes mounting recesses and screws for STANAG rings. Sight tunnel in carry handle version allows unobstructed use of the adjustable A2 factory sights. Flat top version raises line of sight by .750" (19mm) for improved eye relief and more comfortable cheek weld with conventional or electronic optics.

SINGLE RAIL (SR) MOUNT SYSTEM - Available for A2 carry handle or A4 flattop receivers. Both models attach quickly with either single or dual thumbscrews.

SPECS: Aluminum, matte black, anodized finish. **Carry Handle Mount** - 5" (12.7cm) long, 1 3/4" (4.4cm) wide. 3 oz. (85g) weight. **Flat Top Mount** - 5 1/4" (13.3cm) long, .834" (2.1cm) wide. 4.5 oz. (128g) weight.

#955-000-107EG SR Carry Handle Mount, 5E16H63 \$ 24.99

#955-000-108EG SR Flat Top Mount, 5E16H59 23.99



TRI RAIL (TR) MOUNT SYSTEM

- Provides maximum mounting surface for additional tactical or sighting accessories. Three, full length Picatinny rails increase mounting surface by a full 10 1/2" over the standard A4 flattop receiver and up to 15" over the standard A2 carry handle receiver.

SPECS: Aluminum, matte black, anodized finish. **Carry Handle Mount** - 5 1/4" (13.3cm) long, 1 3/4" (4.4cm) wide. 4.5 oz. (128g) weight. **Flat Top Mount** - 6" (15.2cm) long, 1 3/4" (4.4cm) wide. 6.5 oz. (182g) weight.

#955-000-109EG TR Carry Handle Mount, 5E27H79 \$ 40.99

#955-000-110EG TR Flat Top Mount, 5E27H79 40.99



**YANKEE HILL AR-15/M16
EOTECH RISER MOUNT**

Keeps Iron Sights From Blocking EOTech Reticle, Preserves Co-Witness Capability



Rugged, yet lightweight riser mount positions your EOTech holographic sight .300" higher, so your rifle's iron sights are less apt to interfere with the EOTech's reticle, while preserving co-witness capability. Also helps you maintain a more comfortable, heads-up shooting form. Clamps to your flattop rifle's Picatinny rail with a single hardened steel setscrew; a securing tab up front locks into one of the rail's slots to ensure a solid, recoil-proof fit. Precision machined from solid aluminum, then mil-spec hardcoat anodized for extra strength and wear resistance. **USA**

SPECS: Aluminum, hardcoat anodized, matte black. 5 1/16" (13.5cm) long, 1 3/16" (4.6cm) wide, .525" (1.3cm) overall height. 2.5 oz. (70g) weight. Fits AR-15/M16 with flattop receiver only.

#100-003-101EG EOTech Riser Mount, 9A31Z87 \$ 39.99

B-SQUARE 30mm SPORT UTILITY RINGS



Economical Rings For Mounting Scopes On Weaver-Style Bases

Strong, lightweight aluminum rings secure a 30mm scope to any Weaver-style or similar dovetail base. Extra length maximizes contact surface between scope and rings for exceptional gripping force to prevent scope movement under recoil. Four, steel, hex-head screws secure the ring halves, while a cross-bolt locks the clamping block securely to the base. Hex wrench included. Available in pairs.

SPECS: Aluminum, anodized, matte blue. Fits 30mm scope body and Weaver-style base. Height measured from top of base to inside bottom of ring. **Low** - .175" (4.5mm). For scopes with 32-40mm objective. **Medium** - .330" (8.4mm). For scopes with 40-44mm objective. **High** - .585" (14.9mm). For scopes with 50-56mm objective.

#100-003-481EG Low 30mm Rings 6K09V32..... \$ 11.99
 #100-003-553EG Medium 30 mm Rings 6K09P00 11.19
 #100-003-482EG High 30 mm Rings 6K09V00..... 11.19

BADGER ORDNANCE MAXIMIZED SCOPE RINGS



Extra Strong To Withstand Heavy Recoil

Heavy duty 30mm steel rings, machined in pairs, serial numbered, and designed specifically to securely hold large, heavy scopes on hard-recoiling guns. Weaver-style clamp with big 1/2" nut really snugs ring to the mount. Ultra-High provides optimum height for AR-15, AR-10 and SR-25 rifles. Ring reducers convert 30mm to 1".

SPECS: Steel, black, matte finish. Ring height measured from top of mount to center of ring. **Standard** - 823" (2cm), **Medium** - 885" (22.5mm), **Medium High** - 1.0" (2.5cm), **High** - 1.125" (2.8cm), **Ultra High** - 1.378" (3.5cm). **Weights:** Standard - 6.6 oz (187 g), High - 9 oz (255 g), Ultra High - 10 oz (284 g).

#093-306-080EG Standard Ring 3K141H34..... \$ 165.00
 #093-306-001EG Medium Scope Ring 3K146V58..... 169.99
 #093-306-002EG Med. High Scope Ring 3K146V78..... 174.99
 #093-306-090EG High Ring 3K152H85..... 166.00
 #093-306-100EG Ultra High Ring 3K154H29..... 168.00
 #093-306-120EG 1" Standard Reducers 3K29H35..... 36.95

BROWNELLS PICATINNY SCOPE RINGS



Robust, Versatile, Affordable Rings For Tactical & Sporting Rifles

These 1" rings are precision machined to true MIL-STD 1913 specs to fit Picatinny-type bases such as Brownells Modular Flat-top Riser Mount and Picatinny Scope Bases. Available in Low, Medium, and High heights. No special wrenches needed for installation. Underside of ring is undercut with a rounded radius that offers extra clearance for finger tightening the nut and for final tightening with a standard socket or flat-blade screwdriver. Extra-strong U.S.-size hex nuts have a deep slot that provides maximum engagement of screwdriver blade to help prevent slippage and slot damage—you can even use a U.S. quarter in a pinch. Square, cross-lug system solidly engages scope base when properly installed to ensure rings won't shift forward under recoil. Four, strong 6-40 x 1/4" T-15 Torx® head screws securely anchor the ring halves, and large contact area with scope helps prevent slippage even on heavy-recoiling, magnum rifles. Available in 4140 billet steel for superb strength and stability, or aluminum models machined from 6061 T6 billet for reduced weight. Matte black finish blends with most factory finishes.

BURRIS QUICK DETACH ZEE RINGS



Quickly Removable, Super Stable

Nothing is more frustrating than breaking a scope on the hunt with no way to remove it from the rifle. Weaver-style, 1" quick detach rings give you a rock solid mounting system for optics that can be removed from the base quickly and easily with QD levers. Instead of walking back to camp empty handed, you can simply remove the scope and use the iron sights. Immediate return to zero means that you won't spend precious daylight sighting back in if you've taken the scope off for dense woods hunting. Two, Torx head screws fasten rings securely to scope. Available in Low, Medium, and High.

SPECS: Hardened steel. Matte black. Height from top of base to bottom of ring. **Low** .2" (5.1mm). **Medium** .32" (8.1mm). **High** .48" (12.2mm). **Sold per set.**

#118-000-005EG Quick Detach Zee Ring, Low, 8A47C00..... \$ 67.00
 #118-000-006EG Quick Detach Zee Ring, Med, 8A47C00..... 67.00
 #118-000-007EG Quick Detach Zee Ring, High, 8A47C00..... 67.00

LEUPOLD MARK 4 RINGS



Rock-Solid, Heavy-Duty Mounts For Extreme Field & Tactical Use

Heavy-duty rings are built to withstand extreme service without movement or loss of zero. Larger contact area between the scope/rings and base/receiver for less chance of movement. Large hex nuts on rings allow fast torquing of cross bolts for easy adjustment. Non reflective, matte finish. Mounting screws and Torx® head wrench included. **Steel Rings** - CNC machined from solid 11L17 cold-rolled bar stock, then blued. **Aluminum Rings** - CNC machined from 7075 T651 aluminum alloy and hardcoat anodized for maximum strength and wear resistance.

SPECS: Steel or aluminum, matte black finish 1" (2.5cm) or 30mm (1.18in) inside diameter. Height from top of base to center of ring for both 1" and 30mm: Med. - .84" (2.1cm); High - 1.06" (2.7cm); Super High - 1.4" (3.5cm).

#526-000-085EG 1" Med. Aluminum Rings, 6B129Y52..... \$ 135.99
 #526-502-220EG 1" Super High Steel Rings, 6B131Z31..... 224.00
 #526-000-086EG 1" Super High Aluminum Rings, 6B131Y31..... 224.00
 #526-000-082EG 30mm Med. Aluminum Rings, 6B131Y31..... 224.00
 #526-000-053EG 30mm High Steel Rings 6B131A31. 224.00
 #526-000-083EG 30mm High Aluminum Rings, 6B131Y31..... 224.00
 #526-520-830EG 30mm Super High Steel Rings, 6B131T31..... 224.00
 #526-000-084EG 30mm Super High Aluminum Rings, 6B131Y31..... 224.00

SPECS: Steel - 4140 billet steel, black, matte, oxide finish. **Aluminum** - 6061 T6 aluminum billet, hardcoat anodized black, matte. Heights measured from top of base to center of ring. **Low** - .825" (2.1cm); **Med.** - 1" (2.5cm); and **High** - 1.125" (2.9cm).

#080-000-436EG Low 1" Picatinny Rings, Steel, 9A89Y12..... \$ 109.99
 #080-000-437EG Med. 1" Picatinny Rings, Steel, 9A87Y74..... 100.00
 #080-000-438EG High 1" Picatinny Rings, Steel, 8K80Y00..... 100.00
 #080-000-433EG Low 1" Picatinny Rings, Alum., 8K48A00..... 60.00
 #080-000-434EG Med. 1" Picatinny Rings, Alum., 8K48A00..... 60.00
 #080-000-435EG High 1" Picatinny Ring, Alum., 8K48A00..... 60.00

LEUPOLD PRW RINGS



Weaver-Style, All-Steel, For Rock-Solid Mounting

Machined from steel barstock with the strength and accuracy needed to hold large objective scopes securely against recoil. Solid steel clamp uses two TORX screws to firmly lock rings to base while the square steel recoil lug holds tightly. Split below the centerline, each ring features four screws that let you tighten the cap with-out rotating the scope.

SPECS: Steel, powder-coat finish. Available in Gloss Black, and Matte Black. Rings sold in pairs. Height measured from base to center of ring. **Low** - .730" (18.5mm); **Medium** - .850" (21.5mm); **High** - .980" (24.8mm).

STOCK # 1"	STOCK # 30mm	HEIGHT	FINISH
#526-541-440EG	NA	Low	Matte Black
#526-541-470EG	NA	Med	Gloss Black
#526-541-490EG	#526-541-670EG	Med	Matte Black
#526-541-500EG	#526-541-770EG	High	Matte Black

— Advise # — 1" PRW Rings 6B39P86..... \$ 68.00
 — Advise # — 30mm PRW Rings 6B45P72..... 78.00

LIGHTFORCE NIGHTFORCE 30mm TACTICAL RINGS




Extra Strong For Police & Military Applications

Milled from barstock, these rings provide the solid strength required for harsh field and tactical use. With four TORX screws per cap, the scope is securely locked into the ring to prevent recoil movement. 1/2" attaching nut lets you torque rings to base, helps achieve a consistent return to zero. Steel cross lug provides additional strength, prevents shifting caused by recoil. Fits Picatinny and some Weaver-style bases.

SPECS: Steel, parkerized, matte finish. 30mm I.D. 5/8" (15.9mm) wide. Height measured from top of base to center of ring: **Low** - .885" (22.5mm), **Medium** - 1" (2.5cm), **High** - 1.125" (2.9cm). **Extra High** - 1.33" (3.4cm).

#524-000-001EG Low Tactical Rings 4B150H53... \$ 173.68
 #524-000-002EG Medium Tactical Rings 4B151H72. 173.99
 #524-000-003EG High Tactical Rings 4B151H72... 174.99
 #524-000-017EG Extra High Tactical Rings, 4B150H68..... 173.99

TACTICAL PRECISION HRT™ RINGS



Provides Superior Scope-To-Ring Contact

Precision, CNC-machined rings offer superior holding power. Made from 7075 aluminum billet or extra strong, 1215 steel alloy. Guaranteed, .0002" cylindrical roundness between ring base and top strap ensures excellent tube-to-ring contact; prevents scope tube "pinch" and eliminates the need to lap prior to scope mounting. Steel alloy, cross-bolt and hex nut gives positive locking on Picatinny and Weaver-style bases. Four, Torx® head screws prevent scope shift under the heaviest recoil.

SPECS: 1215 steel alloy or 7075-T651 aluminum, matte black. Height measured from top of base to center of ring. 1" - Medium: .985" (25mm), High: 1.185" (30mm). **30mm** - Medium: 1.075" (27.3mm), High: 1.225" (31.1mm). Fits Picatinny and Weaver-style mounts.

STOCK #	SIZE	MATERIAL	HGT	PRICE
#100-001-474EG	1"	Steel	Medium	9K55D18 \$ 85.99
#100-001-475EG	1"	Steel	High	9K57D39 \$ 89.99
#100-001-476EG	1"	Alum	Medium	9K51D88 \$ 81.99
#100-001-477EG	1"	Alum	High	9K51D88 \$ 81.99
#100-001-478EG	30mm	Steel	Medium	9K66D74 \$ 95.99
#100-001-479EG	30mm	Steel	High	9K62D92 \$ 81.99
#100-001-480EG	30mm	Alum	Medium	9K52D98 \$ 82.99
#100-001-481EG	30mm	Alum	High	9K55D18 \$ 85.99

TACTICAL PRECISION TSR™ & TSR "W" RINGS



Super Holding Power, Precision Alignment

Rugged tactical rings are precision machined to tolerances of .0002" for maximum scope/ring contact to hold scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Large clamp-nut lets you torque ring to base. Radiused edges and corners help prevent snagging while providing attractive appearance. **TSR** - 7075-T6 aluminum, fits MIL-STD 1913 Picatinny base. **TSR "W" Series** - 1215 alloy steel, fits Weaver bases. **34mm** - Accepts Schmidt & Bender-type 34mm scope tubes. **SPECS:** 5/8" (15.8mm) wide. Heights measured from top of base to center of ring. **TSR** - 7075-T6 Aluminum black, hard anodized to MIL-A-8625 standards. **TSR "W" Series** - 1215 alloy steel, Mil-C-13924 oxide finish, matte black. 1" - Low: .785" (19.9mm), Medium: .985" (25mm), High: 1.185" (30mm). **30mm** - Low: .925" (23.5mm), Medium: 1.075" (27.3mm), High: 1.225" (31.1mm). **34mm** - Medium: 1.185" (30.1mm), High: 1.435" (36.4mm).


TSR ALUMINUM RINGS

STOCK #	HEIGHT	SIZE	PRICE
#100-000-951EG	Low	1"	9K45Y00 \$ 70.00
#100-000-952EG	Med	1"	9K51Y88 \$ 81.99
#100-000-953EG	High	1"	9K51Y88 \$ 81.99
#100-000-957EG	Low	30mm	9K52Y98 \$ 82.99
#100-000-958EG	Med	30mm	9K52Y98 \$ 82.99
#100-000-959EG	High	30mm	9K55Y18 \$ 85.99

TSR "W" SERIES STEEL RINGS

STOCK #	HEIGHT	SIZE	PRICE
#100-001-403EG	Low	1"	9K55B18 \$ 85.99
#100-001-404EG	Med	1"	9K55B18 \$ 85.99
#100-001-405EG	High	1"	9K57B39 \$ 89.99
#100-001-409EG	Low	30mm	9K66B74 \$ 95.99
#100-001-410EG	Med	30mm	9K66B74 \$ 95.99
#100-001-411EG	High	30mm	9K62B92 \$ 81.99
#100-003-300EG	Med	34mm	9K82T78 \$ 129.99
#100-003-299EG	High	34mm	9K85T00 \$ 133.00

WARNE MAGNUM SPECIAL APPLICATION MAXIMA RINGS



Rugged Steel, Close-Tolerance Dovetails For Secure Mounting

Vertically split rings, precision-machined from steel barstock, hold large objective, heavy scopes firmly against recoil. Finished to exacting tolerances so the scope returns to zero, even after repeated dismounting and remounting. Permanent mount (Perm) uses two socket screws to solidly lock rings to base. Quick detach (QD), double lever rings clamp quickly and tightly; dismount instantly when you lift the lever. Levers can be repositioned so both rest at the same angle. Ultra High rings give correct height for flattop AR-15 and H&K SL7 rifle.

SPECS: Steel, blued, matte finish. Height measured from top of base to bottom of ring saddle. **QD:** 1" (2.5cm): X-High - .650" (16.5mm) and Ultra-High - .935" (23.7mm); 30mm (1.18"): X-High - .650" and Ultra-High - .850" (21.6mm). **Perm:** 1" X-High - .650" and 30mm X-High - .650". All models fit Warne Maxima, Weaver, and Picatinny bases.

STOCK #	DIA/HEIGHT	HEIGHT	PRICE
#947-000-003EG	1"/X-High	Perm	7D63T82 \$ 69.63
#947-000-004EG	1"/X-High	QD	7D92T80 \$ 101.24
#947-000-005EG	1"/Ultra High	QD	7D92T80 \$ 101.24
#947-000-008EG	30mm/X-High	Perm	7D63T82 \$ 69.63
#947-000-009EG	30mm/X-High	QD	7D109T08 \$ 118.99
#947-000-010EG	30mm/Ultra High	QD	7D109T08 \$ 118.99

CRIMSONTRACE AR-15/M16

LASER GRIPS

Instant-On Laser Aiming System For Fast Target Acquisition & Better Accuracy

Integral, grip-mounted laser sighting system gives you an immediate, decisive advantage in almost any light conditions—low light, darkness, even broad daylight. A squeeze of your finger on the instinctively positioned pressure pad activates the laser for an added tactical edge by instantly projecting a bright red aiming dot on the target. Makes a great training tool by providing instant feedback to advanced shooting students learning instinctive aiming, and helps beginners learn how to achieve proper sight alignment, steady trigger pull, and consistent follow through. Ultra-bright laser is the brightest allowed by current federal law; dot diameter is approximately 1/2" at 50 feet. The ergonomically designed outer cover of rugged but soft, overmolded rubber also improves shooting comfort and control. Master on/off switch prevents dead batteries caused by accidental laser activation. Fully adjustable for windage and elevation with the included Allen wrenches. **Vertical Foregrip** model easily attaches to any forend/handguard with a MIL-STD 1913 Picatinny or Weaver-style accessory rail on the underside and also enhances weapon retention, control, and pointability. Frame machined from billet aluminum clamps to the rail with locking bars, two crossbolts, and easy-grasp, grooved thumbscrews to prevent unwanted movement that can change point of aim. Pressure pads on either side of the grip ensure instant, reflexive activation as you grasp the grip; master on/off switch on the lower left side. Over four hours constant-on operation from two 2032 lithium batteries (included), and up to five-year inactive shelf life. **Pistol Grip/Upper Receiver** model fits rifles with A1/A2 carry-handle upper receivers and includes a replacement rubber overmolded pistol grip with the pressure switch located in the upper finger groove. Rugged, shock-resistant polymer grip frame houses one CR123 lithium battery (included), with the master on/off switch in a deep recess on the underside. An armature extends from the pistol grip alongside the rear of the carry handle and positions the laser unit parallel with the top of the handle. Cam-lock system tightly locks the laser housing to the carry handle to prevent loss of zero. Easily used in conjunction with ACOG and other optics, as well as factory and aftermarket "iron" sights. Maximum 20 hours constant-on operation; five year extended shelf life. **SPECS:** 633nm Class IIIa red laser, 5 mW peak output. Includes batteries, Allen wrenches, mounting hardware, and instructions. **Vertical Foregrip** - Aluminum frame, anodized, and molded rubber, black. Fits Picatinny and Weaver-style rails. **Pistol Grip/Upper Receiver** - Polymer frame, molded rubber, black. Fits carry-handle rifles with A1/A2 receivers; will not fit A3 flattops.

- #100-003-749EG **Vertical Foregrip Laser Grips, 4B00AVB** \$ 429.00
- #100-003-748EG **A1/A2 Pistol Grip/Upper Receiver Laser Grips 4B00YTP** 429.00

LASER DEVICES AR-2A AIMING LASER



Puts A Laser Sight Forward Of The Front Sight For Maximum Effectiveness

Mounts to the front sight to give a bright red aim point in low light situations.

Adjustable for windage and elevation in 0.4 milliradian clicks. Does not obscure iron sights and can be used on M-203 equipped rifles. Delivers up to 5 hours of continuous use from a single AA battery, included.

- SPECS:** 6061T6 aluminum, matte black. 4.9" (142mm) long, .75" (19mm) wide, 1.7" (43mm) high. Pressure pad wire length - 8" (20cm). Fits Mil-Spec M16/AR-15 front sight housing.
- #100-001-970EG **AR-2A Aiming Laser, 9A500X00** \$ 635.59

LASER DEVICES BLAST 2 TACTICAL LIGHT & AIMING LASER

Brilliant White Illumination, Plus Projected Red Aiming Dot



High-pressure, 6-volt xenon lamp illuminates your intended target, and the high intensity LED laser projects a brilliant red aiming dot. Special reflector helps eliminate dim areas and shadows to fully illuminate facial features up to 20 meters. Super Power Point laser produces a bright, red laser point that's visible at distances up to 600 meters. Waterproof, dustproof, mil-spec housing features a rotary selector for light only, laser only, or light and laser combination. Dual stage, pressure thumb switch at rear of housing has both constant on and momentary on/off capability. Aiming laser is fully adjustable for windage and elevation. Attaches to mil-spec 1913 Picatinny rails with dual, spring-loaded thumb latches for fast on/off deployment.

- SPECS:** Plastic housing, matte black. Aluminum light housing, anodized finish, matte black. 4" (10cm) long, 6 oz. (170g) wt. Uses two (2), 3 volt CR123A batteries, included.
- #100-002-391EG **Blast 2 Laser/Light System, 9A345H06** \$ 432.99

LASERMAX UNI-MAX RAIL MOUNT LASER SIGHT



Low-Profile, Lightweight, Mounts On Weapon Accessory Rail

Compact laser sight projects a bright, highly visible beam on the target for precise shot placement. Mounts in seconds on any pistol, rifle, or shotgun with 1 1/4" or more of Picatinny or Weaver-style rail space. Ambidextrous switch is comfortably positioned for quick engagement when pistol shooter's index finger rests along the slide in the Universal Cover Mode. Beam may be set to constant output or rapidly pulsating mode for even greater visibility. Low-profile housing allows many guns fitted with the Uni-Max to be carried in standard holsters. Integral Picatinny rail on underside of housing allows mounting of tactical weapon light. Windage and elevation adjust easily with the included tools, also used to set beam output mode. **Uni-Max Red** produces a bright red/orange beam that's suitable for most close quarter combat applications. Unit operates in temperatures from 10 to 130° F with a normal battery life of 3 1/2 hours with two, 357 batteries, included. **Uni-Green** outputs a bright green beam that's more visible to the human eye in all lighting conditions and over longer ranges. Timeout circuit automatically turns the unit off after 10 minutes to extend battery life. Normal battery life is 1 hour with two, 1/3N batteries, included. Operates in temperatures from 40 to 100° F. Uni-Green includes a heavy duty, polymer hardcase with foam lining. **SPECS:** Fiber reinforced nylon, black. 2 1/4" (5.7cm) long, 1" (2.5cm) wide, 3/4" (1.9cm) high. Beam Diameter - 5/16" (1.6cm) at 7 yards, 3/4" (1.9cm) at 25 yards. **Uni-Max Red** - 635 nm wavelength laser. .9 oz. (26g) wt. Includes (2) 357 batteries and (2) Allen wrenches. **Uni-Green** - 532 nm wavelength laser. 1 oz. (28g) wt. Includes polymer hardcase, (2) 1/3N Lithium batteries, and adjustment tool.

- #100-003-110EG **Uni-Max Red Sight 1B162Y67** . . . \$ 192.15
- #100-003-568EG **Uni-Green Sight 1B341Z65** 407.95

MOMENTARY ACTIVATION SWITCH - Easy-to-install replacement switch provides momentary on/off control of your Uni-Max, so you can conserve battery power and avoid giving away your position. Squeeze the large 3" x 3/4" pressure activation pad to activate the laser when you're ready to acquire a target. Velcro® attachment system lets you position the pad on the forearm or vertical grip of a tactical rifle/shotgun, even the grip panels of some pistols, yet detaches quickly for temporary removal of the sight. Smooth, straight cord, in 6" or 10" lengths. Recessed master on/off switch prevents unintentional activation.

- SPECS:** Molded plastic and synthetic rubber, black. Available with 6" (15.2cm) or 10" (25.4cm) cord. Kit includes switch assembly, two mounting screws, installation tool, and instructions.
- #100-003-319EG **Momentary Switch, 6" 1B56D45** . . . \$ 62.99
 - #100-003-320EG **Momentary Switch, 10" 1B56D45** . . . 62.99

SOG ARMY MINI WEAPON LASER

High-Output Laser Provides High Speed, Low Light Aiming; Adapts To Virtually Any Weapon



Ultra-compact laser sight delivers an extremely bright, red, pinpoint beam of light for fast, accurate sighting without weighing down your weapon or negatively affecting its balance and performance. Lightweight, cylindrical housing guards high-output laser module from shock and recoil; four set screws provide flexible adjustment of laser beam. Universal, aluminum mount allows solid attachment to a wide variety of mounting platforms, including handguard rails and pistol frames with integral rail. Includes momentary pressure switch with 6" coil cord and interchangeable, two-position slide switch for pistol applications.

- SPECS:** Aluminum, matte black finish. Laser - 2 3/16" (5.6cm) long x 5/16" (1.4cm) diameter. Mount - 1 3/8" (3.5cm) long, 1" (2.5cm) wide, 1 1/4" (3.2cm) high. 2.3 oz. (65 g) wt. Includes hook & loop tape, Allen wrench, interchangeable switches.
- #100-002-408EG **Mini Weapon Laser 9A65V35** \$ 91.80

SUREFIRE M952V MILLENNIUM UNIVERSAL WEAPON LIGHT



Powerful Illumination; Switch Between Bright White & Infra-Red Output



Powerful, modular weapon light gives either a tightly focused white beam or a tactical infra-red beam. A throw lever clamp with a free-floating index plate lets you mount the M952V on almost any Picatinny or Weaver-style rail, even on off-spec rails. White LED outputs 150 lumens of pure, white light for long-range applications, yet with enough surround light for close-quarters illumination. IR mode delivers 120mw of infra-red light visible only through night vision gear. Up to 2 hours continuous white output, or 8 hours of IR output, on one pair of CR-123 batteries. Tailcap switch offers momentary or constant on operation. Optional remote pressure switch with 7" cable can be mounted on vertical grip or side rail. Heavy duty, machined aluminum body protects the electronics from impact, while O-ring seals on keep out moisture in adverse weather.

- SPECS:** Aluminum, mil-spec Type III hardcoat anodized, matte black or tan. 6" (15.2cm) long. 9.2 oz. (261g) weight. Requires two CR-123A batteries, included.
- #152-000-073EG **Millennium Weapon Light, Black, 2E492D86** \$ 575.00
 - #152-000-074EG **Millennium Weapon Light, Tan, 2E492D86** 575.00

SUREFIRE ST07 REMOTE TAIL SWITCH



Put Switch Exactly Where You Want It For Instantaneous Light Activation



Sealed, weatherproof pressure switch lets you remotely activate your SureFire WeaponLight for immediate, on-demand target illumination. Plugs directly into the tail cap switch of a variety of SureFire lights. Comes with a 7" long cable ending in the pressure pad that can be taped to the forearm or vertical grip of a tactical rifle or shotgun. Fits all Surefire lights with a plug-in socket in the tailcap, including the X300, X400, XT, Scout Light, Millennium Universal, and Classic Universal lights

- SPECS:** Plastic housing, black. 7" long cable w/sealed synthetic rubber pressure switch.
- #152-000-065EG **ST07 Remote Switch, 3B69H00** \$ 69.00

SUREFIRE AR-15/M16

WEAPON MOUNTED LIGHT SYSTEMS

High Intensity Lights Improve Tactical Operation For The AR-15



Rugged, machined aluminum components with weather resistant seals withstand the rigors of rough, field use. Provides brilliant, target-illuminating light on demand.

M-500A - Nitrolon composite, AR-15 handguards have M-4 style, dual heat shield, plus a built-in light and switches - no exposed wires. Provides light for inside and outdoors. High-grade aluminum light components and shock isolated lamp modules withstand the rigors of rapid fire. Disable switch, momentary, pressure pad switch, and a constant-on, rocker switch provide total control. Two lamp modules; Mn10 with 125 lumens and Mn11 with 225 lumens. Uses three Lithium batteries.

- SPECS:** Nitrolon handguard and lamp body, machined aluminum lamp module, black, anodized finish. Includes batteries, instructions. Fits carbine-length barrels with round handguard cap.
- #152-015-500EG **M-500A Light System 2E00PUA** . . . \$ 525.00
 - #152-000-001EG **Mn11 Replacement Lamp 2E00BXC** 33.00

678 AR-15 RIFLE AND 674 AR-15 CARBINE LIGHTS

Clamps to the side of the front sight post, out of the field of view. Machined aluminum light can be removed from mount. Puts out 65 lumens of light from two, 123A, lithium batteries. Weather resistant seals and knurled grasping surfaces. Operated by a fingerpad, momentary pressure switch, that attaches along the handguard.

- SPECS:** Machined aircraft aluminum, black, anodized finish. Length - 5 1/2" (14cm). Includes batteries, instructions.
- #152-015-678EG **678 Light System 2E00DZA** \$ 343.00
 - #152-015-674EG **674 Light System 2E00BXC** 379.00
 - #152-015-060EG **P60 Repl Lamp Assmly 2E00XCH** . 19.00

REPLACEMENT BATTERIES

- SF 123, three-volt lithium batteries fit all Surefire handheld and weapon mounted lights.

- #152-000-023EG **2-Pack SF123 Batteries 2E00AVB** . . . \$ 5.07

RAIL-MOUNTED VERTICAL GRIP WEAPON LIGHT

High-intensity white light gives excellent target illumination. Includes Mn10, 125 lumen and Mn11, 225 lumen lamp assemblies with scratch resistant, Pyrex lens. Separate, low-level, blue LED navigation lights provide enough light to see obstacles without compromising your position. Constant-on, plus individual pressure switches and a disable switch control light output. Fits any rifle or shotgun with a Picatinny accessory rail; **A.R.M.S. Mount** gives rapid installation and removal with a flip of a lever while the **Thumb Screw** mount provides permanent attachment. Vertical grip aids weapon retention and firing. Optional, **Red and Blue**, BeamCover filters protect your night vision while providing navigation and target illumination. Filters also fit 500A Light System listed above.

- SPECS:** Nitrolon body, black. Aluminum lamp assembly, 1.6" (4cm) bezel. 7 1/2" (19cm) long, 6" (15.2cm) high, 1 1/2" (3.8cm) wide. 18 oz. (510 g) wt.
- #152-000-016EG **A.R.M.S. Mount WeaponLight, 2E00DZA** \$ 625.99
 - #152-000-017EG **Thumb Screw Mount WeaponLight, 2E00TPU** 559.00
 - #152-000-018EG **FM15 Red BeamCover 2E00DZA** . . . 39.00
 - #152-000-019EG **FM16 Blue BeamCover 2E00TPU** . . . 39.00

XM-06 DUAL SWITCH TAILCAP

- Tailcap assembly fits all Millennium® Universal Weapon Lights and provides two independently operating switches. Screws directly into your existing light and comes with a 6" cable with pressure switch and pushbutton on/off disable feature.

- SPECS:** Plastic housing, black. Kit includes tailcap assembly, 6" long cable w/ pressure switch, hook-and-loop fastener, alcohol wipe, and operator's manual.
- #152-000-033EG **Dual Switch Tailcap 2E00VBX** . . . \$ 129.00



SUREFIRE X300 WEAPON LIGHT

Powerful Tactical Illumination
For Rail-Equipped Handguns

Compact, lightweight weapon light provides powerful target illumination for tactical pistols equipped with Picatinny and Universal Standard mounting rails. Solid-state, shock-isolated, electronically controlled LED outputs 110 lumens of clean, white light—more than five times a standard two-D-cell flashlight—for up to 2½ hours runtime. LED is protected by a tempered Pyrex® lens; anti-reflective coating ensures maximum light transmission. Specially engineered Total Internal Reflection focusing lens tightens light beam to project a more focused beam at longer distances, yet provides enough surround beam to support peripheral vision. Ambidextrous constant on/off toggle switch provides fail-safe operation under stress. Push button, spring-loaded mounting clamp allows you to instantly attach or detach light for any situation. O-ring sealed fittings are waterproof to 70 feet. Adapter plates and mounting hardware for Picatinny and Universal Standard rails included.

SPECS: Aluminum body, mil-spec Type III hardcoat anodized, black. 3⅞" (9.2cm) long, 1⅝" (3.5cm) wide, approximately 1" (2.5cm) high when mounted. 3.8 oz. (108g) weight, with two, included, SF123A lithium batteries installed.

#152-000-041EG X300 Weapon Light 2E00BXC . . . \$ 249.99

X400 WEAPON LIGHT/LASER

Includes the same powerful LED and other technical features as the X300 with the addition of a fully-adjustable, super bright red-light laser that puts you on target immediately. Makes the X400 the perfect choice for military, law enforcement, and self defense use. Laser outputs 5 milliwatts at a wavelength of 635 nanometers, making the beam brighter and more visible than comparable units. Five-position switch, located behind the laser, offers four modes of operation, including light only, laser only, light and laser together, and two disable positions. Nylok® adjustment screws won't back out under recoil, so loss of zero is a thing of the past. Push-button, spring-loaded mounting clamp allows instant installation and removal. Fully sealed to keep dust and moisture out. Includes adapters and hardware for mounting to Picatinny and Universal Standard rails.

SPECS: Aluminum body, mil-spec Type III hardcoat anodized, black. Approx. 3⅞" (9.2cm) long, 1⅞" (3.7cm) wide, 1⅞" (4.8cm) high. 4.4 oz. (125g) weight, with two, included, SF123A lithium batteries installed.

#152-000-059EG X400 Weapon Light/Laser, 2E00VBX . . . \$ 455.00



For more choices of SUREFIRE LIGHTS
visit brownells.com

SUREFIRE X300 WEAPON LIGHT



I'm a police officer in Houston. I've never used a weapon light until a year ago. I thought it would be unnecessary or too cumbersome on my Sig P220. After all, I do know how to use a regular flashlight. I bought an X300 for an "Active Shooter" class we got scheduled for so I could try it out. I had heard that the instructor recommended them. I love the light. It's great.

— By **Naxos** from **Houston, TX**

I've purchased two of these bad boys and I wish I could buy them by the case. Use one on my patrol rifle and one on my Glock 37. These things are tanks.

— By **Sabre675** from **Iowa**

Read the other GREAT reviews for this product online at brownells.com

STREAMLIGHT®

TACTICAL WEAPON LIGHTS

Lightweight, Powerful; Mounts Directly To Gun

TLR-1 WEAPON LIGHT - Powerful weapon-mounted light fully illuminates target with 80 lumens of intense, white light. Ambidextrous, momentary-or constant-on switch let you control light output to match your needs. Super Hi Flux 3 watt Luxeon LED lamp with impact-resistant Borofloat glass lens and deep-dish parabolic reflector produces a uniform beam with peripheral illumination and no hot spots or shadows. Runs on two CR123 lithium batteries for 2.5 hours of continuous runtime. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Lightweight, machined 6000 series aluminum construction adds just 4.2 ounces; doesn't upset weapon balance, yet withstands hard field use. Unique locking bar system clamps directly to Glock-style rails, MIL-STD-1913 Picatinny mounts, and most Weaver-style rails. Fits all holsters designed to accept pistols mounted with the earlier Streamlight M-3/-5/-6 series lights.

SPECS: Machined aluminum, matte black anodized finish. 80 lumens. 3¼" (8.3cm) long, 1½" (3.8cm) wide, 1⅞" (3.7cm) high. 4.2 oz. (119g) weight, including batteries. Uses two CR123 lithium batteries, included.

#100-003-009EG TLR-1 Weapon Light, 1K116H40 . . . \$ 145.99

TLR-2 WEAPON LIGHT/LASER SIGHT - Expands the TLR-1 system with a more powerful 135-lumen LED lamp and a high visibility, red 650-660 nm aiming laser to aid in precise shot placement. Selector switch lets you choose light only, laser only, or light plus laser illumination. Ambidextrous, momentary-on/constant-on/off switch lets you apply your selection exactly when you need it. Advanced C4 LED technology uses a powerful, shock-resistant LED and a proprietary parabolic reflector to generate an intense, uniform beam free of hot spots or shadows, with excellent peripheral illumination. Runs on two CR123 lithium batteries for 2.5 hours continuous runtime for light, 45+ hours in laser-only mode. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Laser is fully adjustable for windage and elevation, with screws mounted in brass bushings for precise settings and reliable return to zero. Lightweight, sealed housing of machined 6000 series aluminum adds less than 5 oz. to weapon. Unique locking bar system has interchangeable locating keys for secure mounting directly to MIL-STD 1913 Picatinny, Glock-style, S&W 99/TSW, and Beretta 90-Two accessory rails.

SPECS: Machined aluminum, matte black anodized finish. 135 lumens. 3¼" (8.3cm) long, 1½" (3.8cm) wide, 1¾" (4.5cm) high. 4.7 oz. (134g) weight, including batteries. LED service life: 50,000 hours. Uses two CR123 lithium batteries, included.

#100-004-220EG TLR-2 Weapon Light/Laser Sight, 1K289H80 . . . \$ 369.99

TLR-3 COMPACT WEAPON LIGHT - Even smaller than the popular TLR-1, this ultra-low-profile light uses the same system of interchangeable locating keys as the rest of the TLR series to fit a wide variety of pistol receiver rails. Employs Streamlight's C4 LED technology to project a high-intensity, 90-lumen beam that's 2 to 3 times brighter than standard LEDs. Electronic power-control system helps maintain consistent brightness, while the parabolic reflector and Borofloat glass lens produce a focused beam with minimal fade at the edges. One CF2 lithium battery, included, provides 1½ hours of continuous operation and a storage life up to 10 years. Ambidextrous switch offers an instant choice of momentary or steady-on operation. Rail clamp system allows easy, one-handed attachment/removal from the side of the weapon, so hands stay away from the muzzle. Body constructed of reinforced, impact-resistant polymer, with a



STREAMLIGHT AR-15/M16 THUNDER RANCH URBAN RIFLE ILLUMINATION SYSTEM

Quickly Convert Your AR-15
To An Urban Rifle

Installs securely to any AR-15 standard issue handguard or any other firearm equipped with a Picatinny rail. Steamlight model TL3 utilizes long-lasting lithium batteries and a high-pressure xenon gas-filled, bi-pin bulb to provide bright-white illumination. Adjustable spot-to-flood reflector handles any urban tactical situation. TL3 light features a sturdy pocket clip, momentary on-off switch, plus constant on with just a quick twist of the tail cap. Light body is made from lightweight aluminum. All aluminum light mount attaches to Picatinny rail; includes a rail adapter for AR-15 handguards. Convenient bottom thumbwheel locks the light housing into place and can be removed in an instant. Waterproof and shock proof; green filter cap/flip-up lens cover and Thunder Ranch Urban Rifle Illumination System DVD included.

SPECS: Aluminum, matte, black, anodized finish. 6¼" (1.9 cm) long. 11 oz. (311g) wt. 211 Lumens max. output. Uses three CR-123A, 3V lithium batteries, included.

#100-003-041EG Urban Rifle Light, 1K121Z19 . . . \$ 199.99



lens cap of strong, yet lightweight, machined 6000-series aluminum with a matching matte black anodized finish. Waterproof to 1 meter for 30 minutes.

SPECS: Reinforced polymer body and anodized aluminum lens assembly, black. 2¾" (7cm) long, 1⅞" (2.9cm) wide, 1½" (3.8cm) high from top of rail clamp to bottom of housing. 2.4 oz. (67g) weight with battery. Fits MIL-STD 1913 Picatinny rail, and includes five rail keys to allow installation on Beretta 90-Two and Vertec, Glock, Kel-Tec PF-9, Kimber TLE/RLII, Sig GSR, Smith & Wesson M&P and TSV, Springfield XD compact and full frame, Springfield 1911, and others.

#100-004-290EG TLR-3 Weapon Light, 1K00HDZ . . . \$ 74.99

LIGHT ADAPTERS - Permits TLR-1/-2 and M-3/-5/-6 lights to be used on listed firearms.

#100-000-828EG 12 Ga. Ext. Mag Tube Adapter, 1K17B30 . . . \$ 18.99

#100-000-829EG Remington 870 Light Adapter, 1K17B30 . . . 18.99

TACTICAL ILLUMINATOR MOUNT - Tough, polymer mount attaches to AR-15 handguards to accept your TLR-1/-2 or M-3/-5/-6 light. Winged end stop keeps light from sliding off.

SPECS: Polymer, black, matte finish. 80-90 lumens. 3.4" (8.6cm) L, 1.57" (4cm) W, 1.52" (3.8cm) H. 3.3 oz (90g) wt. Accepts TLR-1/-2 and M-3/-5/-6 lights. Includes lithium batteries. Mounting hardware and instructions included.

#100-000-831EG Tactical Illuminator Mount, 1K19B99 . . . \$ 20.99

BURRIS

RED DOT REFLEX SIGHTS

Fast, Precise Heads-Up Sighting;
Ultra-Robust Design Handles Magnum-Power Recoil

FASTFIRE - Provides fast, both-eyes-open sighting on any weapon platform. Stainless steel and aluminum housing handles the recoil of magnum shotgun loads; installed weight under 2 oz. allows mounting on semi-auto pistol slides. Gives a panoramic field of view and unlimited eye relief for an unobstructed view of the area around the target. A high-intensity LED projects a 4MOA red sighting dot, while a light sensor and integrated control circuitry adjust the dot's brightness. Coated lens resists scratches and scuffs and is parallax-free to 50 yards. 1.07x magnification aids in acquiring long-range targets, without compromising close-in effectiveness. Set the point-of-impact with two flush-mounted screws that provide 3° (190" at 100 yards) windage and elevation adjustments using the included scale disc and adjustment tool. Control switch on the left side resists accidental activation. Powered by one 3-volt CR 2032 lithium battery, included; up to 5-year battery life when used in Battery Saver mode. Standard **FastFire** has all the features listed above. **FastFire II** adds to the standard sight a gasket bottom plate that seals it 100% against water. Both models available with a mount that fits MIL-STD 1913 Picatinny and Weaver-style rails.

SPECS: Sight - Steel, aluminum, optic-grade glass. 1¾" (4.5cm) long, 1" (2.5cm) wide, 1" high. Includes snap-on cover, CR 2032 lithium battery, windage/elevation scale disc and adjustment tool.

Mounts - Aluminum, matte black. Mounting screws included.

#118-000-008EG FastFire, w/Picatinny/Weaver Mount, 8A237C50 . . . \$ 309.00

#118-000-020EG FastFire II, only, 8A238C73 . . . 309.99

#118-000-019EG FastFire II, w/Picatinny/Weaver Mount, 8A250C10 . . . 324.99

PICATINNY PROTECTOR MOUNT

Lightweight mount with raised "wings" protects your FastFire sight from damage. Mounting platform is contoured for a perfect fit and attaches with two Allen head screws. Extra-large, steel cross-bolt and clamping bar provide a tight, positive lock on Picatinny and Weaver-style rails.

SPECS: 6061 T6 aluminum, black, matte, anodized finish. 2" (10cm) long, 1⅝" (3.5cm) wide, 1¼" (3.2cm) high. 1.3 oz. (36.8g) weight.

#118-000-016EG Picatinny Protector Mount, 8A74C95 . . . \$ 99.95



Shown with Picatinny/Weaver Mount



BROWNELLS Gift Certificate



When that special occasion arrives, and you don't know which of our many unique items to give, give a Brownells personalized Gift Certificate. Whether it's for a birthday, Christmas, or the opening of a new shop, you'll be giving just exactly what your favorite gun "tinkerer" wants.

#084-900-000EG Brownells Gift Certificate, 6D00HYG . . . \$ Your Choice \$



EOTECH HOLOGRAPHIC SIGHT

Provides Extremely Fast, Heads Up Target Engagement For Close Quarters & Long Range Shooting

Weatherproof, shockproof, night vision compatible sight provides competitive, military and law enforcement shooters a versatile, all-weather sighting system. Holographic, variable-intensity reticle is visible in any light. As long as the operator can see through any portion of the window, the entire reticle is visible on target. All models (except 552.XR308) feature a dot-within-a-circle reticle that presents a see-through pattern for lightening-quick target acquisition. Heads-up display eliminates blind spots and tunnel vision. Gives true, both eyes open shooting for instant target identification. Electronics are encapsulated in a shock absorbing resin compound and sealed against dirt and water. Shatterproof lens has an anti-reflective coating. Light signature is not visible from the front. All user controls are flush with the housing, no protruding knobs or mounting rings to snag or block vision. Integral mount fits Weaver-style and Picatinny bases. Aluminum "roll bar" hood protects display. **Model 553** incorporates the patented ARMS® dual quick-release throw levers for instant on/off capabilities. Zero is repeatable to 1 MOA after re-mounting. Sight body sets 7mm (.275") higher to provide operator with a consistent cheek weld with all other standardized optics. **Model 555** offers the same feature set as the 553 with the added convenience of using two common 1.5 volt AA batteries as a power source. Gives 1,000 hours continuous operation with lithium batteries at nominal setting 12; 600 continuous hours with alkaline. Also compatible with AA rechargeables. **Model 552, 552.XR308, 553, and 555** are night vision compatible with a night vision brightness range of 1,000:1 with NV switch engaged. **Model 552.XR308** has a ballistic drop compensated reticle for .308 caliber with hash marks calibrated for 600, 900, and 1200 meters. Mid-size **Model 511** and full-size **Model 512** have no provisions for night vision equipment. **Model 512.A65MO** adds to the standard 512 a Mossy Oak Obsession® camouflage paint scheme. 511 uses two, Type N batteries; 512, 552, and 555 use two, AA batteries; 553 uses two, CR123A (3v) batteries. All include batteries. ■

SPECS: Polycarbonate body, aluminum hood, matte, black. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. **511** - 4" (10.2cm) long, 1 1/8" (4.9cm) wide, 2 3/8" (6cm) high, 9.2 oz. (262 g) wt. **512, 512.A65MO, 552 & 552.XR308** - 5 5/16" (13.5cm) long, 1 1/8" wide, 2 3/8" high, 11.5 oz. (326 g) wt. **553** - 4 1/8" (12.4cm) long, 1 1/8" wide, 2 3/4" (7.1cm) high, 12.2 oz. (345g) wt. **555** - 5 5/16" (4.9cm) long, 2 3/4" wide, 2 3/4" high, 12.5 oz. (354g) wt.

- #100-000-907EG 511 Holographic Sight 9K00YTP . . . \$349.99
- #100-001-738EG 512 Holographic Sight 9K00CHD . . . 409.00
- #100-004-284EG 512.A65MO Mossy Oak Holographic Sight 9K00VBX . . . 429.00
- #100-000-909EG 552 Holographic Sight 9K00CHD . . . 509.00
- #100-003-196EG 552.XR308 Holographic Sight, 9K00BXC . . . 559.00
- #100-002-871EG 553 Holographic Sight 9K00BXC . . . 659.00
- #100-003-474EG 555 Holographic Sight 9K00DZA . . . 659.00

MODELS 516, 556 & 557 - Flush-mounted control buttons positioned on the left side of the unit ensure easy, fast access when back-up iron sight or EO Tech Magnifier is installed. Integral mount with knurled cross-bolt locks securely MIL-STD 1913 Picatinny and Weaver-style rails; zero is repeatable to 1 MOA after removing and re-mounting. Front one-third of the base underside is elevated .275" (7mm) for clearance over delta ring and standard military-style plastic handguard. Submersible to 33 ft. depth. **Models 516 and 556** occupy only 3/4" of rail space, leaving adequate room for a backup iron sight. Both have an easy-to-acquire tactical reticle with a 1 MOA dot inside a 65 MOA ring and provide up to 1,100 hours of continuous operation on two (2) 3 volt CR123A lithium batteries, included. **Model 556** is also compatible with Gen I-III+ night vision systems; 1000:1 night vision brightness range with NV switch engaged. Full-size **Model 517** is powered by two common 1.5 volt AA batteries for 600 hours of continuous operation with alkaline batteries or



1,000 hours with lithium cells. Reticle is a 65 MOA circle with a 1 MOA center aiming dot. Requires 3/4" of rail space. Buttons positioned on left side of housing for easy access when G23 Magnifier is mounted behind sight. **Model 557** adds to the 517's features a ballistic matched reticle calibrated for the M4 carbine, with four vertically aligned 1 MOA aiming dots for target distances of 0-300m, 400m, 500m, and 600m. Fully compatible with Gen I-IV night vision systems; night vision brightness range of 1000:1 with NV switch engaged. **557.3XFTS Sight/Magnifier Combo** contains the Model 557 sight, the 3x Magnifier with FTS mount (described below), plus a padded, hard-shell carrying case.

SPECS: Polycarbonate body, aluminum hood, matte, black. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. **516 & 556** - 5 1/8" (13cm) long, 2 1/8" (5.4cm) wide, 2 3/4" (7cm) high, 11.9 oz. (337g) weight. **517 & 557** - 5 3/4" (14.6cm) long, 2 1/8" wide, 2 3/4" high, 12.3 oz. (349g) weight. **516/517/556** - Reticle: 1 MOA dot inside 65 MOA ring. **557** - Reticle: four vertically aligned 1 MOA dots.

- #100-003-473EG 516 Holographic Sight 9K00BXC . . . \$479.00
- #100-004-280EG 517 Holographic Sight 9K00YTP . . . 449.00
- #100-003-475EG 556 Holographic Sight 9K00TPU . . . 569.00
- #100-003-197EG 557 Holographic Sight 9K00DZA . . . 569.00
- #100-003-988EG 557 Holographic Sight/FTS 3x Magnifier, Combo 9K00YTP . . . 949.00

XPS SERIES - The most compact EO Tech holographic weapon sight yet, the XPS runs on a single CR-123 battery, yet delivers up to 600 hours of continuous operation. The red reticle is an easy-to-see 65 MOA circle with a 1 MOA aiming dot in the center; precisely adjustable brightness can be set to suit operating conditions. Automatically shuts off after 8 hours (user may reset to 4 hours) to preserve battery life. Fully adjustable for windage and elevation in 1/2 MOA clicks. Non-magnifying optics of shatter-resistant laminate provide exceptional clarity and unlimited eye relief; fogproof and anti-glare coated. Base requires only 2 3/4" of rail space; fits MIL-STD 1913 Picatinny or Weaver rail. Sealed, waterproof, rear-mounted buttons allow easy access to activate reticle and adjust brightness level. Battery compartment has a simple screw-on cap with O-ring seal to keep out moisture (submersible to 10-ft. depth). Available in standard XPS2-0 model and night-vision compatible XPS3-0 with a night vision brightness range of 1,280:1 with NV switch engaged.

SPECS: Aluminum housing, hardcoat anodized, matte black. 3.75" (9.5cm) long x 2.4" (6.1cm) wide x 2.4" high, 8.8 oz. (250g) weight. Windage and elevation adjustment range +/-40 MOA in 1/2 MOA clicks (1/2" at 100 yards). Brightness adjustment range: 146,000:1, brightest to lowest.

- #100-004-277EG XPS2-0 Holographic Sight, 9K00HDZ . . . \$479.00
- #100-004-498EG XPS3-0 Holo Sight 9K00VBA . . . 569.00

G23.FTS MAGNIFIER - Add-on optic system increases the reach of any EO Tech Holographic Weapon Sight (HWS) out to 600 meters without compromising close-range effectiveness. 3x Magnifier mounts directly behind the HWS on the receiver rail and requires no adjustments to the HWS itself. Point of aim is unchanged, and the center dot remains 1 MOA in diameter, while the angular size of the target is magnified. Sealed fogproof optics are submersible to a 33 ft. depth and fully adjustable for windage and elevation. Flip-To-Side mount lets you transition back to direct, unmagnified viewing through the HWS by hitting the release lever to flip the Magnifier out of the line of sight. Mount can be installed with the lever and flip path on the left or right side. Quick-release ARMS® locking system secures the mount to any MIL-STD 1913 Picatinny receiver rail, and lets you remove the magnifier and mount from the weapon as a single unit. Provides clearance for most low-profile flip-up rear sights; add-on 7mm riser included if additional height is needed.

SPECS: Aluminum, hardcoat anodized, matte black. 4.4" (11.3cm) long x 2" (5.1cm) diameter at widest point. 16.5 oz. (500g) weight. Actual magnification: 3.25x. Eye relief: 2" (5.1cm). Field of view: 6°. Operating temperature range: -40° to 160° F.

- #100-004-286EG G23.FTS Magnifier 9K549H00 . . . \$549.99



J. P. ENTERPRISES J POINT™ SIGHT

Provides Fast Target Acquisition For All Weapon Types

Compact and lightweight, this micro-electronic reflex sight provides a nearly unrestricted field of view for rapid target acquisition. Small size doesn't affect gun balance and handling. Features an always-on, micro-chip control that requires no switches or adjustments. LED insert senses light level and automatically sets dot brightness for optimum visibility in all ambient light conditions. Snap-on, protective cover extends battery life, protects lens from dust and dirt. Has 25 inches of windage and elevation adjustment at 20 yards. Fits the same bases and mounts as the Fire Point and Tasco Optima sights. 4MOA dot for precision shooting. ■

SPECS: Polymer body, black, matte finish. 1" (2.5cm) wide, 1.6" (4.1cm) long, .9" (23mm) high. 1/2 oz. (14g) weight. Uses (1) CR2032 lithium battery, included. 2 to 3 years of battery life.

- #452-000-016EG 4 MOA J Point Sight 2E2A1D61 . . . \$299.99

J POINT 1° SHIM PIECE - Molded polymer shim solves adjustment problems for JPoint sights that have run out of travel at the top or bottom end of their elevation range. Built-in, 1° taper allows shim to be mounted high end forward or rearward to gain up or down adjustment as needed. Integral "feet" make shim alignment easy and provide a no-shift fit to bottom side of sight. Can also be used to raise sight height by stacking multiple shims with thick ends alternated to maintain zero angle of adjustment. Available singly and in 3- and 5-Paks. Mounting screws included. Shims made in U.S.A.

SPECS: Polymer, black. 1" (2.5cm) wide x 1 1/8" (4.1cm) long. Tapers from .08" (2.1mm) to .06" (1.6mm) thick.

- #452-000-030EG J Point 1° Shim, each 2E04Z00 . . . \$4.95
- #452-000-031EG J Point 1° Shim, 3-pak 2E10Z25 . . . 12.95
- #452-000-032EG J Point 1° Shim, 5-pak 2E15Z00 . . . 18.95

LASER DEVICES/EOTECH

EOLAD-1V LASER/HOLOGRAPHIC SIGHT SYSTEM

Dual-Mode System Gives Choice Of Red Dot Or Laser To Address Almost Any Target


Advanced dual-mode sighting system gives the operator the choice of a holographic red dot sight or a powerful laser sight to address almost any tactical situation. Combines the fast acquisition, heads-up versatility, and long-range capabilities of an EO Tech Model 552 holographic sight with the precision of a powerful 635nm/5mW red laser sight in one compact, flattop-mounted unit. Systems may be operated independently and are separately adjustable for windage and elevation. Laser has two output settings and draws power from the 552's battery pack; two, included 1.5 volt AA batteries give five hours of continuous laser operation. Eye-safe low-power setting is for force-on-force training and CQB; high-power setting for daylight and long-distance target illumination. Pressure switch on housing activates laser; a separate plug-in remote switch is provided for use on handguard or vertical grip. Both switches allow easy tactile selection of momentary or continuous operation. Master lock-out switch prevents accidental operation and allows selection of Low or High setting. Removable safety screw prevents accidental High mode activation. LED on rear of housing indicates when laser is on and flashes to indicate low battery. Materials and construction meet MIL-STD-810F for adverse environmental conditions. Aluminum housing is built to withstand shock, vibration, and temperature extremes of the harshest law enforcement and military operations. Aluminum "roll bar" hood protects display of holographic sight from impact; captive rubber plug protects laser lens when not in use. Electronics are sealed against dirt and are waterproof to a depth of 33 feet (10m). Flush-mounted, rubber-sealed, all-weather push-button switches are built to withstand thousands of on/off cycles. Integral mount locks securely to Picatinny and Weaver-style rail. 552 sight is night vision compatible with a brightness range of 1,000:1 with NV switch engaged. ■



MICHIGUNS

EOTECH ADJUSTMENT DECALS

Elevation & Windage Calibrated Decals For Fast Adjustments



Calibrated decals are placed on the outside of the EO Tech protective housing, around the elevation and windage knobs to allow fast, precise sight adjustments on distant targets. Large, easy to see arrows avoid confusion by pointing in the direction of turn to change elevation and windage. Transparent with tan colored lettering and markings that are easy to see. Each calibrated "tic" mark is the equivalent of 1/2" of bullet point-of-impact at 100 yards. Constructed of waterproof, high-strength vinyl, with an adhesive backing that holds tight. ■

SPECS: Vinyl decal. Calibration - 1/2" @ 100 yards. #100-003-668EG Adjustment Decals, 3Z06A95 . . . \$9.99

GG&G

EOTECH LENS COVER MODULE

Fast, Flip-Open Design; Protects The Lenses From Weather & Damage

Flexible rubber body with spring-loaded, ABS plastic covers help seal out dirt, dust and moisture to keep the lens surface of your EO Tech holographic sight clean, scratch-free, and ready for use in all shooting conditions. Integral tabs on the right and left sides of the covers allow a fast, ambidextrous flip-open action with thumb or finger pressure. Front cover opens to near horizontal position to help block rain or sunlight. Rear cover folds back on top of the EO Tech's protective hood for compactness, and to ensure a completely unobstructed view through the sight. Body section installs under the EO Tech protective hood, so it can't be lost or damaged. Fits EO Tech models 511, 512, 551, and 552. Included, noise-absorbing neoprene pads dampen the sound of the rear lens cover contacting the hood during covert operations. ■

SPECS: Rubber body, ABS plastic covers, neoprene pads, matte black. 2 3/8" (5.9cm) long, 1 1/8" (4.8cm) wide, 1 1/16" (3.6cm) high. 1 oz. (28.4g) weight. Includes Torx wrenches for installation.

- #336-000-007EG EO Tech Lens Cover 6C35V21 . . . \$42.99

YANKEE HILL EOTECH

REPLACEMENT SCREW

Oversize Head Makes Attaching Your HoloSight Easier



Fully machined, heat-treated thumbscrew with oversize, slotted head protrudes farther out from the side of your EO Tech holographic sight. Provides increased surface area for more positive sight retention than the small-headed factory screw. Makes attaching and removing your sight much easier to do, even when wearing gloves. ■

SPECS: Steel, matte blue. 2 1/8" (5.3cm) long. Head-.562" (14.2mm) diameter, 3/75" (9.5mm) thick.

- #100-002-898EG EO Tech Repl. Screw 9A06Z85 . . . \$9.00


SPECS: Housing/Hood - 6061 T6 aluminum, anodized, matte black. Polycarbonate battery compartment. 5 1/2" (14cm) long, 2 3/8" (7.3cm) wide, 2 3/8" (6cm) high. 15.8 oz. (448g) weight. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. Laser - Visible Class IIIa pointer, 5mW power output, 635nm wavelength, 8mm beam diameter at 25m. Maximum laser range approximately 33 yards (30m) in daylight, 492 yards (450m) in low light. Uses two AA 1.5 volt alkaline, lithium, or rechargeable batteries.

- #100-003-514EG EOLAD-IV Holographic/Laser Sight, 9A1195X00 . . . \$1,441.00



RED DOT OPTICAL SIGHTS

Rugged, No-Fail Sight Systems For Hunting, Target Shooting & Tactical Applications

Parallax-free aiming with a single, bright glowing red dot; proven to be the fastest, most accurate sighting system available. Exclusive Advanced Circuit Efficiency Technology (ACET) greatly improves the useable life of the single 3-volt battery. ACET sights can last nearly 50,000 hours (over five years on setting 7 out of 10) of constant use. AA battery model can last up to 80,000 hours with a single battery. All sight housings are machined, or extruded from 6000 series aluminum for maximum strength. Lens surfaces are optically ground (not cast) for superior clarity. Proprietary housing and lens sealing material keeps electronic and lens surfaces dry, fog-free and fully functional regardless of weather conditions. All models feature non-reflective, Mil-Spec anodized finishes. 

MICRO SERIES - Ultra Compact to reduce weight and bulk. Provides an easy-to-see, bright red LED aiming dot for hunting and tactical applications. All three models include an integral, Weaver-style mount that attaches easily without knobs, and is keyed to the sight body to absorb recoil. Fully adjustable for windage and elevation; adjustment tool is an integral part of the adjustment knob caps. **Micro H-1** with black finish and **Micro R-1** with silver finish are designed for hunting/sporting applications and are submersible to 15 feet. Can be mounted on shotguns, rifles, handguns, and bows, and include 12 daylight settings and one extra-bright setting. **Micro T-1** with black finish is designed for tactical use; includes band pass lens coating with 6 night vision/7 daylight settings, so it's fully compatible with all generations of Night Vision Devices, and submersible to 80 feet. Features integral Picatinny base.

SPECS: Anodized finish, matte black or silver. 2.4" (6.2cm) long x 2.4" wide x 1.6" (3.6mm) high, including mount. 3.7 oz. (105g) w/ including mount. 1X magnification. **H-1/T-1:** 4 MOA dot. **R-1:** 4 MOA dot, 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, DL2032) and rubber flip-up lens covers.

- #100-003-004EG **Micro H-1** 7A00YTP \$ 564.00
- #100-003-005EG **Micro R-1,** 7A00VBX 584.00
- #100-003-003EG **Micro T-1,** 7A00HDZ 633.00

MICRO MOUNTS

Precision machined aluminum and steel components provide more mounting options to increase the versatility of your Aimpoint Micro series red dot sight. **LRP Quick-Release Conversion Kit** converts the mount that came with your Micro to a quick release configuration that allows the sight to be removed from the firearm with the flip of the locking lever. Return sight to gun without loss of zero. **LT660 QD Riser Mount** made for Aimpoint by LaRue Tactical allows mounting on any flattop AR-15/M16/M4 at the ideal height for quick, precise, head-up target acquisition. Lets you retain and co-witness your rifle's factory iron sights through the lower 1/2 of the Micro's field of view, so they won't interfere with the Micro's sight picture. Locking, quick-release lever for fast attachment and removal from rail; machined recoil lug and side rail clamp ensure a rock solid installation. Correct height for use with Aimpoint 3XMag Magnifier. Requires 2 1/8" (5.4cm) of rail space. **Dovetail Mount** replaces the base the came with your Micro sight so you can mount it on any gun with a nominal 3/8" dovetail on the receiver.

SPECS: LRP - Steel, matte black finish. LT660 & Dovetail - Aluminum, hard anodized, matte black.

- #100-003-575EG **LRP Quick-Release Conversion Kit,** 7A3IZ94 \$ 36.50
- #100-003-578EG **LT 660 QD Riser Mount,** 7A110Z93 128.00
- #100-003-576EG **Dovetail Mount** 7A69Z39 78.00

9000SC - Medium length sight has nine daylight brightness settings, and is ideal for use with any semi-auto firearm and weapons that produce extra heavy recoil. 30mm exterior tube diameter helps provide unlimited field of view and eye relief, plus parallax-free aiming at all distances. Available with a 4MOA dot and submersible to 15 feet.

SPECS: Anodized finish, matte black. 6.3" (16 cm) long x 2.2" (5.5cm) wide. 7.4 oz. (210 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds. (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N), rubber flip-up lens covers, two (2) 30mm Weaver-style mounting rings and Allen wrench. Minimum/Maximum C-To-C Ring Spacing: 2" (5cm)/4.5" (15cm).

- #100-002-968EG **9000SC 4MOA,** 7A00VBX \$ 390.00

9000L SERIES - Provides fast, both eyes open aiming; increased length of body tube provides proper ring spacing on most firearms. Built to shrug off the heaviest recoil. 1X magnification with a 2 MOA dot and submersible to 15 feet. Features an exterior tube diameter of 30mm for maximum field of view and eye relief, plus parallax-free aiming at all ranges with 9 daylight settings.

SPECS: Anodized finish, matte black. 7.9" (20 cm) long x 2.2" (5.5cm) wide. 8.1 oz. (230 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N), rubber flip-up lens covers, two (2) 30mm Weaver-style mounting rings and Allen wrench. Minimum/Maximum C-To-C Ring Spacing: 2.4" (6cm)/6.1" (15.5 cm).

- #100-002-972EG **9000L 2MOA** 7A00YTP \$ 390.00

COMP2M2/COMPML2 SERIES - CompM2

was the first red dot sight rated rugged enough to be adopted by the U.S. Military. Its band pass coated objective lens is fully compatible with all generations of night vision devices, but built for optimum performance with 3rd generation NV technology. Includes 4 NVD and 6 daylight settings.

CompML2 is designed for law enforcement and other tactical applications where NV capability is not required. Both models feature a 4 MOA dot for close quarter combat and 9 daylight settings, and require an Aimpoint 30mm ring or equivalent for installation, ring not included.

SPECS: Anodized finish, matte black. 5.1" (130 cm) long x 2.2" (5.5cm) wide. 7.8 oz. (220g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds. (13mm @ 100m). ACET = 10,000 hrs on one battery on daylight setting, 50,000 hrs on NV setting. Includes lithium battery (3v, DL 1/3N) and rubber flip-up lens covers. Both models submersible to 75 feet (25 m).

- #100-002-960EG **CompM2 4MOA** 7A00VBX. \$ 497.00
- #100-002-961EG **CompML2 4MOA** 7A00HDZ 445.00

COMP3C SERIES

Compact red dot sights for up-close shooting that demand both speed and accuracy. Built to the same exacting tolerances as the entire Aimpoint line for fail-proof performance. Short length allows easy mounting for a variety of applications; 30mm Weaver-style ring is included. Both models include nine daylight brightness settings, removable lens covers, dial covers, and a cushioned, rubber ocular lens. Available with 2MOA or 4MOA dot.

SPECS: Anodized, matte, black finish. 4.7" (12cm) long x 2.2" (5.5cm) wide x 2.2" high. 7.1 oz. (200g) wt. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N). Includes 30mm Weaver-style mounting ring and Allen wrench. Submersible to 15 feet (5m).

- #100-002-976EG **CompC3 2MOA** 7A00YTP \$ 404.00
- #100-002-977EG **CompC3 4MOA** 7A00VBX 420.00



COMP3M3/COMPML3 SERIES - CompM3 is a fully redesigned version of the CompM2 and provides up to five years of constant power-on usage from a single battery. Band pass coated objective lens is fully compatible with all generations of night vision devices, but works especially well with 3rd generation NV technology used by military and law enforcement personnel. **CompML3** includes multi-layer, anti-reflective lens coatings designed for low light or daylight tactical operations where NV capability is neither required nor practical. Both models are available with 4MOA dot for close combat application or 2MOA dot for improved accuracy at longer distances. Both models include a removable, outer, black rubber armor cover for added protection. All models require an Aimpoint 30mm ring or equivalent for installation. Ring not included.

SPECS: Anodized finish, matte black. 5.1" (130 cm) long x 2.2" (5.5cm) wide. 7.8 oz. (220 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting. Includes lithium battery (3v, DL 1/3N), rubber flip-up lens covers and rubber sight body shield. Submersible to 150 feet (45m).

- #100-002-963EG **CompM3 2MOA** 7A00YTP \$ 562.00
- #100-002-964EG **CompM3 4MOA** 7A00VBX 562.00
- #100-002-965EG **CompML3 2MOA** 7A00HDZ 506.00
- #100-002-966EG **CompML3 4 MOA** 7A00YTP 506.00

REPLACEMENT RUBBER COVER FOR COMP3M3/ML3 - Factory

replacement for the removable rubber cover that comes with CompM3/ML3. Replace a worn or damaged cover, or put a Coyote tan cover on your sight to help it blend in on a rifle with a desert camo pattern.

SPECS: Synthetic rubber, Black or Coyote (tan). Fits Aimpoint CompM3/ML3 series red dot optical sights.

- #100-003-607EG **Rubber Cover for CompM3/ML3,** Black, 7A00ZAY \$ 26.99
- #100-003-606EG **Rubber Cover for CompM3/ML3,** Coyote, 7A25Z89 29.00

COMP4M4/COMP4S

The latest civilian version of the U.S. Army's M68 CCO (Close Combat Optic), and the most advanced sight produced by Aimpoint. Super efficient electronics deliver up to eight years of continuous use from a single AA battery. Optics feature band pass objective lens coating for superb light transmission and optimum 3rd generation NVD compatibility. Newly improved rotary brightness switch provides 7 NVD settings and 9 daylight settings, plus one extra-bright setting for outdoor use with anti-reflective goggles. Excellent choice for varmint hunters needing a rugged red dot optic with low light capabilities.

Integral, QRP2 mount (no additional mount ring required) features a single, oversized thumbscrew for fast installation and removal from Picatinny rails. Mount includes a separate vertical spacer for fast adaptation to a wide range of firearms. Available with versatile 2MOA dot. Can be quickly converted to a 3X, long-range red dot reticle scope by installing the optional Aimpoint 3XMag magnifying module listed below. **COMP4S** has the same great operating features as the COMP4, but positions the battery compartment low, on the right side of the unit for less chance of snagging and improved view over the top of the optic.

SPECS: Anodized finish, matte black. 4.7" (120 cm) long x 2.8" (7.2m) wide x 2.8" high. 11.8 oz. (335 g) wt. including mount. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 80,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting. Includes alkaline battery (1.5v, AA). Submersible to 150 feet (45m).

- #100-003-002EG **CompM4 2MOA** 7A00VBX \$ 759.00
- #100-003-734EG **CompM4S 2MOA** 7A00UAV 759.00

3XMAG MAGNIFIER - Mounts on a Picatinny rail directly behind any Aimpoint red dot optical sight to provide 3X magnification for improved accuracy when engaging small targets at long ranges. Durable rubber housing improves gripping surface

SPECS: 3-volt DL 1/3N lithium battery.

- #100-005-215EG **DL1/3N Lithium Battery** 5Z04A75 . . . \$ 4.99



and shields the module from damage caused by shock. Mounts to rail using a 30mm scope ring or the quick-detach Aimpoint TwistMount listed below. Mounting or dismounting will not change point-of-impact of your sight. Internal adjustments allow alignment with your pre-zeroed sight.

SPECS: Aluminum, anodized, dark grey, rubber coated, black. 4.3" (11cm) long x 1.7" (4.4cm) high, 1.6" (4.1cm) diameter. 7.1 oz. (200g) wt. Submersible to 67 feet (20m). Requires 30mm mounting ring for installation.

- #100-002-981EG **3XMag Magnifier** 7A00HDZ \$ 540.00

TWISTMOUNT FOR 3X MAGNIFIER - Quick-detach mount for Aimpoint 3x Magnifier lets you change instantly from long-range to CQB mode. Depress the release lever, twist the Magnifier, and lift it off for an unencumbered close-range sight picture. Low-profile base clamps to Picatinny-style rail; extra-long scope ring provides ample surface contact for a no-slip grasp on the magnifier body. May also be used as a quick-detach mount for other 30mm optics. Extra TwistMount bases sold separately, so you can quickly move your Magnifier from one rifle to another.

Co-Witness Spacer raises sight axis for proper co-witnessing with factory-height backup iron sights. Comes with four, extra-length hex head screws and Allen wrench.

SPECS: Aluminum, hardcoat anodized, matte black.

- #100-003-597EG **TwistMount Complete** 7A166U30. \$ 185.00
- #100-003-599EG **TwistMount Base,** only 7A105U30 . . . 117.00
- #100-003-598EG **TwistMount Ring,** only 7A81U14. . . . 90.50
- #100-004-137EG **Co-Witness Spacer** 7A25U13 26.00

TENEBRAEX KILLFLASH® ARD

Anti-Reflection Device screws into front lens opening of 9000SC and Comp series sights. Honeycomb filter disperses light to prevent reflections from front lens giving away your position without adversely affecting sight picture. Fits under the lens cover without modification.

SPECS: Polymer, black. Fits 9000SC and Comp series sights.

- #100-003-624EG **KillFlash® ARD** 7A36Z68 \$ 39.99

REPLACEMENT LENS COVERS

Replace lost or broken lens cover with the factory original part that came with your Aimpoint. **Flip-Up Covers** - Spring-loaded, polymer covers that flip open with finger pressure.

Available in black or see-through clear Tight, friction-fit installation. Fit non-magnifying (1x) 9000 and Comp series, including C3, MP3S, and M4/M4S. Rear covers fit all Aimpoints with 30mm rear objectives, including Comp and 9000 series. **Military** - One-piece, rubber, slip-on style with loop that fits over quick-release knob on QRP and QRW mounts. Fits Comp M2, ML2, M3, ML3, M4, and M4S. **Micro** - One-piece, rubber, "bikini"-style cover for Micro series sights.

SPECS: Fits Aimpoint Red Dot sights as indicated above. **Flip-Up Covers** - Molded polymer, black. Clear models have clear polymer windows in lid. **Military & Micro** - Rubber, black.

- #100-003-612EG **Flip-Up Front Cover,** Blk 7A16X67. \$ 18.75
- #100-003-618EG **Flip-Up Front Cover,** Clear 7A16Z67. 18.75
- #100-003-616EG **Flip-Up Rear Cover,** Blk 7A16B67 . . 18.75
- #100-003-621EG **Flip-Up Rear Cover,** Clear 7A16B67. 18.75
- #100-003-623EG **Military Lens Cover** 7A11Z46 12.50
- #100-003-625EG **Micro Lens Cover** 7A17Z00 18.99

REPLACEMENT DL1/3N BATTERY - Factory recommended lithium battery ensures steady output and the longest run time between battery changes. Provides reliable power output even in cold weather. Fits the following current model Aimpoint red dot sights: 9000 series, CompC3, CompC SM, CompM2, CompML2, CompM3, CompML3, and Laser Aiming Device LPI. Also fits discontinued older models: 1000 series, 3000 series, 5000 series, 7000 series, Comp, CompC, CompXD, CompM, CompML, CompMLXD.

SPECS: 3-volt DL 1/3N lithium battery.

- #100-005-215EG **DL1/3N Lithium Battery** 5Z04A75 . . . \$ 4.99



TRIJICON® AR-15/M16 ACOG SCOPES

Advanced Combat Optical Gunsight

Ultra strong, lightweight, forged aluminum housing and the compact design make this the strongest, most technically advanced, combat gun sight available. Tremendous light transmission and unbelievable optical clarity rivals many high-quality hunting scopes. Mounts on the AR-15/M16 or AR-10/SR25 carry handle without modifications. **TA01 4x32** - The exclusive Trijicon, self-luminous reticle has a built-in range-finding feature that's ballistically matched to the 5.56 X 45 NATO cartridge and clearly shows "center-of-mass" aiming points for ranges up to 800 yds. Easy-to-see reticle glows red in low-light conditions. Sight tunnel in mount allows use of standard issue sights. **TA01B 4x32** - Features the Trijicon, self-luminous reticle calibrated for 7.62mm NATO ammunition. **TA51 Bracket** converts standard ACOG for easy mounting on flat top receivers and Weaver-style rails.

SPECS: 7070-T6 alum. housing, black, anodized. 5.8" (14.7cm) long, 9.9 oz. (280 g) wt. 4X magnification, 32mm objective lens.

- #892-800-432EG TA01 4x32,**
2H873A10..... \$ 1,089.99
- #892-800-433EG TA01B 4x32,**
2H855A40..... 1,099.99
- #892-810-051EG TA51 Bracket,**
2H56A00..... 72.00

TA01NSN4x32SPECIAL FORCES

Includes integral peep rear with tritium dot front sight for fast, close range sighting; TA51 mounting bracket easily mounts the ACOG Special Forces on flat top receivers; Includes "bikini"-style scope covers and yellow center range finding reticle to match M4A1 Carbine NSN 1240-01-412-6608.

SPECS: 7070-T6 alum. housing, black, anodized. 5.8" (14.7cm) long, 9.9 oz. (280 g) wt. 4X magnification, 32mm objective lens.

- #892-810-432EG Special Forces ACOG,**
2H974A99..... \$ 999.99

TA11 3.5x35

- A larger ACOG with the exclusive Bindon Aiming Concept (BAC) for "quick-as-thinking" aiming. Built-in range-finding reticle for ranges up to 800 yds. Mounts on the AR-15/M16 handle without modifications; allows use of standard issue sights.

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 8" (20cm) long, 14 oz. (396 g) wt. 3.5X magnification, 35mm objective lens. Adjustable for windage and elevation.

- #892-800-335EG 3.5x35 ACOG,**
2H1061A69..... \$ 1,349.99

TA44 1.5X16

- The smallest, lightest ACOG we offer, the ultra-compact TA44 delivers fast targeting and outstanding mobility on lightweight tactical carbines. Perfect for entry teams and other tactical operators. Dual-illuminated reticle is a bright, easy-to-acquire, red dot within a circle, and modest 1.5x magnification ensures a wide field of view (7.4°, 39 ft. at 100 yards) for fast target acquisition under stress. Mounts directly to A2-type carry handle; tunnel in the integral base allows use of standard-issue sights.

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 4.1" (cm) long, 5.1 oz. (145g) weight. 1.5X magnification, 16mm objective lens. Adjustable for windage and elevation.

- #892-000-052EG 1.5x16 Red Circle/Dot ACOG,**
2H926A50..... \$ 1,090.00

TA47 2.0x20 - Lightweight, Compact ACOG, with the exclusive Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts on the AR-15 carry handle without modifications; allows use of standard issue sights. Dual illumination; fiber optic rod with glowing amber tritium illuminates the aiming Triangle Dot reticle in bright daylight and low light.

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 5.3" (13.4cm) long, 5.8 oz. (164 g) wt. 2.0X magnification, 20mm objective lens. Adjustable for windage and elevation.

- #892-803-220EG 2.0x20 Tri. ACOG 2H844A00..... \$ 1,090.00**

ACOG BIKINI COVER

- Flexible rubber lens covers seal out unwanted moisture and debris; comes equipped with a rubber pull tab for fast installation and removal.

SPECS: Rubber, black. 5 1/2" (14cm) long. Fits 4x32 ACOG scopes only.

- #892-801-052EG ACOG Bikini Cover 2H09A33..... \$ 12.00**

TA33 3X30

- Lightweight, compact ACOG combines ample 3x magnification with Bindon Aiming Concept (BAC) for quick, instinctive, both-eyes-open aiming—perfect for a patrol rifle or military carbine. Battery-free, dual illumination system uses an amber fiber optic rod and glowing tritium lamp to illuminate the reticle in bright daylight and low light. Chevron reticle resembles an upside down "V" and provides the benefits of a triangle reticle while covering less of the target. Clamps securely to a flattop receiver with the integral base; sight tunnel allows use of iron sights with scope on. Available in two models, with bullet drop compensated (BDC) reticles specifically calibrated to the trajectories of .223 and .308 cartridges.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. 6 1/8" (15.6cm) long. 7 oz. (198g) weight, scope only. 11.8 oz. (334g) weight including TA60 base. 3x magnification, 30mm objective lens. Adjustable for windage and elevation. **TA33-8** - for .223 AR-15/M16. **TA33-9** - for AR-type .308 rifles.

- #892-000-030EG TA33-8, 3x30 Amber Chevron ACOG for .223 2H844U00..... \$ 1,090.00**

- #892-000-029EG TA33-9, 3x30 Amber Chevron ACOG for .308 2H880U00..... 1,173.00**

TA45 1.5x24

- Compact, tritium and fiber-optic ACOG mounts easily to your AR-15/M16 carry handle and retains the use of your iron sights. Large, 16mm exit pupil and long eye relief provide great freedom for eye positioning. Bindon Aiming concept (BAC) provides delivers fast acquisition of targets; 1.5X magnification gives a precise sight picture. Available with an amber triangle reticle.

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approx. 5.8" (14.7cm) long, 5.9 oz. (167 g) wt. 1.5X magnification, 24mm objective lens. Adjustable for windage and elevation.

- #892-000-017EG 1.5x24 Amber Triangle ACOG,**
2H854U55..... \$ 1,090.99

TA50 3x24

- Lightweight, compact scope attaches right to AR-15/M16 carry-handle rifles. Allows use of iron sights. 3X magnification power helps identify targets 300 meters away and farther. Includes tritium and fiber optics to provide an excellent, magnified sight picture. Features the Bindon Aiming concept (BAC) to provide rapid target acquisition. Available with a red triangle reticle.

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approx. 5" (12.7cm) long, 5.9 oz. (167 g) wt. 3X magnification, 24mm objective lens. Adjusts for windage and elevation.

- #892-000-019EG 3x24 Red Triangle ACOG,**
2H846U82..... \$ 1,090.99

TA31F 4x32 - Compact, 4X magnification scope features a bright, red Chevron reticle that is lit by both fiber optics and tritium for a vivid sight picture at distances up to 800 meters. Uses the Bindon Aiming concept (BAC) for excellent, both-eyes-open, target acquisition. Chevron reticle looks like an upside down "V"; provides similar benefits of triangle reticles without covering up as much of the target. Sight tunnel retains use of iron sights. Mounts to Colt, military-style, flat top rails.

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approximately 5.8" (14.7cm) long, 10 oz. (284 g) weight. 4X magnification, 32mm objective lens. Adjustable for windage and elevation.

- #892-000-021EG 4x32 Red Chevron ACOG,**
2H1099U99..... \$ 1,399.99

TA31RCO 4x32

- Currently in service as the Rifle Combat Optic (RCO) of the United States Marine Corps, the TA31RCO is designed specifically for the 14.5" barreled M4 carbine. The bright, red, upside down "V" reticle gives fast, instinctive target acquisition at close range, and is bullet drop compensated (BDC) to the trajectory of military-issue 5.56 NATO ammunition for high hit probability out to 800 meters. Features the original TA31's long eye relief, ample 4x magnification, superior lens clarity, low-light capability, and Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts to MIL-STD 1913 Picatinny and similar flattop rails; base may be removed to allow installation on carry-handle rifles. Comes with TenebraeX® Killflash® shield to stop reflections from the front lens giving away your position, plus rugged, MOLLE-compatible nylon carry case, slip-on Scopecoat for protection during storage and transport, Lensepen, and adjuster cap lanyards.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. Approximately 5 7/8" (14.9cm) long, 6 7/8" (17.5cm) with Killflash installed. 15.9 oz. (451 g) weight. 4x magnification, 32mm objective lens. Adjustable for windage and elevation. Includes KillFLASH, nylon carrying case, Scopecoat, Lensepen, and manual.

- #892-000-039EG TA31RCO-M4CP 4x32 Red Chevron ACOG 2H1201A22..... \$ 1,549.99**

TA648 6x48

- Designed to fulfill the requirements of military and law enforcement precision shooters for outstanding long-range target identification and hit probability. Features ample 6x magnification, superb lens clarity, unbeatable low-light capability, and Bindon Aiming Concept (BAC) for fast, both-eyes-open aiming. Manual override lets you adjust reticle brightness by rotating the sleeve on the rear eyepiece. The bright, red, chevron (upside down "V") reticle aids in fast, instinctive target acquisition, with additional bullet drop compensated (BDC) estimated aiming points marked in 100 meter increments starting at 400 meters. **223/556** model is calibrated for U.S. military M855 cartridge out to 800 meters. **308/762** model is calibrated for U.S. M80 cartridge out to 1,200 meters. Dry nitrogen filled to eliminate fogging, and waterproof to 328 feet (100m). Mounts to MIL-STD 1913 Picatinny and similar flattop rails with the included TA75 base; scope/base may be removed and reinstalled as a unit without loss of zero.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. Approximately 9" (22.9cm) long. 36 oz. (1,021 g) weight. 6x magnification, 48mm objective lens. Adjustable for windage and elevation. Includes TA75 rail adapter, Pelican hardshell carrying case, Lensepen, and manual.

- #892-000-044EG 6x48 Red Chevron ACOG, 5.56 (.223),**
2H1546A66..... \$ 1,999.99

- #892-000-045EG 6x48 Red Chevron ACO, 7.62 (.308),**
2H1549A99..... 1,749.99

RUBBER EYEPIECE FOR ACOG'S - Shades the rear ocular lens for even better definition of the reticle.

- SPECS:** Black rubber. Fits 1 1/8" (28.6mm) - 1 1/4" (31.8mm) dia. lens.
#921-060-100EG ACOG Eyepiece 1B13X82..... \$ 18.08

LEUPOLD AR-15 MARK 4 CQ/T SCOPE

Speed Of A Red-Dot, With The Precision Of A Rifle Scope

Multi-function, red-dot and optical sight has variable power settings for fast, accurate engagement of targets out to 300 yards and beyond. Variable-brightness Circle-Dot reticle gives accurate ranging plus hold-over and lead on moving targets. Mil-Spec, Picatinny rails, on the top and right side, for lights, night vision gear or laser designators. Includes mounts for attachment to both A2 carry handle receivers and flattop receivers.

SPECS: Black, matte finish. 8.8" (22.4cm) long. 2" to 2.8" (5.1 to 7.1cm) eye relief. 175 oz. (496 g) wt. 1/2 MOA click adjustments. Dot size: 3MOA at 3X, 9 MOA at 1X. Circle size at 3X: 18" at 25 yards, 6" at 100 yards. Uses (1) AA battery (not included). Includes lens covers.

- #526-521-550EG Mark 4 CQ/T Scope 6B899T99. . . \$ 1,124.99**

FLATTOP MOUNTING BRACKET

- Replacement mount attaches the Mark 4 CQ/T to flattop AR-15 or any Picatinny base. Fits current and early model CQ/T scopes that did not include this mount.

SPECS: Steel crossbolts, aluminum bracket rails, black, matte finish. 2 3/4" (7cm) long.

- #526-000-043EG Flattop Mount Bracket 6B37A52. . . \$ 64.00**

LEUPOLD ANTI-REFLECTION DEVICE

Low Profile, Eliminates Reflection From Objective Lens

Tiny honeycomb baffles considerably decrease light reflection from objective lenses and won't interfere with sight picture. Perfect for the shooter who wants to remain hidden and undetected. Easy-to-use design snaps snugly onto 40mm fixed objective, non-threaded scopes while front edge remains flush with the outside for a tight seal. Cleans effortlessly with water or blowing air.

SPECS: Molded plastic, black. 1 3/4" (4.5cm) diameter, 3/16" (1.4cm) overall thickness. Fits non-threaded 40mm scopes with an inside objective diameter of 1.690 +/- .005" and a depth of .052-.108".

- #526-000-087EG Anti-Reflection Device 6B19T50. . . \$ 26.00**

TA01NSN 4X32 SPECIAL FORCES ACOG



I brought this model to Afghanistan and it performed without a flaw. It was subjected to hard use under some extreme conditions. The tritium peep sight on top works great for quick target acquisition under low light/dark conditions. Very good sight to compliment your system and I'm sure I will get years more use out of it. - By Celt5494 from San Diego

KILLFLASH® ANTI-REFLECTION DEVICE - Aluminum honeycomb effectively stops reflected glint of sunlight off objective lens to keep you from being seen. Minimal light reduction with no loss of field of view or resolution. Developed for the ACOG by TenebraeX®, the KillFlash shields the optic's interior to reduce internal glare and provide a cleaner view when targeting in bright light conditions. Attaches to scope securely with a tension-fit rubber strap—no permanent alterations to optic.

SPECS: ABS plastic, aluminum, black. 1" (2.5cm) long. **TA57** fits 4 x 32 ACOG scopes. **TA58** fits 1.5 x 16, 1.5 x 24, 2 x 20, and 3 x 24 ACOG scopes.

- #892-000-060EG TA57 Anti-Reflection Device,**
2H24A00..... \$ 24.99

- #892-000-023EG TA58 Anti-Reflection Device,**
2H28U00..... 34.99

LEUPOLD
MARK 4® 4.5-14X 50mm LR/T™
LONG RANGE TACTICAL SCOPE



30mm Tube For Maximum Light Transmission & Clarity

Variable-power, tactical scope has high resolution optics, repeatable accuracy and rugged, waterproof construction with the durability to withstand harsh operating conditions. 50mm objective and Multi-coat 4™ lens coating provide maximum light transmission in low light conditions. Front focus adjustment lets you eliminate parallax and stay in shooting position; your eyes never leave the target. Windage and elevation knobs have ¼ MOA audible click adjustments and 75 minutes total adjustment. Easy-to-use, target-style knobs reset to zero. Mil-Dot reticle with instructions.

SPECS: Black, matte finish. 30mm tube diameter. 50mm objective lens diameter. 12.5" (31.7cm) long. Weight 22 oz., (624g). 4.5-14X magnification. 100 yd. field of view: 4.5, 20.5" (6.8mm); 14, 76" (2.5m). Requires high rings.

#526-000-064EG Long Range Tactical Scope, 6B1300Y49 \$ 1,623.99

MEPROLIGHT
MEPRO 21 REFLEX SIGHTS

Glowing Reticle Works In All Light Conditions

Light-gathering, fiber optics and a tritium insert provide a crisp reticle in bright daylight or low light that's easy to see for quick target acquisition. No batteries to fail at the wrong time, no switches to break, always on and ready to use. 30mm lens gives an excellent field of view and has a multi-layered coating to enhance light transmission. **Mepro 21-I** is ultra bright, with fiber optics both above the sight and below the lens, giving it three times more light-gathering capabilities than the discontinued Mepro 21-C. Available in your choice of either a 5.5 MOA dot or a 12 MOA triangle. Dual-lever, quick-release mounting system provides accurate return-to-zero on Picatinny rails.

SPECS: Alloyed casting, matte black. 4½" (11.4cm) long, 1½" (4.2cm) wide. 13 oz. (368g) weight.

#387-000-033EG Mepro 21-I 5.5 QR 7H48AD00 \$ 605.00
#387-000-035EG Mepro 21-I 12 QR 7H506D00 632.00



Mepro 21-I

LEUPOLD
PRISMATIC RIFLE SCOPE



Combines The On-Target Speed Of A Red Dot With The Reliability Of A Traditional Scope

Compact, 1x magnifying optic combines the fast target acquisition, accuracy, and low-light capability of a red dot sight with

the reliability and clarity of a traditional rifle scope. Allows easy, both-eyes-open sighting that preserves depth perception and peripheral vision for quick reaction to changes in target—perfect for tactical operations or hunting applications that require a low-magnification scope. Battery powered illumination module clamps to the side of the tube and illuminates the reticle in red for maximum contrast with target. Eight brightness settings let you adjust the intensity of the crisp, circle-and-crosshairs reticle for light conditions varying from bright daylight to night time. Reticle is etched in the glass of the high-grade optic system, so it's visible at all times, sharp and clear without fuzziness, even when the illuminator is shut off or suffers battery failure. Or remove illumination module completely for minimal weight and bulk. Fully adjustable for windage and elevation in precise ½ MOA clicks, with a 70 MOA adjustment range. Focusing eyepiece allows adjustment to suit individual shooters. DiamondCoat 2™ lens treatment enhances light transmission and helps protect lens surface from abrasion and scratches. Includes integrated base with three optional height spacers to accommodate mounting on almost any firearm with Picatinny or Weaver-style rails. Also compatible with standard 30mm scope rings and A.R.M.S. #22 quick-detach throw-lever rings. Heavy duty, extra-thick walled tube, plus sealed, fogproof and waterproof construction stands up hard use.

SPECS: Aluminum, anodized, matte black. 4¾" (11.1cm) long, 2" (5.1cm) maximum width with Illumination Module installed. 30mm diameter tube. 8.4 oz. (237g) weight without base. Eye relief: 3" (7.6cm). Uses (1) DL1/3N button-type battery, included.

#526-000-090EG Prismatic Rifle Scope, 6B499T99 \$ 624.99

LEUPOLD PRISMATIC RIFLE SCOPE



I put this sight on my AR-15 and it works perfect. Great alternative to other red dot sights. The reticle is very clear when illuminated or not, and has a very generous eye relief. Can be used with both eyes open but takes some getting used to.

— **By mx477** from Peshastin, WA

TRIJICON ACCUPOINT SCOPE



Tritium & Fiber Optic Illumination In A Traditional Scope Configuration

Advanced, fiber optic/tritium aiming-point illumination speeds target acquisition in all light conditions. Battery-free, illuminated reticle automatically adjusts aiming point brightness to existing light conditions; manually adjusts aiming point brightness lets you adjust the brightness to your personal preference. Multi-layer coated lenses deliver superb clarity and light-gathering capacity without distortion. Variable power magnification with quick-focus eyepiece that gives exceptional edge-to-edge lens optical clarity.

SPECS: Forged 6061-T6 aluminum body, hardcoat anodized, matte black. Coated lenses. **TR-20, TR20-1 & TR20-2** - 12¼" (31.1cm) OAL. 13.2 oz. (374g) weight. **TR21-3** - 10½" (26.7cm) OAL. 11.8 oz. (334g) weight. **TR22-1** - 13½" (34.3cm) long. 20.9 oz. (591g) weight. **TR24** - 10⅞" (25.2cm) OAL. 14.4 oz. (408g) weight.

STOCK #	MODEL	RETICLE	MAGNIF.	OBJ. DIA.	BODY DIA.	PRICE
#892-000-013EG	TR20	Post w/amber triangle dot	3-9x	40mm	1"	2H618U67 \$ 799.00
#892-000-040EG	TR20-1	Crosshair w/amber dot	3-9x	40mm	1"	2H618A67 \$ 799.00
#892-000-041EG	TR20-2	Mil-dot crosshair w/amber dot	3-9x	40mm	1"	2H618A67 \$ 799.00
#892-000-042EG	TR21-3	German #4 crosshair w/amber dot	1.25-4x	24mm	1"	2H679A15 \$ 725.99
#892-000-043EG	TR22-1	Crosshair w/amber dot	2.5-10x	56mm	30mm	2H749A95 \$ 949.99
#892-000-054EG	TR24-R	Post w/red triangle dot	1-4x	24mm	30mm	2H765A00 \$ 900.00
#892-000-056EG	TR24-G	Post w/green triangle dot	1-4x	24mm	30mm	2H765A00 \$ 899.99



TRIJICON®
ACOG REFLEX SIGHT

A Bright, Glowing, Aiming Dot In All Conditions, Without Batteries

RX01 REFLEX SIGHT - Uses ambient light reflected through a fiber optic, light gathering system, plus glow-in-the-dark Tritium to provide an easy-to-see 6.5 MOA amber-colored dot in all light conditions. No batteries to weaken or wear out, no switches to turn on and off. Combat tested, all-machined, aluminum housing is rugged enough to withstand the toughest conditions without failure. Includes lens cleaning pen. Separate mounts allow one Reflex Sight to be used in several applications. No gunsmithing mounts return to zero after installation and removal.

SPECS: **RX01 Reflex Sight** - Aluminum housing, gray, hard-anodized finish, 4¼" (10.7cm) long, 4.2 oz. (119g) wt. 24mm objective diameter. **Mounts** - Aluminum, black, anodized finish. **RX10** - Fits AR-15 carry handle. **RX11** - Fits Weaver-style rails, dual locking screws. **RX14** - Fits Colt flattop AR-15 receivers, dual locking thumbscrew. **#892-110-001EG RX01 Reflex Sight 2H329X99 \$ 359.99**
#892-110-010EG RX10 Reflex Mount 2H121X63 155.99
#892-110-011EG RX11 Reflex Mount 2H54X67 69.00
#892-110-014EG RX14 Reflex Mount 2H96X00 124.00



RX30 REFLEX SIGHT & FLATTOP MOUNT - Same non-magnifying, dual-illumination system and 6.5 MOA amber dot as RX01, with larger 42mm objective for maximum light-gathering capability and fast target acquisition. Multi-layer, dichroic-mirror coated lens for outstanding heads-up, both-eyes-open targeting. Adjustable for windage and elevation +/-30 MOA, one click per inch at 100 yards. Housing is investment cast from A357-T6 aluminum alloy; mount of forged 7075-T6 aluminum provides rock-solid mounting to any MIL-STD 1913 Picatinny flattop rail, with return to zero after removal and re-installation.

SPECS: Aluminum housing and mount, hard-anodized, dark gray, matte finish. 4¾" (cm) long, 2⅞" (5.2cm) wide. 12.3 oz. (348g) weight. 42mm objective diameter. Includes lens cleaning pen, Allen wrench, and instruction booklet.

#892-000-038EG RX30 Reflex Sight w/Mount, 2H457A89 \$ 474.99



RX06 REFLEX II SIGHT - Advanced optics provide enhanced, wide-band, light transmission for faster target acquisition in a broad range of shooting situations. 12.5 MOA Triangle reticle gives lightning fast, very precise aiming in bright daylight or total darkness at any distance. Includes polarizing filter, rubber lens cover and lens cleaning pen. Select from sight mounts above.

SPECS: Aluminum housing, gray, hard-anodized finish, 4¼" (10.7cm) long, 4.2 oz. (119g) wt.

#892-112-125EG RX06 Reflex II Triangle Sight, 2H348X00 \$ 450.00



RX09 CYALUME REFLEX SIGHT - Uses glow-in-the-dark tritium, bright fiber optics, and cyalume light sticks to give you a well-lit reticle without the use of batteries. Includes a 15.1 MOA chevron reticle that looks like an upside down "V"; quickly aligns with the target like a triangle reticle, without covering up much of your sight picture. Does not include mount.

SPECS: Aluminum housing, gray, hard-anodized finish. 4¼" (10.7cm) long, 4.2 oz. (119g) wt.

#892-000-011EG RX09 Cyalume Reflex Sight, 2H406U67 \$ 525.00



TENEBAEX KILLFLASH GUARD - Anti-reflection device prevents glare and reflected images from interfering with sight picture on Reflex sights.

SPECS: Aluminum, matte, black. Honeycomb screen. .76" (19.3mm) long, 1.1" (2.8cm) diameter.
#892-802-022EG Killflash 2H33A43 \$ 39.99



TRIJICON RMR SIGHT

Compact, Ruggedized Red Dot Sight System For Fast, Accurate Targeting



As tough as Trijicon's legendary ACOG® scopes, the low-profile RMR™ (Ruggedized Miniature Reflex) sight enables fast, both-eyes-open, target acquisition—even in poor lighting conditions. Unlimited eye relief allows natural presentation from almost any shooting position, plus clear, unobstructed panoramic views for maximum situational awareness. Mount an RMR on your rifle to supplement your ACOG, and you're ready to address targets at any range. Performs in the harshest operating conditions thanks to a computer-optimized geometric housing of high-strength, forged, military-grade, aluminum that absorbs shock and diverts stress away from the lens. Simple to operate, no switches to toggle, or forget to activate under stress, because the sight is always on. The True-Color 28-layer coated, non-magnifying lens delivers a crisp, clear shooting picture. Fully adjustable for windage and elevation, 1 MOA per audible click. Each RMR is pre-adjusted at the factory to be parallax-free at 50 meters. **LED** models run over 17,000 hours on one CR-2032 lithium battery (included) or up to 4 years in dark storage. **RM01** projects a 4 MOA red dot, while **RM02** features an 8 MOA red dot. Battery-free **Dual-Illuminated** models use a combination of powerful, light-gathering fiber optics and self-illuminating Tritium to project a bright amber dot on the sight in any light conditions from pitch darkness to broad daylight. Automatically adjusts brightness and contrast of reticle to ambient light. **RM03** - 13 MOA dot; **RM04** - 7 MOA dot; **RM05** - 9 MOA dot. All RMR models come shipped in a water-resistant, dustproof, and crushproof Pelican™ case. Mounts sold separately, below.

SPECS: 7075 T6 aluminum housing, hardcoat anodized, matte black. Acrylic lens. 1¾" (4.5cm) long, 1⅞" (2.8cm) wide, 1" (2.5cm) high. 1.2 oz (34g) weight. Waterproof to 66 feet (20m). Carry case, CR-2032 battery (LED models), and instructions included; mounts sold separately, below. **RM01** - 4.0 MOA LED red dot. **RM02** - 8.0 MOA LED red dot. **RM03** - 13.0 MOA amber dot. **RM04** - 7.0 MOA amber dot. **RM05** - 9.0 MOA amber dot.

#892-000-050EG RM01 LED RMR Sight, 4 MOA, 2H552A50 \$ 650.00

#892-000-051EG RM02 LED RMR Sight, 8 MOA, 2H552A50 650.00

#892-000-063EG RM03 Dual-Illum. RMR Sight, 13 MOA, 2H398A98 \$ 402.99

#892-000-064EG RM04 Dual-Illum. RMR Sight, 7 MOA, 2H398A98 402.99

#892-000-065EG RM05 Dual-Illum. RMR Sight, 9 MOA, 2H398A98 402.99

RMR SIGHT MOUNTS - Strong, lightweight aluminum mounts provide a secure, solid platform for Trijicon's RMR™ red dot sights. **RM36** lets you mount an RMR on any 1.5x, 2x, and 3x ACOG® scope. **RM33** provides a low-profile mount on Picatinny rails; attaches to rail with a full-length locking bar and two recessed hex-head setscrews. **RM34** offers Picatinny rail mounting with extra elevation; attaches to rail with a full-length locking bar and an easy to grasp, grooved, thumbscrew for fast attachment. **RM34W** provides a low-profile mount on Weaver-style rails; uses the same attachment system as RM34.

SPECS: Aluminum, hardcoat anodized matte black. Heights measured from top of rail to bottom of sight. **RM36** fits 1.5x, 2x & 3x ACOG model sights. **RM33** fits Picatinny rails. ¼" (6.4mm) high. **RM34** fit Picatinny rails. ⅞" (2.2cm) high. **RM34W** fits Weaver-style rails. ½" (1.3cm) high.

#892-000-055EG RM36 Mount 2H106A25 \$ 125.00

#892-000-057EG RM33 Mount 2H65A43 77.95

#892-000-058EG RM34 Mount 2H72A68 86.95

#892-000-059EG RM34W Mount 2H67A72 84.99



Trijicon ACOG Reflex Sight Product Video Available Online

TRIJCON RED DOT MOUNT

Mount Red Dot Sights To Rails Or ACOG Scopes

Precision machined aluminum mounts provide a secure, solid platform for the original Trijicon RedDot, J-Point, Optima, and Fire Point sights. Will not fit Trijicon RMR™ red dot sight. **MS19** fits standard Picatinny and Weaver-style accessory rails. Large, deeply grooved thumbscrew serves as a recoil lug and pulls the steel locking bar tightly against the rail for a zero-movement installation. **MS12** allows secure piggyback mounting on Trijicon ACOG TA01NSN and TA31DOC scopes. **MS13** also fits TA01NSN and TA31DOC and adds protective wings to guard the red dot from impact during rough tactical operations. **USA**

- SPECS:** Aluminum, hardcoat anodized, matte black. **Will not fit Trijicon RMR red dot sight.** **MS19** fits Picatinny and Weaver-style rails. **MS12/MS13** fit ACOG TA01NSN and TA31DOC scopes.
- #892-000-048EG **MS19 Picatinny/Weaver Mount, 2H56A00**..... \$ 68.95
 - #892-000-046EG **MS12 ACOG Piggyback Mount, 2H51A00**..... 60.00
 - #892-000-047EG **MS13 ACOG Winged Piggyback Mount, 2H59A50**..... 70.00

TRIJCON TRIPOWERTACTICAL SIGHT



Three Light Sources, Ensures Aiming Point Is Always Visible

Multiple light source, optical sight makes sure the chevron reticle is always illuminated for reliable target engagement. Integrated fiber optic system automatically adjusts brightness to match light conditions. In total darkness, tritium-illumination provides a distinct aiming point. Battery backup system lets you set reticle brightness for tactical entry and critical, low-light situations. Features fifteen day and five night vision settings, auto shut-off and push button controls. Reticle is 14.4 MOA tall and 16.6 MOA wide, equals standard military silhouette at 100 meters to help determine range. 30mm tube, includes Weaver-style mounting ring. Sealed against dust and waterproof to a depth of 100 feet. **USA**

SPECS: Aluminum body, black, matte finish. 5 1/4" (13.3cm) long. 4.7 oz. (132 g) wt. Uses (2) CR1/3N lithium batteries. Includes (4) batteries, LensPen, Scopecoat, 30mm mounting ring, fiber optic cover, and hard carry case.

- #892-000-010EG **Tripower Tactical Sight, 2H54U97**..... \$ 714.99



COMMAND ARMS PICATINNY RAIL BIPOD

Compact, Streamlined, Fast-Deploying, Clamps Directly To Handguard Rail



Compact bipod clamps directly to handguard bottom rail and deploys instantly to provide a stable shooting platform wherever you need it. Legs conveniently fold forward, parallel to handguard, when not in use, and are independently adjustable to four positive-locking height settings (7/4" to 9 3/8"). Tough, non-slip rubber feet provide a stable purchase on the support surface. A 3" Picatinny rail on the underside allows installation of a vertical grip or other tactical accessory. Legs may be removed completely, leaving the locking hub and any attached accessory still on the handguard. No external springs to snag on other gear; tactile release button is easy to activate by feel, without taking your eyes off a potential target.

SPECS: Stainless steel and reinforced polymer, black. 178 oz. (504g) weight.

- #100-004-541EG **Picatinny Rail Bipod 2Z99D00**... \$ 124.99

KENG'S FIREARMS VERSA POD

Tactical & Hunting Shooting Rest System

Modular, two-piece design provides easy, push-button bipod removal. In the field you can carry the legs on your rifle or in a backpack. Multi-pivot head pans right and left; cants to compensate for uneven ground. Height adjustable legs may be folded to the front or rear. Mounting adapter included, additional adapters let you quickly interchange bipods between rifles. **Model 50, 51, 52** - bench/prone, has rubber feet. Mounts to QD swivel stud. **Model 1** - bench/prone, has grooved metal feet. Mounts to QD swivel stud. **Model 2** - bench/prone, has rubber feet. Mounts to QD swivel stud. **Model 3** - sitting, has rubber feet. Mounts to QD swivel stud. **Model 1T** - has metal feet, mounts to round handguard vent hole. **Model 2T** - has rubber feet, mounts to round handguard vent hole. **Mounting Adapters** let you change your Versa Pod's mounting system and feature an integral hand stop for a comfortable hold, plus a push-button, QD sling swivel.

SPECS: Bipod - Steel and aluminum, black, matte finish. Adapter - Polycarbonate, black.

STOCK #	MODEL	HEIGHT	PRICE
#100-003-383EG	50	5" to 7"	3K70A49 \$ 94.95
#100-003-384EG	51	7" to 9"	3K70A49 \$ 94.95
#100-003-385EG	52	9" to 12"	3K72A50 \$ 97.95
#100-000-299EG	1	9" to 12"	3K54T90 \$ 75.95
#100-000-300EG	2	9" to 12"	3K54T90 \$ 75.95
#100-000-301EG	3	15 1/2" to 23 3/4"	3K60T31 \$ 80.95
#100-000-302EG	1T	9" to 12"	3K60T31 \$ 80.95
#100-000-303EG	2T	9" to 12"	3K60T31 \$ 80.95
#100-000-304EG	Universal Adapter Attaches to QD swivel stud		3K17T02 \$ 24.95
#100-000-306EG	Pre-Ban AR-15 Adapter Attaches to bayonet lug		3K17T02 \$ 24.95
#100-000-307EG	Post-Ban AR-15 Adapter Attaches to handgrd vent hole		3K23T05 \$ 33.95
#100-000-560EG	Picatinny/Weaver Rail Adapter Attaches to Accessory Rails		3K28B95 \$ 40.95

PICATINNY RAIL VERSA PODS - Two, distinctly different bipods attach quickly to any Mil. Std. 1913 Picatinny rail for faster deployment when changing from field to bench shooting. **Lightweight Picatinny (LW)** features a convenient flip lever that locks securely to the rail, but can be flipped back for complete bipod removal in just seconds. Pan and tilt adjustments are controlled by tightening the dual lock-nuts with a wrench. **Heavy Duty Picatinny (HD)** attaches to Picatinny rails with a dual-screw, locking dovetail mount. Pan and tilt feature includes an instantly-adjustable, friction-locking thumbscrew that adjusts to expand or limit movement. Both models feature spring-loaded legs with non-skid rubber feet; legs are individually adjustable from 7" to 9" height.

SPECS: Steel, matte black. **Lightweight** - 17 oz. (.48kg) wt. **Heavy Duty** - 1 1/2 lb. (.68kg) wt.

- #100-002-874EG **LW Picatin. Versa Pod 3K147D67** \$ 199.95
- #100-002-875EG **HD Picatin. Versa Pod 3K180D25** . 249.95

VERSA POD BATTLE PACK - Combines the highly adaptable Model 52 Versa-Pod with three interchangeable sets of legs that let you configure the bipod for a wide variety of terrain. Kit includes legs with non-skid rubber feet for bench, range, or vehicle hood; "ski" feet for wet, porous terrain like mud, clay, or wet grass; and raptor feet for the roughest, slipperiest conditions. Quick-deploy legs can be adjusted anywhere from 9" (fully retracted) to 12" (fully extended) high. Pan-and-tilt mechanism lets you pivot the rifle left, right, up, or down to compensate for uneven ground. An adjustable, friction-locking thumbscrew limits the range of pivot movement or even locks in the setting completely. Mounts to almost any rifle using any Versa Pod adapter.

HARRIS BIPODS

Closest Thing To A Traveling Benchrest

Mounts to QD swivel studs on bolt action and single-shot rifles for ultimate field accuracy. Won't change zero; added weight steadies gun. Spring-loaded, telescoping legs have fixed notch and sliding adjustments for leg height; fold parallel to barrel for carrying. Series 1A2 bipods have solid base and do not swivel or rotate. Series S bipods rotate 45° for instant leveling on uneven ground. Buffer springs and adjustable tension on hinge base help eliminate tremor. Adapter fits either Series bipods. Not recommended for lever actions. **USA**

SPECS: Aluminum and high carbon steel, anodized, black finish. Adjustment height range is from resting surface to center of bore. **Model BR:** For benchrest use. **BRM** has equally spaced height adjusting notches. **Model H:** For prone/sitting. **Model L:** For bench or prone. **Model LM:** Notch only height adjustments. **Model 25:** Three Section legs. **Model 25C:** Extra tall three section legs. **#9 Adapter** requires swivel stud mounted to stock.

STOCK #	STYLE	MODEL	HEIGHT	PRICE
#416-005-001EG	1A2	BR	6" to 9"	6A67Y44 \$ 90.99
#416-005-000EG	S	BR	6" to 9"	6A97Y66 \$ 130.99
#416-005-101EG	1A2	BRM	6" to 9"	6A67Y44 \$ 90.99
#416-005-100EG	S	BRM	6" to 9"	6A97Y66 \$ 109.99
#416-001-121EG	1A2	L	9" to 13"	6A67V44 \$ 90.99
#416-001-221EG	S	L	9" to 13"	6A99V65 \$ 133.99
#416-002-123EG	1A2	LM	9" to 13"	6A67V44 \$ 90.99
#416-002-223EG	S	LM	9" to 13"	6A97V66 \$ 130.99
#416-025-225EG	1A2	25	11" to 25"	6A83Y11 \$ 111.99
#416-025-226EG	S	25	11" to 25"	6A113Y33 \$ 119.99
#416-002-122EG	1A2	H	13" to 23"	6A67V44 \$ 90.99
#416-025-227EG	1A2	25C	13" to 27"	6A83Y11 \$ 111.99
#416-025-228EG	S	25C	13" to 27"	6A113Y33 \$ 119.99
#416-003-015EG	#5 Adapter fits AR-15 round handguard includes sling swivel			6A10V31 \$ 13.99

SPECS: Steel and aluminum, matte black finish. Leg height adjustment: 9" (22.9cm) to 12" (30.5cm). 20.4 oz (578g) weight. Separately available adapter required to mount on rifle.

- #100-004-397EG **Versa-Pod Battle Pack 5A109H95** \$ 139.95

PICATINNY RAIL ADAPTER - Attaches to rail with an oversized, 1/2" knob; tighten by hand or a wrench for rock-solid stability.

SPECS: Steel, matte black. 1/2" clamping knob. Attaches to Picatinny rail systems with no permanent modifications.

- #100-002-144EG **Picatinny Rail Adapter 3K35X20** . \$ 49.95

VERTICAL GRIP ADAPTER - Restricted Movement (RM) adapter allows no movement of grip and keeps Versa Pod in line with weapon. **Full Movement (FM)** adapter allows for approximately 45 degrees of side-to-side movement; change targets without moving the Versa Pod. Both adapters have five rings for a positive grip. Stem that attaches to rail and Versa Pod are steel to provide stability.

SPECS: Mount - Steel, matte black. **Vertical Grips** - High-impact plastic, matte black. Attaches to Picatinny rail systems with no permanent modifications.

- #100-002-142EG **RM Grip Adapter 3K39X10** \$ 55.95
- #100-002-143EG **FM Grip Adapter 3K39X10** 55.95

AR-STYLE RIFLE FREE FLOAT TUBE ADAPTER - Provides secure mounting of Versa-Pod to any AR-15 style rifle with a tube-type free float forend with sling swivel stud. This adapter will fit ArmaLite® T-Series rifles, Rock River Arms Varmit models, and similar rifles with stud positioned on underside of tube. Comes with a 360° rotating quick-detach sling swivel that fits receptacles on both sides and bottom of mount. No gunsmithing required.

SPECS: Steel and hard, reinforced polymer composite, black finish.

- #100-003-760EG **Free Float Tube Adapter 3K34P95** \$ 44.95

ADVANCED TECHNOLOGY UNIVERSAL FEATHERWEIGHT BIPOD

Provides Rock Solid Support Without Weighing Down Your Rifle

Solid, glass-filled nylon bipod mounts to any sling swivel stud to provide superior forend support, yet is so lightweight you'll hardly know it's there. Telescoping legs with non-skid rubber feet adjust from 9" to 13" high to accommodate shooting prone or from the bench. Snap-n-lock button allows legs to conveniently fold and lock to the front or rearward position. Interchanging swivel collars let you assemble the unit for swivel motion or a locked position. Included neoprene pad protects the mounting surface of your stock. Additional hardware allows direct mounting to round, mil-spec AR-15 handguards without modification. Includes instructions. **USA**

SPECS: Glass filled nylon, black, matte finish. 8.4 oz. (238g) wt. Adjusts from 9" (22.9cm) to 13" (33cm) high.

- #1019-000-016EG **Featherweight Bipod 9A26B95** . . . \$ 34.95

RAINIER ARMS BOBRO GENERATION II CTM BIPOD

Quickly Detachable For Tactical Ops



Low profile bipod features a convenient lever that locks the bipod securely to any MIL-STD 1913 Picatinny rail, but easily unlocks for complete bipod removal in just seconds. Spring-loaded safety button keeps the lever closed and prevents any chance of an accidental release. High strength, steel pivot assembly allows the legs to cant left and right so you can keep your sights level on uneven surfaces. Legs easily pull down and lock, then release by pressing the extra large spring loaded levers. Legs are individually adjustable from 7" to 9 1/2"

from bottom of rail, simply loosen thumbscrew on each leg, slide inner leg up or down, and retighten the thumbscrews. Polymer composite feet with aggressive, non-slip soles grab and hold the surface to help prevent movement during rapid fire. Machined aluminum base and bipod are mil-spec Type III hardcoat anodized for durability.

SPECS: 6061 T6 aluminum mount & legs, mil-spec Type III hardcoat anodized finish, matte black. 4140 steel locking lever and hardware. Mount - 3 1/2" (8.9cm) long, 1 3/8" (3.5cm) wide, 1/4" (6.3mm) high. Legs - Adjustable 7" (17.8cm) to 9 1/2" (24.1cm) long.

- #100-004-052EG **Bobro Generation II CTM Bipod, 9B229C37** . . . \$ 259.99

TANGODOWN ADVANCED COMBAT BIPOD

Fast, Simple, No-Fail Design With Variable Height Adjustment

Sometimes the simplest design works the best. This compact bipod has legs that fold down and back up with the push of a button, silently and smoothly, allowing you to stay focused and on target. Individual leg height is set with a recessed push-button that totally eliminates any chance of an accidental release. Legs are preset for the optimum traverse angle and left/right cant; will never require adjustment. Non-slip, molded feet grab and hold the surface, so you won't drift off target during rapid fire. Minimum leg length is 8" from bottom of rail, adjustable in three positions up to 2 1/2" longer to fit individual shooters. Machined aluminum base with durable, polymer composite legs. Secures to Picatinny rail with steel latch and Allen head screws. Includes wrench. **USA**

SPECS: Aluminum base, steel hardware, polymer composite legs, matte black. 9" (22.9cm) long, 3 5/8" (9.9cm) wide, 1" (2.5cm) high.

- #100-003-402EG **Advanced Combat Bipod, 9B191X37** . . . \$ 237.94

VLTOR MODPOD SYSTEM



Quick-Deploy Bipod Provides A Stable Shooting Platform; Adds Minimal Weight & Bulk

Quick-deploy tactical bipod system gives the operator an exceptionally stable shooting platform for long-range targeting, while adding minimal bulk and weight to the weapon. Innovative two-piece design clamps directly to Picatinny side rails on forearm—no separate mounting hardware to misplace, lose, or accidentally leave back at base. Each leg is completely self-contained with captive clamp, locking bar, cross-bolt, and thumb-screw. Leaves bottom rail free for mounting other accessories, and ModPod is a perfect bipod option for weapons fitted with a grenade launcher, shotgun, or tear gas launcher. The absence of a complicated pivot mechanism under the handguard means the ModPod also keeps the weapon's center of gravity low, providing an exceptionally secure shooting stance. Telescoping legs have three positive-locking height positions—fully retracted, mid-point, and fully extended—to help you set the exact amount of elevation you need or adapt to uneven ground. Large, silent, push-button releases the leg and frees it to rotate a full 360° with positive locking points every 90°. For added versatility, legs can be mounted at the front of the handguard and folded to the rear, or at the rear and folded forward to avoid interfering with ejection port or operator's access to weapon controls on carbines and short-barreled rifles. Aggressively textured foot pads bite into the ground for firm support and resistance to slippage under recoil.

SPECS: Steel pivot mechanism, aluminum rail clamps, and reinforced molded polymer legs, matte black and tan. Leg length: 9" (22.9cm) retracted, 11 1/4" (28.6cm) fully extended.

#100-004-291EG Modpod System 3A164Y95 \$ 204.95

WHIDDEN GUNWORKS AR-15/M16 STINGER MONOPOD

For Consistent Accuracy Without Rear Sandbags

Compact, height adjustable monopod eliminates the need for cumbersome rear sandbags and provides a rock-solid rest for shot-to-shot consistency. Features a 4140 steel, adjustable leg that extends up to 4" vertically for coarse elevation adjustments and a micro-adjustable foot for fine-tuning. Extra long, polycarbonate lever provides plenty of leverage to lock the monopod leg in position. Lightweight, 6061 aluminum buttplate is hardcoat anodized for durability. Large, horizontal serrations provide a non-slip grip against the shoulder. Fits fixed, mil-spec buttstocks on AR-15 and AR-10 rifles (A1 and A2 variants). Includes new bottom mounting screw. Requires use of original top mounting screw.

SPECS: 6061 aluminum buttplate, 4140 steel leg and foot, polycarbonate lever, black, matte finish. 5 1/16" (13.2cm) long, 1 3/8" (4.1cm) wide, 5/8" (1.6cm) thick. 10.2 oz. (289g) weight. Fits mil-spec fixed buttstock on AR-15 and AR-10 rifles (A1 and A2).

#100-004-038EG Stinger Monopod 3B109X72 \$ 134.99

COMMAND ARMS UNIVERSAL EQUIPMENT MOUNT



Drop-On Installation; Lets You Mount Accessories To A Railed Handguard

Molded, RX-18 polymer, equipment mount lets you attach slings, bipods, and anything else that fastens, using a sling swivel stud, right to your handguard. Attaches easily to Weaver-style and Picatinny-rail handguards with a push-button catch/release. Accepts swivel stud-mounted bipods.

SPECS: RX-18 polymer, black, matte finish. 2 1/2" (6.4cm) long, 1 1/8" (2.8cm) wide, 1 3/16" high (swivel stud to top of mount). Drop-on installation. Accepts swivel stud-mounted bipods.

#100-001-154EG Universal Equip. Mount 2Z16X67 . \$ 25.95

BROWNELLS PICATINNY BIPOD ADAPTER



Provides Secure Bipod Attachment For Railed Handguards

Low-profile adapter clamps solidly to any Picatinny rail handguard to provide a secure mounting point for bipods that attach to sling swivel studs. Increases your accessory mounting options without making permanent alterations to gun. Stud and base are precision machined from a single billet of high-grade 6061 T6 aluminum for maximum strength to handle the rigors of tactical deployment. Two robust cross-bolts and oversized, slotted hex nuts of heat-treated 4140 carbon steel lock the full-contact clamping bar tightly to the rail, and ensure the mount won't shift position even under heavy recoil. Also accepts a standard quick-release sling swivel, for rapid transition from bipod operation to sling use.

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Thumbscrews & Bolts - 4140 carbon steel, black oxide finish. 2.125" (5.4cm) long, 1" (2.5cm) wide. Mount extends .357" (9.5mm) below rail. 2.7 oz. (76g) weight.

#080-000-540EG Picatinny Bipod Adapter 8K32P95 \$ 42.95

DOUBLE STAR PICATINNY RAIL BIPOD ADAPTER

Ultra-Secure Attachment Of Stud-Mounted Bipod To Railed Handguard



Precision machined aluminum and steel adapter clamps securely to bottom of railed handguard to let you mount a bipod that requires a sling swivel stud attachment point. Steel locking bar and three hardened steel hex head screws that also serve as recoil lugs attach to Picatinny and Weaver-style rails for an ultra-solid platform that won't slip even under heavy recoil. Streamlined design adds minimal bulk and weight to your weapon.

SPECS: Hardcoat anodized aluminum and parkerized steel, matte black. 2 3/8" (6.7cm) long, approx. 1 1/8" (2.9cm) wide, extends 1/16" (1.1cm) below rail. 2.9 oz. (81g) weight.

#100-003-741EG Bipod Adapter 2Z25X00 \$ 29.99

FA ENTERPRISES BIPOD ADAPTER



Versatile Bipod & Sling Mounting

Swivel stud mounted to an aluminum block slides onto Picatinny and Weaver-style accessory rails. Lets you mount a sling or bipod where you want it. Clamps tightly with no external nuts to snag. Great on AR-15s and rifles with accessory rails.

SPECS: 6061-T6 alum., Anodized, matte black. 2 3/4" (6.9cm) long.

#246-000-018EG Bipod Adapter 6D31P31 \$ 37.99

YANKEE HILL BIPOD ADAPTER



Rock Solid Platform For Bipod Attachment

Lightweight, slimline design eliminates the "clunky" extra baggage look that goes along with trying to mate a bipod to a railed handguard. The rugged, aluminum platform with fixed attachment stud provides a superior fit to Weaver or Picatinny, accessory rails. Two hex-head crossbolts give uniform clamping pressure, so adapter remains rock solid while shooting. Specifically contoured to accept Harris and similar bipods that attach to a swivel stud.

SPECS: Aircraft-grade aluminum, hardcoat anodized, matte black finish. 2 5/8" (6.7cm) long, 1 1/4" (3.2cm) wide, 5/8" (1.6cm) high. 2.2 oz. (62g) wt.

#100-002-072EG Bipod Adapter 9A21U79 \$ 30.99



GG&G BIPOD ADAPTER
Mounts Harris Bipods & Other Stud-Mounted Accessories To Railed Forearm

Bolt-on, low-profile adapter clamps to the Picatinny rail on the underside of a tactical rifle's forearm to allow mounting of a swivel stud-mounted bipod. Expands the accessory mounting versatility of your rifle without requiring permanent alterations to the weapon. Cross-bolt and locking bar mechanism provides secure rail engagement, even on worn or undersize rails. Radius-edged, counter-sunk bolt head, and locking bar recessed into the mount body give a smooth, streamlined profile and help resist catching on sling, vegetation, or other gear. Precision machined from solid 6061 T6 aluminum billet and Type III hardcoat anodized for extra strength and corrosion resistance, with a hard, non-reflective surface. Locking bar, cross-bolt, and stud are steel for maximum strength and durability.

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Locking Bar, Cross-Bolt, Stud - Hardened steel, black oxide finish. 2 1/4" (5.7cm) long, 1 1/4" (3.2cm) wide. Mount body extends 5/8" (9.5mm) below rail. 2.3 oz. (64g) weight.

#336-000-028EG Bipod Adapter 6C23B70 \$ 29.95

TACTICAL SOLUTIONS AR-15/M16 AR-22 UPPER RECEIVER ASSEMBLY



Complete, Dedicated .22 LR Uppers

Dedicated .22 LR flattop upper lets you do live-fire training with affordable rimfire ammo while retaining the weight, balance, and feel of your rifle. Replace your existing upper with the AR-22, load the included Black Dog .22 LR magazine, and you're ready to shoot. You practice with your existing trigger and fire control components, so the trigger pull feels the same. The mil-spec receiver has a standard MIL-STD 1913 Picatinny rail, charging handle, forward assist (non-functioning), and ejection port cover. Inside, the standard bolt/carrier assembly is replaced by a dedicated "bolt rail" of hardened tool steel with a blowback operated stainless steel bolt inside. Both components are built to run hard and handle the abuse of long practice sessions. M4 has the appearance and weight of a USGI M4 upper, with correct contour barrel, standard M4 handguard, A2-type flash hider, and a gas block/front sight tower with bayonet lug, sling loop, and square front sight post. LT has a lightweight, free-floated aluminum barrel with a button rifled, 1-16" twist chrome-moly steel liner. Muzzle is threaded to accept any compensator or flash suppressor that fits an AR-15/M16/M4. The included screw-on muzzle cap with 11" target crown gives a clean, finished appearance when a muzzle accessory isn't installed. The Hogue machined aluminum mid-length forearm has bands of aggressive knurling for a firm, non-slip grasp.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. .250" pivot/takedown pin holes. Bolt - Heat-treated 416 stainless steel. Bolt Rail - Tool steel. Magazine - Injection-molded polycarbonate, translucent smoke. 26-round capacity. M4 - 24" (61cm) OAL. 3 lbs, 15 oz. (1.8kg) weight. Barrel - Chrome-moly steel, Parkerized, matte black. 16.1" (41cm) long, 1-16" twist. 1/2"-28 tpi muzzle threads. LT - 23" (58.4cm) OAL. 2 lbs, 14 oz. (1.3kg) weight. Barrel - Aluminum with chrome-moly steel liner, hardcoat anodized exterior, matte black. 16 1/2" (41.9cm) long, .920" O.D. 1-16" twist. 1/2"-28 tpi muzzle threads.

#100-005-202EG AR-22 M4 Receiver 8K565Z71 . . . \$ 589.99

#100-005-203EG AR-22 LT Receiver 8K590Z86 609.99



57 CENTER AR-15/M16 AR57 UPPER RECEIVER



Magazine sold separately

Converts Any AR-15 To Shoot 5.7 x 28mm

Complete upper receiver lets you shoot economical, gentle-recoiling 5.7 x 28mm ammunition in your AR. The innovative, low-profile 50-round magazine (sold separately) is positioned conveniently above the barrel for optimum weight distribution. Spent cases are ejected straight down through the magwell to avoid striking other shooters and for easy range cleanup. Simple, reliable blowback operation with a free-sliding bolt that's the only moving part means there's no gas system to foul or log with carbon. Ultra-rigid, monolithic receiver/handguard rail is machined from a single block of aluminum, with nearly 3 feet of Picatinny rail space for mounting optics and other accessories. Plenty of vent holes in the handguard ensure maximum cooling during sustained fire. Free-floating, 4140 chrome-moly steel barrel is 16" long, with a unique, multi-port flash suppressor. Comes with a correct-weight recoil buffer for use with 5.7 x 28mm ammo; fits in the receiver extension of an M4-style stock.

SPECS: 25" (63.5cm) O.A.L. 4 lbs, 9 oz. (2.1kg) weight. Receiver/Handguard - 7075 T6 aluminum, hardcoat anodized, matte black. Barrel - 4140 chrome-moly steel, Parkerized, matte black. 16" (40.4cm) long, 1-8.5" twist. Magazine - Molded polymer, translucent, smoke. 10 3/4" (27.3cm) long. 4.8 oz. (136g) weight. 50-round capacity.

#100-004-892EG AR57 Upper Receiver, 2COOPIA \$ 695.99

#100-004-891EG 50-Rd Magazine 2C23T78 25.99



COLT AR-15/M16 COMPLETE UPPER RECEIVERS



Original Colt Factory Top Half In Standard Or Quad-Railed Carbine Configurations

Fully-assembled flattop upper receiver from the original manufacturer of U.S. military M16's comes loaded with combat-proven features and ready to snap onto any mil-spec lower. Includes M16-type bolt carrier compatible with semi- or full-auto/burst lowers, A2 flash hider, and step-cut barrel that allows mounting of M203 grenade launcher. Comes with U.S. Army standard-issue MaTech backup rear sight with quick-adjust detent lever that lets you choose eight range settings from 200 meters to 600 meters. Government Carbine - M4-style upper has an M4 handguard with dual-insulated aluminum internal shielding for excellent heat protection. A2-type front sight has side-mounted sling swivel that allows comfortable sling carry, even with a grenade or tear gas launcher installed. Advanced Law Enforcement Carbine (ALEC) - Upper receiver and handguard are machined from a single piece of aluminum billet for superb strength and 14" of uninterrupted top rail space. Bottom rail removes for easy access to the barrel nut and fully free-floated barrel. Low-profile gas block includes a bayonet lug and an integral flip-up front sight with an A2-type post.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, black. Barrel - 4140 carbon steel, black oxide finish. 16.1" (40.9cm) long. Chambered for 5.56mm NATO, chrome lined, 1-7" twist.

#160-000-388EG Gov't Carbine Upper 6A793Y38 . \$ 899.99

#160-000-387EG ALEC Upper, 6A1145Y28 1,359.99

SATISFACTION GUARANTEED SINCE 1939

NEW PRIMARY WEAPONS SYSTEMS
AR-15/M16
DC-16 GAS PISTON UPPER RECEIVER



Converts Your AR To A Smooth, Clean, Reliable Piston-Operated Tactical Carbine

Drop-in ready upper receiver assembly is the fast, easy way to convert your AR to a gas piston operated tactical carbine with a low-profile accessory rail system. The DC (Defensive Carbine) uses a "long stroke" piston to reduce felt recoil and provide smooth, consistent cycling for more comfortable shooting, and faster return-to-target for follow-up shots. Improves reliability, too, by keeping carbon fouling out of the receiver. The quad rail system clamps the barrel securely to the receiver to produce an ultra-rigid, yet compact platform that keeps the piston system properly aligned. Provides over 40" of accessory mounting space, including 16" of uninterrupted top rail that extends forward of the gas block. The bottom rail and each side rail has a receptacle at the rear for push-button, single-point sling attachment. Comes with plenty of Magpul XTM™ rail covers to cover unused portions of the rail. The cold hammer forged, chrome-lined 16" barrel is chambered for 5.56mm NATO ammo, with M4-type feed ramp cuts in the barrel extension to aid in reliable chambering. A PWS FSC556 flash suppressor/compensator minimizes muzzle flash and counteracts muzzle rise, further aiding in fast follow-up shots. **SPECS:** 25 1/4" (64cm) OAL. 4 lbs. 10 oz. (2.1 kg) weight. Fits mil-spec semi-auto and select-fire lower receiver with .250" pivot/takedown pin holes. Receiver/Rails - 7075 T6 aluminum, hardcoat anodized, dry film lubricated, matte black. Barrel - 4150 chrome-moly steel, Parkerized, matte black. 16" (40.6cm) long. Chrome lined, 1-7" twist, chambered for 5.56mm NATO.

#100-004-882EG DC-16 Upper Receiver, 4B00DZA \$ 1,199.99

NEW VLTOR AR-15/M16
MODULAR UPPER RECEIVER



Extra Metal For Superb Strength & Rigidity; Mil-Spec Dimensions For Compatibility

The MUR is a flattop upper receiver with thicker walls than a standard upper to provide a more rigid platform for greater stability, better accuracy, longer service life, and improved reliability. Precision machined from a fully heat-treated and cryogenically stress-relieved aluminum forging, before hand finishing to final dimensions. All critical interface points are 100% compatible with mil-spec select-fire AR-15/M16/M4 components and lower receivers, and will fit most commercial semi-auto lowers. A slick, dry-lube coating over the hard-anodized finish further guards against surface wear and helps ensure smooth operation of bolt/carrier and other internal components. Comes with true MIL-STD 1913 Picatinny rail with 13 cross-slots, plus forward assist and ejection port door pre-installed. Gunsmith installation recommended. **SPECS:** 7075 T6 aluminum, Type II, Class 3 hardcoat anodized, dry lube coating, matte black. .250" dia. pivot/takedown pin holes.

#100-004-042EG MUR Upper Receiver, 3A204H75 \$ 229.99

NEW DPMS AR-15/M16 SINGLE-SHOT
LOWER RECEIVER



Perfect Platform For Target Or .50 BMG Caliber Upper Receivers

Stripped, single-shot lower receiver is perfect for building a super-accurate target or varmint rifle. Streamlined design does away with the magazine well and some of the "assault rifle" look. Delrin feed ramp accommodates long, very low drag (VLD) bullets for extreme-range shooting, and is removable for installing a .50 BMG bolt-action upper. Accepts standard AR-15 trigger and internal components. **SPECS:** 7075 T6 aluminum, hardcoat anodized, Teflon-coated, black. Delrin feed ramp. Small pin, .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown pin holes. **FFL required for purchase.**

#231-000-246EG Single-Shot Lower Receiver, IC00TPU \$ 199.99

NEW JP ENTERPRISES
AR-15/M16/AR-STYLE .308
ENHANCED BOLT™ BOLT ASSEMBLY



Designed For Extra-Long Service Life

Complete bolt assembly is precision machined from an ultra-strong steel alloy to last up to 10 times longer than a standard carbon steel bolt, minimizing the risk of bolt failure during a critical engagement. SAE 9310 steel has a tough, ductile inner core highly resistant to stress fracturing, with a hard outer surface that resists galling and wear, to ensure a service life of up to 60,000 rounds. This is the same steel used in the transmission gears of Formula 1 race cars, so it's ideal for high-impact, high-heat applications like sustained full-auto fire. Meticulously machined radiuses on all 90-degree corners on the locking lugs help distribute impact force evenly and further reduce risk of premature wear and cracking. Fully supported extractor face and precise extractor engagement further ensure smooth, reliable cycling. **SPECS:** SAE 9310 nickel-chromium-molybdenum steel, in-the-white. Fully assembled with extractor, gas rings, ejector, pins, and springs installed. .223 fits AR-15/M16 and clones. Fully compatible with any mil-spec bolt carrier. .308 fits JP LRP-07, DPMS LR-308, and similar AR-style .308 rifles; will not fit ArmaLite® AR-10®.

#452-000-111EG .223 Enhanced Bolt 2E129B73 ... \$ 139.99
#452-000-113EG .308 Enhanced Bolt 2E129B73 139.99

NEW SMITH ENTERPRISE AR-15 MIL-SPEC
BOLT/CARRIER ASSEMBLY



Standard Dimensions For Drop-In Fit & Reliable Operation In Mil-Spec Receivers

Complete bolt/carrier assembly delivers the strength and durability that have made Smith Enterprise components favorites of competitors and tactical shooters. Mil-spec tolerances ensure proper fit and smooth, reliable function in the widest range of semi-auto commercial rifles for competition, duty, and field applications. Machined from high-grade 8620 carbon steel alloy for consistent dimensions and heat-treated for superb strength and hardness. Bolt recess in the carrier is hard-chromed and polished for smooth bolt movement and resistance to carbon build-up. **SPECS:** 8620 steel, Parkerized, matte black. Fits mil-spec semi-auto AR-15s chambered for .223/5.56mm.

#851-000-081EG Bolt/Carrier Assembly 1E220A83 \$ 269.99

NEW J.P. ENTERPRISES AR-15/M16
ADJUSTABLE GAS BLOCK



Pressure Adjustable For Smooth Cycling; Rugged Stainless Steel Construction

Replaces the factory front sight/gas block and allows you to tune the gas system for smoother cycling and operation. Proper cycling is especially critical on match and varmint rifles when shooting both factory and custom-loaded ammunition. A simple setscrew lets you control the gas flow, so you can customize the setting for each load. Three hex head setscrews clamp the block securely to a .750" O.D. barrel. Topside Picatinny rail accepts flip-up front sights and other accessories. Rugged, stainless steel construction resists gas erosion and helps maintain rifle's weight distribution. The hard, abrasion-resistant black oxide finish matches many factory barrel and receiver finishes. **SPECS:** 416 stainless steel, black oxide finish. 1 1/8" (4.7cm) long, .950" (2.4cm) wide. .750" (1.9cm) I.D. Instructions included.

#452-000-068EG Adjustable Gas Block 2E64P86 ... \$ 79.99

NEW BROWNELLS AR-15/M16
CARBINE-LENGTH GAS TUBE




Pre-Formed, Drop-In Tube For Repair Or Conversion

Hardened, stainless steel gas tube comes pre-formed with the correct bends and ready to replace a damaged tube or for converting a rifle to a carbine barrel. Proprietary passivation process seals the tube surface with a superior corrosion- and scratch-resistant film. **SPECS:** 304 stainless steel, mil-spec passivated. Approximately 9 3/4" (25cm) long.

#080-000-745EG Carbine Gas Tube 8K13V69 \$ 19.99

NEW NOVESKE AR-15/M16
SWITCHBLOCK



Adjusts Gas Flow For Reliable Single Shot & Sound Suppressor Operation

Adjustable gas block reduces gas flow to ensure reliable function during single-shot operation and when using sound suppression devices. Helps reduce felt recoil and minimize carbon buildup inside the receiver for less frequent cleaning without compromising reliability. Three-position selector drum adjusts easily with the included wrench. Suppressed position reduces back pressure to safe levels when using noise-limiting devices. Unsuppressed position allows normal weapon operation. Off position enables single-shot operation, preventing spent cartridge ejection and reducing muzzle concussion. Replaces factory gas block and tube; clamps securely around the barrel with two steel Allen head screws. Gunsmith installation recommended. **SPECS:** 17-4 stainless steel, nitride finish, matte black. Fits AR-15/M16 chambered in 5.56mm with .750" O.D. barrel at gas port. Requires free-floated barrel and handguard that does not cover the gas block; will not fit under standard plastic or railed handguards. Gas tube included. Models available for the following barrel/gas system lengths: 10.5" Carbine, 14 1/2"-16" Carbine, 14 1/2" Mid-Length, and 18" Rifle.

#100-004-767EG 10.5" Carbine Switchblock, 1A00PUA \$ 199.99
#100-004-768EG 14 1/2"-16" Carbine Switchblock, 1A00XYT 199.99
#100-004-769EG 14 1/2" Mid-length Switchblock, 1A00UAV 199.99
#100-004-770EG 18" Rifle Switchblock 1A00XCH ... 199.99

NEW BEAVER CREEK ARMORY AR-15/M16
GAS PISTON CONVERSION KIT



"Long Stroke" System For Reliable Feeding & Less Wear On Bolt & Carrier

Long-stroke, low-pressure gas piston minimizes impact on the bolt for reliable feeding and long bolt life. Causes less carbon build-up on bolt, carrier, and upper receiver than original gas impingement system, further reducing wear and shortening cleanup time. Easily installs on AR-15/M16 rifles with carbine-length gas systems using the existing A2 sight tower/gas block or an aftermarket steel gas block. Requires no permanent alterations to barrel or upper receiver. Included shims allow installation on .640", .850", or .875" O.D. barrels. Piston spring is rated for 1,000,000 compression cycles. **Complete kit** includes a dedicated, one-piece bolt carrier specifically designed for gas piston operation. **Carrier Lug kit** lets you retain your rifle's factory carrier by replacing only the gas key with a lug for piston operation. Dedicated, one-piece **Carrier** also available separately. **SPECS:** Piston/Cylinder - S-7 steel, nickel finish. Cylinder Block - 4140 steel, nickel finish. Bolt Carrier - S-7 steel, matte black finish. Gas Port Insert - stainless steel, natural finish. Handguard - Reinforced polymer composite, black. Fits rifles with carbine-length gas system and .640", .850", or .875" O.D. barrel, measured 1 1/2" behind the front sight. Instructions included.

#100-005-240EG Complete Gas Piston Kit w/Carrier, 1D38A06 \$ 409.99
#100-005-239EG Gas Piston Kit w/Carrier Lug, 1D335A29 379.99
#100-005-241EG Gas Piston Carrier 1D125A71 139.99

NEW OSPREY DEFENSE AR-15/M16
OPS-416 GAS PISTON CONVERSION KIT



For Smoother, Cooler Operation, Reduced Recoil, & Less Frequent Cleaning

Drop-in gas piston conversion kit installs in only five minutes and improves the reliability and function of your AR-15 by eliminating fouling caused by gas venting into receiver. Rifle runs cooler, with less frequent need for cleaning and less wear on carrier and bolt - resulting in longer service life from these critical parts. The unique, kidney-shaped cross-section of the piston and piston chamber provides extra mass and surface area to evenly spread out gas pressure and reduce felt recoil, allowing you to stay on target for rapid follow-up shots. Installs in minutes on both semi- or full-auto/burst rifles with a barrel O.D. of .875" or less. No need to remove gas block/sight tower, and no permanent alterations to barrel or upper receiver - reinstall original parts at any time. Replacement bolt carrier with integral lug is machined from a single piece of steel for a lifetime of use. Models available to fit **Carbine** and **Rifle** gas systems. **SPECS:** Steel, black oxide finish. Handguard - Reinforced polymer composite, black. Kit includes preassembled piston assembly, bolt carrier, handguard, and instructions. **Carbine** fits 11 1/2" to 16" barrels with .875" O.D. or smaller, and carbine-length gas system. **Rifle** fits 20" barrels with .875" or smaller O.D. and rifle-length gas system.

#100-005-291EG Carbine Gas Piston Kit, 1F359Y00 \$ 389.99
#100-005-290EG Rifle Gas Piston Kit, 1F359Y00 389.99

HELP YOUR BOTTOM LINE
BBA
BrownellsBusinessAdvantage.com

NEW BEAVER CREEK ARMORY AR-15/M16 CARBINE BARREL



Standard Contour M4 Barrel With Durable Black Oxide Finish
Carbine-length barrel machined from high-grade 4140 chrome-moly steel replicates the dimensions of the standard mil-spec M4 barrel. Comes with gas port pre-drilled, barrel extension with M4-style feed ramps, and 1/2"-28 tpi muzzle threads to accept a wide range of aftermarket flash hiders and muzzle brakes. Chambered for 5.56mm NATO, with 1-9" rifling. A hard, black oxide finish adds surface strength and corrosion resistance, and matches the factory hardcoat anodizing on most receivers.
SPECS: 4140 chrome-moly steel, matte black oxide finish. 16 1/2" long, .665" O.D. under handguard, .750" O.D. at gas port, .700" at muzzle. 5.56mm NATO. 1-9" twist. Not chrome lined.
#100-004-999EG Standard Carbine Barrel, 1D127Z14 \$ 149.99

NEW BEAVER CREEK ARMORY AR-15/M16 CARBINE TARGET BARREL



Extra Thick to Resist Accuracy Loss Caused By Overheating
Carbine-length, heavy target barrel is .210" thicker under the handguard than a standard M4 barrel to resist accuracy loss caused by heat distortion during sustained fire. Machined from high-grade 4140 carbon steel, with a hard, MIL-DTL-13924-D black oxide finish that adds surface strength and corrosion resistance. Comes with pre-drilled gas port, barrel extension with M4-style feed ramps, and 1/2"-28 tpi muzzle threads that accept a wide range of aftermarket flash hiders and muzzle brakes.
SPECS: 4140 chrome-moly steel, matte black oxide finish. 16 1/2" long, .875" O.D. under handguard, .750" O.D. at gas port, .700" O.D. at muzzle. Chambered for 5.56mm NATO. 1-9" twist. Not chrome lined.
#100-005-409EG Target Barrel 1D127T14 \$ 149.99

NEW BROWNELLS AR-15/M16/AR-STYLE .308 CRUSH WASHERS



Ensures Proper Fit of Flash Suppressor Or Muzzle Brake
High-quality stainless steel crush washer ensures correct alignment of flash suppressor, compensator or muzzle brake. Replace a broken, corroded, or dinged up washer to guarantee proper fit and indexing of an aftermarket muzzle accessory. Models available to fit AR-15/M16 and AR-style .308 barrels.
SPECS: 17-4 PH stainless steel. 25 ft. lbs torque. AR-15/M16 - 3/4" (1.9mm) outer dia. Fits 1/2" O.D. threads. AR-Style .308 - 1/2" (2.2cm) outer dia. Fits 5/8" O.D. threads.
#800-000-753EG Crush Washer, AR-15/M16 8K03C33. \$ 3.99
#800-000-755EG Crush Washer, AR-Style .308, 8K02C48 2.99

NEW PWS AR-15/M16/AR-STYLE .308 MUZZLE DEVICE ALIGNMENT SHIMS



Ensures Correct Alignment Of Flash Hiders, Compensators & Muzzle Brakes
Hardened steel shims ensure precise fit and correct alignment of flash suppressors, muzzle brakes, and compensators. Large (thick) shim allows 90° of rotation and can be used as a spacer for barrels not having a relief cut behind the threads. Medium shims add approximately 45° of rotation. Small shims used with large and medium shims provide smaller degrees of rotation for

NEW ARRINGTON ACCURACY WORKS AR-15/M16 MUZZLE BRAKE/FLASH SUPPRESSOR



Directs Blast Forward To Reduce Recoil & Flash; Gives Rifle A "Sound Suppressed" Look
Distinctive-looking muzzle brake directs blast and noise forward and away from nearby shooters, while providing better flash suppression than standard A2 suppressor. Internal expansion chamber slows gases to reduce felt recoil and to complete the powder burn, reducing flash signature. Gives the appearance of a rifle fitted with a short barrel and sound suppressor, yet is completely legal on a 16" or longer barrel. Installs easily on a barrel with standard 1/2"-28 tpi muzzle threads (peel washer required, available separately) and locks down securely with a setscrew. Natural finish aluminum outer tube is ready to paint - ideal for Brownells Aluma-Hyde II, Gun-Kote, or Baking Lacquer.
SPECS: Steel internal components, aluminum outer tube, natural finish. 4.8" (11.6cm) long, 1" (2.5cm) O.D. 4.6 oz. (130g) weight. Fits .223/5.56mm barrels with 1/2"-28 tpi muzzle threads. Requires 3/8" of unobstructed barrel exterior behind muzzle.
#100-005-426EG Muzzle Brake/Flash Suppressor, 3C172U86 \$ 199.99

NEW DOUBLE STAR AR-15/M16 CARLSON STRIKE FLASH HIDER



Provides Powerful Flash Suppression & Gives Rifle A Unique Look
Aggressive-looking flash hider has six flutes that dissipate hot combustion gases while retarding powder to ensure a complete burn that minimizes muzzle flash. Designed by Greg Carlson, a dedicated Class 3 shooter, the Strike is exceptionally effective on tactical carbines and short-barreled rifles. Precision machined from high-strength 8620 steel and heat treated for extra hardness to withstand the eroding effect of hot combustion gases.
SPECS: 8620 steel, Parkerized, matte black. 2" (5.1cm) long, .815" (2.1cm) O.D. 2.4 oz. (69g) wt. Fits AR-15/M16 rifles and carbines in .223/5.56mm with 1/2"-28 tpi threaded muzzle. Installation may require peel or crush washer, not included.
#100-005-346EG Carlson Strike Flash Hider, 2Z32C86 \$ 39.99

NEW GOGUN AR-STYLE .308 TALON BRAKE



Powerful Recoil Control Keeps You On Target
Hardened steel muzzle brake vents gas up and to the sides through nine ports to counteract recoil and keep you on target even in full auto fire. Distinctive "claws" at muzzle give your rifle an aggressive appearance, but will not cut bare skin unless high intentional force is applied, making the Talon an excellent CQB backup device. Precision machined from pre-hardened chrome-moly steel, and Parkerized, to match the factory finish on most barrels.
SPECS: Machined chrome-moly steel, Parkerized, matte black. 2.9" (7.4cm) overall length. 1.2" (3cm) O.D. 6.2 oz. (175g) weight. Fits .308/7.62mm barrels with 5/8" x 24 tpi RH threads. Crush washer included.
#100-005-529EG AR-Style .308 Talon Brake, 5B63A50 78.50

finely-tuned, critical alignment.
SPECS: Steel. Sold in 10 paks (1 small, 1 large, 8 medium). .223 - .748" O.D. Fits muzzles threaded 1/2"-28 tpi. .308 - .837" O.D. Fits muzzles threaded 5/8"-24 tpi.
#100-005-378EG .223 Shim Set 4B03Z08 \$ 3.99
#100-005-379EG .308 Shim Set 4B04Z23 4.95

NEW MICOR INDUSTRIES AR-15/M16 FLASH SUPPRESSOR



Angled Ports Align With Bullet Gas Path For Increased Accuracy & Less Muzzle Flash
Five helical ports align with the bullet gas path to enable complete venting of combustion gases for increased accuracy with reduced muzzle flash. Precision machined ports are angled to match the 1-7" twist rate commonly used on AR-15/M16 barrels, while eliminating accuracy-robbing back pressure. Rigorous testing showed group sizes decrease by almost one-third when compared to a standard A2 flash suppressor. Helps preserve night vision and prevent pin-pointing the shooter's position. Precision machined from 4140 steel-alloy bar stock, then heat-treated to Rc 28-32 for added strength before application of an advanced Melonite™ finish for durability and corrosion resistance. Compatible with most blank firing adapters and noise suppressors.
SPECS: 4140 st eel, Melonite finish, matte black. 2" (5.1cm) long, 7/8" (21.8mm) O.D. 1/2"-28 tpi threads. 2.3 oz. (65g) wt. Includes crush washer. Fits AR-15/M16 rifles chambered in .223/5.56mm, with 1-7" rifling.
#100-005-242EG 1-7" Flash Suppressor, 3Z49A82 \$ 59.99

NEW SMITH ENTERPRISE AR-STYLE .308 MUZZLE BRAKE



No-Gunsmiting Recoil Control
Puts an end to muzzle flip and reduces felt recoil for more comfortable shooting and faster follow-up shots. Fits AR-style rifles chambered in .308/7.62mm caliber, with 5/8"-24 tpi threaded muzzles. No machining, cutting, or fitting required to install on most guns. Just remove the factory brake and screw this one on. Machined from extra-strong 8620 carbon steel, heat-treated to Rc 55-58 surface hardness for superb resistance to blast erosion.
SPECS: Machined 8620 steel, manganese phosphate finish, matte black. Surface hardened to Rc 55-58. Core hardness Rc 32-36. 2 1/2" (7.3cm) long, 1" (2.5cm) O.D. 5/8"-24 tpi threads
#851-000-083EG .308 Muzzle Brake 1E76V39 \$ 89.99

NEW IRON RIDGE ARMS AR-15/M16/AR-STYLE .308 MODEL II TRIGGER SYSTEM



Consistent & Reliable, Even Under Rigorous Tactical & Competition Conditions
Heavy-duty, single-stage trigger system is built to handle the rigors of tactical and competition use, while delivering a smooth, consistent pre-set 4 1/2 to 5 lb. pull with a clean letoff. Trigger shoe, hammer, and sear are machined from hardened A2 tool steel, with precision-ground contact surfaces. Extra-wide shoe ensures comfortable finger contact that further assists a controlled pull. Heavy duty springs stand up to hard use and ensure quick reset for fast follow up shots. Comes with slightly oversized, .155" diameter trigger and hammer pins for a secure, slop-free installation (some fitting required). Pins are heat-treated to Rc 62 to resist wearing out-of-round. Fits standard AR-15, and strong enough for installation in the ArmaLite® AR-10®, DPMS LR-308, and similar AR-style .308s that accept small-pin AR-15 trigger components.
SPECS: A2 tool steel, hardened to Rc 57-60, black oxide finish. .155" dia. hammer/trigger pins. Fits standard .223/5.56mm AR-15, ArmaLite® AR-10®, DPMS LR-308, and similar AR-style .308s that accept small-pin AR-15 trigger components.
#100-004-601EG Model II Trigger 7B128D86 \$ 159.99

NEW AMERICAN TRIGGER CORP. AR-STYLE .308 SR GOLD TRIGGER MODULE



Drop-In Fire Control System Gives Your .308 A Light, Safe, Match-Grade Pull
Self-contained trigger/assembly installs in minutes and gives your AR-style .308 a light, smooth, match-grade trigger pull free of grittiness, with an ultra-crisp letoff and short reset. Simply remove factory trigger and safety selector, drop in the module, reinstall selector and pins, and you're ready to shoot. Completely new engagement geometry produces a light 3-lb. pull and crisp release without compromising reliability or safety. The two-stage design is adjustable for sear engagement and overtravel, with a first-stage takeup of approximately 6 ounces, followed by actual sear movement taking up the rest of the weight—the reverse of the military two-stage AR trigger pull profile. Instead, the shooter can build force steadily, maintaining precise control and keeping his attention on the target. After release, reset travel is only .030", less than half the .070" typical of standard match triggers, to aid in fast, accurate follow-up shots. The sear captures the hammer at the back instead of near the pivot point to help produce the light pull and maintain safety. A second, independent, intercepting sear is positioned to block the hammer if it slips off the primary sear, as when the weapon is dropped or suffers hard impact. If the intercepting sear captures the hammer, pulling the trigger will still fire the rifle, though with a heavier pull weight. In addition, the Gold system uses the rifle's factory safety to positively capture the hammer, like an M1 Garand, and roll it back below the primary sear for an extra margin of safety. A lightweight aluminum housing contains the entire system and maintains the correct tolerances between the working parts. The receiver pins serve only to anchor the module in the receiver, with no effect on trigger function.
SPECS: Trigger/Hammer - Wire EDM cut S7 tool steel. Housing - Aluminum, anodized, black. Fits ArmaLite® AR-10®, DPMS LR-308, Knight's Armament SR-25, and similar AR-style .308 rifles with .154" trigger and hammer pin holes.
#100-004-933EG SR Gold .308 Modular Trigger, 5A273D97 \$ 279.99

NEW WILSON COMBAT AR-15/M16 TR-TTU-M2 TACTICAL TRIGGER UNIT



Match-Grade Two-Stage Pull From A Rugged, Reliable Drop-In Module
Drop-in trigger module fits any mil-spec small-pin AR-15 and delivers a light, superbly crisp trigger pull—no adjustment or fine-tuning required. "Semi" two-stage, 4-lb. pull has an abbreviated initial stage that establishes sear engagement for safe, reliable operation in high-stress tactical environments, followed by an ultra-clean, second-stage release that's closer to a bolt action than a typical tactical rifle. Exceptionally short, positive reset gets you back on target and ready to take the next shot almost instantly. Unique hammer geometry keeps weight to a minimum for ultra-fast lock time, yet provides plenty of kick to ensure reliable ignition, even on hard military primers. A secondary "rescue" sear grabs the hammer if the primary sear fails when the weapon is dropped or severely jarred—meets military specifications for drop safety. CNC-machined, hardened tool steel hammer, sear, and trigger body with precision-ground contact surfaces are built to run hard in competition or combat, all contained in the rugged machined aluminum housing.
SPECS: Trigger/Hammer/Sear - Hardened tool steel, matte gray finish. Housing - Aluminum, anodized, matte black. Fits AR-15 with .154" trigger and hammer pins. Includes two .154" pins and installation instructions.
#965-000-088EG TR-TTU-M2 Tactical Trigger Unit, 5F259C99 \$ 299.99

NEW

DPMS AR-15/M16 RECEIVER RUG

Helps Prevent Trigger Jams From Blown Primers

Synthetic rubber gasket fits between the trigger group and the lower receiver to prevent blown primers and other debris from wedging under the trigger and causing malfunctions. Gives service rifle and three gun competitors, military, and law enforcement shooters extra insurance that a simple problem won't render a rifle unusable. Installation requires removal of safety selector, hammer, and trigger assembly; gunsmith installation recommended. May cause small increase to trigger pull.
SPECS: *Mil-Spec* - Molded synthetic rubber, black. Fits USGI-type triggers. *Adjustable* - Die-cut synthetic rubber, red. Fits aftermarket adjustable triggers.
#231-000-264EG Receiver Rug, Mil-Spec, 1C06B25 \$ 8.99
#231-000-263EG Receiver Rug, Adjustable, 1C02B50 3.99



NEW

BROWNELLS AR-15/M16 TACTICAL CHARGING HANDLE

Heavy-Duty All-Steel Construction Won't Fail Under Hard Use

All-steel charging handle is built to stand up to rough handling in competition and tactical operations. Won't bend or break during rapid loading drills or left-hand-slap stoppage clearing. Comes with a standard mil-spec latch that can be swapped out for the included, oversized, tactical latch, with an easy-to-find, oversized thumb surface for brisk operation with the left hand, even in the dark. Great for three-gun shooters, and legal for NRA High Power Match Rifle competition.
SPECS: Steel, Parkerized, matte black. Fits mil-spec AR-15/M16 upper receivers. Tactical Latch - 5/8" (15.9mm) square contact area. Installation instructions included.
#080-000-617EG Tactical Charging Handle, 8K60D03 \$ 74.99



NEW

BRAVO COMPANY AR-15/M16 BCM GUNFIGHTER CHARGING HANDLE

Unique Latch Mechanism Reduces Wear & Prevents Breakage

Heavy-duty charging handle has an innovative, oversized latch that distributes pull force evenly across the handle to aid in fast, smooth, reliable operation with the support hand. Prevents the critical roll pin from breaking and rendering the latch inoperable. Machined from 7075 T6 billet aluminum with extra metal reinforcing the stress points to stand up to hard operational use. Available with **Medium** length extended latch or **Large** latch that's 1/4" longer for an even bigger, "can't miss" grasping surface.
SPECS: 7075 T6 aluminum, mil-spec Type III hardcoat anodized, matte black finish. 6 7/8" (17.5cm) long.
#100-005-369EG BCM Charging Handle, Medium, 1E41D03 \$ 47.99
#100-005-368EG BCM Charging Handle, Large, 1E41D03 47.99



NEW

PHASE 5 TACTICAL AR-15/M16 AMBI CHARGING HANDLE LATCH

For Fast, Efficient Charging Handle Operation With Either Hand

Heavy-duty latch enables fast, efficient, unimpeded operation of the charging handle with either hand, even when wearing gloves. Extended, off-side design with gently rounded tips won't interfere with sling or catch on other equipment. Installs in place of your rifle's existing charging handle latch using existing spring and detent. Machined from steel for exceptional strength in extreme operating environments.
SPECS: Steel, matte black. 2 1/2" (6.3cm) long. Includes replacement pivot roll pin.
#100-004-897EG Ambi Latch 1C18U18 \$ 19.99



NEW

EXTREME SHOCK AR-15/M16 GRIPWELL

Speeds Magazine Changes & Improves Weapon Control

Hand-filling polymer grip clamps around the mag well to provide an extra wide "funnel" that aids in fast magazine reloads in high-stress situations. Ergonomic exterior features three contoured finger grooves for a secure, comfortable handhold that helps you counteract recoil to stay on target during rapid fire. Enables a tight, elbow-in grip for positive weapon retention during CQB operations, and minimizes hand fatigue during long periods in the ready position. Molded from nearly indestructible polymer composite; secures to the weapon with three steel hex-head crossbolts for a tight hold even during continuous recoil.
SPECS: Reinforced injection-molded polymer, black. 4 1/4" (10.8cm) long, 1 3/4" (4.4cm) wide, 2 3/4" (7cm) high. 2.8 oz (79g) weight.
#100-004-632EG Gripwell 5B24T29 \$ 26.99



NEW

AR-15/M16 TACTICAL CHARGING HANDLES

All The Parts Needed To Assemble A Tactical Charging Handle



Easy-to-build kits contain all the components needed to assemble a tactical charging handle that aids in fast action drills, efficient jam clearing, and smooth operation. All kits are built around a stripped DPMS factory charging handle machined to stringent mil-spec standards for proper fit and dependable function. Each kit also comes with latch spring and roll pin. **Badger** kit features an oversized latch that's easy to find and operate with the left hand. **Badger GEN II** kit comes with a mid-sized latch for those seeking a larger grasping surface that won't interfere with optics. **M&A Ambi** kit includes a large, extended latch lever that's easy to grab and allows rapid operation of the handle with either hand.
SPECS: Aluminum charging handle, matte black finish. **Badger** - Steel latch, matte black. Latch approx. 1 1/2" (3.8cm) long, 5/8" (1.6cm) high. **Badger GEN II** - Steel latch, matte black. Latch approx. 1 1/4" (3.2cm) long. **M&A Ambi** - Aluminum latch, matte black. Latch approx. 2 3/8" (6cm) long.
#080-000-600EG Badger Kit 8K29X89 \$ 39.99
#080-000-618EG Badger GEN II Kit 8K29D89 39.99
#080-000-619EG M&A Ambi Kit 8K25D78 32.99

NEW

WILSON COMBAT AR-15/M16 TACTICAL TRIGGERGUARD

Oversized Opening For Easy Trigger Access; Prevents Trigger Finger Pinch

Drop-in upgrade for AR-15 triggerguard provides an oversized opening for easy trigger access when wearing gloves. Also prevents finger from getting caught between trigger shoe and triggerguard, eliminating the need for a gap plug. Smooth contours and beveled edges won't scrape finger or snag on other gear. Precision machined from a solid billet of 6061 T6 aluminum and then hardcoat anodized for maximum durability.
SPECS: 6061 T6 aluminum, hardcoat anodized, matte black.
#965-000-102EG Tactical Triggerguard 5F17B86 . . . \$ 19.99



NEW

DOUBLESTAR AR-15/M16 CHARGING HANDLE ASSEMBLY

Slick Teflon® Finish For Ultra-Smooth Operation

Cycle loads with ease using this military-style charging handle assembly, complete and ready to drop-in any mil-spec upper receiver. Precision machined from rugged, yet lightweight 6061 T6 aluminum, then hardcoat anodized for a wear-resistant surface that adds strength. A final, Teflon® coating provides a slick, self-lubricating finish for exceptionally smooth operation.
SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 6 7/8" (17.5cm) long. Fits mil-spec AR-15/M16 upper receivers.
#100-004-996EG Charging Handle Assembly, 2Z13D97 \$ 17.99



NEW

SOG ARMORY AR-15/M16 TACTICAL LATCH

Large Surface Area For Easy, Fast Operation

Heavy-duty, oversized steel latch replaces your charging handle's factory latch and provides a large, easy-to-grasp surface to help you cycle the bolt quickly under stress. 5/8" square "cross-beam" pad makes it easy to grasp the latch and operate it in a single, firm stroke. Easy, no-gunsmithing installation.
SPECS: Steel, matte black. Pad is 5/8" (15.8mm) square and extends 1 1/8" (20.6mm) from charging handle.
#100-005-353EG Tactical Latch, 9A14C55 \$ 19.99



NEW

DOUBLE STAR AR-15/M16 TWANG BUSTER

Stops Annoying Buffer Noise During Recoil

Low-friction Delrin disk fits on the end of the buffer spring, opposite the buffer, and stops the annoying "twang" of the buffer hitting the rear of the receiver extension during recoil. Quick, easy installation, with no permanent alterations to gun. Simply remove buffer and spring, insert Twang Buster, then reinstall buffer and spring.
SPECS: Machined Delrin thermoplastic, black. Fits A2 rifle and M4-style carbine buffer spring/receiver extension tubes.
#100-005-392EG Twang Buster 2Z03A96 \$ 4.99



NEW

MECHARMOR DEFENSE AR-15/M16/AR-STYLE .308 TACOPS-1 CHARGING HANDLE

Clears Large Optics & Aids In Charging Weapon From Unconventional Positions

Extended ambidextrous charging handle is large enough to clear oversized sniper/target optics. Easy to operate with minimal body movement quickly and safely. Lets you catch and release the bolt with the trigger finger inside the triggerguard, instead of with your off hand. Push upward on the lever to lock the bolt rearward; push lightly downward to release it. Both operations can be performed without removing your hand from the pistol grip. **EBRv1** clamps to your rifle's existing bolt release. Can be installed or removed in minutes with no permanent alteration to your rifle. **EBRv2** is a one-piece, direct replacement for the factory bolt release that offers the lowest possible profile.
SPECS: Machined steel, matte black finish. 2 1/4" (5.3cm) long. 1/2 oz. (14g) wt.
#100-004-898EG EBRv1 Bolt Release, 1C23U08 \$ 29.99
#100-004-899EG EBRv2 Bolt Release, 1C45U52 49.99



NEW

PHASE 5 TACTICAL AR-15/M16 EXTENDED BOLT RELEASE

Catch & Release Bolt With Trigger Finger For Fast Mag Changes & Jam Clearing



Extended release lever speeds magazine changes and enhances the shooter's ability to clear jams, double feeds, and malfunctions quickly and safely. Lets you catch and release the bolt with the trigger finger inside the triggerguard, instead of with your off hand. Push upward on the lever to lock the bolt rearward; push lightly downward to release it. Both operations can be performed without removing your hand from the pistol grip. **EBRv1** clamps to your rifle's existing bolt release. Can be installed or removed in minutes with no permanent alteration to your rifle. **EBRv2** is a one-piece, direct replacement for the factory bolt release that offers the lowest possible profile.
SPECS: Machined steel, matte black finish. 2 1/4" (5.3cm) long. 1/2 oz. (14g) wt.
#100-004-898EG EBRv1 Bolt Release, 1C23U08 \$ 29.99
#100-004-899EG EBRv2 Bolt Release, 1C45U52 49.99

NEW


TANK'S RIFLE SHOP AR-15/M16 EXTRACTOR "DONUT"

Drop-In Part Helps Ensure Positive, Reliable Extraction

Tiny, high-stress synthetic rubber ring slips around the extractor spring to increase extractor tension for more reliable extraction. Eliminates spring "chatter" to prevent malfunctions caused by the extractor slipping off the cartridge rim. Helps ensure positive, consistent extraction during rapid-fire sequences.
SPECS: Synthetic rubber. Sold in a pak of 5.
#901-000-002EG Extractor Donuts, 5-pak, 1K03A15 \$ 3.99



NEW AR-15/M16 UPPER RECEIVER PARTS KITS



The Small Parts You Need To Assemble A Complete Upper

Handy kits gather up all the small parts needed to complete a functional upper receiver. Eliminates the hassle of tracking down every component separately, including hard-to-find pins and springs, so you can start a custom build knowing you won't be held up waiting for that one part you forgot to order. Select the stripped upper, barrel, gas block, flash hider, bolt/carrier, and handguard you want, then purchase the completion kit to fit the handguard style and gas system length. Each kit contains original factory parts, so you can install parts made by the manufacturer of your receiver. AR components from one manufacturer will fit another manufacturer's receiver, but fitting may be required. Use **Standard (STD)** kits with GI-style snap-on handguards. Includes gas tube, delta ring, handguard retainer ring, barrel slip ring spring, forward assist assembly, ejection port cover assembly, flash hider crush washer, peel washer, and all required pins, springs, and clips. Use **Free Float (FF)** kits with free-float forends that attach to the barrel nut and do not require delta ring handguard attachment system. Includes gas tube, forward assist assembly, ejection port cover assembly, flash hider crush washer, and peel washer, plus pins, springs, and clips.

SPECS: *Carbine* – 9¾" (24.8cm) gas tube length. *Mid-Length* – 11¼" (29.9cm) gas tube length. *Rifle* – 15½" (38.4cm) gas tube length.

COLT – Factory parts just like those used to produce U.S. military issue M16 rifles and M4 carbines. Kits available to fit carbine, mid-length, and rifle gas systems with Standard or Free Float handguard.

- #080-000-610EG Upper Rec'r Parts Kit, STD Carbine, 8K135H10 \$ 166.99
- #080-000-609EG Upper Rec'r Parts Kit, STD Mid-Length, 8K104H86 136.99
- #080-000-608EG Upper Rec'r Parts Kit, STD Rifle, 8K135H12 167.99
- #080-000-597EG Upper Rec'r Parts Kit, FF Carbine, 8K109X44 137.99
- #080-000-596EG Upper Rec'r Parts Kit, FF Mid-Length, 8K78X91 102.99
- #080-000-599EG Upper Rec'r Parts Kit, FF Rifle, 8K109X00 141.99

DPMS – Factory parts used in the popular Panther™ rifle series available for carbine, mid-length, and rifle gas systems with Standard or Free Float handguards.

- #080-000-607EG Upper Rec'r Parts Kit, STD Carbine, 8K47H46 \$ 63.99
- #080-000-605EG Upper Rec'r Parts Kit, STD Mid-Length, 8K46C13 58.99
- #080-000-604EG Upper Rec'r Parts Kit, STD Rifle, 8K45C29 66.99
- #080-000-616EG Upper Rec'r Parts Kit, FF Carbine, 8K38D37 55.99
- #080-000-594EG Upper Rec'r Parts Kit, FF Mid-Length, 8K36X50 45.99
- #080-000-593EG Upper Rec'r Parts Kit, FF Rifle-Length, 8K36X85 51.99

HIGH STANDARD – Parts manufactured to U.S. military specs and used in HSA-15 rifles and carbines.

- #080-000-603EG Upper Rec'r Parts Kit, STD Carbine, 8K62C43 \$ 78.99

NEW BROWNELLS/ENIDINE AR-STYLE .308 AR-RESTOR™



Tames Felt Recoil & Suppresses Bolt Bounce For Maximum Reliability & Service Life

Easy-to-install, direct replacement for the conventional, inertia mass type buffer makes it easy and economical to manage recoil and rate of fire, plus improve the overall reliability of your rifle. The all-steel buffer assembly features a sealed hydraulic cylinder with high-impact striker cap and smooth running, nickel-plated cylinder rod – all of which work in unison with the factory recoil spring to cushion carrier impact, lessen felt recoil, and minimize the overall beating the rifle and optics endure when shooting. You also get significantly reduced muzzle rise to maintain efficient target acquisition during rapid-fire maneuvers. These benefits are amplified with short-barreled carbines. Models available to fit both collapsible- and fixed-length rifles.

SPECS: *Steel, black oxide finish. AR-.308 Standard Collapsible* – 3¾" (9.2cm) long. 5 oz. (140g) wt. Fits collapsible carbine stock ArmaLite® AR-10® and other AR-style .308 rifles with 3¼" long recoil buffer. *AR-.308 Fixed* – 5¼" (14.6cm) long. 6 oz. (168g) wt. Fits ArmaLite® AR-10® and other AR-style .308 rifles with fixed A2-style buttstock and full-length rifle buffer.

- #100-003-634EG AR-.308 Std. Collapsible AR-Restor, 4A79Y96 \$ 99.95
- #100-004-878EG AR-.308 Fixed AR-Restor, 4A80H77 99.99

NEW COLT AR-15/M16 BUTTSTOCK MOUNTING KITS

All The Original Factory Parts Needed To Install Rifle Buttstocks



Convenient kits contain all the components needed to securely mount the buttstock of your choice using original factory parts from the manufacturer of your receiver. Eliminates the hassle of tracking down every part and accidentally getting incorrect ones for your stock. Have everything you need to finish your build, so you won't be held up waiting for that one part you forgot to order. Each kit contains original Colt parts that will fit receivers from other manufacturers but may require minor fitting. Select the buttstock you want (available separately), then purchase the mounting kit for that type of stock. **A1 Rifle** kit is for mounting any fixed rifle buttstock based on the military M16A1 stock. Includes receiver extension tube, recoil buffer, buffer spring, and buttstock screw. **A2 Rifle** kit is for mounting any fixed rifle buttstock based on the military M16A2 stock. Includes receiver extension tube, recoil buffer, buffer spring, buttstock spacer, and buttstock screw.

- SPECS:** *Receiver extension: 10½" (25.7cm) OAL.*
- #080-000-628EG Buttstock Mounting Kit, A1 Rifle, 8K84Z49 \$ 114.99
 - #080-000-625EG Buttstock Mounting Kit, A2 Rifle, 8K89D49 119.99

- #080-000-602EG Upper Rec'r Parts Kit, STD Mid-Length, 8K62C43 \$ 78.99
- #080-000-601EG Upper Rec'r Parts Kit, STD Rifle, 8K62X43 78.99
- #080-000-592EG Upper Rec'r Parts Kit, FF Carbine, 8K44X96 57.99
- #080-000-595EG Upper Rec'r Parts Kit, FF Mid-Length, 8K44X65 51.99
- #080-000-591EG Upper Rec'r Parts Kit, FF Rifle, 8K46X15 57.99

NEW LUCID AR-15/M16 WOOD STOCK SETS



Presentation-Grade Wood Furniture For The "Trophy" Look

Beautifully finished stock sets in good-looking laminate or fancy AAA-grade American Walnut give your AR that "trophy" rifle look without altering its shooting capabilities. Each set consists of an A2-style buttstock with an integral cheek rest for a comfortable cheekweld, plus an ergonomically contoured pistol grip, and a hand-filling forearm similar in shape to the original triangular M16 handguard. Handguard has a convenient groove in each side to help locate the support hand and give you a secure grasp for excellent recoil control. Snaps on using your rifle's existing handguard cap and delta ring—no gunsmithing, no permanent alterations to gun. Pistol grip has finger grooves, a palm swell, and a gently curved backstrap to give you a solid, comfortable purchase. Buttstock fits a standard A2-length buffer tube (available separately). Includes front sling stud that mounts on the underside of the handguard. **Laminate** model available in Brown or red-brown/gray/dark green Camouflage that blends with a wide variety of landscapes. Buttstock accepts a standard A2-style buttplate or aftermarket pad, and includes a cutout to accept an M16-style rear sling loop. **Walnut** model has the fancy grain pattern of a fine bolt action rifle, and comes with standard sling swivel stud and rubber buttpad installed.

SPECS: *Laminated hardwood or American Walnut. Fits A2 fixed-stock buffer tube, available separately. Carbine handguard replaces M4-type handguard. Rifle handguard replaces standard A1/A2 rifle handguard.*

- #100-004-900EG Lamnt Carbine, Brown 7A153U85 . \$ 189.99
- #100-004-902EG Lamnt Carbine, Camo 7A153U85 . . 189.99
- #100-004-901EG Laminate Rifle, Brown 7A153U85 . . 189.99
- #100-004-903EG Laminate Rifle, Camo 7A153U85 . . 189.99
- #100-004-904EG Walnut Carbine 7A250U00 299.99
- #100-004-905EG Walnut Rifle 7A250U00 299.99

NEW MAGPUL CTR BUTTSTOCK

Locking System Eliminates "Play"; Now Available In Foliage Green



Features a friction locking mechanism that eliminates movement between the buffer tube and buttstock for a solid "feel" when mounting rifle to shoulder. Heavy duty, spring-loaded hand lever allows fast length-of-pull adjustments. Nylon polymer body provides maximum impact and heat resistance, with molded-in reinforcements at stress points. Accepts a variety of ambidextrous sling attachment options, including web slings and single-point, push-button sling mounts. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid cheekweld. Synthetic rubber buttpad increases comfort and helps prevent slippage. Fits buffer tubes that accept both four- and six-position collapsible stocks. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. **Mil-Spec** fits smaller 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec carbines. **Commercial** fits larger diameter 1.17" O.D. commercial buffer tubes.

SPECS: *Impact-resistant nylon polymer, Foliage Green. LOP adjustment range, 3½" (8.9cm). Mil-Spec - 6½" (17.5cm) OAL, 5¼" (13.34cm) high. Fits fits mil-spec 1.14" O.D. carbine buffer tubes. Commercial - 7½" (21cm) OAL, 5¼" high. Fits 1.17" O.D. commercial carbine buffer tubes.*

- #100-005-417EG Mil-Spec CTR Buttstock, Fol. Green, 3K85P57 \$ 94.99
- #100-005-418EG Commercial CTR Buttstock, Fol. Green, 3K85P57 94.99

NEW MAGPUL AR-15/M16 CTR™/MOE® STOCK CHEEK RISER



Raises The Cheekweld For More Comfortable Shooting; Snap-On Fit

Molded polymer cheek riser snaps onto Magpul CTR and MOE buttstocks to provide added support and ensure correct eye alignment with open sights or optics for fast target acquisition. Creates a stable platform for accurate, long-range shooting. Three models let you to raise the cheekweld by ¼", ½", or ¾" for a personalized fit. No stock modification required. Designed for non-AR installations of CTR/MOE stocks; if installed on AR-15, stock must be left fully extended to allow operation of charging handle.

SPECS: *Fiber-filled polymer composite, black. Fits all Magpul CTR and MOE buttstocks.*

- #100-004-221EG CTR/MOE Cheek Riser, ¼" 3K15Z37 \$ 19.99
- #100-004-222EG CTR/MOE Cheek Riser, ½", 3K15Z37 19.99
- #100-004-223EG CTR/MOE Cheek Riser, ¾", 3K15Z37 19.99

NEW MAGPUL AR-15/M16 MOE® ACCESSORY RAILS

For Fast, Easy, Versatile Accessory Mounting On MOE Handguards



Modular, bolt-on MIL-STD 1913 rails are designed to fit the Magpul MOE handguard to provide plenty of accessory mounting versatility. Available in four lengths, so you can position just enough rail area exactly where you need it for each accessory. Made from high-impact, reinforced injection-molded polymer composite that's lightweight without sacrificing strength. Beveled ends eliminate sharp corners and edges to help prevent snags and hang-ups. Bolts easily to the slots in the handguard with the included steel mounting hardware. Also fits many standard plastic handguards with proper center-to-center (c-to-c) hole spacing.

SPECS: *Reinforced molded polymer, steel hardware, matte black. L2 - 5 slots, 2½" (6.4cm) long, 1.2" (3.1cm) c-to-c hole spacing. L3 - 7 slots, 3¼" (8.2cm) long, 1.6" (4.1cm) c-to-c hole spacing. L4 - 9 slots, 4" (10.2cm) long, 2.4" (6.1cm) c-to-c hole spacing. L5 - 11 slots, 5" (12.7cm) long, 3.2" (8.2cm) c-to-c hole spacing.*

- #100-005-600EG L2 MOE Rail, 3K04T85 \$ 5.99
- #100-005-601EG L3 MOE Rail, 3K05T65 6.99
- #100-005-602EG L4 MOE Rail, 3K06T47 7.99
- #100-005-603EG L5 MOE Rail 3K07T28 8.99

Sinclair INTERNATIONAL

Serving the Precision Shooter at reloading.com

NEW MAGPUL AR-15/M16
MOE® ILLUMINATION KIT

For Easy Installation Of Rail-Mount Weapon Lights On MOE Handguard

Easy-to-install kit contains everything you need to mount a Picatinny rail-compatible weapon light on a Magpul MOE handguard. Gives your rifle the versatility of onboard illumination with minimal sacrifice of handguard real estate. Kit includes a short rail section, optional cantilever rail mount, standard pressure switch mount, mount for a SureFire® ST pressure switch, and all required installation hardware. Also fits the handguard of a Bushmaster ACR™ (Adaptive Combat Rifle).

SPECS: Reinforced injection-molded polymer, black. Instructions included.

#100-005-596EG MOE Illumination Kit 3K16Y22 . . . \$ 19.99



NEW COMMANDARMS AR-15/M16
UNIVERSAL PISTOL GRIP

Interchangeable Inserts Let You Customize To Fit Your Hand

Drop-in replacement for factory pistol grip has interchangeable inserts that let you quickly customize your rifle with the amounts of palm swell and finger groove depth that suit you. Enhances weapon control and reduces fatigue during extended fire or long periods in the ready position. Three front-strap and three back-strap inserts let you select a front-to-back grip depth that fits your hand size. Inserts are made of textured rubber to further secure your hold under stress or with wet hands. Rear beavertail enables a high hand position for maximum recoil control while protecting the web of the hand from the receiver. Removable plug in bottom allows access to the roomy internal storage compartment. Grip available alone or with a mini cleaning kit that stows inside the compartment.

SPECS: Injection-molded hard polymer, with rubber inserts, Black, Tan, or OD Green. Uses rifle's existing pistol grip screw and washer. **Pistol Grip** includes grip core, 3 front and 3 rear inserts, 2 roll pins. **Cleaning Kit** models add 26" flexible cleaning cable, f-handle, .22 cal. patch brush, .22 cal. bronze brush, obstruction remover, NATO adapter, and 10 cotton patches.

- #100-004-712EG Universal Pistol Grip, Black, 2Z28U99 . . . \$ 32.99
- #100-004-713EG Universal Pistol Grip, Tan 2Z28V99. 32.99
- #100-004-714EG Universal Pistol Grip, OD Green, 2Z28U99 . . . 32.99
- #100-004-715EG Pistol Grip w/Cleaning Kit, Black, 2Z51U80 . . . 59.99
- #100-004-716EG Pistol Grip w/Cleaning Kit, Tan, 2Z51U80 . . . 59.99
- #100-004-717EG Pistol Grip w/Cleaning Kit, OD Green, 2Z51U80 . . . 59.99



NEW MAGPUL AR-15/M16
VERTICAL GRIPS

For Positive, Comfortable Weapon Control At All Times

Lightweight vertical grips position your support hand close to the barrel to help you maintain maximum weapon control at all times. Ergonomically shaped design is optimized for use with the "thumb break" method of grasping the weapon, yet works just as well with a traditional vertical grip stance. Aggressive horizontal serrations on the front and back, plus crackle texturing on the sides ensure a secure grasp in all weather conditions. **MVG™** (MOE® Vertical Grip) is designed to clamp easily to Magpul MOE handguards and the handguard of the Bushmaster ACR™ (Adaptive Combat Rifle) without the need for an accessory rail. **RVG™** (Railed Vertical Grip) combines the MVG's ergonomic features with a conventional Picatinny attachment system for use on standard railed handguards. Includes an adapter that enables installation on many non-railed forends.

SPECS: Reinforced injection-molded polymer, black. All mounting hardware and installation instructions included.

- #100-005-588EG MVG MOE Vertical Grip, 3K16Y46 . . . \$ 19.99
- #100-005-592EG RVG Railed Vertical Grip, 3K20Y58 . . . 24.99



NEW TANGDOWN AR-15/M16
20-ROUND ARC MAGAZINE

Ultra-Rigid Sealed Polymer Body; Smooth-Feeding Anti-Tilt Follower

The 20-round ARC magazine has a reinforced polymer body with unparalleled crush- and impact resistance, plus the latest features to ensure outstanding reliability. Two-piece body has straight walls and the optimal angle to aid in stable movement of the round stack. Molded-in reinforcing ridges, four interlocking tabs, and advanced, industrial-strength adhesive ensure the joint between the halves is the strongest part of the body. Without a separate floorplate or lengthwise welded seam, the body forms an ultra-rigid, five-sided box that won't fail when dropped free on hard pavement. Sealed design keeps out dirt, dust, and moisture; if necessary, clean the inside by blowing compressed air or water through relief holes in the top of the follower. Proprietary anti-tilt follower of self-lubricating polymer rides smoothly in slots to ensure reliable, snag-free ammo flow. Premium-grade chrome-silicon steel spring is heat-treated to relieve stress and moly-coated for corrosion resistance and smooth movement; fully tested to ensure retention of spring force through 100,000 compression cycles. Reinforced feed lips stand up to the battering of sustained full-auto fire. Deep serrations on the front and rear of the body, plus an aggressive waffle pattern on the sides gives a non-slip grasp. Drops free from mil-spec mag wells, and seats easily on a closed bolt even with a full load.

SPECS: Injection-molded polymer, Black, Dark Earth, Foliage Green. Fits AR-15/M16/M4, FN SCAR-Light, and M249 machine gun. Holds 20 rounds of .223/5.56mm ammunition.

- #100-004-587EG ARC Magazine, Black, 9B12X77 . . . \$ 14.99
- #100-004-589EG ARC Magazine, Dark Earth, 9B12X77 . . . 14.99
- #100-004-588EG ARC Magazine, Foliage Green, 9B12X77 . . . 14.99



NEW TROY INDUSTRIES AR-15/M16
BATTLE RAIL COVERS

Protects Hand & Rail From Heat & Abrasion; Easy Slide-On Installation



Molded polymer cover slides over any Picatinny handguard rail to provide a comfortable, secure grasping surface. Protects the hand from sharp rail edges and barrel heat during long shooting sessions. Molded-in knurled bands enhance your grip, especially when hand is wet, and match the Troy Modular Combat Grip to give your rifle a neat, unified appearance. No struggling to stretch the cover over the rail: simply pop up the retaining clip, slide on rail, and close the positive-locking clip to keep the cover firmly in place. Sold in 3-paks.

SPECS: Polymer, Black, Dark Earth, or Foliage Green. 6 1/8" (15.6cm) long, 1 1/16" (2.6cm) wide. 1 oz. (28.3g) weight. Sold in 3-paks.

- #100-004-338EG Rail Covers, Black 3B18D57 . . . \$ 19.99
- #100-004-339EG Rail Covers, Dark Earth 3B18D57 . . . 19.99
- #100-004-340EG Rail Covers, Foliage Green, 3B18D57 . . . 19.99

NEW DECAL GRIPS AR-15/M16
DECAL GRIPS FOR MAGPUL PISTOL GRIPS

Improves Weapon Grip In All Types of Weather



Pre-cut, pre-shaped decals attach to Magpul MOE or MIAD pistol grips for a superior grip without increased bulk. Easy-to-use, peel-and-stick design will not harm the surface it's applied to. Decal Grips are resistant to moisture, heat, humidity, oils, and solvents. Durable adhesive panels won't split, tear, or crack. Panels stay put under extreme conditions and won't pull off once affixed to a grip, unless you want to remove them. **Sand** gives very positive, aggressive grip. **Rubber** has the gripping texture of sand with a non-slip, rubber coating. Separate grip sets available for MOE and MIAD pistol grips.

SPECS: Black, medium texture. **Sand** - 1/40" thickness. **Rubber** - thickness 1/32".

- #384-000-023EG MOE Sand Decal Grips 4H08X83 . . . \$ 10.99
- #384-000-024EG MOE Rubber Decal Grips, 4H08X83 10.99
- #384-000-025EG MIAD Sand Decal Grips, 4H08X92 . . . 10.99
- #384-000-026EG MIAD Rubber Decal Grips, 4H08X92 . . . 10.99

NEW CRIMSONTRACE AR-15/M16
MODULAR VERTICAL FOREGRIP

Self-Contained System With Laser Sight & Dual-Output Tactical Light



Vertical forend grip has a built-in, self-contained aiming laser and high-intensity LED tactical light for maximum versatility in all light conditions. Ambidextrous pressure switches enable intuitive operation, with no external wires or improvised, taped-on activation pads. Light and laser are independently programmable through separate master control switches for three operating modes: momentary, strobe, or constant-on. Either one can be completely shut off without affecting operation of the other. Light is also switchable between 150 and 200 lumen brightness settings, and laser is fully adjustable for windage and elevation. Powered by two CR-123A lithium batteries (included) for at least 4 hours of continuous light operation or a minimum of 48 hours of laser illumination. Aluminum inner core protects electronics from shock, while O-ring seal keeps out moisture and dust. Molded polymer outer shell is ergonomically shaped to fit comfortably in the hand, with "skateboard tape" texturing on the front and back to ensure a secure purchase. Clamps directly to any Picatinny-style accessory rail; no tools are required.

SPECS: 6061T6 aluminum core, hardcoat anodized, matte black, with molded polymer grip panels, black. 633nm Class IIIa red laser, 5 mW peak output. LED output approximately 150/200 lumens. Includes two CR-123A lithium batteries, laser adjustment tool, and operating instructions. Fits Picatinny-style accessory rail.

- #100-004-504EG Modular Foregrip 4B453V61 . . . \$ 506.99

NEW BROWNELLS/
SPRINGER PRECISION

AR-STYLE .308 FASTMAG



Clamps Two .308 PMAGs Together For Ultra-Fast Reloads

Rugged, yet lightweight, machined aluminum coupler puts extra firepower at your fingertips by clamping two Magpul .308 PMAGs together, so your reload is right next to the mag in the gun. Saves you valuable seconds during competition or combat that would otherwise be lost fumbling for the spare mag in a pouch and raising it to the weapon. Simply remove the factory floorplates from two PMAGs and slip them into the Fastmag. One-piece aluminum construction, with rounded edges and smooth contours makes it as easy and comfortable to grasp as a single magazine. Ensures proper clearance for access to magazine release button and bolt release.

SPECS: Aluminum, hardcoat anodized, black finish. Holds two 20-round .308/7.62mm PMAGs.

- #100-005-613EG Fastmag .308 Coupler, 1B42U14 . . . \$ 49.99

NEW BROWNELLS/MAG-TECH
AR-STYLE .308 20-ROUND MAGAZINE

Rugged, All-Steel Construction; Fits A Wide Variety Of .308 Rifles



All-steel, straight body magazine is built to handle the punishment of tactical operations and service rifle competition. Delivers 20 rounds of .308/7.62mm NATO ammo reliably and consistently in AR-style .308 rifles from Bushmaster, DPMS, Knights Armament Corp., Remington, Rock River Arms, and others listed below. Precision-formed, spot-welded body is kept to precise dimensions to ensure snag-free movement of the follower. Polished stainless steel follower further reduces drag

NEW TAPCO AR-15/M16
MAGAZINE DUST COVER



Protects Feed Lips From Damage & Ammo Inside From Dust, Dirt & Moisture

Flexible rubber cover snaps on top of the magazine to keep out dust, dirt, debris, moisture, and other contaminants that can impair function and cause feeding failures. Protects feed lips and the top round in the ammo stack from dings and dents.

SPECS: Rubber, black. 10 per pak. Fits any mil-spec or aftermarket .223/5.56mm AR-15/M16 magazine.

- #100-005-440EG Dust Covers, 10-pak 5A07V07 . . . \$ 8.99

BROWNELLS WebBench™
Your #1 Internet Newsletter for Professional Gunsmithing Information

for smooth flow of the round stack. Removable floor plate allows disassembly for cleaning or maintenance.

SPECS: Steel body, Parkerized, dark gray, matte finish. Stainless steel follower. 20-round capacity. Fits AR-style .308/7.62mm NATO rifles from American Spirit Arms, Bushmaster, DPMS, Fulton Army, Knights Armament Corporation, Oberland Arms, Remington, RND Manufacturing, and Rock River Arms. Does not fit the ArmaLite® AR-10®.

- #100-004-962EG 20-Rd AR-.308 Magazine, 5D32T73 . . . \$ 39.99



**CMMG AR-15/M16
STAINLESS STEEL
.22 LR CONVERSION KIT**



Uses Economical .22 LR Ammo To Practice More & Hone Critical Shooting Skills

Drop-in .22 LR conversion system comes fully assembled and ready to install in any semi-auto AR-15 to help you practice critical shooting skills with economical rimfire ammunition. Concentrate on improving grip, sight alignment, trigger pull, and other skills without burning up expensive, centerfire ammo. Installs in seconds and requires no gunsmithing or permanent alterations to your rifle. Uses your gun's factory upper receiver, barrel, fire control system, buffer, and spring. Simply replace the bolt and carrier with the conversion unit, load up the included magazine with high-velocity round-nose .22 LR ammo, and you're ready to shoot. Precision machined from high-grade stainless steel to resist corrosion and carbon fouling buildup for reliable function in any mil-spec .223/5.56mm rifle or carbine. Every unit is test fired by the manufacturer before leaving the factory to ensure correct fit and function. **Kit** comes with conversion unit and one impact-resistant polycarbonate, smoke-colored 26-round or 10-round magazine; conversion unit also available separately, without magazine. Self-lubricating anti-tilt follower and constant-force spring help ensure reliable feeding. Follower holds bolt open after last round is fired. 26-round magazines are the same size as USGI-style 30-round AR-15 magazines; 10-round magazine is the size of a straight-body 20-round AR-15 magazine. ■

SPECS: Kits include conversion unit, plus one (1) smoke colored 26-rd or 10-rd magazine. Conversion Unit - Stainless steel, natural finish. Designed for high-velocity, round nose .22 LR ammunition only. Fits semi-auto, .223/5.56mm AR-15 rifles and carbines. Magazine - Injection-molded translucent polycarbonate, Smoke.

- #800-000-722EG **SS Conversion Kit**, w/26-rd Mag, 8K156P67 \$ 195.99
- #800-000-723EG **SS Conversion Kit**, w/10-rd Mag, 8K156P67 195.99
- #100-005-395EG **SS Conversion Unit**, only, 3B184A99 189.99



**MIDWEST INDUSTRIES AR-15/M16
FLIP-UP SIGHTS**

**Instant Back-Up Sighting
At All Ranges**



Flip-up sights deploy with the flick of a finger to provide instant back-up, so you stay in the fight if your optic or laser sight fails. Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the push-button release. Sight folds down neatly out of your sight path when not in use. ■

MCTAR-SPLP REAR SIGHTS - Low-profile sight clamps securely to flattop receiver rail and is less than 1/2" high when folded. Flip-style A2 aperture features a .070" diameter peep for long-range daylight shots and a larger .200" peep for close-range and low-light work. Same-plane calibration ensures the point of impact will not change when switching from one peep to the other. Deeply grooved knob provides positive clicks for windage adjustment in .65 MOA increments on rifles and carbines with 16" barrels and .49 MOA on rifles with 20" barrels.

SPECS: Aluminum, hardcoat anodized, Dark Earth or O.D. Green. 2 1/4" (5.7cm) long folded, 1 1/8" (2.9cm) long deployed, 1 1/4" (3.2cm) wide, 7/16" (1.1cm) high folded, 1 3/8" (4cm) high deployed. 1.5 oz. (41g) weight. Fits flattop AR-15/M16 rifles.



**MIDWEST INDUSTRIES AR-15/M16
LOW-PROFILE
FLIP-UP FRONT SIGHT**



**Instant Back-Up Sighting At Any Range;
Less Than 1/2" High When Folded**

Flip-up front sight stands less than 1/2" above rail when folded and deploys with the flick of a finger to provide instant back-up if your primary optic or laser sight fails. The MI-LFFR clamps to any railed handguard or gas block that is the same height as the receiver rail, and is the correct height to regulate with Midwest Industries rear sights.

Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the pushbutton release. Includes a standard A2-type front sight post.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. 1 1/8" (2.9cm) long, 1 1/4" (3.1cm) wide, 3/8" (1cm) high folded, 1 5/8" (4.1cm) high extended. Includes hex-head wrench.

- #100-005-190EG **MI-LFFR Front Sight**, 2A89B95 \$ 99.99



**TROY INDUSTRIES AR-15/M16
FIXED FRONT BATTLESIGHT**

**Rugged, Reliable, Always Deployed;
Globe-Shaped Ears Focus Sight Picture**



Rail-mounted, fixed, same-plane front sight works with any AR-style flip-up rear sight as a back-up for a scope or red dot. Distinctive HK-style "globe"-shaped ears aid in fast target acquisition, while the serrated, angled ramp eliminates glare. Elevation adjustable in 1/2 MOA increments; positive-locking detent ensures settings change only when you want them to. Base with sturdy side clamp and steel crossbolt attaches to any Picatinny railed forend or gas block that is the same height as the receiver rail. Installs with a standard flat-head screwdriver—no protruding knobs or levers to catch on brush, clothing, or other equipment. ■

SPECS: 6061 T6 aluminum, hardcoat anodized, with stainless steel crossbolt, matte black finish. 1 1/4" (3.18cm) long, 1 1/4" (3.18cm) wide, 2" (5.08cm) high. 1.5 oz (45g) wt.

- #100-005-211EG **Fixed Front BattleSight**, 3B51A07 \$ 54.99

**Selection • Service • Satisfaction
GUARANTEED**

- #100-004-645EG **MCTAR-SPLP Flip-Up Rear Sight**, Dark Earth 2A115D31 \$ 128.99
- #100-004-646EG **MCTAR-SPLP Flip-Up Rear Sight**, O.D. Green 2A115D31 128.99

FRONT SIGHTS - Designed to work with Midwest Industries flip-up rear sights, both models have standard A2 front sight post and clamp directly to Picatinny rails. **MCTAR-FFR** mounts on AR-15/M16 forearm/handguard rail; **MCTAR-FFG** attaches to gas block rail.

SPECS: Aluminum, hardcoat anodized, Dark Earth or O.D. Green. 2 1/4" (5.7cm) long folded, 1 1/4" (3.2cm) long deployed, 1 1/4" wide, 1 1/8" (4cm) high deployed, 5/8" (4cm) high folded. 1.7 oz. (50g) weight.

- #100-004-649EG **MCTAR-FFR Forearm Front Sight**, Dark Earth 2A75D76 \$ 84.99
- #100-004-650EG **MCTAR-FFR Forearm Front Sight**, O.D. Green 2A75D76 84.99
- #100-004-647EG **MCTAR-FFG Gas Block Front Sight**, Dark Earth 2A75D76 84.99
- #100-004-648EG **MCTAR-FFG Gas Block Front Sight**, O.D. Green 2A75D76 84.99



**TROY INDUSTRIES AR-15/M16
FOLDING BATTLE SIGHTS**



**Rugged, Reliable Backup Sighting;
Same Height As Factory Iron Sights**

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Sight body flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver. No protruding knobs or levers to catch on brush, clothing, or other equipment. Sturdy, protective "ears" shield posts and apertures from impact. **Tritium HK-Style Rear** bolts to flattop receiver rail and is only .460" high when folded. Tritium dots on each side of aperture don't require electricity or batteries for precision shot placement in low-light conditions. Flip between two same-plane apertures: large .190" aperture provides a wide field of view for close-in targets, while .070" aperture is calibrated for engaging long-range targets. Detent-locking adjustment wheel lets you change the windage setting in 1/2 MOA increments. **Tritium HK-Style Front** has M4-type sight post that's elevation adjustable in 1/2 MOA increments. Distinctive "globe" shape of HK sight aids in fast target acquisition under stress. **DOA Rear** has a diamond-shaped Di-Optic Aperture (DOA) that works like invisible crosshairs to center the eye for lightning fast target acquisition. Same-plane aperture features two settings, one for 300 meters and another for up to 550 meters. Windage adjustable in 1/2 MOA increments. ■

SPECS: Stainless steel and aluminum, black finish. **Rear Sights** - Both models 1.17" (3cm) long, 1.38" (3.5cm) wide, 1.56" (4.0cm) high extended, .460" (11.7mm) high folded. 1.8 oz. (52g) wt. **Tritium HK-Style Front Sight** - 1.17" (3cm) long, 1.25" (3.2cm) wide, 1.9" (4.9cm) high extended. 1.6 oz. (45g) weight.

- #100-005-085EG **Tritium HK-Style Rear Sight**, Black, 3B164C73 \$ 169.99
- #100-005-084EG **Tritium HK-Style Front Sight**, Black, 3B133X71 144.99
- #100-005-086EG **DOA Rear Sight**, Black, 3B110X50 119.99



**BUTTON SLING AR-15/M16
UNIVERSAL
AMBI SLING ADAPTER**

**For Fast, Easy Attachment Of
Clip-On Slings To M4-Type Stocks**



Clamp-on sling adapter provides secure, low-profile, ambidextrous attachment for single-point clip-on slings on rifles with M4-type collapsible buttstocks. Doesn't require disassembly of receiver extension or existing endplate to install. Slides over extension and clamps down tight with a patent-pending cross-lock system that adjusts to fit both mil-spec (1.14" O.D.) and larger-diameter commercial (1.16" O.D.) tubes. Rugged, machined aluminum and steel construction, with a uniform, matte black finish that matches most factory receivers and tubes. ■

SPECS: Clamp - Aluminum, hardcoat anodized, matte black. Cross-lock - Steel, black oxide finish. Fits M4-style carbine receiver extension tube.

- #100-004-466EG **Universal Sling Adapter**, 7B23D18 \$ 29.99



**MAGPUL
.223/5.56 DUMMY ROUNDS**

For Testing & Dry-Firing An Unloaded Rifle



Solid, inert, dummy rounds let you safely test the feeding, extraction, and magazine function of your rifle without the worry of accidental discharge. Lets you dry fire without risking damage to the firing pin. Glass-fiber reinforced polymer material can't corrode or cause corrosion. Precision molded to duplicate the Remington .223/5.56mm NATO round in five critical dimensions, and can be cycled and ejected the same as live ammunition. Sold in 5-Paks. ■

SPECS: Fiberglass-reinforced injection-molded polymer, black.

- #100-004-885EG **.223/5.56 Dummies**, 5-Pak, 3K03T98 \$ 4.99



**MAGNA-MATIC AR-15/M16
CRT-15 CARBON
REMOVAL TOOL**



Quickly Removes Carbon Fouling From Bolt & Carrier

Handy, two-in-one tool quickly and easily removes carbon fouling from critical areas of the bolt and carrier to ensure proper bolt function and reliable cycling. Scrape carbon from the carrier with the reamer end of the tool, then clean the bolt tail with the other end. The unique, lathe-like design adjusts to fit any bolt tail radius, ensuring a universal-fit tool for any AR bolt. Made from hardened carbon steel, zinc plated for corrosion resistance. An ideal tool for the range bag, field armorer's kit, or "necessaries" bag.

SPECS: Hardened carbon steel, zinc plated. 5 1/2" (14cm) long, 1/2" (1.3cm) wide, 1 1/8" (2.8cm) high. Fits .223/5.56mm AR-15/M16/M4 bolt and bolt carrier.

- #100-004-436EG **CRT-15 Carbon Removal Tool**, 4D39P72 \$ 49.99



**SAMSON MANUFACTURING AR-15/M16
FIELD SURVIVOR TOOL**

**Indispensable All-In-One Tool
Stores Inside Magpul Pistol Grips**



Versatile multi-tool is like an armorer's kit that fits in the palm of your hand and stores in your rifle's Magpul MOE® or MIAD™ pistol grip, so you always have it when you need it. Open it up, and you'll find an array of tools for performing emergency repairs to get your AR back in action fast in combat, on the range, or in the field. There's a flat-blade screwdriver, broken shell extractor, carbon scraper, cotter pin hook for removing firing pin from bolt, A2 front sight adjustment tool, magazine feed lip gauge, feed lip adjustment tool, and a refillable stainless steel tube that holds just enough oil for one field lube. Use the wire brush for cleaning the bolt and carrier key, or remove the brush and attach it to the pull cable for bore cleaning using the shell extractor as a T-handle. Hardened, corrosion-resistant stainless steel components and mechanism are encased in a tough shell of nearly indestructible, reinforced polymer to ensure years of reliable service. ■

SPECS: Stainless steel and molded polymer, black finish. Fits in Magpul MOE/MIAD pistol grips only.

- #100-004-951EG **MOE/MIAD Field Survivor Tool**, 1B93Y62 \$ 118.99

NEW ARRINGTON ACCURACY WORKS
AR-15/M16
**COLT LAW ENFORCEMENT
CARBINE ARMORER'S WRENCH**

For Removing/Installing Barrel Nut On Colt LE6940 Carbine



Dedicated, heavy-duty wrenches are designed to enable easy removal and installation of the proprietary barrel nut on the Colt LE6940 Advanced Law Enforcement Carbine (ALEC). Self-contained **Armorer Wrench** features a large, 3/8" thick handle with a 1/2" square cutout for a torque wrench or breaker bar, plus a notch for removing the ALEC flash suppressor. Compact **Barrel Nut Wrench** has the 1/2" torque driver/breaker bar cutout only.
SPECS: Steel, Parkerized, matte black. **Armorer Wrench** - 9" (23cm) long overall, 1.25" (3.17cm) wide handle.
#100-005-370EG **Armorer Wrench** 3C92D90 \$ 106.99
#100-005-371EG **Barrel Nut Wrench**, 3C62D94 72.99

NEW DNZ PRODUCTS AR-15/M16
**FREEDOM REAPER
SCOPE MOUNT**

Perfectly Aligns Scope
For Best Accuracy;
Easy Removal & Reinstallation



One-piece scope base with integral rings speeds installation and puts your scope in perfect alignment for precise targeting. Clamps directly to Picatinny rail on flattop receiver, and lets you remove and reattach the scope and mount as a single unit, without loss of zero. Enables fast, easy change of scope position for eye relief adjustment. Eliminates scope damage caused by overtightened or misaligned scope rings; no ring lapping required. Machined from a single piece of lightweight billet aluminum for exceptional strength. Models for 1" or 30mm O.D. tubes.
SPECS: Aluminum, hardcoat anodized, matte black finish. 4 1/4" (10.8cm) long, 1 1/2" (3.8cm) wide, 1.375" (3.54cm) high from top of base to center of ring.
#100-004-893EG **1" Scope Mount** 9C90B23 \$ 94.99
#100-004-894EG **30mm Mount** 9C106B65 114.99

NEW BROWNELLS SIGNATURE
SERIES PINK M4 CASE

Battle Breast Cancer & Protect Your Carbine



Our pink M4 case is made of the same high-quality materials as the rest of the Signature Series line of cases and bags. This case protects your AR-15 carbine while showing your support for finding a cure. For every pink Signature Series case sold, Brownells will donate 10% of the proceeds to the American Cancer Society, to help fight breast cancer. The tough, water-resistant Cordura nylon shell withstands rain and rough wear; a protective skirt keeps sand and grit out and prevents the zipper from contacting the gun. Dense foam padding and a snag-free, brushed tricot lining protect your rifle from damage. Large YKK zippers stay on track to open quickly and easily. Double-stitched 1 1/2" wide nylon web carry straps wrap around the entire case for extra support. Adjustable, detachable shoulder strap enables hands-free carry. A leather trimmed, clear plastic I.D. window on the front holds a business card or luggage I.D. tag. The large, bellows front pocket includes a removable pouch that holds three 30-round AR-15 magazines.
SPECS: 1000 denier Cordura nylon, pink. 35" (89cm) long, 11" (28cm) wide, 2 1/2" (6.4cm) high. Front Pocket: 10 1/2" long, 8" (20.3cm) high, 2" wide.
#084-000-354EG **Pink M4 Rifle Case** 4H102U81 . . . \$ 124.99

NEW BOYNT HARNESS
TACTICAL GUN CASE

Built Tough For Maximum Protection; Plenty Of Storage For Extra Gear



Water-resistant Cordura® nylon case is built to take a beating, while protecting your shotgun or tactical rifle from damage. Fully padded interior has two rows of nylon webbing loops to secure the weapon with the removable hold-down straps. A second compartment double-stitched to the main case holds plenty of other gear and features three rows of internal PALS webbing loops for mounting a variety of MOLLE-compatible accessories. Includes two, 30-round double magazine pouches with hook-and-loop covers and built-in MOLLE straps for a tight hold to the webbing. Eight heavy-duty D-rings let you secure extra gear to the outside of the case. Hefty YKK zippers with extra-large pull tabs allow fast access, even when wearing gloves. Overlapping skirt keeps out dirt, sand, and debris and helps prevent zipper malfunctions. Includes removable, adjustable carry strap with spring-loaded clip-on swivels.
SPECS: 1000 denier Cordura® nylon, black. 36" (91cm) long, 2 1/2" (6cm) wide, 12" (30cm) high. Outer Pocket - 30" (76cm) long, 1 1/2" (4cm) wide, 10" (25cm) high.
#100-004-435EG **Tactical Gun Case** 3A91P24 \$ 114.99

NEW BLACKHEART INTERNATIONAL
M16/M4 HANDBOOK



Mike Pannone. 89 pages. 4" x 6". Spiral bound. Written by an author with 20+ years of experience with the M16/M4 rifle, this operational guide covers basic operation and shooting, the theory behind direct-impingement gas systems, ballistics, loading, malfunctions, zeroing and sight adjustment, maintenance/cleaning, training and tactical mindset, sights/optics, and more. Fits in shirt pocket or range bag.
#100-004-986EG **M16/M4 Handbook**, 2B16H22 \$ 19.99

NEW BURRIS AR-332 PRISM SIGHT



Accurate Close-Quarters Sight Plus Bullet Drop Compensation To 500 Yards

Multi-purpose tactical prism scope with 3x magnification provides precise targeting from zero to 500 yards. Fully coated optics minimize glare, and patented, Ballistic/CQ™ illuminated reticle enhances target acquisition in low-light conditions. Bracketed cross hairs subtend 18" at 100 yards, with additional dots to provide immediate elevation adjustment from 100 to 500 yards. Control knob provides five reticle brightness levels in red or green; reticle appears black in the off position. Removable accessory rails on the top and sides allow mounting of open sights, red dot sights, lasers, or other accessories. Fully-machined aluminum body is hardcoat anodized for extra surface strength, with a non-reflective, matte black finish. Integral mount clamps securely to MIL-STD 1913 Picatinny rail, and also allows easy installation on AR-15/M16 carry-handle receivers. Flip-up lens cap/sunshades included.
SPECS: Aluminum, hardcoat anodized, matte black. 40mm tube, 32mm objective lens, 3x magnification. 5.3" (13.4cm) long, 14.2 oz. (403g) wt. 2 1/2" (6.3mm) eye relief, 1/4" MOA click adjustment, 32 ft. (80m) field of view at 100 yds. Requires one (1) CR-2032 lithium battery, included. Battery life: 200 hours (high), 500 hours (low).
#118-000-021EG **AR-332 Prism Sight** 8A299V99 . . . \$ 319.99



BROWNELLS
Signature Series
Custom Quality In Every Case

NEW UTILIZIGNS
COVERT RIFLE BAG



Secure, Protective Carry Case That Doesn't Stand Out

Padded nylon case lets you discreetly transport your weapon and related gear in a case that's styled so it doesn't look like a gun case. The roomy, padded, main compartment has plenty of room for a rifle or shotgun, with a non-sag lining that aids in fast weapon extraction. A plastic-reinforced bottom protects the muzzle and keeps it from "printing" during muzzle-down carry. Large, zippered exterior pocket holds additional gear, while a separate utility pocket with a hook-and-loop flap is ideal for maps or documents. A key pocket at the top of the bag holds small items, and a daisy chain lets you hook small items like carabineers to the exterior. Interlaced bungee cord on the exterior lets you tighten the bag to compress the load and prevent shifting of the contents, or even secure lightweight items to the outside of the bag. The 2"-wide nylon webbing carry strap has a comfortable detachable pad. **Medium** holds a tactical carbine or shotgun; **Large** holds a full-length rifle or shotgun.
SPECS: Nylon, Charcoal, Coyote, or Navy Blue. **Medium** - Exterior: 39" (99cm) long x 13 1/2" (34cm) wide x 4 1/2" (11cm) high. Main compartment: 37" (94cm) long x 11" (28cm) wide x 2 1/2" (6.4cm) high. Utility pocket: 15" long x 9" wide x 2" high. Map pocket: 17" (43cm) long x 11" wide. Key pocket: 10" long x 5" wide. **Large** - Exterior: 44" (112cm) long x 13 1/2" (34cm) wide x 4 1/2" (11cm) high; main compartment: 43" (109cm) long x 11" (28cm) wide x 2 1/2" (6.4cm) high. Utility pocket: 15" (38cm) long x 9" (23cm) wide x 2" (5cm) high. Map pocket: 23" (58cm) long x 11" (28cm) wide. Key pocket: 10" (25cm) long x 5" (13cm) wide.

NEW COLT® AR-15 & ALL VARIANTS GUN-GUIDE

17 pages. 5 1/2" x 8 1/2". Soft cover. 20 photographs. 4 illustrated parts schematics. Contains detailed, step-by-step field stripping, disassembly, and reassembly procedures for Colt, Bushmaster, Olympic Arms, ArmaLite®, Rock River, DPMS, and other manufacturers. Features easy-to-read parts schematics and one-step-at-a-time disassembly instructions illustrated with large photographs. Includes special reassembly "tricks-of-the-trade" and short, historical background on the design and development of the AR-15. Spiral bound to lay flat and stay open on the bench.
#100-004-409EG **AR-15 Gun-Guide** 8A05T00 \$ 7.00

NEW BLACKHAWK 550 CORD

100% Nylon Para-Cord; Thousands Of Uses



Lightweight but super-strong nylon utility cord is perfect to have on hand for a variety of uses, including emergency tie-down, to secure weapons, even prisoner control—wherever and whenever the situation requires you to improvise. An update of the classic, original seven-strand Kernmantle rope commonly used for military parachute shroud lines, 550 Cord is made with nine internal braided strands (the kern) encased in a durable, woven nylon exterior sheath (the mantle), with a 550 lb. minimum breaking strength. Quick-drying, rot- and mildew-resistant, the two components can be broken down and used separately when a lighter (interior) or less elastic cord (exterior) is required. Sold in 100 ft. lengths.
SPECS: 100% nylon cord, Black or O.D. Green. Meets MIL-C-5040H Type III. 100 ft. (30m) lengths. 550 lb. (249kg) minimum breaking strength. 225 ft. (69m) per pound.
#100-004-883EG **550 Cord**, Black 8K12T88 \$ 13.99
#100-004-884EG **550 Cord**, O.D. Green 8K12T88 13.99

NEW BROWNELLS AR-15/M16
MINI RAIL



Adds Extra Elevation For Sights & Other Accessories

Add-on riser rail gives an additional 1/2" of elevation or offset sometimes needed to mount a red dot sight, light, laser, or other essential accessory. Clamps securely to any MIL-STD 1913 Picatinny rail and provides three Picatinny cross-slots. Steel crossbolt and oversized, hex-head slotted thumbscrew enable fast, easy installation and removal, with or without tools.
SPECS: Rail - 6061 T6 aluminum, hardcoat anodized, black. Crossbolt/Thumbscrew - 4140 steel, black oxide finish. 1 1/2" (3.8cm) long, 1 1/2" (3.8cm) wide. Provides 1/2" (12.7mm) additional elevation. 1.4 oz. (38g) weight.
#080-000-713EG **Mini Rail** 8K19A00 \$ 24.99

NEW BULLDOG CASES
EXTREME RIFLE CASES



Secure, Economical Carry For Tactical Rifles Or Shotguns

Durable, secure tactical rifle cases protect your weapon and provide features normally found only on expensive high-end cases. A water-resistant outer shell of double-stitched nylon or Tetrone canvas, generous foam padding, and a heavy-duty, full-length nylon zipper stand up to the rigors of any mission. The soft, brushed nylon Tricot lining won't snag on optics, lights, rails, and other accessories when removing weapon. Wrap-around carry handles of tough, woven nylon webbing won't tear under hard use, and zippered exterior pockets give you quick access to ammo, accessories, and other gear without opening the main compartment. **Assault Rifle Case** features exterior pouches with hook-and-loop flaps for secure carry of four standard 30-round or extra-capacity AR-15 magazines. Adjustable shoulder strap aids in comfortable carry, plus a zippered outside pocket for tools and other accessories. **Discreet Rifle Case** - Compact, rectangle shape has plenty of room to carry a long gun, plus extra gear, including ammo in six magazine sleeves concealed in the two, external zippered pockets. Heavy-duty Tetrone canvas shell and fiber-reinforced sidewalls give the weapon extra protection from impact and the elements.
SPECS: **Assault Rifle Case** - Heavy duty nylon shell, O.D. Green. 40" (102cm) long, 12" (30.5cm) wide at buttstock, 7" (17.8cm) wide at muzzle, 2 1/4" (5.7cm) thick. **Discreet Rifle Case** - Tetrone canvas shell, black. 45" (114cm) long, 13" (33cm) wide, 2 1/2" (6.4cm) thick.
#100-005-031EG **Assault Rifle Case** 7F30P55 \$ 37.99
#100-005-305EG **Discreet Rifle Case** 7F41T96 47.99

- #100-005-413EG **Medium Rifle Bag**, Coyote, 2B153T55 \$ 169.99
- #100-005-414EG **Medium Rifle Bag**, Charcoal, 2B153T55 169.99
- #100-005-415EG **Medium Rifle Bag**, Navy Blue, 2B153T55 169.99
- #100-005-410EG **Large Rifle Bag**, Coyote, 2B165T14 179.99
- #100-005-411EG **Large Rifle Bag**, Charcoal, 2B165T14 179.99
- #100-005-412EG **Large Rifle Bag**, Navy Blue, 2B165T14 179.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
---------	-------	-------------	----------	-------

COLT

Unless otherwise noted, all parts are for current production guns.
 SPECS: Made to factory specifications and supplied with factory applied finish. Any part may require fitting.

AR-15 - Common Parts

#160-311-101EG	SPK94772	AR-15 Rifle Accessories Kit	All	6A71P84 \$ 89.80
#160-000-256EG	SP99009	Accu-Wedge	All	6A14U80 \$ 19.99
#160-300-024EG	SP61902	Barrel Nut	All	6A15A94 \$ 19.99
#160-300-020EG	SP62482	Barrel Nut Assembly	All	6A33V78 \$ 42.99
#160-308-102EG	SP95105	Bolt Catch Pin	All	6A04B16 \$ 5.20
#160-308-103EG	SP62178	Bolt Catch Plunger	All	6A02X86 \$ 3.58
#160-308-104EG	SP62177	Bolt Catch Spring	All	6A04H16 \$ 5.20
#160-308-110EG	SP61582	Buffer Retainer	All	6A07D15 \$ 8.94
#160-308-111EG	SP61694	Buffer Retainer Spring	All	6A04Z16 \$ 5.20
#160-000-204EG	SP62736	Butt Stock Door Hinge	All	6A02A86 \$ 3.58
#160-302-001EG	SP62290	Charging Handle Assembly	All	6A71Y56 \$ 89.99
#160-302-003EG	SP62289	Charging Handle Latch	All	6A09T98 \$ 12.48
#160-302-002EG	SP95113	Charging Handle Latch/Pawl Pin	All	6A02P86 \$ 3.58
#160-302-004EG	SP61875	Charging Handle Spring	All	6A03U08 \$ 3.85
#160-302-011EG	SP90402	Cover Hinge Pin Snap Ring	All	6A02A86 \$ 3.58
#160-305-104EG	SP63157	Disconnect	All	6A11V75 \$ 14.69
#160-305-106EG	SP63026	Disconnect Spring, Semi	All	6A03B08 \$ 3.85
#160-306-117EG	SP62734	Door Hinge Pin	All	6A02X86 \$ 3.58
#160-302-010EG	SP61658	Ejection Cover Hinge Pin	All	6A04C72 \$ 5.99
#160-302-012EG	SP61518	Ejection Cover Spring	All	6A02H86 \$ 3.58
#160-304-025EG	SP64026	Extractor Spring Assembly	All	6A05D45 \$ 6.81
#160-308-145EG	SP63000	Fire Control Selector	All	6A18Z38 \$ 24.99
#160-308-146EG	SP61785	Fire Control Selector Detent	All	6A03A08 \$ 3.85
#160-304-001EG	SP62335	Firing/Retaining Pin	All	6A04Y65 \$ 5.81
#160-302-040EG	SP95126	Forward Assist Retainer Pin	All	6A03T08 \$ 3.85
#160-301-050EG	SP62280	Forward Sling Swivel	All	6A04P65 \$ 5.81
#160-000-349EG	SP61654	Hammer & Trigger Pin, .154"	All	6A04U23 \$ 5.29
#160-305-101EG	SP63158	Hammer & Trigger Pin, .170"	All	6A02A86 \$ 3.58
#160-000-217EG	SP64225	Hammer & Trigger Pin, .171"	All	6A04V16 \$ 5.20
#160-305-103EG	SP61697	Hammer Spring	All	6A03B58 \$ 4.48
#160-300-021EG	SP90403	Handguard Retainer Ring	All	6A04X16 \$ 5.20
#160-300-023EG	SP62483	Handguard Slip Ring	All	6A12C58 \$ 15.73
#160-307-111EG	SP95142	Lock Nut Pin	All	6A02H87 \$ 3.59
#160-308-112EG	SP61604	Magazine Catch	All	6A12D75 \$ 15.94
#160-308-130EG	SP62032	Magazine Release Button	All	6A05Z48 \$ 6.85
#160-308-131EG	SP61759	Magazine Release Button Spring	All	6A03A08 \$ 3.85
#160-308-150EG	SP64576	Pistol Grip	All	6A13Y13 \$ 15.99
#160-308-151EG	SP90001	Pistol Grip Lock Washer	All	6A03T58 \$ 4.48
#160-308-152EG	SP64554	Pistol Grip Screw	All	6A04P56 \$ 5.70
#160-306-112EG	SP62732	Plunger Spring	All	6A10U95 \$ 13.69
#160-000-002EG	SP62221	Receiver Pivot Pin, .250", Push Type	All	6A11A98 \$ 14.98
#160-308-121EG	SP66818	Receiver Pivot Pin, .250", Screw Type	All	6A07V15 \$ 8.94
#160-308-120EG	SP66819	Receiver Pivot Pin Screw	All	6A08B53 \$ 10.66
#160-311-102EG	SPK94771	Ring Assembly Kit, Delta	All	6A14X70 \$ 18.38
#160-301-001EG	SP61705	Sight Detent, Front	All	6A04C16 \$ 5.20
#160-301-002EG	SP61709	Sight Detent Spring, Front	All	6A03H08 \$ 3.85
#160-303-017EG	SP64781	Sight Spring, Rear	All	6A03D58 \$ 4.48
#160-301-003EG	SP62086	Sight Taper Pin, Front	All	6A04Z16 \$ 5.20
#160-300-022EG	SP61962	Slip Ring Spring Assembly	All	6A08A53 \$ 10.66
#160-304-042EG	SP92201	Socket Head Cap Screw	All	6A03Y08 \$ 3.85
#160-306-119EG	SP62737	Swivel	All	6A12T65 \$ 15.38
#160-301-051EG	SP91209	Swivel Rivet, Front	All	6A02P86 \$ 3.58
#160-306-118EG	SP64573	Swivel Screw	All	6A04U16 \$ 5.20
#160-000-352EG	SP6106SVL	Tactical Sling Mount, Front	All	6A40A89 \$ 51.11
#160-308-140EG	SP61655	Take Down Pin	All	6A09V58 \$ 11.97
#160-308-115EG	SP61698	Take Down Pin Detent	All	6A03B58 \$ 4.48

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-308-114EG	SP61692	Take Down Pin Detent Spring	All	6A04X16 \$ 5.20
#160-305-105EG	SP63156	Trigger, .170"	All	6A26C84 \$ 33.55
#160-308-136EG	SP61970	Trigger Guard Assembly	All	6A14H29 \$ 17.86
#160-308-135EG	SP95106	Trigger Guard Pivot Pin	All	6A02D86 \$ 3.58
#160-308-109EG	SP61250	Trigger Guard Plunger	All	6A02Z86 \$ 3.58
#160-308-138EG	SP61531	Trigger Guard Spring	All	6A02A86 \$ 3.58
#160-303-021EG	SP95101	Trigger Guard/Windage Drum Pin	All	6A02Y86 \$ 3.58
#160-305-107EG	SP61657	Trigger Spring	All	6A03T28 \$ 4.10

AR-15 Accurized HBAR

Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10U47 \$ 12.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223	6A86A13 \$ 107.66
#160-308-100EG	SP62301	Bolt Catch	.223	6A16V73 \$ 20.50
#160-304-040EG	SP61540	Bolt Ring, 3-Pak	.223	6A05B50 \$ 6.85
#160-306-102EG	SP62339	Buffer Assembly, Full Length	All	6A28X95 \$ 36.99
#160-306-104EG	SP64577	Butt Cap Screw, A2	All	6A05C48 \$ 6.85
#160-000-383EG	SP64572	Butt Cap Spacer	All	6A03H44 \$ 4.30
#160-306-110EG	SP64579	Butt Plate Body	All	6A08D64 \$ 10.99
#160-000-218EG	SP64574	Butt Stock	All	6A37Z22 \$ 47.38
#160-306-113EG	SP64556	Butt Stock Door	All	6A20A51 \$ 24.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A70Y65 \$ 87.99
#160-303-044EG	SP64992	Carrying Handle Pin	All	6A03T58 \$ 4.48
#160-303-041EG	SP64080	Clamp Bar	All	6A07P15 \$ 8.94
#160-303-042EG	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12U75 \$ 15.94
#160-303-043EG	SP64989	Clamp Stub, Carry Handle Assy	All	6A07A15 \$ 8.94
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223	6A09V30 \$ 11.63
#160-304-031EG	SP61564	Ejector	.223	6A03B58 \$ 4.48
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223	6A02X77 \$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223	6A03C58 \$ 4.48
#160-303-025EG	SP64981	Elevation Knob, Carry Handle Assy	All	6A16H13 \$ 20.16
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02D86 \$ 3.58
#160-303-027EG	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15Y74 \$ 19.67
#160-304-022EG	SP61562	Extractor	.223	6A28T98 \$ 36.23
#160-304-020EG	SP61563	Extractor Pin	.223	6A03P58 \$ 4.48
#160-304-002EG	SP62294	Firing Pin	.223	6A14U77 \$ 19.99
#160-000-205EG	SP63039	Firing Pin	All	6A14A77 \$ 19.99
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33D48 \$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223	6A26Z23 \$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223	6A03A58 \$ 4.48
#160-300-011EG	SP61645	Gas Tube Assembly, Long	All	6A45Y40 \$ 56.99
#160-300-009EG	SP95108	Gas Tube Pin	All	6A02T86 \$ 3.58
#160-305-100EG	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46P95 \$ 59.99
#160-303-028EG	SP64514	Index Screw, Adj, Sight Models	All	6A04U16 \$ 5.20
#160-303-030EG	SP64982	Index Spring, Carry Handle Assy	All	6A03A02 \$ 3.78
#160-000-213EG	SP63308	Magazine, 9-Round, Matte Blue	.223	6A20V73 \$ 25.99
#160-302-046EG	SP50381	Pawl Detent Spring	.223	6A02B86 \$ 3.58
#160-307-105EG	SP64272	Receiver Extension, Collapsible	All	6A91X89 \$114.99
#160-306-100EG	SP64994	Receiver Extension, Fixed	All	6A49C18 \$ 62.60
#160-303-013EG	SP64524	Sight, Rear, Adj, Sight Models	All	6A14D29 \$ 17.86
#160-303-002EG	SP64985	Sight Assy, Rear, Carry Handle Assy	All	6A71U81 \$ 89.76
#160-303-011EG	SP64517	Sight Ball, Rear	All	6A03B50 \$ 4.38
#160-303-019EG	SP64977	Sight Base, Rear, Carry Handle Assy	All	6A36X84 \$ 46.20
#160-303-023EG	SP64526	Windage Drum, Adj, Sight Models	All	6A15C21 \$ 19.01
#160-303-020EG	SP64522	Windage Drum Pin, Adj, Sight Models	All	6A03H08 \$ 3.85
#160-303-015EG	SP64525	Windage Screw, Adj, Sight Models	All	6A08U92 \$ 9.99

AR-15 Carbine

Other parts Listed Under AR-15 Common Parts Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10B47 \$ 12.99
#160-307-104EG	SP62373	Action Spring	All	6A08X69 \$ 10.99
#160-308-101EG	SP62835	Bolt Catch	9mm	6A16H98 \$ 21.23

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-304-044EG	SP62809	Bolt Key	9mm	6A37Y22 \$ 47.11
#160-306-103EG	SP62877	Buffer Assembly, Fixed Stock	9mm	6A54U05 \$ 66.99
#160-307-101EG	SP62849	Buffer Assembly	9mm	6A26Y11 \$ 33.23
#160-306-105EG	SP92601	Butt Cap Screw, A1	All	6A03T58 \$ 4.48
#160-302-052EG	SP62908	Carry Handle Upper Receiver	9mm	6A151U83 \$189.79
#160-302-029EG	SP62854	Ejection Port Cover Assembly	9mm	6A10B14 \$ 12.68
#160-308-160EG	SP62830	Ejector	9mm	6A07X15 \$ 8.94
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	9mm	6A02C77 \$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223	6A03H58 \$ 4.48
#160-304-024EG	SP62808	Extractor	9mm	6A31D12 \$ 39.99
#160-304-021EG	SP95217	Extractor Pin	9mm	6A02Z86 \$ 3.58
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73T98 \$ 92.48
#160-304-003EG	SP62805	Firing Pin	9mm	6A20U74 \$ 25.63
#160-304-045EG	SP62806	Firing Pin Spring	9mm	6A02A86 \$ 3.58
#160-302-030EG	SP62851	Gas Deflector	9mm	6A10V14 \$ 12.68
#160-302-031EG	SP62769	Gas Deflector Spring	9mm	6A03B58 \$ 4.48
#160-305-102EG	SP62865	Hammer & Hammer Pin Ret. Assy	9mm	6A37X92 \$ 47.15
#160-000-386EG	SP62381	Handguard Assembly, PR	All	6A50C00 \$ 59.99
#160-300-001EG	SP64673	Handguard Assembly, Short	All	6A74H00 \$ 89.99
#160-307-110EG	SP64686	Lock Pin Nut	All	6A16D34 \$ 20.43
#160-307-107EG	SP64687	Lock Release Lever Pin	All	6A09Z43 \$ 11.79
#160-307-108EG	SP62369	Lock Release Lever Pin Spring	All	6A03T08 \$ 3.85
#160-000-384EG	SP62980	Magazine Assembly, 32-Rnd	9mm	6A57P69 \$ 64.99
#160-307-102EG	SP62358	Receiver End Plate	All	6A05U48 \$ 6.85
#160-307-105EG	SP64072	Receiver Extension, Collapsible	All	6A91A89 \$114.99
#160-307-103EG	SP64069	Receiver Extension Nut	All	6A15V03 \$ 18.79
#160-307-109EG	SP62628	Release Lever	All	6A20Z83 \$ 26.11
#160-303-014EG	SP62816	Sight, Rear	9mm	6A14T29 \$ 17.86
#160-301-016EG	SP64665	Sight Post, Front, 16" Barrel	All	6A08P53 \$ 10.66
#160-000-203EG	SP12012081	Sliding Butt Stock	All	6A46U84 \$ 58.55
#160-307-106EG	SP64243	Sliding Butt Stock Assembly	All	6A50A72 \$ 63.99
#160-303-022EG	SP61703	Windage Drum	9mm	6A07V15 \$ 8.94
#160-303-016EG	SP61702	Windage Screw	9mm	6A09B74 \$ 12.18

AR-15 Government Carbine

Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #802-810

#160-307-104EG	SP62373	Action Spring	All	6A08C69 \$ 10.99
#160-304-013EG	SP64027	Bolt Assembly, 16" Barrel	.223	6A165H99 \$205.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223	6A86V13 \$ 107.66
#160-308-100EG	SP62301	Bolt Catch	.223	6A16B73 \$ 20.50
#160-304-040EG	SP61540	Bolt Ring, 3-Pak	.223	6A05P50 \$ 6.85
#160-307-100EG	SP64688	Buffer Assembly	.223	6A40U56 \$ 50.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A70T65 \$ 87.99
#160-304-004EG	SP61704	Cam Pin	.223	6A09P34 \$ 11.68
#160-302-051EG	SP64512	Carry Handle Upper Rec., .223/5.56	.223	6A259U67 \$324.59
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223	6A09A30 \$ 11.63
#160-304-031EG	SP61564	Ejector	.223	6A03V58 \$ 4.48
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223	6A02B77 \$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223	6A03X58 \$ 4.48
#160-303-024EG	SP64516	Elevation Knob, A2	All	6A16C24 \$ 19.99
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02Z86 \$ 3.58
#160-303-026EG	SP64515	Elevation Wheel, A2	All	6A16A24 \$ 19.99
#160-304-022EG	SP61562	Extractor	.223	6A28Y98 \$ 36.23
#160-304-020EG	SP61563	Extractor Pin	.223	6A03T58 \$ 4.48
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73P98 \$ 92.48
#160-304-002EG	SP62294	Firing Pin	.223	6A14U77 \$ 19.99
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33B48 \$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223	6A26X23 \$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223	6A03C58 \$ 4.48
#160-300-010EG	SP62366	Gas Tube Assembly, Short</		

Colt AR-15 Government Carbine continued					
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE	
#160-305-10EG	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46A95	\$ 59.99
#160-300-001EG	S964673	Handguard Assembly, Short	All	6A74Y00	\$ 89.99
#160-301-116EG	SP62346	Handguard Cap, 16" Barrel	.223	6A04P65	\$ 5.81
#160-303-028EG	SP64514	Index Screw, Adj., Sight Models	All	6A04U16	\$ 5.20
#160-303-010EG	SP64518	Index Spring, A2	All	6A02A86	\$ 3.58
#160-307-110EG	SP64686	Lock Pin Nut	All	6A16V34	\$ 20.43
#160-307-107EG	SP64687	Lock Release Lever Pin	All	6A09B43	\$ 11.79
#160-307-108EG	SP62369	Lock Release Lever Pin Spring	All	6A03X08	\$ 3.85
#160-000-213EG	SP63308	Magazine, 9-Round, Matte Blue	.223	6A20C73	\$ 25.99
#160-302-046EG	SP50381	Pawl Detent Spring	.223	6A02A86	\$ 3.58
#160-307-102EG	SP62358	Receiver End Plate	All	6A05Y48	\$ 6.85
#160-307-105EG	SP64072	Receiver Extension, Collapsible	All	6A91T89	\$114.99
#160-307-103EG	SP64069	Receiver Extension Nut	All	6A15P03	\$ 18.79
#160-307-109EG	SP62628	Release Lever	All	6A20U83	\$ 26.11
#160-303-013EG	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14A29	\$ 17.86
#160-303-001EG	SP64521	Sight Assembly, Rear, A2	All	6A79V24	\$ 98.99
#160-303-011EG	SP64517	Sight Ball, Rear	All	6A03B50	\$ 4.38
#160-303-018EG	SP64523	Sight Base, Rear, A2	All	6A36X24	\$ 44.99
#160-301-016EG	SP64665	Sight Post, Front, 16" Barrel	All	6A08C53	\$ 10.66
#160-000-203EG	SP12012081	Sliding Butt Stock	All	6A46H84	\$ 58.55
#160-307-106EG	SP64243	Sliding Butt Stock Assembly	All	6A50D72	\$ 63.99
#160-303-023EG	SP64526	Windage Drum, Adj. Sight Models	All	6A15Z21	\$ 19.01
#160-303-020EG	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03A08	\$ 3.85
#160-303-015EG	SP64525	Windage Screw, Adj. Sight Models	All	6A08Y92	\$ 9.99

AR-15 Match Target

Other parts Listed Under AR-15 Common Parts – Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10P47	\$ 12.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223	6A86U13	\$ 107.66
#160-308-100EG	SP62301	Bolt Catch	.223	6A16V73	\$ 20.50
#160-304-040EG	SP61540	Bolt Ring, 3-Pak	.223	6A05B50	\$ 6.85
#160-306-102EG	SP62339	Buffer Assembly, Full Length	All	6A28P95	\$ 36.99
#160-306-105EG	SP92601	Butt Cap Screw, A1	All	6A03U58	\$ 4.48
#160-306-104EG	SP64577	Butt Cap Screw, A2	All	6A05A48	\$ 6.85
#160-000-383EG	SP64572	Butt Cap Spacer	All	6A03B44	\$ 4.30
#160-306-110EG	SP64579	Butt Plate Body	All	6A08X64	\$ 10.99
#160-000-218EG	SP64574	Butt Stock	All	6A37C22	\$ 47.38
#160-306-113EG	SP64556	Butt Stock Door	All	6A20H51	\$ 24.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assy, A2	All	6A70D65	\$ 87.99
#160-304-004EG	SP61704	Cam Pin	.223	6A09A34	\$ 11.68
#160-302-051EG	SP64512	Carry Handle Upper Rcvr., .223/5.56	.223	6A259Y67	\$324.59
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223	6A09T30	\$ 11.63
#160-304-031EG	SP61564	Ejector	.223	6A03P58	\$ 4.48
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223	6A02U77	\$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223	6A03A58	\$ 4.48
#160-303-024EG	SP64516	Elevation Knob, A2	All	6A16V24	\$ 19.99
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02B86	\$ 3.58
#160-303-026EG	SP64515	Elevation Wheel, A2	All	6A16X24	\$ 19.99
#160-304-022EG	SP61562	Extractor	.223	6A28C98	\$ 36.23
#160-304-020EG	SP61563	Extractor Pin	.223	6A03H58	\$ 4.48
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73D98	\$ 92.48
#160-304-002EG	SP62294	Firing Pin	.223	6A14Z77	\$ 19.99
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33A48	\$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223	6A26P23	\$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223	6A03U58	\$ 4.48
#160-300-011EG	SP61645	Gas Tube Assembly, Long	All	6A45A40	\$ 56.99
#160-300-009EG	SP95108	Gas Tube Pin	All	6A02V86	\$ 3.58
#160-305-100EG	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46U95	\$ 59.99
#160-300-002EG	SP64508	Handguard Assembly, Long	All	6A50V15	\$ 59.99
#160-301-120EG	SP64504	Handguard Cap, 20" Barrel	.223	6A03B58	\$ 4.48
#160-303-028EG	SP64514	Index Screw, Adj., Sight Models	All	6A04X16	\$ 5.20

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE	
#160-303-010EG	SP64518	Index Spring, A2	All	6A02C86	\$ 3.58
#160-000-213EG	SP63308	Magazine, 9-Round, Matte Blue	.223	6A20H73	\$ 25.99
#160-302-046EG	SP50381	Pawl Detent Spring	.223	6A02Z86	\$ 3.58
#160-306-100EG	SP64994	Receiver Extension, Fixed	All	6A49A18	\$ 62.60
#160-303-013EG	SP64524	Sight, Rear, Adj. Sight Models	All	6A14Y29	\$ 17.86
#160-303-001EG	SP64521	Sight Assembly, Rear, A2	All	6A79T24	\$ 98.99
#160-303-011EG	SP64517	Sight Ball, Rear	All	6A03P50	\$ 4.38
#160-303-018EG	SP64523	Sight Base, Rear, A2	All	6A36U24	\$ 44.99
#160-301-020EG	SP64507	Sight Post, Front, 20" Barrel	All	6A06A31	\$ 7.89
#160-303-023EG	SP64526	Windage Drum, Adj. Sight Models	All	6A15V21	\$ 19.01
#160-303-020EG	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03B08	\$ 3.85
#160-303-015EG	SP64525	Windage Screw, Adj. Sight Models	All	6A08C92	\$ 9.99

AR-15 Match Target Competition HBAR

Other parts Listed Under AR-15 Common Parts – Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10H47	\$ 12.99
#160-000-208EG	SP63322	Barrel, 20" & Front Sight Assy	.223	6A343D45	\$434.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223	6A86Z13	\$ 107.66
#160-308-100EG	SP62301	Bolt Catch	.223	6A16A73	\$ 20.50
#160-304-040EG	SP61540	Bolt Ring, 3-Pak	.223	6A05Y50	\$ 6.85
#160-306-102EG	SP62339	Buffer Assembly, Full Length	All	6A28T95	\$ 36.99
#160-306-104EG	SP64577	Butt Cap Screw, A2	All	6A05P48	\$ 6.85
#160-000-383EG	SP64572	Butt Cap Spacer	All	6A03U44	\$ 4.30
#160-306-110EG	SP64579	Butt Plate Body	All	6A08A64	\$ 10.99
#160-000-218EG	SP64574	Butt Stock	All	6A37V22	\$ 47.38
#160-306-113EG	SP64556	Butt Stock Door	All	6A20B51	\$ 24.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assy, A2	All	6A70X65	\$ 87.99
#160-304-004EG	SP61704	Cam Pin	.223	6A09C34	\$ 11.68
#160-303-044EG	SP64992	Carrying Handle Pin	All	6A03H58	\$ 4.48
#160-303-041EG	SP64080	Clamp Bar	All	6A07D15	\$ 8.94
#160-303-042EG	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12Z75	\$ 15.94
#160-303-043EG	SP64989	Clamp Stub, Carry Handle Assy	All	6A07A15	\$ 8.94
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223	6A09Y30	\$ 11.63
#160-304-031EG	SP61564	Ejector	.223	6A03T58	\$ 4.48
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223	6A02P77	\$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223	6A03U58	\$ 4.48
#160-303-025EG	SP64981	Elevation Knob, Carry Handle Assy	All	6A03H58	\$ 4.48
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02V86	\$ 3.58
#160-303-027EG	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15B74	\$ 19.67
#160-303-027EG	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15B74	\$ 19.67
#160-304-022EG	SP61562	Extractor	.223	6A28X98	\$ 36.23
#160-304-020EG	SP61563	Extractor Pin	.223	6A03C58	\$ 4.48
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73C98	\$ 92.48
#160-304-002EG	SP62294	Firing Pin	.223	6A14H77	\$ 19.99
#160-302-053EG	SP63528	Flattop Upper Rcvr w/Assist & Cover,	.223/5.56	6A168P16	\$210.99
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33U48	\$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223	6A26A23	\$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223	6A03V58	\$ 4.48
#160-300-009EG	SP95108	Gas Tube Pin	All	6A02B86	\$ 3.58
#160-305-100EG	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46X95	\$ 59.99
#160-300-001EG	S964673	Handguard Assembly, Short	All	6A74C00	\$ 89.99
#160-301-116EG	SP62346	Handguard Cap, 16" Barrel	.223	6A04H65	\$ 5.81
#160-303-028EG	SP64514	Index Screw, Adj., Sight Models	All	6A04D16	\$ 5.20
#160-303-030EG	SP64982	Index Spring, Carry Handle Assy	All	6A03Z02	\$ 3.78
#160-000-213EG	SP63308	Magazine, 9-Round, Matte Blue	.223	6A20T73	\$ 25.99
#160-302-046EG	SP50381	Pawl Detent Spring	.223	6A02P86	\$ 3.58
#160-307-102EG	SP62358	Receiver End Plate	All	6A05U48	\$ 6.85
#160-306-100EG	SP64994	Receiver Extension, Fixed	All	6A49A18	\$ 62.60
#160-303-013EG	SP64524	Sight, Rear, Adj. Sight Models	All	6A14V29	\$ 17.86
#160-303-002EG	SP64985	Sight Assy, Rear, Carry Handle Assy	All	6A71B81	\$ 89.76
#160-303-011EG	SP64517	Sight Ball, Rear	All	6A03X50	\$ 4.38
#160-303-019EG	SP64977	Sight Base, Rear, Carry Handle Assy	All	6A36C84	\$ 46.20
#160-301-016EG	SP64665	Sight Post, Front, 16" Barrel	All	6A08H53	\$ 10.66
#160-303-023EG	SP64526	Windage Drum, Adj. Sight Models	All	6A15D21	\$ 19.01
#160-303-020EG	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03Z08	\$ 3.85
#160-303-015EG	SP64525	Windage Screw, Adj. Sight Models	All	6A08A92	\$ 9.99

AR-15 Match Target HBAR

Other parts Listed Under AR-15 Common Parts – Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10Y47	\$ 12.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223	6A86T13	\$ 107.66

Colt AR-15 Match Target HBAR continued.

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-306-110EG	SP64579	Butt Plate Body	All	6A08A64 \$ 10.99
#160-000-218EG	SP64574	Butt Stock	All	6A37Y22 \$ 47.38
#160-306-113EG	SP64556	Butt Stock Door	All	6A20T51 \$ 24.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assy, A2	All	6A70P65 \$ 87.99
#160-304-004EG	SP61704	Cam Pin	.223	6A09U34 \$ 11.68
#160-302-051EG	SP64512	Carry Handle Upper Receiver	.223/5.56	6A259A67 \$324.59
#160-302-054EG	SP64690	Carry Handle Upper Receiver	7.62 x 39	6A151V12 \$189.99
#160-302-052EG	SP62908	Carry Handle Upper Receiver	9mm	6A151B83 \$189.79
#160-302-029EG	SP62854	Ejection Port Cover Assembly	9mm	6A10X14 \$ 12.68
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223, 7.62 x 39	6A09C30 \$ 11.63
#160-304-031EG	SP61564	Ejector	.223, 7.62 x 39	6A03H58 \$ 4.48
#160-308-160EG	SP62830	Ejector	9mm	6A07D15 \$ 8.94
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223, 7.62 x 39	6A02U77 \$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223, 7.62 x 39	6A03C58 \$ 4.48
#160-303-024EG	SP64516	Elevation Knob, A2	All	6A16D24 \$ 19.99
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02Z86 \$ 3.58
#160-303-026EG	SP64515	Elevation Wheel, A2	All	6A16A24 \$ 19.99
#160-304-022EG	SP61562	Extractor	.223	6A28Y98 \$ 36.23
#160-304-024EG	SP62808	Extractor	9mm	6A31T12 \$ 39.99
#160-304-020EG	SP61563	Extractor Pin	.223, 7.62 x 39	6A03P58 \$ 4.48
#160-304-021EG	SP95217	Extractor Pin	9mm	6A02U86 \$ 3.58
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73A98 \$ 92.48
#160-304-003EG	SP62805	Firing Pin	9mm	6A20V74 \$ 25.63
#160-304-045EG	SP62806	Firing Pin Spring	9mm	6A02B86 \$ 3.58
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33X48 \$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223, 7.62 x 39	6A26C23 \$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223, 7.62 x 39	6A03H58 \$ 4.48
#160-302-043EG	SP62271	Forward Assist Spring	.223, 7.62 x 39	6A03H58 \$ 4.48
#160-302-030EG	SP62851	Gas Deflector	9mm	6A10D14 \$ 12.68
#160-302-031EG	SP62769	Gas Deflector Spring	9mm	6A02Z58 \$ 4.48
#160-300-009EG	SP95108	Gas Tube Pin	All	6A02A86 \$ 3.58
#160-305-100EG	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46V95 \$ 59.99
#160-300-002EG	SP64508	Hammering Assembly, Long	All	6A50X15 \$ 59.99
#160-301-120EG	SP64504	Handguard Cap, 20" Barrel	.223	6A03C58 \$ 4.48
#160-303-028EG	SP64514	Index Screw, Adj., Sight Models	All	6A04H16 \$ 5.20
#160-303-010EG	SP64518	Index Spring, A2	All	6A02D86 \$ 3.58
#160-000-213EG	SP63308	Magazine, 9-Round, Matte Blue	.223	6A20Z73 \$ 25.99
#160-302-046EG	SP50381	Pawl Detent Spring	.223	6A02A86 \$ 3.58
#160-306-100EG	SP64994	Receiver Extension, Fixed	All	6A49Y18 \$ 62.60
#160-303-013EG	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14T29 \$ 17.86
#160-303-001EG	SP64521	Sight Assembly, Rear, A2	All	6A79P24 \$ 98.99
#160-303-011EG	SP64517	Sight Ball, Rear	All	6A03A50 \$ 4.38
#160-303-018EG	SP64523	Sight Base, Rear, A2	All	6A36V24 \$ 44.99
#160-301-020EG	SP64507	Sight Post, Front, 20" Barrel	All	6A06B31 \$ 7.89
#160-303-023EG	SP64526	Windage Drum, Adj. Sight Models	All	6A15X21 \$ 19.01
#160-303-020EG	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03C08 \$ 3.85
#160-303-015EG	SP64525	Windage Screw, Adj. Sight Models	All	6A08H92 \$ 9.99

AR-15 Match Target Lightweight

Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10Z47 \$ 12.99
#160-307-104EG	SP62373	Action Spring	All	6A08A69 \$ 10.99
#160-304-013EG	SP64027	Bolt Assembly, 16" Barrel	.223	6A165Y99 \$205.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223, 7.62 x 39	6A86T13 \$ 107.66
#160-308-100EG	SP62301	Bolt Catch	.223	6A16P73 \$ 20.50
#160-308-101EG	SP62835	Bolt Catch	9mm	6A16U98 \$ 21.23
#160-304-044EG	SP62809	Bolt Key	9mm	6A37A22 \$ 47.11
#160-304-040EG	SP61540	Bolt Ring, 3-Pak	.223, 7.62 x 39	6A05V50 \$ 6.85
#160-306-103EG	SP62877	Buffer Assembly, Fixed Stock	All	6A54B05 \$ 66.99
#160-306-102EG	SP62339	Buffer Assembly, Full Length	All	6A28X95 \$ 36.99
#160-307-101EG	SP62849	Buffer Assembly	9mm	6A26C11 \$ 33.23
#160-306-105EG	SP92601	Butt Cap Screw, A1	All	6A03H58 \$ 4.48
#160-306-104EG	SP64577	Butt Cap Screw, A2	All	6A05D48 \$ 6.85
#160-000-383EG	SP64572	Butt Cap Spacer	All	6A03Z44 \$ 4.30

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-306-110EG	SP64579	Butt Plate Body	All	6A08A64 \$ 10.99
#160-000-218EG	SP64574	Butt Stock	All	6A37Y22 \$ 47.38
#160-306-113EG	SP64556	Butt Stock Door	All	6A20T51 \$ 24.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assy, A2	All	6A70P65 \$ 87.99
#160-304-004EG	SP61704	Cam Pin	.223	6A09U34 \$ 11.68
#160-302-051EG	SP64512	Carry Handle Upper Receiver	.223/5.56	6A259A67 \$324.59
#160-302-054EG	SP64690	Carry Handle Upper Receiver	7.62 x 39	6A151V12 \$189.99
#160-302-052EG	SP62908	Carry Handle Upper Receiver	9mm	6A151B83 \$189.79
#160-302-029EG	SP62854	Ejection Port Cover Assembly	9mm	6A10X14 \$ 12.68
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223, 7.62 x 39	6A09C30 \$ 11.63
#160-304-031EG	SP61564	Ejector	.223, 7.62 x 39	6A03H58 \$ 4.48
#160-308-160EG	SP62830	Ejector	9mm	6A07D15 \$ 8.94
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223, 7.62 x 39	6A02U77 \$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223, 7.62 x 39	6A03C58 \$ 4.48
#160-303-024EG	SP64516	Elevation Knob, A2	All	6A16D24 \$ 19.99
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02Z86 \$ 3.58
#160-303-026EG	SP64515	Elevation Wheel, A2	All	6A16A24 \$ 19.99
#160-304-022EG	SP61562	Extractor	.223	6A28Y98 \$ 36.23
#160-304-024EG	SP62808	Extractor	9mm	6A31T12 \$ 39.99
#160-304-020EG	SP61563	Extractor Pin	.223, 7.62 x 39	6A03P58 \$ 4.48
#160-304-021EG	SP95217	Extractor Pin	9mm	6A02U86 \$ 3.58
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73A98 \$ 92.48
#160-304-003EG	SP62805	Firing Pin	9mm	6A20V74 \$ 25.63
#160-304-045EG	SP62806	Firing Pin Spring	9mm	6A02B86 \$ 3.58
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33X48 \$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223, 7.62 x 39	6A26C23 \$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223, 7.62 x 39	6A03H58 \$ 4.48
#160-302-043EG	SP62271	Forward Assist Spring	.223, 7.62 x 39	6A03H58 \$ 4.48
#160-302-030EG	SP62851	Gas Deflector	9mm	6A10D14 \$ 12.68
#160-302-031EG	SP62769	Gas Deflector Spring	9mm	6A02Z58 \$ 4.48
#160-300-009EG	SP95108	Gas Tube Pin	All	6A02A86 \$ 3.58
#160-305-102EG	SP62865	Hammer & Hammer Pin Retr Assy	9mm	6A37Y92 \$ 47.15
#160-305-100EG	SP63165	Hammer w/Hammer Pin Retr	.223, 7.62 x 39	6A46T95 \$ 59.99
#160-300-001EG	SP64673	Handguard Assembly, Short	All	6A74P00 \$ 89.99
#160-301-116EG	SP62346	Handguard Cap, 16" Barrel	.223	6A04U65 \$ 5.81
#160-301-762EG	SP64672	Handguard Cap	7.62 x 39	6A06A62 \$ 8.99
#160-303-028EG	SP64514	Index Screw, Adj., Sight Models	All	6A04V16 \$ 5.20
#160-303-010EG	SP64518	Index Spring, A2	All	6A02B86 \$ 3.58
#160-307-108EG	SP62369	Lock Release Lever Pin Spring	All	6A03X08 \$ 3.85
#160-000-213EG	SP63308	Magazine, 9-Round, Matte Blue	.223	6A20C73 \$ 25.99
#160-302-046EG	SP50381	Pawl Detent Spring	.223, 7.62 x 39	6A02H86 \$ 3.58
#160-307-102EG	SP62358	Receiver End Plate	All	6A05D48 \$ 6.85
#160-306-100EG	SP64994	Receiver Extension, Fixed	All	6A49Z18 \$ 62.60
#160-303-013EG	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14A29 \$ 17.86
#160-303-014EG	SP62816	Sight, Rear	9mm	6A14Y29 \$ 17.86
#160-303-001EG	SP64521	Sight Assembly, Rear, A2	All	6A79T24 \$ 98.99
#160-303-011EG	SP64517	Sight Ball, Rear	All	6A03P50 \$ 4.38
#160-303-018EG	SP64523	Sight Base, Rear, A2	All	6A36V24 \$ 44.99
#160-301-016EG	SP64665	Sight Post, Front, 16" Barrel	All	6A08X53 \$ 10.66
#160-303-023EG	SP64526	Windage Drum, Adj. Sight Models	All	6A15C21 \$ 19.01
#160-303-022EG	SP61703	Windage Drum	9mm	6A07H15 \$ 8.94
#160-303-020EG	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03Z08 \$ 3.85
#160-303-015EG	SP64525	Windage Screw, Adj. Sight Models	All	6A08A92 \$ 9.99
#160-303-016EG	SP61702	Windage Screw	9mm	6A09Y74 \$ 12.18

AR-15A3 Tactical Carbine

Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #802-810

#160-306-101EG	SP61581	Action Spring, Fixed Stock	All	6A10T47 \$ 12.99
#160-304-013EG	SP64027	Bolt Assembly, 16" Barrel	.223	6A165P99 \$205.99
#160-304-043EG	SP61547	Bolt Carrier Key	.223	6A86U13 \$ 107.66
#160-308-100EG	SP62301	Bolt Catch	.223	6A16A73 \$ 20.50
#160-304-040EG	SP61540	Bolt Ring, 3-Pak	.223	6A05V50 \$ 6.85
#160-306-104EG	SP64577	Butt Cap Screw, A2	All	6A05B48 \$ 6.85

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-000-383EG	SP64572	Butt Cap Spacer	All	6A03H44 \$ 4.30
#160-306-110EG	SP64579	Butt Plate Body	All	6A08D64 \$ 10.99
#160-000-218EG	SP64574	Butt Stock	All	6A37Z22 \$ 47.38
#160-306-113EG	SP64556	Butt Stock Door	All	6A20A51 \$ 24.99
#160-306-106EG	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A70Y65 \$ 87.99
#160-304-004EG	SP61704	Cam Pin	.223	6A09T34 \$ 11.68
#160-303-044EG	SP64992	Carrying Handle Pin	All	6A03P58 \$ 4.48
#160-304-041EG	SP64080	Clamp Bar	All	6A07U15 \$ 8.94
#160-303-042EG	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12A75 \$ 15.94
#160-303-043EG	SP64989	Clamp Stub, Carry Handle Assy	All	6A07V15 \$ 8.94
#160-302-022EG	SP64532	Ejection Port Cover Assembly	.223	6A09B30 \$ 11.63
#160-304-031EG	SP61564	Ejector	.223	6A03X58 \$ 4.48
#160-301-030EG	SP95102	Ejector & Plunger Retainer Pin	.223	6A02C77 \$ 3.47
#160-304-032EG	SP61569	Ejector/Selector Spring	.223	6A03H58 \$ 4.48
#160-303-025EG	SP64981	Elevation Knob, Carry Handle Assy	All	6A16D13 \$ 20.16
#160-303-031EG	SP64519	Elevation Spring, Adjustable Sight	All	6A02Z86 \$ 3.58
#160-303-027EG	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15A74 \$ 19.67
#160-304-022EG	SP61562	Extractor	.223	6A28B98 \$ 36.23
#160-304-020EG	SP61563	Extractor Pin	.223	6A03X58 \$ 4.48
#160-311-100EG	SPK94773	Fire Control Kit	All	6A73H98 \$ 92.48
#160-304-002EG	SP62294	Firing Pin	.223	6A14T77 \$ 19.99
#160-302-053EG	SP63528	Flattop Upper Receiver w/Assist & Cover, .223/5.56	6A168P16	\$210.99
#160-302-042EG	SP64543	Forward Assist Assembly	.223	6A33H48 \$ 41.85
#160-302-044EG	SP62269	Forward Assist Pawl	.223	6A26C23 \$ 34.99
#160-302-041EG	SP62271	Forward Assist Spring	.223	6A03Y58 \$ 4.48
#160-300-009EG	SP95108	Gas Tube Pin	All	6A02T86 \$ 3.58
#160-305-100EG	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46A95 \$ 59.99
#160-300-001EG	SP64673	Handguard Assembly, Short	All	6A74H00 \$ 89.99
#160-301-116EG	SP62346	Handguard Cap, 16" Barrel	.223	6A04D65 \$ 5.81
#160-303-028EG	SP64514	Index Screw, Adj., Sight Models	All	6A04Z16 \$ 5.20
#160-303-030EG	SP64982	Index Spring, Carry Handle Assembly	All	6A03A02 \$ 3.78
#160-0				

COLT & DPMS PANTHER ARMS

Colt M16/M4 continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-000-380EG	SP61615	Sear Pin, Auto	.223	6A02A22 \$ 2.78
#160-000-382EG	SP61616	Sear Spring, Auto	.223	6A02V70 \$ 3.38
#160-000-374EG	SP61955	Trigger, Full Auto, A1	.223, Auto Full	6A37B59 \$ 46.99
#160-000-369EG	SP64659	Trigger & Disconnect Spring Assy	.223	6A20X00 \$ 25.00
#160-305-107EG	SP61657	Trigger Spring	.223, Auto Full	6A03C28 \$ 4.10

DPMS PANTHER ARMS

Unless otherwise noted, all parts are for current production guns.
 SPECS: Made to factory specifications and supplied with factory applied finish. Any part may require fitting.

AR-15 - Common Parts

#231-000-215EG	204BL24	Barrel, 24", SS, .204 Ruger	.204 Ruger	3B198A57 \$302.99
#231-015-032EG	BL17	Barrel Extension	.223	3B21Y14 \$ 26.99
#231-000-082EG	BL171	Barrel Extension Pin	.223	3B00T83 \$ 1.50
#231-000-065EG	BT02	Bolt	.223	3B28P89 \$ 35.00
#231-000-177EG	BCBA1AS	Bolt & Carrier Combo, Chrome	.223	1C166U67 \$205.99
#231-000-178EG	BCBA1AS	Bolt & Carrier Combo, TiN	.223	1C197A11 \$244.99
#231-000-077EG	BT13	Bolt Carrier	.223	1C51V43 \$ 55.99
#231-000-176EG	BCBA1AS	Bolt Carrier Assembly	.223	1C121B98 \$150.99
#231-000-076EG	BT11	Bolt Carrier Key	.223	3B11X93 \$ 14.91
#231-000-075EG	BT10	Bolt Carrier Key Screw	.223	3B00C96 \$ 1.20
#231-000-091EG	LR11	Bolt Catch	.223	3B05H00 \$ 9.00
#231-000-090EG	LR10	Bolt Catch Buffer	.223	3B00D92 \$ 1.15
#231-000-092EG	LR12	Bolt Catch Roll Pin	.223	3B01Z06 \$ 1.33
#231-000-089EG	LR09	Bolt Catch Spring	.223	3B00A97 \$ 1.21
#231-000-064EG	BT01	Bolt Gas Ring	.223	3B00Y50 \$ 1.00
#231-000-107EG	LR01	Buffer Retainer	.223	1C01T29 \$ 1.61
#231-000-108EG	LR02	Buffer Retainer Spring	.223	3B00P89 \$ 1.11
#231-000-261EG	BS10A	Buttstock Buffer Spr., Carbine Length	.223	3B03U37 \$ 4.99
#231-000-074EG	BT17	Cam Pin	.223	3B02A78 \$ 5.00
#231-000-260EG	FFCF	Carbine Length Carbon Fiber Free Float Tube	.223	1C68V13 \$ 79.99
#231-000-056EG	UR19B	Charging Handle	.223	1C14B68 \$ 17.99
#231-000-055EG	UR17	Charging Handle Latch Spring	.223	3B01X02 \$ 1.28
#231-000-054EG	UR16	Charging Handle Roll Pin	.223	3B00C91 \$ 1.14
#231-000-175EG	BL06CW	Crush Washer	.223	3B02H20 \$ 2.75
#231-000-102EG	LR27	Detent, Selector	.223	3B01D23 \$ 1.54
#231-000-094EG	LR14	Detent Spring	.223	3B00Z81 \$ 1.04
#231-000-262EG	BCBAD1AS	Diamond Coat Bolt & Bolt Carrier	.223	1C179A24 \$184.99
#231-000-099EG	LR19	Disconnect	.223	3B04Y43 \$ 5.54
#231-000-106EG	LR31	Disconnect Spring	.223	3B01T31 \$ 1.64
#231-000-057EG	UR02	Ejection Hinge Pin Snap Ring	.223	3B00P91 \$ 1.14
#231-000-059EG	UR04	Ejection Port Cover	.223	3B03U61 \$ 5.75
#231-000-058EG	UR03	Ejection Port Cover Pin	.223	3B01A18 \$ 1.99
#231-000-060EG	UR05	Ejection Port Cover Spring	.223	3B01V05 \$ 1.86
#231-000-069EG	BT06	Ejector	.223	3B01B70 \$ 2.13
#231-000-067EG	BT04	Ejector Roll Pin	.223	3B00X97 \$ 1.21
#231-000-070EG	BT07	Extractor	.223	3B11C72 \$ 14.99
#231-000-066EG	BT03	Extractor Pin	.223	3B01H18 \$ 1.47
#231-000-071EG	BT08	Extractor Spring Assy w/Rubber Tip	.223	3B01D20 \$ 1.50
#231-000-073EG	BT16	Firing Pin Retaining Pin	.223	3B01Z14 \$ 1.43
#231-000-063EG	UR08R	Forward Assist Assembly, Round	.223	1C12A80 \$ 15.99
#231-000-062EG	UR07	Forward Assist Spring	.223	3B00Y89 \$ 1.11
#231-000-086EG	BL03	Gas Tube Roll Pin	.223	3B00T91 \$ 1.14
#231-000-169EG	LR34A	Hammer, Hartford Horsey	.223	3B28P80 \$ 36.00
#231-000-087EG	LR33K	Hammer, Mil Spec	.223	3B18U49 \$ 22.99
#231-000-105EG	LR32	Hammer Spring	.223	3B01A42 \$ 1.78
#231-000-237EG	308BA18	LR-308 Upper w/18" CM Bull Barrel	.308	3B66V766 \$812.99
#231-000-093EG	LR13	Magazine Catch	.223	3B03B33 \$ 4.00
#231-000-097EG	LR17	Magazine Catch Button, Aluminum	.223	3B01X94 \$ 3.00

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-096EG	LR16	Magazine Catch Spring	.223	3B00C50 \$ 0.99
#231-000-264EG	LRRRM	Molded Receiver Rug	.223	1C06H25 \$ 8.99
#231-000-263EG	LRRR	Non-Molded Receiver Rug	.223	1C02D50 \$ 3.99
#231-000-098EG	LR18	Pivot Pin, Front	.223	3B03Z87 \$ 4.99
#231-000-088EG	LR08	Safety Selector	.223	3B05A89 \$ 9.00
#231-000-068EG	LR26	Selector Spring	.223	3B00Y89 \$ 1.11
#231-000-123EG	BL18	Sight, Front, w/Lug	.223	1C24T39 \$ 34.95
#231-000-114EG	SL09K	Sling, Lightweight, Nylon	.223	3B03P07 \$ 4.99
#231-000-259EG	FFCF	Std. Lgth Carbon Fiber Free Float Tube	.223	1C78U57 \$ 89.99
#231-000-095EG	LR15	Take Down Detent	.223	3B01A11 \$ 1.39
#231-000-104EG	LR30	Take Down Pin, Rear	.223	3B03V87 \$ 4.99
#231-000-168EG	LR21A	Trigger, Hartford Horsey	.223	3B36B10 \$ 45.13
#231-000-100EG	LR20	Trigger	.223	3B10X96 \$ 13.99
#231-000-241EG	LR03KIT	Trigger Guard Assembly Kit w/Pin	All	1C06C56 \$ 8.99
#231-000-111EG	LR04A	Trigger Guard Detent	.223	3B01H29 \$ 1.61
#231-000-112EG	LR04B	Trigger Guard Detent Spring	.223	3B00D97 \$ 1.21
#231-000-103EG	LR28	Trigger Pin	.223	3B01Z07 \$ 1.34
#231-000-101EG	LR22	Trigger Spring	.223	3B01A66 \$ 1.99

M4 Post Ban 16" - RFA2-M4PMC

Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #811-814				
#231-000-239EG	BLAP4	AR-15/M16 Barrel, BLAP4	.223	1C183Y56 \$205.99
#231-000-256EG	BAAP416	Barrel Assembly, 16" PRE BAN	.223	3B527T14 \$658.93
#231-000-125EG	BLAP4PMC	Barrel, w/Miculek Comp, M4	.223	3B217P24 \$271.55
#231-000-118EG	BL07	Barrel Snap Ring	.223	3B01U36 \$ 1.99
#231-000-144EG	UR27	Base Aperture, Rear, A2	.223	3B07A45 \$ 9.31
#231-000-142EG	UR25	Base Ball Bearing, Rear, 3 Req'd	.223	3B01V08 \$ 1.35
#231-000-151EG	UR34	Base Elevation Knob, Rear, A2	.223	3B05B37 \$ 6.71
#231-000-148EG	UR31	Base Elevation Knob Spring, Rear	.223	3B01X17 \$ 1.99
#231-000-150EG	UR33	Base Index Elevation, Rear	.223	3B05C37 \$ 6.71
#231-000-149EG	UR32	Base Index Screw, Rear, A2	.223	3B01H38 \$ 1.73
#231-000-146EG	UR29	Base Lug, Rear, A2	.223	3B15D28 \$ 18.95
#231-000-141EG	UR24	Base Spring, Rear, 3 Req'd	.223	3B00Z91 \$ 1.14
#231-000-139EG	UR22	Base Spring Pin, Rear	.223	3B00A86 \$ 1.11
#231-000-140EG	UR23	Base Windage Knob, Rear	.223	3B05Y37 \$ 6.71
#231-000-143EG	UR26	Base Windage Knob Screw, Rear	.223	3B03T16 \$ 3.95
#231-000-232EG	CS02	CAR Stock Lock Ring	.223	1C02P57 \$ 3.22
#231-000-138EG	UR18	Charging Handle Latch	.223	3B02U94 \$ 3.68
#231-000-242EG	CS09AP4	Comm. 6 Pos. Carbine Stock Tube	.223	1C18A69 \$ 22.99
#231-000-120EG	BL09	Delta Ring, Black/Gray	.223	3B05V52 \$ 8.99
#231-000-117EG	BL04A	Gas Tube	.223	3B12B27 \$ 22.99
#231-000-124EG	BL19	Handguard Caps, Round	.223	3B04X00 \$ 4.00
#231-000-219EG	BL12B	M4 Barrel, BL-12B	.223	3B156Y46 \$199.99
#231-000-243EG	CS09D0D	Mil-Spec 5 Position Carbine Stk Tube	.223	1C32T48 \$ 39.99
#231-000-136EG	LR25	Pistol Grip, Black Plastic, A2	.223	3B03P75 \$ 4.69
#231-000-135EG	LR24	Pistol Grip Lock Washer	.223	3B00U75 \$ 0.99
#231-000-134EG	LR23	Pistol Grip Screw	.223	3B01A20 \$ 1.50
#231-000-123EG	BL18	Sight, Front, w/Lug	.223	1C24B39 \$ 34.95
#231-000-129EG	FS03	Sight Detent, Front	.223	3B01X64 \$ 2.05
#231-000-128EG	FS01	Sight Post, Front, Square, A2	.223	3B03C33 \$ 6.00
#231-000-130EG	FS04	Sight Spring, Front	.223	3B01H16 \$ 1.45
#231-000-145EG	UR28	Sight Spring, Rear, Flat, A2	.223	3B02D37 \$ 2.99
#231-000-131EG	FS06	Sight Taper Pin, Front	.223	3B01Z22 \$ 1.53
#231-000-127EG	CSAP4	Stock Assembly, Carbine, M4	.223	1C77A72 \$ 99.95
#231-000-152EG	UR36	Stripped A2 Upper Receiver	.223	1C82Y24 \$ 99.99
#231-000-121EG	BL14	Swivel, Front	.223	3B02B99 \$ 3.74
#231-000-122EG	BL15	Swivel Rivet, Front	.223	3B00X96 \$ 1.21
#231-000-133EG	LR21	Trigger, Full Auto	.223	3B13A47 \$ 34.99
#231-000-132EG	LR03	Trigger Guard Assembly w/Pin	.223	3B06U08 \$ 11.99
#231-000-171EG	BAAP416UG70	Upper Receiver w/5.56 cal, FT, 16" AP4 Barrel, Chrome	.223	3B570A00 \$712.99
#231-000-119EG	BL08	Weld Spring, Barrel	.223	3B05B50 \$ 9.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
Panther Bull 24" Special - RFA2-24SP				
Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #811-814				
#231-000-051EG	BS11	Buffer Body Assembly, Standard	.223	3B12X25 \$ 14.99
#231-000-083EG	BLSS	Bull Barrel Set Screws	.223	3B02D16 \$ 2.70
#231-000-049EG	BS10B	Butt Stock Buffer Spring, Standard	.223	3B02X98 \$ 5.99
#231-000-048EG	BS09	Butt Stock Extension Tube	.223	3B12C86 \$ 15.99
#231-000-050EG	BS14	Butt Stock Screw, Upper, A2	.223	3B02H30 \$ 2.99
#231-000-085EG	BL04	Gas Tube, Standard	.223	3B12D04 \$ 23.23
#231-000-053EG	FTTEA	Stripped A3 Flattop Upper Receiver	.223	1C95Z08 \$125.99
#231-000-109EG	LR04	Trigger Guard Pin	.223	3B01A00 \$ 1.25

Panther Classic - RFA2-C

Other parts Listed Under AR-15 Common Parts — Web Quick-Find Schematic #811-814				
#231-000-118EG	BL07	Barrel Snap Ring	.223	3B01Y36 \$ 1.99
#231-000-144EG	UR27	Base Aperture, Rear, A2	.223	3B07T45 \$ 9.31
#231-000-142EG	UR25	Base Ball Bearing, Rear, 3 Req'd	.223	3B01P08 \$ 1.35
#231-000-151EG	UR34	Base Elevation Knob, Rear, A2	.223	3B05U37 \$ 6.71
#231-000-148EG	UR31	Base Elevation Knob Spring, Rear	.223	3B01T17 \$ 1.99
#231-000-150EG	UR33	Base Index Elevation, Rear	.223	3B05A37 \$ 6.71
#231-000-149EG	UR32	Base Index Screw, Rear, A2	.223	3B01V38 \$ 1.73
#231-000-146EG	UR29	Base Lug, Rear, A2	.223	3B15B28 \$ 18.95
#231-000-141EG	UR24	Base Spring, Rear, 3 Req'd	.223	3B00X91 \$ 1.14
#231-000-139EG	UR22	Base Spring Pin, Rear	.223	3B00P86 \$ 1.11
#231-000-140EG	UR23	Base Windage Knob, Rear	.223	3B05A37 \$ 6.71
#231-000-143EG	UR26	Base Windage Knob Screw, Rear	.223	3B03V16 \$ 3.95
#231-000-051EG	BS11	Buffer Body Assembly, Standard	.223	3B12B25 \$ 14.99
#231-000-115EG	BS04	Butt Stock, A2	.223	1C23X28 \$ 33.95
#231-000-049EG	BS10B	Butt Stock Buffer Spring, Standard	.223	3B02C98 \$ 5.99
#231-000-078EG	BS01K	Butt Stock Door Assembly	.223	3B12D11 \$ 16.30
#231-000-048EG	BS09	Butt Stock Extension Tube	.223	3B12Z86 \$ 15.99
#231-000-081EG	BS03	Butt Stock Hinge	.223	3B03A13 \$ 3.91
#231-000-153EG	BS06	Butt Stock Hinge Pin	.223	3B01Y26 \$ 1.57
#231-000-079EG	BS02	Butt Stock Plate	.223	3B03T80 \$ 4.75
#231-000-154EG	BS07	Butt Stock Screw, Lower, A2	.223	3B02P31 \$ 2.99
#231-000-050EG	BS14	Butt Stock Screw, Upper, A2	.223	3B02U30 \$ 2.99
#231-000-155EG	BS12	Butt Stock Spacer, Aluminum	.223	3B01A78 \$ 3.00
#231-000-116EG	BS05	Butt Stock Swivel, Rear	.223	3B03V65 \$ 4.56
#231-000-138EG	UR18	Charging Handle Latch	.223	3B02B94 \$ 3.68
#231-000-120EG	BL09	Delta Ring, Black/Gray	.223	3B05X52 \$ 8.99
#231-000-061EG	UR06	Forward Assist Pin	.223	3B00C89 \$ 1.11
#231-000-085EG	BL04	Gas Tube, Standard	.223	3B12H04 \$ 23.23
#231-000-011EG	BL01M	Handguard, Long, Round, A2	.223	1C20Y23 \$ 27.99
#231-000-072EG	BL19A	Handguard Cap, Triangular	.223	3B03T13 \$ 3.91
#231-000-136EG	LR25	Pistol Grip, Black Plastic, A2	.223	3B03P75 \$ 4.69
#231-000-135EG	LR24	Pistol Grip Lock Washer	.223	3B00U75 \$ 0.99
#231-000-134EG	LR23	Pistol Grip Screw	.223	3B01A20 \$ 1.50
#231-000-129EG	FS03	Sight Detent, Front	.223	3B01V64 \$ 2.05

DPMS PANTHER ARMS & HIGH STANDARD

DPMS Panther Classic 16" - RFA2-16 continued

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-144EG	UR27	Base Aperture, Rear, A2	.223	3B07A45 \$ 9.31
#231-000-142EG	UR25	Base Ball Bearing, Rear, 3 Req'd	.223	3B01V08 \$ 1.35
#231-000-151EG	UR34	Base Elevation Knob, Rear, A2	.223	3B05B37 \$ 6.71
#231-000-148EG	UR31	Base Elevation Knob Spring, Rear	.223	3B01X17 \$ 1.99
#231-000-150EG	UR33	Base Index Elevation, Rear	.223	3B05C37 \$ 6.71
#231-000-149EG	UR32	Base Index Screw, Rear, A2	.223	3B01H38 \$ 1.73
#231-000-146EG	UR29	Base Lug, Rear, A2	.223	3B15D28 \$ 18.95
#231-000-141EG	UR24	Base Spring, Rear, 3 Req'd	.223	3B00Z91 \$ 1.14
#231-000-139EG	UR22	Base Spring Pin, Rear	.223	3B00A86 \$ 1.11
#231-000-140EG	UR23	Base Windage Knob, Rear	.223	3B05Y37 \$ 6.71
#231-000-143EG	UR26	Base Windage Knob Screw, Rear	.223	3B03T16 \$ 3.95
#231-000-051EG	BS11	Buffer Body Assembly, Standard	.223	3B12P25 \$ 14.99
#231-000-115EG	BS04	Butt Stock, A2	.223	1C23U28 \$ 33.95
#231-000-049EG	BS10	Butt Stock Buffer Spring, Standard	.223	3B02A98 \$ 5.99
#231-000-078EG	BS01K	Butt Stock Door Assembly	.223	3B12V11 \$ 16.30
#231-000-048EG	BS09	Butt Stock Extension Tube	.223	3B12B86 \$ 15.99
#231-000-081EG	BS03	Butt Stock Hinge	.223	3B03X13 \$ 3.91
#231-000-153EG	BS06	Butt Stock Hinge Pin	.223	3B01C26 \$ 1.57
#231-000-079EG	BS02	Butt Stock Plate	.223	3B03H80 \$ 4.75
#231-000-154EG	BS07	Butt Stock Screw, Lower, A2	.223	3B02D31 \$ 2.99
#231-000-050EG	BS14	Butt Stock Screw, Upper, A2	.223	3B02Z30 \$ 2.99
#231-000-155EG	BS12	Butt Stock Spacer, Aluminum	.223	3B01A78 \$ 3.00
#231-000-116EG	BS05	Butt Stock Swivel, Rear	.223	3B03Y65 \$ 4.56
#231-000-024EG	BL11	CAR-15/M4 Barrel, BL-11	.223	3B161T43 \$201.79
#231-000-138EG	UR18	Charging Handle Latch	.223	3B02P94 \$ 3.68
#231-000-120EG	BL09	Delta Ring, Black/Gray	.223	3B05U52 \$ 8.99
#231-000-061EG	UR06	Forward Assist Pin	.223	3B00A89 \$ 1.11
#231-000-117EG	BL04A	Gas Tube	.223	3B12V27 \$ 22.99
#231-000-012EG	BL02	Handguard, Short, Round	.223	1C15B04 \$ 19.99
#231-000-124EG	BL19	Handguard Caps, Round	.223	3B04X00 \$ 4.00
#231-000-136EG	LR25	Pistol Grip, Black Plastic, A2	.223	3B03C75 \$ 4.69
#231-000-135EG	LR24	Pistol Grip Lock Washer	.223	3B00H75 \$ 0.99
#231-000-134EG	LR23	Pistol Grip Screw	.223	3B01P20 \$ 1.50
#231-000-123EG	BL18	Sight, Front, w/Lug	.223	1C24U39 \$ 34.95
#231-000-129EG	FS03	Sight Detent, Front	.223	3B01A64 \$ 2.05
#231-000-128EG	FS01	Sight Post, Front, Square, A2	.223	3B03V33 \$ 6.00
#231-000-130EG	FS04	Sight Spring, Front	.223	3B01B16 \$ 1.45
#231-000-145EG	UR28	Sight Spring, Rear, Flat, A2	.223	3B02X37 \$ 2.99
#231-000-131EG	FS06	Sight Taper Pin, Front	.223	3B01C22 \$ 1.53
#231-000-152EG	UR36	Stripped A2 Upper Receiver	.223	1C82H24 \$ 99.99
#231-000-121EG	BL14	Swivel, Front	.223	3B02D99 \$ 3.74
#231-000-122EG	BL15	Swivel Rivet, Front	.223	3B00Z96 \$ 1.21
#231-000-109EG	LR04	Trigger Guard Pin	.223	3B01A00 \$ 1.25
#231-000-201EG	BAA2AS16UG70	Upper Receiver w/5.56 cal, A2, 16" Std Barrel, Chrome	.223	3B527Y14 \$658.93
#231-000-253EG	BAA2AS16	Upper Receiver w/5.56 cal, A2, 16" Std Barrel, Parkerized	.223	3B493T94 \$605.99
#231-000-172EG	BAA3AS16UG70	Upper Receiver w/5.56 cal, FT, 16" Std Barrel, Chrome	.223	3B527P14 \$658.93
#231-000-119EG	BL08	Weld Spring, Barrel	.223	3B05U50 \$ 9.99

EM-16

Web Quick-Find Schematic #855 & 856

#231-000-216EG	LRAS1	Auto Sear, M16	.223 Full Auto	3B10A24 \$ 12.80
#231-000-217EG	LRAS2	Auto Sear Pin, M16	.223 Full Auto	3B01V67 \$ 2.08
#231-000-210EG	BT12	Bolt Carrier, M16	.223 Full Auto	1C56B16 \$ 69.99
#231-000-209EG	BCBA16AS	Bolt Carrier & Bolt Assy, M16	.223 Full Auto	1C117X39 \$144.99
#231-000-220EG	BU01	Cam, Burst	.223 Burst	3B08C25 \$ 12.69
#231-000-228EG	BU09	Cam Spring, Burst	.223 Burst	3B02H22 \$ 2.78
#231-000-221EG	BU02	Disconnect, Burst	.223 Burst	3B07D08 \$ 10.89
#231-000-222EG	BU03	Disconnect, Burst	.223 Burst	3B14Z62 \$ 18.27

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-211EG	LR19A	Disconnecter, Full Auto, M16	.223 Full Auto	1C04A53 \$ 5.66
#231-000-212EG	BT15	Firing Pin, Full Auto, M16	.223 Full Auto	1C04Y79 \$ 4.99
#231-000-213EG	LR34K	Hammer, Full Auto Mil-Spec	.223 Full Auto	1C17T84 \$ 22.30
#231-000-224EG	BU05	Hammer Spring, Burst	.223 Burst	3B03P50 \$ 4.38
#231-000-214EG	LR08A	Selector, Full Auto, M16	.223 Full Auto	1C08U47 \$ 10.58
#231-000-218EG	BUTRI	Tri Burst Kit	.223 Full Auto, .223 Burst	3B56A22 \$ 69.99
#231-000-225EG	BU06	Trigger, Burst	.223 Burst	3B18V57 \$ 23.21
#231-000-133EG	LR21	Trigger, Full Auto	.223 Full Auto	3B13B47 \$ 34.99
#231-000-226EG	BU07	Trigger Spring, Burst	.223 Burst	3B03X60 \$ 4.50

HIGH STANDARD

AR-15 - Common Parts

#430-000-487EG	ARL9562486	A2 Buttstock Assembly	.223	3D48C47 \$ 61.99
#430-000-454EG	ARL10464577	A2 Buttstock Screw	.223	3D03H04 \$ 3.80
#430-000-455EG	ARL10645678	A2 Buttstock Spacer	.223	3D02D93 \$ 3.63
#430-000-437EG	ARB8862348	A2 Flash Hider	.223	3D08Z98 \$ 11.23
#430-000-429EG	ARB7864665	A2 Front Post Square	.223	3D04A30 \$ 5.33
#430-000-526EG	ARKITRSA2	A2 Rear Sight Kit	.223	3D48Y67 \$ 60.84
#430-000-423EG	ARB6962366	AR Gas Tube, 20"	.223	3D12T97 \$ 15.99
#430-000-515EG	ARR464524	AR Rear Sight Aperture	.223	3D08P23 \$ 10.29
#430-000-516EG	ARR764523	AR Rear Sight Base	.223	3D16U43 \$ 20.54
#430-000-519EG	ARR1164515	AR Rear Sight Elevation Index	.223	3D07A00 \$ 8.75
#430-000-517EG	ARR864522	AR Rear Windage Knob Pin	.223	3D00V70 \$ 0.99
#430-000-422EG	ARB6664508	AR Rifle Handguard	.223	3D18B54 \$ 22.99
#430-000-531EG	CARU666512M4	AR Upper Rcvr FT M4 Feed Ramp	All	3D99X61 \$124.51
#430-000-506EG	CAR6263033	Barrel Assembly, 16"	.223	3D200C33 \$250.41
#430-000-421EG	ARB6264575	Barrel Assy, 20" w/Front Sight Base	.223	3D236H74 \$293.54
#430-000-424EG	ARB7361902	Barrel Nut	.223	3D08D25 \$ 10.23
#430-000-450EG	ARC2461538	Bolt, Stripped	.223	3D50Z77 \$ 62.99
#430-000-444EG	ARC1762116	Bolt Assembly	.223	3D69A11 \$ 84.99
#430-000-441EG	ARC1363003	Bolt Carrier	.223	3D69Y07 \$ 85.99
#430-000-440EG	ARC1261547	Bolt Carrier Key	.223	3D11A64 \$ 14.55
#430-000-439EG	ARC1192201	Bolt Carrier Key Screw	.223	3D00Y67 \$ 0.83
#430-000-438EG	ARC1063007	Bolt Carrier and Key	.223	3D75P81 \$ 94.00
#430-000-513EG	ARL12462301	Bolt Catch	.223	3D10U03 \$ 12.54
#430-000-460EG	ARL12262382	Bolt Catch Plunger	.223	3D01A08 \$ 1.33
#430-000-463EG	ARL12595105	Bolt Catch Roll Pin	.223	3D00H67 \$ 0.83
#430-000-461EG	ARL12362177	Bolt Catch Spring	.223	3D01D29 \$ 1.72
#430-000-448EG	ARC2261540	Bolt Gas Rings (3)	.223	3D02Z53 \$ 3.38
#430-000-527EG	ARKITBCA	Bolt/Carrier Assembly	.223	3D148A09 \$179.99
#430-000-458EG	ARL11262339	Buffer Assembly, Rifle	.223	3D17Y56 \$ 21.76
#430-000-484EG	ARL9161582	Buffer Detent	.223	3D01T81 \$ 2.26
#430-000-485EG	ARL9261694	Buffer Detent Spring	.223	3D01P48 \$ 1.86
#430-000-457EG	ARL1162373	Buffer Spring, Rifle	.223	3D03U29 \$ 3.99
#430-000-510EG	CARL164688	CAR Buffer Assembly	.223	3D14A25 \$ 17.99
#430-000-511EG	CARL564072	CAR Extension Tube, 6 Position	.223	3D27V10 \$ 32.99
#430-000-512EG	CARL684679	CAR M4 Stock & Extension Assy	.223	3D74B85 \$ 90.99
#430-000-509EG	CARL462373	CAR Recoil Spring	.223	3D03X88 \$ 4.99
#430-000-443EG	ARC1661704	Cam Pin	.223	3D05C44 \$ 6.80
#430-000-507EG	CARB6662381	Carbine Handguard Set	.223	3D24H79 \$ 29.99
#430-000-522EG	ARKITCH	Charging Handle Assembly	.223	3D20D56 \$ 22.99
#430-000-425EG	ARB7462483	Delta Ring	.223	3D08Z98 \$ 11.23
#430-000-533EG	ARRA164987	Detachable Carry Handle/Rear Sight	All	3D11A35 \$139.99
#430-000-479EG	ARL14963028	Disconnecter	.223	3D04Y86 \$ 6.08
#430-000-481EG	ARL15163026	Disconnecter Spring	.223	3D01T48 \$ 1.86
#430-000-501EG	ARU4461658	Ejection Cover Hinge Pin	.223	3D01P70 \$ 2.13
#430-000-500EG	ARU4390402	Ejection Cover Hinge Pin clip	.223	3D01U19 \$ 1.48
#430-000-502EG	ARU4561518	Ejection Cover Spring	.223	3D01A59 \$ 1.99
#430-000-505EG	ARU5564532	Ejection Port Cover w/Cover Latch	.223	3D06V78 \$ 8.48
#430-000-464EG	ARC1861564	Ejector	.223	3D02B81 \$ 3.51
#430-000-446EG	ARC2095102	Ejector Roll Pin	.223	3D00X83 \$ 1.03
#430-000-445EG	ARC1961569	Ejector Spring	.223	3D01C16 \$ 1.43





STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#430-000-532EG	CARL364069	Extension Lock Nut	.223	3D03H94 \$ 4.93
#430-000-447EG	ARC2161562	Extractor	.223	3D17D80 \$ 21.99
#430-000-449EG	ARC2361563	Extractor Pin	.223	3D01Z70 \$ 2.13
#430-000-442EG	ARC1562770	Extractor Spring with Insert	.223	3D01A96 \$ 2.43
#430-000-453EG	ARC963039	Firing Pin	.223	3D08Y09 \$ 10.11
#430-000-452EG	ARC862335	Firing Pin Retaining Pin	.223	3D01B48 \$ 1.85
#430-000-436EG	ARB764503	Flash Hider Washer	.223	3D02X77 \$ 3.43
#430-000-503EG	ARU4664512F	Flat Top Upper Receiver	.223	3D96C73 \$119.99
#430-000-504EG	ARU5162265	Forward Assist Plunger Assembly	.223	3D13H33 \$ 16.66
#430-000-499EG	ARU3795126	Forward Assist Retaining Pin	.223	3D01D19 \$ 1.48
#430-000-498EG	ARU3662271	Forward Assist Spring	.223	3D01Z48 \$ 1.86
#430-000-430EG	ARB7961705	Front Sight Detent	.223	3D01A08 \$ 1.33
#430-000-431EG	ARB8061709	Front Sight Detent Spring	.223	3D00Y83 \$ 1.03
#430-000-435EG	ARB8562086	Front Sight Taper Pin	.223	3D02T81 \$ 3.51
#430-000-508EG	CARB6961645	Gas Tube, 16"	.223	3D12P75 \$ 15.99
#430-000-432EG	ARB8295108	Gas Tube Roll Pin	.223	3D00U67 \$ 0.83
#430-000-476EG	ARL14463009	Hammer Assembly	.223	3D19A45 \$ 24.31
#430-000-477EG	ARL14561697	Hammer Spring	.223	3D02V37 \$ 2.96
#430-000-478EG	ARL14861654	Hammer/Trigger Pin	.223	3D01B91 \$ 2.38
#430-000-428EG	ARB7764504	Handguard Cap	.223	3D03X97 \$ 4.99
#430-000-427EG	ARB7694043	Handguard Snap Ring	.223	3D02C26 \$ 2.83
#430-000-495EG	ARR3964514	Index Screw	.223	3D02Z04 \$ 2.55
#430-000-538EG	CARL862369	M4 Lock Spring	.223	3D01T31 \$ 1.65
#430-000-535EG	CARL262358	M4 Receiver End Plate	.223	3D03P76 \$ 4.70
#430-000-537EG	CARL764687	M4 Release Lever Lock	.223	3D03U76 \$ 4.70
#430-000-540EG	CARL1164686	M4 Release Lever Lock Nut	.223	3D03A24 \$ 4.05
#430-000-539EG	CARL962629	M4 Sliding Stock	.223	3D14V62 \$ 18.28
#430-000-536EG	CARL1062628	M4 Stock Release Lever	.223	3D04B48 \$ 4.70
#430-000-459EG	ARL11961604	Magazine Catch	.223	3D08X87 \$ 5.99
#430-000-474EG	ARL14162032	Magazine Catch Button	.223	3D03C04 \$ 3.80
#430-000-473EG	ARL14061759	Magazine Catch Spring	.223	3D01H48 \$ 1.86
#430-000-468EG	ARL13064576	Pistol Grip	.223	3D04D83 \$ 6.04
#430-000-420EG	ARL13192701	Pistol Grip Screw	.223	3D01Z40 \$ 1.73
#430-000-469EG	ARL13290001	Pistol Grip Washer	.223	3D01A19 \$ 1.48
#430-000-475EG	ARL14262221	Pivot Pin, Front	.223	3D05Y36 \$ 6.70
#430-000-491EG	ARR31464517	Rear Sight Ball Bearing	.223	3D01T18 \$ 1.45
#430-000-518EG	ARR1064516	Rear Sight Elevation Knob	.223	3D07P25 \$ 9.06
#430-000-494EG				

Shop online at brownells.com

It's Simple, 100% Secure, and now
Faster than ever. Here's how:

Ordering an item from the Brownells Online Store is fast and easy. For example, let's say you are looking for J-B® Bore Bright.

- 1 Open your web browser and type **brownells.com** in the address box to access the Brownells website homepage.
- 2 In the **Search** box, type the product name or stock number (from your Brownells catalog) of the item you wish to find. Click the **Search** button. Your search results will appear. Click on the product image to view the product page. If you do not have the stock number or know the name of your item, you can also browse by category using the top tabs or left navigation menu.
- 3 Scroll to the bottom of the product page to view the **Stock Number, Description, Quantity, and Price**. If there are specific restrictions for the product, these will also appear under the **Notice** link. If you wish to purchase the product, click the **Add** button. The merchandise will automatically be added to your Shopping Cart. You can also add them to your Wish List or Favorites for fast re-ordering.
- 4 When you are finished shopping, click the **View Cart** link at the top right-hand corner of the screen to begin the Checkout process.
- 5 The Checkout screen allows you to view all selected merchandise in your Shopping Cart, modify your order, if needed, and confirm your order total. When you are ready to checkout, click the **Checkout** button.



Just **\$11.95** to ship your order anywhere in the United States including Hawaii, Alaska, Puerto Rico and U.S. Virgin Islands. Fill your order with as many items as you can (limit 5 lbs.), it's still just \$11.95.



- With our **One-Rate Shipping Program**, our Order Takers can give you your complete total at the end of your call. No guessing at total shipping charges. **It's \$11.95**
 - Back Order Shipping Charges are **FREE!** Back Ordered items will be shipped by **Standard** service.
- You also have three more great options for delivery:
- **2nd Day Shipping** - For just \$12.00 more (total of \$23.95) you can upgrade to 2nd Day Shipping for faster service at a low, low price.
 - **Next Day Air** - If you really need your order in a hurry, it's just \$39.95 total to get your order there the very next day.
 - **Special Small Package Rate** - For only \$5.35 you can ship any order with a packaged weight of 13 oz. or less.
- From our total 30,000+ products, there are some items that are just too heavy to fit into this program. You'll find these products listed in the Yellow Index section of this Catalog.

CUSTOMER PRIVACY & SECURITY POLICY

When you do business with Brownells you don't have to worry that your personal information will become common knowledge because we value your trust above all. Our privacy and security policy is very simple. **We do not sell, distribute or give out customers' names or other private information to anyone at any time.** It has always been our policy to hold all customer information in the strictest confidence.

When you decide to use your credit card to pay for any purchase, your credit card and personal information are completely safe, and private, with us. Credit card security for our Website is handled by VeriSign, Inc., the world's leading provider of digital trust services. We make use of the latest 128-bit security encryption technology any time we ask for your name, address, e-mail address, credit card info or telephone number. Our servers are equipped with the latest dual application firewalls, hack detection and anti-virus technology to make certain your private information stays private and secure.

**TOLL-FREE ORDER LINE:
800-741-0015**

Bringing you over 3,000 products for the AR-15/M16.
Visit AR15BUILDER.COM, awarded the 2010 Shooting
Industry Masters "Accessory of the Year."

BROWNELLS

SELECTION. SERVICE. SATISFACTION.®

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

200 S. Front St. Montezuma, IA 50171

800-741-0015 • brownells.com

Customer Number



Source Code



100% Reliability Doesn't Happen By Accident



Visit Brownells.com/MagazineTest
and see for yourself!

At Brownells, we apply our military contract experience to the manufacture of every Brownells commercial AR-15 magazine we build. Failure is NOT an option. Here's what our customers have to say:

- "I love these mags. I have bought mags on the lower price end before, only to be disappointed with the results. I was a bit skeptical of these at first because of the low price, but have been proven wrong. These mags have worked in every AR-15 and variant I have tried them in . . . I have put thousands of rounds through these mags without a single issue."
— Sir-Peanut from Utah
- "I bought 5 of these mags for my R15. I hunted prarie dogs all summer and never had any issues with the mags. I will buy others as needed."
— Pat up north from North Dakota
- "I have converted to all Brownell CS magazines. I sold all my other mags of various manufacturers and replaced them with Brownells. They have been flawless in feeding any of my various AR15's and my Sig 556. You can load all 30 rounds and not worry. I trust 'em."
— jrob from Ada, Oklahoma
- "We have purchased several of these magazines for on duty carry by law enforcement officers and have found them to be very reliable and durable."
— Chief from Greeneville, TN
- "I build and repair AR's as part of my gunsmithing business. Before I start tearing down an AR with feeding problems, I test fire it with a Brownells magazine. These mags cure a lot of those problems. They are the most reliable AR mags that I have ever used."
— gunsmith50 from Hazleton, PA



BROWNELLS
SELECTION. SERVICE. SATISFACTION.®