

BROWNELLS[®]

SELECTION. SERVICE. SATISFACTION.

AR-15 M16

& AR-TYPE .308



800-741-0015
brownells.com



World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™



Dear Folks:

Being in the catalog business is so durned much fun - 'cause you always get to see all the latest and greatest items coming out on the market for a favorite gun. In this case, here is our latest AR-15/M16 Catalog #5. And, it is a whopper. We have found more new products than ever before for this great gun platform . . . more than 275 since

your last catalog. And we've added more categories to make finding and ordering these items even easier. All the dream guns are brand new again, and all of them were built by or are owned by Brownells employees. This is THE gun that lead the huge buying surge following the election. A lot of factories and shops in the marketplace got cleaned out because of this gun's wild popularity.

The initial buys of the gun itself seem to be starting to slow down. But there were a lot of stripped and complete upper and lower receivers sold, plus a lot of people who had never owned an AR-15 before deciding they'd better jump on the band-wagon while they could. With all these new guns out in the hands of new AR-15 owners, it's a perfect time to dive deeply into all the things you can do to the basic platform to personalize it to the 'nth degree.

"Now is the time" to take advantage of our full in-house inventory to figure out what projects you want to do, work them through to the finish and start shooting. Whether for plinking, target practice, competition, tactical use, or hunting, this is one sweet gun to customize!!

As you know, we really are totally committed to giving you the very best, one-to-one, personal Service possible. We're proud to have a real live person on the phone during business hours, no "push one or push 2" recorded voice; a direct 800 number to the order desk and plenty of folks to take those orders. I'm personally very proud of our Call Center Team. These gals and guys go through extensive training to be able to give you exactly the top quality Service you expect and demand. Add in the experienced gunsmiths in our Tech Group ready to help you solve your problems, and we genuinely can supply the "One-Stop" shopping experience you want.

Our promise **Selection, Service, and Satisfaction** is something that all of our gang takes seriously. It's the same promise to you we've always had - through three generations of us "Brownell Boys". If you're not 100% Satisfied with any product you buy from Brownells - forever! - we want you to send it back for a full refund - No time limits, no shipping charges, no restocking fees, and none of those other "hidden" charges. We believe your time spent with us should be the very best that it can be - exactly what Dad believed in when he started out in 1939 and the way that we still do business today. The way it should be done. Period.

Very Best,

Frank Brownell

Pete Brownell

Old John Still Has The Right Idea



"It's unwise to pay too much . . . but it's worse to pay too little. When you pay too much, you lose a little money . . . that is all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. And if you do that, you will have enough to pay for something better." - JOHN RUSKIN

At BROWNELLS, The Customer Is Always

#1

Your Satisfaction Guaranteed-Period! - Here's our pledge to you - which has never changed: If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. No hassle, no problem. We don't bog you down in endless paperwork. Your complete satisfaction with each and every product we sell is what's most important to us.

We do not artificially mark up our prices to cover potential increases from the manufacturers. When notified of a price adjustment, we change our price at that time. As a result, prices are subject to change without notice.

GSA GSA pricing available on products marked with the star. Contract #: GS-07F-0139T



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all items at time of catalog production; nor does it imply that foreign merchandise is of lesser quality. We will continue to gather this information to assist our customers in making informed buying decisions, and will keep our website current with the latest information.



Online Product Videos Available at brownells.com

BROWNELLS is a Small Business and Veteran owned Company. Government Procurement
CCR: #829833; Cage: #12238
**Call for Special Procurement Needs,
Over 30,000 items in stock daily!**


BROWNELLS

SELECTION. SERVICE. SATISFACTION

200 S. Front Street, Montezuma, IA 50171

800-741-0015 • Fax: 800-264-3068

brownells.com



AR-15/M16 CATALOG - #5

© 2009, BROWNELLS



We're the world's largest source for firearms accessories, gunsmithing tools, shooting supplies, and cleaning equipment. If you want to see our full line of over 30,000 in-stock products, you need Brownells Catalog #62. Take a look through any of our catalogs, or browse our website and you'll find at least one item you can't live without. Purchase that item and we'll send you our big Catalog #62 - a five dollar value - absolutely FREE! #077-100-000AF



Dedicated to the Colt 1911 Auto, clones and other variations - no rifle, shotgun, or "other pistol" stuff. Over 3,000 products you need for building, maintaining, and shooting the most popular pistol in history. Custom builds by well-known pros like Cylinder & Slide, Ed Brown, Nighthawk Custom, and Wilson Combat, plus our own staff of 1911 experts provide great ideas for your next project gun. #077-100-004AF



For over 70 years, since Bob Brownell started working on firearms and got the company started in '39, we have worked with our military and law enforcement to support their weapons and their efforts. We've picked the best Military/Law Enforcement items from our Big Catalog and added a few new ones. If you're one of our brave folks in uniform, you need this catalog! #077-000-005AF



The horizontal catalog format is a trademark of Brownells.

HOLIDAY SCHEDULE We will be closed for the following:

2009 Thanksgiving, Thurs. 26 & Fri. 27 Nov. Christmas, Thurs. 24 & Fri 25 Dec

2010 New Year's, Fri. 1 Jan. 2010 Labor Day, Mon. 6 Sept

Memorial Day, Mon. 31 May Thanksgiving, Thurs. 25 & Fri. 26 Nov.

Independence Day, Fri. 2 & Mon. 5 July Christmas, Fri. 24 Dec.

ORDER LINE HOURS **GUNTECH HOURS** **WALK-IN HOURS**

7:30 A.M. to 5:00 P.M. 8:30 A.M. to 4:30 P.M. 7:30 A.M. to 4:30 P.M.
(Central Time) (Central Time) (Central Time)

Open Monday thru Friday. Order Recording Lines Open 24 Hours Per Day



OFFICE
641-623-5401

INTERNATIONAL ORDERS
641-623-4000

FAX LINE
641-623-3896




CONTENTS

Upper Receivers	1-4	Vertical Grips	36-38
Lower Receivers	3-7	Magazines & Parts	38-42
Caliber Conversions	7-9	Magazine Accessories	42-44
Bolts & Carriers	9	Sights	44-48
Gas Blocks & Tubes	9-13	Carry Handles	48
Gas Piston Kits	13-14	Slings & Adapters	48-52
Barrels	14-16	Gun Cases	52-53
Comps/Flash Hiders	16-19	Range & Training Gear	53-54
Triggers	19-20	Cleaning Supplies	54-57
Triggerguards	20	Gunsmithing Tools	57-63
Springs	21-22	Books & Videos	63-64
Recoil Buffers	22	Accessory Mounts	64-66
Charging Handles	22-23	Optic Mounts	66-72
Bolt & Mag Releases	23	Lights/Lasers	72-73
Safety Selectors	23-24	Optics	73-77
Parts Kits	24-26	Bipods	78-79
Stocks	26-30	Colt Factory Parts	79-83
Handguards	30-35	DPMS Factory Parts	83-84
Pistol Grips	35-36	High Standard Factory Parts	84

ARMALITE®/EAGLE ARMS AR-15/M16 UPPER RECEIVER ASSEMBLY



Superb Quality, Forged Receivers
For Building Match AR-15 Rifles

Made to the same high quality and mil spec standards as the original Armalites. Fully machined from aircraft-grade, heat-treated, solid, aluminum forgings for superior strength and durability. Finished with a tough, mil-spec, black-anodized coating that resists chipping and abrasion. All upper receivers are complete assemblies with forward assist, rear sights and ejection port cover and spring. **A2** is the current integral handle, mil-spec with standard A2 adjustable rear sight assembly. **A2NM** includes a National Match rear sight with ½ MOA adjustment for windage and elevation, plus .043" and .050" diameter sight apertures. **A4 Flattop** has no carry handle but includes an integral Stanag/Weaver-compatible top rail. 

SPECS: Aluminum, anodized finish, matte black. Available as complete assemblies only. .250" diameter pivot and takedown pin holes.

#062-201-250AF A2 Upper Assembly, 2F204Y00	\$ 255.00
#062-202-250AF A2NM Upper Assembly, 2F247T18	349.97
#062-203-250AF A4F/T Upper Assembly, 2F158T06	194.99



BEAVER CREEK ARMORY AR-15/M16 UPPER RECEIVER ASSEMBLY



Precision Machined To Mil-Spec Dimensions
For Maximum Compatibility, Superb Fit & Finish

Ready-to-install flattop upper receiver is forged from high-grade 7075 T6 aluminum alloy for exceptional strength to handle the battering from thousands of firing cycles, even with full-power military ammo. Precision CNC machined to final, mil-spec dimensions with tolerances of less than .001", so you can select the barrel, bolt assembly, carrier, charging handle, and other components that suit your specific needs. Standard .250" pivot and takedown pin holes ensure compatibility with a broad variety of lower receivers. Pre-installed forward assist and ejection port cover save you time during assembly. Includes integral shell deflector and 5½" long Picatinny accessory rail for maximum flexibility in mounting scopes, red dot reflex sights, and flip-up "iron" backup sights. Hardcoat anodized to MIL-A-8625 Type III Class 2 spec to ensure superb surface hardness, before application of a tough, commercial-grade Teflon® coating to resist the scratches, scuffs, and dings of hard competition or tactical use.

SPECS: 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black finish. Fits mil-spec AR-15 lower receiver with .250" (6.3mm) pivot/takedown pin holes.


#100-004-468AF Upper Rec'r Assembly 1D204Y29 \$ 250.99

YOUR 100% SATISFACTION IS OUR GUARANTEE!!

BUSHMASTER AR-15/M16 CARBON 15 FLATTOP UPPER RECEIVER ASSEMBLY



Lightweight, Tough Aerospace Composite;
Build A Fast-Handling Tactical Carbine

Carbon fiber composite upper comes fully assembled and ready to install on your choice of lower to build a light, fast-handling tactical carbine. Low-profile, flattop upper receiver made from carbon fiber reinforced polymer composite keeps weight to a minimum. Originally developed for the aerospace industry, this chemical- and heat-resistant composite is as strong as milled aluminum. Machined aluminum Picatinny-style rail gives maximum accessory-mounting flexibility. M4-profile, 16" chrome-lined barrel is button rifled with 1:9" right-hand twist for optimal accuracy with a wide variety of commercial .223/5.56mm ammunition. Includes A2 front sight with square, elevation-adjustable post, bayonet lug, and front sling swivel. High-quality Bushmaster bolt and carrier fit receiver precisely to ensure smooth, reliable cycling. Bushmaster's "Izzy" compensator diverts hot combustion gases through three longitudinal gas ports to minimize muzzle flash and help control muzzle rise during rapid fire; closed bottom prevents kicking up dust during prone shooting. Steel components are manganese phosphate parkerized with a uniform matte black finish. Charging handle is precision machined from 7075 T6 aluminum forging and hardcoat anodized matte black to match other components. Military type carbine-length ribbed handguard included. 

SPECS: Receiver - Carbon fiber reinforced polymer, black. Barrel, Bolt/Carrier, Front Sight - Steel, parkerized, matte black. Charging Handle - 7075 T6 aluminum. Handguard - Plastic, black.

#100-003-602AF Carbon 15 Upper Rec'r 9B00CHD \$ 645.99

COLT AR-15/M16 UPPER RECEIVER



Stripped Uppers
In A2 & Flattop Styles;
Genuine Factory Parts

Colt factory upper is fully finished and ready for installation. Made from a high-quality aluminum alloy forging machined to precise tolerances for correct fit on Colt lowers and clones. Hardcoat anodized for added surface strength, abrasion resistance, and corrosion protection, with a uniform, matte black finish that matches other factory components and easily accepts alternate finishes. These are "stripped" receivers (except as noted below), so you can select the bolt assembly, carrier, gas key, and other components to suit your specific needs. All models designed to accept spring-loaded ejection port covers. **Carry Handle** models are the classic carry handle configuration of the U.S. military M16A2 rifle. Models for .223/5.56 and 7.62 x 39 chamberings come with forward assist housing and shell deflector behind the ejection port, and are pre-cut for an A2-style adjustable rear sight assembly (not included). 9mm upper does not have shell deflector or provisions for forward assist; accepts original A1-type rear sight. **Flattop** for .223/5.56 rifles and carbines has topside Picatinny accessory rail for mounting optics and red dot sights. White alphanumeric position markers on rail slots aid in removal and reinstallation of sights without loss of zero. Includes factory-installed forward assist and ejection port cover.


SPECS: Aluminum, hard anodized, matte black. Fits standard Colt AR-15 lowers and clones with .250" pivot pins.

#160-302-051AF Carry Handle Upper Rec'r, .223/5.56, 6A259T67	\$ 324.59
#160-302-052AF Carry Handle Upper Rec'r, 9mm, 6A151T83	189.79
#160-302-054AF Carry Handle Upper Rec'r, 7.62 x 39, 6A151T12	189.99
#160-302-053AF Flattop Upper Rec'r w/Assist & Cover, .223/5.56 6A168T16	210.99

BUSHMASTER AR-15/M16 V-MATCH UPPER RECEIVER

Extra-Strong Alloy For Durability;
Fully Machined For Precise Fit



Stripped, A3-style flattop upper receiver is carefully machined to mil-spec or better dimensions to serve as the foundation for a top-quality AR rifle customized to your exact requirements. Just add the bolt/carrier, charging handle, ejection port cover, and forward assist of your choice to complete the upper. Precision machined from a forging of 7075 T6 aluminum that is almost 40% stronger than the alloy used in standard AR-15 receivers, so it stands up to the unrelenting tempo of competition or tactical operations. After machining, a dark gray, non-reflective, hard-anodized finish is applied for strength and corrosion resistance, with a baked-on dry-lube coating inside to reduce wear and ensure exceptionally smooth carrier operation. Integral 5½" long Picatinny rail maximizes the versatility of your rifle by letting you take advantage of the wide variety of optics, red dot sights, and other accessories for the AR platform. 

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte dark gray. .250" (6.3mm) diameter pivot pin holes.

#100-003-667AF V-Match Upper Receiver,
9B164X27 \$ 181.99

DPMS AR-STYLE .308 LR-308 FLATTOP UPPER RECEIVER



Complete Top End Includes Barrel,
Free-Float Handguard, Bolt & Carrier

Ready to install .308/7.62 NATO upper receiver comes fully assembled with bolt/carrier, charging handle, free-float handguard, gas block, and barrel. Lets you change your LR-308 from a sporter to a match rifle or long-range varmint in just minutes—or build a completely new gun customized to your exact needs. Beefy, thick-walled receiver of extruded 6066 T6 aluminum is hardcoat anodized to military standards for extra surface strength, with a hard, black Teflon coating to resist scuffs and scratches. Free-floated forend of smooth, rigid machined aluminum gives plenty of air space to protect your hand from a hot barrel during sustained shooting. Includes swivel stud and QD sling swivel. All barrels have 1-10" twist for proper bullet stabilization. **Bull Barrel** models have a heavy .920" O.D. barrel with recessed 90° target crown. Snag-free, smooth-side receiver without ejection port cover, shell-deflector, or forward assist; an elevated Picatinny rail allows easy scope mounting without adding a riser mount. Lightweight, aluminum gas block has plenty of metal to withstand the hot gasses from thousands of firing cycles; topside Picatinny rail lets you mount the front sight of your choice, including flip-up models. Available with 18" barrel of 4140 chrome-moly (CM) carbon steel alloy and 7¼" carbine-length forend, or 24" bull barrel of 416 stainless steel (SS) with 12" rifle-length forend. **AP4 Carbine** has A3-style Lo-Rider receiver with forward assist and ejection port cover. 16" USGI-style, light contour barrel of 4140 chrome-moly, with M203 mount cutout, 7¼" forend, and A2-type gas block/front sight tower with bayonet lug and sling swivel. Includes Panther flash suppressor with gas-dispersing helical ports and aggressive, serrated CQB tip.

SPECS: Receiver/Handguard/Gas Block/Charging Handle - 6066 T6 aluminum, anodized and teflon coated, black. Bolt/Carrier - 4140 steel, parkerized, matte black. Barrel - 4140 chrome-moly steel, parkerized, matte black, or 416 stainless steel, natural finish. Fits DPMS LR-308 lower receivers only.

#231-000-237AF LR-308 Upper w/18" CM Bull Bbl, 1C667Y66	\$ 812.99
#231-000-236AF LR-308 Upper w/24" SS Bull Bbl, 1C682A54	804.99
#231-000-238AF LR-308 Upper w/16" AP4 Carbine CM Bbl 1C800Y22	885.99

Courtesy of Brownells Product Marketing Manager, Jeff Molaschi



TangoDown LLC



BROWNELLS



- A** #100-003-991AF VLTOR MIL-SPEC EMOD COMBO KIT See Page 29.
- B** #100-004-450AF MAGPUL ASAP SLING ADAPTER See Page 51.
- C** #100-003-516AF MAGPUL MOE GRIP See Page 36.
- D** #100-004-157AF MAGPUL MOE TRIGGERGUARD See Page 20.
- E** #080-000-529AF **BROWNELLS** OVERSIZE MAGAZINE RELEASE See Page 23.
- F** #078-000-107AF **BROWNELLS** 30-ROUND MAGAZINE See Page 40.
- G** #100-004-419AF SIXELL INNOVATIONS NEVER QUIT GRIP See Page 6.
- H** #100-003-867AF TANGODOWN QUICK-DETACH STUBBY BATTLEGRIP See Page 38.
- I** #573-000-030AF FALCON INDUSTRIES RAIL GUARD See Page 35.
- J** #080-000-382AF **BROWNELLS** MODULAR GAS BLOCK See Page 11.
- K** #452-000-055AF J.P. ENTERPRISES BENNIE COOLEY TACTICAL COMP See Page 17.
- L** #100-003-447AF TROY INDUSTRIES FOLDING FRONT BATTLE SIGHT See Page 48.
- M** #100-003-456AF TROY INDUSTRIES MODULAR RAIL FOREND See Page 34.
- N** #336-000-018AF GG&G QUICK-DETACH ACCUCAM MOUNT FOR ACOG See Page 67.
- O** #892-800-335AF TRIJICON TA11 3.5 x 35 ACOG SCOPE See Page 76.
- P** #939-000-001AF LES BAER NATIONAL MATCH BOLT CARRIER See Page 9.
- Q** #739-000-002AF ROCK RIVER ARMS NATIONAL MATCH RECEIVER SET See Page 3.
- R** #100-004-248AF MIDWEST INDUSTRIES EMERGENCY REAR SIGHT See Page 47.

DPMS AR-15 UPPER RECEIVER w/BARREL



Easy-To-Swap, Complete, Fully Assembled Top Ends

Complete, ready-to-install, semi-auto receivers save time and expense when building AR-15 rifles. All barrels have six-groove, 1-9" right-hand twist rifling and M4-type feed ramp. Pre-ban style standard (Std) barrels are chambered for 5.56mm NATO, with chrome-lined bore, A2 flash suppressor, military-style polymer handguard, and A2 front sight housing with bayonet lug and rivetted sling loop. **AP4** adds to Std configuration the cutout for M204 grenade launcher mount to replicate the contours of the USGI M4 carbine barrel. **Bull** barrels are stainless steel, post-ban style, and chambered for .223 Remington, with low-profile Picatinny gas block, aluminum free-float handguard, and non-threaded muzzle with target crown. Most models available with standard manganese-phosphate **Parkerized** bolt or **Chrome-plated** bolt for additional lubricity and wear resistance.

SPECS: Receiver - aluminum, anodized and Teflon® coated, black. **A2** carry handle with adjustable rear sight or **Flat Top (FT)** rail. **Barrel - Std** - 4140 steel, Parkerized finish, dark gray. .725" dia. at muzzle. Chrome-lined. **AP4** - 4140 steel, Parkerized finish, dark gray. .725" dia. at muzzle. Not chrome-lined. **Bull** - 416 stainless steel, natural finish. .925" dia. at muzzle.

STOCK #	CAL/ SIGHT	BBL	BOLT	PRICE
#231-000-201AF	5.56/A2 16" Std	Chrome	3B523Z53	\$ 649.99
NEW #231-000-253AF	5.56/A2 16" Std	Parkrzd	3B493A94	\$ 605.99
#231-000-172AF	5.56/FT 16" Std	Chrome	3B435H29	\$ 479.99
#231-000-171AF	5.56/A2 16" AP4	Chrome	3B570H00	\$ 712.99
#231-000-019AF	.223/FT 16" Bull	Chrome	3B634D29	\$ 792.99
NEW #231-000-254AF	.223/FT 16" Bull	Parkrzd	3B591A43	\$ 739.99
NEW #231-000-199AF	5.56/A2 20" Std	Chrome	3B500Z00	\$ 619.99
NEW #231-000-251AF	5.56/A2 20" Std	Parkrzd	3B470A00	\$ 587.50
NEW #231-000-200AF	5.56/FT 20" Std	Chrome	3B527Z94	\$ 654.99
NEW #231-000-252AF	5.56/FT 20" Std	Parkrzd	3B470A00	\$ 587.50
NEW #231-000-020AF	.223/FT 20" Bull	Chrome	3B620D00	\$ 775.00
NEW #231-000-255AF	.223/FT 20" Bull	Parkrzd	3B620A00	\$ 775.00

DPMS AR-15/M16 STRIPPED UPPER RECEIVER



Carry Handle & Flattop Models For Custom Builds

Fully machined and finished, military style uppers ready for you to install your choice of barrel, carrier, bolt, forearm, and lower to build a custom AR-15. Choose from rugged A2 carry handle style, complete with cuts for mounting A2 rear sight, or A3 flattop with Picatinny accessory rail for mounting a scope, holographic sight, or flip-up "iron" sights, plus etched position numbers in rail slots to ensure repeatability of sight mounting position. Both models feature shell deflector, forward assist housing, and provisions for installing an ejection port cover. Precision machined from a premium-grade aluminum forging and hardcoat anodized for extra strength, with a tough, scratch-resistant Teflon coating.

SPECS: Aluminum, hard anodized, Teflon coated, matte black. Fits mil-spec AR-15 lower receiver with .250" pivot pins.

#231-000-152AF Stripped A2 Upper Receiver, 1C82H24 \$ 99.99

#231-000-053AF Stripped A3 Flattop Upper Receiver, 1C95A08 125.99

EGW A4 FLATTOP UPPER RECEIVER

Flattop Rail Lets You Mount Scopes & Accessories



A4-style flattop upper receiver is forged from extra-strong 7075 T6 aluminum, with a 5" long rail to accept your tactical accessories, including Weaver-style rings. Finished with mil-spec, hardcoat, black anodizing for protection from scratches, mars, and abrasion.

SPECS: 7075 T6 aluminum, hardcoat anodized, black, matte finish. .250" (6.3mm) diameter pivot pin holes.

#296-000-054AF A4 Flattop Upper Receiver, 6B115X07 \$ 139.99

**DPMS
COMPETITION
UPPER RECEIVER**

Quality, Rugged, Match Grade Upper Unit

Fully machined from aircraft grade aluminum alloy, with extra material around the bolt carrier to provide a strong, rigid, platform for mounting heavy match barrels. Integral Picatinny-style scope rail gives complete flexibility for mounting all types of sight systems. Accepts Weaver-style rings. Eliminates the forward assist and ejection port cover for easier operation and smoother profile. **High Rider** - 1" high rail height is correct for scope mounting with low rings. No need for a cheek pad; permits large objective scopes to clear the hand guards. **Lo-Pro** - Standard height rail allows use of detachable carry handles. Convenient mounting for electronic dot sights.

SPECS: Aircraft aluminum alloy, black, hardcoat anodized. Teflon coated. .250" (6.3mm) pivot pin dia. .254" (6.47mm) thick side walls.

#231-015-110AF High Rider Receiver 1C82P86... \$ 125.99
#231-015-111AF Lo-Pro Receiver 1C106P58... 125.99



L.A.R. AR-15/M16 A-2 UPPER RECEIVER

High Quality, Fully Finished, Ready-To-Assemble

Forged, Mil-Spec upper, precisely machined from aircraft grade aluminum, heat-treated then given a tough, black-anodized finish for superior strength and durability. Ready for final fitting with your parts and barrel. Stripped receiver does not include sight, forward assist or dust cover assembly. **SPECS:** 6061 T6 aluminum, Mil-Spec anodized, black. .250" (6.3mm) dia. pivot pin.

#100-000-375AF L.A.R. A-2 Upper Receiver, 4K73D33... \$ 92.00



**MGI MILITARY AR-15/M16
QCB UPPER RECEIVER**



Quick-Change-Barrel System For Ultimate Versatility & Concealment

Advanced upper receiver design features a Quick-Change-Barrel (QCB) system that permits rapid teardown of your AR-15 rifle or carbine into three, basic components (barrel, upper and lower assemblies) for fast storage in carryalls as small as a briefcase. At 15-inches overall length, this receiver/handguard combo is the perfect choice for MIL/LE personnel seeking maximum weapon concealment and portability in a compact, small arms package, plus the versatility to interchange barrels of varying length, contour, and twist rate for missions ranging from QCB to long-range sniper operations. Completely compatible with conventional, lower receivers having a small (.250") diameter front pivot pin. Ported, aluminum free-float tube features four, 6" long fixed rails, and includes a self-contained, steel barrel retainer, spring-loaded release levers and retaining block for solid barrel attachment. Accepts all standard weight, government profile barrels, and most heavy contours up to .980" diameter. Semi-stripped, A-3 flattop receiver includes forward assist and dust cover.

SPECS: 7075-T6 aluminum, Type 3 hard anodized, black, matte finish. 15" (38 cm) long. 1.7 lb. (.77 kg) wt. Requires removal of sling swivel, handguard keeper, delta ring, and barrel nut (no longer required with this upper). Fits most barrels up to .980" (25mm) O.D.

#741-000-005AF QCB Upper Receiver 1D849Z95... \$ 999.95

front sight with bayonet lug and 1 1/4" wide sling loop. A2-style flash suppressor has five ports on top and a solid bottom to prevent dust signature when shooting prone. Flattop accepts a detachable carry handle, scope, or red dot sight; laser-etched white index numbers aid in temporary removal and replacement of sight without loss of zero. M4 handguard is molded from tough, high-impact polymer.

SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Barrel - 4140 steel, parkerized finish, black. 16" (40cm) long. .725" O.D. at the muzzle. Handguard - Polymer, black.

#430-000-528AF HSA-15 Upper Receiver Assembly, 3D551A11... \$ 688.99

STRIPPED A2 UPPER RECEIVER - Sturdy, carry handle configuration of military M16A2 rifles is the perfect foundation for a rugged tactical carbine. Precision machined from a 7075 T6 aluminum forging to original Colt specs and military tolerances just like the complete upper sold above. Later, A2 style includes shell deflector, forward assist housing, and provisions for mounting A2 rear sight and ejection port cover (not included).

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Fits mil-spec AR-15 lower receiver with .250" pivot pins.

#430-000-514AF Stripped HSA-15 A2 Upper Receiver, 3D99U63... \$ 124.54



**SABRE DEFENCE AR-15/M16
FLATTOP UPPER RECEIVERS**



Extra-Strong 7075 Alloy Forgings, Tight Tolerances, Match-Grade Barrels & Premium Performance Features

Complete, flattop upper receiver comes fully assembled and ready to install on your choice of lower to build a tactical, varmint, or competition AR-15 customized to your needs. Built around an extra-strong 7075 T6 aluminum forging machined to exceptionally tight tolerances, all models include bolt and carrier, forward assist, shell deflector, and spring-loaded ejection port cover. A MIL-STD 1913 Picatinny receiver rail lets you mount a scope, red dot, or other sighting device—even a detachable carry handle. White, laser-etched alpha-numeric position markers in the rail slots enable temporary removal and reinstallation of sights without loss of zero. Match-grade barrels machined from extra-hard 410 stainless steel or chrome-moly-vanadium steel alloy are heat treated to relieve internal stress in the steel's grain structure to prevent point-of-impact drift during sustained fire. Stainless barrels are fluted to provide the rigidity of a bull barrel without the weight penalty. All barrels have M4-style feed ramp to aid in smooth, reliable chambering of each round.

SPECS: Receiver - 7075 T6 aluminum alloy, hardcoat anodized, matte black finish. Barrel - 410 stainless steel, natural matte gray finish, or chrome-moly-vanadium steel alloy, matte black finish. Handguard - 6061 T6 aluminum, hardcoat anodized, matte black. Sights - Steel, Parkerized, matte black. Fits mil-spec AR-15/M16 lower receiver with .250" pivot pins.

VARMINT - 20" barrel chambered in .223 Remington, with flared muzzle (no flash hider) and recessed target crown. Includes mid-length gas system and rifle-length tubular free-float handguard that won't put accuracy compromising stress on the barrel. 1-8" twist rifling stabilizes a wide variety of bullet types. Swivel stud; no sights.

SPECS: Barrel - 410 stainless steel. 20" (50.1cm) long. 1-8" twist rate. Chambered for .223 Remington.

#100-003-951AF Varmint Upper Rec'r 5D790A43... \$ 909.99

COMPETITION DELUXE - 18" barrel chambered in 5.56mm NATO, mid-length gas system, and flip-up rear sight with long- and short-range apertures. Low-profile steel gas block with integral flip-up front sight, bayonet lug, and sling swivel. Handguard aligns with receiver rail to provide 15" of uninterrupted upper rail space, with 9" on the left, right, and bottom handguard rails. Plenty of S-shaped vent holes reduce weight and provide maximum air flow to cool the barrel during heavy fire. "Shark gill" flash hider/muzzle brake tames felt recoil control and virtually eliminates muzzle rise for fast follow-up shots.

SPECS: Barrel - 410 stainless steel. 18" (45.7cm) long. 1-8" twist rate. Chambered for 5.56mm NATO.

#100-003-950AF Competition Deluxe Upper Receiver, 5D1157A11... \$ 1,329.00

SPECIAL PURPOSE RIFLE (SPR) - 18" barrel chambered in 5.56mm NATO gives the operator a shooting platform of unparalleled stability with maximum accessory mounting capability in an unusually compact package. Adds to the Competition Deluxe configuration an extended handguard and a Harris S1A2 bipod with quick-deploy, telescoping legs that conveniently fold forward, parallel to the barrel for ease of carry. Rifle-length, free-float handguard has 12" left, right, and bottom rails extending around the gas block/flip-up front sight, and 15" of top rail space for outstanding flexibility in mounting optics. Barrel includes recoil-reducing "shark gill" flash hider/muzzle brake.

SPECS: Barrel - 410 stainless steel. 18" (45.7cm) long. 1-8" twist. Chambered for 5.56mm NATO.

#100-003-953AF SPR Upper Rec'r 5D1389V37... \$ 1,549.99

**WILSON COMBAT AR-15/M16
STRIPPED FLATTOP
UPPER RECEIVER**



M4-Style Upper With Popular Features; CNC Machined From 7075 Aluminum Forging



The same high-quality M4-style flattop upper Wilson uses in their custom AR-15s is now available to serve as the foundation for your own custom build. Comes ready for you to install the required components to meet your—or your customer's—exact needs. Includes integral receiver rail cut to MIL-STD 1913 Picatinny specs, M4-type feed cuts, shell deflector, forward assist housing, and provisions for installing an ejection port cover, if desired (available separately). Precision CNC-machined to final dimensions from a U.S.-sourced forging of high-grade 7075 T6 aluminum alloy, prized by AR shooters for its exceptional strength, hardness, and resistance to surface wear. Hardcoat anodized for additional surface hardness, with a durable matte black finish.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. .250" takedown/pivot pin holes.

#965-000-084AF Stripped Flattop Upper Receiver, 5F119P05... \$ 139.99

**ROCK RIVER ARMS AR-15
UPPER & LOWER RECEIVER SET**



Hand Picked & Precisely Matched For Exact Fit

Forged, upper and lower receivers are CNC machined to tighter than mil-spec tolerances, with critical contact points held to +/- .0005". Hand selected and matched to ensure a tight, movement-free, lockup between the upper and lower

halves. Accepts all aftermarket and mil-spec internal parts. **NM A2** has carry handle machined to accept A2 rear sight. **NM A4** is flattop style with multiple cross-slot, Weaver-style base for mounting optical and match sights. **FFL required for purchase.**

SPECS: 7075-T6 aluminum, black, hardcoat anodized, matte finish. Small pin, hammer/trigger and pivot/takedown holes. .154" (3.9mm) diameter hammer/trigger pin holes. .250" (6.3mm) diameter pivot/takedown pin holes.

#739-000-001AF NM A2 Receiver Set, 9C00BXC... \$ 380.00

#739-000-002AF NM A4 Receiver Set, 9C00ZAY... 380.00

JOIN GUNSMITHS.com TODAY!

TACTICAL CARBINE - M4-style upper is ready to be the top half of a rugged, finely tuned tactical carbine that'll handle the toughest operational requirements. Ventilated, four-rail, free-float handguard helps keep the barrel cool and has a continuous top rail that aligns with receiver rail to provide 13" of uninterrupted rail space for excellent flexibility in mounting a scope or red dot sight. Removable bottom panel allows installation of M203 grenade launcher, shotgun, or tear gas launcher. Yankee Hill flip-up front and rear sights co-witness through many non-magnifying optics. Windage-adjustable rear sight has A2-style long- and short-range apertures; front sight has A2 post, bayonet lug, and sling swivel. M4-contour barrel of chrome-moly-vanadium steel alloy is chrome lined for maximum bore life. Includes "shark gill" flash hider/muzzle brake.

SPECS: Barrel - Chrome-moly-vanadium steel alloy, matte black finish. Chrome lined. 16" (40.6cm) long. 1-7" twist. Chambered for 5.56mm NATO.

#100-003-952AF Tactical Carbine Upper Receiver, 5D1143V45... \$ 1,249.99



**D.S. ARMS AR-15/M16
STRIPPED FLATTOP
UPPER RECEIVER**



Precision Forged From High-Strength 7075 Alloy For High Quality Custom Builds

Stripped, A3-style upper receiver is precision machined from a 7075 T6 aluminum alloy forging to USGI dimensions, ready to mate with the mil-spec lower and internal components of your choice. Includes M4-type feed cuts and alphanumeric position markers stamped into the rail slots. Extra hard 7075 T6 alloy offers superb strength to handle the battering of thousands of firing cycles. Hardcoat anodized to resist wear, add strength, and protect from corrosion. Hard dry-lube surface treatment protects the anodizing from scuffs and reduces friction between bolt carrier and receiver walls for ultra-smooth operation, less wear, and longer service life. Matte black finish matches most factory upper receiver and barrel finishes.

SPECS: 7075 T6 aluminum, hardcoat anodized, dry-lube finish, matte black. .250" takedown/pivot pin holes.

#274-000-019AF Stripped Flattop Upper Receiver, 4G69D70... \$ 89.99

**HIGH STANDARD AR-15/M16
HSA-15 FLATTOP UPPER RECEIVER
ASSEMBLY**



Ready To Install On Your Choice Of Lower; Stripped & Completely Assembled Models

COMPLETE FLATTOP UPPER RECEIVER ASSEMBLY - Complete, fully assembled M4-type upper receiver is ready to install on your lower of choice. Add a rear sight or scope, and you're ready to go shooting. Perfect for converting a rifle to a carbine, or build a completely new gun customized to your exact requirements. Manufactured in the U.S. from top-quality materials to original Colt specs; each part is gauge-checked during assembly for correct tolerances under MIL-STD 105D. Forged from 7075 T6 aluminum alloy, then hardcoat anodized for added strength and wear resistance. Includes a standard military contour, 16" barrel with six-groove, 1-9" twist rifling, plus an A2 gas block/

Courtesy of Brownells
Government Sales Manager,
Tim Dillon



- A** #100-003-524AF MAGPUL UBR BUTTSTOCK See Page 28.
- B** #452-000-043AF J.P. ENTERPRISES SAFETY SELECTOR See Page 24.
- C** #100-002-458AF MAGPUL MIAD FULL MODULAR GRIP KIT See Page 36.
- D** #100-002-198AF MAGPUL ENHANCED TRIGGERGUARD See Page 20.
- E** #080-000-490AF **BROWNELLS 30-ROUND TACTICAL MAGAZINE** See Page 40.
- F** #100-003-220AF HIGH STANDARD HSA-15 LOWER RECEIVER See Page 5.
- G** #071-000-040AF TANGODOWN STUBBY BATTLEGRIP See Page 38.
- H** #152-000-041AF SUREFIRE X300 WEAPON LIGHT See Page 72.
- I** #152-000-044AF SUREFIRE MB556AR MUZZLE BRAKE See Page 18.
- J** #231-000-025AF **BROWNELLS/DPMS BL-11-M4 16" BARREL** See Page 15.
- K** #100-003-133AF VLTOR CASV MODULAR FREE-FLOAT HANDGUARD See Page 34.
- L** #160-302-053AF COLT FLATTOP UPPER RECEIVER See Page 1.
- M** #100-002-094AF YANKEE HILL MACHINE REAR FLIP SIGHT See Page 48.
- N** #556-000-003AF PRECISION REFLEX, INC. CHARGING HANDLE See Page 23.

TKS ENGINEERING AR-15 MACHINED UPPER & LOWER RECEIVERS

Machined From Billet
For Maximum Strength
& Accuracy

Stripped receiver halves CNC machined from solid 6061 T6 aluminum billet to produce an AR-15 upper and lower of outstanding strength and stability. Extra metal adds rigidity, making these components the perfect platform for a hard-running tactical rifle or a heavy duty, match-grade gun. All holes, inletting, and pin locations have been machined to final dimensions. Add the bolt, carrier, fire-control system, and internal components of your choice to build the perfect custom rifle for your application. Flattop **Upper** includes case deflector and opening for forward assist, plus MIL-STD 1913 Pictainny accessory rail. **Lower** has integral triggerguard milled from the billet with the rest of the receiver to provide extra support between the pistol grip area and the magwell. "Safe" and "Fire" markings at selector switch hole.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black finish. Small-pin, .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **FFL required to purchase lower receiver.**
#100-003-658AF Machined AR-15 Upper Receiver,
 9B152X03 \$ 189.99
#100-003-659AF Machined AR-15 Lower Receiver,
 2F190X97 209.99



BUSHMASTER AR-15 LOWER RECEIVERS

Rugged, High-Quality
Machined Forging
For Building
A Custom Rifle



Semi-auto, small pin lower receivers are premium-quality forgings machined to precise dimensions and ready to serve as the foundation of a fully customized tactical, competition, or hunting rifle. Exceptionally strong, rigid 7075 T6 aluminum forging has extra metal in the right places for added strength without unnecessary bulk. Features a beefy, M16A2-pattern reinforced area around the front pivot pin, a strengthening ridge over the receiver extension threads, and a ridge around the mag release button to guard against accidental magazine drop by preventing unintentional button activation. Bead blasted after machining to ensure a uniform, non-reflective surface before application of lusterless black military hardcoat A8625, Type III, Class 2 anodized finish that adds surface strength and resists abrasion. A final, nickel acetate seal coat provides extra protection against corrosion. Available as a complete, fully assembled lower, with fire control system, pistol grip, receiver extension, buffer, spring, and buttstock installed and ready for the upper receiver of your choice. Choose adjustable, six-position M4-style buttstock of high-impact, molded polymer, or fixed, A2 buttstock with "trapdoor" storage compartment just like original USGI rifles. Both stocks include sling loop at the toe. **Stripped Lower** is the perfect companion for Bushmaster Lower Receiver Parts Kit, available separately, and the receiver extension/buttstock system of your choice.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. Buttstock - Reinforced molded polymer. .154" hammer/trigger pin holes. .250" pivot pin holes. **FFL required for purchase.**
#100-003-636AF Complete M4-Style Lower Receiver,
 1F329V95 \$ 360.00
#100-003-637AF Complete A2-Style Lower Receiver,
 1F299V95 335.00
#100-003-638AF Stripped Lower Rec'r 1F179V95... 195.95

CAVALRY ARMS AR-15

CAV-15 MKII LOWER RECEIVER

Build The Fastest Handling, Lightest Weight AR-15 Possible



Buttstock, pistol grip and receiver are injection molded in two halves from glass-filled, nylon 6 polymer, then permanently fused together using a vibration welding process that forms one, solid, stripped receiver of outstanding strength and corrosion-resistance. At just over 27 oz., this receiver keeps your rifle's weight to a minimum for adventures that require long treks and swift target acquisition. A1 length stock is 5/8" shorter than the A2 configuration for optimal handling capabilities, and includes trap door buttplate and integral sling loop. Quick takedown pins with internal ball detents make separation of upper and lower assemblies fast and easy. Wider magazine well accepts .45 caliber, Thompson or Grease Gun magazines when mated with pistol caliber upper and magazine adapter; takes standard AR-15 magazines without modification. Fully compatible with mil-spec parts. Integral buffer tube uses carbine buffer spring, not included.

SPECS: Glass-filled nylon 6 polymer, black, O.D. green or coyote tan. 13" (33cm) lop. 27.2 oz (772 g) wt. **FFL required for purchase.**
#100-000-360AF Black CAV-15 Receiver 2F120H00 \$ 149.99
#100-000-361AF O.D. CAV-15 Receiver 2F115H38 . . . 149.99
#100-002-870AF Coyote CAV-15 Receiver 2F115T38. 149.99

CMMG AR-15

MOD4SA LOWER RECEIVER



Stripped Or Fully Assembled With Precision Trigger Group

Rugged, semi-auto receiver made from a high-quality forging is built to handle the hard use and reliability requirements of tactical and competitive shooting. Forged from 7075 T6 aluminum alloy for

maximum strength and rigidity before final machining to mil-spec dimensions. Hardcoat anodized for added strength, then Teflon®-coated for outstanding resistance to surface abrasion or discoloration from solvents and lubes. **Stripped** lower includes receiver only without any additional parts for full, custom build projects. **Complete** is fully assembled with all receiver components and is available with single, left side-mounted safety selector or ambidextrous safety selector; does not include buttstock or related parts. Includes polymer A2 pistol grip, trigger group, bolt release lever, mag release button, and aluminum triggerguard. CMMG's engineers designed custom fixtures for final grinding of ten separate contact surfaces on the trigger, disconnect, and hammer to ensure a trigger pull that's far superior to many factory triggers. Proprietary bronze bushings on trigger and hammer pins reduce friction for a consistent, ultra-smooth pull and exceptionally fast locktime. Rounded, low-mass hammer further speeds locktime and reduces wear on contact surfaces. Trigger is function tested before lower leaves the factory; compatible with .22 LR conversions.

SPECS: Forged 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. *223/5.56mm* stamped on side of magwell. .154" hammer/trigger pin holes. .250" pivot pin holes. **FFL required for purchase.**

#100-004-243AF Complete Receiver, Single Safety, 3B00UAV. \$ 339.99
#100-004-098AF Complete Receiver, Ambi Safety, 3B00ZAY. 359.99
#100-004-106AF Stripped Receiver, only 3B139P99 . 149.99

DOUBLE STAR AR-15 LOWER RECEIVERS

Mil-Spec Lowers Ready For Your Next AR-15 Project



High strength, hammer forged receiver is CNC machined and hardcoat anodized black. Extra reinforcement around the front pivot pin, reinforcing ridge over the buffer tube area, and a full fence around the magazine catch button ensure it's built for rugged use. Safe and Fire are engraved on both sides for guns with ambi safeties. Complete receivers include triggerguard, magazine catch button, mil-spec trigger group and pistol grip. Available complete and fully assembled with M4 or A2 stock configuration, complete without buttstock, and as a stripped receiver only. Made in USA with mil-spec parts only.

SPECS: 7075-T6 forged aluminum, CNC machined to Mil-Spec. Hard coat anodized, Teflon coating, matte black. **FFL required to purchase.**
#100-002-315AF M4 Lower, Complete 9Z234P00 . . . \$ 292.00
#100-002-314AF A2 Lower, Complete 9Z235P00 295.00
#100-002-313AF Lower, Complete w/o Stock 9Z180P00 225.00
#100-002-312AF Lower, Stripped 9Z113P84 139.99

DPMS AR-15 FORGED LOWER RECEIVER



Forged Construction Adds Toughness To The Rifle You're Building

7075-T6, aircraft-grade aluminum receiver is forged and tempered for strength, just like the M16 lowers used by the U.S. military. CNC machined and ready to be the foundation for your match, tactical or hunting rifle. Hard coat anodized to mil-spec 8625 for durability; Teflon® coating gives additional lubricity and an attractive, matte, black finish.

SPECS: 7075-T6 aluminum, Teflon, black, matte finish. 8.6 oz. (244 g.) wt. **FFL required.**

#231-000-113AF Forged Lower Rec'r 1C132T99 . . . \$ 159.99

DPMS AR-STYLE .308 LR-308 LOWER RECEIVER

High-Quality, Machined Lower For Precise Fit & Smooth Function



Fixed



Collapsible

Fully assembled lower, complete with fire-control group, buttstock, and pistol grip is ready for your choice of .308 upper. Precision milled from a solid billet of 7075 T6 aluminum and mil-spec hardcoat anodized for additional strength before application of a proprietary Teflon-coating for outstanding resistance to surface wear and scratches. Integral, straight triggerguard milled from the billet with the rest of the receiver provides maximum strength to handle full-power .308 ammo. Available in fixed and collapsible stock models, both with an A2-style pistol grip. **Fixed** model features an A2-style, black Zytel buttstock with rear sling mount and trapdoor buttplate for storage of backup parts and cleaning supplies. **Collapsible** is equipped with a 6-position, M4-style adjustable stock made of impact-resistant polymer.

SPECS: Receiver - 7075-T6 aluminum, hardcoat anodized, Teflon-coated, black. Pistol Grip - Injection-molded polymer, black. **Fixed** - Zytel, A2-style buttstock, black. **Collapsible** - Polymer M4-style buttstock, black. **FFL required for purchase.**

#231-000-234AF LR-308 Lower w/Fixed Buttstock, 1C534A21 \$ 729.99
#231-000-233AF LR-308 Lower w/Collapsible Buttstock, 1C518A57 699.99

DPMS AR-15 AR-15 LOWER RECEIVER

High-Quality, Forged Lower For Precision Fit & Function



A-2



M4

Forged, fully assembled lower is ready for your choice of upper. Precision machined from 7075-T6 aircraft-grade, aluminum alloy, mil-spec hardcoat anodized, then Teflon-coated black for superior wear and scratch resistance. Includes mil-spec trigger group and pistol grip. **A-2** model features a fixed, black Zytel buttstock with rear sling mount and trapdoor buttplate for storage of backup parts and cleaning supplies. **M4** version is equipped with a 6-position, collapsible, carbine stock made of impact-resistant polymer.

SPECS: Receiver - Forged, 7075-T6 aluminum, hard anodized, Teflon-coated black. A2 Buttstock - Zytel, black. M4 buttstock - plastic, black. **FFL required for purchase.**

#231-000-180AF A2 Lower Receiver 1C244D93 . . . \$ 281.84
#231-000-205AF M4 Lower Receiver 1C251Z50 289.99

D.S. ARMS AR-15

ZM4 STRIPPED LOWER RECEIVER



Precision Forging From High-Strength Alloy For Custom Builds

Stripped, small-pin semi-auto lower receiver is precision machined from an aluminum alloy

forging to the same dimensions as USGI receivers to ensure proper fit of components and accessories designed for mil-spec receivers. An affordable platform for any type of custom gun you want to build—from a fast-handling tactical carbine to a match-grade competition rifle. Simply add the upper, fire control components, buttstock assembly, and pistol grip of your choice. Extra hard 7075 T6 alloy gives superior strength and stands up to the battering of thousands of firing cycles; hardcoat anodized surface resists wear and actually adds strength, while providing excellent corrosion resistance. Matte black finish matches most factory upper and barrel finishes. Holes, inletting, and pin locations have already been cut to final dimensions. .154" hammer and trigger pin holes accept the most fire control components, with standard .250" pivot and takedown pin holes.

SPECS: 7075 T6 aluminum, hardcoat anodized matte black. 9 oz. (255g) weight. .154" hammer/trigger pin holes. .250" takedown/pivot pin holes. **FFL required for purchase.**

#274-000-017AF ZM4 Lower Receiver 4G135D71 . . . \$ 169.64

FULTON ARMORY AR-15 FAR-15 RECEIVER

Mil-Spec Quality, Forged-Strength For Rugged Use



Mil-Spec aluminum forging is CNC machined and hard-coat anodized to provide the strength and wear resistance required for demanding tactical applications, or building highly accurate match and varmint rifles. Fully finished and ready for fitting; accepts most Mil-Spec and aftermarket parts. Right side is marked for safety selector. .250" diameter takedown and pivot pin holes. **FFL required for purchase.**

SPECS: 7075-T6 aluminum, anodized, matte black. Small pin, .154" hammer and trigger pin holes; .250" takedown pin holes. 8.6 oz. (244 g) wt.

#100-000-744AF FAR-15 Receiver 3F00HDZ. \$ 176.41

HIGH STANDARD

HSA-15 CARBINE LOWER RECEIVER



Extra Strong Receiver With Custom-Quality Trigger Group

Complete, semi-auto M4-type lower receiver with trigger group A2 pistol grips and collapsible stock is ready to accept the upper that meets your exact needs. A supplier to the U.S. military since WWII, High Standard's name means top-quality materials and workmanship throughout. All parts are manufactured in the U.S. to original Colt specs, and each part is gauge-checked for correct tolerances in accordance with MIL-STD 105D during assembly. Receiver is forged from 7075 T6 aluminum alloy, which has nearly twice the tensile strength of the standard 6061 alloy, then hardcoat anodized for even greater strength. The steel trigger/hammer group's precision-ground engagement surfaces provide a crisp, near-match-grade trigger pull. M4-style, 6-position collapsible buttstock includes buffer tube, buffer, recoil spring, receiver lock plate, lock nut, and rear sling swivel. **Lower Receiver w/o Buttstock** includes lower receiver assembly with trigger group and pistol grip fully assembled for those who wish to install their own buttstock.

SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Buttstock/Pistol Grip - High-impact polymer, black. **FFL required for purchase.**

#100-002-328AF HSA-15 Lower Receiver, w/Buttstock, 3D265U77 \$ 329.99
#100-003-220AF HSA-15 Lower Receiver, w/o Buttstock, 3D193Y24 239.99

NEW Model PATRIOT ORDNANCE FACTORY AR-15/AR-STYLE .308

MACHINED LOWER RECEIVER



Machined From 7075 Aluminum Billet

Stripped, semi-auto lower receiver is fully machined from U.S.-sourced 7075 T6 aluminum billet. Extra metal in the right places adds strength and rigidity. Available in AR-15 and AR-style. .308 sizes, both models accept mil-spec and aftermarket parts, so you can select the upper, trigger group, pistol grip, receiver extension, and buttstock that best serve your needs. Oversized triggerguard machined as part of the receiver further enhances structural rigidity and provides plenty of clearance when wearing gloves. Flared magwell helps ensure fast reloads. Cut for ambidextrous bolt release to allow strong- or weak-hand operation; right-side button included with receiver. Laser etched, international "fire" and "safe" symbols give the operator instant, intuitive feedback on the weapon's safety status. Mil-spec hardcoat anodized for added surface strength and corrosion resistance. **P-415** is available with a durable, low-friction black Teflon® finish or a tough, gray NP3 electroless nickel/Teflon outer coating that's highly resistant to surface wear. NP3 is exceptionally thin, hard (Rc 48-51), and self-lubricating, so it prolongs weapon life by minimizing wear fouling buildup. **P-308** is available with NP3 finish only. All heat-treatment, plating, coatings applied by U.S.-owned and operated contractors.

SPECS: 7075 T6 aluminum, hardcoat anodized. Small-pin, .154" (3.9mm) hammer/trigger pin holes. .250" (6.3mm) pivot/takedown holes. **P-415** - Accepts mil-spec AR-15/M16 rifle or carbine upper receiver and internal components. Matte black Teflon finish or matte medium gray NP3 finish. **P-308** - Accepts AR-style .308/762mm upper receivers from Patriot Ordnance, DPMS, and Remington Arms. Uses standard small-pin AR-15 trigger, pistol grip, takedown pin, and receiver extension. Requires .308 buffer, buffer spring, pivot pin. Matte medium gray NP3 finish. **FFL required for purchase.**

#100-004-193AF P-415 AR-15 Lower Receiver, Teflon, 1G322H15 \$ 325.99
#100-004-486AF P-415 AR-15 Lower Receiver, NP3, 1G363C02 459.99
#100-004-349AF P-308 AR-Style .308 Lower Receiver, 1G412V16 449.99

Shop ar-15 receiver Search
 brownells.com

Courtesy of Brownells
Marketing Analyst, Jill Honken



BROWNELLS

LOWER RECEIVERS

- A** #100-002-619AF DOUBLE STAR M4 ADJUSTABLE BUTTSTOCK *See Page 27.*
- B** #080-000-381AF **BROWNELLS** LOW-PROFILE AMBI SLING ADAPTER *See Page 50.*
- C** #739-000-002AF ROCK RIVER ARMS NATIONAL MATCH RECEIVER SET *See Page 3.*
- D** #100-002-557AF JEWELL SMALL PIIN RIFLE TRIGGER *See Page 20.*
- E** #080-000-558AF CMMG .22 LR CONVERSION KIT w/26-RND MAGAZINE *See Page 7.*
- F** #100-002-213AF SOG ARMORY GRAPHITE VERTICAL GRIP *See Page 38.*
- G** #100-002-076AF YANKEE HILL MACHINE 2-RAIL GAS BLOCK *See Page 13.*
- H** #231-000-024AF **BROWNELLS/DPMS** BL-11 CAR-15/M4 BARREL *See Page 15.*
- I** #100-003-114AF VLTOR VC-1 FLASH SUPPRESSOR/COMPENSATOR *See Page 19.*
- J** #080-000-521AF **BROWNELLS** FLIP-UP TACTICAL FRONT SIGHT *See Page 45.*
- K** #100-003-414AF YANKEE HILL MACHINE FREE-FLOAT HANDGUARD *See Page 32.*
- L** #100-003-197AF EOTECH 557 HOLOGRAPHIC SIGHT *See Page 74.*
- M** #080-000-510AF **BROWNELLS** 360 SERIES TACTICAL SIGHT *See Page 45.*

NEW

ROGGIO ARSENAL AR-15/M16

RA-15 STRIPPED LOWER RECEIVER



Precision-Machined 7075 Aluminum Forging For Superb Strength & Exact Dimensions

Semi-auto, small-pin lower receiver offers features usually found only on custom-machined specialty receivers—for the price of a basic, mil-spec receiver. Perfect for building a custom AR in the traditional .223/5.56mm chambering, or a special-purpose rifle in 6.5mm, 6.8mm, 9mm, or other caliber that fits a standard AR-15 receiver. Forged from high-grade 7075 T6 aluminum alloy for superb strength. Precision CNC machined to final dimensions with tolerances of less than .001", so it's ready to accept the combination of mil-spec parts that fulfill your requirements. Magazine well is wire-EDM machined with a flared opening, ultra-smooth interior surfaces, and square corners for snag-free magazine insertion. Serrations cut into the front of the receiver provide an extra-secure gripping surface when the support hand is placed on the high magwell. Standard .154" holes for hammer and trigger pins let you install the aftermarket trigger of your choice; .250" pivot and takedown pin holes for compatibility with a broad range of upper receivers. Diamond-cut engraving produces the crisp, clean, serial number, logo, and markings without inducing unwanted stress in the metal caused by other methods. Hardcoat anodized to MIL-A-8625 Type III Class 2 spec to ensure superb surface hardness, before application of a tough, commercial-grade Teflon® coating to resist scratches, scuffs, and dings.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black finish. Small-pin, .154" (3.9mm) hammer and trigger pin holes. .250" (6.3mm) pivot/takedown pin holes. **FFL required for purchase.**
#100-004-368AF RA-15 Stripped Lower Receiver, 7C140V00 \$ 175.00



Stock numbers shown in red indicate the product is made in the U.S.A. This information is not available for all products at time of catalog production, but will be regularly updated on our website.

NEW

SIXELL INNOVATIONS AR-15/M16

NEVER QUIT GRIP



Helps Promote A Secure, Non-Slip Grip For The Support Hand On The Magwell

Ergonomically shaped rubber grip enhancer helps promote a secure, comfortable, non-slip grip for the tactical shooter who prefers to position his support hand on the magazine well. Encourages the operator to maintain a firm grasp on the magwell, not the magazine, for improved recoil control and fast followup shots. Oil, dirt, and UV-resistant Santoprene™ thermoplastic elastomer is textured to fit the hand and cushion it from recoil. The surface is just "grippy" enough for a secure hand-hold and to keep the grip from moving on the magwell. Installs easily on any AR-15/M16 rifle or carbine with a standard triggerguard. Just depress the forward pin, swing the guard out of the way, and the Never Quit Grip over the magwell, and reinstall the pin.

SPECS: Santoprene synthetic rubber, black, desert tan, or O.D. green. Fits AR-15/M16/M4 and clones with removable trigger-guard.
#100-004-418AF Never Quit Grip, Black, 3Z18X76 \$ 24.99
#100-004-419AF Never Quit Grip, Desert Tan, 3Z18X76 24.99
#100-004-420AF Never Quit Grip, O.D. Green, 3Z18X76 24.99

QUESTIONS BEFORE YOU BUY? — Ask Our Full-Time Tech Staff

**SUPERIOR ARMS AR-15
S-15 LOWER RECEIVER**

Strong, Forged Receiver;
Perfect Foundation For A
Custom Rifle Or Carbine

Stripped, semi-auto, lower receiver delivers custom shop quality without the typical custom shop price. Perfect platform for building the ultimate, mission-specific, AR-15 rifle or carbine. Made from a high-strength, 7075 T6 aluminum forging for reliable performance and outstanding durability. Mil-Spec, hard anodized finish adds extra strength to the receiver walls and delivers superior abrasion-resistance for rugged field use. Precision-machined to ensure drop-in installation of Mil-Spec, aftermarket components. Secondary setscrew in pistol grip allows trigger preset adjustment to eliminate creep for a crisp, clean break. Features standard, .250" diameter takedown and pivot pin holes.

SPECS: 7075 T6 aluminum, hard-anodized, black finish. 9 oz. (255 g) wt. **FFL required for purchase.**

#100-003-161AF S-15 Lower Receiver 6F96C00... \$ 139.99



**CMMG AR-15/M16
.22 LR CONVERSION KIT**

Use Economical .22 LR Ammo
To Practice More & Hone Critical Shooting Skills

Drop-in .22 LR conversion system comes fully assembled and ready to install in any semi-auto AR-15 to help you practice critical shooting skills with economical rimfire ammunition. Concentrate on improving grip, sight alignment, trigger pull, and other skills without burning up expensive, centerfire ammo. Installs in seconds and requires no gunsmithing or permanent alterations to your rifle. Uses your gun's factory upper receiver, barrel, fire control system, buffer, and spring. Simply replace the bolt and carrier with the conversion unit, load up the included magazine with high-velocity round-nose .22 LR ammo, and you're ready to shoot. Precision machined from high-grade steel to the highest standards of workmanship for proper function in any mil-spec .223/5.56mm rifle or carbine. Every unit is test fired by the manufacturer before leaving the factory to ensure correct fit and function. **Kit** comes with conversion unit and one smoke-colored 26-round or 10-round magazine; conversion unit also available separately, without magazine. Magazines are molded from impact-resistant polycarbonate and are available in translucent clear or smoke, or solid black. Self-lubricating anti-tilt follower and constant-force spring help ensure reliable feeding. Follower functions to hold bolt open after last round is fired. 26-round magazines are the same size as USGI 30-round AR-15 magazines; 10- and 15-round magazines are the size of standard 20-round AR-15 magazines.

SPECS: Kits include conversion unit, plus one (1) smoke colored 26-rd or 10-rd magazine. Conversion Unit - Steel, Parkerized, matte black finish. Designed for high-velocity, round nose .22 LR ammunition only. Fits semi-auto, .223/5.56mm AR-15 rifles and carbines. Magazine - Injection-molded polycarbonate, Smoke, Black, or Clear.

#080-000-558AF .22 LR Conversion Kit w/26-Rd Mag, 8K184P99... \$ 189.99

#080-000-557AF .22 LR Conversion Kit w/10-Rd Mag, 8K184P99... 189.99

#100-003-921AF .22 LR Conversion Unit only, 3B159P99... 164.99

#080-000-548AF 26-Rd Mag for 22 LR Conversion, Smoke, 2B27P56... 35.99

#080-000-547AF 26-Rd Mag for 22 LR Conversion, Black, 2B27P56... 35.99

#100-003-328AF 26-Rd Mag for 22 LR Conversion, Clear, 1B27V34... 35.99

#100-003-673AF 10-Rd Mag for 22 LR Conversion, Smoke, 1B27X56... 35.99

#100-004-183AF 15-Rd Mag for .22 LR Conversion, Smoke, 1B25X55... 32.99

#100-004-182AF 15-Rd Mag for .22 LR Conversion, Black, 1B25X55... 32.99

CHRISTIE & CHRISTIE MAGAZINE LOADER

Helps you load up a lot of magazines quickly, without pinched fingers, so you spend precious range time shooting your .22 LR AR-15 conversion, not loading mags. Simple to use: slide over the magazine, push down on the follower with your finger to get it started, and begin inserting rounds, pressing down on the loader to take up spring pressure as you go. Rugged, one-piece design is molded from lightweight 50% glass-filled polymer, so it's heat-, impact-, and solvent-resistant.

SPECS: Molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.

#100-004-398AF .22 LR Magazine Loader 8A07V99... \$ 14.99



Instructional Video
Available Online

**BROWNELLS/ROCK RIVER ARMS
CAR-15/M4**

**9mm LOWER RECEIVER
CONVERSION KIT**

Drop-In Kit
Converts A Stock
Lower Receiver
To Accept A
Sub-Caliber
Upper



One-stop, drop-in solution with the parts you need to convert a mil-spec small pin (.154" dia.), .223 lower receiver with collapsible stock to accept a 9mm upper receiver assembly. Kit includes a replacement hammer, recoil spring, and buffer optimized to handle the reduced recoil force of the 9mm Luger round, as well as a Magwell Conversion Block that installs in your rifle's magazine well to allow it to accept Rock River's 25-round 9mm magazines, available separately. To use the Kit on a full-size rifle with fixed A1/A2-style buttstock, install the separately available Delrin® Spacer in buffer tube behind recoil spring.

SPECS: Hammer & Buffer - Steel, matte black oxide finish. Action Spring - High tensile strength spring steel. Magwell Conversion Block - Steel with matte black oxide finish and aluminum with matte black, hardcoat anodized finish. Fits CAR-15/M4 collapsible stock models with .154" diameter receiver pin holes. Spacer - Machined Delrin. 2 1/8" (5.4cm) long. Fits buffer tube for standard, fixed A1/A2-style AR-15/M16 buttstock. Not included in kit; must be purchased separately.

#080-000-442AF 9mm Lower Receiver Conversion Kit, 8K174X83... \$ 205.99

#739-000-018AF 9mm Magwell Conversion Block, 9C00ZAY... 175.00

#739-000-015AF 9mm Hammer 9C00PUA... 20.00

#739-000-016AF 9mm Carbine Buffer 9C00BXC... 25.00

#739-000-019AF 9mm Fixed Stock Buffer Tube Spacer, 9C00PUA... 8.00

#739-000-005AF 9mm Carbine Recoil Spring, 9C00ZAY... 4.00

#739-000-014AF 9mm Magazine, 25-Round, 9C00ZAY... 35.00

ROCK RIVER ARMS AR-15/M16

9mm UPPER RECEIVER ASSEMBLY



Easily Convert Your .223 AR Into A Fast-Shooting 9mm

Sub-caliber upper assemblies allow fast and simple conversion of ARs chambered in .223 to 9mm Luger. True, dedicated, complete upper receivers are assembled from military specification components; includes a Wilson, 1-10 twist barrel, bolt and carrier, charging handle, shell deflector, heat-shield lined handguards, sling swivel, and A1-style flash hider. Additional items not included but required for conversion to 9mm are a 9mm magazine, (sold below), magazine adapter, action spring, and recoil buffer, sold separately. A2 configuration has A2 adjustable sights regulated for 9mm. A4 unit has flattop receiver that accepts most aftermarket accessories designed to fit a Picatinny rail.

SPECS: Barrel - 4140 steel, blue, matte finish, 16" (40.6cm) long, .725" (18cm) O.D. Receiver - Aluminum, anodized finish, matte black. Designed to fit lower receiver with .25" (6.3mm) diameter takedown pins.

#739-000-012AF A2 9mm Upper Rec'r 9C00PUA... \$ 506.99

#739-000-013AF A4 9mm Upper Rec'r 9C00BXC... 486.99

**HAHN PRECISION AR-15
9mm CONVERSION BLOCK**

Reliable Feeding With A Host Of Ammo Types;
Models For Every Shooting Application

One-piece, machined aluminum block converts AR-15 lower receiver to 9mm. Compatible with all Colt-type, 9mm upper receivers, the feed ramp is cut for reliable feeding with all types of ammo, including hollow point and frangible ball. Roller retention device holds block securely in receiver, prevents accidental release. Hardened steel ejector, feed ramp and bolt hold open give long service life; last-round-hold open feature on bottom-loading model works when used with Colt magazines. Also works with modified UZI magazines but last-round-hold open will not function. No receiver modification required. **Top-Loading** Block installs from the top of the lower receiver (no hold open feature) and **Bottom-Loading** Block installs from the bottom of the lower receiver.

SPECS: Aluminum, black, matte finish.

#100-000-920AF Top-Loading 9mm Conversion Block, 6K140Y00... \$ 175.00

#100-000-443AF Bottom-Loading 9mm Conversion Block, 6K160P00... 200.00

DEDICATED 9mm CONVERSION BLOCK

Designed, manufactured, and field-tested specifically for law enforcement personnel who require an AR-15/M16 dedicated to 9mm ammo using Colt and modified Uzi-type magazines. Integral "leg" hooks over the top of the lower receiver to prevent accidental fall-out during actual combat situations where reliability is paramount. Two-piece, aluminum body features extra tight, mating surfaces to minimize the collection of carbon and brass buildup; scalloped hold-actuator allows unburned powder and other debris to pass through for uninterrupted cycling. Hold actuator is wire EDM-machined from high grade, O1 tool steel and functions with the standard 5.56mm bolt hold-open, which is strong, reliable and more readily available than the 9mm version. (Last round hold open feature functions with Colt magazines only.) Ejector is of standard, Colt configuration for easy replacement by any department armorer. Funneled magazine well ensures smooth entry for rapid mag changes and limits rotational movement caused by variances in magazine taper. Spring-loaded roller maintains constant tension against the lower receiver well to prevent free play. Steel, feed ramp is heat-treated for extra strength and superior wear-resistance; provides consistent round delivery with most bullet types. Armorer installation recommended.

SPECS: Body - 6061-T6 billet aluminum, Mil-Spec black anodized finish. Components - Steel, parkerized finish. Fits all Mil-Spec AR-15/M16 receivers. Armorer installation recommended.

#100-002-321AF Dedicated 9mm Conversion Block, 6K160P00... \$ 200.00

25-ROUND 9MM MAGAZINE - High-capacity UZI-type design has been specifically modified for use in 9mm AR-15 conversions. Robust, all-steel construction with metal follower and tough Parkerized finish for years of smooth, reliable service. Requires the Brownells/Rock River Lower Receiver Conversion Kit, sold separately.

SPECS: Steel, Parkerized matte dark gray finish. 25-round capacity.

#739-000-014AF 9mm Magazine, 25-Round, 9C00ZAY... \$ 35.00

BUTLER CREEK "LULA" MAGAZINE LOADER/UNLOADER - A must for loading Rock River's 25-round 9mm AR-15 mags! As you move the lever back and forth, loader securely grasps each round for effortless loading/unloading. Reduces wear and tear on magazine feed lips—and your fingers. Fits in your pocket. Loader is made in U.S.A.

SPECS: Reinforced polymer, black. Fits Rock River 25-round 9mm AR-15 magazines, as well as 20-, 25-, 32-, and 40-round 9mm Uzi metal magazines.

#593-000-045AF 9mm AR-15/UZI Mag Loader, 3E28A53... \$ 34.95

**NEW YANKEE HILL AR-15
YHM-15 LOWER RECEIVER**

Mil-Spec Dimensions & Finish For Superb Fit
& Maximum Compatibility



Semi-auto lower is precision machined entirely at Yankee Hill's manufacturing facility from a high-strength 7075 aluminum alloy forging. The perfect foundation for almost any kind of AR you want to build: tactical, competition, sporting—even a non-standard caliber. Mil-spec dimensions ensure superior fit and maximum compatibility with a wide range of available uppers, aftermarket parts, and accessories. Slightly oversized magwell chamfers help ensure fast, positive magazine changes when the pressure is on. YHM logo stamped on left side of mag well. Accepts standard .154" hammer/trigger pins and .250" takedown/pivot pins. Pin holes are left slightly oversized, so you can open them up just the right amount for an exact pin fit without slop or slippage. Hardcoat anodized with a durable, fine-grain, mil-spec matte black finish. Available as a **Stripped** lower receiver or in three fully assembled configurations with all internal components installed, including mil-spec trigger group, safety selector, bolt catch, mag release button, and aluminum triggerguard. **A2 Grip** comes with polymer A2 pistol grip installed and is ready for you to add the receiver extension tube, buffer components, and buttstock of your choice. **M4** comes with A2 grip, "commercial" 1.17" O.D. receiver extension tube/buffer components, and an adjustable-length, six-position M4-style buttstock. **A2 Rifle** comes with M16A2-style fixed buttstock with trapdoor storage compartment, complete receiver extension/buffer system, and A2 grip.

SPECS: Receiver - Forged 7075 T6 aluminum, hardcoat anodized, matte black. Accepts .154" hammer/trigger pins and .250" takedown/pivot pins. Pistol Grip/M4 Stock - Reinforced molded polymer, black. A2 Stock - Fiberglass-reinforced thermoset nylon polymer, dark gray. **FFL required for purchase.**


#100-004-301AF Stripped Lower Receiver, only, 5G114H95... \$ 176.00

#100-004-350AF Complete Lower Receiver, w/A2 Grip, only 5G234V33... 280.00

#100-004-348AF Complete Lower Receiver, w/M4 Stock, 5G312V00... 390.00

#100-002-921AF Complete Lower Receiver, w/A2 Rifle, Stock 5G329H33... 395.00

Courtesy of Brownells
Photographer, Matthew Peake



BROWNELLS

- A** #100-002-917AF PROGRESSIVE MACHINE ADJUSTABLE BUTTSTOCK See Page 29.
- B** #739-000-011AF ROCK RIVER ARMS NATIONAL MATCH TRIGGER See Page 20.
- C** #078-000-159AF **BROWNELLS** 20-ROUND MAGAZINE See Page 40.
- D** #100-002-328AF HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER See Page 5.
- E** #452-000-040AF J.P. ENTERPRISES V-TAC MODULAR HANDGUARD See Page 34.
- F** #452-000-036AF J.P. ENTERPRISES 4" TACTICAL RAIL See Page 34.
- G** #336-000-028AF GG&G BIPOD ADAPTER See Page 79.
- H** #416-005-001AF HARRIS BR-1A2 BIPOD See Page 78.
- I** #787-000-036AF SHILEN 20" SERVICE RIFLE BARREL BLANK See Page 15.
- J** #504-100-022AF OPS INC R342C MUZZLE BRAKE See Page 17.
- K** #100-002-237AF YANKEE HILL MACHINE FRONT SIGHT GAS BLOCK See Page 13.
- L** #638-000-081AF HI-VIZ FIBER OPTIC FRONT SIGHT See Page 44.
- M** #452-000-038AF J.P. ENTERPRISES 11 1/2" RIFLE RAIL See Page 34.
- N** #892-000-043AF TRIJICON TR22-1 ACCUPOINT 2.5-10x SCOPE See Page 77.
- O** #336-000-012AF GG&G ACCUCAM OPTIC MOUNT See Page 67.
- P** #100-004-449AF FAILZERO BOLT/CARRIER GROUP See Page 9.
- Q** #274-000-019AF D.S. ARMS FLATTOP UPPER RECEIVER See Page 3.
- R** #100-002-212AF SOG ARMORY CHARGING HANDLE See Page 23.

**BROWNELLS/BLACK DOG
MACHINE AR-15/M16
HIGH-CAPACITY MAGAZINE
FOR .22 LR CONVERSIONS**
Shoot More, Reload Less; Full-Body Design

Dependable, high-capacity magazine handles like a standard AR-15/M16 magazine and delivers up to 26 rounds of .22 LR ammunition in an AR-15 fitted with the CMMG AR-15/M16 .22 LR Conversion Kit or any Atchisson-type conversion system. Rigorously range-tested for reliable function in both semi- and full-auto rifles. Extended, anti-tilt follower acts as a bolt stop after last round is fired. Tough, impact-resistant polycarbonate shell and follower are self-lubricating, so they work with the constant-force spring to deliver smooth, uniform feeding for consistent operation. Steel hex screws securely hold the mag body halves together. Available in transparent Smoke and Clear for easy round counting or solid Black. **26-round** models are the same size as USGI 30-round AR-15 magazines. **10-round** and **15-round** models are the same size as a standard 20-round AR-15 magazine to meet the needs of benchrest shooters and others who prefer a shorter magazine. **Rebuild Kit** contains all the internal components needed to rebuild three (3) 26-round magazines and return them to factory specs.

SPECS: Injection-molded polycarbonate, Smoke, Clear, or solid Black depending on model. Fits AR-15/M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system. **Rebuild Kit** contains three (3) each of follower, spring, base plate, and plug for 26-round magazines only.

- #080-000-548AF 26-Rd Mag for .22LR, Smk 2B27P56 \$35.99
- #100-003-328AF 26-Rd Mag for .22 LR, Cl, 1B27V34 . 35.99
- #080-000-547AF 26-Rd Mag for .22 LR, Blk 2B27P56 . 35.99
- #100-004-183AF 15-Rd Mag for .22 LR, Smoke, 1B25X55 32.99
- #100-004-182AF 15-Rd Mag for .22 LR, Blk 1B25X55 . 32.99
- #100-003-673AF 10-Rd Mag for .22 LR, Smoke, 1B27X56 35.99
- #100-004-087AF Rebuild Kit for 26-Rd Mag, 3-pak, 1B05X56 6.99

**HAHN PRECISION
AR-15/CAV-15 MAGAZINE ADAPTERS**
Converts Your Lower Receiver
To Accept Sub Gun Magazines
For Olympic Arms Upper Conversions

Drop-in, magazine adapters make it fast and fool-proof to convert your AR-15 or CAV-15 lower receiver to accept unmodified, submachine gun magazines in pistol calibers. Each block is precision-machined from aluminum billet to deliver a perfect, drop-in fit and years of reliable service. Steel, magazine release features a large, serrated pad for non-slip magazine drops. **AR-15 Sten Adapter** fits any mil-spec, AR-15 lower receiver and accepts Sten magazines for use with Olympic Arms 9mm upper receiver conversions. **CAV-15 Grease Gun Adapter** allows the use of M3/M3A1 magazines with your Olympic Arms .45 ACP upper conversion. Fits only the Cavalry Arms CAV-15 MKII lower receiver and must be used with the Hahn Precision **Pistol Caliber Buffer (#100-002-513)** to prevent receiver damage. Installation of magazine adapters disables bolt hold-open operation.

SPECS: 6061-T651 billet aluminum, Mil-A-8625 "F" Type III hard anodized, black. Approximately 3/4" (8.3cm) long x 1" (2.5cm) wide.
#100-002-226AF AR-15 Sten Adapter 6K60B00 \$ 75.00
#100-002-227AF CAV-15 Grease Gun Adapter, 6K68B00 85.00

CHRISTIE & CHRISTIE MAGAZINE LOADER - Helps you load up a lot of magazines quickly, without pinched fingers, so you spend precious range time shooting your .22 LR AR-15 conversion, not loading mags. Simple to use: slide over the magazine, push down on the follower with your finger to get it started, and begin inserting rounds, pressing down on the loader to take up spring pressure as you go. Rugged, one-piece design is molded from lightweight 50% glass-filled polymer, so it's heat-, impact-, and solvent-resistant.

SPECS: Molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.
#100-004-398AF .22 LR Magazine Loader 8A07V99 . \$ 14.99



Magazine not included

VM HY-TECH AR-15/M16 9mm MAG BLOCK ADAPTER

Use UZI Magazines In Your 9mm AR-15

Aircraft-grade aluminum adapter fits in AR-15 magazine wells and accepts UZI magazines. Requires absolutely no modifications to UZI magazine or lower receiver. CNC machining ensures close tolerances and proper fit.

SPECS: Aircraft-grade, CNC-machined aluminum, black anodized.
#100-001-402AF 9mm Mag Block Adapter, 7A14U89 \$ 165.99



NEW

CMMG AR-15/M16 ENHANCED 9mm BOLT/CARRIER

Lets You Keep
The .223/5.56mm Hammer
In Your 9mm Conversion



Complete, drop-in carrier/bolt assembly is ramped on

the bottom to provide clearance for a factory .223/5.56mm hammer in your 9mm conversion. Eliminates the need to install a dedicated 9mm hammer, so the original fire control system stays intact for easier conversion back to original caliber. Precision machined from high-grade ordnance steel, the one-piece design combines bolt and carrier as a single unit to provide outstanding strength, durability, and reliability. Includes a staked-on carrier key.

SPECS: Steel, black oxide finish. Fits rifles and carbines with Rock River Arms and Colt-style 9mm blow back system.

#100-004-363AF 9mm Bolt/Carrier, 3B159Y99 \$ 199.99

BUSHMASTER AR-15 BOLT & CARRIER

Machined To Mil-Spec
Or Better Tolerances For
Precise Fit & Smooth Cycling



Bolt and carrier assemblies provide smooth, efficient cycling and improved reliability in any AR-15 application. Precision machined from the highest quality ordnance-grade steels to current military—or higher—tolerances, then hardened and magnetic particle inspected to ensure there are no microscopic cracks or flaws that could lead to premature failure. Bolt made from high-strength Carpenter 158 steel alloy is heat-treated for exceptional surface hardness to handle the battering of thousands of cycles. Includes extractor, gas rings, ejector, pins, and springs. Carrier of 8620 steel is chrome lined to ensure smooth bolt function and superb wear resistance for years of reliable service. Comes with chrome-lined carrier key installed.

SPECS: Steel, parkerized, dark gray, matte finish.

#100-003-605AF Complete Bolt Assembly, 9B56U76 \$ 64.99

#100-003-604AF Complete Bolt Carrier, 9B93U74 99.99

DPMS AR-15/M16 BOLT ASSEMBLY

Replaces Factory Bolt;
Use For Building
Custom Sporter &
Varmint Rifles



Steel, Teflon-coated, to eliminate bind on bearing surfaces which can prevent reliable cycling. Mil-spec bolt assembly is machined to strict tolerances for a drop-in fit and requires no gunsmithing.

SPECS: Steel, Teflon-coated, matte black. Meets mil-spec #8448510.

#231-000-196AF Bolt Assembly 3B49Z73 \$ 62.16

DPMS BOLT & BOLT CARRIER COMBO

Matched Set
Provides Smooth,
Reliable Cycling



Steel bolt and bolt carrier combos are either titanium nitride (TiN) coated or hard-chrome plated for natural lubricity, positive cycling, and less wear. Both finishes make cleaning extremely easy. Machined to military specs to ensure correct fit and functioning. These parts are function tested at the factory prior to packaging and may exhibit some light fouling.

SPECS: Carrier - Machined, heat-treated, 8620 steel. Bolt - Machined, heat-treated Carpenter 158 steel.

#231-000-177AF Bolt & Carrier Combo, Chrome, 1C166D67 \$ 205.99

#231-000-178AF Bolt & Carrier Combo, TiN, 1C197D11 244.99

NEW

FAILZERO AR-15 BOLT/CARRIER GROUP



Self-Lubricating
Surface Treatment
Provides Smooth,
Reliable Function

Drop-in bolt and carrier group has a

self-lubricating surface that eliminates the need to apply oil or grease that can attract dirt, dust, unburned powder, and carbon and lead to cycling failures. Proprietary EXO treatment produces an exceptionally hard surface that's 40% more wear resistant than chrome plating, with an ultra-low friction coefficient. Surface is actually harder than the substrate underneath and will not peel, flake, gall, or rub off. EXO-treated bolt/carrier groups have been tested to function reliably without additional lubrication up to 50,000 rounds. Reduced friction also means less heat generated by metal-on-metal contact, so the gun runs cooler and parts last longer. Easy to clean, too—fouling brushes right off. Before treatment, parts are shot peened for surface uniformity and magnetic particle inspected to make sure there are no hidden flaws. Gas key is hardened to USGI specs, chrome lined to resist erosion, and comes already staked to the carrier. Complete Bolt/Carrier Group comes fully assembled and ready to drop into any mil-spec AR-15 upper receiver. Includes bolt, bolt carrier, hammer, firing pin, extractor, cam pin, and gas key. Every kit is test fired for proper function before leaving the factory. Separately available Carrier comes with gas key installed and staked. Bolt includes extractor, ejector, and gas rings installed. Add the firing pin of your choice.

SPECS: Heat-hardened carbon steel, EXO-treated surface, silver finish. Fits mil-spec AR-15 upper receiver. Carrier does not have provision for auto sear trip.

#100-004-449AF AR-15 Bolt/Carrier Group w/Hammer, 8B00AVB \$ 269.99

#100-004-475AF AR-15 Bolt 8B102Y02 124.95

#100-004-476AF AR-15 Carrier 8B142Y65 174.95

J.P. ENTERPRISES AR-15

STAINLESS STEEL BOLT CARRIER

Burnished & Hand
Polished For Smooth,
Reliable Operation



Custom, stainless steel bolt carrier features a 100% increase in bearing surface for smooth cycling and outstanding reliability. Includes forward assist serration and dust cover notch for tactical duty or any application requiring absolute "no-fail" operation. Expanded, exterior, bearing surfaces are hand polished and ensure precise alignment in upper receiver for less wear. Non-plated carrier bore is roller burnished for

J.P. ENTERPRISES AR-15/M16 HIGH-PERFORMANCE BOLT ASSEMBLY

Designed For Extra-Long
Service Life



Complete bolt assembly is precision machined from an ultra-strong steel alloy to last up to 10 times longer than a standard carbon steel bolt, minimizing the risk of bolt failure during a critical tactical engagement. SAE 9310 nickel-chromium-molybdenum steel alloy has a tough, ductile inner core highly resistant to stress fracturing, with a hard outer surface that resists galling and wear, to ensure a service life of up to 60,000 rounds. This is the same steel used in the transmission gears of Formula 1 racing cars, so it's ideal for handling high-impact, high-heat applications like sustained full-auto fire. Meticulously machined radiuses on all 90-degree corners on the locking lugs help distribute impact force evenly and further reduce risk of premature wear and cracking. Fully supported extractor face and precise extractor engagement further ensure smooth, reliable cycling. Developed for use with J.P.'s high performance bolt carriers (available separately), yet fully compatible with any mil-spec carrier.

SPECS: SAE 9310 steel, in-the-white. Includes extractor, gas rings, ejector, pins, and springs. Fully assembled.

#452-000-064AF High-Performance Bolt Assembly, 2E129D73 \$ 139.99

LES BAER AR-15 NATIONAL MATCH BOLT CARRIER



Extra Weight
Improves Reliability
With Competition Loads

Machined to National Match specifications with additional surface area that improves carrier/receiver alignment for

smoother operation, more consistent bolt lockup. Features a hard chromed and fluted exterior surface that keeps more lubrication around the carrier to reduce wear and friction. Machined hammer ramp prevents damage to titanium firing pins. One ounce additional weight compared to standard carriers gives reliable cycling and feeding with heavy competition loads. Hard chromed inside surfaces provide superior gas seal. Drop-in, requires no additional fitting. Slickside manufactured without ejection port cover release or forward assist notches; use only in receivers with no ejection port dust cover or forward assist.

SPECS: Machined 8620 steel. Hardened to Rc 58. Includes hard chromed key.

#939-000-001AF National Match Bolt Carrier, 4B205A37 \$ 255.99

#939-000-002AF Slickside Bolt Carrier 4B205A37 255.99

PAY ANY WAY

VISA/MC/Am Ex/Discover
CrossCheck/IMPAC/C.O.D.

low-drag movement. Rear of carrier is designed in the AR-15, semi-auto configuration with longer, mil-spec cocking pad in the front. Five-step QPQ process produces an exceptionally hard, wear-resistant high-lubricity black finish. Comes with steel gas key installed.

SPECS: 416 stainless steel, polished, black QPQ finish. Includes steel key, 9 oz. (255g).

#452-000-022AF Stainless Steel Bolt Carrier, 2E164C38 \$ 199.99

LES BAER AR-15 BOLT/CARRIER GROUP

NEW

Complete,
Mil-Spec;
Ready To Drop In &
Run Like Clockwork



Complete, .223/5.56mm AR-15 bolt and carrier assembly comes with all the parts, fully assembled, and ready to go. Drop it in your AR, check headspace, and you're ready to shoot. Precision-machined in Les Baer's state-of-the-art manufacturing facility from durable, high-grade 8620 nickel-chromium-molybdenum alloy steel billet. Mil-spec dimensions ensure proper fit and function in a wide variety of OEM and aftermarket upper receivers. All components, including bolt and gas key, have a uniform matte black Parkerized finish for extra strength and corrosion resistance. Interiors of the carrier and carrier key are hard-chromed for additional durability and to aid in clockwork reliability. Carrier and stripped bolt also available separately. Bolt - Stripped bolt allows you to build up a custom, high-performance bolt to suit your exact needs by installing the firing pin, extractor, ejector, gas rings, pins, and springs of your choice. Carrier - Comes with gas key installed and staked.

SPECS: 8620 carbon steel, Parkerized, matte black finish. Fits mil-spec AR-15 upper receiver. Carrier does not have provision for auto sear trip.

#124-000-001AF AR-15 Bolt/Carrier Group, 4B203P72 \$ 249.99

#124-000-002AF AR-15 Bolt, only 4B32P85 39.99

#124-000-003AF AR-15 Bolt Carrier, only, 4B94P71 109.99

SMITH ENTERPRISE CHROME PLATED BOLT & PARTS



Hard-Chromed For Reduced Wear
& Easier Cycling

Combine with the Smith Enterprise Match Bolt Carrier to have a complete, long-wearing bolt carrier assembly for your AR-15 or M16. High-quality, mil-spec components are heat treated and hardened,

then hard-chrome plated to reduce friction coefficient and make the surface of the part almost impervious to wear. Magnetic particle inspected for flaws before leaving factory.

SPECS: 8620 steel, hard-chrome plated, silver color. Fits all AR-15 and M16 bolt carriers. Complete Bolt includes extractor spring and pin and ejector spring and pin; does not include carrier key or cam pin.

#851-111-000AF Complete Hard-Chromed Bolt, 1E87T84 \$ 108.99

#851-111-002AF Hard-Chromed Extractor, 1E31T54 40.99

#851-111-003AF Hard-Chromed Cam Pin 1E22T39 29.99

MGI MILITARY AR-15/M16 AR-15 REGULATED GASTUBE



Adjust Gas Flow For Heavy Or Light Loads

Tiny valve on top of the tube lets you adjust gas flow and bolt speed to match individual loads. Dial down to slow bolt for softer recoil impulse, close completely for single shot operation, or open up more for reliable cycling with light loads. Reduces gas port erosion, as well as wear and battering of recoil system. Helps control secondary recoil movement so rifle stays on target for quick follow-up shots. Easy to install—just like changing the factory gas tube. Includes hex wrench for operating the valve.

SPECS: Stainless steel. Fits AR-15/M16/M4 and clones. Requires no other modification to rifle.

#741-000-001AF Rifle Gas Tube 1D40Z87 \$ 59.99

#741-000-006AF Mid-Length Gas Tube 1D41Z03 59.99

#741-000-002AF Carbine Gas Tube 1D40Z87 59.99


Orders/Tech: 800-741-0015

www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 9

Courtesy of Brownells Government Sales Manager, Tim Dillon
Shown camouflaged with Brownells ALUMA-HYDE® II Spray-On Finishes
Search "alumahyde"
at brownells.com



TangoDown
LLC

Aimpoint

DPMS
PANTHER
ARMS

BUSHMASTER
FIREARMS

HIGH STANDARD
ARMS

MAGPUL

VLTOR

- A** #739-000-004AF **ROCK RIVER ARMS A-4 COLLAPSIBLE BUTTSTOCK** See Page 29.
- B** #100-003-185AF **VLTOR SASE-2 SLING ENDPLATE** See Page 51.
- C** #100-002-328AF **HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER** See Page 5.
- D** #071-000-015AF **TANGODOWN BG-16 BATTLEGRIP** See Page 36.
- E** #100-004-156AF **MAGPUL MOE TRIGGERGUARD** See Page 20.
- F** #100-003-600AF **BUSHMASTER COMPETITION TRIGGER** See Page 19.
- G** #078-000-107AF **BROWNELLS 30-ROUND MAGAZINE** See Page 40.
- H** #100-004-455AF **BOONIE PACKER STANDARD REDI-MAG** See Page 42.
- I** #080-000-325AF **BROWNELLS 6.1" RAIL COVER** See Page 34.
- J** #231-000-025AF **BROWNELLS/DPMS BL-11-M4 BARREL** See Page 15.
- K** #851-000-047AF **SMITH ENTERPRISE VORTEX FLASH ELIMINATOR** See Page 17.
- L** #100-002-413AF **DOUBLE STAR FRONT SIGHT HOUSING** See Page 11.
- M** #573-000-028AF **FALCON INDUSTRIES LOWPRO RAIL GUARD** See Page 35.
- N** #100-003-002AF **AIMPOINT COMPM4 2MOA RED DOT SIGHT** See Page 75.
- O** #430-000-503AF **HIGH STANDARD FLATTOP UPPER RECEIVER** See Page 84.
- P** #231-000-166AF **DPMS STEEL CHARGING HANDLE** See Page 23.

DPMS AR-15 GAS SYSTEM KIT

Critical Replacement Parts To Keep Your AR-15 Functioning

The essential parts you need to repair and maintain rifle and carbine gas systems. Ideal for emergency repairs, or use to build a new rifle. Includes gas tube, roll pin, bolt carrier key and screws, plus three gas rings. **Mid-Length Gas Tube** - Use when modifying a rifle or carbine for a mid-length gas system or for repairing an existing mid-length installation. Includes tube only. Retain the rifle's existing roll pin, carrier key, screws, and gas rings.

SPECS: Stainless steel gas tube and gas rings. Remaining parts steel, black, matte finish. **Mid-Length Gas Tube** - 11 3/4" (29.9cm) long.

- #231-000-045AF Rifle Gas System Kit 1C17Z04 . . . \$ 29.99
#231-000-046AF Carbine Gas System Kit,
1C17Z04 29.99
#231-000-244AF Mid-Length Gas Tube, only,
1C11Y70 14.99

M16 CLINIC AR-15/M16 PIGTAIL GASTUBE

Controls Gas Pressure To Cure Cycling & Feeding Problems For Rifles, Carbines & Handguns

Extra-length tube lengthens the gas pressure curve to help prevent bolt bounce, short-stroke and feeding jams. Helps prevent cycling problems common to carbines and pistols. Slows bolt carrier to improve feeding reliability and reduce wear and battering. Gives softer recoil impulse, decreases cyclic rate in full-auto fire. Fits under free float tubes and handguards. **Carbine** fits all 10 inch to 16 inch barrels. **Pistol** fits 7.5 inch barrels only.

- SPECS:** Stainless steel, cryo treated.
#100-000-553AF Carbine AR-15/M16 Pigtail,
6K69A20 \$ 86.50
#100-000-554AF Pistol AR-15/M16 Pigtail 6K69A20 . . 86.50

FULTON ARMORY AR-15 MCFARLAND™ BOLT GAS RING

Stops Gas Leaks & Eliminates Sluggish Bolt Performance

Single spiral of spring steel loops around the bolt three times and leaves no path for gas leakage. Replaces conventional three-piece "piston ring"-style sets that can accidentally line up, causing a major leak from the gas expansion chamber in the carrier.

SPECS: Polished spring steel.

- #100-001-257AF McFarland Gas Ring 3K03T26 \$ 3.99

A.R.M.S. AR-15/M16 #41-B SILHOUETTE FOLDING FRONT SIGHT

Strength & Appearance Of Standard Sight; Folds Down When Not Needed

Integral gas block and folding front sight replicates the look of the standard issue front sight tower, yet folds neatly out of the way when it's not needed. Patent-pending, weight-saving, all-in-one design; no need to purchase a railed gas block and a separate rail-mount folding sight. Deploys and locks securely open with the flick of a finger—as fast as any flip-up combat sight. To fold, press straight down on the top of the diagonal rear support to release the lock while pulling back on the sight tower. Standard, A2-type sight post is the same height as factory post, so it works with any factory height rear sight. Easy to install; dual clamping rings fit standard .750" diameter barrels, and hex-head bolts (hex wrench included) provide plenty of clamping force to make sure the sight doesn't shift and change point of aim. Base/gas block of rugged, precision machined steel provides exceptional strength and resistance to erosion by hot gases. Includes bayonet lug, and rear clamping ring drilled to accept sling swivel pin. Aluminum sight post minimizes weight while still providing plenty of strength. Uniform, black finish matches most factory gun finishes.

SPECS: Steel and aluminum, matte black finish. Fits barrels that are .750" O.D. at the gas port.

- #100-003-742AF #41-B Front Sight 3A00VBX \$ 163.99

**BADGER ORDNANCE AR-15/M16
ULTRA LOW PROFILE GAS BLOCK**

Provides Maximum Clearance
For Optics Or Free-Float Handguards

Slim, low-profile replacement for factory front sight gas block provides maximum clearance for optics and free-float handguards. Streamlined profile reduces forward weight and improves your rifle's appearance. Set screws, gas tube mounting pin, and installation instructions included.

Parkerized Gas Block is an exact copy of the gas manifold on the Mk12 Mod 1 Special Purpose Rifle used by the U.S. Army and Navy. Made from 4140 ordnance steel with a tough, wear-resistant Parkerized finish and fits barrels with .750" O.D. **Stainless Gas Block** is made from 416 stainless steel and has the same appearance as the Mk12 Mod 1 gas manifold, and fits barrels with .875" O.D.

- SPECS:** Parkerized – 4140 steel, matte black. 1" (25.4mm) long, 7/8" (22.2mm) wide, 1 1/16" (36.5cm) high. Fits .750" (19mm) O.D. barrels. **Stainless** – 416 stainless steel, natural finish. 1" (25.4mm) long, 1" wide, 1 1/16". Fits .875" (22.2mm) O.D. barrels.
- #093-000-026AF **Parkerized Steel Mk 12 Gas Block**, 3K53T73 \$ 65.00
 - #093-000-027AF **Stainless Steel Mk 12-Style Gas Block**, 3K59T07 69.00



DPMS AR-15 4 RAIL GAS BLOCK

Versatile Platform For Sighting
& Lighting Accessories



Four Picatinny rails allow you to mount the right accessories for the task at hand. Lets you attach an iron sight, laser, night vision device and flashlight, all at the same time. Accepts Picatinny or Weaver-style rings. Attaches with dual set screws.

Models for standard, .750" diameter barrels and .936" diameter, heavy, match barrels.

- SPECS:** Aluminum, black, anodized, matte finish. 1 3/4" (4.5cm) long, 1 1/2" (3.5cm) wide, .750" (19mm) or .936" (23.8mm) I.D.
- #231-000-197AF **.750" 4 Rail Gas Block**, 3B26Z22 \$ 39.99
 - #231-015-026AF **.936" 4 Rail Gas Block**, 3B26H42 39.99

**BROWNELLS AR-15/M16
LOW-PROFILE GAS BLOCK**

Lightweight, Minimal Profile
To Fit Under Tactical Handguards
& Free-Float Tubes

Low-profile gas block fits under just about any extended handguard while ensuring proper gas flow to keep your rifle cycling reliably. Precision machined from lightweight, yet tough 6061 T6 aluminum, so it weighs less than one ounce and won't add unwanted forward weight to rifles equipped with handguard-mounted accessories. Slide over the barrel and anchor in position by tightening the three, flush-mounted steel hex screws on the underside to ensure it won't shift even under sustained full-auto fire. For installations where the gas block is exposed, rounded edges give a "melted" profile that won't snag on foliage or other gear. Hardcoat anodized for additional strength and resistance to surface wear; matte black finish blends with most factory gun finishes.

- SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. 1.25" (3.2cm) long, 1.35" (3.4cm) overall height. .8 oz. (23g) weight. Fits M16A2/A3/A4-style rifle or M4-style carbine with .750" O.D. barrel at gas block mounting position. Includes (3) hex-head setscrews and instructions.
- #080-000-528AF **Low-Profile Gas Block**, 8K25T00 \$ 34.99



**BROWNELLS AR-15/M16
MODULAR GAS BLOCK**

Unique, Modular Design
For Ultimate Customization

Easy-to-install gas block features an integral fixed rail and a modular design that allows fast installation and removal of up to three, additional Picatinny rails for mounting lasers, lights, night vision optics, back-up sights, and a variety of other tactical accessories. Side and bottom rails attach easily with two screws, so you can configure the unit for each mission's requirements. Precision-machined from rugged, 6061 billet aluminum for superior strength without weighing down your weapon. Mounts securely to barrel with three, hardened steel setscrews.

SPECS: Aluminum, matte black, hardcoat anodized finish. Fits standard .750" (19mm) dia. barrels. **Gas Block** – 1 7/8" (4.8cm) long, 1" (2.5cm) wide, 1 1/16" (3.6cm) high. **Gas Block Kit** – Includes modular gas block with three add-on rails. 1 1/8" long, 2 3/4" (5.3cm) wide, 2" (5.0cm) tall.

- #080-000-382AF **Modular Gas Block**, only, 8K29P06 \$ 33.99
- #080-000-383AF **Modular Gas Block Rail**, 1 each, 8K10P98 13.99
- #080-000-384AF **Modular Gas Block Kit** 8K44P62 54.99

BAYONET LUG - Bolts directly to Modular Gas Block to allow installation of a mil-spec bayonet or lug-mounted bipod on your AR-15. Installs and removes easily with an Allen wrench so you can configure your rifle's accessory package at any time to fit mission requirements. Precision machined from 4140 steel for optimal strength and rigidity. Includes mounting screws. Modular Gas Block not included.

SPECS: Steel, matte black Parkerized finish. 2 3/16" (5.9cm) long, 1/2" (1.3cm) wide, 2 3/4" (8.3mm) tall. Allen wrench not included.

- #080-000-439AF **Modular Gas Block Lug** 8K09X99. \$ 14.47

**DOUBLE STAR AR-15/M16
ACCESSORY RAIL
GAS BLOCKS**



Secure Forward Accessory
Mounting With Minimal
Weight & Bulk;
2- & 4-Rail Models

Lightweight aluminum gas blocks with integral MIL-STD 1913 Picatinny rails expand your AR's accessory mounting options without adding excess weight or bulk. Lets you mount a backup iron sight, weaponlight, laser sight, folding bipod, vertical grip, and other tactical accessories. Both models fit barrels with .750" O.D. at gas port. **2-Rail** – Two-piece, clamp-on design with top and bottom rails doesn't require removal of flash hider to install or remove. Clamps securely in place with four hex-head cap screws for a rock-solid installation that won't shift under recoil. Circular cutouts in the sides reduce weight without compromising strength. **4-Rail** – Innovative, slim-line design adds side rails, yet is only only .05" wider than the 2-Rail model and actually weighs less. Solid, one-piece construction with cutouts to eliminate unnecessary metal. Slides over barrel and anchors in place with three recessed hex-head screws for a tight friction fit. Installation requires removal and re-installation of muzzle attachment and front sight housing.

- SPECS:** Aluminum, hardcoat anodized. Fits barrels with .750" O.D. **2-Rail** – Matte black finish. 1 7/8" (4.8cm) long, 1.2" (3cm) wide, 1 3/4" (4.5cm) high. 2.6 oz. (74g) weight. **4-Rail** – Satin black PTFE-impregnated finish. 1 7/8" long, 1 1/4" (3.2cm) wide, 1 3/4" high. 2.2 oz. (63g) weight.
- #100-004-516AF **2-Rail Gas Block** 2Z56Y92. \$ 61.99
 - #100-004-517AF **4-Rail Gas Block** 2Z56Y92. 61.99

**DOUBLE STAR AR-15/M16
PICATINNY RAIL GAS BLOCK**

Ensures Reliable Gas Flow;
Models For Three Popular
Barrel Diameters



Compact gas block clamps securely to barrel with a unique three-point attachment system to provide a solid accessory mounting platform and ensure proper gas system alignment for reliable cycling. Precision machined from high-grade 6061 T6 aluminum for an ideal combination of strength and low weight, with an integral MIL-STD 1913 Picatinny rail on the top side. Anchors to the barrel with a pair of hex-head setscrews on the underside, plus a third screw on top to ensure a superior gas seal and resist unwanted movement that can impair gas system function. Streamlined design has clean, good-looking, angular lines with all exposed edges radiused to eliminate sharpness. Mil-spec hardcoat anodized for superior surface strength and wear resistance with an even, matte black finish that matches most manganese phosphate Parkerized barrel finishes. Models available to fit three common barrel outside diameters: hard-to-find, **.625"** for A1 barrels, **.750"** for H-Bar and similar-style barrels, and **.937"** for bull barrels.

- SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. All models 1.875" (cm) long. Rail heights are measured from top of barrel to top of rail. **.625" - 1"** (2.5cm) wide, 1.5" (3.8cm) overall height, .600" (1.5cm) rail height. 3 oz. (84g) weight. **.750" - 1"** wide, 1.5" overall height, .545" (13.8cm) rail height. 2.6 oz. (73g) weight. **.937" - 1.25"** (3.2cm) wide, 1.625" (4.1cm) overall height, .445" (11.3cm) rail height. 2.5 oz. (71g) weight.
- #100-004-537AF **.625" Picatinny Gas Block**, 2Z22U87 \$ 29.99
 - #100-004-536AF **.750" Picatinny Gas Block** 2Z22P87 . 29.99
 - #100-004-535AF **.937" Picatinny Gas Block** 2Z22P87 . 29.99

**DOUBLE STAR AR-15
FRONT SIGHT HOUSING**

Forged Steel Replacement
With Integral Bayonet Lug



High-quality replacement for factory front sight housing includes bayonet lug, so you can upgrade a rifle manufactured during the now-expired Assault Weapons Ban to authentic military appearance. Forged from C1137 steel, then heat-treated for superior strength before final machining to military specifications. Ready to accept an A1- or A2-type front sight post, spring, and detent of your choice. Hole for sling swivel rivet is predrilled. Holes must be drilled for setscrews or taper pins for precise fit to your gun. Matte black Parkerized finish matches standard mil-spec finish. **HBAR** fits both M16A2 and M4 contour barrels currently used by the U.S. Military. **A1** fits lightweight M16A1 contour barrel only.

- SPECS:** Forged C1137 steel, matte black Parkerized finish. Height from top of barrel to top of sight housing without blade installed - 1.9" (4.8cm). **HBAR** – Fits .750" (19.1mm) OD M16A2 and M4 contour barrels. **A1** – Fits .625" (15.9mm) OD M16A1 contour barrels only.
- #100-002-413AF **HBAR-Type AR-15 Front Sight Housing**, 2Z23H83 \$ 32.45
 - #100-002-414AF **A1-Type AR-15 Front Sight Housing**, 2Z27H50 37.44

**EGW AR-15/M16
CLAMP-ON GAS BLOCK**

Low Profile Provides Clearance
For Optics & Free-Float Tubes



- Machined aluminum gas block properly directs gas and won't interfere with optics, accessories, or free-float tubes. Installs easily with hex screws. Gives your gun a sharp, clean look.
- SPECS:** Aluminum, anodized, black, matte finish. 1 1/2" (3.8cm) long. .875" (22.2mm) I.D.
- #296-000-079AF **.875" Clamp-On Gas Block** 6B40C00. \$ 50.00

**G.B. SYSTEMS AR-15/M16
GAS MANIFOLD**

Fits Match Diameter Barrels



Lightweight, machined aluminum, replaces front sight bridge on flattop rifles equipped with large diameter match barrels. Permits use of free float tubes and match sights or scopes. Attaches to barrel with two set screws.

- SPECS:** Aluminum, black, matte finish. 1.9" (4.8cm) long. Fits barrels .750" (19mm) or .940" (23.8mm) diameter.
- #100-000-041AF **.750" Gas Block** 1K29B95. \$ 39.95
 - #100-000-042AF **.940" Gas Block** 1K29B95. 39.95

**MIDWEST INDUSTRIES AR-15/M16
LOW PROFILE STEEL GAS BLOCK**

One-Piece Design &
Tough Steel Construction



One-piece, low profile, steel gas block fits under most free-float handguards for a clean, uncluttered look. Fits .750" O.D. barrels and locks securely to barrel with three

- setscrews.
- SPECS:** 4140 billet steel, manganese Parkerized finish, matte black. 1 3/4" (4.4cm) long, 1 3/8" (3.4cm) high. 3.6 oz. (102g) weight.
- #100-002-854AF **Low Profile Steel Gas Block**, 2A35T00 \$ 45.00

PICATINNY RAIL GAS BLOCK - Steel gas block with integral Picatinny rail has extra height that lets you mount a flip up or co-witness front sight on the same plane as the receiver rail of your flattop AR-15/M16. Add a Picatinny rail handguard to have a continuous rail extending from the receiver to the gas block for superb accessory mounting flexibility. Precision machined from tough 4140 billet steel to stand up to tens of thousands of rounds without eroding. Fits .750" O.D. barrels, and locks securely to barrel with three setscrews.

- SPECS:** 4140 steel, dark gray Parkerized finish. 1 1/16" (4.6cm) long, 1 1/16" high. Fits .750" O.D. barrels. 6.2 oz. (175g) weight.
- #100-003-073AF **Steel Picatinny Rail Gas Block**, 2A55Y25 \$ 69.99

**TROY INDUSTRIES AR-15/M16
LOW-PROFILE GAS BLOCK**

Won't Interfere With Extended-Length
Tactical Forearms



Minimal-profile replacement for factory front sight/gas block won't interfere with extended-length tactical forearms, while ensuring proper function of gas system for reliable cycling. Protrudes only .420" above barrel, covers less than 1" of barrel length, and adds only 1.4 oz. of weight. Compatible with M4-style carbines and M16A2/A3/A4-style rifles with any length, .750" O.D. barrel. Two steel setscrews keep the block securely anchored to the barrel to prevent shifting even under the force of full-auto recoil. Black oxide finish matches most factory barrel finishes.


- SPECS:** Carbon steel, oxide finish, matte black. .950" (24mm) long. 1.375" (3.5cm) overall height. 1.4 oz. (41g) weight. Fits AR-15/M16 with .750" O.D. barrel at gas block mounting position. Includes hex-head setscrews.
- #100-004-062AF **Low-Profile Gas Block** 3B45P00. \$ 49.99

 **Stock numbers shown in red indicate the product is made in the U.S.A.**

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

AR-15/M16 GAS BLOCKS & TUBES

Courtesy of Brownells
E-Commerce Manager, Clayton Whipple



BROWNELLS



- A** #100-002-946AF **MAGPUL MIL-SPEC CTR BUTTSTOCK** See Page 28.
- B** #080-000-555AF **BROWNELLS MIL-SPEC STOCK COMPLETION KIT** See Page 26.
- C** #100-003-220AF **HIGH STANDARD HSA-15 CARBINE LOWER RECEIVER** See Page 5.
- D** #408-150-000AF **HOGUE OVERMOLDED PISTOL GRIP** See Page 36.
- E** #100-002-198AF **MAGPUL ENHANCED TRIGGERGUARD** See Page 20.
- F** #078-000-107AF **BROWNELLS 30-ROUND MAGAZINE** See Page 40.
- G** #100-003-226AF **GRIP POD SYSTEMS GPS-02 GRIP POD** See Page 37.
- H** #100-002-986AF **DANIEL DEFENSE PAK OFFSET FLASHLIGHT MOUNT** See Page 64.
- I** #100-002-408AF **SOG ARMORY MINI WEAPON** See Page 72.
- J** #851-000-047AF **SMITH ENTERPRISE VORTEX FLASH ELIMINATOR** See Page 17.
- K** #080-000-384AF **BROWNELLS MODULAR GAS BLOCK KIT** See Page 11.
- L** #080-000-521AF **BROWNELLS FLIP-UP TACTICAL FRONT SIGHT** See Page 45.
- M** #100-003-318AF **SPIKES TACTICAL FREE-FLOAT HANDGUARD** See Page 33.
- N** #100-001-738AF **EOTECH 512 HOLGRAPHIC SIGHT** See Page 74.
- O** #336-000-007AF **GG&G EOTECH LENS COVER MODULE** See Page 74.
- P** #231-000-172AF **DPMS FLATTOP UPPER RECEIVER w/16" BARREL** See Page 2.
- Q** #100-002-094AF **YANKEE HILL MACHINE REAR BACKUP FLIP SIGHT** See Page 48.
- R** #553-000-006AF **M & A AMBIDEXTROUS TACTICAL LATCH** See Page 23.



Standard



Low Profile



A2-style

J.P. ENTERPRISES AR-15/M16 ADJUSTABLE GAS BLOCK

Pressure Adjustable For Smooth Cycling

Replaces the factory front sight/gas block and allows you to tune the gas system for smoother cycling and operation. Especially critical on match and varmint rifles when shooting both factory and custom-loaded ammunition. Simple setscrews let you control the gas flow, so you can customize the setting for each load. Hex head set screws clamp the block securely to the barrel. Installation instructions included. **Standard** model features a topside Picatinny rail for mounting flip-up front sights and other accessories. Available in lightweight aluminum or stainless steel for additional muzzle weight. Fits barrels with .750" O.D. at gas block. **Heavy** - Aluminum, with rail, fits heavy barrels with .936" O.D. **Low Profile** model fits under handguard on .750" barrels. Rugged, all-steel construction resists gas erosion and helps maintain rifle's weight distribution.

A2-Style - Retains the classic sight tower look of military rifles and carbines. Two side-mount hex head screws clamp the block securely to barrels with .750" O.D. at the gas block position. Rugged, stainless steel construction resists gas erosion and helps maintain rifle's weight distribution. Hard, abrasion-resistant black oxide finish.

SPECS: Standard - Aluminum, hard anodized, matte black, or stainless steel, natural finish. 1 1/8" (4.7cm) long, 3/4" (19mm) wide, .750" (19mm) I.D. **Heavy** - Aluminum, hard anodized, matte black. 1 1/8" long, 1 1/4" (3.2cm) wide, .936" (23.7mm) I.D. **Low Profile** - Carbon steel, matte black. 1 1/8" long, 1" (2.5cm) wide, .750" I.D. **A2-Style** - 416 stainless steel, matte black oxide finish. 1 1/8" long, 7/8" (2.2cm) wide, 3 3/8" (8.6cm) high, .750" I.D.

#452-015-110AF **Standard Gas Block, Aluminum, 2E56V38** \$69.99
 #452-000-023AF **Standard Gas Block, SS 2E64C86** 79.99
 #452-015-111AF **Heavy Gas Block 2E67V20** 79.99
 #452-000-050AF **Low-Profile Gas Block 2E56H76** 69.99
 #452-000-065AF **A2-Style Gas Block 2E105D88** 119.99



VLTOR AR-15/M16 LOW-PROFILE GAS BLOCK

Clamp-On One-Piece Design Fits Under Free-Float Handguards

Clamp-on replacement features a low profile for a more streamlined appearance and less chance of snagging on vegetation and other gear. Covers only 1" of barrel length and reduces weapon's forward weight for improved handling and maneuverability. Machined from high-grade 4140 carbon steel to precise tolerances to fit on barrels with a .750" O.D. at gas block mounting position. Hard, manganese phosphate Parkerized finish adds strength and resists surface abrasion; matches most factory barrels. Will not fit under small diameter freefloat handguards or some models with an exposed bottom rail channel on the inside of the handguard.

SPECS: 4140 carbon steel, Parkerized, matte black. Includes hex-head mounting bolts and gas tube pin. Fits AR-15/M16 with .750" O.D. barrel at gas block position. Will not fit under small diameter freefloat tubes or those with an exposed bottom rail channel on the inside of the handguard such as the VLTOR VIS and models manufactured by Daniel Defense and LaRue Tactical.
 #100-003-996AF **Low-Profile Gas Block 3A54T99** ... \$69.99

VULCANARMS AR-15/M16 GAS BLOCK

Picatinny Rails On Three Sides
Hard-Coat Anodized Per Mil Spec 8625

Machined, aircraft-grade, aluminum, gas block with picatinny rails attaches easily and lets you mount accessories to three sides. Grit blasted for a durable matte finish and hard-coat anodized as per mil spec 8625.

SPECS: Aircraft-grade aluminum. Black, matte, anodized finish. Fits barrels with .750" (19mm) diameter.
 #997-000-002AF **Gas Block 7Z38A89** \$44.99

**NEED IT NOW?!
ASK FOR OVERNIGHT DELIVERY!**

MIDWEST INDUSTRIES AR-15/M16

GAS BLOCK WITH FRONT SIGHT

Flip-Up Tower Provides Instant Sight Backup

Low-profile, steel gas block with integral flip-up front sight adds minimal weight and bulk to your AR-15/M16. Easy bolt-on design for simple installation; three hardened steel hex-head bolts clamp gas block to barrel. Dual ball-and-detent system locks sight tower securely in folded and deployed positions. Deployed height is the same as F-marked USGI front sights; regulated for rifle or carbine with 16" barrel. Standard A2 front sight post adjusts for elevation. Gas block/base with bayonet lug is precision machined from 4140 steel, with manganese phosphate parkerized finish for added strength and wear resistance. Sight tower is machined from 6061 T6 aluminum and hardcoat anodized a matching dark gray.

SPECS: Base - 4.140 steel, parkerized, dark gray finish. Sight Tower - 6061 T6 aluminum, hardcoat anodized, matte black. 2 3/16" (5.6cm) overall length, 7/8" (2.2cm) wide, 3 3/8" (9.2cm) high with sight tower extended, 2 1/8" (6.2cm) high with tower folded. 5.3 oz. (151g) weight. Fits barrels with .750" O.D. at gas block position.

#100-003-433AF MI-FST Flip-Up Front Sight Tower, 2A134Y95 \$ 159.95



VLTOR AR-15/M16 VST-1C SIGHT TOWER

Built Like A Tank To Withstand The Rigors Of Battle



Vltor Sight Tower (VST) is precision machined from solid tool steel to provide reliable function of the gas system and the option for emergency back-up sight deployment during battle conditions. Dual clamping rings fit standard diameter barrels and can withstand up to 100 ft-lbs of rotational torque without failure.

Large, hex head clamping screws can be staked after installation for added security. Short, Picatinny rail on top of the gas block is the same height as a standard M4 flattop rail and allows mounting of small tactical accessories when sight is in the folded position. Stainless steel insert accepts right- or left-side attachment of QD push-button sling loops. To avoid damage, the front sight tower is non-locking and uses spring-loaded plungers and detents for automatic disengagement if struck during combat. AK-style, front sight post is easy-to-adjust with the included sight tool.

SPECS: Steel, magnesium phosphate finish, matte black. 2" (5cm) long. 5.4 oz. (153g) wt. Includes AK-style front sight adjustment tool. Fits .750" (1.9cm) diameter barrels.

#100-003-221AF VST-1C Sight Tower, 3A190P05 \$ 225.00

YOUNG MANUFACTURING AR-15/M16 FRONT SIGHT GAS BLOCK

Provides Instant Back-Up Sight When You Need It

Flip-up front sight deploys instantly when you need it, folds down when you don't. Down position allows unobstructed sight path when using optics. Detent, front post elevation adjustment. Protective ears guard against damage. Gas block locks onto standard diameter barrels with three set screws; includes single, Weaver-style rail for mounting flashlight or other small tactical accessories.

SPECS: Aluminum, black anodized. 3" (7.6cm) long, 1" (2.5 cm) wide. Sight Ramp: 2 1/2" (6.4cm) high when raised. Fits .750" (1.9cm) standard barrels. Weight - 3.6 oz (102 g). Requires AR-15 type front sight blade spring and plunger, not included.

#939-000-004AF Front Sight Gas Block, 9C82A04 \$ 97.99



WILSON COMBAT AR-15/M16 FLIP-UP FRONT SIGHT

Tactical Back-Up Sight For Optic-Equipped Rifles

Rugged, all steel, flip-up front sight (FUF) provides dependable backup in the event your primary optical sight fails. Designed from the ground up to be exceptionally robust, accurate, and reliable, the perfect match for Wilson's Flip-Up Rear Sights (FURS). Pushbutton-activated mechanism deploys instantly for immediate use, so you can adapt to quick changes in fluid tactical situations. Minimal profile and weight; folds down out of the line of vision when you don't need it. Spring-loaded, detent locks positively in the up or down position to further guard against unintentional raising or lowering of sight. Precision-machined from ordnance-grade steel, with a protective "fence" machined into the side of the sight post to shield the button from damage or accidental activation. Two, massive, side posts protect the elevation-adjustable A2-style sight post from damage. All edges are radiused to resist snagging. Replaces factory gas block and front sight on .750" O.D. barrels. Clamps to barrel with two hidden setscrews on underside.

SPECS: Steel, black, matte finish. 2.25" (5.72cm) long, 2.26" (5.74cm) deployed height from top of barrel to top of post, .825" (2.1cm) folded height. Fits .750" O.D. barrels. Muzzle accessories must be removed to allow installation.

#965-000-072AF Wilson Combat FUF5 5F125U96 . . \$ 146.99



YANKEE HILL MACHINE AR-15/M16 GAS BLOCK



Picatinny Or Low Profile Options To Fit Your Application

Four, fully functional, steel gas block designs provide much needed rail space or help you add long handguards to short-barreled rifles. Machined from bar stock for extra strength and rigidity, then Mil-Spec parkerized for exceptional wear- and corrosion-resistance. One-piece, **4-Rail** model features top/bottom and side rails that accept Weaver or Picatinny mounted, tactical accessories, including the Yankee Hill Gas Block Front Flip Sight. Secures to barrel with included setscrews. **Low Profile** version is a low and narrow, one-piece block designed to fit inside most free-float handguards; allows use of rifle length forearms on carbine length barrels for a clean, streamlined look and added gripping surface. Secures to barrel with included setscrews. **2-Rail** gas block is an easy-to-install, two-piece unit that clamps around the barrel using four hex screws; includes machined top and bottom Picatinny rails only. **Single-Rail** gas block adds a top-side Picatinny rail for mounting accessories, and provides a bayonet lug and sling mount like a mil-spec front sight housing. Two-piece design clamps your rifle's standard contour, .750" diameter barrel with four, capscrews—no need to remove muzzle brake or flash suppressor to install. Bayonet lug accepts a mil-spec bayonet or lug-mounted bipod, and pivoting, rubber-coated sling swivel accepts tactical slings up to 1 1/4" wide.

SPECS: Steel, Mil-Spec phosphate finish. Fit standard, .750" diameter barrels. **4-Rail** - 1 1/8" (4.8cm) long, 1 1/4" (3.2cm) wide, 1 3/4" (4.4cm) high. 5.7 oz. (162 g) wt. **2-Rail** - 1 3/4" long, 1 1/4" wide, 1 3/4" high. 5.4 oz. (153 g) wt. **Single-Rail** - 1 1/8" (4.8cm) long, 1 3/8" (3cm) wide, 1 3/4" (4.5cm) high. 5.5 oz. (155g) weight. **Low Profile** - 1 1/8" long, 1" (2.5cm) wide, 1 1/8" (3.3cm) high. 4.4 oz. (125 g) wt.

#100-002-074AF 4-Rail Gas Block 9A60C05 \$ 80.00
#100-002-075AF Low Profile Gas Block 9A49C46 \$ 64.00
#100-002-076AF 2-Rail Gas Block 9A50C75 \$ 72.00
#100-003-172AF Single-Rail Gas Block w/Lug & Swivel, 9A52C78 \$ 76.99

YANKEE HILL MACHINE AR-15/M16 CLAMP-ON FRONT SIGHT GAS BLOCK

Immediate Response Sighting For Tactical Emergencies



Multi-purpose front sight works as a fully functional gas block, plus delivers lifesaving backup when primary optics fail or become hindered by low light or poor weather conditions. Machined, steel body features a spring-loaded pushbutton that locks sight in the deployed position. When not in use, simply depress the button and fold down for an unobstructed view through your optics. Protective ears guard the sight post from blows incurred during duty. Split, barrel clamp design allows easy mounting to standard contour barrels without removal of flash hiders or muzzle brakes. Hex cap screws pull clamping halves tight to barrel for complete sight immobilization when properly tightened. Durable, mil-spec, phosphate finish resists rust and corrosion. **YHM-9394** includes bayonet lug and pivoting sling swivel that accepts tactical slings up to 1 1/4" wide. Rubber coating prevents swivel from rattling and giving away your position while on patrol. **YHM-9395** has sling swivel, no bayonet lug. **YHM-9835A** has Picatinny-style under-rail that accepts lights, lasers, and other forward-mounted accessories. No sling swivel.

SPECS: Steel, phosphate-coated finish, dark gray. 1 7/8" (4.8cm) long, 1 3/16" (3cm) wide. Sight Post - 2 1/4" (5.7cm) high when raised. Fits standard, .750" diameter barrels. **YHM-9394** - 6 oz. (170g) weight. **YHM-9395** - 5.5 oz. (156g) weight. **YHM-9835A** - 7.7 oz. (219 g) weight.

#100-002-237AF YHM-9394 Front Sight Gas Block, w/lug, 9A65B36 \$ 91.99

#100-002-077AF YHM-9395 Front Sight Gas Block, no lug, 9A65C36 \$ 91.99

#100-003-174AF YHM-9835A Frnt Sight Gas Block w/Rail, 9A83C10 \$ 118.99

BUSHMASTER AR-15/M16 GAS PISTON RETROFIT KIT

For Enhanced Reliability, Smoother Cycling, Cooler Operation; Drop-In Installation



Easy-to-install kit lets you convert an AR-15 carbine to a smooth-running short-stroke gas piston operating system for cooler, cleaner, more reliable operation, positive cycling, easy maintenance, and the freedom to fire a wider variety of ammunition. The kit contains all the parts to convert the standard gas impingement system to the rugged, reliable op system employed so successfully in the Kalashnikov AK series, FAL, HK416, FN SCAR, and other tactical rifles. Eliminates the risk of broken gas rings, sagging gas tubes, and the accelerated wear caused by venting hot gas, debris, and carbon fouling inside the upper receiver. Bushmaster has extensively torture-tested this system, ending with a 10,000-round non-stop endurance test without a single failure. Hot gases are vented under the kit's handguard, away from the operator, so only the energy required to cycle the action is transmitted to the receiver. Stainless steel shielding inside handguard protects your hand from the heat buildup of sustained fire. Kit includes a high-performance replacement bolt carrier with extra mass, an integral impact lug, and other anti-wear features to protect receiver from the impact of the piston. The lightweight, low-maintenance stainless steel piston is housed in a tubular structure that replaces the existing gas tube and

pins directly to your rifle's factory front sight tower—no need to install a new sight system. Installs in any mil-spec, factory upper without permanent modifications; any time you want to return your rifle to its factory gas system, simply swap out the piston system and replace the original parts.

SPECS: Steel, Parkerized, matte black. Handguard - Molded polymer, black, stainless steel heat shields. Kit contains bolt carrier, piston rod, spring, piston housing, piston housing support, M4-style handguard, and installation instructions. Fits semi-auto rifle with M4 profile carbine-length barrel that has .875" O.D. behind front sight housing.

order on the web
www.brownells.com

CMMG AR-15/M16 GAS PISTON CONVERSION KIT

Makes Rifle Run Cooler, Cleaner, Smoother For Improved Function, Reduced Recoil & Less Frequent Cleaning



Drop-in conversion kit contains everything needed to replace the standard gas system on a AR-15/M16/M4 carbine with a reliable, positive cycling direct impingement gas piston system. Updates AR to the type of operating system used on advanced weapons like the FN SCAR, Heckler & Koch G36, and HK416, as well as the highly reliable, classic FAL and AK-series rifles. Makes weapon run cooler, smoother, and more reliably, with less wear and easier maintenance. Because the gas no longer vents inside the receiver, fouling and carbon buildup are greatly reduced, requiring less frequent disassembly of the receiver for cleaning. Less fouling and lower operating temperatures mean substantially reduced wear on bolt, carrier, and receiver interior for fewer malfunctions caused by worn parts. Piston's cushioning effect reduces felt recoil to help you stay on target for better control during rapid fire and fast, accurate follow-up shots. "Straight-line" design of the replacement gas block further ensures reliable operation by venting gas pressure directly on the operating rod. Rod transmits the force directly to a lug on the top side of the one-piece bolt carrier redesigned specifically to work with the piston system. Carrier is machined from a solid billet of steel with an integral impingement lug to eliminate breakage that can occur with a standard carrier modified for use with a gas piston system. A knob on the gas block allows gas flow to be shut off to allow use of a suppressor or a .22 LR conversion kit. Kit may be installed on semi-auto and burst/full-auto rifles, as well as ARs chambered in non-standard calibers, including 6.8 SPC and 5.45 x 39. Requires no permanent alterations to barrel or upper receiver; remove piston system any time and reinstall the original parts.

SPECS: Piston Tube, Bolt, Bolt Carrier, Handguard Retainer Cap - Steel, black oxide finish. Piston - Steel, hard-chromed. Gas Block - Aluminum, hardcoat anodized, matte black. Handguard - Reinforced polymer composite, black. Kit contains preassembled piston assembly, gas block, bolt, bolt carrier, handguard, handguard retainer, mounting hardware, and installation instructions. Fits semi-auto and burst/full-auto rifles with carbine-length gas system and .750" O.D. barrel. Gunsmith installation recommended.

#100-004-370AF AR-15/M16 Gas Piston Conversion Kit, 3B275X79 \$ 299.99

STAY UP-TO-DATE ON OUR EXCLUSIVE OFFERS & INFORMATION

Follow us on Twitter, Facebook, and YouTube

#100-003-603AF Gas Piston Retrofit Kit, 9B00AYT \$ 399.99

Courtesy of Brownells
Government Sales Manager, Tim Dillon



- A** #100-003-187CG VLTOR MIL-SPEC ENHANCED MODSTOCK COMBO KIT See Page 29.
- B** #100-002-458CG MAGPUL MIAD FULL MODULAR GRIP KIT See Page 36.
- C** #100-002-198CG MAGPUL ENHANCED TRIGGERGUARD See Page 20.
- D** #078-000-159CG **BROWNELLS** 20-ROUND MAGAZINE See Page 40.
- E** #231-000-113CG DPMS FORGED LOWER RECEIVER See Page 5.
- F** #100-004-310CG YANKEE HILL MACHINE FREE FLOAT HANDGUARD See Page 32.
- G** #100-002-072CG YANKEE HILL MACHINE BIPOD ADAPTER See Page 79.
- H** #416-005-100CG HARRIS S-BRM BIPOD See Page 78.
- I** #100-004-607CG PRIMARY WEAPONS FLASH SUPPRESSING COMP See Page 17.
- J** #231-000-022CG **BROWNELLS/DPMS** BL-10 20" BARREL See Page 15.
- K** #100-002-077CG YANKEE HILL MACHINE FRONT SIGHT GAS BLOCK See Page 13.
- L** #526-000-064CG LEUPOLD MARK 4® LONG RANGE TACTICAL SCOPE See Page 77.
- M** #526-520-830CG LEUPOLD MARK 4® STEEL TACTICAL RINGS See Page 71.
- N** #160-302-053CG COLT FLATTOP UPPER RECEIVER See Page 1.



MIDWEST INDUSTRIES AR-15/M16 GAS PISTON CARBINE FREE-FLOAT FOREND



Maximizes Accessory
Mounting Options On Guns
With Gas Piston Systems

Clamp-on forend has proper internal clearance to fit carbines fitted with gas piston systems from CMMG, Bushmaster, and others. Free-float design clamps directly to the factory barrel nut, so the forend doesn't put external stress on the barrel. No need to remove the barrel or front sight to install; simply cut off the delta ring and clamp the forend firmly in place with the included mounting hardware. Each of the four MIL-STD 1913 Picatinny rails has 15 mounting slots for lasers, lights, vertical grips, bipods, and other tactical accessories. Slots are laser etched with white alphanumeric position markings to aid in fast mounting and remounting of accessories. Vent holes reduce weight and allow air circulation for barrel cooling. Bottom rail can be removed to provide clearance for a grenade launcher, tear gas launcher, or shotgun.

SPECS: 6061 T6 billet aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 2 1/2" (6.4cm) diameter. Fits AR-15/M16/M4 and clones with carbine-length gas piston operating system and 1/2" diameter gas cylinder. Mounts over existing factory barrel nut without removing front sight base. Requires removal of Delta ring.

#100-004-464AF Gas Piston Forend 2A168Y93... \$ 189.99



BEAVER CREEK ARMORY AR-15/M16 CARBINE BARREL



M4-Style Barrel With Extra Rigidity To Resist Heat Distortion

Carbine-length barrel machined from high-grade 4140 carbon steel replicates the exact dimensions of a mil-spec M4 barrel forward of the gas port. The portion under the handguard is .140" thicker than a standard M4 barrel to provide extra rigidity to resist loss of accuracy caused by barrel overheating. Chambered



BROWNELLS AR-15/M16 M4 CARBINE BARREL



Standard Contour Accepts Gas Block, Front Sight,
Handguard & Flash Hider/Comp Of Your Choice

Stripped, M4-contour, 16" barrel machined from ordnance-grade 4140 chrome-moly steel is ready for your next custom carbine build or re-barrel job. Comes with the ramped, M4-type barrel extension installed and gas port pre-drilled; you supply the gas block, front sight, muzzle brake/flash hider, and handguard system of your choice, so you don't pay for extra parts you won't use. Chambered for 5.56mm NATO, with a 1-7" right-hand twist, and muzzle pre-threaded to accept 1/2"-28 tpi accessories. Stress relieved to prevent accuracy-robbing distortion when barrel heats up, and hardened to Rc 26-33 for added strength, with a corrosion- and wear-resistant dark gray/black Parkerized finish that matches many factory receiver finishes.

SPECS: 4140 chrome-moly carbon steel, Parkerized, dark gray, matte finish. 16 1/2" long, .640" O.D. under handguard, .750" O.D. at gas port position, .700" O.D. at the muzzle shoulder. Chambered for 5.56mm NATO. 1-7" twist. Not chrome lined.

#080-000-681AF M4 Carbine Barrel 7B169H67... \$ 219.99

NEED IT NOW?!
ASK FOR OVERNIGHT DELIVERY!

for 5.56mm NATO, with 1-9" rifling. Comes with gas port pre-drilled, barrel extension with M4-style feed ramps, and 1/2"-28 tpi muzzle threads to accept a wide range of aftermarket flash hiders and muzzle brakes. A hard, black oxide finish adds surface strength and corrosion resistance, and matches the factory hardcoat anodizing on most receivers.

SPECS: 4140 chrome-moly, matte black oxide finish. 16 1/2" long, .780" O.D. under handguard, .750" O.D. at gas port, .700" O.D. at muzzle. 5.56mm NATO. 1-9" twist. Not chrome lined.

#100-004-483AF AR-15/M16 Carbine Barrel,
1D184Y00... \$ 229.99

BROWNELLS/DPMS AR-15 BARREL

Match Quality, Drop-In, Ready-To-Shoot



Improves performance and accuracy; maintains factory appearance. Front sight assembly and barrel nut are pre-installed. Stress relieved, headspaced and phosphate finished, ready to fit to your rifle. Button rifled with versatile 6 groove, 1-9" twist to stabilize a wide range of bullet weights. All, except BL-11-M4 and BL-AP4, are heavy barrel contour, turned to .960" diameter under the handguards, with bayonet lug and 1/2"-28 threaded muzzle. **BL-10P** and **BL-11P** have crowned muzzle and no bayonet lug. Carbine-style **BL-11-M4** is .640" diameter under handguard. **BL-12B** is 11 1/2" long and **BL-AP4** is .700" diameter under the handguard and 14 1/2" long to provide a more compact, maneuverable package for M4 carbines; **all NFA rules apply**. **SPECS:** 4140 chrome moly steel. Matte dark gray manganese phosphate Parkerized finish. **BL-10/BL-10P** - 20" (50cm) long. **BL-11/BL-11P/BL-11-M4** - 16" (40cm) long. **BL-12B** - 11 1/2" (29.2cm) long, uses standard carbine length handguard and gas tube. **BL-AP4** - 14 1/2" (36.8cm) long; carbine-length gas tube and handguard required.

- #231-000-021AF **BL-10P AR-15/M16 Barrel,**
3B164D60 \$ 205.75
- #231-000-022AF **BL-10 AR-15/M16 Barrel** 3B140D00 **179.00**
- #231-000-023AF **BL-11P CAR-15/M4 Barrel,**
3B134D00 **170.00**
- #231-000-024AF **BL-11 CAR-15/M4 Barrel** 3B152D58 **189.99**
- #231-000-025AF **BL-11-M4 CAR-15/M4 Barrel,**
3B176Z81 **199.99**
- #231-000-219AF **BL-12B M4 Barrel** 3B156A46 **199.99**
- #231-000-239AF **BL-AP4 AR-15/M16 Bbl** 1C183Y56 . **205.99**



DANIEL DEFENSE AR-15/M16 M4 BARREL



Chrome-Lined Carbine Barrel
With Premium Features At An Economical Price

Stripped, M4-profile 16" barrel delivers features you expect to find on a premium-grade rifle at a remarkably economical price. Machined from ordnance-grade 4150 chromium-molybdenum alloy steel for exceptional strength, and magnetic particle inspected (MPI) to ensure there are no internal flaws in the metal before application of the durable, heavy-duty matte black manganese phosphate finish for superb resistance to corrosion and surface abrasion. Chambered for 5.56mm NATO, with 1-7" right-hand twist cut rifling in the chrome-lined bore. Includes pre-installed barrel extension, with M4 feed ramp and locator pin. Gas port is drilled and muzzle is pre-threaded to accept 1/2"-28 tpi accessories. ■

SPECS: 4150 chrome-moly carbon steel alloy, manganese phosphate finish, matte black. 16 1/2" long, .640" O.D. under handguard, .750" O.D. at gas port position, .700" O.D. at muzzle. Chambered for 5.56mm NATO, 1-7" twist.

- #100-004-633AF **M4 Carbine Barrel,**
8K00XCH \$ 169.99

EVOLUTION AR-15 MATCH BARREL



Streamlined Shape, Superb Accuracy

Button rifled and fully machined to very tight tolerances for unmatched accuracy. Integral muzzle brake and a sleek, contoured gas block for an unobstructed view. Legal for installation on both pre- and post-ban receivers. ■

SPECS: 410 stainless steel, bright-machined finish. .223 Rem. 1-9" twist, nominal 16" (40cm) or 20" (50cm) long, .951" (24mm) dia. under the handguard. Includes gas block and barrel extension.

- #298-015-016AF **16" Match Barrel,**
8B341H25 \$ 452.75
- #298-015-020AF **20" Match Barrel,**
8B375H10 **449.99**

DOUBLE STAR SERVICE RIFLE BARRELS



16" and 11 1/2"
A1 barrels
shown

Original A1 and HBAR Factory Contours

Customize or replace a "shot-out" factory barrel with one that preserves your gun's original specs and appearance. Machined from 4140 steel, with a dark gray, military-type Parkerized finish. Button-cut, six groove rifling with 1-9 right-hand twist provides superb accuracy with most bullet weights. Barrel nut and handguard retainer cap included. Forged front sight housing has integral bayonet lug, and muzzle is threaded to accept the flash hider or compensator of your choice. Choose from **Chrome Lined** for maximum bore life or **Standard** (unlined) for an extra edge in accuracy. **A1** has the correct dimensions and contours of the original M16A1 barrel. Offers a substantial weight reduction (10 1/2 oz. in 16" configuration) for carrying ease and faster deployment in combat, with accuracy equal to the heavier HBAR barrel out to 100 meters. Front sight housing is manufactured to fit the .625" forward barrel, not a modified .750" housing, to maintain correct appearance. 11 1/2" model provides an even lighter, more compact and maneuverable package; **all NFA rules apply**. ■

SPECS: 4140 steel, dark gray Parkerized finish. **A1** - .675" (1.71cm) OD under handguard, .625" (1.59cm) at front sight housing, .600" (1.52cm) at muzzle. **HBAR** - .870" (2.21cm) OD under handguard, .750" (1.91cm) at front sight housing, .730" (1.85cm) at muzzle.

- #100-002-665AF **Standard 16" A1 Barrel** 2Z176Y06 \$ 220.99
- #100-002-666AF **Standard 16" HBAR Bbl** 2Z176Y06 **220.99**
- #100-002-667AF **Chrome Lined 16" A1 Bbl** 2Z216Y22 **269.99**
- #100-002-668AF **Chrome Lined 16" HBAR Barrel,**
2Z214Y05 **269.99**
- #100-002-669AF **Chrome Lined 11 1/2" A1 Barrel,**
2Z227Y42 **286.99**
- #100-002-670AF **Chrome Lined 11 1/2" HBAR Barrel,**
2Z226Y61 **286.25**

DPMS AR-15 .204 RUGER VARMINT/TARGET BARREL



Convert Your AR-15 To A Fast, Flat-Shooting .204 Ruger

Extra-heavy contour, stainless steel barrel changes any AR-15 into a well-balanced, easy-shooting, highly accurate .204 Ruger target/varmint rifle. Full 24" length for maximum velocity. Button rifled with a six-groove, right-hand, 1-12 twist for outstanding accuracy with a variety of bullet weights. On the outside, six precision-machined, longitudinal flutes reduce weight. Stepped target crown provides excellent protection for rifling at the muzzle. Solid, precision machined aluminum gas block included. Must be used with a free-float handguard.

SPECS: Barrel - 416 stainless steel, natural finish. Chambered for .204 Ruger, 1-12 twist. 24" (61cm) long, 1.05" (2.67cm) O.D. under handguard, .92" (2.34cm) O.D. ahead of gas block. Gas Block - Aluminum, hardcoat anodized, matte black, .936" (2.38cm) I.D. #231-000-215AF 24" SS .204 Ruger Bbl 3B170Z00 . \$ 259.00

SHILEN AR-15/M16 DROP-IN BARREL/BOLT SET



Custom-Fitted For Match-Grade Performance

Stainless steel barrel machined to match-grade tolerances and custom-fit to its own bolt to give your rifle the exceptional accuracy of a custom-shop barrel in a drop-in package. Each barrel is assigned a bolt before any machining begins, then chambered to the correct headspace for that bolt. Button rifled for superior land-to-groove dimensions required for match-rifle accuracy, with a recessed 90° target crown, and gas block shank machined to .001" tolerances for precise fit. Comes with M4-style barrel extension installed; extension has pre-cut feed ramp to help ensure reliable chambering. Available in .204 Ruger with 24" heavy varmint/target barrel or .223 Wyld with 20" service-rifle contour. Wyld chamber delivers enhanced accuracy and reliability with a wide variety of .223 or 5.56 NATO ammunition. ■

SPECS: Stainless steel, natural finish. **.223 Wyld** - 20" (50.8cm) long, .750" O.D. at gas block. 1-8" twist, 6 groove rifling. **.204 Ruger** - 24" (60.1cm) long, .936" O.D. at gas block. 1-9" twist, 6 groove rifling. #787-000-034AF .223 Wyld Bbl/Bolt Set 7H381T66 \$ 461.99 #787-000-035AF .204 Ruger Bbl/Bolt Set 7H378T52 . 461.99

SHILEN AR-15/M16 SERVICE RIFLE BARREL BLANK



Produce A Custom-Fitted, Match-Grade Barrel Without Starting From Scratch

Stainless steel barrel blank is machined to near-final dimensions from stainless steel, ready for chambering and finishing. Button rifled. .224 diameter bore with land-to-groove dimensions that give match-grade accuracy. Requires finish facing at the breech, chambering, and gas port drilling. Comes pre-threaded with M4-type barrel extension hand fitted while the blank was still on the lathe to verify fit to individual barrel. Extension includes pre-cut feed ramp to help ensure positive, reliable feeding. Gas block shank is machined +.010" oversized to allow precise gas block fitting. Unfinished muzzle may be cut for a target crown or threaded for a flash hider or muzzle brake. Available in 20" long **Service Rifle** contour with 1-8" rifling twist or 24" long bull barrel **Heavy Varmint** style with 1-14" twist. ■

SPECS: Stainless steel, natural finish. .224 diameter bore. **Service Rifle** - 20" (50.8cm) long, .760" O.D. at gas block, .725" O.D. at muzzle, 1-8" twist, 4 groove rifling. **Heavy Varmint** - 24" (61cm) long, .940" O.D. at gas block, .920" O.D. at muzzle. 1-14" twist, 6 groove rifling. Unchambered. Includes M4 barrel extension with integral feed ramp; barrel extension pin not included. Gunsmith fitting required.


- #787-000-036AF **20" Blank,** Service Rifle 7H280T95 \$ 351.25
- #787-000-033AF **24" Blank,** Hvy. Varmint 7H281T92 . 299.99

Shop

ar-15 barrels


brownells.com

SABRE DEFENCE AR-15/M16 TACTICAL & COMPETITION BARRELS



Match-Grade Tolerances & Stress-Relieved For Outstanding Accuracy; Carbine, Mid-Weight & Heavy Styles

Ready-to-install, match-grade barrels machined from premium-quality steels for building a precise-shooting, customized tactical, varmint, or competition rifle. A leading manufacturer of M2 .50 caliber machine gun and 7.62mm mini-gun barrels for the United States military, Sabre brings the same advanced materials and manufacturing technology to their AR-15/M16



barrels. Machined to exacting tolerances from ordnance-grade chrome-moly-vanadium steel alloy or extra-hard 410 stainless steel. Heat treated to relieve internal stress in the alloy's grain structure to prevent point-of-impact drift as the barrel heats up during sustained fire. All models have M4-type feed ramp to ensure reliable feeding in carbine and rifle configurations. **M5 Carbine** - M4 contour and 14.5" length let you build a light-weight, fast-handling carbine-length weapon, with mid-length gas system for greater reliability, a longer sight radius, and a longer handguard for more accessory mounting area. Chambered in 5.56mm NATO, with a 1-7" twist, for best compatibility with military ammo. Includes a permanently attached A2-style flash hider to meet minimal length requirements for civilian

ownership, plus barrel extension, barrel nut, bayonet lug, and front sling swivel under gas block. Machined from long-wearing chrome-moly-vanadium steel alloy and chrome lined for maximum bore life. Available with low-profile gas block/flip-up front sight or in USGI configuration with forged A2 gas block/sight tower, handguard slip ring, and handguard cap. **M4 Carbine** - Standard M4 contour with the same material specifications as the M5 Carbine models for long-lasting performance. 16" long with A2-style flash hider, plus 1-9" twist rifling to stabilize a wide range of bullet weights. Chambered in 5.56mm NATO. **Mid-Weight Stainless** - Precision-cut, full-length flutes to give you the rigidity of a bull barrel with minimal added weight. "Shark gill" flash hider/muzzle brake tames felt recoil and virtually eliminates muzzle rise for fast follow-up shots. Available in 18" length with low-profile aluminum gas block, or 20" length with ultra-low-profile steel gas block. Includes barrel extension, barrel nut, and gas tube; free-float handguard required. **Heavy Bench Target Stainless** - Fluted, 24" bull barrel chambered in .223 Remington, with rifle-length gas system and aluminum gas block. Muzzle has recessed, 11° target crown to protect the rifling.

SPECS: Chrome-moly-vanadium steel alloy (CM), matte black finish, or 410 stainless steel (SS), natural matte gray finish.

STOCK #	STYLE	LENGTH	CALIBER	TWIST	STEEL	GAS SYSTEM	FLASH HIDER	PRICE
#100-003-947AF	M5 Carbine w/A2 front sight	14.5"	5.56mm	1-7"	CM	Mid-Length	A2, permanent	5D419A95 \$ 479.00
#100-003-948AF	M5 Carbine w/flip-up front sight	14.5"	5.56mm	1-7"	CM	Mid-Length	A2, permanent	5D420A74 \$ 479.99
#100-003-944AF	M4 Carbine w/A2 front sight	16"	5.56mm	1-9"	CM	Carbine	A2, threaded	5D349A99 \$ 399.99
#100-003-946AF	Mid-Weight w/low-profile aluminum gas block	18"	5.56mm	1-8"	SS	Mid-Length	"Shark Gill"	5D399A79 \$ 449.99
#100-003-949AF	Mid-Weight w/ultra-low-profile steel gas block	20"	5.56mm	1-8"	SS	Mid-Length	"Shark Gill"	5D397A07 \$ 449.99
#100-003-945AF	Heavy Bench Target w/low-profile aluminum gas block	24"	.223	1-8"	SS	Rifle	None	5D366A69 \$ 409.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 15

BROWNELLS AR-15/M16 M4 BARREL EXTENSION



For Custom Barreling Projects;
Includes Feed Ramp Cut
For Reliable Chambering

Specifically designed for carbine installations, this is a correct-spec M4 barrel extension with feed ramp and pre-drilled hole for locator pin. Perfect for custom builds, rebarreling jobs, and caliber conversion projects. Integral feed ramp is required for proper chambering in carbine configurations and adds an extra measure of insurance for smooth, reliable feeding in rifles. Fully machined from high-grade 4140 chrome-moly steel for precise fit, strength, and durability. **SPECS:** 4140 carbon steel, in-the-white. **#080-000-574AF M4 Barrel Extension 8K20Z58. . . . \$ 24.99**

DPMS AR-15 BARREL EXTENSION

Fit The Special Barrels
Your Customer Requests

Fully machined barrel extension makes it possible to fit truly custom barrels to AR-15 rifles and carbines. Provides the custom rifle builder additional options when selecting caliber, contour or twist rate.

SPECS: 4140 cm steel, in-the-white. .8125"-16UNF thread. **#231-015-032AF AR-15 Barrel Extension, 3B21Z14 \$ 26.43**



BROWNELLS AR-15/M16 PEEL WASHER

Easy, Precise Alignment Of Flash
Suppressors Or Muzzle Brakes

Mil-spec washers split apart to allow exact alignment of A2-style flash suppressors or other brakes that require indexing. **SPECS:** Steel, blued. Sold in paks of 5 each. Fits 1/2" O.D. threads. **#078-015-005AF Peel Washers, 8G15B29 \$ 24.99**

YANKEE HILL MACHINE AR-STYLE .308 CRUSH WASHER

For Accurate Alignment Of Flash
Suppressors & Other Muzzle Accessories

Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with 5/8" threaded muzzles. **SPECS:** Steel, blued. 5/8" (.625"/1.59cm) I.D. 1 1/16" (.813"/2.06cm) O.D. **#100-003-123AF 5/8" Crush Washer, 9A02V07 \$ 3.10**

SCHERER AR-15 THREAD ADAPTER

Put Threaded Muzzle Brakes
On Non-Threaded Barrels

Steel adapter allows you to install muzzle brakes and flash hidlers on tactical rifles with an unthreaded barrel. No machining necessary; four setscrews secure adapter to barrel in seconds. **C-5 Adapter** has 1/2-28 threads for installation on Colt sporter and similarly contoured, AR-15 barrels. **SPECS:** Steel, blued finish. 1 1/16" long, .708" (18mm) I.D., .978" (25mm) O.D. Fits Colt AR-15. **#861-000-012AF C-5 Thread Adapter, 1F05A35 \$ 7.01**

#861-000-012AF C-5 Thread Adapter, 1F05A35 \$ 7.01

ADVANCED ARMAMENT AR-15/M16 BLACKOUT FLASH HIDER

Reduce Muzzle Flash & Stay On Target



Three equally spaced, horizontal slots efficiently reduce muzzle flash and help prevent the blinding effect of a bright flash in complete darkness for improved target acquisition during night ops. Flat, smooth muzzle face with rounded corners prevents hang-ups and allows unencumbered weapon deployment. Two machined flats allow simple installation with a standard-size wrench. Precision machined from heat-treated 17-4 stainless steel and given a proprietary SCARmor™ coating for high surface hardness and durability. Fits 5.56 NATO (.223) caliber, threaded barrels only. **SPECS:** 17-4 stainless steel, SCARmor finish, matte black. For 5.56 NATO (.223) caliber. 1/2"-28 tpi. 2 1/8" (5.4cm) long x 7/8" (2.2cm) dia. 2.9 oz. (82g) weight. **#276-000-010AF Blackout Flash Hider, 6G49U99 \$ 59.99**



BROWNELLS AR-15/M16 TACTICAL FLASH SUPPRESSOR & MUZZLE BRAKE

Kill Muzzle Flash Or Tame Recoil;
"Pain Compliance" Tip For COB

Low-profile, screw-on muzzle accessories meet the needs of the most demanding tactical and competition shooters. Developed by Brownells' in-house engineering team with plenty of input from the many dedicated shooters on our staff to give you the choice of a powerful flash suppressor that also helps reduce muzzle rise or a muzzle brake that substantially reduces felt recoil without the penalty of increased flash. Easy to install, both fit standard 1/2"-28 tpi muzzle threads on .223/5.56 NATO AR-15-type rifles and carbines. Unique "posthole digger" muzzle has cuts that form four chisel-points to provide a backup pain compliance weapon for hand-to-hand combat without creating unusually sharp projections that snag on other objects or cause unintentional injury during routine weapon handling. Precision machined from solid 4140 carbon steel bar stock and hardened to Rc 38-42 to resist blast erosion. Long-wearing, matte black oxide finish matches many factory barrel finishes.

FLASH SUPPRESSOR - Disperses combustion gases through five longitudinal vents to reduce the blinding, football-sized fireball of an unsuppressed .223/5.56 NATO rifle to a low-intensity golf ball sized burst. Greatly lowers the chance of muzzle flash giving away the operator's position day and night, and helps preserve night vision. Vent walls are cut at an angle for maximum surface area to help cool gas and redirect gas flow to help counteract muzzle rise for fast follow-up shots. Solid underside prevents dust signature that can obscure the shooter's view of the target or give away his position when shooting prone. **SPECS:** 4140 steel, black oxide finish, matte black. 2 5/8" (6cm) long, .859" (2.2cm) O.D. 3.3 oz. (94g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. **#080-000-534AF Tactical Flash Hider 8K39T99. . . . \$ 59.99**

MUZZLE BRAKE - Eight pairs of tuned oblong ports arranged in longitudinal pairs evenly spaced around the brake redirect gas to counteract recoil force. Delivers outstanding reduction of felt recoil and minimizes recovery time for fast follow-up shots. Helps you produce tighter groups at long range during sustained semi- or full-auto fire. Precisely angled walls in the ports direct the gas evenly to the sides, above, and below the muzzle, rather than back at the shooter, without increasing muzzle flash. An internal expansion chamber provides a slight delay in release of gas to spread the recoil impulse over a longer time. **SPECS:** 4140 steel, black oxide finish, matte black. 2 5/8" (6cm) long, .859" (2.2cm) O.D. 3.2 oz. (90g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. **#100-003-655AF F2 Compensator 7B74D95 \$ 99.95**

MUZZLE BRAKE - Eight pairs of tuned oblong ports arranged in longitudinal pairs evenly spaced around the brake redirect gas to counteract recoil force. Delivers outstanding reduction of felt recoil and minimizes recovery time for fast follow-up shots. Helps you produce tighter groups at long range during sustained semi- or full-auto fire. Precisely angled walls in the ports direct the gas evenly to the sides, above, and below the muzzle, rather than back at the shooter, without increasing muzzle flash. An internal expansion chamber provides a slight delay in release of gas to spread the recoil impulse over a longer time. **SPECS:** 4140 steel, black oxide finish, matte black. 2 5/8" (6cm) long, .859" (2.2cm) O.D. 3.2 oz. (90g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. **#100-003-655AF F2 Compensator 7B74D95 \$ 99.95**

MUZZLE BRAKE - Eight pairs of tuned oblong ports arranged in longitudinal pairs evenly spaced around the brake redirect gas to counteract recoil force. Delivers outstanding reduction of felt recoil and minimizes recovery time for fast follow-up shots. Helps you produce tighter groups at long range during sustained semi- or full-auto fire. Precisely angled walls in the ports direct the gas evenly to the sides, above, and below the muzzle, rather than back at the shooter, without increasing muzzle flash. An internal expansion chamber provides a slight delay in release of gas to spread the recoil impulse over a longer time. **SPECS:** 4140 steel, black oxide finish, matte black. 2 5/8" (6cm) long, .859" (2.2cm) O.D. 3.2 oz. (90g) weight. 1/2"-28 tpi RH thread. Fits .223/5.56 NATO AR-15-type rifles and carbines. **#100-003-655AF F2 Compensator 7B74D95 \$ 99.95**

#100-003-655AF F2 Compensator 7B74D95 \$ 99.95

CAVALRY ARMS AR-15/M16 CAV COMP

Reduces Muzzle Rise & Recoil



Machined from bar stock with an integral, solid baffle that won't shoot out. Top and side ports counter recoil and muzzle rise. Solid bottom controls dust printing. A-2-style looks correct on pre- and post-ban rifles. **SPECS:** Steel, black, matte finish. 1 3/4" (4.4cm) long, 3/4" (19mm) diameter, 1/2"-28 tpi. For .223 (5.56 NATO) caliber. **#100-000-189AF .223 Cav Compensator, 2K24U30 \$ 27.00**

DPMS AR-15 A2 FLASH SUPPRESSOR

Reduces Muzzle Flash; Dissipates Gas

Machined steel, five-port flash suppressor effectively controls muzzle flash to minimize shooter exposure in both daytime and low-light situations. Ports are located along the top of the suppressor and bottom is solid to reduce dust printing when shooting prone. **SPECS:** Machined steel, matte black. 1 3/4" (4.4cm) long, 7/8" (2.2cm) O.D. 1/2"-28 tpi. Requires peel washer (not included) for proper indexing. **#231-000-198AF A2 Flash Suppressor, 3B04Z33 \$ 8.00**



DPMS AR-15/M16

LEVANG LINEAR COMPENSATOR

Reduces Muzzle Jump
Without Hurting Ears



Directs all of the muzzle blast and noise away from your ears. Large, single expansion chamber helps control muzzle flip and recoil. **SPECS:** Steel, blue, matte finish. 2 1/8" (5.3cm) long, .971" (24.6mm) diameter, 1/2"-28 tpi. **#231-015-022AF Linear Compensator 3B22H88 . . . \$ 39.99**

DPMS AR-15 MICULEK COMP

Six-Port Design Directs Blast
Away From Shooter



Three large baffles with six side ports and no top vents direct muzzle gases to the side, away from the shooter. Effectively counters muzzle rise and recoil, minimizes felt muzzle blast. High volume shooters will appreciate reduced noise and ease of cleaning. Solid bottom minimizes dust printing when shooting prone. Easy installation, secured with the supplied lock-nut. Designed and used by Jerry Miculek. **SPECS:** Steel, parkerized finish. 2" (5cm) long, .925" (23.5mm) diameter. 1/2"-28 tpi. **#231-000-038AF AR-15 Miculek Compensator, 1C30Z29 \$ 50.99**

DREADNAUGHT INDUSTRIES AR-15/M16 F2 COMPENSATOR

Reduce Muzzle Climb
& Stay On Target



Three large expansion chambers, asymmetric baffles along with four unique top ports redirect muzzle gases to reduce muzzle rise and allow you to stay on target. CNC machined from 416-series stainless steel and black oxide coated for durability. Fits 5.56 NATO (.223) caliber, 1/2"-28 tpi threaded barrels only. **SPECS:** Stainless steel, matte black. For 5.56 NATO (.223) caliber. 1 1/2"-28 tpi. 3" (76cm) long x 1" (2.5cm) dia. 4.1 oz. (116g) weight. **#100-003-655AF F2 Compensator 7B74D95 \$ 99.95**

EGW AR-15/M16 SPACE COMP

Tames Felt Recoil, Reduces Muzzle
Rise For Fast Follow-Up Shots &
Tighter Groups



Machined steel compensator has four equally spaced vents on each side that redirect combustion gases upward and to the sides for a significant reduction in felt recoil. Helps you keep the muzzle down and the sights on the target for fast follow-up shots and smaller groups. Solid bottom prevents kicking up ground debris when shooting prone, while solid top keeps muzzle flash and venting gas from obstructing your view of target. Models available to fit rifles chambered in .223/5.56mm, .308/7.62mm, and 9mm. Precision machined from carbon steel bar stock, with a hard, matte black, Parkerized finish that resists heat, and abrasion. Legal for USPSA Limited Division competition. **SPECS:** Carbon steel, Parkerized, matte black finish. 2" (5.1cm) long x .990" (2.5cm) O.D. 3.4 oz. (96.4g) weight. **.223/5.56mm - 1/2"-28 thread. .308/7.62mm - 9/32"-24 thread. 9mm - 1/2"-36 thread. Gunsmith installation recommended. #296-000-106AF .223/5.56mm Space Comp 6B70H83 \$ 89.99 #296-000-108AF .308/7.62mm Space Comp 6B70H83 . 89.99 #296-000-107AF 9mm Space Comp 6B70H83 89.99**

THREAD PROTECTOR - Guards threads from damage and gives muzzle a finished look when compensator or flash hider isn't installed. Precision turned on a CNC lathe from steel barstock, then given crisp, diamond-pattern knurling that makes it easy to tighten and loosen protector on barrel. Available to fit 1/2"-28 and 9/32"-24 threads. **SPECS:** Carbon steel, blued. 1/2"-28 - .650" (1.6cm) long x .810" (2.1cm) O.D. 5/8"-24 - .800" (2cm) long, .960" (2.4cm) O.D. **#296-000-104AF 1/2"-28 Thread Protector 6B12H86 . . \$ 15.99 #296-000-105AF 9/32"-24 Thread Protector 6B12H86 . . . 15.99**

JOJO'S GUNWORKS AR-15/M16 MUZZLE BRAKE

Counteracts Muzzle Climb;
Retains Appearance Of USGI A2
Flash Hider



Low-profile muzzle brake has an internal expansion chamber and five longitudinal vents that direct combustion gases upward to counteract muzzle rise. Tames muzzle climb during full- and semi-auto fire to help you keep the sights on the target for fast, accurate follow-up shots. Classic A2 profile replicates the external appearance of the USGI A2 flash hider, so your AR keeps an "as-issued" look and will continue to accept blank-firing adapters, sound suppressors, and other muzzle devices that fit the original A2 hider. Precision machined from A2 chromium-molybdenum alloy tool steel, heat-treated for additional hardness to resist erosion from hot gases, with a durable, black oxide finish. **SPECS:** A2 tool steel, black oxide finish. 1.925" (4.9cm) long, .905" (2.3cm) O.D. 2.4 oz. (68g) weight. 1/2"-28 tpi RH thread. Fits AR-15/M16-type rifles and carbines chambered in .223/5.56mm. **#100-004-591AF AR-15/M16 Muzzle Brake, 1B48A65 \$ 59.99**

J.P. ENTERPRISES AR-15/M16 RECOIL ELIMINATOR

Wipes Out Recoil & Muzzle Lift



Dual, curved restrictor plates with a tremendous amount of surface area stop exiting barrel gases and pull the barrel forward to counteract recoil and muzzle flip. The front sight or scope stays right on target for a faster second shot, plus less felt recoil and shooter fatigue. Threads onto standard 1/2"-28 tpi barrels. **SPECS:** Steel, blued, matte. 1 1/2" (3.8cm) dia., 2 1/4" (5.7cm) long, 4 oz. (113g) wt. Exit hole must be opened up to .040" over bullet diameter. **#452-015-120AF Recoil Eliminator, 2E80V00 \$ 99.95**

**J.P. ENTERPRISES AR-15/M16
BENNIE COOLEY TACTICAL
COMPENSATOR**



Efficient Reduction Of Felt Recoil; Standard Profile For Tactical Matches Or Large Profile For Maximum Recoil Reduction

Low-profile steel compensator redirects and harnesses combustion gas energy to reduce felt recoil by as much as 70% compared to an uncompensated barrel. Helps the shooter stay on target for accurate follow-up shots and fast transition to the next target. Built to the exacting requirements of noted professional weapons instructor and tactical competition shooter Bennie Cooley to combine the recoil reduction of J.P.'s popular Recoil Eliminator muzzle brake in a slim, streamlined compensator that meets the 1" x 3" size requirements of SOF, WC 3-Gun, USPSA Limited, and other tactical rifle competitions. Large, flat interior baffle surfaces allow the bullet to pass through while redirecting the rapidly expanding gas to the sides and slightly forward through the square-cut side vents to create forward thrust that counteracts bullet recoil. The higher the pressure, the more counteracting force the comp actually provides. In addition, four tuned ports on top minimize muzzle rise, further helping the shooter keep the sights on target. Solid bottom prevents kicking up a dust signature when shooting prone. Precision-machined from high-grade carbon steel, with a tough matte black oxide finish, or stainless steel with a brightly polished surface. All models fit rifles chambered in .223/5.56mm; can be bored out for larger calibers. **Standard Profile** available for barrels with .750" or .875" O.D. at muzzle. **Large Profile** is a beefed-up version of Standard model for .875" O.D. bull barrels and has extra baffle surface area for maximum reduction of felt recoil while retaining the cosmetics of the Standard series. *Not legal for Limited Tactical Division competition.*

- SPECS:** Carbon steel, matte black oxide finish, or stainless steel, polished finish. All models bored for .223/5.56mm with 1/2"-28 threads. .281" I.D. exit hole may be enlarged to fit other calibers. Installation instructions included. **Standard Profile** - 2 1/4" (5.9cm) long, .989" (2.5cm) O.D. Models to fit .750" (1.9cm) and .875" (2.2cm) O.D. barrels. SOF, WC 3-Gun, and USPSA Limited competition legal. **Large Profile** - 2 3/4" (7cm) long, 1.22" (3.1cm) O.D. Fits .875" O.D. barrels. *Not Limited/Tactical Division competition legal.*
- #452-000-055AF **Standard .750" Comp, Black, 2E72U00** \$ 89.95
 - #452-000-056AF **Standard .750" Comp, Stainless, 2E75U52** 89.95
 - #452-000-057AF **Standard .875" Comp, Black, 2E72U97** 89.95
 - #452-000-058AF **Standard .875" Comp, Stainless, 2E72U00** 89.95
 - #452-000-059AF **Large .875" Comp, Stainless, 2E96U00** 99.95

OPS INC R3E2C MUZZLE BRAKE



Maximum Recoil Reduction With Reduced Blast

Single, large expansion chamber with forward baffle, traps and redirects muzzle gases to greatly reduce muzzle rise and blast. Dust printing and muzzle rise are all but eliminated. Stainless steel construction for superior resistance to powder corrosion. For all calibers center hole is .030" over bullet diameter. May be gunsmith enlarged to larger diameter. Exclusive supplier to elite U.S. military forces. **SPECS:** 304 stainless steel, polished finish. 2.6" (6.8cm) long, .866" (22mm) and .970" (2.5cm) diameter. Muzzle hole can be enlarged for other calibers.

STOCK #	CAL.	THREAD	O.D.	PRICE
#504-100-022AF	.22	1/2"-28 tpi	.866"	4K90V00 \$ 115.00



**MICRO INDUSTRIES AR-15/M16
FLASH SUPPRESSOR**

Angled Ports Align With Bullet Gas Path For Increased Accuracy & Less Muzzle Flash



Five helical ports align with the bullet gas path and allow complete venting of combustion gasses for increased accuracy with less muzzle flash. Precision machined ports are angled to match the 1:9 twist rate of the most popular AR-15/M16 barrels, while eliminating accuracy-robbing back pressure. Rigorous testing showed a significant decrease in group size, by almost 1/2, when compared to a standard A2 flash suppressor. Helps preserve night vision and prevent pin-pointing the shooter's position. Precision machined from steel bar stock, then treated with an advanced Melonite™ finish for durability and corrosion resistance. Compatible with most blank firing adapters and noise suppressors. Includes steel crush washer for proper timing. **SPECS:** Steel, black, matte, Melonite finish. 2" (5.1cm) long, 3/8" (21.8mm) O.D. 1/2"-28 tpi threads. 2.4 oz. (68g) wt. Includes crush washer. Fits AR-15/M16 rifles chambered in .223/5.56mm, for 1:9 twist rate barrel. **#100-004-354AF Flash Suppressor 3Z47Y78** \$ 59.99



**NOVESKE AR-15/M16
KX3 FLASH SUPPRESSOR**



Reduces Muzzle Flash & Protects Nearby Personnel From Side Blast

Unique, patent-pending design redirects concussion forward to provide better flash suppression than standard A2 suppressor on short-barreled AR-15/M16/M4 rifles and other centerfire gas-operated weapons. Virtually eliminates side blast to protect nearby personnel during CQB, building entries, and when shooting from inside vehicles. Lessens felt recoil and reduces muzzle rise to help keep sights on the target for fast follow up shots and superior recoil management on full-auto assault rifles, especially with barrels 13" or shorter. High-carbon steel with matte black manganese phosphate finish stands up to the heat and pressure of thousands of rounds. Convenient, 3/4" wrench flats allow easy installation with the same wrench used to remove factory flash suppressor. Crush washer included. Each unit individually serial numbered for quality control. **SPECS:** Heat-treated steel, phosphate finish, matte black. 1/2"-28 tpi. 3 3/32" (8.3cm) O.A.L. 1 1/32" (3.4cm) diameter. 7.2 oz. (g) weight. Fits AR-15/M16/M4 rifles in 5.56mm/.223. **#100-003-335AF KX3 Flash Suppressor 1A120X99** \$ 129.99

**PRACTICAL SOLUTIONS AR-15/M16
CARLSON FLASH .223 COMPENSATOR**

Directs Gases Upwards To Counteract Muzzle Rise & Help You Stay On Target



Machined steel compensator employs a simple, open-topped design that directs combustion gases upward to virtually eliminate muzzle rise and felt recoil. Allows fast, accurate follow-up shots in semi-auto mode and superb control in full auto. Based on an original design by Greg Carlson, a dedicated Class 3 shooter, for use on machine pistols, the Flash .223 is exceptionally effective on carbines and short-barreled AR-15/M16 rifles. Two large, longitudinal ports vent gas upward at roughly 45° angles to counteract upward force on the muzzle without directing concussion and noise back at the shooter, so a rifle equipped with the Flash .223 is no louder than one with a standard A2 flash hider. Solid bottom prevents kicking up dust signature when shooting prone. **SPECS:** Steel, Parkerized, matte black. 2" (5.1cm) long, .906" (2.3cm) O.D. Fits AR-15/M16 rifles and carbines in .223/5.56mm with 1/2"-28 tpi threaded muzzle. **#100-004-043AF Carlson Flash .223 Compensator, 3B47Y95** \$ 60.00



**Items PRIMARY WEAPONS SYSTEMS
AR-15/M16/AR-STYLE .308
TACTICAL
COMPENSATORS**

Tames Muzzle Jump For Improved Weapon Control During Rapid Fire

Aggressive, scallop-type cuts deliver superior gas dispersion to help stabilize the muzzle during periods of sustained fire. Special internal blast chamber with side-facing ports helps reduce recoil with no adverse effect on gas system function. Also provides enough flash suppression to keep flash out of the shooter's line of sight. Wrench flats directly over the internal threads ease installation. All models include a peel washer for precise indexing of the side ports. **FSC556** fits rifles chambered in .223/5.56mm. **FSC556YHM** and **FSC556 QDSS** serve as mounts for the Yankee Hill Machine Phantom and Knight Armament QDSS-NT4 quick-attach/detach sound suppressors. Both provide the same compensation/flash reduction as the standard FSC556 when the suppressors are removed. **FSC30** fits rifles chambered in calibers from 6.8mm up to .308/7.62mm. Threaded for muzzles with 3/8"-24 tpi thread; includes a screw-on adapter for installation on rifles with 1/2"-28 tpi threads. The **CQB** is designed primarily for entry teams and other operators working in confined spaces like buildings. Directs the entire force of the muzzle blast forward to protect the shooter and team members next to him from hot gasses and concussion. Also helps suppress muzzle flash and provides some recoil compensation. **SPECS:** Steel, black, matte finish. Includes washer. FSC556 and CQB models fit AR-15/M16/M4 and clones chambered in .223/5.56mm, with 1/2"-28 tpi RH muzzle threads. **FSC556** - 2 1/8" (5.4cm) long x 7/8" (2.2cm) diameter. 2.2 oz. (62g) wt. **FSC556YHM** - 2 5/8" (6.7cm) long x 7/8" diameter. 4.9 oz. (138g) weight. **FSC556 QDSS** - 1 7/8" (4.8cm) long x 7/8" diameter. 2.3 oz. (64g) weight. **FSC30** - Fits AR-style rifles in 6.8mm, .270, and .308/7.62. 2 3/4" (7cm) long x .960" (2.4cm) diameter. 3.6 oz. (101g) weight. 3/8"-24 tpi RH thread. Includes 1/2"-28 adapter. **CQB** - 2 3/4" (7cm) long x 1 3/8" (3.5cm) diameter. 9.1 oz. (258g) weight. 1/2"-28 tpi RH thread. **#100-003-302AF FSC556 Compensator, 4B86Y11** \$ 99.99



- #100-004-607AF FSC556 YHM Compensator, 4B100Z20** 124.99
- #100-004-608AF FSC556 QDSS Compensator, 4B120Z20** 149.99
- #100-003-564AF FSC30 Compensator, 4B99D95** 119.99
- #100-004-609AF CQB Compensator 4B120Z20** 149.99

SMITH ENTERPRISE AR-15/M16

MUZZLE BRAKE

No-Gunsmithing Recoil Control

Puts an end to muzzle flip and felt recoil for more comfortable shooting and faster follow-up shots. Fits .223 caliber, AR-15 rifles with threaded muzzles. No machining, cutting, or fitting required to install on most guns. Just remove the factory brake and screw this one on. **SPECS:** Machined steel, mil-spec manganese phosphate finish, black. 2" (5cm) long, 3/4" (19mm) dia., 1/2"-28 tpi threads. Lock nut included. **#851-100-015AF AR-15 Muzzle Brake 1E51D70** \$ 66.25



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

**SMITH ENTERPRISE AR-15/M16
VORTEX FLASH ELIMINATOR**

Helical Flutes Dissipate Gas, Hide Muzzle Flash

Four, specially angled flutes hide nearly 100% muzzle flash, even during full-auto fire, by dissipating gas and retaining unburned powder for increased residual burn. Constructed of the same 8620 bar stock steel that is used in the manufacture of AR-15/M16 bolts and carriers, then case-hardened to provide a high-strength core and tough, outer shell. Special, helix design helps align the exiting barrel gas to improve accuracy with all bullet types. **SPECS:** 8620 steel, parkerized, black, matte finish. 1/2"-28 tpi. 2.31" (5.9cm) long, .858" (22mm) dia. 2.9 oz. (82 g) weight. Fits AR-15, M16, and M4.

AR-15/M16 G6-A2 VORTEX - Skirt extension conceals gap between barrel shoulder and flash hider on AR-15, M16, and M4 rifles. Grooved base ring allows integration of Blank Firing Attachment (BFA) used by law enforcement trainers, and permits installation of the Smith Enterprise M4DC QCB sound and flash suppressor (available factory direct to USG/LE and FMS customers). Thread-on design requires no washer. Torque to 10 ft. lbs. maximum, self-tightens as weapon is fired. Use M-193, SS-109 (M855), and MK 262 service ammo for highest degree of flash suppression. Can be permanently attached to 14.5" long, M4 barrels for an overall length of 16.1". **SPECS:** 8620 steel, parkerized, black, matte finish. 1/2"-28 tpi. 2.31" (5.9cm) long, .858" (22mm) dia. 2.9 oz. (82 g) weight. Fits AR-15, M16, and M4.



- #851-000-047AF AR-15/M16 Vortex, 1E46H99** \$ 50.99

6.8mm/.30 CAL. VORTEX - Provides the Vortex system's superior flash hiding benefits for 6.8mm/7.62mm/.30 caliber AR-15-type rifles and carbines. Clean, streamlined design with rounded edges minimizes snagging; skirt extension conceals gap between barrel shoulder and flash eliminator. Thread-on design requires no washer. Models available to fit rifles with 1/2"-28 tpi and 3/8"-24 tpi threaded muzzles. **SPECS:** 8620 steel, Parkerized matte black finish. 1 1/4" (5.7cm) long, .859" (22mm) O.D. 2.9 oz. (81 g) weight. Fits AR-15/M16/M4 type rifles.



- #851-000-072AF 6.8mm/.30 Cal. Vortex, 1E45A79** \$ 57.99
- #851-000-070AF 6.8mm/.30 Cal. Vortex, 1E46A30** 57.99

.308 VORTEX - Streamlined unit reduces muzzle flash with four, 15° helical flutes. Provides Vortex technology for Remington 700 Tactical and AR-Style .308 rifles. **SPECS:** 8620 steel, parkerized, black, matte finish. 3/4"-24 tpi. 2 1/16" (6.8cm) long, .905" (2.3cm) dia. 3.9 oz. (112g) weight. Fits Rem 700 Tactical and AR-1 Style .308 rifles.



- #851-000-032AF .308 Vortex, 1E73C83** \$ 91.99

9mm SMG VORTEX - The very best choice to achieve maximum low light visibility when using tactical entry carbines. Fits AR-15 carbines chambered in 9x19mm with muzzles threaded to the original Colt 1/2"-36 tpi. Exit hole is properly clearanced to provide minimum blow-by flash without bullet interference. Rigid, unique Vortex helical flutes capture exiting gasses for improved final burn and significant reduction in muzzle flash. **SPECS:** 8620 steel. Black, military magnesium phosphate finish. 1/2" x 36 tpi. 2 1/16" (5.9cm) long, .860" (2.1cm) dia. 3 oz. (81g) weight.



- #851-000-067AF 9mm SMG Vortex, 1E47H36** \$ 58.65

SUREFIRE AR-15/M16/AR-STYLE .308 MUZZLE BRAKES, FLASH SUPPRESSORS & COMPENSATORS

Get The Right Combination Of Recoil Control & Flash Suppression

Complete line of thread-on muzzle devices gives the tactical rifle shooter a variety of options for recoil reduction, flash suppression, or a combination of both to meet his exact needs. Precision CNC machined to exact tolerances from high-quality stainless steel alloy that withstands extreme heat and gas particle erosion, even after thousands of rounds. Stands up to the intense tempo of combat conditions without loss of performance. Easily replaces factory flash suppressor on military-configuration AR-15/M16/M4/AR-style .308 rifles with no permanent modifications to gun. Install on other assault rifles, semi-autos, and bolt actions with muzzle threaded to accept the device. Not only improves the performance and enhances the appearance of your rifle, but also provides a rock-solid mounting platform for SureFire Fast-Attach® sound suppressors. Each kit includes a set of

varying-thickness crush washers for proper indexing.

SPECS: Heat-treated stainless steel, matte black finish. Fits rifles with threaded muzzles only. Crush washer set, tube of Rocksett heat-resistant thread locker, and complete instructions included.

MUZZLE BRAKES - Substantially reduces muzzle rise and provides outstanding felt recoil reduction for better shot follow-through, improved accuracy, and faster follow-up shots. Patented Impulse Diffusion™ technology diffuses muzzle blast to the sides, virtually eliminating gas dispersion back to the shooter and minimizing felt concussion to help keep the sights firmly on the target.



FLASH SUPPRESSORS - Advanced design provides superior muzzle flash reduction to help conceal the shooter's position and preserve night vision. Rugged stainless steel construction gives exceptional strength and durability, with a variety of styles to fit AR-type rifles and carbines in both 5.56/.223 and 7.62/.308, as well as other assault rifles, semi-autos, and bolt actions.

COMPENSATORS - Stainless steel compensators offer a carefully balanced combination of effective flash suppression and a muzzle brake's recoil reduction benefits. Externally resembles the birdcage-style flash hiders used by the U.S. military to preserve the stock appearance of your weapon.



MUZZLE BRAKES

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-044AF	MB556AR	AR-15/M16/M4 w/12½" or longer barrel; any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749"	5.56/.223	½-28	4.2" (10.7cm)/.865" (2.2cm)	1.6" (4.1cm)	2E00XCH \$ 139.00
#152-000-045AF	MB556K	M16/M4/Colt Commando; any rifle w/unobstructed barrel exterior .170" behind muzzle threads & O.D. less than .800"	5.56/.223	½-28	2.5" (6.4cm)/.865"	1.9" (4.8cm)	2E00ZAY \$ 144.99
#152-000-046AF	MB68AR	6.8 Rem SPC rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749"	6.8mm	⅝-24	4.2"/.865"	1.6" (4.1cm)	2E00PUA \$ 139.99
#152-000-047AF	MB68K	6.8 Rem SPC rifle w/unobstructed barrel exterior .170" behind muzzle threads & O.D. less than .800"	6.8mm	⅝-24	2" (5.1cm)/.865"	1.3" (3.3cm)	2E00BXC \$ 139.99
#152-000-049AF	MB762SSAL/RE	AR-Style .308 and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .775"	7.62/.308	⅝-24	4.2"/.865"	1.6" (4.1cm)	2E00BXC \$ 149.99

FLASH SUPPRESSORS

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-052AF	FH556K	AR-15/M16/M4/HK416/Colt Commando and any semi-auto or bolt action rifle w/threaded muzzle.	5.56/.223	½-28	2.3" (5.8cm)/.865"	1.7" (4.3cm)	2E00VBX \$ 109.99
#152-000-055AF	FH556SA	AR-15/M16/M4/Diemaco SFW and any semi-auto or bolt action rifle w/threaded muzzle.	5.56/.223	½-28	2.1" (5.3cm)/.865"	1.5" (3.8cm)	2E00AVB \$ 108.00
#152-000-057AF	FH762K03	AR-Style .308, including ArmaLite® AR-10®, Bushmaster BAR-10, DPMS LR308, and any semi-auto or bolt action rifle w/threaded muzzle.	7.62/.308	⅝-24	2.8" (7.1cm)/.865"	2.2" (5.6cm)	2E00AYT \$ 125.00
#152-000-056AF	FH762K	Knight SR-25 and any semi-auto or bolt action rifle w/threaded muzzle.	7.62/.308	¾-24	2.7" (6.9cm)/.865"	2" (5.1cm)	2E00CHD \$ 125.00

COMPENSATORS

STOCK #	MODEL	FITS	CALIBER	THREADS	LENGTH/DIA.	ADD'L BBL LENGTH	PRICE
#152-000-042AF	CAM4FA556	AR-15/M16/M4 w/12½" or longer barrel and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .749"	5.56/.223	½-28	3.8"/.865"	1.25" (3.2cm)	2E00AYT \$ 85.00
#152-000-040AF	CAR556AR203	M4 w/QD M203 grenade launcher or 11½" Commando barrel w/o bayonet lug.	5.56/.223	½-28	3.8" (9.7cm)/.865" (2.2cm)	1.7" (4.3cm)	2E00AVB \$ 95.99
#152-000-043AF	CA76233AL/RE	AR-style .308 rifle and any rifle w/unobstructed barrel exterior 2.15" behind muzzle threads & O.D. less than .775"	7.62/.308	⅝-24	3.8"/.865"	1.25" (3.2cm)	2E00UAV \$ 110.00

TRIANGLE SHOOTING SPORTS

AR-15/M16/AR-STYLE .308

BENNY HILL "ROLLING THUNDER" COMPENSATOR



**Eliminates Muzzle Rise;
Sight Stays On Target
For Fast Follow Up Shots**

Heavy duty compensator designed by noted custom gunsmith and 3-gun competitor Benny Hill employs a unique internal expansion chamber that redirects some of the combustion gas out a topside gas port to virtually eliminate muzzle climb. The sights stay on the target, so you can make exceptionally fast follow up shots. Precision machined from a solid billet of high-grade stainless steel, with large side ports that vent more gas to help reduce felt recoil. Solid bottom prevents dust signature when shooting

Shop

ar-15 compensator

Search

brownells.com

close to the ground. Perfect for USPSA and 3-gun competition where seconds count, and for varmint hunters who want the sight to stay the target when they take a shot. Models available for rifles chambered in .223 and .308.

SPECS: Stainless steel, natural finish. .223 fits AR-15 chambered in .223/5.56 with ½"-28 tpi muzzle threads. .308 fits AR-style rifle chambered in .308/762 with ⅝"-24 tpi muzzle threads.

#100-003-689AF .223 Rolling Thunder Compensator, 3Z81D91 \$ 98.99

#100-003-981AF .308 Rolling Thunder Compensator, 3Z92P53 108.99

NEW



VAIS AR-15/M16 MUZZLE BRAKE

Superior Recoil Control

Limits muzzle rise with no increase in muzzle blast. Multiple venturi expansion chambers disperse and redirect gases for effective recoil control, while limiting blast effects. Unique design features attenuating holes that are both horizontal and perpendicular to the centerline of the bore to disperse gas and sound equally to all sides.

SPECS: Steel, Parkerized finish, matte black, or 416 stainless steel, matte finish. 2" (5.8cm) long x ¾" (19mm) O.D., ½"-28 tpi thread. 1.6 oz. (46 g) wt. Fits .223/5.56mm caliber rifles.

#927-000-028AF Steel Muzzle Brake 7B109V00 . . . \$ 144.95
#927-000-027AF SS Muzzle Brake 7B116V00 154.95

YANKEE HILL MACHINE AR-15/M16

PHANTOM MUZZLE ACCESSORIES

Dedicated Flash Suppressor Or Comp/Flash Suppressor Combo; Aggressive Front End Cuts For CQB Maneuvers

PHANTOM FLASH SUPPRESSOR

Longitudinal ports help minimize the blinding effects of muzzle flash in low light for improved target acquisition during night operations. Screw-on design for threaded barrels only. Includes crush washer for proper timing of vents. .223 model has four ports and aggressive, serrated notches at the tip that provide extra insurance in hand-to-hand combat. Integral rings at the base accept military sound suppressors and allow mounting of Blank Firing Attachments (BFAs) for training exercises. .308 has five ports and smooth, non-serrated muzzle tip; no BFA ring at base.

SPECS: Steel, mil-spec phosphate coating. .223 - ½"-28 tpi. 2¼" (5.7cm) long, ⅝" (2.2cm) diameter. 2.3 oz. (65 g) wt. .308 - ⅝"-24 tpi. 2½" (6.3cm) long. 1" (2.5cm) diameter. 4.5 oz. (127g) wt.

#100-002-070AF .223 Phantom Flash Suppressor, 9A21U48 \$ 30.99

#100-003-227AF .308 Phantom Flash Suppressor, 9A36Y05 48.00

PHANTOM 5C1 COMP/FLASH SUPPRESSOR - Flat, non-serrated muzzle face helps prevent catching or snagging muzzle tip during storage or deployment. Five, longitudinal vents help hide flash while dispersing gases up and outward; tames muzzle rise and keeps your front sights on target. Outward facing ports and solid panel on bottom help eliminate dust signature when shooting in the prone position. For threaded barrels only, includes crush washer. .223 model has grooved, base rings that accept training attachments and sound suppression devices for LE and military personnel.

SPECS: Steel, mil-spec phosphate coating. .223 - ½"-28 tpi. 2¼" (5.7cm) long, ⅝" (2.2cm) diameter. 2.1 oz. (60 g) wt. .308 - ⅝"-24 tpi. 2½" (6.3cm) long. 1" (2.5cm) diameter. 4.5 oz. (127g) wt.

#100-002-859AF .223 Phantom 5C1 Comp/Flash Suppressor 9A21U05 \$ 30.50

#100-003-228AF .308 Phantom 5C1 Comp/Flash Suppressor 9A36Y05 48.00

PHANTOM 5C2 COMP/FLASH SUPPRESSOR - Five, straight, longitudinal vents hide flash while dispersing gases up and outward to tame muzzle rise. No downward facing port helps eliminate dust signature when shooting in the prone position. For threaded barrels only, includes crush washer. .223 model has grooved base rings that accept training attachments and sound suppression devices for LE and military personnel. Chisel-shaped front notches keep muzzle planted on your attacker during CQB situations.

SPECS: Steel, mil-spec phosphate coating. .223 - ½"-28 tpi. 2¼" (5.7cm) long, ⅝" (2.2cm) diameter. 2.1 oz. (60 g) wt. .308 - ⅝"-24 tpi. 2½" (6.3cm) long. 1" (2.5cm) diameter. 4.5 oz. (127g) wt.

#100-002-071AF .223 Phantom 5C2 Comp/Flash Suppressor 9A21U79 \$ 30.99

#100-003-229AF .308 Phantom 5C2 Comp/Flash Suppressor 9A36Y05 48.00

¾" CRUSH WASHER - Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with ⅝" threaded muzzles.

SPECS: Steel, blued. ⅝" (1.625"/1.59cm) I.D. 1⅜" (813"/2.06cm) O.D.

#100-003-123AF ¾" Crush Washer 9A02D07 \$ 3.10

ASK ABOUT **OVERNIGHT DELIVERY!**

**TROY INDUSTRIES AR-15/M16
MEDIEVAL MUZZLE DEVICES**

Choice Of Flash Suppression
Or Recoil Reduction
To Suit Your Mission;
Aids In Hand-To-Hand Combat



Muzzle attachments specifically designed to enhance your CQB effectiveness install on any AR-15 rifle or carbine with 1/2"-28 tpi muzzle threads. Aggressive, diamond-shaped teeth aid in effective less-lethal muzzle strikes during hand-to-hand combat, while wide strike face lessens danger of a penetrative wound on contact. Also serves as a stand-off device for body contact shots. Precision formed from 8620 steel, heat hardened to resist erosion by combustion gases, with a tough, parkerized finish that matches most black/dark gray rifle finishes. **Flash Suppressor** minimizes muzzle flash by dispersing and cooling gases through three irregularly shaped vents. Prevents flash from giving away your position at night or in low-light situations. **Muzzle Brake** helps you stay on target by venting gases upward to counteract muzzle rise for fast follow-up shots; improves control and accuracy during full-auto fire. Accepts most over-the-barrel sound suppressors and actually increases their effectiveness.

SPECS: Steel, parkerized, matte black finish. .860" (2.2cm) O.D., 2 1/2" (6.4cm) long. 3.1 oz. (81g) wt. Fits barrels with 1/2"-28 tpi right-hand threads.

- #100-003-440AF Medieval Flash Suppressor, 3B45X00 \$ 49.99
- #100-003-441AF Medieval Muzzle Brake 3B45X00 49.99

**AMERICAN TRIGGER CORP. AR-15/M16
AR GOLD TRIGGER MODULE**

Drop-In Fire Control System
Gives A Light, Safe,
Match-Grade Pull



Self-contained trigger/assembly installs in minutes and delivers a light, smooth, match-grade trigger pull free of grittiness, with an ultra-crisp letoff and short reset. Simply remove factory trigger and safety selector, drop in the module, reinstall selector and pins, and you're ready to shoot. Completely new engagement geometry design produces the light 3-lb. pull and crisp release without compromising reliability or safety. The two-stage design is adjustable for sear engagement and overtravel, with a first-stage takeup of approximately 6 ounces, followed by actual sear movement taking up the rest of the weight, the reverse of the military two-stage AR trigger pull profile. Instead, the shooter can build force steadily, maintaining precise control and keeping his attention on the target. After release, reset travel is only .030", less than half the .070" typical of standard match triggers, to aid in fast, accurate follow-up shots. The sear captures the hammer at the back instead of near the pivot point to help produce the light pull and maintain safety. A second, independent, intercepting sear is positioned to block the hammer if it slips off the primary sear, as when the weapon is dropped or suffers hard impact. If the intercepting sear captures the hammer, pulling the trigger will still fire the rifle, though with a heavier pull weight. In addition, the AR Gold system uses the rifle's factory safety to positively capture the hammer, like an M1 Garand, and roll it back below the primary sear for an extra margin of safety. A lightweight aluminum housing contains the entire system and maintains the correct tolerances between the working parts. The receiver pins serve only to anchor the module in the receiver, with no effect on trigger function. Hammer and sear are wire-EDM cut from ultra-hard S7 tool steel to exceptionally tight tolerances with precision-ground surfaces for consistent contact and smoothness.

SPECS: Trigger/Hammer - S7 tool steel. Housing - Aluminum, anodized, black. Fits any mil-spec AR-15 with .154" trigger and hammer pins without Colt-type sear block. Does not fit AR-style .308 rifles.

- #100-004-262AF AR Gold Modular Trigger, 5A273D97 \$ 279.99

**BUSHMASTER AR-15
COMPETITION TRIGGER**

Two-Stage Design
For Ultra-Precise Release



Ready-to-install, match-grade trigger kit gives a light, ultra-smooth, two-stage trigger pull and exceptionally clean, precise letoff for superb accuracy. Adjustable spring plunger on the safety selector allows you to set the second-stage release, while an adjustable setscrew on the selector lets you eliminate trigger overtravel. Full-width hammer and trigger engagement surfaces are precision-ground to eliminate grittiness. Available in **Standard** configuration with single, left-side safety lever or **Ambi** with ambidextrous safety lever. Kit includes trigger, trigger spring, disconnect, disconnect spring, hammer, hammer spring, safety lever with adjustment screws, hex wrench, and instructions.

SPECS: Steel, black phosphate finish. Will not fit large-pin lowers or Colt lowers with safety block.

- #100-003-600AF Std Trigger Group 9B127H99 . . . \$ 139.99
- #100-003-601AF Ambi Trigger Group 9B148H95 . . . 159.95

SPECS: Kit includes trigger, hammer, disconnect, disconnect spring and complete instructions. Available to fit rifles with either the .154" (military and current aftermarket) or the .173" (current Colt) diameter hammer and trigger pins. Requires gunsmith fitting.

- #054-100-015AF .154" Pin Competition Trigger, 4E214H49 \$ 283.99
- #054-100-016AF .173" Pin Competition Trigger, 4E214H49 283.99

**GEISSELE AUTOMATICS
AR-15/M16/AR-STYLE .308
HI-SPEED
TRIGGERS**



Precision-Adjustable Two-Stage Trigger
With Ultra-Fast Lock Time

Fully adjustable trigger gives a smooth, two-stage pull with a precise "icicle sharp" break and ultra-fast lock time to minimize accuracy loss caused by gun movement during trigger pull. Set first stage pull weight by bending the legs of the trigger spring; set second-stage weight within a pre-set range by turning its adjustment screw. Another screw on the trigger lets you adjust overtravel for clean, crisp letoff. Light-weight hammer provides a 50% reduction in lock time over factory hammer, yet uses standard weight hammer spring to ensure sufficient energy transfer for reliable primer ignition, even on AR-style .308 weapons. Trigger shoe is positioned 1/8" farther forward than factory shoe for comfortable finger position during the squeeze. All contact surfaces are wire EDM cut to exact dimensions for full, precise engagement free of unwanted play. Available to fit both large (.169") and small (.154") pin receivers; small pin models include spare hammer pin to aid in proper fit on receivers with slightly oversized holes. **Service** model provides nominal 4 1/2 lb. pull weight required for NRA High Power Service Rifle competition and is also approved for CMP-sanctioned competitions. Most of the pull weight is loaded on the first stage, followed by a quick, clean second-stage break. First stage, 3.2 to 5 lb.; second stage, 1/2 to 1 1/2 lb. **Match** model allows a very low combined pull weight for superb trigger control on highly modified raceguns used in unlimited NRA High Power Rifle competition. Helps you shave those extra hundredths of an inch from your groups for a competitive edge. First stage, 1.3 to 3 lbs.; second stage, 4 oz. to 14 oz. **Designated Marksman Rifle (DMR)** model combines the light first stage of the Match trigger with the heavier Service second stage to reduce risk of premature release in high stress situations. Perfect for precision tactical and competitive shooting where trigger pull is not regulated. Allows a high rate of semi-auto fire; an experienced shooter can fire 30 rounds in as little as 4 1/2 seconds. First stage, 1.3 to 3 lbs.; second stage, 1/2 to 1 1/2 lbs.

SPECS: Steel, black finish. Available for receivers with .154" (military, current aftermarket, older Colt) and .169" (current Colt without sear block) hammer and trigger pins. Kit includes trigger and hammer assemblies, plus oversized hammer pin, compact pin punch, three hex wrenches, tube of GA No. 1 grease, bottle of GA No. 2 oil, and complete illustrated instructions.

- #100-003-614AF .154" Hi-Speed Service Trigger, 7B00PUA \$ 279.99
- #100-003-619AF .169" Hi-Speed Service Trigger, 7B00PUA 279.95
- #100-003-613AF .154" Hi-Speed DMR Trigger, 7B00ZAY 279.99
- #100-003-615AF .169" Hi-Speed DMR Trigger, 7B00XCH 279.95
- #100-003-611AF .154" Hi-Speed Match Trigger, 7B00XCH 279.99
- #100-003-617AF .169" Hi-Speed Match Trigger, 7B00ZAY 279.99

**J.P. ENTERPRISES AR-15
SPEED HAMMER**

Faster Ignition; Cleaner Pull



36% lighter than the standard hammer for faster ignition and a crisper trigger pull. Works great with the standard trigger group or, install along with the J.P. Enterprises **Adjustable Trigger Kit** for even better performance.

SPECS: Hardened steel, parkerized finish. .7 oz (20 g). Available to fit rifles with either the .154" (military and current aftermarket) or .169" (current Colt) diameter hammer pins. Measure your pins and select the correct kit.

- #452-015-100AF .154" Speed Hammer 2E40Z54 . . . \$ 49.99
- #452-015-101AF .169" Speed Hammer 2E40Z00 . . . 49.95

**J.P. ENTERPRISES AR-15/AR-STYLE .308
ADJUSTABLE TRIGGER SYSTEM**

Smooth, Even Trigger
Pull, Precise Letoff;
Easy Installation



Easy-to-fit replacement for factory trigger is fully adjustable for engagement and overtravel, and is available with pull weight as light as 3.5 lbs. Redesigned sear geometry and advanced metallurgy result in a precision-ground sear edge that delivers a precise, consistent letoff and prevents the kind of wear that causes doubling and other problems. Extremely short reset enables fast follow-up shots, a critical advantage on tactical and competition rifles. Machined to exceptionally tight tolerances from hardened steel, and installs in minutes with no permanent alterations to the rifle. Models to fit small (.154") and large (.169") pin receivers. **Standard** pull weight is between 3 and 3.5 lbs.—perfect for competition and recreational shooting. **Tactical** pull weight is between 3.5 and 4 lbs. for applications demanding a high level of ignition reliability, including police/military use, mil-spec ammunition with hard primers, and in AR-style .308 rifles. **Adjustable Trigger Kit** lets you install J.P. trigger components while keeping your factory or aftermarket hammer and pins. Disconnect spring, engagement screw, and overtravel screw are already installed; also includes disconnect, trigger return spring, hammer spring, and .050" hex key. Use with J.P. Enterprises Speed Hammer for best performance. **Fire Control Package** contains contents of the Kit, plus low-mass J.P. Speed Hammer for faster lock time and two anti-walk pins with button head cap screws for easy removal and reinstallation of trigger system when making adjustments.

SPECS: Steel, parkerized finish. Models for rifles with either .154" (military and current aftermarket) or .169" (current Colt) diameter trigger pins. Measure your pins and select the correct kit. Includes complete instructions and a CD-ROM with 35-minute video showing step-by-step installation.

- #452-015-000AF .154" Standard Adj. Trigger Kit, 2E139Z99 \$ 149.99
- #452-000-048AF .154" Tactical Adj. Trigger Kit, 2E112U00 139.95
- #452-015-001AF .169" Standard Adj. Trigger Kit, 2E113Z51 139.99
- #452-000-053AF .169" Tactical Adj. Trigger Kit, 2E112U00 139.95
- #452-000-046AF .154" Std Fire Control Package, 2E148U97 182.99
- #452-000-049AF .154" Tactical Fire Control Package, 2E148U97 182.99
- #452-000-047AF .169" Std Fire Control Package, 2E148U97 182.99
- #452-000-054AF .169" Tactical Fire Control Package, 2E148U97 182.99

SERVICE RIFLE SPRING KIT - Replacement spring for the J.P. Adjustable Trigger Kit lets Service Rifle, law enforcement and tactical shooters achieve a clean-breaking, 4.5 lb. trigger when used with J.P. components. Can also be used with factory or aftermarket triggers and hammers to improve felt trigger pull.

SPECS: High tensile spring wire. Includes (1) hammer and (1) trigger spring.

- #452-000-015AF Service Rifle Spring Kit 2E08P00 . . \$ 9.95

THINK IT. BUILD IT.™

BROWNELLS

AR15 BUILDER™

PATENTS PENDING

AR15BUILDER.COM

**VLTOR AR-15/M16/AR-STYLE .308
FLASH SUPPRESSOR/COMPENSATOR**



Dissipates Hot Gas
To Minimize Muzzle Flash,
Reduces Muzzle Jump

Highly-efficient internal helical design uses ten precisely contoured longitudinal ports combined with a unique, cloverleaf-shaped exit port to trap unburned powder particles long enough for full burn and dissipation of hot combustion gases. Muzzle flash cancels itself out to minimize shooter exposure during daytime and low-light situations. Also serves as a compensator by directing venting gasses to help reduce muzzle jump and improve shooter control for better shot placement. Precision machined from 4140 steel to stand up to rough tactical operations. 2 1/8" overall length brings a 14 1/2" barrel up to legal length for civilian use when flash suppressor is permanently pinned or welded in place. Accepts most sound suppressors and Blank Firing Attachments designed to fit a M16/M4 flash hider. **VC-1** fits .223/5.56mm AR-15/M16/M4 rifles; **VC-301** fits .308/7.62mm AR-style rifles.

SPECS: Steel, matte black Parkerized finish. 2 1/8" (5.4cm) long, .856" (2.2cm) O.D. Includes peel washer. **VC-1** fits .223/5.56mm AR-15/M16/M4 rifles with 1/2"-28 tpi threaded muzzle. **VC-301** fits AR-style .308/7.62mm rifles with 5/8"-24 tpi threaded muzzle.

- #100-003-114AF VC-1 Flash Suppressor/Compensator, 3A50H92 \$ 59.99
- #100-003-997AF VC-301 Flash Suppressor/Compensator, 3A49U99 59.99

**ACCURACY SPEAKS AR-15
COMPETITION TRIGGER
SYSTEM**

Gives A Smooth, Clean-Breaking Trigger



Redesigned geometry adds a clean-breaking, smooth-feeling trigger with a light pull to any AR-15. Speedlock hammer and disconnect are EDM-cut from solid stainless, then heat treated for durability. Trigger and hammer feature improved sear angle and notch with neutral engagement for lighter letoff and minimum creep. Adjustable for weight of pull from 3 1/2 to 4 1/2 lbs.

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST... PAGE 19

AR-15/M16

TRIGGERS

COMPS/FLASH HIDERS

JARD AR-15 ADJUSTABLE TRIGGER KIT

Four-Way Adjustment;
Improves Trigger Function & Accuracy



Single-stage trigger kit reduces pull weight to improve accuracy, without gunsmith fitting. 2, 3, and 4.5 lb. models provide the perfect pull weight for hunting or competition. Adjustments for sear engagement, trigger over-travel, disconnecter engagement and safety lets you achieve a smooth, consistent trigger pull. Sear engagement point located

behind the hammer improves leverage to reduce pull weight; low mass hammer gives faster lock time. Engagement surfaces are hardened and polished for a smooth, clean-breaking pull. Trigger requires gunsmith fitting in receivers with a sear block. **SPECS:** Steel, black, matte finish. 2 lb. (1 kg), 3 lb. (1.4 kg), or 4.5 lb. (2 kg) pull weight. Includes hammer, hammer spring, trigger, trigger spring and seal engagement screw. Available to fit rifles with .154" or .171" hammer and trigger pins.

STOCK # .154"	STOCK # .171"	WEIGHT
#100-000-208AF	#100-000-209AF	2 lb.
#100-001-695AF	#100-001-697AF	3 lb.
#100-001-696AF	#100-001-698AF	4.5 lb.

— Advise # — AR-15 Adj. Trigger Kit 2K121P22. . . \$ 149.99

ADJUSTABLE TRIGGER FOR ARMALITE AR-10 - Proven, single-stage design greatly improves trigger feel and function so you can concentrate on your shots instead of a stiff, factory trigger pull. Sear engagement point behind the hammer provides added leverage for a clean-breaking, 2, 3, or 4 lb. pull weight. Sear and disconnecter engagement, overtravel and safety movement adjustments allow fine-tuning for ultimate crispness and less stress on parts. Engagement surfaces are precision-ground and honed to minimize drag, then heat-treated to prevent wear. Includes hard striking, low mass hammer to reduce locktime.

SPECS: Steel, matte black. 2 lb. (.9kg), 3 lb. (1.4kg), or 4 lb. (1.8 kg) pull weight. For Armalite AR-10® rifles with .154" hammer and trigger pins.

#100-003-124AF	Adjustable Trigger for AR-10, 2 lb., 2K132D00	\$ 165.00
#100-001-948AF	Adjustable Trigger for AR-10, 3 lb., 2K132C00	165.00
#100-003-125AF	Adjustable Trigger for AR-10, 4 lb., 2K132D00	165.00

JARD AR-15
NON-ADJUSTABLE TRIGGER KIT

Provides A Fast,
Easy Trigger Upgrade
Without Complicated Tuning



Easy to install, non-adjustable, AR-15 trigger replaces the heavy, gritty-feeling, factory hammer and trigger for a smooth, clean-breaking pull that's sure to improve accuracy. Unique, single-stage design positions the sear engagement point behind the hammer for added leverage and a dependable, 3-pound pull weight. High-performance, low mass hammer reduces lock time. Precision-cut engagement surfaces are heat-treated for low wear. Requires gunsmith fitting in receivers with a sear block. **SPECS:** Steel, black matte finish. Includes hammer, hammer spring, trigger and trigger spring. Non-adjustable, 3 lb. (1.4 kg) pull weight. Available for .154" or .171" hammer and trigger pins.

#100-001-567AF	.154" Non-Adjustable Trigger, 2K119B60	\$ 148.99
#100-001-597AF	.171" Non-Adjustable Trigger, 2K118C80	148.50

Selection • Service • Satisfaction
GUARANTEED



JEWELL RIFLE TRIGGER

Fully Adjustable, Finest Quality
For A Light, Reliable Trigger Pull

Patented trigger mechanism provides outstanding reliability, function, and performance for benchrest, varminting, and other types of precision shooting. All internal components are CNC machined from stainless steel, then heat-treated to Rc 58 for extended service life. Adjustment screws are fitted with a nylon insert to maintain your trigger settings without using thread locking compounds. Features a two-stage pull that is uniquely adjustable from above the lower receiver for first stage pull weight, second stage sear engagement, second stage pull weight, and overtravel. Models available to fit rifles with small and large hammer/trigger pins. **SPECS:** Internal Components - 440 stainless steel, hardened to Rc 58. Housing - 300 Series stainless steel sheet, .050" (1.2mm) thick. 1 lb. to 7 lb. pull weight, available for nominal trigger pin diameters of .154" and .169". Installation instructions included.

Rc 58 for extended service life. Adjustment screws are fitted with a nylon insert to maintain your trigger settings without using thread locking compounds. Features a two-stage pull that is uniquely adjustable from above the lower receiver for first stage pull weight, second stage sear engagement, second stage pull weight, and overtravel. Models available to fit rifles with small and large hammer/trigger pins. **SPECS:** Internal Components - 440 stainless steel, hardened to Rc 58. Housing - 300 Series stainless steel sheet, .050" (1.2mm) thick. 1 lb. to 7 lb. pull weight, available for nominal trigger pin diameters of .154" and .169". Installation instructions included.

#100-002-557AF	AR-15 .154" Pin Trigger, 5A00PUA	\$ 214.99
#100-002-558AF	AR-15 .169" Pin Trigger 5A00XCH	214.99

ROCK RIVER ARMS AR-15
NATIONAL MATCH
2-STAGE TRIGGER

Lightens & Smooths Trigger Pull
For Improved Accuracy

Drop-in, match grade trigger provides a crisp, 4½ to 5 lb., 2-stage, trigger pull to improve accuracy for competition or varmint shooting. Sear engagement point is located behind the hammer to reduce pull weight. Low mass hammer speeds lock time. Includes trigger and hammer pins. Fits AR-15 receivers with .154" hammer and trigger pins. **SPECS:** Steel, matte black finish. Fits AR-15 receivers with .154" hammer/trigger pins only.

#739-000-011AF	.154" 2-Stage Trigger 9C00PUA	\$ 120.00
----------------	---	-----------

DPMS AR-15/M16
FIRE CONTROL
CONVERSION KIT

The Right Parts To Convert
An M16 To An AR-15

Capable of semi-auto fire only, four trigger parts convert a full-auto, M16 to semi-auto configuration. Helps local departments/agencies take advantage of military surplus guns without having to train officers for full-auto fire. OEM-style to function correctly. Hardened steel, with black oxide finish, maintains factory function and appearance. Kit includes trigger, disconnecter, hammer and selector. Gunsmith or armorer fitting recommended. **SPECS:** Steel, black, matte finish.

#231-000-165AF	M16 to AR-15 Conv. Kit 1C30P21	\$ 49.99
----------------	--	----------

J & L RESEARCH AR-15
DROP-IN TRIGGER
ADJUSTER

Improves The Factory Trigger

Trigger adjuster replaces the factory grip screw to reduce trigger creep, lessen pull weight, and improve hammer break for better accuracy. Use alone or as part of a complete trigger job. **SPECS:** Stainless steel. Gunsmith installation recommended.

#072-000-001AF	Trigger Adjuster 2G34D90	\$ 44.20
----------------	------------------------------------	----------

KNS PRECISION AR-15/M16
NON-ROTATING HAMMER
& TRIGGER PINS

Precision-Machined To
Upgrade Your Existing Hammer
& Trigger Pins;
Available Standard & Oversized



Redesigned hammer pin and anti-rotation links provide the strongest possible system to eliminate pin rotation, and will withstand the additional force exerted by 9mm conversions and suppressed .223 upper receivers. Helps prevent wear to receiver holes, which is especially important for increasingly-valuable M16 and pre-ban receivers. Notched hammer pin locks into slots in the anti-rotation links; trigger is secured with locking screws, and includes lube ports so adequate lubrication reaches the trigger. Anti-rotation links fit on the outside of the receiver to prevent all movement. Pins are CNC-machined, centerless ground for uniformity and heat treated for durability. Available in Standard .154", Oversized .155", and .170" for larger receivers. **Oversized Pins** help improve accuracy and trigger control by tightening up any trigger slack that may exist in worn or new receivers. Standard-sized pins drop-in and require no modification to the receiver; oversized pins require the use of the 3.95mm Reamer listed below. **SPECS:** 416 stainless steel pins. .900" (22.8mm) long, .154" (3.91mm), .155" (3.93mm), or .170" (4.31mm) diameter. **Set** includes (1) hammer pin, (1) trigger pin, (2) screws, (2) anti-rotation links, hex wrenches, and installation tool. **Anti-Rotation Links** - Steel, Parkerized finish. **Retaining Screws** - Steel, black oxide finish. **3.95mm Reamer** - Steel, .155" (3.95mm) diameter cut.

#923-000-036AF	.154" Non-Rotating Trigger Pins, 3B26A43	\$ 31.99
#923-000-040AF	.155" Non-Rotating Trigger Pins, 3B25A25	32.00
#923-000-037AF	.170" Non-Rotating Trigger Pins, 3B25A25	32.00
#317-000-008AF	3.95mm Reamer 7A22P03	29.46

GEN. 2 MOD. 2 NON-ROTATING PIN SET - Identical function as the standard sets listed above, but with ultra-low-profile links that protrude even less above the receiver. Available with standard .154" diameter pins, oversized .155" pins, or .170" pins for large-pin receivers; .155" pins require use of the 3.95mm reamer listed above. **SPECS:** 416 stainless steel pins, carbon steel anti-rotation links and retaining screws, matte black finish. Kit includes hammer pin, trigger pin, (2) low-profile anti-rotation links, (2) screws, hex wrenches, and installation tool.

#923-000-046AF	.154" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B26A43	\$ 32.99
#923-000-047AF	.155" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B25A69	32.99
#923-000-048AF	.170" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B25A25	32.00

M16/M4 NON-ROTATING SEAR PIN - Steel pin replaces original pin and locks into place against the take-down pin on M16/M4 rifles to prevent rotation and wear on receiver holes. Drop-in installation requires no tools or gunsmithing. **SPECS:** Steel, matte black phosphate finish. Fits M16/M4 receivers only.

#923-000-043AF	M16/M4 Non-Rotating Sear Pin, 3B23A25	\$ 29.50
----------------	---	----------



DROP-IN/PRE-FIT TRIGGERS

Due to manufacturing tolerances, any drop-in or pre-fit trigger may require minor fitting.

BROWNELLS AR-15/M16
TACTICAL TRIGGERGUARD

Fast, Unobstructed Access
To Trigger;
End Of Trigger Pinch



Oversized, drop-in replacement for factory triggerguard provides plenty of extra room to get your finger on the trigger quickly, even when you're wearing gloves. Comfortable, compound-curve shape helps prevent finger from being pinched between trigger pad and guard, while gently radiused edges protect finger from cuts or abrasions. Rugged, machined aluminum construction handles the abuse of intensive tactical operations. Installs easily using the original triggerguard's plunger, spring and roll pins; compatible with factory and aftermarket pistol grips. **SPECS:** 7075 T6 aluminum, hardcoat anodized, matte black. Fits AR-15/M16 rifles with mil-spec lower receivers. Uses existing plunger, spring and roll pins.

#080-000-535AF	Tactical Triggerguard, 8K14H71	\$ 17.99
----------------	--	----------

MAGPUL AR-15/M16
ENHANCED TRIGGERGUARD

Keeps Trigger Accessible,
Even With Gloves

Aluminum triggerguard replaces factory guard and gives full access to the trigger, even when you're wearing gloves. Ends the complication of having to drop the triggerguard in cold weather environments in order to get to the trigger. Triggerguard gives you an oversized opening and is held in place with standard roll pins and set screws. Eliminates need for gap plug and works with most grips. **SPECS:** Aluminum, matte black. Fits AR-15/M16 rifles. Includes roll pin and set screw.

#100-002-198AF	M16/AR-15 Enhanced Triggerguard, 3K16B99	\$ 19.99
----------------	--	----------

MAGPUL AR-15/M16
MOE™ TRIGGERGUARD

Provides Extra Clearance
When Wearing Gloves;
Drop-In Installation




Enhanced triggerguard has a shallow "V" shape that provides extra clearance for a shooter wearing gloves, and eliminates the gap at the rear of the USGI triggerguard that can trap or pinch finger. Smooth, ergonomically contoured surface and rounded edges protect the trigger finger from abrasion and won't snag on the operator's glove to impede the speed of target engagement. Replaces factory guard in minutes and requires no permanent alterations to receiver; reinstall original guard any time. Manufactured from high-grade, reinforced polymer that's lightweight, almost as strong as aluminum, and resistant to heat, cold and moisture. Fits mil-spec AR-15/M16 and clones, as well as many AR-style .308 models; installation instructions included. **SPECS:** Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Includes roll pin, set screw, installation instructions. Fits most AR-15/M16 and AR-style .308 rifles including ArmaLite® AR-10®, Knight SR-25, and DPMS LR-308. Due to variances in manufacturer specs, minor fitting may be required on some rifles.

#100-004-156AF	MOE Triggerguard, Black, 3K06P90	\$ 8.99
#100-004-157AF	MOE Triggerguard, Dark Earth, 3K06P90	8.99
#100-004-158AF	MOE Triggerguard, O.D. Green, 3K06P90	8.99
#100-004-159AF	MOE Triggerguard, Foliage Green, 3K06P90	8.99

BROWNELLS

AR-15/M16/M4 SPRINGS



Assorted Replacement Springs
Restore Performance In Tactical Rifles

Put the zing back into the rifle you thought was past its prime. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available singly, or in 3-paks.

SPECS: Materials and finish at least equal to OEM parts. Chrome silicon springs indicated by (CS).

- #078-101-113AF AR-15 A2 Action Spring (CS), each, 8G03P06 \$ 4.99
- #078-000-102AF AR-15 A2 Action Spring (CS), 3-pak, 8G07C35 11.76
- #078-101-112AF AR-15 A-2 Action Spring, each, 8G02P44 3.99
- #078-000-093AF AR-15 A-2 Action Spring, 3-pak, 8G05A69 8.99
- #078-101-114AF AR-15 Auto Sear Spring, each, 8G00P5283
- #078-000-089AF AR-15 Auto Sear Spring, 3-pak, 8G01U30 2.08
- #078-101-115AF Bolt Catch Spring, each 8G00P6099
- #078-000-096AF Bolt Catch Spring, 3-pak 8G01A20 1.92
- #078-101-116AF Bolt Gas Ring, each 8G00P6699
- #078-000-099AF Bolt Gas Ring, 3-pak 8G01A35 2.16
- #078-101-117AF AR-15 Buffer Retainer Spring, each, 8G00P6299
- #078-000-084AF AR-15 Buffer Retainer Spring, 3-pak, 8G01U25 2.00
- #078-101-118AF AR-15 A2 Charging Handle Latch Spring, each 8G00P6299
- #078-000-094AF AR-15 A2 Charging Handle Latch Spring, 3-pak 8G01A25 2.00
- #078-101-119AF AR-15 Detent Takedown Spring, each, 8G00P74 1.99
- #078-000-100AF AR-15 Detent Takedown Spring, 3-pak, 8G01A55 4.99
- #078-101-120AF AR-15 Disconnect Spring, each, 8G00P65 1.02
- #078-000-095AF AR-15 Disconnect Spring, 3-pak, 8G01A78 2.85
- #078-101-121AF AR-15 Ejection Port Cover Spring, each, 8G00P6096
- #078-000-091AF AR-15 Ejection Port Cover Spring, 3-pak, 8G01A50 2.40
- #078-101-123AF AR-15 Ejector Spring (CS), each, 8G00P96 1.54
- #078-000-103AF AR-15 Ejector Spring (CS), 3-pak, 8G02C40 3.84
- #078-101-122AF AR-15 Ejector Spring, each 8G00P66 1.06
- #078-000-098AF AR-15 Ejector Spring, 3-pak 8G01A65 2.64
- #078-101-111AF AR-15 Elevation Index Spring A3, each, 8G00P5893
- #078-000-112AF AR-15 Elevation Index Spring A3, 3-pak, 8G01H45 1.92
- #078-101-124AF AR-15 Extractor Spring, each, 8G00U68 1.09
- #078-000-086AF AR-15 Extractor Spring, 3-pak, 8G01U70 2.72
- #078-101-125AF AR-15 Extractor Spring (CS), each, 8G00U72 1.15
- #078-000-104AF AR-15 Extractor Spring (CS), 3-pak, 8G01C80 2.88
- #078-101-126AF AR-15 Forward Assist Spring, each, 8G00U4877
- #078-000-080AF AR-15 Forward Assist Spring, 3-pak, 8G01U20 1.92
- #078-101-127AF AR-15 Front Sight Detent Spring, each, 8G00U5080



FALCON INDUSTRIES AR-15/M16 LOWER RECEIVER SPRING KIT

Finish A Stripped Receiver Or Replace Worn, Fatigued, Or Corroded Factory Springs

All the factory-weight springs needed to finish building up a stripped lower receiver or refurbish an existing lower to like-new function. Replace worn, corroded, or fatigued springs before they fail—inexpensive insurance against game-ending stoppages caused by spring failure during competition or tactical operations. Kit includes springs for trigger, hammer, disconnect, safety selector, magazine catch, bolt catch, buffer retainer, and takedown pin detents.

SPECS: Spring steel.
#573-000-053AF Lower Receiver Spring Kit, 3G04A99 \$ 6.99

J.P. ENTERPRISES AR-15

REDUCED POWER SPRING KIT

Gives A Smooth, Light Trigger Pull
Reduced-power springs provide a 3.5 pound trigger pull when used with J.P. triggers, and a pull of 4.5 to 5 pounds when used with standard trigger components. Includes hammer spring, trigger return spring, and disconnect spring. Installation instructions also explain engagement surface polishing to obtain a smooth, reliable trigger.

SPECS: Steel, yellow-coded hammer and trigger springs.
#452-000-007AF AR-15 Spring Kit, 2E08T57 \$ 9.99

- #078-000-082AF AR-15 Front Sight Detent Spring, 3-pak, 8G01U25 2.00
- #078-101-129AF M4 Action Spring, each 8G02U24 3.58
- #078-000-105AF M4 Action Spring, 3-pak 8G05C81 8.99
- #078-101-130AF M4 Action Spring (CS), each, 8G03U06 4.99
- #078-000-087AF M4 Action Spring (CS), 3-pak, 8G07U35 11.76
- #078-101-132AF AR-15 Mag Catch Spring, each, 8G00U5080
- #078-000-083AF AR-15 Mag Catch Spring, 3-pak, 8G01U25 2.00
- #078-101-133AF AR-15 Rear Sight Elev Knob Spring, each, 8G00U6096
- #078-000-090AF AR-15 Rear Sight Elev Knob Spring, 3-pak 8G01U50 2.40
- #078-101-134AF AR-15 Rear Sight Index Spring, each, 8G00U5893
- #078-000-085AF AR-15 Rear Sight Index Spring, 3-pak, 8G01U45 2.32
- #078-101-136AF Trigger Spring, each 8G00U70 1.12
- #078-000-088AF Trigger Spring, 3-pak 8G01U75 2.80
- #078-101-135AF AR-15 Triggerguard Spring, each, 8G00U4877
- #078-000-097AF AR-15 Triggerguard Spring, 3-pak, 8G01A20 1.92
- #078-101-137AF AR-15/M16 Hammer Spring, each, 8G00U78 1.25
- #078-000-077AF AR-15/M16 Hammer Spring, 3-pak, 8G01U95 3.12
- #078-101-110AF M16 Clutch Spring, each 8G00P5080
- #078-000-092AF M16 Clutch Spring, 3-pak 8G01A25 2.00
- #078-101-128AF M16M4 Hammer Spring Burst Fire, each, 8G00U95 1.50
- #078-000-081AF M16M4 Hammer Spring Burst Fire, 3-pak 8G02U20 3.52

DPMS AR-15 SPRING KIT

Genuine Mil-spec AR-15 replacement springs on handy blister pak cards.

SPECS: One each of springs for: trigger, hammer, ejector, extractor, bolt catch, disconnect, selector, takedown pin detent, (2) mag catch, front sight, ejection cover, forward assist.

#231-015-002AF AR-15 Spring Kit, 1C09Y22 \$ 14.99



SUPERIOR SHOOTING SYSTEM AR-15 HAMMER & TRIGGER SPRING SET

Reduced Power Plus Consistent Pull Weight
10% reduced power set made from heat-treated, chrome silicon wire that's stress relieved and shot peened; reduces compression weight while maintaining striking power.

SPECS: Chrome silicon wire.
#840-000-039AF AR-15 Hammer/Trigger Spring Set, 4H13T00 \$ 16.25

TTI INTERNATIONAL CUSTOM SHOPPE AR-15/M16 REDUCED POWER ACTION KIT

Lighten AR-15/M16 Trigger Pull
Three-spring kit lightens trigger pull and smoothes letoff. Drops in, requires no modifications to gun.

SPECS: Stainless steel, spring steel. Kit includes hammer, trigger, and disconnect springs. Fits AR-15/M16.
#989-000-001AF AR-15/M16 Reduced Power Action Kit, 9H03T13 \$ 4.99

WOLFF AR-15/M16 EXTRA-POWER HAMMER SPRING

Helps Eliminate Common Ignition Problems; Great When Using Ammo With Hard Primers
Durable, steel springs provide extra hammer power to ensure proper ignition. Replaces factory spring.

SPECS: Steel. Approximately 2 3/32" (18.2mm) wide, 2" (5.1cm) long.
#969-000-100AF XP AR-15 Hammer Spring, 9F03B34 \$ 4.99

- #969-000-101AF XP AR-15 Hammer Spring, 3-pak, 9F09B37 13.99
- #969-000-102AF XP AR-15 Hammer Spring, 10-pak, 9F20B09 29.99

AFM AR-15/M16 HEAVY DUTY EXTRACTOR SPRING

For Positive, Consistent Extraction Even On Carabines & SBRs
Extra-strong extractor spring increases extractor's grip on case groove and helps ensure reliable, complete extraction. Especially effective for improving reliability of an AR-15 style carbine, pistol, or short barreled rifle (SBR) where a weak extractor spring can cause extractor lift, leading to failure to fully extract the spent case before the fresh round is fed from the magazine, resulting in a stoppage. Heavy-grade, high-quality spring steel and a proprietary heat-treating process ensure long service life with less weakening over time than ordinary springs.

SPECS: Tempered spring steel. Fits all AR-15/M16/M4-style rifles, carbines, and pistols.
#100-004-041AF Heavy Duty Extractor Spring, 2C02V87 \$ 3.99

DPMS AR-15/M16 EXTRACTOR SPRING ASSEMBLY

Helps Ensure Proper Extraction
Matches the original equipment specs to keep the extractor under the correct tension. Rubber insert gives stability to the spring and lengthens service life.
SPECS: Steel, 3/16" (4.7mm) long.
#231-000-071AF Extractor Spring Assembly 3B01V20 . . . \$ 1.50



SUPERIOR SHOOTING SYSTEMS AR-15/CAR-15/AR-STYLE .308 CHROME SILICON SPRINGS

FlatWire Construction For Maximum Reliability & Performance
These flat wire, high-quality action/buffer springs from champion shooter David Tubb will perform flawlessly and are duty rated for 500,000 compression cycles at maximum performance. Made to "extra power" specs without the extra material, these springs are surprisingly lightweight, yet extremely durable. Gives correct timing and resistance on the recoil stroke and a controlled rebound ensures reliable feeding with consistent forward thrust on every shot. Keeps the bolt locked a little longer to allow pressures more time to subside for perfect cycling.

SPECS: Chrome silicon steel. AR-15 fits both fixed and collapsible stocked AR-15 rifles and carbines without modification to spring or gun. AR-Style .308 fits standard length rifles only.

- #840-000-048AF AR-15 CS Buffer Spring 4H20T21 . . . \$ 24.99
- #840-000-047AF AR-Style .308 CS Buffer Spring, 4H22T60 29.99

AR-15/CAR-15 EXTRACTOR/EJECTOR SPRING SET - Replacement, drop-in fit chrome silicon extractor and ejector springs from David Tubb provide long term durability and up to 80% more power than factory springs in AR-15 rifles. Precision manufacturing and high quality steel give extremely consistent compression cycle for smooth operation over thousands of rounds.
SPECS: Chrome silicon steel.


#840-000-051AF CS Extractor/Ejector Spring Set, 4H09T95 \$ 12.95

TACTICAL SPRINGS CAR-15/M4 SPRING RELIABILITY KIT

Consistent Performance For High-Stress, High-Volume Shooting
Premium-quality buffer spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume tactical or competition shooter who needs a finely tuned spring that delivers its full power as reliably on the 50,000th shot as it did on the first. Made from chromium-silicon steel alloy selected specifically for its hardness, heat resistance, and ability to withstand high stresses—the same alloy used for valve springs on automobile engines. Cryogenically treated to relieve internal stress, and surface impregnated with Sprincos' proprietary Plate+ molybdenum disulfide lubricating coating. Available with Standard Weight buffer spring that matches your carbine's original factory spec or Extra Power that keeps the bolt closed a bit longer, which helps some rifles cycle better and eject more positively. Both kits include an extra-power extractor spring that aids in complete extraction and ejection of spent shells, even from a tight or dirty chamber.


SPECS: Cryo-treated chrome silicon alloy. Fits CAR-15/M4 carbine and AR-15/M16 fitted with M4-type collapsible buttstock.

- #943-000-018AF CAR-15/M4 Std Weight Reliability Kit, 3D19P12 \$ 23.95
- #943-000-017AF CAR-15/M4 Extra Power Reliability Kit, 3D19P12 23.95



WOLFF AR-15/M16 TUNE-UP KITS & INDIVIDUAL SPRINGS

Kits & Individual Springs
To Improve Functioning

Service Pak returns the rifle to original Colt factory specifications. Includes extra power (XP) action/buffer spring that improves reliability and function. 

SPECS: Includes one each of the following: XP buffer spring, bolt catch spring, buffer retainer spring, charging handle latch spring, disconnect spring, dust cover spring, ejector spring, extractor spring, forward assist spring, front sight retainer spring, hammer spring, magazine catch spring and trigger spring.

#969-304-500AF AR-15 Service Pak 9F23U33 \$34.99


#969-165-000AF Std XP Buffer Spring, only, 9F10A00 14.99

#969-165-010AF CAR-15 XP Buffer Sprng, only, 9F10A00 14.99

WOLFF AR-15/M16 REDUCED POWER ACTION SPRING



Helps Reduce Bolt "Bounce" For Improved Feeding


High-quality, reduced power, action spring helps cure feeding problems caused by excessive bolt "bounce" in rifles configured for 3-shot burst or full-auto modes of fire. Helps shooters fine-tune action cycling for light loads in semi-auto rifles. 

SPECS: Tempered, spring steel. Fits .223 cal. AR-15/M16 rifles. **#969-000-140AF RP Action Spring 9F10U34 \$14.99**

WOLFF AR-15/M16 EXTRA POWER EXTRACTOR SPRING



Improves Extraction & Ejection Reliability


Stronger spring prevents "extractor bounce" during rapid semi-auto or full-auto fire. Provides extra force against case rim to give AR-15 rifles and carbines reliable extraction from a dirty chamber; ensures fired case is completely extracted and ejected from gun. Recommended for use with black, carbine, extractor spring insert. 

#969-000-032AF XP Extractor Spring, 3-pak, 9F07P33 \$10.99

ADVANCED ARMAMENT AR-15/M16 CYCLIC RATE REDUCER



Slows Rate Of Fire Up To 50%; Save Ammo, Increase Accuracy

Easy-to-install, machined-steel unit slows rate of fire and reduces felt recoil to increase full-auto accuracy and reduce ammunition use. Virtually eliminates muzzle climb, helps you control sustained, full-auto fire. Simple installation requires no permanent modifications, installs in just seconds. 

MODEL M16SS - Fits A1 and A2 standard or heavy barrel M16 with fixed stock. Approximately 475 RPM rate of fire. Includes buffer, buffer spring, insertion/extraction tool and instructions. **SPECS:** Recoil Buffer - stainless steel, tungsten, matte finish. **#276-016-001AF M16SS Rate Reducer 6G63V20 . . . \$79.00**

MODEL M16CS - Fits standard and heavy barrel M16 with collapsible stocks, both .223 and 9mm carbines. Approximately 650 RPM rate of fire. Includes buffer, buffer spring, insertion/extraction tool and instructions.

SPECS: Recoil Buffer - stainless steel, tungsten, matte finish. **#276-016-003AF M16CS Rate Reducer 6G63V20 . . . \$79.00**


NEW



Model BROWNELLS/ENIDINE AR-RESTOR™



Hydraulic,
Rate-Reducing Buffers
Tame Recoil & Suppress
Bolt Bounce For
Maximum Reliability,
Accuracy & Service Life

Seldom do you find an AR-15 product so simple to install, yet offers the many advantages this buffer delivers. Our Gun Techs tested these units, and were so impressed with the performance, we teamed-up with the weapon experts at Enidine to offer them directly to you. Quite possibly, the AR-RESTOR is the biggest breakthrough in rate-reducing, recoil reduction systems available for the AR-15. Best of all, they install in minutes, without any modifications to your weapon. Long known for their successful development of recoil absorption devices for the U.S. Military's M240B, M249, and M2 machine gun, Enidine now produces these easy-to-install, direct replacements for the conventional, inertia mass type buffers currently in production today. Never before has it been this easy and economical to manage recoil and rate of fire in full- or semi-automatic modes of fire, plus improve the overall reliability of your AR-15. Each steel buffer assembly features a sealed hydraulic cylinder with high-impact striker cap and smooth running, nickel-plated cylinder rod - all of which work in unison with your factory recoil spring to cushion carrier impact, lessen felt recoil, and minimize the overall beating your rifle and optics endure when shooting. But, that's not all - you get better accuracy and significantly reduced muzzle rise to maintain efficient target acquisition during rapid fire maneuvers. These benefits are amplified with short-barreled carbines. For rate of fire reduction, nothing works better - AR-RESTOR has been tested by the U.S. Army and proven to drop cyclic rates from 900 rounds per minute to 650 - 700! **AR-15 Collapsible** fits rifles with M4-type collapsible buttstocks. **AR-15 Fixed** fits rifles with fixed A1/A2-type stocks. **AR-.308 Standard Collapsible** fits collapsible stock ArmaLite® AR-10® and other AR-style .308 rifles with 3/4" recoil buffers. **AR-.308 Shorty Collapsible** fits collapsible stock DPMS Panther LR-.308 carbines and other AR-style .308 rifles with 2 1/4" recoil buffers. 

SPECS: Steel, black oxide finish. **AR-15 Collapsible** - 3 5/8" (76cm) long, 4.3 oz. (122g) wt. **AR-15 Fixed** - 6 1/4" (15.9cm) long, 5.9 oz. (167g) wt. **AR-.308 Standard Collapsible** - 3 5/8" (79cm) long, 5 oz. (140g) wt. **AR-.308 Shorty Collapsible** - 2 3/4" (7cm) long, 4 oz. (112g) wt.

#100-002-389AF AR-15 Collapsible Buttstock AR-Restor, 4A79Y99 \$84.99

#100-002-390AF AR-15 Fixed Buttstock AR-Restor, 4A79Y99 99.99


NEW #100-003-634AF AR-.308 Standard Collapsible AR-Restor, 4A79P96 99.95

#100-003-212AF AR-.308 Shorty Collapsible AR-Restor, 4A80V77 99.99

BUFFER TECHNOLOGIES RIFLE RECOIL BUFFER

Cushions Rifle Bolt & Receiver,
Prevents Excess Wear



Shock-absorbing, polyurethane buffer helps extend the service life of your rifle; gives better muzzle stability, reduces action noise. Provides a gentle cushion that gradually slows the bolt and helps prevent expensive receiver damage. Installs easily; no permanent modifications required. **AR-15** replaces the synthetic pad on factory buffer assembly. Requires drilling the recoil buffer for cross pin. 

SPECS: Polyurethane, clear.

#071-000-010AF AR-15 Recoil Buffer 1G06C97 \$9.95

BROWNELLS WebBench™
JOIN OUR EMAIL LIST TODAY!

DPMS CAR-15 COUNTERWEIGHT BUFFER



Improves Reliability & Control,
Softens Felt Recoil


Extra-heavy to soften felt recoil on semi-auto and full-auto guns; added mass reduces cyclic rate during full-auto fire. Provides smoother function for faster follow-up shots to help improve on-target accuracy. Stops bolt bounce on full-auto CAR-15's to increase feeding and extraction reliability. Drop-in installation, uses standard recoil spring. Fits AR-15/CAR-15 with collapsible stock only.

SPECS: Steel body, 3/4" (8.3cm) long, 5.4 oz. (155 g) wt. **#231-000-039AF Counterweight Buffer 3B25Z75 . . . \$61.99**

HAHN PRECISION AR-15/CAR-15/CAV-15 PISTOL CALIBER BUFFER

Reduces Recoil, Improves
Controllability, Extends Receiver Life



Drop-in replacement for factory buffer shortens stroke and reduces recoil on pistol caliber AR-15 conversions with collapsible M4 carbine-type stocks. Extra weight behind carrier reduces cyclic rate for improved controllability, feeding, and extraction on full-auto carbines. Self-contained unit with long head consists of long-wearing, precision-machined, cold-rolled Parkerized steel exterior, fully enclosed 8 oz. lead insert, and polyurethane bumper. Will not work with rifle caliber uppers. Installation of this buffer is mandatory on Cavalry Arms CAV-15 Mk II receivers converted to .45 ACP with the Hahn Precision Grease Gun Adapter to prevent elongation of the receiver hole that eventually renders rifle unusable. 


SPECS: Cold-rolled steel exterior, Parkerized, matte dark gray; lead insert; polyurethane bumper. 3 1/16" (9.4cm) long. Fits rifles and carbines with pistol caliber upper receiver and collapsible M4 carbine-type stock.

#100-002-513AF Pistol Caliber AR-15 Buffer, 6K49X97 \$59.97

J.P. ENTERPRISES AR-15/M16 LOW-MASS RECOIL BUFFER



Reduces Recoil Impulse
For Precision Competitive
Shooting

Lightweight, aluminum alloy buffer reduces the reciprocating mass of the operating system to reduce the overall recoil impulse felt by the shooter. Helps the competitive shooter keep the sights on the target for precise follow-up shot placement and tight groups. Designed for competition rifles with full-length receiver extension tubes and lightweight titanium or aluminum alloy bolt carriers, as well as any conventional mil-spec carrier where reduced mass is desired. Combine with a lightweight carrier to virtually eliminate felt recoil and increase bolt velocity without significantly impairing reliability. 

SPECS: Aluminum, anodized, red. 3 oz. (86g) weight. Fits AR-15 chambered in .223/5.56mm with rifle-length receiver extensions for fixed buttstock. For competition only; not recommended for duty weapons.


#452-000-063AF Low-Mass Recoil Buffer 2E40U00 . \$49.95

M16 CLINIC AR-15/M16/AR-10 AR BUFFER PAD

Prevents Battered Buffers & Carriers;
Simple, Stick-On Installation



Buffer
not included


High-strength polymer part protects expensive buffers and bolt carriers for a fraction of their cost. Round disc adheres to the buffer and eliminates metal-to-metal contact between the bolt carrier and buffer. 

SPECS: Polymer, white. .95" (24mm) diameter, .14" (3.6mm) thick. **#100-001-469AF AR-15/AR-10 Buffer Pad 6K04P99 . . . \$6.50**

MGI MILITARY AR-15/M16/M-4 RATE REDUCING BUFFER



Reduces Bolt & Receiver Wear;
Absorbs Recoil
For Improved Accuracy

Steel, rate-reducing buffer system slows down recoil two ways to improve accuracy and control. Extra weight lowers velocity for less wear on your bolt and receiver. Internal spring compresses to absorb additional recoil before it reaches your shoulder. As a bonus, the **D-Fender D-Ring** is included to improve extractor spring tension on your AR-15/M16. 


SPECS: Steel, black, matte finish. 3/4" (19mm) tube diameter, 3 1/2" (9cm) long. Rifle includes polymer extension tube. Available for both Rifle and Carbine.

#741-000-003AF Rifle Rate Reducing Buffer, 1D137B27 \$171.58

#741-000-004AF Carbine Rate Reducing Buffer, 1D132B00 164.99

SUPERIOR SHOOTING SYSTEMS AR-15 CARRIER WEIGHT SYSTEM

Slows & Softens Recoil


Stainless steel sleeve, plus stainless and tungsten inserts help cure cycling problems caused by high-pressure, heavy-bullet loads. More weight keeps the bolt locked longer, improves brass life. 

SPECS: Sleeve, steel, black, matte finish. 2 1/8" (5.4cm) long. 1.54 oz. (43.7 g) wt. Stainless steel insert 1.25 oz. (35.4 g) wt. Tungsten insert 2.51 oz. (71.1 g) wt. May require minor fitting.


#840-000-024AF Carrier Weight System, 4H46Y67 \$58.33

ARMAMENT DYNAMICS AR-15/M16 ACLM™ AMBIDEXTROUS CHARGING HANDLE

NEW




Operate The Bolt With Left Or Right Hand For
Extra Tactical Advantage

Fully ambidextrous charging handle lets the operator charge the weapon from any position for a critical tactical advantage that can make the difference between winning or losing in competition or combat. Helps you maintain peak readiness, clear jams quickly, and operate the handle even if the strong hand is incapacitated. The standard factory handle requires two separate motions: releasing the latch on the left side of the hand grip, then pulling back on the grip to retract the bolt. The Advanced Combat Latching Mechanism (ALCM™) requires only a single, intuitive, continuous backward pull—easier to perform under stress. Simply grasp the handle from either side with either hand, and as you pull back in one smooth motion, a patented camming mechanism automatically releases the retaining latch from the upper receiver. Continue pulling to retract the bolt; when you release the handle and the bolt closes, the ALCM re-latches securely. Aggressive grasping grooves help your fingers locate the handle quickly and ensure that they won't slip off even when wet or cold. Manual override button lets you operate the latch when the bolt carrier is locked open or removed. Precision machined from premium-grade aluminum billet with MIL-A-8625 Type III Class 2 hardcoat anodized finish for extra strength and resistance to surface wear. Long-wearing internal components of ordnance-grade steel, and PTFE inserts to ensure smooth operation without lubrication—perfect for dusty operating environments. 

SPECS: Aluminum, hardcoat anodized, matte black finish. Fits .223/5.56mm AR-15/M16/M4 and related weapons.

#100-004-341AF ALCM Ambidextrous Charging Handle, 6C69X39 \$84.99

**DPMS AR-15/M16
STEEL CHARGING HANDLE**



Tough, Steel For Competition & Tactical Use

Machined steel won't bend or break during rapid loading drills or left-hand slap, stoppage clearing. Stripped, not furnished with latch.

SPECS: Steel, parkerized finish. 6³/₄" (17.1cm) long. Latch not included. Fits all AR-15 upper receivers.

#231-000-166AF Steel Charging Handle 1C43P41. . . \$ 53.99

**PRECISION REFLEX, INC. AR-15/M16
GAS BUSTER CHARGING HANDLE**



**Keeps Gas Blowback Away
From Shooter's Face**

Extra-thick handle includes a gas deflection groove to protect shooter from gas blowback. Extended finger latches aid in fast jam clearing. **Flat Latch** has a deep hook contour. **Military (Mil.) Latch** has smooth face with round edges that are easy on fingers.

SPECS: Aluminum, black, matte finish.

#556-000-002AF Flat Latch Charging Handle, 4A82U37. \$ 108.99

#556-000-003AF Mil. Latch Charging Handle, 4A89U99. 99.99

#556-000-004AF Flat Latch, only 4A17U40. 22.99

#556-000-005AF Military Latch, only 4A19U13. 23.99

**SOG ARMORY AR-15/M16
CHARGING HANDLE
WITH TACTICAL LATCH**

**Extra Leverage
For One-Hand Operation**



When you have to cycle the charging handle quickly, you need to be able to find it easily. 5/8" square steel pad extends 13/16" from the charging handle, providing an easy-to-find surface that helps you cycle the bolt quickly when seconds count. Replaces existing charging handle with no gunsmithing and no modifications to the rifle.

SPECS: Aluminum charging handle, steel tactical latch, matte black. Tactical latch pad is 5/8" (15.8mm) square and extends 13/16" (20.6mm) from charging handle.

#100-002-212AF Charging Handle w/ Tactical Latch, 9A34X99. \$ 46.99

**M & A PARTS AR-15/M16
AMBIDEXTROUS TACTICAL LATCH**



**Light, Quick-Grab Design;
Gives Extra Leverage**

Large, extended latch levers are easy to find and grab, even on flat top receivers with low-mounted optics; gives superior leverage for bolt retraction. Allows rapid, ambidextrous operation of charging handle. Made of rigid aluminum for durability and light weight. Replaces factory latch easily, without fitting.

SPECS: Aluminum, black, anodized. 2¹/₁₆" (11mm) long.

#553-000-006AF Ambi Tactical Latch 3E00DZA. \$ 13.99

**BADGER ORDNANCE AR-15/M16
TACTICAL LATCH**



One Hand Operation Of Charging Handle

Oversized for quick access from all shooting positions. Allows brisk, easy operation with left hand. Makes the charging handle easier to find and operate, especially on scope-mounted flat top receivers. Great for three gun shooters; expedites reloads and immediate action drills. Legal for NRA High Power, Match Rifle shooters. Works on all AR-15/M16-type rifles including the AR-10 and SR-25. Easy, no-gunsmithing installation.

SPECS: Steel, matte blue. 1.46" (37.3mm) long, .644" (16.3mm) high contact area. Instructions included.

#093-249-020AF Tactical Latch 3K17X99. \$ 19.99

GEN II TACTICAL LATCH - Mid-sized latch for those who want a size between standard and oversized. Makes the charging handle easier to find for brisk operation with the left hand without protruding too far. Works on all AR-15/M16-type rifles including the AR-10 and SR-25. Easy, no-gunsmithing installation.

SPECS: Steel, matte blue. 1.25" (32mm) long, 1.25" wide. Instructions included.

#093-000-024AF Gen II Tactical Latch 3K15T87. \$ 19.99

**DPMS AR-15
TACTICAL BOLT RELEASE**



**Easy-To-Locate Thumb Pads
Give Positive Operation**

Large, serrated, thumb pads are easier to feel and activate in the dark. Extended lower pad gives your thumb positive purchase to quickly lock the bolt carrier to the rear. No-gunsmithing installation. Includes roll pin.

SPECS: Steel, black, parkerized finish. Clears the mag release. 1³/₄" (4.4cm) long, 3/4" (19mm) wide.

#231-000-027AF AR-15 Tact Bolt Release 1C06Z99. . . \$ 13.99

**MAGPUL AR-15/M16
B.A.D. LEVER™**

Lets You Release The Bolt With The Trigger Finger



Magpul Battery Assist Device (B.A.D.) is an extended bolt release that allows the shooter to keep his hand in the ready position on the pistol grip and operate the bolt catch with the trigger finger. Streamlines bolt catch manipulation to get the weapon into battery more quickly. Easy to install and remove—no weapon disassembly required.

Lever clamps securely to the factory bolt release with a Torx® head screw and extends a paddle through the front of the triggerguard to the right-hand side of the weapon. Trigger finger can stay outside the triggerguard as you operate the lever, and factory bolt catch retains normal function with B.A.D. installed. Made of a high-grade aluminum alloy, hardcoat anodized to MIL-A-8625F, Type III, Class 2 spec for extra strength.

SPECS: Aluminum, hardcoat anodized, matte black. Torx wrench and installation instructions included. Fits mil-spec AR-15/M16 receiver with factory bolt release lever.

#100-004-755AF Magpul B.A.D. Lever 3K23C99. \$ 29.99

**SURE SHOT PRODUCTS AR-15
EXTENDED BOLT RELEASE**



Release The Bolt With Your Trigger Finger

Lets you close the bolt without shifting firing position. One-piece unit clamps over factory release, extends the release down, to be just opposite your trigger finger. No gunsmithing required. **Release I** features a slim, compact design. **Release II** has a large, 1/2" x 1/2", finger pad for positive contact.

SPECS: 6061-T6 aluminum, black, anodized finish. **Release I** - 2³/₈" (6.4cm) long. **Release II** - 2⁵/₈" long.

#722-015-001AF Extended Bolt Release I 2B33H75. \$ 45.00

#722-015-002AF Extended Bolt Release II 2B35H25. 47.00

**WILSON COMBAT AR-15
TACTICAL
BOLT RELEASE**



**Versatile, 3-Position Button
Accommodates Individual
Shooting Styles**

Innovative, two-in-one design is the perfect choice for setting up AR-15s that double as tactical and sporting rifles. Large, tactical button installs vertically or horizontally removes quickly and easily by loosening the setscrew and sliding it off. Small, serrated pad underneath prevents snags on brush and clothing; will not interfere with your carry sling. CNC-machined from bar stock for added strength and reliability.

SPECS: Steel bar stock, parkerized finish. Removable Button - 1¹/₈" (28.6mm) x 3/4" (19mm). Fixed Button - 1/2" (12.7mm) long x 1/4" (6.4mm) wide.

#965-000-037AF Tactical Bolt Release 5F25P78. \$ 29.99

NORGON AR-15/M16 AMBI-CATCH™



**Rapid Reloads
With The Non-Firing Hand**

Quicker, easier reloads for right- or left-hand shooters. Lets you activate the magazine release with the thumb of the non-firing hand while keeping the rifle on target. Distinctive design is the same size and configuration as factory part; won't snag on clothes or branches, and does not interfere with rifle function. Drop-in installation.

SPECS: Steel, parkerized. 1.45" (37mm) long, .246" (6.3mm) wide.

#635-001-015AF Ambi-Catch 5C79Z99. \$ 89.99

**POWER CUSTOM AR-15
OVERSIZE, AMBI MAG RELEASE**

Easy, One-Finger Operation



Push the giant, oversize button's checkered face with the right-hand trigger finger or the extra large, paddle shaped, off-side thumb lever with the left hand. No permanent alterations to lower receiver.

SPECS: Steel, blue, matte finish. **Right Side Button** - .625" (15.8mm) diameter. **Left Side Lever** - .750" (19mm) x .625".

#713-215-002AF Ambi Mag Release 3A81H25. \$ 96.99

**ARREDONDO AR-15/M16
OVERSIZE MAGAZINE
RELEASE BUTTON**



**Change Mags Quickly
Without Fumbling To Find The Release**

Oversized magazine release button allows fast mag changes in competition or combat, in daylight or total darkness. Serrated surface and slightly angled configuration draws your finger immediately to the button and enables positive, no-slip release in all weather conditions. Two-piece design replaces the factory mag release button with no gunsmithing required.

SPECS: Molded polymer, black. 5/8" (1.6 cm) long x 5/8" wide.

#069-000-027AF Oversize Magazine Release Button, 9F22H60. \$ 27.99



**Stock numbers shown in red
indicate the product is made in
the U.S.A.**

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

**BROWNELLS AR-15/M16
OVERSIZE MAGAZINE RELEASE**



**"Can't Miss" Release Button Aids
In Ultra-Fast Magazine Changes**



Extended, drop-in replacement for factory part offers a wide, flat finger pad for fast, "can't miss" magazine changes. Perfect for competition, tactical operations, and self-defense—any high-stress situation where the speed of a magazine change makes the difference between success and failure. Nearly three times the surface area of the factory button with crisp, 24 lpi checkering for positive, nonslip finger contact, so you release the mag on the very first try. Stands .225" higher to give you extra leverage that ensures the mag catch disengages completely. Precision machined from 4140 steel and heat treated for added hardness and wear resistance, with a tough, black oxide finish. May require minor fitting.

SPECS: Steel, oxide finish, matte black. Fits any AR-15/M16/CAR-15/M4 with a USGI-spec magazine release.

#080-000-529AF Oversize Magazine Release, 8K15C89. \$ 19.99

**POWER CUSTOM AR-15/M16
EXTENDED OVERSIZED
MAGAZINE RELEASE**



**Large Diameter & Extended Length
Ensure Fast, Easy Reloads**

Machined, steel magazine release extends more than half an inch and has a checkered oversized button for quick reloads. Installs just like the factory part. Includes replacement spring.

SPECS: Steel, black oxide finish. 3³/₄" (14mm) long, 5/8" (16mm) diameter. Spring - 1³/₈" (3.5cm) long.

#713-215-003AF Extended Oversized Mag Release, 3A15H42. \$ 18.99

**DPMS AR-15
OVERSIZED SELECTOR SWITCH**

**Large, Can't Miss, Thumb Pad
Gives Fast, Sure Operation**



Long, wide thumb pad provides fast, sure safety operation when wearing gloves, or when speed is important. Uprturned lip ensures positive thumb engagement for full selector travel. Drop-in installation.

SPECS: Steel, gray, parkerized finish. Heat treated. Fits AR-15 only. Thumb pad - 1.2" (3.5cm) long, .525" (13.3mm) wide.

#231-000-036AF Oversized Selector, 3B14Z95. \$ 29.95

DPMS AR-15 AMBI SAFETY/SELECTOR



**Easier Engagement
For Left-Handed Shooters**

Puts the same, easy-to-operate safety lever on both sides of the receiver for fast, easy operation by left-handed shooters or when shooting with the weak hand. Swings through the same arc as the standard safety; will not interfere with grip position or thumb placement.

SPECS: Steel, black finish. **LR-08B** - .650" (16.5mm) long, .234" (6mm) wide contact area. Fits semi-auto rifles only. **LR-08C** - .675" (17.7mm) long, .234" (6mm) wide contact area. Fits full-auto rifles only.

#231-015-012AF LR-08B AR-15 Ambi Safety, 3B24T41. \$ 30.99

#231-000-231AF LR-08C Full-Auto AR-15 Ambi Selector, 1C24X32. 29.99



J.P. ENTERPRISES AR-15 ADJUSTABLE/REVERSIBLE SAFETY SELECTOR

Eliminates "Fitting" The Safety;
Works With Factory & Aftermarket Triggers

Easy-to-install, reversible safety selector ensures ultra-reliable engagement and eliminates the time-consuming job of "fitting the safety" to a factory or aftermarket trigger—the perfect upgrade to accompany a J.P. Enterprises Adjustable Trigger. Eliminates the risk of damaging the trigger during fitting and shortens installation time by as much as one-third. An adjustment screw on the selector drum lets you quickly and easily set the correct trigger/safety relationship to completely block trigger movement when the selector is set to "safe." A second screw inside the drum ensures the adjustment screw stays locked in place. Deeply grooved control pad gives positive thumb engagement even when wearing gloves, and can be installed in the standard position on the left-side of the receiver or on the right side for fast, natural operation by left-handed shooters. **USA**

SPECS: Steel with aluminum control pad, matte black finish. Installation instructions included.

#452-000-043AF Adj./Reversible Selector 2E41U96 \$ 50.99

ROCK RIVER ARMS AR-15 STAR SAFETY SELECTOR

Round Profile Rolls Under Your Thumb

Round thumb pad gives fast, positive operation; ideal when wearing gloves.

SPECS: 4140 steel, black, matte finish. For AR-15 only.

#739-000-007AF Star Safety Selector 9C09P10 \$ 9.99

J.P. ENTERPRISES AR-15 ANTI-WALK PINS

Eliminate Hammer & Trigger Wobble

Oversize pins hold hammer and trigger in precise alignment without free play for consistent trigger letoff. Moly impregnated to reduce friction. Sizes for large or small pin receivers. Hex-head screws locate pins to frame, eliminate the hammer J spring. Installation may require reaming hammer for proper fit. **USA**

SPECS: Tool steel, moly coated. **Small** - .156" (3.9mm), **Large** - .172" (4.3mm) diameter. 1" (2.5cm) long. Pack of two pins.

#452-015-028AF Small Anti-Walk Pins 2E08Z00 \$ 9.95

#452-015-029AF Large Anti-Walk Pins 2E08Z00 \$ 9.95

BROWNELLS E-CLIPS FOR OLD MODEL ANTI-WALK PIN - Replacement steel E-Clips for old model J.P. Enterprises Anti-Walk Pins. Clips keep pin in frame. Sold in paks of four.

SPECS: Steel, black. Sold in paks of 4. Fit old model J.P. Anti-Walk Pins only.

#080-000-320AF E-Clip For Anti-Walk Pin, (4), 8K00T90 \$ 2.99

J.P. ENTERPRISES AR-15/AR-10/SR-25 REAR TENSIONING PIN

Removes Upper/Lower Slop
For Increased Accuracy

Takes out the play between upper and lower AR-15 receivers: provides a rock-solid lockup for more consistent accuracy and improved trigger pull. Thread-adjustable, all stainless steel pin installs quickly, replaces the push pin and will not alter or enlarge existing hole dimensions. **USA**

SPECS: Stainless steel. **AR-15** - .250" (6.3mm) nominal diameter. Fits receivers with .250" diameter receiver takedown pin holes, only. **AR-10/SR-25** - .281" (7.1mm) nominal diameter. Fits .281" receiver takedown pin holes, only.

#452-015-105AF AR-15 Rear Tension Pin 2E28Z00 \$ 34.95

#452-015-106AF AR-10/SR-25 Rear Tensioning Pin, 2E32A00 \$ 39.95

DPMS AR-15/M16 ACCESSORIES

COLT PUSH PIN - Makes takedown faster. Hardened-aluminum pin with ball detent replaces the two-piece, threaded pin found on all civilian Colt AR-15's.

SPECS: Aluminum, black, hard-coat anodized. 1.4" (3.5cm) long. **Old** - .315" nominal (8mm) diameter. **New** - .250" (6.3mm) diameter.

#231-015-011AF Old Colt Push Pin 3B04T00 \$ 6.00

#231-015-013AF New Colt Push Pin 3B05T33 \$ 7.00

RECEIVER ADAPTER - Use this off-set bushing and pivot-pin screw to adapt pre-ban and current after-market, upper receivers that accept the .250" dia. pivot pin to Colt Sporter lower receivers that take the larger (.315" dia.) pivot pin. Installation requires no alterations to either unit. **Measure your pivot pin before ordering.**

SPECS: Steel, blued.

#231-015-016AF AR-15 Receiver Adapter 1C05T17 \$ 7.40

PIVOT-PIN ADAPTER BUSHING - Eccentric, steel bushing fits tightly inside .315" upper-receiver, pivot-pin holes reducing the internal diameter to correspond with .250" lowers. Matches the military finish of your gun. Measure your pivot pin before ordering.

SPECS: Steel, parkerized. .380" (9.6mm) OAL.

#231-000-181AF Pivot-Pin Adapt Bushing 1C02U50 \$ 3.12

KNS PRECISION AR-15/M16

PUSH-BUTTON RECEIVER PINS

Quick-Release For Fast Takedown Without Tools; Pivot Pin Available With Swivel Stud



Steel, push-button pins give a positive lock that quickly release with finger pressure for easy access to the inside of your AR-15's upper and lower receivers. Three, spring-loaded detent balls hold pins in place and prevent wear or binding in the pivot hole or receiver hole when removed.

Pivot Pin replaces the factory front pivot pin and is available for receivers drilled for .315" or .250" pivot pins. **Swivel Stud Pivot Pin** has a convenient sling swivel stud on one side for easy sling mounting close to your weapon's point of balance on the left side of the receiver. Detent balls lock into the base of the stud, yet leave it free to rotate a full 360°. **Takedown Pin** replaces the rear, factory takedown pin to eliminate the need for a punch or other tools to disengage the pin. **USA**

SPECS: Steel, black oxide finish. **Pivot Pin** - Available for receivers with .250" or .315" diameter pivot pin. **Swivel Stud Pivot Pin** fits receiver with .250" diameter pivot pin. **Takedown Pin** - Fits receivers with .250" diameter takedown pin.

#923-000-039AF .315" P-B Pivot Pin 3B13A70 \$ 16.99

#923-000-042AF .250" P-B Pivot Pin 3B13A33 \$ 16.67

#923-000-045AF .250" P-B Swivel Stud Pivot Pin, 3B16A89 \$ 20.99

#923-000-044AF .250" P-B Takedown Pin 3B14A29 \$ 16.99

YANKEE HILL MACHINE AR-15/M16

EZ PULL PIVOT & TAKEDOWN PIN SET

Easy, Fast Separation
Of Upper & Lower Receiver Halves

Oversized heads make separating upper and lower receiver halves fast and easy. Simply grasp the large, button-style head and disengage the pin—no fumbling for a punch and scratching the receiver. Pin shafts are designed to lock as securely as factory pins. Perfect for the shooter who mounts different top ends for different applications on a single lower receiver. Heat-hardened steel with long-wearing mil-spec Parkerized finish. **USA**

SPECS: Steel, matte black finish. Set of 1 front pivot pin, 1 rear takedown pin. Fits receivers with .250" (6.3mm) diameter pivot and takedown pins.

#100-003-690AF Takedown Pin Set 9A14D99 \$ 19.99



BROWNELLS AR-15/M16 ACCU-WEDGE

Drop-In Accuracy Fix; Stops Unwanted
Movement Between Receiver Halves

One of the fastest, easiest, cheapest accuracy-improvements you'll ever find for your AR!

Tough, high-density synthetic rubber wedge drops into the space behind the takedown pin in the lower receiver to provide tension between the receiver halves and prevent movement for improved accuracy. Takes the "loose gun" factor out of the equation, so you shoot tight, consistent groups. Can be trimmed to accommodate any variation in upper-to-lower receiver fit. **USA**

SPECS: Synthetic rubber. 3/4" (1.9cm) high, 1/2" (1.3cm) diameter.

#080-000-663AF Brownells ACCU-Wedge 8K03V94 \$ 4.99

Z-MWEAPONS AR-15/M16 ACCU-WEDGE

Instantly Tightens
Loose Upper & Lower Receivers

Helps promote better accuracy by making the upper and lower receiver fit tighter. Open upper receiver; drop this long-wearing, rubber wedge into the rear of the lower, behind the push pin. Absolutely no modifications required. **USA**

SPECS: High-density, thermo-plastic rubber, 1/2" (12.5mm) long.

#993-150-100AF ACCU-Wedge 3Z04V33 \$ 4.99

- 3 or More - ACCU-Wedge, per each 3Z03V50 \$ 4.95

BROWNELLS AR-15 EXTRACTOR BUFFER

Stronger Base For Eliminating
Extractor Bounce

Tough, dense rubber insert replaces factory buffer inside the extractor spring to prevent "extractor bounce" that can occur in rapid-fire conditions. Insert keeps the extractor from losing contact with casings and reducing faulty ejection of the spent casing. Sold in 10-paks. **USA**

SPECS: Rubber, black. .15" (3.8mm) long, .11" (2.8mm) dia. 10-paks.

#078-000-071AF Extractor Buffers, 10-pak 2D10U71 \$ 13.40

MGI MILITARY AR-15/M16 D-FENDER D-RING

Drop-On Installation Gives
A Lifetime Of Improved Extraction

Firm, rubber, D-shaped ring surrounds the extractor spring to multiply extractor spring tension by 400%. Easy installation prevents virtually all extraction problems associated with AR-15 and M16 firearms.

SPECS: Rubber, black. .068" (1.7mm) thick.

#741-015-003AF D-Fender D-Ring 1D11B94 \$ 15.99

JOJO'S GUNWORKS AR-15/M16

BOLT UPGRADE KIT

For Smoother
Bolt Operation & Improved
Extraction

High-quality, drop-in replacement parts upgrade

critical bolt components to improve extraction and ejection for more reliable bolt operation. High-lubricity nickel-Teflon finish reduces wear, repels fouling, and enhances smoothness of operation, plus it resists corrosion and cleans easily. All parts, including the precision machined extractor, are manufactured to original Colt specifications to fit mil-spec bolts. Kit includes replacement extractor, extractor pin, extractor spring assembly, ejector, ejector spring, and ejector pin. **USA**

SPECS: Stainless steel, nickel-Teflon finish.

#100-003-219AF Bolt Upgrade Kit 1B24V32 \$ 29.99

BUFFERTECHNOLOGIES AR-15/M16 EXTRACTOR UPGRADE KIT

Increased Extraction Force
For More Reliable Function,
Fewer Jams



Drop-in replacement kit for factory extractor spring assembly helps ensure more positive, dependable extraction to improve the reliability of your rifle. Stiffer springs, plus an extra rubber doughnut that slips over the coil spring, increase extraction force to four times the factory rating. Helps reduce jams caused by weak spring pressure that allows the extractor to slip off the rim and leave a spent shell in the chamber. Especially effective in short-barreled carbines like Colt M4 Commando, DPMS Panther Kitty Kat, and HK416. A simple, inexpensive solution for many extraction problems.

SPECS: Spring steel and synthetic rubber. Fits AR-15/M16/M4, AR-18/AR-180, Bushmaster M-17 Bullpup, Daewoo 5.56 & 7.62 x 39, DPMS Kitty Kat, HK416, and Steyr Aug.

#071-000-043AF AR-15 Extractor Upgrade Kit, 1G09D06 \$ 12.99

BROWNELLS CAR-15 RECEIVER END PLATE

Maintains Proper Alignment
Of Stock & Buffer Tube

M4-style receiver plate includes the engagement tab required to align the buttstock and buffer tube with the lower receiver on carbine models. Precision, fineblanking process ensures precise edges and superior flatness for correct fit and solid installation. **USA**

SPECS: Steel, black oxide finish.

#080-000-290AF CAR-15 Receiver End Plate, 8K04H07 \$ 4.99



DPMS AR-STYLE .308 LOWER RECEIVER PARTS KIT



Full Set Of Internal Parts Needed
To Complete A Stripped Lower Receiver

All the internal parts you need to turn a stripped LR-308 series lower receiver into a fully functional bottom half, ready for assembly to the upper receiver and buttstock. Or, use to rebuild the worn internals of an old rifle and restore it to like-new function and reliability. Eliminates the hassle of scrounging up the parts one by one, plus single-manufacturer source means the kit parts are designed to work together and will require minimal fitting. Kit includes the complete fire-control system with trigger, trigger spring, disconnect, .153" diameter hammer/trigger retaining pins, hammer spring, and extra-weight hammer for positive ignition of .308 ammo. Also includes polymer A2-style pistol grip, bolt stop, bolt stop screw, selector, selector detent, bolt catch, magazine catch, magazine release button, front pivot pin, rear takedown pin, buffer retainer, and all necessary pins, springs, detents, and screws.

SPECS: Steel, matte black finish. Grip - injection-molded polymer, black. Fits DPMS LR-308 series lower receivers and compatible .308/762mm lowers, including Remington and Patriot Ordnance.

#231-000-250AF Lower Receiver Parts Kit, 1C59Y93 \$ 85.99

BUSHMASTER AR-15 LOWER RECEIVER PARTS KIT



All The Internal Parts Needed To Complete A Smooth-Functioning, Reliable Lower

Complete kit of all the internal parts, plus the pistol grip, allows you to build or refurbish on the small-pin lower of your choice. Unified set of components designed to work together helps ensure proper fit and smooth operation. Engagement surfaces on trigger and hammer are precision ground to give you a crisp letoff without sacrificing reliability. Pistol grip is injection molded from high-impact polymer and offers the streamlined contours of a standard A2-style grip, with a ledge for the second finger, molded in checkering, and deep grooves on the backstrap for improved control under recoil. Separate triggerguard molded from the same high-density polymer is included. ■

SPECS: Steel, blued finish on metal parts; injection-molded polymer, black grip. Includes trigger, hammer, disconnect, safety selector lever, bolt catch, magazine catch, magazine button, pistol grip, front and rear pivot pins, and all necessary pins, detents, and springs.

#100-003-639AF Lower Rec'r Parts Kit 9B00PUA . . . \$ 69.99

BROWNELLS AR-15/M16 BOLT/CARRIER COMPLETION KIT



Critical Parts Needed To Assemble Bolt & Bolt Carrier For Installation In Receiver

Convenient kit contains the components you need to complete an AR-15 bolt and bolt carrier for installation in the rifle. Perfect for custom builds where bolt and carrier are obtained from different sources, and you need a firing pin, cam pin, and firing pin retaining pin to complete the assembly. Also a good idea to replace these critical parts when refurbishing existing rifles to help ensure reliability. Manufactured from high-quality steels, hardened as necessary, to mil-spec tolerances, and ready for installation. Installation instructions included. ■

SPECS: Firing Pin - Steel, chrome finish. Cam Pin & Retaining Pin - Steel, black oxide finish. Kit contains firing pin, firing pin retaining pin, cam pin, and instructions. Fits Colt-manufactured bolt carriers and clones.

#080-000-552AF Bolt/Car'r Completion Kit 8K27A80 . . . \$ 36.99

DPMS AR-15 FIRING PIN & RETAINER

OEM Quality
For Long Life



FIRING PIN - Quality-made, original-style, chrome pin. Perfect for replacement of worn or damaged pins; great for building new rifles. Small collar fits all carriers.

SPECS: Steel, chrome. Fits AR-15 and M16.

#231-000-005AF AR-15 Firing Pin 3B06D09 . . . \$ 9.99

EARLY-STYLE FIRING PIN RETAINER

- Has the strength and appearance of the original machined, solid steel pin used on the first AR-15's. Heat treated for additional strength and greater resistance to bending.

SPECS: Steel, silver, hard chrome finish. Fits AR-15 and M16.

#231-000-029AF Early-Style Firing Pin Retainer, 3B03Z75 . . . \$ 6.99

DPMS AR-15 PARTS KITS

Sub-Assembly,
Mil-Spec Parts
Packaged In
Money-Saving Kits



The easiest way to stock and sell genuine, mil-spec AR-15 parts, or use to assemble rifles on your receivers. Much lower in total cost than buying the parts one at a time. All kits listed contain only new, current-production, genuine, mil-spec parts; never pull-offs or direct-exchange surplus.

SPECS: Unassembled kits packaged in heat-sealed, poly bags, labeled for resale. Fits AR-15 only.

BOLT CARRIER ASSEMBLY - Kit includes: bolt carrier, bolt, extractor, extractor spring, extractor pin, ejector, ejector spring, ejector pin, (3) gas rings, firing pin, firing pin retainer, cam pin, gas key and screws.

#231-000-176AF Bolt Carrier Assembly, 1C121P98 . . . \$ 150.99

A2 UPPER RECEIVER PARTS KIT - Kit includes: charging handle assembly, A2 rear sight assembly, forward assist assembly, and ejection port cover assembly.

#231-115-002AF Upper Receiver Kit, 1C51T70 . . . \$ 68.99

LOWER RECEIVER PARTS KIT - Kit includes: trigger, trigger spring, trigger pin, hammer, hammer spring, hammer pin, disconnect and spring, bolt catch, b/c plunger, b/c spring, b/c roll pin, selector, selector detent, selector detent spring, (2) takedown detents and springs, pivot pin, rear takedown pin, buffer retainer and spring, magazine catch, button and spring, A2 pistol grip, screw and washer, triggerguard assembly and pin.

#231-115-003AF Lower Parts Kit 1C54T73 . . . \$ 64.99

BUTTSTOCK ASSEMBLY - Kit includes buttstock shell, door assembly, buttplate, hinge and pin, rear swivel, lower buttstock screw, upper buttstock screw, aluminum buttstock spacer, extension tube, buffer, and buffer spring.

#231-115-004AF Buttstock Assembly 1C67T07 . . . \$ 89.99

DPMS AR-15 ULTIMATE REPAIR KIT



Replace Worn Parts,
Restore Lost Performance

Thirty six of the most often needed parts to replace those broken, lost or just worn out. Restore performance and function, keeps rifle operational.

SPECS: Kit contains: (1) firing pin, (1) extractor, (1) disconnect, (1) disconnect spring, (3) firing pin

retainer pins, (1) extractor pin, (1) ejector, (1) ejector roll pin, (3) bolt gas rings, (1) rear takedown pin .250", (1) front pivot pin .250", (2) trigger pins, (1) takedown detent, (2) selector detents, (1) gas tube roll pin, (1) triggerguard pin, (1) bolt catch roll pin, (1) forward assist pin, (1) rear base spring pin, (1) extractor spring, (1) front sight spring, (1) forward assist spring, (1) magazine catch spring, (1) buffer retainer spring, (2) detent springs, (1) selector spring, (1) hammer spring, (1) bolt catch spring, (1) ejector spring.

#231-000-026AF Ultimate Repair Kit 1C44Z96 . . . \$ 59.99

J. DEWEY AR-15/M16

MIL-SPEC PARTS

Genuine Mil-Spec Individual Parts
Ensure Correct Fit

Genuine AR-15/M16 parts made to military specifications by a government contractor to ensure proper fit. These often-replaced parts are supplied in individual bags. Use for new builds, rebuilds, or repairs. ■

SPECS: Gas tubes, stainless steel. Pins, steel. Knobs, aluminum.



DPMS AR-15 SPRING, PIN & REPAIR KITS

Genuine Mil-Spec Parts
On Convenient Blister Pak Cards



Absolutely the easiest way to keep genuine Mil-spec AR-15 replacement parts in your shop and available for your customers. A complete selection of springs, pins and parts, ready to hang on a wall or display rack for easy sales.

SPECS: Steel and spring steel. Matte finish.

AR-15 PIN KIT - Contains one each of the following pins: pivot pin, takedown pin (not mil-spec), hammer/trigger pin, bolt catch pin, forward assist pin, triggerguard pin, gas tube roll pin, extractor pin, ejector pin, firing pin retaining pin, A2 sight roll pins (3), takedown/selector detents (2).

#231-015-001AF AR-15 Pin Kit 1C12Y50 . . . \$ 19.99


AR-15 SPRING KIT - Contains one each of the following springs: trigger spring, hammer spring, ejector spring, extractor spring, bolt catch spring, disconnect spring, selector spring, takedown spring (2), mag catch spring, front sight spring, ejection cover spring, forward assist spring.

#231-015-002AF AR-15 Spring Kit 1C09Y22 . . . \$ 14.99

AR-15 REPAIR KIT - Contains one each: hammer spring, trigger spring, extractor, extractor return spring, firing pin, ejector pin, ejector, firing pin retaining pin, disconnect spring.

#231-015-003AF AR-15 Repair Kit 1C23Y85 . . . \$ 29.99

BROWNELLS AR-15 FIELD PARTS KIT



Essential Parts
For Emergency
Repairs

Don't let a broken part spoil your hunt or ruin an important match. Convenient,

pre-packaged kit contains selected DPMS and Yellow Tavern Custom Shoppe parts most often required for emergency field repairs. Contains: (1) pivot pin, (1) pivot pin spring, (3) bolt gas rings, (2) bolt catch pins, (1) bolt catch spring, (1) buffer retainer pin, (1) buffer retainer spring, (1) buffer spring (CAR), (1) buffer spring (STD), (1) carrier key screw, (2) disconnect springs, (1) ejector, (2) ejector pins, (1) ejector spring, (1) ejection port cover spring, (1) extractor, (1) extractor spring, (1) extractor pin, (1) firing pin, (3) firing pin retaining pins, (1) flash suppressor lock washer, (2) forward assist pins, (1) forward assist spring, (1) front sling swivel rivet (black), (1) front sight detent spring, (2) gas tube roll pins, (1) hammer/trigger pin, (2) hammer springs, (1) handguard retainer ring, (1) mag catch spring, (1) pistol grip star washer, (1) pistol grip screw, (2) trigger springs, (1) takedown pin (not mil-spec), (1) takedown pin spring, (2) takedown/selector detents, (2) triggerguard pins, (1) A-1 sight drum pin, (1) A-1 sight drum spring and (4) A2 windage knob pins. ■

SPECS: Parkerized finish. Take down pins - .250" diameter.

#078-060-015AF AR-15 Field Repair Kit, 8G52T55 . . . \$ 70.99

BrownellsBusinessAdvantage.com

STOCK #	ITEM	PRICE
#234-901-020AF	Long Gas Tube (20" bbl)	4C07Z70 \$ 9.99
#234-901-016AF	Short Gas Tube (16" bbl)	4C07Z43 \$ 10.00
#234-902-100AF	Take Down Pin	4C03Z00 \$ 5.00
#234-902-250AF	Pivot Pin (.250" dia.)	4C03Z00 \$ 5.00
#234-902-101AF	Bolt Cam Pin	4C03Z00 \$ 5.00
#234-903-102AF	Elevation Knob (A2 rear)	4C03Z00 \$ 5.00
#234-903-202AF	Windage Knob (A2 rear)	4C03Z00 \$ 5.00

COLT M16/M4 FULL-AUTO PARTS

Factory Replacement Parts
For Military &
Law Enforcement
Applications



Factory original, fire control parts keep your select-fire Colt M16/M4 shooting reliably, so you'll be prepared

to face intensive tactical operations with the confidence of knowing your weapon won't let you down. These parts are precision engineered and manufactured to strict quality control standards from the finest materials for correct fit in your gun. All NFA rules apply.

SPECS: Steel. Matte black finish.

#160-000-370AF Auto Sear Assembly, A2, 6A11C87 . . . \$ 14.84

#160-000-366AF Cam, Burst, A2 6A14C45 . . . 18.07

#160-000-367AF Clutch Spring, A2 6A03C28 . . . 4.10

#160-000-373AF Disconnect, Full Auto, A1, 6A10C48 . . . 13.10

#160-000-375AF Disconnect Spring 6A02H80 . . . 4.99

#160-000-365AF Hammer, A2, w/Detent Spring, 6A52C45 . . . 65.56

#160-000-372AF Hammer, Full Auto, A1 6A44C60 . . . 55.75

#160-305-103AF Hammer Spring 6A03H58 . . . 4.48

#160-000-368AF Hammer Spring, 3-Shot Burst, A2, 6A02C22 . . . 2.78

#160-000-371AF Key & Bolt Carrier, A2, 6A228C40 . . . 285.50

#160-000-369AF Trigger & Disconnect Spring Assy, A2, 6A20C00 . . . 25.00

#160-000-374AF Trigger, Full Auto, A1 6A37C45 . . . 46.81

DPMS FULL-AUTO & BURST PARTS



Maintain & Repair
Select Fire Rifles

High-quality, M16/M4 components from DPMS keep select fire weapons shooting longer and give you the confidence you need to get the job done in all tactical situations.

All parts are precision engineered and made to rigid quality standards to ensure excellence and long-lasting strength when failure is not an option.

All NFA rules apply.

SPECS: Steel, Black, Heat-treated, hardened, or alloy steel.

#231-000-209AF Bolt Carrier w/Bolt Assembly, 1C117V39 . . . \$ 144.99

#231-000-210AF Bolt Carrier 1C56V16 . . . 69.99

#231-000-211AF Full Auto Disconnect, M16, 1C04V53 . . . 5.66

#231-000-212AF Full Auto Firing Pin, M16, 1C04V79 . . . 4.99

#231-000-213AF Full Auto Mil-Spec Hammer, 1C17V84 . . . 22.30

#231-000-214AF Full Auto Selector, M16, 1C08V47 . . . 10.58

#231-000-133AF Full Auto Trigger 3B13Y47 . . . 34.99

#231-000-216AF LR-AS1 Auto Sear, M16, 3B10V24 . . . 12.80

#231-000-217AF LR-AS2 Auto Sear Pin, M16, 3B01V67 . . . 2.08

#231-000-218AF Tri Burst Kit 3B56V22 . . . 69.99

#231-000-220AF Burst Cam 3B08V25 . . . 12.69

#231-000-221AF Burst Disconnect 3B07V08 . . . 10.89

#231-000-222AF Burst Disconnect 3B14V62 . . . 18.27

#231-000-224AF Burst Hammer Spring 3B03X50 . . . 4.38

#231-000-225AF Burst Trigger 3B18X57 . . . 23.21

#231-000-226AF Burst Trigger Spring 3B03X60 . . . 4.50

#231-000-106AF Burst Disconnect Spring, 2 ea., 3B01X26 . . . 1.57

#231-000-228AF Burst Cam Spring 3B02X22 . . . 2.78

HIGH STANDARD AR-15/M16 PARTS KITS

High-Quality, Correct-Spec Parts Finished & Ready To Install

High-quality, mil-spec parts from a respected name in precision firearms for more than 75 years, now a premier maker of complete AR-15 rifles. Replace worn or damaged parts to return a service rifle to factory specs or use in building a precision custom rifle that meets your exact requirements. Complete, pre-packaged kits include all the parts you need for specific sub-assemblies. Saves time and money—no need to hunt down each item individually.

SPECS: Steel, parkerized, dark gray finish; aluminum, hardcoat anodized, matte black finish; or spring steel.

BOLT/CARRIER - Includes carrier, carrier key, bolt, extractor, extractor spring, extractor pin, ejector, ejector spring, ejector pin, firing pin, firing pin retainer, cam pin, (3) gas rings, and screws.
#430-000-527AF Bolt/Carrier Assembly, 3D148T09 \$ 179.99

A2 UPPER RECEIVER KIT - Includes A2 rear sight kit, forward assist assembly, and ejection port cover, described in detail below.
#430-000-520AF Upper Receiver Kit 3D84T79 \$ 105.99

A2 REAR SIGHT - Includes sight base, windage knob, windage knob pin, windage screw, sight aperture, sight spring, elevation wheel, elevation knob, elevation spring, index screw, forward assist retainer pin, (3) detent balls, and (3) index springs.
#430-000-526AF A2 Rear Sight Kit 3D48T67 \$ 60.84

CHARGING HANDLE - Includes handle, latch, latch/pawl pin, and spring.
#430-000-522AF Charging Handle Assembly, 3D20T56 \$ 22.99

FORWARD ASSIST - Includes plunger, forward assist pawl, spring, and retainer pin.
#430-000-524AF Forward Assist Assembly, 3D13T90 \$ 17.38

EJECTION PORT COVER - Includes cover, hinge pin, spring, and snap ring.
#430-000-523AF Ejection Port Cover 3D10T80 \$ 13.99

A2 BUTTSTOCK - Includes buffer, buffer spring, and buttstock shell with buffer tube, buttplate, storage compartment door, hinge and pin, rear swivel, lower buttstock screw, upper buttstock screw, and spacer installed.
#430-000-521AF A2 Buttstock Assembly 3D77T53 \$ 95.99

FRONT SIGHT KIT - Includes sight post, sight detent, detent spring, sling swivel, swivel rivet, and gas tube roll pin.
#430-000-525AF Front Sight Kit, 3D09T60 \$ 12.00

LOWER RECEIVER KIT - Includes all the parts needed to complete a stripped, small-pin, semi-auto lower receiver in a custom build, or replace worn parts to return a service rifle to factory specs. Manufactured to precise tolerances in accordance with MIL-STD 105D to ensure correct fit in mil-spec receiver. Includes complete trigger/hammer group with precision-ground engagement surfaces for a smooth, clean trigger pull and crisp release. Aluminum trigger guard with pre-installed detent pin, and A2-style pistol grip of high-impact polymer.

SPECS: Steel, matte black finish. Grip - injection-molded polymer, black. Trigger guard - aluminum, anodized, matte black. Kit includes trigger, hammer, disconnect, safety selector lever, bolt catch, magazine catch, magazine button, pistol grip, front pivot pin, rear takedown pin, buffer retainer, .154" diameter hammer and trigger pins, plus all other necessary pins, detents, and springs.

#430-000-543AF Lower Receiver Parts Kit, 3D77P43 \$ 89.99

TTI INTERNATIONAL AR-15/M16

MIL-SPEC SMALL PARTS

Replacement Pins, Springs & Rings Keep Your AR Shooting



Genuine, Mil-spec quality small pins, springs, washers and screws for the AR-15/M16 that wear out, break, or just get lost. Great for creating your own emergency parts kits. **USA**

SPECS: Springs - steel, music wire or stainless steel wire. Parts sold 5 per pack.

STOCK #	ITEM	PRICE
#989-015-001AF	A-1 Sight Drum Pin	9H01T01 \$ 1.99
#989-015-002AF	A-1 Sight Drum Spring	9H01U28 \$ 1.99
#989-015-003AF	A-2 Windage Knob Pin	9H01U43 \$ 1.99
#989-015-004AF	Bolt Catch Pin	9H01A60 \$ 1.99
#989-015-005AF	Bolt Catch Spring	9H01V28 \$ 1.99
#989-015-006AF	5 paks of (3) Bolt Gas Rings	9H06V02 \$ 7.99
#989-015-007AF	Buffer Retainer Spring	9H01B28 \$ 1.99
#989-015-008AF	CAR Buffer Spring	9H11B97 \$ 14.99
#989-015-009AF	STD Buffer Spring	9H11B97 \$ 14.99
#989-015-010AF	Carrier Key Screw	9H01X01 \$ 1.99
#989-015-011AF	Disconnect Spring	9H02X00 \$ 2.99
#989-015-012AF	Ejection Port Cover Spring	9H02X38 \$ 2.99
#989-015-013AF	Ejector Retainer Pin	9H01X28 \$ 1.99
#989-015-014AF	Firing Pin Retainer Pin	9H02C00 \$ 2.99
#989-015-015AF	Flash Suprsr Lock Washer	9H01C28 \$ 1.99
#989-015-016AF	Forward Assist Pin	9H01C60 \$ 1.99
#989-015-017AF	Forward Assist Spring	9H01C37 \$ 1.99
#989-015-018AF	Front Sling Swivel Rivet, Black	9H01C01 \$ 1.99
#989-015-019AF	Front Sight Detent Spring	9H01C28 \$ 1.99
#989-015-020AF	Gas Tube Pin	9H01P01 \$ 1.99
#989-015-021AF	Hammer Spring	9H04P72 \$ 5.99
#989-015-022AF	Mag Catch Spring	9H01P28 \$ 1.99
#989-015-023AF	Pivot Pin Spring	9H01P47 \$ 1.99
#989-015-024AF	Takedown Pin Spring	9H01U47 \$ 1.99
#989-015-025AF	Snap Ring	9H03U91 \$ 4.99
#989-015-026AF	Trigger Spring	9H04U72 \$ 5.99
#989-015-027AF	Triggerguard Pin	9H01A60 \$ 1.99
#989-015-028AF	Pistol Grip Star Washer	9H01A01 \$ 1.99
#989-015-029AF	Pistol Grip Screw	9H02A03 \$ 2.99

MIL-SPEC SMALL PART KIT - One each of every AR-15 part listed in the chart above. With one of these economical kits on hand you'll always have the part you need.

#989-015-000AF Small Parts Kit 8K15T92 \$ 19.99

BROWNELLS AR-15/M16 STOCK COMPLETION KITS

For Secure Installation Of Almost Any Rifle Or Carbine Buttstock



Convenient kit contains all the components needed to mount the buttstock of your choice on an AR-15 rifle or carbine. Perfect for stock conversions such as altering a rifle to accept a collapsible carbine stock. All parts are manufactured from the highest quality materials and held to strict dimensional tolerances for proper fit and function. Kits available for the four standard buttstock types. **A1** rifle kit contains receiver extension tube, recoil buffer, recoil buffer spring, and buttstock cap screw. **A2** rifle kit adds to A1 kit contents the correct buttstock spacer required for A2 rifle stocks. Carbine kits contain receiver extension, carbine recoil spring, carbine recoil buffer, lock ring, and receiver plate. **Commercial** carbine kit comes with 1.17" O.D., six-position receiver extension for use with commercial or "universal" buttstocks. **Mil-Spec** kit has a 1.14" O.D., five-position receiver extension for correct fit of military M4 carbine buttstocks. M4

ADVANCED TECHNOLOGY AR-15/M16 STRIKEFORCE STOCK & PISTOL GRIP



Rugged, Adjustable Length Buttstock & Pistol Grip For All Tactical Ops

Six position, length adjustable stock lets you determine length of pull and benefit from a shorter overall length when needed. High strength, glass-filled nylon composite stock features a rubber buttpad with a slight negative angle for fast shouldering, especially when wearing body armor. Combat proven design includes an easy-to-operate, spring-loaded release lever for lightening quick adjustments. Cheekrest is adjustable 3/8" up to provide correct eye alignment with optics for fast target acquisition. When in the full-down position, provides a very comfortable, streamlined stock that works perfectly with iron sights. Includes standard swivel base stud. Installation requires receiver extension, locknut and end plate, recoil spring and buffer. Included, hollow core, composite pistol grip fills the contours of your hand for improved weapon control in all types of shooting scenarios. Features equally proportioned finger grooves to allow both right- and left-handed operators to shoot with confidence. Pebble textured surface provides a non-slip grasp, even when wet. **USA**

SPECS: Glass-filled nylon, matte black. 7 1/2" (19cm) long. 3 7/8" (9.8cm) maximum extension. 10.3 oz. (292g) weight. Pistol Grip - 4 1/4" (10.8cm) long x 1 1/8" (3.5cm) wide. 4.3 oz. (122g) weight. Installation requires receiver extension, locknut and end plate, recoil buffer and spring. Includes instructions.

#019-000-022AF Strikeforce Stk. & Grip 9A54T95 . . . \$ 69.95

BROWNELLS AR-15/M16/M4 COLLAPSIBLE BUTTSTOCK

Collapsible buttstock similar to the current USGI M4 carbine stock provides convenient six-position length-of-pull adjustment to fit different-size shooters, including those wearing body armor. Ready to install on any standard AR-15 rifle or carbine lower receiver; includes 1.17" diameter commercial buffer tube, receiver lock plate, lock nut, toe-mounted steel sling loop, carbine recoil spring and buffer. Convert a fixed-stock, flattop rifle to M4 carbine configuration without permanent alterations to gun. Buttstock made from extremely tough, fiberglass-reinforced, injection-molded nylon that resists impact, heat, moisture, extreme cold, and most cleaning solvents. Stock interior diameter is matched to buffer tube O.D. for a snug fit that eliminates unwanted play and rattle that can give away your position. Steel lock nut has four square notches and pre-cut detents for staking to lock plate. Aluminum receiver extension is hardcoat anodized for extra strength, stands up to the punishment of harsh tactical operations. **USA**

SPECS: Aluminum and fiberglass-reinforced, injection-molded nylon, matte black. 8 3/4" (22.2cm) OAL collapsed; 11 3/4" (29.9cm) OAL fully extended.

#080-000-545AF Collapsible Buttstock 1Z66D32 . . . \$ 87.99

buttstocks and clones will not fit Commercial tubes. **USA**
SPECS: Receiver Extension & A2 Stock Spacer - Aluminum, anodized, matte black. Recoil Buffer - Aluminum and steel. Spring, Lock Ring, Receiver Plate - Steel. Kits fit standard, mil-spec AR-15/M16/M4 lower receiver and clones. Installation instructions included.

#080-000-553AF A1 Rifle Stock Completion Kit, 8K30A24 \$ 37.99

#080-000-554AF A2 Rifle Stock Completion Kit, 8K31A08 38.99

#080-000-556AF Commercial Adj. Carbine Stock Completion Kit 8K39A96 50.99

#080-000-555AF Mil-Spec Adj. Carbine Stock Completion Kit 8K54A67 65.99

CAVALRY ARMS AR-15/M16

BUTTSTOCK

Mil-Spec Quality, Durability & Appearance



Traditional-length Rifle Buttstocks feature an easy-to-open storage compartment for emergency field tools, parts, or a Brownells AR-15 Buttstock Cleaning Kit. Fits both A1 and A2. **SOCOM/M4 Carbine Buttstock** collapses to save space or accommodate shooters wearing body armor. Replacement only—fits existing carbine extension tubes. **USA**

SPECS: Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer. Rifle Buttstock - 9 5/8" (23.8cm) long, 5" (12.7cm) high at tallest point, 2 1/8" (5.4cm) high at shortest point, 1 5/8" (4.1cm) wide. **SOCOM/M4 Carbine Buttstock** - 6 3/4" (17.1cm) long, 5 1/8" (13cm) high. Buttstock only, does NOT include extension tube.

#100-000-939AF Rifle Stock, Black 2K40V50 \$ 45.00

#100-000-940AF Rifle Stock, Green 2K40V50 45.00

#100-000-962AF Rifle Stock, Coyote 2K36B00 45.00

#100-000-943AF Carbine Stock, Black 2K36V00 45.00

#100-000-944AF Carbine Stock, Green 2K36V00 45.00

#100-000-964AF Carbine Stock, Coyote 2K36B00 45.00

COMMAND ARMS AR-15/M16 MODULAR BUTTSTOCK

Incorporates Battery Storage Plus Picatinny Accessory Rail



Six-position stock includes secure storage for up to four, CR123, 3-volt batteries in the snap-latch side compartment. Plus, the storage lid is interchangeable for either right- or left-side carry with a convenient Picatinny rail unit that accepts the Command Arms Rail Mounted Magazine Pouch. Kit comes with all the hardware, including the receiver extension and recoil buffer/spring assembly, necessary to convert your AR-15/M16 rifle to accept this stock. Made from long-lasting and durable fiber-filled plastic composite with rubber buttpad that features a negative angle for faster shouldering and increased comfort, especially when wearing body armor. Combat proven design includes an easy-to-operate release lever, lower sling swivel and dual position receptacles for push-button type sling swivels.

SPECS: Fiber-filled polymer composite, black. 7 1/2" (19cm) long, 11 oz. (313g) weight. Fits AR-15/M16/M4 or equivalent buffer tube guns. Includes buttstock, receiver extension, recoil buffer/spring assembly, receiver extension nut, and receiver plate.

#100-002-598AF M4 Modular Buttstock 2Z82Y70 . . . \$ 112.99

ADJUSTABLE CHEEK PIECE - Adjustable cheek piece installs on the accessory rail of your Command Arms Modular Buttstock to provide added cheek support and correct eye alignment with sights or optics for fast target acquisition. Easy installation and removal, just hold down the spring-loaded lever, slide the cheek piece onto the rail, then release the lever to lock the dual square pins into the rail grooves. Front-to-rear adjustable up to 1", friction lock knob allows up to 1/2" vertically adjustment. When in the full-down position, provides a very comfortable, streamlined stock that works perfectly with iron sights. Made from high-strength, lightweight, fiber-filled polymer composite.

SPECS: Fiber-filled polymer composite, black. 4 1/2" (12cm) long, 2 3/4" (7cm) wide, 2 5/8" (6.6cm) high. 3.5 oz. (100g) weight. Adjusts 1/2" vertically, 1" horizontally. Right hand only.

#100-003-331AF Adjustable Cheek Piece 2Z22V39 . . . \$ 30.59

RAIL MOUNTED MAGAZINE POUCH - Attaches instantly to any Picatinny accessory rail; provides fast and secure access to one additional .223 magazine for quick reloads when every second counts. A great add-on to the Command Arms Modular Butt Stock. Magazine body is held securely by molded internal ribbing or finger release tab. Convenient, spring-loaded thumb lever allows fast installation and removal of entire pouch assembly.

SPECS: Fiber-filled polymer composite, black. 3" (76cm) wide, 2 1/2" (6.3cm) high, 1 5/8" (4.1cm) thick including rail mount, 3 oz. (85g) wt.

#100-002-599AF Rail Mounted Mag Pouch 2Z13Y62 \$ 20.39

COMMAND ARMS AR-15/M16 SNIPER STOCK

Fully Adjustable
For The Precision Shooter

Fulfills the tactical marksman's requirements of a precision adjustable stock that delivers rapid target acquisition, minimal shooter fatigue during extended target observation, and maximum precision in shot placement. Push-button release, 10-position length adjustment system retains the rifle's fixed A2 buffer tube and allows a 4" range of adjustment to fit any size shooter/body armor combination. Selected position can then be locked with an Allen head screw for extra security. Wide cheek rest is continuously adjustable up to 1 1/4" for height to ensure a solid cheekweld, and offers 13 positions for eye relief to suit a wide range of optics. Deeply curved, vertically adjustable rubber buttplate seats securely in shoulder pocket without slippage, even during sustained shooting. Includes two ambidextrous attachment points for quick-release, push-button sling swivels. Injection molded polymer construction provides optimal combination of light weight and impact resistance, with molded in reinforcements at stress points for extra strength.

SPECS: Molded polymer, black. Overall length adjusts from 10 3/4" (27.3cm) to 14 3/4" (37.5cm). Comb height can be raised 1 1/8" (2.9cm). Fits AR-15/M16/SR-25 rifles with A2 fixed buffer tube. Buffer tube not included.

#100-003-140AF AR-15/M16 Sniper Stock, Z2184A62 \$ 234.99



DPMS AR-STYLE .308 BUTTSTOCKS

Fixed & Adjustable Models Ready To Install,
With Correct-Weight Buffer & Spring

Easy-to-install replacement buttstocks let you replace a stock that's seen better days or convert to a different style better suited to the kind of shooting you do. These are the same high-quality stocks DPMS Panther LR-308 rifles leave the factory with, and they'll also fit similar AR-style .308's including ArmaLite® AR-10®, Knight SR-25, and Patriot Ordnance Factory P-308. Both models come fully assembled and ready to install, with correct-weight buffer and buffer spring for proper cycling of weapons firing .308/7.62mm ammo.

A2-STYLE - Classic, fixed buttstock style originally developed for the U.S. military's M16A2 rifle has a lightweight yet rigid foam plastic core, with a durable outer shell of tough fiberglass-reinforced molded polymer. Polymer buttplate has aggressive diamond texturing and trapdoor with spring-loaded catch for easy access to internal storage compartment. Includes receiver extension tube, spacer, recoil buffer, buffer spring, and toe-mounted 1 1/4" sling loop.

SPECS: Fiberglass reinforced molded polymer over foam core, medium gray. 10 5/8" (27cm) O.A.L., 5" (12.7cm) high at buttplate. Fits DPMS Panther LR-308, ArmaLite® AR-10®, Knight SR-25, Patriot Ordnance Factory P-308, and similar AR-style .308 rifles.

#231-000-247AF A2-Style Fixed Buttstock 1C81Y95. \$ 104.95

PARDUS - Six-position, adjustable-length stock provides the advantages of the USGI M4 carbine stock, with added comfort and reliability enhancements. Four integral slots, plus a steel toe-mounted sling loop, provide a wide array of options for mounting 1 1/4" wide slings. A reinforced latch pin and ergonomically shaped latch ensure fast, positive length-of-pull adjustments. Curved integral buttplate with saw-tooth texturing aids secure, non-slip shoulder contact. Comb is wider than standard M4 stock to provide a more secure cheekweld. Constructed of incredibly strong, lightweight, impact-resistant molded DuPont Zytel® nylon resin reinforced with fiberglass.

DOUBLE STAR AR-15/M16 BOOMTUBE STOCK

Light & Strong For Fast Handling In Extreme Environments

Multiple sling points are but one of the many features that make these lightweight, aluminum stocks ideal for competition and tactical use. Supplied with an Uncle Mike's QD, 1.25" sling swivel and stud.

ARFX SKELETON STOCK - A lightweight, fast handling stock for sporting, tactical and competition use. Gives three sling attachment points. Uses your existing buffer tube as the top tube to keep weight to a minimum. Closed-cell, foam over-tube provides a soft, comfortable cheek weld, plus insulates your face from vibration and inclement weather. Over-tube is formulated to withstand cleaning solvents and gun oils, UV radiation, freezing temperatures, salt water and rough handling. Machined aluminum buttplate is drilled and tapped for rubber Butt Pad (included). Installation requires no modification to rifle.

SPECS: 6061-T6, heat-treated, aircraft grade aluminum, Type 3, mil. spec. hard-anodized, matte finish. 10" (25.4cm) long. 10.4 oz. (296 g) wt.

#100-000-809AF ARFX Skeleton Stock Z2G1B31 . . . \$ 89.99

#100-002-544AF ARFX Replacement Foam Sleeve, Z203H00 4.00

M4 SOCOM STOCK - Tactical M4 stock, for pre-ban rifles, features two full inches of adjustability to go from close quarters situations to fully extended in seconds. Quick-release button quickly switches the stock length to five different positions. Soft foam tube provides a soft, comfortable cheek weld. Also features four, silent, 1 1/2" sling mounts, a rubber recoil pad, and a machined-in hammer on the butt for breaching doors and hand-to-hand combat. Precision-machined from a solid, heat-treated, aluminum billet for superb durability and strength. Quick release button can be replaced with the included machine screw to convert it into a rock-solid, adjustable-length-of-pull stock. Available to fit Carbine or Long Extension Tube Model.

SPECS: 6061-T6 heat-treated, aircraft grade aluminum, Type 3, mil. spec. hard-anodized, matte finish. Includes 1/2" thick, rubber recoil pad and screws. Not approved by BATF for post-ban rifles.

Carbine - 7 1/2" (19cm) OAL collapsed, extends to 9 1/2" (24cm) OAL. 10 1/2" (27cm) L.O.P. collapsed, extends to 12 1/2" (32cm) L.O.P. Long Extension Tube Model - 10" (25.4cm) OAL collapsed, extends to 12" (30.1cm) OAL. 13 1/8" (33.5cm) L.O.P. collapsed, extends to 15 1/8" (39cm) L.O.P.

#100-001-173AF M4 SOCOM Carbine Stock, Z2177Y42 \$ 204.99

#100-001-174AF M4 SOCOM Long Ext. Tube Stock, Z2162Y76 224.99

#100-002-542AF M4 SOCOM Replacement Foam Sleeve, Z203H00 4.00

#100-002-543AF M4 SOCOM Replacement Foam Sleeve, Long Z203H00 4.00

RUBBER RECOIL PAD - Soft, rubber buttpad reduces felt recoil on all ARs fitted with the Ace ARFX stock. Contoured to fit your shoulder, provides a non-slip fit that improves comfort and control. Available in two models, 1/2" and 1" thick.

SPECS: Rubber, black. Aluminum backing plate. 4 5/8" (11.8cm) long, 1 1/8" (2.8cm) wide. Available in 1/2" (1.3cm) and 1" (2.5cm) thicknesses. Includes mounting screws.

#100-000-811AF 1/2" Recoil Pad Z208B00 \$ 12.00

#100-003-437AF 1" Recoil Pad Z209X00 12.95

Comes with a "commercial" 1.17" O.D. receiver extension tube.

SPECS: Fiberglass-reinforced molded Zytel nylon resin. 8 3/4" (20.1cm) fully retracted length, 10 1/2" (26.7cm) fully extended length, 4 5/8" (12.4cm) high at buttplate. Fits DPMS Panther LR-308, ArmaLite® AR-10®, Knight SR-25, Patriot Ordnance Factory P-308, and similar AR-style .308 rifles.

#231-000-248AF Pardus Adj. Buttstock 1C56Y03 . . . \$ 69.95

DOUBLE STAR CAR-15/M4 ADJUSTABLE BUTTSTOCK

Tough, Six Position Stock For All Tactical Situations

Six position, machined 7075-T6 tube and Nylon 66 buttstock with 33% more glass for strength provide a durable stock system built to meet the demands of the toughest tactical environments. Buttplate, adjustment latch, and latch nut are slightly radiused and contoured to reduce snagging on clothing or equipment. Extra material around the latch hole provides additional strength. Four flats on the buffer tube make it easier for sand and debris to fall out and not hinder stock adjustment. Furnished with buffer tube, recoil spring, receiver plate, rear sling swivel and lock-nut. Made in the USA.

SPECS: Aluminum tube, synthetic nylon stock, black. Length of pull: closed - 10 1/4" (26cm), extended - 13 3/8" (34.6cm).

#100-002-619AF M4 Adjustable Buttstock, Z268B70 \$ 89.99

DUOSTOCK DESIGNS CAR-15/M4 TACTICAL BUTTSTOCK

Specially Contoured
For Use With Body Armor

Patented design provides maximum comfort, speed, and freedom of movement for operators wearing body armor in CQC situations. Same topside contours as a standard M4 carbine stock allow the shooter to maintain a solid cheekweld when firing, but overall length is slightly shortened to maintain correct length of pull. The deeper, curved underside is angled so the lower tip rides comfortably on the upper chest or collarbone in a forward, high carry position near the dominant eye; keeps the sights and barrel close to the line of sight, ready to be engaged with minimal head movement. Forward carry also provides better armor protection than the traditional angled stance that leaves the vulnerable arm holes exposed to threats. Made of lightweight, glass reinforced composite polycarbonate specially formulated for maximum impact and heat resistance. Reinforced at stress points for added strength. Aggressive checkering on contact surfaces minimize slippage. Matte black finish accepts most paints, so you can customize the color of your Duostock to fit your tactical requirements. **Universal** fits all M4-type buffer tubes. Sand interior to fit oversized tubes. **Colt** model provides a snug fit without "play" on the narrower-diameter buffer tube of Mil-Spec M4 carbines.

SPECS: Impact-resistant polycarbonate, black. 6 1/4" (15.9 cm) OAL, 6 5/8" (17.5 cm) high. **Universal** fits M4/CAR-15 carbine buffer tubes. **Colt** fits Mil-Spec M4 tubes.

#100-002-540AF Universal Duostock, Z264H97 \$ 79.99

#100-002-541AF Mil-Spec Duostock, Z273H97 89.99

EGW AR-15/M16 WHITLEY SPACE STOCK

Adjusts For
Comfortable Fit

Loosen three screws for fast adjustment of length of pull, drop-at-heel, angle and comb height. Optional, adjustable counterweights fine-tune the balance point. Non-slip, rubber buttplate; includes buffer tube. Stock made in U.S.A.

SPECS: Machined aluminum, anodized, black, matte. Length of pull - 13" (33cm) to 14 1/4" (36.8cm), 3 1/2" (8.9cm) vertical adjustment. 41 oz. (1.2 kg) wt. Counter Weight - 3.6 oz. (102 g) wt.

#296-000-038AF Whitley Space Stock, 6B200P00 \$ 250.00

#296-000-050AF One Counter Weight, 6B04C00 5.00



KENSIGHT AR-15/M16 BACKUP 20 BUTTSTOCK

Rifle Buttstock With Internal
Storage For A Loaded
20-Round Magazine

Fixed, A2-style rifle buttstock is the "no-profile" way to carry a spare, straight-body 20-round magazine for emergency reloads. Pull the recessed release lever on the back of the buttplate, swing open the storage compartment door, and hit the button on the right-hand side of the stock to pop out the backup magazine. A window in the side of the stock gives you an instant visual check to see if a backup mag is inside. Guide slots inside the compartment ensure the mag can be inserted only the right way. Made from solid, reinforced molded fiberglass, with a non-reflective dark gray finish, black polymer buttplate, and a fixed, steel sling loop in the toe accepts 1 1/4" wide slings. Fits rifles with receiver extension for A2 buttstock; kit includes buttstock spacer and screw.

SPECS: Molded fiberglass, matte dark gray finish. 10 3/4" (27.3cm) OAL, 1 5/8" (4.1cm) wide across buttplate, 5 1/8" (12.8cm) high at highest point. 19 1/2 oz. (553g) weight. Fits receiver extension for fixed A2-style buttstock. Accepts straight-body 20-round magazines only.

#100-004-441AF Backup 20 Buttstock, 5A145X40 \$ 199.99

MAGPUL AR-15/M16/AR-STYLE .308 GENERATION II PRECISION RIFLE STOCK

Adjustable Length
Of Pull & Comb Height

Fully adjustable stock and comb for AR-15/M16/AR-Style .308 rifles readily adapts length of pull and comb height with two click-detent adjustment wheels. Drop-in installation on rifles with standard A1/A2 fixed buffer tubes without A2 spacer. Rubber buttplate seats securely onto your shoulder and won't slip during sustained shooting exercises. Fully-raised comb will not get in the way of charging handle operation. Removable base cover conceals an accessory rail to provide a mounting platform for a monopod. Removable sling loops can be mounted on either side of stock to accommodate your preferred carry position. **AR-15/M16** model available in Black, Dark Earth, and O.D. Green to provide a close match to rifles painted in military colors. Separate **AR-Style .308** model in black only.

SPECS: Molded polymer, black. **AR-15/M16** model also available in Dark Earth and O.D. Green. L.O.P. adjusts from 13 1/4" (33.6cm) to 14 1/2" (36.8cm). Comb height can be raised 1" (2.5cm). 1 lb. 12 oz. (.79kg) wt.

#100-002-457AF AR-15/M16 Precision Rifle Stock, Black, 3K212A50 \$ 255.99

#100-003-139AF AR-15/M16 Precision Rifle Stock, Dark Earth 3K212Z50 255.99

#100-003-138AF AR-15/M16 Precision Rifle Stock, O.D. Green 3K212Z50 255.99

#100-002-947AF AR-Style .308 Precision Rifle Stock, Black 3K212T50 255.99

Shop

brownells.com

NEW

MAGPUL AR-15/M16
ACS™ BUTTSTOCK

Drop-In Replacement
For M4 Stock With Storage
& Enhanced Comfort Features

Adaptable Carbine/Storage (ACS) stock is a drop-in replacement for standard USGI M4 collapsible stock that gives the tactical operator extra storage options, a secure, comfortable cheekweld, and an advanced dual-locking lever. Smooth, streamlined exterior contours prevent snagging on clothing, sling, or vegetation, and helps ensure fast exits from vehicles without snagging on gear. Removable battery storage compartments run the full length of the extra-wide comb and hold 2 AA or 3 CR-123 batteries, while providing a wide, contoured area for an exceptionally solid, comfortable cheekweld. Secure molded rubber caps keep water and dust out of compartments and face the rear of the stock for easy removal; cap exterior is beveled to resist snagging when shouldering weapon. Positive-locking trapdoor on right side of the stock reveals a roomy storage compartment for additional batteries, coiled up cleaning cable and other cleaning supplies, ear plugs, spare parts, or other small items. Magpul's dual locking system uses an additional cam lever to protect the release lever from accidental operation, yet still allows you to adjust length of pull by simply pushing on the release lever. Slot molded in the toe provides an attachment point for a 1 1/4" wide sling. Also includes the same detachable rubber buttpad found on Magpul CTR and UBR buttstocks to help keep stock firmly mounted on shoulder. Fits mil-spec 1.14" O.D. receiver extension tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks.

SPECS: Reinforced molded polymer, black. 7 5/8" (20cm) OAL, 5 1/4" (13.3cm) high. 13.6 oz. (385g) weight. Fits mil-spec 1.14" O.D. carbine receiver extension tubes.

#100-003-527AF Mil-Spec ACS Buttstck 3K112U46... \$134.99

MAGPUL CTR BUTTSTOCK

Locking System Eliminates "Play"

Features a friction locking mechanism that eliminates movement between the buffer tube and buttstock for a solid "feel" when mounting rifle to shoulder. Heavy duty, spring-loaded hand lever allows fast length-of-pull adjustments. Nylon polymer body provides maximum impact and heat resistance, with molded-in reinforcements at stress points. Accepts a variety of ambidextrous sling attachment options, including web slings and single-point, push-button sling mounts. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid cheekweld. Soft, rubber buttpad increases comfort and helps prevent slippage. Fits buffer tubes that accept both four- and six-position collapsible stocks. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. Available in Black, Dark Earth, and O.D. Green, so you can match the color of your stock to your tactical rifle's color scheme. **Mil-Spec** fits smaller 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec carbines. **Commercial** fits larger diameter 1.17" O.D. commercial buffer tubes. **Replacement Buttpad** - Same pad used on Mil-Spec stock; increases Commercial stock length-of-pull by 1/4" (6.4mm). Synthetic rubber exterior over hard polymer core. Available in Black only.

SPECS: Impact-resistant nylon polymer. Available in Black, Dark Earth, and O.D. Green. LOP adjustment range, 3.5" (8.9cm). **Mil-Spec** - 6 7/8" (17.5cm) OAL, 5 1/4" (13.34cm) high. Fits mil-spec 1.14" O.D. carbine buffer tubes. **Commercial** - 7 1/8" (18.8cm) OAL, 5 1/4" high. Fits 1.17" O.D. commercial carbine buffer tubes.

#100-002-946AF Mil-Spec CTR Buttstock, Black, 3K85T59... \$94.99
#100-003-137AF Mil-Spec CTR Buttstock, Dark Earth, 3K85Z59... \$94.99
#100-003-135AF Mil-Spec CTR Buttstock, O.D. Green, 3K85Z59... \$94.99
#100-002-982AF Commercial CTR Buttstock, Black, 3K85V59... \$94.99

NEW

MAGPUL AR-15/M16
MOE™ STOCK SETS

Lightweight, Rugged,
Streamlined Tactical
Furniture Improves
Weapon Control &
Eases Carry

Convenient kits contain everything needed to fit an AR-15/M16 carbine with durable, lightweight, ergonomically enhanced Magpul Original Equipment (MOE) tactical stock furniture. Affordable MOE system improves operator comfort and weapon control for quick target engagement, fast follow up shots, and speedy transition to the next target. Strong A-frame buttstock offers a wide comb for an excellent cheekweld, protected heavy duty release lever for fast length-of-pull changes, and attachment points for both web slings and single-point clip-on slings. Two-piece, snap-on MOE handguard's trapezoidal cross-section, deep grasping ridges on the underside, side extensions, and pronounced lip at the front edge help the operator maintain a secure grip under stress or during sustained rapid fire. Integral aluminum heat shield protects hand from hot barrel, while horizontal slots at the 2, 6, and 10 o'clock positions accept Falcon Industries bolt-on Picatinny accessory rails, available separately. Aggressively textured pistol grip provides a secure, non-slip grasp, with a curved beavertail that fills the grip-to-receiver junction to protect the web of the hand during sustained fire. MOE triggerguard's shallow "V" shape provides extra clearance for a shooter wearing gloves and eliminates the gap at the rear of the USGI guard that can trap or pinch finger. All components are constructed of rugged, heat- and impact-resistant fiberglass-reinforced injection-molded polymer with molded-in reinforcements at critical stress points. Installs in minutes and require no permanent alterations to gun; remove MOE components and reinstall original parts any time. Sets available in black, and three popular tactical camo colors, Dark Earth, O.D. Green, and Foliage Green. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes. **Universal** fits larger, 1.17" O.D. commercial carbine buffer tubes.

SPECS: Reinforced molded polymer, Black, O.D. Green, or Foliage Green. Fits AR-15/M16/M4 rifles with buffer tube for M4-style adjustable buttstock, carbine-length gas system, Delta ring, and standard A2 gas block/front sight base. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. **Mil-Spec** fits rifles with mil-spec 1.14" O.D. buffer tubes. **Universal** fits rifles with commercial 1.17" O.D. buffer tubes.

#100-004-520AF Mil-Spec MOE Stock Set, Black, 3K98T41... \$119.99
#100-004-521AF Mil-Spec MOE Stock Set, Dark Earth, 3K98P41... \$119.99
#100-004-522AF Mil-Spec MOE Stock Set, O.D. Green, 3K98P41... \$119.99
#100-004-523AF Mil-Spec MOE Stock Set, Foliage Green, 3K98P41... \$119.99
#100-004-524AF Universal MOE Stock Set, Black, 3K98P41... \$119.99
#100-004-525AF Universal MOE Stock Set, Dark Earth, 3K98P41... \$119.99
#100-004-526AF Universal MOE Stock Set, O.D. Green, 3K98P41... \$119.99
#100-004-527AF Universal MOE Stock Set, Foliage Green, 3K98P41... \$119.99

#100-003-136AF Commercial CTR Buttstock, Dark Earth, 3K85Z59... \$94.99
#100-003-134AF Commercial CTR Buttstock, O.D. Green, 3K85Z59... \$94.99
#100-003-042AF Replacement Buttpad For CTR Stock, 3K15C12... \$19.99

MAGPUL AR-15/M16
MOE™ BUTTSTOCK

Economical, Drop-In Upgrade
For Carbine Collapsible Stock

Magpul Original Equipment (MOE) carbine buttstock provides the quality, durability, and ergonomic benefits of Magpul's CTR stock in a rugged, economical, drop-in package. Strong, A-frame design is lightweight and comfortable,

yet provides operator with plenty of support. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid, consistent cheekweld. Streamlined exterior and protected release lever won't snag on clothing, gear, vehicle interior, or vegetation. Heavy duty, spring-loaded release lever allows fast length-of-pull adjustments and won't dig into your hand. Impact- and heat-resistant, polymer construction includes molded-in reinforcements at stress points, plus two slots for web slings and a hole for a toe-mounted sling swivel or clip-on sling. Soft, synthetic rubber buttpad increases comfort and helps prevent slippage. **Mil-Spec** fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. **Universal** fits larger, 1.17" O.D. commercial carbine buffer tubes. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. Available in Black and three popular tactical colors, Dark Earth, O.D. Green, and Foliage Green.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. 7 1/4" (18.4cm) OAL, 5 1/4" (13.3cm) high. **Mil-Spec** fits mil-spec 1.14" O.D. carbine buffer tubes. **Universal** fits rifles with 1.17" O.D. commercial AR-15 carbine buffer tubes.

#100-003-535AF Mil-Spec MOE Buttstock, Black, 3K48A61... \$59.99
#100-003-536AF Mil-Spec MOE Buttstock, Dark Earth, 3K48A61... \$59.99
#100-003-786AF Mil-Spec MOE Buttstock, O.D. Green, 3K48A61... \$59.99
#100-003-537AF Mil-Spec MOE Buttstock, Foliage Green, 3K48A61... \$59.99
#100-003-538AF Universal MOE Buttstock, Black, 3K49A27... \$59.99
#100-003-539AF Universal MOE Buttstock, Dark Earth, 3K48A61... \$59.99
#100-003-787AF Commercial MOE Buttstock, O.D. Green, 3K48A61... \$59.99
#100-003-540AF Universal MOE Buttstock, Foliage Green, 3K48A00... \$59.95

TAPCO AR-15/M16
T6 COLLAPSIBLE STOCK
CONVERSION KIT

Convert Your Rifle
To A Six-Position Carbine Stock

Easy-to-install kit contains everything you need to convert a fixed-stock AR-15 rifle to a GI-style collapsible carbine stock system, or use to complete a custom-built carbine. Lets you easily adjust length of pull for different-stature shooters and clothing/armour configurations. Kit includes 1.17" O.D. commercial receiver extension tube with six, positive-locking notches for the T6 buttstock of tough, durable fiberglass-reinforced molded polymer. Also includes steel receiver lock plate, steel lock nut, polymer sling loop, carbine recoil spring, and carbine buffer. Requires no permanent alterations to rifle. Installation instructions included.

SPECS: Aluminum and reinforced injection-molded polymer, Black or Dark Earth. 8" (20.3cm) OAL collapsed; 11 3/4" (29.9cm) OAL fully extended.

#100-004-296AF T6 Collapsible Stock Kit, Black, 5A65Y99... \$79.99
#100-004-548AF T6 Collapsible Stock Kit, Dark Earth, 5A62U85... \$79.99

MAGPUL AR-15/M16



UBR BUTTSTOCK
Compact, Convenient
Collapsible Stock With
The Comfort & Solidness
Of A Fixed Stock

Rugged, adjustable carbine buttstock combines the solidness of a fixed stock with a unique set of convenience and comfort features to provide a highly versatile, stable shooting platform. Available in black or dark earth, the Utility/Battle Rifle (UBR) stock's tough, reinforced polymer construction stands up to the pounding of the new large-bore chamberings found in AR-style rifles. It can handle high-tempo tactical operations, while providing an extremely secure cheekweld in almost any position. Compact, streamlined design has minimal protrusions to snag on foliage, clothing, sling, or other gear. Provides seven length-of-pull positions, with a proprietary preset system that lets you pull the release lever and instantly snap the stock open to the position that's right for you. Set your preferred preset position simply by moving a machine screw. Depress the Preset button and pull the release lever again to open the stock the rest of the way; then hit the Remove button, pull the release, and slide the stock completely off the UBR main tube. Comes with interchangeable narrow and ACR-style wide cheekpieces that can be installed in three positions to move the cheekweld point forward or back as needed. Includes a slot at the toe for a 1 1/4" sling, plus front and rear QD pushbutton sling receptacles that may be positioned on either side of the stock. Storage compartment for spare batteries, cleaning supplies, or other small items has a positive-locking door that may be positioned on either side. Or remove the compartment entirely to give the UBR a skeletonized look. Removable buttpad of synthetic rubber over hard-polymer core gives a comfortable, non-slip shoulder fit without impeding maneuverability. Kit includes Magpul's machined aluminum "entry length" receiver extension that replaces your gun's factory extension. If mounting on a rifle with A1/A2 fixed stock, you must also install an M4 carbine buffer and action spring (not included) for correct weapon function with UBR mounted. Instructions included.

SPECS: Impact-resistant polymer and machined aluminum, black or dark earth. 8" (20.3cm) OAL retracted. 11 1/4" (28.6cm) OAL fully extended. Approximately 5 1/4" (13.3cm) high. LOP adjustment range, 3 3/8" (8.6cm).

#100-003-524AF UBR Buttstock, Black 3K235U96... \$265.99
#100-003-526AF UBR Stock, Dark Earth 3K232U77... \$265.99

VLTOR AR-15/M16
BASIC CARBINE MODSTOCK

Body-Armor Friendly
Tactical Stock With
Detachable Cheek Supports
For Superior Cheekweld



Rugged, tactical carbine stock combines ergonomic benefits from other Modstock models with the simplicity and traditional contours of the standard M4 carbine buttstock. Slightly shorter than M4 stock for easier deployment with body armor or heavy clothing, with a textured buttplat that angles forward more at the toe to ensure a secure hold in the "ready" and heads-up positions. Two, detachable, full-length storage compartments provide extra support for an exceptionally solid cheekweld to enhance stability and weapon control. Each waterproof compartment holds up to 3 AA or 4 CR123 batteries. Two, molded-in sling loops accept military-style, nylon web slings; socket accepts a quick-detach, push-button swivel for ambidextrous single-point sling attachment. Fits mil-spec (1.14" O.D.) receiver extension tubes only.

SPECS: Molded polymer, black or dark earth. 6 1/4" (15.9cm) long. Fits mil-spec 1.14" O.D. carbine receiver extension only. Includes buttstock and two (2) detachable storage compartments.

#100-003-992AF Basic Carbine Modstock, Black, 3A80U84... \$99.99
#100-003-993AF Basic Carbine Modstock, Dark Earth, 3A80U84... \$99.99

**PROGRESSIVE MACHINE & TOOL AR-15/M16
ADJUSTABLE BUTTSTOCK**

3-Way Adjustable
For Perfect
Rifle-To-Shooter Fit



Full, three-way adjustment tailors the fit of your favorite match AR for maximum comfort, accuracy and control. Machined, aluminum buttstock is easily adjustable for length of pull, drop at heel and angle. Almost infinite length of pull adjustment provides up to 5" of increased length. Serrated, rubber butt pad soaks up recoil, helps secure stock position at the shoulder, and is three-point adjustable for drop. Length of pull and angle adjustments can be locked in place with the unique, dual clamping fixture and are easily changed with an Allen wrench for other shooting positions. **USA**

SPECS: Buttstock - Aluminum, black, anodized finish. 13" (33cm) to 18" (49cm) L.O.P., 3" (7.6cm.) drop adjustment. 1 lb. (.45kg) wt. Includes carbine length recoil spring and buffer.

#100-002-917AF Progressive M&T Adj. Buttstock, 3Z199V99 \$ 249.99

**ROCK RIVER ARMS AR-15/M16
A-4 COLLAPSIBLE BUTTSTOCK**

Reduces Overall Length
For Easier Carry, Storage



Six-position, extendable stock lets you select the length of pull best suited to your shooting needs. Converts your rifle to A-4-style with the added benefit of shorter overall length. Includes

buffer tube, receiver lock plate, lock nut, rear sling swivel, recoil spring and buffer. Carbine spring and buffer also available separately.

SPECS: Zytel® nylon plastic stock and latch, matte black or matte green. Aluminum buffer tube. Length of pull: closed- 10½" (26.2cm), extended - 13" (33cm).

#739-000-004AF Black AR-15 A-4 Stock, 9C00PUA \$ 75.99

#739-000-008AF Green AR-15 A-4 Stock, 9C00PUA 80.00

#739-000-005AF AR-15 Carbine Spring, 9C00BXC 4.00

#739-000-006AF AR-15 Carbine Buffer, 9C00ZAY 9.99

**ROCK RIVER ARMS AR-15/M16
LE ENTRY TACTICAL STOCK**

A full stock, with the same length as a collapsed M4, CAR stock; quick to shoulder, fast handling and maneuverable in confined or restricted areas. Provides a consistent and comfortable cheek weld for greater control and accuracy. Compact dimensions reduce overall length to 32" when used with a 16" barrel. Furnished with carbine-length buffer, tube and recoil spring.



Compact Length
Improves Handling
In Confined Areas

SPECS: Fiberglass/kevlar, black, matte finish. 7" (17.8cm) long. **#739-000-009AF LE Entry Tactical Stock, 9C00BXC \$ 57.50**

**VLTOR AR-15/M16
ENHANCED MODSTOCK**

Precise Weapon Control
In All Tactical Situations;
Comes With Customizable
Storage Options



"Clubfoot"-style adjustable stock with modular storage options gives the tactical shooter exceptional versatility and weapon control. The EMOD is 1½" longer than the original Modstock to ensure a solid, comfortable cheek weld even on rifles with long eye relief scopes. Two, detachable, full-length storage compartments provide additional cheek support for more comfort and stability. Each waterproof compartment holds up to 3 AA or 4 CR123 batteries, and a permanent flip-open compartment on the left side of the stock holds two more AA batteries or other small items. Extra-length buttplate with removable rubber pad angles forward from heel to toe for a better hold in the "ready" position and when the weapon is held above the shoulder pocket in the heads-up position. Two, molded-in sling loops accept military-style, nylon web slings; molded-in sling socket accepts a quick-detach, push-button swivel for ambidextrous single-point sling attachment. **Basic EMOD Kit** includes buttstock and detachable storage compartments only, available for **Mil-Spec** and **Commercial** buffer tubes. **Mil-Spec Combo Kit** contains all parts needed to replace an existing A1 or A2 stock, including a five-position, mil-spec buffer tube with white index numbers visible through a witness hole in the top of the stock. **USA**

SPECS: Molded polymer, black or dark earth. 7¾" (19.7cm) long. **Basic EMOD Kit** includes buttstock and two (2) detachable storage compartments. **Mil-Spec** fits 1.14" O.D. carbine buffer tubes only. **Commercial** fits larger, 1.17" O.D. commercial buffer tubes. **Mil-Spec Combo Kit** includes stock, storage compartments, mil-spec buffer tube, buffer spring, endplate, and locking nut. L.O.P. adjusts from 11½" (29.2cm) to 14¾" (37.5cm).

#100-003-222AF Commercial EMOD Basic Kit, Black, 3A103Y39 \$ 125.99

#100-003-990AF Commercial EMOD Basic Kit, Dark Earth, 3A101U87 125.99

#100-003-186AF Mil-Spec EMOD Basic Kit, Black, 3A101P87 125.99

#100-003-989AF Mil-Spec EMOD Basic Kit, Dark Earth, 3A101U87 125.99

#100-003-187AF Mil-Spec EMOD Combo Kit, Black, 3A179P57 204.99

#100-003-991AF Mil-Spec EMOD Combo Kit, Dark Earth, 3A179U57 204.99



**D.S. ARMS CAR-15/M4
RECEIVER EXTENSION**

Provides Six-Position
Adjustment

M4-style receiver extension tube has six precision-machined notches on the underside for maximum flexibility in setting length-of-pull with adjustable buttstocks. Lets you install a mil-spec stock on a civilian carbine or refit a rifle with an A2-style fixed buttstock with an adjustable M4 stock. Outside diameter of tube is machined approximately .003" oversized for snug, rattle-free fit of stocks designed for mil-spec extensions. Lightly sand interior of stock to get just the right combination of snugness and freedom over movement. Machined from a lightweight aluminum extrusion before hardcoat anodizing with a wear-resistant matte black finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¼" (18.2cm) long, 1.149" O.D.

#274-000-018AF Rec'r Extension Tube 4G18U18 . . . \$ 24.99

**VLTOR AR-15/M16
MODSTOCK BASIC CARBINE
COMBO KIT**



Better Control & More Options In Tactical Situations

Rugged, tactical stocks system contains all the parts you need to replace your AR-15/M16 or existing collapsible stock with an advanced, five-position, carbine stock. Unique, clubfoot design provides better overall control and a firm, tight grip in all combat situations. Three sling loops are molded directly into the stock and are wide enough for use with military-style, nylon web slings. One sling locking sleeve is also built-in to accept a quick-detach, push-button sling swivel. Two battery compartments with waterproof caps hold up to four, spare, 3-volt lithium batteries. Kit includes Clubfoot Modstock, buffer, buffer spring, endplate, locking nut, and two, long accessory storage compartments with caps. **USA**

SPECS: Molded polymer, black. 11" (27.9cm) to 14½" (36.8cm) l.o.p.

#100-002-479AF Modstock Clubfoot Basic Kit, 3A139B99 \$ 159.99

RUBBER SLIPOVER BUTTPAD - Tough, rubber buttpad slips snugly over the buttplate of Vltor Clubfoot Modstock and Standard Modstock to provide instant comfort during long shooting sessions. No screws or special tools required; slip it on when needed, remove it and stow away in a pocket or bag when not in use.

SPECS: Rubber, black. 5½" (13.9cm) tall, 2" (5.1cm) wide, ¾" (1.9cm) thick.

#100-002-480AF Rubber Slipover Buttpad, 3A15B96 \$ 19.95

**HIGH STANDARD CAR-15/M4
MIL-SPEC RECEIVER
EXTENSION TUBE**

Replace Factory USGI
Tube Or Convert
Commercial Carbine
To Accept Mil-Spec
Adjustable Buttstock

Replacement receiver extension tube is the correct length and 1.146" outside diameter for proper fit of a mil-spec carbine adjustable buttstock. Replace a worn out USGI tube, or convert a commercial carbine or fixed-stock rifle to accept an adjustable buttstock that requires the smaller, mil-spec tube. Four, precision-machined notches on the underside grasp the stock's locking pin securely to ensure fast, positive stock length adjustments without slippage. One-piece aluminum construction with a tough, abrasion-resistant matte black hardcoat anodized finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7¼" (18.2cm) long, 1.146" O.D.

#100-004-252AF Mil-Spec Receiver Extension Tube, 3D43H61 \$ 54.99

**VLTOR CAR-15/M4
MIL-SPEC RECEIVER EXTENSION**

Correct Size For Rattle-Free
Mounting Of Mil-Spec
Collapsible Buttstocks

Has the correct, 1.146" outside diameter for mounting collapsible buttstocks designed for the smaller, mil-spec tube. Lets you mount a mil-spec stock on a civilian carbine or convert a rifle with A2-style fixed buttstock to collapsible configuration; carbine action spring and buffer assembly required. Allows fast, easy repeatability of buttstock position with five notches on underside to accept the stock's locking pin and corresponding white position numbers on top visible through the witness hole on many stocks. Machined from aluminum bar stock.

SPECS: Aluminum, anodized, black. 7½" (19.1cm) long, 1.146" O.D. **#100-003-750AF Mil-Spec Rec'r Extension 3A39V07 \$ 46.99**

AR-15/M16 BUTTSTOCK WEIGHT

Balances The Rifle
For Consistent Accuracy

Rear weight to balance out muzzle-heavy, match AR-15's for best accuracy. Denser than loose, lead shot; conveniently drops into the A-2 buttstock and is retained by the trap door. Can be cut, drilled or trimmed to achieve perfect balance.

SPECS: Lead. 8" (20cm) long, 3 lb. 11 oz. (1.7 kg) wt. **#776-015-001AF AR-15 A-2 Bttstk Weight 6G20V15 . \$ 27.99**

DPMS AR-15 BUTTSTOCK EXTENDER

Extends Length Of Pull,
Improves Shooting Comfort

Aluminum extension provides an extra inch of stock length for AR-15A1 and A2 rifles. Helps tall and long-armed shooters achieve a comfortable head position for fast sight alignment, plus the extra length improves recoil and trigger control. Installs between stock and receiver; has correct profile for a "belongs there" look.

SPECS: 6061 T6 aluminum, black, matte finish. Includes buffer tube extension and longer stock screws. **#231-000-009AF AR-15 Stock Extension 1C25D67 . . \$ 29.95**

**ACCURACY SPEAKS AR-15
ADJUSTABLE BUTT PLATE**

Four-Way Adjustment; Fits AR-15 Stock

No-gunsmithing! Add increased shooting comfort to any AR-15 equipped with an A1 trap door butt plate. After mounting, loosen the two set screws to make fast adjustments in length of pull, drop at heel, height at comb and angle of stock. Replaces the A-1 trap door butt plate and includes a serrated-face, rubber recoil pad. **USA**

SPECS: Alum. plates, black, anodized finish. 5" (12cm) long, 1½" (4.1cm) wide. 12 oz. (351 g).

#054-115-100AF AR-15 Adj. Butt Plate 4E117H01 . \$ 146.28

**MASEN AR-15/M16
RUBBER RECOIL PAD**

Extra-Length Plus No-Slip Surface

Increases stock length to better fit shooters with long arms. Provides a cushioned, recoil absorbing, non-slip surface. Replaces original pad with no permanent alterations. **AR-15/M16** model fits A-1 and A-2 trap door buttstocks; adds ¾" length. **CAR-15** model fits collapsible stock; adds ¾". **USA**

SPECS: Polyethylene rubber, black. Serrated face. **#560-153-700AF AR-15/M16 Recoil Pad 6E10Y66 . . . \$ 14.99**

#560-153-800AF CAR-15 Recoil Pad 6E07Y60 11.50



Stock numbers shown in red indicate the product is made in the U.S.A. This information is not available for all products at time of catalog production, but will be regularly updated on our website.

SOG ARMORY CAR-15/M4 BUTTSTOCK PAD

Comfortable Pad Adds Length To M4 Stock

Rubber buttstock pad covers the hard plastic M4 stock for more comfortable shooting. Slip-on pad helps keep the gun against your shoulder and adds 1/2" to the length of pull. Plus, it protects the stock from bumps and dings. Installs with no modifications to the stock. Fits M4 stocks only.

SPECS: Rubber, black or green. Adds 1/2" (12.7mm) to length of pull. Fits M4 stocks only.
#100-002-210AF M4 Buttstock Pad, Black, 9A11X30 \$ 19.99
#100-002-211AF M4 Buttstock Pad, Green, 9A11X30 19.99

TAPCO CAR-15/M4 T6/M4 RECOIL PAD

Increase Shooting Comfort & Length-Of-Pull

No permanent alterations necessary to your M4 or Tapco T6 collapsible stock to add increased shooting comfort, lower felt recoil, plus an additional 1/2" to the length-of-pull. Rubber pad slips easily over the plastic buttplate; held in position by rubber tabs and a friction collar. Won't shoot loose, stays put until it's removed. Great accessory for competitive shooters; raised, non-slip surface helps keep your rifle or shotgun on-shoulder during long shooting strings or moving courses of fire.

SPECS: Rubber, black. Adds 1/2" (12.7mm) to length-of-pull. Fits current M4 collapsible stock designs and Tapco T6 stocks.
#100-002-500AF Tapco M4/T6 Recoil Pad, 5A09X87 \$ 9.99

WHIDDEN GUNWORKS AR-15/M16 STINGER MONOPOD

For Consistent Accuracy
Without Rear Sandbags

Compact, height adjustable monopod eliminates the need for cumbersome rear sandbags and provides a rock-solid rest for shot-to-shot consistency. Features a 4140 steel, adjustable leg that extends up to 4" vertically for coarse elevation adjustments and a micro-adjustable foot for fine-tuning. Extra long, polycarbonate lever provides plenty of leverage to lock the monopod leg in position. Lightweight, 6061 aluminum buttplate is hardcoat anodized for durability. Large, horizontal serrations provide a non-slip grip against the shoulder.

Fits fixed, mil-spec buttstocks on AR-15 and AR-10 rifles (A1 and A2 variants). Includes new bottom mounting screw. Requires use of original top mounting screw.
SPECS: 6061 aluminum buttplate, 4140 steel leg and foot, polycarbonate lever, black, matte finish. 5 7/16" (13.2cm) long, 1 9/16" (4.1cm) wide, 5/8" (1.6cm) thick. 10.2 oz. (289g) weight. Fits mil-spec fixed buttstock on AR-15 and AR-10 rifles (A1 and A2).
#100-004-038AF Stinger Monopod, 3B109V72 \$ 134.99

DPMS/CHEROKEE CAR-15/M4 CAR-15 CHEEKPIECE

Proper Eye Relief For CAR-15's

Instantly gives correct eye-relief and cheek support for scoped, CAR-15 rifles equipped with collapsible buttstocks. Provides 1 1/8" additional height for proper scope-to-eye alignment. No permanent alterations to the buttstock.
SPECS: Plastic, black. 5 1/2" (12cm) long, 3 1/2 oz. (99 g) wt. Fits collapsible buttstocks with 1 1/4" (3.1cm) minimum O.D. tubes.
#231-115-101AF CAR-15 Cheekpiece, 1C25T00 \$ 33.95

COMMAND ARMS CAR-15/M4 COLLAPSIBLE STOCK SADDLE

Lightweight Cheek Support Plus
Convenient Battery Storage



Provides added cheek support for increased comfort and shooting accuracy to AR-type rifles equipped with M4-style collapsible stocks. Plus, gives an advanced tactical appearance similar to the SOPMOD stock. Made from a very lightweight, fiberglass reinforced plastic that's as strong as it is functional. Waterproof, sealed compartments on each side will hold four "AA" or six CR123 cell batteries. No gunsmithing required for installation; saddle locks onto stock with accessory sling loop hardware that's provided. Rubberized model includes all the features of the standard model and adds a rubberized, no-slip coating that gives an exceptionally solid cheekweld for even greater shooter comfort and control.

SPECS: Injection molded plastic, black, matte finish, 5 3/4" (14.5cm) long, 2 3/4" (6.9cm) wide. Fits M4-style stocks only.
#100-002-567AF Standard M4 Stock Saddle, 2Z17X79 \$ 26.49
#100-003-046AF Rubberized M4 Stock Saddle, 2Z22C46 30.59

MASEN AR-15/M16 RAISED CHEEKPIECE

Improves Shooting Comfort, Accuracy

AR-15 Cheekpiece provides correct head position and eye alignment for scope sighted rifles. Clamps over A-1 and A-2 buttstocks, installs in minutes with no modifications to stock. Textured, matte-black surface blends well with stock. Soft rubber top section gives added comfort. Shorty Cheekpiece provides correct scope-to-eye alignment to AR-15 rifles with collapsible buttstock. Soft rubber cheekpad improves shooting comfort, gives 1 1/4" additional height. Quick, snap-on installation.

SPECS: AR-15 Cheekpiece - Plastic, black. 6" (15.2cm) long. Raises height of comb 1 1/4" (3.2cm). Shorty Cheekpiece - Plastic, black. 5 3/4" (14.6cm) long.
#560-154-200AF AR-15 Cheekpiece, 6E20Y00 \$ 29.95
#560-154-300AF Shorty Cheekpiece, 6E15Y00 24.95

SMITH ENTERPRISES STRAP-ON CHEEK PAD

Provides Positive
Cheek-To-Stock
Contact For Improved
Shooting Form & Comfort



Comfortable, strap-on cheek pad helps you gain a positive and consistent cheekweld on buttstocks without an integral cheekrest or raised comb. Felt-like, waterproof inner pad with overlaid PVC shell cushions recoil and minimizes perceived vibration, so your face takes less of a beating when firing large caliber rifles or full automatic weapons. Outer covering of heavy-weight, 1000 Denier ballistic cloth resists abrasion and perspiration. Three, extra-thick, hook-and-loop straps with loops allow you to cinch it down tight on the stock for absolutely no movement under recoil. Installs and removes in just seconds. Designed originally for the M14/M1A, but fits equally well on sporting rifles and shotguns.

SPECS: 1000 Denier nylon, black or tan. 1/2" (12.7mm) thick.
#851-200-500AF Black Strap-On Cheek Pad, 1E43B00 \$ 65.69
#851-000-073AF Tan Strap-On Cheek Pad, 1E43A53 65.99

BADGER ORDNANCE AR-15 STABILIZER HANDGUARD

Wide, Solid Platform
For Precise Shooting



Trapezoid shape and thick sidewalls of this free float handguard provide maximum rigidity and greater stability when shooting from a rest. Full-length, Picatinny rail for mounting optics or accessories. Elongated cooling slots reduce heat buildup. Includes contoured barrel nut. Rifle model has two sling swivel studs, Carbine has one.

SPECS: Aluminum, hardcoat anodized, matte black finish. 2 1/4" (5.7cm) wide, .153" (3.9mm) thick. Rifle - 13 3/8" (34cm) long. 25.9 oz. (736g) weight. Carbine - 8" (20.3cm) long. 17 oz. (481g) weight.
#093-249-040AF AR-15 Stabilizer Rifle Handguard, 3K152X70 \$ 175.99
#093-000-004AF AR-15 Stabilizer Carbine Handguard, 3K150Y67 175.00

CAA AR-15/M16 4-RAIL HANDGUARD

Extra Mounting Area
For Your Accessories



Four Picatinny rails and rigid aluminum construction provide a two-piece handguard capable of supporting all your accessories, while holding up to the tough demands of tactical and competition exercises. Each rail is equipped with removable thermal rubber covers for better grip and protection for the rails when not in use. Integral metal heat shields with 24 ventilation holes help dissipate heat away from the barrel during sustained fire. Mounts easily using existing delta ring. No gunsmithing required.

SPECS: Aluminum, painted matte black. 6" (15.2cm) long.
#100-002-822AF M4 Carbine 4-Rail Handguard, 2Z82Y80 \$ 117.99

CAVALRY ARMS AR-15/M16 HANDGUARDS

Various Tapers & Lengths
For Any Application



Ridged gripping surface gives a positive hold, and the internal aluminum heat shield protects your hand from a hot barrel. Six models available in Black, some also in Coyote and O.D. Green.
SPECS: Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer. C3 Carbine - Approximately 6 5/8" (16.8cm) long, 2 1/4" (5.6cm) external diameter at widest point, 1 1/16" (4.9cm) external diameter at narrowest point. C4 Carbine - M4-style contour, approximately 6 5/8" (16.8cm) long, 2 5/8" (6.6cm) external diameter at widest point, 2 3/8" (5.6cm) external diameter at narrowest point. C6 Mid-Length - Non-tapered contour, approximately 8 5/8" (21.9cm) long, 2 1/2" (6.5cm) high, 2 5/8" (6cm) wide. C8 Mid-Length - Approximately 8 5/8" (21.9cm) long, 2 1/2" (6.5cm) external diameter at widest point, 2" (5.1cm) external diameter at narrowest point. C5 Rifle - Non-tapered contour, approximately 12" (30.5cm) long, 2 5/8" (6.7cm) high, 2 5/8" (6cm) wide. C7 Rifle - A2-style contour, approximately 12" (30.5cm) long, 2 5/8" (6.6cm) external diameter at widest point, 1 7/32" (5cm) external diameter at narrowest point.

#100-002-823AF C3 Carbine, Black 2K24Y00 \$ 30.00
#100-000-941AF C4 Carbine, Black 2K28V38 34.99
#100-000-942AF C4 Carbine, Green 2K28V00 35.00
#100-000-963AF C4 Carbine, Coyote 2K28B00 35.00
#100-002-828AF C6 Mid-Length, Black 2K20Y00 25.00
#100-002-825AF C8 Mid-Length, Black 2K24Y00 30.00
#100-002-827AF C5 Rifle, Black 2K20Y00 25.00
#100-000-937AF C7 Rifle, Black 2K24V00 30.00
#100-000-938AF C7 Rifle, Green 2K24V00 30.00
#100-000-961AF C7 Rifle, Coyote 2K24B00 30.00

CLARK CUSTOM AR-15/M16 CARBON FIBER HANDGUARD

Lightweight; Unique
Appearance; Stays Cool



One-piece tube with aluminum barrel nut eliminates barrel pressure points to improve accuracy. Lightweight and strong, carbon fiber tube with front swivel stud won't absorb heat, so tube remains cool, even after long strings of fire. Attractive and durable with a distinctive weave pattern that changes when viewed from the viewing angle. Requires installation of supplied, separate barrel nut and gluing of tube to nut with Elmer's Ultimate, Devcon High Strength, Gorilla Glue, or equivalent bonding agent.

SPECS: Carbon fiber, black. 12" (30.6cm) long. 2" (5cm) diameter. 6.2 oz (175 g) weight.
#181-000-013AF Carbon Fiber Handguard, 1H87V93 \$ 102.99

DPMS AR-15/M16 HANDGUARDS

Military Style Look & Feel



Raised ribs improve grasp for easier carry and firing. Constructed from mil-spec, thermo-set resin for improved strength and durability. Includes aluminum heat shield. Fits standard or delta slip ring. A-2 Long is a strong, comfortable-to-hold replacement for the older, triangular handguards. AR-15 Short fits CAR-15/M4 rifles with a 11 1/2" or 16" long barrels.

SPECS: Plastic resin, black. A-2 Long; 12" (30.5cm) long. Fits AR-15 with 20" barrel. AR-15 Short; 6 3/4" (17.1cm) long. Fits CAR-15/M4 with 11 1/2" or 16" barrel.
#231-000-011AF A-2 Long Handguard 1C20D23 . . . \$ 27.95
#231-000-012AF AR-15 Short Handguard 1C13D69 . . 21.25

DPMS AR-15/M16 4-RAIL FREE-FLOAT HANDGUARD

Optimum Versatility
For Mounting Accessories



One-piece, carbine-length free-float tube lets you mount the optics, lasers and foregrips your mission requires, without putting accuracy-robbing stress on the barrel. Four, Picatinny rails, machined as a part of the tube, provide additional strength and support. Vent slots prevent heat buildup. Furnished with a separate barrel nut for accurate indexing. Fits CAR-15.
SPECS: 6000 series aluminum, anodized, black, matte finish. 2 3/8" diameter, fits barrels up to 1" in diameter. 6 3/4" (17.1cm) long.
#231-000-161AF Carbine 4-Rail Handguard, 1C144P00 \$ 169.00

DANIEL DEFENSE AR-15/M16 CARBINE FOREND TUBES

Extra Rails For
Mounting Tactical
Accessories



Machined, extruded aluminum free-float tube with four picatinny rails actually weighs less than the original handguards and shields. Replaces the barrel nut and eliminates stress on the barrel. Rails give plenty of space for mounting scopes, lights, lasers and more. Pins index the guard to the barrel nut to eliminate the possibility of spin. Large ventilation holes provide maximum cooling for sustained fire situations.
SPECS: Machined, extruded aluminum. Black. Models available: 9.5" (22cm) Carbine, 12" (30.5cm) Carbine.
#100-001-784AF 9.5" Carbine Forend Tube, 8K292D00 \$ 319.00
#100-001-785AF 12" Carbine Forend Tube, 8K332D99 359.99

DPMS AR-15/M16 FREE FLOAT TUBE

Two-Piece Design,
Free-Floats AR-15/M16
Barrels For Greater
Accuracy



Lightweight, two-piece handguard eliminates exterior pressure points on AR-15/M16 barrels to help increase accuracy. Extra-rigid design is made from extruded aluminum. Separate barrel nut and forend tube thread together; easy to install and torque to proper specifications. Completely replaces the plastic, factory handguard, barrel nut and front cap for less weight and better heat dissipation.

SPECS: Extruded aluminum, black-anodized finish. 2" (5cm) diameter. **Standard;** 12 $\frac{1}{2}$ " (31.4cm) long. **Carbine;** 7 $\frac{1}{4}$ " (18.4cm) long. Fits AR-15, M16 rifles or CAR-15 carbines. Both models accept barrels up to 1" (2.5cm) in diameter. Check distance from front of receiver to rear of front sight bridge.

#231-015-006AF Std. Free Float Tube 1C40Y38... \$53.99
#231-015-007AF Carbine Free Float Tube 1C37Y74... 49.99

VENTED FREE FLOAT TUBE - Longitudinal slots allow excess barrel heat to rapidly dissipate. Improves barrel ventilation and cooling. Tube remains cooler for increased shooter comfort.

SPECS: Extruded aluminum, anodized, black matte finish. 2" (5cm) diameter. **Standard;** 12 $\frac{1}{2}$ " (31.4cm) long. **Carbine;** 7 $\frac{1}{4}$ " (18.4cm) long. Fits barrels up to 1" (2.5cm) in diameter.

#231-000-001AF Vented Standard Tube 1C71D98... \$79.99
#231-000-002AF Vented Carbine Tube 1C55D10... 74.95

DANIEL DEFENSE AR-15/M16

LITE RAIL 7.0

Provides Exceptional Strength
With Minimal Weight



Create your own ultra-lightweight tactical carbine. Quad-rail forend weighs less than half the standard issue handguard, but provides a continuous, uninterrupted upper rail platform, plus three additional rails for tactical lighting, laser or grip accessories. Machined and extruded from lightweight aluminum; completely replaces the standard barrel nut with an exclusive Bolt-Up System that improves strength and rigidity, while greatly reducing weight. Designed to work with carbine length gas systems. Installation requires use of proprietary **Barrel Nut Wrench** available separately.

SPECS: Forend - 6061 T6 Aluminum, Type 3 hardcoat anodizing, black. 7.25" (18.4 cm) long, 9 oz. (255g) wt. Barrel Nut-steel, parkerized, gray. Includes forend, barrel nut, forend attachment base, (6) attachment screws, (3) ladder rail covers, thread locking compound, and instructions. Installation requires removal of barrel and front sight housing.

#100-002-985AF Lite Rail 7.0 8K265V99... \$299.00
#100-003-141AF Lite Rail Bbl Nut Wrench 8K19A33... 20.00

DANIEL DEFENSE AR-15/M16

M4 RAIL FREE FLOAT HANDGUARD™



Extra-Lightweight,
Permits Multiple
Accessory Mounting

Vented, aluminum handguard, with four Picatinny rails, provides nearly unlimited options for sight and accessory mounting. Two indexing pins prevent the handguard from working loose and spinning. Multiple, gas tube cooling slots and ventilation holes prevent heat buildup and keep weight to a minimum.

SPECS: Aluminum, anodized black, matte finish. Two lengths: **Carbine - 7"** (17.8cm) and **Rifle - 12"** (30.5cm) long. Carbine weighs 8.5 oz. (241 g).

#100-000-783AF 7" M4 Rail Handguard, 8K250V67... \$259.00
#100-000-784AF 12" M4 Rail Handguard, 8K330V00... 399.00

DOUBLE STAR AR-15/M16/M4

CARBINE HANDGUARD

Rugged, Drop-In
Replacement For M4-Style
Factory Handguard



Snap-on USGI-type replacement for your carbine's factory-original handguard is made of tough, fiberglass-reinforced, injection-molded polymer that delivers superior impact and abrasion resistance. The ridged gripping surface and top/bottom vent holes retain the weapon's authentic military look, while an internal heat shield of lightweight aluminum protects your hand from barrel heat. **M4** model is available with standard-issue single-layer heat shield or a double shield for extra insulation during sustained rapid or full-auto fire. **Skinny M4** model has narrower diameter for operators who prefer a minimal bulk handguard. All models fit AR-15/M16/M4 with carbine-length gas system.

SPECS: Fiberglass-reinforced polymer, matte black. 6 $\frac{1}{2}$ " (16.5cm) long. **Standard** - Approx. 2 $\frac{1}{2}$ " (6.4cm) O.D. at rear tapering to 2 $\frac{1}{4}$ " (5.7cm) O.D. at front. Available with single or double heat shield. **Skinny** - Approx. 2 $\frac{1}{4}$ " O.D. at rear tapering to 2" (5.1cm) O.D. at front. Single heat shield only.

#100-004-513AF M4 Carbine Handguard, Single Shield, 2Z14Y52... \$179.99
#100-004-514AF M4 Carbine Handguard, Double Shield, 2Z16Y03... 199.99
#100-004-515AF Skinny M4 Carbine Handguard, 2Z12Y84... 15.99

Model DOUBLE STAR AR-15/M16 FOUR-RAIL HANDGUARD



Robust Construction,
Plenty Of Accessory Mounting Space



Easy to install, all-metal replacement for factory handguard gives your AR-15/M16 rifle or carbine the added versatility of Picatinny-type rails at the 3, 6, 9, and 12 o'clock positions for mounting lights, lasers, vertical grips, bipods, bolt-on swivel studs, and other tactical accessories. Slots are indexed with white, alphanumeric position markers ensure precise positioning of accessories for fast, repeatable configuration changes to suit mission profile. Lightweight, extra-slim design is easy to grip even with gloves on, while adding minimal weight and bulk. Plenty of large vent holes allow free flow of air to help cool barrel. Two-piece design installs without removing gas block and requires no permanent alterations to your rifle; delta ring is left intact to allow re-mounting of factory handguard. Bottom rail may be left off to allow mounting on rifles with shotguns or grenade launchers. Precision CNC machined from high-quality 6061 T6 aluminum and mil-spec hardcoat anodized for extra strength and a hard, scuff-resistant surface that handles the wear and tear of intensive tactical operations.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine - 6 $\frac{1}{2}$ "** (16.8cm) long, 2" (5.1cm) wide, 2 $\frac{3}{8}$ " (6cm) high. 7.4 oz. (210g) weight. Fits AR-15/M16 with carbine-length gas system. **Rifle - 12"** (30.5cm) long, 2" (5.1cm) wide, 2.375" (6cm) high. 13.2 oz. (374g) weight. Fits AR-15/M16 with rifle-length gas system.

#100-003-827AF Four-Rail Carbine Handguard, 2Z11Y43... \$139.99
#100-004-518AF Four-Rail Rifle Handguard, 2Z178Y46... 194.99

FA ENTERPRISES AR-15/M16 TACTICAL HANDGUARD



Integral Accessory Rails
For Maximum Versatility

Free-float tube eliminates barrel pressure points to help improve accuracy. Four, Picatinny rails let you mount accessory lights, lasers and hand grips to meet mission requirements. Separate lock ring allows you to orient rails at any position; prevents tube from working loose and spinning. Multiple cooling slots prevent heat buildup.

SPECS: 6061 aluminum, anodized, matte black. Fits barrel up to 1" (2.5cm) in diameter. **Carbine - 7"** (17.8cm) long. **Rifle - 11 $\frac{1}{2}$ "** (29.2cm) long.

#246-000-008AF Carbine Tactical Handguard, 6D144P95... \$179.95
#246-000-009AF Rifle Tactical Handguard, 6D154P95... 189.95

FOBUS AR-15/M16 M33 HANDGUARD

Integral Accessory Rails Offer
Convenient Attachment Points



Easily mount lasers, lights, optics, bi-pods, and other mission-specific accessories. Picatinny rails are injection molded directly into each handguard top and bottom half. Furnished with a slide-on cover that gives a comfortable grip, plus protects the rails when not in use. Stainless steel heat shield dissipates the high temperatures created during rapid fire.

SPECS: High density polymer, black. 6 $\frac{1}{2}$ " (17.5cm) long. Fits all M-16/AR15 style carbines.

#100-000-615AF M33 Handguard, 2Z57C80... \$81.59

**Handguard Installation
Videos Available Online**

COMMAND ARMS AR-15/M16 HANDGUARD & ACCESSORY MOUNTING SYSTEM

Snaps Into Delta Ring &
Handguard Front Mounts;
No Need To Remove
Sight Or Barrel Nut



Picatinny-railed, plastic handguard attaches to the Delta Ring and handguard mounts to let you mount accessories on all four sides; puts the tactical equipment you need on your gun. Simple, drop-on installation requires no alterations, tools, or removal of the gun's sight or barrel nut. Thermal-rubber covers protect the rails when not in use and provide a sure grip for your hand. Metal, heat shield dissipates high temperatures produced during shooting. Available in both **Rifle and Carbine.**

SPECS: Plastic and rubber, black, matte finish. **Rifle - 12"** (30.5cm) long, 2 $\frac{1}{4}$ " (5.8cm) O.D.

#100-001-130AF M44L AR-15 Rifle Handguard, 2Z71X40... \$106.99
#100-001-131AF M44S AR-15 Carbine Handguard, 2Z71X40... 106.99

Models HOGUE AR-15/M16 FREE-FLOAT FORENDS



Ultra-Secure, Non-Slip
Gripping Surface
For Maximum Weapon
Control

Machined aluminum free-float forends provides an exceptionally positive, non-slip gripping surface for the support hand to help ensure maximum weapon control. Easy-to-install, two-piece free-float design eliminates handguard stress on the barrel that can compromise accuracy. Use with rifle's factory gas tube; if changing barrel length, purchase replacement gas tube of appropriate length. Rifle- and carbine-length models available in all-aluminum **Ridged** design or cobblestone-texture **Overmolded™** rubber grasping surface. Kits include an Overmolded pistol grip with a shock-absorbing pebble-textured rubber covering, palm swells, and finger grooves for increased shooting comfort.

SPECS: Forend - Aluminum, hardcoat anodized, matte black, with synthetic rubber covering on Overmolded models. Rifle - 12 $\frac{1}{4}$ " (31.1cm) long, 2" (5cm) diameter. Fits AR-15/M16 and clones with rifle-length gas system. Carbine - 7 $\frac{1}{8}$ " (17.8cm) long, 2" diameter. Fits AR-15/M16/M4 and clones with carbine-length gas system. **Pistol Grip** - Molded synthetic rubber exterior over fiberglass core, black.

#408-150-020AF Rifle Forend, Overmolded, 8K61Z72... \$94.95
#408-000-091AF Rifle Forend, Ridged, 8K44D96... 59.95
#408-150-120AF Carbine Forend, Overmolded, 8K64Z97... 99.95
#408-000-093AF Carbine Forend, Ridged, 8K44D96... 59.95
#408-150-030AF Rifle Kit, Overmolded, 8K64Z97... 99.95
#408-000-092AF Rifle Kit, Ridged 8K53D18... 59.95
#408-150-130AF Carbine Kit, Overmolded, 8K68Z22... 99.95
#408-000-094AF Carbine Kit, Ridged 8K44D96... 59.95


PISTOL GRIP - Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance.
SPECS: Fiberglass core, rubber covered.
#408-150-000AF Pistol Grip 8K15Z15... \$24.99

AR-15/M16

HANDGUARDS

NEW Models YANKEE HILL MACHINE AR-15/M16 TACTICAL HANDGUARDS

Fixed Or Removable Rail Models For Extreme Tactical Duty

Lightweight, vented handguards allow the shooter to choose fixed, permanent Picatinny rails or easily removable ones for high-level customization. Precision machined from aircraft grade aluminum, then mil-spec hardcoat anodized for extra strength and superior abrasion resistance. 

CUSTOMIZABLE FREE-FLOAT TUBE - Versatile forearm system lets you choose exactly how much rail space you need to accommodate add-on, tactical accessories. Lightweight, aluminum, tube free-floats the barrel to eliminate shifts in bullet point-of-impact caused by sling or bipod tension on the handguard. Four, evenly spaced rows of threaded mounting holes accept Yankee Hill's Picatinny-type, modular, Add-On Rails. One full-length rail and one 3" elevated rail included; additional rails available separately below. Front end is internally threaded to accept the ported, Yankee Hill End Cap. Included barrel nut features a slotted lock ring to allow proper indexing of added accessory rails. Lock ring is best tightened using the Yankee Hill Forearm Wrench. Choose from **Carbine, Specter, or Rifle** length tubes.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Includes tube, full-length rail, 3" elevated rail, jam nut, and barrel nut. **Carbine** - 7¹/₁₆" (18.3cm) long x 2" (5.1cm) dia. 9.5 oz. (269 g) wt. Accepts up to four 3", 4" or 7" rails. **Specter** - 9³/₁₆" (24.4cm) long x 2" dia. 12 oz. (340g). Covers gas block on a carbine-length gas system; low-profile gas block required. Accepts four 6", 7", or 9¹/₄" rails or a combination of eight 3" and 4" rails. **Rifle** - 12¹/₂" (31.8cm) long x 2" dia. 14.6 oz. (414 g) wt. Accepts up to four 7", 9¹/₄" or 12" rails; eight 3" and 4" rails; four 6" rails and four 3" or 4" rails; four 7" rails and four 3" or 4" rails.

#100-002-078AF Carbine Customizable Tube, 9A91V13 \$ 128.99
#100-002-452AF Specter Customizable Tube, 9A100U36 140.99
#100-002-079AF Rifle Customizable Tube, 9A121V90 169.99

"SMOOTH" FREE FLOAT HANDGUARD - Lightweight, machined aluminum forearm combines the accessory mounting versatility of a quad-railed forearm with a "smooth," un-railed area for support hand comfort to aid in enhanced weapon control. Integral, full-length Picatinny top rail, plus forward 2.5" rails on the sides and bottom, offer plenty of attachment space for lights, lasers, optics, backup sights, and other accessories. Modular design accepts a variety of bolt-on YHM accessories, available below. Smooth areas are drilled and tapped to accept Add-On Rails for additional accessory mounting options. Side and bottom rails have receptacles for Threaded Swivel Studs; also accepts YHM Forearm End Cap. YHM's free-float attachment system eliminates accuracy-compromising pressure on the barrel, while anti-rotation screws prevent the forearm from working loose even during rigorous tactical operations. Large ventilation slots allow plenty of air circulation to dissipate heat and keep the barrel cool. **Carbine** - Side and bottom rails extend around the front sight/gas block to get the accessories as far forward as possible and provide more grasping surface for the support hand. Cutout on top provides enough clearance to fold down a Yankee Hill flip-up front sight. **Rifle** - Extends to just behind gas block and includes a forward attachment point for Threaded Swivel Stud on the top rail.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 9¹/₄" (23.5cm) OAL, 2¹/₂" (6.4cm) diameter. 12.4 oz. (352g) weight. Fits AR-15/M16 with carbine-length gas system. **Rifle** - 12¹/₂" (31.8cm) OAL, 2¹/₂" diameter. 16.6 oz. (471g) weight. Fits AR-15/M16 with rifle-length gas system.

NEW #100-004-309AF Smooth Free Float Forearm, Carbine, 9A112B00 \$ 140.00
NEW #100-004-310AF Smooth Free Float Forearm, Rifle, 9A128B00 160.00

CUSTOMIZABLE 2-PIECE CARBINE HANDGUARD - Two-piece forearm replaces your AR-15 carbine's mil-spec, factory plastic handguard and allows you to install Picatinny rails at 45-degree intervals for precise, custom positioning of lights, lasers, vertical grips, and other accessories. Eight, evenly spaced rows of threaded mounting holes accept Yankee Hill's Picatinny-type, modular, Add-On Rails. One full-length rail and one 3" elevated rail included; additional rails available separately below. Bottom half removes easily to provide clearance for a shotgun or grenade, flare, or tear gas launcher. Sixteen, lengthwise cooling vents ensure thorough dissipation of heat from barrel. Machined from rugged but lightweight aluminum, then hardcoat anodized matte black for added strength and exceptional wear resistance.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 6⁵/₁₆" (16.8cm) long x 2" (5.1cm). 7.6 oz. (216g) wt. Accepts up to four 3", 4" or 6" add-on rails.

#100-002-896AF Customizable 2-Pc Carbine Handguard, 9A116B75 \$ 146.00

ADD-ON RAILS - Bolt-on Picatinny rails give you almost unlimited accessory mounting options for your Yankee Hill customizable handguards. Choose only as much rail as you need to avoid cluttering handguard with unused rail space. 6" rail is a full-length rail for Carbine-length handguards, 9¹/₄" rail is the correct length for Specter tubes, and 12" rail is full-length for Rifle tubes.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. Fits Yankee Hill Customizable Free-Float and Two-Piece Handguards. Mounting screws included.

#100-002-081AF 3" Add-On Rail, 9A12V65 \$ 18.00
#100-002-082AF 4" Add-On Rail, 9A13V85 19.50
#100-003-157AF 6" Add-On Rail, 9A16Y35 23.00
#100-002-083AF 7" Add-On Rail, 9A17V25 24.50
#100-003-158AF 9¹/₄" Add-On Rail, 9A19Y85 28.50
#100-002-080AF 12" Add-On Rail, 9A27V00 34.00

4-RAIL FREE-FLOAT HANDGUARD - Four, integral, full-length Picatinny rails machined into a single piece of high-strength, rigid aluminum forms a handguard that delivers maximum stability and reliability. Stress-free tube design ensures complete free-float of the barrel for optimal accuracy. Barrel nut locks in place with two anti-rotation screws to ensure handguard remains locked in place, even under the added torque from vertical grips. Four, threaded, swivel stud mounting holes allow attachment of Yankee Hill threaded swivel stud at the top, bottom, or either side of the handguard. Available in Carbine or Rifle lengths. Heavy duty, **Standard** model features narrow cooling vents that run lengthwise along the handguard. **Lightweight** model is a skeletonized version specifically machined to reduce weight from the rails; oversized cooling holes provide maximum ventilation and allow clear view of the barrel for the ultimate tactical look.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine Models** - 7¹/₁₆" (18.3 cm) long x 2³/₈" (6 cm) wide. **Rifle Models** - 12¹/₂" (31.8cm) long x 2³/₈" wide. Weight: **Standard Carbine** - 14.3 oz. (405 g). **Standard Rifle** - 22.5 oz. (638 g). **Lightweight Carbine** - 10.6 oz. (300 g). **Lightweight Rifle** - 14.75 oz. (418 g).

#100-002-169AF Std Carbine Handguard, 9A91T50 \$ 122.00
#100-002-170AF Std Rifle Handguard, 9A124T62 159.99
#100-003-414AF Lightwt. Carbine Handguard, 9A92Y42 122.99
#100-003-413AF Lightwt. Rifle Handguard, 9A123Y05 134.99

DIAMOND-PATTERN FREE-FLOAT HANDGUARD - Diamond-shaped vents in a unique lattice-work pattern give your weapon a distinctive look and provide superb airflow to prevent barrel from overheating. Helps keep your hand cool too, while reducing weapon's overall weight. Provides four full-length Picatinny rails for maximum flexibility in mounting tactical accessories. Four, full-length Picatinny rails provide maximum flexibility in mounting tactical accessories. Machined from high-grade 6061 T6 aluminum and finished to mil-spec standards to withstand combat and heavy-duty usage. Extended top rail gives a gap-free fit to receiver rail. Slots are marked alphanumerically to help identify accessory locations. Threaded front end accepts Yankee Hill screw-in end cap, available separately. Comes with jam nut, barrel nut and anti-rotation screws that ensure handguard stays locked in place.

SPECS: 6061 T6 Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 7¹/₄" (23.5cm) OAL, 2¹/₂" (6.4cm) dia. 12.5 oz. (354g) weight. Fits AR-15/M16 with carbine-length gas system. **Mid-Length** - 9¹/₄" (23.5cm) OAL, 2¹/₂" dia. 15.2 oz. (431g) wt. Fits AR-15/M16 with mid-length gas system. **Specter** - 9³/₁₆" (24.8cm) OAL, 2¹/₂" dia. 16.1 oz. (456g) wt. Fits AR-15/M16 with carbine-length gas system and covers gas block when installed. **Rifle** - 12¹/₂" (31.8cm) OAL, 2¹/₂" dia. 16.6 oz. (471g) wt. Fits AR-15/M16 with rifle-length gas system.

NEW #100-004-311AF Diamond Series Handguard, Carbine, 9A105B60 \$ 132.99
NEW #100-004-312AF Diamond Series Handguard, Mid-Length, 9A112B00 140.00
NEW #100-004-313AF Diamond Series Handguard, Specter, 9A113B82 139.99
NEW #100-004-314AF Diamond Series Handguard, Rifle, 9A141B94 176.99

2-PIECE HANDGUARD - Tough, 2-piece, forearm uses your existing delta ring, so it's easy to replace the standard issue, mil-spec handguard with a strong, lightweight aluminum version. Four, fixed, Picatinny rails provide a solid mounting platform for backup sights, lasers, tactical lights, vertical grips and more. Oversize cooling ports prevent heat buildup and allow clear view of the barrel section underneath for a radical, tactical look. Bottom panel removes easily to provide clearance for grenade and flare launchers if needed. Drilled and tapped in four locations to accept the Yankee Hill Threaded Swivel Stud. Use Colts Carbine model on Colt-manufactured guns.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. **Carbine** - 6⁵/₁₆" (16.8cm) long x 2³/₈" (6cm) wide. 9.9 oz. (281 g) wt. **Colt Carbine model fits Colt-manufactured guns only. Standard Carbine model fits carbines made by most other manufacturers. Rifle** - 12" (30.5cm) long x 2³/₈" wide. 20 oz. (567 g) wt.

#100-002-093AF Std Carbine 2-Piece Handguard, 9A105V28 \$ 149.99
#100-003-122AF Colt Carbine 2-Piece Handguard, 9A105D28 149.99
#100-002-096AF Rifle 2-Piece Handguard, 9A149V25 199.00

SLING RING MOUNT - Steel sling loop manufactured by Starling Enterprises accepts slings with an HK-style snap hook for quick and effortless transition to a two-point sling. Extra large, 5/16" I.D. loop allows a full-range of movement to keep your sling from tangles and your weapon at the ready. Fits Yankee Hill tactical handguards that have been factory drilled and tapped for threaded swivel studs. Includes laminated aluminum shims for aligning loop in proper position. Black oxide, alkaline finish matches the black anodized finish of the forearm and prohibits rust.

SPECS: Steel, alkaline black oxide, matte finish. 5/16"-32 tpi.
#100-003-999AF Sling Ring Mount, 4B25U96 \$ 31.99

TACTICAL SWIVEL MOUNTS - Steel, swivel stud features a full, 360 degrees of rotation to allow your tactical sling to follow the movements of your body, not just the rifle. Virtually eliminates sling tangle. Accepts standard, quick-detach type swivels. **Threaded Swivel Stud** is a 5/16"-32 tpi pivoting stud. Fits Yankee Hill drilled and tapped handguards. Add-on to other applications with at least 1/4" depth clearance. **Dovetail Sling Mount** - Threaded Swivel Stud (above), combined with an aluminum dovetail clamp and steel cross-bolt. Secures directly to any Picatinny or Weaver-style rail.

SPECS: **Threaded Swivel Stud** - Steel, blued finish. 5/16"-32 tpi. Approx. 3/4" (1.9cm) OAL, requires 1/4" (6.4mm) depth clearance for drill/tap applications. **Dovetail Sling Mount** - Steel stud, blued; aluminum clamp, matte black mil-spec hardcoat finish. Approx. 1 1/4" (3.2cm) wide x 1 1/4" high.

#100-002-084AF Threaded Swivel Stud 9A03V55 \$ 5.00
#100-002-087AF Dovetail Sling Mount 9A16V85 24.00

FOREARM END CAP - Screws into the front of any Yankee Hill free-float handguard to provide added protection for the end of the forearm. Hides view of the barrel from the front of the handguard for a clean, finished look, and keeps large debris out. Cooling ports allow rapid escape of barrel heat and promote airflow under the handguard. Available with 15/16" or 1 1/16" inside diameter. Install using supplied threadlocker.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 15/16" (2.4cm) I.D. or 1 1/16" (2.7cm) I.D.

#100-002-897AF 15/16" I.D. End Cap 9A13B85 \$ 19.50
#100-002-086AF 1 1/16" I.D. End Cap 9A13V85 19.50

FOREARM WRENCH - Heavy, steel, spanner wrench makes it easy to tighten handguard barrel nuts to the correct torque. Notched end engages the indexing ring on Yankee Hill handguards and others with similar, slotted indexing rings for aligning the accessory rails.

SPECS: Steel, black oxide finish. 8" (20.3cm) long, 2" (5.1cm) wide, 1/4" (6.4mm) thick.

#100-002-090AF Forearm Wrench 9A22V05 \$ 30.00

Shop

yankee hill Search

brownells.com

STAY UP-TO-DATE ON OUR EXCLUSIVE OFFERS & INFORMATION

Follow us on Twitter, Facebook, and YouTube



NEW Models **MAGPUL AR-15/M16 MOE™ HAND GUARD**

Gives A Secure Grip, Better Weapon Control & Versatile Accessory Mounting



Carbine-length handguard combines the light weight and slim profile of the USGI M4 plastic handguard with more comfortable ergonomics and the accessory mounting versatility of aluminum railed handguards. Trapezoidal cross-section and pronounced grasping ridges on the underside help the operator maintain a secure grip for better weapon control under stress or during sustained rapid fire. Integral aluminum heat shield protects hand from hot barrel, while side extensions and a pronounced lip at the front edge prevent the hand from slipping forward onto the hot gas block. Horizontal slots at the 2, 6, and 10 o'clock positions let you install Falcon Industries bolt-on Picatinny rails, available below, exactly where you want to mount lights, lasers, and other accessories. Two-piece, snap-on design fits any AR-15/M16 with a carbine-length gas system, Delta ring, and standard A2 gas block/front sight base—no gunsmithing required. Constructed of rugged, heat- and impact-resistant fiberglass-reinforced injection-molded polymer. Available in black, and two popular tactical camo colors, O.D. Green and Foliage Green.

SPECS: Reinforced molded polymer, Black, O.D. Green, or Foliage Green. Fits AR-15/M16/M4 rifles with carbine-length gas system. **Falcon Hand Guard Rails** – Aluminum, anodized, matte black. Available in 2" (5cm), 4" (10.1cm), and 6" (15.2cm) lengths. Mounting hardware included.

- NEW** **100-004-152AF MOE Hand Guard, Black 3K24P06** \$ 29.99
- NEW** **100-004-154AF MOE Hand Guard, O.D. Green, 3K24P62** 29.99
- NEW** **100-004-155AF MOE Hand Guard, Foliage Green, 3K24P06** 29.99
- #573-000-017AF Falcon Hand Guard Rail, 2", 3G12P69** 15.99
- #573-000-009AF Falcon Hand Guard Rail, 4", 3G21P15** 24.99
- #573-000-019AF Falcon Hand Guard Rail, 6", 3G23P79** 28.99

NEW **MAKO AR-15/M16 QUAD-RAIL HANDGUARD**



Increases Accessory Mounting Options; Easy, Drop-In Installation

Four-rail Picatinny handguard expands the versatility of any tactical AR-15/M16/M4 carbine

by allowing you to mount a wide array of lights, lasers, flip-up sights, vertical grips, and bipods. True, drop-in replacement for factory plastic handguard clamps securely to the barrel nut and front handguard cap with four steel cap screws that let you easily adjust the tension to prevent unwanted movement. Requires no permanent alterations to rifle; remove Quad Rail at any time and reinstall factory guard. Provides a full load of features that tactical shooters want, including white numeric index markings in slots to ensure repeatability of accessory positions, and large cooling vents to help prevent barrel overheating during sustained fire. Top rail aligns with flattop receiver rail to provide plenty of uninterrupted rail space to position an optic exactly where you need it for best performance, with space left for backup iron sights. Bottom rail can be removed to prevent interference with under-barrel tactical shotgun, tear gas launcher, or grenade launcher. Durable, all-aluminum construction, with a tough, hardcoat anodized finish for extra strength, scratch resistance, and protection from corrosion.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 6 1/4" (15.9cm) overall length. Fits AR-15/M16/M4 with carbine-length gas system and retention system for USGI plastic handguard. **#100-004-275AF Quad-Rail Handguard, 2B55X90** \$ 63.75

NEW **MIDWEST INDUSTRIES AR-15/M16 T-SERIES FREE-FLOAT HANDGUARD**

Eliminates Stress On Barrel, Maximizes Accessory Mounting Options



Lightweight, machined aluminum forend combines the accuracy-improving benefit of free-float attachment with four Picatinny rails for customized mounting of tactical accessories. One-piece free-float design attaches directly to upper receiver with the included barrel nut to eliminate pressure points on the barrel that can compromise accuracy. Large vent holes help keep weight to a minimum and ensure plenty of air circulation to cool barrel. Unobstructed interior provides adequate internal clearance for most gas piston systems, and allows installation on a rifle/carbine with a gas system shorter than the handguard if a low-profile gas block is also installed. Clean, streamlined exterior has no gap between receiver rail and top rail of handguard. Slots are marked with white, laser-etched alphanumeric position markers for precise positioning of accessories and fast, repeatable configuration changes. Includes anti-rotation pin to keep handguard aligned. Requires removal of factory barrel nut and delta ring.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. All models 2.4" (6.1cm) wide x 2.4" high. **T7** – 7" (17.8cm) OAL. Fits AR-15/M16 with carbine-length gas system. **T9** – 9" (22.9cm) OAL. Fits AR-15/M16 with mid-length gas system or shorter gas system with low-profile gas block. **T10** – 10" (25.4cm) OAL. Fits AR-15/M16 with carbine-length gas system and low-profile gas block. **T12** – 12" (30.5cm) OAL. Fits AR-15/M16 with rifle-length gas system or shorter gas system with low-profile gas block.

- #100-004-305AF T7 Free-Float Handguard, 2A129V95** \$ 149.95
- #100-004-307AF T9 Free-Float Handguard, 2A119V93** 159.95
- #100-004-306AF T10 Free-Float Handguard, 2A126V60** 164.95
- #100-004-308AF T12 Free-Float Handguard, 2A133B27** 174.95

MIDWEST INDUSTRIES AR-15/M16 TWO-PIECE FREE-FLOAT FOREND



Free Float Design Clamps On To Relieve Stress

Quality, two-piece free-float forend clamps firmly in place without having to remove the barrel or front sight. Simply cut off the delta ring, install and you'll experience better accuracy at the range and in tactical situations with significantly less stress on your barrel. Four Picatinny 1913 rails with fifteen mounting slots are laser etched with letters and numbers for precise mounting and remounting of all your accessories. Available in four lengths.

SPECS: CNC machined from 6061 aluminum. Hard coat anodized to Mil-Spec, black. Mounts over existing OEM barrel nut without removing front sight base. Requires removal of Delta ring. **Carbine** - 7" (17.7cm) long. Fits carbine length, 16" Mil-Spec barrels. **Extended Length** - Rail extends past front sight. Top and side rails are 10 1/2" (26.6cm) long. Fits carbine length, Mil-Spec barrels. Will not fit Colt-made AR-15s/M4s. **Mid Length** - 8 1/2" (21.5cm) overall length. Fits carbine length barrels with extended gas system as made by Rock River Arms and Armalite. **Full Length** - 12 3/8" (31.4cm) long. Fits standard 20" barrels with rifle length gas systems.

- #100-002-487AF Carbine Forend, 2A159B80** \$ 197.99
- #100-002-842AF Extended Forend, 2A180T00** 225.00
- #100-002-843AF Mid-Length Forend, 2A193T09** 241.36
- #100-002-844AF Full Length Forend, 2A211T96** 264.95

NEW Model **MIDWEST INDUSTRIES AR-15/M16/AR-10® TWO-PIECE FOREND**

Versatile, Easy To Install, Snap-On Forend Rails For Optics & Accessories



Carbine length, two-piece vented forearm snaps solidly in place and replaces factory plastic handguard on AR-15 type rifle. Each of the four MIL-STD 1913 Picatinny rails contains 15 mounting slots for optics, lasers, vertical grips, bipods, and lights. Two-piece design permits removal of lower section to install a grenade launcher or shotgun. Both pieces remove easily for cleaning and maintenance. Rails are laser etched with white alphanumeric position markings to aid in fast mounting and remounting of optics and accessories. Large vent holes allow plenty of air circulation for barrel. No gunsmithing, no permanent alterations to rifle required.

SPECS: Machined 6061 billet aluminum, mil-spec hardcoat anodized, matte finish, Black, Dark Earth, or O.D. Green. 6 3/8" (16.8cm) long. Fits mil-spec 16" carbine-length barrels with round front attaching point. Will not fit Colt-made AR-15/M4.

- #100-002-330AF Two Piece Carbine Length Rail Forend, 2A125U17** \$ 154.99
- #100-004-246AF Two-Piece Carbine Length Rail Forend, Dark Earth 2A125H17** 154.99
- #100-004-247AF Two-Piece Carbine Length Rail Forend, O.D. Green 2A125H17** 154.99

EXTENDED-RAIL CARBINE FOREND

Extended, MIL-STD 1913 Picatinny side rails give 10" of uninterrupted rail space and top rail extension past front sight provides flexibility in accessory mounting options. Laser-etched with alphanumeric designations. Bottom section is removable to allow installation of grenade launcher or shotgun.

SPECS: CNC machined from 6061 aluminum, hardcoat anodized, matte black. 6 3/8" (16.8cm) long, 2 1/2" (6.35cm) diameter. Top and side rails are 10" (25.4cm) long. Fits carbine length, Mil-Spec barrels. Will not fit Colt-made AR-15s/M4s.

- #100-002-411AF Two-Piece Extended-Rail Carbine Forend 2A148T00** \$ 185.00

MID-LENGTH TWO-PIECE CARBINE FOREND - Four Picatinny

rails contain 20 mounting slots for lasers, optics, bipods, vertical grips, and lights and each MIL-STD rail is USGI type laser etched with lettering and numbering. Two-piece design permits removal of lower section for installation of a shotgun or grenade launcher.

SPECS: CNC machined from 6061 billet aluminum, hard coat anodized to Mil-Spec. Black. 8 1/2" (21.5cm) overall length. Fits carbine length barrels with extended gas system as made by Rock River Arms and Armalite.

- #100-002-455AF Two-Piece Mid-Length Carbine Forend, 2A148U00** \$ 185.00

FULL-LENGTH TWO-PIECE FOREND

Versatile, rifle-length vented forearm replaces factory handguard on full-size AR-15 rifles and provides four Picatinny rails, each with 28 mounting slots for optics, lasers, vertical grips, bipods, and lights. Two-piece design permits easy installation without removing gas block; no gunsmithing required. Bottom section is removable to allow installation of a grenade launcher or shotgun. Each rail has precise laser-etched alphanumeric markings for fast remounting of optics and accessories. 60 oversized vent holes reduce weight and ensure plenty of airflow to help prevent barrel overheating. Will not fit Colt manufactured AR-15 rifles.

SPECS: CNC machined from 6061 billet aluminum, hardcoat anodized, matte black. 12" (30.5cm) long. Fits 20" rifle-length Mil-Spec barrels with round front attaching point. Will not fit Colt manufactured AR-15.

- #100-002-841AF Two-Piece Full-Length Rifle Forend, 2A167T96** \$ 209.95

ROCK RIVER ARMS AR-15/M16 NM FREE FLOAT BARREL SLEEVE

DCM Legal, A2-Style Relieves Barrel Tension For Better Accuracy



Two-piece steel tube isolates barrel from forend pressure for consistent accuracy on target and tactical rifles. Lets you use a tight shooting sling or a bipod without putting external pressure on barrel and shifting point of impact. Furnished with A2 handguards, sling swivel and gas tube. DCM legal, does not alter exterior profile.

SPECS: Steel, parkerized finish. High-temp injection-molded handguards, Black. 13" (33cm) long. 16 oz. (454 g) weight. Fits AR-15 with 20" barrel.

- #739-000-003AF Free Float Barrel Sleeve, 9C00ZAY** \$ 100.00

SPIKE'S TACTICAL AR-15/M16 FREE-FLOAT CARBINE HANDGUARD



Machined From Solid Aluminum Billet For Strength & Rigidity

Carbine-length handguard free-floats your carbine's barrel for improved accuracy, while providing a sturdy, no-flex accessory mounting accuracy. Precision machined in the U.S.A. from solid 6061 T6 aluminum billet for exceptional strength and rigidity. Clamps securely to the barrel nut with four, sturdy Torx® screws for solid attachment free of unwanted movement or play. Top and bottom MIL-STD 1913 Picatinny rails offer plenty of space to mount optics, lights, lasers, vertical grips, and other accessories. Compact, low-profile design and narrow width aid in control and maneuverability; large ventilation slots help cool barrel and reduce weight. Mil-spec hardcoat anodized for extra strength and resistance to nicks, dings, and scuffs during rigorous tactical operations.

SPECS: 6061 T6 aluminum, hardcoat anodized, Black. 7 1/4" (18.4cm) long, 2" (5cm) wide, 2 1/2" (6.4cm) high, 1 3/8" (3.5cm) I.D. 13.4 oz. (380g) wt. Fits carbine-length AR-15 gas systems.

- #100-003-318AF Free-Float Carbine Handguard, 3B169A95** \$ 200.00

BROWNELLS

AR15 BUILDER™

PATENTS PENDING

THINK IT. BUILD IT.™

AR15BUILDER.COM

AR-10® CARBINE FOREND - Snap-

on railed forearm gives your ArmaLite AR-10 carbine all the accessory mounting versatility of Midwest Industries two-piece AR-15 forearms. Four MIL-STD 1913 Picatinny rails contain 20 mounting slots each, and are laser etched with white alphanumeric position markings. Lower section may be left off to provide clearance for a grenade launcher, tear gas launcher, or shotgun. Direct replacement for plastic factory handguard—no gunsmithing or permanent alterations required.

SPECS: Machined 6061 T6 billet aluminum, hardcoat anodized, matte black. 8 3/8" (20.6cm), 2 1/2" (6.4cm) diameter. Fits ArmaLite AR-10 carbines only.

- #100-004-421AF AR-10 Carbine Handguard, 2A173U43** \$ 216.99

J.P. ENTERPRISES AR-15/M16 V-TAC MODULAR FREE-FLOAT HANDGUARD/RAIL SYSTEM



Configure Accessory Rails & Swivels On Tactical Rifles For Each Mission

Modular handguard/rail system provides the tactical shooter maximum flexibility to customize the number, position, and length of accessory rails on his AR-15. Mount rails or sling swivels at 45° intervals around the handguard. Free-float handguard eliminates barrel pressure points for maximum accuracy; use a bipod or sling without affecting point of impact. Ventilated tube provides maximum heat dissipation, and the textured surface assures a non-slip grip in any weather conditions. Dual barrel nut system provides precise alignment of tube with top of receiver. Inner nut can be secured with a standard armorer's wrench. Fluted aluminum outer nut reduces weight without compromising strength and prevents accidental hand contact with hot gas tube, and protects the tube from damage if rifle is dropped. Outer nut is secured to handguard with seven, flush-fitting, Allen head screws for rock-solid alignment with upper receiver. Handguard comes with two sling swivels; rails sold separately. Rail Kits designed for JP system, will also work with many other free-float tubes. **Rifle Length Handguard** leaves gas block exposed on 18", 20" or 24" barrels; covers gas block on 16" barrels. **Mid-Length Handguard** leaves gas blocks exposed on rifles with 16" barrels and mid-length gas systems; covers gas block on 14" barrels for a streamlined profile. **Carbine-Length Handguard** leaves gas block exposed on 14" and 16" barrels.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel inner barrel nut, swivel studs, and setscrews with matte black oxide finish. Handguard - 2" (5cm) dia. without attachments. Rifle handguard is 11½" (29.2cm) long; mid-length handguard is 9½" (23.2cm) long; carbine handguard is 7½" (18.1cm) long. Includes inner and outer barrel retainer nuts and 2 sling swivels with backer plates, Allen head setscrews. Rails - Picatinny cut, backer plates and Allen head mounting screws included. Rifle rail is 11½" (29.2cm) long; mid-length rail is 9" (22.9cm) long; carbine rail is 7½" (18.1cm) long.

#452-000-040AF Rifle-Length Modular Handguard, 2E142U86	\$ 175.99
#452-000-051AF Mid-Length Modular Handguard, 2E163U33	204.99
#452-000-034AF Carbine-Length Modular Handguard, 2E164P06	174.99
#452-000-038AF 11½" Rifle Rail 2E60P00	75.00
#452-000-052AF 9" Mid-Length Rail 2E56U00	69.95
#452-000-037AF 7½" Carbine Rail 2E52P00	65.00
#452-000-035AF 2" Tactical Rail 2E20P27	24.99
#452-000-036AF 4" Tactical Rail 2E32P65	39.99

NEW

TAPCO AR-15/M16

INTRAFUSE HANDGUARD



Increases Accessory Mounting Flexibility, Enhances Comfort & Control

Modular, snap-on carbine handguard offers a comfortable, secure hand-hold and integral Picatinny rails to give the operator exceptional accessory mounting flexibility without sacrificing weapon controllability. Comfortable, hand-filling contours, molded-in grasping ridges, and a non-slip textured surface ensure a secure grip for superior weapon control that aids speedy target acquisition and quick recovery for follow-up shots. Picatinny rails at the 3, 6, 9, and 12 o'clock positions provide plenty of

NEW

SAMSON MFG. CORP. AR-15/M16 STAR SERIES FORENDS

Puts Plenty Of Secure Accessory-Mounting Space Up Front; Free-Float & Drop-In Models Available

The STAR (Samson Tactical Accessory Rail) forend system puts four, MIL-STD 1913 rails up front to provide plenty of space for mounting lights, lasers, optics, vertical grips, bipods, quick-detach sling swivels, and other accessories. White, etched alpha-numeric slot markings help you make sure accessories get reinstalled in the right locations after temporary removal. Large, S-shaped vent slots ensure plenty of airflow to keep barrel and forend cool, even during sustained fire. Two-piece design easily replaces factory handguards without removing front sight/gas block. Precision machined from 6061 T6 aluminum alloy; hardcoat anodized for extra strength with a wear-resistant, non-reflective, matte black finish.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black.

FREE-FLOAT HANDGUARD

Clamps to the barrel nut with four, steel, hex-head cap screws to provide a solid accessory mounting platform without putting stress on the barrel that can compromise accuracy. Top rail is same height as receiver rail to provide a long, uninterrupted expanse of mounting space, so optics can be positioned for best eye relief. Bottom rail can be removed to allow mounting of M203 grenade launcher. Anti-rotation tabs on the clamp prevent unwanted movement. **STAR-C** fits rifles with carbine-length gas system. **STAR-MX** provides extended rail area on rifles with carbine- or mid-length gas systems and a low-profile gas block.

SPECS: Carbine - 7" (17.8cm) OAL. Fits AR-15/M16/M4 with carbine-length gas system. **Mid-Length** - 10" (25.4cm) OAL. Fits AR-15/M16/M4 with mid-length gas system. Requires low-profile gas block.

#100-004-236AF STAR-C 7" Carbine Forend, 1B221A43	\$ 279.95
#100-004-237AF STAR-MX 10" Mid-Length Forend, 1B240A00	299.95

STAR-DI DROP-IN FOREND - Two-piece, four-rail forend is a direct replacement for factory plastic M4 carbine handguard. Provides the versatility and appearance of a railed handguard with no need to remove Delta ring or make any permanent alterations to rifle. Simply remove the plastic guard and snap the STAR-DI in its place. Bottom rail may be left off to allow clearance for M203 grenade launcher.

SPECS: 6½" (15.6cm) OAL. Fits AR-15/M4 with carbine-length gas system and retention system for military-style two-piece plastic forend.

#100-004-240AF STAR-DI Carbine Forend, 1B159A95	\$ 199.00
---	-----------


real estate for mounting vertical grips, laser sights, flashlights, bipods, and other tactical accessories in a custom configuration to meet the shooter's needs. Removable panels cover the bottom and side rails when they're not in use to protect them from damage and the shooter's hand from abrasion. Plenty of ventilation slots provide air circulation to keep the barrel cool, while a generous stand-off distance from barrel protects the hand from heat, especially during rapid or full-auto fire. Two-piece, snap-on design is a direct replacement for M4-style carbine handguard; remove the original guard and replace with the Intrafuse—no gunsmithing required. Durable, impact- and heat-resistant reinforced molded polymer construction stands up to hard operational use and comes in black or Dark Earth.

SPECS: Reinforced injection-molded polymer composite, Black or Dark Earth. 6½" (15.6cm) OAL, 2¾" (7cm) wide, 2½" (7.3cm) high with panels installed. Fits AR-15/M16/M4 rifles with carbine-length gas system, Delta ring, and round handguard cap.

#100-004-128AF Intrafuse Handguard, Black, 5A47T81	\$ 49.99
#100-004-129AF Intrafuse Handguard, Dark Earth, 5A47T81	49.99

NEW

TROY INDUSTRIES AR-15/M16 MODULAR RAIL FOREND



Four-Rails For Maximum Accessory Mounting Versatility; Free-Float & Non-Free-Float Models

Free-float handguard provides four U.S. MIL-STD 1913 Picatinny rails at 3, 6, 9, and 12 o'clock positions for mounting a wide variety of accessories. Top rail aligns with flattop receiver rail to provide an extra-long expanse of uninterrupted rail space without additional cantilever mounts that add complexity and weight to your gun. Two-piece design allows easy installation on original factory barrel nut without removing front sight; factory delta ring must be removed, or low-profile gas block installed. A robust clamp and four anti-rotation alignment bolts lock the forend to the rear of the barrel and actually reinforce the barrel/receiver connection. Large vent holes dissipate heat from the barrel and minimize weight. White alphanumeric identifiers on cross slots ensure easy repeatability of accessory positions when changing configuration from one mission to another. All models, except MRF-MX, have two receptacles on each side rail for 360° push-button sling swivels. Precision machined from high-grade aluminum billet, then Type III hardcoat anodized for strength and corrosion protection, with Teflon® additive for extra resistance to surface abrasion. **MRF-C** - 7" long, fits carbine-length gas system. **MRF-CX** - 12" long, extended rail fits carbine-length gas system and has opening for the gas block/front sight. **MRF-M** - 9" long, fits mid-length gas system and has clearance for factory front sight/gas block and handguard cap. **MRF-MX** - 10" long, fits carbine- and mid-length gas system; requires low-profile gas block. Does not have sling swivel receptacles. **MRF-RX** - 13.8" long, fits any-length gas system; requires low-profile gas block.

SPECS: Aluminum, hardcoat anodized, Black or Dark Earth, matte finish.

#100-003-453AF MRF-C 7" Forend, Black, 3B222X07	\$ 229.99
#100-003-454AF MRF-C 7" Forend, Dark Earth, 3B222X07	229.99
#100-003-458AF MRF-CX 12" Forend, Black, 3B260X69	269.99
#100-003-455AF MRF-M 9" Forend, Black, 3B226X90	234.99
#100-003-456AF MRF-M 9" Forend, Dark Earth, 3B226X90	234.99
#100-004-060AF MRF-MX 10" Forend, Black, 3B231V72	239.99
#100-004-061AF MRF-MX 13.8" Forend, Black, 3B285V00	314.99

MRF-DI NON-FREE-FLOAT CARBINE HANDGUARD

Direct, drop-in replacement for factory plastic handguard provides the accessory mounting benefits of the free-float Modular Rail Forend without removal of the delta ring. Secure clamping design installs in minutes and gives a rock-solid mount for optics and other accessories. Four positions for 360° pushbutton sling swivels; numbered cross slots. Removable bottom rail allows installation on rifles equipped with M203 Grenade Launcher.

SPECS: Aluminum, hardcoat anodized, Black or Dark Earth, matte finish.

#100-003-459AF 7" Standard MRF-DI, Black, 3B149X00	\$ 149.99
#100-003-460AF 7" Standard MRF-DI, Dark Earth, 3B149X00	159.99

NEW

CASV MODULAR FREE-FLOAT HANDGUARD



12" Of Top Rail Space Plus Add-On Rails For Customized Accessory Mounting

Highly versatile accessory rail/free-float handguard system mounts "piggyback" on the receiver rail of your flattop carbine to provide 12" of elevated rail space. Five additional, bolt-on Picatinny rails can be installed on the handguard at 3-, 6-, and 9-o'clock, plus two lower 45° positions, so you can add, remove, or reposition rail space depending on specific mission requirements. Includes one 6" rail, two 4" rails, and two 2" rails for mounting lights, laser sights, vertical grips, bipods, and any other accessories requiring Picatinny rail attachment. Lower half of handguard detaches easily to allow mounting of an M203 grenade launcher. Entire assembly installs in minutes directly to the receiver rail and barrel nut, so it places no stress on the barrel itself. Delta ring and factory gas block front sight may be retained, but gas-block mounted sling swivel (if present) must be removed. Anodized aluminum construction with stainless steel mounting hardware adds less than 1 lb. to total weight of firearm. Available in all-black or two-tone tan/black scheme that blends well with many desert camo patterns.

SPECS: Aluminum, hardcoat anodized, black or two-tone tan/black, matte finish. 13⅞" (35.2cm) OAL, 2½" (5.4cm) wide, 2¾" (7cm) high without bolt-on rails attached. Fits rifles with carbine-length gas systems only. Kit includes handguard/extended top rail assembly, (1) 6" accessory rail, (2) 4" rails, (2) 2" rails, (11) 10-32 hex-head mounting screws, (2) hex wrenches, and installation instructions.

#100-003-133AF CASV Handguard, Black, 3A256Z81	\$ 299.99
#100-003-995AF CASV Handguard, Tan/Black, 3A239U95	289.95

BROWNELLS AR-15/M16 AR-15 RAIL COVERS

Protects Picatinny Rails; Rubber Overmolding Gives Positive Grip

Strong, polymer rail covers slide over picatinny rails to prevent dings and damage. Textured overmolding gives a sure grip that protects your hand from getting cut up when you grab a rail. Push-button, sliding clasp provides quick, secure attachment. Available singly or in an eight-piece set. Set includes three 6.1" covers and one each of other five.

SPECS: Synthetic Polymer, Black, matte finish. Fits picatinny rails. Select the size you need in price line. 1" = 2.54cm

#080-000-330AF 1.6" Rail Cover 8K16T68	\$ 20.99
#080-000-329AF 2.6" Rail Cover 8K16T52	20.66
#080-000-328AF 3.6" Rail Cover 8K16T68	20.99
#080-000-327AF 4.3" Rail Cover 8K16T60	20.99
#080-000-326AF 5.3" Rail Cover 8K16T03	20.05
#080-000-325AF 6.1" Rail Cover 8K16T60	20.99
#080-000-331AF Replacement Latch Pin, 3-pak, 8K04T28	5.35
#080-000-332AF Complete Rail Cover Set, 8K123T24	149.97



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

**COMMANDARMS AR-15/M16
X6 RAIL COVERS**


**No-Slip Grip;
Protects Hand &
Prevents Damage To Rails**

Strong, flexible, thermo-plastic polymer covers snap over unused handguard accessory rails to protect your hand from sharp edges and provide a superb, no-slip gripping surface for improved weapon control. Protects rails from damage and provides an added layer of insulation from a hot handguard. Curved exterior helps ensure a comfortable grip, while aggressive surface ridges guarantee a solid grip even when hands are wet. Fits both Picatinny or Weaver-style rails. Available in **Long** (5¾") and **Short** (1¾") lengths, and in a **Kit** that includes two Long and six Short covers.
SPECS: Thermoplastic polymer, black. **Short** - 1¾" (4.5cm) long. **Long** - 5¾" (14.6cm) long. **Kit** contains six (6) Short and two (2) Long covers.

#100-003-283AF Long X6 Rail Cover, each 2Z07A48 . \$ 10.19
#100-003-284AF Short X6 Rail Cover, each 2Z03A22 . . . 4.59
#100-003-282AF X6 Rail Cover Kit 2Z24A23 30.59


NEW Items **FALCON INDUSTRIES AR-15/M16
ERGO GRIP™ RAIL COVERS**

**Snap-On, Non-Slip Gripping Surface
Improves Weapon Control, Protects Rails & Hands**

Molded polymer covers snap over exposed portions of accessory rails to form a positive gripping surface for a comfortable, non-slip hand hold and improved weapon control. Protects your hands from the exposed rail edges and provides a soft cushion to help prevent damage to the rails during storage or transport. Available in a variety of styles to suit the requirements of different shooters and weapon configurations. Modular designs allow you to customize coverage area and configuration, even mix and match styles on the same handguard. 

LOWPRO RAIL GUARD - Low-profile, flexible polymer guard snaps neatly into the cross-slots on Picatinny rails.
SPECS: Synthetic rubber polymer, Black, Coyote Brown, or O.D. green. 6⅝" (17.5cm) long x 1" (2.5cm) wide.

#573-000-028AF LowPro Rail Guard, Black, 3G08P55 \$ 12.00
#573-000-030AF LowPro Rail Guard, Coyote Brown, 3G10P71 12.00
#573-000-029AF LowPro Rail Guard, O.D. Green, 3G10P71 12.00

LOWPRO WIRE LOOM RAIL GUARD - Slightly overhangs the rail on one side, so wires from remote switches for lights or red dot optics can be threaded through the built-in wire loom. Retains wires close to the rail, out of the way, so they don't snag on other gear. 

SPECS: Synthetic rubber polymer, Black or Combat Beige. 1¾" (4.5cm) long x 1¼" (3.2cm) wide.
#573-000-056AF Wire Loom Guard, Black 3G04A00 . . \$ 6.00
#573-000-057AF Wire Loom Guard, Combat Beige, 3G04A00 6.00


FULL RAIL COVER - Completely covers the rail and contoured to give a rounded shape to Picatinny or Weaver-style rails. Grippy synthetic rubber snaps securely over rail and provides an excellent grasping surface. **Long** model has raised diamond-plate texture. **Short** model has two raised gripping ridges. 

SPECS: Synthetic rubber polymer, Black or Coyote Brown. **Long** model is 5¾" (14.6cm) long x 1½" (3.8cm) wide. **Short** model is 1¾" (4.5cm) long x 1½" wide; sold in 12 pak.
#573-000-031AF Long Rail Cover, Black, each, 3G08P55 \$ 12.00
#573-000-058AF Long Rail Cover, Coyote Brown, each, 3G08A21 12.95
#573-000-014AF Short Rail Covers, Black, 12-Pak, 3G31P94 39.05

**TANGODOWN AR-15/M16
BATTLEGRIP RAIL COVER**



Tough Combat-Tested Grips With Built-In Utility Features


Dual-purpose cover slides on and snaps into place on any Picatinny handguard rail. Protects the machined surfaces while offering a superior gripping surface for maximum weapon control. Impact and heat resistant for years of rugged use. **BGR** features six, highly textured grip recesses. **BGRP** includes switch pocket and pre-fit, interchangeable adapters for no-sag installation of SureFire® and Insight Technologies® remote pressure switches. 


SPECS: Resin polymer, Black, Foilage Green, Dark Earth, or Olive Drab. 6⅝" (15.6cm) long x 1⅝" (3.5cm) wide. **BGRP** Fits Surefire, Insight Technologies and similar pressure switches measuring approx. 3⅝" (7.9cm) long x ⅞" (2.2cm) wide or 2⅝" (5.9cm) long x ⅞" (1.4cm) wide.
#071-000-028AF BGR Rail Grip, Black 9B13H07 . . . \$ 16.33
#071-000-030AF BGR Rail Grip, Foilage Green, 9B13H07 16.33
#071-000-037AF BGR Rail Grip, Dark Earth, 9B13H07 16.33
#071-000-031AF BGRP Rail Grip, Black, 9B21H79 27.24
#071-000-039AF BGRP Rail Grip, Dark Earth, 9B21H79 27.24

MAGPUL AR-15/M16 XTM™ RAIL PANELS



**Customizable Snap-On Rail
Cover System
Protects Your Hands;
Easy To Install & Remove**


Modular, snap-on panels cover exposed portions of Picatinny-type handguard rails to help you maintain a firm grip on your weapon while protecting hands from sharp edges of rail slots and grooves. Textured, low-profile panels install quickly and easily without removing already-mounted light, laser, vertical grip, bipod, or other accessories. Simply snap two panels together over the rail to cover a 1½" segment of rail. Unique locking system ensures the panels go on easily and remain securely affixed even during strenuous tactical operations. Remove them using the tips of two .223/5.56 NATO rounds or any tools with similar non-marring rounded tips. No need to match up "left" and "right" halves because each panel fits on either side of rail. As long as you have two XTM panels in your hand, you can snap them together and cover four rail slots. Sold in 8-Paks—enough to cover one standard carbine-length rail. 
SPECS: Molded polymer, Black, Flat Dark Earth, or Foilage Green. Eight (8) panels per Pak. Fits MIL-STD 1913 Picatinny rails.
#100-003-521AF XTM Rail Panels, Black 3K06U32 . . . \$ 7.99
#100-003-522AF XTM Rail Panels, Flat Dark Earth, 3K06U63 7.99
#100-003-523AF XTM Rail Panels, Foilage Green, 3K06U00 7.95

ERGOLOK RAIL COVER - Complete rail coverage with minimal bulk and a checkered surface texture for a secure, non-slip grip even when hands are wet. Slides easily over rail, and hinged locking panel snaps tightly into a slot to prevent movement of cover. To reposition the cover, simply flip up the locking panel, slide to the new location on the rail, and snap down the lock. 

SPECS: Injection-molded hard polymer, Black. **4 Panel** - 3⅞" (7.9cm) long x 1½" (3.8cm) wide. **8 Panel** - 6⅝" (16.2cm) x 1½" wide.
#573-000-054AF ErgoLok Cover, 4 Panel 3G08A00 . . \$ 12.00
#573-000-055AF ErgoLok Cover, 8 Panel 3G08A00 . . . 12.00

**MAGPUL AR-15/M16
ACCESSORY RAIL
COVER**

**Improves Grip,
Protects Rails From Damage**

Tough, polymer cover slides over Picatinny rails to protect shooter's hand from sharp edges of unused rails, and shield exposed rails from damage during rough tactical operations. Makes rail less likely to snag clothing and equipment and gives the rounded contour of a smooth, circular handguard with the freedom to reconfigure accessories whenever you need to. Rubber-like, pebble-texture grip surface helps shooter maintain better weapon control. Each panel covers 15 rail slots—the correct length to fit many carbine-length handguards without modification. Pre-segmented construction for ease in cutting to length to custom fit on other handguards. Multiple sections can be mounted one after the other for smooth, visually continuous cover on longer handguards. 

SPECS: Synthetic polymer, matte black pebble finish. 6¼" (15.9cm) long x 1⅝" (3.5cm) wide. Fits Picatinny and Weaver-style accessory rails. Covers 15 rail slots.
#100-003-074AF AR-15 Rail Cover, 3K08V79 \$ 11.99

NEW Model **FALCON INDUSTRIES
ERGO GRIP® RAIL HANDSTOPS**



**Fast, Precise, Tactile
Hand Placement On
Railed Forends**

During competition or a tactical situation, you can't afford to lose time fumbling to position your hand on the forearm, or, worse yet, have it slide off when racking a pump action shotgun. These ergonomically shaped handstops attach to a Picatinny rail forend to provide precise, tactile indexing of the support hand, so you keep your eyes on the target while mounting the weapon. Helps keep hand in position during recoil, too, for fast follow-up shots. Molded-polymer **Snap-On** stop snaps securely into a single rail slot. Rubber-coated **SureStop** protects the hand and resists snagging on other gear. Dual cross-bolts clamp the stop tightly to the rail for a solid, movement-free installation. 
SPECS: **Snap-On** - Molded polymer, black. 1¼" (3.2cm) wide, ½" (1.2cm) thick. Sold in 2-Pak. **SureStop** - Synthetic-rubber coated molded polymer, black. Steel cross-bolts, oxide finish, matte black. 1¼" long x 1¼" wide at base. Extends 1¾" (4.5cm) below rail.
#573-000-036AF Snap-On Rail Handstop, 2-pak, 3G03U79 \$ 4.40
#573-000-052AF SureStop Rail Handstop, 3G03A33 5.00


**DPMS AR-15/M16
PANTHER TACTICAL
PALM GRIP**

**Hand Filling, Improves Trigger Control,
Shooting Comfort**

Precisely molded, upswept grip extension and non-slip, pebble-grain finish give a solid, hand filling grip for comfortable weapon handling and faster follow-up shots. Adjustable palm rest gives exact fit to your hand, ensures correct hand placement for excellent trigger control. Features a dual palm swell, with right thumb rest and finger grooves to improve grasp. 
SPECS: High impact polyurethane, black, matte finish. 5" (12.7cm) long. Palm shelf: 4⅞" (11.1cm) long, 2⅝" (6.67cm) wide, 1" (2.5cm) thick.
#231-000-034AF Panther Palm Grip, 1C19Z33 \$ 39.99


**CAVALRY ARMS AR-15/M16
A2-STYLE GRIP**

Proven, Mil-Spec A2 Design

Provides a comfortable hold for those who prefer the straight, uncluttered lines of the standard A2-style grip. Extremely rigid and durable with hand-filling contours and molded-in ledges that lock your hand into position. Available in black only. 
SPECS: Polymer. 4" (10.2cm) high, 2" (5.1cm) wide, 1⅞" (3.1cm) thick. Fits both rifle and carbine.
#100-002-830AF A2-Style Pistol Grp, Black 2K04Y80 . \$ 6.00


FALCON AR-15/M16 ERGO GRIP

Improves Trigger & Recoil Control

Hand-filling, ergonomic profile with finger grooves, palm swells, and many other features improves shooting comfort and accuracy. Tactical grips feature either Suregrip or Rigid grip for a non-slip, textured finish. **Suregrip** adds an over-molded, rubberized covering to the polymer body for a superior grip and added cushion. **Rigid** grip features Rhino Hide™, a hard textured finish molded directly into the polymer. 

STANDARD - Slightly thinner than the factory grip but with additional depth front to back. Pebble grain, non-slip surface and subtle finger grooves improve grasp and promote correct trigger finger position. Curved rear backstrap fills web of hand. **Right-Hand** models have a distinct thumb shelf. Includes a tethered grip plug and triggerguard gapper. Models available with Suregrip or Rigid textured finish.
SPECS: Polymer, hard texture or overmolded rubber, Black. 4" (10cm) long.

#573-000-008AF Ambi AR-15 Rigid ERGO Grip, 3G16P49 \$ 22.99
#573-000-025AF Ambi AR-15 SureGrip ERGO, 3G18P99 24.99
#573-000-026AF R-H AR-15 SureGrip ERGO, 3G18P99 24.99

TACTICAL DELUXE - Upward-curved, grip extension fills the web of the shooting hand, spreads recoil over a large area for excellent feel and comfort. **Tactical Deluxe w/Palm Shelf** features palm shelf that adjusts vertically ½" providing a custom fit for maximum recoil control. All models feature Rigid grip textured finish. 
SPECS: Polymer, hard texture, black. 5" (12.5cm) long. Palm shelf 3" (7.6cm) wide, 4" (10cm) long, 1" (2.5cm) thick. Includes attachment screw.

#573-101-404AF AR-15 Tact. Deluxe Grip 3G25A43 . \$ 40.70
#573-101-405AF AR-15 Tact. Deluxe Grip w/Palm Shelf, 3G42A31 60.50
#573-101-001AF AR-10 Tact. Deluxe Grip 3G34A22 . . 46.20
#573-101-002AF AR-10 Tact. Deluxe Grip w/Palm Shelf, 3G48A18 66.00

AR-15 GAPPER - Soft, polyurethane pad fits between pistol grip and frame to fill the gap under the triggerguard latch. Prevents the sharp edges of the frame from rubbing or cutting your index finger. 
SPECS: Polyurethane, black. ½" (12mm) long. Solvent resistant.
#573-000-004AF Gapper 3G02Z60 \$ 3.25

**COMMANDARMS AR-15/M16
G27 TACTICAL HANDGRIP**

**Beavertail & Finger Swells Enhance Grip;
Increases Handling For Improved Performance**

Strong, synthetic polymer handgrip comfortably fills the contours of your hand. Integral beavertail gives better control during firing. Detachable, rubber plug provides easy access to the grip's internal, storage compartment. 
SPECS: Synthetic Polymer, black, matte finish. Approximately 4⅝" (11.4cm) high, 2" (5.1cm) wide, 1¼" (3.2cm) thick.
#100-001-129AF G27 Tactical Handgrip 2Z21X40 . . \$ 31.99

HOGUE AR-15/M16

OVERMOLDED™ PISTOL GRIP

Non-Slip Grip Surface; Increases Comfort

Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance.

SPECS: Fiberglass core, rubber covered.

#408-150-000AF Pistol Grip 8K15Z15 \$ 24.99

MAKO AR-15/M16
ERGONOMIC PISTOL GRIP

For A Secure, Comfortable Grasp, Even With Wet Hand; Roomy Storage Compartment

Drop-in replacement for factory pistol grip has sculpted, ergonomic contours designed to provide an exceptionally comfortable, secure grip that minimizes hand fatigue, enhances trigger control, and improves weapon handling during sustained rapid fire. Also helps reduce hand fatigue during long periods in the ready position. A wide, hand-filling palm swell and gently curved finger grooves provide plenty of support, while molded-in stippling and vertical grooves on the backstrap help you maintain a firm grip with wet hands. Sweeping, integral beavertail allows a high hand position for outstanding recoil control. Positive-locking trapdoor in the bottom opens to reveal a roomy internal storage compartment large enough for two AA or CR123 batteries, spare ammo, cleaning supplies, or small parts. Molded from rigid, nearly indestructible reinforced polymer composite.

SPECS: Reinforced molded polymer composite, black. Fits rifles and carbines that accept standard AR-15/M16 pistol grips.

#100-003-842AF Ergonomic Pistol Grip 2B20T15 . . . \$ 29.99

SIERRA PRECISION RIFLES AR-15/M16
SPR PISTOL GRIPEnhanced Grip & Comfort
For Accurate Shooting

Repositions the hand for a comfortable grasp and improved trigger finger location. Hand filling design with thumbrest and palm swell provide enhanced gripping endurance. Matte surface gives good, non-slip purchase.

SPECS: Black, glass filled Polypropylene, matte finish. Fits AR-15, AR-10 and AR-25 rifles. Right-hand only.

#936-001-015AF SPR Handgrip 6C18V95 \$ 27.95

TANGODOWN AR-15/M16
BATTLEGRIPTough, Combat-Tested Grip
With Built-In Utility Features

Unique, storage grip features internal cavities for two Aimpoint-type power cells, plus two AA or 123 lithium batteries, or your choice of other small spare parts or supplies. Anti-rattle foam spacers keep everything quiet. Flexible cap includes integral seals to protect contents from dirt and moisture. Curved backstrap is shaped to fill and support the hand and provides the correct finger-to-trigger position; aggressive grip texture ensures positive hold. Includes stainless steel, Dry-Lok attaching screw and installation tool.

SPECS: Resin-impregnated polymer, Black, Dark Earth, or Foliage Green. 4 1/8" (10.5cm) high. Fits rifles that accept standard AR-15/M16 grips.

#071-000-015AF BG-16 Rifle Grip, Black 9B28C28 . . . \$ 34.99

#071-000-025AF BG-16 Rifle Grip, Dark Earth, 9B27H99 \$ 34.89

#071-000-027AF BG-16 Rifle Grip, Foliage Green, 9B27H99 \$ 34.89

MAGPUL AR-15/M16 PISTOL GRIPS

NEW Grip

Improves Comfort For
Better Weapon Handling;
Fixed & Adjustable Models

Ergonomically enhanced pistol grips provide a more comfortable, secure grasp than standard, A2-style grip for better trigger control and recoil management with less fatigue. Improves weapon handling during precisely aimed shots as well as sustained semi- or full-auto fire. Hand-filling palm swells and non-slip "crackle" texturing keep your hand firmly in place, even when wet. Removable grip cap provides access to a roomy internal storage compartment for spare batteries, cleaning supplies, small bottle of oil, or even a spare bolt. Reinforced, high-impact, molded polymer construction stands up to the rigors of harsh operational environments. Drop-in installation in minutes with included mounting hardware and instructions. All models available in black and two popular tactical colors, Dark Earth and Foliage Green.

MIAD™ MODULAR FULL GRIP KIT - MISSION ADAPTABLE (MIAD) modular grip system with interchangeable inserts lets you find the grip configuration that fits your hand size and mission requirements. All models come with main grip body and detachable rubber core in cap for rattle-free internal storage of three spare rounds of .223/5.56 ammo. Additional cores for storing batteries and other items are available separately, below. Front- and backstrap inserts slide on easily, yet snap firmly into place and require no glue or screws to stay put. **Basic Kit** Comes with one straight and two different beavertail backstrap inserts, plus one straight and three finger-ledge frontstrap inserts, one with an integral, oversized triggerguard for more room when shooting with gloves.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green.

#100-002-458AF MIAD Full Kit, Black 3K35A84 \$ 45.99

#100-003-646AF MIAD Full Kit, Dark Earth, 3K35B84 45.99

#100-003-647AF MIAD Full Kit, Foliage Green, 3K35B84 45.99

MIAD GRIP CORES - Further customize your MIAD grip to suit your specific needs with one of these interchangeable internal storage compartments. No tools or permanent alternations required. **123 Battery Core** holds two, spare CR123 batteries in a sealed, waterproof compartment, keeping them ready for quick deployment if the batteries in your laser, light, or red dot sight fail. **AA/AAA Battery Core** provides waterproof, rattle-free storage of two AA batteries or, with the included internal spacer installed, two AAA batteries. Reversible rubber cap has "SPENT" stamped on one side, so you always know the status of the batteries in the compartment. **Bolt & Firing Pin Core** securely holds one, standard AR-15/M16 bolt, plus a spare firing pin, should your gun suffer a failure in competition or during a critical operation.

SPECS: Molded polymer, Black.

#100-003-043AF MIAD 123 Battery Grip Core, 3K08C88 \$ 12.99

#100-003-044AF MIAD AA/AAA Battery Grip Core, 3K08C88 12.99

#100-003-045AF MIAD Bolt & Firing Pin Grip Core, 3K09C00 12.99

MOE™ GRIP - Magpul Original Equipment (MOE) grip is a durable, economical, easy-to-install replacement for factory pistol grip that gives the shooter a solid, secure grasp. Rigid, fully supported one-piece construction from the same reinforced, high-

AA/AAA Battery
Core & Spacer123 Battery
Core Bolt & Firing
Pin Core

STARK EQUIPMENT CORP. AR-15/M16

PISTOL GRIP

Ergonomic Comfort, Less Fatigue,
Maximum Control During Rapid Fire

SE-1

SE-2 w/
Loop

Drop-in replacement for factory pistol grip is designed to give the tactical operator maximum weapon control with minimum fatigue. Every aspect of the shooter-to-weapon interface was analyzed and tested to improve on the USGI A2 grip and give the shooter the best control in any type of operational environment. One-piece construction with integral triggerguard ensures the operator's finger doesn't get caught between the guard and the trigger and eliminates other pinch points. Overmolding where the grip meets the receiver helps keep the hand positioned exactly where it should be during fast movement, long periods in the ready position, and during rapid or full-auto fire. Palm swell, arched backstrap, flared bottom with forward finger ledge, and molded-in stippling further ensure to a firm, stress-free grip on the weapon. Molded from durable, reinforced polymer that resists impact, temperature extremes, moisture, and most cleaning solvents and oils. Snug-fitting, synthetic rubber plug in the bottom pulls out to allow storage inside the grip. Cavities inside the plug provide rattle-free storage for two spare CR-123 batteries. Standard SE-1 model available in Black or Dark Earth. SE-2 adds a sling swivel attachment point at the top rear of the grip. Available with a loop for a hook swivel or a receptacle for a quick-detach pushbutton (PB) sling swivel. Black only.

SPECS: Molded polymer, Black or Dark Earth. Includes mounting hardware and instructions.

#100-004-343AF SE-1 Pistol Grip, Black 5C31H72 . . . \$ 39.99

#100-004-344AF SE-1 Pistol Grip, Dark Earth, 5C31H72 39.99

#100-004-638AF SE-2 Pistol Grip w/PB, Black, 5C42H99 49.99

#100-004-639AF SE-2 Pistol Grip w/Loop, Black, 5C42H99 49.99

TAPCO AR-15/M16
SAW-STYLE PISTOL GRIPLarger Diameter Than Issue,
Increases Gripability & Shooting Comfort

Inspired by the grip found on the M249 Squad Automatic Weapon; features a more ergonomic angle and increased width for greater comfort and shooting control. Inside the grip housing is a useful storage compartment that's secured by a positive locking spring latch. Extension at top of grip covers the gap between the triggerguard and the receiver. Constructed of military-grade composite for years of use.

SPECS: Nylon composite, Black. 4" (10cm) high, 1 1/4" (3.1cm) wide. 3 oz. (85g) wt. Fits AR-15/M16 and AR-style .308 rifles.

#100-002-915AF Saw-Style AR Grip 5A16V40 \$ 16.99

impact polymer as the MIAD grip, with crackle texture on the sides and deep horizontal grooves on frontstrap and backstrap. Curved beavertail similar to the MIAD B2 insert fills the grip-to-receiver junction to help you maintain a comfortable hold and protect the web of your hand during sustained firing. Compatible with Magpul MIAD Grip Cores and Enhanced Aluminum Triggerguard, available separately.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green.

#100-003-515AF MOE Grip, Black 3K16U90 \$ 20.99

#100-003-516AF MOE Grip, Dark Earth 3K16U90 20.99

#100-004-165AF MOE Grip, O.D. Green 3K16U63 20.99

#100-003-517AF MOE Grip, Foliage Green 3K16U63 . . . 20.99

DPMS AR-15/M16

STOWAWAY PISTOL
GRIP PLUG

Convenient Storage & Weather Protection

Nifty rubber plug fits into the bottom of A2-style pistol grips. Durable rubber with friction fit, seals opening in grip against dirt and moisture. Creates convenient storage for extra parts or emergency equipment. Two styles, **Plain** for general storage and **Cartridge Holder** with provision to hold three, .223 cartridges without rattling.

SPECS: 70 Durometer rubber, black. 2 3/8" (6cm) x 1" (2.5cm).

#231-015-031AF Plain Pistol Grip Plug 3B00XCH . . . \$ 6.99

- 3 or More - Plain Pistol Grip Plug 3B02H75 5.95

#231-000-162AF Cartridge Holder Grp Plug 3B08P29 10.36

ARMSTECH LLC AR-15/M16
RITE-PULL GRIP ADAPTERPositions The Trigger Finger
For Precision Shooting

Relocates the grip so just the tip of your finger is on the trigger. Gives precise trigger control for more accurate shot placement. Adapter fits between the grip and frame without alteration to the rifle. Moves the grip .75" (19mm) to the rear.

SPECS: Plastic, Black. Includes attaching screws and instructions.

#432-001-015AF Rite-Pull Adapter 2C22P16 \$ 27.77

TACSTAR AR-15/M16
TACTICAL GRIPSProvides A Comfortable,
Secure Hold For Improved Control
& Recoil Management

Ergonomically engineered tactical grips give the operator a comfortable, secure hold for maximum weapon control and recoil management to ensure fast, accurate follow up shots. Molded from high-impact hard polymer with deep finger grooves and palm swells to minimize fatigue and enhance the grasp.

Covered with Pachmayr Decelerator rubber to absorb the shock of recoil. Pistol grip is a drop-in replacement for factory grip and offers a wide, smooth backstrap with a generous "beavertail" at the top to protect the web of the hand. Vertical grip clamps securely to any forend with a Picatinny rail on the underside. Hit the release button to fold the grip forward or backward, parallel with the forend. No gunsmithing required.

SPECS: Synthetic rubber exterior over hard molded polymer core, black. **Pistol Grip** - Approx. 3 1/4" (9.5cm) long. **Vertical Grip** - Approx. 4 1/8" (12.4cm) long when extended. Requires 2 1/8" (5.4cm) rail space.

#867-000-019AF Front/Rear Tact Grip Set 7F36Y79 \$ 40.99

#867-000-020AF Front Vertical Grip, only 7F19Y70 . . . 20.99

#867-000-021AF Rear Pistol Grip, only 7F19Y70 20.99


ADVANCED ARMAMENT AR-15
VERTICAL FOREND GRIPProvides A Solid Hold For
Improved Muzzle Control & Weapon Retention

Molded, polymer, vertical grip attaches to Picatinny and Weaver-style accessory rails on your AR-15 handguard for superior control and improved weapon retention. Grooved, grip area ensures positive, non-slip hold in all tactical situations. Reduces fatigue and improves muzzle control in close quarters. Threaded shaft, with tightening knob, locks grip to rail, plus, makes removal fast and easy when shooting from a bench or bipod. Rubber O-ring prevents accidental loosening.

SPECS: Polymer, Black. 4 3/4" (12.1cm) long.

#276-000-009AF Vertical Forend Grip 6G26V67 . . . \$ 35.70

**ADVANCED TECHNOLOGY AR-15/M16****FOLDING VERTICAL FOREND GRIP****Helps You Get On Target Fast & Improves Recoil Control; Folds Away For Storage**

Fold-away vertical grip clamps to any forend with a bottom accessory rail and provides a comfortable platform for the support hand to improve control. Makes weapon easier to point to help you get on target—or change targets—fast. Pronounced finger grooves, textured surface, and a hand-filling shape help you maintain steady downward force to counteract muzzle rise during rapid fire. Hit the pushbutton on the left side of the grip to change between five locking positions: vertical, 45° forward/rearward, or folded forward/backward parallel with the handguard for storage or carry. Constructed of lightweight, yet robust, fiberglass-reinforced molded nylon to stand up to hard use; slides over Picatinny forend rail and locks in place with a steel crossbolt for solid, wobble-free installation. 

SPECS: Fiberglass-reinforced, injection-molded nylon, black. 4¾" (12.1cm) long fully extended. Requires 2½" (5.4cm) rail space. 4.4 oz. (125g) weight.

#019-000-025AF Folding Vertical Grip 9A29P06 . . . \$ 35.95

**BOLTACTICAL AR-15/M16 KZ TACTICAL FOREGRIP WITH SIDE RAIL****All-Metal Grip Improves Weapon Control & Allows Convenient Accessory Mounting**


Rugged, all-metal vertical forend grip provides enhanced weapon control and convenient mounting of a light or laser for easy operation by support hand. The 2½" rail accepts both Picatinny and Weaver-style accessories and positions them directly above the grip—the perfect location for operating the controls of tactical lights or lasers with the thumb of the support hand. Also keeps the light or laser beam close to the bore axis for accurate aiming. Available with rail on right or left side of grip. The grip's unique combination of vertical and horizontal ribs gives the operator an exceptionally secure hold. Ergonomically designed "soda-bottle" shape is narrow at the top, swelled in the middle, and a little narrower again at the bottom to match the natural shape of the hand for comfort and ease of grasp. Screw-on, O-ring sealed grip cap provides access to waterproof storage compartment for spare batteries or even a spare AR-15 bolt. KZ's integral "Rail Grabber" locking bar with two, internal, steel support lugs and hex head bolt securely anchors the grip and rail tightly to the handguard to prevent unwanted movement during strenuous combat maneuvers or heavy full-auto fire. Bolt also acts as a recoil lug, further ensuring the mount won't shift. Grip body and rail are machined separately from solid 6061 T6 aluminum billet, then Type II Class 3 hardcoat anodized for added strength and surface wear resistance.

SPECS: Aluminum, anodized, matte black. Grip extends 4½" (11.4cm) below rail. Approx. 1⅝" (3.5cm) at widest point. 6.3 oz. (179g) weight.

#100-003-558AF Foregrip w/Right Side Rail, 8B52D45 . . . \$ 70.00

#100-003-559AF Foregrip w/Left Side Rail 8B52D45 . 70.00


FA ENTERPRISES AR-15/M16 HANDGUARD GRIP**Improves Control & Handling For Tactical Response Rifles & Carbines**

Comfortable, hand-filling grip, machined from high-strength aluminum, improves close-quarters weapon retention and control. Slides onto Picatinny or Weaver-style accessory rails; locks tightly with no external bolts or screws that can snag or catch. 

SPECS: 76061 aluminum, anodized, Black, matte finish. 4¼" (10.8cm) long.

#246-000-007AF AR-15 Handguard Grip 6D46P95 . . \$ 58.95

COMMAND ARMS AR-15/M16**VERTICAL FOREND GRIP****Improves Handling, Comfort & Controllability; Provides Extra Storage**

Injection-molded, polymer-resin, forend grips improve stability and overall rifle control by giving your forward hand a comfortable, hand filling, textured gripping surface. Helps you maintain a natural fighting stance, reduces on-target time, and helps maintain muzzle control during rapid fire. Hollow center provides convenient storage space for spare batteries or other small items; rubber cap keeps out dust and moisture. All models clamp securely to forends with Picatinny or Weaver-style rails on underside. 

SPECS: Molded, reinforced polymer, Black.

QUICK DETACH - Quickly detachable and compact. Mounts securely to Picatinny and Weaver-style rail systems using an internal threaded tension rod. Deeply ribbed, no-slip gripping surface. Removable plug is threaded into the base of the tension rod with a rubber O-ring to provide waterproof storage for up to three, lithium 123 size batteries.

SPECS: 4⅞" (12.4cm) long.

#100-002-454AF Quick Detach Forend Storage Grip, 2Z20U39 . . . \$ 30.95

SHORT - Simple "broomhandle" style has deep, ridges that give a no-slip grip for wet hands or gloves. Low profile is less likely to snag on other gear and keeps your hand close to the weapon for maximum control. Clamps to rail with a steel crossbolt.

SPECS: 3¾" (9.5cm) long.

#100-004-136AF Short Vertical Grip, 2Z20U43 . . . \$ 20.99

FINGER GROOVE - Ergonomically designed grooves keep your fingers properly positioned for repeatable hand placement and excellent recoil control, even in full-auto mode. **AVG** model has cross-bolt locking system with convenient palm swell on backstrap. **VG1** has quick-detach push-button locking system with slimmer profile and straight backstrap.

SPECS: **AVG** - 4½" (11.4cm) long, approximately 1⅝" (4.1cm) wide, 1⅝" (3.5cm) thick. **VG1** - 4½" long, approximately 1½" (3.8cm) wide, 1⅝" (2.9cm) thick.

#100-004-134AF AVG Finger Groove Vertical Grip, 2Z16T62 . . . \$ 20.99


#100-001-027AF VG1 Finger Groove Vertical Grip, 2Z20A40 . . . \$ 30.59

FOLDING - Five-position locking system with push-button release allows the grip to be extended 90° from handguard or at a 45° forward or rearward angle. Folds parallel with the handguard, forward or rearward, when not in use. Clamps to rail with a steel crossbolt.

SPECS: 4½" long when extended.

#100-004-135AF Folding Vertical Grip, 2Z41T25 . . . \$ 56.99


COMMAND ARMS AR-15/M16 VERTICAL FOREND GRIP**Improves Handling, Comfort & Controllability**

Injection-molded, polymer-resin, forend grip adds stability by giving your forward hand a comfortable place to grab. Finger-grooved for proper, repeatable hand placement. Push-button locking system positively attaches to forends with bottom, picatinny rails. Hollow center provides storage space; rubber cap keeps dust out. 

SPECS: Polymer, Black. Approximately 1½" (3.8cm) wide, 4½" (11.4cm) long, 1" (2.54cm) thick.

#100-001-027AF VG1 Vertical Forend Grip, 2Z20A40 . . . \$ 30.59

COMMAND ARMS AR-15/M16 FLASHLIGHT GRIP ADAPTER**Provides Improved Weapon Control With Provisions For Flashlight Attachment**

Rugged, molded polymer vertical grip with integral flashlight mount helps improve weapon retention, while providing a solid forward mounting platform for your personal tactical light. Dual clamping screws with oversize thumb nuts lock the Flashlight Grip Adapter (FGA) to any Picatinny-railed handguard without the need for special tools. Front housing accepts any 1" diameter tactical flashlight equipped with a push-button tail cap. Conveniently located thumb switch at rear of grip allows for both constant-on and intermittent light control modes. Side mounted safety switch is positioned for fast, easy lockout of the flashlight to eliminate any chance of accidental activation during covert operations. Included, 1½" long Picatinny rail allows for optional attachment of your own laser directly to the bottom or sides of the FGA. Molded recesses on both right- and left-hand sides of the grip handle accommodate ½" wide pressure switches. Honeycombed inserts allow for custom spacing and fitting of the pressure pad, while rubber exterior panels seal out moisture and debris. Hollow core handle with large, contoured grip cap provides clean, secure storage for extra batteries or other small tools and accessories. 

SPECS: Molded polymer with rubber pressure switch covers, steel hardware, Black. Grip Handle - 5½" (14cm) long x 1½" (3.8cm) diameter. Overall Length - 5¾" long. Overall Width - 2" (5.1cm) wide.

#100-003-382AF Flashlight Grip Adapter 2Z51V00 . \$ 76.49

FALCON AR-15/M16 VERTICAL FOREND GRIP**Gives Steady Hold, Improves Handling & Retention**

Gives AR-15 rifles a forward hand hold that improves weapon retention and recoil control. Attaches quickly to a Weaver-style or Picatinny, handguard accessory rail. Single-screw attaching clamp provides fast on/off for storage or deployment. **ERGO** - Easy-to-grasp, pebble grain texture provides comfortable, hand filling control. **Broomhandle** - Rubber-covered grip has a ribbed, non-slip surface. Waterproof storage compartment lets you carry spare batteries for sights and night vision devices. Select from Straight or Angled 11° to the rear. Attaches to Weaver-style accessory rail. **Handguard** model mounts directly to rifle or carbine handguard vent holes. 

SPECS: Steel mount; high impact polyurethane grip. Black. 4½" (11.4cm) long. Broomhandle is 1½" (3.8cm) in diameter.


#573-000-011AF ERGO Forend Grip 3G65P85 . . . \$ 75.99

#573-000-013AF Broomhandle, Weaver, angled, 3G57P89 . . . 77.00

#573-000-012AF Broomhandle, Weaver, straight, 3G50P62 . . . 60.00

#573-000-016AF Handguard Grip, straight 3G31P55 . 40.70


GG&G AR-15/M16**VERTICAL FOREGRIP****Better Control & Recoil Management; Reduced Hand Fatigue In The Ready Position**

Lightweight vertical grip clamps securely to Picatinny forend rail to give the operator a more comfortable shooting stance and better weapon control. Helps control muzzle climb during sustained fire for quicker, more accurate follow-up shots, and minimizes hand fatigue when holding weapon in the ready position for long periods of time. Shape is narrow at the top for secure purchase by the thumb and forefinger, with a palm-filling swell at the middle, and wide, deep, concentric ribs around the lower ½ of the grip for a comfortable, ultra-secure grasp. Removable core has a large, waterproof storage compartment that can hold a spare bolt assembly, two 

order on the web

www.brownells.com

**GRIP POD SYSTEMS AR-15/M16****GRIP POD****Vertical Forend Grip With Built-In Quick-Deploy Bipod**

Dual-function vertical grip locks to the bottom accessory rail of your tactical rifle's forend to give you enhanced control during CQB and a stable bipod rest for precise long-range fire. The grip's hand-filling contours and deep grooves provide a solid purchase even when your hands are wet. Hit the large, deeply grooved release button, and a powerful spring deploys the legs instantly. Conveniently placed for thumb activation, the button sits flush with the surrounding surface to prevent accidental deployment. Extended legs provide sufficient elevation for a standard 30-round magazine to clear the ground, and will not snag on brush, vehicle interior, or other gear when retracted. Legs and grip are made of tough, injection-molded polymer; steel cross-bolt with easy-grip thumbscrew locks directly to any MIL-STD 1913 Picatinny rail to ensure a rock-solid fit. **GPS-02** has steel inserts in legs for maximum strength in high-stress tactical operations. **GPS-LE** (Law Enforcement) is an economical alternative for applications where the steel reinforcements are excess to requirements. Both models accept GPRS1 and GPRS2 bolt-on accessory rails, available separately. May be used on many non-AR rifles and light machine guns with forend accessory rails. 

SPECS: Reinforced polymer, Black or Desert Tan. 6¼" (15.9cm) long with legs retracted. 8½" (21.6cm) high with legs extended. 1⅝" (3.5cm) diameter. **GPS-02** - Steel inserts in legs. 7.8 oz. (220g) weight. **GPS-LE** - 7 oz. (197g) weight.

#100-003-226AF GPS-02 Grip Pod, Black, 3B129Y87 . . . \$ 154.99

#100-004-611AF GPS-02 Grip Pod, Desert Tan, 3B129Z87 . . . 154.99

#100-003-633AF GPS-LE Grip Pod, Black 3B85P99 . . . 99.99

#100-004-610AF GPS-LE Grip Pod, Desert Tan, 3B85Z99 . . . 99.99

ACCESSORY RAILS - Bolt-on, Picatinny-type rail increases the versatility and effectiveness of your Grip Pod by adding mounting space for tactical accessories directly below the handguard. Puts controls for lights and lasers in easy reach of your support hand for exceptionally fast activation in any situation. Made of the same tough, reinforced, high-density polymer as the Grip Pod itself, so it stands up to the rigors of tactical operations. No drilling or other permanent alterations required to install; simply remove a pin and plug from the front of the Grip Pod, insert the rail unit and lock it down by tightening the steel hex-head bolt with the included hex-wrench. Available in single, right-hand rail (**GPRS1**) and double rail (**GPRS2**) models.

SPECS: Reinforced, injection-molded polymer, Black or Desert Tan. **GPRS1** - 2½" (5.4cm) length rail on right side of weapon. **GPRS2** - 2½" of rail space on each side.

#100-003-478AF GPRS1 Single Rail, Black 3B21Y50 . \$ 26.99

#100-004-612AF GPRS1 Single Rail, Desert Tan, 3B21Z50 . . . 26.99

#100-003-479AF GPRS2 Double Rail, Black 3B24Y95 . 31.99

#100-004-613AF GPRS2 Double Rail, Desert Tan, 3B24Z95 . . . 31.99

AA or CR123 batteries, or other small parts. Screw-on, O-ring sealed cap removes easily and has padded interior to prevent rattling of items inside. Easy-to-use clamping system attaches simply by unscrewing the entire core, sliding the grip onto the rail, and lining it up over a slot with the aid of the alignment windows. Then screw the core back in tight for a rock-solid attachment that won't let loose. Reinforced, Acetal cold polymer construction handles the knocks and dings of tactical operations, as well as extremes of heat, cold, and humidity. **SPECS:** Acetal polymer, matte black. Grip extends 4¾" (12.1cm) below rail. Approx. 1⅞" (3.3cm) at widest point. 2.4 oz. (69g) weight.

#336-000-022AF Vertical Foregrip 6C27Z49 . . . \$ 34.99

Orders/Tech: 800-741-0015

BROWNELLS
... ONLY THE BEST ...

PAGE 37

AR-15/M16

VERTICAL GRIPS

MAKO AR-15/M16 T-GRIP VERTICAL FOREND GRIP



Improves Weapon Control;
Allows Mounting
Of Handheld Light

Gives the operator improved weapon pointability and recoil control, plus convenient mounting of a handheld flashlight for use as a weaponlight. Ergonomically shaped pistol grip is narrow at the top, with a comfortable palm swell,

finger grooves, and stippled texturing to give the operator an exceptionally solid and comfortable grasp. Trapdoor in bottom allows access to roomy storage compartment. Screw-tightened collar securely retains any handheld tactical flashlight with a 1" diameter body for economical weapon-mounted illumination. For an added tactical advantage, a convenient trigger mechanism operates most pushbutton end cap switches, so the operator can activate the light without breaking grip. Master on/off switch locks out the trigger to prevent accidental activation. T-Grip clamps securely to any Picatinny or Weaver-style rail; quick-release pushbutton lock allows fast installation and removal. Includes an additional locking bolt for extra-secure mounting. Rugged, reinforced, molded polymer composite construction stands up to hard tactical operations.

SPECS: Reinforced polymer composite, black. Grip height approximately 3³/₁₆" (9.8cm). 5¹/₂" (14.3cm) O.A.L., 1¹/₂" (3.8cm) wide. #100-003-846AF T-Grip Vertical Forend Grip 2B69T95 \$ 89.95

RAINIER ARMS AR-15/M16 BOBRO VERTICAL FOREND GRIP

Innovative Locking System
Provides Quick Installation
Without Removing Accessories



Vertical forend grip uses a unique, spring-loaded Self Aligning Compression Lock (SACL) to quickly install onto your Picatinny handguard rail without removing flashlights, lasers or other accessories. Easy installation; press and rotate grip onto rail, then tighten bottom knob to lock. Remove bottom knob to access battery storage compartment, interior foam keeps batteries tight, so they won't rattle. **Standard Grip** is 4" long to provide the ultimate in positive control, and stores two CR-123 batteries. **Short Grip** is 3³/₁₆" long to provide additional clearance for vehicle gun racks, and stores one CR-123 or AA battery. SACL is machined from durable, high strength aluminum; grip and core are machined from Delrin. Fastener and index pin phosphated to Mil-STD171. **SPECS:** Aluminum locking system, Delrin grip and core, black finish. **Standard** - 4" (10.1cm) long x 1³/₁₆" (3.1cm) OD. **Short** - 3³/₁₆" (8.1cm) long x 1³/₁₆" (3.1cm) OD.

#100-003-347AF Standard Vertical Grip 9B68C00 \$ 79.95
#100-003-348AF Short Vertical Grip 9B68C00 \$ 79.95



SOG ARMORY AR-15/M16 GRAPHITE VERTICAL GRIP

Rubber-Coated Gripping Surface
For Maximum Weapon Control

Molded vertical grip with tread-like, rubber coating ends the potential for loss of weapon control in wet, slippery conditions, or when hands become slick with sweat. Made from a new, graphite blend that reduces weight without compromising strength or rigidity. Will not heat up during high volume shooting sessions or after exposure to sunlight for long periods. Deep, textured, block pattern sticks to your hand for an exceptional grip. Dovetail locks onto any Picatinny or Weaver-style, handguard rail. Aluminum lockdown post with threaded cap provides a snug, pressure fit that won't rattle loose under recoil or rigorous use.

SPECS: Graphite body w/rubber grip, Black. 4¹/₂" (11.4cm) long x 1¹/₄" (3.2cm) dia. 3.8 oz. (108g) wt.

#100-002-213AF ABS Vertical Grip 9A23X57 \$ 39.99

TANGODOWN AR-15/M16 BATTLEGRIP VERTICAL GRIP



Improves Weapon Control;
Standard & Short Models;
Available With Quick-Detach System

Large diameter, ribbed vertical grip helps prevent hand fatigue and cramping during long periods in the ready position. Improves weapon control and keeps hand away from hot handguard during sustained fire. Dual locking bars provide a rock-solid mounting interface to MIL-STD 1913 rails. Internal storage compartment for spare batteries or parts. O-ring on the screw-on cap forms a waterproof seal down to 66 ft. deep. **Standard BattleGrip** - Full-size grip has enough internal storage for a complete M4/M16 bolt assembly. Integral pocket for a light/laser remote pressure switch allows easy access to the switch yet protects it from bumps, damage, and accidental activation. Sliding panel covers pocket when switch is not mounted. **Stubby BattleGrip** - Low-profile "Stubby" grip keeps M4 carbines, breaching shotguns, and other CQB weapons as compact as possible and won't interfere with most vehicle gun racks. No pressure switch pocket.

SPECS: Injection-molded, fiberglass-reinforced polymer resin, Black, Dark Earth, or Foliage Green. **Standard** - 4³/₄" (12.1cm) long. **Stubby** - 3³/₈" (8.6cm) long.

#071-000-034AF BattleGrip, Black 9B58H91 \$ 69.99
#071-000-038AF BattleGrip, Dark Earth 9B55H63 \$ 68.73
#071-000-036AF BattleGrip, Foliage Green 9B56H49 \$ 69.99
#071-000-040AF Stubby BattleGrip, Black 9B50H41 \$ 62.55
#071-000-041AF Stubby BattleGrip, Dark Earth, 9B51H06 \$ 62.99

#071-000-042AF Stubby BattleGrip, Foliage Green, 9B50H41 \$ 62.55

QUICK DETACH BATTLEGRIP - Adds a quick-detach locking system to the standard BattleGrip. Clamps to the forend rail as securely as the original mounting interface, yet releases with the flick of a finger. Patented design will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the grip easily detaches from the rail. Adjustable with a flathead screwdriver or even a coin for an ultra-secure, no-slip fit on Picatinny and Weaver-style rails, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference.

SPECS: Injection-molded, fiberglass-reinforced polymer resin grip, Black, Dark Earth, or Foliage Green. Aluminum and steel locking mechanism, matte black **Standard** - 4³/₄" (12.1cm) long. **Stubby** - 3³/₈" (8.6cm) long.

#100-003-862AF QD BattleGrip, Black 9B72V46 \$ 87.99
#100-003-864AF QD BattleGrip, Dark Earth 9B72V46 \$ 87.55
#100-003-863AF QD BattleGrip, Foliage Green, 9B72V46 \$ 87.55

#100-003-865AF QD Stubby BattleGrip, Blk, 9B72V46 \$ 87.55
#100-003-867AF QD Stubby BattleGrip, Dark Earth, 9B72V46 \$ 87.55

#100-003-866AF QD Stubby BattleGrip, Foliage Green, 9B72V46 \$ 87.55



TAPCO AR-15/M16 FUSION VERTICAL GRIP

Clamps To Under Rail; Keeps Battery Dry

Hand-filling grip mounts securely to under rail for increased weapon control. Features an oval contour with external ribbing. Waterproof compartment holds one AA battery, or two #123 lithium batteries with special internal support ribs for optimal battery protection. Inside of rubber grip plug fits terminal end of AA battery to insulate against discharge. Added surface area on the sides provide secure attachment area for tape-on tactical light switches. Large, composite clamp with slotted crossbolt locks grip in place.

SPECS: Polymer black matte. 4³/₄" long (12cm). Internal chamber: 2¹/₂" deep, accepts one AA or 2 #123 lithium batteries.

#100-003-293AF Fusion Vertical Grip 5A22H27 \$ 24.99

YANKEE HILL MACHINE AR-15/M16 FOLDING VERTICAL GRIP



Robust, Battle-Ready Construction
For Hardcore Tactical Work;
Folds Out Of The Way When Not In Use

Beefy, hand-filling, vertical grip deploys fast from the stowed position so you have maximum weapon control and retention during CQB maneuvers. Hollow-core handle is formed using the same mold and Mil-Spec, thermoset polymer used for the spade grips of Browning M2 .50 caliber machine guns. Machined, aluminum, pivot mount with steel hex screw attaches grip to any Picatinny or Weaver-style accessory rail. **3-Position Grip** uses a threaded, steel shank pinned to the pivot mount for full 180° of rotation; secures in the down, forward or rearward positions by simply tightening down the handle. **Quick Action Grip** pivots in one direction, and includes a spring-loaded pushbutton that instantly locks and unlocks the handle. Folds down to the battle-ready position or forward/rearward for storage, depending on installation.

SPECS: Pivot Mount - Aluminum, matte black, Mil-Spec phosphate coating. **Handle** - Mil-Spec Thermoset polymer, matte black. 5¹/₂" (14cm) long. **Weight** - **Folding:** 6.6 oz. (187 g). **Quick Action:** 4.7 oz. (133 g).

#100-002-088AF 3-Position Grip, 9A33V45 \$ 47.50
#100-002-092AF Quick Action Grip, 9A55V35 \$ 79.00

BROWNELLS AR-15/M16 TACTICAL MAGAZINE/POUCH READINESS PACK

Economically Load, Store
& Carry Up To 90 Rounds
Ready For Instant Use



Convenient kit helps you maintain peak tactical readiness with everything you need to load, store, and carry up to 90 rounds of .223/5.56 ammo for your AR-15/M16. Each pack contains three, ultra-reliable Brownells 20- or 30-round Tactical Magazines equipped with Magpul's Ranger® floorplate to help ensure fast, positive extraction from the pouch and lightning-quick mag changes. 30-round magazines are further enhanced with a Magpul self-leveling follower to ensure snag-free movement of the round stack for easier loading and smooth, reliable feeding. You also get a Butler Creek LULA® loader for pain-free loading and unloading of a full mag in seconds, and our Signature Series Triple Magazine Pouch for secure storage and carrying of the mags. Pouch has fold-over snap closures that loop through the exterior straps on our M4 rifle case or other MOLLE-compatible gear, so you have plenty of spare mags where you need them—with your rifle. Available with Military Gray magazines and a black pouch.

SPECS: **Magazines** - Aluminum body, hard-anodized Military Gray, dry-lube coated. Dry-lube coated chrome silicon spring. 20-Rd Magazines are equipped with green, fiberglass-filled plastic follower. 30-Rd Magazines have gray, Mag-pul self-leveling follower. **Triple Mag Pouch** - 1000 denier Cordura Plus nylon, Black. 30-rd - 9¹/₂" (24.1cm) long, 8³/₈" (27.3cm) high. 20-rd - 10" (25.4cm) long, 6¹/₂" (16.5cm) high. **LULA Magazine Loader/Unloader** - Reinforced polymer, Black.

#080-000-560AF 30-Rd Mag/Pouch Pack, Gray/Black, 8K74A99 \$ 89.99

#080-000-562AF 20-Rd Mag/Pouch Pack, Gray/Black, 8K64A99 \$ 84.99

Selection • Service • Satisfaction
GUARANTEED



BROWNELLS/BLACK DOG MACHINE AR-15/M16 HIGH-CAPACITY MAGAZINE FOR .22 LR CONVERSIONS

Shoot More, Reload Less; Full-Body Design
Handles Like A Mil-Spec Magazine



Dependable, high-capacity magazine handles like a standard AR-15/M16 magazine and delivers up to 26 rounds of .22 LR ammunition in an AR-15 fitted with the CMMG AR-15/M16 .22 LR Conversion Kit or any Atchisson-type conversion system.

Range-tested for reliable function in both semi- and full-auto rifles. Extended, anti-tilt follower acts as a bolt stop after last round is fired. Tough, impact-resistant polycarbonate shell and follower are self-lubricating, so they work with the constant-force spring to deliver smooth, uniform feeding for consistent operation. Steel hex screws securely hold the mag body halves together to ensure exceptional strength and rigidity, yet are easily removable for disassembly and cleaning. Available in transparent Smoke and Clear for easy round counting or solid Black. **26-round** models are the same size as USGI 30-round AR-15 magazines. **10-round** and **15-round** models are the same size as a standard 20-round AR-15 magazine to meet the needs of benchrest shooters and others who prefer a shorter magazine. **Rebuild Kit** has all the internal components needed to rebuild three (3) 26-round magazines and return them to factory specs.

SPECS: Injection-molded polycarbonate, Smoke, Clear, or solid Black depending on model. Fits AR-15/M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system. **Rebuild Kit** contains three (3) each of follower, spring, base plate, and plug for 26-round magazines only.

#080-000-548AF 26-Rd Mag for .22 LR, Smoke, 2B27Z56 \$ 35.99

#100-003-328AF 26-Rd Mag for .22 LR, Clear, 1B27V34 \$ 35.99

#080-000-547AF 26-Rd Mag for .22 LR, Black, 2B27Z56 \$ 35.99

#100-004-183AF 15-Rd Mag for .22 LR, Smoke, 1B25V55 \$ 32.99

#100-004-182AF 15-Rd Mag for .22 LR, Black, 1B25V55 \$ 32.99

#100-003-673AF 10-Rd Mag for .22 LR, Smoke, 1B27C56 \$ 35.99

#100-004-087AF Rebuild Kit for 26-Rd Mag, 3-pak, 1B05H56 \$ 6.99

CHRISTIE & CHRISTIE MAGAZINE LOADER - Helps you load up a lot of magazines quickly, without pinched fingers, so you spend precious range time shooting your .22 LR AR-15 conversion, not loading mags. Simple to use: slide over the magazine, push down on the follower with your finger to get it started, and begin inserting rounds, pressing down on the loader to take up spring pressure as you go. Rugged, one-piece design is molded from lightweight 50% glass-filled polymer, so it's heat-, impact-, and solvent-resistant.

SPECS: Molded polymer, black. Fits Brownells, Black Dog Machine, and Ciener magazines for .22 LR AR-15/M16 conversions.

#100-004-398AF .22 LR Magazine Loader 8A07T99 \$ 14.99



COLT AR-15/M16 9-ROUND FACTORY MAGAZINE

Use For Backup, Hunting Or Competition


Genuine Colt factory, 9-round magazine is guaranteed to fit and function correctly. Lightweight and compact for easy carry and fast loading. Use as an emergency spare or for applications where 20- and 30-round high capacity magazines are restricted or just too big and clumsy.

SPECS: Matte blue, 9-round, accepts .223 (5.56NATO). Fits AR-15 Accurized HBAR, Government Carbine Match Target, Match Target Competition HBAR, Match Target Competition HBAR II, Match Target HBAR, Match Target Lightweight A3 Tactical Carbine.

#160-000-213AF 9-Rd AR-15 Magazine 6A20Z73 \$ 25.99

BETA AR-15/M16 C-MAG

100-Round Capacity
For Enhanced Firepower


Super-capacity, dual drum magazine allows you to spend more time shooting and less time reloading. 100-round capacity is great for extended shooting sessions with inexpensive surplus .223 ammunition. Even weight distribution ensures a well-balanced weapon that's not cumbersome or awkward to shoot. Included tool provides easy loading, simply push five rounds at a time into the interlinking straight clip to automatically double stack and alternately load both drums. Polymer composite body is available in solid **Black**, or black with a **Clear** drum face to allow visual check of remaining ammo. Steel hardware and aluminum feed rails provide years of reliable service. Includes two tubes of graphite lubricant for optimal feeding, plus a snap-on, synthetic cover to keep dirt from entering the follower end of the magazine. Double-stitched, nylon carry case attaches to your web belt and includes individual compartments for the magazine, loading tool, and graphite tubes. 

SPECS: Polymer composite body, aluminum feed rails, steel hardware. Available with solid black housing or black with clear drum face. Accepts .223 caliber. 2 5/8" (6.7cm) long, 10" (25.4cm) wide, 4" (10.2cm) high. 2.24 lb. (1kg) weight.

#100-003-386AF **Black C-Mag 9B00VBX** \$ 289.99
#100-003-387AF **Clear C-Mag 9B00HDZ** 289.99

DPMS PANTHER LONG RANGE 19-ROUND STEEL MAGAZINE

Durable & Dependable Magazine
For AR-Style .308 Rifles


Tough, durable, 19-round magazine is constructed of heat-treated 1050 steel with a manganese phosphate finish to fit and function properly and stand up to harsh conditions. Steel floorplate removes for cleaning; steel spring and plastic follower give you reliable, smooth feeding of every round. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight SR-25, Remington R-25 (.308), and Stoner SR-25. 

SPECS: 1050 steel, manganese-phosphate finish, black. Will not fit AR/Lite AR-10®.

#231-000-207AF **19-Rnd Panther LR Mag 1C36V48** . . . \$ 44.99

DPMS PANTHER AR-15/M16 45-ROUND MAGAZINE

Extra Capacity For More Firepower &
Fewer Mag Changes


Extra-high-capacity magazine gives you 15 more shots between mag changes for longer target engagement with fewer pauses to reload. Designed to function properly in any .223/5.56mm AR-15-type rifle that accepts a standard 30-round magazine. Body stamped from .040" thick 6061 T6 aluminum sheet for structural rigidity, hardcoated to MIL-A-8525 Type 3 spec for superior strength, and Teflon® coated to resist abrasion. Disassembles like USGI 30-round magazine for cleaning, and uses the same follower and floorplate for ease of replacement parts acquisition. 

SPECS: Aluminum body, anodized, matte black. Polymer follower, green. Fits AR-15/M16 chambered for .223 Rem./5.56mm.

#231-000-235AF **45-Round AR-15/M16 Magazine, 1C62X42** \$ 89.99

FUSIL USA AR-15/M16 30-ROUND STEEL MAGAZINE

All-Steel Construction With One-Piece Body
To Handle Extreme Tactical Conditions


Newly designed, 30-round magazine features a strong one-piece steel body to handle the roughest operations. Precision manufactured to ISO 9001:2000 quality standards to exceed DoD specs for USGI magazines. Advanced features include a tilt-resistant steel follower and stainless steel spring to ensure even pressure on the round stack. Two-part floorplate with integral lanyard loop removes easily without tools for cleaning and maintenance; floorplate and follower are designed so they can't be reinstalled the wrong way. Fits minimum-dimension magwells and guaranteed to drop free from mil-spec magwells under its own weight, even when empty. Fits any mag pouch designed to hold standard USGI-spec magazines. Body is precision formed on an 18-stage progressive die system from a single piece of .021" thick 1050 sheet steel and robotically MIG welded for consistency. Crush resistant to 1,000 lbs. (500 lbs. side load) fully loaded, and impact tested to withstand dropping 1.5m onto a flat concrete surface. Function tested to ensure operation at temperatures from -67°F to +329°F. Body is nitride heat-treated to Rc 60 surface hardness, then pickled to remove the oxide layer before the manganese phosphate Parkerized finish (MIL-DTL-16232G Type M). After hardening, follower, floorplate, and retainer receive a dry-lube-impregnated powder coating. Both finishes resist continuous salt fog exposure for 96 hours without corrosion, and also resist bore cleaners, solvents, oils, gasoline, diesel fuel, hydraulic fluid, insect repellents (including DEET), and other harsh chemicals. 

SPECS: 1050 steel, Parkerized/powder coated, dark gray, with 17-2 stainless steel spring. 5.8 oz. (165g) weight empty. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm. 30-round capacity.

#100-004-151AF **30-Round Steel Mag 3Z24P99** \$ 29.99

JOHN MASEN CO. AR-15/M16 RIFLE MAGAZINES

Heavy-Gauge Body & Long-Life Spring

Heavy-duty springs for stable loading, reliable following, and a long life. Formed, high-lubricity, black polymer follower helps improve feeding. Five- or nine-round capacity with an ergonomically contoured base pad that removes quickly and easily for cleaning and maintenance; keeps feed lips strong and effective for a long time. 

SPECS: Body - 7075 aluminum, hardened to Mil Spec T6. Follower - Polymer, Black. Fits all AR-15 and M16, .223 Rem./5.56mm

#560-000-003AF **5-Rd AR-15/M16 Mag 6E16Y78** \$ 19.99


#560-000-004AF **9-Rd AR-15/M16 Mag 6E16Y38** 19.95

Mags LANCER SYSTEMS AR-15/M16



L5 POLYMER MAGAZINE

Rugged See-Through Polymer Body Lets
You See How Many Rounds Are Available

Full-capacity, 20- and 30-round magazines feature a translucent polymer body with molded-in round-count markers to give the operator instant visual feedback on ammo status. Makes pre- and post-combat ammo checks easy; helps improve training safety and range efficiency. Tough, lightweight molded polymer stands up to rough handling and extreme conditions of tactical operations, including heat and impact of sustained full-auto fire. Tested to withstand temperature extremes of -50° F to +180° F and 5-foot drop, fully loaded, to hard concrete surface without impairment of function. Impervious to cleaning solvents, oils, and many other chemicals. Non-reflective exterior has molded-in ridges that enhance structural strength and provide a solid grasping surface for inserting and removing from weapon. Drops free from mil-spec magwells; can be loaded to full capacity and inserted into weapon with bolt closed. 30-round model fits mag pouches designed for standard USGI-spec magazines; both models fit Brownells MOLLE-compatible mag pouches. Constant-radius curve of the body helps ensure smooth, snag-free follower/spring operation and consistent movement of the round stack for reliable feeding. Feed lips are hardened steel inserts with a corrosion-resistant PTFE coating that also promotes smooth ammo movement. Lips will not deform when the magazine is stored fully loaded over a long period of time, even in an extremely hot environment like a locked vehicle. Hard polymer base plate has a rubberized exterior to provide a positive gripping surface for extracting mag from tight-fitting pouches and secure seating in weapon. Prevents damage when mag is ejected on a hard surface, and removes easily for disassembly and cleaning. 

Cartridges not included

SPECS: Molded polymer, translucent smoke gray. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm.

#100-004-105AF **L5 Trans. 30-Round Mag 1C18Y99** \$ 20.99

#100-004-356AF **L5 Trans. 20-Round Mag 1C15Y53** . . 19.95


L5 COMPETITION - 48-round version of the standard L5 magazine gives the 3-gun and tactical rifle competitor the extra round capacity to cut down the number of mag changes during long stages, or even eliminate them entirely. These mags come fully assembled and ready to run, built from two 30-round L5 bodies held in precise alignment by a rigid, machined aluminum coupler secured by four hardened-steel machine screws. The lower mag body is cut down to maintain the correct, internal constant-radius geometry for reliable, snag-free round feeding. Retains all the other features of the original L5, including hardened steel feed lips, rubberized polymer floorplate, longer chrome-silicon spring, and smoke gray translucent polymer body that gives the operator instant visual feedback on ammo status.

SPECS: Molded polymer, translucent smoke gray. Fits AR-15/M16/M4 and clones chambered for .223/5.56mm. 48-round capacity.

#100-004-358AF **L5 Competition 48-Round Magazine, 1C64Y95** \$ 79.95

MWG AR-15 PLASTIC MAGAZINE

Lightweight, Nearly Indestructible
In .223 & 7.62 x 39mm


Carry more clips with less extra weight. Made from light, extra-tough, nylon-impregnated, ABS plastic that's impact resistant and won't break down, rot or rust. Includes tempered steel springs and self-lubricating nylon followers. 

SPECS: Nylon ABS, Black. Will fit M16.

STOCK #	MODEL	CALIBER	RNDS	PRICE
#556-115-210AF	AR-15	.223	10	6E13H58 \$19.00
#556-115-310AF	AR-15	7.62 x 39mm	10	6E11H07 \$14.75
#556-115-205AF	AR-15	.223	5	6E13H58 \$19.00

MWG AR-15/M16 90-ROUNDER® MAGAZINE

Ultra High Capacity
For Increased Shooting Fun

Precision built, ultra-high capacity, drum-style magazine allows extended shooting strings and plenty of shooting fun with your favorite AR-15 or M16 rifle. Made from extra-strong polycarbonate resin with a clear back cover so you can see at a glance the remaining rounds. Holds a maximum of 90 rounds of .223 Rem./5.56 NATO ammunition and is guaranteed not to jam or malfunction. Offset design keeps the weight of all rounds directly below the magazine well, so the balance point of your rifle remains unchanged. Very easy to load, includes a 10-round loading chute and stripper clips to help speed reloads. 

SPECS: Injection-molded synthetic nylon, black. 1lb. 4 oz. (.56kg) wt. empty. Includes magazine, loading chute, plunger, (9) stripper clips, nylon spacer and instructions.

#556-000-006AF **90-Rounder Magazine, 6E90U00** \$ 124.00

PRECISION REFLEX, INC. AR-15/M16 6.8mm MAGAZINE

Durable Steel Magazines Resist Wear,
Maintain Their Shape

Make the most of your 6.8mm chambered AR with long-wearing, extra-tough steel magazines. Hardened steel bodies with tempered feed lips hold their shape and won't flex, bend, or deform. Tempered steel springs help maintain reliable feeding and function even with the heavier 6.8mm cartridge. Lightweight, Magpul brand, nylon composite followers are marked 6.8 to avoid confusion with AR magazines for other calibers. Available in 10-, 15-, or 25-round capacity. 

SPECS: Steel, Blue. Fits. AR-15/M16 rifles chambered for 6.8 x 43mm Rem. SPC.


#714-000-002AF **10-Round 6.8mm Mag 4A33Y95** . . . \$ 41.00

#714-000-010AF **15-Round 6.8mm Mag 4A33Y38** 41.99

#714-000-001AF **25-Round 6.8mm Mag 4A34Y95** 43.00

PRO-MAG AR-15/M16 32-ROUND 9mm MAGAZINE

For Reliable Operation In Sub-Caliber Conversions

Rugged, lightweight, high-capacity magazine designed for 9mm AR-15 conversions like Colt and Rock River Arms that use a Colt or modified UZI magazine. Tough, molded polymer construction resists damage if dropped on a hard surface, and the anti-tilt follower ensures smooth movement of the round stack for reliable feeding. Easy to remove floorplate makes disassembly for cleaning fast and simple. Requires a lower receiver conversion block, available separately. 


SPECS: Molded polymer, matte black. 32-round capacity.

#687-000-022AF **32-Rd 9mm AR-15 Magazine, 7H14Y17** \$ 28.35



CMMG AR-15/M16 HOSTILE ENVIRONMENT 42-ROUND BATTLE MAGAZINE

Holds 40% More Ammo Than USGI Mags


Built to handle the punishment of combat and competition and reliably deliver 42 rounds between reloads—40% more than a standard 30-round USGI mag. Perfect for three-gun competitions where added seconds of an extra mag change could make the difference between winning and finishing in the middle of the pack. Rigid steel mag body is formed through a progressive die, not welded up from modified 30-round mag bodies, to ensure the correct-radius curve for smooth, snag-free follower travel. Non-reflective, matte black "WASP" (Weapon Armored Surface Protection) finish adds surface strength, corrosion protection, and resistance to abrasion similar to chrome plating at a fraction of the cost. Anti-tilt stainless steel follower rides evenly in all four corners of the magazine body to eliminate uneven round stack movement that can lead to nose-dives and failures to feed. High-lubricity, polished finish helps reduce drag in the mag body. Triple-strand, braided wire spring maintains consistent pressure, regardless of the number of rounds in mag. Nano-ceramic coating has been tested in salt spray for 400+ hours without developing corrosion. Removable steel floorplate allows easy disassembly for cleaning. 

SPECS: Steel, matte black finish. Approximate overall length, 9 1/4" (23.5cm). 11.2 oz. (317g) weight. Fits rifles that accept standard AR-15/M16 .223/5.56mm magazines. Spring may require a break-in period before loading to full 42-round capacity.

#100-004-288AF **42-Rd Steel AR-15 Mag 3B24H10** . . \$ 29.95

DPMS AR-15/M16 10 ROUND POLYMER MAGAZINE

Semi-Transparent, Easy Round Counting

Lightweight, waffle pattern, polymer body with a self-lubricating, nylon follower provides smooth, reliable feeding. Fits flush with bottom of magazine well. Resists rust and corrosion. 

SPECS: Polymer, transparent black. .223 caliber, 10 round capacity. Resistant to all known gun solvents.

#231-000-010AF **AR-15 Polymer Magazine 1C14D92** \$ 19.99

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 39

AR-15/M16

MAGAZINES & PARTS

GSA



BROWNELLS AR-15/M16 20- & 30-ROUND MAGAZINES

The Most Up-To-Date & Reliable Civilian Magazine Available

A battle rifle is only as reliable as its magazine – make sure the one in your rifle is from Brownells. When the difference between a “bang” and a “click” is life and death, a magazine failure is more than inconvenient – it can be fatal. So when we decided to build our own AR-15/M16 magazines, reliability was our first priority. Some of us have sons and daughters serving overseas or in law enforcement, and we aimed to build the kind of magazine we’d trust their lives with. We started with a clean slate, then worked out the bugs on the drawing board and the test range *before* we offered a single mag for sale, so you get a magazine of uncompromising quality and reliability that’s built to last and ready to run hard. When failure is not an option, these magazines deliver on the range, in a tactical situation, under fire. Load these smooth-feeding magazines to maximum capacity and fire the full 30 rounds you expect. No jams, no misfeeds, no hangups. 

All components are made of mil-spec materials and are manufactured under strict, ISO quality control standards. The heat-treated, welded aluminum body is hard-anodized for superior corrosion resistance, then given a tough, dry-lube coating to eliminate the need for additional lubricants that would attract dust, sand, or dirt. The latest military-type, glass-fiber reinforced composite follower further guarantees flawless feeding in the harshest tactical conditions. Choose from a mil-spec stainless steel spring or our high lubricity, dry-lube-coated chrome silicon spring that’s corrosion-resistant certified to 500 hour salt spray standards, and less prone to spring “set.” Updated material and design features like those in our 30-round magazine have been adapted to our straight-bodied, 20-round model. Since we manufacture these mags ourselves, we can maintain a large inventory. So, if you need magazines in a hurry, even in quantity, we can get them to you ASAP. **When ordering bulk Paks using the stock numbers shown below, also specify your choice of magazine spring type.**

SPECS: Aluminum body, gray hard-anodized with dry-lube coating. Fiberglass-filled, green plastic follower. Available with dry-lube-coated chrome silicon spring or stainless steel spring.

CAPACITY	SPRING	STK # EACH	STK # 25-PAK	STK # 100-PAK	STK # 1000-PAK
30-Round	Chrome Silicon	078-000-107AF	078-300-025AF	078-300-100AF	078-300-999AF
30-Round	Stainless	078-000-113AF	078-300-025AF	078-300-100AF	078-300-999AF
20-Round	Chrome Silicon	078-000-159AF	078-200-025AF	078-200-100AF	078-200-999AF
20-Round	Stainless	078-000-160AF	078-200-025AF	078-200-100AF	078-200-999AF

- Advise # – AR-15/M16 Magazine, each *8K12H50* \$ 17.99
- Advise # – 25-Pak AR-15/M16 Magazines, per each, advise by spring type *8K11A00* 12.50
- Advise # – 100-Pak AR-15/M16 Magazines, per each, advise by spring type *8K09A50* 12.50
- Advise # – 1000-Pak AR-15/M16 Magazines, per each, advise by spring type *8K09A00* 12.50

BROWNELLS AR-15/M16 TACTICAL MAGAZINE

Our Ultra-Reliable Magazine With Popular Aftermarket Accessories Pre-Installed

We added two of the most popular aftermarket accessories to our ultra-reliable chrome silicon spring magazines, so you get a customized magazine ready to run hard right out of the bag. The curved 30-round model comes with the Magpul Self-Leveling Follower. This follower won’t tilt as rounds are fed into or stripped from the magazine, and its self-lubricating polymer composition helps ensure smooth movement in the mag body for easier loading and ultra-smooth feeding. For an added tactical or competitive edge, the 30-round Tactical Magazine is also available with the Magpul Ranger® floorplate to ensure lightning-fast magazine changes. An easy-to-grasp finger loop aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Made of tough stainless steel overmolded with non-slip Santoprene™ synthetic rubber to cushion the magazine from impact when dropped on concrete or other hard surfaces. Straight-body 20-round model comes with the Ranger floorplate and a fiberglass-reinforced plastic follower specially designed for smooth operation in a straight-body magazine. **NOTE:** Installation of Ranger floorplate on 20-round models limits capacity to 18 or 19 rounds. 

- #080-000-489AF 30-Rd Tactical Mag, Military Gray *8K13B50* \$ 19.99
- #080-000-490AF 30-Rd Tactical Mag w/Ranger Plate, Military Gray *8K18B67* 24.99
- #080-000-541AF 20-Rd Tactical Mag w/Ranger Plate, Military Gray *8K17D50* 19.99

**SATISFACTION GUARANTEED
SINCE 1939**

Supplier Of
U.S. Military Mags;
Order In Quantity &
Save Over 30%


Includes Magpul
Self-Leveling
Follower!

MAGPUL AR-15/M16 PMAG POLYMER MAGAZINE

Dependable & Nearly Indestructible;
Store Fully Loaded Without Loss
Of Reliability



Exceptionally rugged, combat- and competition-ready magazine functions flawlessly, even when left fully loaded for extended periods. Corrosion-proof, self-lubricating one-piece body of fiber-reinforced, molded polymer has no spot welds or joints to impair the follower, and the constant internal curve ensures smooth, unobstructed movement of the round stack. Anti-tilt follower stabilizes the stack to help prevent nose-diving and bolt-over-head failures. Heat-treated, stainless steel spring is stress-relieved for optimal performance. Included quick-release magazine cover

seals out dirt and alleviates feed lip deformation caused by pressure from a full ammo stack during long-term storage. Withstands the heat from prolonged full-auto fire and is not harmed by most bore cleaners and solvents. Exterior ribbing provides added gripping surface; magazine catch notch, rather than a traditional hole, keeps dirt and debris out. Easy-to-grasp ledge on floorplate aids in extracting magazine from pouches; floorplate removes easily for cleaning. Curved-body 30-Round model is also available in **MagLevel** configuration with windows on both sides of the magazine and a bright, orange indicator to display ammo level. Compact, straight-body 20-Round model makes a tactical rifle easier to store and retrieve from a vehicle, and provides a stable rest for target shooting. All models available in Black, Flat Dark Earth, O.D. Green, and Foliage Green. 

SPECS: Molded polymer, stainless steel spring. 20- or 30-round capacity. Available in Black, Flat Dark Earth, O.D. Green, and Foliage Green.

CAPACITY/STYLE	BLACK	FLAT DK EARTH	O.D. GREEN	FOLIAGE GREEN	PRICE
30-Rd PMAG	#100-003-119AF	#100-003-305AF	#100-003-581AF	#100-003-580AF	3K12D97 \$ 14.99
30-Rd MagLevel PMAG	#100-003-144AF	#100-003-304AF	#100-003-593AF	#100-003-592AF	3K16A55 \$ 17.99
20-Rd PMAG	#100-003-541AF	#100-003-544AF	#100-003-542AF	#100-003-543AF	3K12A60 \$ 13.99


RANGER® FLOORPLATE FOR PMAG

Replacement floorplate brings the speed and controllability of the original Magpul Ranger Floorplate to both 20- and 30-round PMAGs for fast, secure tactical magazine changes under stress. Smoothly contoured, easy-to-grasp finger loop and grooved thumb dimple aid in positive extraction from tight mag pouches and help you hang onto the empty magazine with just a finger after a tactical reload. Made from tough, reinforced polymer overmolded with soft, non-slip synthetic rubber that also cushions the magazine from impact if dropped on a hard surface. Includes molded-in para-cord hole for custom loop configurations. Easy, drop-in installation: simply remove the PMAG’s factory floorplate as you do for cleaning, and replace it with the Ranger Floorplate. Sold in 3-paks and available in Black, Dark Earth, O.D. Green, and Foliage Green. 

SPECS: Reinforced polymer, rubber coated. 3 per pak. Fits all PMAG models.

- #100-003-501AF PMAG Ranger Floorplate, Black, *3K11P69* \$ 14.99
- #100-003-502AF PMAG Ranger Floorplate, Dark Earth, *3K11P78* 14.99
- #100-003-504AF PMAG Ranger Floorplate, O.D. Green, *3K11P69* 14.99
- #100-003-503AF PMAG Ranger Floorplate, Foliage Green, *3K11P69* 14.99

RAINIER ARMS ENHANCED MAGAZINE GRIP

Press-on panels of textured rubber create a superior grip on your Magpul PMAG AR-15/M16 magazine, providing confident, positive handling, even when wet. Precut, waterproof panels are coated with an industrial strength pressure adhesive designed to bond firmly to the grip recesses on the PMAG. Panels will also bond directly to USGI magazines or similar equipment where a no-slip surface is critical. 

SPECS: Rubber, Black. 1" (2.5cm) long x 5/8" (1.5cm) wide. Contains 24 per pak.

- #100-003-346AF Enhanced Magazine Grip, *9B16C50* \$ 19.95

Magazine not included

REPLACEMENT COMPONENTS - Convenient kit contains replacement anti-tilt follower, floorplate, lock plate, and dust/impact cover to refurbish your 30-round PMAG and bring it back to like-new condition. Manufactured from the same tough, shock-resistant reinforced polymer as the original components. Replacement Dust/Impact Covers also available separately. Covers fit all PMAG models; sold in 3-Paks. **SPECS:** Reinforced molded polymer, Black, Dark Earth, or Foliage Green. **Component Kits** fit 30-round PMAGs only. **Dust Covers** fit 20- and 30-round PMAGs. Sold in 3-Paks.

- #100-003-692AF 30-Rd PMAG w/Ranger Plate, each, *3K22D95* \$ 27.95
- #100-003-693AF 30-Rd PMAG w/Ranger Plate, 3-pak, *3K48D95* 58.99
- #100-003-694AF 30-Rd ML PMAG w/Ranger Plate, each, *3K25D50* 29.95
- #100-003-695AF 30-Rd ML PMAG w/Rngr Plate 3-pak, *3K56D50* 67.95
- #100-003-696AF 20-Rd PMAG w/Ranger Plate, each, *3K22D50* 27.95
- #100-003-697AF 20-Rd PMAG w/Ranger Plate, 3-pak, *3K46Z00* 57.95
- #100-003-506AF **Component Kit**, Foliage Green, *3K04P50* \$ 5.95
- #100-003-508AF **Dust Covers**, Black, 3-pak *3K03P00* ... 3.95
- #100-003-510AF **Dust Covers**, Dark Earth, 3-pak, *3K03P00* 3.95
- #100-003-509AF **Dust Covers**, Foliage Green, 3-pak, *3K03P00* 3.95

**Save BIG on Brownells
20- & 30-Round Magazines
Over 30% When You Buy 25 Mags or More**



REMINGTON AR-15/M16 5-ROUND MAGAZINE

Low Profile Perfect For Hunting;
Camo Pattern Matches
Remington R-15 VTR Rifle



Compact, low-profile 5-round magazine offers minimal weight and bulk, making it perfect for hunting, where a long USGI 30-round magazine is cumbersome or not permitted. Lightweight aluminum mag body is finished with Advantage® MAX-1™ high-definition camouflage to match Remington R-15 VTR rifle, but will fit any standard mil-spec AR-15. Magpul Gen III self-leveling follower of durable, self-lubricating reinforced polymer helps ensure smooth, reliable feeding free of jams and other magazine-related failures caused by uneven movement of the round stack. Chrome-silicon steel spring is highly resistant to corrosion and won't lose spring force if magazine is left fully loaded for extended periods of time.

SPECS: Aluminum body, Advantage MAX-1 camouflage finish, molded polymer follower, chrome-silicon steel spring. 5-round capacity. For AR-15 rifles chambered in .223/5.56mm and .204 Ruger.

#768-194-520AF R-15 Magazine, 5-Rd 8F31U61 \$ 39.95



TAPCO AR-15/M16 30-ROUND MAGAZINE

Rugged, One-Piece Body; Aggressive
Grasping Ridges For Fast Mag Changes



Designed with input from a variety of AR shooters—military, law enforcement, and competitors—these lightweight 30-round magazines deliver exceptional reliability in all types of extreme conditions. One-piece body of glass fiber-reinforced polymer composite has outstanding structural rigidity to resist damage from dropping on hard surfaces like concrete and side-impact crushing forces. Aggressive ridges on the outside give you a secure grip during reloads. Continuous-curve interior with slick, mirror-finish surfaces and a polymer, non-tilt follower that runs in grooves virtually eliminate risk of jams caused by uneven pressure on the round stack. Corrosion-resistant chrome-silicon spring won't lose power when a loaded mag is stored for extended periods. Seamless body, tight-fitting floorplate, and an indentation for the mag catch to grab rather than a hole through the body, keep out dust, moisture, grit, and contaminants that can impede ammo flow. Floorplate removes easily for cleaning simply by pressing the locking tab with the tip of an unfired .223 cartridge. Captive follower and floorplate locking tab stay with the spring, so they won't get lost. Flared floorplate and extra grooves near the bottom help you extract the magazine from tight-fitting mag pouches for fast reloads. Fits most pouches for USGI mags, including Brownells MOLLE pouch system. Drops free from mil-spec mag wells, and compatible with LULA loader, stripper clips, Maglula Universal Benchloader, and other loaders that fit USGI mags. Available in Black and two colors that match popular camo schemes, Dark Earth and olive Drab.

SPECS: Injection-molded polymer, Black, Dark Earth, or Olive Drab. Fits AR-15/M16/M4 rifles and carbines, and clones. Holds 30 rounds of .223/5.56mm ammunition.

#100-004-270AF 30-Rd Magazine, Black 5A14X17 . . . \$ 14.99
#100-004-271AF 30-Rd Mag, Dark Earth 5A14X17 . . . 14.99
#100-004-272AF 30-Rd Mag, Olive Drab 5A14X17 14.99

ROCK RIVER ARMS AR-15 9mm MAGAZINE

Solid, All-Steel Construction For Reliable Operation
In Sub-Caliber Conversions



High-capacity UZI-type design has been specifically modified for use in 9mm AR-15 conversions. Robust, all-steel construction with metal follower and tough Parkerized finish for years of smooth, reliable service. Requires the Brownells/Rock River Lower Receiver Conversion Kit, available separately.

SPECS: Steel, matte gray, Parkerized finish. 25-round capacity.
#739-000-014AF 9mm AR-15 Magazine 9C00BXC . . . \$ 35.00

BUTLER CREEK "LULA" MAGAZINE LOADER/UNLOADER - A must for loading Rock River's 25-round 9mm AR-15 mags! As you move the lever back and forth, loader securely grasps each round for effortless loading/unloading. Reduces wear and tear on magazine feed lips—and your fingers. Fits in your pocket. Loader is made in the U.S.A.



SPECS: Reinforced polymer, black. Fits Rock River 25-round 9mm AR-15 magazines, as well as 20-, 32-, and 40-round 9mm Uzi metal magazines.
#593-000-045AF 9mm AR-15/UZI Magazine Loader, 3E28U53 \$ 34.95



TANGODOWN AR-15/M16 ARC MAGAZINE

Ultra-Rigid, Sealed Polymer Body;
Smooth-Feeding Anti-Tilt Follower



ARC 30-round magazine has a reinforced polymer body with unparalleled crush- and impact resistance, plus the latest features to ensure outstanding reliability. Two-piece body has straight walls and the optimal angle for the top half of the mag, with a constant-radius curve in the lower half for stable movement of the round stack. Molded-in reinforcing ridges, four interlocking tabs, and advanced, industrial-strength adhesive ensure that the joint between the halves is the strongest part of the body. Without a separate floorplate or lengthwise welded seam, the body forms an ultra-rigid, five-sided box that won't fail when dropped free on hard pavement, and it resists crushing forces beyond what GI mags can handle. Sealed body keeps out dirt, dust, and moisture; if necessary, clean the inside by blowing compressed air or water through relief holes in the top of the follower. Proprietary anti-tilt follower of self-lubricating polymer rides smoothly in slots to ensure reliable, snag-free ammo flow. Premium-grade chrome-silicon steel spring is heat-treated to relieve stress and moly-coated for corrosion resistance and smooth

movement; fully tested to ensure retention of spring force through 100,000 compression cycles. Reinforced feed lips stand up to the battering of sustained full-auto fire. Deep serrations on the front and rear of the body, plus an aggressive waffle pattern on the sides gives a non-slip grasp. Drops free from mil-spec mag wells, and seats easily on a closed bolt even with a full 30-round load. Fits most mag pouches that accept 30-round USGI magazines, including Brownells MOLLE-compatible pouches and Olongapo Outfitters Grab & Go pouch, both available separately. Available in black, Flat Dark Earth, and Foliage Green to match popular camouflage schemes, as well as a translucent body that gives instant, visual round-count verification.

SPECS: Injection-molded polymer, Black, Dark Earth, Foliage Green, or clear translucent. Fits AR-15/M16/M4, FN SCAR-Light, and M249 machine gun. Holds 30 rounds of .223/5.56mm ammunition.

#100-004-138AF ARC Magazine, Black 9B17T53 . . . \$ 20.99
#100-004-139AF ARC Mag, Dark Earth 9B17P53 20.99
#100-004-140AF ARC Mag, Foliage Green 9B17P53 . . . 20.99
#100-004-141AF ARC Mag, Translucent 9B21P73 26.95

CMMG AR-15/M16 STAINLESS STEEL ANTI-TILT FOLLOWER

Ultra-Stable, Low Drag Design
For Reliable Feeding



Stainless steel follower rides evenly in all four corners of the magazine body to eliminate tilting, so the ammo stack stays fully supported for smooth, reliable feeding. High-lubricity, polished finish helps reduce drag on spot welds, seams, and rough patches in the mag body, even under inconsistent spring pressure. Easy to install—drops in and secures to top of standard mag spring. Use with CMMG Braided Wire Magazine Spring (found elsewhere in catalog) for added reliability.

SPECS: Stainless steel, natural, polished finish. Available in 3-Paks.
#100-003-142AF Anti-Tilt Mag Follower, 3-pak, 3B08A43 \$ 9.99

MAGPUL AR-15/M16 GENERATION III SELF-LEVELING FOLLOWER

Won't Tilt; Feeds Rounds Smoothly;
Helps Prevent
Magazine-Related Failures



Molded plastic follower won't tilt as rounds are fed into or stripped from the magazine, so it helps prevent jams, misfeeds, and other magazine-related failures. Rectangular extensions at the front and rear prevent tilt of the round stack to eliminate jams caused by over-compression and binding of the spring. Self-lubricating polymer composition helps ensure smooth movement for easier loading and ultra-smooth feeding. Extended bolt catch makes sure bolt locks open after the last round is fired. Generation III improvements include a spring stabilizer molded into the underside to keep spring force centered no matter how many rounds are in the mag, rounded edges on the extensions for even slicker movement in the mag body, and more streamlined ramp geometry for easier travel of the round from the magazine into the chamber. Drop-in fit on standard USGI 30-round magazines.

SPECS: Molded polymer, foliage green. Fits standard 30-round magazine. Instructions included. Available in 3-paks.

#100-003-500AF Gen III Self-Leveling Follower, 3-pak, 3K04P66 \$ 5.99

MAGPUL AR-15/M16 USGI MAGAZINE UPGRADE KIT

Improves Function,
Reliability & Convenience
of Standard 30-Round
Magazines



Convenient kit lets you improve the reliability and tactical effectiveness of three standard USGI 30-round magazines by replacing the factory followers and floorplates with Magpul Generation III Self-Leveling Followers and Ranger® Floorplates. Simply disassemble each magazine as you would for cleaning and reassemble with the Magpul parts. Gen III Self-Leveling Follower of high-lubricity molded polymer helps ensure smooth movement of the round stack for easy loading and ultra-reliable feeding. Fully supported at all four corners to prevent nosives and other feeding failures caused by uneven spring pressure or roughness inside the mag body. Ranger Floorplate has easy-to-grasp finger loop for lightning fast magazine changes. Ensures positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Two-piece construction, polymer and stainless steel overmolded with soft, non-slip synthetic rubber that also cushions the magazine from impact if dropped on a hard surface.

SPECS: Kit contains 3 followers and 3 floorplates. Follower - Molded polymer, Foliage Green. Floorplate - Stainless steel, rubber-covered, Black.

#100-003-718AF USGI 30-Round Magazine Upgrade Kit, 3K17A95 \$ 22.95

ORIGINAL BOB SLED PRODUCTS AR-15/M16 ORIGINAL BOB SLED

Single Round Loading
For Competition & Varminting



Self-lubricating, Delrin® loading block replaces the magazine and follower for smooth, single round loading. Bolt holds open after every shot.

CNC-machined loading tray ensures proper cartridge alignment and reliable feeding. OBS20 provides a short, match-length loading block. OBS20 is the same size and shape as a 20-round AR-15 magazine; approved for Service Rifle competitions.

SPECS: Delrin. OBS10 - Approx. 2 1/2" (6.4cm) long, 7/8" (2.2cm) wide, 3" (7.6cm) high. OBS20 - Approx. 2 1/2" long, 7/8" wide, 5" (12.7cm) high. Fits AR-15/M16, .223 cal.

#100-001-736AF OBS10 Bob Sled 7A33B78 \$ 41.99
#100-001-737AF OBS20 Bob Sled 7A33X33 41.67

Sinclair AR-15

ALUMINUM SINGLE SHOT FOLLOWER

Allows Single Loading Of Long
Varmint/Target Cartridges



Easy to install, one-piece insert machined from solid aluminum bar stock rests on top of factory magazine follower to allow single shot loading of long cartridges with heavy varmint bullets. Prevents bullet or case damage caused by normal feeding from magazine. Perfect for precision target competition or varmint hunting. Fits Brownells 20- and 30-round magazines and similar USGI-type mags. No need to disassemble magazine to install because follower slides in from the top. Locks bolt open after the shot. Clear anodized to resist wear; silver color contrasts with plastic factory follower to give you instant visual recognition that the insert is installed.

SPECS: Aluminum, anodized, natural silver finish. Fits USGI-style metal magazines.

#988-000-010AF Single Shot Follower, 8H14D49 \$ 17.99

CMMG AR-15/M16 BRAIDED WIRE MAGAZINE SPRING

Extra Power For More Reliable Feeding; Won't Take A Set



Multi-strand, braided spring delivers 40% greater force than standard USGI springs for more consistent release of pressure and smoother, more reliable feeding of 30-round magazines. These springs will not reduce magazine capacity and will not take a set. Corrosion resistant, olive drab ceramic coating was tested in salt spray for 400+ hours without developing corrosion. Compatible with standard-issue and most after-market followers, including CMMG's Stainless Steel Anti-Tilt follower, also available from Brownells.

SPECS: Spring steel, 11 1/4" (28.6cm) long. Fits 30-round AR-15/M16 magazines.

#100-003-143AF Braided Wire Magazine Spring, 3B05A50 \$ 6.95

DPMS AR-15/M16 30 ROUND MAGAZINE REPAIR KIT



Corrects Feeding Problems, Prevents Jamming

Restores reliability to worn or damaged magazines. Corrects feeding and function problems, extends the life of valuable hi-cap magazines. Rebuild kit includes everything you need: Mil-Spec, polycarbonate follower plus a steel floorplate and factory weight, 30-round or 20-round spring.

SPECS: Polycarbonate follower, 2 3/8" (6cm) long, 30-round - green, 20-round - black, aluminum floorplate with black phosphate finish, steel spring.

#231-000-041AF 30-Rd Magazine Repair Kit, 3-pak, 1C10Z50 \$ 17.67
#231-000-163AF 20-Rd Magazine Repair Kit, 1-pak, 1C04P99 5.99

FOLLOWER - The "Green" follower as used on all current, military contract magazines. Developed for 30-round magazines to prevent misfeeding on 28th round.

SPECS: Molded polycarbonate, green. 2 3/8" (6cm) long. Package of 10.

#231-015-025AF AR-15/M16 Magazine Follower, 10-pak, 1C12X72 \$ 21.99

GSA

BROWNELLS AR-15/M16 HIGH CAPACITY MAGAZINE REBUILD KIT



Bring Magazines Back To Top Performance

Replacement spring, follower, and floorplate install easily to eliminate problems caused by worn-out parts. Chrome silicon spring maintains proper tension and gives consistent feeding, also available with stainless steel spring. 20- and 30-round followers are made of fiberglass-filled plastic. Anodized aluminum floorplate. Available for straight body 20-round magazines and mil-spec 30-round magazines.

SPECS: *Spring* - Chrome silicon (CS) or stainless steel (SS). *30-Rnd Follower* - Fiberglass-filled plastic, green. *20-Rnd Follower* - Fiberglass-filled plastic, black. *Floorplate* - Aluminum, anodized black. Kits available in 1, 3, & 6 Paks. **Kits and individual components for 20-round magazines are designed to fit straight body, 20-round magazines.**

STRAIGHT BODY 20-ROUND REBUILD KIT

STOCK # CS	STOCK # SS	PAK	PRICE
080-000-470AF	080-000-473AF	1	8K05Z50 \$ 6.95
080-000-471AF	080-000-474AF	3	8K15Z50 \$ 19.95
080-000-472AF	080-000-475AF	6	8K29Z99 \$ 37.95

30-ROUND REBUILD KIT

STOCK # CS	STOCK # SS	PAK	PRICE
080-000-281AF	080-000-351AF	1	8K05C59 \$ 6.99
080-000-282AF	080-000-353AF	3	8K18C27 \$ 19.99
080-000-283AF	080-000-358AF	6	8K29C99 \$ 37.99

INDIVIDUAL COMPONENTS

080-000-476AF	20-Round Straight Body Mag Spring (CS), only, each	8K03Z80	\$ 4.99
080-000-477AF	20-Round Straight Body Mag Spring (CS), only, 10-pak	8K30Z40	38.00
080-000-311AF	30-Round Spring (CS), only, each,	8K03T80	4.99
080-000-324AF	30-Round Spring (CS), only, 10-pak,	8K30T63	38.99
078-000-109AF	30-Round Spring (SS), only, each,	8G03H80	4.99
078-000-114AF	30-Round Spring (SS), only, 10-pak,	8G30H40	38.00
080-000-481AF	20-Rnd Straight Body Mag Floorplate, each	8K01Z20	1.50
080-000-482AF	20-Rd Straight Body Mag Floorplate, 10-pak	8K10Z45	12.99
080-000-312AF	30-Round Magazine Floorplate, each,	8K01T20	1.50
080-000-322AF	30-Round Magazine Floorplate, 10-pak,	8K09T60	11.99
080-000-479AF	20-Rd Straight Body Mag Follower, each	8K01Z00	1.25
080-000-480AF	20-Round Straight Body Mag Follower, 10-pak	8K08Z23	10.97
080-000-313AF	30-Round Mil-Std Follower, each,	8K01T00	1.25
080-000-317AF	30-Round Mil-Std Follower, 10-pak,	8K08D38	10.99
080-000-478AF	20-Round Straight Mag Body, each,	8K10Z59	12.50
100-001-985AF	30-Round Mag Body, each,	8K10D59	12.50

GSA

CALL FOR GSA PRICING

ISMI AR-15/M16 PREMIUM MAGAZINE SPRING



Modern Design & Materials For Consistency, Reliability & Superb Performance

Chrome silicon wire gives superior durability and performance. After winding, each spring is heat-treated, shot-peened and stress relieved. 20-round springs are designed for use with standard magazine followers. 30- and 40-round springs should be used with green, mil-spec followers.

SPECS: Chrome silicon steel wire.

#445-000-016AF	20-Rd AR-15 Magazine Spring, 5D06X56	\$ 8.75
#445-000-017AF	30-Rd AR-15 Magazine Spring, 5D07X68	10.25
#445-000-018AF	40-Rd AR-15 Magazine Spring, 5D08X41	12.75

SUPERIOR SHOOTING SYSTEMS AR-15/M16 MAGAZINE SPRING

Delivers Consistent Pressure & Feeding

Provides positive pre-load against the follower, plus consistent tension and less drag against the magazine side walls.

SPECS: Chrome silicon steel.

#840-000-044AF	AR-15 Magazine Spring, 30-Rd, 4H09T00	\$ 11.25
#840-000-045AF	AR-15 Magazine Spring, 40-Rd, 4H10T33	12.92

WOLFF AR-15/AR-STYLE .308 EXTRA POWER MAGAZINE SPRING



High-Quality Replacement Springs For High-Capacity Magazines

Drop-in, extra-power replacement springs for Colt 20- and 30-round AR-15/M16 magazines, plus old generation 20-round Armalite AR-10® mags. Precision wound and tempered from high-grade music wire for long-lasting performance and reliability. May fit many factory-spec, after-market magazines as well.

SPECS: Steel, heat treated and tempered. AR-10 springs will not fit new generation magazines. Available in 3-paks only.

#969-609-020AF	20-Rd AR-15/M16 Mag. Spring, 3-pak, 9F12Y33	\$ 18.49
#969-609-060AF	30-Rd AR-15/M16 Mag. Spring, 3-pak, 9F12Y33	18.49
#969-000-093AF	20-Rd AR-Style .308 Mag. Spring, 3-pak, 9F15B35	22.99

WOLFF AR-15/M16 EXTRA POWER MAGAZINE SPRINGS

Better Feeding For 32 Round Magazines

Extra power magazine springs for 32 round 9mm SMG magazines in Colt AR-15's improve function and round feeding. 5% more power helps stabilize the follower for full power loads.

#969-000-164AF	Colt 9mm Magazine Spring, 9F06Z00	\$ 8.99
#969-000-165AF	Colt 9mm Magazine Spring, 3-pak, 9F15Z33	22.99



BLADE-TECH INDUSTRIES AR-15/M16/AR-STYLE .308 KYDEX® MAGAZINE POUCH

Comfortable, Simple, Secure; Impervious To Wear

Provides secure, custom-fit retention and easy accessibility for one spare magazine for AR-15 or AR-Style .308 rifles. Thermoformed Kydex provides long-lasting weapon and shape retention, plus it stands up to the harshest environment, does not squeak, and it's impervious to solvents and oils. Two tension screws allow you to adjust retention. Tek-Lok belt-clip system with adjustable setscrews lets you configure pouch for high- or low-ride placement, and three different carry angles. Ambidextrous design.

SPECS: Kydex, Black. Both models fit belts up to 2 1/4" (5.7cm) wide. **AR-15** - 3 1/2" (8.9cm) high, 3 1/2" wide, 1 1/8" (4.8cm) deep. **AR-Style .308** - 3 1/2" (8.9cm) high, 4 1/8" (10.6cm) wide, 2 1/8" (5.4cm) deep. **#098-000-015AF AR-15 Mag Pouch 8K31A19** \$ 38.99 **#098-000-046AF AR-Style .308 Mag Pouch 8K27C27** \$ 38.95

BLADE-TECH AR-15/M16 MAGAZINE POUCHES

Holds Spare Magazines Securely Within Easy Reach

Tough, injection molded Kydex magazine pouches allow you to carry extra magazines for fast reloads. Rigid, specially formed bodies are molded to the shape of AR-15 and M-16 magazines to hold them firmly in place without crushing or denting. Adjustable tension screws eliminate the need for awkward flaps and hold magazines securely without rattling or falling out. Ambidextrous design.

SPECS: Injection molded polymer, black matte finish.

TEK-LOK MAGAZINE POUCH - Holds one spare 20- or 30-round AR-15/M-16 magazine Patented Tek-Lok belt clip system mounts tightly to belts and will not come loose and fall off in battle or competition. Convertible for high ride or low ride placement on the hip and offers three-position adjustment for angle of carry. Hinge pin locking tabs make it easy to clip and unclip from your belt. **#098-000-038AF Mag Pouch w/Tek Lok 8K21V56** . . . \$ 26.95

PADDLE MAGAZINE POUCH - Contoured paddle adjusts to your preferred angle of carry and holds one extra magazine. Adjustable wedge grips inside the waistband and under the belt for great stability on to 2 1/2" wide belts. **#098-000-040AF Mag Pouch w/Paddle, 8K19V96** \$ 24.95

MAGAZINE POUCH w/1 1/2" BELT LOOP - Designed to hold one additional magazine and fits belts 1 1/2" wide. Adjusts to fit your preferred angle of carry. **#098-000-041AF Mag Pouch w/1 1/2" Loop, 8K21V56** \$ 26.95

MAGAZINE POUCH w/3" BELT LOOP - Low-profile single magazine pouch fits snugly and adjusts to fit from 1 3/4" to 3" belts. Two adjustment screws allow you to modify the amount of tension holding the magazine in place. Also adjusts to fit your most comfortable angle of carry. **#098-000-042AF Mag Pouch w/ 3" Belt Loop, 8K17V47** \$ 24.95

TRIPLE HIP POUCH - Three individual magazine pouches capable of holding Mil-Spec 5.56mm 20- or 30-round magazines are mounted in this one piece rig. Features a 2" wide adjustable nylon loop with two vertical Velcro straps. Entire unit is mounted to a contoured hip/leg bracket with interior foam padding to protect your leg. Fully adjustable tension screws hold magazines firmly in place. A second, 2" adjustable nylon strap fastens with a belt clip to hold the unit firmly in place around your leg. **SPECS:** Injection molded polymer, black matte finish. Top Velcro straps with fit belts up to 3" (7.6cm) wide. **#098-000-039AF Triple Hip Mag Pouch 8K60V71** . . . \$ 74.99

NEW


BOONIE PACKER AR-15/M16 IMPROVED REDI-MAG

Holds Spare Magazine On The Receiver For Ultra-Fast Reloads

Rugged, all-steel speed loading system clamps directly to the receiver of any AR-15/M16 rifle or carbine and securely holds a second, fully loaded magazine alongside the mag well for super-fast mag changes. More reliable and easier to use than improvised methods, like taping two magazines together, that can cause malfunctions at critical moments. Closed-top design protects the spare mag from rain, dirt, dust, and debris and prevents the top round from jumping forward

under recoil. Independent release system lets you drop the spare mag and the mag in the weapon separately to allow tactical reloads and greater flexibility in clearing malfunctions. Includes Bolt Catch Extension (BCE) that mounts directly to the factory bolt catch and lets you release the bolt, with or without the Redi-Mag attached to the gun, simply by slapping the BCE with an open palm. Installation requires no permanent alterations to receiver or mag well. Available in Standard configuration and Quick-Attach model that enables faster installation and removal of the entire Redi-Mag from the weapon.

SPECS: Steel, Parkerized finish, dark gray, with reinforced molded polymer BCE and spacer. Approximately 3 1/2" (8.9cm) long, 2 1/2" (6.4cm) wide, 2 3/4" (7cm) high. 8.4 oz. (234g) weight. Fits AR-15/M16/M4 rifles and carbines.

#100-004-455AF Improved Redi-Mag, Std. 7K76A67 \$ 79.99 **#100-004-456AF Improved Redi-Mag, Quick-Attach, 7K80A36** \$ 84.99

BROWNELLS AR-15/M16 MAGAZINE COUPLER

Keeps A Spare Mag Ready For An Instant Reload

Tough, molded nylon magazine coupler binds a backup magazine directly to the mag in the gun for lightning fast tactical reloads without moving your trigger hand. Three, steel bolts let you adjust retention force, so the magazines won't slip out even during vigorous combat maneuvers. Side-by-side configuration with staggered heights, plus fixed standoff points between the compartments further ensure the magazines won't shift position or rattle. Includes a Top Round Protector (TRP) to protect the feed lips of the backup mag, prevent accidental dislodgement of the top round, and keep out dirt. TRP instantly detaches by applying downward thumb pressure on the release tab while pushing forward. Rubber retention strap keeps TRP from getting lost.

SPECS: Molded nylon, Black, with steel tension adjustment bolts. 2 3/4" (7cm) long, 2 1/4" (6.2cm) wide, 3 1/4" (8.3cm) high. **#080-000-511AF AR-15/M16 Mag Coupler 9B16V99** . \$ 24.99



Magazines not included

BUFFER TECHNOLOGIES AR-15/M16/AR-STYLE .308 MAGCINCH

Holds Spare Ammo At The Ready

Clamps a second, high capacity magazine right to the one in the gun; your extra ammo is instantly available for super fast reloads. Stops fumbling when seconds count, holds magazines rock solid, without scratching or damage. Very light weight to keep your tactical or competition rifle as easy to handle as possible.

SPECS: Black, fiberglass-filled nylon. Dbl indicates double-strap unit. Sgl indicates single-strap unit.

#071-100-223AF	30-Rd AR-15/M16 MagCinch, Dbl, 1G14D78	\$ 19.95
#071-100-001AF	20-Rd AR-15/M16 MagCinch, Sgl, 1G14D09	19.95
#071-100-003AF	AR-10®/SR-25 MagCinch, Sgl, 1G14D09	19.95



BROWNELLS AR-15/M16 TEK-LOK MAGAZINE POUCH

Secure Magazine Retention
With Easy Accessibility

Tough, shock-resistant polymer magazine pouch holds one spare 20- or 30-round AR-15/M16 magazine ready for fast reloads in combat or competition. Rigid, pouch body is specially formed to the shape of standard AR magazine for secure retention without crushing or denting. Adjustable tension screws hold magazines tightly in place so they won't rattle or fall out, eliminating the need for awkward flaps that can snag on clothing, slings, or other equipment. Patented Tek-Lok belt-clip system prevents the pouch from shifting on your belt in the heat of battle or competition, yet hinge pin locking tabs make it easy to clip and unclip from belt. Setscrews let you configure pouch for high- or low-ride placement on the hip, as well as your choice of three different carry angles. Ambidextrous design.

SPECS: Injection-molded polymer, black. 3⁹/₁₆" (8.4cm) high, 3⁷/₈" (9.8cm) wide, 1¹/₁₆" (3.3cm) deep. Fits belts up to 2¹/₄" (5.7cm) wide. #098-000-043AF Tek-Lok Mag. Pouch 8K21X74 . . . \$ 26.99

BLACKHAWK INDUSTRIES AR-15 BUTSTOCK MAGAZINE POUCH

Carry Extra Magazines Within Easy Reach

Abrasion resistant, denier magazine pouch fastens snugly with two hook-and-loop straps to either the left- or right-hand side of fixed AR-15 buttstocks and holds either 20- or 30-round magazines for fast reloads. Two, steel D-rings provide sturdy sling points and elastic forward slip strap on the back of the pouch prevents slippage. Fully adjustable, flap holds magazine securely in place in all tactical and competition exercises. Also fits M4 collapsible stocks but must be removed to adjust stock length.

SPECS: 1000 denier Nylonaneon, black. Accepts 20- or 30-round AR-15/M16 type magazines.

#100-002-839AF Buttstock Mag Pouch 8K20T05 . . . \$ 25.99

CALIFORNIA COMPWORKS AR-15 MAGAZINE POUCH

Organizes, Protects & Stores Magazines

Heavy duty, double-stitched nylon pouch uses a tension strap to hold a single backup magazine securely without compromising fast access during competition. Hook-and-loop fasteners attach pouch to belts or web gear. Holds one 20- or 30-round magazine vertically.

SPECS: Nylon, black color. 4" (10cm) deep. 3" (7.5cm) wide.

#151-198-100AF AR-15 Mag Pouch 1E10Y24 . . . \$ 13.99

CALIFORNIA COMPWORKS AR-15/AR-STYLE .308 RIFLE MAGAZINE STORAGE POUCH

Organizes & Protects

Cordura nylon with full-width cover and velcro closures to keep magazines clean. .223 holds eight AR-15 30-round mags. .308 holds eight 20-round AR-Style. 308 mags.

SPECS: Cordura nylon. Closed: 8¹/₂" (21.6cm) w. 13" (33cm) lg.

#151-000-001AF .223 Black Storage Pouch, 1E26D70 . . . \$ 34.99

#151-000-007AF .308 Black Storage Pouch 1E25Z75 . 34.95

#151-000-006AF .223 Olive Drab Storage Pouch, 1E26D60 . . . 34.99

#151-000-012AF .308 Olive Drab Storage Pouch, 1E25Z75 . . . 34.95



COMMAND ARMS AR-15/M16 MAG COUPLER

Put An Extra Magazine
Right Where You Need It

Injection-molded, plastic mag coupler joins two magazines, side by side, for fast, tactical reloads without taking your trigger hand out of position. Steel bolts tighten and compress the coupler for a firm grip on your magazines. Holds magazines in parallel or staggered position.

SPECS: Polymer, black. 2¹/₄" (5.7cm) high, 2¹/₂" (6.4cm) long, 2¹/₂" (6.4cm) wide.

#100-001-018AF AR-15/M16 Magazine Coupler, 2Z210Y00 . . . \$ 14.99



Magazines not included

MAKO TACTICAL RIFLE MAGAZINE COUPLER

Clamps A Spare Mag To The One
In The Gun For Ultra-Fast Mag Changes



Magazines not included

Lightweight, minimal-profile coupling system securely clamps two tactical rifle magazines together so the backup mag is right next to the one in the gun for exceptionally fast mag changes under stress. Universal design works with mags for a variety of .223/5.56mm and 7.62 x 39 weapons, including AR-15/M16, AK-47, Galil, H&K 93, Ruger® Mini-14®, and SIG 556. Durable, reinforced molded polymer clamps resist the rigors of tactical operations, including heat, cold, and impact, while steel bolts provide tensioning force for secure, non-slip, rattle-free grasp of the mag body. Smooth surface and rounded edges prevent snagging on BDUs, sling, foliage, or other gear. Installs in seconds with a standard slot-head screwdriver; no permanent alterations to magazines. Sold in 2-Paks. For an ultra-secure installation, use both couplers on one pair of mags; for less strenuous operations, one clamp may be used.

SPECS: Reinforced molded polymer composite, black, steel bolts. Fits USGI-style metal AR-15/M16 magazines, AK-47/AKM, Galil 762x39 and 5.54x39, H&K 33/53/93, Ruger Mini-14, and SIG 540/543/550/551/552/553/556. Sold in 2-paks.

#100-003-844AF Universal Magazine Coupler, 2-pak, 2B10T00 . . . \$ 14.99

MAKO AR-15/M16 FOREND GRIP/SPARE MAG HOLDER

Improves Weapon Control;
Speeds Magazine Changes



Magazine not included

Convenient two-in-one vertical grip locks securely to any forend with an underside accessory rail to provide secure, on-board storage of a spare magazine for exceptionally fast magazine changes. Drop the spent mag from the gun, release the spare by hitting the oversized, release button, and move it the short distance to the magwell without breaking the horizontal plane. Gently curved finger grooves provide a secure grip that improves recoil control, especially during sustained rapid fire. Helps operator maintain a steady hold during extended periods in the ready position. Stippling molded into the finger grooves helps you maintain a firm grip even with wet hands. Slides onto any Picatinny-type accessory rail; push-button locking bar prevents movement after grip is in place, yet allows quick release and removal. Or add the steel locking bolt to ensure a zero-movement installation. Molded from lightweight, yet rigid, nearly indestructible reinforced polymer composite.

SPECS: Reinforced molded polymer composite, Black. Fits Picatinny-type accessory rail.

#100-003-843AF Forend Grip/Spare Magazine Holder, 2B34T99 . . . \$ 44.99

NEW OLONGAPO OUTFITTERS AR-15/M16 GRAB & GO MAGAZINE POUCH

Holds Plenty Of Spare
Mags At The Ready; Sling Over
Shoulder For Easy Carry

Heavy-duty magazine pouch made from top-quality mil-spec materials slings over your shoulder, so you can easily carry four, fully loaded magazines while on the move. Constructed of woven, water-repelling ballistic nylon that resists tearing and fraying. Heavy-duty stitching won't give way under stress, and all exposed edges are protected with tape binding. Adjustable carry strap of extra-tough nylon webbing lets you position the pouch exactly where you need it for fast reloads. Each compartment has a separate flap, so you won't expose the other mags to the elements when you retrieve one. Generously proportioned hook-and-loop fasteners keep the flaps securely closed, yet release easily when you need a fast reload. Grommetted drain holes ensure mags don't get water-logged when you're on patrol in the rain. Large pocket behind the mags, with full-width hook-and-loop closure, provides storage for maps or other flat items. Models available for 30-round .223/5.56mm AR-15/M16/M4 magazines and UZI-style 9mm stick mags. Pockets on .223/5.56 pouch have plenty of length to accommodate magazines fitted with the Magpul Ranger® Floorplate, including Brownells Tactical Magazines. Both models available in Coyote Brown and O.D. Green.

SPECS: Heavy duty ballistic nylon, Coyote Brown or O.D. Green. .223 - 12¹/₂" (31.8cm) long 8" (20.3cm) high. Holds four 30-round magazines. 9mm - 12¹/₂" long 9¹/₂" (24.1cm) high. Holds 6 UZI-style 9mm stick magazines.

#100-004-231AF .223 Grab & Go Pouch, Coyote, 3B48A63 . . . \$ 56.99

#100-004-232AF .223 Grab & Go Pouch, O.D. Green, 3B47A44 . . . 56.99

#100-004-233AF 9mm Grab & Go Pouch, Coyote, 3B53A43 . . . 66.99

#100-004-234AF 9mm Grab & Go Pouch, O.D. Green, 3B53A43 . . . 66.99



Magazines not included

NEW SPRINGER PRECISION AR-15/M16 FIREBIRD PMAG COUPLER

Clamps Two PMAGs Together
For Ultra-Fast Reloads

Rugged, yet lightweight, machined aluminum coupler puts extra firepower at your fingertips by clamping two Magpul PMAGs together, so your reload is right next to the mag in the gun. Saves you valuable seconds during competition or combat that would otherwise be lost fumbling for the spare mag in a pouch and raising it to the weapon. Simply remove the factory floorplates from two PMAGs and slip them into the Firebird. One-piece aluminum construction, with rounded edges and smooth contours makes it as easy and comfortable to grasp as a single magazine. Ensures proper clearance for access to magazine release button and bolt release.

SPECS: Aluminum, hardcoat anodized, black finish. 30/30 - Holds two 30-round PMAGs; will not work with 20-round PMAGs. 20/30 - Holds a 30-round PMAG in the left-hand position and a 20-round PMAG in the right-hand position.

#100-004-352AF Firebird 30/30 PMAG Coupler, 1B34Y58 . . . \$ 42.99

#100-004-442AF Firebird 20/30 PMAG Coupler, 1B34X00 . . . 42.50



Magazines not included

STRAC TECHNOLOGIES AR-15/M16 F.A.S.T. SYSTEM MAGAZINE CARRIER

Hold Three Spare Mags Ready For
Ultra-Fast Mag Changes



Magazines not included

Chest-mounted magazine dispenser holds three, spare, 30-round USGI magazines ready for lightning-fast mag changes without taking your eyes off the target. Drop the spent mag from the weapon, retrieve a fresh one from the F.A.S.T. (Fast And Smooth Transition) pack, and seat it in the mag well, ready

to fire, in as little as two seconds. When the operator pulls the first spare magazine from the carrier, a powerful spring-loaded mechanism snaps the next one into place, ready to grab for the next reload. The fresh mag is always in the exact same position, so there's no fumbling for a different pocket each time. With brief training, the operator quickly develops muscle memory and instinctively reaches to the correct spot for the next mag without looking down. Fully ambidextrous design mounts on either side of chest for strong- or weak-hand access by left- and right-handed shooters. Shell is made from exceptionally strong, yet lightweight, high-impact polymer composite, and comes with a durable, fitted, 1000 Denier nylon case fully compatible with load-bearing vests using MOLLE attachment systems. Case has removable dust cover secured via a hook-and-loop attachment system, plus MOLLE loops on the front to allow attachment of additional pouches or accessories.

SPECS: Molded hard polymer, black; steel spring. Carrying Case - 1000 Denier nylon, Black or O.D. green. Requires mil-spec USGI-dimension 30-round magazines without extended floorplates or external accessories.

#100-004-149AF F.A.S.T. Mag Carrier, Black, 1C269P49 . . . \$ 339.99

#100-004-150AF F.A.S.T. Mag Carrier, O.D. Green, 1C269P49 . . . 339.99

RAIL-MAG LLC AR-15/M16 RAIL-MAG MAGAZINE POUCH

Change Mags & Return To Fire In Seconds

Lightweight, rail-mounted, magazine pouch puts an extra 20 or 30 round magazine right at your fingertips. Aircraft-grade, aluminum mount clamps to the slotted rail on your AR-15/M4 handguard. Lets you keep weapon "at ready" for minimal interruption of your shooting position. Tension-adjustable, Kydex pouch holds magazine secure during any level of physical activity. R.H. model attaches at left side of rifle for right-handed shooters; L.H. clamps to right side of weapon.

SPECS: Kydex, flat black. 3³/₈" (8.6cm) long, 1¹/₁₆" (4.9cm) wide, 3⁹/₁₆" (9.2cm) high. 4.7 oz. (133g) wt.

#100-001-739AF Rail-Mag, RH 7A32X97 . . . \$ 40.97

#100-001-740AF Rail-Mag, LH 7A32X97 . . . 40.97



Magazine not included

SHELLBACKTACTICAL AR-15/M16 MAG GRIP™

Keeps Spare Ammo Instantly Ready

Aluminum, bar stock clamp holds two twenty- or thirty-round, .223 caliber magazines side-by-side, for rapid reloads. Mag Grip 1 holds magazines parallel.

SPECS: T6 aluminum, Black, anodized. 3/4" x 3/4" 2⁹/₁₆". Fits AR-15/ CAR-15, Mini-14, M4, FNC.

#100-000-769AF Mag Grip 1 8K17A65 . . . \$ 24.99



MAGPUL AR-15/M16 RANGER® FLOORPLATE



Easier Mag Changes With Just A Finger

Two-piece, slide-on replacement for factory floorplate has a smoothly contoured, easy-to-grasp finger loop that helps you perform lightning-fast magazine changes in high stress situations. Aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Also cushions magazine from impact when dropped concrete or other hard surfaces. Made from tough, yet soft, non-slip synthetic rubber over a stainless steel core that snaps into a reinforced polymer insert to keep the Rangerplate firmly locked to the magazine. Includes molded-in para-cord hole for custom loop configurations. Sold in 3-paks and available in **Black, Dark Earth and O.D. Green.**

SPECS: Synthetic rubber, stainless steel, and reinforced polymer. Fits 20- and 30-round USGI-style magazines. Instructions included. Sold in 3-paks.

- #100-002-196AF Ranger Floorplate, Black, 3K16B92 \$ 19.99**
#100-003-720AF Ranger Floorplate, Dark Earth, 3K16A92 19.99
#100-003-721AF Ranger Floorplate, O.D. Green, 3K16A92 19.99

MAGPUL INDUSTRIES AR-15/M16 MAGPUL™

Fast, Fumble-Free Mag Changes

Thermoplastic loop installed on the base of a rifle or subgun magazine provides an easy-to-grasp handle for unsurpassed speed and controllability during high stress, tactical magazine changes. Recessed, rough texture provides positive gripping surface under slippery or wet conditions. Finger loop acts as shock absorber to protect magazine from damage when dropped from rifle. Silences magazines stored next to each other in pouch.

SPECS: Industrial thermoplastic, Black, flat Dark Earth or Olive Drab depending on model. Impervious to most chemical compounds. Pak of 3. **5.56 NATO** fits 20- and 30-round AR-15/M16. **7.62 NATO** fits AR-Style .308. **9mm Subgun** fits Colt SMG.

- #100-000-308AF 5.56 NATO Magpul, Black, 3K07X43 \$ 9.99**
#100-003-424AF 5.56 NATO Magpul, Flat Dark Earth, 3K07Y29 9.95
#100-003-425AF 5.56 NATO Magpul, O.D., 3K07T29 9.95
#100-000-309AF 7.62 NATO Magpul, Black, 3K07X29 9.95
#100-000-310AF 9mm Subgun Magpul, Black, 3K07X29 9.95



ARREDONDO MFG. AR-15 MAG WELL

Extra-Big Mag Well Lets You Insert Magazines On Feel Alone

Durable, black, polycarbonate mag well is oversized and ultra smooth on the inside for easy, friction-free magazine insertion. Easy-to-install,

drop-in unit clamps together with three hex screws and makes it possible to change magazines without ever taking your eyes off your target! Black, matte finish matches most AR-15s.

SPECS: Polycarbonate, Black, matte finish. Approximately 3 1/8" (9.4cm) wide, 1 1/8" (2.4cm) tall. 2.4 oz. (68 g) wt.

- #069-000-007AF AR-15 Magazine Well, 9F38X82 \$ 43.99**

BLINDHOGG, INC. AR-15/M16 THE JIMMY PLUG



Seals The Magazine Well From Sand & Grit

Lightweight, magazine well plug keeps your lower receiver free of contaminants that could compromise reliable function of the weapon. Developed by a soldier to protect the M16 rifle in dusty and other harsh-weather environments. Plug is retained by the magazine catch and effectively seals the bottom of the rifle to help keep fine sand, grit and rain from reaching the bolt, carrier and chamber. Intended for use during storage or transport when weapon is unloaded.

SPECS: Molded, reinforced plastic, with neoprene seal, Black. 2 1/2" (6.3 cm) high, 3" (7.6cm) long, 1 oz. (28.3g) weight. Fits AR-15/M16.

- #100-002-647AF Jimmy Plug 5A08H69. \$ 10.95**

BUTLER CREEK AR-15/M16 L.U.L.A. MAGAZINE LOADER/UNLOADER

Load & Unload Magazines Fast; Saves Overworked Fingers & Thumbs

Tough, lightweight, reinforced, black-polymer loader/unloader saves fingers, thumbs, and waste time; lengthens magazine life and lessens wear and tear on magazine lips. Staggered, triangular pieces of plastic securely grasp rounds for effortless loading/unloading when you move the lever back and forth. Fits in your pocket.

SPECS: Reinforced polymer. Fits 10, 20, 30, 100 rd., .223 caliber magazines.

- #100-000-637AF AR-15/M16 Mag Loader 3E25A34 . . \$ 29.99**



COMMANDARMS AR-15/M16 MAGAZINE LOADER

Refill Any Capacity Magazine Quickly—No Bruised Fingers



Magazine Not Included

Easy-to-use loader snaps over top of any AR-15/M16 magazine to help you quickly and efficiently insert rounds without pinching, bruising, or cutting fingers and thumbs. Lets you load up mags fast, so you spend more precious range time shooting. Wide thumb pad provides plenty of leverage to compress the magazine spring, even when close to full capacity. Quick-release tab locks into mag catch notch to prevent unwanted movement during loading. Rugged, molded polymer construction with a textured, no-slip surface.

SPECS: Molded polymer, Black. Fits any capacity AR-15/M16 and STANAG-compatible magazines in .223/5.56mm or 6.8mm. Also fits Ruger® Mini-14®.

- #100-004-133AF AR-15/M16 Magazine Loader, 2Z09T41 \$ 12.99**

MAGLULA AR-15/M16 BENCHLOADER



Takes The Pain Out Of Loading All Types Of AR-15/M16 Magazines

Heavy-duty, polymer loader makes it easy for you to load a 10-, 20- or 30-round magazine in less than 30 seconds. Load hundreds of magazines a day without the pain, pinched fingers, or bruises of hand-loading—perfect for military/law enforcement armorer, shooting ranges, and any high-volume AR-15 shooter. Standard model accepts USGI-type AR-15/M16 (NATO STANAG 4179) magazines; Universal also accepts other AR-

MAGLULA AR-15/M16 STRIPLULA™



Easy, Painless Way To Load AR-15/M16 Magazines In The Field

Thumb-saving, lightweight magazine loader provides fast, painless 30-round magazine loading in less than 13 seconds. Accepts 10-round stripper clips or loose rounds for easy loading of 10-, 20-, and 30-round magazines, and is capable of unloading a 30-round magazine in 15 seconds. Ambidextrous, grooved thumb slide provides a non-slip grip for right- or left-hand loading. Constructed of durable, reinforced polymer for dependable operation under extreme field conditions. Fits all AR-15/M16 metal and plastic magazines.

SPECS: Polymer, black. 5 1/8" (13.5cm) long, 1 1/8" (2.8cm) wide, 1 3/16" (3cm) high. 1.2 oz. (34g) weight. Accepts 10-round stripper clips or loose rounds. Fits all AR-15/M16 magazines.

- #100-003-330AF Striplula 3E31V49. \$ 34.99**

ARMALITE/EAGLE ARMS AR-15/M16 NATIONAL MATCH FRONT SIGHT

Extra Fine Blade For Extra Long Ranges

Upgrades the standard issue front sight to National Match specs. Features an extra-fine, tapered, sharp-edged post for a clean sight picture at ranges up to 600 yds.

SPECS: Steel, blued. **#062-111-100AF NM Front Sight, 2F10D26 \$ 14.49**



HIVIZ AR-15/M16

FIBER OPTIC FRONT SIGHT

Bright Fiber Optic For Easy Aiming

Replacement front sight post uses a light-gathering fiber optic rod to produce a bright, easy-to-acquire dot in all light conditions. Easily replaces the post in A1- and A2-style sights, no gunsmithing required. Unique, U-shaped design of rod gathers far more light than a standard straight rod, perfect for low-light situations. Kit comes with two green and two red interchangeable rods that are easily removed and installed using the included removal tool, so you can customize the sight picture or replace a damaged rod quickly. Fully adjustable in 180° increments using supplied sight wrench, for a total elevation adjustment of up to 2.5" at 100 yards.

SPECS: Black steel post with 2 green and 2 red fiber optic rods. Includes replacement detent pin, sight wrench, optic rod removal tool, carrying case, and instructions.

#638-000-081AF AR-15 Fiber Optic Front Sight, 8C22P17 \$ 31.45

style magazines, including HK 416, SAR-80, Beretta AR-70/90, plus Magpul PMAG, Thermold, Orlite, and SIG Sauer polymer mags. Foolproof design, with only one moving part, makes it impossible to load magazines incorrectly and requires no maintenance. Feeds rounds into the magazine without contacting the feed lips, so it prolongs magazine life. Rounds are held securely in the tray and won't fly out when the slider is moved. Numbered indicators show the number of rounds in the tray, so no more guessing how many rounds have been loaded. Convenient carrying handle makes it easy to take to the range; includes heavy duty padded ballistic nylon carrying case.

SPECS: Machined polymer, black. Stainless steel magazine retention bar. 2 1/2" (54.6cm) long x 5 1/2" (14cm) wide. Both models accept 10-, 20-, and 30-round USGI-type AR-15/M16 magazines.

Universal also accepts HK 416, SAR-80, Beretta AR-70/90, Magpul PMAG, Thermold, Orlite, SIG Sauer, and similar AR-style 5.56/.223 magazines.

#100-002-234AF Standard Benchloader 9A409C03 \$ 509.99
#100-003-340AF Universal Benchloader 9A420X42 . 525.69

KNS PRECISION

AR-15 FRONT SIGHT PACK



Pick The Exact Blade You Need For Fast, Accurate Sighting

Seven, A2-style, front posts let you choose the right sight picture for improved hunting and target shooting accuracy. Tapered, round post with .072" (1.8mm) ball top, tapered post with .052" (1.3mm) ball top, tapered post with .034" (.87mm) ball top, square post with .072" (1.8mm) square top, square post with .052" (1.3mm), square top, square post with .034" (.87mm), square top, two-way, .072" wide, square post with v-notch top and inverted v (point up) top.

SPECS: Steel, Black, matte finish. **#923-000-038AF AR-15 A2 Frnt Sight Pck 3B21A68 . \$ 32.95**

KNS PRECISION AR-15/M16 KNS PRECISION FRONT SIGHT

Crosshair Sight Gives Scope-Like Sight Picture

CNC machined sight post has integral crosshairs to provide quick, consistent sight alignment for improved accuracy at any range. Large diameter aperture offers a wide field of view that does not obscure target; gives a sight picture that's like looking through a scope. Compatible with factory rear sights and variable-diopter target sights. Non-hooded AR-15 sight is .082" thick. Hooded sight has .250" hood that shields crosshair from reflected light, offers greater crosshair protection for duty use. STD, thin wire crosshair. Duplex, styled after the popular duplex scope reticle, improves low light visibility. AR-15 fits M-16 and AR-10 rifles with standard sight housings.

SPECS: Brass, Black, matte finish. Beryllium crosshairs, heat treated. **STD** - .010" (.25mm) wire, **Duplex** .010"/.020" (.5mm) wire. .240" (6.1mm) dia. aperture.



Non-Hooded Hooded

STOCK #	TYPE	STYLE	PRICE
#923-015-001AF	AR-15 N/hood	STD	3B20A66 \$ 32.00
#923-000-001AF	AR-15 N/hood	Duplex	3B20P66 \$ 32.00
#923-015-002AF	AR-15 Hood	STD	3B20A66 \$ 32.00
#923-000-002AF	AR-15 Hood	Duplex	3B21P68 \$ 32.95

MEPROLIGHT® AR-15/M16 TRITIUM SIGHTS

For Low Light Tactical Operations

Replacement sights equipped with Mepro-light's standard, tritium inserts guaranteed for five years. Rear sight features a large, 2-dot peep with tritium inserts for low light shooting, plus a smaller diameter peep sight without inserts for improved accuracy at longer ranges. Front post has single, short tritium stripe.

SPECS: Steel sight body, blued. Tritium inserts. **Set** - Includes front and rear sight. Fits AR-15/M16 A1/A2 sight configurations.

#387-304-117AF Front/Rear Sight Set 7H75X55 . . . \$ 109.99
#387-304-115AF Front Sight, only 7H33X00 51.00



MERIT AR-15/M16

ADJUSTABLE APERTURE SIGHT

For Optimal Contrast & Focus

Hand-built, precision aperture with eleven iris settings (.022" to .125" dia.) to ensure excellent sight focus and contrast in all light conditions. Click-adjustable settings are spring-loaded for a positive stop that holds under rapid fire. Iris adjustments do not move bullet point-of-impact. Mounts to standard A2 rear sight.

SPECS: Steel, black, matte finish. Rubber eyepiece. 1 1/4" (3.2cm) long x 1 1/2" (3.8cm) diameter.

- #571-000-004AF Adj. Aperture Sight 1G64H95 \$ 84.95**



MOUNTING SOLUTIONS AR-15/M16 SIGHTLINK™ FRONT SIGHT

Easy-To-See Dot For Long & Short Range Shooting

Adjustable, fiber optic, front sight creates a bright, easy-to-see dot for short- or long-range shooting. Steel, sight blade secures a fiber optic rod with small and large diameter ends (dots). Custom, detent plunger allows easy blade switch between large dot to small. Precise, 5/8" MOA click adjustments (Mil-Spec is 1 1/4" MOA per click). Replaces the issue, front sight using the provided tools. Comes with red, green, and amber fiber optic rods. **Military** - standard, mil-spec width blade with .040" diameter fiber optic rod. **Match** - medium width blade with .030" diameter rod for long ranges. **Ultra-Match** - narrow blade with .020" diameter rod for tiny targets at extreme ranges.

SPECS: Steel, blued. **Military** - .070" (1.8mm) wide blade, .040" (1mm) dia. rod. **Match** - .060" (1.5mm) wide blade, .030" (.75mm) dia. rod. **Ultra-Match** - .050" (1.3mm) wide blade, .020" (.5mm) dia. rod. Includes front sight blade, detent, installation tools, fiber optic rods, and detailed instructions. Uses factory detent spring, not included. **Universal Front Sight Adjustment Tool** - Combination front sight wrench and detent tool. Works on any AR-15/M16 front sight.

#100-001-463AF	Military AR-15 Front Sight, 1K36P75	\$ 49.95
#100-001-464AF	Match AR-15 Front Sight, 1K36P75	49.95
#100-001-465AF	Ultra-Match AR-15 Front Sight, 1K36P75	49.95
#100-001-466AF	Universal Front Sight Tool, 1K07P26	9.95

TRIJCON® AR-15/M16 TRITIUM SIGHT

Self-Luminous Replacement Sights

The ultimate, self-luminous AR-15 sight. Improves sight pickup and visibility during low-light hours when game is most active. All sights include the rugged Traser® luminous, sapphire crystal, tritium lamps for a bright, well-defined aiming point and extra-long life. Lamps guaranteed by the manufacturer to remain self-luminous for 12 years.

SPECS: Steel body, blued. Tritium insert. Includes front and rear sight unless shown in chart.

STOCK #	FITS	PRICE
#892-415-125AF	AR-15 A1/A2 front only	2H47C30 \$ 59.99
#892-415-025AF	AR-15 A1/A2 with 10-36 windage screws	2H66C67 \$ 85.00

TRUGLO AR-15/M16 BRITE-SITE

Advanced Fiber Optic
Front Sight With Tritium;
Visible Day Or Night

TFO technology combines the brightness of fiber optics with the glowing properties of tritium to produce a highly visible, bright green dot that keeps you on target, day or night. Radial designed fiber optic rod with tritium tube bends 90 degrees around a machined steel base to keep the sight protected and as compact as possible. Included, steel wrench makes installation easy and allows precise elevation adjustments. Directly replaces sight post in mil-spec front sight housing; spring with retaining nut holds adjustments tight and keeps sight from shaking loose during sustained fire.

SPECS: Steel, blued base with fiber optic/tritium rod. .42" (1.1cm) long, .13" (3.3mm) wide, .35" (8.9mm) high. Includes sight, sight wrench, and installation downer.

#902-000-106AF	AR-15 Brite-Site, 2K69H95	\$ 89.95
----------------	-------------------------------------	----------

XS SIGHT SYSTEMS AR-15/M16 HIGH VISIBILITY SIGHT

Fast, Accurate Sighting In All Light Conditions

WHITE LINE FRONT POST - Draws your eye to the sight and increases contrast on dark targets. Double-faced, 30° angle blade offers 2.5 MOA elevation per click. .080" wide version for improved accuracy at long range, .100" wide version is faster to acquire at close range.

SPECS: Stainless steel, Black, matte finish. Includes sight adjustment tool. .080" (2mm) or .100" (2.5mm) wide post. .030" (.76mm) wide, white stripe, square top.

#006-111-080AF	.080" White Front Post, 6K22C50	\$ 30.00
#006-111-100AF	.100" White Front Post, 6K22C50	30.00

24/7 TRITIUM STRIPE POST - Features a strip of glowing, green, tritium gas inset against a white stripe, surrounded by a .100" wide black blade. Ideal for low-light tactical situations where rapid sight acquisition is critical. Available with, or without, rear aperture. Rear aperture features a large, ghost-ring, .230" I.D. opening for close ranges and a precision, .100" I.D. opening for long distances.

SPECS: Stainless steel, Black, matte finish. Includes sight adjustment tool. **24/7 Tritium Stripe Post** - .100" (2.5mm) wide post, square top. Green tritium stripe is inset against the .030" (.76mm) wide, white stripe. Rear Aperture - .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture.

#006-000-103AF	24/7 Tritium Stripe Front Post, only, 6K52X50	\$ 60.00
#006-000-104AF	24/7 Tritium Stripe Front Post/Rear Set, 6K67C50	90.00

ROUND TOP TRITIUM DOT FRONT POST - Round Top, single-faced, .080" wide front post with a bright, green tritium dot with a .11" O.D. white ring for fast, low-light, target acquisition. 5 MOA elevation per click.

SPECS: Stainless steel, Black, matte finish. Includes sight adjustment tool. .080" (2mm) wide, round top with .11" (2.8mm) O.D. white ring with tritium center.

#006-111-181AF	Round Top Tritium Dot Front Post, 6K45C00	\$ 60.00
----------------	---	----------

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required.

SPECS: Stainless steel, Black, matte finish. .230" (5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture.

#006-111-001AF	AR-15/M16 Rear Aperture, 6K22C50	\$ 30.00
----------------	--	----------

24/7 PRECISION TACTICAL SIGHT SET - Tritium sight set provides excellent sight visibility in all light conditions. Front post is .100" wide and features a green, tritium vial for low-light operations. Easy-to-see, white outline reflects ambient light for day missions. Rear sight features two, flip-style apertures (.100" and .225" I.D.) for long-range and close-quarter engagement. Close-range aperture features two, subdued, tritium dots at 3 o'clock and 9 o'clock for proper alignment with the front sight post in low-light conditions. Same-plane design eliminates elevation differences between small and large apertures. Rear sight aperture can be chosen for the lighting situation as well as the range of target.

SPECS: Stainless steel, Black, matte finish. **Front Post** - .100" (2.5mm) wide post, square top. Green tritium strip is inset against the .055" (1.4mm) wide, .17" (4.3mm) high, white stripe. **Rear Aperture** - .100" (2.5mm) I.D. small aperture, .225" (5.7mm) I.D. large aperture.

#006-000-149AF	24/7 Precision Tactical Sight Set, 6K101H25	\$ 135.00
----------------	---	-----------

XS SIGHT SYSTEMS AR-15/M16 CSAT COMBAT SIGHT

Switch From CQB Mode To Long-Range Targeting Without Changing The Aperture

Easy-to-use replacement for standard A2 rear aperture allows the shooter to engage targets at ranges up to 300 yards without changing the aperture, eliminating the need to reposition your head or take hands off weapon. The .095" wide notch at the top of the dual-function aperture face provides point-of-impact zero that lets the operator engage close-range targets with ease by simply shooting to the point of aim like a pistol. Takes the thinking out of the equation for fast, instinctive target acquisition. Use the .070" diameter aperture below the notch for precise long-range target engagement. Flip the CSAT face down to reveal a standard, A2-style .200" diameter peep for close-range only operations. CSAT is easy to zero; even easier to train shooters to use. Zero the notch at 7 yards by aligning the front sight in the notch like a handgun sight, then move back to 100 yards and zero the aperture. Fire test shots sighted through the notch in 5-yard intervals, starting at 10-yards to determine where offset sets in; that's the range where you should transition to the peep hole. Precision machined from steel, with a serrated rear face that minimizes glare, and a dished area around the peep hole that helps the eye acquire the front sight quickly. Adjusts for windage and elevation just like a standard A2 peep. Developed by Paul Howe, combat shooting trainer and retired U.S. Army assault team leader, sniper, and senior instructor.

SPECS: Steel, matte black. Fits A2-style AR-15/M16 rear sights. #006-000-163AF **CSAT Combat Rear Sight,** 6K25Z00 \$ 34.99

WEAPON SOLUTIONS AR-15/M16 CQB NOTCH/PEEP SIGHT

Easy Co-Witnessing Through Red Dots & Two Apertures For Different Shooting Applications

Drop-in replacement for the mil-spec A1/A2 flip-up rear sight aperture co-witnesses with red dot optical sights and gives you a choice between traditional peep and easy-to-acquire notch. Notch won't interfere with view of the primary sight's reticle, so both sight pictures are easy to see, and you can switch between them quickly. Also maximizes field of view during CQB operations, especially in low-light conditions. For more precise targeting, flip up the peep side for a "medium"-sized peep that falls between the two hole sizes on standard A1/A2 sights. Elevation does not change when switching from notch to peep. Precision CNC-machined from 6061 aluminum and hardcoat anodized.

SPECS: Machined aluminum, hardcoat anodized, matte black. .045" (1.16mm) wide notch. .100" (2.6mm) diameter peep aperture.

#100-003-250AF	Notch/Peep Rear Sight 4B23P95...	\$ 29.95
----------------	---	----------

A.R.M.S. AR-15/M16 FLIP-UP REAR SIGHT

Spring-Loaded,
Dual Range Flip-Up Sight For
Use With Or Without Optics

Well-thought-out design can be used in one of two ways: in a backup mode, folded and locked down when using optics, or leave it up to co-witness with your optical sights. If the batteries on your optics fail, disengage the no-sag release lever to instantly release the spring-loaded sight to the up position while remaining on target. Dual apertures are calibrated for mid-range and close-range targets, simply aim through both or fold the first one down and use the second aperture. Sight easily mounts to A2 rail with stainless steel cross bar and clamp secured by a locknut that's safety wired, so you can't lose it. Similar in construction to the standard issue military sight, well known for its strength and reliability. Features precision machined aluminum base with stainless steel hardware and steel

40 L Low Profile 40 Std. A2

BROWNELLS CAR-15/M4 FLIP-UP TACTICAL SIGHTS



Fast Deploying Backup Sights For Emergency Situations

Rugged flip-up sights provide instant backup when primary sight fails or weather conditions limit its use. Robust cross-bolt with oversized, slotted hex nut locks clamping block tightly to Picatinny accessory rail for zero sight movement. Clean, low profile design won't snag on other gear when folded down. All models regulate with mil-spec A2 carbine sights or same-height aftermarket sights—perfect for co-witnessing with non-magnifying red dot and holographic optical sights. Precision machined from hardcoat anodized 6061 T6 aluminum and heat-treated 4140 steel for repeatable settings and the strength to handle the rigors of combat. A2 windage knob on rear sights provides precise 1/2 MOA adjustment. **Standard Rear** - Versatile, .108" diameter aperture gives an excellent field of view for both short- and long-range targets. Deep grooves on the sides ensure positive grip for quick deployment, while ball detent lock resists accidental folding down during strenuous maneuvers. **Tritium Rear Sight** - Adds to the Standard rear sight, self-illuminating, Tritium® Tritium inserts on each side of the aperture that glow in low light to help you quickly align the aperture with a Tritium front sight post in all light conditions. **360 Series Rear** - HK-style rotating turret for maximum accuracy out to 300 yards. Knurled turret collar with machine engraved range index marks allow quick aperture changes; two ball detents lock turret in place at each position. Close-range .160" aperture provides a large field of view for close combat; three .070" apertures are trajectory calibrated for the mil-spec M4 at 100, 200, and 300 yard ranges. (Best accuracy with 5.56mm (.223) ammunition that duplicates the military M855 62 grain FMJ load.) **Front Sight** clamps to gas block accessory rail. A2-style .070" wide adjustable post is correct height for both rear sight models. Thick, protective ears guard sight post from bending or breakage.

SPECS: 6061 T6 aluminum and 4140 steel, matte black. **Standard Rear & Tritium Rear Sight** - 1 3/8" (3.5cm) overall length, 1 1/8" (4.8cm) high (extended), 7/8" (2.2cm) high (folded). **360 Series Rear** - 1 3/8" overall length, 1 1/8" high (extended), 1 3/16" (3cm) high (folded). Trajectory calibrated for carbines with 16" long barrel equipped with A2 front sight or sights of equivalent height. **Front** - 2 1/8" (2.2cm) long, 1" (2.5cm) wide, 1.650" (4.2cm) high (extended), 3/4" (1.9cm) high (folded).

#080-000-509AF	Std Rear Sight 8K65V71	\$ 79.99
#080-000-523AF	Tritium Rear Sight 8K79C99	99.99
#080-000-510AF	360 Series Rear Sight 9A99V99	139.99
#080-000-521AF	Front Sight 8K40C60	49.99
#080-000-524AF	Front/Std Rear Sight Set, 8K89C99	109.99
#080-000-525AF	Front/360 Rear Sight Set, 8K121C27	159.99

apertures. Regulates properly with standard issue front sights. **40 Std. A2** is 1 5/16" high from top of flattop when folded down and is calibrated for 500 - 600 meters and 250 - 300 meters. Windage adjustable using 3/4" diameter side knob. **40 L Low Profile** is 5/8" high from top of flattop when folded down. Calibrated for 300 meter and 250 meter combat ranges. Vertical notches above both apertures provide a secondary sighting system, designed for shooting inside 50 meters. Windage adjustable using 7/16" diameter side knob.

SPECS: Apertures - Steel, matte black. Hardware - Stainless steel, matte dark gray. Base - aluminum, hardcoat anodized, matte dark gray. 2 1/8" (5.4cm) long, 1 3/8" (3.4cm) wide, 1 5/8" (4.2cm) high (upright position). **40 Std. A2 Sight** - 1 5/16" (2.4cm) high (fold down height). **40 L Low profile sight** - 5/8" high (1.5cm) (fold down height).

#100-003-316AF	40 Std. A2 Sight 3A00HDZ	\$ 115.99
#100-003-317AF	40 L Low Profile Sight 3A00YTP	130.99

NEW

DANIEL DEFENSE AR-15/M16 A1.5 FIXED BACKUP REAR SIGHT



**Rugged, Reliable
Always-Deployed Relief Sight;
Won't Interfere With Charging Handle**

Lightweight, streamlined backup sight is built on the K.I.S.S. principle to ensure the tactical operator has a reliable, always-deployed sighting option if the main optic fails. One-piece design slides easily on the rear of the receiver rail and clamps securely with a single machine screw. Combines windage adjustment system of the original USGI A1 rear sight with large peep for close range and small peep for long-range targeting. Compact profile doesn't hang over the rear of the receiver to interfere with the shooter's access to the charging handle. Rounded edges and recessed attachment screw heat resist snagging on other gear. ■

SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. 1³/₈" (3.5cm) long, 1¹/₄" (3.2cm) wide, 1⁵/₈" (4.1cm) high from top of receiver rail to top of sight housing. 1.7 oz. (49g) weight.

#100-004-457AF A1.5 Fixed Backup Rear Sight, 8K68A45 \$ 80.99

DPMS AR-15/M16 STEEL DETACHABLE FRONT SIGHT

**Detaches Quickly;
Fits Weaver & Picatinny Rails**



Machined, steel, detachable front sight lines up at the perfect height for A2s and A3s. Serrated clamp screw tightens unit to Weaver or Picatinny gas blocks or front sight bases. Skeletonized center lightens weight and lets you mount sling attachments. Parkerized finish matches the look of your barrel. Sight post adjusts for elevation.

SPECS: 4140 chrome moly steel, parkerized finish. 1³/₄" (4.4cm) high, 1¹/₂" (14mm) wide across center.

#231-000-170AF Steel Detachable Front Sight, 1C42P86 \$ 53.58

DPMS AR-15/M16 MANGONEL SIGHTS

**Quick & Easy To
Flip Up & Down**



CNC-machined, aluminum and steel sights let you leave your iron sights on your gun when using optics and nightvision. Spring-loaded, steel support flips into place when sights are in up position; folds down and out of the way when you don't need them. Thumb screws tighten down conveniently for quick attachment to picatinny bases. Front sight adjusts for elevation; rear sight adjusts for windage.

SPECS: Steel and aluminum, parkerized gray and anodized black finishes respectively. **Front Sight** - Approximately 1.35" (3.4cm) long, 1.6" (4.1cm) wide, 1.6" (4.1cm) high when up, .73" (18.5cm) high when down. **Rear Sight** - 2.3" (5.8cm) long, 1.8" (4.6cm) wide, 1.4" (3.6cm) high when up, .82" (21cm) high when down. .150" (3.8mm) sight aperture.

#231-000-183AF Front Mangonel Sight, 1C80U20 \$ 99.99

#231-000-184AF Rear Mangonel Sight, 1C99U93 124.91

**QUESTIONS BEFORE YOU BUY?
Ask Our Full-Time Tech Staff
800-741-0015**

GG&G AR-15/M16 A2-STYLE BACKUP IRON SIGHTS



**Fast Deployment, With Excellent
Accuracy; Standard, Same Plane &
Tritium Models Available**

Lightweight aluminum, flip-up sights provide instant backup if your primary sight fails or the tactical requirements change. Innovative, spring loaded detent button locks the sight in the upright position to ensure it won't fold down unexpectedly. Steel cross-bolt is countersunk to provide a smooth, snag-free surface. Clamps to Picatinny or Weaver-style flattop rails and with proper setup will co-witness with an Aimpoint, EOTech, or similar red-dot sight system. All models feature standard military A2-style double peep apertures. Large, knurled windage knob is easy to grab and provides 0.48 MOA adjustment on M162E4 rifles and 0.65 MOA on M4 carbines. Machined from 6061 T6 aluminum and Type III hardcoat anodized for durability; includes heat-treated, 4140 steel hardware. **Standard** sight includes a .062" diameter aperture for precision accuracy during daylight, especially at long range. Large, .195" diameter aperture provides a wide field of view for close quarters operations. **XS Same Plane** sight features the XS same plane aperture to eliminate noticeable shifts in point-of-impact when switching between short- and long-range apertures. Includes .100" diameter aperture for precision accuracy during daylight and at long range. Extra large, .230" diameter aperture allows superior low light visibility and faster close range target acquisition. **Tritium** sight with large .210" diameter aperture and two self-luminous, tritium dots provide fast, close range target acquisition during low light operations. Plain black .090" diameter aperture provides long range accuracy.

SPECS: Base - 6061 T6 aluminum, matte, black, hardcoat anodized finish. Aperture/Hardware - 4140 steel, matte, black, mil-spec manganese phosphate coating. 2" (5.1cm) overall length (folded), 1¹/₂" (2.9cm) high extended, 1¹/₁₆" (1.7cm) high folded.

#100-003-548AF Standard Backup Iron Sight, 6C99H95 \$ 124.95

#100-003-550AF XS Same Plane Backup Iron Sight, 6C159H95 169.95

#100-003-549AF Tritium Backup Iron Sight, 6C159H95 169.95

HAHN PRECISION AR-15/M16 BACKUP IRON SIGHT

**Clean, Low Profile Design For Less Weight,
Easy Access To Main Optics**



Use as a standalone rear sight or attach to A4 receiver rail directly behind the BUIS Scout Rail by Hahn Precision. Provides easy co-witnessing of open sights with red-dot optics. Spring-loaded detent prevents aperture movement under recoil. Has standard A1 windage hardware. Angled forward profile allows easy access to holographic sight buttons. ■

SPECS: 6061-T651 billet aluminum, hard black anodized. Body - 2.15" (5.4cm) long x 1.2" (3 cm) wide x .9" (23mm) high. 1.53 oz. (42g) wt. Aperture - .117" diameter. Fits mil-spec flattop receivers.

#100-002-869AF Back Up Iron Sight 6K96U00 \$ 120.00

J.P. ENTERPRISES AR-15/M16 SHORT RANGE TACTICAL SIGHT



For Fast Close-Range Engagement

Secondary sight attaches to a Picatinny mount on the side of the handguard to supplement optics and other long-range sight setups. Simply cant the rifle to instantly acquire the easy-to-see, A2 style, front sight post. Dovetailed rear notch provides windage adjustment; set front sight elevation with standard A2 tool. Includes five, polymer sight posts in blue, orange, red, white, and yellow. ■

SPECS: Aluminum, matte black. 6" (15.2cm) long, 5/8" (1.6cm) wide, 1" (2.5cm) high. 4 oz. (113g) wt.

#452-000-028AF Short Range Sight 2E96P00 \$ 119.95

GG&G AR-15/M16 MAD FLIP-UP REAR SIGHT



**Fast Deployment In Emergencies;
Multiple-Setting Aperture
For Precise Accuracy**

Originally manufactured under contract for Picatinny Arsenal, the MAD (Multiple Aperture Device) rear sight gives the tactical shooter a dependable, fast-deploying back-up sight system with preset range points out to 600 yards. A robust locking bar and cross-bolt clamp the MAD securely to the rearmost slot in any Picatinny-style flattop receiver rail. Rotating disc has five numbered .070" apertures preset to provide the right elevation for quick, short-range engagements or precise accuracy at longer distances: 0-0 to 200 yards, 3-300 yards, 4-400 yards, 5-500 yards, 6-600 yards. (Calibrated for 5.56 NATO ammunition with 55-62 grain bullet fired from a 16" barrel.) Position number is clearly visible to the shooter through a window below the aperture. Easy-to-grasp serrated windage adjustment knob provides approximately 1/2 MOA adjustment per click on standard-issue M16A3 rifle and .65 MOA on M4 carbine. Co-witnesses with most non-magnifying holographic and red dot optical sighting systems. Folds down out of the way for low-profile storage when not in use; radiused edges and rounded corners help prevent snagging on other gear. Folded MAD overhangs the upper receiver by approximately 1/4", providing a lip for solid thumb contact to deploy the sight instantly, even when the operator is wearing gloves. Locking detent ball prevents the raised sight from accidental lowering; the operator must depress a spring-loaded release button to lower the sight. Precision machined base of strong, hardcoat anodized 6061 T6 aluminum and sight tower/aperture wheel of Parkerized 4140 steel handle the punishment of high-tempo combat operations.

SPECS: Steel and aluminum, matte black. Covers 1¹/₄" of rail space. .070" diameter apertures. Fits flattop AR-15/M16/CAR-15/M4.

#100-003-551AF MAD Flip-Up Rear Sight, 6C116H44 \$ 140.99

NEW

MAKO AR-15/M16 CLAMP ON SIGHTS

**Rugged & Reliable With
Classic A2 Sight Picture;
Co-Witnesses With
Optics**



Economical, clamp-on "iron" sights let you temporarily convert your flattop to an A2-style sight system for close-range tactical operations or as backups to co-witness with non-magnifying optics. Streamlined shape with rounded edges help prevent snagging on gear and brush. Robust, solid aluminum construction stands up to rough handling without adding excess weight to the weapon. Integral metal ears guard the front sight post and rear sight aperture from impact and help speed sight acquisition in high-stress situations. Side clamping bars, steel cross-bolts, and oversized thumbscrews grab the rail tightly to ensure zero movement under recoil, yet allow quick removal to reconfigure your weapon with optics. **FS1 Front Sight** clamps to Picatinny rail on extended handguard or gas block. Includes an elevation-adjustable A2-style sight post. **RS1 Rear Sight** attaches to flattop receiver and has a detent-locking wheel for elevation adjustment, plus a deeply grooved knob on the right side for accurate windage adjustment. Includes GL-type, two-position aperture with long- and close-range peep holes.

SPECS: Aluminum, matte black finish. **FS1** - 1³/₈" (3.5cm) long 1.665" (4.23cm) height measured from top of base to top of blade. **RS1** - 2¹/₈" (7.3cm) long 1.475" (3.75cm) height measured from top of base to center of aperture.

#100-004-273AF FS1 Clamp-On Front Sight, 2B27X95 \$ 31.90

#100-004-274AF RS1 Clamp-On Rear Sight, 2B27X95 31.90

NEW

MAGPUL AR-15/M16 MBUS SIGHT SYSTEM



Front Sight

Reliable, Low-Profile, Quick-Deploy Backup Sights

Low-profile, flattop-mounted backup sights deploy instantly at the touch of a finger to provide relief sighting in fluid tactical situations. Drawing on their extensive manufacturing experience with high-grade, reinforced molded polymer technology, Magpul's engineering team designed the versatile Magpul Back-Up Sight (MBUS) system to be robust, reliable, lightweight, easy to use, and affordable. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when the MBUS is folded. Spring-loaded amb release mechanism lets you hit the grooved tab on either side, and the sight deploys and locks in place. Hit the same tabs to retract when you're done. Integral mount requires less than 1" of MIL-STD 1913 Picatinny receiver rail space and locks securely in place with the included steel crossbolt. The A2-style front post has plenty of height adjustment for accurate sight regulation on rifles and carbines with any-length barrel; use a standard, four-prong AR-15/M16 front sight adjustment tool. Windage-adjustable rear sight has two apertures: a large, .185" peep for engaging close-range targets, and a .70" peep for longer-range shooting. Although designed for AR-type rifles and carbines, the MBUS may be installed on other weapons with Picatinny receiver rails. Available in black, Dark Earth, O.D. Green, and Foliage Green, either as matched front/rear sets or separately. **NOTE: Due to the nature of materials used, these sights are not to be installed on railed gas blocks.**

SPECS: Reinforced, injection-molded polymer, Black, Dark Earth, O.D. Green, or Foliage Green. Dimensions apply to front and rear sights; heights measured from top of rail to top of sight. 1.625" (4.1cm) long when deployed, 2.625" (6.7cm) long when folded, 1.25" (3.2cm) wide, .630" (1.6cm) high when folded, 1.5" (3.8cm) high extended. Large aperture, .185" diameter. Small aperture, .70" diameter.

#100-004-177AF MBUS Sight Set, Black 3K78A52 . . . \$ 97.99

#100-004-178AF MBUS Sight Set, Dark Earth, 3K78A52 97.99

#100-004-179AF MBUS Sight Set, O.D. Green, 3K78A52 97.99

#100-004-180AF MBUS Sight Set, Foliage Green, 3K78A52 97.99

#100-004-169AF MBUS Front Sight, Black 3K32U06 . . 39.99

#100-004-170AF MBUS Front Sight, Dark Earth, 3K32U06 39.99

#100-004-172AF MBUS Front Sight, Foliage Green, 3K32A06 39.99

#100-004-173AF MBUS Rear Sight, Black 3K46A46 . . 57.99

#100-004-174AF MBUS Rear Sight, Dark Earth, 3K46A29 57.99

#100-004-175AF MBUS Rear Sight, O.D. Green, 3K46A46 57.99

#100-004-176AF MBUS Rear Sight, Foliage Green, 3K46A46 57.99

SEE IT BEFORE YOU BUY IT

BROWNELLS

AR15 BUILDER™

PATENTS PENDING

AR15BUILDER.COM

**MATECH AR-15/M16
USGI BACKUP
IRON SIGHT**

Deploys Quickly;
Fast, Easy Range Setting;
Compact Profile When Folded



Current U.S. Army standard-issue backup rear sight for M4 carbines and M16A4 rifles flips up instantly at the touch of your thumb when primary sight fails or tactical situation makes iron sights preferable. Designed in conjunction with Picatinny Arsenal engineering staff and rigorously tested at Fort Benning and Aberdeen Proving Ground for robustness, ease of use, and effective targeting out to 600 meters. Detent-locking lever lets you quickly switch to one of eight range settings: 200, 300, 350, 400, 450, 500, 550, and 600 meters. Adjust windage easily with grooved, A2-style windage knob and position markers on the back of the sight for repeatability of settings. Bright, white, laser etched numbers and markers are clearly visible even in low light. Rugged machined steel construction ensures sight retains zero even under heavy, full-auto fire. Clamps securely to the rearmost slot of MIL-STD 1913 Picatinny or Weaver-style accessory rail on flattop receiver via simple but strong locking bar and bolt. Rounded corners and beveled edges further reduce danger of snagging on other gear when sight post is down. Regulates correctly with A2 front sight on any AR-15-style rifle or carbine; instructions included for adjusting front sight post height to set exact zero. Designed to co-witness with most non-magnifying optical sights.

SPECS: Steel, matte black finish.

#100-003-702AF USGI Backup Sight, 6B127Z67 \$ 154.99



**MIDWEST INDUSTRIES AR-15/M16
FIXED REAR BACKUP SIGHT**

Simple, Rugged Design
Keeps You In The Fight
If Primary Sight System Fails



Rugged, all-metal rear sight clamps directly to flattop receiver rail and is always "deployed" to provide no-fail backup if primary sight system fails. Built like a tank to withstand the punishment of hard combat operations, including entering and exiting vehicles in a hurry, so you can stay in the fight. Two thick protective ears fully shield

the A2-style aperture from blows. Beveled corners on the ears and radiused edges on the entire sight body resist snagging on other gear. Flip-style aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact won't change when switching from one aperture to the other. Flush A1-style windage knob provides positive clicks for .50 MOA of adjustment on rifles with 20" barrel and .65 MOA on carbines with 16" barrels. Precision machined from high-quality 6061 T6 aluminum billet and mil-spec hardcoat anodized matte black for extra strength and superb resistance to surface wear.

SPECS: Aluminum, hardcoat anodized, matte black finish. Fits flattop AR-15/M16 rifles. 1.125" (2.9cm) long, 1.25" (3.2cm) wide, 1.875" (4.8cm) overall height. Center of aperture is 1.360" (3.5cm) above top of rail. 2.3 oz. (64g) weight.

#100-004-463AF Fixed Rear Backup Sight, 2A70Y00 \$ 80.95

**MIDWEST INDUSTRIES
AR-15/M16/AR-STYLE .308
FLIP-UP SIGHTS**

Instant Back-Up Sighting At All Ranges

Flip-up sights deploy with the flick of a finger to provide instant back-up, so you stay in the fight if your optical/laser sight fails or conditions render it ineffective. Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the push-button release. Sight folds down neatly out of your sight path when not in use. Machined from high-quality 6061 T6 aluminum and hardcoat anodized matte black for increased wear-resistance. Hex wrench included with all models for easy installation. ■

REAR SIGHTS - Clamp securely to flattop receivers. Flip-style A2 aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact will not change when switching from one aperture to the other. Deeply grooved knob provides positive clicks for windage adjustment in .65 MOA increments on rifles and carbines with 16" barrels and .49 MOA on rifles with 20" barrels. **MCTAR-ERS** - Emergency Rear Sight with protective "ears" to guard the aperture from accidental damage. Aperture has .060" and .200" diameter peep openings; same windage knob as standard A2 sight. Available in Black, Flat Dark Earth, or O.D. Green. **MCTAR-SPLP** - Low-profile design is less than 1/2" high when folded, yet provides full windage adjustment like the ERS model. Aperture has .070" and .200" diameter peeps. Available in Black only.

SPECS: Aluminum, hardcoat anodized, matte Black, Dark Earth, or O.D. Green. Fits flattop AR-15/M16 rifles. **MCTAR-ERS** - 1 3/8" (3.5cm) long, 1 3/8" wide, 1 3/4" (4.4cm) high deployed, 1" (2.5cm) high folded. 2.2 oz. (61g) weight. **MCTAR-SPLP** - 1 1/8" (2.9cm) long, 1 1/4" (3.2cm) wide, 1 3/4" high deployed, 7/16" (1.1cm) high folded. 1.5 oz. (41g) weight.

#100-001-992AF MCTAR-ERS Emergency Rear Sight, Blk, 2A82D12 \$ 105.99
#100-004-248AF MCTAR-ERS Emergency Rear Sight, Dark Earth 2A82H12 105.99
#100-004-249AF MCTAR-ERS Emergency Rear Sight, O.D. Green 2A82H12 105.99
#100-003-432AF MCTAR-SPLP Flip-Up Rear Sight, Black, 2A107T07 124.99

FRONT SIGHTS - Designed to work with Midwest Industries flip-up rear sights, all three models have standard A2 front sight post and clamp directly to Picatinny rails. **MCTAR-FFR** mounts on AR-15/M16 handguard rail; **MCTAR-FFG** attaches to gas block rail. **MCTAR-10-AFFG** mounts on gas block rail and positions sight post at correct height for ArmaLite AR-10® carbine with factory-installed gas block and 16" barrel. May fit other AR-style .308 rifles with gunsmith modification.

SPECS: Aluminum, hardcoat anodized, matte black. 1 1/8" (2.9cm) long, 1 1/2" (3.1cm) wide, 7/8" (2.2cm) high folded. Approximately 1.7 oz. (50g) weight. **MCTAR-FFR** - 1 7/8" (4.8cm) high extended. **MCTAR-FFG** - 2 1/8" (5.4cm) high extended. **MCTAR-10-AFFG** - 2 3/8" (6cm) high extended.

#100-003-422AF MCTAR-FFR Forearm Rail Front Sight, 2A69Y96 \$ 89.99
#100-003-423AF MCTAR-FFG Gas Block Front Sight, 2A69Y96 89.99
#100-002-984AF MCTAR-10-AFFG Gas Block Front Sight, 2A69Y96 89.99



MCTAR-SPLP MCTAR-ERS



**PRECISION REFLEX AR-15/M16
FLIP-UP TACTICAL SIGHTS**

Ready When You Need Them,
Fold Out Of The Way
When You Don't



Flip up sights deploy instantly to keep you operational if the primary sight system on your flattop AR-15 fails or loses effectiveness in low light conditions. Push-button controlled, positive locking, ball-detent system snaps sights firmly into position when you need them and locks them down when you don't. Folded sights allow a completely unobstructed view through optics and won't snag on brush, clothing, or gear. Large, spring-loaded button is easy to find and operate, even under stressful conditions. Protective hood over front sight posts and ears around rear sight aperture guard against damage during rough handling. Rugged, machined steel and aluminum construction will stand up to years of hard use. Durable, matte black, mil-spec finishes resist corrosion. **Barrel Mount Front Sight** - Solid, 4140 steel integral gas block/sight base clamps on .750" diameter barrel. Hex head crossbolts pull clamp halves tight to barrel to completely immobilize sight when properly tightened. Lightweight aluminum sight body comes with A2 sight post installed; also accepts aftermarket posts. Sight assembly folds to the rear when retracted. **Rail Mount Front Sight** - Functions like the barrel mount front sight when installed on a Picatinny style forearm rail positioned at the same height as the receiver rail. Folds to the rear in the down position. **Rail Mount Rear Sight** - Low-profile, windage-adjustable sight allows the use of optics and folds down compactly to the rear when not in use. A2-style same-plane aperture system is designed to flip between .090" and .195" diameter peep openings without losing zero. Ensures the correct sight picture for both close up and long range targets. ■

SPECS: 4140 steel base, Parkerized, and aluminum hardcoat anodized; matte black finish.

#714-000-003AF Bbl Mount Front Sight, 4A167Y12 \$ 189.99
#714-000-005AF Rail Mount Front Sight, 4A99Y00 119.00
#714-000-004AF Rail Mount Rear Sight 4A114Y95 . 135.00



WILSON COMBAT AR-15/M16

FLIP-UP SIGHTS

Tactical Back-Up Sights
For Optic-Equipped Rifles



Rugged, all-steel, flip-up sights provide dependable

backup in the event your primary optical sight fails. Designed from the ground up to be exceptionally robust, accurate, and reliable, they fold down out of the line of vision when you don't need them, flip up for instant use. Spring-loaded, detent mechanism locks positively in the up or down position to prevent unintentional raising or lowering. Precision-machined from ordnance-grade steel, with a hard, matte black finish for extra surface strength and resistance to scratches. ■

FLIP-UP REAR SIGHT (FURS) - Large aperture peep is fast to pick up, doesn't interfere with field of view. Dual clamp screws with a single cross bolt adapt to Weaver or Picatinny-style bases. Click adjustment for elevation and windage gives excellent repeatability. **TR-FURS** - Has a coin-slot windage screw to prevent accidental changes on zeroed rifles. **TR-FURS2C** - Coin-slot windage screw plus push-button activated flip-up aperture for raising the sight without shifting your hands. **TR-FURS2K** - Push-button flip-up sight plus easy-to-locate, knurled windage screw for quick changes in fluid tactical situations.

SPECS: Steel, Black, matte finish. 1 3/4" (4.4cm) long, 1 3/4" high. #965-000-017AF TR-FURS Flip-Up Rear Sight, 5F110T46 \$ 129.95
#965-000-021AF TR-FURS2K Flip-Up Rear Sight, 5F153T20 179.99
#965-000-022AF TR-FURS2C Flip-Up Rear Sight, 5F152T96 179.95



**YANKEE HILL MACHINE AR-15/M16
QDS SIGHT SYSTEM**



QDS front/rear

QDS front with hood

Rugged, Quick-Deploy Backup System;
Minimal Profile When Folded

Spring-loaded sights deploy at the push of a button to provide instant backup sighting. Quick Deploy System locks securely and requires a firm, positive press of the button to deploy or retract the sight, so it won't accidentally activate when bumped—these sights stay where you put them. Minimal profile when folded—only .435" high—with radiused edges and a smoothly curved front surface to prevent snagging on foliage, gear, or clothing. Crossbolt and side bar provide solid attachment to MIL-STD 1913 Picatinny or Weaver-style rail systems. All-aluminum construction is lightweight, yet plenty strong to handle the hard knocks of tactical operations, with a durable, scratch-resistant hardcoat anodized finish for extra surface strength. **Front Sights** have mil-spec A2 post that adjusts for elevation; same-plane alignment with rear sights. Available with thick, protective ears that shield the post or an H&K-style hood for even greater security. **Rear Sight** adjusts for windage with the easy-to-grasp knurled knob and is available with a small peep (.065"), a large peep (.200"), or a two-position, A2-style aperture that lets you flip between both peep sizes. **Set** contains the front sight with ears and the two-position rear sight. ■

SPECS: Aluminum, hardcoat anodized, matte black. All models 1" (2.5cm) deployed length, 1 1/4" (3.2cm) wide, .435" (11mm) folded height. **Front Sight w/Ears** - 2 1/8" (5.4cm) folded length, 1.420" (3.61cm) deployed height from top of base to top of blade. **Front Sight w/Hood** - 2.1" folded length, 1.360" (3.45cm) deployed height from top of base to top of blade. **Rear Sight** - 2 1/4" (5.7cm) folded length, 1.425" (3.62cm) deployed height from top of base to center of aperture. Available with .065" or .200" peep hole or dual-aperture with both-size peeps.

#100-004-315AF QDS Front/Rear Sight Set, 9A159B00 \$ 199.00
#100-004-316AF QDS Front Sight w/Ears, 9A79B00 99.00
#100-004-317AF QDS Front Sight w/Hood, 9A79X00 99.00
#100-004-318AF QDS Rear Sight w/Dual Apertures, 9A94X20 116.99
#100-004-320AF QDS Rear Sight w/.065" Peep, 9A93X50 117.00
#100-004-319AF QDS Rear Sight w/.200" Peep, 9A93X50 117.00

FLIP-UP FRONT SIGHT (FUFS) - Pushbutton-activated mechanism deploys instantly for immediate use, so you can adapt to quick changes in fluid tactical situations. Protective "fence" machined into the side of the sight post shields the button from damage or accidental activation. Two, massive, side posts protect the elevation-adjustable A2-style sight post from damage. All edges are radiused to resist snagging. Replaces factory gas block and front sight on .750" O.D. barrels. Clamps to barrel with two hidden set-screws on underside.

SPECS: Steel, Black, matte finish. 2.25" (5.72cm) long, 2.26" (5.74cm) deployed height from top of barrel to top of post, .825" (2.1cm) folded height. Fits .750" O.D. barrels. Muzzle accessories must be removed to allow installation.

#965-000-072AF Wilson Combat FUFS, 5F125A96 \$ 146.99



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

NEW Sights TROY INDUSTRIES AR-15/M16 BATTLE SIGHTS



HK-Style Rear HK-Style Front M4/M16-Style Front

Rugged, Reliable Backup Sighting; Same Height As Factory Iron Sights

Rugged, flip-up sights provide fail-safe backup when your primary optic or red dot sight

fails. Sight post flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base with sturdy side clamp and heavy duty stainless steel crossbolt attaches to any military or commercial Picatinny rail. Installs with a standard flathead screwdriver—no protruding knobs or levers to catch on brush, clothing, or other equipment. Machined from 6061 T6 aluminum and Type III hardcoat anodized for durability with Teflon® additive to resist surface abrasion; available in Black and Dark Earth. Front sight clamps to gas block accessory rail or extended handguard rail and is only 1/2" high when folded. Available in **HK** and **M4** styles, both with M4-type sight post that is elevation adjustable in 1/2 MOA increments. Protective ears on both models shield the post from damage. Distinctive "globe" shape of HK sight aids in fast target acquisition under stress. Deep grooves in sides of M4/M16 sight post ensure a firm grasp for fast deployment. **HK-Style Rear Sight** bolts to flattop receiver rail and is only .460" high when folded. Flip between two same-plane apertures; large .190" aperture provides a wide field of view for close-in targets, while .070" aperture is calibrated for engaging long-range targets. Sturdy, protective "ears" guard the aperture from impact. Large adjustment wheel with deep serrations lets you change the windage setting in 1/2 MOA increments; positive-locking detent ensures settings change only when you want them to. ■

SPECS: Stainless steel and aluminum, Black or Dark Earth finish. **Rear** - 1.17" (3cm) long, 1.25" (3.2cm) wide, 1.85" (4.7cm) high extended, 1.8 oz. (52g) wt. **HK Front** - 1.17" long, 1.25" wide, 1.9" (4.9cm) high extended, 1.6 oz. (45g) weight. **M4/M16 Front** - 1.17" long, 1.25" wide, 1.75" (4.5cm) high extended, 1.6 oz. weight.

#100-003-442AF Folding Rear Sight, Blk 3B140X00 . \$ 149.99
#100-003-443AF Folding Rear Sight, Dark Earth, 3B140X00 149.99

#100-003-444AF HK-Style Front Sight, Black, 3B120X00 129.99

#100-003-445AF HK-Style Front Sight, Dark Earth, 3B120X00 129.99

#100-003-446AF M4/M16-Style Front Sight, Black, 3B120X00 129.99

#100-003-447AF M4/M16-Style Front Sight, Dark Earth, 3B120X00 129.99

FIXED REAR BATTLE SIGHT - Tactical backup sight is always deployed, so there's absolutely no delay, no fumbling when you need to transition from the primary optic. Troy designed this sight to be simple, rugged, and reliable—and it takes up only 1 1/2" of rail space. Precision machined from solid aluminum, with plenty of metal on the protective "ears" around the two-position aperture. All edges and corners are rounded, and there are no protruding knobs or levers to catch on brush, clothing, or other equipment. Rear of the base is undercut to provide clearance for access to the charging handle. Same-plane aperture flips easily between .190" and .070" diameter peeps, just like the Folding Rear Battle Sight. Windage adjustable in 1/2 MOA clicks using a coin in the slot of the flush A1-style detent-locking adjustment wheel. Clamps to any Picatinny rail; installs with a standard flathead screwdriver.

SPECS: 6061 T6 aluminum, hardcoat anodized, Black or Dark Earth finish. 1.5" (3.8cm) OAL, 1.25" (3.2cm) maximum width, 1.875" (4.8cm) high from top of rail to top of sight housing, 1.8 oz. (52g) wt.

#100-004-381AF Fixed Rear Sight, Black 3B83Y17 . \$ 103.50

#100-004-382AF Fixed Rear Sight, Dark Earth, 3B83Y17 103.50

YANKEE HILL MACHINE AR-15/M16 BACKUP FLIP SIGHTS

Rugged Steel Construction; Deploys Fast For Instant Emergency Use

Heavy-duty, steel construction makes these emergency rear/front flip sights the tactical shooter's choice for LE and military tasks requiring a compact, backup, sight system of superior strength and dependability. Deploys easily with the flick of your thumb; disengages down, out of your sight path when not in use by depressing the spring-loaded pushbutton. Extra thick, protective ears guard against blows that could potentially bend or break the sight post or aperture. Solid clamp with large crossbolt provides rock solid attachment to Weaver or Picatinny rail systems. Knurled and slotted, quick-release thumbscrew makes sight easy to install/remove. ■

GAS BLOCK FRONT FLIP SIGHT - Designed specifically to regulate properly when attached to a gas block rail. Positions the front sight post approximately 1 1/4" above the accessory rail. All steel components; includes standard sight post. Does not function as a gas block.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 2" (5.1cm) high when raised. 2.5 oz. (71 g) wt.

#100-002-089AF Gas Block Flip Sight 9A58V88 \$ 82.99

FOREARM FRONT FLIP SIGHT - Shortened version of the Gas Block Front Flip Sight for use on tactical handguards with accessory rails. Provides the proper sight regulation by placing the sight post approximately 1 3/8" above most forearm rails. All steel construction. Includes standard sight post.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 1 1/2" high when raised. 2.5 oz. (71 g) wt.

#100-002-091AF Forearm Flip Sight 9A61V99 \$ 79.99

REAR FLIP SIGHT - Low-profile design attaches to A4 flattop receivers and regulates correctly with standard, M16/M4 front sights, as well as all Yankee Hill front sights. Rugged, steel base features an aluminum stem to keep weight to a minimum. Deploys instantly with thumb pressure. Large, knurled, screw head provides 1/2 M.O.A. windage adjustment. Includes flip-style aperture for short- and long-range accuracy.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 1 1/2" (3.8cm) wide, 1 3/8" (3.5cm) high when raised, 2.5 oz. (71 g) wt.

#100-002-094AF Rear Flip Sight 9A79V99 \$ 89.99

YANKEE HILL MACHINE AR-15/M16 A2-STYLE REAR SIGHT

Factory-Profile Backup Sight Co-Witnesses With Most Red Dot Sight Systems

Solid, A2-style rear sight clamps to the rear of your flattop receiver to co-witness with an Aimpoint, E.O. Tech, or similar red-dot sight system. Functions like the original carry handle sight—perfect for a combat-ready backup sight—and regulates correctly with standard, M16/M4 front sights and Yankee Hill front sights. Two, hardened steel cross-bolts clamp the sight to the rail for zero movement under recoil. Large, grooved, steel windage knob and elevation wheel provide full click-adjustments in 1/2 M.O.A. increments. Standard, flip-style aperture has .065" and .200" diameter peepholes for short- and long-range shooting. Large, steel "ears" protect the aperture from blows. Rugged, aluminum base keeps weight to a minimum without sacrificing strength. ■

SPECS: Aperture, Housing & Hardware - Steel, matte black, mil-spec phosphate coating. Base - Aluminum, matte black, anodized finish. 1 1/8" (2.9cm) long, 1 1/4" (3.2cm) wide at base, 1 7/8" (4.8cm) high. 3.6 oz. (101g) weight.

#100-003-173AF A2-Style Rear Sight, 9A82T76 \$ 102.99

LIPSKI COMPETITION BARREL BAND

Easy Mount, High Quality, Adjustable Target Base



No gunsmithing required to attach this height-adjustable, machined steel base to AR-15 and other heavy-barrel, match rifles. Clamp on muzzle and adjust riser block to correct height for rear sight. Accepts Redfield and similar target globe assemblies. ■

SPECS: Steel, matte black. Base - 1" (2.5cm) long. Fits .812" (20mm), .750" (19mm), .732" (18.6mm) (Colt factory Flattop competition) and .922" (23.4mm) barrels. 1.25" (3.2cm) high from center of barrel to top of base. Riser height adjusts 1" (2.5cm).

#527-101-812AF .812" Comp. Barrel Band, 7B97T28 \$ 119.95

#527-101-750AF .750" Comp. Barrel Band 7B97T28 . 119.95

#527-101-732AF .732" Comp. Barrel Band 7B97T28 . 119.95

#527-000-003AF .922" Comp. Barrel Band 7B97T28 . 119.95

LIPSKI AR-15/M16 COMPETITION REAR SIGHT BASE

Easy Rear Aperture Sight Mounting For Target Rifles



Attach receiver-style target sights to your favorite rifle without drilling and tapping. Clamps to flat top rails. Once sight is mounted to base, the entire unit may be removed and re-installed without loss of zero. Pre-drilled side mounting plate accepts Redfield Palma, Warner, Zelenak and other sights using 10-32 mount screws. Mounting plate is adjustable for vertical and horizontal position. ■

SPECS: Steel, matte black. Adapter base 2.25" (5.7cm) long, .90" (23mm) high. Threaded 10-32. Weighs 3.1oz. (68 g).

#527-100-015AF AR-15 Sight Base 7B65T99 \$ 80.95

DPMS AR-15/M16 DETACHABLE CARRY HANDLE

Back-Up Iron Sights & Comfortable Carry For Your Flattop



Mil-Spec, A-2-style rear sight provides primary

carry for your flattop. Full length clamping bar with two, large, easy-to-grasp, thumb nuts gives fast installation with instant return to zero. Correct height for issue front sight. Fits all flat top rifles and carbines with a Picatinny base.

SPECS: Steel sight parts, gray, parkerized finish. Aluminum handle, hard coat anodized and teflon-coated, black, matte. 7" (17.8cm) long, 9 oz. (256 g) weight.

#231-000-030AF Detachable Carry Hndl 1C8Z299 . . \$ 89.99

NEW MAKO AR-15/M16 DETACHABLE CARRY HANDLE

Quickly Converts Flattop To A2 Configuration For Competition Or Optic Mounting



A2-style carry handle clamps to flattop receiver rail to give your rifle the same reliable, easy-to-use rear sight system found on standard-issue military M16s. Quickly convert your flattop to a configuration that's legal for CMP Service Rifle Competition, or use as an adapter to mount optics, including many ACOG models, designed to fit a carry-handle rifle. Attaches securely to receiver rail with full-length locking bar, two steel cross-bolts, and oversized thumb nuts. A2 rear sight assembly has detent-locking adjustment wheel for elevation and a large, grooved knob on the right-hand side for windage. GI-type, two-position aperture with long- and close-range peep holes. Regulates with mil-spec or same-height aftermarket front sight.

SPECS: Aluminum, matte black finish. Fits flattop AR-15/M16 rifles and carbines with Picatinny receiver rail.

#100-004-276AF Detachable Carry Hndl 2B31X95 . . \$ 36.00

HIGH STANDARD AR-15/M16 DETACHABLE CARRY HANDLE/REAR SIGHT

Gives Flattop The Convenience, Simplicity & Ruggedness Of Carry Handle Configuration



Military-style carry handle attaches to receiver rail to provide a simple, rugged iron sight system that converts flattop rifle for CQB operations or CMP Service Rifle Competition. Also serves as a mounting platform for ACOGs and other optics with a base already configured to fit carry handle. A2 rear sight assembly provides reliable primary or back-up sighting; correct height for issue front sight. Full-length clamping bar with two cross-bolts and thumb nuts lock handle securely to receiver rail and prevent unwanted movement even during strenuous tactical operations. Deep grooves on nuts provide extra purchase for hand tightening, and slots accept a U.S. nickel or quarter for more tightening leverage.

SPECS: Hardcoat anodized aluminum handle and parkerized steel sight parts, matte black. Fits flattop rifles and carbines with Picatinny-style receiver rail.

#430-000-533AF Detachable Carry Handle/Rear Sight, 3D11P31 \$ 138.99

BLACKHAWK INDUSTRIES STORM SINGLE-POINT TACTICAL SLING

Quiet, Adjustable, Dependable Weapon Retention



Adjustable single-point sling is constructed of heavy-duty 1 1/4" nylon webbing and 1" elliptical elastic bungee cord for optimum performance and stealth. High-density bungee allows 4" of flex—just right for weapon agility in CQB maneuvers—and is covered with tough, weather-resistant compressed tubular nylon sheathing that prevents noise, limits bounce, and provides optimum retention. Strong, single-piece, quick attach/detach "mash" clip snaps securely to any single point sling adapter to keep your weapon within easy reach when you need it most. Elastic sleeve slides over clip to prevent rattling against gun. Heavy duty tri-glide nylon buckle allows adjustment to permit wear over bulky tactical vests and gear on all body sizes. A 300-lb test nylon "quick ditch" buckle instantly opens the sling if you need to release your weapon quickly.

SPECS: Nylon and elastic bungee cord, black. Carry strap is 1 1/4" (3.2cm) wide. Adjustable from approximately 27" (68.6cm) to 36" (91.4cm) OAL.

#100-003-349AF Storm Single-Point Sling 8K26C39 . \$ 32.99

CSM GEAR SINGLEPOINT SLING

Singlepoint Attachment Smooths Transition From Rifle To Sidearm



Hailed as a tremendous improvement in rifle or shotgun carry by military and police, because the single attachment point sling actually speeds the shooter's transition from long gun to side arm safely without losing control of his weapon. Provides a secure cross shoulder carry that allows the shooter to easily aim and point rifles and shotguns equipped with a single sling attachment point at or near the pistol grip or balance point. Made from durable 1" wide nylon with flat, all-steel quick-release clip. Includes sewn-in elastic for added comfort. Can be used for either right- or left-hand carry. ■

SPECS: Nylon, Black, Coyote Tan, or O.D. Green. 26" (66cm) OAL, 1" (2.5 cm) wide.

#100-002-589AF Black Singlepoint Sling 2Z38H66 . . \$ 47.99

#100-002-658AF Coyote Tan Singlepoint Sling, 2Z38Y66 47.99

#100-002-659AF O.D. Green Singlepoint Sling, 2Z38Y66 47.99



BROWNELLS COMPETITOR PLUS™ RIFLE SLING

- PREMIUM LEATHER • U.S. MADE
- EXTRA HEAVY HOOKS
- STITCHED KEEPERS
- 100% SATISFACTION GUARANTEED

If you love fine leather, fine craftsmanship and a superbly functional, useful sling, our Competitor Plus is going to make you extremely happy! What you get is a no-compromise reproduction of the original 1907 Military Sling; the one that's become the standard among hi-power service rifle shooters and many knowledgeable hunters; the one that's sought after by collectors and restorers of pre-WWII military firearms and the one that's carried more guns, more miles on more shoulders than darn near any other. Ours has all the good stuff: 1) It's all U.S. made of the finest, oak-tanned, top grain, 9-10 ounce, U.S. steer hide. 2) It's fitted with thick, forged, blued steel hooks. 3) Each extra-thick, steel hook is attached with three rivets. 4) The Keepers are skived at a taper, overlapped and glued; then stitched with 5-cord waxed linen thread. They fit TIGHT!

We're pretty proud of the Competitor Plus. We think you'll love it, too. It's unconditionally guaranteed to satisfy you 100%. If it doesn't, send it back for a full refund.

SPECS: 1 1/4" (3.2cm) wide, 9-10 oz. leather. .108" (2.75mm) thick hooks. Front strap length = 54" (1.37m). Instructions.
#084-270-110AF Comp Plus Sling, Tan 4H48A99 . . . \$ 66.99
#084-270-210AF Comp Plus Sling, Black 4H45X08 . . . 60.99

BROWNELLS COMPETITOR PLUS SLING w/NUMBERS - Our Competitor Plus sling with sixteen numbered reference points makes it easy for you to return to your sling setting for each shooting position.

SPECS: 1 1/4" (3.2mm) wide, 9-10 oz. leather. Front length 54" (1.37m). 3/8" (14.7mm) numbers.
#084-270-120AF Numbered Competitor Sling, Tan 4H50A49 . . . \$ 66.99

COMPETITOR PLUS SLING w/SWIVELS - Add the Competitor Plus Sling to any rifle equipped with Michael's-style swivel studs. Comes complete with two of the correct 1 1/4" Michael's easy-on, easy-off, quick-detachable loops.

#084-270-112AF Tan Competitor Plus Sling w/Swivels, 4H54A70 . . . \$ 70.99
#084-270-211AF Blk Comp. Plus Sling w/Super Swivels, 4H47X19 . . . 62.99

BLUE FORCE GEAR CAR-15/M4

COMBAT APPLICATIONS SLING



Adjusts Quickly,
Won't Tangle Or Twist

Two-point design with front quick adjustment strap lets the operator change

sling length without creating loose ends that can tangle with other gear. Allows for a variety of carry and shooting positions based on required tactical response. Fits M4 carbines with side sling swivels with 1 1/4" wide loop. **Vickers** is composed of two, separate sections of Cordura® nylon webbing; 17" forearm end, including quick adjustment loop, and 30" rear buttstock end; joined together with a high strength steel channel. Separate 10" removable, modular quick-release on the buttstock end allows for fast exit from sling and weapon in emergency situations. Can be used with or without modular release feature. Features machined aluminum front buckle, steel mid-section connector and polymer buckles. **Vickers Padded** is the same basic design as the Vickers with the addition of an extra wide shoulder strap with foam core padding for comfortable, all day carry without pinch-

BUTTON SLING AR-15/M16/M4 THROW & GO SLING

Quick-Detach; Elastic For
Tangle-Free Operation

Innovative sling uses a polymer loop and steel button attachment system for quick, one-handed removal and installation. Single-point, rubberized sling takes up the slack and prevents getting tangled in weapon mounted lights and accessories. **Throw & Go Sling** is built from high-elastic, bungee cord material that allows just the right amount of flex for CQB maneuvers; with a tough, weather-resistant nylon outer covering that prevents noise and limits expansion for optimum stealth and control. **Button Pins** are built from high carbon steel to withstand the toughest use without cracking and breaking. M4-M16 fits receiver end plate with collapsible stocks and is right-hand only; requires removal of buttstock for installation. M4 clamps around all standard diameter buffer tubes on collapsible stocks. Can be mounted for right- or left-hand shooters.

SPECS: **Throw & Go Sling** - nylon, elastic, black. Polymer buckle. 1" (2.5cm) wide, 27 1/2" (70cm) long. Adjustable for length. **Button Pin** - Steel, blue, matte finish. M4 - Stainless steel clamp.

#100-003-664AF M4 Button Pin, 7B22X95 . . . \$ 29.95
#100-003-662AF M4-M16 Button Pin, 7B14X95 . . . 19.95
#100-003-661AF Throw & Go Sling, 7B30X27 . . . 39.99



DANIEL DEFENSE SIMPLE SLING SYSTEM™

Allows Rapid, Left - Or Right-Hand
Transition & Hands-Free Carry

Simple, rugged, single point sling is constructed of heavy-duty nylon webbing with reinforced stitching for years of reliable service. Attaches to Daniel Defense Burnsed Loop Sling Adapters (found elsewhere in catalog) or others with 1 1/4" loop. Designed for single point mounting at the rear of the receiver for hands-free access to a second weapon, while maintaining complete control of your rifle or carbine. Allows rapid switch from right- to left-hand carry. Simple design prevents tangles in weapon mounted lights and other accessories. Receiver mounted sling adapter plate not included.

SPECS: Nylon web, black. 1.25" (3.2cm) wide, 30" (76.2cm) long. Adjustable for length.
#100-000-782AF Simple Sling, Black, 7A14V36 . . . \$ 17.95

ing or binding. Modular quick release not included. Composed of two, separate sections of Cordura® nylon webbing; forearm end, including quick adjustment loop, and rear buttstock end with shoulder pad. **Victory** is composed of two, separate sections of filament nylon webbing; 16" forearm end, including quick adjustment loop, and 28" rear buttstock end; joined together with a high strength steel channel. Modular quick-release not included. Advanced polymer non-slip adjustment buckles are resistant to solvents.

SPECS: Black, Coyote, or O.D. Green depending on model. **Vickers/Vickers Padded** - Cordura® nylon web. Aluminum front buckle, with steel mid-section connector, other buckles are polymer. 1 1/4" (3.1cm) wide. Adjusts from 46" (117cm) to 55" (140cm) OAL. **Victory** - Filament nylon web. Steel mid-section connector with polymer buckles. 1 1/4" (3.1cm) wide. Adjusts from 34" (86cm) to 44" (112cm) OAL.

#100-002-950AF Vickers Sling, Black 7A48T56 . . . \$ 59.99
#100-003-476AF Vickers Sling, Coyote 7A47Y96 . . . 59.95
#100-003-477AF Vickers Sling, O.D. Green, 7A47Y96 . . . 59.95
#100-003-577AF Vickers Padded Sling Black, 7A51V96 . . . 64.95
#100-003-411AF Victory Sling, Black 7A28Y95 . . . 35.95



GALCO INTERNATIONAL SLCTACTICAL SLING

Allows Hands-Free Carry
& Quick Weapon Access



Simple Lanyard and Carrying (SLC) strap™ features a steel, HK-style snap hook for quick and effortless transition from a conventional two-point sling to a single-point sling position that keeps your tactical rifle or shotgun in front of you for easy cross-shoulder transition. Conventional, two-point sling position allows muzzle-up or muzzle-down carry over the shoulder or across the back. Polycarbonate clasps allow easy adjustment to fit any shooter. Built from durable, 1" wide, nylon webbing for maximum strength and long service life. Ambidextrous design accommodates right- and left-hand shooters.

SPECS: Nylon webbing with steel snap hook and polycarbonate adjustment clasps, black. 44" (112cm) long x 1" (2.5cm) wide.
#100-003-978AF SLC Tactical Sling 7A15P99 . . . \$ 19.99

GEAR SECTOR AR-15/M16 SINGLE-POINT SLING

Designed
To Provide
Fast & Easy
Weapon
Attachment



Efficient,
easy-to-use nylon
web sling features a

high strength, polycarbonate quick-release buckle that attaches to most weapon platforms and connects directly to your sling. Universal buckle design accepts all current weapon attachment stubs allowing use of a single sling with multiple weapons. Features rip-cord pull adjustment for instant height adjustment without taking your eyes off the target. **ASP-V** is an adjustable rig mount sling that attaches directly to your shoulder strap and LBV/Plate carrier or Pals/Molle webbing using the D-ring. Compact ambidextrous design allows either side weapon shouldering without tangles or interference. Contains one rig mounted quick-release adapter. **ASP** is an ambidextrous sling that loops around your shoulder and torso providing unlimited freedom of movement and cross-shoulder transition. Contains dual quick-release adapters.

SPECS: Nylon webbing, black. Polycarbonate buckles, black. **ASP-V** - 21" (2.5cm) long x 1" (1.5cm) wide, 4" (2.5cm) long stub. **ASP** - 34 1/2" (2.5cm) long x 1" wide, 4" stub.
#100-003-364AF ASP-V Rig Mount Ambi Sling, 9B22H00 . . . \$ 27.50
#100-003-363AF ASP Torso Ambi Sling 9B29H20 . . . 36.50

IBD PRODUCTS THREE-POINT SLING

Hands-Free Control
Of Your Firearm;
No Swivels Needed



Adjustable, nylon, three-point tactical sling fits any fixed-stock long gun for comfortable, hands-free, ready-position control. Attaches without tools, swivels, or swivel studs. Available in black.
SPECS: Nylon webbing, black. Polymer keepers, black. Approximately 36" (91cm) OAL, 1 1/2" (3.8cm) wide. Ambidextrous.
#100-001-339AF 3-Point Sling, Black 1A40P10 . . . \$ 49.99



SPEC-OPS. PATROL SLING

Single- &
Two-Point
Modes For Secure,
Comfortable Weapon
Retention



Efficient, easy-to-use tactical sling is designed for law enforcement and military personnel who need a secure, economical sling that fits a variety of tactical rifles and shotguns. Installs quickly on any weapon with a fixed or collapsible stock that has 1 1/4" sling loops. Configure for basic two-point operation, or use the included clip-on strap for single-point carry that lets the shooter free the weapon from the sling with a squeeze of two fingers. Ambidextrous design shifts easily from one shoulder to the other for strong- or support-side carry. Made of durable, military-grade nylon webbing with reinforced zig-zag stitched seams and heat-sealed edges. "Strike Zone" section of two thick elastic cords fully encased by webbing material provides extra stretch for maneuvering the weapon during CQB or when fast transition from carry to shooting position is required. Heavy duty molded polymer slip locks allow plenty of adjustment for operator comfort and secure attachment to weapon. All hardware has smooth, rounded edges to prevent snagging on other gear.

SPECS: Nylon webbing, molded polymer hardware, black or coyote tan. Kit includes main sling body and detachable single-point strap section.
#100-004-451AF Patrol Sling, Black 7K24A08 . . . \$ 29.99
#100-004-452AF Patrol Sling, Coyote 7K24A08 . . . 29.99

SPEC-OPS. MAMBA SLING

Quiet, Tangle-Free; Keeps
Collapsible Stocked Weapon
At The Ready




Three-point, tactical sling uses a unique stretch material to provide tangle-free motion in all tactical situations. Attaches to front sling adapter and to slot on collapsible buttstock. Floating strap adjusts quickly for different firing positions and releases quickly for hands-free mobility. Compatible with SOPMOD components.

SPECS: Nylon, black. Fits rifles with M4 collapsible stock. 72" (183cm) long.
#100-002-130AF Mamba Sling For Collapsible Stocks, 7K31X96 . . . \$ 39.95

SPEC-OPS. SLING 101

Three Point Sling Won't Interfere
With Movement Or Accessories



Provides tangle-free use with rifles having lights, lasers and other attachments. One-piece construction lessens the chance of failure. Double-strap shoulder harness allows weapon to be carried backpack-style. Emergency quick-release lets user safely disengage from the sling by releasing one disconnect. Compatible with SOPMOD components.

SPECS: Nylon, black. 72" (183cm) long. Models available for fixed (AR-15/M16) and collapsible (M4) buttstocks.
#100-002-131AF Sling 101, AR-15/M16 7K23X96 . . . \$ 29.95
#100-002-132AF Sling 101, M4 7K24X59 . . . 29.99

Shop

tactical sling

Search

brownells.com

SPECTER GEAR TACTICAL SLINGS

Keeps Your Hands Free
& Your Weapon Ready



Specter Gear (formerly CQB Solutions) provides heavy-duty, nylon-web slings, with durable, polycarbonate clasps and keepers that hold your weapon in a comfortable, ready position until it's time to fire.

Double-stitched with #69 thread at all stress points for maximum strength and a long service life. Available in a number of tactical styles for a wide variety of guns. All slings are configured for ambidextrous use.

CLOSE QUARTERS COMBAT (CQB) SLING - Provides a choice of six carry options. Lets you keep your hands free and bring the weapon into action quickly. Soft and flexible for quiet, comfortable carry; will not generate a noise signature. Easily adjustable with no unnecessary straps, buckles or fasteners. **AR-15/CAR-15 QR** features a quick release buckle that lets you quickly disengage from the rifle in emergency situations.

SPECS: Nylon web, Velcro fasteners, black. 1 1/4" (3.2cm) wide. Approximately 38" (96.5cm) long.

STOCK #	MODEL	PRICE
#100-000-376AF	AR-15, full stock	4K18P00 \$ 30.00
#100-000-728AF	AR-15 QR, full stock	4K20Z55 \$ 34.25
#100-000-377AF	CAR-15 w/std handguard	4K18P00 \$ 30.00
#100-000-729AF	CAR-15 QR, std handguard	4K20Z55 \$ 34.25
#100-000-378AF	CAR-15 w/M4 handguard	4K18P00 \$ 30.00
#100-000-730AF	CAR-15 QR, M4 handguard	4K20Z55 \$ 34.25
#100-001-226AF	CAR-15, Side-Mount Front Sling Swivel	4K18A00 \$ 30.00
#100-001-227AF	CAR-15QR, Side-Mount Front Sling Swivel	4K20A55 \$ 34.25

SPECIAL OPERATIONS PATROL (SOP) SLING - Wide, 1 1/2", nylon webbing distributes weight for comfortable carry. 1" mounting straps provide free, non-binding movement, so the sling moves with your body during carry and position shooting. Transition-release buckle lets you quickly shift from right- to left-shoulder carry or firing. Sling remains attached so you can drop the rifle to your side and keep both hands free. All models feature the ERB, quick release buckle that lets you disengage from the firearm in emergency situations unless otherwise noted in price line. Ambidextrous design fits right- and left-handed shooters.

SPECS: Nylon web, Velcro fasteners, Black or OD Green. 1 1/2" (3.8cm) wide. Approximately 38" (96.5cm) long. CAR-15 fits collapsible stock only.

STOCK #	MODEL	PRICE
#100-000-797AF	AR-15, full stock, black	4K23V55 \$ 39.25
#100-000-798AF	AR-15, full stock, OD	4K23V55 \$ 39.25
#100-000-799AF	CAR-15, std hndgrd, black	4K23V55 \$ 39.25
#100-000-800AF	CAR-15, std hndgrd, OD	4K23V55 \$ 39.25
#100-001-230AF	CAR-15 w/Front Side Sling Swivel (No ERB), black	4K21A00 \$ 35.00
#100-001-231AF	CAR-15 w/Front Side Sling Swivel, black	4K23A55 \$ 39.25
#100-001-228AF	AR-15, A1, A2, A2 w/M-203, Black	4K24A75 \$ 41.25

HIGH-SPEED TRANSITIONS (HST) SLING - 1 1/4", nylon-webbed sling is perfect where rapid, cross-shoulder and secondary-weapon transitions are crucial to survival. Attaches easily to a side, single mounting point, receiver sling mount. Includes the ERB, quick-release buckle for emergency disengagement; ambidextrous design fits right- and left-handed shooters.

SPECS: Nylon web, Velcro fasteners, black. 1 1/4" (3.2cm) wide.

TAPCO TACTICAL SLING SYSTEM



Versatile Single- & Two-Point
Configurations To Support
Multiple Mission Profiles



Modular sling can be configured for single- or two-point attachment so you can change your carry mode for each mission. Designed for convenient integration with Tapco's Intrafuse modular rifle furniture, this sling works with common sling attachment systems on today's tactical rifles. Configure with the included Y-adapter and HK-style snap hook for single-point carry that allows fast transition from one shoulder to the other. Snap on the strap modules and thread the straps through 1 1/4" sling loops to configure for traditional, two-point carry for maximum

comfort and stable weapon retention. Made with ultra-thin, yet exceptionally strong, military-grade nylon webbing, box stitched at stress points for added strength, with heavy-duty reinforced polymer hardware. Main sling body is 1 1/2" wide to help disperse load and prevent digging into neck and shoulders.

SPECS: Nylon webbing, molded polymer hardware, steel snap hook, black. Kit includes main sling body, two strap attachment modules, Y-attachment harness, and HK-style snap hook module.
#100-004-127AF Tactical Sling, Black 5A31T19 \$ 32.99
#100-004-295AF Tactical Sling, Coyote 5A31Y19 32.99

VIKING TACTICS

V-TAC QUICK ADJUST SLING



Simple One-Hand Operation Changes From Use To Carry

Adjust sling from carry to firing while moving into position. After firing, a quick tug on the lanyard returns sling to carry position. Designed to carry gun, muzzle down on your back. **Padded** model features a closed-cell foam shoulder pad for greater comfort when carrying heavy weapons long distances. **Buttstock Adapter** provides correct, top-of-stock sling mount point.

SPECS: Nylon web, black. 1" (2.5cm) wide. **Padded** model includes 20" (50.8cm) long x 1 1/2" (4.7cm) wide shoulder pad. Adjusts 58" (14.7cm) to 63" (160cm).

#100-000-669AF V-TAC Sling 7K28C97 \$ 35.99

#100-002-868AF V-TAC Sling, Padded 7K32U87 40.99

#100-000-670AF V-TAC Buttstock Adapter 7K06C80 8.50

Approximately 48" (122cm) long. Universal fit; attaches to sling mount.

#100-001-232AF Universal HST Sling 4K12A90 \$ 21.50

MOUT TACTICAL SLING

Heavy nylon, dynamic entry sling includes all the life-saving features recommended by U.S. troops returning from Military Operations On Urbanized Terrain (MOUT) in Afghanistan and Iraq. Separate, 1" wide, connector strap attaches to your rifle's receiver sling mount; polycarbonate, quick release clasp allows disconnect from the shoulder harness, so you can instantly mount/dismount a vehicle, or take an unconventional shooting position without removing the body loop. 1 1/4" wide webbing provides hours of comfortable field carry. Single attachment point ensures rapid, unobstructed cross-shoulder and secondary weapon transitions. **Spare Connector** allows you to hook-up a single MOUT sling to more than one weapon in just seconds. Spare Connectors available separately.

SPECS: Nylon webbing, polycarbonate clasp and keepers, black. Approximately 40" (107 cm) long including connector. Attaches to weapons equipped with a side mounted, receiver sling mount.

#100-002-161AF MOUT Tactical Sling 4K14Y45 \$ 23.99

#100-002-162AF Spare Connector 4K03Y00 5.00

WILDERNESS TACTICAL PRODUCTS



SINGLE-POINT SLING



Allows Rapid Left-Or
Right-Side Transition &
Hands-Free Carry

Heavy-duty, nylon sling holds your weapon in a comfortable ready position for easy access when needed. Features a single loop for unlimited freedom of movement and rapid cross-shoulder transition from right- to left-side carry. Premium 1 1/2" wide webbing is extremely dense and abrasion-resistant, plus the extra deep, horizontal weave provides maximum strength. Proprietary quick-release buckle made of high-strength Delrin® lets you quickly open and disengage the sling in emergency situations. Webbing threads into all 1 1/4" wide, loop-type sling attachment points. **Quick Detach Adapter** is an optional quick-release buckle that allows complete weapon removal from the sling for vehicle transport or storage in a weapons rack. Single-Point sling threads through one side of the quick-release buckle and included webbing threads through weapon sling attachment point. With several Quick Detach Adapters, you can use one sling with multiple weapons. A second Quick Detach added to the front sling loop allows the Single-Point to immediately convert to a 2-point carry sling. Fits all rifles and shotguns equipped with a 1 1/4" wide, loop-type sling attachment point. Single-Point Sling and Quick Detach sold separately. Available in black and coyote brown.

SPECS: Nylon webbing, Black or Coyote Brown. Delrin buckles & quick releases, black. 32" (81cm) long x 1 1/2" (2.9cm) wide.

#100-004-332AF Single-Point Sling, Black, 3A21X95 \$ 25.00

#100-004-333AF Single-Point Sling, Coyote, 3A21X95 25.00

#100-004-334AF Quick Detach Adapter 3A08X00 10.00

BLACKHAWK
QUICK DETACH
ALLIGATOR SNAPHOOK

Heavy Duty No-Fail Sling Attachment;
Removes Instantly



Heavy duty snaphooks with alligator-style quick-release clip allow fast attachment and removal of 1 1/4" slings to any rifle or tactical shotgun that accepts clip-on slings. Rugged, steel construction with extra metal at the stress points ensures these hooks won't twist, flex, or fail, even under the rigors of extreme tactical operations. Heavy gauge steel clip has deep ridges to ensure non-slip finger contact, and an extra thick spring to handle thousands of attachment/removal cycles. Nonreflective, matte black finish.

SPECS: Steel, Parkerized, matte black. Accepts 1 1/4" slings. Sold in 2 paks.

#100-004-023AF QD Alligator Snaphook, 2-pak, 8K12P49 \$ 15.99

STARLING ENTERPRISES AR-15/M16
SLING RING

Provides Quick & Easy Two-Point Sling
Transition



Steel sling loop accepts slings with an HK-style snap hook for quick and effortless transition to a two-point sling. Extra large, 3/16" I.D. loop allows a full range of motion to keep your sling from tangles and your weapon at the ready. Fits Yankee Hill tactical handguards that have been factory drilled and tapped for threaded swivel studs, or can be added to other handguards and firearms custom drilled and tapped for 3/16"-32tpi. Includes laminated aluminum shims for aligning loop in proper position. Black oxide, alkaline finish matches the black anodized finish of the forearm and prohibits rust.

SPECS: Steel, alkaline black oxide, matte finish. 3/16"-32 tpi.

#100-003-999AF Sling Ring 4B25U96 \$ 31.99

BROWNELLS CAR-15/M4
LOW-PROFILE
AMBI SLING ADAPTER

Compact, Slimline Design
Won't Snag On Brush Or Clothing

Steel sling adapter features a unique slot/hole configuration that keeps the plate as slim and compact as possible to help eliminate snags on brush and your BDUs when carrying rifles with collapsible stocks. Accepts both 1 1/4" wide webbing and single-point clip-on tactical slings. Move the sling from one side of the receiver to the other or swap it for a different one in seconds. Provides plenty of clearance for forward assist and easy access for clearing jams. Replaces factory receiver plate without gunsmithing.

SPECS: Steel, black oxide finish. Fits CAR-15/M4 and collapsible-stocked AR-15 rifles. 2" (5.2cm) long, 1 3/16" (4.6cm) wide, 1/8" thick.

#080-000-381AF Low-Profile Sling Adapter, 8K19H64 \$ 23.99

CROSSTAC CAR-15/M4
AMBI SINGLE-POINT SLING
CONNECTOR

Ultra-Low Profile, Snag-Free Design

Minimal profile sling adapter plate provides secure, ambidextrous attachment for single-point tactical slings on carbines or converted shotguns with M4 collapsible buttstocks. The attachment loop centers under the receiver extension nut, out of the way, where it can't snag on clothing, gear, brush or the sling, and won't interfere with access to the selector lever. Helps weapon hang flat against your body when released, yet also allows fast, positive re-grip when needed. Accepts most sling hooks, including MASH hooks, H&K connectors, and ZM-style clasps. Fits M4-type collapsible stocks with mil-spec and commercial buffer tubes, including shotgun conversions that use the M4 tube. Precision machined from high-quality steel, then Parkerized dark gray for wear resistance and a close match to factory rifle finishes.

SPECS: Steel, black, matte, Parkerized finish.

#100-003-181AF Single-Point Sling Adapter, 5A19P99 \$ 29.99

DOUBLE STAR AR-15/M16
SLING ADAPTER END PLATE

Increases
Sling-Attachment
Versatility On
Collapsible-Stock
Rifles & Carbines



Machined steel replacement for the factory receiver plate gives an AR fitted with an M4-type collapsible buttstock a convenient, low-profile attachment point for clip-on, single-point slings. Precision machined from 1018 carbon steel for superior strength and an exact fit, with a durable manganese phosphate Parkerized finish that resists surface abrasion and corrosion, and matches the finish on mil-spec anodized receivers. Available in single-loop **Right-Hand (RH)** and **Left-Hand (LH)** models, as well as a convenient, versatile **Ambi** configuration that lets you swap the sling from one side of the receiver to the other.

SPECS: 1018 steel, Parkerized, matte black finish. Fits AR-15/M16/M4 and clones fitted with M4-style collapsible buttstock.

#100-004-532AF Ambi Sling Adapter Plate, 2Z07P25 \$ 9.99

#100-004-533AF RH Sling Adapter Plate, 2Z09P17 11.99

#100-004-534AF LH Sling Adapter Plate, 2Z09P17 11.99

DANIEL DEFENSE AR-15/M16/M4

BURNSED LOOP SLING ADAPTERS

Easy To Install; For Secure Mounting Of Tactical Slings



Lightweight sling adapter plates, designed by Ashley Burnsed, install easily on rifles with fixed A1/A2 buttstocks and CAR-15/M4 collapsible buttstocks. Provide 1 1/4" receiver sling loops for attaching single-point tactical slings. Precision CNC-machined from 6061 T6 aluminum and T3 mil-spec hardcoat anodized. Installs between buttstock and the lower receiver. Kit includes all necessary mounting hardware. Adapter may be removed easily, and rifle or carbine may be returned to original configuration. Separate models for A1 and A2 fixed stocks, and CAR-15/M4 collapsible stocks. **Right Hand (RH)** style positions loop on left side of rifle for right-handed shooters. **Ambidextrous (Ambi)** style has sling loops on both sides of adapter plate.

SPECS: 6061-T6 aluminum, hardcoat anodized, matte black. A1 and A2 models include sling adapter plate, spacer, replacement buttstock screw, and instructions. CAR-15 model includes sling adapter plate and instructions. **A1** - Fits AR-15/M16 with A1 buttstock. **A2** - Fits AR-15 with A2 buttstock. **CAR-15/M4** - Fits carbines with collapsible stock.

- #100-000-779AF RH A1 Sling Adapter 8K32A77 . . . \$ 35.00
- #100-000-780AF RH A2 Sling Adapter 8K32A88 . . . 35.99
- #100-000-778AF RH CAR-15/M4 Adapter, 8K23A19 . . . 25.00
- #100-003-155AF Ambi A1 Sling Adapter, 8K32A77 . . . 35.00
- #100-003-156AF Ambi A2 Sling Adapter, 8K32A88 . . . 35.99

DPMS AR-15/M16 SLING ADAPTER

Tangle-Free Sling Operation



Repositions the sling attachment point to between the receiver and buttstock. Gives greater control and retention for faster, safer handling. Rifle is instantly available, and the sling won't get tangled or interfere with rifle operation. Fits AR-15 fixed stocks.

SPECS: Aluminum, black, matte finish. Includes spacer and longer buttplate screw for A1/A2 model.

- #231-000-008AF A2 Sling Adapter 3B31D20 . . . \$ 39.99



MAGPUL AR-15/M16 ASAP SLING ADAPTER

Gives Operator A Major Tactical Advantage With 180° Of Unrestricted Sling Movement

Ambidextrous Sling Attachment Point helps the operator adapt quickly to changing tactical situations by allowing rapid switching of weapon from one shoulder to the other. An unrestricted 180° of sling movement lets you change shoulders to take maximum advantage of available cover, address targets around corners or other barriers, or shift weapon position if one arm is injured. Works with any single-point sling that attaches with a quick-release snap-hook, and fits any rifle or carbine with an M4-type collapsible buttstock. Simply remove the factory receiver end plate and replace with the ASAP; requires no other alterations to weapon, so you can continue to use your original receiver extension, buttstock, and sling. Heavy duty cast steel construction with a 1/8" thick link ring, protected by a durable, wear- and corrosion-resistant mil-spec black manganese phosphate Parkerized finish. Fits both Commercial and Mil-Spec receiver extensions.

SPECS: Steel, Parkerized, matte black. Fits both mil-spec and commercial/universal M4-type receiver extensions.

- #100-004-450AF ASAP Sling Adapter, 3K25A64 . . . \$ 29.99



GG&G CAR-15/M4

AGENCY SLING ADAPTER

Designed To Fit All Carabines, Regardless Of Buffer Tube Diameter



Clamps around the castle nut to eliminate any fitting issues associated with different sized buffer tube diameters. Use with a single point sling, or install a front sling mount for two-point sling attachment. Contoured clamping halves draw tight with Allen head cross-bolt for a solid, no-slip fit. Slotted version accepts 1 1/4" wide web slings; loop model accepts HK-style clasps and other clip-on sling fasteners. Precision machined from 7075 aluminum alloy and Mil-Spec Type III hardcoat anodized. **Right Hand (RH) Slot** attaches sling to left side of receiver for right-hand shooters. **Left Hand (LH) Slot** attaches sling to right side of receiver to accommodate left-hand shooters. **Ambi Slot** includes slots on both sides for ambidextrous attachment of web slings; **Ambi Loop** provides the same provisions for clip-on slings.

SPECS: Aluminum, matte black. Fit AR-15 rifles and carbines with collapsible buttstocks. **RH/LH Models** - 3/8" (1.7cm) long, 2" (5.1cm) wide, 2" (5.1cm) high. **Ambi Models** - 3/8" long, 2 3/8" (6.1cm) wide, 2" high.

- #336-000-001AF RH Slot Adapter 6C25D50 . . . \$ 31.50
- #336-000-002AF LH Slot Adapter 6C25D50 . . . 31.50
- #336-000-003AF Ambi Slot Adapter 6C25D50 . . . 31.50
- #336-000-004AF Ambi Loop Adapter 6C25D89 . . . 31.99

GRSC CAR-15/M4

CAR AMBI SLING ADAPTER

Allows Rapid Switch From Right-To Left-Hand Carry



Steel, sling adapter replaces the issue, receiver plate to provide a rock solid attachment point for fast handling, tactical slings on CAR-15 rifles. Ambidextrous slots accept 1 1/4" wide webbing, rings accommodate carry straps with snap fasteners. Allows the sling to be switched from right or left side of receiver in seconds. Keeps sling tangle-free and provides the proper balance and stability for hands-free carry.

SPECS: Steel, Parkerized finish. 2 9/16" (6.5cm) long, 2 1/16" (5.2cm) high, 3/32" (2.4mm) thick. Fits CAR-15 rifles.

- #100-001-467AF CAR Ambi Sling Adapter, 6A08P99 . . . \$ 9.99



TITUSVILLE ARMORY AR-15/M16

REAR ROTATING SLING SWIVEL

Allows Rapid Switch From Right-To Left-Hand Carry Without Tangles



Innovative sling adapter ring rotates freely around and over the top of the buffer tube for easy left- to right-side transition without the sling twisting or binding. Steel ring fits between the included adapter plate and carbine buffer tube end plate. Tightening the receiver extension nut secures the adapter plate, yet allows the sling adapter ring to freely rotate almost 240° over the top of the stock. Accepts most H&K type connectors. Fits M4-type collapsible buttstocks with mil-spec and commercial buffer tubes.

SPECS: Steel, blued, matte finish. 3/16" (5.1mm) thick, 3/8" (9.5mm) loop I.D. Includes sling adapter plate, sling adapter ring, and installation instructions. Fits M4-type collapsible buttstocks.

- #100-004-392AF Rear Rotating Sling Swivel, 5B45Y00 . . . \$ 49.95

MIDWEST INDUSTRIES AR-15/M16

SLING ADAPTER

Installs Easily; Choose Your Sling Position On Collapsible Stocks; Made In The U.S.A



Hard anodized, 6061 aluminum sling adapter clamps to collapsible stock buffer tubes with no need for special tools or to remove the buffer tube. Two models available: **Loop** for claw-type clasp; or **Slot** for conventional web slings. Adapters can be used with single-point, two-point, or three-point tactical slings and are ambidextrous for use with right- or left-hand operation. Does not interfere with normal operation of collapsible stock.

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

- #100-002-123AF Loop Sling Adapter 2A27X62 . . . \$ 35.99
- #100-002-122AF Slot Sling Adapter 2A27X85 . . . 36.20

END PLATE SLING ADAPTER - Ambidextrous, quick-detach sling swivel can be mounted on either side of the mounting plate on adjustable M4-type buttstocks so you can position your sling for optimum comfort and versatility. Hard coat anodized, 6061 aluminum body with a matte black finish holds up to the toughest use and won't crack or break over years of shooting. Won't interfere with the operation of stock and works well with single-point, two-point, or three-point tactical slings.

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

- #100-002-613AF End Plate Sling Adapter 2A32V00 . \$ 42.99

MCTAR-30HD SLING ADAPTER - No gunsmithing required, extra heavy-duty ambidextrous sling swivel mount simply clamps onto the buffer tube. Includes 1 1/4", mil-spec, push-button, quick-detach sling swivel that can be mounted on either side or the center of the adapter body. Fits adjustable M4-type buttstocks Hard coat anodized, 6061 aluminum body with a matte black finish is built to take extreme duty use without failure. Won't interfere with the operation of stock. Makes an excellent choice for adding an easy quick-release feature to any single-point, two-point, or three-point tactical sling. Made in the U.S.A.

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

- #100-002-876AF MCTAR-30HD Sling Adapter, 2A45V00 . . . \$ 59.99



TROY INDUSTRIES AR-15/M16

END PLATE SLING MOUNTS

For Secure, Ambidextrous Attachment Of Slings With Push-Button QD Swivels



Replaces factory receiver end plate and provides secure, ambidextrous attachment for the push-button QD sling swivel. Made of hardened aluminum with extra metal at the stress points to ensure this mount won't fail during hard use. Rounded edges resist snagging on sling or other gear. Hardcoat anodized for extra strength and wear resistance, with a matte black finish that matches most factory buffer tubes. Heavy-duty stainless steel swivel accepts slings up to 1 1/4" wide and allows a full 360° of rotation.

SPECS: Mount - Aluminum, hardcoat anodized, matte black. Swivel - Stainless steel, matte black finish. Accepts slings up to 1 1/4" (3.2cm) wide. **M4** fits M4-style carbines with adjustable buttstock. **M16A1** fits early A1-style fixed-stock rifles. **M16A4** fits A2/A4-style fixed-stock rifles. M16 models include replacement spacer and buttstock screw.

- #100-004-383AF M4 Sling Mount 3B42Y00 . . . \$ 52.95
- #100-004-384AF M16A1 Sling Mount 3B42Y00 . . . 52.95
- #100-004-385AF M16A4 Sling Mount 3B42Y00 . . . 52.95



TROY INDUSTRIES AR-15/M16

PROFESSIONAL-GRADE SLING ADAPTER

Provides Quick-Detach, Ambi Sling Mounting; Built To Handle The Stress Of Tactical Use



Heavy-duty sling adapter slides over collapsible stock buffer tubes to provide secure, ambidextrous attachment for the push-button QD sling swivel. No gunsmithing required—simply tighten down the steel crossbolt with the included hex key wrench. Solid aluminum construction with plenty of extra metal at the stress points to ensure this mount won't twist, flex, or bend under pressure. Beveled and rounded edges help resist snagging on sling or other gear. Indexes to upper receiver to prevent unwanted rotation of buffer tube. Hardcoat anodized for extra strength and wear resistance; available in matte black or dark earth. Stainless steel swivel has a non-reflective black finish and allows a full 360° of rotation.

SPECS: Aluminum, hardcoat anodize, matte black or Dark Earth, with stainless steel sling swivel, matte black finish. Accepts slings up to 1 1/4" (3.2cm) wide.

- #100-004-055AF Pro-Grade Sling Adapter, Black, 3B49V00 . . . \$ 54.99
- #100-004-056AF Pro-Grade Sling Adapter, Dark Earth, 3B49V00 . . . 54.99

VLTOR AR-15/M16 SINGLE ATTACHMENT SLING ENDPLATE

Unique Indexing Washer Allows Fast, Easy Installation For Right- Or Left-Hand Shooters



Ambidextrous, all steel endplate provides secure, balanced single-point sling attachment, so your collapsible-stock rifle or carbine can be carried tangle-free in the ready position at all times. Special indexing washer with screw interfaces with the rear of the receiver to allow easy installation for right- or left-hand use. **SASE-1** features a single slot that accepts conventional 1 1/4" wide webbing. **SASE-2** has loop to accept HK-style hook or carabineer clips.

SPECS: Steel, black, matte finish. 2 1/16" (5.2cm) long, 1 3/8" (3.5cm) wide, 1/8" (3mm) thick. .7 oz. (20g) wt. Fits AR-15/M16/M4 and clones with collapsible stock.

- #100-003-184AF SASE-1 Slotted Endplate 3A14P95 . \$ 19.95
- #100-003-185AF SASE-2 HK-Style Endplate 3A14P99 . 19.99

COLT DEFENSE LL

M-4 USGI BARREL MOUNT SWIVEL

The Same, Tactical Sling Mount Used By Our Armed Forces



This genuine, Colt factory part is the one used by our GI's on the M-4 carbine to allow attachment of M203 grenade launchers or forward mounted lights and lasers. Steel, two-piece unit clamps directly around the barrel between the barrel bands of the Mil-Spec front sight housing. Can be mounted at the right or left side of weapon and features a rubber-coated swivel to eliminate sling abrasion and noise. No modifications or gunsmithing required. Also fits AR-15/M16 rifles with conventional front sight housing.

SPECS: Black, hardened steel. 3/16" (1.4cm) long, 1 1/16" (4.3cm) wide. Fits barrels .650" (16.5mm) to .750" (19.1mm) diameter.

- #160-000-352AF Tactical Front Sling Mount, 6A40X89 . . . \$ 51.11



DANIEL DEFENSE AR-15/M16 RAIL MOUNT QD SLING SWIVEL

Helps Stabilize Weapon To Prevent Gun Roll

Uniquely designed, quick-detach swivel mount limits rotational movement to help achieve optimum weapon balance and control with popular tactical slings. Attach anywhere along railed forearms; robust, aluminum clamping block with hex head cross-bolt locks mount securely to any Picatinny or Weaver-style rail platform. Extra heavy-duty, steel, push-button swivel removes quickly, so operator can break-away from the sling in emergency situations. Can be mounted for right- or left-hand use and adapts to 2- and 3-point sling configurations. Swivel rotation is limited to approximately 45° to help stabilize the weapon and eliminate sling tangle.

SPECS: 6061 T6 aluminum, Mil-Spec Type III, hardcoat anodized, black. 1 1/4" (3.2cm) long, 1" (2.5cm) wide, 5/8" (1.6cm) high, 1 oz. (28g) wt.

#100-002-987AF QD Rail Mount Swivel 8K36V73 . . . \$ 39.99

FALCON INDUSTRIES AR-15/M16 RAIL SLING ADAPTER

Locks To Accessory Rail
For Instant Sling Attachment



Solid, one-piece aluminum mount with steel, pivot pin and swivel attaches to any Picatinny or Weaver-style accessory rail for instant sling attachment. Nylon tip set screw locks mount to rail. Quiet, rubber-coated swivel prevents metal-to-metal slap and eliminates sling wear at point of contact. Accepts slings up to 1 1/4" wide.

SPECS: Base - Aluminum. Swivel/Hardware - Steel. Matte black finish. 5/16" (1.4cm) long, 1 1/4" (3.2cm) wide, 1 3/8" (4.1cm) high. Fits slings up to 1 1/4" wide.

#573-000-034AF Rail Sling Adapter 3G17U74 \$ 22.00

KNS PRECISION AR-15/M16 QUICK RELEASE SLING SWIVELS



Tough,
Parkerized Finish,
Greater Sling
Attachment Options

Swivel studs with cross drilled mounting holes allow vertical or side carry. Front swivel stud attaches to free float or A-2-style detachable handguards. Requires drilling a single mounting hole in free float tubes. Rear QD sling stud replaces fixed military-type without modification to stock. Uncle Mike's Quick Detachable, 1 1/4", Sling Swivels have a parkerized finish.

SPECS: Steel, parkerized, dark gray finish.

#923-000-027AF Parkerized Front Swivel Stud, 3B10U66 \$ 14.00

#923-000-028AF Parkerized Rear Swivel Stud, 3B11U19 \$ 14.95

#923-000-029AF Parkerized Sling Swivels, pair, 3B08U00 \$ 11.95

SOG ARMORY AR-15/M16 FRONT SIGHT SLING ADAPTER WITH RAIL

Mounts Your Sling On The Sight
& Adds An Accessory Rail



Heat-resistant, graphite sling adapter attaches to the left side an A2 front sight and securely holds a sling in place. Picatinny rail allows for mounting an additional accessory for mission-specific configurations. No special tools needed and no permanent modifications to the sight.

SPECS: Heat-resistant graphite, black. Picatinny rail is 1.5" (3.7cm) long. Fits A2 front sights. Accepts 1 1/4" (3.2cm) slings

#100-002-208AF Front Sight Sling Adapter w/Rail, 9A18B00 \$ 29.95

MIDWEST INDUSTRIES AR-15/M16 FRONT SLING ADAPTER



Provides Strong, Reliable Sling Attachment

Two-piece clamp with single cross-bolt secures adapter to Picatinny/Weaver-style handguard rails so you have a front sling attachment point. **MCTAR-06** has pivoting, 1 1/4" wide swivel for direct sling attachment. Rubber coating on swivel prevents noisy, metal-to-metal contact. **MCTAR-07** includes a fixed, dome-shaped stud that accepts your own, standard quick-detach swivel. **MCTAR-08** includes a 1 1/4" wide, 360° rotating, push-button swivel for rapid sling removal. **MCTAR-08HD** has heavy duty base and swivel that stands up to extreme tactical operations. 1 1/4" wide, quick-detach swivel limits travel to prevent sling wrapping yet allows necessary movement. **MCTAR-TS** has a fixed, round, 5/16" (7.8mm) ID loop for clip-on, H&K-style or similar quick-release slings.

SPECS: Bases - 6061 aluminum, mil-spec hardcoat anodized, matte black; steel setscrew, matte black oxide. **MCTAR-08HD** - 7/8" (2.2cm) long x 1 3/16" (3cm) wide. Other models - 5/16" (1.4cm) long x 1 3/16" (3cm) wide. Swivels/Studs - Steel, black finish. Swivels accept slings up to 1 1/4" (3.2cm) wide.

#100-001-922AF MCTAR-06 Adapter, 2A26B63 \$ 33.99

#100-001-923AF MCTAR-07 Stud Adapter, 2A18B00 \$ 23.20

#100-001-993AF MCTAR-08 Adapter, 2A27D90 \$ 33.99

#100-003-198AF MCTAR-08HD Heavy Duty Adapter, 2A34V43 \$ 42.99

#100-002-428AF MCTAR-TS Front Sling Adapter Loop, 2A31T00 \$ 40.00

COLLAPSIBLE BUTTSTOCK REAR SLING ADAPTER - Aluminum,

clamping halves feature dual cross-bolts for maximum holding power in the rear sling slot on collapsible, carbine buttstocks. 1 1/4" wide, push-button swivel allows instant removal/installation; 360° rotation prevents sling twist. **MCTAR-09** fits the original, 4-position collapsible buttstock. **MCTAR-10** fits the current military issue M-4, 6-position buttstock.

SPECS: Base - 6061 aluminum, hardcoat anodized, black. Swivel - Steel, polished blue finish. Fits slings up to 1 1/4" (3.2cm) wide.

#100-001-994AF MCTAR-09 Adapter, 2A31Z56 \$ 40.01

#100-001-995AF MCTAR-10 Adapter, 2A32Z16 \$ 40.99

QUICK DETACH SWIVEL - Machined steel swivels with 1 1/4" loops feature a smooth-operating, centrally-located push-button and polished ball bearing surfaces for easy attachment on firearms equipped with quick-detach bases. Provides quiet, 360° rotation of the swivel to eliminate sling tangle and improve all day carry comfort. **Standard** model features a standard weight loop formed from 5/8" diameter round stock. Base is knurled for a positive grip, even when wearing heavy gloves. Available with polished blue finish. **Heavy Duty** swivel is constructed with an extra beefy base and push-button, plus a 3/8" diameter loop to handle maximum weight and abuse; available with gray Parkerized finish.

SPECS: Steel. Accept slings up to 1 1/4" wide. **Standard** - Polished blue. **Heavy Duty** - Parkerized. Sold singly.

#100-003-223AF Standard Swivel, each, 2A08Y95 \$ 10.95

#100-003-224AF Heavy Duty Swivel, each, 2A12Y61 \$ 14.99



UNCLE MIKE'S MIL-SPEC SWIVELS

Withstands The Toughest,
Most Demanding Conditions

Heavy duty, 1 1/4 inch swivels provide necessary stamina and durability for extended tactical and field use. 500 pounds of pull strength plus stainless steel construction that meets the weather resistance standards of the U.S. Military. SwivelLock® prevents accidental opening, provides fast attachment.

SPECS: MIM 4600 stainless steel, matte finish. 1 1/4" loops.

#593-000-002AF Mil-Spec Swivels 3E18T24 \$ 21.99



VIKING TACTICS AR-15/M16 VTAC-LUSA FRONT SLING ADAPTER

Accepts Most Swivel Types



Universal, four-in-one adapter accepts traditional Uncle Mike's style sling swivels, quick-release push-button swivels, H&K-style clip-on swivels, or simply thread your sling through the 1" wide loop. Eliminates the need to change sling adapters to match different style sling swivels. Lightweight aluminum clamping block with single cross-bolt locks mount securely to any Picatinny or Weaver-style rail. Quick-release push-button swivels, when installed, are limited to 45° rotation to help prevent sling twist.

SPECS: 6061 aluminum, hardcoat anodized, black. 1 5/16" (3.3cm) long x 1 1/8" (2.9cm) wide.

#100-004-331AF VTAC-LUSA Sling Adapter, 7K39X95 \$ 49.95

BLACKHAWK INDUSTRIES LONG GUN DRAG BAG



Self-Contained System
For Comfortable
Spec-Ops & Long
Gun Transport

Whether you're quietly low crawling into position or covering five clicks at double time in the dark this entirely self-contained weapon transport system provides greater protection and carrying ease for AR-15 rifles and larger caliber AR-type variants. Shields your coveted, scoped rifle from damage with fully padded sides covered in 1000 denier Nylatane nylon and high density, 1" closed cell foam. Hide-away/detachable padded shoulder straps with quick-clip center stabilizer allow either muzzle up or muzzle down carry position for faster deployment. Exterior pouches all feature durable YKK zippers with dual sliders. Accessory pouches and main rifle compartment feature 1" wide adjustable internal straps to secure your rifle and additional gear. Two, separate interior pouches are specifically sized to carry two boxes of .308 ammunition and a compact cleaning rod. Nose cover protects the bag and the double strength drag loop eases low crawling movement through heavy brush. Full-length security flap over main compartment zipper snaps shut for additional protection from ambient moisture.

SPECS: Nylatane brand ballistic nylon, 1000 denier cordura, black. 51" (129cm) long 10" (25cm) tall at widest point, 6 1/2 lb (3 kg) wt. Front cargo pouch - 8 1/2" (21cm) wide, 23" (58cm) long, 2" (5cm) deep. Rear cargo pouch. 9 1/2" (23.2cm) wide, 12" (30cm) long, 2" deep. Accepts scoped rifles up to 48" long

#100-002-877AF Long Gun Drag Bag 8K199V50 . . . \$ 284.99

PAY ANY WAY

VISA/MC/Am Ex/Discover
Cash/Check/IMPAC/C.O.D.

BLACKHAWK INDUSTRIES TACTICAL RIFLE CASE



Added Padding Protects
Rifle & Optics

A shell of abrasion- and mildew-resistant, 1000 denier, Nylatane nylon surrounds 3/8" of padding on the top and bottom of the case for snug, no-slip protection of your rifle and its expensive optics. Padding on the bottom of the case covers the zipper tracks to protect your rifle from scratches. A double-stitched, nylon carry handle is attached to the case with multi-reinforced stitching; an adjustable, padded sling offers a tactical-carry option. All cases accept rifles with mounted optics and fully unzip to be used as a shooting mat. **Standard Rifle** case is available in 34", 37", and 41" lengths and features four high-capacity magazine pouches (five on 41" case) with positive-close hook-and-loop patch closures, plus zippered compartments in the front for additional storage. **Scoped Rifle** case provides 51" of length to accept a scoped rifle with longer barrel and includes two, large, outside cargo pouches for ammo, magazines, and supplies instead of separate magazine pouches.

SPECS: 1000 denier, Nylatane nylon, black.

STOCK #	MODEL	LENGTH	PRICE
#100-002-880AF	Rifle	34"	8K70V15 \$ 97.99
#100-002-878AF	Rifle	37"	8K71V52 \$ 100.99
#100-002-879AF	Rifle	41"	8K76V42 \$ 106.99
#100-000-816AF	Scoped Rifle	51"	8K91B20 \$ 113.99

BOYT HARNESS AR-15/M16 INTERCEPT® RIFLE CASE

Adds An Extra
Layer Of
Protection
Against
Corrosion &
Mildew



Padded case with Corrosion Intercept lining of copper and plastic sheeting guard your rifle against rust and mildew by counteracting corrosive effects of humidity, vehicle exhaust, and salt air. Interior mesh allows increased air circulation for better absorption of corrosive vapors within the case. Accepts AR15 rifles up to 40" long, and has exterior pockets for five magazines, plus one large 27" x 10" triangular pocket to hold extra gear. All pockets equipped with full length hook-and-loop closure strips to securely hold contents. Features sturdy, nylon web handle.

SPECS: Cordura nylon, black. 42" (107cm) long, 13" (33cm) wide, 2 1/2" (6.4cm) thick.

#100-003-148AF Intercept Rifle Case 3A72U00 . . . \$ 90.00

SHOOTING SYSTEMS TACTICAL DRAG BAG



Drag Bag &
Shooter's Mat
All In One


Durable, Cordura-nylon exterior and 3/8", closed-cell, foam padding protect your tactical or hunting firearm whether you're crawling or walking. Opens into a water-resistant mat for prone shooting. 3M™, GrepTite™ surface gives you elbow a non-slip grip when shooting prone. Accessory pockets have mag pouches and a scope tie-down. Detachable, padded shoulder straps stow inside a flat, zippered pocket. Heavy-duty zippers and top-of-the-line materials ensure durability; made in the U.S.A.

SPECS: Cordura and GrepTite nylon, Black and O.D. green (OD). 49" (124.5cm) long, 12" (30.5cm) tall.

#100-000-987AF Blk Sniper's Drag Bag 9K159C96 \$ 199.95
#100-000-988AF OD Sniper's Drag Bag 9K159C96 . . 199.95

NEW Model
BROWNELLS
SIGNATURE SERIES GUN CASES

GSA Mission-Ready; Built To Take The Abuse Of Tactical Operations

Eliminate nicks, dings, and damage that impair the performance and tarnish the appearance of tactical weapons with our Signature Series Gun Cases. We combined the very best materials - 1000 denier Cordura® nylon, YKK zippers, closed-cell foam padding - with your ideas to create what we feel is the ultimate line of gun cases anywhere. Plus, they look amazing... like anything we put our name on, you know these are top-of-the-line. 

TACTICAL WEAPONS CASE - All the structural and performance


features to meet and exceed the stringent demands of today's military and law enforcement personnel, and civilian AR-15 shooters. Heavyweight shell resists punctures and snags, repels moisture, and blocks microscopic particles of sand and grit that can cause ejection failures in automatic weapons. Bellow-style construction, with 3" wide zipper margin, accommodates firearms equipped with bipods and high-mount, large diameter optics. Adjustable, 2" wide, carry sling is box-stitched at the correct angle for proper weight distribution across the back and shoulders to ensure maximum mobility and less fatigue. Large, zippered, side pocket holds cleaning supplies, maps, shooting gloves, goggles, and other tactical gear. Tight-weave, friction-reducing, polyester lining makes weapon removal fast and easy in high stress situations. Extra thick, closed-cell, foam-core padding cushions blows and provides complete case floatation. Four, external, magazine pouches accept 30 round, M16 magazines. Available in two sizes.

SPECS: 1000 denier, Cordura nylon exterior, black, 38" (96.5cm) or 46" (116.8cm) long, 12" (30.5cm) wide at buttstock, 5" (12.7cm) wide at muzzle, 3" (7.6cm) thick. Pocket - 19½" (49.5cm) long, tapered 3½" (8.9cm) to 8½" (21.6cm) high.

- #084-000-157AF 38" Tact. Weapons Case 4H77A23 . \$ 93.99**
- #084-000-158AF 46" Tact. Weapons Case 4H84A14 . 102.99**

M4 RIFLE CASE -

You need to have 100% confidence that your gear won't fail. That's why Brownells built a case that will protect your rifle in the harshest operating conditions and give you added advantages. Three rows of MOLLE-compatible attachment points run the length of the case, letting you keep your gear with your rifle. A large, bellows-style front pocket includes a separate magazine pouch with MOLLE-compatible attachment points and three, separate, 30-round magazine compartments with hook-and-loop closures. (Additional pouches available separately, below.) The water-resistant 1000 denier, Cordura Plus nylon shell stands up to the toughest abuse. An outer layer of closed-cell foam and an inner layer of open-cell foam protect your rifle from the dings and dents that come from continuous use. A protective skirt keeps malfunction-inducing sand and grit out of your rifle and prevents contact with the zipper. Brushed tricot lining won't snag your rifle, optics, and accessories, allowing for fast weapon removal in high-stress situations. Rugged, oversized YKK zippers with leather assists help you get the case open quickly, even when wearing gloves. Heavy-duty D-rings are securely stitched to a nylon reinforcing strip. Swivel snaps securely attach an adjustable carry strap. Reinforced carry handles are double-stitched around the case and will not tear off. **Double Rifle Case** has an additional nylon outer shell with protective pad double-stitched to the main case, providing twice the carrying capacity for extra gear or another M4 rifle. Both models come with the triple magazine pouch and are available in black, coyote tan, and O.D. green. Overbuilt? There's no such thing when equipment failure is not an option.



SPECS: 1000 denier Cordura Plus nylon exterior, Black, Coyote Tan, or O.D. Green. 35" (89cm) long, 11" (28cm) wide, 2½" (6.4cm) high. Front Pocket - 10½" long, 8" (20.3cm) wide, 2" high. **Double Rifle Case** includes additional outer shell - 33" (84cm) long, 10½" (26.7cm) wide, 2" (5.1cm) high.

- #084-000-319AF M4 Single Rifle Case, Black, 4H97P46 \$ 121.99**
- #084-000-226AF M4 Single Rifle Case, Coyote, 4H96V99 121.99**
- #084-000-320AF M4 Single Rifle Case, O.D. Green, 4H96P99 121.99**
- #084-000-321AF M4 Double Rifle Case, Black, 4H149P55 183.99**
- #084-000-264AF M4 Double Rifle Case, Coyote, 4H149U55 183.99**
- #084-000-322AF M4 Double Rifle Case, O.D. Green, 4H149P55 183.99**

ADJUSTABLE-LENGTH RIFLE CASE - Padded, soft-side case

adjusts to fit the exact length of your rifle (up to 46"), with plenty of width to accommodate a fully tricked-out AR-15/M16/M4 rifle with a high-mounted optic and full-capacity 30-round magazine. Adjustable, padded shoulder straps of heavy-duty nylon webbing let you sling the cases over your back like a backpack for comfortable hands-free transport. Straps are positioned for proper weight distribution across your back and shoulders for maximum mobility and minimal fatigue. Adjustable, quick-release chest strap keeps the shoulder straps from slipping. Shoulder straps attach via spring-loaded clips to flat D-rings sewn to the case, so they can be removed completely and the case carried by the web carry handle. For rapid weapon deployment, release the polymer clips holding the slip cover and pull the cover off with its handle. Three rows of MOLLE attachment points on the front of the case accept Brownells Triple Magazine Pouch, Dump Pouch (both available separately), or other MOLLE-compatible gear.

SPECS: 1000 denier Cordura® nylon shell, Black or Coyote. 48" (1.2m) approximate maximum extended length, 14" (35.6cm) wide, 4" (10.2cm) high.

- #084-000-326AF Adj.-Length Case, Blk 4H117P47 . \$ 144.99**
- #084-000-327AF Adj.-Length Case, Coyote 4H117P47 144.99**

TRIPLE MAGAZINE POUCH - Extra pouches

for your M4 rifle case or Adjustable-Length case help you keep plenty of spare magazines where you need them—with your rifle. Available in Coyote Tan, O.D. Green, and contrasting Black, with separate models for straight-body 20- and curved 30-round magazines. The pockets on both models are deep enough to accommodate Brownells Tactical Magazines and other mags fitted with the Magpul Ranger® Floorplate. MOLLE attachment system on the back has two sturdy nylon web straps with fold-over snap closures that loop securely through the exterior straps on the MOLLE-compatible gear. Separate flaps with hook-and-loop closures let you retrieve one mag without exposing the others to the elements. Made from the same tough, water-resistant 1000 denier Cordura Plus nylon as the M4 case.

SPECS: 1000 denier Cordura Plus nylon, Black, Coyote Tan, or O.D. Green. **30-rd** - 9½" (24.1cm) long, 8¾" (22.2cm) high. **20-rd** - 10" (25.4cm) long, 6½" (16.5cm) high.

- #084-000-309AF MOLLE 30-Rd Mag Pouch, Black, 4H18T49 22.99**
- #084-000-310AF MOLLE 30-Rd Mag Pouch, Coyote, 4H18T64 \$ 22.99**
- #084-000-317AF MOLLE 30-Rd Mag Pouch, O.D.Green 4H18P49 22.95**
- #084-000-311AF MOLLE 20-Rd Mag Pouch, Black, 4H17T33 21.99**
- #084-000-312AF MOLLE 20-Rd Mag Pouch, Coyote, 4H17T40 21.99**
- #084-000-318AF MOLLE 20-Rd Mag Pouch, O.D. Green 4H16P97 21.95**



Magazines not included

DUMP POUCH - MOLLE-compatible pouch attaches to the outside of your M4 rifle case Adjustable-Length case to provide added storage capacity for extra magazines, tools, cleaning supplies, backup optics or other gear. Made from the same tough, tear-resistant Cordura Plus nylon, in matching colors—black, Coyote Tan, and O.D. green. Has the same rugged, oversized YKK zipper and two sturdy nylon web straps with fold-over snap closures that loop securely through the exterior straps on the MOLLE-compatible gear.

SPECS: 1000 denier Cordura Plus nylon, Black, Coyote Tan, or O.D. Green. 10¾" (27.3cm) long, 9" (22.9cm) high, 1½" (3.8cm) wide.

- #084-000-314AF MOLLE Dump Pouch, Black, 4H18T79 \$ 22.95**
- #084-000-315AF MOLLE Dump Pouch, Coyote, 4H18T85 22.99**
- #084-000-316AF MOLLE Dump Pouch, O.D. Green, 4H18T78 22.99**



THREE-GUN COMPETITION CASE - Built for the three-gun

competitor who needs to transport a rifle, shotgun, and pistol safely and comfortably, without juggling multiple cases. The roomy, fully padded main compartment easily accommodates a scoped rifle and a tactical shotgun, separated by a full-length padded divider that prevents any contact between the guns. Adjustable straps of tough nylon with hook-and-loop fasteners let you cinch down both long guns to prevent shifting during transport. Outside, three roomy zippered compartments provide plenty of space for spare magazines, cleaning supplies, eye/ear protection, and other gear. One pocket includes a removable, soft-padded pistol rug. Adjustable, padded shoulder straps let you carry the case like a backpack. Straps are positioned for proper weight distribution for maximum mobility and minimal fatigue. Adjustable, quick-release chest strap keeps the shoulder straps from slipping. Reinforced carry handles include a leather wrap and are double-stitched around the case to ensure they won't tear off.

SPECS: 1000 denier Cordura® nylon shell, Black or Coyote. 48" (1.2m) long, 12" (33cm) wide, 5" (12.7cm) high. Exterior Pockets - Two (2) 15" (38.1cm) long x 10" (25.4cm) high x 2" (5.1cm) deep, and one 11" (28cm) long x 9" (22.9cm) high x 2" deep. Pistol Rug - 14" (35.6cm) long x 10" high.

- #084-000-324AF 3-Gun Case, Black 4H164P49 \$ 209.99**
- #084-000-325AF 3-Gun Case, Coyote 4H165P51 209.99**



Signature Series
Custom Quality In Every Case

NEW
MAGPUL
MOLLE SPEEDTHREADER



Indispensable For Threading Straps Through MOLLE/PALS Web Gear

Clips to the straps of MOLLE/PALS modular pouches and guides them easily and quickly through vest webbing for smooth, hassle-free interlacing. Takes the frustration out of configuring MOLLE gear in a hurry, especially when preparing for deployment and other situations where time is of the essence. You can attach a two-strap pouch in less than 60 seconds—and get it interlaced correctly the first time! Tough, self-lubricating molded polymer is flexible enough to thread through the webbing easily, yet stiff enough not to get diverted as you push it through. **SPECS:** Molded polymer, black. 17½" (44.5cm) long. **#100-004-160AF MOLLE Speedthreader 3K08P56 . \$ 10.99**

BLACKHAWK INDUSTRIES
S.T.R.I.K.E. SPEED CLIPS

Easy To Use;
Secures Accessories
To MOLLE Gear




Flexible, carbon fiber polymer clips allow fast, easy, and secure attachment of tactical accessories to MOLLE platforms. Threads into the PALS webbing with self-locking end tabs for a tight hold that won't shake loose. Replaces the old, cumbersome snap or strap method of attachment, and each clip includes a lanyard hole for secure storage. Available in Paks of six, 5" or 9" long to accommodate a variety of configurations, and in colors to match your existing tactical gear.

SPECS: Carbon fiber polymer composite. 5" (12.7cm) or 9" (22.8cm) long x 1" (7.6cm) wide. Black, Coyote Tan, or O.D. Green.

- #100-003-735AF 5" Black Clips, 6-pak 8K09B73 \$ 12.99**
- #100-003-737AF 5" Coyote Tan Clips, 6-pak 8K09B73 . 12.99**
- #100-003-739AF 5" O.D. Green Clips, 6-pak 8K09B73 . 12.99**
- #100-003-736AF 9" Black Clips, 6-pak 8K18B44 23.99**
- #100-003-738AF 9" Coyote Tan Clips, 6-pak 8K18B44 . 23.99**
- #100-003-740AF 9" O.D. Green Clips, 6-pak 8K18B44 . 23.99**

BROWNELLS AR-15/M16
BRASS CATCHER

No More Scrounging On The Ground For Scattered Brass - Fits All Models Of AR-15 Rifles

Catches your spent brass so you don't have to scrounge around for it in the grass/gravel when you're done shooting. Guarantees you take only your own brass home to reload. Our catcher quickly attaches to the handguard, not the receiver, so it fits almost any AR-15-type rifle or carbine, even flattops. Cinches down tight with an extra wide hook-and-loop strap that's easy to install and remove—and won't harm your rifle's finish. Heavy-duty bag, with internal wire frame, is made from the same grade of ballistic nylon used for bulletproof vests and flack jackets to ensure superior wear resistance. Holds up to 40 spent .223 cases. 


SPECS: 1050 denier Ballistic Nylon, black w/internal wire frame & hook-and-loop strap. Bag measures 6¾" (17.2cm) x 8" (20.3cm).

- #084-000-262AF AR-15 Brass Catcher, 3B33U36 \$ 39.99**

CHAMBERSAFE
CHAMBER BLOCKING DEVICE

High Visibility Confirmation That Firearm Is Unloaded



Bright orange chamber blocker fits in the ejection port and physically prevents chambering of a round to provide positive visual confirmation that the firearm is unloaded. Removes instantly by pulling the large, easy-to-grasp ring to clear the chamber and bring the weapon into operation. Use in any situation that requires fast, visual verification of firearm status—law enforcement, military, gun shops, as well as hunting, range, and competition applications. Fits semi- and full-auto rifles and carbines with an extractor enclosed within the bolt, including AR-15/M16/M4 and M14/M1A. Flexible, one-piece, molded polymer construction stands up to years of insertion and removal cycles. Tab on pull ring allows marking with individual weapon identification information. 

SPECS: Molded polymer, orange. Fits AR-15/M16, M14/M1A, and other semi- and full-auto rifles and carbines with extractor enclosed within the bolt. Should not be used on any firearm with an extractor that extends forward from the bolt.

- #100-003-782AF Chamber Blocking Device, 6B07A95 \$ 9.95**

SINCLAIR AR-15 CHAMBER SAFETY FLAG

"Show The Flag"
For A Clear Chamber

Bright yellow color provides instant recognition, indicates a safe weapon to range safety officers. Solidly built to withstand accidental bolt slamming. Curved probe stays in chamber with bolt open. Approved for DCM/NRA competition.

SPECS: Plastic, yellow, 5 1/2" (14cm) long. Pak of 3.

#988-004-001AF 3 Chamber Safety Flags, 8H03D99 \$ 5.99

TC ACCESSORIES**BRASS DEFLECTOR**

Collects All Your Empty Brass In One Area; Saves Yourself & Others From Being Burned



Lightweight steel, brass deflector redirects empty rounds to one place for easy pickup. Protects skin and clothes from hot, discharging brass.

Available for a number of guns and legal for use in NRA High-power competition. Installs with little to no gunsmithing; attaches to either picatinny rail or carry handle, depending upon model ordered.

SPECS: Steel, black, matte. Available for guns listed below.

#100-001-133AF A-2 Brass Deflector 9K16X00 \$ 21.00

#100-001-134AF A-3 Brass Deflector 9K16X00 \$ 21.00

#100-001-135AF A-3 Carry Handle Brass Deflector, 9K16X00 \$ 21.00

#100-002-568AF Picatinny Brass Deflector, 9K16X00 \$ 21.00

BROWNELLS AR-15/M16**DUST COVER SAFETY FLAG**

Highly Visible Indicator Shows Rifle Is Unloaded & Seals Ejection Port To Keep Out Dirt

Bright, highly-visible yellow insert instantly lets the RSO and other shooters know your weapon is unloaded and safe. Perfect for training exercises and classroom activities where it's vital to quickly identify that weapons are safe at all times. Blocks the chamber to ensure that a round cannot be loaded when the flag is installed. Completely seals the ejection port to keep out dust, dirt, and other debris.

SPECS: Plastic, yellow.

#084-000-300AF Dust Cover Safety Flag 4H04X88 . . . \$ 6.99

BROWNELLS AR-15/M16 SAFE PORT

Clearly Marks Rifle As Unloaded; Ejects When Bolt Is Charged



Safety orange, plastic flag clearly indicates, either close up or at a distance that there is no ammunition in the chamber.

Ideal for range and classroom safety when identifying that a weapon is clear is of utmost importance. SafePort cannot be placed in chamber if there is a round loaded, but can be used when a loaded magazine is in the rifle and will eject from the chamber when the bolt is charged. Safe Port can be marked with serial numbers for ease of identification in storage.

SPECS: Plastic, safety orange. Fits AR-15/M16 rifles.

#084-000-194AF SafePort 4E11T55 \$ 14.95

RING'S MANUFACTURING FIREARMS SIMULATOR

Safe, Non-Gun For Law Enforcement & Military Training

A realistic, safe alternative to using real firearms for law enforcement training exercises and weapons retention drills. Molded from actual weapons for true-to-life detail. Strong, polyurethane plastic has steel reinforcement to prevent bending and flexing; handles and balances like an actual firearm. Safety blue color signifies this is a non-firing training aid. **CAR-15** model does not include provisions for attachment of grenade launcher.

SPECS: Polyurethane, safety blue. Approx. 5 lbs. 3 oz. (2.35kg) wt.

#100-000-226AF CAR-15 Simulator 3K147A35 \$ 174.75

#100-002-556AF M4 Simulator 3K147P35 174.75

PRECISION GUN SPECIALTIES**SAF-T-TRAINERS**

Brightly Colored "Dummies" For Training Exercises



Brightly colored plastic and a different "feel" makes sure you won't confuse these for live rounds. Popular with many departments and agencies for use in Immediate Action training for just that reason. These do not duplicate weight and balance of loaded rounds or function-testing dummies.

SPECS: Orange or yellow plastic. Rifle and Handgun calibers supplied 50 or 10 rounds per bag, Shotgun calibers supplied 25 or 10 rounds per bag. 9mm Makarov: (9mm Mak).

STOCK #	CAL./GA.	QTY.	COLOR	PRICE
#729-050-223AF	.223 Rem.	50	Orange	9B25T80 \$ 31.99
#729-000-045AF		10		9B05A69 \$ 6.99
#729-050-308AF	.308 Win.	50	Orange	9B25T80 \$ 31.99
#729-000-034AF		10		9B05A69 \$ 6.99

ARMSPORT**DELUXE SNAP CAP**

Save Firing Pins - Shoot Better With Safe, Dry-Fire Practice



The spring-loaded "primers" in these snap caps act much like a live primer and cushion the blow so firing pin and bushing damage won't occur. Bright color and "different" feel

to prevent mixing with live rounds or function-testing dummies. (Don't use snap caps as dummies - they don't duplicate loaded round weight/balance.)

SPECS: Brass base, plastic body.

STOCK #	CALIBER/GA.	CAPS PER PAK	PRICE
#055-811-223AF	.223 REM.	2	6H11D05 \$ 13.99
#055-812-308AF	.308 Win.	2	6H11D05 \$ 13.99

Sinclair AR-15 CLEANING LINK

Locks AR-15 Open For Fast, Easy Cleaning

Lets you easily clean and lube the action or swab out barrel, from the breech. Hold-open link separates upper and lower receiver assemblies, locks them solid, prevents the receiver from constantly flopping closed. Stainless steel and Delrin link installs in seconds, is impervious to solvents.

SPECS: Delrin and stainless steel.

#988-003-001AF AR-15 Cleaning Link, 8H11D64 \$ 15.99

BROWNELLS AR-15/M16 PROFESSIONAL CLEANING SYSTEM

Premium-Quality System For Detail Cleaning Of Entire Rifle

Convenient, professional-grade cleaning system contains everything you need to thoroughly clean an AR-15 to ensure it operates with peak reliability and accuracy. We packed this kit with our best, premium-grade components and supplies to help you detail clean all parts of your rifle's operating system, including bore, chamber, gas system, and bolt carrier way. You get a top-quality Dewey cleaning rod long enough for any AR-15 barrel, our own Special Line bronze bore brushes, and our deep-scrubbing all-cotton, flannel patches, plus tools specifically developed for the AR-15. A hold-open link separates the upper and lower receivers and locks them in place so you can clean the bore and chamber the correct way, from the breech. Rugged Delrin plastic bore guide centers the cleaning rod in the bore and protects the rifling from damage; silicone O-ring seals the chamber and keeps solvent out of the action and trigger. Our upper receiver cleaning tool has a properly sized bronze brush and cotton mop to let you quickly scrub stubborn carbon fouling from the bolt carrier way and lug recesses. Combination bronze and stainless steel chamber brush, originally designed for the USGI M16, makes short work of fouling that can prevent proper extraction of spent shells. All this gear comes packed in a rugged plastic storage/carry box with a roomy top compartment and three slide-out drawers with plenty of storage space for extra items.

SPECS: Kit contains Dewey 36" cleaning rod w/jag and 8-32 thread adapter, O-ring bore guide, cleaning link, (12) Special Line .22 bore brushes, (3) cotton bore mops, (250) 1 1/4" round cotton patches, (6) gas tube cleaners, (3) chamber brushes, gun parts cleaning brush, (2) shop cloths, 4 oz. Break Free CLP Cleaner/Lubricant/Protectant, and 24 oz. TCE Cleaner/Degreaser, plus Upper Receiver Cleaning Kit that includes handle, bronze brush, and cotton mop. For AR-15/M16 rifles and carbines chambered in .223/5.56mm only.

#080-000-573AF Professional AR-15 Cleaning System, 8K119X02 \$ 139.99

BROWNELLS**AR-15/M16/AR-STYLE .308 M-PRO 7® AR-15 CLEANING KIT**

Complete System Ensures Thorough Cleaning To Keep Your AR Functioning Reliably

Brownells has teamed up with M-Pro 7 to develop this cleaning kit specifically for maintaining an AR-type rifle in peak operating condition. Now you can clean your AR using the same operationally tested products used by the United States Armed Forces. Inside the kit's compact hard-shell case you'll find M-Pro 7 Gun Cleaner that safely penetrates deep beneath even tough, scorched-on carbon fouling to lift away the gunk and leave the bore sparkling clean. M-Pro 7 Cleaner/Lubricant/Protectant delivers superior lubrication and corrosion protection, and can also be used for quick cleaning on the go, when there isn't enough time for the complete clean-

**BROWNELLS AR-15/M16 BUTTSTOCK CLEANING KIT**

Compact, Field-Ready Kits That Go Wherever Your Rifle Goes

Our crew of tactical weapons experts developed these fine 5.56mm cleaning kits to give the M16/AR-15 shooter a carry-along system that fits in the storage compartment of A-1/A-2 buttstocks. **Standard Kit** includes a government-type 5-piece cleaning rod (with loop), bronze bore brush, bronze chamber brush, double-ended parts cleaning brush, and a heavy Nylon pouch tapered for a rattle-free fit. **Deluxe Kit** adds a solvent-resistant Nylon chamber brush, 25-Pak of mil-spec cleaning patches, and 1/4 oz. Brownells Friction Defense Gun Oil for superior weapons lubrication and corrosion protection. Detailed instructions in both kits guide you through the cleaning process.

SPECS: For 5.56mm (.223) caliber only. Fits A-1 and A-2 style buttstocks. Both kits include 5-piece cleaning rod, bore brush, bronze chamber brush, parts cleaning brush, buttstock pouch, and instructions. **Deluxe Kit** adds Nylon chamber brush, 25-Pak cleaning patches, and Friction Defense Gun Oil.

#084-000-229AF Standard Cleaning Kit 4H12V86 . . . \$ 16.99

#084-000-233AF Deluxe Cleaning Kit 4H16D73 21.99

DPMS AR-15/M16 A-2 CLEANING KIT

Fits The A-2 Stock Recess, For Always-Ready Convenience



Everything you need to clean your rifle. Stores in A-2 stock recess, instantly ready for in-the-field or at-home cleaning. Vinyl pouch holds military, five-piece cleaning rod assembly, oil bottle, bore brush, chamber brush and "toothbrush" parts cleaning brush.

SPECS: Vinyl pouch, O.D. Green. Steel cleaning rod, parkerized. Bronze bore and chamber brushes, 1 oz. plastic oil bottle, "toothbrush".

#231-000-037AF AR-15 A-2 Cleaning Kit 3B09Z20 . . . \$ 13.99

ing routine. You get a military-style multi-section steel cleaning rod with a folding handle, plus five high-quality bronze brushes to clean ARs in the standard .223/5.56mm and .308/7.62mm calibers, as well as 9mm and .45 chamberings, plus a brush for cleaning the bolt carrier way—critical for maintaining reliable weapon cycling. There's plenty of absorbent cotton flannel patches in three sizes to fit all those calibers, plus the M-Pro 7 Weapons Maintenance Guide. Due to its non-hazardous and non-flammable contents, this kit meets TSA regulations for legal transport in checked baggage aboard commercial airliners.

SPECS: Kit contains polycarbonate box, Black; 2 fl. oz. (59ml) Gun Cleaner; 2 fl. oz. Cleaner/Lubricant/Protectant; five-section steel cleaning rod w/30" maximum extended length; (4) bronze bore brushes to fit .22/.223/5.56mm, .308/7.62mm, 9mm, and .45; bronze bolt way cleaning brush; polymer patch loop; 1" circular, 2" square, and 2 1/2" square cotton flannel patches; lint-free gun cloth; and Weapons Maintenance Guide.

#080-000-686AF AR-15 Cleaning Kit 9K28A11 \$ 34.99

**MASEN
MIL-SPEC CLEANING KIT**

Authentic,
Issue Kits
For Field Use

Genuine cleaning components make a great take-along kit for range and field use. Kit includes sectional cleaning rod with combo handle, patch loop, bore brush, chamber brush, double-ended parts brush, oiler bottle, and storage pouch. Fits snugly inside the trap-door compartment on A2 buttstocks. **SPECS:** Rod/Handle - Steel, parkerized. Bore Brush - Bronze. Chamber Brush - Bronze w/stainless steel lug recess bristles. Oil Bottle - Plastic. Parts Brush - Nylon bristles, plastic handle. Fits .223 caliber.
#555-000-005AF M16 Cleaning Kit 6E14T92..... \$ 17.99

**DEWEY AR-15/M16/AR-STYLE .308
PULL-THROUGH CLEANING KIT**

Complete, Pocket Size Kits
For Fast, Effective Cleaning
In The Field



Convenient, pull-through kit contains everything you need, in one compact unit, to effectively and easily clean your AR-15/M16 or AR-style .308 rifle while on the move. Flexible cable with protective coating allows thorough cleaning without damage to the bore or muzzle end. Large, nylon bead slides along the cable and provides a non-slip grasp and easy pulling. Patch loop, brush connector, and sliding pull bead are permanent parts of the cleaning cable. Connector is 8"-32 tpi for rifle size brushes. Includes a 1/2 oz. bottle of Shooter's Choice FP-10 for cleaning, lubricating, and deep-penetrating corrosion protection. Compact, 1000 denier Cordura® nylon pouch stores all components and stows easily in a range bag, pocket, or on your belt. Separate kits available for AR-type rifles chambered in .223/5.56mm, 6.8mm/1.243/.260, and .308/7.62mm. **SPECS:** Coated 30" cleaning cable with 8"-32 female end, brass loop, bronze/steel chamber brush, coated steel Thandle chamber rod, brass stuck case remover, brass scraper & brass/steel pick, nylon bore brush; 1/2 oz. bottle of Shooter's Choice FP-10, assorted cotton patches, and 1000 denier Cordura nylon pouch.
#234-000-081AF Pull-Thru Kit, .223 4C27Y49..... \$ 34.99
#234-000-076AF Pull-Thru Kit, 6.8mm 4C28A00..... \$ 38.95
#234-000-082AF Pull-Thru Kit, .308 4C28Y69..... \$ 36.99

OTIS AR-15/M16/AR-STYLE .308

**TACTICAL GUN
CLEANING SYSTEM**

Fully Contained
Pocket Cleaning Pak

Everything you need to clean your AR in one compact kit. All kits include rod, solvent, slotted tip, patches, bore brushes and other accessories. Carries on your belt. #224 Kit fits recess in M-16A2 butt stock. #308 Sniper Kit is for .30 caliber rifles. Also contains lens cleaning solution, lens brushes, swabs and cloth. **SPECS:** Black nylon carrying case, brass brushes, tips and handles. Cleaning solvent and patches. Plastic coated steel cable rods. #Kit #308 case is 3.5" (8.9cm) diameter.
#668-100-224AF #224 Cleaning System 8F36Y65... \$ 55.99
#668-000-001AF #308 Cleaning System 8F60T08... \$ 77.99



**BROWNELLS
MILITARY THREAD BRASS LOOP**

No Bore Damage;
Fits Military Rods

Soft, brass loop threaded for 8-36 tpi Military-type cleaning rods helps prevent loss of accuracy due to bore wear caused by cleaning. Securely holds cleaning patch for .22-.30 calibers without damage to rifling. **SPECS:** Brass. .22-.30 Cal., 8-36 tpi male threads.
#084-000-259AF .22-.30 Cal., 8-36 Brass Loop 4H03A00 \$ 3.95

MILITARY CLEANING ROD ADAPTER

For 8-32
Attachments

Adapts the small arms military cleaning rods to accept 8-32 commercial brushes and jags. **SPECS:** Steel, parkerized finish. 3/4" (8.26cm) long. Pak of 2.
#084-116-362AF 8-32F/8-36M Adapters 4H04X27... \$ 6.99

**BROWNELLS
CLEANING ROD, SMALL ARMS**

Original Military M16 Rod

New production of the original, military issue "Cleaning Rod, Small Arms" (NSN #1005-00-089-3994). Designed for the M16/AR-15's and perfect for range kit or hunting pak. Fold-over handle. **SPECS:** 8-36 military thread. .204" (5.2mm) dia. rod. 4 sections, each 7 7/8" (18.7cm). Overall length, with Jag, 29 3/4" (75.6cm). All parts steel. O.D. parkerized finish. Includes 8-36 to 8-32 adapter.
#084-116-100AF Cleaning Rod, Small Arms, 4H10X61..... \$ 15.99
#084-116-362AF 8-32F/8-36M Adapters, 2-pak, 4H04X27..... 6.99

DEWEY AR-15 MUZZLE GUARD

Guides The Cleaning Rod
To Prevent Bore Damage

Made specifically for AR-15 rifles and carbines to help keep the cleaning rod from contacting the rifling when cleaning from the muzzle end. Provides proper fit on guns equipped with military-style, bird cage flash hiders. Prevents damage to the crown on guns without flash hiders. Integral oilite bearing decreases rod wear. Will install over any muzzle less than .865" diameter. **SPECS:** Delrin®, 1 1/8" (3.9cm) long x .865" (21.9mm) dia.
#234-014-016AF AR-15/M16 Muzzle Guard 4C06V45 \$ 9.95

AR-15 GRIP KIT - Provides a very useful, field and emergency cleaning kit that's always ready for use. All components are contained in a secure, grip insert that stores in the standard handgrip recess.

SPECS: Polymer insert, black. Contains: cleaning patches, 26" (66cm) flexible rod, bore brush, slotted, brass tip, NATO thread adapter and Thandle.
#668-000-005AF AR-15 Grip Kit 8F38T98..... \$ 53.49

CLEANING PATCHES - The same patches used in the tactical cleaning system. Pre-slotted to fit loop-style rod tip. Each patch can be varied in size by pinching at the various slots. 100 patches for .22-.30 caliber.
SPECS: 100% virgin cotton. Diameter: 2" (5cm).
#668-000-002AF Small Caliber Patches 8F04T40... \$ 6.99

DEWEY BRASS CHAMBER ROD

The Right Length For Upper Receiver Cleaning

Dewey's CHR brass chamber rod combined with a bronze/steel bristle brush cleans the chamber and critical locking lug area. **SPECS:** 8-32 Rod, plastic handle. 8-32 tpi. 1 1/4" (31.1cm) long.
#234-000-021AF AR-15 Combo 4C09B05..... \$ 13.95
#234-000-041AF AR-Style .308 Combo 4C09Z70..... \$ 14.95

C.J. WEAPONS AR-15 BORE STAY™

Convenient,
Lock-In-Place
Bore Guide

Machined Delrin® body replaces the bolt carrier while "locking lugs" keep guide firmly in the receiver. Lets you keep both hands free for better cleaning rod control. A solvent port and an O-ring chamber seal keep solvents out of lower receiver. **SPECS:** Delrin body, aluminum guide. 8 1/2" (21.6cm) long.
#100-000-432AF Bore Stay Bore Guide 5K18V75... \$ 24.95

**DEWEY AR-15/M16/AR-STYLE .308
CLEANING ROD GUIDE**

Keeps Solvent Out Of The Action

Allows cleaning from the breech to protect the muzzle from cleaning rod damage. Rubber "O" ring seals the chamber and keeps solvent out of the lower receiver. **SPECS:** Aluminum, anodized. Delrin handle. Rubber O-rings. Approximately 9" (22.9cm) long. Includes spare O-rings and O-ring installation tool. **AR-15/M16** model fits rifles chambered in .223/5.56mm and .204 Ruger.
#234-015-000AF Rod Guide, AR-15/M16, .223/5.56, 4C13V60..... \$ 20.95
#234-000-075AF Rod Guide, AR-15/M16 6.8mm, 4C18A50..... \$ 26.95
#234-010-000AF Rod Guide, AR-Style .308 4C16A20.. \$ 24.95

**J.P. ENTERPRISES AR-15/AR-STYLE .308
CLEANING ROD GUIDE**

Helps Prevent Crown, Throat & Chamber Damage

Replaces the bolt carrier, seals the upper receiver with rubber O-rings to keep solvents and crud out of the action. Solid aluminum rod guide helps prevent throat and chamber damage caused by cleaning rod contact. **SPECS:** Machined aluminum, AR-15 - red, anodized finish. 10" (25cm) long. Fits .223 only. **AR-Style .308** - blue, anodized finish. 11.5" (29.2cm) long. Fits .308 only.
#452-015-220AF AR-15 Rod Guide 2E28A35..... \$ 34.99
#452-015-221AF AR-Style .308 Rod Guide, 2E30A74..... \$ 37.99

**POSSUM HOLLOW AR-15/M16
O-RING BORE GUIDE**

Protects
Chamber & Bore

Centers the cleaning rod in the bore to prevent rifling damage. Extra long for scoped rifles. O-ring seals chamber and keeps solvents out of the action and trigger, holds bore guide firmly in place. **SPECS:** Delrin®. Silicone rubber O-ring. 9 1/2" (24cm) long.
#528-101-019AF O-Ring Bore Guide, for AR-15/M16, 8B14P47..... \$ 19.99

SATERN CUSTOM AR-15 BORE GUIDE

Prevents Damage To Chamber & Bore

Clean your AR-15 from the breech to prevent muzzle damage. Insert into the upper receiver, replacing the bolt carrier, for safe and easy cleaning. Self-centers in the receiver with O-ring seals. Has a solvent port to keep chemicals out of the action. **SPECS:** Delrin®, 9.5" (24cm) long. Fits .223" (5.56mm) only.
#812-015-002AF Delrin AR-15 Bore Guide, 2A31Y81..... \$ 37.99

**C.J. WEAPONS AR-15/AR-STYLE .308
CHAMBER MAID KITS**

Scrubs Chamber &
Lug Recesses Extra
Clean - Fast

The perfect kit for fast, thorough cleaning of the chamber and hard-to-reach lug recesses in the barrel extension of AR-15 and AR-style .308 rifles. Each kit contains a detachable handle, a flexible steel braid, rubber coated cleaning rod, and a heavy duty bronze bore brush with a wider-diameter section of stainless steel bristles to scrub the lug recesses. Compact enough to fit comfortably in a pocket or range bag and ideal for quick cleaning jobs at the range or for thorough cleanings at home.

SPECS: Flexible, rubber-coated, braided steel 10" (25.4cm) rod, plastic handle, bronze/stainless steel brush. Models for AR-15 and AR-style .308 rifles. Accepts brushes with 8-32 thread.
#100-003-014AF AR-15 .223 Chamber Maid Kit, 5K10Z60..... \$ 13.25
#100-003-015AF AR-Style .308 Chamber Maid Kit, 5K12Z00..... \$ 15.00

CHAMBER MAID SWAB KITS - Replaces the steel bristles on the standard .223 and .308 Chamber Maid kits with a super-absorbent, star-shaped felt swab precisely contoured for thorough yet gentle cleaning of the lug recesses on AR-15 and AR-style .308 rifles. Each kit contains five swabs, bronze bore brush, removable handle, and a flexible steel braid, rubber coated cleaning rod. **SPECS:** Kits available for AR-15 .223 and AR-type .308 rifles. Each kit contains five swabs, bronze bore brush, removable handle, and a flexible steel braid, rubber coated cleaning rod, 10" (25.4cm) long. Felt swabs - .308 - replacement pak of 12. .223 - replacement pak of 20. Accepts brushes with 8-32 thread.
#100-002-569AF AR-Style .308 Swab Kit 5K12X00.. \$ 15.00
#100-002-570AF AR-Style .308 Replcmnt. Swabs, 12-pak, 5K07X96..... \$ 9.95
#100-002-571AF AR-15 .223 Swab Kit 5K10X00..... \$ 12.50
#100-002-057AF AR-15 .223 Replcmnt. Swabs, 20-pak, 5K07U57..... \$ 10.99

**C.J. WEAPONS AR-15/AR-STYLE .308
BARREL EXTENSION
& LUG RECESS SWABS**

Get Those Hard-To-Reach
Areas Really-Clean

Super-absorbent felt swabs fit over the tip of any .223 or .308 bore brush and fit perfectly in the lug recess and barrel extension to get those areas completely clean. Use with your favorite bore cleaner to remove crud and deposits that other cleaning methods leave behind. Perfect for quick cleaning jobs on the range or thorough cleanings at home. **SPECS:** Felt, white. Sold in 20-Paks for .223 or 12-Paks for .308.
#100-002-057AF AR-15 Swabs, 20-Pak 5K07U57..... \$ 10.99
#100-002-570AF AR-Style .308 Swabs, 12-Pak, 5K07X96..... \$ 9.95

GSA

BROWNELLS AR-15/M16 UPPER RECEIVER CLEANING KIT



Deluxe Kit, Wool

The Right Tools For A Difficult Cleaning Job

Make short work of cleaning heavily fouled AR-15 upper receivers, right down to the locking lug recess. Specially sized and shaped bronze receiver brush and mop quickly loosen stubborn carbon residue from the bolt carrier way and locking lug recess. Choose kit with **Wool** or **Cotton** mop. **Standard Kit** for cleaning upper receiver, bolt carrier way. **Deluxe Kit** features a longer rod and a chamber brush that lets you thoroughly clean the bolt carrier way, plus the chamber and locking lug recess. ■

SPECS: **Standard Kit** includes bronze receiver brush, mop, and brass cleaning rod with plastic handle. Overall length - 6 1/2" (16.5cm) long, threaded 3/16"-27 tpi. **Deluxe Kit** includes bronze receiver brush, mop, AR-15 chamber brush, thread adapter and brass cleaning rod with plastic handle. Overall length - 14 1/4" (36.2cm) long, threaded 8-32 tpi. **Replacement** brush and mop are threaded 3/16"-27 tpi.

#084-223-015AF Standard Kit, Wool Mop 4H14C63 . . . \$19.99
#084-823-115AF Deluxe Kit, Wool Mop 4H21T08 26.99
#084-000-028AF Standard Kit, Cotton Mop 4H15A43 . . . 20.99
#084-000-029AF Deluxe Kit, Cotton Mop 4H20A99 . . . 26.99
#084-223-003AF Replcmnt Receivr Brush 4H03C54 4.99
#084-223-004AF Replacement Wool Mop 4H06C70 10.99
#084-000-027AF Replacement Cotton Mop 4H05A92 7.99

Sinclair AR-15/M16 LUG RECESS CLEANING TOOL

Scrubs Lug Recesses Clean For Secure Bolt Lockup & Reliable Cycling



Easy-to-use cleaning tool helps remove accumulated powder residue, grease, and carbon from AR-15 lug recesses. Helps ensure secure bolt lockup, reliable cycling, and consistent accuracy. Simply remove the bolt, bolt carrier, and charging handle, and insert the tool with the disposable cotton cleaning tip retracted into the protective sleeve of solvent-resistant Delrin®. When the sleeve bottoms out on the barrel extension, push a little farther to expand the cleaning tip in the lug recesses, rotate the tool several times, and remove. Also perfect for cleaning the barrel extension face. May be used dry or with bore cleaning solvent. ■

SPECS: Stainless steel & Delrin. 11 1/2" (29.2cm) long. Includes 50 cotton cleaning tips.
#988-000-008AF Lug Recess Cleaning Tool, 8H22D54 \$27.99
#234-000-049AF Cotton Cleaning Rolls, 50-pak, 4C01Z90 2.95

GSA

BROWNELLS M60 RECEIVER BRUSH

Square Profile Gets Into The Tight Spots

Ultra-fine, steel bristles in a unique, square shape get into tight corners to remove stubborn receiver fouling fast, without damaging the firearm. Originally designed for the M60 machine gun; works equally well to scrub out baked-on carbon deposits from inside AR-15 and other firearm receivers. Heavy-duty, looped and wound, steel shank provides extra strength and rigidity. Threaded brass coupling won't mar lightweight, aluminum receivers. ■

SPECS: 8-32 thread. Bristles - 3" (7.6cm) long, 1" (2.5cm) wide. 4 1/2" (11.4cm) overall length.
#084-000-128AF M60 Receiver Brush 2A09P69 \$11.99

DEWEY GRENADE LAUNCHER CLEANING KIT



The Right Kit For The M203

Cleans military issue

M203 (40mm) grenade launcher and 37mm variants. Two-piece, aluminum cleaning rod with 3/16"-27 female threads can also be used for short-barreled shotguns. ■

SPECS: Kit includes: (1) 14" (36cm) aluminum rod w/fixed handle, (1) 8" (20cm) aluminum rod extension, (1) 3/16"-27 phosphor bronze brush, and (1) 3/16"-27 cotton mop.

#234-000-051AF Complete Cleaning Kit 4C32Z36 . . . \$39.99
#234-000-058AF 37/40mm Repl Brush, 4C05A15 7.95
#234-000-059AF 37/40mm Replacement Mop 4C05A15 7.95

DEWEY 37/40mm GRENADE LAUNCHER PULL-THROUGH CLEANING KIT

Quickly Get Grenade Launchers & Riot Guns Clean Without The Fuss

Don't scrounge together cleaning items from other kits just to clean your grenade launcher. Convenient, pull-through kit contains everything you need to effectively and easily clean grenade launchers and riot guns. 22" long nylon cord can be shortened to any length necessary, plus the solid brass ends accept all standard 3/16"-27 tpi accessories like shotgun brushes and bore mops. Nylon pull bead slides along the cord for easy pulling from either end of the weapon. ■

SPECS: Kit includes 37/40mm aluminum-wound, bronze bore brush, cotton bore mop, 22" (55mm) nylon pull cord, mil-spec M16 parts brush, and 3" (76mm) x 6" (15mm) silicon gun cloth.

#234-000-068AF 37/40mm Pull-Through Kit, 4C22A35 \$27.95

HOPPE'S BORE SNAKE

Fast, Pull-Through Cleaning; Rod, Brush & Patch All In One

Scrubs and cleans in a single step. Apply bore cleaner to the front of the cord and oil to the end. Drop cord into the bore and pull through five times. The built-in, phosphor bronze brush and braided floss scrub, clean and oil the bore in just minutes. Washable and reusable; lightweight design folds neatly away for easy storage and carry.

SPECS: Braided nylon cord, nylon floss.

STOCK #	FITS	PRICE
#664-100-022AF	.22 Rifle	3E15V99 \$ 16.99
#664-100-300AF	.30 Rifle	3E16V44 \$ 19.99
#699-000-020AF	37mm/40mm Gas Gun	3E33P72 \$ 40.95

NEW

MARK BROWN AR-15/M16/AR-STYLE .308 CARRIER CARBON SCRAPER

Solves Cycling Problems Caused By Carbon Buildup In Bolt Recess

Breaks loose and removes carbon buildup without damaging the bolt carrier. Quickly solves function-related cycling problems caused by excessive carbon deposits inside the bolt recess. Hardened steel scraper tip will last indefinitely with proper use. ■

SPECS: Steel reamer, plastic handle. 6 1/2" (16cm) long.
#133-100-016AF AR-15/M16 Scraper 3C00BXC \$22.99
#133-000-001AF AR-Style .308 Scraper 3C24P61 29.95

OTIS BRASS SCRAPER TOOL SET



Eight-Piece Kit Makes Short Work Of Thoroughly Cleaning M16's & AR-15's

Add these eight tools to your standard issue buttstock cleaning kit and you've got an unbeatable combination that will make your rifle the cleanest on the firing line. Each tool is threaded 8-32 tpi so they can be attached to or used in combination with standard cleaning rods. Kit includes one each of the following tools: Compact receiver brush, pin punch, 90 degree locking lug pick, brass scraper, end brush, straight pick, female rod section and male rod handle section. ■

SPECS: Brass, female rod section, 3 1/4" (8.2cm) long. Brass male rod section, 3 1/2" (8.8cm) long. All other tools except Compact Receiver Brush: Brass ferrule, brass threads, 8-32 tpi. Receiver brush is nylon handle, nylon bristles.

#668-000-017AF Brass Scraper Set 8F11U24 \$16.71

A&O MFG. AR-15/M16 BOLT CARRIER CARBON SCRAPER

Makes It Easy To Remove Carbon From Bolt Carriers

Tool steel scraper quickly removes carbon buildup in AR-15/M16 bolt carriers. Dual edges clean in both directions. ■

SPECS: Tool steel, black, matte finish. 2 3/4" (7cm) long, 1/2" (12.7mm) wide, 3/16" (4.8mm) thick.
#100-001-451AF Bolt Carrier Scraper 7A16P18 \$19.99

MIL SPEC GUN CLEANING PATCHES

From The Same Supplier Uncle Sam Uses

100% cotton, single-nap, unbleached flannel patches made to get guns clean efficiently. The coarse, open weave side grabs and holds bore fouling and doubles as a "scrubber" for tough surface dirt. Soft, napped side holds solvents and oils. ■

SPECS: 100% cotton flannel. 1000 patches per package. .223 - 1 1/4" (3.2cm) square. .30 - 2 1/2" (6.4cm) square.
#546-100-223AF .223 Mil Spec Patches 6D10A62 . . . \$14.99
#546-100-030AF .30 Mil Spec Patches 6D19A52 27.99

GSA

BROWNELLS M16/AR-15/AR-STYLE .308 CHAMBER BRUSH

Original M16 Style Chamber Brushes

Original military design, M16, with 8-36 thread for direct threading into the "Cleaning Rod, Small Arms," or AR-15 with 8-32 thread to fit standard rods. AR-Style .308 cleans the larger .308 chamber used on these rifles. Bronze bristles fit chamber, longer, stainless steel tufts clean locking lug recesses. ■

SPECS: M16 - NSN 1005-00-999-1435, has 8-36 military thread. Meets Mil Spec: MIL-B-20100C. AR-15 and AR-Style .308 have 8-32 standard thread. M16 and AR-15 are 3 3/8" (9.8cm) overall. AR-Style .308, 4 3/8" (11.2cm).

#084-116-016AF M16 Chamber Brush 4H02X94 \$3.99
 - 1 dz or More - M16 Chamber Brush, per each, 4H02X43 3.99
#084-116-015AF AR-15 Chamber Brush 4H02X54 3.99
 - 1 dz or More - AR-15 Chamber Brushes, each, 4H02X12 3.53
#084-116-025AF AR-Style .308 Chamber Brush, 4H03X65 5.99
 - 1 dz or More - AR-Style .308 Chamber Brushes, each, 4H03X17 5.13

GSA

BROWNELLS AR-15/M16/AR-STYLE .308 NYLON CHAMBER BRUSH



Long-Wearing Bristles Won't Break Down In Solvents

Durable, tough, nylon bristles aggressively scrub your chamber; nylon tufts reach and clean the locking lug recess. Available for M16, AR-15, and AR-Style .308 rifles. M16 has an 8-36 thread to directly thread into the military's "Cleaning Rod, Small Arms." ■

SPECS: Nylon brush, brass stem. M16 - 3 3/8" (9.8cm) overall. 8-36 military thread. AR-15 - 3 3/8" (9.8cm) overall. 8-32 standard thread. AR-Style .308 - 4 3/8" (11.2cm). 8-32 standard thread.

#084-117-002AF M16 Nylon Chamber Brush, 4H04X15 \$5.99
 - 1 dz or More - M16 Nylon Chamber Brush 4H03X06 5.90
#084-117-001AF AR-15 Nylon Chamber Brush, 4H04X02 5.99
 - 1 dz or More - AR-15 Nylon Chamber Brush, 4H03X45 5.67
#084-117-003AF AR-Style .308 Nylon Chamber Brush, 4H05X91 8.99
 - 1 dz or More - AR-Style .308 Nylon Chamber Brush, 4H05X05 8.18

BROWNELLS M16/AR-15/AR-STYLE .308 CHAMBER MOP


Distributes Lubricants & Rids Fouling; Same Shape As Popular, Military Chamber Brush

Unique, dual-purpose design cleans and lubricates both the chamber and locking lug recesses of your M16, AR-15 or AR-Style .308 with one mop. Long, skinny portion reaches the chamber with individually-tied strands that do the work of a thousand tiny fingers. Short, large-diameter section cleans and lubricates locking lug recesses. ■

SPECS: Cotton or wool. 8-32 threads. Approx. 3" (76mm) long.

#084-424-003AF .223 Cotton Chamber Mop, 3-pak, 4H05X84 \$7.99
#084-424-004AF .223 Cotton Chamber Mop, Dz., 4H16X70 26.95
#084-426-003AF AR-Style .308 Cotton Chamber Mop, 3-pak 4H06C51 8.99
#084-426-004AF AR-Style .308 Cotton Chamber Mop, Dz., 4H17C98 30.99
 - 4 dz or More - .308 Cotton Chamber Mops, per dz., 4H15C00 30.02
#084-426-001AF .223 Wool Chamber Mop, 3-pak, 4H06C51 8.99
#084-426-002AF .223 Wool Chamber Mop, Dz., 4H17C89 30.02
#084-426-005AF AR-Style .308 Wool Chamber Mop, 3-pak, 4H07C98 9.99
#084-426-006AF AR-Style .308 Wool Chamber Mop, Dz., 4H22C15 35.95
 - 4 dz or More - AR-Style .308 Wool Chmbr Mops, per dz., 4H18C55 35.95

C.J. WEAPONS AR-15 GASTUBE CLEANERS



Extra Length Reaches Entire Tube

Extra long to let you scrub the full length of the gas tube. Highly-absorbent cotton carries solvent in and crud out. Regular use keeps gas tube free of fouling and carbon buildup.


SPECS: Cotton, wire core. 16" long, 1/8" dia. 50-Pak.
#100-000-433AF AR-15 Gas Tube Cleaners 5K08V33 \$11.99



BROWNELLS GUN/PARTS CLEANING BRUSH

Meets Mil Std. 129J

**Military-Approved, Double-Ended
Cleaning Power For Guns & Parts**

Developed for the U.S. Armed Forces to clean M16/M4 rifles quickly and effectively and get them back into action. Double-ended, solvent-proof, polypropylene handle provides a large, contoured series of nylon bristles to cover curves and open areas, while the short, extra-stiff, narrow line of bristles tackles the really tough crud in those hard to reach areas. Provides superior scrubbing action for individual parts. Enough bristle backbone to remove greasy gun dirt, yet won't scratch metal finishes. An exceptionally good, practical, cleaning brush for use at the bench or in the field. 

SPECS: *Handle* - Solvent-resistant polypropylene, O.D. Green. *Bristles* - Nylon. 7" (17.8cm) long. Meets Mil Spec 129J, NSN# 1005-00-494-6602.

#676-450-001AF Gun/Parts Brush, 8K01V25 \$ 2.99

#676-450-006AF Gun/Parts Brush, 10-pak, 8K10V97 19.99




ARRINGTON ACCURACY WORKS AR-15/M16 ARMORER'S WRENCH

**Installs/Removes Free-Float Tubes,
Barrel Nuts & Receiver Extensions**



Versatile, multi-role wrench provides plenty of torquing force to perform a variety of maintenance, repair, and assembly tasks that regularly come up when working on the AR platform. Makes installation and removal of screw-on free-float

handguards, both round and railed types, fast and easy. Jaws are contoured for precise grasp in the notches on the locking ring (jam nut) that secures many free float tubes, including Yankee Hill models. Makes short work of loosening both encapsulated and peg-style barrel nuts. A big help in removing and installing receiver extensions for rifles with A2-style fixed buttstocks or M4-style collapsible stocks. Flat part of the jaws fits the flats at the rear of the fixed-stock receiver extension, while the jaw tips fit in the notches of the receiver extension nut on rifles with collapsible buttstocks. 


SPECS: *Steel with foam polymer grips. Approx. 10" (25.4cm) OAL. Fits AR-15/M16/M4 and clones, including S&W M&P15, as well as SR-25, DPMS Panther LR-308 series, and similar AR-style .308 rifles.*

#100-004-118AF AR-15 Armorer's Wrench, 3C52T02 \$ 64.99



BROWNELLS AR-15/M16 COMBINATION WRENCH

**Original Factory
Design Simplifies
Disassembly/Reassembly**

An exact duplicate of the original factory/military design so you know it will fit and work. Use for several jobs: to remove the barrel nut; to remove and install old and new flash suppressors; to remove and install the lower receiver extension. 

SPECS: *Blued steel. 5" (12.7cm) long x 2" (5cm) wide x 1/4" (6.35mm) thick.*

#080-216-015AF AR-15/M16 Combo Wrench, 8K25A43 \$ 34.99

DPMS AR-15/M16 MULTI-TOOL



Seven Function Tool Lets You Build & Repair AR-15's

Durable steel wrench gives you seven tools-in-one for maintenance, repair or building AR-15 and M16 rifles. Use to install or remove: free float tubes and peg-style barrel nuts, standard barrel nuts, carbine stock, compensator, extension tube and buttstock screw. Features include 5/8" and 3/4" wrench slots, a 1/2" square hole for a torque wrench, plus screwdriver tip for buttstock.


SPECS: *4140 steel, Black, parkerized finish. 12" (30cm) long, 1" (2.5cm) wide handle.*

#231-000-007AF AR-15 Multi-Tool 1C22D99 \$ 36.99

SMITH ENTERPRISE AR-15/M16/AR-STYLE .308 ARMORERS WRENCH



**Fits All Standard Models;
Encapsulated & Peg-Style Nut Wrench**

Extra-heavy duty armorers wrench provides easier installation and removal of all barrels up to 1 1/4" diameter with either encapsulated or peg-style barrel nuts. Extra-long handle features smooth, contoured edges for comfortable use. Includes 1/2" square drive opening for torque wrench application; 5/8" and 3/4" slots fit receiver extensions and A1/A2 flash suppressors. **.223** for AR-15/M16 applications, **.308** for use with AR-Style .308 rifles. 

SPECS: *17-4 stainless steel, black oxide finish. 12" (30cm) long, 1" (2.5cm) wide handle.*


#851-000-068AF .223 Armorer's Wrench 1E00HDZ . . . \$ 45.99

#851-115-001AF .308 Armorer's Wrench 1E00PUA . . . 45.99

DPMS AR-15/M16/M4/AR-STYLE .308 STOCK NUT WRENCH

**One Tool
For Carbiners & Rifles**



No-fail armorer's tool provides all the leverage you need to tighten and loosen carbine stock nuts. Dual-purpose wrench fits the later M4 receiver extension nuts with .185" wide, slotted relief cuts, plus the additional slot fits the end of rifle buttstock receiver extensions. Includes a convenient hang-up hole drilled on the end for storage. 


SPECS: *Tool steel, blue. 12" (30 cm) long, 1" (2.5cm) wide handle, 5/16" (7.9mm) thick. Fits AR-15/M16/M4 and AR-Style .308 rifles. Will not fit Colt CAR-15 stock nuts with .160" square relief cuts.*

#231-000-229AF AR Stock Nut Wrench 1C26X01 . . . \$ 27.99

BROWNELLS AR-15/M16/M4 BUTTSTOCK TOOL



One Tool For Disassembling & Reassembling Buttstocks

Unique design combines several tools into one for taking apart the M4 collapsible buttstock on your AR-15 or M16. Features include blade for removing fixed stock screws; 1/2" square torque wrench opening; fixed stock receiver extension remover; receiver extension nut tightener for both old and new model collapsible stock - pins for both styles are included and easily changed by loosening a hex screw in the tool; and a hole for hanging the tool on your peg-board. Fits easily in a range bag or in your pocket for use outside the shop. 

SPECS: *Steel, black. 7" (17.8cm) long. Includes pins for old- and new-style receiver extension nuts.*


#080-000-291AF Buttstock Tool 8K48H75 \$ 59.99



BROWNELLS CAR-15/M4 BUTTSTOCK WRENCH

**Solidly Engages
The Receiver
Extension Nut For
Easy Installation &
Removal Of Carbine
Buttstocks**




Dedicated wrench has four precision-machined teeth that ensure full, non-slip engagement of all four notches in an M4-type receiver extension nut for easy removal and installation of collapsible carbine buttstocks. Transfers all the torquing force to the nut for fast tightening or removal without risk of damage to nut, extension tube, or receiver caused by the wrench slipping. Includes the handy add-on features of our universal M4 buttstock tool: pry blade/screwdriver, 1/2" square torque drive opening, fixed stock receiver extension remover, and a convenient hole in the handle for hanging the wrench on a pegboard. Heavy duty steel construction, machined from a single piece of .312" thick steel, with a durable black oxide finish. 


SPECS: *Steel, hardened, black oxide finish. 7 1/8" (18.1cm) long. Fits current-model M4-type receiver extension nuts with four square notches.*

#080-000-670AF M4 Buttstock Wrench 8K69Y99 . . . \$ 79.99

SMITH ENTERPRISE AR-15/M16 CARBINE STOCK WRENCH



Easy To Use; Plenty Of Leverage

Long handled for quicker, easier removal or installation of collapsible stocks. Grabs the receiver extension nut, no need for a breaker bar. 


SPECS: *Heat-treated, 17-4 stainless steel, black oxide finish. 9" (22.8cm) long, 7" (17.7cm) handle.*

#851-015-150AF AR Carbine Wrench, 1E00VBX \$ 29.99

ROCK RIVER ARMS AR-15 M4 STOCK WRENCH


**Install M4 Carbine Stocks
Without Damage**



Steel, dual function wrench lets you easily remove your old extension tube and install a new-style, A4 stock. Spanner has three lugs to fit the A4-style castle nut. Provides a non-slip fit so you can correctly torque the stock to the receiver. Also, the comfortable, rubber coated handle features a cutout to fit the receiver extension tube to remove the A1 or A2 stock. 

SPECS: *Steel, parkerized finish, 7 7/8" (19.3cm) long.*

#739-000-010AF M4 Stock Wrench 9C00ZAY \$ 6.00

REPLACEMENT PINS - Keeps your Brownells Buttstock Tool functioning like new. Helps keep the edges of the receiver extension nut slots undamaged and lessens the chance of marring the metal. **Square** fits the newer, M4 style collapsible buttstock receiver extension nuts with .164" wide, square engagement slots. **Round** fits the older style collapsible buttstock extension nuts with 1/8" diameter, round pin engagement recesses. 

SPECS: *Round* - Stainless steel, silver finish. .124" (3mm) diameter. *Square* - Steel, blue finish. .164" (4mm). Available in 3-Paks.


#080-000-451AF Square Replacement Pins, 3-pak, 8K14P97 \$ 19.97

#080-000-452AF Round Replacement Pins, 3-pak, 8K04P97 7.97



BROWNELLS AR-15/M16/AR-STYLE .308 HANDGUARD REMOVAL TOOL

**Makes Taking The Handguard Off Fast,
Easy & Painless**


Handy tool eliminates the need for a second pair of hands when removing AR-style handguards. Simply insert the hooked end of the tool into the mag well, position handles over delta ring, and push down to compress the delta ring spring. Made of strong 3/4" (6.4mm) steel rod, with synthetic rubber coating to protect gun from surface scratches. 

SPECS: *Steel, rubber-coated, black. 11" (27.9cm) long. Fits AR-15, M16A1 & A2, and AR-Style .308 rifles with delta rings.*

#080-000-487AF AR-15/M16 Handguard Removal Tool, 8K14B99 \$ 19.99

DPMS AR-15 FREE-FLOAT TUBE WRENCH

**Works For All
Barrel/Tube Combinations**

Engages the free-float tube from the rear so it works with any diameter barrel and tube combination. Plenty of leverage. 


SPECS: *Steel, Blue, matte finish. 10" (25cm) long, 1" (3.4cm) wide.*

#231-015-023AF Free-Float Tube Wrench, 1C19X33 \$ 24.95

DARREL'S CUSTOM AR-15/M16 HANDGUARD REMOVAL TOOL

**Fast & Fumble-Free
Handguard
Removal**



Takes all the fumbling, grumbling and frustration out of installing or removing AR-15 handguards. Easy-to-use, just hook tool into mag well and push down on the handles. Pushes the retaining ring straight down, allows both handguards to be removed in just seconds. 


SPECS: *Steel, rubber handles, matte finish, Black. 11 1/4" (28.6cm) long. Fits AR-15 A1, A2, M-16 and AR-10.*

#100-000-438AF Handguard Removal Tool, 5K20V55 \$ 24.99

DPMS AR-STYLE .308 FREE-FLOAT TUBE WRENCH

**Removes & Installs
A Wide Variety Of
Tubes**



No-fail armorer's tool allows precise, easy installation and removal of free-float tubes on a wide variety of AR-style .308 rifles. Dual-ended design works for the DPMS LR-Series, ArmaLite® AR-10®, and Knight's Mfg. SR-25. Made from solid steel with hardened steel pins, plus convenient, dual square cutouts to get additional leverage with a 1/2" drive breaker bar. 

SPECS: *Steel, Blue. 16" (40.6cm) long, 1 1/4" (3.1cm) wide handle, 5/8" (9.5mm) thick. Fits DPMS LR-Series (.308, plus .260 and .243), ArmaLite AR-10, and Knight SR-25 rifles.*

#231-000-230AF AR-Style .308 Barrel Nut Wrench, 1C39X42 \$ 54.99

Selection • Service • Satisfaction

BROWNELLS TOOL KITS FOR AR-15/M16/M4

Complete Tool Kits To Service & Repair Military & Civilian AR-15/M16 Rifles & M4 Carbines

The RIGHT way to repair and service the AR-15/M16/M4! These kits contain the tools the gunsmith or armorer needs to perform full maintenance and repairs of these rifles in the field or shop. Each tool is designed to do its job in the simplest, most effective manner to maintain and repair these guns correctly – and save time doing it. **Standard Kit** contains the tools needed to work on the AR-15 and the M16A1 through A4. **Premium Kit** contains all the tools of the Standard Kit, plus an additional 11 items necessary to repair and maintain the M4 carbine as well. Both kits come in a custom-fitted, hard-side tool box that's made from nearly indestructible molded polymer resin and meets mil-spec MIL-C-4150 and ATA specifications. The Standard kit's foam inserts are pre-cut with spaces for the M4 tools, so you can turn it into a Premium Kit anytime simply by adding the **Upgrade Kit**.

- 080-216-000AF AR-15/M16 Standard Armorer's Kit**, complete with tools and case 8K977Z99 \$ 1,191.99
#080-216-004AF AR-15/M16 Standard Armorer's Kit, tools ONLY 8K745Z99 1,004.99
080-216-003AF Upgrade Kit for AR-15/M16 Standard Armorer's Kit 8K287Z56 349.99
080-216-002AF AR-15/M16/M4 Premium Armorer's Kit, complete with tools and case 8K123Z299 1,545.99

1 12 OUNCE BALLPEEN HAMMER - Heavy enough to drive out stubborn tapered front sight retaining pins, yet light enough for installation/removal of solid and roll pins.
SPECS: 12 1/4" (31.1cm) long overall. 1 lb. (454 g), 6 oz. (170 g) total. Head is 3 3/4" (9.5cm) long. 1 1/16" (3cm) diameter flat face. 1" (2.5cm) diameter peen.
#956-000-001AF 12 oz. Ballpeen 6E11H61 \$ 14.72

2 3/4" PLASTIC/BRASS HAMMER - For the thousand and one instances when a part needs a gentle tap during assembly/disassembly. Great when fitting stocks.
SPECS: 3/4" (19mm) diameter faces. 10" (25.4cm) hickory handle. Weighs approximately 4 oz. (113 g).
#818-600-343AF 3/4" Plastic/Brass Hmr 8A00XCH ... \$ 14.98

3 FIRING PIN PROTRUSION GAUGE - Essential for properly measuring the amount of the firing pin projecting through the bolt. Too little causes misfires; too much, pierced primers.
SPECS: Steel. 2" (5.1cm) long, 1/4" (6.3mm) wide.
#080-216-013AF AR-15/M16 Firing/Pin Gauge, 8K28Z45 \$ 35.99

4 1/2" SQUARE DRIVE TORQUE WRENCH - Necessary to apply the manufacturer's recommended 30 foot pounds of torque to the barrel nut when installing barrel on receiver. Self-limiting design "clicks" at torque setting.
SPECS: Chrome-plated steel. 17 1/8" (43.5cm) long. 1" (2.5cm) diameter handle. 30-150 ft. lb. range.
#018-150-050AF 1 1/2" Drive Torque Wrench, 8F00VBX \$ 136.99

5 BROWNELLS SHOP APRON - High quality, durable apron keeps clothing clean and free of grease, oil, and carbon.
SPECS: 39 1/2" (100.3cm) long. 30 1/2" (77.5cm) wide. Upper and lower pockets. Ties: each 27 1/2" (69.8cm) long. Neck strap: 21 3/4" (55.2cm) long.
#084-071-000AF Shop Apron 4A23D40 \$ 32.99

6 VISE JAWS - THE ONLY way to hold a barrel without damage. Non-marring aluminum with milled grooves to accept both standard or heavy barrels. **Standard Kit only. Replaced by #36 in Premium Kit.**
SPECS: 3 5/8" (9.2cm) L, 2 1/4" (5.7cm) W, 2 7/8" (7.3cm) H. 2 lb. (907 g), 5 oz. (142 g). Cast Aluminum.
#795-015-100AF Vise Jaws 8K00TPU \$ 19.95

7 PARTS BOXES - A durable, break-resistant container for parts, smaller tools, and other loose items. Kit includes two boxes; replacement boxes sold per each.
SPECS: 11" (27.9cm) L x 6 3/4" (17.1cm) W. 6 compartments.
#313-100-606AF Parts Box, each, 3A07Z36 \$ 9.21

8 BROWNELLS BENCH MAT - Neoprene rubber mat provides a smooth, non-marring, oil-and solvent resistant work surface no matter where you are.
SPECS: 17 1/2" (44.4cm) long. 12" (30.5cm) wide. 3/16" (4.7mm) thick.
#358-128-316AF Bench Mat, 8E17Y97 \$ 21.98

9 10 1/2" LONG, 1/2" SQUARE DRIVE HANDLE - Use with AR-15/M16 Combination Wrench to loosen the barrel nut and remove barrel. Long enough to provide ample leverage.
SPECS: Chrome-plated steel. 10 1/2" (26.7cm) long. 1 3/16" (20.6mm) diameter handle.
#221-141-600AF 10 1/2"x1/2" Drive Handle, 1B00YTP \$ 17.99

10 MAGNA-TIP® #81 HANDLE - Preferred by many for general use, shank is long enough to reach inside the pistol grip. Use with Stubby Handle to remove Pivot Pin.
SPECS: Overall length 8" (20.3cm).
#080-086-181AF MAGNA-TIP® #81 8K10P60 \$ 12.99

11 MAGNA-TIP® STUBBY HANDLE - Use with various MAGNA-TIP® bits on butt plate screws, windage screw, AR-15 pivot pin head, etc. When removing the pivot pin, use Stubby Handle with the "RED" bit on the left side of the pin and the regular handle with the 445-6 bit on the right side.
SPECS: 2 1/2" (6.3cm) overall. 1 7/8" (4.8cm) handle, 5/8" (15.9mm) shank.
#080-090-000AF Stubby Handle 8K08C16 \$ 9.99

12 SNAP RING PLIERS - For removal and installation of the handguard snap ring. Extra tips included for other uses.
SPECS: Blued steel with vinyl dipped handles. Tip sizes - Straight, .045" (1.1mm); Straight, .060" (1.5mm); 45°; 90°.
#531-460-000AF Snap Ring Pliers 1C10Z78 \$ 13.50
#531-462-500AF Replacement Snap Ring Plier Tips, 4 pair set 1C03Z95 4.95

13 BARREL NUT ALIGNMENT GAUGE - Fits into the end of the bolt carrier key to ensure that the barrel nut is properly aligned during installation of AR-15/M16 barrel. Improper alignment can damage the bolt carrier key and/or the gas tube.
SPECS: Steel. .178" (4.5mm) diameter x 3" (7.6cm) long.
#080-216-014AF Barrel Nut Align. Gauge 8K04Z73 . . . \$ 5.99

14 5.56MM (.223) HEADSPACE GAUGE - Measures maximum headspace. Essential for checking out rifles that have seen heavy use or that have been rebarreled. Not a regular "field" gauge but made to Colt factory dimensions.
SPECS: 1.65" (4.2cm) overall (this is NOT the "Headspace" dimension). .3655" (9.3mm) diameter.
#319-418-033AF Colt 5.56 Hdspce Gge 8K00CHD ... \$ 16.99

15 BROWNELLS #250 CHAMBER MIRROR - Highly polished, steel mirror drops into the chamber to aid in detailed inspection. Will not move beyond throat.
SPECS: 1 3/16" (3cm) long.
#084-174-250AF #250 Chamber Mirror 4H08A97 ... \$ 14.99

16 CLEANING ROD SMALL ARMS (W/ADAPTER) - Threaded for 8-36 U.S. military cleaning brushes; includes adapter that accepts commercial 8-32 brushes and accessories.
SPECS: Steel, parkerized finish. .204" (5.2mm) diameter rod. 4 sections, each 7 7/8" (18.7cm) long - 3 thread into 4th handled section. Overall length, with Jag, 29 3/4" (75.6cm). Adapter is 3 1/4" (8.2cm). Jag is 2 3/4" (7cm) with oval slot.
#084-116-100AF Cleaning Rod 4H10X61 \$ 15.99

17 COMBINATION WRENCH - Removes the barrel nut. Removes/installs flash suppressor and lower receiver extension.
SPECS: Blued steel. 5" (12.7cm) lg x 2" (5cm) w x 1/4" (6.3mm) thick.
#080-216-015AF Combination Wrench 8K25A43 . . . \$ 34.99

18 BROWNELLS ROLL PIN PUNCHES - The ONLY way to properly install or remove roll pins without damage to either the pin or the surrounding metal. A small raised projection in the face of the punch automatically centers the punch and prevents the roll pin from collapsing.
SPECS: #1, 1/16" (1.6mm) x 2 3/4" (7cm) L; #2, 5/64" (2mm) x 3 1/4" (8.2cm) L; #3, 3/32" (2.4mm) x 3 1/2" (9cm) L; #4, 1/8" (3.2mm) x 4" (10.2cm) L; #6, 3/16" (4.8mm) x 4 1/2" (11.4cm) L.
#230-112-105AF Roll Pin Pch Kit, set of 5 7H00BXC . \$ 19.99



19 29 CARRIER KEY BIT KIT - Two hex bits for installing the bolt carrier key socket head screws, plus an adapter that will connect the Carrier Key Bits to the 3/8" Drive Torque Wrench. Small and large bits handle both early and late guns.
SPECS: Heat-treated steel. 185-2 Bit - 1/8" (3.2mm) hex bit. 185-10 Bit - 3/64" (3.6mm) hex bit. 1" (2.5cm) long. Adapter - Heat-treated steel with retention clip adapts 3/8" square drive to accept 1/4" shank hex bits.
#080-216-050AF Carrier Key Bit Kit 8K06A18 \$ 9.97
#080-185-200AF 185-2 Hex Bit 8K02C52 2.99
#080-185-010AF 185-10 Hex Bit 8K02C52 2.99
#080-430-025AF Socket Drive Adapter 8K04C22 4.97

20 BROWNELLS ROLL PIN HOLDERS (STARTER/SETTER PUNCHES) - Easily hold even the smallest roll pins for positioning. Complete installation with Brownells Roll Pin Punches.
SPECS: 1/8" (3.2mm), 3.5mm (1.138") diameter - 5" (12.7cm) long. 3/32" (2.4mm), 3/64" (2mm), 1/16" (1.6mm) diameter - 4 1/2" (11.4cm) long.
#080-685-000AF Roll Pin Holders, set of 5 8K41B65 . . . \$ 50.99

21 BOLT CATCH PIN PUNCH - Specially made, slab-sided punch clears left side of the magazine well allowing bolt catch pivot pin to be removed by driving it to the rear.
SPECS: Steel. 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.
#080-216-012AF Bolt Catch Pin Punch 8K11Z75 ... \$ 14.99

22 STARRETT 1/8" PUNCH - A best-quality punch for removing solid pins such as those on the hammer or trigger.
SPECS: 4" (10.2cm) long. 1/8" (3.2mm) diameter tip.
#827-525-800AF 1/8" Punch 8K00DZA \$ 4.99

23 TAPER PIN STARTER - This tool's radiused face matches the end of the front sight housing taper pin to prevent damage during removal. The taper pin is removed by driving from left to right; the small end is on the left side of the barrel, the large end is on the right side!
SPECS: 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.
#827-530-320AF Taper Pin Starter 7B00HDZ \$ 11.99

24 STARRETT 1/4" PUNCH - Facilitates removal of the take-down pin and safety lever/fire control selector.
SPECS: 4" (10.2cm) long. 1/4" (6.3mm) diameter tip.
#827-525-840AF 1/4" Punch 8K00YTP \$ 4.99

25 STARRETT 3/32" CENTER PUNCH - Stakes socket-head cap screws securing the bolt carrier key to the bolt carrier.
SPECS: 4" (10.2cm) long. 3/32" (2.4mm) punch, 3/8" diameter body.
#827-512-820AF Starrett 3/32" Center Punch, 8K00PUA \$ 7.99

26 PIVOT PIN DETENT DEPRESSOR - Depresses spring-loaded detent to free the pivot pin for removal. Virtually impossible without this tool. Does not fit Colt Mfg. AR-15.
SPECS: Blued steel. 1 7/8" (4.8cm) long.
#080-216-010AF Pivot Pin Depressor 8K03Z79 \$ 4.99

27 PIVOT PIN DETENT INSTALLATION TOOL - Makes installation of the M16 pivot pin and its detent faster and easier. Prevents loss of detents. Guides detent and spring into place and serves as a slave pin when installing the pivot pin.
SPECS: Blued steel. 1/4" (6.3mm) diameter. 2 1/2" (6.3cm) and 1 1/2" (3.8cm) long "legs".
#080-216-011AF Pivot Pin Install. Tool 8K10Z15 ... \$ 14.95

28 BROWNELLS BROKEN SHELL EXTRACTOR - Fastest way to remove the front portion of a separated 5.56mm (.223) case without field stripping. Engages the rim of case mouth and pulls case from the chamber when charging handle is pulled back. Adjustable to ensure complete engagement of case mouth.
SPECS: Blued steel. 2" (5cm) long.
#080-000-441AF Shell Extractor 8K16X24 \$ 19.99

30 445-6 BIT - Use on the AR-15 windage screw, pistol grip screw, and right side of the pivot pin.
SPECS: 1 1/2" (3.8cm) long. Approximately .360" (9.1mm) diameter x .055" (1.4mm) thick.
#080-445-655AF 445-6 Bit 8K02D52 \$ 2.99

31 RED BIT - Use on left side of the pivot pin.
SPECS: 1 1/2" (3.8cm) long. Approximately .398" (10.1mm) diameter x .078" (1.98mm) thick.
#080-430-400AF RED Bit 8K04C79 \$ 5.99

32 LB BIT - Use on the butt plate screws.
SPECS: 1 1/2" (3.8cm) long. Approx. .428" (10.9mm) diameter x .070" (1.8mm) thick.
#080-430-430AF LB Bit 8K04C90 \$ 5.99

33 SIGHT TOOLS - Quickly adjust front and rear sights. A1 fits older AR-15s and M16s. A2 fits M16A2 configuration rifles.
SPECS: Blued steel. 1 3/8" (3.5cm) long x 3/4" (19mm) diameter.
#078-015-001AF A1 AR-15/M16 Sight Tool, 7B07A67 \$ 9.99
#078-015-002AF A2 AR-15/M16 Sight Tool 7B07A55 ... \$ 9.99

TOOL KITS CONTINUED TOP OF NEXT PAGE

34 **3/8" SQUARE DRIVE T-HANDLE TORQUE WRENCH** - Precisely calibrated to apply the required 40 foot pounds of torque to tighten the two socket-head cap screws on the bolt carrier key.
SPECS: Chrome-plated steel. 3 1/2" (8.9 cm) long. 4-1/8" (10.5 cm) wide handle.

#792-000-005AF 3/8" Drive Torq Wrench 2G87A60 . . . \$ 109.50

35 **MIL-SPEC TOOL BOX** - Heavy-duty case with four drawers, top compartment, and double latches. O-ring seals keep dust and moisture out; built-in wheels and a sturdy, retractable pull handle for easy transport. Extra storage space for parts, manuals, etc.
SPECS: 24" (61 cm) wide, 18" (45.7 cm) high, 15" (38.1 cm) deep. 38 lb. wt.

#636-000-003AF Mil-Spec Tool Box 6C316Z76 . . . \$ 474.99

ADDITIONAL TOOLS IN PREMIUM KIT:

36 **ACCU-GRIP BARREL VISE JAWS** - Massive aluminum jaws lined with space age, polyurethane elastomer grip tight without marring the barrel. Grooves for both standard and heavy barrel contours. **Replace Vise Jaws in Standard Kit.**
SPECS: Machined aluminum with blue polyurethane elastomer lining. 5" (12.7 cm) wide, 1" (2.5 cm) thick, 3 5/8" (9.8 cm) long. 2 lb. 6 oz. (1 kg) wt. Fits 4" and wider vises.

#852-015-000AF Accu-Grip Vise Jaws 2E00VBX . . . \$ 59.99

37 **FRONT SIGHT BENCH BLOCK** - Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec AR-15 rifles and carbines.
SPECS: 4" (10.2 cm) dia. x 1 1/16" (4.3 cm) high.

#080-000-252AF AR-15 Front Sight Bench Block, 8D31B99 . . . \$ 39.99

38 **UPPER RECEIVER ACTION BLOCK** - Tough Rynite block and insert surround the entire upper receiver to let you tightly clamp an A1, A2, or standard flattop receiver in a large bench vise for barrel removal/installation without twisting the receiver or damaging barrel detent pin and receiver detent notch.
SPECS: Block - 2.5" (6.3 cm) thick, 3.5" (8.8 cm) wide, 4.5" (11.4 cm) high. Insert - 8" (20 cm) long, 1" (2.5 cm) diameter.

#080-000-661AF Upper Receiver Action Block, 6K42V99 . . . \$ 54.99

39 **LOWER RECEIVER VISE BLOCK** - Unbreakable, high-density urethane vise block inserts into magazine housing and takes all the clamping force, so the lower receiver won't be damaged or distorted. Magazine catch locks to the block.
SPECS: 5" (12 cm) high, 2 1/4" (5.7 cm) wide, 3/4" (1.9 cm) thick.

#080-000-662AF Lower Receiver Vise Block, 6K38V49 . . . \$ 51.99

40 **HANDGUARD REMOVAL TOOL** - Takes the fumbling and frustration out of installing or removing AR-15, M16A1/A2, and AR-10 handguards. Rubber coated steel won't mar gun.
SPECS: 11 1/4" (28.6 cm) long.

#100-000-438AF Handguard Tool 5K20V55 . . . \$ 24.99

41 **MAGAZINE CATCH INSTALLATION & REMOVAL TOOL** - Compresses the spring for easy removal of the magazine catch.
SPECS: High-impact plastic, black.

#100-002-127AF Magcatch Tool 3A05X95 . . . \$ 7.95

42 **TAKEDOWN PIN REMOVAL TOOL** - Drives out the front and rear takedown pins without marring the metal.
SPECS: High-impact plastic, black.

#100-002-125AF Takedown Pin Tool 3A05X49 . . . \$ 7.49

43 **BOLT EJECTOR TOOL** - Steel clamp captures the bolt head, and turnscrew depresses the ejector for faster, easier removal and installation of plunger-style ejectors.
SPECS: Steel, blued. Plastic handle.

#080-792-002AF AR-15/M16 Bolt Ejector Tool, 8K16X53 . . . \$ 20.99

44 **MAGAZINE FEED LIPTOOL** - Bends the feed lips back into place, so they guide the cartridge body properly to prevent problems and jams caused by bent magazine feed lips.
SPECS: Steel shank, blued; plastic handle. 5 1/2" (14 cm) long.

#080-000-314AF AR-15 Mag Feed Lip Tool 8K09T81 \$ 12.99

45 **GAS TUBE WRENCH** - Clamps around the fragile gas tube to prevent damage during both removal and installation.
SPECS: Steel, blued. 6" (15.2 cm) long.

#133-100-015AF Gas Tube Wrench 3C00PUA . . . \$ 22.99

NEW **PRECISION REFLEX AR-15/M16/AR-10® BARREL NUT WRENCH**

Plenty Of Leverage For Quick Barrel Removal & Installation

Heavy-duty wrench provides plenty of leverage for installing and removing barrel nuts when used with a 3/8" or 1/2" drive breaker bar, socket wrench, or torque wrench. Cut from 3/8" thick steel, with plenty of metal so it won't flex under pressure while transferring the torque evenly to the nut. Models available for AR-15/M16 and ArmaLite® AR-10®.
SPECS: Steel, Parkerized, dark gray. **AR-15** fits AR-15/M16/M4 and clones. **AR-10** fits ArmaLite AR-10 only.

#714-000-007AF AR-15 Barrel Nut Wrench, 4A19Y49 . . . \$ 24.95

#714-000-008AF AR-10 Barrel Nut Wrench, 4A20Y29 . . . \$ 24.99

NEW **ARRINGTON ACCURACY WORKS AR-15/M16 FREE-FLOAT HANDGUARD STRAP WRENCH**

Plenty Of Leverage To Remove & Reinstall Any Diameter Float Tube

Heavy-duty strap wrench gives you plenty of leverage to remove screw-on free-float handguard tubes, even those sealed with thread locker or "frozen" on by corrosion between the barrel nut and guard. Large, adjustable strap of reinforced rubber wraps securely around any diameter handguard, with no risk of scratching the finish, and grasps the guard tighter as you apply pressure. Lets you position the strap right over the threaded end of the tube for maximum torque transfer where it's needed most. Hefty steel handle won't bend, no matter how much force you apply, and machined aluminum head maintains optimal alignment of handguard, strap, and handle. Indispensable time-saver for professional armorers or anybody who regularly faces the chore of changing handguards.
SPECS: Steel handle, aluminum head, rubber strap. 10" (25.4 cm) O.A.L.

#100-004-209AF Free-Float Handguard Wrench, 3C48B26 . . . \$ 56.99

GLENAIR AR-15/M16 STRAP WRENCH

Safer, Easier Installation & Removal Of Tube Handguards

Easily grips all types and sizes of AR-15/M16 tube handguards, for faster installation and removal. Fiber reinforced rubber strap with steel handle gives plenty of leverage, and you can attach a 3/8" drive torque wrench.
SPECS: Nickel-plated aluminum handle, 6 3/8" (16 cm) long. Fits handguards up to 3" (7.6 cm) in diameter.

#382-100-015AF AR Strap Wrench 2H00YTP . . . \$ 30.99

46 **BOLT CARRIER CARBON SCRAPER** - Removes hard-to-get-at carbon buildup without damaging the bolt carrier. Solves cycling problems caused by carbon deposits in the bolt recess.
SPECS: Steel reamer, plastic handle. 6 1/2" (16 cm) long.

#133-100-016AF Carrier Carbon Scraper 3C00BXC \$ 22.99

47 **BUTTSTOCK TOOL** - Combines several tools into one for taking apart M4-style collapsible buttstocks. Includes pins for old- and new-style receiver extension nuts.
SPECS: Steel, black. 7" (17.8 cm) long.

#080-000-291AF Buttstock Tool 8K48H75 . . . \$ 59.99

NEW **BROWNELLS AR-15/M16 BARREL EXTENSION TORQUE TOOL**

Aids Fast, Easy Barrel Installation; Protects Barrel Nut & Receiver From Damage

Handy tool aids in applying straight-line torque for fast, easy installation of the barrel nut without scratching the exterior of the upper receiver. Helps ensure the right amount of torque is evenly applied, while maintaining proper alignment of the barrel, upper receiver, and gas tube ports. Use with any barrel nut wrench or free-float tube wrench and a torque wrench with a 1/2" square drive. Simply clamp the barrel nut wrench handle firmly in a bench vise, insert the barrel into the upper receiver, and finger tighten the barrel nut. Slide the barrel through the wrench, insert the Torque Tool in the back of the receiver until the teeth lock into the locking lugs in the receiver extension, and apply torque with the torque drive through the Tool to tighten the barrel nut. Precision machined from heavy-duty steel bar stock for years of reliable service.
SPECS: Machined steel, black oxide finish. 9" (22.9 cm) long, 1" (2.5 cm) diameter. Fits barrel extensions of AR-15/M16/M4 and clones chambered in .223/5.56 mm only. Requires a 1/2" square drive torque wrench. Instructions included.

#080-000-637AF AR-15/M16 Barrel Ext. Torque Tool, 8K27U44 . . . \$ 34.99

BROWNELLS AR-15/M16 HANDGUARD ALIGNMENT TOOL

Maintains Precise Handguard Alignment While Tightening The Locking Ring

Eyeballing a railed, free-float handguard for perfect alignment with your flattop receiver is only half the battle. Keeping it from going cockeyed as you tighten the locking ring is another story. Talk about frustrating! Avoid the hassle with this handy jig that aligns the top handguard rail with the receiver rail and keeps it there. Just slide the jig on the rails, secure its setscrews, and tighten the locking ring—you're done! With the time it saves, this tool will pay for itself the first few times you use it. A must for maintaining handguard alignment to ensure night vision devices, vertical grips, flip-up front sights, and other add-on accessories are also properly aligned. Precision machined from high-quality 6061 billet aluminum, then hardcoat anodized for extra strength and years of wear resistance. Designed for use with railed, free-float tubes that have a locking ring.
SPECS: Aluminum, hardcoat anodized, black. 3 1/2" (8.9 cm) long, 1" (2.5 cm) wide, 1 1/2" (3.8 cm) high.

#080-000-368AF Handguard Alignment Tool, 8K47X33 . . . \$ 59.99

SOUTH SHORE AR-15/AR-10 BARREL EXTENSION WRENCH

Plenty Of Strength To Get Even The Tightest Barrels Loose

Two models install or remove AR-15/AR-10 barrel extensions safely and easily without making a "wrench" from an old bolt head. Machined, hardened, steel engagement teeth fully engage locking lugs for precise fit; alignment sleeve holds wrench square with barrel, prevents slipping or damage. 3/4" hex drive gives plenty of leverage to get really tight extensions loose.
SPECS: 8620 steel, blue. 2 7/8" (7.3 cm) long. Heat treated to Rc 48-52.

#841-015-001AF AR-15 Barrel Extension Wrench, 1D43T95 . . . \$ 53.99

#841-000-001AF AR-10 Barrel Ext. Wrench 1D53T55 65.98

TORQUE WRENCHES

2 Sizes For Barrel Nuts & Any Bolts You Want Precisely Tight

For AR-15/M16 Barrel Nuts, Bolt Carrier Key or action screws on any rifle. Set the dial handle to desired torque; wrench "clicks" when the number is reached.
SPECS: Chrome-plated steel. **3/8" (9.5 mm) Drive - 8 5/8" (21.9 cm) long. 3/4" (19 mm) diameter handle. 30 - 150 inch pound range. 1/2" (12.7 mm) Drive - 17 1/8" (43.5 cm) long. 1" (2.5 cm) diameter handle. 30 - 150 foot pound range.**

#018-150-375AF 3/8" Torque Wrench, 8A00HDZ . . . \$ 174.99

#018-150-050AF 1/2" Torque Wrench, 8F00VBX . . . 136.99

GSA **BROWNELLS AR-15/M16 FRONT SIGHT BENCH BLOCK**

Two Working Sides For Installation & Removal

Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec, AR-15 rifles and carbines. Precision-machined and clearly marked on both sides for driving the mounting pins "IN" or "OUT" of the sight. Accommodates the sling swivel, plus, includes provisions for removing the gas tube roll pin.
SPECS: Polyethylene, orange. 4" (10.2 cm) dia. x 1 1/16" (4.3 cm) high.

#080-000-252AF AR-15 Front Sight Bench Block, 8D31B99 . . . \$ 39.99

BROWNELLS EXTRA-LARGE BENCH BLOCK

Large, 4" Diameter, Useable Surface Will Not Embed Or Mar

Extra size and weight helps keep these blocks where you put them and the big face eliminates much of the "balancing act" when you're driving pins. Cannot mar even the most highly polished surface. Drilled with four through holes for easier pin removal and disassembly. Convenient, center "V" holds cylindrically shaped parts steady so they won't roll. Can be drilled or modified with hand tools; will not melt when machined.
SPECS: Polyethylene, green. 4" (10 cm) diameter, 1 1/8" (2.8 cm) high.

#080-000-492AF Rifle Bench Block, 8D00BXC . . . \$ 16.99

BROWNELLS AR-15/M16 SIGHT WRENCH

Models For A1 & A2 Make Sight Adjusting Quick & Easy

Even tho' you're supposed to be able to adjust these sights with nothing more than a round of ammo, folks who've tried know it's just not that simple. This decidedly handy little Sight Wrench does the job, quick and easy.
SPECS: 1 3/8" (3.5 cm) long x 3/4" (19.0 mm) dia. Blued steel. Models for **A1**, five-prong (adjusts front and rear) and **A2**, four-prong.


#078-015-001AF AR15/M16 A1 AR Sight Wrench, 7B07A67 . . . \$ 9.99

#078-015-002AF AR15/M16 A2 AR Sight Wrench, 7B07A55 . . . 8.99

AR-15/M16 GUNSMITHING TOOLS

BROWNELLS AR-15 SIGHT WRENCH

Two Styles, For A1 & A2,
Give Fast, Convenient Sight Adjustment

Precision machined from tough, stressproof steel with square-profile fingers that grip the sight notches firmly and won't "roll out"; provides easy, exact sight adjustment. Plus, they resist bending and breaking to give years of service. Deeply drilled body fits both issue and tall blade sights. An extra-nice touch are the hex-shaped bodies; they're easy to grasp, easy to turn and won't roll off your bench. Three tools: **A1** five-prong and **A2** four-prong fit front and rear sights. **A1/A2** is double ended to fit both five-detent A1 and four-detent, square blade, A2 front sights only. 


SPECS: Stressproof steel, blue finish. **A1:** five-prong and **A2:** four-prong (adjusts front and rear). 1 3/8" (3.5cm) long x 3/4" (19mm) dia. **A1/A2:** 2 1/2" (6.4cm) long four-prong/five-prong front only wrench.

078-000-008AF A1 AR-15 Sight Wrench 8G12Y18 . . . \$15.99
078-000-009AF A2 AR-15 Sight Wrench 8K14Y02 . . . \$17.99
078-000-010AF A1/A2 AR-15 Sight Wrench 9A12Y69 16.99

BROWNELLS AR-15/M16 REAR SIGHT ELEVATION SPRING TOOL

Eases Installation &
Removal Of Rear Sight
Elevation Spring



Hardened, drill-rod steel shaft depresses the elevation spring to ease installation or removal of the rear sight elevation spring retaining pin. Hand-filling plastic handle ensures a firm, comfortable grip while applying pressure to the spring. 


SPECS: Steel shank, in-the-white; plastic handle, black. 4" (10.2cm) OAL, .250" (6mm) O.D.

#080-000-079AF AR-15 Rear Sight Tool 8K08Z01 . . . \$10.99

BROWNELLS AR-15/M16 UPPER RECEIVER LAPPING TOOL

Helps True The Upper
Receiver For Precise Barrel
Fit & Maximum Accuracy



Cold-rolled steel lapping tool chunks into a 3/8" hand drill to easily "square" the upper receiver face on your AR-15. Helps ensure precise mating of barrel and receiver for added accuracy. Coat face of receiver with aluminum-oxide lapping compound; extra long pilot slides into the bolt carrier tunnel to maintain perfect concentricity with the receiver. 

SPECS: Cold-rolled steel, in-the-white. 8 1/4" (21cm) long, 3/8" (9.5mm) diameter shank.

#080-000-182AF AR-15 Lapping Tool 8K26U95 . . . \$34.95

DPMS AR-15/AR-STYLE .308 UPPER RECEIVER BLOCK

Secure Support For Receiver
While Fitting Parts



Machined from tough, long-wearing nylon to hold upper receiver in a bench vise without fear of crushing, marking or scratching the finish. Fits inside stripped or barreled, carry handle and flattop receivers with .250" diameter pivot pins. Holds receivers at any angle for cleaning, or fitting sights and accessories. Models to fit standard AR-15 and DPMS AR-style .308 receivers. 


SPECS: Nylon, white. **AR-15-7"** (17.8cm) long, 1 3/4" (4.5cm) wide, 2 7/8" (7.3cm) high. **DPMS .308 - 7 3/8"** (18.7cm) long, 1 7/8" (4.8cm) wide, 3" (7.6cm) high. Fits DPMS Panther AR-style .308 receivers.

#231-000-157AF AR-15 Upper Rec'r Block 1C41T87 \$49.99


#231-000-240AF DPMS .308 Upper Rec'r Block, 1C44X99 . . . \$59.99

BROWNELLS AR-15/M16/AR-STYLE .308 UPPER & LOWER RECEIVER BLOCKS

Protect Receiver From Damage When Clamping


Heavy-duty blocks allow you to firmly clamp AR-15/M16 receiver halves in a vise without risk of crushing, twisting, or otherwise distorting them when applying vise pressure or torquing the barrel nut. Keeps your rifle secure for safe, effective cleaning, assembly, and repair. 

UPPER RECEIVER ACTION BLOCK

High pressure, solvent resistant, structural Rynite block and insert surround the entire upper receiver and support it inside and out to make rebarreling the AR-15/M16 an easy, one-man job. Lets you tightly clamp a carry handle receiver or flattop receiver in a large bench vise for barrel removal/installation. Torque generated while tightening the barrel nut is transmitted to the block and insert, not the receiver. Minimizes the possibility of damage to the barrel detent pin and receiver detent notch. Holds securely without marring the finish. 

SPECS: Injection-molded Rynite, black. Fits A1, A2, and standard flattop receivers. **Block - 2.5"** (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. **Insert - 8"** (20cm) long, 1" (2.5cm) diameter. Torque tested to 200 ft. lbs.

#080-000-661AF Upper Receiver Action Block, 6K42V99 . . . \$54.99

LOWER RECEIVER VISE BLOCK - Heavy-duty vise block takes all the clamping force, so your expensive lower receiver won't get scratched, distorted, or otherwise damaged. Insert block into the mag well, just like an ordinary magazine, then clamp the other end in your bench vise. The magazine catch locks to the block, safely and securely holding the rifle for assembly, disassembly, cleaning, or repair. Will not mar or scratch weapon's finish. **AR-15/M16** model fits mil-spec .223/5.56mm rifles and carbines. Dual-purpose design can be inserted into mag well from bottom or, when upper receiver is removed, from the top. **AR-Style .308** model is a double-ended design to fit ArmaLite® AR-10®, Bushmaster .308, DPMS Panther™ LR-308, and Remington R-25. Does not fit Rock River Arms lower receivers. Machined from rugged, durable, chemical-resistant Delrin® polymer. 

SPECS: **AR-15/M16** - Injection-molded high-density urethane plastic, black. 5" (12cm) high, 2 1/4" (5.7cm) wide, 3/4" (1.9cm) thick. Fits mil-spec .223/5.56mm rifles and carbines. **AR-Style .308** - Machined Delrin, white. 5 1/8" (13cm) high, 3" (7.6cm) wide, 1" (2.5cm) thick. Fits most AR-Style .308 rifles except Rock River Arms.

#080-000-662AF AR-15/M16 Lower Rec'r Vise Block, 6K38V49 . . . \$51.99


#080-000-659AF AR-15/M16 Action Block/Vise Block Set, 8K62V99 . . . \$77.99

#080-000-494AF AR-Style .308 Lower Rec'r Vise Block 8K35P58 . . . \$45.99

PRECISION REFLEX AR-15/M16 UPPER RECEIVER VISE BLOCK

Two Ways To Support
Upper Receiver In A Vise
Without Risk Of Damage



Heavy duty, machined aluminum vise block lets you clamp an AR-15/M16 upper receiver in a bench vise without risk of marring the finish or distorting the receiver from over-tightening. Dual-use design allows the receiver to be positioned top side up or, if it's a flattop, upside down; either way, the vise grasps the block and never touches the receiver. One side of the block fits in the underside of the receiver and is held securely in place with two, steel, T-pins inserted through the takedown pin holes, so you can install optics, perform thorough cleaning, and do other work on the exterior. Or, slide a flattop receiver rail into the grooves on the other side of the block and tighten the locking bar with the large thumbscrew to hold the receiver upside down for easy access to the underside. 


SPECS: Body - Aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 1 1/4" (3.2cm) wide, 1 1/4" high. Pins - Steel, black oxide finish. Fits AR-15/M16/M4 and clones with .250" diameter takedown pin holes.

#714-000-006AF Upper Receiver Vise Block, 4A44Y49 . . . \$54.95

WILSON COMBAT AR-15/M16 VISE BLOCKS

Holds Rifle Securely &
Damage-Free During Cleaning,
Rebuild & Repair



High density, structural Rynite® blocks allow you to firmly clamp your AR-15/M16 in a vise for safe, damage-free cleaning, adjustment, maintenance, and repair. Keeps both hands free during delicate, internal component work. Two-piece block clamps around the MIL-STD 1913 Picatinny flattop rail and holds the rifle upside down for easy access to the bottom of the upper or lower receivers. Unbreakable Rynite absorbs the clamping force, so the flattop rail won't be damaged or distorted. Resistant to most solvents. 


SPECS: Rynite thermoplastic polyester, black. Fits Mil-Std 1913 Picatinny rail. Blocks - 3 1/2" (8.9cm) long, 1 1/2" (4.6cm) wide, 1 1/8" (4.8cm) high.

#965-000-073AF AR-15 Vise Blocks, 5F14A20 . . . \$16.99

10-8 PERFORMANCE ARMORER TOOL

Sturdy Non-Marring Tool
Has Dozens Of Uses



Handy tool of extremely tough, non-marring glass-reinforced nylon is perfect for prying and pushing applications where a metal tool can damage the part or gun finish. Rigid chisel point on one end is useful for depressing springs and spring-loaded parts—even use to thread MOLLE straps through webbing—while the semi-flexible flat blade on the other end can get into tight spots or serve as a temporary shim. Great to have around during disassembly of semi-auto pistols like the 1911, Glock, or Smith & Wesson M&P or when working on service rifles like the AR-15/M16. Multiple ridges molded into the grasping area in the middle of the tool help prevent slippage when working with oily or greasy hands. Available in **Black, Flat Dark Earth, and Foliage Green**. 

SPECS: Glass reinforced nylon, Black, Flat Dark Earth, or Foliage Green. Approximately 5" (12.7cm) long, 1/4" (6.4mm) diameter.

#100-003-708AF Armorer Tool, Black 1B06U49 . . . \$ 7.95

#100-003-709AF Armorer Tool, Flat Dark Earth, 1B06U49 . . . \$ 7.95

#100-003-710AF Armorer Tool, Foliage Green, 1B06U49 . . . \$ 7.95

AR-15/M16 ACCU-GRIP BARREL VISE JAWS

Fully-Lined Barrel Grooves
Prevent Slipping & Damage



Massive aluminum jaws lined with space age, polyurethane elastomer, grip tight and prevent marring. Two grooves fit standard and heavy barrel contours. 


SPECS: Machined aluminum with permanently bonded green polyurethane elastomer lining. 5" (12.7cm) wide, 1" (2.5cm) thick, 3 7/8" (9.8cm) long. 2 lb. 6 oz. (1 kg) wt. Fits 4" and wider vises.

#852-015-000AF Accu-Grip Vise Jaws, 2E00VBX . . . \$ 59.99

BROWNELLS MILITARY WEAPON TAKEDOWN TOOL

Dozens Of Uses In Field
Stripping A Variety Of
Military Firearms



Handy steel tool eases the task of field stripping a variety of military weapons, including the AR-15/M16/M4, M14, and L1A1 rifles, as well as the M2 and M240 machine guns. Use the pointed end to remove pins, retainers, clips, and other subassemblies—much easier than using the tip of a cartridge. The other end can serve as a slot-tip screwdriver or pry bar. Deeply knurled handle won't slip and has a solid feel in the hand; adjust handle position by loosening the two hex head screws. Dozens of uses on the workbench and in a field tool kit. 

SPECS: Steel, black oxide finish. 7 1/4" (18.4 cm) long.


#080-000-580AF Takedown Tool, 8K21Z95 . . . \$ 29.95

BROWNELLS AR-15/M16 MULTITASKER TOOL

Pocket-Packable
Multi-Tool With
Everything You Need
For Field Repair &
Adjustment
Of Your AR-15



Rugged, compact,
fold-open tool contains
an amazing array of


tools to service your AR-15 and many popular add-on accessories, all in a package that's barely 4" long when folded and fits in pocket, backpack, range bag, or the included nylon belt pouch. You get a castle nut wrench for collapsible carbine stocks, adjustment tool for four-prong A2-style front sights, 3/8" box wrench for accessory mounts from LaRue Tactical and others, angled carbon scraper with radiused tip, file with chisel-tip carbon scraper, 440C stainless Tanto-style blade with liner lock safety, extended-length needle-nose pliers, wire cutter, and a bit driver with five, interchangeable double-ended bits. Comes with 2 slot-head, 1 Phillips, and 5 hex-head bit tips, plus T10 and T15 Torx® head bits. Bits have a ball-detent locking system to ensure they stay securely in the driver. The Multitasker is made of hardened, tool-grade stainless steel, with a scratch-resistant, matte black hardcoat finish for exceptional strength, and grip panels of durable G10 fiberglass composite with checkered surface pattern for a firm grasp. 

SPECS: Stainless steel, matte black finish, with G10 fiberglass grips, matte black. 4 1/2" (10.5cm) OAL folded; 6 7/8" (17.5cm) OAL extended. Includes 5 double-ended driver tips with rubber storage sleeve and black 1000 denier nylon belt pouch.

#080-000-671AF AR-15 Multitasker Tool, 5C45Y80 . . . \$ 64.99

BUILD IT YOURSELF at brownells.com!

Building your own AR-15 has never been easier with help from Brownells. From parts selection and tools, to complete assembly techniques, our **How To Build an AR-15** video series takes you through every step of the custom build process.



C.J. WEAPONS AR-15/M16 MK-16 COMBO TOOL

Eleven Tools In One For Cleaning, Maintaining & Repairing Your AR

Compact, all-in-one pocket toolkit has 11 basic tools needed to clean and service any AR-type rifle just about anywhere—at the range, in the field, on deployment. Think of it as a Swiss army knife for your rifle that's so convenient and easy to use you may even reach for it at the workbench when other tools are available. All-steel construction with a durable, scratch-resistant black finish ensures years of service. Includes A1 (5-pin) and A2 (4-pin) front sight adjustment tools, A1 rear sight adjustment tool, bolt carrier carbon scraper, screw-on 8-32 tpi bronze brush for cleaning bolt and bolt carrier key, pull-through bore cleaning cable with patch loop (also accepts the brush), broken shell extractor, receiver extension nut wrench for rifles with M4-style collapsible stock, screwdriver that also serves as a bolt face carbon scraper, small pin punch for disassembling bolt, and large pin punch for removing receiver takedown pins. Folds up into a compact 4 1/2" x 1 1/2" x 1 1/4" package that weighs a little more than a pound and fits in its rugged ballistic nylon case that clips to your belt with a sturdy spring steel belt clip.

SPECS: Steel, black finish. 18 1/2 ounces (524g) weight. Fits .223/5.56 AR-type rifles including AR-15, M16A1/A2/A4, M4, and CAR-15. Instructions included.
#100-003-674AF MK-16 Combo Tool 5K69C99 \$ 89.99



SAMSON MANUFACTURING CORP. AR-15/M16 FIELD SURVIVOR TOOL

Indispensable All-In-One Tool System Stores In Pistol Grip



Versatile multi-tool is like an armorer's kit that fits in the palm of your hand and stores in the pistol grip of your rifle, so you'll always have it when you need it. Open it up, and you'll find an array of tools

for performing emergency repairs to get your AR back in action fast in combat, on the range, or in the field. There's a flat-blade screwdriver, broken shell extractor, carbon scraper, cotter pin hook for removing firing pin from bolt, A2 front sight adjustment tool, magazine feed lip gauge, feed lip adjustment tool, and a refillable stainless steel tube that holds just enough oil for one field lube. Use the wire brush for cleaning the bolt and carrier key, or remove the brush and attach it to the pull cable for bore cleaning using the shell extractor as a T-handle. When folded, the tool slides easily into a standard A2-type pistol grip. Twist the base to activate the compression lock system and anchor the tool securely in the grip—no movement, no rattling. Aggressive, molded "teeth" on the base serve as an emergency strike plate during hand-to-hand combat. Teeth are designed to create painful pressure points on impact, but won't snag on you or your gear during ordinary activity. Hardened, corrosion-resistant stainless steel components and mechanism are encased in a tough shell of nearly indestructible, reinforced polymer to ensure years of reliable service.

SPECS: Stainless steel and molded polymer. Fits in standard A2 pistol grip and similar grips with same-size cavity.
#100-004-235AF Field Survivor Tool, 1B95A65 \$ 119.99



BROWNELLS WEAPONS FIELD MAINTENANCE PACK



Complete, Dedicated Kit For Field Repair & Maintenance Of The M16/M4

Compact, model-specific field maintenance pack is designed for servicing M16/M4s during Military Ops. And, provide the soldier with all the required tools to field strip, repair, and maintain weapons while on the move. These are not run-of-the-mill cleaning kits, but carefully selected, high-quality field armorer tools dedicated to working on specific weapon types, so there is no confusion and no working time spent scrounging through a large field case of loose odds and ends. Individual pouches and compartments inside the water- and abrasion-resistant, denier Cordura case keeps all tools secure and separated to help minimize noise that could jeopardize your mission. Quiet, #9 YKK zippers with oversize pulls make it fast and easy to get tools in and out. Front panel features clear, I.D. card sleeve and loop strip for name tape. Includes two, nylon grab handles for easy carry. Made in the U.S.A. Field Pack Case is also available separately.

M16/M4 FIELD PACK - Allows complete weapon breakdown for routine maintenance and repair, plus includes tools for sight adjustments and field cleaning of the Colt M16/M4. Includes special tools for removal of barrel nut, flash hider and lower receiver extension without damage to any rifle component.

SPECS: Includes: #81 MAGNA-TIP® hollow screwdriver handle w/ Leupold windage (L/B) and #185-10 bits; 1/16", 1/8" and 1/4" pin punches; 1/2" drive handle; 3/4" nylon/brass hammer; buttstock tool; combination wrench; lower receiver vice block; A1/A2 sight wrench; carrier carbon scraper; Deluxe model buttstock cleaning kit. Approx. 5 lb. (2.3 kg) wt.
#080-000-458AF M16/M4 Field Pack, 8K194X49 \$ 258.99

FIELD PACK CASE - The same, heavy-duty, Cordura field case included with our Weapons Field Maintenance Packs. Made available separately for your additional tactical gear and accessories.

SPECS: Denier Cordura nylon, O.D. Green. 12" (30.5cm) long, 10 1/2" (26.7cm) high, 3 1/2" (8.9cm) thick.
#080-000-459AF Field Pack Case 8K44X76 \$ 59.95

AR-15/AR-STYLE .308 FLASH SUPPRESSOR TAP & DIE



Accurately Thread Custom Barrels, Easily Clean Up Standard Barrels, or Recondition Damaged Threads

A must when threading custom barrels or chasing threads on standard barrels. Use to make custom suppressors or clean up existing factory threads. Custom-made to factory specs.

SPECS: High-speed steel. AR-15/M16 - .500"-28 thread, 1 1/2" dia. body. AR-Style .308 - 9/16"-24 thread.
#080-598-528AF AR-15/M16 Flash Suppressor Tap, 6K22A33 \$ 29.99
#080-598-529AF AR-15/M16 Flash Suppressor Die, 6K13A73 21.97
#080-598-530AF AR-Style .308 Thread Cutting Die 2K20A20 25.25
#080-598-531AF AR-Style .308 Bottoming Tap 2K19A99 24.99

BROWNELLS AR-15/M16 RECEIVER TAPS & DIES



Chase & Clean Threads For More Accurate Installation

Chases and cleans the two most important threads on the AR-15/M16 receivers. **1.250"-18 tpi** - Corrects out of spec or cross-threaded upper receivers and barrel nuts. **1 1/16"-16 tpi** - Makes receiver extension (recoil buffer) tube and lower receiver threads uniform for easier installation.

SPECS: High-speed steel. Plug taps; 2 1/2" (6.3cm) diameter dies.
#080-598-180AF 1 1/16"-16 tpi Tap, 6K45Z44 \$ 59.99
#080-598-181AF 1 1/16"-16 tpi Die, 6K39Z92 49.97
#080-598-125AF 1.250"-18 tpi Tap, 6K55Z92 65.97
#080-598-126AF 1.250"-18 tpi Die, 8K38Z79 49.99

CLYMER

.223 & .308 CHAMBER REAMING KITS



Complete Kits For Safe, Accurate Chambering

High-quality

finish reamer and precision made headspace gauges make easy work when chambering a new barrel. Precision machined from high-quality steel for a lifetime of service when properly cared for. Finish reamers can be used in your lathe or hand-turned; perfect for fitting short chambered barrels. Includes headspace gauge to accurately measure chamber size and ensure a tight, safe chamber. Gauges are etched with "Go" or "No-Go" and caliber/gauge name for easy identification. Made to SAAMI specs.

SPECS: Reamer - M7 high speed steel, in-the-white. Right-hand cutting, six flutes. Solid pilot, integral throat. 1/16" round shank with 3/8" square drive. Headspace Gauge - Steel, in-the-white.
#184-000-043AF .223 Chamber Reaming Kit, 4H00PUA \$ 139.99
#184-000-044AF .308 Chamber Reaming Kit, 4H00BXC 139.95

CHAMBERING REAMERS



Top Brands Cut Precise Chambers For Superb Accuracy

MANSON PRECISION - Ground from M-7 steel by one of the most respected names in the industry. Made to SAAMI specs with an integral throater and fixed pilot.

SPECS: M7 High speed steel, in-the-white. Solid pilot, six, straight flutes, right-hand cut. 3/8" (9.5mm) square drive shank.

CLYMER - Made from best quality, M-7 High-Speed Steel. These are precision tools for the professional gunsmith.

SPECS: Six, right-hand cutting, straight flutes. Solid pilot, integral throat. 1/16" round shank with 3/8" square drive.

STK # FINISH	STK # ROUGH	CALIBER	PRICE
#513-050-120AF	NA	.223 Rem.	3A00HDZ \$ 100.00
#513-050-402AF	NA	.308 Win. Match	3A00XCH \$ 125.00
#513-050-400AF	#513-050-401AF	.308 Win.	3A00XYT \$ 100.00

STK # FINISH	STK # ROUGH	CALIBER	PRICE
#184-050-004AF	NA	5.56 NATO	4H00TPU \$ 115.95
#184-050-120AF	#184-050-101AF	.223 Rem.	4H00DZA \$ 89.99
#184-050-400AF	#184-050-401AF	.308 Win.	4H00DZA \$ 90.95



BROWNELLS MATCH RIFLE HEADSPACE GAUGES

In .001" Increments For Precise Measurement Of "Match Grade" Chambers

Covers every size chamber all the way from Go to Field. Perfect for match shooters, armorers, or sportsmen looking for the most accurate way to track locking lug and chamber wear on high quality, match grade barrels.

SPECS: Individual high speed steel gauges, hardened and ground. Kit contains 1 each of size listed, packaged in plastic case.

.223 (5.56 NATO) MATCH GAUGES			
STOCK #	SIZE/KIND	STOCK #	SIZE/KIND
#319-223-464AF	1.4636" Go	#319-223-470AF	1.4696" Field
#319-223-467AF	1.4666" No-Go		

.308 (7.62 NATO) MATCH GAUGES			
STOCK #	SIZE/KIND	STOCK #	SIZE/KIND
#319-308-630AF	1.630" Go	NEW 319-308-635AF	1.635" Match
NEW 319-308-631AF	1.631" Match	NEW 319-308-636AF	1.636" Match
NEW 319-308-632AF	1.632" Match	NEW 319-308-637AF	1.637" Match
NEW 319-308-633AF	1.633" Match	NEW 319-308-638AF	1.638" Field
#319-308-634AF	1.634" No-Go		

- Advise # -	Match Gauge	8K17D65 \$ 26.28
- Advise # -	Go, No-Go, Field Gauge	9A19D21 27.40
NEW 079-308-000AF	.308 Match Headspace Gauge Kit,	8K150H15 199.99

BROWNELLS

5.56mm (.223) HEADSPACE GAUGE



Factory Specified Size Measures M16/AR-15 Maximum Headspace

Made to the Colt factory's special dimensions for M16/AR-15 rifles. It measures the maximum factory acceptable headspace; essential on well-used guns or those that have been barreled.

SPECS: Hardened and ground steel. 1.65" (4.2cm) overall (this is NOT the "headspace" dimension). .3655" (9.3mm) diameter.
#319-418-033AF 5.56 Headspace Gauge 8K00CHD . . . \$ 16.99

CLYMER AR-15/M16/AR-STYLE .308 GO/NO-GO GAUGE SETS

Headspace Gauge Sets In Popular AR Calibers




Convenient kits contain "Go" and "No-Go" gauges for accurately checking chamber length to make sure it meets SAAMI specs. These gauges are essential tools for ensuring a tight, accurate, safe chamber when chambering a new barrel. Always have a set on hand to check for correct headspace before buying or firing a new gun. Comes in a handy, durable plastic carrying case.

SPECS: Steel, precision machined to SAAMI specs. Each set contains one go gauge and one no-go gauge in a single caliber as listed below.
#184-000-037AF .223 Rem. Headspace Gauge Kit, 4H00TPU \$ 50.99
#184-000-038AF .308 Win. Headspace Gauge Kit, 4H00VBX 50.99
#184-000-039AF 7.62 x 39 Headspace Gauge Kit, 4H00DZA 50.99
#184-000-042AF 9mm Luger Headspace Gauge Kit, 4H00DZA 50.99

YOUR 100% SATISFACTION IS OUR GUARANTEE!!

HEADSPACE GAUGES

Essential For Safe Chambering

Gives the proper chamber headspace dimensions so you know a firearm is safe to fire. GO gauge gives the SAMMI-recommended, minimum chamber depth. NO/GO is slightly shorter than the SAMMI-recommended to give a small safety margin maximum chamber depth. 

MANSON PRECISION - Precisely made by Dave Manson. *SPECS: M7 high speed steel, in-the-white, hardened.*

STOCK # GO	STOCK # NO GO	CALIBER
#513-100-240AF	#513-100-241AF	.223 Remington
#513-100-260AF	#513-100-261AF	.308 Winchester

— Advise # — **Manson Headspace Ga.** 3A00ZAY . . . \$ 30.00

CLYMER - Clymer GO gauges are marked with a green band, Clymer NO-GO gauges are marked with a red band. *SPECS: Machined Steel.*

STOCK # GO	STOCK # NO GO	CALIBER
#184-100-240AF	#184-100-241AF	.223 Remington
#184-000-035AF	#184-000-036AF	5.56 NATO
#184-100-260AF	#184-100-261AF	.308

— Advise # — **Clymer Headspace Ga.** 4H00TPU . . . \$ 25.00

FORSTER - Long-time industry standard made to the highest quality standards. *SPECS: Machined Steel.*


STOCK # GO	STOCK # NO GO	CALIBER
#319-223-464AF	#319-223-467AF	.223 Remington
#319-308-630AF	#319-308-634AF	.308 (marked .243)

— Advise # — **Forster Headspace Ga.** 9A19D21 . . . \$ 27.40

ACTION PROVING DUMMIES

Inert, Factory Spec Dummies Give Safe Function Testing




Manufactured to exact specifications, including diameter and length dimensions, weight and balance of factory loaded ammo, these DUMMIES have the proper functioning characteristics to reliably check magazine feeding, action timing, extraction and ejection of all guns. The only professionally accepted and safe way to check gun functioning; live ammo should never be used except in actual test-firing on the range - after you have checked the gun with DUMMIES. The very reasonable cost per DUMMY is an added incentive to use them regularly. The blackened case makes them distinct, and instantly recognizable as DUMMIES, which makes them ideal - and safe - to use as a sales aid. Especially useful when demonstrating how a particular gun functions or in gun safety instruction classes. They absolutely eliminate the chance of an accidental discharge. 

CENTERFIRE RIFLE DUMMIES

STOCK #	CALIBER	PER	PRICE
#367-223-005AF	.223 Rem.	5	7F07A38 \$ 9.82
#367-223-020AF	.223 Rem.	20	7F26A68 \$ 34.99
#669-308-005AF	.308	5	7F10D48 \$ 14.93
#669-308-020AF	.308	20	7F32D74 \$ 43.66

BROWNELLS Gift Certificate



When you don't know which of our many unique items to give, give a Brownells personalized Gift Certificate. Whether it's for a birthday, Christmas, or other special occasion, you'll be giving just exactly what your AR-15 enthusiast wants. 


#084-900-000AF **Brownells Gift Certificate,** 6D00HYG \$ Your Choice \$



BROWNELLS

BROKEN SHELL EXTRACTOR

Removes Broken Cases Without Field Stripping

Case head separation from over-fired or out of spec brass won't ruin your shooting experience if you keep one of these handy tools in your pocket or field kit. Hardened, steel tool reliably and easily removes broken cases from AR-type or any other firearm chambered for the .223/5.56 NATO or .308/7.62 NATO cartridges. Exclusive, threaded, two-piece design is adjustable for overall length, so the tool completely engages the rim of the case mouth; cannot slip through or strip out. Very simple to use, drop the broken shell extractor into the chamber directly inside the broken case. Allow the bolt to close so the extractor engages the rim of the tool and draw back the bolt to open the chamber. The broken case will eject along with the broken shell extractor.  *SPECS: Steel, blue. Models for .223 Remington/5.56 NATO or .308 Winchester/7.62 NATO cartridges.*

#080-000-441AF .223 Broken Shell Extractor, 8K16X24 \$ 19.99

#080-000-530AF .308 Broken Shell Extractor, 8K18C95 22.99



Caliber

C.J. WEAPONS

BROKEN SHELL EXTRACTORS

Fast, No-Fuss Removal Of Stuck Cases



Don't let case head separation put an end to your day at the range or in the field. Simple, reliable tool quickly and easily removes a stuck case from the chamber. Make sure gun is unloaded, then insert the shell extractor in the chamber and close the action, just like you're loading another round. The back of the tool takes the place of the missing case head, while the springy steel fingers slide through the case neck and expand to positively grab the case mouth. Manually work the action to extract the broken shell and the tool. Carry one in your pocket when shooting as cheap insurance against having your range day or hunt cut short. Fits ONLY the specified caliber. *SPECS: Steel, blued. Models for .308 and 7.62 x 39.*

#100-003-126AF .308 Broken Shell Extractor, 5K05D50 \$ 9.95



#100-003-128AF 7.62 x 39 Broken Shell Extractor, 5K05D50 9.95



BROWNELLS AR-15/M16 CARRIER KEY STAKING TOOL

Fast, Foolproof Staking Without Damaging Key, Screws, Or Carrier



Precision-machined, solid steel tool lets you stake the carrier key screws the best way—from the sides—to ensure they don't back out under the most strenuous rapid-fire conditions. Eliminates the hassle of trying to stake the screws with a hammer and punch that could slip and damage the key, screws, or carrier. Holds carrier securely and positions the key so it can be dimpled in the correct locations by tightening the four hex screws on the tool. An additional retaining screw on top of the tool prevents the carrier from moving. The tip of this screw is machined flat to make sure it applies even retaining force and won't mar the carrier. All screw tips are hardened to Rc 58-62 for durability. *SPECS: 1018 carbon steel, black oxide finish. 3" (7.62cm) long, 2" (5.1cm) wide, 2" high.*

#080-000-638AF **Carrier Key Staking Tool** 8K51U78 \$ 70.99

WANT MORE???
OVER 30,000
PRODUCTS ONLINE




BROWNELLS

EJECTOR REMOVAL TOOL

Eliminates The "Lost Parts" Hassle When Working On Rifle Bolts




Versatile fixture lets you remove plunger-style ejectors from standard .700" and .510" diameter bolts quickly and safely without launching parts across the room. Works for a variety of popular rifles, including AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako. Rugged, lightweight body machined from 6061 billet aluminum securely holds bolt while threaded, tool steel shank compresses and captures ejector spring and aligns the roll pin for easy removal with a punch. Gradually loosen the shank to relieve spring tension. 

SPECS: Anodized 6061 aluminum body, dark green, steel shank. 3 1/4" (9.7cm) long with shank fully screwed in, 2 1/4" (5.7cm) wide, 1 3/4" (4.5cm) high. Fits AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako rifles.

#080-000-420AF **Ejector Removal Tool** 8K40T52 . . . \$ 60.99

Sinclair AR-15/M16 BOLT VISE

Saves Time During Bolt Disassembly & Prevents Lost Parts

Convenient, easy-to-use tool holds the bolt assembly securely while you compress the ejector to remove the spring pin without the risk of the ejector and ejector spring flying out and getting lost. Eliminates the "annoyance factor" of a job that seems to require three hands. The pin drops out of the way through a hole in the vise body, allowing you to slowly back off the pressure on compression screw and capture the ejector and spring. Equally helpful during reassembly. Can also be used to hold the bolt while replacing gas rings and extractor. May be clamped in a bench vise for added support. Tough, yet lightweight aluminum and stainless steel construction for years of reliable service. 

SPECS: Aluminum body, anodized, black. Stainless steel compression screw, natural finish.


#988-000-003AF **AR-15/M16 Bolt Vise** 8H00VBX . . . \$ 26.95

YOUNG MANUFACTURING AR-15/M16 BOLT EJECTOR TOOL

Safe, Effective Bolt Maintenance, Prevents Loss Of Parts



Aluminum fixture securely cradles bolt and prevents flying parts. Threaded steel shank captures and compresses ejector

spring and aligns roll pin for easy removal with punch, loosens gradually to relieve spring tension. Works equally well for bolt assembly. Compact and light enough to take to the field. A must for all AR-15/M16 shooters. 

SPECS: Aluminum, Black anodized base. Steel shank. 4" (10.2 cm) long, 1 1/4" (3.2 cm) wide. 8 oz. (230 g) wt.

#939-000-003AF **AR-15/M16 Bolt Ejector Tool,** 9C36X23 \$ 44.99



BROWNELLS

BOLT EJECTOR TOOL

Faster Removal Of Plunger-Style Ejectors



Tough, steel clamp captures the bolt head, and the large-handled turnscrew depresses the ejector so the ejector pin can be safely removed or installed from bolts with plunger-style ejectors and




BROWNELLS AR-15

HAMMER DROP BLOCK

Saves The Frame & Your Thumb When Tuning AR-15 Triggers



Drop-in, Delrin block helps you gain a true feeling of trigger movement and pull weight without sacrificing your thumb. Go ahead, drop the hammer; this shock-

absorbing block prevents the hammer from striking the wall of the magazine well. Helps eliminate expensive receiver damage and broken hammers. Fits into the magazine well with the upper receiver open or removed, withstands thousands of hammer strikes. 


SPECS: Delrin, black. 2 1/8" (5.4cm) high, 3" (7.6cm) long.

#080-953-000AF **AR-15 Hammer Drop Block,** 8K20A74 \$ 25.99

BROWNELLS AR-15 HAMMER TRIGGER JIG w/DRY FIRE BLOCK

Takes The Guesswork Out Of Fine-Tuning Your Trigger



Easy-to-use fixture allows full assembly and testing of any AR-15 trigger prior to installation. Aluminum angle bracket with extended length trigger pins secures trigger group to side of lower receiver. Provides a clear, unobstructed view of the sear, hammer, and disconnect engagement points while under normal spring tension. Takes the guesswork out of achieving that perfect trigger pull. Durable, Delrin® dry fire block drops into magazine well for safe test firing. Great for trigger modifications, checking adjustments before installation, or for use as an armorer's training aid. A "must-have" for AR-15 trigger work. 

SPECS: Bracket - Aluminum with black, protective finish. Dry Fire Block - Delrin. Fits .154" dia. pin holes. Includes instructions.


#080-000-070AF **AR-15 Hammer Trigger Jig w/Dry Fire Block** 8K44X37 \$ 55.99



BROWNELLS AR-15/M16 MAGAZINE FEED LIPTOOL


Reforms Feed Lips For Improved Magazine Performance



Feeding problems and jams in your AR-15 can often be attributed to bent or malformed magazine feed lips. This easy-to-use tool is designed specifically to bend the feed lips back into place, so they guide the cartridge body like they're supposed to. Trying to straighten the lips with pliers can create rough, unsightly gouges, or worse yet, cracks in the metal that can't be repaired. The machined, steel shank with bevel cut and slot allows you to hook the lips and keep them supported, while you tweak their angle of contact on the cartridge case. Helps you recondition those old magazines, and saves the cost of buying new ones. 

SPECS: Handle - Impact-resistant polymer, black. Shank - Steel, blued finish. 5 1/2" (14cm) long.

#080-000-314AF **AR-15 Mag Feed Lip Tool** 8K09T81 \$ 12.99

forward-positioned locking lugs. **Set** includes turnscrews to fit both Standard and Small bolt faces plus separate bolt head retainers. One fits bolt bodies up to .720" diameter and the other fits AR-15/M16 bolts only. **AR-15/M16 Bolt Ejector Tool** also available separately. 

SPECS: Steel, blued. Plastic handle. Includes instructions.

#080-792-100AF **Bolt Ejector Tool Set** 8K27X54 . . . \$ 35.99

#080-792-002AF **AR-15/M16 Bolt Ejector Tool,** 8K16X53 20.99

MARK BROWN AR-15/M16/AR-STYLE .308 GASTUBE WRENCH

Protects Tube From Crushing
During Installation & Removal



Clamps around those fragile, easy-to-bend gas tubes to prevent damage during both removal and installation and adds a convenient "handle." **SPECS:** Steel, blued. Approximately 6" (15.2cm) long. **#133-100-015AF Gas Tube Wrench 3C00PUA \$ 22.99**

NORGON AR-15/M16 AMBI-CATCH™ TOOL

Ends The Pain & Hassle
Of Removing & Installing
The Magazine Catch

Convenient, patented tool gives you the leverage to keep the magazine release button completely depressed while removing the magazine catch. No more pinched, numb fingers or awkward balancing with a pen or plastic drift punch. You can hold the rifle and press down on the button with one hand and unscrew the catch with the other. Perfect for installing the Norgon Ambi-Catch, or for removing and reinstalling the factory catch during maintenance—as long as your rifle has the factory release button. One-piece construction of tough, solvent- and oil-resistant molded polymer. Fits easily in range bag, tool pack, or pocket. **SPECS:** Molded polymer in Black, Flat Dark Earth, or O.D. Green. Fits AR-15/M16/CAR-15/M4 with factory magazine release button. **#635-000-001AF Ambi-Catch Tool, Black 5C05Z95 . . . \$ 6.95**
#635-000-003AF Ambi-Catch Tool, Flat Dark Earth, 5C05Z95 6.95
#635-000-002AF Ambi-Catch Tool, O.D. Green, 5C05Z95 6.95

SPECIAL OPERATIONS TRAINING ACADEMY AR-15/M16 PIVOT PIN INSTALLATION TOOL

Takes The Frustration Out Of
Installing This Critical Part



Compact tool makes the tricky process of installing the pivot pin fast and easy by eliminating the need to apply pressure from two different planes while guiding the pin into the ears of the lower receiver. Puts an end to accidentally launching the spring and detent across the room while installing the pivot pin. Precision machined aluminum block and steel retaining pin fit between the pivot pin ears of the lower receiver to allow easy insertion of the pivot pin detent spring and detent, then keeps them in place while inserting the pivot pin. So simple, we wonder why nobody thought of this years ago! **SPECS:** Aluminum body, hardcoat anodized, red. Hardened steel retaining pin. **#100-003-308AF Pivot Pin Install Tool 6B22Y32 . . . \$ 27.99**

SPORTING CONVERSIONS AR-15/M16

TAKEDOWN TOOLS

Remove Takedown Pins & Mag
Catch Quickly

High-impact plastic tools drive out the front and rear takedown pins or help get the magazine catch out from your M16/AR-15 without scratching or marring the metal. Pushtool for the takedown pins comes in two versions: a bench model or a handy key ring model. Magcatch tool compresses the spring to make it easy to remove the magazine catch. **SPECS:** High-impact plastic, black. **#100-002-125AF Bench Model Pushtool 3A05X49 . . . \$ 7.49**
#100-002-126AF Key Ring Pushtool 3A05X95 7.95
#100-002-127AF Magcatch Tool 3A05X95 7.95

FA ENTERPRISES AR-15 BARREL THREAD ALIGNMENT TOOL



Ends The Frustration Of Crooked Threads

Keeps your die perfectly aligned when threading for flash suppressors and muzzle brakes. 1" long shank inserts in the barrel to provide an accurate pilot point based on the bore position. ½"-28 threaded guide portion is ½" long to help you get the die started correctly. **SPECS:** Stainless steel, in-the-white. 1½" (3.7cm) long, ½"-28 tpi. Fits AR-15 barrels with .224" bore size. **#246-000-031AF Barrel Thread Alignment Tool, 6D11U77 \$ 14.95**

GREEN EYES & BLACK RIFLES

The Warriors Guide To The Combat Carbine

Kyle E. Lamb. 219 pages. 8½"x11". Softbound. Over 400 B&W photographs. The author, a combat veteran passes along valuable lessons learned on the setup, operation, and deployment of the AR-15/M16/M4 that will help turn a novice into a pro. Teaches proven fundamentals along with non-traditional stances and shooting positions to enhance your shooting skills and improve accuracy. Over 75 pages on advanced techniques and tactics, both offensive and defensive, with detailed photographs that provide a step-by-step description. Separate sections on malfunctions, ballistics, accuracy, reloading, maintenance, and accessories. **#100-003-635AF Green Eyes & Black Rifles, 7K29P97 \$ 34.99**

Volume THE ART OF THE TACTICAL CARBINE


From the training arm of Magpul Industries, these hard-hitting programs cover development of a combat mindset and the techniques of employing a tactical carbine effectively under stress. Seasoned instructors with extensive real-world combat and competition experience, hosts Travis Haley and Chris Costa demonstrate the concepts through intensive live-fire drills captured in crystal clear, wide-screen video.

VOLUME I - DVD, 3 disc set, 4 hours. Provides a thorough grounding in the operational use of a tactical carbine. Topics include: gear selection, using optics and iron sights, stance, weapon grip/recoil control, shooting positions, tactical reloads, correcting malfunctions, shooting on the move, barricade drills, individual/team live-fire drills, threat analysis, multiple target engagement, transition to secondary weapon, and shooting around a vehicle. Disc 3 has detailed, multiple-angle breakdowns of drills from Discs 1 and 2 in slow motion, plus info on weapon accessories, disassembly and maintenance, storage, and transport of weapons. **#100-004-066AF Art Of The Tactical Carbine DVD Vol. I, 3K34H45 \$ 39.99**

VOLUME II - DVD, 4 disc set, 5 hours. Advanced course helps even seasoned operators hone their skills and develop better techniques and tactics for survival in combat, even when things go wrong. Topics include: balancing speed and accuracy, loading/press check drills, addressing threats off the line of attack, transitioning to a secondary weapon, dynamic shooting positions, switching shoulders with single- and two-point slings, advanced barricade techniques (including vehicles and urban environments), reflexive fire, coordinating with a partner, one-handed malfunction clearance, survival tactics, safety, and a MEDEVAC briefing. As in Volume I, disc 3 offers multiple-angle, slow-motion breakdowns of the drills demonstrated in the first two discs, while Disc 4 covers advanced weapons, gear, and accessories, including body armor. **#100-004-497AF Art Of The Tactical Carbine DVD Vol. II, 3K36H74 \$ 49.99**

GUN DIGEST® BOOK OF THE AR-15, VOLUME 2

Patrick Sweeney. 286 pages. 8½" x 11". Softbound. A generously illustrated look at the vast array of aftermarket parts and accessories for the AR-15, with plenty of tips and ideas for customizing your rifle. Detailed discussions of barrels, buttstocks, forearms, accessory rails, optics, backup sights, triggers, bolts, slings, flash suppressors, muzzle brakes, and complete lowers. Includes a survey of magazines and ammunition, plus a look at 6.8mm variants and Designated Marksman Rifles. **#491-000-021AF Gun Digest Book of the AR-15, Vol. 2, 1D20Z13 \$ 27.95**



HISTORY OF THE M16

A comprehensive, historical record of the design and development of the M16 battle rifle, including the behind-the-scenes politics. Follows the rifle from the beginning, tracing its development and detailing the calibers, accessories, sights, various models and much more. Well-written, eye-witness accounts of the actual events provide a narrative that's hard to put down. A must-have for shooters and collectors alike. Two volume set, available separately.

THE BLACK RIFLE, M16 RETROSPECTIVE - R. Blake Stevens. Edward C. Ezell. 416 pages. 8¾" x 11¼". Hardbound. Over 441 B&W photographs. Second printing of the original, 1987 1st edition. The standard reference source for anyone interested in researching the complex history of the M16 development. **#158-000-001AF The Black Rifle 8E50Z24 \$ 60.99**



BLACK RIFLE II, THE M16 INTO THE 21ST CENTURY - Christopher R. Bartocci. 408 pages. 8¾" x 11¼". Hardbound. Over 626 B&W photographs. Volume II begins where the original book leaves off, and starts with an in-depth discussion on the M16A2 previously unavailable. Continues with a fascinating, concise history that covers the Advanced Combat Rifle (ACR), Mk12 SOCOM, Colt 9mm SMG, Fourth-Generation M16, 6.8 SPC variants, and finishes up with the H&K M16. **#158-000-002AF Black Rifle II 8E56Z49 \$ 69.95**



THE AR-15 COMPLETE ASSEMBLY GUIDE



Walt Kuleck. 154 pages. 6" x 9". Softbound. Ideal book for anyone who wants to correctly assemble and disassemble AR-15s. Text and hundreds of photographs explain everything necessary to work on this gun. Divided into upper and lower receiver sections for easy reference during projects. **#261-000-003AF AR-15 Assembly Guide, 1F17X82 \$ 21.99**

THE M16/AR-15 RIFLE

Joe Poyer. 134 pages. 8½"x11". Softbound. This shooter's and collector's guide covers assembly/disassembly, cleaning and repair, how to shoot the AR-15 properly, where the parts came from, choosing the correct ammo, using optical sights, and building match rifles, plus, 22 Long Rifle conversions and .308 variants. **#637-000-001AF The M16/AR-15 Rifle 7C18Z62 \$ 22.95**



COLT AR-15 TAKEDOWN GUIDE

J. Martin. Approximately 14 pages. 8½" x 11". Covers field stripping and disassembly procedures for the Colt AR-15 rifle. Detailed, step-by-step instructions, with large photos of disassembly sequence and reassembly tips. **#100-002-254AF Colt AR-15 Takedown Guide, 7K06D36 \$ 7.95**

MILITARY FIREARMS MANUALS

29-250+ pages. Sizes range from 4¼" x 5½" to 5¼" to 8½". Reprints of original military manuals from the U.S. Army and the United States Marine Corps that include operating information, takedown and reassembly instructions, parts listings, help with stop-pages immediate action, and other technical specifications. Well-illustrated with diagrams and photographs. Exact content varies by manual. **#231-016-000AF USMC M16A2 W/E Manual, 3B05Y37 \$ 6.44**
#231-000-042AF US Army M16 Manual, 3B08Z53 12.99



BUILD YOUR OWN AR-15



Duncan Long. 98 pages. 5½" x 8½". Softbound. Comprehensive, how-to guide walks you through every step of building your own AR-15. Includes information on how to build your gun according to post-ban regulations. More than 40% of the book is devoted to assembly instructions; including easy-to-understand text and helpful illustrations. **#100-001-287AF Build Your Own AR-15, 1A15Z95 \$ 19.95**

THE AR-15 COMPLETE OWNERS GUIDE

Walt Kuleck & Scott Duff. 212 pages. 6" x 9". Softbound. Provides in-depth information needed to configure, select, operate, and maintain AR-15 rifles. Covers history, applications, details of components and subassemblies. Appendices include Colt model/serial number table plus a source list of parts and suppliers. **#261-000-001AF AR-15 Owners Guide 1F19X16 . . . \$ 23.95**



THE COMPETITIVE AR-15



Compiled and edited by Glen D. Zediker, 300 pages, photo illustrated, 9" x 11". Softbound. Covers modifying, shooting, maintaining and handloading a match-grade AR-15 for NRA High Power Service rifle, Match Rifle, IPSC Practical Rifle, sniper, varmint and other special purpose applications. Includes interviews with top AR-15 shooters, gunsmiths, barrel makers, ammunition producers, parts designers and manufacturers. **#995-102-000AF The Competitive AR-15 5Z24D00 . . \$ 29.95**

THE NEW COMPETITIVE AR-15

Glen D. Zediker. 470 pages. 7" x 10". Softbound. Not just a revision of Glen's first, ground-breaking AR book, but a completely new volume written from the ground up with the benefit of the author's 10 additional years of competitive shooting with the AR-15. Detailed discussion of receivers, triggers, bolts, bolt carriers, barrels and twist rates, gas system options, springs, magazines and mag components, grips, buttstocks, handguards, and the selection of these components for specific competition, tactical, and field applications. Plenty of straight talk on ammunition and handloading, cleaning, and troubleshooting. Plus comprehensive discussion of "iron" combat sights, adjustable target sights, scopes, red dots, and sight mounts. Almost half the book is devoted to 10 project guns built by Glen, including tactical carbine, high-power match rifle, "raceguns," varmint rifle, civilian-legal carbine, AR-style .308, and .22 LR conversions. Illustrated with 475 detailed black-and-white photographs. **#995-000-004AF The Competitive AR-15, 5Z24D99 \$ 34.99**



**HOW TO BUILD AN AR-15**

Produced by Brownells, this easy-to-follow, step-by-step video guide is your ticket to the custom AR-15 you've always wanted. Tim Dillon, Brownells Military/Law Enforcement Manager and a former U.S. Army small arms repair specialist, shows you how to build your own AR with features and accessories that'll help you shoot your best. You don't need to be an expert riflesmith or armorer because Tim walks you

through each step in plain English and crystal-clear video. He explains AR-15 models and variations, laws and regulation, specifications, operation, deciding what rifle to build, selecting and ordering parts, tools, step-by-step assembly, function testing, safety checking, cleaning, and maintenance. The presentation is divided into a series of short segments, each devoted to a specific subassembly or variation of one. Watch only the segments that apply to the rifle you want to build. If you decide to modify your rifle later, go back and just watch the segments that cover your planned changes. A big help taking apart subassemblies like the bolt and gas system for cleaning or troubleshooting, too. 1 DVD. 2 hours 10 minutes.

#080-000-587AF How To Build An AR-15 DVD, 5B21Z99 \$ 29.99

AMERICAN GUNSMITHING INSTITUTE VIDEO TRIGGER JOB COURSES

Robert Dunlap. VHS format. 42 minutes. Demonstrates the proper way to achieve safe, clean-breaking triggers on AR-15 rifles. Explains sear/hammer relationship; also covers tool selection. One tape per job. VHS format only.

#050-000-010AF AR-15 Trigger Job, 5K31U96 \$ 39.95

**AMERICAN GUNSMITHING INSTITUTE BUILDING THE AR-15**

2 hours 5 min. 1 DVD. Robert Dunlap demonstrates building a complete AR-15. Covers assembling the upper and lower receivers, bolt, bolt carrier and head spacing the barrel, trigger and safety function, fitting and installing all parts and final tuning. DVD format only.

#050-000-016AF Building The AR-15 5K32U09 \$ 39.99

**AMERICAN GUNSMITHING INSTITUTE VIDEO ARMORER'S COURSES**

Bob Dunlap. DVD format. 120 minutes. Well lit, professionally photographed with sharply focused close-ups and good sound quality. Unique, classes go from history and design through a detailed stripping, cleaning and inspection; each covering the AR-15 rifle. You get a close-up look at the identifying features. A How-It-Works section is followed by detailed, one-step-at-a-time disassembly instructions. You'll learn many handy tips, like when to watch out for, and prevent, flying springs. Next, Dunlap does a thorough cleaning and oiling, pointing out things to look for which indicate problems that can be corrected before they cause a malfunction. The reassembly portion isn't just "reassemble in reverse order". You'll stop and look at the parts, learn exactly how to put the pieces back together correctly and pick up more repair tricks. Tuning Tips shows you ways to make sure the gun functions better than it did when you started. Accessories covers spare parts you should keep around, and why. Throughout the tapes you'll pick up troubleshooting tips and cures.

#050-000-028AF AR-15 Armorer's Course, DVD, 5K31A96 \$ 39.95



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

ADVANCED ARMAMENT AR-15/M16 ACCESSORY MOUNTING RAIL

Provides Solid Mounting For Accessories



Picatinny rail provides quick, secure mounting for weapon lights, lasers and vertical grips. Bolts to existing handguard holes and is compatible with mil-spec handguards for M16A2 rifles and M4 carbines, including those with or without heatshields. Installation requires removal of a single heatshield on handguards with double heatshields. **SPECS:** Aluminum alloy, hardcoat anodized, matte black. 5 $\frac{3}{8}$ " (13.7cm) long. Includes all mounting hardware, tools, and instructions. Fits carbine handguards with 6 or 7 vent holes.

#276-000-007AF AR-15 Accessory Rail 6G21V92 \$ 26.99

AMERICAN DEFENSE QUICK-RELEASE ACCESSORY MOUNT

Patented, Easy-On/Easy-Off System For Mounting Lights, Vertical Grips & Other Accessories



Convenient, quick-detach mount clamps solidly to almost any Picatinny or Weaver-style rail for mounting weaponlights, vertical grips, lasers, optics, and other accessories that need to be removed and reinstalled quickly. Increases the flexibility of your weapon and allows quick changes of accessory configuration to meet individual mission requirements. Patented lever-lock system will not work loose under recoil; the more force acting on the lever, the tighter it locks, yet when you depress the release tab, the lever swings open easily. Adjust gripping force with a flat head screwdriver or coin for an ultra-secure fit even on non-mil-spec, over- or under-sized rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Locking bar on the side of the mount engages maximum rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement with rail slots. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. 2 $\frac{1}{4}$ " (5.7cm) long. Provides .615" (1.6cm) standoff from weapon rail.

#100-003-648AF Quick-Release Acc. Mnt 7B79X95 \$ 99.95

ATLAS METAL PARTS AR-15/M16 ACCESSORY LIGHT MOUNT

Solid Mounting For Lights & Lasers

Solidly clamps to either side of an AR-15, front sight base. Features two Picatinny rails to hold lights, lasers, sling adapters and other accessories. Machined for a secure fit so it won't rotate or twist out of alignment. **SPECS:** Aluminum, anodized, Black, matte. 1 $\frac{3}{4}$ " long. 2.3 oz. (66g) wt.

#100-000-727AF AR-15 Light Mount 7K35Z95 \$ 44.94

COMMAND ARMS FLASHLIGHT/LASER MOUNT

Adjustable Five-Position Mount, For Rifle Or Pistol Accessory Rails



Flashlight/laser mount pivots and locks into five positions, up to 90 degrees left or right of center; allows quick repositioning of laser sight or flashlight as situation dictates. Spring-loaded push-button for fast installation on Picatinny and Weaver-style rails. Integral mounting ring firmly clamps 1" diameter lights or laser sights. Made from high strength, fiber-filled polymer composite. **SPECS:** Fiber-filled polymer composite, black. 2 $\frac{3}{4}$ " (7cm) long, 1 $\frac{1}{2}$ " (3.8cm) wide, 2 $\frac{1}{2}$ " (6.3cm) high. 2.8 oz. (79g) weight. Fits 1" O.D. flashlight/laser.

#100-003-353AF Flashlight/Laser Mount 2Z20H00 \$ 29.99

**COMMAND ARMS TACTICAL LIGHT MOUNT**

Get Flashlight Illumination & Keep Both Hands On Your Gun

Injection-molded, reinforced, polymer-resin mount makes it easy to use your flashlight in tactical situations. Screw-adjustable, radiused pads hold light tightly in place; push-button locking system gives quick attachment and removal. Use on AR-15/M16, Glock, Sig, and Smith & Wesson guns equipped with Picatinny or Weaver-style rails. **FAS2 Mount** accepts Surefire® lights; **FAS3 Mount** accepts Scorpion® lights. **SPECS:** Polymer, Black. 1 $\frac{1}{4}$ " (4cm) long, 1 $\frac{3}{4}$ " (4cm) high, 1 $\frac{1}{4}$ " (3.2cm) wide. **FAS2 Mount** - 1 $\frac{1}{16}$ " (2.7cm) I.D.; **FAS3 Mount** - 3 $\frac{1}{32}$ " (25mm) I.D. **BK 1 Mount:** Polymer, green 1 $\frac{1}{8}$ " (4.7cm) long. 1 $\frac{1}{8}$ " (4.1cm) high. .75" (1.9cm) I.D.

#100-001-022AF FAS2 Mount 2Z18A93 \$ 25.49
#100-001-023AF FAS3 Mount 2Z18A93 \$ 25.49
#100-002-606AF BK 1 Tactical Light Mnt 2Z19A07 \$ 28.59

COMMAND ARMS AR-15/M16**TRIPLE RAIL HANDGUARD MOUNT**

Expands Accessory Mounting Options On A2-Style Handguards



Compact, Picatinny rail system greatly expands the accessory mounting options on AR-15/M16 rifles with A2-style handguards, while keeping clutter to a minimum. Mounts on top or bottom of handguard to provide fixed side rails positioned 45 degrees left and right of center, plus a center rail that can be positioned up to 1 $\frac{1}{4}$ " forward of the mount, or completely removed for unobstructed use of iron sights. Fits both, standard and thickened head shields. Made from tough, fiber-filled polymer composite. **SPECS:** Fiber-filled polymer composite, Black. 3 $\frac{1}{8}$ " (8cm) long center rail, 2 $\frac{1}{2}$ " (6.3cm) long left and right rails, 2 $\frac{1}{2}$ " (6.3cm) wide, 1 $\frac{1}{4}$ " (3.2cm) high. 1.8 oz. (51g) weight.

#100-003-352AF Triple Rail Mount 2Z14H27 \$ 20.39

CUSTOM DEFENSIVE PRODUCTS AR-15/M16 BAYONET LUG ACCESSORY MOUNT

Easy Forward Mounting Of Tactical Lights & Lasers

Provides a quick, convenient platform for tactical lights and other shooting accessories that mount on a Picatinny rail. Installs on any AR15/M16 variant equipped with a standard issue sight tower with bayonet lug. Installation is easy: simply drill out the forward sling swivel rivet, slide the Accessory Mount over the bayonet lug, and secure the mount through the swivel rivet hole with provided Allen screw. Specifically designed for the Surefire X200 and Insight Technology M3X series tactical lights. Precision CNC Machined from T6061 aluminum billet, then hard anodized with a MIL-A-8625F, Type III black finish for superior wear-resistance. Integral, sling attachment loops allow forward sling mounting. **SPECS:** Aluminum, matte black, Mil-Spec anodized finish. 2 $\frac{1}{4}$ " (5.7cm) long, .831" (2.1cm) wide. 2 oz. (56g) wt.

#100-002-594AF Bayonet Lug Accessory Mount, 5A44Y95 \$ 55.95

DANIEL DEFENSE PAK™ OFFSET**FLASHLIGHT MOUNT**

Mounts Your Tactical Light In The Best Possible Position For Deployment



Clamp-on mount puts your tactical light behind and directly to the side of the vertical grip, so your thumb rests naturally on the light's on/off switch. Keeps thumb movement to the switch deliberate and helps prevent accidental light discharges. **PAK™**

DANIEL DEFENSE AR-15/M16 ONE O'CLOCK OFFSET RAIL

For Convenient Mounting Of Auxiliary Optics, Lights & Other Accessories



Lightweight, low-profile, rail clamps to handguard side rail to allow easy off-axis mounting of red dot sights in the 1:00 or 11:00 position. Lets operator transition almost instantly from long-range primary optic to non-magnified CQB sight without breaking cheek weld. Viewing tunnel through the mount helps minimize obstruction of operator's view of area around the target. Plenty of other uses, too; clamps to any MIL-STD 1913 Picatinny rail. Install on underside of handguard to position a laser or weaponlight close to vertical forend grip for easy operation of controls with support hand. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength. Side bar and crossbolt locking system ensures secure, zero-movement attachment to primary rail, yet allows removal and reinstallation of backup sight without loss of zero. **SPECS:** 6061-T6 aluminum, hardcoat anodized, matte black. 1.2 oz. (34g) weight.

#100-003-943AF One O'Clock Offset Rail, 8K36B86 \$ 44.99

DOUBLE STAR AR-15/M16 PICATINNY ANGLE MOUNT

Offsets Add-On Tactical Accessories For Unobstructed Use of Primary Sights



Low-profile, add-on rail lets you mount a flashlight, laser, red dot sight, or other tactical accessory at a 45° angle, so it's close to the rifle's center line without obstructing your primary sight system. Precision-machined aluminum body uses a full-length steel clamping bar and three hardened steel socket head bolts to anchor the mount securely to any Picatinny rail with minimal weight increase to your weapon. Five cross-slots; accepts Picatinny and Weaver-style accessories. **SPECS:** Aluminum, anodized, matte black finish. 2 $\frac{1}{8}$ " (5.4cm) long, 1 $\frac{7}{8}$ " (4.8cm) wide, 1 $\frac{1}{16}$ " (1.8cm) high. 2.3 oz. (66g) wt.

#100-003-301AF 45° Picatinny Angle Mount, 2Z18Y99 \$ 24.99

FALCON INDUSTRIES AR-15/M16 UNIVERSAL ACCESSORY MOUNTING PLATFORM

Easy Installation; Mount Tactical Accessories

Injection-molded, nylon-based, polymer platform installs easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts picatinny and Weaver-style accessories. **SPECS:** Injection-molded polymer, Black. 5 $\frac{3}{8}$ " (14.3cm) OAL. **#573-000-027AF Universal Accessory Mounting System, 3G07P86 \$ 11.00**

(Positive Action Knob) can be easily hand-tightened and loosened for fast attachment and removal. Mounts on either side of Picatinny-railed handguards to accommodate right- and left-hand shooters. **SPECS:** Aluminum, matte, black, anodized finish. 1" (2.5cm) long, 1 $\frac{15}{16}$ " (4.9cm) wide, 2 $\frac{5}{8}$ " (6.7cm) high. Accepts flashlight body tubes 7 $\frac{1}{8}$ " (2.2cm) to 1" diameter. Fits Mil-Spec Picatinny rails.

#100-002-986AF PAK Flashlight Mount, 8K62V58 \$ 69.99

FALCON INDUSTRIES AR-15/M16

UNIVERSAL MOUNTING PLATFORM

Quickly Mount Accessories To AR Handguards

Lightweight mount attaches to AR-15 handguards; gives quick, sturdy mounting for lights, forward grips, bipods and tripods. Fits standard, round, plastic, AR-15 and CAR-15 handguards without removing the heat shield. Requires removal of heat shield to fit M4 handguards. Can be attached to top or bottom handguard. Accepts Weaver-style accessories. 4" w/adaptor permits use with 2" diameter aluminum float tubes, also fits standard handguard.

- SPECS:** Aluminum, anodized, black. 2", (5cm), 4" (10.1cm) and 6" (15.2cm) long. Includes mounting bolts and hardware. **4" w/adaptor and 6" Platform** also include low profile rail covers.
- #573-000-017AF **3" Mounting Platform 3G12P69** . . . \$ 15.99
 - #573-000-009AF **4" Mounting Platform 3G21P15** . . . \$ 24.99
 - #573-000-018AF **4" Mounting Platform w/adaptor, 3G22P54** . . . \$ 27.99
 - #573-000-019AF **6" Mounting Platform 3G23P79** . . . \$ 28.99



MIDWEST INDUSTRIES AR-15/M16

MX-SERIES TACTICAL LIGHT MOUNT

Front Sight Mount For Flashlight, Laser Sight & Other Tactical Accessories

Adds two, symmetrical, single-slot, Picatinny rails to your standard, front sight. An excellent alternative to swapping out a perfectly good handguard for a railed, forend tube in order to mount accessories. Helps give the right elevation for lights and laser sights in relation to bullet point-of-impact. Precision-cut angles and tapers deliver an extremely rigid mounting system that can't shift or rotate once tightened.

- SPECS:** 6061 aluminum, hardcoat anodized, black. 1 3/4" (4.4cm) long.
- #100-002-061AF **MX Tactical Light Mount, 2A26U00** . . . \$ 34.99



MOUNTING SOLUTIONS PLUS AR-15/M16 ADD-A-RAIL ARMORER'S KIT

Install Tactical Accessory Rails On Factory Plastic Forearms



Convenient, easy-to-use kit lets you install forend accessories that require a Picatinny-type rail without replacing the rifle's A2 or M4 factory plastic handguard. Bolt-on rails of tough, reinforced injection-molded polymer let you mount lights, vertical grips, bipods, Grip Pod™, lasers, infrared

illuminators, and other tactical accessories exactly where you need them—on top, bottom, or at any angle on the sides of the forearm. Kit includes 10 rails, mounting hardware, and illustrated instructions for installing on common A2-style, M4, and commercial carbine handguards. Even includes drill bit for drilling pilot holes, Allen wrench, spanner wrench, and clear plastic storage box.

- SPECS:** Rails – Injection-molded polymer, black. Hardware – Steel & polymer. Kit contains (10) 3 1/2" rails and (15) each 8-32 flat head screws, 8-32 pan head screws, washers, screw nuts, shoulder washers, flat washers, large bushings, small bushings, and fenders. Also includes #19 drill bit, Allen wrench, spanner wrench, storage case, and instructions.
- #100-003-826AF **Add-A-Rail Armorer's Kit, 1K122Y76** . . . \$ 149.99



SAFARILAND AR-15/M16

RK-M4 FOREND RAIL MOUNT

Easiest Way To Get Accessory Rails Up Front Without Changing Handguard

Rugged polymer mount is the quickest way to get accessory rails up front without having to get a new handguard or modify your rifle. Clamps securely over the factory plastic handguard to provide rail mounting space for lights, lasers, IR illuminators, vertical grips, bipods, and other tactical accessories. Provides one 3/4" bottom rail along the centerline of the barrel and two 1 3/4" long top rails offset at a 45° angle to allow installation of a weaponlight or laser sight without interference from front sight. Reversible design can be mounted upside down. Reinforced injection-molded polymer is strong, yet lightweight, with no sharp edges to snag on gear.

- SPECS:** Injection-molded polymer, matte black. 3 3/4" (9.5cm) long x 3" (7.6cm) wide x 3 1/2" (8.9cm) high. 3 oz. (86g) weight. Mounting hardware and installation instructions included.
- #797-000-129AF **RK-M4 Forend Rail Mount, 7G31Z42** . . . \$ 39.99



SOG ARMORY M16/AR-15

GRAPHITE RAIL SYSTEM

Add Picatinny Accessories To Standard Round Handguards

Heat-resistant, graphite rail aligns with vent holes on standard issue, round M16/AR-15 handguards and lets you mount picatinny rail accessories without the expense of new handguards. Aluminum backing plate mounts on inside of handguard and attaches to rail with two screws (included) and can be mounted to full stock AR-15/M16, CAR, and M4 handguards. Installs with no permanent modifications to the handguard.

- SPECS:** Heat-resistant graphite, black. Aluminum backing plate. 2.16" (5.5cm) long. Mounting screws included.
- #100-002-209AF **Graphite Rail System 9A10B00** . . . \$ 16.95



SOG ARMORY AR-15/M16 TRI-RAIL ACCESSORY MOUNT WITH SLING SWIVEL

Space For Three Accessories



Add three, forward-mounted accessory rails and a multi-position, quick-detach sling swivel to your AR-15/M16 without permanent alterations to your rifle. Clamps securely around existing front sight housings with or without a bayonet lug. Push-button sling swivel can be repositioned quickly between six mounting holes, two per rail, for the ultimate in versatility. True, Picatinny cut allows mounting optics, lasers, lights, night vision gear, and a wide variety of other tactical accessories. Precision-machined from rugged, billet aluminum and hardcoat anodized for superior strength and wear resistance.

- SPECS:** Aluminum, hardcoat anodized, matte black finish. 1 1/16" (4.5cm) long, 2" (5.2cm) wide, 2" (5.2cm) high. Hardened-steel, Allen-head set screws included.
- #100-002-410AF **Tri-Rail Acc. Mount 9A52T46** . . . \$ 69.95

STREAMLIGHT® AR-15/M16 TACTICAL ILLUMINATOR MOUNT

Fits Standard Handguards For Mounting Streamlight Lights & Lasers

Tough, polymer mount attaches to plastic USGI-style AR-15 handguards to accept your Streamlight TLR-1, TLR-2, M3, M5, or M6 light/laser. **SPECS:** Polymer, black. 1.925" (4.9cm) long, .825" wide (2.1cm), .25" (6.4mm) high. Accepts Streamlight M3, M5, M6, TLR-1, and TLR-2 lights. Instructions included.

- #100-000-831AF **Tactical Illuminator Mnt 1K19X99** \$ 20.99



TACSTAR UNIVERSAL FLASHLIGHT MOUNTS

Steel, Two-Piece Mount Clamps Securely To Barrel


Made especially to mount flashlights to your shotguns and rifles without modifications to the barrel. These all-steel, two-piece light mounts fasten securely to the barrel with two Allen head screws. Available in four different flashlight/barrel sizes. Allen wrench and two spare screws included.

- SPECS:** Steel, gloss black finish. **#1 Mount** – Attaches 3/4" light to 1/2" to 3/4" barrel. **#2 Mount** – Attaches 1" light to 1/2" to 3/4" barrel. **#3 Mount** – Attaches 3/4" light to 3/4" to 1" barrel. **#4 Mount** – Attaches 1" light to 3/4" to 1" barrel. Two extra Allen head screws included.
- #867-000-008AF **#1 Universal Flashlight Mount, 7F14Y66** . . . \$ 21.98
 - #867-000-009AF **#2 Universal Flashlight Mount, 7F14Y66** . . . 21.98
 - #867-000-010AF **#3 Universal Flashlight Mount, 7F14Y66** . . . 21.98
 - #867-000-011AF **#4 Universal Flashlight Mount, 7F14Y66** . . . 21.98



TACTICAL NIGHT VISION SCOPE ACCESSORY RAIL

Securely Mounts Accessories Directly To Scope Tube



Compact accessory rail clamps directly to scope tube to provide mounting space for holographic sights, lasers, IR illuminators, flashlights, and other accessories that fit Weaver-style rails. Increases accessory mounting options, especially on bolt guns, without restricting your scope base and ring options. Short enough not to interfere with rings, turret, or scope objective, yet provides adequate rail length to accept a wide variety of devices. Rail mounts at any angle on the scope tube and positions alternate sight close to the scope axis, so switching between main and secondary sights requires minimal head movement. **SAR-1** fits 1" scope tubes and can also be installed on the magazine tubes of many tactical shotguns. **SAR-3P** fits 30mm scope tubes and has one MIL-STD 1913 Picatinny slot in the middle of the rail to accommodate accessories that require a Picatinny mount. An Aimpoint Micro T1 red dot sight fits perfectly on this rail with no overhang. **SAR-3PS** is the slim-line version of the 3P, with a ring that's 1/4" thick (vs. .720" on the 3P) for mounting on scopes with limited tube length. **SAR-4** fits 34mm scope tubes. Made of lightweight, precision machined aluminum and hardcoat anodized for added strength to withstand the pounding of recoil without losing adjustment.

SPECS: Machined aluminum, hardcoat anodized, matte black. **SAR-1** – 1.75" (4.5cm) long rail. 1.1 oz. (31g) weight. Fits 1" scope tubes. **SAR-3P** – 1.56" (4cm) long rail. 1.1 oz. weight. Fits 30mm scope tubes. **SAR-3PS** – 1.56" long rail. .6 oz. (18g) weight. Fits 30mm scope tubes. **SAR-4** – 1.75" long rail. 1.2 oz. (34g) weight. Fits 34mm scope tubes.

- #100-003-129AF **SAR-1 Scope Accessory Rail, 1B59D95** . . . \$ 78.95
- #100-004-324AF **SAR-3P Scope Accessory Rail, 1B59X95** . . . 78.95
- #100-004-323AF **SAR-3PS Scope Accessory Rail, 1B59X95** . . . 78.95
- #100-003-546AF **SAR-4 Scope Accessory Rail, 1B69A95** . . . 84.95



VIKING TACTICS FLASHLIGHT/LASER MOUNT



Offset Design For Fast, Easy Access To Activation Switches

Extra-wide, offset base mounts flashlights and lasers to any railed handguard for easy light/laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9- o'clock positions to accommodate right- and left-hand shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC alloy thermoplastic that's resistant to most solvents. Fits flashlights and lasers from .800" to 1" diameter.

SPECS: PVC alloy thermoplastic, Black or Coyote Tan. 1 1/2" (3.8cm) long, 2 1/2" (6.3cm) wide, 1 1/4" (3.2cm) high. 1.8 oz. (51g) weight. Fits .8" (20mm) to 1" (2.5cm) diameter flashlight and laser.

- #100-004-371AF **Flashlight/Laser Mount, Black, 7K21V23** . . . \$ 26.99
- #100-004-372AF **Flashlight/Laser Mount, Coyote Tan, 7K21V39** . . . 26.99

HELP YOUR BOTTOM LINE

BrownellsBusinessAdvantage.com

VLTOR SCOUT MOUNT

Turns Handheld Flashlight
Into Compact, Rail-Mounted
Weaponlight



Flashlight not included

All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triple-function cross-bolt with large, easy-grasp thumb-screw tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny or similar accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below. ■

SPECS: Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. **SM-E** fits lights with .810" to .826" O.D., including SureFire Executive series. **SM-CK** fits lights with 1.010" to 1.026" O.D., including SureFire Classic series with diamond knurled bodies and Blackhawk Gladius. **SM-G** fits lights with 1.025" to 1.040" O.D., including SureFire Nitrolon G Series.

#100-003-714AF SM-E Scout Mount, 3A29U95 \$ 34.95
#100-003-716AF SM-CK Scout Mount, 3A30U29 34.99
#100-003-715AF SM-G Scout Mount, 3A30U29 34.99

WARNE PICATINNY SIDE-MOUNT ADAPTER

Fits Any Picatinny 1913
Mount, Perfect For Holding
Tactical Accessories



Aluminum, space-saving, side-mount adapter fits on Picatinny rails to let you mount flashlights, laser-light systems, red-dot scopes, and more. Attachment leg doesn't interfere with the mounting of your scope; no need to sacrifice optics for accessories. Will not fit Weaver bases. ■

SPECS: Machined aluminum, powder-coated, black, matte finish. Approximately 1" (2.54cm) long, 27/32" (21.4mm) wide.

#947-000-095AF Picatinny Side-Mount Adapter, 7D23T24 \$ 25.35

YANKEE HILL MACHINE AR-15/M16 TRIPLE MOUNT

Solid, Clamp-On Design;
Fits Around The Sight Tower



Compact, aluminum, tri-rail mount provides efficient use of the limited space on your rifle when attaching tactical accessories using Picatinny/Weaver-style rings or mounts. Slides over the muzzle end of the barrel and contours of your Mil-Spec front sight tower; relief cut at the bottom prevents interference with the bayonet lug. Installation does not require removal of most military-style flash suppressors. Bushing sets (included) provide proper fit on .720" and .750" diameter barrels. Two hex screws ensure uniform clamping pressure around the barrel for maximum holding power. ■

SPECS: Aluminum, matte black, Mil-Spec phosphate coating. 2 1/2" (6.4cm) long, 2" (5.1cm) wide, 2" high, 4 oz. (113 g) wt.

#100-002-168AF Triple Mount for AR-15/M16, 9A67T50 \$ 90.00



YANKEE HILL AR-15/M16 MINI RISER ASSEMBLY

Adds Extra Mounting Space
For Small Accessories

Compact, Picatinny mini-riser is perfect for raising lasers, lights, sights, and other essential accessories that need a little extra lift or clearance. Constructed of aircraft grade aluminum and hardcoat anodized for extra-durability and long-lasting wear. Milled out center slot considerably cuts down on weight. Fits Picatinny rail systems with two slightly oversized screws to increase clamping power. ■

SPECS: Aluminum, hardcoat anodized, black. 1 5/16" long, 1 1/4" (3.1cm) wide, .72" (1.8cm) overall height. 1.1 oz. (31g) weight.
#100-002-858AF Mini Riser Assembly 9A11U81 ... \$ 16.99

YANKEE HILL MACHINE DOVETAIL ANGLE MOUNT

Solid, Offset Mount For Lights & Lasers;
Prevents Interference With Primary Sights



Lightweight, clamp-on rail eliminates the issue of front sight obstruction when mounting a tactical flashlight or laser sight to AR-15/M16, handgun rails. Raised, 45° offset keeps light/laser outside the sight picture when using iron sights or optics. Compact, 3-slot rail accepts a Weaver or Picatinny ring. Aluminum body with steel, clamping jaw provides superior holding strength with minimal weight increase. ■

SPECS: Aluminum, matte black, Mil-Spec, hard coat finish. 1 3/8" (3.5cm) long, 1 3/8" wide, 7/8" (2.2cm) high. 1.2 oz. (34 g) wt.
#100-002-095AF Dovetail Angle Mount 9A19V50 ... \$ 26.00

ACCURACY SPEAKS AR-15/M16 EXTENDED REVERSIBLE SCOPE BASE

Properly Positions Dot Sights &
Large Scopes On Flattops



Reversible, clamp-on base has neutral angle normal ranges or 15° forward angle that adds elevation for long-range shooting. Accepts large objective scopes without extra high rings. Extra 3" of forward rail correctly locates scout scopes and dot sights. Accepts Weaver-style rings. ■

SPECS: Aluminum, black. 10" (25.4cm) long. 1/2" (12.7mm) high.
#054-100-200AF Extended Scope Base 4E126H69 .. \$ 156.99

AIMPOINT AR-15/M16 MOUNT FOR COMP SERIES SIGHTS

Easy, Fast, Secure Mounting To Flattop



Single-ring mount for attaching Aimpoint Comp series red dot optical sights or any similar sight requiring a single 30mm ring to a flattop AR-15/M16 receiver. Four, hardened steel hex-head screws securely anchor ring halves together for even ring contact around entire circumference of sight. Extra-long scope ring provides ample contact area with scope to prevent slippage of sight under recoil. Oversize thumbscrew with easy-to-grasp knurled head has built-in torque limiter to prevent damage to rail caused by overtightening the screw; allows repeated removal and reinstallation of sight without loss of zero. Machined from strong, lightweight aluminum, hardcoat anodized for added strength and wear resistance, with a matte black finish to match most factory gun finishes. **Co-Witness Spacer** fits into QRP mount to raise the sight axis of Comp red dot optics for proper co-witnessing with factory-height backup iron sights. Blends smoothly into contours of mount for a streamlined one-piece appearance. Comes with four, extra-length hex head screws and Allen wrench. ■

SPECS: Aluminum, hardcoat anodized, matte black.
#100-003-594AF QRP Quick-Release Picatinny Mount, 7A98H47 \$ 112.00

#100-004-137AF Co-Witness Spacer 7A13T12 15.00



Mounts AMERICAN DEFENSE AR-15/M16

QUICK-RELEASE OPTICS MOUNTS



AD-Scout mounts shown

Rock-Solid Mounts With Patented Quick-Detach System

Patented quick-release lever-lock system clamps solidly to flattop rail and will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the mount easily lifts off the rifle. Adjustable with a flat head screwdriver or even a coin for an ultra-secure, no-slip fit on almost any Picatinny or Weaver-style rail, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Large locking bar on the side of the mount engages the maximum amount of rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement of rail slots to prevent movement under recoil. Five heavy duty steel hex head screws (three on top, two on bottom) clamp the vertically split ring halves together. Cutouts in the ring sides and in the base reduce weight without sacrificing strength.

AD-68 AIMPOINT MOUNT - Designed for Aimpoint optics or similar aiming devices requiring a single, 30mm ring, including the Comp C3 and M2/ML2/M3/ML3 series. Available in four configurations to suit a variety of mounting needs. **Standard** co-witnesses "iron" sights near the center of the optic when mounted on an AR-15/M16/M4 with standard-height mil-spec sights. **Low** positions the scope as close as possible to the top of the receiver. **High** positions the backup sight picture in the lower 1/3 of the optic viewing area. **Cantilever** provides same co-witness elevation as High mount and positions the Aimpoint 1 1/2" forward to provide room for rear-mounted night-vision device or Aimpoint 3X Magnifier.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Height measured from top of rail to bottom of scope body. **Standard** - .940" high. **Low** - .520" high. **High** - 1.120" high. **Cantilever** - 1.120" high.

#100-003-650AF Standard Aimpoint Mount, 7B94X95 \$ 119.95
#100-003-652AF Low Aimpoint Mount, 7B94X95 119.95
#100-003-651AF High Aimpoint Mount, 7B94X95 119.95
#100-003-649AF Cantilever Aimpoint Mount, 7B124X95 149.95

AD-SCOUT OPTICS MOUNT - One-piece integral base and rings designed for traditional optics or similar sights that require two, 30mm rings for additional support. Available in three different lengths for proper eye relief adjustment. **AD-Scout-S** is standard length for mounting traditional optics. **AD-Scout Cantilever** positions optics farther forward to provide 1 1/2" of extra space at the rear for mounting night-vision devices or when additional eye-relief is needed. **AD-Scout-X** uses the same great cantilever design as the AD-Scout Cantilever, but position's optics 2 1/2" farther forward for maximum room at the rear for mounting night-vision devices or making eye-relief adjustments.

SPECS: 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. Height measured from top of rail to bottom of scope body - .87" (2.2cm) high. Distance between rings - 2 1/2" (6.3cm.) high. 7.1 ounces (201g) weight. **AD-Scout-S** - 4 1/2" (11.4 cm) OAL. **AD-Scout Cantilever** - 6" (15.2cm) OAL. **AD-Scout-X** - 7" (17.8cm) OAL.

#100-004-026AF AD-Scout-S Mount, 7B134P99 \$ 149.99
#100-004-025AF AD-Scout Cantilever Mount, 7B149P99 164.99
#100-004-027AF AD-Scout-X Extended Cantilever Mount, 7B164P99 179.99



3 Reasons Why Top Shooters Choose Brownells AR-15/M16 Magazines

1. Our 30-Round *Tactical Magazine* adds a Magpul self-leveling follower to our standard chrome silicon spring magazine for easy loading and ultra-smooth feeding. Also available with Magpul's easy-to-grab, Ranger® floorplate.

2. Load our *Standard 30-Round Magazines* to full capacity and expect to fire all 30 rounds—no jams, no misfeeds, no hangups. Manufactured with mil-spec materials and supplied with a military-type, glass-fiber reinforced composite follower and your choice of a mil-spec stainless steel spring or a corrosion-resistant, dry-lube-coated chrome silicon spring.

3. Made to the same standards as our 30-Round mags, our *Straight Body 20-Round Magazines* have the shorter magazine body preferred by many competitors and those who shoot in the prone position. Compactness makes it easy to carry and less likely to snag when retrieving a rifle from a vehicle - perfect for law enforcement.

QUICK-RELEASE SCOPE MOUNT

One-piece base with dual-lever system provides the same solid mounting and fast removal and reattachment of AD-68 Aimpoint Mount for traditional scopes requiring two rings. Models available for 1" and 30mm rings.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 4 1/2" (11.4cm) long. Each ring covers 1" (2.5cm) of scope tube length. Height measured from top of rail to bottom of scope body (both models): .890"

#100-003-653AF 1" Scope Mount 7B134X95 \$ 169.95
#100-003-654AF 30mm Scope Mount 7B134X95 169.95

AD-T1-L AIMPOINT MICRO MOUNT

Lightweight, quick-detach mount lets you install and remove your Aimpoint Micro series red dot in seconds. Replaces original factory base and secures to the Aimpoint sight with four, high-strength, steel Torx® screws for a tight hold under heavy recoil.

SPECS: 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. Height measured from top of rail to bottom of scope body - .31" (7.8mm). Fits Aimpoint Micro series red dot sights only.

#100-004-024AF Aimpoint T1-L Micro Mount, 7B70P29 \$ 81.99

**A.R.M.S. AR-15/M16
THROW LEVER OPTIC MOUNTS**

**For Quick-Detach Mounting
Of Popular Optics To Flattop Rifles**

Compact, quick-detach mounts clamp directly to AR-15/M16/M4 flattop receiver rail for solid, ultra-secure attachment of optics and holographic sights. The strong, yet lightweight aluminum base is secured to the rail by steel throw levers and locking feet, while a recoil lug locks into one rail slot to prevent unwanted sight movement under recoil. Quick-release levers close securely against the side of the mount to prevent snagging on other objects, yet release easily when you want to remove the sight and mount as one unit without loss of zero.

#19/#19S ACOG MOUNT - Adapter-mount lets you easily install a Trijicon® ACOG scope designed for carry-handle rifles on a flattop. Available in Dual Lever and Single Lever models. **#19 Dual Lever** has five mounting holes to allow plenty of flexibility in adjusting eye relief. Adds .440" to height of sight. **#19S Single Lever** model adds less weight and leaves more rail space free without compromising strength or stability. Raises the ACOG .275" above the receiver rail.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. **Dual Lever** - 5³/₁₆" (13.7 cm) long, 3.4 oz. (95 g) wt. **Single Lever** - 3¹/₁₆" (9.4 cm), 2.5 oz. (72 g) wt.

#100-003-312AF Dual-Lever ACOG Mount, 3A00VBX \$ 179.99

#100-003-311AF Single Lever ACOG Mount, 3A00YTP 125.99

#54 EOTECH MOUNT - Riser mount raises your EOTech or similar holographic sight an additional 1¹/₂" (3.8cm) for comfortable sighting when wearing a gas mask or shooting from a chest-mounted heads-up position. See through tunnel allows continued use of iron sights on some guns.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. 4¹/₈" (10.5 cm) long, 4.3 oz. (121 g) wt.

#100-003-315AF EO'Tech Mount 3A00VBX \$ 119.99

#22M68 AIMPOINT COMP MOUNT - Compact, single-ring mount for Aimpoint CompM, CompML2, CompML3, or similar red dot sight requiring a single 30mm ring. The top half of the ring is machined steel for superior strength and secured by four hex-head screws (wrench included) to ensure full contact with the sight body. Add your choice of 1/2" riser mount for co-witnessing with iron sights.

SPECS: Hardcoat anodized aluminum and parkerized steel, matte black. 2⁹/₁₆" (5.6 cm) long, 3.9 oz. (109 g) wt.

#100-003-314AF Aimpoint Comp Mount, 3A00YTP \$ 119.99

#63 RISER MOUNT - Quick-detach riser mount provides 3/4" (1.9cm) additional height for mounting optics with large objective lenses. Compatible with STAN-AG mounts and features a see-through tunnel that allows continued use of iron sights.

SPECS: Aluminum rail, hardcoat anodized, matte black; steel levers, oxide finish, matte black. 5⁹/₁₆" (13.7 cm) long, 4.5 oz. (128 g) wt.

#100-003-313AF Riser Mount 3A00HDZ \$ 153.99

**Mounts — GG&G AR-15/M16
NEW QUICK-DETACH OPTIC MOUNTS**

Rock Solid, Quick-Detach Mounts With Repeatable Accuracy

Quick-detach mounts provide a rock-solid platform for a variety of sight systems on Picatinny and Weaver-style flattop rails. Models with innovative Accucam system are tension adjustable to fit solid even on out-of-spec rails; provides quick removal and installation in just seconds while maintaining 1/2" MOA repeatable accuracy. Accucam lever features an extra large finger loop for easy operation when wearing gloves. Models with oversize thumbscrew provide a wide clamping surface for added holding power. All mounts are precision machined from 6061 T6 aluminum and hardcoat anodized for added durability; clamping systems are steel for maximum strength.

ACCUCAM MOUNT W/INTEGRAL 30MM RINGS - Scope rings designed specifically for the AR weapon platform spaced 4.400" center-to-center for increased holding power and strength. Height from top of dovetail to centerline of ring is 1.400" to ensure the proper cheek weld. Each top ring strap is secured with four Allen head clamping screws.

SPECS: Mount - 6061 T6 aluminum, hardcoat anodized, matte black. 5" (12.7cm) long x 2³/₁₆" (5.6cm) wide. Lever - 4140 steel, matte black. Height from top of dovetail to center of ring is 1.400". Fits scopes with 30mm tube.

#336-000-012AF Accucam Mount w/30mm Rings 6C199D95 \$ 209.95

QUICK-DETACH CANTILEVER MOUNT FOR AIMPOINT COMP

- Extra wide ring with integral base and cross-bar attachment system provides a tight, solid fit to the flattop rail for Aimpoint Comp series red dot optics. Over-sized thumb screw with 1" wide clamping bar locks the mount to the rail and prevents recoil induced movement. Mounts to any of the forward rail slots so a night vision monocular can be used behind the Aimpoint and keep the same eye relief. Overbuilt rings with heavy duty top strap secured with six Allen head screws to hold firm during hard tactical use. Built-in, insulated battery compartment is located on the side of the ring for easy access. Lightening holes on the cantilever section reduce weight without sacrificing strength.

SPECS: Mount - 6061 T6 aluminum, hardcoat anodized, matte black. 4" (10cm) long x 1³/₈" (3.4cm) wide. Crossbar - steel, matte black. Height from top of dovetail to bottom of ring is 1" (2.5mm). Fits Aimpoint CompM series, CompC3, and other sights requiring a single 30mm ring mount.

#336-000-014AF QD Cantilever Mount For Aimpoint CompM 6C159D95 \$ 175.00

ACCUCAM MOUNT W/LENS COVERS - Quick-detach mount with built-in flip-up lens covers provides a solid platform for attaching a Trijicon ACOG scope or Aimpoint Micro T-1 red dot optic directly to flattop rail. Correct height to position the optic's dot above the factory front sight post, yet low enough to co-witness with mil-spec A2 sights and similar aftermarket backup sights. Custom Butler Creek lens covers seal out dust and moisture. Spring-loaded mechanism, plus actuation tabs on the left and right ensure fast, ambidextrous opening with thumb or finger pressure.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Accucam Lever - 4140 steel, matte black. Lens Covers - Polymer, matte black. Hex key wrenches, mounting hardware, and instructions included. **ACOG TA01/31** - 3¹/₂" (8.9cm) long x 1⁹/₁₆" (4.1cm) wide. Fits models TA01, TA31, and TA31RCO. **ACOG TA01NSN** - 3¹/₂" long x 1⁹/₁₆" wide. Fits TA01NSN Special Forces model. **Micro T-1** - 3¹/₈" (7.8cm) long x 1³/₁₆" (2.9cm) wide.

#336-000-026AF ACOG TA01/31 Mount 6C182A50 . \$ 205.00

#336-000-027AF ACOG TA01NSN Mount 6C182A50 . 205.00

#336-000-016AF Accucam T-1 Mount w/Lens Covers, 6C174Z99 194.99

ACCUCAM CANTILEVER MOUNTS FOR TRIJICON & AIMPOINT - Single ring with integral base and cross-lug attachment system provides a tight, solid fit to the flattop rail. Positions the optic 2 inches forward so there's plenty of room to adjust eye relief or to mount a monocular night vision device or magnifier such as the Aimpoint 3XMag behind the sight. Cam operated quick-detach lever with an extra large finger loop allows easy removal and installation; should optic fail, it can be detached quickly so iron backup sights can be deployed. Heavy duty top strap is secured with six Allen head screws. Fits MIL-STD 1913 Picatinny and Weaver-style receiver rails. Models available for **Trijicon TriPower TX30** and **Aimpoint 9000** series, **CompC3**, and **CompM1/M2/M3** series optics. Aimpoint mount includes built-in, insulated compartment for spare battery storage on the side of the ring.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Lever - 4140 steel, matte black. Height from top of rail to bottom of ring is 1" (2.5cm). **Trijicon** - 4" (10.2cm) O.A.L. x 1¹/₂" (3.8cm) wide. Fits Trijicon TriPower TX30 tactical sight. **Aimpoint** - 4" O.A.L. x 1³/₈" (3.5cm) wide. Fits optics with 30mm O.D. tubes, including Aimpoint 9000 series, CompC3, and CompM1/M2/M3; does not fit CompM4.

#336-000-024AF Accucam Cantilever Mount For Trijicon 6C174A49 \$ 219.95

#336-000-015AF Accucam Cantilever Mnt For Aimpoint, 6C179Z95 212.00

ACCUCAM LEVER FOR EOTECH - Cam operated quick-detach lever with an extra large finger loop replaces existing thumbnut mounting screw on EO'Tech for rapid installation and removal. Does not change the mounting height of EO'Tech and allows co-witnessing with iron sights. Fits new and existing EO'Tech sights with protective shroud.

SPECS: 4140 steel, matte black. 2⁹/₁₆" (6.7cm) long x 1³/₃₂" (1cm) wide.

#336-000-017AF Accucam Lever For EO'Tech, 6C75Z63 \$ 84.99

ACCUCAM MOUNT FOR TRIJICON ACOG - Low-profile mount attaches directly to the body of the ACOG and holds firm with two large Allen head screws for a rock-solid installation. Cam operated quick-detach lever with an extra large finger loop allows easy removal and installation. Fits all standard and compact ACOG scopes designed for mounting to a flattop with Picatinny or Weaver-style rail.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. 3¹/₂" (8.9cm) long x 1³/₈" (3.5cm) wide. Height - .25" (6.3mm). Lever - 4140 steel, matte black. 2⁹/₁₆" (6.7cm) long x 1³/₃₂" (1cm) wide.

#336-000-018AF Accucam Mount For ACOG, 6C112Z00 \$ 139.95

ACCUCAM MOUNT FOR REFLEX - Machined base mounts directly to the body of the Reflex and the quick-detach feature allows easy removal and installation on Weaver-style and Picatinny rails. Designed to provide a low-profile and mild cantilever for a mount height that allows co-witnessing with back-up iron sights like the A2 or MAD. The 2¹/₂" long mounting platform is contoured for a perfect fit to the Reflex and secures with three, heavy duty Allen head screws for a firm hold during hard tactical use.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized black, matte. 4¹/₂" (10cm) long x 1³/₈" (3.5cm) wide. Height - .44" (11.2mm). Lever - 4140 steel black, matte. 2⁹/₁₆" (6.7cm) long x 1³/₃₂" (1cm) wide.

#336-000-019AF Accucam Mount For Reflex, 6C100Z67 \$ 120.99

ACCUCAM MOUNT FOR AIMPOINT COMP M4/M4S - Mounts directly to the body of the CompM4 and the quick-detach feature allows easy removal for using back-up sights. Mounting platform is contoured for a perfect fit to the Aimpoint and holds firm with two, heavy duty Allen head screws for a rock solid attachment. Cam operated quick-detach lever with easy-to-grasp finger loop allows easy removal and installation. Available in **Standard** configuration or **Cantilever** model that positions the optic 2 inches farther forward to provide additional eye relief or extra room for mounting Aimpoint 3XMag Magnifier behind the CompM4. Both models fit MIL-STD 1913 Picatinny and Weaver-style receiver rails.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. Lever - 4140 steel, matte black. **Standard** - 2³/₄" (7cm) O.A.L. x 1⁹/₁₆" (4.1cm) wide. Height from top of rail to bottom of optic is .25" (6.4mm). **Cantilever** - 4³/₄" (12.1cm) O.A.L. x 2" (5.1cm) wide. Height from top of dovetail to bottom of optic is .615" (15.6mm).

#336-000-020AF Accucam Standard Mount For CompM4/M4S 6C114Z95 \$ 139.95

#336-000-023AF Accucam Cantilever Mount For CompM4/M4S 6C111Z95 139.95

QUICK-DETACH STANDARD RING FOR AIMPOINT - Extra wide ring attaches to the rail with a single elliptical thumbnut and square locking cross bar that hold tight under recoil. Mounts to any position on the rail so a night vision monocular can be used behind the Aimpoint and keep the same eye relief. Ring strap is secured with six Allen head screws to ensure it can withstand the tactical environment. Built-in, insulated battery compartment is located on the side of the ring for easy access.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1¹/₈" (2.9cm) long. Base is 1" (2.5cm) wide, Height from top of dovetail to bottom of ring is 1/2". Fits 30mm sights.

#336-000-013AF QD Ring For Aimpoint 6C139D95 \$ 164.95

ACCUCAM BASE W/PICATINNY RAIL - Precision machined to true MIL-STD 1913 specs, this base rail will accept both Weaver and Picatinny rings for a variety of sight options. Streamlined, shallow profile is low enough to allow the use of iron sights while installed, however optics may have to be removed. Fits Weaver-style and Picatinny rails.

SPECS: Base - 6061 T6 aluminum, hardcoat anodized, matte black. 5" (12.7cm) long x 1⁹/₁₆" (4.1cm) wide. Height - .460" (11.7mm). Lever - 4140 steel black, matte. 2⁹/₁₆" (6.7cm) long x 1³/₃₂" (1cm) wide.

#336-000-011AF Accucam Base w/Picatinny Rail, 6C139D95 \$ 155.00

AIMTECH AR-15/M16

"SECOND SIGHT" SEE-THRU BASE

**Low-Profile Bases Don't
Obscure Factory Sights**

Lightweight, see-thru bases attach quickly to factory drilled and tapped receivers with no modifications to the factory sights required. Hollow base gives you full vision of factory, barrel-mounted sights for closer shots, or if your scope becomes damaged. Mounted cut ensures proper ejection. Accepts Weaver-style rings. **AR-15 Short** has Weaver-style rail. **AR-15 Long** is Picatinny configuration.

STOCK #	FITS	PRICE
#017-300-015AF	AR-15/M16 Short	7A17Y33 \$ 23.50
#017-000-009AF	AR-15/M16 Long	7A19X65 \$ 26.50

**ALWAYS GIVING YOU MORE...
THAT'S VALUE... THAT'S
BROWNELLS®**

Orders/Tech: 800-741-0015

order on the web
www.brownells.com

BROWNELLS
... ONLY THE BEST...

PAGE 67

AR-15/M16

OPTIC MOUNTS

B-SQUARE AR-15/M16 FLATTOP RISER

Get the Scope Height You Need Without Huge Rings



Attaches with dual thumb-screws and raises the scope to achieve proper eye-relief without extra-high rings. Accepts all Weaver-style rings. See-thru, allows use of front sight.

SPECS: Extruded aluminum, black, anodized. (12cm) long, 4.9 oz. (140 g) wt. Raises scope approximately .750" (19mm) from top of receiver.

#122-151-000AF AR-15 Flat Top Riser 6K14Z25. . . . \$ 19.95

B-SQUARE AR-15/M16 SCOPE MOUNT

Ingenuous, No Gunsmithing Design For AR Flattops



One-piece, detachable base with see-thru integral 1" rings, raises scope over front sights. Attaches with dual thumb screws.

SPECS: Aluminum, black, anodized.

#122-151-500AF Flat Top Mount 6K42Z83. \$ 59.95

BOTACTACTICAL AR-15/M16 KZ QUICK-DETACH MOUNT FOR AIMPOINT MICRO

Lightning Fast Attachment & Removal



Lightweight, quick-on/quick-off mount lets you install and remove your Aimpoint Micro series red dot optical sight in seconds without tools. Replaces sight's factory base and fits any AR-15 flattop carbine or rifle with a Picatinny or Weaver-style receiver rail. Full-length locking bar, hardened steel bolt, and easy-to-grasp spring-loaded wing nut clamp base securely to rail to eliminate unwanted movement under recoil. Provides correct height for co-witnessing with military-style front and rear iron sights, or aftermarket flip-up sights of the same height. Machined from 6061 T6 aluminum billet to precise dimensions for secure fit, then mil-spec Type III, Class II hardcoat anodized for superior strength and wear resistance, finish matches most factory rifle finishes.

SPECS: Aluminum, hardcoat anodized, matte black. 2³/₁₆" (5.5cm) long, 1¹/₁₆" (3.0cm) wide; provides .895" (2.3cm) elevation from top of rail to bottom of sight body. 2.3 oz. (65g) weight. Fits Aimpoint Micro series red dot sights only.

#100-003-556AF KZ Quick-Detach Mount 8B49D95 \$ 59.95

DANIEL DEFENSE AR-15/M16**AIMPOINT MICRO MOUNT**

Compact Mount For Micro Series Red Dots Co-Witnesses With "Iron" Sights



Streamlined, minimal-profile mount clamps to flattop receiver rail and provides secure, correct-height attachment for Aimpoint Micro H-1, R-1, and T-1 red dot optics on flattop AR-15/M16 receivers. Positions optic for co-witnessing with factory iron sights in the lower 1/3 of the Micro's field of view. A wide viewing tunnel through the base allows the use of other types of backup sights as well. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength and resistance to surface wear. Clamps securely to MIL-STD 1913 Picatinny rail with two slot-head crossbolts. Stainless steel self-locking thread inserts help prevent the bolts from working loose under recoil and vibration.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1⁷/₁₆" (4.8cm) long, 1¹/₄" (3.2cm) wide, 1³/₈" (3.5cm) overall height. Positions the bottom of the sight 1.035" above the receiver rail. 1.7 oz. (48g) weight. Fits Aimpoint Micro H-1, R-1, and T-1 optics.

#100-004-590AF Aimpoint Micro Mount 8K63Z51 . . \$ 69.99

MIDWEST INDUSTRIES AIMPOINT MOUNT

Lightweight, Rock-Solid Mounting



Bantam-weight, aluminum mounts for Aimpoint, Trijicon Tri-power Tactical Sights, and other optics with 30mm tubes. Fits Picatinny and Weaver-style rails. **Cantilever** positions sight 2¹/₂" forward for rear-mounted, night-vision monocular. **Standard** positions sight for co-witness use with a back-up sight.

SPECS: 6061 aluminum, black, hard-anodized finish. Fits 30mm diameter sights. Cantilever Mount - 3¹/₁₆" (10cm) long, 1" (2.5cm) high from top of base to bottom of ring. Standard Mount - 1¹/₂" (3.8cm) long, .950" high from top of base to bottom of ring.

#100-002-239AF Cantilever Mount 2A133C10 \$ 174.99

#100-002-240AF Standard Mount 2A98C33. 124.95

RAINIER ARMS**BOBRO MOUNTS FOR AIMPOINT COMP SIGHTS**

Anchors Sight Securely To Flattop Rail; Quick-Release System For Instant Sight Removal



Heavy-duty mounts combine secure attachment of the popular Aimpoint Comp series red dot sights to flattop receivers with a quick-release system for instant removal of sight from weapon. Precision-machined aluminum construction provides superb strength while adding minimal weight. No tools required for installation. When the quick-release latch is closed, the mount is as strong as any cross-bolt mounting system; a spring-loaded lock tab ensures the latch won't work open under recoil or from snagging on sling or other gear. The only way to release the mount is to press the release tab as you pull the lever. Lets you remove and reinstall the mount and the Aimpoint as a single unit without loss of zero. Low-profile **CompM4** mount replaces the factory mount of Aimpoint CompM4/M4S sights. **Cantilever Mount** fits CompM2/ML2/M3/ML3 sights and is correct height for co-witnessing factory "iron" or aftermarket backup sights in the lower 1/3 of the optic's field of view. May be used with other 30mm O.D. optics that require single-ring mount.

SPECS: Aluminum, hardcoat anodized, matte black finish. **CompM4 Mount** - 2³/₄" (7cm) long, 1¹/₈" (4.8cm) wide. 2.9 oz. (81g) weight. Fits Aimpoint CompM4/M4S red dot sights. **Cantilever Mount** - 2¹/₈" (5.4cm) long base, 1¹/₈" wide. 4.7 oz. (134g) weight. Fits Aimpoint CompM2/ML2/M3/ML3 red dot sights and other optics that require a single 30mm ring mount.

#100-004-054AF Aimpoint CompM4 Mount, 9B121V49 \$ 139.95

#100-004-053AF Aimpoint CompM2/ML2/M3/ML3/ Cantilever Mount 9B140V50 159.99

SAMSON MANUFACTURING CORP.**QUICK-FLIP MOUNT FOR AIMPOINT 3XMAG**

Flips Magnifier Aside For Instant Transition From Long-Range To Close-Range Targeting



Quick-transition mount combines secure, correct-height attachment of an Aimpoint 3XMAG behind a compatible red dot sight with a spring-loaded mechanism that flips the magnifier aside for instant return to unmagnified operation of sight. Lets you shift from long-range to short-range targeting almost instantly. Heavy-duty machined-aluminum construction ensures solid, wobble-free mounting on MIL-STD 1913 Picatinny receiver rail, so the magnifier stays correctly positioned behind the sight. Mount bolts directly to the factory holes in the bottom of the 3XMAG (machine screws included)—no

**SOG ARMORY AIMPOINT MOUNT**

Strong, Lightweight; Standard & Offset Models

Single-ring mounts of strong, lightweight aluminum secure your Aimpoint or similar aiming device to any Picatinny or Weaver-style rail. Extra-large ring surface area ensures zero scope movement under recoil, with six Torx T-15 screws (wrench included) securing the ring halves. A cross-bolt with integral recoil lug and .510" diameter hex nut anchor the mount to the rail. **Standard** model elevates the sight to the correct height to co-witness with a back-up iron sight. Cut-out in the base reduces weight without sacrificing strength. Cantilever-style **Set-off** model provides co-witness elevation and positions sight 1¹/₄" forward to make room for a rear-mount night vision device. Both models accept 30mm diameter scope tubes; aluminum reducer included for mounting a 1" tube.

SPECS: Aluminum, hardcoat anodized, matte black. Steel Torx screws cross-bolt, oxide finish, black. Fits 30mm and 1" diameter sights. **Standard Model** - 1" (2.5cm) long, 1" high from top of base to bottom of ring. **Setoff Model** - 3³/₈" (8.6cm) long, 1" high from top of base to bottom of ring.

#100-003-048AF Standard Mount 9A47C95. \$ 59.95

#100-003-047AF Offset Mount 9A63C95. 79.95

WILCOX INDUSTRIES COMP-M MOUNT

Strong, Lightweight, Tactical Mount For Secure Attachment Of Comp Series Sights



Compact tactical mount securely positions an Aimpoint red dot optic the correct height above a flattop receiver rail. Fits Aimpoint CompC3/M2/ML2/M3/ML3 series, 3XMAG magnifier, and other optics with 30mm tube that require single-ring mounting. Skel-tonized construction provides full support without the weight of excess metal for an exceptionally strong, solid, yet lightweight mount. Four, steel, hex-head cap screws anchor the top ring half to the mount to ensure full contact with sight body to prevent slippage. Rail Grabber clamping system secures the mount to receiver and maintains sight alignment even under the battering of sustained rapid fire. Unique, captive cross-bolt is divided lengthwise; one side provides a slop-free fit in a MIL-STD 1913 Picatinny slot, while rotating the bolt a half turn exposes the side that snugs into the narrower Weaver-type slot. An oversized thumb nut with deep grasping grooves lets the operator tighten the mount with hand pressure only; coin slot in the head lets you apply additional tightening force with a U.S. nickel or quarter.

SPECS: Aluminum, hardcoat anodized, matte black finish. Height measured from top of rail to bottom of scope tube: 1.120" (2.84cm). 3.1 oz. (88g) weight. Fits Aimpoint CompC3/M2/ML2/M3/ML3, 3XMAG magnifier, and other optics that require a single 30mm ring mount.

#100-004-257AF Comp-M Mount 4B123H83 \$ 159.95

gunsmithing required. Ambi design allows installation with lever and flip path on the left or right side. Quick-flip tab has deep, grooves for easy activation with a flick of your thumb. **Bolt-On** model clamps to rail with a robust locking bar and bolt system. Bolt serves as a recoil lug that locks into one rail slot to prevent unwanted movement under recoil. Also available with **A.R.M.S.** quick-release throw-lever base that lets you remove the magnifier and mount as a unit in seconds; re-mount just as fast without loss of zero. Steel lever system combines a cam and locking foot with a robust recoil lug to clamp the mount to the rail as tightly as the bolt-on base. Lever closes securely against the side of the mount to prevent snagging on other objects, yet releases easily when needed.

SPECS: Aluminum, hardcoat anodized, matte black. **A.R.M.S. QD Base** - Steel, black oxide finish.

#100-004-239AF Quick-Flip Mount w/Bolt-On Base, 1B146A94 \$ 195.99

#100-004-238AF Quick-Flip Mount w/A.R.M.S. QD Base, 1B177A03 219.99

BROWNELLS AR-15/M16/AR-STYLE .308 MODULAR FLATTOP RISER MOUNT SYSTEM

Customizable, Quick-Detach Mount Positions Scope At Eye Level

Modular riser mount clamps to flat top Picatinny cut AR-15 receivers in seconds, so you can mount a scope at correct eye level for maximum accuracy. Two, oversized, easy-grip thumbscrews and full-contact clamping along entire length of base provide rock-solid attachment to receiver without permanent modification of gun. Choose the precise rail height and angle to suit your needs; riser is secured to base with three Allen head setscrews. This mount will not shoot loose no matter how many rounds you send downrange. Use angled riser mounts when you need to raise or lower point of impact more than scope's internal elevation adjustment will allow. Entire unit—base, riser, and attached scope—can be removed quickly so you can use your rifle's factory sights. Reinstall unit in seconds without losing scope settings. True, MIL-STD 1913 Picatinny rail accepts both Weaver and Picatinny rings and mounts. CNC machined from 6061 T6 billet aluminum, then hardcoat anodized for outstanding strength and wear resistance.

SPECS: Precision machined 6061 T6 aluminum, hardcoat anodized matte black. 5¹/₂" (14cm) long. Base is 1" (2.5cm) wide, .3" (7.62mm) thick. MOA mounts are .649" (16.5mm) thick at highest point. 3/4" Mount - .700" (1.8cm) high. 1" Mount - 1" high. 1¹/₄" Mount - 1.25" (3.2cm) high.

#080-000-410AF MFRMS Mount Rail Base, 8K31T71 \$ 40.99

#080-000-413AF MFRMS 3/4" Riser Mount 8K15T42 . . 20.99

#080-000-412AF MFRMS 1" Riser Mount 8K15T42 . . 20.99

#080-000-411AF MFRMS 1¹/₄" Riser Mount, 8K18T42 25.99

#080-000-414AF MFRMS 1" 15 MOA Mount, 8K15T42 20.99

#080-000-415AF MFRMS 1" 20 MOA Mount, 8K15T42 20.99

#080-000-416AF MFRMS 1" 30 MOA Riser Mount, 8K15T42 20.99

BROWNELLS AR-15/M16**FLATTOP RISER**

Raises Optical Sights To Eye Level For Quick, Precise, Target Acquisition



Machined aluminum riser clamps to flattop AR-15 receiver to position primary optic sights at eye level. Raises mounting height .750" to eliminate the need for extra-high rings in most applications. True, MIL-STD 1913 Picatinny cut accepts both Picatinny and Weaver-style rings. Two, easy-to-grip, slotted hex nuts accept a U.S. quarter for extra tightening leverage; full-length clamping bar locks riser securely to flattop receiver for zero movement even during harsh tactical operations. Precision CNC machined to ensure an exceptionally secure lock on the receiver rail. Smooth, curved front and rear contours on the underside provide a streamlined appearance, reduce weight, and minimize the chance of catching on gear.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Approximately 5" (12.7cm) long, 1" (2.5cm) wide at the base, .975" (2.45cm) high overall. Adds .75" (1.9cm) to height of flattop. 4.8 oz. (136 g) weight.

#080-000-506AF Flattop Riser Assembly 8K34A99 . . \$ 44.99

BROWNELLS AR-15/M16 CARRY HANDLE SCOPE BASE

Fast, Easy Mounting
For Scopes & Dot Sights

Mounts on carry handle. Open sight channel allows use of sights. Cross-bar supports prevent crushing. Weaver model features eight cross-slots and accepts Weaver-style rings. Picatinny version has a true, MIL-STD 1913 Picatinny cut along its entire length and accepts Weaver or Picatinny rings. **SPECS:** Aluminum, black, matte. 7½" (19cm) long. 3½ oz. (99 g).
#080-000-668AF Weaver Carry Handle Base, 9A21Y99 \$ 24.99
#080-000-660AF Picatinny Carry Handle Base, 9A22V46 24.99

C.R.T.C. AR-15/M16 BC-CAM OPTICAL SIGHT MOUNT

Maintain A Usable Sight Picture
Even If Your Electronic Sight Fails

Elevation-adjustable, carry handle mount allows the user to zero the red dot with the iron sights for a quick, accurate back-up in the event of scope failure. Accepts Weaver-style rings. Fits AR-15 A1/A2 with fixed carry handle. **SPECS:** Aluminum, anodized, matte black. 10¾" (27.3cm) long. ½" (12.7mm) vertical adjustment.
#182-000-006AF BC-CAM Sight Mount 2H113A34 . \$125.00

CALIF. COMPWORKS AR-15/M16 DUAL LEVEL OPTIC MOUNT

Dual-level mount with Weaver-style rails lets you attach any combination of scope, red-dot, or laser, and retain the use of issue sights. Fits A1 and A2 carry handles. **SPECS:** Aluminum, black, anodized, matte finish. 10" (25cm) long, 9.5 oz. (270 g) wt. Accepts Weaver-style rings.
#151-100-015AF Dual-Level Mount 1E80A10 \$ 110.99

DPMS AR-15/M16 FLATTOP RISER

Mount Scope, Laser & Flashlight — All At Once

Adds three, Weaver-style rails to a flattop AR-15 and easily mount a huge variety of tactical accessories. Slide over the rail and tighten thumb screws to clamp steel locking bars in the rail's cross slots. Fits DPMS, ArmaLite, Olympic and Bushmaster. **SPECS:** Aluminum, black anodized. 6½" (16.5cm) long x 1.25" (3.17cm) wide. 8 oz. (227 g) wt.
#231-015-018AF FlatTop Riser 1C66T60 \$ 79.95

DPMS AR-15/M16 SCOPE MOUNTS

No-Gunsmithing Mount For A2s

Machined, aluminum mount clamps in your A2 carry handle with a knurled thumbscrew. U-shaped channel provides clear view of iron sights. Available in 6" (15.2 cm) and 4¾" (12.1cm). **SPECS:** Aluminum, anodized, matte black. 5¼" (2cm) high.
#231-100-171AF 6" Scope Mount 3B07T82 \$ 9.76
#231-100-172AF 4¾" Scope Mount 3B07T98 9.99

EGW AR-15/M16 EXTENDARISER 20 MOA FLATTOP MOUNT

Elevates Optics For Fast Target Acquisition;
Extra Length For More Eye Relief

Precision-machined aluminum riser mount adds approximately .600" to height of flattop so primary optics can be positioned higher for a more comfortable, heads-up shooting stance and faster target acquisition. Eliminates the need for extra-high rings in most installations. Top of mount is angled 20 MOA to compensate for added height and minimize effect on point-of-impact. Provides a full 7" of usable mounting length, 1½" more than receiver rail; underside of extension is relieved to provide clearance over handguard. Precision CNC machined from light-weight, 6061 T6 aluminum billet, with MIL-STD 1913 Picatinny slot-and-rail spacing that allows fast and simple adjustment of eye relief, plus greater flexibility in choice of optics. Clamps securely to receiver rail with three heavy duty steel cross-bolts to prevent movement under recoil, and matches receiver profile for a smooth, seamless look. Accepts Picatinny and Weaver-style scope rings. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. 8.875" (22.5cm) long, 1.125" (2.9cm) wide at base. Adds .600" (1.5cm) to height of flattop at rear, .570" (1.4cm) at front. 7.7 oz. (219g) weight.
#296-000-103AF Extendariser Flattop Mount, 6B105D63 \$ 129.99

GG&G B-COMP 30mm RING SYSTEM

Allows Red Dot Sights As Backup Optics

One-piece ring clamps around your existing scope tube and provides a platform for mounting a red dot sight as a backup for close range work. Ambidextrous mounting platform is angled 45° from center and only requires a slight roll of the rifle to acquire a close range target. Top ring strap is secured with four Allen head clamping screws for recoil proof holding power. Removable waterproof battery compartment provides easy access to spare battery. Precision machined from 6061 T6 aluminum and hardcoat anodized for durability. Fits mini red dot sights like the J Point™, the Docter® and the Trijicon RedDot™. **SPECS:** 6061 T6 aluminum, black, matte. 30mm I.D. 2¾" (6.8cm) long x 1½" (3.8cm) wide. Height from top of platform to centerline of ring is 1" (2.5cm).
#100-003-552AF B-Comp 30mm Ring System, 6C76H00 \$ 89.95

WILCOX INDUSTRIES J POINT MOUNT

For Secure Piggyback Mounting
On ACOG Tactical Scopes

Low-profile mount enables piggyback installation of a J Point or Trijicon reflex sight on top of a Trijicon ACOG TA01NSN Special Forces optic to give the tactical shooter precise long- and short-range sighting options. Maximizes limited accessory mounting space on the receiver and helps the operator keep on top of fluid situations by allowing near-instant transitions from one sight to the other with minimal head/eye movement. Lightweight, machined aluminum construction adds minimal weight, yet anchors the J Point securely to prevent shifting under recoil. Won't interfere with ACOG's windage and elevation knobs. **SPECS:** Aluminum, hardcoat anodized, matte black finish. Replaces rear backup sight of Trijicon ACOG TA01NSN Special Forces scope. Accepts J Point or Trijicon reflex sight.
#100-004-258AF J-Point Mount for ACOG, 4B177H08 \$ 229.00

HAHN PRECISION AR-15/M16 LOW PROFILE TACTICAL RAILS

Clean, Streamlined Look; Made To Mil-Spec Standards

One-piece rails cut to true, MIL-STD 1913 Picatinny spec match the look and feel of your standard, A4 flattop while adding ½" of height for proper cheek weld with optics and tactical sights. Streamlined design encloses the receiver rail for a "built-in" appearance and eliminates protruding hardware that can snag on brush, slings, and clothing. Nylon-tipped, Allen screws, tapped through the top, deliver downward pressure between the receiver rail slots for exceptional holding power. Precision machined from strong, yet lightweight 6061-T651 billet aluminum, then hardcoat anodized with a tough, Teflon-impregnated finish to Mil-A-8625 for extra strength and superior wear resistance. **SPECS:** 6061-T651 billet aluminum, hard black anodized. 7¼" (18.4 cm) long x ½" (1.3 cm) high. 4.2 oz. (119 g) wt. Fits mil-spec flattop receivers. BUIS - Steel, matte gray Parkerized finish. Center of aperture is 1¼" (3.18cm) above top of existing flattop.
#100-002-203AF Low Profile Riser, 6K48B00 \$ 60.00
#100-002-657AF Low Profile BUIS Riser, 6K116Y00 145.00

LOW PROFILE RISER - Adds ½" of height along the entire 7¼" length of a mil-spec, A4 flattop receiver, so you can use lower rings when mounting scopes and other optical sights. **BUIS Riser** includes an integral, flip-up rear peep sight. If your optical or laser sight fails, deploy the "Back Up Iron Sight" with a flick of your thumb to stay combat effective. BUIS is protected by the sides of the rail when folded down; regulates properly with a standard-issue front sight. **SPECS:** Rail - 6061-T651 billet aluminum, hard black anodized. 7¼" (18.4 cm) long x ½" (1.3 cm) high. 4.2 oz. (119 g) wt. Fits mil-spec flattop receivers. BUIS - Steel, matte gray Parkerized finish. Center of aperture is 1¼" (3.18cm) above top of existing flattop.
#100-002-203AF Low Profile Riser, 6K48B00 \$ 60.00
#100-002-657AF Low Profile BUIS Riser, 6K116Y00 145.00

SCOUT RAIL - Provides 3½" of valuable rail space over M4-style handguards for mounting tactical optics farther forward. Standard model provides maximum flexibility in positioning optics. **BUIS Scout Rail** - Chopped, tail section allows attachment of a flip-up, rear sight to the back of your existing flattop rail, so it regulates properly with standard issue front sights. **BUIS Scout Rail w/Flip Up Rear Sight** - Includes the same integral, flip-up rear peep sight used on the Low Profile BUIS Riser. **SPECS:** 6061-T651 billet aluminum, hard black anodized. Fits mil-spec flattop receivers. **Scout Rail** - 10½" (26.7cm) long x ½" (1.3cm) high. 4.4 oz. (125g) wt. **BUIS Scout Rail** - 8¼" (21cm) long x ½" (1.3cm) high. 3.3 oz. (94g) wt. **BUIS Scout Rail w/Flip Up Sight** - 10¼" (26.5 cm) long x ½" (1.3 cm) high. Sight - Steel, matte gray Parkerized finish. Center of aperture is 1¼" (3.18cm) above top of existing flattop.
#100-002-204AF Standard Scout Rail, 6K72B79 \$ 90.99
#100-002-205AF BUIS Scout Rail, 6K68B00 85.00
#100-002-505AF Scout Rail w/flip Up Rear Sight, 6K132U00 165.00

BACKUP IRON SIGHT - Use as a standalone rear sight or attach to A4 receiver rail directly behind the BUIS Scout Rail. Provides easy co-witnessing of open sights with red-dot optics. Spring-loaded detent prevents aperture movement under recoil. Has standard A1 windage hardware. Angled forward profile allows easy access to the EO Tech Holographic sight buttons. **SPECS:** 6061-T651 billet aluminum, hard black anodized. Body - 2.15" (5.4cm) long x 1.2" (3 cm) wide x .9" (23mm) high. 1.53 oz. (42g) wt. Aperture - .117" diameter. Fits mil-spec flattop receivers.
#100-002-869AF Back Up Iron Sight 6K96U00 \$ 120.00

J.P. ENTERPRISES JPOINT MOUNT

Expanded Mounting Options & Versatility For JPoint Sight



Rugged, lightweight, aluminum mounts allow the proven JPoint Reflex or Trijicon RedDot holographic sights to be mounted piggyback on an ACOG or standard-diameter scope, as well as directly to a flattop receiver. Helps you get an effective secondary sight system that delivers fast, both-eyes-open engagement for close range targets. **JPA-TANSN** can be installed directly to the TA01NSN model ACOG scope as a standalone mount that replaces the existing rear aperture assembly and utilizes the factory mounting holes. Integral, raised "wings" fully guard the sides and top of your JPoint from blows incurred during combat or competition. **JPA-TAS Bottom Strap** allows the JPA-TANSN mount to be clamped around the eyepiece on all other models of ACOG scopes. **JPA-SM1C** - Two-piece mount clamps securely around 1" scope tube with four Torx® head capscrews (wrench included). May be mounted anywhere on scope—behind turret, ahead, or even on the side at a 90° angle. **JPA-30C** - Same features as SM1C; fits 30mm scope tubes. **JPA-RAIL** adapter fits any MIL-STD 1913 Picatinny rail and elevates JPoint to correct height for co-witnessing with A2-style iron sights. Includes protective wings and a water-tight compartment for storage of a spare CR-2032 battery. **SPECS:** Aluminum, black, matte, anodized finish. **JPA-TANSN Mount** - 1½" (4.13cm) long, 1¾" (4.4cm) wide, 1¼" (3.18cm) high. Fits TA01NSN model ACOG. Includes wrench, mounting screws, and instructions. **JPA-TAS Bottom Strap** - 5¼" (7.9cm) long, 1¾" (4.4cm) wide, 7/8" (2.2cm) high. Includes mounting screws. Requires purchase of JPA-TANSN mount to fit all models of ACOG scopes except TA01NSN. **JPA-SM1C** - 1½" (4.1cm) O.A.L., 1¾" (4.5cm) wide, .600" (1.5cm) high from top of scope tube. **JPA-30C** - 1½" O.A.L., 1¾" wide, .520" (1.3cm) high from top of scope tube. **JPA-RAIL** - 1½" O.A.L., 1¾" (3.5cm) wide, .890" (2.3cm) height from top of receiver to bottom of JPoint. CR-2032 battery included.

#452-000-041AF JPA-TANSN Mount 2E53U00 \$ 69.95
#452-000-042AF JPA-TAS Bottom Strap 2E20U00 . . . 24.95
#452-000-060AF JPA-SM1C Mount For 1" Scope Tube, 2E64U88 79.99
#452-000-061AF JPA-SM30C Mt For 30mm Scope Tube, 2E64U88 79.99
#452-000-062AF JPA-RAIL Rail Mount For A3/A4 Flattop, 2E100U00 124.95

J.P. ENTERPRISES AR-15/M16 FLATTOP OPTICAL MOUNT

Integral Offset Rings
For Rock-Solid Mounting

One-piece mount with integral rings is precision machined to true MIL-STD 1913 specs for a tight, secure fit on flattop receiver rails. Ring height and forward offset are ideal for use with long eye relief scopes. Four, Allen head screws secure each top ring strap to the lower ring and hold the optics tight under heavy recoil. Full length base clamps to the receiver with five, equally spaced crossbolts for a rock-solid fit and zero movement. Radiused edges give a streamlined appearance, reduce weight, and prevent snagging. T6 aluminum, hardcoat anodized for durability. Fits true, MIL-STD 1913 Picatinny rails. Models available for 1" and 30mm diameter scope bodies. Allen wrenches included. **SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black. Approximately 5½" (14cm) long, 1¾" (4.4cm) wide, 2¼" (5.4cm) high. **1" Mount** - 7.1 oz. (201 g) weight. **30mm Mount** - 6.3 oz. (179 g) weight. Height - 1.45" (3.68cm) measured from top of base to center of ring. Includes 7/64" and 3/32" Allen wrenches.
#452-000-044AF 1" Flattop Optical Mount, 2E132U00 \$ 164.95
#452-000-045AF 30mm Flattop Optical Mount, 2E133U78 164.99



M & A AR-15/M16 FLATTOP SCOPE MOUNT

Integrated Mount &
Rings For Rugged Strength

One-piece mount provides strong, secure scope attachment that withstands the bumps and knocks of hard tactical use. Positions scope well above flattop receiver for easy heads-up aiming. Each ring is 1 1/8" long for maximum contact with scope body, and caps have four hex head clamping screws for recoil-proof holding power. Two, steel, thumb screws and full-length clamping bar securely lock mount to Picatinny receiver rail. Rounded contours and radiused edges resist snagging on other gear. Machined aluminum keeps weight to a minimum. Models available to fit 1" and 30mm scope bodies.

SPECS: Aluminum, hardcoat anodized, black, matte finish. 5 1/8" (13cm) O.A.L. Height measured from top of rail to bottom of ring, 1" - 1.18" (2.99cm) high, 10.7 oz. (303g) weight; **30mm** - 1.14" (2.89cm); **#553-000-005AF Flattop Scope Mount, 1"** 3E45D26 \$ 53.99

#553-000-007AF Flattop Scope Mount, 30 mm, 3E41T58 \$ 53.60

MGW AR-15/M16 SCOPE MOUNT

Lightweight, Fast-On,
Fast-Off Scope Mount
Requires No Gunsmithing

Securely locks in top of the carry handle with a single, thumb screw. Ultra-rigid design will not deform under pressure from rings. Does not obscure the factory sights. Accepts Weaver-style rings.

SPECS: Extruded aluminum, black, hard-coat, anodized, matte finish. 1.5 oz. (43 g) wt. Includes thumb screw and lock washer.

#584-590-015AF AR-15/M16 Mount 4H18Y80 \$ 25.38

MARK BROWN AR-15/M16 CQB SCOPE MOUNT

Mounts Optical
Sights At Correct
Height For Fast
Sighting

Picatinny mount puts red-dot optics at the same level as the issue sights for faster aiming. Clamps to flattop upper and has A-3 adjustable rear sight.

SPECS: Anodized aluminum, matte black. 7 1/8" (18.9cm) long. 1 1/8" (2.8cm) wide. 7.6 oz. (216 g) wt.

#133-101-016AF A-3 CQB Scope Mount 3C179Z40 \$ 195.00

MIDWEST INDUSTRIES AR-15/M16 A-2 ADJUSTABLE CANTILEVER MOUNT

Solid Platform
For Optics &
Iron Sights

Heavy-duty construction, extremely lightweight mount fits perfectly on AR-15/M-16 type carry handles and lets you adjust optic height to co-witness with iron sights in case of battery failure. MIL-STD 1913 rail cantilevers 5" forward of carry handle and adjusts up or down from the side giving optics a solid mounting platform positioned where you want it. Machined from 6061 aluminum and hard-anodized for added strength and scratch resistance in all situations. No gunsmithing required.

SPECS: 6061 billet aluminum, black, hard-anodized finish. 10 3/16" (27.8cm) overall length. Adjusts from 3/16" (4.8cm) to 3/8" (9.5mm) above front handguard or free float tube. Allen wrench included.

#100-002-326AF A-2 Adjustable Cantilever Mount, 2A89P50 \$ 116.95

MOUNTING SOLUTIONS PLUS AR-15/M16 M4 CARRY HANDLE MOUNT

Clears M4 & Other
Large Handguards

Weaver-style front base lets you mount electronic and optical sights and still use the issue sights. Clears M4 handguards and free-float tubes.

SPECS: Aluminum, black, anodized, matte finish. 10" (25cm) long. 4.1 oz. (115 g) wt. Fits A-1 and A-2. Accepts Weaver-style rings.

#100-000-498AF M4 Carry Handle Mount, 1K84C00 \$ 113.29

ROCK RIVER ARMS AR-15/M16 DOMINATOR2 EOTECH MOUNT

Solid Attachment Of Optic At
Correct Height To Co-Witness
With A2 "Iron" Sights

Rugged tactical mount provides secure attachment for an EOTech holographic weapon sight with correct elevation for co-witnessing iron sights through the optic. Clamps to flattop receiver and positions the EOTech's dot just above the factory front sight for fast transition from primary to backup sighting. Integral A2-style rear backup sight is adjustable for windage and elevation with two-position, flip-up aperture with .195" diameter peep for close-range targeting, and .065" peep for long range. Machined aluminum base has seven Picatinny slots on the top for mounting most EOTech models. Two, steel crossbolts snug the steel clamping bar tightly to the receiver rail for an installation that won't shift under recoil.

SPECS: Aluminum, hardcoat anodized, and steel, Parkerized, matte black finish. 7 1/4" (cm) OAL. Requires 6" of Picatinny receiver rail space. Compatible with current model EOTech holographic sights except 553 and 557.

#739-000-020AF Dominator2 EOTech Mount, 9C00PUA \$ 185.00

SMITH ENTERPRISE AR-15/M16 CARRY HANDLE SCOPE MOUNT

Lightweight, Streamlined
Quick-Detach Mount
Won't Block Iron Sights

Precision-machined aluminum scope mount attaches securely to the carry handle of your AR-15/M16/M4 to provide a solid, lightweight platform for tactical optics. MIL-STD 1913 rail cut accepts Picatinny, STANAG, and Weaver-style mounting systems, while hollow, .335" diameter sight channel offers unobstructed use of standard-issue iron sights without removing mount. Locks tightly in place with hardened steel stud and knurled nut that also allow fast, easy removal and reattachment of mount and attached optics without loss of zero. Positions scope to provide adequate eye relief when wearing a protective chemical/biological mask. Standard issue for Israeli Defense Forces, and deployed with the U.S. Armed Forces. NSN #1005-01-534-8696.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, black, matte finish. 5 3/8" (13.6cm) long. 2.5 oz. (71 g) wt. Made in U.S.A.

#851-000-071AF Carry Handle Scope Mount, 1E53A95 \$ 66.95



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

SMITH ENTERPRISE AR-15/M16 STEEL EXTENDER/RISER

Super Strong & Recoil Proof

Machined from steel barstock to true 1913 Picatinny specs. 2" forward extension, plus 1/2" extra height provides clearance for large objective scopes and night vision devices. Attaches to any mount or AR-15 upper receiver with Picatinny slot spacing.

SPECS: 4140 steel, black, matte finish. 7" (17.7cm) long. (14.7 oz. 417 g) wt.

#851-000-028AF Steel Extender/Riser 1E155X00 . \$ 189.00

TAPCO AR-15/M16 CARRY HANDLE MOUNT

For Easy Mounting
Of Optics To A2
"Carry-Handle" Rifles

Clamps to the carry handle of an A2-style rifle

to allow installation of a scope, holographic red dot sight, or other optic that requires Picatinny receiver rail mounts. Removes easily with the optic still attached, so you can quickly switch back to A2 configuration. One-piece, fiberglass-reinforced molded polymer construction is lightweight yet incredibly strong. Installs in seconds and cinches down tight with a steel bolt and easy-to-grip thumb. Sight tunnel under the rail allows continued use of factory iron sights as backups or for close-range shooting.

SPECS: Fiberglass-reinforced molded polymer, Black or Dark Earth. 5 1/4" (13.3cm) O.A.L. Fits AR-15/M16 with A2-style carry handle.

#100-004-292AF Carry Handle Mount, Black, 5A10Y72 \$ 10.99

#100-004-293AF Carry Handle Mount, Dark Earth, 5A10Y72 10.99

WEAVER AR-15/M16 TACTICAL MOUNTING SYSTEMS

Single & Triple Rail Designs Increase
Accessory & Scope Mounting Options

Two, separate Picatinny rail designs increase your scope and accessory mounting options without gunsmithing or permanent alterations. Choose Single Rail (SR) to keep weight to a minimum or the Tri Rail (TR) design if maximum rail space for lights, lasers and other tactical accessories is required. Made from tough, extruded aluminum; attaches securely with easy-to-turn, steel thumbscrews with threaded steel studs. Accepts both Picatinny or Weaver-style accessories and rings and includes mounting recesses and screws for STANAG rings. Sight tunnel in carry handle version allows unobstructed use of the adjustable A2 factory sights. Flat top version raises line of sight by .750" (19mm) for improved eye relief and more comfortable cheek weld with conventional or electronic optics.

SINGLE RAIL (SR) MOUNT SYSTEM

- Available for A2 carry handle or A4 flattop receivers. Both models attach quickly with either single or dual thumbscrews.

SPECS: Aluminum, matte black, anodized finish. **Carry Handle Mount** - 5" (12.7cm) long, 1 3/4" (4.4cm) wide. 3 oz. (85g) weight. **Flat Top Mount** - 5 1/4" (13.3cm) long, .834" (2.1cm) wide. 4.5 oz. (128g) weight.

#955-000-107AF SR Carry Handle Mount 5E16D15 \$ 23.49

#955-000-108AF SR Flat Top Mount 5E16D59 23.99

TRI RAIL (TR) MOUNT SYSTEM - Provides maximum mounting surface for additional tactical or sighting accessories. Three, full length Picatinny rails increase mounting surface by a full 10 1/2" over the standard A4 flattop receiver and up to 15" over the standard

YANKEE HILL AR-15/M16 EOTECH RISER MOUNT

Keeps Iron Sights
From Blocking EOTech
Reticle, Preserves
Co-Witness Capability

Rugged, yet lightweight riser mount positions your EOTech holographic sight .300" higher, so your rifle's iron sights are less apt to interfere with the EOTech's reticle, while preserving co-witness capability. Also helps you maintain a more comfortable, heads-up shooting form. Clamps to your flattop rifle's Picatinny rail with a single hardened steel setscrew; a securing tab up front locks into one of the rail's slots to ensure a solid, recoil-proof fit. Precision machined from solid aluminum, then mil-spec hardcoat anodized for extra strength and wear resistance.

SPECS: Aluminum, hardcoat anodized, matte black. 5 1/16" (13.5cm) long, 1 1/16" (4.6cm) wide, .525" (1.3cm) overall height. 2.5 oz. (70g) weight. Fits AR-15/M16 with flattop receiver only.

#100-003-101AF EOTech Riser Mount 9A31H55 . . . \$ 42.00

B-SQUARE TACTICAL TRI-RINGS

High Strength Rings
With Built-In Rails
For Added Mounting Versatility

Heavy duty, Weaver-style scope rings with Picatinny accessory rails provide additional options for mounting backup optics, flashlight/laser combinations, and other essential tactical accessories. Each Tri-ring contains three built-in rails positioned at 9, 12, and 3 o'clock for multiple options. Top straps are held to the lower rings with four Torx® head screws for a secure fit that won't come loose. Base clamps to Weaver-style rails using a steel crossbar and oversized 1/2" nut that holds tight under the heaviest recoil. Precision machined from T-6 aluminum and hardcoat anodized for durability. Fits 30mm scope bodies.

SPECS: T6 aluminum, black, matte. 30mm I.D. Height - 1 9/16" (4cm) measured from top of base to center of ring. Includes Torx wrench.

#122-000-048AF Tactical Tri-Rings 6K21P39 \$ 29.95

B-SQUARE 30mm SPORT UTILITY RINGS

Economical Rings
For Mounting Scopes
On Weaver-Style Bases

Strong, lightweight aluminum rings secure a 30mm scope to any Weaver-style or similar dovetail base. Extra length maximizes contact surface between scope and rings for exceptional gripping force to prevent scope movement under recoil. Four, steel, hex-head screws secure the ring halves, while a cross-bolt locks the clamping block securely to the base. Hex wrench included. Available in pairs.

SPECS: Aluminum, anodized, matte blue. Fits 30mm scope body and Weaver-style base. Height measured from top of base to inside bottom of ring. **Low** - .175" (4.5mm). For scopes with 32-40mm objective. **Medium** - .330" (8.4mm). For scopes with 40-44mm objective. **High** - .585" (14.9mm). For scopes with 50-56mm objective.

#100-003-481AF Low 30mm Rings 6K09Y32 \$ 11.99

#100-003-553AF Medium 30 mm Rings 6K09H00 . . . \$ 11.19

#100-003-482AF High 30 mm Rings 6K09T00 . . . \$ 11.19

A2 carry handle receiver.

SPECS: Aluminum, matte black, anodized finish. **Carry Handle Mount** - 5 1/4" (13.3cm) long, 1 3/4" (4.4cm) wide. 4.5 oz. (128g) weight. **Flat Top Mount** - 6" (15.2cm) long, 1 3/4" (4.4cm) wide. 6.5 oz. (182g) weight.

#955-000-109AF TR Carry Handle Mount, 5E26D98 \$ 39.49

#955-000-110AF TR Flat Top Mount 5E26D98 39.49

BADGER ORDNANCE MAXIMIZED SCOPE RINGS

Extra Strong To Withstand Heavy Recoil

Heavy duty 30mm steel rings, machined in pairs, serial numbered, and designed specifically to securely hold large, heavy scopes on hard-recoiling guns. Weaver-style clamp with big 1/2" nut really snugs ring to the mount. Ultra-High provides optimum height for AR-15, AR-10 and SR-25 rifles. Ring reducers convert 30mm to 1".

SPECS: Steel, black, matte finish. Ring height measured from top of mount to center of ring; **Standard** - .823" (2cm), **Medium** - .885" (22.5mm), **Medium High** - 1.0" (2.5cm), **High** - 1.125" (2.8cm), **Ultra High** - 1.378" (3.5cm). **Weights:** **Standard** - 6.6 oz (187g), **High** - 9 oz. (255g), **Ultra High** - 10 oz. (284g).

#093-306-080AF Standard Ring 3K141Z34 \$ 165.00
#093-306-001AF Medium Scope Ring 3K146X58 169.99
#093-306-002AF Med. High Scope Ring 3K146X78 174.99
#093-306-090AF High Ring 3K152Z85 166.00
#093-306-100AF Ultra High Ring 3K154Z29 168.00
#093-306-120AF 1" Standard Reducers 3K29Z35 36.95



Ultra-High

FA ENTERPRISES TACTICAL RINGS

Withstands The Heaviest

Four, socket-head, cap screws lock scope into rings and prevent slipping from heavy recoil. One-half inch wide to provide excellent support for heavy, tactical, and long-range scopes. Accepts scopes with 30mm diameter tubes. Clamping nut makes it easy to tighten ring to base to a specific torque setting. **Low Rings** - Machined from steel bar stock, .266" high. **High Rings** - High-strength aluminum keeps weight to a minimum, .873" high.

SPECS: 4140 steel, parkerized, matte black or 6061-T6 aluminum, anodized, matte black. Heights measured from top of base to bottom of ring. **Low:** .330" (8.4mm). **High:** .930" (23.6mm).

#246-000-013AF Steel, Low Rings 6D79U97 \$ 99.95
#246-000-014AF Aluminum, High Rings 6D87U95 109.95



FARRELL INDUSTRIES

PICATINNY SCOPE RINGS

Unique Clamping System Ensures
The Maximum Amount of Torque



100% machined, solid steel, scope rings use an innovative, built-in, radius clamp that gives outstanding torque and a solid fit. When you tighten the large Torx screw, a convex extension on the moveable jaw is forced into a matching, concave recess on the ring for exceptional clamping power. Rings in each set are simultaneously machined and uniquely numbered for ultimate consistency between the pair. Skeletorized caps reduce weight, not overall strength. Fits Picatinny rails.

SPECS: Steel barstock, blue, matte finish. Height measured from top of base to inside bottom of ring. **1"** (25.4mm) **Standard** - .335" (8.5mm); **1" High** - .535" (13.6mm); **30mm** (1.18") **Standard** - .243" (6.2mm); **30mm High** - .443" (11.3mm).

#100-000-893AF 1" Standard Rings 8K119P70 \$ 149.63
#100-000-894AF 1" High Rings 8K119P70 149.63
#100-000-895AF 30mm Standard Rings 8K120U51 149.99
#100-000-896AF 30mm High Rings 8K119U70 149.63

LEUPOLD PRW RINGS

Weaver-Style, All-Steel,
For Rock-Solid Mounting



Machined from steel barstock with the strength and accuracy necessary to hold large objective scopes securely against recoil. Solid steel clamp uses two TORX screws to firmly lock rings while the square steel recoil lug holds tightly against movement. Split below the centerline, each ring features four screws that let you tighten the cap with-out rotating the scope.

SPECS: Steel, powder-coat finish. Available in Gloss Black, and Matte Black. Rings sold in pairs. Height measured from base to center of ring. **Low** - .730" (18.5mm); **Medium** - .850" (21.5mm); **High** - .980" (24.8mm).

STOCK # 1"	STOCK # 30mm	HEIGHT	FINISH
#526-541-440AF	NA	Low	Matte Black
#526-541-470AF	NA	Med	Gloss Black
#526-541-490AF	#526-541-670AF	Med	Matte Black
#526-541-500AF	#526-541-770AF	High	Matte Black
- Advise # - 1" PRW Rings 6B39T86 \$ 68.00			
- Advise # - 30mm PRW Rings 6B45T72 78.00			

ly to scope. Available in Low, Medium, and High.
SPECS: Hardened steel. Matte black. Height from top of base to bottom of ring. **Low** .2" (5.1mm). **Medium** .32" (8.1mm). **High** .48" (12.2mm). **Sold per set.**

#118-000-005AF Quick Detach Zee Ring, Low, 8A47P00 \$ 67.00
#118-000-006AF Quick Detach Zee Ring, Med, 8A47P00 67.00
#118-000-007AF Quick Detach Zee Ring, High, 8A47U00 67.00

LEUPOLD MARK 4 RINGS

Rock-Solid, Heavy-Duty
Mounts For Extreme Field
& Tactical Use



Heavy-duty rings are built to withstand extreme service without movement or loss of zero. Larger contact area between the scope/rings and base/receiver for less chance of movement. Large hex nuts on rings allow fast torquing of cross bolts for easy adjustment. Non reflective, matte finish. Mounting screws and Torx® head wrench included. **Steel Rings** - CNC machined from solid 11L17 cold-rolled bar stock, then blue. **Aluminum Rings** - CNC machined from 7075 T651 aluminum alloy and hardcoat anodized for maximum strength and wear resistance.

SPECS: Steel or aluminum, matte black finish 1" (2.5cm) or 30mm (1.18in) inside diameter. Height from top of base to center of ring for both 1" and 30mm: **Med.** - .84" (2.1cm); **High** - 1.06" (2.7cm); **Super High** - 1.4" (3.5cm).

#526-000-085AF 1" Med. Aluminum Rings, 6B131C31 \$ 224.00
#526-502-220AF 1" Super High Steel Rings, 6B131H31 224.00
#526-000-086AF 1" Super High Aluminum Rings, 6B131C31 224.00
#526-000-082AF 30mm Med. Aluminum Rings, 6B131C31 224.00
#526-000-053AF 30mm High Steel Rings 6B131V31 224.00
#526-000-083AF 30mm High Aluminum Rings, 6B131C31 224.00
#526-520-830AF 30mm Super High Steel Rings, 6B131A31 224.00
#526-000-084AF 30mm Super High Aluminum Rings, 6B131C31 224.00

LIGHTFORCE NIGHTFORCE 30mm TACTICAL RINGS

Extra Strong For Police
& Military Applications



Milled from barstock, these rings provide the solid strength required for harsh field and tactical use. With four TORX screws per cap, the scope is securely locked into the ring to prevent recoil movement. Large, 1/2" hex nut lets you torque ring securely to any MIL-STD 1913 Picatinny base, and helps achieve a consistent return to zero. Steel cross lug provides additional strength, prevents shifting caused by recoil.

SPECS: Steel, parkerized, matte finish. 30mm I.D. 5/8" (15.9mm) wide. Height measured from top of base to bottom of scope body: **Low** - .300" (7.6mm), **Medium** - .400" (10.2mm), **High** - .535" (13.6mm). **Extra High** - .782" (19.9mm). Fits Picatinny bases.

#524-000-001AF Low Tactical Rings 4B150Y53 \$ 173.68
#524-000-002AF Medium Tactical Rings 4B151Y72 173.99
#524-000-003AF High Tactical Rings 4B151Y72 174.99
#524-000-017AF Extra High Tact Rings 4B150Y68 173.99

SMITH ENTERPRISE TACTICAL RINGS

Rugged, High-Strength Steel;
Securely Holds Heavy Tactical Scopes



Extra-strong, machined from solid bar stock; keeps the heaviest 30mm scopes from moving under recoil. Heavy-duty, U.S.-size hex nuts allow you to correctly torque rings to base. Uses oversized, square cross lugs for increased contact on Picatinny bases; provides additional security against ring slippage and wear caused by recoil battering. Each cap features four, socket-head screws that positively lock scope into rings.

SPECS: 4140 steel billet, parkerized, matte finish. Rc 35. Fits 30mm dia. scope tubes. Height from top of base to inside bottom of ring: **7002 Low** - .250" (6.4mm), **7018 Medium** - .500" (12.7mm).
#851-000-053AF 7002 Low Tact Rings 1E120H00 . . . \$ 150.00
#851-000-054AF 7018 Med. Tact Rings 1E120H00 . . . 150.00

TACTICAL PRECISION HRT™ RINGS

Superior Scope-To-Ring Contact
With A Slim-Line Look



Precision, CNC-machined, tactical rings offer superior holding power in a smooth, contoured design for light weight and minimum bulk. Made from 7075 aluminum billet or extra strong, 1215 steel alloy. Guaranteed, .0002" cylindrical roundness between ring base and top strap ensures excellent tube-to-ring contact; prevents scope tube "pinch" and eliminates the need to lap prior to scope mounting. Steel alloy, cross-bolt and hex nut gives positive locking on Picatinny and Weaver-style bases. Four, Torx® head screws prevent scope shift under the heaviest recoil.

SPECS: 1215 steel alloy or 7075-T651 aluminum, matte black. Height measured from top of base to center of ring. **1"** - **Medium** - .985" (25mm), **High**: 1.185" (30mm). **30mm** - **Medium**: 1.075" (27.3mm), **High**: 1.225" (31.1mm). Fits Picatinny and Weaver-style mounts.

STOCK #	SIZE	MATERIAL	HGT	PRICE
#100-001-474AF	1"	Steel	Medium	9K50U00 \$ 78.00
#100-001-475AF	1"	Steel	High	9K52U00 \$ 81.00
#100-001-476AF	1"	Alum	Medium	9K45U00 \$ 70.00
#100-001-477AF	1"	Alum	High	9K47U00 \$ 74.00
#100-001-478AF	30mm	Steel	Medium	9K58U00 \$ 87.00
#100-001-479AF	30mm	Steel	High	9K57U00 \$ 89.00
#100-001-480AF	30mm	Alum	Medium	9K48U00 \$ 75.00
#100-001-481AF	30mm	Alum	High	9K50U00 \$ 78.00

TACTICAL PRECISION TSR™ & TSR "W" RINGS

Super Holding Power, Precision Alignment



Precision machined to tolerances of .0002" for maximum scope/ring contact to hold scope securely against recoil. Four-screw cap lets you align the reticle, tighten the left side of the cap, then the right side without the scope rotating. Large clamp-nut lets you torque ring to base. Radiused edges and corners help prevent snagging while providing attractive appearance. **TSR** - 7075-T6 aluminum, fits MIL-STD 1913 Picatinny base. **TSR "W" Series** - 1215 alloy steel, fits Weaver bases. **34mm** - Accepts Schmidt & Bender-type 34mm scope tubes.

SPECS: 5/8" (15.8mm) wide. Heights measured from top of base to center of ring. **TSR** - 7075-T6 Aluminum black, hard anodized to Mil-A-8625 standards. **TSR "W" Series** - 1215 alloy steel, Mil-C-13924 oxide finish, matte black. **1"** - **Low:** .785" (19.9mm), **Medium:** .985" (25mm), **High:** 1.185" (30mm). **30mm** - **Low:** .925" (23.5mm), **Medium:** 1.075" (27.3mm), **High:** 1.225" (31.1mm). **34mm** - **Medium:** 1.185" (30.1mm), **High:** 1.435" (36.4mm).

TSR ALUMINUM RINGS				
STOCK #	HEIGHT	SIZE	PRICE	
#100-000-951AF	Low	1"	9K45V00	\$ 70.00
#100-000-952AF	Med	1"	9K45V00	\$ 70.00
#100-000-953AF	High	1"	9K47V00	\$ 74.00
#100-000-957AF	Low	30mm	9K48V00	\$ 75.00
#100-000-958AF	Med	30mm	9K48B00	\$ 75.00
#100-000-959AF	High	30mm	9K50B00	\$ 78.00

TSR "W" SERIES STEEL RINGS				
STOCK #	HEIGHT	SIZE	PRICE	
#100-001-403AF	Low	1"	9K50Z00	\$ 78.00
#100-001-404AF	Med	1"	9K50Z00	\$ 78.00
#100-001-405AF	High	1"	9K52Z00	\$ 81.00
#100-001-409AF	Low	30mm	9K55Z00	\$ 86.00
#100-001-410AF	Med	30mm	9K60Z66	\$ 86.99
#100-001-411AF	High	30mm	9K57Z00	\$ 89.00
#100-003-300AF	Med	34mm	9K75Y00	\$ 118.00
#100-003-299AF	High	34mm	9K85Y00	\$ 133.00

BURRIS QUICK DETACH ZEE RINGS

Quickly Removable, Super Stable

Weaver-style, 1" quick detach rings give you a rock solid mounting system for optics that can be removed from the base quickly and easily with QD levers. Allows removal of optics and use of iron sights. Immediate return to zero means that you won't spend precious time sighting back in if you've taken the scope off for close range shooting. Two, Torx head screws fasten rings secure-



WARNE MAGNUM SPECIAL APPLICATION MAXIMA RINGS



Rugged Steel, Close-Tolerance Dovetails For Secure Mounting

Vertically split rings, precision-machined from steel barstock, hold large objective, heavy scopes firmly against recoil. Finished to exacting tolerances so the scope returns to zero, even after repeated dismounting and remounting. Permanent mount (**Perm**) uses two socket screws to solidly lock rings to base. Quick detach (**QD**), double lever rings clamp quickly and tightly; dismount instantly when you lift the lever. Levers can be repositioned so both rest at the same angle. Ultra High rings give correct height for flattop AR-15 and H&K SL7 rifle.

SPECS: Steel, blued, matte finish. Height measured from top of base to bottom of ring saddle. **QD:** 1" (2.5cm): X-High - .650" (16.5mm) and Ultra-High - .935" (23.7mm); 30mm (1.18"): X-High - .650" and Ultra-High - .850" (21.6mm). **Perm:** 1" X-High - .650" and 30mm X-High - .650". All models fit Warne Maxima, Weaver, and Picatinny bases.

STOCK #	DIA/HEIGHT	HEIGHT	PRICE
#947-000-003AF	1"/X-High	Perm	7D63C82 \$ 69.63
#947-000-004AF	1"/X-High	QD	7D92C80 \$ 101.24
#947-000-005AF	1"/Ultra High	QD	7D92C80 \$ 101.24
#947-000-008AF	30mm/X-High	Perm	7D63C82 \$ 69.63
#947-000-009AF	30mm/X-High	QD	7D109C08 \$ 118.99
#947-000-010AF	30mm/Ultra High	QD	7D109C08 \$ 118.99

CRIMSONTRACE AR-15/M16

LASER GRIPS

Instant-On Laser Aiming System For Fast Target Acquisition & Better Accuracy

Integral, grip-mounted laser sighting system gives you an immediate, decisive advantage in almost any light conditions—low light, darkness, even broad daylight. A squeeze of your finger on the instinctively positioned pressure pad activates the laser for an added tactical edge by instantly projecting a bright red aiming dot on the target. Makes a great training tool by providing instant feedback to advanced shooting students learning instinctive aiming, and helps beginners learn how to achieve proper sight alignment, steady trigger pull, and consistent follow through. Ultra-bright laser is the brightest allowed by current federal law; dot diameter is approximately 1/2" at 50 feet. The ergonomically designed outer cover of rugged but soft, overmolded rubber also improves shooting comfort and control. Master on/off switch prevents dead batteries caused by accidental laser activation. Fully adjustable for windage and elevation with the included Allen wrenches. **Vertical Foregrip** model easily attaches to any forend/handguard with a MIL-STD 1913 Picatinny or Weaver-style accessory rail on the underside and also enhances weapon retention, control, and pointability. Frame machined from billet aluminum clamps to the rail with locking bars, two crossbolts, and easy-grasp, grooved thumbscrews to prevent unwanted movement that can change point of aim. Pressure pads on either side of the grip ensure instant, reflexive activation as you grasp the grip; master on/off switch on the lower left side. Over four hours constant-on operation from two 2032 lithium batteries (included), and up to five-year inactive shelf life. **Pistol Grip/Upper Receiver** model fits rifles with A1/A2 carry-handle upper receivers and includes a replacement rubber overmolded pistol grip with the pressure switch located in the upper finger groove. Rugged, shock-resistant polymer grip frame houses one CR123 lithium battery (included), with the master on/off switch in a deep recess on the underside. An armature extends from the pistol grip alongside the rear of the carry handle and positions the



LASERMAX UNI-MAX RAIL MOUNT LASER SIGHT



Low-Profile, Lightweight, Mounts On Weapon Accessory Rail

Compact, lightweight laser sight projects a bright, highly visible beam on the target for precise shot placement. Mounts in seconds on any pistol, rifle, or shotgun with 1 1/4" or more of Picatinny or Weaver-style rail space. Ambidextrous switch is comfortably positioned for quick engagement when pistol shooter's index finger rests along the slide in the Universal Cover Mode. Beam may be set to constant output or rapidly pulsating mode for even greater visibility. Low-profile housing allows many guns fitted with the Uni-Max to be carried in standard holsters. Integral Picatinny rail on underside of housing allows mounting of tactical weapon light. Windage and elevation adjust easily with the included tools, also used to set beam output mode. **Uni-Max Red** produces a bright red/orange beam that's suitable for most close quarter combat applications. Unit operates in temperatures from 10 to 130° F with a normal battery life of 3 1/2 hours with two, 357 batteries, included. **Uni-Green** outputs a bright green beam that's more visible to the human eye in all lighting conditions and over longer ranges. Timeout circuit automatically turns the unit off after 10 minutes to extend battery life. Normal battery life is 1 hour with two, 1/3N batteries, included. Operates in temperatures from 40 to 100° F. Uni-Green includes a heavy duty, polymer hardcase with foam lining.

SPECS: Fiber reinforced nylon, black. 2 1/4" (5.7cm) long, 1" (2.5cm) wide, 3/4" (1.9cm) high. Beam Diameter - 5/16" (1.6cm) at 7 yards, 3/4" (1.9cm) at 25 yards. **Uni-Max Red** - 635 nm wavelength laser. .9 oz. (26g) weight. Includes (2) 357 batteries and (2) Allen wrenches. **Uni-Green** - 532 nm wavelength laser. 1 oz. (28g) weight. Includes polymer hardcase, (2) 1/3N Lithium batteries, and adjustment tool.

#100-003-110AF Uni-Max Red Laser Sight, 1B162H67	\$ 192.15
#100-003-568AF Uni-Green Laser Sight, 1B341V65	407.95

MOMENTARY ACTIVATION SWITCH - Easy-to-install replacement switch provides momentary on/off control of your Uni-Max, so you can conserve battery power and avoid giving away your position. Squeeze the large 3" x 3/4" pressure activation pad to activate the laser when you're ready to acquire a target. Velcro® attachment system lets you position the pad on the forearm or vertical grip of a tactical rifle/shotgun, even the grip panels of some pistols, yet detaches quickly for temporary removal of the sight. Smooth, straight cord, in 6" or 10" lengths. Recessed master on/off switch prevents unintentional activation.

SPECS: Molded plastic and synthetic rubber, black. Available with 6" (15.2cm) or 10" (25.4cm) cord. Kit includes switch assembly, two mounting screws, installation tool, and instructions.

#100-003-319AF Momentary Switch, 6" cord, 1B56A45	\$ 62.99
#100-003-320AF Momentary Switch, 10" cord, 1B56A45	62.99

laser unit parallel with the top of the handle. Cam-lock system tightly locks the laser housing to the carry handle to prevent loss of zero. Easily used in conjunction with ACOG and other optics, as well as factory and aftermarket "iron" sights. Maximum 20 hours constant-on operation; five year extended shelf life.

SPECS: 633nm Class IIIa red laser, 5 mW peak output. Includes batteries, Allen wrenches, mounting hardware, and instructions. **Vertical Foregrip** - Aluminum frame, anodized, and molded rubber, black. Fits Picatinny and Weaver-style rails. **Pistol Grip/Upper Receiver** - Polymer frame, molded rubber, black. Fits carry-handle rifles with A1/A2 receivers; will not fit A3 flattops.

#100-003-749AF Vertical Foregrip Laser Grips, 4B00TPU	\$ 429.00
#100-003-748AF A1/A2 Pistol Grip/Upper Receiver Laser Grips 4B00DZA	429.00



LASER DEVICES BLAST 2 TACTICAL LIGHT & AIMING LASER



Brilliant White Illumination, Plus Projected Red Aiming Dot

High-pressure, 6-volt xenon lamp illuminates your intended target, and the high intensity LED laser projects a brilliant red aiming dot. Special reflector helps eliminate dim areas and shadows to fully illuminate facial features up to 20 meters. Super Power Point laser produces a bright, red laser point that's visible at distances up to 600 meters. Waterproof, dustproof, mil-spec housing features a rotary selector for light only, laser only, or light and laser combination. Dual stage, pressure thumb switch at rear of housing has both constant on and momentary on/off capability. Aiming laser is fully adjustable for windage and elevation. Attaches to mil-spec 1913 Picatinny rails with dual, spring-loaded thumb latches for fast on/off deployment.

SPECS: Plastic housing, matte black. Aluminum light housing, anodized finish, matte black. 4" (10cm) long, 6 oz. (170g) wt. Uses two (2), 3 volt CR123A batteries, included.

#100-002-391AF Blast 2 Laser/Light System, 9A340Y00	\$ 432.11
---	-----------

LASER DEVICES AR-2A AIMING LASER

Puts A Laser Sight Forward Of The Front Sight



Mounts to the front sight to give a bright red aim point in low light situations. Adjustable for windage and elevation in 0.4 milliradian clicks. Does not obscure iron sights and can be used on M-203 equipped rifles. Delivers up to 5 hours of continuous use from a single AA battery, included.

SPECS: 6061T6 aluminum, matte black. 4.9" (142mm) long, .75" (19mm) wide, 1.7" (43mm) high. Pressure pad wire length - 8" (20cm). Fits Mil-Spec M16/AR-15 front sight housing.

#100-001-970AF AR-2A Aiming Laser 9A500H00	\$ 635.59
--	-----------

LASER DEVICES LAS/TAC LASER

Adapts To Most Weapons



Provides accurate targeting in low-light situations. Features windage and elevation screws for precise sight-in adjustments. Simple, reliable push-button switch controls on, off, and momentary lighting.

SPECS: 6160 T6 aluminum, matte black. 1" (2.5cm) O.D., 3.4" (8.7cm) long. 3V, 123A battery included.

#100-001-965AF Push-Button Laser 9A218C67	\$ 277.95
---	-----------

SOG ARMORY MINIWEAPON LASER

High-Output Laser Provides High Speed, Low Light Aiming; Adapts To Virtually Any Weapon



Ultra-compact laser sight delivers an extremely bright, red, pinpoint beam of light for fast, accurate sighting without weighing down your weapon or negatively affecting its balance and performance. Lightweight, cylindrical housing guards high-output laser module from shock and recoil; four set screws provide flexible adjustment of laser beam. Universal, aluminum mount allows solid attachment to a wide variety of mounting platforms, including handguard rails and pistol frames with integral rail. Includes momentary pressure switch with 6" coil cord and interchangeable, two-position slide switch for pistol applications.

SPECS: Aluminum, matte black finish. Laser - 2 1/16" (5.6cm) long x 3/16" (1.4cm) diameter. Mount - 1 3/8" (3.5cm) long, 1" (2.5cm) wide, 1 1/4" (3.2cm) high. 2.3 oz. (65 g) wt. Includes hook & loop tape, Allen wrench, interchangeable switches.

#100-002-408AF Mini Weapon Laser 9A65Y35	\$ 91.80
--	----------



SAFARILAND RLS RAPID LIGHT SYSTEM



Instant Transition From Handheld To Weapon-Mounted Illumination

Detachable light with modular mounting system is powerful enough to be your primary handheld light, compact enough to mount on your rifle and transitions almost instantly to provide light where you need it. Fits Picatinny-type rails on any weapon. Simply slide the RLS mount over the rail, then rotate the light to the left or right, depending on the side of the gun you want it on, until the locking tab clicks into the rail groove. The light unit detaches easily from the mount for quick transition to handheld use. Belt clip lets you carry the light alone or the light plus the mount on your belt. Prism Reflector System focuses and projects the intense 65 lumen LED output up to 350 feet in an even pattern free of dark spots. Uses three inexpensive, easy-to-find AAA batteries; 50 hours battery life. Push-button switch on the end cap has momentary and steady-on modes. When the light is mounted on a gun, the switch is positioned for easy activation by the thumb of the support hand in a two-handed stance. **RLS Mount** is also available separately and accommodates most compact hand-held flashlights .970" (24.6mm) to 1.060" (26.9mm) in diameter.

SPECS: Light - Aluminum, hardcoat anodized, matte black. 4 1/2" (11.4cm) long, 1" (2.5cm) diameter. 4.6 oz. (129g) weight. 3 AAA batteries included. **Mount** - Injection molded polymer. 2 3/4" (7cm) long, 2" (5.1cm) wide, 3" (7.6cm) high. 1.2 oz. (35g) wt.

#797-000-095AF RLS Light System 7G105D14	\$ 130.00
#797-000-096AF RLS Mount, only 7G31D43	45.00



SUREFIRE X300 WEAPON LIGHT

Powerful Tactical Illumination



Lightweight weapon light provides powerful target illumination for guns equipped with Picatinny and Universal Standard mounting rails. Solid-state, shock-isolated, electronically controlled LED outputs 110 lumens of clean, white light—more than five times a standard two-D-cell flashlight. LED is protected by a tempered Pyrex® lens. Specially engineered Total Internal Reflection focusing lens tightens light beam to project a more focused beam at longer distances. Ambidextrous constant on/off toggle switch provides fail-safe operation under stress. Push button, spring-loaded mounting clamp allows you to instantly attach or detach light for any situation. O-ring sealed fittings are waterproof to 70 feet. Adapter plates and mounting hardware for Picatinny and Universal Standard rails included.

SPECS: Aluminum, mil-spec Type III anodized, black. 3 5/8" (9.2cm) long, 1 3/8" (3.5cm) wide, approx. 1" (2.5cm) high when mounted. 3.8 oz. (108g) wt., with two, included, SF123A lithium batteries.

#152-000-041AF X300 Weapon Light 2E00AYT	\$ 249.99
--	-----------

X400 WEAPON LIGHT/LASER - Includes the same powerful LED and other technical features as the X300 with the addition of a fully-adjustable, super bright red-light laser that puts you on target immediately. Makes the X400 the perfect choice for military, law enforcement, and self defense use. Laser outputs 5 milliwatts at a wavelength of 635 nanometers, making the beam brighter and more visible than comparable units. Five-position switch, located behind the laser, offers four modes of operation, including light only, laser only, light and laser together, and two disable positions. Push-button, spring-loaded mounting clamp allows instant installation and removal. Includes adapters and hardware for mounting to Picatinny and Universal Standard rails.

SPECS: Aluminum, mil-spec Type III anodized, black. Approx. 3 5/8" (9.2cm) long, 1 1/8" (3.7cm) wide, 1 1/8" (4.8cm) high. 4.4 oz. (125g) weight, with two, included, SF123A lithium batteries installed.

#152-000-059AF X400 Light/Laser 2E00AYT	\$ 455.00
---	-----------

**SUREFIRE AR-15/M16
WEAPON MOUNTED LIGHT SYSTEMS**

High Intensity Lights
Improve Tactical Operation
For The AR-15



Rugged, machined aluminum components with weather resistant seals withstand the rigors of rough, field use. Provides brilliant, target-illuminating light on demand.

M-500A - Nitrolon composite, AR-15 handguards have M-4 style, dual heat shield, plus a built-in light and switches - no exposed wires. Provides light for inside and outdoors. High-grade aluminum light components and shock isolated lamp modules withstand the rigors of rapid fire. Disable switch, momentary-on, pressure pad switch, and a constant-on, rocker switch provide total control. Two lamp modules; Mn10 with 125 lumens and Mn11 with 225 lumens. Uses three Lithium batteries.

SPECS: Nitrolon handguard and lamp body, machined aluminum lamp module, black, anodized finish. Includes batteries, instructions. Fits carbine-length barrels with round handguard cap.

#152-015-500AF M-500A Light System 2E00XCH . . \$ 525.00
#152-000-01AF Mn11 Replacement Lamp 2E00UAV 33.00

678 AR-15 RIFLE AND 674 AR-15 CARBINE LIGHTS - Clamps to the side of the front sight post, out of the field of view. Machined aluminum light can be removed from mount. Puts out 65 lumens of light from two, 123A, lithium batteries.



Weather resistant seals and knurled grasping surfaces. Operated by a fingerpad, momentary pressure switch, that attaches along the handguard.

SPECS: Machined aircraft aluminum, black, anodized finish. Length - 5 1/2" (14cm). Includes batteries, instructions.

#152-015-678AF 678 Light System 2E00UAV \$ 343.00
#152-015-674AF 674 Light System 2E00AYT. \$ 379.00
#152-015-060AF P60 Repl Lamp Assembly 2E00XCH . 19.00

REPLACEMENT BATTERIES - SF 123, three-volt lithium batteries fit all Surefire handheld and weapon mounted lights.

#152-000-023AF 2-Pack SF123 Batteries 2E00HPU . . \$ 5.07

RAIL-MOUNTED VERTICAL GRIP WEAPONLIGHT - Gives excellent target illumination. Includes Mn10, 125 lumen and Mn11, 225 lumen lamp assemblies with scratch resistant, Pyrex lens. Separate, low-level, blue LED navigation lights provide enough light to see obstacles without compromising your position. Constant-on, plus individual pressure switches and a disable switch control light output. Fits any rifle with a Picatinny accessory rail; **A.R.M.S Mount** gives rapid installation and removal, while the **Thumb Screw** mount provides permanent attachment. Vertical grip aids weapon retention. Optional, **Red and Blue, BeamCover** filters protect your night vision while providing navigation and target illumination. Filters also fit 500A Light, above.



SPECS: Nitrolon body, black. Aluminum lamp assembly, 1.6" (4cm) bezel. 7 1/2" (19cm) long, 6" (15.2cm) high, 1 1/2" (3.8cm) wide. 18 oz. (510 g) wt.

#152-000-016AF A.R.M.S. Mount WeaponLight, 2E00XCH \$ 625.99

#152-000-017AF Thumb Screw Mount WeaponLight, 2E00ZAY \$ 559.00

#152-000-018AF FM15 Red BeamCover 2E00PUA . . . 39.00
#152-000-019AF FM16 Blue BeamCover 2E00BXC . . . 39.00

XM-06 DUAL SWITCH TAILCAP - Replacement tailcap assembly fits all Millennium® Universal Weapon Lights and provides two independently operating switches. Assembly screws directly into your existing light and comes with a 6" long cable with pressure switch and pushbutton on/off disable feature.



SPECS: Plastic housing, black. Kit includes tailcap assembly, 6" long cable w/ pressure switch, hook-and-loop fastener, alcohol wipe, and operator's manual.

#152-000-033AF XM-06 Tailcap 2E00PUA \$ 129.00

**Lights STREAMLIGHT®
TACTICAL WEAPON LIGHTS**

Lightweight, Powerful; Mounts Directly To Gun

TLR-1 WEAPON LIGHT - Powerful weapon-mounted light fully illuminates target with 80 lumens of intense, white light. Ambidextrous, momentary- or constant-on switch let you control light output to match your needs. Super Hi Flux 3 watt Luxeon LED lamp with impact-resistant Borofloat glass lens and deep-dish parabolic reflector produces a uniform beam with peripheral illumination and no hot spots or shadows. Runs on two CR123 lithium batteries for 2.5 hours of continuous runtime. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Lightweight, machined 6000 series aluminum construction adds just 4.2 ounces; doesn't upset weapon balance, yet withstands hard field use. Unique locking bar system clamps directly to Glock-style rails, MIL-STD-1913 Picatinny mounts, and most Weaver-style rails. Fits all holsters designed to accept pistols mounted with the earlier Streamlight M-3/-5/-6 series lights.



SPECS: Machined aluminum, matte black anodized finish. 80 lumens. 3 1/4" (8.3cm) long, 1 1/2" (3.8cm) wide, 1 1/16" (3.7cm) high. 4.2 oz. (119g) weight, including batteries. Uses two CR123 lithium batteries, included.

#100-003-009AF TLR-1 Weapon Light 1K116D40. . . \$ 145.99

TLR-2 WEAPON LIGHT/LASER SIGHT - Expands the TLR-1 system with a more powerful 135-lumen LED lamp and a high visibility, red 650-660 nm aiming laser to aid in precise shot placement. Selector switch lets you choose light only, laser only, or light plus laser illumination. Ambidextrous, momentary-on/constant-on/off switch lets you apply your selection exactly when you need it. Advanced C4 LED technology uses a powerful, shock-resistant LED and a proprietary parabolic reflector to generate an intense, uniform beam free of hot spots or shadows, with excellent peripheral illumination. Runs on two CR123 lithium batteries for 2.5 hours continuous runtime for light, 45+ hours in laser-only mode. Solid-state current regulation system maintains consistent illumination level through battery life cycle. Laser is fully adjustable for windage and elevation, with screws mounted in brass bushings for precise settings and reliable return to zero. Lightweight, sealed housing of machined 6000 series aluminum adds less than 5 oz. to weapon. Unique locking bar system has interchangeable locating keys for secure mounting directly to MIL-STD 1913 Picatinny, Glock-style, S&W 99/TSW, and Beretta 90-Two accessory rails.



SPECS: Machined aluminum, matte black anodized finish. 135 lumens. 3 3/4" (8.3cm) long, 1 1/2" (3.8cm) wide, 1 3/4" (4.5cm) high. 4.7 oz. (134g) weight, including batteries. LED service life: 50,000 hours. Uses two CR123 lithium batteries, included.

#100-004-220AF TLR-2 Weapon Light/Laser Sight, 1K289U80 \$ 369.99

TLR-3 COMPACT WEAPON LIGHT - Even smaller than the popular TLR-1, this ultra-low-profile light uses the same system of interchangeable locating keys as the rest of the TLR series to fit a wide variety of pistol receiver rails. Employs Streamlight's C4 LED technology to project a high-intensity, 90-lumen beam that's 2 to 3 times brighter than standard LEDs. Electronic power-control system helps maintain consistent brightness, while the parabolic reflector and Borofloat glass lens produce a focused beam with minimal fade at the edges. One CF2 lithium battery, included, provides 1 1/2 hours of continuous operation and a storage life up to 10 years. Ambidextrous switch offers an instant choice of momentary or steady-on operation. Rail clamp system allows easy, one-handed attachment/removal from the side of the weapon, so hands stay away from the muzzle. Body constructed of reinforced, impact-resistant polymer, with a lens cap of strong, yet lightweight, machined 6000-series aluminum with a matching matte black anodized finish. Waterproof to 1 meter for 30 minutes.



SPECS: Polymer body, black. 1" (2.5cm) wide x 1 1/8" (4.1cm) long. Tapers from .08" (2.1mm) to .06" (1.6mm) thick.

#452-000-030AF J Point 1° Shim, each 2E04P00 \$ 4.95
#452-000-031AF J Point 1° Shim, 3-pak 2E10P25 12.95
#452-000-032AF J Point 1° Shim, 5-pak 2E15P00 18.95

#100-004-290AF TLR-3 Weapon Light 1K00HDZ . . . \$ 74.99

**STREAMLIGHT AR-15/M16
THUNDER RANCH URBAN RIFLE
ILLUMINATION SYSTEM**

Quickly Convert Your AR-15
To An Urban Rifle



Installs quickly and securely to any AR-15 standard issue handguard or any other firearm equipped with a Picatinny rail. Steamlight model TL3 utilizes long-lasting lithium batteries and a high-pressure xenon gas-filled, bi-pin bulb to provide tremendous bright-white illumination. The adjustable spot-to-flood reflector conforms quickly to handle any urban tactical situation. TL3 light features a sturdy pocket clip, momentary on-off switch, plus constant on with just a quick twist of the tail cap. Light body is made from machined and extruded, lightweight aluminum. All aluminum light mount attaches to Picatinny rail; includes a rail adapter for AR-15 handguards. Convenient bottom thumb-wheel locks the light housing into place and can be removed in an instant. Waterproof and shock proof; green filter cap/flip-up lens cover and Thunder Ranch Urban Rifle Illumination System DVD included.

SPECS: Aluminum, matte, black, anodized finish. 6 1/4" (1.9 cm) long. 11 oz. (311g) wt. 211 lumens max. output. Uses three CR-123A, 3V lithium batteries, included.

#100-003-041AF Urban Rifle System 1K121C19. . . . \$ 199.99

J. P. ENTERPRISES J POINT™ SIGHT

Fast Target Acquisition
For Rifles, Handguns, Shotguns



Compact and lightweight, this microelectronic reflex sight provides a nearly unrestricted field of view for rapid target acquisition. Small size doesn't affect gun balance and handling. Features an always-on, micro-chip control that requires no switches or adjustments. LED insert senses light level and automatically sets dot brightness for optimum visibility in all ambient light conditions. Snap-on, protective cover extends battery life, protects lens from dust and dirt. Has 25 inches of windage and elevation adjustment at 20 yards. Fits the same bases and mounts as the Fire Point and Tasco Optima sights. 4 MOA dot for precision shooting, 8 MOA dot offers rapid target acquisition. **USA**

SPECS: Polymer body, black, matte finish. 1" (2.5cm) wide, 1.6" (4.1cm) long, .9" (23mm) high. 1/2 oz. (14g) weight. Uses (1) CR 2032 lithium battery, included. 2 to 3 years of battery life.

#452-000-016AF 4 MOA J Point Sight 2E241P61 . . . \$ 299.99
#452-000-017AF 8 MOA J Point Sight 2E241P61 299.99

J POINT 1° SHIM PIECE - Molded polymer shim solves adjustment problems for JPoint sights that have run out of travel at the top or bottom end of their elevation range. Built-in, 1° taper allows shim to be mounted high end forward or rearward to gain up or down adjustment as needed. Integral "feet" make shim alignment easy and provide a no-shift fit to bottom side of sight. Can also be used to raise sight height by stacking multiple shims with thick ends alternated to maintain zero angle of adjustment. Available singly and in 3- and 5-Paks. Mounting screws included. Shims made in U.S.A.



SPECS: Polymer body, black. 1" (2.5cm) wide x 1 1/8" (4.1cm) long. Tapers from .08" (2.1mm) to .06" (1.6mm) thick.

#452-000-030AF J Point 1° Shim, each 2E04P00 \$ 4.95
#452-000-031AF J Point 1° Shim, 3-pak 2E10P25 12.95
#452-000-032AF J Point 1° Shim, 5-pak 2E15P00 18.95

SPECS: Polymer body and anodized aluminum lens assembly, black. 2 3/4" (7cm) long, 1 1/8" (2.9cm) wide, 1 1/2" (3.8cm) high from top of rail clamp to bottom of housing. 2.4 oz. (67g) weight with battery. Fits MIL-STD 1913 Picatinny rail, and includes five rail keys to allow installation on Beretta 90-Two and Vertec, Glock, Kel-Tec PF-9, Kimber TLE/RLII, Sig GSR, Smith & Wesson M&P and TSW, Springfield XD compact and full frame, Springfield 1911, and others.

#100-004-290AF TLR-3 Weapon Light 1K00HDZ . . . \$ 74.99

**Models BARRIS FASTFIRE™
RED DOT REFLEX SIGHT**

Fast, Precise Heads-Up Sighting;
Ultra-Robust Design Handles
Magnum-Power Recoil



Shown with Picatinny/
Weaver Mount

Extremely compact and lightweight, yet rugged, red dot sight provides fast, accurate, both-eyes-open sighting. Originally developed for military and law enforcement use, FastFire's panoramic field of view and unlimited eye relief simplify shooting with an unobstructed view of the area around the target for fast target acquisition and precise shot placement. Won't interfere with peripheral vision, so the operator can maintain better situational awareness. A high-intensity LED projects a 4 MOA red sighting dot on the heads-up display, while a light sensor and integrated control circuitry adjust the dot's brightness to match the light around the target. Coated, dual-layer, optic-quality lens resists scratches and scuffs and is parallax-free to 50 yards. Mild, 1.07x magnification aids in acquiring long-range targets, without compromising close-in effectiveness. Set the point-of-impact with two flush-mounted screws that provide 3° (190" at 100 yards) windage and elevation adjustments using the included scale disc and adjustment tool. Low-profile control switch conveniently positioned on the left side, resists accidental activation and has positive clicks for on/off positions. Powered by one 3-volt CR 2032 lithium battery, included; up to 5-year battery life when used in Battery Saver mode. Standard FastFire has all the features listed above. FastFire II adds to the standard sight a gasket bottom plate that seals it 100% against water; sight will continue to function even after being submerged. Both models are available with a mount that fits MIL-STD 1913 Picatinny and Weaver-style rails.

SPECS: Sight - Steel, aluminum, optic-grade glass. 1 3/4" (4.5cm) long, 1" (2.5cm) wide, 1" high. Includes snap-on cover, CR 2032 lithium battery, windage/elevation scale disc and adjustment tool, instructions. Mounts - Aluminum, matte black. Mounting screws included.

#118-000-009AF FastFire Sight, only, 8A226U69 \$ 295.00

#118-000-008AF FastFire Sight, w/Picatinny/Weaver Mount, 8A237U50 \$ 309.00

#118-000-020AF FastFire II Sight, only, 8A238U73 \$ 309.99

#118-000-019AF FastFire II Sight, w/Picatinny/Weaver Mnt, 8A250U10 \$ 324.99

PICATINNY PROTECTOR MOUNT - Lightweight, aluminum mount with integral, raised "wings" shield and protect the sides and top of your FastFire sight from impact damage during combat or competition. Mount separately or as an effective secondary sight system for fast, both-eyes-open target acquisition during CQB. Mounting platform is contoured for a perfect fit to the FastFire sight and attaches with two, Allen head screws for a rock-solid hold during heavy recoil. Extra-large, steel cross-bolt and clamping bar provide a tight, positive lock on Picatinny and Weaver-style rails. Precision machined and hardcoat anodized for durability.



SPECS: 6061 T6 aluminum, black, matte, anodized finish. 2" (10cm) long, 1 1/8" (3.5cm) wide, 1 1/4" (3.2cm) high. 1.3 oz. (36.8g) weight.

#118-000-016AF Picatinny Protector Mount, 8A74U95 \$ 99.95

Shop

weapon light

Search

brownells.com



EOTECH HOLOGRAPHIC SIGHT

Provides Extremely Fast, Heads Up Target Engagement For Close Quarters & Long Range Shooting

Weatherproof, shockproof, night vision compatible sight provides competitive, military and law enforcement shooters a versatile, all-weather sighting system. Holographic, variable-intensity reticle is visible in any light. As long as the operator can see through any portion of the window, the entire reticle is visible on target. All models (except 552.XR308) feature a dot-within-a-circle reticle that presents a see-through pattern for lightening-quick target acquisition. Heads-up display eliminates blind spots and tunnel vision. Gives true, both eyes open shooting for instant target identification. Electronics are encapsulated in a shock absorbing resin compound and sealed against dirt and water. Shatterproof lens has an anti-reflective coating. Light signature is not visible from the front. All user controls are flush with the housing, no protruding knobs or mounting rings to snag or block vision. Integral mount fits Weaver-style and Picatinny bases. Aluminum "roll bar" hood protects display. **Model 553** incorporates the patented ARMS® dual quick-release throw levers for instant on/off capabilities. Zero is repeatable to 1 MOA after re-mounting. Sight body sets 7mm (.275") higher to provide operator with a consistent cheek weld with all other standardized optics. **Model 555** offers the same feature set as the 553 with the added convenience of using two common 1.5 volt AA batteries as a power source. Gives 1,000 hours continuous operation with lithium batteries at nominal setting 12; 600 continuous hours with alkaline. Also compatible with AA rechargeables. **Model 552, 552.XR308, 553, and 555** are night vision compatible with a night vision brightness range of 1,000:1 with NV switch engaged. **Model 552.XR308** has a ballistic drop compensated reticle for .308 caliber with hash marks calibrated for 600, 900, and 1200 meters. Mid-size **Model 511** and full-size **Model 512** have no provisions for night vision equipment. **Model 512.A65MO** adds to the standard 512 a Mossy Oak Obsession™ camouflage paint scheme. 511 uses two, Type N batteries; 512, 552, and 555 use two, AA batteries; 553 uses two, CR123A (3v) batteries. All include batteries. ■

SPECS: Polycarbonate body, aluminum hood, matte, black. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. **511** - 4" (10.2cm) long, 1 1/16" (4.9cm) wide, 2 3/8" (6cm) high. 9.2 oz. (262 g) wt. **512, 512.A65MO, 552 & 552.XR308** - 5 5/16" (13.5cm) long, 1 15/16" wide, 2 3/8" high. 11.5 oz. (326 g) wt. **553** - 4 15/16" (12.4cm) long, 1 15/16" wide, 2 3/4" (7.1cm) high. 12.2 oz. (345g) wt. **555** - 5 5/16" (4.9cm) long, 2 3/4" wide, 2 3/4" high. 12.5 oz. (354g) wt.

#100-000-907AF 511 Holographic Sight 9K385U33 . \$ 389.99
#100-001-738AF 512 Holographic Sight 9K399X99 . 409.99
#100-004-284AF 512.A65MO Mossy Oak Holographic Sight 9K438X67 . 469.00
#100-000-909AF 552 Holographic Sight 9K509U33 . 539.99
#100-003-196AF 552.XR308 Holographic Sight, 9K577U33 . 619.99
#100-002-871AF 553 Holographic Sight 9K665U33 . 699.99
#100-003-474AF 555 Holographic Sight 9K639Y99 . 669.99

MODELS 516, 556 & 557 - Flush-mounted control buttons positioned on the left side of the unit ensure easy, fast access when back-up iron sight or EOTech Magnifier is installed. Integral mount with knurled cross-bolt locks securely MIL-STD 1913 Picatinny and Weaver-style rails; zero is repeatable to 1 MOA after removing and re-mounting. Front one-third of the base underside is elevated .275" (7mm) for clearance over delta ring and standard military-style plastic handguard. Submersible to 33 ft. depth. **Models 516 and 556** occupy only 3 1/4" of rail space, leaving adequate room for a backup iron sight. Both have an easy-to-acquire tactical reticle with a 1 MOA dot inside a 65 MOA ring and provide up to 1,100 hours of continuous operation on two (2) 3 volt CR123A lithium batteries, included. **Model 556** is also compatible with Gen I-III+ night vision systems; 1000:1 night vision brightness range with NV switch engaged. Full-



size **Model 517** is powered by two common 1.5 volt AA batteries for 600 hours of continuous operation with alkaline batteries or 1,000 hours with lithium cells. Reticle is a 65 MOA circle with a 1 MOA center aiming dot. Requires 3 3/4" of rail space. Buttons positioned on left side of housing for easy access when G23 Magnifier is mounted behind sight. **Model 557** adds to the 517's features a ballistic matched reticle calibrated for the M4 carbine, with four vertically aligned 1 MOA aiming dots for target distances of 0-300m, 400m, 500m, and 600m. Fully compatible with Gen I-IV night vision systems; night vision brightness range of 1000:1 with NV switch engaged. **557.3XFTS Sight/Magnifier Combo** contains the **Model 557** sight, the 3x Magnifier with FTS mount (described below), plus a padded, hard-shell carrying case.

SPECS: Polycarbonate body, aluminum hood, matte, black. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. **516 & 556** - 5 1/8" (13cm) long, 2 1/8" (5.4cm) wide, 2 3/4" (7cm) high. 11.9 oz. (337g) weight. **517 & 557** - 5 3/4" (14.6cm) long, 2 1/8" wide, 2 3/4" high. 12.3 oz. (349g) weight. **516/517/556** - Reticle: 1 MOA dot inside 65 MOA ring. **557** - Reticle: four vertically aligned 1 MOA dots.

#100-003-473AF 516 Holographic Sight 9K455Y03 . \$ 484.99
#100-004-280AF 517 Holographic Sight 9K438X67 . 469.00
#100-003-475AF 556 Holographic Sight 9K573Y91 . 612.99
#100-003-197AF 557 Holographic Sight 9K553U85 . 589.99
#100-003-988AF 557 Holographic Sight/FTS 3x Magnifier, Combo 9K932U43 . 1,014.99

XPS SERIES - The most compact EOTech holographic weapon sight yet; runs on a single CR-123 battery, and delivers up to 600 hours of continuous operation. Red reticle is an easy-to-see 65 MOA circle with a 1 MOA aiming dot in the center; adjustable brightness can be set to suit operating conditions. Automatically shuts off after 8 hours (user may reset to 4 hours) to preserve battery life. Fully adjustable for windage and elevation in 1/2 MOA clicks. Non-magnifying optics of shatter-resistant laminate provide exceptional clarity and unlimited eye relief; fogproof and anti-glare coated. Base requires only 2 3/4" of rail space; fits MIL-STD 1913 Picatinny or Weaver rail. Sealed, waterproof, rear-mounted buttons allow easy access to activate reticle and adjust brightness level. Battery compartment has a simple screw-on cap with O-ring seal to keep out moisture (submersible to 10-ft. depth). Available in standard XPS2-0 model and night-vision compatible XPS3-0 with a night vision brightness range of 1,280:1 with NV switch engaged.

SPECS: Aluminum housing, hardcoat anodized, matte black. 3.75" (9.5cm) long x 2.4" (6.1cm) wide x 2.4" high. 8.8 oz. (250g) wt. Windage and elevation adjustment range +/-40 MOA in 1/2 MOA clicks (1/2" at 100 yards). Brightness adjustment range: 146,000:1, brightest to lowest.

#100-004-277AF XPS2-0 Sight 9K478X67 \$ 509.00
#100-004-498AF XPS3-0 Sight 9K560H00 589.99

G23.FTS MAGNIFIER - Add-on optic system increases the reach of any EOTech Holographic Weapon Sight (HWS) out to 600 meters without compromising close-range effectiveness. 3x Magnifier mounts directly behind the HWS on the receiver rail and requires no adjustments to the HWS itself. Point of aim is unchanged, and the center dot remains 1 MOA in diameter, while the angular size of the target is magnified. Sealed fogproof optics are submersible to a 33 ft. depth and fully adjustable for windage and elevation. Flip-To-Side mount lets you transition back to direct, unmagnified viewing through the HWS by hitting the release lever to flip the Magnifier out of the line of sight. Mount can be installed with the lever and flip path on the left or right side. Quick-release ARMS® locking system secures the mount to any MIL-STD 1913 Picatinny receiver rail, and lets you remove the magnifier and mount from the weapon as a single unit. Provides clearance for most low-profile flip-up rear sights; add-on 7mm riser included if additional height is needed.

SPECS: Aluminum, hardcoat anodized, matte black. 4.4" (11.3cm) long x 2" (5.1cm) diameter at widest point. 16.5 oz. (500g) weight. Actual magnification: 3.25x. Eye relief: 2" (5.1cm). Field of view: 6°. Operating temperature range: -40° to 160° F.

#100-004-286AF G23.FTS Magnifier 9K532H00 . . . \$ 559.00



LASER DEVICES/EOTECH

EOLAD-1V LASER/HOLOGRAPHIC SIGHT SYSTEM



Dual-Mode System Gives Choice Of Red Dot Or Laser To Address Almost Any Target

Advanced dual-mode sighting system gives the operator the choice of a holographic red dot sight or a powerful laser sight to address almost any tactical situation. Combines the fast acquisition, heads-up versatility, and long-range capabilities of an EOTech Model 552 holographic sight with the precision of a powerful 635nm/5mW red laser sight in one compact, flat-top-mounted unit. Systems may be operated independently and are separately adjustable for windage and elevation. Laser has two output settings and draws power from the 552's battery pack; two, included 1.5 volt AA batteries give five hours of continuous laser operation. Eye-safe low-power setting is for force-on-force training and CQB; high-power setting for daylight and long-distance target illumination. Pressure switch on housing activates laser; a separate plug-in remote switch is provided for use on handguard or vertical grip. Both switches allow easy tactile selection of momentary or continuous operation. Master lock-out switch prevents accidental operation and allows selection of Low or High setting. Removable safety screw prevents accidental High mode activation. LED on rear of housing indicates when laser is on and flashes to indicate low battery. Materials and construction meet MIL-STD-810F for adverse environmental conditions. Aluminum housing is built to withstand shock, vibration, and temperature extremes of the harshest law enforcement and military operations. Aluminum "roll bar" hood protects display of holographic sight from impact; captive rubber plug protects laser lens when not in use. Electronics are sealed against dirt and are waterproof to a depth of 33 feet (10m). Flush-mounted, rubber-sealed, all-weather push-button switches are built to withstand thousands of on/off cycles. Integral mount locks securely to Picatinny and Weaver-style rail. 552 sight is night vision compatible with a brightness range of 1,000:1 with NV switch engaged. ■


SPECS: Housing/Hood - 6061 T6 aluminum, anodized, matte black. Polycarbonate battery compartment. 5 1/2" (14cm) long, 2 5/8" (7.3cm) wide, 2 5/8" (6cm) high. 15.8 oz. (448g) weight. Lens - 3/16" thick, 3-layer, shatterproof laminate glass. Reticle size: 1 MOA dot and 65 MOA ring. Laser - Visible Class IIIa pointer, 5mW power output, 635nm wavelength. 8mm beam diameter at 25m. Maximum laser range approximately 33 yards (30m) in daylight, 492 yards (450m) in low light. Uses two AA 1.5 volt alkaline, lithium, or rechargeable batteries.

#100-003-514AF EOLAD-1V Holographic/Laser Sight, 9A1195P00 \$ 1,441.00

MICHIGUNS

EOTECH ADJUSTMENT DECALS

Elevation & Windage Calibrated Decals For Fast Adjustments



Calibrated decals are placed on the outside of the EOTech protective housing, around the elevation and windage knobs to allow fast, precise sight adjustments on distant targets. Large, easy to see arrows avoid confusion by pointing in the direction of turn to change elevation and windage. Transparent with tan colored lettering and markings that are easy to see. Each calibrated "tic" mark is the equivalent of 1/2" of bullet point-of-impact at 100 yards. Constructed of waterproof, high-strength vinyl, with an adhesive backing that holds tight. ■

SPECS: Vinyl decal. Calibration - 1/2" @ 100 yards.
#100-003-668AF Adjustment Decals 3Z06X95 \$ 9.95



EOTech Product Video Available Online

I.O.R. VALDADA

TACTICAL SCOPES

Carl Zeiss T-3 Treated Lenses Eliminate Glare & Provide Ultimate Light Transmission

Machined, 6061-T6 alloy, high-resolution scopes with a nitrogen-filled, O-ring-sealed tube and precision ground German glass provide superb clarity. Multi-coated lenses by Schott Glaswerk are treated with the Carl Zeiss T-3 system to eliminate glare and maximize light transmission. Elevation and windage knobs positively stop and audibly click for precise fine-tuning; white numbers make it easy to keep track of adjustments. Recoil-proof, waterproof and weatherproof from -40° F. to +140° F. to withstand high humidity, rain, fog, and snow.



4 x 24 - Lighted range-finding reticle, 7-position brightness control, and shock resistant aluminum/magnesium alloy body with a rubber eyecup to protect the ocular lens. 1/2 M.O.A. click, windage knob. Has a CQB reticle, adjustable ocular focus, and elevation adjustment calibrated for .223 caliber, 62 gr. bullets.

SPECS: Aluminum/magnesium body, anodized, black, matte finish. 30mm (1.2") diameter tube, 24mm (.95") dia. objective lens. 29 ft. f.o.v. @ 100 yds, 3" (7.6cm) eye relief. 4X magnification. 10.5" (26.7cm) long, 12 oz. (340 g) wt.

#434-000-006AF .223 4x24 M2 Scope 4C566A67 . . . \$ 755.55



2.5-10 x 42 x 30mm - MP8, range-finding reticle allows fast hold-over at longer ranges. Numbered elevation and windage knobs; 82 minutes elevation adjustment.

SPECS: 6061 T-6 aluminum body, anodized, black, matte finish. 1/2 MOA at 100 yds. 30mm (1.2") dia. tube. 42mm (1.6") dia. objective lens. 34 to 11.9 ft. (11m to 3.5m) f.o.v. @ 100 yds. 3.5" (8.9cm) eye relief. 14.7" (37cm) long. 17 oz. (481g) wt.

#434-000-002AF 2.5-10 x 42 Scope 4C1033A33 . . . \$ 1,377.77

GG&G EOTECH LENS COVER MODULE

Fast, Flip-Open Design; Protects The Lenses From Weather & Damage



Rubber body with spring-loaded, ABS plastic covers help seal out dirt and moisture to keep the lens surfaces clean and scratch-free. Integral tabs on the right and left sides of the covers allow a fast, ambidextrous flip-open action with thumb or finger pressure. Front cover opens to near horizontal position to help block rain or sunlight. Rear cover folds back on top of the EOTech's protective hood for compactness, and to ensure a completely unobstructed view through the sight. Body section installs under the EOTech protective hood, so it can't be lost or damaged. Fits 511, 512, 551, and 552. ■

SPECS: Rubber body, ABS plastic covers, neoprene pads, matte black. 2 3/8" (5.9cm) long, 1 1/8" (4.8cm) wide, 1 1/8" (3.6cm) high. 1 oz. (28.4g) weight. Includes Torx wrenches for installation.

#336-000-007AF EOTech Lens Cover 6C35D21 \$ 42.99

YANKEE HILL EOTECH REPLACEMENT SCREW

Oversize Head Makes Attaching Your HoloSight Easier




Machined, heat-treated thumbscrew with oversize, slotted head protrudes farther out from the side of your EOTech holographic sight. Provides for more positive sight retention than the small-headed factory screw. Makes attaching and removing your sight much easier to do, even when wearing gloves. ■

SPECS: Steel, matte blue. 2 1/8" (5.3cm) long. Head-.562" (14.2mm) diameter, 375" (9.5mm) thick.

#100-002-898AF EOTech Repl. Screw 9A06B85 \$ 9.00

RED DOT OPTICAL SIGHTS

Rugged, No-Fail Sight Systems
For Hunting, Target Shooting & Tactical Applications

Parallax-free aiming with a single, bright glowing red dot; proven to be the fastest, most accurate sighting system available. Exclusive Advanced Circuit Efficiency Technology (ACET) greatly improves the useable life of the single 3-volt battery. ACET sights can last nearly 50,000 hours (over five years on setting 7 out of 10) of constant use. AA battery model can last up to 80,000 hours with a single battery. All sight housings are machined, or extruded from 6000 series aluminum for maximum strength. Lens surfaces are optically ground (not cast) for superior clarity. Proprietary housing and lens sealing material keeps electronic and lens surfaces dry, fog-free and fully functional regardless of weather conditions. All models feature non-reflective, Mil-Spec anodized finishes. 

MICRO SERIES - Ultra Compact to reduce weight and bulk. Provides an easy-to-see, bright red LED aiming dot for hunting and tactical applications. All three models include an integral, Weaver-style mount that attaches easily without knobs, and is keyed to the sight body to absorb recoil. Fully adjustable for windage and elevation; adjustment tool is an integral part of the adjustment knob caps. **Micro H-1** with black finish and **Micro R-1** with silver finish are designed for hunting/sporting applications and are submersible to 15 feet. Can be mounted on shotguns, rifles, handguns, and bows, and include 12 daylight settings and one extra-bright setting. **Micro T-1** with black finish is designed for tactical use; includes band pass lens coating with 6 night vision/7 daylight settings, so it's fully compatible with all generations of Night Vision Devices, and submersible to 80 feet. Features integral Picatinny base.

SPECS: Anodized finish, matte black or silver. 2.4" (6.2cm) long x 2.4" wide x 1.6" (3.6mm) high, including mount. 3.7 oz. (105g) wt including mount. 1X magnification. **H-1/T-1:** 4 MOA dot. **R-1:** 4 MOA dot, 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, DL2032) and rubber flip-up lens covers.

- #100-003-004AF **Micro H-1** 7A544D37..... \$ 603.99
- #100-003-005AF **Micro R-1**
7A563D33..... 629.99
- #100-003-003AF **Micro T-1**
7A608D42..... 676.00

MICRO MOUNTS

Precision machined aluminum and steel components provide more mounting options to increase the versatility of your Aimpoint Micro series red dot sight. **LRP Quick-Release Conversion Kit** converts the mount that came with your Micro to a quick release configuration that allows the sight to be removed from the firearm with the flip of the locking lever. Return sight to gun without loss of zero. **LT660 QD Riser Mount** made for Aimpoint by LaRue Tactical allows mounting on any flattop AR-15/M16/M4 at the ideal height for quick, precise, head-up target acquisition. Lets you retain and co-witness your rifle's factory iron sights through the lower 1/2 of the Micro's field of view, so they won't interfere with the Micro's sight picture. Locking, quick-release lever for fast attachment and removal from rail; machined recoil lug and side rail clamp ensure a rock solid installation. Correct height for use with Aimpoint 3XMag Magnifier. Requires 2 1/8" (5.4cm) of rail space. **Dovetail Mount** replaces the base the came with your Micro sight so you can mount it on any gun with a nominal 3/8" dovetail on the receiver.

SPECS: **LRP** - Steel, matte black finish. **LT660 & Dovetail** - Aluminum, hard anodized, matte black.

- #100-003-575AF **LRP Quick-Release Conversion Kit**,
7A31V94..... \$ 36.50
- #100-003-578AF **LT 660 QD Riser Mount**,
7A110V93..... 128.00
- #100-003-576AF **Dovetail Mount** 7A69V39..... 78.00



9000SC SERIES - Medium length sight has nine daylight brightness settings, and is ideal for use with any semi-auto firearm and weapons that produce extra heavy recoil. 30mm exterior tube diameter helps provide unlimited field of view and eye relief, plus parallax-free aiming at all distances. **9000SC** is available with a 4MOA dot and is submersible to 15 feet. **9000SC Camo** includes a Realtree® Max-4 HD camouflage finish, and the objective lens housing is threaded to accept the optional Aimpoint KillFlash® anti-reflection device.

SPECS: Anodized finish, matte black or camouflage. 6.3" (16 cm) long x 2.2" (5.5cm) wide. 7.4 oz. (210g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds. (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N), rubber flip-up lens covers, two (2) 30mm Weaver-style mounting rings and Allen wrench. Minimum/Maximum C-To-C Ring Spacing: 2" (5cm)/4.5" (11.5cm).

- #100-002-968AF **9000SC 4MOA** 7A374U41..... \$ 416.00
- #100-002-971AF **9000SC Camo 4MOA** 7A400U73.... 445.00

9000L SERIES - Provides fast, both eyes open aiming; increased length of body tube provides proper ring spacing on most firearms. Built to shrug off the heaviest recoil. 1X magnification with either a 2MOA or 4MOA dot and submersible to 15 feet. Features an exterior tube diameter of 30mm for maximum field of view and eye relief, plus parallax-free aiming at all ranges with 9 daylight settings.

SPECS: Anodized finish, matte black. 7.9" (20 cm) long x 2.2" (5.5cm) wide. 8.1 oz. (230 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N), rubber flip-up lens covers, two (2) 30mm Weaver-style mounting rings and Allen wrench. Minimum/Maximum C-To-C Ring Spacing: 2.4" (6cm)/6.1" (15.5 cm).

- #100-002-972AF **9000L 2MOA** 7A374U41..... \$ 416.00
- #100-002-973AF **9000L 4MOA** 7A374U41..... 416.00

COMP2M2/COMP2L2 SERIES - CompM2 was the first red dot sight rated rugged enough to be adopted by the U.S. Military. Its band pass coated objective lens is fully compatible with all generations of night vision devices, but built for optimum performance with 3rd generation NV technology. Includes 4 NVD and 6 daylight settings. **Comp2L2** is designed for law enforcement and other tactical applications where NV capability is not required. Both models feature a 4 MOA dot for close quarter combat and 9 daylight settings, and require an Aimpoint 30mm ring or equivalent for installation, ring not included.

SPECS: Anodized finish, matte black. 5.1" (130 cm) long x 2.2" (5.5cm) wide. 7.8 oz. (220 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds. (13mm @ 100m). ACET = 10,000 hrs on one battery on daylight setting, 50,000 hrs on NV setting. Includes lithium battery (3v, DL 1/3N) and rubber flip-up lens covers. Both models submersible to 75 feet (25 m).

- #100-002-960AF **CompM2 4MOA** 7A477P91..... \$ 531.00
- #100-002-961AF **Comp2L2 4MOA** 7A428P12..... 476.00

COMP3C SERIES - Compact red dot sights for up-close shooting that demand both speed and accuracy. Built to the same exacting tolerances as the entire Aimpoint line for fail-proof performance. Short length allows easy mounting for a variety of applications; 30mm Weaver-style ring is included. Both models include nine daylight brightness settings, removable lens covers, dial covers, and a cushioned, rubber ocular lens. Available with 2MOA or 4MOA dot.

SPECS: Anodized, matte, black finish. 4.7" (12cm) long x 2.2" (5.5cm) wide x 2.2" high. 7.1 oz. (200g) wt. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery. Includes lithium battery (3v, CR 1/3N). Includes 30mm Weaver-style mounting ring and Allen wrench. Submersible to 15 feet (5m).

- #100-002-976AF **CompC3 2MOA** 7A404U28..... \$ 449.00
- #100-002-977AF **CompC3 4MOA** 7A404V28..... 449.00



COMP3M3/COMP3L3 SERIES - CompM3 is a fully redesigned version of the CompM2 and provides up to five years of constant power-on usage from a single battery. Band pass coated objective lens is fully compatible with all generations of night vision devices, but works especially well with 3rd generation NV technology used by military and law enforcement personnel. **Comp3L3** includes multi-layer, anti-reflective lens coatings designed for low light or daylight tactical operations where NV capability is neither required nor practical. Both models are available with 4MOA dot for close combat application or 2MOA dot for improved accuracy at longer distances. Both models include a removable, outer, black rubber armor cover for added protection. All models require an Aimpoint 30mm ring or equivalent for installation. Ring not included.

SPECS: Anodized finish, matte black. 5.1" (130 cm) long x 2.2" (5.5cm) wide. 7.8 oz. (220 g) wt. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 50,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting. Includes lithium battery (3v, DL 1/3N), rubber flip-up lens covers and rubber sight body shield. Submersible to 150 feet (45m).

- #100-002-963AF **CompM3 2MOA** 7A540U69..... \$ 601.00
- #100-002-964AF **CompM3 4MOA** 7A540U69..... 601.00
- #100-002-965AF **Comp3L3 2MOA** 7A469U56..... 539.99
- #100-002-966AF **Comp3L3 4MOA** 7A467U99..... 479.99

REPLACEMENT RUBBER COVER FOR COMP3M3/ML3 - Factory replacement for the removable rubber cover that comes with CompM3/ML3. Replace a worn or damaged cover, or put a Coyote tan cover on your sight to help it blend in on a rifle with a desert camo pattern.

SPECS: Synthetic rubber, Black or Coyote (tan). Fits Aimpoint CompM3/ML3 series red dot optical sights.

- #100-003-607AF **Rubber Cover for CompM3/ML3**, Black,
7A26V22..... \$ 31.99
- #100-003-606AF **Rubber Cover for CompM3/ML3**, Coyote,
7A25V89..... 29.00

COMP4M4/COMP4S - The latest civilian version of the U.S. Army's M68 CCO (Close Combat Optic), and the most advanced sight produced by Aimpoint. Super efficient electronics deliver up to eight years of continuous use from a single AA battery. Optics feature band pass objective lens coating for superb light transmission and optimum 3rd generation NVD compatibility. Newly improved rotary brightness switch provides 7 NVD settings and 9 daylight settings, plus one extra-bright setting for outdoor use with anti-reflective goggles. Excellent choice for varmint hunters needing a rugged red dot optic with low light capabilities. Integral, QRP2 mount (no additional mount ring required) features a single, oversize thumbscrew for fast installation and removal from Picatinny rails. Mount includes a separate vertical spacer for fast adaptation to a wide range of firearms. Available with versatile 2MOA dot. Can be quickly converted to a 3X, long-range red dot reticle scope by installing the optional Aimpoint 3XMag magnifying module listed below. **COMP4M4** has the same great operating features as the COMP4M4, but positions the battery compartment low, on the right side of the unit for less chance of snagging and improved view over the top of the optic.

SPECS: Anodized finish, matte black. 4.7" (120 cm) long x 2.8" (7.2m) wide x 2.8" high. 11.8 oz. (335 g) wt. including mount. 1X magnification. Windage & Elevation: 1/2" adjustment @ 100 yds (13mm @ 100m). ACET = 80,000 hrs on one battery on daylight setting, 500,000 hrs on NV setting. Includes alkaline battery (1.5v, AA). Submersible to 150 feet (45m).

- #100-003-002AF **Comp4M4 2MOA** 7A729D00..... \$ 811.00
- #100-003-734AF **Comp4M4 2MOA** 7A729B00..... 811.00



3XMAG MAGNIFIER - Mounts on a Picatinny rail directly behind any Aimpoint red dot optical sight to provide 3X magnification for improved accuracy when engaging small targets at long ranges. Durable rubber housing improves gripping surface and shields the module from damage caused by shock. Mounts to rail using a 30mm scope ring or the quick-detach Aimpoint TwistMount listed below. Mounting or dismounting will not change point-of-impact of your sight. Internal adjustments allow alignment with your pre-zeroed sight.

SPECS: Aluminum, anodized, dark grey, rubber coated, black. 4.3" (11cm) long x 1.7" (4.4cm) high. 1.6" (4.1cm) diameter. 7.1 oz. (200g) wt. Submersible to 67 feet (20m). Requires 30mm mounting ring for installation.

- #100-002-981AF **3XMag Magnifier** 7A519V78..... \$ 578.00

TWISTMOUNT FOR 3X MAGNIFIER - Quick-detach mount for Aimpoint 3x Magnifier lets you change instantly from long-range to CQB mode. Depress the release lever, twist the Magnifier, and lift it off for an unencumbered close-range sight picture. Low-profile base clamps to Picatinny-style rail; extra-long scope ring provides ample surface contact for a no-slip grasp on the magnifier body. May also be used as a quick-detach mount for other 30mm optics. Extra TwistMount bases sold separately, so you can quickly move your Magnifier from one rifle to another. **Co-Witness Spacer** raises sight axis for proper co-witnessing with factory-height backup iron sights. Comes with four, extra-length hex head screws and Allen wrench.

SPECS: Aluminum, hardcoat anodized, matte black.

- #100-003-597AF **TwistMount Complete** 7A166H30. \$ 185.00
- #100-003-599AF **TwistMount Base**, only 7A105H30... 117.00
- #100-003-598AF **TwistMount Ring**, only 7A81H14.... 90.50
- #100-004-137AF **Co-Witness Spacer** 7A13T12..... 15.00

TENEBAEX KILLFLASH® ARD - Anti-Reflection Device screws into front lens opening of 9000SC and Comp series sights. Honeycomb filter disperses light to prevent reflections from front lens giving away your position without adversely affecting sight picture. Fits under lens caps available above.

SPECS: Polymer, black. Fits 9000SC and Comp series sights.

- #100-003-624AF **KillFlash® ARD** 7A36P68..... \$ 39.99

REPLACEMENT LENS COVERS - Replace lost or broken lens cover with the factory original part that came with your Aimpoint. **Flip-Up Covers** - Spring-loaded, polymer covers that flip open with finger pressure. Available in black or see-through clear Tight, friction-fit installation. Fit non-magnifying (1x) 9000 and Comp series, including C3, MP33, and M4/M4S. Rear covers fit all Aimpoints with 30mm rear objectives, including Comp and 9000 series. **Military** - One-piece, rubber, slip-on style with loop that fits over quick-release knob on QRP and QRW mounts. Fits Comp M2, ML2, M3, ML3, M4, and M4S. **Micro** - One-piece, rubber, "bikini"-style cover for Micro series sights.

SPECS: Fits Aimpoint Red Dot sights as indicated above. **Flip-Up Covers** - Molded polymer, black. Clear models have clear polymer windows in lid. **Military & Micro** - Rubber, black.

- #100-003-612AF **Flip-Up Front Cover**, Blk 7A16Z67 \$ 18.75
- #100-003-618AF **Flip-Up Front Cover**, Clear 7A16P67 18.75
- #100-003-616AF **Flip-Up Rear Cover**, Blk 7A16Z67... 18.75
- #100-003-621AF **Flip-Up Rear Cover**, Clear 7A16Z67... 18.75
- #100-003-623AF **Military Lens Cover** 7A11P46..... 12.50
- #100-003-625AF **Micro Lens Cover** 7A17P17..... 19.00



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.



Model TRIJICON® AR-15/M16

ACOG SCOPES

Advanced Combat Optical Gunsight

Ultra strong, lightweight, forged aluminum housing and the compact design make this the strongest, most technically advanced, combat gun sight available. Tremendous

light transmission and unbelievable optical clarity rivals many high-quality hunting scopes. Mounts on the AR-15/M16 or AR-10/SR25 carry handle without modifications. **TA01 4x32** - The exclusive Trijicon, self-luminous reticle has a built-in range-finding feature that's ballistically matched to the 5.56 X 45 NATO cartridge and clearly shows "center-of-mass" aiming points for ranges up to 800 yds. Easy-to-see reticle glows red in low-light conditions. Sight tunnel in mount allows use of standard issue sights. **TA01B 4x32** - Features the Trijicon, self-luminous reticle calibrated for 7.62mm NATO ammunition. **TA51 Bracket** converts standard ACOG for easy mounting on flat top receivers and Weaver-style rails.

SPECS: 7070-T6 alum. housing, black, anodized. 5.8" (14.7cm) long, 9.9 oz. (280 g) wt. 4X magnification, 32mm objective lens.

#892-800-432AF TA01 4x32, 2H873A10 \$ 1,089.99

#892-800-433AF TA01B 4x32, 2H855A40 1,099.99

#892-810-051AF TA51 Bracket, 2H56A00 72.00

TA01NSN 4x32 SPECIAL FORCES

Includes integral peep rear with tritium dot front sight for fast, close range sighting; TA51 mounting bracket easily mounts the ACOG Special Forces on flat top receivers; Includes "bikini"-style scope covers and yellow center, range finding reticle to match M4A1 Carbine NSN 1240-01-412-6608.

SPECS: 7070-T6 alum. housing, black, anodized. 5.8" (14.7cm) long, 9.9 oz. (280 g) wt. 4X magnification, 32mm objective lens.

#892-810-432AF Spec. Forces ACOG, 2H974A99 \$ 999.99

TA11 3.5x35

- A larger ACOG with the exclusive Bindon Aiming Concept (BAC) for "quick-as-thinking" aiming. Built-in range-finding reticle for ranges up to 800 yds. Mounts on the AR-15/M16 handle without modifications; allows use of standard issue sights.

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 8" (20cm) long, 14 oz. (396 g) wt. 3.5X magnification, 35mm objective lens. Adjustable for windage and elevation.

#892-800-335AF 3.5x35 ACOG, 2H1061A69 \$ 1,349.99

TA44 1.5x16

- The smallest, lightest ACOG we offer, the ultra-compact TA44 delivers fast targeting and outstanding mobility on lightweight tactical carbines. Perfect for entry teams and other tactical operators. Dual-illuminated reticle is a bright, easy-to-acquire, red dot within a circle, and modest 1.5x magnification ensures a wide field of view (7.4°, 39 ft. at 100 yards) for fast target acquisition under stress. Mounts directly to A2-type carry handle; tunnel in the integral base allows use of standard-issue sights.

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 4.1" (cm) long, 5.1 oz. (145g) weight. 1.5X magnification, 16mm objective lens. Adjustable for windage and elevation.

#892-000-052AF 1.5x16 Red Circle/Dot ACOG, 2H926U50 \$ 1,090.00

TA47 2.0x20 - Lightweight, Compact ACOG, with the exclusive Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts on the AR-15 carry handle without modifications; allows use of standard issue sights. Dual illumination; fiber optic rod with glowing amber tritium illuminates the aiming Triangle Dot reticle in bright daylight and low light.

SPECS: Forged 7070-T6 aluminum housing, black, anodized, coated lenses. 5.3" (13.4cm) long, 5.8 oz. (164 g) wt. 2.0X magnification, 20mm objective lens. Adjustable for windage and elevation.

#892-803-220AF 2.0x20 Tri. ACOG 2H844A00 \$ 1,090.00

ACOG BIKINI COVER - Flexible rubber lens covers seal out unwanted moisture and debris; comes equipped with a rubber pull tab for fast installation and removal.

SPECS: Rubber, black. 5 1/2" (14cm) long. Fits 4x32 ACOG scopes only.

#892-801-052AF ACOG Bikini Cover 2H09A33 \$ 12.00

TA33 3x30

- Lightweight, compact ACOG combines ample 3X magnification with Bindon Aiming Concept (BAC) for quick, instinctive, both-eyes-open aiming—perfect for a patrol rifle or military carbine. Battery-free, dual illumination system uses an amber fiber optic rod and glowing tritium lamp to illuminate the reticle in bright daylight and low light. Chevron reticle resembles an upside down "V" and provides the benefits of a triangle reticle while covering less of the target. Mounts to a flattop receiver with the included TA60 Compact ACOG M16 Base Flattop Adapter, which may be removed for installation on carry-handle rifles. Sight tunnel allows use of iron sights with scope on. Available in two models, with bullet drop compensated (BDC) reticles specifically calibrated to the trajectories of .223 and .308 cartridges.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. 6 1/8" (15.6cm) long, 7 oz. (198g) weight, scope only. 11.8 oz. (334g) weight including TA60 base. 3x magnification, 30mm objective lens. Adjustable for windage and elevation. **TA33-8** - for .223 AR-15/M16. **TA33-9** - for AR-type .308 rifles.

#892-000-030AF TA33-8, 3x30 Amber Chevron ACOG for .223 2H844C00 \$ 1,090.00

#892-000-029AF TA33-9, 3x30 Amber Chevron ACOG for .308 2H844C00 1,090.00

TA45 1.5x24 - Compact, tritium and fiber-optic ACOG mounts easily to your AR-15/M16 carry handle and retains the use of your iron sights. Large, 16mm exit pupil and long eye relief provide great freedom for eye positioning. Bindon Aiming concept (BAC) provides delivers fast acquisition of targets; 1.5X magnification gives a precise sight picture. Available with an amber triangle reticle.

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approximately 5.8" (14.7cm) long, 5.9 oz. (167 g) weight. 1.5X magnification, 24mm objective lens. Adjustable for windage and elevation.

#892-000-017AF 1.5x24 Amber Triangle ACOG, 2H854X55 \$ 1,090.99

TA50 3x24 - Lightweight, compact scope attaches right to AR-15/M16 carry-handle rifles. Allows use of iron sights. 3X magnification power helps identify targets 300 meters away and farther. Includes tritium and fiber optics to provide an excellent, magnified sight picture. Features the Bindon Aiming concept (BAC) to provide rapid target acquisition. Available with a red triangle reticle.

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approx. 5" (12.7cm) long, 5.9 oz. (167 g) wt. 3X magnification, 24mm objective lens. Adjusts for windage and elevation.

#892-000-019AF 3x24 Red Triangle ACOG, 2H846X82 \$ 1,090.99

TA31F 4x32 - Compact, 4X magnification scope features a bright, red Chevron reticle that is lit by both fiber optics and tritium for a vivid sight picture at distances up to 800 meters. Uses the Bindon Aiming concept (BAC) for excellent, both-eyes-open, target acquisition. Chevron reticle looks like an upside down "V"; provides similar benefits of triangle reticles without covering up as much of the target. Sight tunnel retains use of iron sights. Mounts to Colt, military-style, flat top rails.

SPECS: Forged 7075-T6 aluminum housing, black, anodized; coated lenses. Approximately 5.8" (14.7cm) long, 10 oz. (284 g) weight. 4X magnification, 32mm objective lens. Adjustable for windage and elevation.

#892-000-021AF 4x32 Red Chevron ACOG, 2H1099X99 \$ 1,399.99

TA31RCO 4x32 - Currently in service as the Rifle Combat Optic (RCO) of the United States Marine Corps, the TA31RCO is designed specifically for the 14.5" barreled M4 carbine. The bright, red, upside down "V" reticle gives fast, instinctive target acquisition at close range, and is bullet drop compensated (BDC) to the trajectory of military-issue 5.56 NATO ammunition for high hit probability out to 800 meters. Features the original TA31's long eye relief, ample 4x magnification, superior lens clarity, low-light capability, and Bindon Aiming Concept (BAC) for quick, both eyes open, aiming. Mounts to MIL-STD 1913 Picatinny and similar flattop rails; base may be removed to allow installation on carry-handle rifles. Comes with Tenebraex® Killflash® shield to stop reflections from the front lens giving away your position, plus rugged, MOLLE-compatible nylon carry case, slip-on Scopecote for protection during storage and transport, Lenspen, and adjuster cap lanyards.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. Approximately 5 7/8" (14.9cm) long, 6 5/8" (17.5cm) with Killflash installed. 15.9 oz. (451 g) weight. 4x magnification, 32mm objective lens. Adjustable for windage and elevation. Includes Kill-FLASH, nylon carrying case, Scopecoat, Lenspen, and manual.

#892-000-039AF TA31RCO-M4CP 4x32 Red Chevron ACOG 2H1201U22 \$ 1,549.99

TA648 6x48 - Designed to fulfill the requirements of military and law enforcement precision shooters for outstanding long-range target identification and hit probability. Features ample 6x magnification, superb lens clarity, unbeatable low-light capability, and Bindon Aiming Concept (BAC) for fast, both-eyes-open aiming. Manual override lets you adjust reticle brightness by rotating the sleeve on the rear eyepiece. The bright, red, chevron (upside down "V") reticle aids in fast, instinctive target acquisition, with additional bullet drop compensated (BDC) estimated aiming points marked in 100 meter increments starting at 400 meters. **.223/5.56** model is calibrated for U.S. military M855 cartridge out to 800 meters. **.308/7.62** model is calibrated for U.S. M80 cartridge out to 1,200 meters. Dry nitrogen filled to eliminate fogging, and waterproof to 328 feet (100m). Mounts to MIL-STD 1913 Picatinny and similar flattop rails with the included TA75 base; scope/base may be removed and reinstalled as a unit without loss of zero.

SPECS: Forged 7075-T6 aluminum housing, matte black anodized; coated lenses. Approximately 9" (22.9cm) long, 36 oz. (1,021 g) weight. 6x magnification, 48mm objective lens. Adjustable for windage and elevation. Includes TA75 rail adapter, Pelican hardshell carrying case, Lenspen, and manual.

#892-000-044AF 6x48 Red Chevron ACOG, 5.56 (.223), 2H1546U66 \$ 1,999.99

#892-000-045AF 6x48 Red Chevron ACO, 7.62 (.308), 2H1549U99 1,749.99

RUBBER EYEPIECE FOR ACOG'S - Shades the rear ocular lens for even better definition of the reticle.

SPECS: Black rubber. Fits 1 1/8" (28.6mm) - 1 1/4" (31.8mm) dia. lens.

#291-060-100AF ACOG Eyepiece 1B13H82 \$ 18.08

LEUPOLD AR-15

MARK 4 CQ/T SCOPE

Shown with optional Flat Top Mounting Bracket

Speed Of A Red-Dot, With The Precision Of A Rifle Scope

Multi-function, red-dot and optical sight has variable power settings for fast, accurate engagement of targets out to 300 yards and beyond. Vari-

able-brightness Circle-Dot reticle gives accurate ranging plus hold-over and lead on moving targets. Mil-Spec, Picatinny rails, on the top and right side, for lights, night vision gear or laser designators. Fits A2, carry handle receivers.

SPECS: Black, matte finish. 8.8" (22.4cm) long. 2" to 2.8" (5.1 to 7.1cm) eye relief. 175 oz. (496 g) wt. 1/2 MOA click adjustments. Dot size: 3MOA at 3X, 9 MOA at 1X. Circle size at 3X: 18" at 25 yards, 6" at 100 yards. Uses (1) AA battery (not included). Includes lens covers.

#526-521-550AF Mark 4 CQ/T Scope, 6B899A99 \$ 1,124.99

FLAT TOP MOUNTING BRACKET

- Mounts the Mark 4 CQ/T scope to flattop AR-15 or any Picatinny base. Tough and rugged with heavy-duty crossbolts for hard, field use.

SPECS: Steel cross bolts, aluminum bracket rails, black, matte finish. 2 3/4" (7cm) long.

#526-000-043AF Flat Top Mount Bracket, 6B37V52 \$ 64.00

LEUPOLD PRISMATIC RIFLE SCOPE

Combines The On-Target Speed Of A Red Dot With The Reliability Of A Traditional Scope

Compact, 1x magnifying optic combines the fast target acquisition, accuracy, and low-light capability of a red dot sight with the reliability and clarity of a traditional rifle scope. Allows easy, both-eyes-open sighting that preserves depth perception and peripheral vision for quick reaction to changes in target—perfect for tactical operations or hunting applications that require a low-magnification scope. Battery powered illumination module clamps to the side of the tube and illuminates the reticle in red for maximum contrast with target. Eight brightness settings let you adjust the intensity of the crisp, circle-and-crosshairs reticle for light conditions varying from bright daylight to night time. Reticle is etched in the glass of the high-grade optic system, so it's visible at all times, sharp and clear without fuzziness, even when the illuminator is shut off or suffers battery failure. Or remove illumination module completely for minimal weight and bulk. Fully adjustable for windage and elevation in precise 1/2 MOA clicks, with a 70 MOA adjustment range. Focusing eyepiece allows adjustment to suit individual shooters. DiamondCoat 2™ lens treatment enhances light transmission and helps protect lens surface from abrasion and scratches. Includes integrated base with three optional height spacers to accommodate mounting on almost any firearm with Picatinny or Weaver-style rails. Also compatible with standard 30mm scope rings and A.R.M.S. #22 quick-detach throw-lever rings. Heavy duty, extra-thick walled tube, plus sealed, fogproof and waterproof construction stands up hard use.

SPECS: Aluminum, anodized, matte black. 4 3/8" (11.1cm) long, 2" (5.1cm) maximum width with Illumination Module installed. 30mm diameter tube. 8.4 oz. (237g) weight without base. Eye relief: 3" (76cm). Uses (1) DL1/3N button-type battery, included.

#526-000-090AF Prismatic Rifle Scope, 6B499H99 \$ 624.99

SATISFACTION GUARANTEED SINCE 1939

BROWNELLS ... ONLY THE BEST ... PAGE 76

Office/Tech: 641-623-5401

LEUPOLD
MARK 4® 4.5-14X 50mm LR/T™
LONG RANGE TACTICAL SCOPE



30mm Tube For Maximum Light Transmission & Clarity

Variable-power, tactical scope has high resolution optics, repeatable accuracy and rugged, waterproof construction with the durability to withstand harsh operating conditions. 50mm objective and Multi-coat 4™ lens coating provide maximum light transmission in low light conditions. Front focus adjustment lets you eliminate parallax and stay in shooting position; your eyes never leave the target. Windage and elevation knobs have ¼ MOA audible click adjustments and 75 minutes total adjustment. Easy-to-use, target-style knobs reset to zero. Mil-Dot reticle with instructions.

SPECS: Black, matte finish. 30mm tube diameter. 50mm objective lens diameter. 12.5" (31.7cm) long. Weight 22 oz., (624g). 4.5-14X magnification. 100 yd. field of view: 4.5, 20.5" (6.8mm); 14, 76" (2.5m). Requires high rings.

#526-000-064AF Long Range Tactical Scope, 6B1249X99 \$ 1,559.99

LEUPOLD
ANTI-REFLECTION DEVICE

Eliminates Reflection From Objective Lens



Tiny honeycomb baffles considerably decrease light reflection from objective lenses and won't interfere with sight picture. Perfect for the shooter who wants to remain hidden and undetected. Easy-to-use design snaps snugly onto 40mm fixed objective, non-threaded scopes while front edge remains flush with the outside for a tight seal. Cleans effortlessly with water or blowing air.

SPECS: Molded plastic, black. 1 3/4" (4.5cm) diameter, 9/16" (1.4cm) overall thickness. Fits non-threaded 40mm scopes with an inside objective diameter of 1.690 +/- .005" and a depth of .052-.108"

#526-000-087AF Anti-Reflection Device, 6B19C50 \$ 26.00

PROGRESSIVE MACHINE & TOOL
ACOG COVER

Flip Up Scope Cover Improves Sight Picture & Allows Both Eyes Open Aiming



Flip up, tough, precision-machined aluminum scope cover system fits snugly inside the front hood without touching the objective lens in Trijicon ACOG TA11 TA31 scopes and TA01/31 series. Eliminates the disconcerting transition from no magnification to magnification when sighting with both eyes open in fast moving close-range tactical situations. Attached 3/16" mounting rod slides into the iron sight see through channel in the base of Trijicon scopes and included screws allow you to tighten the entire unit firmly in place. Embedded rubber seal around opening drastically cuts down on noise when closing cover and keeps moisture from fogging up scope lenses.

SPECS: Machined aluminum, hard coat anodized. Black. Scope cover opening is 1 1/2" (3.8cm) dia., 1 3/16" (2cm) long. Mounting rod is 3/16" (9cm) long. Mounting screws & Allen wrenches included.

#100-002-561AF TA11 ACOG Cover, 3Z72X00 \$ 89.95
#100-002-562AF TA31 ACOG Cover, 3Z72X97 89.99

TRIJICON® ACOG REFLEX SIGHT



A Bright, Glowing, Aiming Dot In All Conditions, Without Batteries



RX01 REFLEX SIGHT - Uses ambient light reflected through a fiber optic, light gathering system, plus glow-in-the-dark Tritium to provide an easy-to-see 6.5 MOA amber-colored dot in all light conditions. No batteries to weaken or wear out, no switches to turn on and off. Combat tested, all-machined, aluminum housing is rugged enough to withstand the toughest conditions without failure. Includes lens cleaning pen. Separate mounts allow one Reflex Sight to be used in several applications. No-gunsmitting mounts return to zero after installation and removal.

SPECS: RX01 Reflex Sight - Aluminum housing, gray, hard-anodized finish, 4 1/4" (10.7cm) long, 4.2 oz. (119g) wt. 24mm objective diameter. Mounts - Aluminum, black, anodized finish. RX10 - Fits AR-15 carry handle. RX11 - Fits Weaver-style rails, dual locking screws. RX14 - Fits Colt flattop AR-15 receivers, dual locking thumbscrew.

#892-110-001AF RX01 Reflex Sight 2H329C99 \$ 359.99
#892-110-010AF RX10 Reflex Mount 2H121C63 155.99
#892-110-011AF RX11 Reflex Mount 2H54C67 69.00
#892-110-014AF RX14 Reflex Mount 2H96C00 124.00

RX30 REFLEX SIGHT & FLATTOP MOUNT

- Same non-magnifying, dual-illumination system and 6.5 MOA amber dot as RX01, with larger 42mm objective for maximum light-gathering capability and fast target acquisition. Multi-layer, dichroic-mirror coated lens for outstanding heads-up, both-eye-open targeting. Adjustable for windage and elevation +/-30 MOA, one click per inch at 100 yards. Housing is investment cast from A357-T6 aluminum alloy; mount of forged 7075-T6 aluminum provides rock-solid mounting to any MIL-STD 1913 Picatinny flattop rail, with return to zero after removal and reinstallation.

SPECS: Aluminum housing and mount, hard-anodized, dark gray, matte finish. 4 7/8" (cm) long, 2 1/8" (5.2cm) wide. 12.3 oz. (348g) weight. 42mm objective diameter. Includes lens cleaning pen, Allen wrench, and instruction booklet.

#892-000-038AF RX30 Reflex Sight w/Mount, 2H45T089 \$ 474.99

RX06 REFLEX II SIGHT - Advanced optics provide enhanced, wide-band, light transmission for faster target acquisition in a broad range of shooting situations. 12.5 MOA Triangle reticle gives lightning fast, very precise aiming in bright daylight or total darkness at any distance. Includes polarizing filter, rubber lens cover and lens cleaning pen. Select from sight mounts above.

SPECS: Aluminum housing, gray, hard-anodized finish, 4 1/4" (10.7cm) long, 4.2 oz. (119g) wt.

#892-112-125AF RX06 Reflex II Triangle Sight, 2H348C00 \$ 450.00

RX09 CYALUME REFLEX SIGHT - Uses glow-in-the-dark tritium, bright fiber optics, and cyalume light sticks to give you a well-lit reticle without the use of batteries. Includes a 15.1 MOA chevron reticle that looks like an upside down "V"; quickly aligns with the target like a triangle reticle, without covering up much of your sight picture. Does not include mount.

SPECS: Aluminum housing, gray, hard-anodized finish. 4 1/4" (10.7cm) long, 4.2 oz. (119g) wt.

#892-000-011AF RX09 Cyalume Reflex Sight, 2H406X67 \$ 525.00

TENEBRAEX KILLFLASH GUARD - Anti-reflection device prevents glare and reflected images from interfering with sight picture on Reflex sights.

SPECS: Aluminum, matte, black. Honeycomb screen. .76" (19.3mm) long 1.1" (2.8cm) diameter.

#892-802-022AF Killflash 2H33A43 \$ 39.99

TENEBRAEX KILLFLASH ANTI-REFLECTIVE DEVICE - Aluminum honeycomb design effectively stops reflective sunlight glint and keeps you from being seen. Minimal light reduction with no loss of field of view and no lost resolution for compact ACOG scopes.

SPECS: ABS plastic, aluminum. black. 1 1/8" (28.5mm) long, 1 1/2" (38mm) diameter.

#892-000-023AF KillFLASH Device 2H28X00 \$ 34.99

MEPROLIGHT
MEPRO 21 REFLEX SIGHTS

Glowing Reticle Works In All Light Conditions



Mepro 21-I

Light-gathering, fiber optics and a tritium insert provide a crisp reticle in bright daylight or low light that's easy to see for quick target acquisition. No batteries to fail at the wrong time, no switches to break, always on and ready to use. 30mm lens gives an excellent field of view and has a multi-layered coating to enhance light transmission. Mepro 21-I is ultra bright, with fiber optics both above the sight and below the lens, giving it three times more light-gathering capabilities than the discontinued Mepro 21-C. Available in your choice of either a 5.5 MOA dot or a 12 MOA triangle. Dual-lever, quick-release mounting system provides accurate return-to-zero on Picatinny rails.

SPECS: Alloyed casting, matte black. 4 1/2" (11.4cm) long, 1 1/2" (4.2cm) wide. 13 oz. (368g) weight.

#387-000-033AF Mepro 21-I 5.5 QR 7H484B00 \$ 605.00
#387-000-035AF Mepro 21-I 12 QR 7H506B00 632.00

TRIJICON
TRIPOWER TACTICAL SIGHT

Three Light Sources, Ensures Aiming Point Is Always Visible



Multiple light source, optical sight makes sure the chevron reticle is always illuminated for reliable target engagement. Integrated fiber optic system automatically adjusts brightness to match light conditions. In total darkness, tritium-illumination provides a distinct aiming point. Battery backup system lets you set reticle brightness for tactical entry and critical, low-light situations. Features fifteen day and five night vision settings, auto shut-off and push button controls. Reticle is 14.4 MOA tall and 16.6 MOA wide, equals standard military silhouette at 100 meters to help determine range. 30mm tube, includes Weaver-style mounting ring. Sealed against dust and waterproof to a depth of 100 feet.

SPECS: Aluminum body, black, matte finish. 5 1/4" (13.3cm) long. 4.7 oz. (132 g) wt. Uses (2) CR1/3N lithium batteries. Includes (4) batteries, LensPen, Scopecoat, 30mm mounting ring, fiber optic cover, and hard carry case.

#892-000-010AF Tripower Tactical Sight, 2H544X97 \$ 714.99

Shop

trijicon

brownells.com

Search

TRIJICON ACCUPOINT SCOPE

Tritium & Fiber Optic Illumination In A Traditional Scope Configuration



Advanced, fiber optic/tritium aiming-point illumination speeds target acquisition in all light conditions. Battery-free, illuminated reticle automatically adjusts aiming point brightness to existing light conditions; provides ideal reticle-to-target contrast and extends shooting hours. Manual brightness override lets you adjust the brightness to your personal preference. Multi-layer coated lenses deliver superb clarity and light-gathering capacity without distortion. Variable power magnification with quick-focus eyepiece and amber target dot. Easy-focus eyepiece gives exceptional edge-to-edge lens optical clarity.

SPECS: Forged 7070-T6 aluminum body, hardcoat anodized, matte black. Coated lenses. TR-20, TR20-1 & TR20-2 - 12 1/4" (31.1cm) OAL. 13.2 oz. (374g) weight. TR21-3 - 10 1/2" (26.7cm) OAL. 11.8 oz. (334g) weight. TR22-1 - 13 1/2" (34.3cm) long. 20.9 oz. (591g) weight.

STOCK #	MODEL	RETICLE	MAGNIF.	OBJ. DIA.	BODY DIA.	PRICE
#892-000-013AF	TR20	Post w/amber triangle dot	3-9x	40mm	1"	2H618X67 \$ 799.00
#892-000-040AF	TR20-1	Crosshair w/amber dot	3-9x	40mm	1"	2H618U67 \$ 799.00
#892-000-041AF	TR20-2	Mil-dot crosshair w/amber dot	3-9x	40mm	1"	2H618U67 \$ 799.00
#892-000-042AF	TR21-3	German #4 crosshair w/amber dot	1.25-4x	24mm	1"	2H679U15 \$ 725.99
#892-000-043AF	TR22-1	Crosshair w/amber dot	2.5-10x	56mm	30mm	2H749U95 \$ 950.00

KING'S FIREARMS VERSA POD

Tactical & Hunting Shooting Rest System



Modular, two-piece design provides easy, push-button bipod removal. In the field you can carry the legs on your rifle or in a backpack. Multi-pivot head pans right and left; cants to compensate for uneven ground. Height adjustable legs may be folded to the front or rear. Mounting adapter included, additional adapters let you quickly interchange bipods between rifles. **Model 50, 51, 52** - bench/prone, has rubber feet. Mounts to QD swivel stud. **Model 1** - bench/prone, has grooved metal feet. Mounts to QD swivel stud. **Model 2** - bench/prone, has rubber feet. Mounts to QD swivel stud. **Model 3** - sitting, has rubber feet. Mounts to QD swivel stud. **Model 1T** - mounts to post-ban AR-15A2 round handguard vent hole, has metal feet. **Model 2T** - mounts to pre-ban AR-15 bayonet lug, has rubber feet. Pre-Ban AR-15 Adapter required, purchase separately. **Mounting Adapters** feature integral hand stop for comfortable hold, plus a push-button, QD sling swivel.

SPECS: Bipod - Steel and aluminum, black, matte finish. Adapter - Polycarbonate, black.

STOCK #	MODEL	HEIGHT	PRICE
100-003-383AF	50	5" to 7"	3K70V49 \$ 94.95
100-003-384AF	51	7" to 9"	3K70V49 \$ 94.95
100-003-385AF	52	9" to 12"	3K72V50 \$ 97.95
100-000-299AF	1	9" to 12"	3K54X90 \$ 75.95
100-000-300AF	2	9" to 12"	3K54X90 \$ 75.95
100-000-301AF	3	15 1/2" to 23 3/4"	3K60X31 \$ 80.95
#100-000-302AF	1T	9" to 12"	3K60X31 \$ 80.95
#100-000-303AF	2T	9" to 12"	3K60X31 \$ 80.95
#100-000-304AF	Universal Adapter Attaches to QD swivel stud		3K17X02 \$ 24.95
#100-000-306AF	Pre-Ban AR-15 Adapter Attaches to bayonet lug		3K17X02 \$ 24.95
#100-000-307AF	Post-Ban AR-15 Adapter Attaches to handgrd vent hole		3K23X05 \$ 33.95
#100-000-560AF	Picatinny/Weaver Rail Adapter Attaches to Accessory Rails		3K28U95 \$ 40.95

PICATINNY RAIL VERSA PODS - Two, distinctly different bipods attach quickly to any Mil. Std. 1913 Picatinny rail for faster deployment when changing from field to bench shooting. **Lightweight Picatinny (LW)** features a convenient flip lever that locks securely to the rail, but can be flipped back for complete bipod removal in just seconds. Pan and tilt adjustments are controlled by tightening the dual locknuts with a wrench. **Heavy Duty Picatinny (HD)** attaches to Picatinny rails with a dual-screw, locking dovetail mount. Pan and tilt feature includes an instantly-adjustable, friction-locking thumbscrew that adjusts to expand or limit movement. Both models feature spring-loaded legs with non-skid rubber feet; legs are individually adjustable from 7" to 9" height.

SPECS: Steel, matte black. **Lightweight** - 17 oz. (.48kg) wt. **Heavy Duty** - 1 1/2 lb. (.68kg) wt.

#100-002-874AF LW Picatin. Versa Pod 3K147A67 \$ 199.95
#100-002-875AF HD Picatin. Versa Pod 3K180A25 \$ 249.95

VERSA POD BATTLE PACK - Combines the highly adaptable Model 52 Versa-Pod with three interchangeable sets of legs that let you configure the bipod for a wide variety of terrain and shooting applications. Kit includes legs with non-skid rubber feet for bench, range, or vehicle hood; "ski" feet for wet, porous terrain like mud, clay, or wet grass; and raptor feet for the roughest, slipperiest conditions. Quick-deploy legs can be adjusted anywhere from 9" (fully retracted) to 12" (fully extended) high. Pan-and-tilt mechanism lets you pivot the rifle left, right, up, or down to compensate for uneven ground. An adjustable, friction-locking thumb screw limits the range of pivot movement or even locks in the setting completely. Mounts to almost any rifle using any Versa Pod adapter.



HARRIS BIPODS

Closest Thing To A Traveling Benchrest

Mounts to QD swivel studs on bolt action and single-shot rifles for ultimate field accuracy. Won't change zero; added weight steadies gun. Spring-loaded, telescoping legs have fixed notch and sliding adjustments for leg height; fold parallel to barrel for carrying. Series 1A2 bipods have solid base and do not swivel or rotate. Series S bipods rotate 45° for instant leveling on uneven ground. Buffer springs and adjustable tension on hinged base help eliminate tremor. Adapter fits either Series bipods. Not recommended for lever actions.

SPECS: Aluminum and high carbon steel, anodized, black finish. Adjustment height range is from resting surface to center of bore. **Model BR:** For benchrest use. **BRM** has equally spaced height adjusting notches. **Model H:** For prone/sitting. **Model L:** For bench or prone. **Model LM:** Notch only height adjustments. **Model 2S:** Three Section legs. **Model 25C:** Extra tall three section legs. **#9 Adapter** requires swivel stud mounted to stock.

STOCK #	STYLE	MODEL	HEIGHT	PRICE
#416-005-001AF	1A2	BR	6" to 9"	6A67X44 \$ 90.99
#416-005-000AF	S	BR	6" to 9"	6A97X66 \$ 130.99
#416-005-101AF	1A2	BRM	6" to 9"	6A67X44 \$ 90.99
#416-005-100AF	S	BRM	6" to 9"	6A97X66 \$ 109.99
#416-001-121AF	1A2	L	9" to 13"	6A67D44 \$ 90.99
#416-001-221AF	S	L	9" to 13"	6A97D66 \$ 130.99
#416-002-123AF	1A2	LM	9" to 13"	6A67D44 \$ 90.99
#416-002-223AF	S	LM	9" to 13"	6A97D66 \$ 130.99
#416-025-225AF	1A2	25	11" to 25"	6A83X11 \$ 111.99
#416-025-226AF	S	25	11" to 25"	6A113X33 \$ 151.99
#416-002-122AF	1A2	H	13" to 23"	6A67D44 \$ 90.99
#416-025-227AF	1A2	25C	13" to 27"	6A83X11 \$ 111.99
#416-025-228AF	S	25C	13" to 27"	6A113X33 \$ 151.99
#416-003-015AF	#5 Adapter fits AR-15 round handguard includes sling swivel			6A10D31 \$ 13.99

SPECS: Steel and aluminum, matte black finish. Leg height adjustment: 9" (22.9cm) to 12" (30.5cm). 20.4 oz (.578g) weight. Separately available adapter required to mount on rifle.

#100-004-397AF Versa-Pod Battle Pack 5A109T95 \$ 139.95

PICATINNY RAIL ADAPTER - Attaches to rail with an oversized, 1/2" knob; tighten by hand or a wrench for rock-solid stability.

SPECS: Steel, matte black. 1/2" clamping knob. Attaches to Picatinny rail systems with no permanent modifications. **#100-002-144AF Picatinny Rail Adapter** 3K35C20 \$ 49.95

VERTICAL GRIP ADAPTER - Restricted Movement (RM) adapter allows no movement of grip and keeps Versa Pod in line with weapon. **Full Movement (FM)** adapter allows for approximately 45 degrees of side-to-side movement; change targets without moving the Versa Pod. Both adapters have five rings for a positive grip. Stem that attaches to rail and Versa Pod are steel to provide stability.

SPECS: Mount - Steel, matte black. **Vertical Grips** - High-impact plastic, matte black. Attaches to Picatinny rail systems with no permanent modifications. **#100-002-142AF RM Grip Adapter** 3K39C10 \$ 55.95 **#100-002-143AF FM Grip Adapter** 3K39C10 \$ 55.95

AR-STYLE RIFLE FREE FLOAT TUBE ADAPTER - Provides secure mounting of Versa-Pod to any AR-15 style rifle with a tube-type free float forend with an Uncle Mike's or similar design sling swivel stud. This adapter will fit ArmaLite® T-Series rifles, Rock River Arms Varmint models, and similar rifles with stud positioned on underside of tube. Comes with a 360° rotating quick-detach sling swivel that fits receptacles on both sides and bottom of mount. No gunsmithing required.

SPECS: Steel and hard, reinforced polymer composite, black finish. **#100-003-760AF Free Float Tube Adapter** 3K34Y95 \$ 44.95

ADVANCED TECHNOLOGY

UNIVERSAL FEATHERWEIGHT BIPOD



Provides Rock Solid Support Without Weighing Down Your Rifle

Solid, glass-filled nylon bipod mounts to any sling swivel stud to provide superior forend support, yet is so lightweight you'll hardly know it's there. Telescoping legs with non-skid rubber feet adjust from 9" to 13" high to accommodate shooting prone or from the bench. Snap-n-lock button allows legs to conveniently fold and lock to the front or rearward position. Interchanging swivel collars let you assemble the unit for swivel motion or a locked position. Included neoprene pad protects the mounting surface of your stock. Additional hardware allows direct mounting to round, mil-spec AR-15 handguards without modification. Includes instructions.

SPECS: Glass filled nylon, black, matte finish. 8.4 oz. (238g) wt. Adjusts from 9" (22.9cm) to 13" (33cm) high. **#019-000-016AF Featherweight Bipod 9A26T95** . . . \$ 34.95

RAINIER ARMS BOBRO GENERATION II CTM BIPOD

Quickly Detachable For Tactical Ops

Low profile bipod features a convenient lever that locks the bipod securely to any MIL-STD 1913 Picatinny rail, but easily unlocks for complete bipod removal in just seconds. Spring-loaded safety button keeps the lever closed and prevents any chance of an accidental release. High strength, steel pivot assembly allows the legs to cant left and right so you can keep your sights level on uneven surfaces. Legs easily pull down and lock, then release by pressing the extra large spring loaded levers. Legs are individually adjustable from 7" to 9 1/2" from bottom of rail, simply loosen thumbscrew on each leg, slide inner leg up or down, and retighten the thumbscrews. Polymer composite feet with aggressive, non-slip soles grab and hold the surface to help prevent movement during rapid fire. Machined aluminum base and bipod are mil-spec Type III hardcoat anodized for durability. **SPECS:** 6061 T6 aluminum mount & legs, mil-spec Type III hardcoat anodized finish, matte black. 4140 steel locking lever and hardware. Mount - 3 1/2" (8.9cm) long, 1 1/8" (3.5cm) wide, 1/4" (6.3mm) high. Legs - Adjustable 7" (17.8cm) to 9 1/2" (24.1cm) long. **#100-004-052AF Bobro Generation II CTM Bipod, 9B229V37** . . . \$ 259.99



TANGODOWN ADVANCED COMBAT BIPOD

Fast, Simple, No-Fail Design With Variable Height Adjustment

Sometimes the simplest design works the best. This compact bipod has legs that fold down and back up with the push of a button, silently and smoothly, allowing you to stay focused and on target. Individual leg height is set with a recessed push-button that totally eliminates any chance of an accidental release. Legs are preset for the optimum traverse angle and left/right cant; will never require adjustment. Non-slip, molded feet grab and hold the surface, so you won't drift off target during rapid fire. Minimum leg length is 8" from bottom of rail, adjustable in three positions up to 2 1/2" longer to fit individual shooters. Machined aluminum base with durable, polymer composite legs. Secures to Picatinny rail with steel latch and Allen head screws. Includes wrench. **SPECS:** Aluminum base, steel hardware, polymer composite legs, matte black. 9" (22.9cm) long, 3 1/8" (9.9cm) wide, 1" (2.5cm) high. **#100-003-402AF Advanced Combat Bipod, 9B19Y137** . . . \$ 237.94

VLTOR

MODPOD SYSTEM



Quick-Deploy Bipod Provides A Stable Shooting Platform; Adds Minimal Weight & Bulk

Quick-deploy tactical bipod system gives the operator an exceptionally stable shooting platform for long-range targeting, while adding minimal bulk and weight to the weapon. Innovative two-piece design clamps directly to Picatinny side rails on forearm—no separate mounting hardware to misplace, lose, or accidentally fall back to base. Each leg is completely self-contained with captive clamp, locking bar, cross-bolt, and thumbscrew. Leaves bottom rail free for mounting other accessories, and ModPod is a perfect bipod option for weapons fitted with a grenade launcher, shotgun, or tear gas launcher. The absence of a complicated pivot mechanism under the handguard means the ModPod also keeps the weapon's center of gravity low, providing an exceptionally secure shooting stance. Telescoping legs have three positive-locking height positions—fully retracted, mid-point, and fully extended—to help you set the exact amount of elevation you need or adapt to uneven ground. Large, silent, push-button releases the leg and frees it to rotate a full 360° with positive locking points every 90°. For added versatility, legs can be mounted at the front of the handguard and folded to the rear, or at the rear and folded forward to avoid interfering with ejection port or operator's access to weapon controls on carbines and short-barreled rifles. Aggressively textured foot pads bite into the ground for firm support and resistance to slippage under recoil. **SPECS:** Steel pivot mechanism, aluminum rail clamps, and reinforced molded polymer legs, matte black and tan. Leg length: 9" (22.9cm) retracted, 11 1/4" (28.6cm) fully extended. **#100-004-291AF Modpod System 3A164Y95** . . . \$ 204.95

WHIDDEN GUNWORKS AR-15/M16 STINGER MONOPOD

For Consistent Accuracy Without Rear Sandbags

Compact, height adjustable monopod eliminates the need for cumbersome rear sandbags and provides a rock-solid rest for shot-to-shot consistency. Features a 4140 steel, adjustable leg that extends up to 4" vertically for coarse elevation adjustments and a micro-adjustable foot for fine-tuning. Extra long, polycarbonate lever provides plenty of leverage to lock the monopod leg in position. Lightweight, 6061 aluminum buttplate is hardcoat anodized for durability. Large, horizontal serrations provide a non-slip grip against the shoulder. Fits fixed, mil-spec buttstocks on AR-15 and AR-10 rifles (A1 and A2 variants). Includes new bottom mounting screw. Requires use of original top mounting screw. **SPECS:** 6061 aluminum buttplate, 4140 steel leg and foot, polycarbonate lever, black, matte finish. 5 1/16" (13.2cm) long, 1 1/8" (4.1cm) wide, 5/8" (1.6cm) thick. 10.2 oz. (289g) weight. Fits mil-spec fixed buttstock on AR-15 and AR-10 rifles (A1 and A2). **#100-004-038AF Stinger Monopod 3B109V72** . . . \$ 134.99

COMMAND ARMS UNIVERSAL EQUIPMENT MOUNT

Drop-On Installation; Lets You Mount Accessories To A Railed Handguard

Molded, RX-18 polymer, equipment mount lets you attach slings, bipods, and anything else that fastens, using a sling swivel stud, right to your handguard. Attaches easily to Weaver-style and Picatinny-rail handguards with a push-button catch/release. Accepts swivel stud-mounted bipods. **SPECS:** RX-18 polymer, black, matte finish. 2 1/2" (6.4cm) long, 1 1/8" (2.8cm) wide, 1 3/16" high (swivel stud to top of mount). Drop-on installation. Accepts swivel stud-mounted bipods. **#100-001-154AF Universal Equip. Mount 2Z16C67** . . . \$ 25.95



BROWNELLS PICATINNY BIPOD ADAPTER

Provides Secure Bipod Attachment For Railed Handguards



Low-profile adapter clamps solidly to any Picatinny rail handguard to provide a secure mounting point for bipods that attach to sling swivel studs. Increases your accessory mounting options without making permanent alterations to gun. Stud and base are precision machined from a single billet of high-grade 6061 T6 aluminum for maximum strength to handle the rigors of tactical deployment. Two robust cross-bolts and oversized, slotted hex nuts of heat-treated 4140 carbon steel lock the full-contact clamping bar tightly to the rail, and ensure the mount won't shift position even under heavy recoil. Also accepts a standard quick-release sling swivel, for rapid transition from bipod operation to sling use.

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Thumbscrews & Bolts - 4140 carbon steel, black oxide finish. 2.125" (5.4cm) long, 1" (2.5cm) wide. Mount extends .357" (9.5mm) below rail. 2.7 oz. (76g) weight.
#080-000-540AF Picatinny Bipod Adapter 8K32D95 \$ 42.95

DOUBLE STAR

PICATINNY RAIL BIPOD ADAPTER



Ultra-Secure Attachment Of Stud-Mounted Bipod To Railed Handguard

Precision machined aluminum and steel adapter clamps securely to bottom of railed handguard to let you mount a bipod that requires a sling swivel stud attachment point. Steel locking bar and three hardened steel hex head screws that also serve as recoil lugs attach to Picatinny and Weaver-style rails for an ultra-solid platform that won't slip even under heavy recoil. Streamlined design adds minimal bulk and weight to your weapon.

SPECS: Hardcoat anodized aluminum and parkerized steel, matte black. 2 5/8" (6.7cm) long, approx. 1 1/8" (2.9cm) wide, extends 1/16" (1.1cm) below rail. 2.9 oz. (81g) weight.

#100-003-741AF Bipod Adapter 2Z25B00 \$ 29.99

FA ENTERPRISES BIPOD ADAPTER

Versatile Bipod & Sling Mounting



Swivel stud mounted to an aluminum block slides onto Picatinny and Weaver-style accessory rails. Lets you mount a sling or bipod where you want it. Clamps tightly with no external nuts to snag. Great on AR-15s and rifles with accessory rails.

SPECS: 6061-T6 alum., Anodized, matte black. 2 3/4" (6.9cm) long.
#246-000-018AF Bipod Adapter 6D31U31 \$ 37.99

YANKEE HILL BIPOD ADAPTER

Rock Solid Platform For Bipod Attachment



Lightweight, slimline design eliminates the "clunky" extra baggage look that goes along with trying to mate a bipod to a railed handguard. The rugged, aluminum platform with fixed attachment stud provides a superior fit to Weaver or Picatinny, accessory rails. Two hex-head crossbolts give uniform clamping pressure, so adapter remains rock solid while shooting. Specifically contoured to accept Harris and similar bipods that attach to a swivel stud.

SPECS: Aircraft-grade aluminum, hardcoat anodized, matte black finish. 2 5/8" (6.7cm) long, 1 1/4" (3.2cm) wide, 3/8" (1.6cm) high. 2.2 oz. (62g) wt.

#100-002-072AF Bipod Adapter 9A21U79 \$ 30.99



GG&G BIPOD ADAPTER

Mounts Harris Bipods & Other Stud-Mounted Accessories To Railed Forearm



Bolt-on, low-profile adapter clamps to the Picatinny rail on the underside of a tactical rifle's forearm to allow mounting of a swivel stud-mounted bipod. Expands the accessory mounting versatility of your rifle without requiring permanent alterations to the weapon. Cross-bolt and locking bar mechanism provides secure rail engagement, even on worn or undersize rails. Radiused edges, counter-sunk bolt head, and locking bar recessed into the mount body give a smooth, streamlined profile and help resist catching on sling, vegetation, or other gear. Precision machined from solid 6061 T6 aluminum billet and Type III hardcoat anodized for extra strength and corrosion resistance, with a hard, non-reflective surface. Locking bar, cross-bolt, and stud are steel for maximum strength and durability.

SPECS: Body - 6061 T6 aluminum, hardcoat anodized, matte black. Locking Bar, Cross-Bolt, Stud - Hardened steel, black oxide finish. 2 1/4" (5.7cm) long, 1 1/4" (3.2cm) wide. Mount body extends 5/8" (9.5mm) below rail. 2.3 oz. (64g) weight.

#336-000-028AF Bipod Adapter 6C23A70 \$ 29.95

AR15BUILDER.COM is an exciting, online utility that lets you create a virtual build of your own, AR-15 rifle or carbine. Its easy-to-use, drag-and-drop feature lets you fully "assemble" a virtual model of your custom rifle using high resolution images of the components you want to see. With a selection of more than 600 AR-15 components to choose from, your combinations are almost endless. You'll know exactly how your rifle looks before you ever order the parts. When you're done, submit your order online, or save your build and log in anytime later to update, modify, or re-use it.

**BUILD YOUR DREAM AR ONLINE
AR15BUILDER.COM**

COLT

FACTORY

PAGE

Colt	79-83
DPMS Panther Arms	83-84
High Standard	84

Unless otherwise noted, all parts are for current production guns.
SPECS: Made to factory specifications and supplied with factory applied finish. Any part may require fitting.

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
---------	-------	-------------	----------	-------

COLT

AR-15 - Common Parts

#160-311-101AF	SPK94772	AR-15 Rifle Accessories Kit	All	6A71H84	\$ 89.80
#160-000-256AF	SP99009	Accu-Wedge	All	6A14D80	\$ 19.99
#160-300-024AF	SP61902	Barrel Nut	All	6A15Z94	\$ 19.99
#160-300-020AF	SP62482	Barrel Nut Assembly	All	6A32Y00	\$ 40.00
#160-308-102AF	SP95105	Bolt Catch Pin	All	6A04Z16	\$ 5.20
#160-308-103AF	SP62178	Bolt Catch Plunger	All	6A02Y86	\$ 3.58
#160-308-104AF	SP62177	Bolt Catch Spring	All	6A04T16	\$ 5.20
#160-308-110AF	SP61582	Buffer Retainer	All	6A07P15	\$ 8.94
#160-308-111AF	SP61694	Buffer Retainer Spring	All	6A04B16	\$ 5.20
#160-000-204AF	SP62736	Butt Stock Door Hinge	All	6A02D86	\$ 3.58
#160-302-001AF	SP62290	Charging Handle Assembly	All	6A71A56	\$ 89.45
#160-302-003AF	SP62289	Charging Handle Latch	All	6A09V98	\$ 12.48
#160-302-002AF	SP95113	Charging Handle Latch/Pawl Pin	All	6A02X86	\$ 3.58
#160-302-004AF	SP61875	Charging Handle Spring	All	6A03C08	\$ 3.85
#160-302-011AF	SP90402	Cover Hinge Pin Snap Ring	All	6A02H86	\$ 3.58
#160-305-104AF	SP63157	Disconnect	All	6A11D75	\$ 14.69
#160-305-106AF	SP63026	Disconnect Spring, Semi	All	6A03Z08	\$ 3.85
#160-306-117AF	SP62734	Door Hinge Pin	All	6A02X86	\$ 3.58
#160-302-010AF	SP61668	Ejection Cover Hinge Pin	All	6A04Z15	\$ 5.19
#160-302-012AF	SP61518	Ejection Cover Spring	All	6A02A86	\$ 3.58
#160-304-025AF	SP64026	Extractor Spring Assembly	All	6A05V45	\$ 6.81
#160-308-145AF	SP63000	Fire Control Selector	All	6A18H38	\$ 24.99
#160-308-146AF	SP61785	Fire Control Selector Detent	All	6A03D08	\$ 3.85
#160-304-001AF	SP62335	Firing/Retaining Pin	All	6A04Z65	\$ 5.81
#160-302-040AF	SP95126	Forward Assist Retainer Pin	All	6A03Y08	\$ 3.85
#160-301-050AF	SP63280	Forward Sling Swivel	All	6A04X65	\$ 5.81
#160-000-349AF	SP61654	Hammer & Trigger Pin, .154"	All	6A04A09	\$ 5.11
#160-305-101AF	SP63158	Hammer & Trigger Pin, .170"	All	6A02T86	\$ 3.58
#160-000-217AF	SP64225	Hammer & Trigger Pin, .171"	All	6A04P16	\$ 5.20
#160-305-103AF	SP61697	Hammer Spring	All	6A03A58	\$ 4.48
#160-300-021AF	SP90403	Handguard Retainer Ring	All	6A04H16	\$ 5.20
#160-300-023AF	SP62483	Handguard Slip Ring	All	6A12D00	\$ 15.00
#160-307-111AF	SP95142	Lock Nut Pin	All	6A02Y87	\$ 3.59
#160-308-112AF	SP61604	Magazine Catch	All	6A12P75	\$ 15.94
#160-308-130AF	SP62032	Magazine Release Button	All	6A05B48	\$ 6.85
#160-308-131AF	SP61759	Magazine Release Button Spring	All	6A03X08	\$ 3.85
#160-308-150AF	SP64576	Pistol Grip	All	6A12C36	\$ 14.99
#160-308-151AF	SP90001	Pistol Grip Lock Washer	All	6A03H58	\$ 4.48
#160-308-152AF	SP64554	Pistol Grip Screw	All	6A04D56	\$ 5.70
#160-306-112AF	SP62732	Plunger Spring	All	6A10A95	\$ 13.69
#160-000-002AF	SP62221	Receiver Pivot Pin, .250", Push Type	All	6A11Y98	\$ 14.98
#160-308-121AF	SP66818	Receiver Pivot Pin, .250", Screw Type	All	6A07T15	\$ 8.94
#160-308-120AF	SP66819	Receiver Pivot Pin Screw	All	6A08C53	\$ 10.66
#160-311-102AF	SPK94771	Ring Assembly Kit, Delta	All	6A14Z70	\$ 18.38
#160-301-001AF	SP61705	Sight Detent, Front	All	6A04A16	\$ 5.20
#160-301-002AF	SP61709	Sight Detent Spring, Front	All	6A03Y08	\$ 3.85
#160-303-017AF	SP64781	Sight Spring, Rear	All	6A03V58	\$ 4.48
#160-301-003AF	SP62086	Sight Taper Pin, Front	All	6A04H16	\$ 5.20

order on the web

www.brownells.com

BROWNELLS
... ONLY THE BEST ...

PAGE 79

Orders/Tech: 800-741-0015

COLT

BIPODS

Colt AR-15 Common Parts continued

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-300-022AF	SP61962	Slip Ring Spring Assembly	All	6A08A53 \$ 10.66
#160-304-042AF	SP92201	Socket Head Cap Screw	All	6A03V08 \$ 3.85
#160-306-119AF	SP62737	Swivel	All	6A12B35 \$ 14.99
#160-301-051AF	SP91209	Swivel Rivet, Front	All	6A02C86 \$ 3.58
#160-306-118AF	SP64573	Swivel Screw	All	6A04D16 \$ 5.20
#160-000-352AF	SPR6106SVL	Tactical Sling Mount, Front	All	6A40A89 \$ 51.11
#160-308-140AF	SP61655	Take Down Pin	All	6A09Y16 \$ 11.45
#160-308-115AF	SP61698	Take Down Pin Detent	All	6A03T58 \$ 4.48
#160-308-114AF	SP61692	Take Down Pin Detent Spring	All	6A04P16 \$ 5.20
#160-305-105AF	SP63156	Trigger, .170"	All	6A26A84 \$ 33.55
#160-308-136AF	SP61970	Trigger Guard Assembly	All	6A14V29 \$ 17.86
#160-308-135AF	SP95106	Trigger Guard Pivot Pin	All	6A02X86 \$ 3.58
#160-308-109AF	SP61250	Trigger Guard Plunger	All	6A02C86 \$ 3.58
#160-308-138AF	SP61531	Trigger Guard Spring	All	6A02H86 \$ 3.58
#160-303-021AF	SP95101	Trigger Guard/Windage Drum Pin	All	6A02D86 \$ 3.58
#160-305-107AF	SP61657	Trigger Spring	All	6A03Z28 \$ 4.10

AR-15 Accurized HBAR

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic #802-810

#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10P13 \$ 12.66
#160-304-043AF	SP61547	Bolt Carrier Key	.223	6A86D13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223	6A231A12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223	6A16Y43 \$ 19.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223	6A05U50 \$ 6.85
#160-306-102AF	SP62339	Buffer Assembly, Full Length	All	6A28V95 \$ 36.19
#160-306-104AF	SP64577	Butt Cap Screw, A2	All	6A05B48 \$ 6.85
#160-000-383AF	SP64572	Butt Cap Spacer	All	6A03X44 \$ 4.30
#160-306-110AF	SP64579	Butt Plate Body	All	6A08D52 \$ 10.65
#160-000-218AF	SP64574	Butt Stock	All	6A36P15 \$ 45.19
#160-306-113AF	SP64556	Butt Stock Door	All	6A20B51 \$ 24.99
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69X87 \$ 87.34
#160-304-004AF	SP61704	Cam Pin	.223	6A09C34 \$ 11.68
#160-303-044AF	SP64992	Carrying Handle Pin	All	6A03H58 \$ 4.48
#160-303-041AF	SP64080	Clamp Bar	All	6A07Z15 \$ 8.94
#160-303-042AF	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12A75 \$ 15.94
#160-303-043AF	SP64989	Clamp Stub, Carry Handle Assembly	All	6A07T15 \$ 8.94
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09P30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03U58 \$ 4.48
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02A77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03V58 \$ 4.48
#160-303-025AF	SP64981	Elevation Knob, Carry Handle Assy	All	6A16B13 \$ 20.16
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02X86 \$ 3.58
#160-303-027AF	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15C04 \$ 18.80
#160-304-022AF	SP61562	Extractor	.223	6A28H98 \$ 36.23
#160-304-020AF	SP61563	Extractor Pin	.223	6A03Z58 \$ 4.48
#160-304-002AF	SP62294	Firing Pin	.223	6A14A77 \$ 19.99
#160-000-205AF	SP63039	Firing Pin	All	6A14Z77 \$ 19.99
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33T48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26B23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03X71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03D58 \$ 4.48
#160-300-011AF	SP61645	Gas Tube Assembly, Long	All	6A43Z20 \$ 54.00
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02A86 \$ 3.58
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46Y95 \$ 59.99
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04T16 \$ 5.20
#160-303-030AF	SP64982	Index Spring, Carry Handle Assembly	All	6A03P02 \$ 3.78
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19U63 \$ 24.54
#160-302-046AF	SP50381	Pawl Detent Spring	.223	6A02A86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29V49 \$ 34.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-307-105AF	SP64072	Receiver Extension, Collapsible	All	6A91H56 \$114.45
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49D18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14Y29 \$ 17.86
#160-303-002AF	SP64985	Sight Assy, Rear, Carry Handle Assy	All	6A71P81 \$ 89.76
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03U50 \$ 4.38
#160-303-019AF	SP64977	Sight Base, Rear, Carry Handle Assy	All	6A36Z24 \$ 44.99
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15A21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models All	All	6A03Y08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08T92 \$ 9.99

AR-15 Carbine

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic # 802 - 810

#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10U13 \$ 12.66
#160-307-104AF	SP62373	Action Spring	All	6A08A55 \$ 10.69
#160-308-101AF	SP62835	Bolt Catch	9mm	6A16V98 \$ 21.23
#160-304-044AF	SP62809	Bolt Key	9mm	6A36B95 \$ 44.99
#160-306-103AF	SP62877	Buffer Assembly, Fixed Stock	9mm	6A53X16 \$ 64.99
#160-307-101AF	SP62849	Buffer Assembly	9mm	6A25H43 \$ 31.79
#160-306-105AF	SP92601	Butt Cap Screw, A1	All	6A03D58 \$ 4.48
#160-302-052AF	SP62908	Carry Handle Upper Receiver	9mm	6A151T83 \$189.79
#160-302-029AF	SP62854	Ejection Port Cover Assembly	9mm	6A10U14 \$ 12.68
#160-308-160AF	SP62830	Ejector	9mm	6A07A15 \$ 8.94
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	9mm	6A02V77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	9mm	6A03B58 \$ 4.48
#160-304-024AF	SP62808	Extractor	9mm	6A31X12 \$ 39.99
#160-304-021AF	SP95217	Extractor Pin	9mm	6A02C86 \$ 3.58
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73H98 \$ 92.48
#160-304-003AF	SP62805	Firing Pin	9mm	6A20D51 \$ 24.99
#160-304-045AF	SP62806	Firing Pin Spring	9mm	6A02Z86 \$ 3.58
#160-302-030AF	SP62851	Gas Deflector	9mm	6A10A14 \$ 12.68
#160-302-031AF	SP62769	Gas Deflector Spring	9mm	6A03Y58 \$ 4.48
#160-305-102AF	SP62865	Hammer & Hammer Pin Retainer Assembly	9mm	6A37T65 \$ 44.99
#160-000-386AF	SP62381	Handguard Assembly, PR	All	6A50P00 \$ 62.50
#160-300-001AF	SP64673	Handguard Assembly, Short	All	6A74U00 \$ 92.50
#160-307-110AF	SP64686	Lock Pin Nut	All	6A16A34 \$ 20.43
#160-307-107AF	SP64687	Lock Release Lever Pin	All	6A09V43 \$ 11.79
#160-307-108AF	SP62369	Lock Release Lever Pin Spring	All	6A03B08 \$ 3.85
#160-000-384AF	SP62980	Magazine Assembly, 32-Round	9mm	6A52X43 \$ 65.54
#160-307-102AF	SP62358	Receiver End Plate	All	6A05C48 \$ 6.85
#160-307-105AF	SP64072	Receiver Extension, Collapsible	All	6A91H56 \$114.45
#160-307-103AF	SP64069	Receiver Extension Nut	All	6A15D03 \$ 18.79
#160-307-109AF	SP62628	Release Lever	All	6A20Z52 \$ 24.99
#160-303-014AF	SP62816	Sight, Rear	9mm	6A14A29 \$ 17.86
#160-301-016AF	SP64665	Sight Post, Front, 16" Barrel	All	6A08V53 \$ 10.66
#160-000-203AF	SP12012081	Sliding Butt Stock	All	6A46B84 \$ 58.55
#160-307-106AF	SP64243	Sliding Butt Stock Assembly	All	6A50X21 \$ 62.76
#160-303-022AF	SP61703	Windage Drum	9mm	6A07C15 \$ 8.94
#160-303-016AF	SP61702	Windage Screw	9mm	6A09H74 \$ 12.18

AR-15 Government Carbine

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic # 802 - 810

#160-307-104AF	SP62373	Action Spring	All	6A08D55 \$ 10.69
#160-304-013AF	SP64027	Bolt Assembly, 16" Barrel	.223	6A161Z19 \$201.49
#160-304-043AF	SP61547	Bolt Carrier Key	.223	6A86A13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223	6A231Y12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223	6A16T43 \$ 19.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223	6A05P50 \$ 6.85
#160-307-100AF	SP64688	Buffer Assembly	.223	6A40U12 \$ 50.15
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69A87 \$ 87.34

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-304-004AF	SP61704	Cam Pin	.223	6A09V34 \$ 11.68
#160-302-051AF	SP64512	Carry Handle Upper Rec., .223/5.56	.223	6A259B67 \$324.59
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09X30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03C58 \$ 4.48
#160-301-010AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02H77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03D58 \$ 4.48
#160-303-024AF	SP64516	Elevation Knob, A2	All	6A16Z24 \$ 19.99
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02A86 \$ 3.58
#160-303-026AF	SP64515	Elevation Wheel, A2	All	6A16Y24 \$ 19.99
#160-304-022AF	SP61562	Extractor	.223	6A28T98 \$ 36.23
#160-304-020AF	SP61563	Extractor Pin	.223	6A03P58 \$ 4.48
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73U98 \$ 92.48
#160-304-002AF	SP62294	Firing Pin	.223	6A14A77 \$ 19.99
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33D48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26Z23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03A71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03Y58 \$ 4.48
#160-300-010AF	SP62366	Gas Tube Assembly, Short	All	6A39T11 \$ 49.99
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02P86 \$ 3.58
#160-307-200AF	SP65068	H2 Heavy Buffer Assembly	.223	6A35B71 \$ 44.64
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46X95 \$ 59.99
#160-300-001AF	SP64673	Handguard Assembly, Short	All	6A74C00 \$ 92.50
#160-301-116AF	SP62346	Handguard Cap, 16" Barrel	.223	6A04H65 \$ 5.81
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04D16 \$ 5.20
#160-303-010AF	SP64518	Index Spring, A2	All	6A02Z86 \$ 3.58
#160-307-110AF	SP64686	Lock Pin Nut	All	6A16A34 \$ 20.43
#160-307-107AF	SP64687	Lock Release Lever Pin	All	6A09Y43 \$ 11.79
#160-307-108AF	SP62369	Lock Release Lever Pin Spring	All	6A03T08 \$ 3.85
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19P63 \$ 24.54
#160-302-046AF	SP50381	Pawl Detent Spring	.223	6A02U86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29A49 \$ 34.99
#160-307-102AF	SP62358	Receiver End Plate	All	6A05V48 \$ 6.85
#160-307-105AF	SP64072	Receiver Extension, Collapsible	All	6A91B56 \$114.45
#160-307-103AF	SP64069	Receiver Extension Nut	All	6A15X03 \$ 18.79
#160-307-109AF	SP62628	Release Lever	All	6A20C52 \$ 24.99
#160-303-013AF	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14H29 \$ 17.86
#160-303-001AF	SP64521	Sight Assembly, Rear, A2	All	6A78D98 \$ 98.73
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03Z50 \$ 4.38
#160-303-018AF	SP64523	Sight Base, Rear, A2	All	6A36A24 \$ 44.99
#160-301-016AF	SP64665	Sight Post, Front, 16" Barrel	All	6A08Y53 \$ 10.66
#160-000-203AF	SP12012081	Sliding Butt Stock	All	6A46T84 \$ 58.55
#160-307-106AF	SP64243	Sliding Butt Stock Assembly	All	6A50P21 \$ 62.76
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15U21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models All	All	6A03A08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08V92 \$ 9.99

AR-15 Match Target

Colt AR-15 Match Target continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-304-004AF	SP61704	Cam Pin	.223	6A09B34 \$ 11.68
#160-302-051AF	SP64512	Carry Handle Upper Rec., .223/5.56	.223	6A259X67 \$324.59
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09C30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03H58 \$ 4.48
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02D77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03Z58 \$ 4.48
#160-303-024AF	SP64516	Elevation Knob, A2	All	6A16A24 \$ 19.99
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02Y86 \$ 3.58
#160-303-026AF	SP64515	Elevation Wheel, A2	All	6A16T24 \$ 19.99
#160-304-022AF	SP61562	Extractor	.223	6A28P98 \$ 36.23
#160-304-020AF	SP61563	Extractor Pin	.223	6A03U58 \$ 4.48
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73A98 \$ 92.48
#160-304-002AF	SP62294	Firing Pin	.223	6A14V77 \$ 19.99
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33B48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26V23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03A71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03Y58 \$ 4.48
#160-300-011AF	SP61645	Gas Tube Assembly, Long	All	6A43T20 \$ 54.00
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02P86 \$ 3.58
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46A95 \$ 59.99
#160-300-002AF	SP64508	Handguard Assembly, Long	All	6A50A15 \$ 62.69
#160-301-120AF	SP64504	Handguard Cap, 20" Barrel	.223	6A03V58 \$ 4.48
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04Z16 \$ 5.20
#160-303-010AF	SP64518	Index Spring, A2	All	6A02A86 \$ 3.58
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19V63 \$ 24.54
#160-302-046AF	SP50381	Pawl Detent Spring	.223	6A02B86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29X49 \$ 34.99
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49C18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adj. Sight Models	All	6A14H29 \$ 17.86
#160-303-001AF	SP64521	Sight Assembly, Rear, A2	All	6A78D98 \$ 98.73
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03Z50 \$ 4.38
#160-303-018AF	SP64523	Sight Base, Rear, A2	All	6A36A24 \$ 44.99
#160-301-020AF	SP64507	Sight Post, Front, 20" Barrel	All	6A06Y31 \$ 7.89
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15T21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03P08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08U92 \$ 9.99

AR-15 Match Target Competition HBAR

Other parts Listed Under AR-15 Common Parts Web Quick-Find Schematic #802- 810				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10A13 \$ 12.66
#160-000-208AF	SP63322	Barrel, 20" & Front Sight Assembly	.223	6A343V45 \$434.99
#160-304-043AF	SP61547	Bolt Carrier Key	.223	6A86B13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223	6A231X12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223	6A16C43 \$ 19.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223	6A05Z50 \$ 6.85
#160-306-102AF	SP62339	Buffer Assembly, Full Length	All	6A28Y95 \$ 36.19
#160-306-104AF	SP64577	Butt Cap Screw, A2	All	6A05A48 \$ 6.85
#160-000-383AF	SP64572	Butt Cap Spacer	All	6A03X44 \$ 4.30
#160-306-110AF	SP64579	Butt Plate Body	All	6A08C52 \$ 10.65
#160-000-218AF	SP64574	Butt Stock	All	6A36H15 \$ 45.19
#160-306-113AF	SP64566	Butt Stock Door	All	6A20D51 \$ 24.99
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69Z87 \$ 87.34
#160-304-004AF	SP61704	Cam Pin	.223	6A09A34 \$ 11.68
#160-303-044AF	SP64982	Carrying Handle Pin	All	6A03V58 \$ 4.48
#160-303-041AF	SP64080	Clamp Bar	All	6A07B15 \$ 8.94
#160-303-042AF	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12Z75 \$ 15.94
#160-303-043AF	SP64989	Clamp Stub, Carry Handle Assembly	All	6A07A15 \$ 8.94
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09Y30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03T58 \$ 4.48
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02P77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03B58 \$ 4.48
#160-303-025AF	SP64981	Elevation Knob, Carry Handle Assy	All	6A16X13 \$ 20.16

Orders/Tech: 800-741-0015

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02Z77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03A58 \$ 4.48
#160-303-025AF	SP64981	Elevation Knob, Carry Handle Assy	All	6A16Y13 \$ 20.16
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02T86 \$ 3.58
#160-303-027AF	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15A04 \$ 18.80
#160-304-022AF	SP61562	Extractor	.223	6A28X98 \$ 36.23
#160-304-020AF	SP61563	Extractor Pin	.223	6A03D58 \$ 4.48
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73P98 \$ 92.48
#160-304-002AF	SP62294	Firing Pin	.223	6A14U77 \$ 19.99
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33A48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26V23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03A71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03Y58 \$ 4.48
#160-300-011AF	SP61645	Gas Tube Assembly, Long	All	6A43T20 \$ 54.00
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02P86 \$ 3.58
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46A95 \$ 59.99
#160-300-002AF	SP64508	Handguard Assembly, Long	All	6A50V15 \$ 62.69
#160-301-120AF	SP64504	Handguard Cap, 20" Barrel	.223	6A03B58 \$ 4.48
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04X16 \$ 5.20
#160-303-030AF	SP64982	Index Spring, Carry Handle Assembly	All	6A03T02 \$ 3.78
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19P63 \$ 24.54
#160-302-046AF	SP50381	Pawl Detent Spring	.223	6A02U86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29A49 \$ 34.99
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49V18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adj. Sight Models	All	6A14B29 \$ 17.86
#160-303-002AF	SP64985	Sight Assembly, Rear, Carry Handle Assembly	All	6A71X81 \$ 89.76
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03C50 \$ 4.38
#160-303-019AF	SP64977	Sight Base, Rear, Carry Handle Assy	All	6A36H24 \$ 44.99
#160-301-020AF	SP64507	Sight Post, Front, 20" Barrel	All	6A06D31 \$ 7.89
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15Z21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03A08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08Y92 \$ 9.99

AR-15 Match Target Competition HBAR II

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic #802- 810				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10T13 \$ 12.66
#160-000-209AF	SP63329	Barrel, 16-5/8" & Front Sight Assy	.223	6A343P26 \$429.08
#160-304-013AF	SP64027	Bolt Assembly, 16" Barrel	.223	6A161U19 \$201.49
#160-304-043AF	SP61547	Bolt Carrier Key	.223	6A86A13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223	6A231V12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223	6A16B43 \$ 19.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223	6A05X50 \$ 6.85
#160-306-102AF	SP62339	Buffer Assembly, Full Length	All	6A28C95 \$ 36.19
#160-306-105AF	SP92601	Butt Cap Screw, A1	All	6A03H58 \$ 4.48
#160-306-104AF	SP64577	Butt Cap Screw, A2	All	6A05D48 \$ 6.85
#160-000-383AF	SP64572	Butt Cap Spacer	All	6A03Z44 \$ 4.30
#160-306-110AF	SP64579	Butt Plate Body	All	6A08A52 \$ 10.65
#160-000-218AF	SP64574	Butt Stock	All	6A36V15 \$ 45.19
#160-306-113AF	SP64566	Butt Stock Door	All	6A20B51 \$ 24.99
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69X87 \$ 87.34
#160-304-004AF	SP61704	Cam Pin	.223	6A09C34 \$ 11.68
#160-303-044AF	SP64982	Carrying Handle Pin	All	6A03H58 \$ 4.48
#160-303-041AF	SP64080	Clamp Bar	All	6A07D15 \$ 8.94
#160-303-042AF	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12Z75 \$ 15.94
#160-303-043AF	SP64989	Clamp Stub, Carry Handle Assembly	All	6A07A15 \$ 8.94
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09Y30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03T58 \$ 4.48
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02P77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03B58 \$ 4.48
#160-303-025AF	SP64981	Elevation Knob, Carry Handle Assy	All	6A16X13 \$ 20.16

order on the web www.brownells.com
 ▲ NOTE: PART MAY REQUIRE FITTING ▲

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02C86 \$ 3.58
#160-303-027AF	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15H04 \$ 18.80
#160-304-022AF	SP61562	Extractor	.223	6A28D98 \$ 36.23
#160-304-020AF	SP61563	Extractor Pin	.223	6A03Z58 \$ 4.48
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73A98 \$ 92.48
#160-304-002AF	SP62294	Firing Pin	.223	6A14Y77 \$ 19.99
#160-302-053AF	SP63528	Flattop Upper Receiver w/Assist & Cover, .223/5.56	.223	6A168T16 \$210.20
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33P48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26D23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03Z71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03A58 \$ 4.48
#160-300-010AF	SP62366	Gas Tube Assembly, Short	All	6A39Y11 \$ 49.99
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02T86 \$ 3.58
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46P95 \$ 59.99
#160-300-001AF	SP64673	Handguard Assembly, Short	All	6A74U00 \$ 92.50
#160-301-116AF	SP62346	Handguard Cap, 16" Barrel	.223	6A04A65 \$ 5.81
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04V16 \$ 5.20
#160-303-030AF	SP64982	Index Spring, Carry Handle Assembly	All	6A03B02 \$ 3.78
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19X63 \$ 24.54
#160-302-046AF	SP50381	Pawl Detent Spring	.223	6A02C86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29H49 \$ 34.99
#160-307-102AF	SP62358	Receiver End Plate	All	6A05D48 \$ 6.85
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49Z18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14A29 \$ 17.86
#160-303-002AF	SP64985	Sight Assy, Rear, Carry Handle Assy	All	6A71Y81 \$ 89.76
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03T50 \$ 4.38
#160-303-019AF	SP64977	Sight Base, Rear, Carry Handle Assembly	All	6A36P24 \$ 44.99
#160-301-016AF	SP64665	Sight Post, Front, 16" Barrel	All	6A08U53 \$ 10.66
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15B21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models	All	6A03X08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08C92 \$ 9.99

AR-15 Match Target HBAR

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic #802- 810				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10H13 \$ 12.66
#160-304-043AF	SP61547	Bolt Carrier Key	.223	6A86D13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223	6A231Z12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223	6A16Y43 \$ 19.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223	6A05T50 \$ 6.85
#160-306-102AF	SP62339	Buffer Assembly, Full Length	All	6A28P95 \$ 36.19
#160-306-105AF	SP92601	Butt Cap Screw, A1	All	6A03U58 \$ 4.48
#160-306-104AF	SP64577	Butt Cap Screw, A2	All	6A05A48 \$ 6.85
#160-000-383AF	SP64572	Butt Cap Spacer	All	6A03V44 \$ 4.30
#160-306-110AF	SP64579	Butt Plate Body	All	6A08B52 \$ 10.65
#160-000-218AF	SP64574	Butt Stock	All	6A36X15 \$ 45.19
#160-306-113AF	SP64566	Butt Stock Door	All	6A20C51 \$ 24.99
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69H87 \$ 87.34
#160-304-004AF	SP61704	Cam Pin	.223	6A09D34 \$ 11.68
#160-302-051AF	SP64512	Carry Handle Upper Rec., .223/5.56	.223	6A259Z67 \$324.59
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09A30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03Y58 \$ 4.48
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.2	

AR-15 Match Target HBAR continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-304-002AF	SP62294	Firing Pin	.223	6A14Z77 \$ 19.99
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33A48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26X23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03C71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03H58 \$ 4.48
#160-300-011AF	SP61645	Gas Tube Assembly, Long	All	6A43D20 \$ 54.00
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02Z86 \$ 3.58
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46T95 \$ 59.99
#160-300-002AF	SP64508	Handguard Assembly, Long	All	6A50P15 \$ 62.69
#160-301-120AF	SP64504	Handguard Cap, 20" Barrel	.223	6A03U58 \$ 4.48
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04A16 \$ 5.20
#160-303-010AF	SP64518	Index Spring, A2	All	6A02V86 \$ 3.58
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19B63 \$ 24.54
#160-302-046AF	SP60381	Pawl Detent Spring	.223	6A02H86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29Z49 \$ 34.99
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49A18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adjustable Sight Models	All	6A14Y29 \$ 17.86
#160-303-001AF	SP64521	Sight Assembly, Rear, A2	All	6A78T98 \$ 98.73
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03P50 \$ 4.38
#160-303-018AF	SP64523	Sight Base, Rear, A2	All	6A36Y24 \$ 44.99
#160-301-020AF	SP64507	Sight Post, Front, 20" Barrel	All	6A06A31 \$ 7.89
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15V21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models All	All	6A03B08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08X92 \$ 9.99

AR-15 Match Target Lightweight

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic #802- 810

#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10C13 \$ 12.66
#160-307-104AF	SP62373	Action Spring	All	6A08H55 \$ 10.69
#160-304-013AF	SP64027	Bolt Assembly, 16" Barrel	.223	6A161V19 \$201.49
#160-304-043AF	SP61547	Bolt Carrier Key	.223, 762 x 39	6A86B13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223, 762 x 39	6A231X12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223, 762 x 39	6A16C43 \$ 19.99
#160-308-101AF	SP62835	Bolt Catch	9mm	6A16T98 \$ 21.23
#160-304-044AF	SP62809	Bolt Key	9mm	6A36V95 \$ 44.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223, 762 x 39	6A05C50 \$ 6.85
#160-306-103AF	SP62877	Buffer Assembly, Fixed Stock	All	6A53T16 \$ 64.99
#160-306-102AF	SP62339	Buffer Assembly, Full Length	All	6A28P95 \$ 36.19
#160-307-101AF	SP62849	Buffer Assembly	9mm	6A25A43 \$ 31.79
#160-306-105AF	SP92801	Butt Cap Screw, A1	All	6A03B58 \$ 4.48
#160-306-104AF	SP64577	Butt Cap Screw, A2	All	6A05Y48 \$ 6.85
#160-000-383AF	SP64572	Butt Cap Spacer	All	6A03D44 \$ 4.30
#160-306-110AF	SP64579	Butt Plate Body	All	6A08Z52 \$ 10.65
#160-000-218AF	SP64574	Butt Stock	All	6A36A15 \$ 45.19
#160-306-113AF	SP64556	Butt Stock Door	All	6A20Y51 \$ 24.99
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69T87 \$ 87.34
#160-304-004AF	SP61704	Cam Pin	.223, 762 x 39	6A09A34 \$ 11.68
#160-302-051AF	SP64512	Carry Handle Upper Rec., .223/5.56	.223	6A259V67 \$324.59
#160-302-054AF	SP64690	Carry Handle Upper Receiver	.762 x 39	6A151B12 \$189.99
#160-302-052AF	SP62908	Carry Handle Upper Receiver	9mm	6A151V83 \$189.79
#160-302-029AF	SP62854	Ejection Port Cover Assembly	9mm	6A10Z14 \$ 12.68
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223, 762 x 39	6A09A30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223, 762 x 39	6A03Y58 \$ 4.48
#160-308-160AF	SP62830	Ejector	9mm	6A07X15 \$ 8.94
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223, 762 x 39	6A02C77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223, 762 x 39	6A03H58 \$ 4.48
#160-303-024AF	SP64516	Elevation Knob, A2	All	6A16P24 \$ 19.99
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02A86 \$ 3.58
#160-303-026AF	SP64515	Elevation Wheel, A2	All	6A16V24 \$ 19.99

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-304-022AF	SP61562	Extractor	.223	6A28B98 \$ 36.23
#160-304-024AF	SP62808	Extractor	9mm	6A31X12 \$ 39.99
#160-304-023AF	SP66810	Extractor	762 x 39	6A22C20 \$ 27.75
#160-304-020AF	SP61563	Extractor Pin	.223, 762 x 39	6A03H58 \$ 4.48
#160-304-021AF	SP95217	Extractor Pin	9mm	6A02D86 \$ 3.58
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73Z98 \$ 92.48
#160-304-002AF	SP62294	Firing Pin	.223, 762 x 39	6A14A77 \$ 19.99
#160-304-003AF	SP62805	Firing Pin	9mm	6A20T51 \$ 24.99
#160-304-045AF	SP62806	Firing Pin Spring	9mm	6A02P86 \$ 3.58
#160-302-042AF	SP64543	Forward Assist Assembly	.223, 762 x 39	6A33U48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223, 762 x 39	6A26C23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223, 762 x 39	6A03A71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223, 762 x 39	6A03Y58 \$ 4.48
#160-302-030AF	SP62851	Gas Deflector	9mm	6A10V14 \$ 12.68
#160-302-031AF	SP62769	Gas Deflector Spring	9mm	6A03B58 \$ 4.48
#160-300-010AF	SP62366	Gas Tube Assembly, Short	All	6A39X11 \$ 49.99
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02C86 \$ 3.58
#160-305-102AF	SP62865	Hammer & Hammer Pin Ret. Assy	9mm	6A37Z65 \$ 44.99
#160-305-100AF	SP63165	Hammer w/Hammer, Pin Ret.	.223, 762 x 39	6A46Y95 \$ 59.99
#160-300-001AF	SP64673	Handguard Assembly, Short	All	6A74T00 \$ 92.50
#160-301-116AF	SP62346	Handguard Cap, 16" Barrel	.223	6A04P65 \$ 5.81
#160-301-762AF	SP64672	Handguard Cap	762 x 39	6A03U58 \$ 4.48
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04A16 \$ 5.20
#160-303-010AF	SP64518	Index Spring, A2	All	6A02V86 \$ 3.58
#160-307-108AF	SP62369	Lock Release Lever Pin Spring	All	6A03B08 \$ 3.85
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19X63 \$ 24.54
#160-302-046AF	SP60381	Pawl Detent Spring	.223, 762 x 39	6A02C86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223, 762 x 39	6A29H49 \$ 34.99
#160-307-102AF	SP62358	Receiver End Plate	All	6A05D48 \$ 6.85
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49Z18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adj. Sight Models	All	6A14A29 \$ 17.86
#160-303-014AF	SP62816	Sight, Rear	9mm	6A14P29 \$ 17.86
#160-303-001AF	SP64521	Sight Assembly, Rear, A2	All	6A78T98 \$ 98.73
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03A50 \$ 4.38
#160-303-018AF	SP64523	Sight Base, Rear, A2	All	6A36Y24 \$ 44.99
#160-301-016AF	SP64685	Sight Post, Front, 16" Barrel	All	6A08X53 \$ 10.66
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15C21 \$ 19.01
#160-303-022AF	SP61703	Windage Drum	9mm	6A07H15 \$ 8.94
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models All	All	6A03D08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08Z92 \$ 9.99
#160-303-016AF	SP61702	Windage Screw	9mm	6A09A74 \$ 12.18

AR-15A3 Tactical Carbine

Other parts Listed Under AR-15 Common Parts • Web Quick-Find Schematic #802- 810

#160-306-101AF	SP61581	Action Spring, Fixed Stock	All	6A10Y13 \$ 12.66
#160-304-013AF	SP64027	Bolt Assembly, 16" Barrel	.223	6A161T19 \$201.49
#160-304-043AF	SP61547	Bolt Carrier Key	.223	6A86P13 \$ 107.66
#160-304-041AF	SP63162	Bolt Carrier w/Key	.223	6A231U12 \$288.90
#160-308-100AF	SP62301	Bolt Catch	.223	6A16A43 \$ 19.99
#160-304-040AF	SP61540	Bolt Ring, 3-Pak	.223	6A05V50 \$ 6.85
#160-306-104AF	SP64577	Butt Cap Screw, A2	All	6A05B48 \$ 6.85
#160-000-383AF	SP64572	Butt Cap Spacer	All	6A03X44 \$ 4.30
#160-306-110AF	SP64579	Butt Plate Body	All	6A08C52 \$ 10.65
#160-000-218AF	SP64574	Butt Stock	All	6A36D15 \$ 45.19
#160-306-113AF	SP64556	Butt Stock Door	All	6A20A51 \$ 24.99
#160-306-106AF	SP64571	Butt Stock w/Stowage Assembly, A2	All	6A69Y87 \$ 87.34
#160-304-004AF	SP61704	Cam Pin	.223	6A09T34 \$ 11.68
#160-303-044AF	SP64992	Carrying Handle Pin	All	6A03P58 \$ 4.48
#160-303-041AF	SP64080	Clamp Bar	All	6A07B15 \$ 8.94
#160-303-042AF	SP64984	Clamp Nut Assy, Carry Handle Assy	All	6A12C75 \$ 15.94
#160-303-043AF	SP64989	Clamp Stub, Carry Handle Assembly	All	6A07D15 \$ 8.94

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-302-022AF	SP64532	Ejection Port Cover Assembly	.223	6A09A30 \$ 11.63
#160-304-031AF	SP61564	Ejector	.223	6A03V58 \$ 4.48
#160-301-030AF	SP95102	Ejector & Plunger Retainer Pin	.223	6A02B77 \$ 3.47
#160-304-032AF	SP61569	Ejector/Selector Spring	.223	6A03X58 \$ 4.48
#160-303-025AF	SP64981	Elevation Knob, Carry Handle Assy	All	6A16C13 \$ 20.16
#160-303-031AF	SP64519	Elevation Spring, Adjustable Sight	All	6A02H86 \$ 3.58
#160-303-027AF	SP64980	Elevation Wheel, Carry Handle Assy	All	6A15D04 \$ 18.80
#160-304-022AF	SP61562	Extractor	.223	6A28Z98 \$ 36.23
#160-304-020AF	SP61563	Extractor Pin	.223	6A03A58 \$ 4.48
#160-311-100AF	SPK94773	Fire Control Kit	All	6A73Y98 \$ 92.48
#160-304-002AF	SP62294	Firing Pin	.223	6A14T77 \$ 19.99
#160-302-053AF	SP63528	Flattop Upper Receiver w/Assist & Cover, .223/5.56	.223	6A168P16 \$210.20
#160-302-042AF	SP64543	Forward Assist Assembly	.223	6A33U48 \$ 41.85
#160-302-044AF	SP62269	Forward Assist Pawl	.223	6A26A23 \$ 34.99
#160-302-045AF	SP62270	Forward Assist Pawl Detent	.223	6A03V71 \$ 4.64
#160-302-041AF	SP62271	Forward Assist Spring	.223	6A03B58 \$ 4.48
#160-300-010AF	SP62366	Gas Tube Assembly, Short	All	6A39X11 \$ 49.99
#160-300-009AF	SP95108	Gas Tube Pin	All	6A02C86 \$ 3.58
#160-305-100AF	SP63165	Hammer w/Hammer Pin Retainer	.223	6A46H95 \$ 59.99
#160-300-001AF	SP64673	Handguard Assembly, Short	All	6A74D00 \$ 92.50
#160-301-116AF	SP62346	Handguard Cap, 16" Barrel	.223	6A04Z65 \$ 5.81
#160-303-028AF	SP64514	Index Screw, Adj., Sight Models	All	6A04A16 \$ 5.20
#160-303-030AF	SP64982	Index Spring, Carry Handle Assembly	All	6A03Y02 \$ 3.78
#160-000-213AF	SP63308	Magazine, 9-Round, Matte Blue	.223	6A19T63 \$ 24.54
#160-302-046AF	SP60381	Pawl Detent Spring	.223	6A02P86 \$ 3.58
#160-302-047AF	SP64541	Plunger Assembly	.223	6A29U49 \$ 34.99
#160-306-100AF	SP64994	Receiver Extension, Fixed	All	6A49A18 \$ 62.60
#160-303-013AF	SP64524	Sight, Rear, Adj. Sight Models	All	6A14V29 \$ 17.86
#160-303-002AF	SP64985	Sight Assy, Rear, Carry Handle Assy	All	6A71B81 \$ 89.76
#160-303-011AF	SP64517	Sight Ball, Rear	All	6A03X50 \$ 4.38
#160-303-019AF	SP64977	Sight Base, Rear, Carry Handle Assy	All	6A36Z24 \$ 44.99
#160-301-016AF	SP64685	Sight Post, Front, 16" Barrel	All	6A08A53 \$ 10.66
#160-303-023AF	SP64526	Windage Drum, Adj. Sight Models	All	6A15Y21 \$ 19.01
#160-303-020AF	SP64522	Windage Drum Pin, Adj. Sight Models All	All	6A03B08 \$ 3.85
#160-303-015AF	SP64525	Windage Screw, Adj. Sight Models	All	6A08C92 \$ 9.99

M16/M4

Web Quick-Find Schematic #852 & 853

#160-000-370AF	SP61622	Auto Sear Assembly, A2	.223, Burst/Auto Full	6A11H87 \$ 14.84
#160-000-366AF	SP64559	Cam, Burst, A2	.223	6A14D45 \$ 18.07
#160-000-376AF	SP64081	Cam, Carbine	.223	6A20Z17 \$ 25.21
#160-000-367AF	SP64560	Clutch Spring, A2	.223	6A03A28 \$ 4.10
#160-000-378AF	SP64566	Disconnect, Burst	.223	6A11T13 \$ 13.91
#160-000-373AF	SP62334	Disconnect, Full Auto, A1	.223, Auto Full	6A10U48 \$ 13.10
#160-000-377AF	SP64567	Disconnect, Semi	.223	6A07A85 \$ 9.81
#160-000-375AF	SP61925	Disconnect Spring, Rifle	.223, Auto Full	6A02T80 \$ 4.99
#160-305-106AF	SP63026	Disconnect Spring, Semi	.223, Auto Full	6A03A08 \$ 3.85
#160-000-379AF	SP64568	Disconnect Spring	.223	6A01V11 \$ 1.39
#160-000-372AF	SP62317	Hammer, Full Auto, A1	.223, Auto Full	6A44B60 \$ 55.75
#160-000-349AF	SP61654	Hammer & Trigger Pin, .154"	.223, Burst/Auto Full	6A04X09 \$ 5.11
#160-000-368AF	SP64558	Hammer Spring, 3-Shot, Burst, A2	.223	6A02C22 \$ 2.78
#160-305-103AF	SP61697	Hammer Spring	.223, Auto Full	6A03H58 \$ 4.48
#160-000-365AF	SP64561	Hammer w/Detent Spring, A2	.223	6A52D45 \$ 65.56
#160-000-371AF	SP62286	Key & Bolt Carrier, A2	.223	6A221Z43 \$

COLT & DPMS PANTHER ARMS

Colt M16/14 continued

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#160-000-374AF	SP61955	Trigger, Full Auto, A1	.223, Auto Full	6A37B45 \$ 46.81
#160-000-369AF	SP64659	Trigger & Disconnect Spring Assy	.223	6A20X00 \$ 25.00
#160-305-107AF	SP61657	Trigger Spring	.223, Auto Full	6A03C28 \$ 4.10

DPMS PANTHER ARMS

*Unless otherwise noted, all parts are for current production guns.
SPECS: Made to factory specifications and supplied with factory applied finish. Any part may require fitting.*

●●●●●● AR-15 - Common Parts ●●●●●●

#231-000-215AF	204BL24	Barrel, 24", SS, .204 Ruger	.204 Ruger	3B170C00	\$259.00
#231-015-032AF	BL17	Barrel Extension	.223	3B21H14	\$ 26.43
#231-000-082AF	BL171	Barrel Extension Pins	.223	3B00D83	\$ 1.50
#231-000-065AF	BT02	Bolt	.223	3B28Z89	\$ 35.00
#231-000-177AF	BCBA1AS	Bolt & Carrier Combo, Chrome	.223	1C164A29	\$205.36
#231-000-178AF	BCBA1AS	Bolt & Carrier Combo, TiN	.223	1C195Y64	\$244.55
#231-000-077AF	BT13	Bolt Carrier	.223	1C50B00	\$ 55.00
#231-000-176AF	BCBA1AS	Bolt Carrier Assembly	.223	1C119X96	\$150.49
#231-000-076AF	BT11	Bolt Carrier Key	.223	3B09C03	\$ 11.29
#231-000-075AF	BT10	Bolt Carrier Key Screw	.223	3B00H91	\$ 1.14
#231-000-091AF	LR11	Bolt Catch	.223	3B05D00	\$ 9.00
#231-000-090AF	LR10	Bolt Catch Buffer	.223	3B00Z92	\$ 1.15
#231-000-092AF	LR12	Bolt Catch Roll Pin	.223	3B01A06	\$ 1.33
#231-000-089AF	LR09	Bolt Catch Spring	.223	3B00Y97	\$ 1.21
#231-000-064AF	BT01	Bolt Gas Ring	.223	3B00T50	\$ 1.00
#231-000-107AF	LR01	Buffer Retainer	.223	1C01P29	\$ 1.61
#231-000-108AF	LR02	Buffer Retainer Spring	.223	3B00U89	\$ 1.11
#231-000-074AF	BT17	Cam Pin	.223	3B02A78	\$ 5.00
#231-000-056AF	UR19B	Charging Handle	.223	1C14V03	\$ 175.4
#231-000-055AF	UR17	Charging Handle Latch Spring	.223	3B01B02	\$ 1.28
#231-000-054AF	UR16	Charging Handle Roll Pin	.223	3B00X91	\$ 1.14
#231-000-175AF	BL06CW	Crush Washer	.223	3B02C20	\$ 2.75
#231-000-102AF	LR27	Detent, Selector	.223	3B01A23	\$ 1.54
#231-000-094AF	LR14	Detent Spring	.223	3B00V81	\$ 1.04
#231-000-099AF	LR19	Disconnecter	.223	3B03B59	\$ 4.49
#231-000-106AF	LR31	Disconnecter Spring	.223	3B01X26	\$ 1.57
#231-000-057AF	UR02	Ejection Hinge Pin Snap Ring	.223	3B00C91	\$ 1.14
#231-000-059AF	UR04	Ejection Port Cover	.223	3B03H61	\$ 5.75
#231-000-058AF	UR03	Ejection Port Cover Pin	.223	3B01D03	\$ 1.50
#231-000-060AF	UR05	Ejection Port Cover Spring	.223	3B01Z05	\$ 1.86
#231-000-069AF	BT06	Ejector	.223	3B00A98	\$ 2.00
#231-000-067AF	BT04	Ejector Roll Pin	.223	3B00Y97	\$ 1.21
#231-000-070AF	BT07	Extractor	.223	3B11T39	\$ 14.24
#231-000-066AF	BT03	Extractor Pin	.223	3B01P18	\$ 1.47
#231-000-071AF	BT08	Extractor Spring Assy w/Rubber Tip	.223	3B01U20	\$ 1.50
#231-000-073AF	BT16	Firing Pin Retaining Pin	.223	3B01A14	\$ 1.43
#231-000-063AF	UR08R	Forward Assist Assembly, Round	.223	1C09V76	\$ 12.20
#231-000-062AF	UR07	Forward Assist Spring	.223	3B00B89	\$ 1.11
#231-000-086AF	BL03	Gas Tube Roll Pin	.223	3B00X91	\$ 1.14
#231-000-169AF	LR34A	Hammer, Hartford Horsey	.223	3B28C80	\$ 36.00
#231-000-087AF	LR33K	Hammer, Mil Spec	.223	3B18H13	\$ 22.66
#231-000-105AF	LR32	Hammer Spring	.223	3B00D78	\$ 1.50
#231-000-093AF	LR13	Magazine Catch	.223	3B03Z33	\$ 4.00
#231-000-097AF	LR17	Magazine Catch Button, Aluminum	.223	3B01A94	\$ 3.00
#231-000-096AF	LR16	Magazine Catch Spring	.223	3B00Y50	\$ 0.99
#231-000-098AF	LR18	Pivot Pin, Front	.223	3B02T78	\$ 4.00
#231-000-088AF	LR08	Safety Selector	.223	3B05P89	\$ 9.00
#231-000-068AF	LR26	Selector Spring	.223	3B00U89	\$ 1.11

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-123AF	BL18	Sight, Front, w/Lug	.223	1C24A39 \$ 34.95
#231-000-114AF	SL09	Sling, Lightweight, Nylon	.223	3B03V06 \$ 4.95
#231-000-095AF	LR15	Take Down Detent	.223	3B01B11 \$ 1.39
#231-000-104AF	LR30	Take Down Pin, Rear	.223	3B02X78 \$ 4.00
#231-000-168AF	LR21A	Trigger, Hartford Horsey	.223	3B36C10 \$ 45.13
#231-000-100AF	LR20	Trigger	.223	3B10H62 \$ 13.26
#231-000-241AF	LR03KIT	Trigger Guard Assembly Kit w/Pin	All	1C04D53 \$ 5.65
#231-000-111AF	LR04A	Trigger Guard Detent	.223	3B01Z29 \$ 1.61
#231-000-112AF	LR04B	Trigger Guard Detent Spring	.223	3B00A97 \$ 1.21
#231-000-103AF	LR28	Trigger Pin	.223	3B01Y07 \$ 1.34
#231-000-101AF	LR22	Trigger Spring	.223	3B00T78 \$ 1.50

M4 Post Ban 16" - RFA2-M4PMC

Other parts Listed Under AR-15 Common Parts Web Quick-Find Schematic #811-814				
#231-000-239AF	BLAP4	AR-15/M16 Barrel, BLAP4	.223	1C179P95 \$204.00
#231-000-125AF	BLAPAMC	Barrel, w/Miculeuk Comp, M4	.223	3B217U24 \$271.55
#231-000-118AF	BL07	Barrel Snap Ring	.223	3B01A29 \$ 1.61
#231-000-144AF	UR27	Base Aperture, Rear, A2	.223	3B07V45 \$ 9.31
#231-000-142AF	UR25	Base Ball Bearing, Rear, 3 Req'd	.223	3B00B91 \$ 1.14
#231-000-151AF	UR34	Base Elevation Knob, Rear, A2	.223	3B05A37 \$ 6.71
#231-000-148AF	UR31	Base Elevation Knob Spring, Rear	.223	3B00Y91 \$ 1.14
#231-000-150AF	UR33	Base Index Elevation, Rear	.223	3B05T37 \$ 6.71
#231-000-149AF	UR32	Base Index Screw, Rear, A2	.223	3B01X38 \$ 1.73
#231-000-146AF	UR29	Base Lug, Rear, A2	.223	3B15C28 \$ 18.95
#231-000-141AF	UR24	Base Spring, Rear, 3 Req'd	.223	3B00H91 \$ 1.14
#231-000-139AF	UR22	Base Spring Pin, Rear	.223	3B00D86 \$ 1.11
#231-000-140AF	UR23	Base Windage Knob, Rear	.223	3B05Z37 \$ 6.71
#231-000-143AF	UR26	Base Windage Knob Screw, Rear	.223	3B03A16 \$ 3.95
#231-000-232AF	CS02	CAR Stock Lock Ring	.223	1C02Y57 \$ 3.22
#231-000-138AF	UR18	Charging Handle Latch	.223	3B02T94 \$ 3.68
#231-000-242AF	CS09AP4	Commercial 6 Position Carbine Stock Tube	.223	1C18P35 \$ 22.95
#231-000-120AF	BL09	Delta Ring, Black/Gray	.223	3B04U72 \$ 7.00
#231-000-061AF	UR30	Forward Assist Pin	.223	3B00A89 \$ 1.11
#231-000-117AF	BL04A	Gas Tube	.223	3B11V66 \$ 22.49
#231-000-124AF	BL19	Handguard Caps, Round	.223	3B04B00 \$ 4.00
#231-000-219AF	BL12B	M4 Barrel, BL12B	.223	3B153X72 \$194.95
#231-000-243AF	CS09D0D	Mil-Spec 5 Position Carbine Stk Tube	.223	1C31C95 \$ 39.95
#231-000-136AF	LR25	Pistol Grip, Black Plastic, A2	.223	3B03H75 \$ 4.69
#231-000-135AF	LR24	Pistol Grip Lock Washer	.223	3B00A75 \$ 0.99
#231-000-134AF	LR23	Pistol Grip Screw	.223	3B01Y20 \$ 1.50
#231-000-123AF	BL18	Sight, Front, w/Lug	.223	1C24T39 \$ 34.95
#231-000-129AF	FS03	Sight Detent, Front	.223	3B01P20 \$ 1.50
#231-000-128AF	FS01	Sight Post, Front, Square, A2	.223	3B03U33 \$ 6.00
#231-000-130AF	FS04	Sight Spring, Front	.223	3B00A94 \$ 1.18
#231-000-145AF	UR28	Sight Spring, Rear, Flat, A2	.223	3B01V60 \$ 2.00
#231-000-131AF	FS06	Sight Taper Pin, Front	.223	3B01B11 \$ 1.39
#231-000-127AF	CSAP4	Stock Assembly, Carbine, M4	.223	1C77X72 \$ 99.95
#231-000-152AF	UR36	Stripped A2 Upper Receiver	.223	1C81C11 \$ 99.95
#231-000-121AF	BL14	Swivel, Front	.223	3B02H80 \$ 3.50
#231-000-122AF	BL15	Swivel Rivet, Front	.223	3B00D79 \$ 0.99
#231-000-133AF	LR21	Trigger, Full Auto	.223	3B13P47 \$ 34.99
#231-000-132AF	LR03	Trigger Guard Assembly w/Pin	.223	3B04U05 \$ 7.75
#231-000-171AF	BAA416	Upper Receiver w/ 223 cal, Military AP4 16" Barrel	.223	3B499A93 \$624.91
#231-000-119AF	BL08	Weld Spring, Barrel	.223	3B02V89 \$ 5.00

Panther Bull 24" Special - RFA2-24SP

Other parts Listed Under AR-15 Common Parts Web Quick-Find Schematic # 811-814				
#231-000-051AF	BS11	Buffer Body Assembly, Standard	.223	3B11B90 \$ 14.88
#231-000-083AF	BLSS	Bull Barrel Set Screws	.223	3B02X16 \$ 2.70

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-049AF	BS10B	Butt Stock Buffer Spring, Standard	.223	3B02C78 \$ 4.00
#231-000-048AF	BS09	Butt Stock Extension Tube	.223	3B13H06 \$ 14.99
#231-000-050AF	BS14	Butt Stock Screw, Upper, A2	.223	3B01Z67 \$ 2.00
#231-000-085AF	BL04	Gas Tube, Standard	.223	3B12V04 \$ 23.23
#231-000-053AF	FTTEA	Stripped A3 Flattop Upper Receiver	.223	1C94B44 \$125.00
#231-000-109AF	LR04	Trigger Guard Pin	.223	3B01C00 \$ 1.25

Panther Classic - RFA2-C

Other parts Listed Under AR-15 Common Parts Web Quick-Find Schematic # 811-814				
#231-000-118AF	BL07	Barrel Snap Ring	.223	3B01Z29 \$ 1.61
#231-000-144AF	UR27	Base Aperture, Rear, A2	.223	3B07A45 \$ 9.31
#231-000-142AF	UR25	Base Ball Bearing, Rear, 3 Req'd	.223	3B00T91 \$ 1.14
#231-000-151AF	UR34	Base Elevation Knob, Rear, A2	.223	3B05P37 \$ 6.71
#231-000-148AF	UR31	Base Elevation Knob Spring, Rear	.223	3B00C91 \$ 1.14
#231-000-150AF	UR33	Base Index Elevation, Rear	.223	3B05H37 \$ 6.71
#231-000-149AF	UR32	Base Index Screw, Rear, A2	.223	3B01D38 \$ 1.73
#231-000-146AF	UR29	Base Lug, Rear, A2	.223	3B15A28 \$ 18.95
#231-000-141AF	UR24	Base Spring, Rear, 3 Req'd	.223	3B00Y91 \$ 1.14
#231-000-139AF	UR22	Base Spring Pin, Rear	.223	3B00T86 \$ 1.11
#231-000-140AF	UR23	Base Windage Knob, Rear	.223	3B05A37 \$ 6.71
#231-000-143AF	UR26	Base Windage Knob Screw, Rear	.223	3B00X16 \$ 3.95
#231-000-051AF	BS11	Buffer Body Assembly, Standard	.223	3B11H90 \$ 14.88
#231-000-115AF	BS04	Butt Stock, A2	.223	1C23Z28 \$ 33.95
#231-000-049AF	BS10B	Butt Stock Buffer Spring, Standard	.223	3B02A78 \$ 4.00
#231-000-078AF	BS01	Butt Stock Door Assembly	.223	3B12T11 \$ 16.30
#231-000-048AF	BS09	Butt Stock Extension Tube	.223	3B13V06 \$ 14.99
#231-000-081AF	BS03	Butt Stock Hinge	.223	3B02B60 \$ 3.25
#231-000-153AF	BS06	Butt Stock Hinge Pin	.223	3B01X26 \$ 1.57
#231-000-079AF	BS02	Butt Stock Plate	.223	3B03C08 \$ 3.85
#231-000-154AF	BS07	Butt Stock Screw, Lower, A2	.223	3B02H20 \$ 2.75
#231-000-050AF	BS14	Butt Stock Screw, Upper, A2	.223	3B01P67 \$ 2.00
#231-000-155AF	BS12	Butt Stock Spacer, Aluminum	.223	3B01V78 \$ 3.00
#231-000-116AF	BS05	Butt Stock Swivel, Rear	.223	3B02C98 \$ 3.73
#231-000-138AF	UR18	Charging Handle Latch	.223	3B02V94 \$ 3.68
#231-000-120AF	BL09	Delta Ring, Black/Gray	.223	3B04D72 \$ 7.00
#231-000-061AF	UR30	Forward Assist Pin	.223	3B00Z89 \$ 1.11
#231-000-085AF	BL04	Gas Tube, Standard	.223	3B12A04 \$ 23.23
#231-000-011AF	BL01M	Handguard, Long, Round, A2	.223	1C20X23 \$ 27.95
#231-000-072AF	BL19A	Handguard Cap, Triangular	.223	3B02C22 \$ 4.00
#231-000-136AF	LR25	Pistol Grip, Black Plastic, A2	.223	3B03H75 \$ 4.69
#231-000-135AF	LR24	Pistol Grip Lock Washer	.223	3B00A75 \$ 0.99
#231-000-134AF	LR23	Pistol Grip Screw	.223	3B01Y20 \$ 1.50
#231-000-129AF	FS03	Sight Detent, Front	.223	3B01P20 \$ 1.50
#231-000-128AF	FS01	Sight Post, Front, Square, A2	.223	3B03V33 \$ 6.00
#231-000-130AF	FS04	Sight Spring, Front	.223	3B00H94 \$ 1.18
#231-000-145AF	UR28	Sight Spring, Rear, Flat, A2	.223	3B01D60 \$ 2.00
#231-000-				

DPMS PANTHER ARMS & HIGH STANDARD

DPMS PANTHER ARMS

HIGH STANDARD

DPMS Panther Classic 16" - RFA2-16 continued				
STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-149AF	UR32	Base Index Screw, Rear, A2	.223	3B01D38 \$ 1.73
#231-000-146AF	UR29	Base Lug, Rear, A2	.223	3B15Z28 \$ 18.95
#231-000-141AF	UR24	Base Spring, Rear, 3 Req'd	.223	3B00A91 \$ 1.14
#231-000-139AF	UR22	Base Spring Pin, Rear	.223	3B00Y86 \$ 1.11
#231-000-140AF	UR23	Base Windage Knob, Rear	.223	3B05T37 \$ 6.71
#231-000-143AF	UR26	Base Windage Knob Screw, Rear	.223	3B03P16 \$ 3.95
#231-000-051AF	BS11	Buffer Body Assembly, Standard	.223	3B11U90 \$ 14.88
#231-000-115AF	BS04	Butt Stock, A2	.223	1C23H28 \$ 33.95
#231-000-049AF	BS10B	Butt Stock Buffer Spring, Standard	.223	3B02D78 \$ 4.00
#231-000-078AF	BS01	Butt Stock Door Assembly	.223	3B12A11 \$ 16.30
#231-000-048AF	BS09	Butt Stock Extension Tube	.223	3B13Y06 \$ 14.99
#231-000-081AF	BS03	Butt Stock Hinge	.223	3B02P60 \$ 3.25
#231-000-153AF	BS06	Butt Stock Hinge Pin	.223	3B01U26 \$ 1.57
#231-000-079AF	BS02	Butt Stock Plate	.223	3B03A08 \$ 3.85
#231-000-154AF	BS07	Butt Stock Screw, Lower, A2	.223	3B02V20 \$ 2.75
#231-000-050AF	BS14	Butt Stock Screw, Upper, A2	.223	3B01B67 \$ 2.00
#231-000-155AF	BS12	Butt Stock Spacer, Aluminum	.223	3B01X78 \$ 3.00
#231-000-116AF	BS05	Butt Stock Swivel, Rear	.223	3B02C98 \$ 3.73
#231-000-024AF	BL11	CAR-15/M4 Barrel, BL11	.223	3B148H10 \$185.15
#231-000-138AF	UR18	Charging Handle Latch	.223	3B02D94 \$ 3.68
#231-000-120AF	BL09	Delta Ring, Black/Gray	.223	3B04Z72 \$ 7.00
#231-000-061AF	UR30	Forward Assist Pin	.223	3B00A89 \$ 1.11
#231-000-117AF	BL04A	Gas Tube	.223	3B11Y66 \$ 22.49
#231-000-012AF	BL02	Handguard, Short, Round	.223	1C13T69 \$ 21.25
#231-000-124AF	BL19	Handguard Caps, Round	.223	3B04P00 \$ 4.00
#231-000-136AF	LR25	Pistol Grip, Black Plastic, A2	.223	3B03U75 \$ 4.69
#231-000-135AF	LR24	Pistol Grip Lock Washer	.223	3B00A75 \$ 0.99
#231-000-134AF	LR23	Pistol Grip Screw	.223	3B01V20 \$ 1.50
#231-000-123AF	BL18	Sight, Front, w/Lug	.223	1C24B39 \$ 34.95
#231-000-129AF	FS03	Sight Detent, Front	.223	3B01X20 \$ 1.50
#231-000-128AF	FS01	Sight Post, Front, Square, A2	.223	3B03C33 \$ 6.00
#231-000-130AF	FS04	Sight Spring, Front	.223	3B00H94 \$ 1.18
#231-000-145AF	UR28	Sight Spring, Rear, Flat, A2	.223	3B01D60 \$ 2.00
#231-000-131AF	FS06	Sight Taper Pin, Front	.223	3B01Z11 \$ 1.39
#231-000-152AF	UR36	Stripped A2 Upper Receiver	.223	1C81A11 \$ 99.95
#231-000-121AF	BL14	Swivel, Front	.223	3B02Y80 \$ 3.50
#231-000-122AF	BL15	Swivel Rivet, Front	.223	3B00T79 \$ 0.99
#231-000-109AF	LR04	Trigger Guard Pin	.223	3B01P00 \$ 1.25
#231-000-201AF	BAA2AS16	Upper Receiver w/.223 cal, A2 Sight, 16" Std Barrel	.223	3B434U67 \$543.34
#231-000-172AF	BAA3AS16	Upper Rec. w/.223 cal, A3 16" Barrel	.223	3B422A86 \$528.57
#231-000-119AF	BL08	Weld Spring, Barrel	.223	3B02V89 \$ 5.00

EM-16

Web Quick-Find Schematic #855 & 856

#231-000-216AF	LRAS1	Auto Sear, M16	.223 Full Auto	3B10C24 \$ 12.80
#231-000-217AF	LRAS2	Auto Sear Pin, M16	.223 Full Auto	3B01H67 \$ 2.08
#231-000-210AF	BT12	Bolt Carrier, M16	.223 Full Auto	1C55D36 \$ 69.20
#231-000-209AF	BCBA16AS	Bolt Carrier & Bolt Assy, M16	.223 Full Auto	1C115Z71 \$144.64
#231-000-220AF	BU01	Cam, Burst	.223 Burst	3B08A25 \$ 12.69
#231-000-228AF	BU09	Cam Spring, Burst	.223 Burst	3B02Y22 \$ 2.78
#231-000-221AF	BU02	Disconnect, Burst	.223 Burst	3B07P08 \$ 10.89
#231-000-222AF	BU03	Disconnect, Burst	.223 Burst	3B14U62 \$ 18.27
#231-000-211AF	LR19A	Disconnect, Full Auto, M16	.223 Full Auto	1C04A53 \$ 5.66
#231-000-212AF	BT15	Firing Pin, Full Auto, M16	.223 Full Auto	1C04V79 \$ 4.99
#231-000-223AF	BU04	Hammer, Burst	.223 Burst	3B15B36 \$ 19.20
#231-000-213AF	LR34	Hammer, Full Auto Mil-Spec	.223 Full Auto	1C17C84 \$ 22.30
#231-000-224AF	BU05	Hammer Spring, Burst	.223 Burst	3B03H50 \$ 4.38

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#231-000-214AF	LR08A	Selector, Full Auto, M16	.223 Full Auto	1C08D47 \$ 10.58
#231-000-218AF	BUTRI	Tri Burst Kit	.223 Full Auto, .223 Burst	3B55A71 \$ 69.64
#231-000-225AF	BU06	Trigger, Burst	.223 Burst	3B18Y57 \$ 23.21
#231-000-133AF	LR21	Trigger, Full Auto	.223 Full Auto	3B13U47 \$ 34.99
#231-000-226AF	BU07	Trigger Spring, Burst	.223 Burst	3B03A60 \$ 4.50

HIGH STANDARD

●●●●● AR-15 - Common Parts ●●●●●

#430-000-487AF	ARL9562486	A2 Buttstock Assembly	.223	3D39D06 \$ 48.83
#430-000-454AF	ARL10464577	A2 Buttstock Screw	.223	3D02Z29 \$ 2.83
#430-000-455AF	ARL10664578	A2 Buttstock Spacer	.223	3D02A93 \$ 3.63
#430-000-437AF	ARB8862348	A2 Flash Hider	.223	3D07Y86 \$ 9.83
#430-000-429AF	ARB8784665	A2 Front Post Square	.223	3D04T30 \$ 5.33
#430-000-526AF	ARKITRSZA	A2 Rear Sight Kit	.223	3D47P57 \$ 59.46
#430-000-423AF	ARB6962366	AR Gas Tube, 20"	.223	3D12U74 \$ 15.80
#430-000-515AF	ARR464524	AR Rear Sight Aperture	.223	3D08A23 \$ 10.29
#430-000-516AF	ARR784523	AR Rear Sight Base	.223	3D16V43 \$ 20.54
#430-000-519AF	ARR1164515	AR Rear Sight Elevation Index	.223	3D07B00 \$ 8.75
#430-000-517AF	ARR864522	AR Rear Windage Knob Pin	.223	3D00A70 \$ 0.99
#430-000-422AF	ARB8664508	AR Rifle Handguard	.223	3D17Y07 \$ 21.34
#430-000-531AF	CARU464512M	AR Upper Receiver FT M4 Feed Ramp	All	3D99T61 \$124.51
#430-000-506AF	CARB6263033	Barrel Assembly, 16"	.223	3D193P30 \$241.60
#430-000-421AF	ARB6264575	Barrel Assy, 20" w/Front Sight Base	.223	3D218A19 \$270.58
#430-000-424AF	ARB7361902	Barrel Nut	.223	3D08V25 \$ 10.23
#430-000-450AF	ARC2461538	Bolt, Stripped	.223	3D38B71 \$ 48.00
#430-000-444AF	ARC1762116	Bolt Assembly	.223	3D56X05 \$ 69.50
#430-000-441AF	ARC1363003	Bolt Carrier	.223	3D66C00 \$ 81.83
#430-000-440AF	ARC1261547	Bolt Carrier Key	.223	3D11H16 \$ 13.83
#430-000-439AF	ARC1192201	Bolt Carrier Key Screw	.223	3D00D67 \$ 0.83
#430-000-438AF	ARC1063007	Bolt Carrier and Key	.223	3D75Z81 \$ 94.00
#430-000-513AF	ARL12462301	Bolt Catch	.223	3D10A03 \$ 12.54
#430-000-460AF	ARL12262382	Bolt Catch Plunger	.223	3D01Y08 \$ 1.33
#430-000-463AF	ARL12595105	Bolt Catch Roll Pin	.223	3D00T67 \$ 0.83
#430-000-461AF	ARL12362177	Bolt Catch Spring	.223	3D01P29 \$ 1.72
#430-000-448AF	ARC2261540	Bolt Gas Rings (3)	.223	3D02U53 \$ 3.38
#430-000-527AF	ARKITBCA	Bolt/Carrier Assembly	.223	3D134A60 \$168.25
#430-000-458AF	ARL11262339	Buffer Assembly, Rifle	.223	3D15V89 \$ 19.70
#430-000-484AF	ARL9161582	Buffer Detent	.223	3D01B81 \$ 2.26
#430-000-485AF	ARL9261694	Buffer Detent Spring	.223	3D01X48 \$ 1.86
#430-000-457AF	ARL1162373	Buffer Spring, Rifle	.223	3D03C15 \$ 3.90
#430-000-510AF	CARL164688	CAR Buffer Assembly	.223	3D14H03 \$ 17.54
#430-000-511AF	CARL564072	CAR Extension Tube, 6 Position	.223	3D22D32 \$ 27.90
#430-000-512AF	CARL664679	CAR M4 Stock & Extension Assy	.223	3D59Z61 \$ 74.51
#430-000-509AF	CARL462373	CAR Recoil Spring	.223	3D03A80 \$ 4.75
#430-000-443AF	ARC1661704	Cam Pin	.223	3D05Y19 \$ 6.43
#430-000-507AF	CARB6662381	Carbine Handguard Set	.223	3D24T62 \$ 30.78
#430-000-522AF	ARKITCH	Charging Handle Assembly	.223	3D19P07 \$ 23.84
#430-000-425AF	ARB7462483	Delta Ring	.223	3D08U98 \$ 11.23
#430-000-533AF	ARRA164987	Detachable Carry Handle/Rear Sight	All	3D97A50 \$122.00
#430-000-479AF	ARL14963028	Disconnect	.223	3D04V78 \$ 5.98
#430-000-481AF	ARL15163026	Disconnect Spring	.223	3D01B48 \$ 1.86
#430-000-501AF	ARU4461658	Ejection Cover Hinge Pin	.223	3D01X70 \$ 2.13
#430-000-500AF	ARU4390402	Ejection Cover Hinge Pin clip	.223	3D01C19 \$ 1.48
#430-000-502AF	ARU4561518	Ejection Cover Spring	.223	3D01H59 \$ 1.99
#430-000-505AF	ARU5564532	Ejection Port Cover w/Cover Latch	.223	3D05D61 \$ 7.01
#430-000-464AF	ARC1861564	Ejector	.223	3D02Z70 \$ 3.38
#430-000-446AF	ARC2095102	Ejector Roll Pin	.223	3D00A83 \$ 1.03
#430-000-445AF	ARC1991669	Ejector Spring	.223	3D01Y16 \$ 1.43



STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRICE
#430-000-532AF	CARL3	Extension Lock Nut	All	3D03B94 \$ 4.93
#430-000-447AF	ARC2161562	Extractor	.223	3D17X69 \$ 21.93
#430-000-449AF	ARC2361563	Extractor Pin	.223	3D01C16 \$ 1.43
#430-000-442AF	ARC1562770	Extractor Spring with Insert	.223	3D01H96 \$ 2.43
#430-000-455AF	ARC963039	Firing Pin	.223	3D06D40 \$ 7.93
#430-000-452AF	ARC862335	Firing Pin Retaining Pin	.223	3D00Z91 \$ 1.13
#430-000-436AF	ARB8764503	Flash Hider Washer	.223	3D02A77 \$ 3.43
#430-000-503AF	ARU4664512F	Flat Top Upper Receiver	.223	3D96Y04 \$120.05
#430-000-504AF	ARU5162265	Forward Assist Plunger Assembly	.223	3D11T64 \$ 14.56
#430-000-499AF	ARU3795126	Forward Assist Retaining Pin	.223	3D01P19 \$ 1.48
#430-000-498AF	ARU3662271	Forward Assist Spring	.223	3D01U48 \$ 1.86
#430-000-430AF	ARB7961705	Front Sight Detent	.223	3D01A08 \$ 1.33
#430-000-431AF	ARB8061709	Front Sight Detent Spring	.223	3D00V83 \$ 1.03
#430-000-435AF	ARB8562086	Front Sight Taper Pin	.223	3D01B80 \$ 2.23
#430-000-508AF	CARB6961645	Gas Tube, 16"	.223	3D12X36 \$ 15.45
#430-000-432AF	ARB8295108	Gas Tube Roll Pin	.223	3D00C67 \$ 0.83
#430-000-476AF	ARL4463009	Hammer Assembly	.223	3D18H95 \$ 23.69
#430-000-477AF	ARL14561697	Hammer Spring	.223	3D02D37 \$ 2.96
#430-000-478AF	ARL14861654	Hammer/Trigger Pin	.223	3D01Z91 \$ 2.38
#430-000-428AF	ARB7764504	Handguard Cap	.223	3D03A81 \$ 4.76
#430-000-427AF	ARB7890403	Handguard Snap Ring	.223	3D00Y83 \$ 1.03
#430-000-495AF	ARR3964514	Index Screw	.223	3D02T04 \$ 2.55
#430-000-538AF	CARL862369	M4 Lock Spring	.223	3D01P31 \$ 1.65
#430-000-535AF	CARL262358	M4 Receiver End Plate	.223	3D03U76 \$ 4.70
#430-000-537AF	CARL764687	M4 Release Lever Lock	.223	3D03A76 \$ 4.70
#430-000-540AF	ARL1164686	M4 Release Lever Lock Nut	.223	3D03V24 \$ 4.06
#430-000-539AF	CARL962629	M4 Sliding Stock	.223	3D14B62 \$ 18.28
#430-000-536AF	CARL1062628	M4 Stock Release Lever	.223	3D04X48 \$ 5.60
#430-000-459AF	ARL11961604	Magazine Catch	.223	3D07C03 \$ 8.79
#430-000-474AF	ARL14162032	Magazine Catch Button	.223	3D03H04 \$ 3.80
#430-000-473AF	ARL14061759	Magazine Catch Spring	.223	3D01D48 \$ 1.86
#430-000-468AF	ARL13064576	Pistol Grip	.223	3D04Z83 \$ 6.04
#430-000-420AF	ARL13192701	Pistol Grip Screw	.223	3D01A40 \$ 1.73
#430-000-469AF	ARL13290001	Pistol Grip Washer	.223	3D01Y19 \$ 1.48
#430-000-475AF	ARL14262221	Pivot Pin, Front	.223	3D05T19 \$ 6.49
#430-000-491AF	ARR31464517	Rear Sight Ball Bearing	.223	3D01P18 \$ 1.48
#430-000-518AF	ARR1064516	Rear Sight Elevation Knob	.223	3D07U25 \$ 9.06
#430-000-494AF	ARR3864519AR	Rear Sight Elevation Spring	.223	3D01A62 \$ 2.02
#430-000-496AF	ARR40	Rear Sight Elevation Spring Pin	.223	3D01V33 \$ 1.67
#430-000-490AF	ARR3064781	Rear Sight Flat Spring	.223	3D02B15 \$ 2.69
#430-000-492AF	ARR33	Rear Sight Helical Spring	.223	3D01X62 \$ 2.02
#430-000-493AF	ARR964526	Rear Sight Windage Knob	.223	3D07C36 \$ 9.20
#430-000-489AF	ARR2964525	Rear Sight Windage Screw	.223	3D04H48 \$ 5.60
#430-000-456AF	ARL10962737	Rear Swivel	.223	3D05D03 \$ 6.23
#430-000-486AF	ARL9461574	Receiver Extension Tube	.223	3D18Z22 \$ 22.78
#430-000-541AF	CARL1295142	Release Lever Lock Nut Pin	.223	3D00A57 \$ 0.75
#430-000-467AF	ARL12961785	Safety Detent	.223	3D01Y81 \$ 2.76
#430-000-462AF	ARL1266300	Safety Selector	.223	3D09T32 \$ 13.47
#430-000-483AF	ARL1961569	Safety Spring	.223	3D01P59 \$ 1.99
#430-000-514AF	ARU4664512	Stripped HSA-15 A2 Upper Receiver	.223	3D99U63 \$124.54
#430-000-434AF	ARB8462280	Swivel Front	.223	3D03A10 \$ 4.33
#430-000-433AF	ARB88391209	Swivel Rivet	.223	3D01V32 \$ 1.63
#430-000-472AF	ARL13961655	Takedown Pin, Rear	.223	3D04B53 \$ 5.66
#430-000-465AF	ARL12761698	Takedown/Pivot Pin Detent	.223	3D01X76 \$ 2.20
#430-000-466AF	ARL12861692	Takedown/Pivot Spring	.223	3D02C55 \$ 3.20
#430-000-480AF	ARL15063029	Trigger Assembly	.223	3D21D74 \$ 27.18
#430-000-470AF	ARL			

Shop online at brownells.com

It's Simple, 100% Secure, and now
Faster than ever. Here's how:

Ordering an item from the Brownells Online Store is fast and easy. For example, let's say you are looking for J-B® Bore Bright.

- 1 Open your web browser and type **brownells.com** in the address box to access the Brownells website homepage.
- 2 In the **Search** box, type the product name or stock number (from your Brownells catalog) of the item you wish to find. Click the **Search** button. Your search results will appear. Click on the product image to view the product page. If you do not have the stock number or know the name of your item, you can also browse by category using the top tabs or left navigation menu.
- 3 Scroll to the bottom of the product page to view the **Stock Number, Description, Quantity, and Price**. If there are specific restrictions for the product, these will also appear under the **Notice** link. If you wish to purchase the product, click the **Add** button. The merchandise will automatically be added to your Shopping Cart. You can also add them to your Wish List or Favorites for fast re-ordering.
- 4 When you are finished shopping, click the **View Cart** link at the top right-hand corner of the screen to begin the Checkout process.
- 5 The Checkout screen allows you to view all selected merchandise in your Shopping Cart, modify your order, if needed, and confirm your order total. When you are ready to checkout, click the **Checkout** button.



Just **\$11.50** to ship your order anywhere in the United States including Hawaii, Alaska, Puerto Rico and U.S. Virgin Islands. Fill your order with as many items as you can (limit 5 lbs.), it's still just \$11.50.



• With our **One-Rate**

Shipping Program, our Order Takers can give you your complete total at the end of your call. No guessing at total shipping charges. **It's \$11.50**

• Back Order Shipping Charges are **FREE!** Back Ordered items will be shipped by **Standard** service.

You also have three more great options for delivery:

• **2nd Day Shipping** - For just \$12.00 more (total of \$23.50) you can upgrade to 2nd Day Shipping for faster service at a low, low price.

• **Next Day Air** - If you really need your order in a hurry, it's just \$39.50 total to get your order there the very next day.

• **Special Small Package Rate** - For only \$5.25 you can ship any order that weighs 13 ounces or less.

From our total 30,000+ products, there are some items that are just too heavy to fit into this program. You'll find these products listed in the Yellow Index section of this Catalog.

CUSTOMER PRIVACY & SECURITY POLICY

When you do business with Brownells you don't have to worry that your personal information will become common knowledge because we value your trust above all. Our privacy and security policy is very simple. **We do not sell, distribute or give out customers' names or other private information to anyone at any time.** It has always been our policy to hold all customer information in the strictest confidence.

When you decide to use your credit card to pay for any purchase, your credit card and personal information are completely safe, and private, with us. Credit card security for our Website is handled by VeriSign, Inc., the world's leading provider of digital trust services. We make use of the latest 128-bit security encryption technology any time we ask for your name, address, e-mail address, credit card info or telephone number. Our servers are equipped with the latest dual application firewalls, hack detection and anti-virus technology to make certain your private information stays private and secure.

**TOLL-FREE ORDER LINE:
800-741-0015**

THINK IT. BUILD IT.™ with more than 275 new products for the AR-15 enthusiast!

BROWNELLS

SELECTION. SERVICE. SATISFACTION.®

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

200 S. Front St. Montezuma, IA 50171

800-741-0015 • brownells.com

Customer Number



Source Code



AR-15/M16 Magazines by BROWNELLS®

THE MOST UP-TO-DATE & RELIABLE MAGAZINES AVAILABLE!

- Mil-Spec Materials & Construction
- Proven Reliability
- 20- or 30-Round Capacity
- Standard & Tactical Models Available

SEE PAGE 40



Product Video Available
Online At brownells.com

BROWNELLS
SELECTION. SERVICE. SATISFACTION.®

Supplier Of
U.S. Military Mags;
Save Over 30% When
You Buy 25 Mags
or More