



Dear Folks.

Welcome to our newest 1911 Catalog, #5! Packed with over 120 new 1911 products we've found since the last catalog. We love putting these specialty Catalogs together because we can showcase an amazing assortment of the very best products available in the industry in a particular area. And, for the 1911 Auto, it's all here - tools, frames and slides,

sights, hammers, springs, and grips - everything you need to maintain and build this famous, long-time favorite handgun. To be able to add as many 1911-specific new products as possible and still keep the catalog at a manageable size, we've left out some of the general range gear and cleaning accessories shown in past issues. We still carry all these great products and many more, so please see the new brownells.com or our new "Big Book" (Catalog #62) for everything... including the kitchen sink.

We now have over 20 products that have received the American Pistolsmiths Guild "Seal of Approval." This means these products have passed a rigorous test of function and quality by the American Pistolsmiths Guild. Many of these are in this Catalog and are marked with a symbol representing the seal of approval.

There are also new "Dream Guns" for you to enjoy, including some great custom work from our own Gun Techs, plus big names in the industry like Cylinder & Slide, Ed Brown, Nighthawk Custom and Wilson Combat. These are exceptionally beautiful guns and were built using parts and products available in this Catalog. They give you an example of just how far you can go with your 1911 projects...there really is no limit to what you can do. Having the coolest 1911 at your range or gun club is well within your reach!

Our brand-new, updated, and completely customer-friendly website has been up and running for a couple of months now...a HUGE improvement over the old site. Finally a fully functional and useful search engine!! Pete and I are awfully pleased with it and we know you're going to enjoy using it.

It is a confusing time in our industry right now - but remember one thing you can always count on no matter what - our long-standing commitment to you is something that won't ever change. It's who we are and what we're about: giving you **Selection**, **Service** and Satisfaction. And a 100% Guarantee of that satisfaction forever. Pete and I and the rest of our Gang hope you enjoy this new Catalog as much as we do. We look forward to hearing from you soon!

Very best.

Frank & Pete Brownell



Old John Still Has The Right Idea

"It's unwise to pay too much . . . but it's worse to pay too little. When you pay too much, you lose a little money . . . that is all. When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing it was bought to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it is well to add something for the risk you run. And if you do that, you will have enough to pay for something better." - JOHN RUSKIN



The horizontal catalog format is a trademark of Brownells.

At BROWNELLS. The Customer Is Always

Your Satisfaction Guaranteed-Period! - Here's our pledge to you - which has never changed: If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. No hassle, no problem. We don't bog you down in endless paperwork. Your complete satisfaction with each and every product we sell is what's most important to us.

We do not artificially mark up our prices to cover potential increases from the manufacturers. When notified of a price adjustment, we change our price at that time. As a result, prices are subject to change without notice.



Products marked with this symbol have passed a rigorous test of function and quality, and have been awarded the American Pistolsmiths Guild "Seal of Approval."



GSA pricing available on products marked with the star. Contract #: GS-07F-0139T



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all items at time of catalog production: nor does it imply that foreign merchandise is of lesser quality. We will continue to gather this information to assist our customers in making informed buying decisions, and will keep our website current with the latest information.

BROWNELLS is a Small Business and Veteran owned **Company. Government Procurement**

CCR: #829833; Cage: #12238 Call for Special Procurement Needs, Over 30,000 items in stock daily!

ROWNELLS

SELECTION. SERVICE. SATISFACTION.

200 SOUTH FRONT STREET MONTEZUMA, IOWA 50171

Call Toll Free To Order

800-741-0015

FAX 800-264-3068

brownells.com 1911 CATALOG #5 2009-2010 © 2009, BROWNELLS



We're the world's largest source for firearms accessories, gunsmithing tools, shooting supplies, and cleaning equipment. If you want to see our full line of over 30,000 in-stock products, you need Brownells Catalog #62. Take a look through any of our catalogs, or browse our website and you'll find at least one item you can't

live without. Purchase that item and we'll send you our big Catalog #62 a five dollar value – absolutely FREE! #077-100-000DE



Full-color catalog features everything you need to build, maintain, customize, and accurize an AR-15/M16 to suit your specific needs, plus parts and extras for largercaliber AR-type variants. The folks here just can't resist the AR platform's unlimited possibilities, so we've included photos of "dream builds" by Brownells staff showing

you how much customization you can do with the products we offer. Whether you use your AR for tactical shooting, precision target shooting, or just keeping down the varmint population on the Back 40, this catalog is for you. #077-100-008DE



For over 70 years, since Bob Brownell started working on firearms and got the company started in '39, we have worked with our military and law enforcement to support their weapons and their efforts. We've picked the best Military/Law Enforcement items from our Big Catalog and

added a few new ones. If you're one of our

brave folks in uniform, you need this catalog! #077-000-005DE

HOLIDAY SCHEDULE We will be closed for the following: 2009 2010 Labor Day, Mon. 7 Sept

Thanksgiving, Thurs. 26 & Fri. 27 Nov. Christmas, Thurs. 24 & Fri 25 Dec

New Year's, Fri. 1 Jan. 2010 Memorial Day, Mon. 31 May Independence Day, Fri. 2 & Mon. 5 July Labor Day, Mon. 6 Sept Thanksgiving, Thurs. 25 & Fri. 26 Nov. Christmas, Fri. 24 Dec.

ORDER LINE HOURS 7:30 A.M. to 5:00 P.M. (Central Time)

GUNTECH HOURS (Central Time)

WALK-IN HOURS 8:30 A.M. to 4:30 P.M. 7:30 A.M. to 4:30 P.M. (Central Time)

Open Monday thru Friday. Order Recording Lines Open 24 Hours Per Day









641-623-5401

INTERNATIONAL ORDERS 641-623-4000

641-623-3896





CONTENTS		
Frames/Slides	Magwells 21-22	
Barrels	Magazine Releases 22-23	
Barrel Bushings7-8	Magazines & Parts 23-27	
Barrel Links 8	Triggers 27-29	
Compensators 9	Springs	
Slide Stops9	Replacement Parts 31-33	
Plunger Tubes 9-10	Grips & Screws	
Extractors	Sights	
Ejectors11	Optic Mounts	
Thumb Safeties 11-13	Holsters/Mag Pouches 45-48	
Grip Safeties	Range & Training Gear 48-49	
Guide Rods/Buffers 13-17	Gunsmithing Tools 49-56	
Ignition Parts 17-20	Books & Videos 57	
Mainspring Housings 20-21	Late New Arrivals 57-60	

CASPIAN 1911 AUTO RECEIVER

Choose The Built-In **Custom Features** You Need: SaveTime & Money

Build an outstanding, custom 1911 with one of these top-quality, singlestack receivers as the foundation. Models and features available to suit



the needs of any custom 1911 project. Precision cast from 4140 carbon steel and fully CNC machined to tight tolerances. Heat treated to Rc 22-24 for optimum performance and durability. Oversize frame rails allow the gunsmith to achieve an exceptionally tight slide-to-frame fit for more consistent accuracy. Available with smooth front strap or with 20 lpi CNC machine-cut checking. Front strap on all models except Standard is undercut at the triggerguard to ensure the shooter an extra-secure, highgrip hold. Standard model offers a robust, economical foundation for a great, all-around shooter. Race-Ready features integral, flared magazine well for lightning fast magazine changes. Smooth contours and absence of unsightly seams give your pistol a streamlined look. A mainspring housing is included. Recon model has the strength and compactness that combat and action shooters require, with an integral accessory rail that accepts laser sights and tactical lights; mainspring housing not included. Race-Ready Recon model includes all the features of the Recon with the addition of an integral, flared, 360° magazine well for high speed reloads, and includes a mainspring housing.

SPECS: 4140 carbon steel, in-the-white. Race-Ready and Race-Ready Recon models include mainspring housing. Gunsmith fitting required FFL required for purchase

ting required.	Litequired for purchase.
#168-000-002DF	Standard Receiver 8F147A63 \$ 182.99
#168-000-003DF	Checkered Standard Receiver,
	<i>8F213A45</i>
#168-100-100DF	Race-Ready Receiver 8F198D67234.68
#168-100-110DF	Checkered Race-Ready Receiver,
	<i>8F263D97</i>
#168-000-004DF	Recon Receiver 8F208A10 269.99
#168-000-005DF	Checkered Recon Receiver,
	8F275V74
#168-000-006DF	Race-Ready Recon Receiver,
	8F265V58
#168-000-007DF	Checkered Race-Ready Recon Rec'r,
	<i>8F354V14</i>

CASPIAN 1911 AUTO HIGH CAPACITY RECEIVER KIT



Build Your Own, Custom, High Capacity Competition Pistol

Kit includes everything you need to convert an existing 1911 to a high capacity 9mm, .38 Super, or .40 S&W 1911 pistol—or build a new one from the ground up with additional parts available separately. Receiver has integral plunger tube, squared trigger guard, and flared, 360° magazine well. Precision cast from 4140 carbon steel and fully CNC machined to tight tolerances for highly accurate rail specs and pin hole locations. Heat treated to Rc 22-24 for optimum performance and durability. Oversize frame rails allow the gunsmith to achieve an exceptionally tight slide-to-frame fit for more consistent accuracy. Grip safety, mainspring housing, magazine catch, and ambidextrous safety are CNC-machined from carbon steel castings. Gunsmith fitting required. Magazines available below.

SPECS: 4140 carbon steel, in-the-white, Gunsmith fitting required. Kit includes receiver, ambidextrous safety, grip safety, magazine catch, trigger, mainspring housing, grip screws, and die-cut stick-on grips. FFL required for purchase of receiver kit.

#168-000-008DF	High-Cap 1911 Receiver Kit,
	8F352V36
#168-000-053DF	High-Cap Grip Safety,
	8F28C80
#168-000-054DF	High-Cap Trigger,
	<i>8F23C07</i>
#168-000-055DF	High-Cap Ambi-Safety,
	<i>8F23C17</i>
#168-000-056DF	High-Cap Mag Catch,
	<i>8F</i> 23 <i>C</i> 07
#168-000-057DF	High-Cap Die-Cut Grips,
	<i>8F05C40</i>

CASPIAN 1911 AUTO SLIDES



Superb Strenght & Precise Tolerance For The Ultimate Combat Pistol

Custom-quality slide from Caspian, ready to be fitted to the Government model frame of your choice. They start as highquality forgings for extra strength, then are heat-treated to Rc 38-41 before machining for exceptional dimensional stability. Sides are polished, while the rest of the surface is bead-blasted for non-glare, matte finish. Deep-cut, forward-angled rear cocking serrations prevent slippage when racking, even with a wet hand. Available in 4340 carbon steel (CS) and 416 stainless steel (SS) with .45 ACP, .40 S&W, and 9mm breechfaces. Choose a slide without sight cuts (NC), or between two pre-cut dovetail options: a Novak Standard Low Mount or Bo-Mar BMCS rear cut, both coupled with a Novak front cut. All slides require the use of a 9mm/.38 Super firing pin.

SPECS: 4340 carbon steel, in-the-white or 416 stainless steel natural finish. Fits full-size Government model frame and 5" barrel. All Caspian slides require the use of a 9mm/.38 Super firing pin.

CARBON STEEL

.45 ACP	.40 S&W/10mm	9mm	SIGHT CUT	PRICE
#168-000-052DF	#168-000-051DF	#168-000-050DF	NC	8F166C67 \$ 208.21
#168-000-073DF	#168-000-069DF	#168-000-065DF	Novak	8F215C11 \$ 268.76
#168-000-071DF	#168-000-067DF	#168-000-063DF	Bo-Mar	8F225C61 \$ 294.99

STAINLESS STEEL

.45 ACP	.40 S&W/10mm	9mm	SIGHT CUT	PRICE
#168-000-074DF	#168-000-070DF	#168-000-066DF	Novak	8F235C86 \$ 294.70
#168-000-072DF	#168-000-068DF	#168-000-064DF	Bo-Mar	8F246C36 \$ 319.99

ESSEX ARMS 1911 AUTO SELECT RECEIVER

Most Often Requested Custom **Features Saves** Machine Time & **Hand Fitting**



custom features that save you hours of work. Features an extra high front strap cut, beveled mag well and a .250" radius beavertail cut. Slide "way" tolerances are machined with slightly oversized dimensions for a more precise slide/frame fit. Investment cast from 4140 carbon or 416 stainless steel, each receiver is heat treated to increase hard-

ness, then fully inspected to ensure consistent quality. Precision, CNC machined after heat treating so spacing and tolerances of silde "ways", frame holes, spring guides and recesses on each and every frame are identical. Accessory Rail model includes an integral rail ready to accept any laser sight or tactical light that luses a Picatinny or Weaver-style mount.

SPECS: Available as a stripped receiver only. Blue: 4140 steel, blue. heavy matte finish. Stainless: 416 stainless steel, heavy matte finish. All receivers will require aunsmith fitting. FFL required for purchase.

#20F 400 400DF	Dl C.l D
#285-100-1000F	Blue Select Receiver,
	<i>5H150D26</i> \$ 201.28
#285-300-100DF	Stainless Select Receiver,
	<i>5H163T33</i>
#285-000-011DF	Blue Select Receiver w/Accessory Rail,
	<i>5H198C71</i>
#285-000-012DF	Stainless Select Receiver
	w/Accessory Rail $5H208C65$ 251.49

ESSEX ARMS 1911 AUTO RECEIVER

From G.I. Restoration To Full House IPSC: **Build The 1911 Auto** That Meets Your

Customer's Exact Needs

High quality reproductions of the famous 1911 A-1 Govt. and Commander receiver (frame), ready to fit and



finish to fulfill your customer's individual needs and dreams. All receivers are investment cast from 4140 carbon or 416 stainless steel, heat treated for increased hardness and fully inspected to ensure consistent quality. Slide "ways", frame holes, spring guides and recesses are precision CNC machined after heat treating, so spacing and tolerances on each and every frame are identical to provide reliable fit and function. Slide "way" tolerances are machined to minimum G.I. specs to let the gunsmith achieve a tight, reliable fit with most slides.

SPECS: Furnished with plunger tube and .45 ACP ejector installed. Blue: 4140 steel, blue, heavy matte finish. Parkerized: 4140 steel. Stainless: 416 stainless steel, heavy matte finish. Commander is same as Govt. with shortened dust cover. All receivers will require gunsmith fitting. FFL required for purchase.

#285-000-002DF	Blued Essex 1911 Auto Receiver,	
	<i>5H114B00</i>	
#285-000-003DF	Stainless Essex 1911 Auto Receiver	,
	5H144B67	
#285-100-001DF	Parkerized Essex 1911 Auto Receive	er,
	5H132D67	180.95
#285-000-004DF	Blued Essex Commander Receiver,	
		152 00

OVERSIZED 1911 AUTO RECEIVER - Frame rails are slightly oversized for a more precise slide/frame fit. Most slides will require only light lapping to achieve a tight "match" fit.

SPECS: Available as stripped receiver only - does not include plunger tube or ejector. Blue: 4140 steel, matte finish. Stainless: (SS) 416 stainless steel, matte finish. All receivers will require gunsmith fitting. FFL required for purchase.

#285-100-150DF Oversized Blue Essex 1911 Auto Recver,

ESSEX ARMS 1911 AUTO ENHANCED SLIDE



Ready to Build: For Competition & Carry

Round-top, G.I.-style slides, with many popular modifications already made, ready for fitting to competition and carry guns. Quality investment casting is heat treated, then CNC machined to maintain true, parallel, rail dimensions and prevent tolerance stacking. Features 60° forward angle, front and rear cocking serrations, plus lowered and flared ejection port. Accepts a .330" x 65°, dovetail, front sight and **BM-1-style** or **Novak** rear sight. SPECS: 4140 steel, blue, matte finish, 416 stainless steel (SS). matte finish. Rc 35-40, .45 ACP or 9mm/.38 Super. Govt - 71/2" (19cm) long, accepts 5" barrels, **Commander -** 63/4" (17.14cm) long

accepts 41/4" barre	els.	,
#285-150-100DF	Blue Govt .45 BM-1 Slide,	
	5H150T27\$	200.35
#285-000-009DF	Blue Govt 9mm BM-1 Slide,	
	5H140X00	186.00
#285-000-001DF	SS Govt .45 BM-1 Slide 5H153B33 .	191.66
#285-000-005DF	Blue Comm .45 BM-1 Slide,	
	5H146B85	194.45
#285-000-006DF	Blue Govt .45 Novak Slide,	
	<i>5H140B00</i>	186.66
#285-000-010DF	Blue Govt 9mm Novak Slide,	
	5H140X00	186.00
#285-000-013DF	SS Govt .45 Novak Slide 5H161C41	201.76
#285-000-007DF	Blue Comm .45 Novak Slide,	
	<i>5H140B00</i>	186.66





- #100-002-637DF KENSIGHT COMBAT CARRY ADJUSTABLE SIGHT See Page 40.
- #388-401-100DF DOUG KOENIG STANDARD LOW MASS HAMMER See Page 18.
- #087-245-893DF ED BROWN AMBIDEXTROUS TACTICAL SAFETY See Page 12.
- #087-868-000DF ED BROWN MEMORY GROOVE GRIP SAFETY See Page 13.
- #849-005-110DF SMITH & ALEXANDER MAINSPRING HOUSING See Page 21.
- #160-114-450DF COLT .45 ACP 7-ROUND MAGAZINE See Page 23.
- #052-000-037DF AHRENDS EXOTIC DYMONDWOOD THIN GRIPS See Page 33.
- #168-000-003DF CASPIAN CHECKERED STANDARD RECEIVER See Page 1.
- #791-000-063DF STI LONG CURVED MATCH GRADETRIGGER See Page 28.
- #662-000-061DF .180" NOVAK FRONT DOVETAIL SIGHT See Page 42.
- #168-000-071DF CASPIAN BO-MAR CUT FORGED SLIDE See Page 1.
- #842-100-045DF STORM LAKE 5" GOVERNMENT PREFIT BARREL KIT See Page 7.
- #087-011-101DF ED BROWN EXTENDED TACTICAL MAGAZINE CATCH See Page 22.

ESSEX ARMS 1911 AUTO SLIDE



Made To Original G.I. Specs

Round-top, G.I.-style slides will fit any 1911 Auto Government or Commander length frame. Leave as-is for that original "just issued" look, or customize to meet your customers' exact needs and desires. High quality, investment casting, CNC machined after heat treatment to maintain true, parallel, rail dimensions and prevent out-of-spec tolerance stacking. Features 60°, forward angle on rear cocking serrations and fully-machined front and rear sight cuts.

SPECS: 4140 steel, blue, matte finish. Rc 35-40, .45 ACP and 9mm/.38 Super. Narrow tenon front sight cut, .330" x 65° rear sight dovetail. **Govt** - 7" (19cm) long, accepts 5" barrels, 12 oz. (340 g) wt. **Commander** - 6%," (17.14cm) long accepts 414" barrels, 11 oz.

#285-150-001DF Essex .45 Govt Slide 5H116T30 . . . \$ 155.09 #285-000-008DF Essex 9mm Govt Slide 5H106B67 . . 142.25 #285-150-250DF Essex .45 Commander Slide,

KIMBER 1911 AUTO RIMFIRETARGET CONVERSION KIT



Train With Ammo In Your



less expensive.22 LR ammunition in any mil-spec 1911 Government model, so you can afford to practice more. Preserves pistol's weight, balance, and overall feel to help you develop specific skills and "muscle memory" to shoot better with full-power ammo. Simply remove the factory slide and barrel, replace them with the conversion unit, and load up the included .22 magazine with premium-grade high-velocity ammunition. Manufactured to the same rigorous quality standards as Kimber's full-power 1911 pistols; slide is precision machined from aluminum billet, with wide front and rear cocking serrations and Kimber's tough, scratch-resistant, KimPro II^{-st} finish. Comes with plain black target sights installed; rear sight is click adjustable for windage and elevation, with flat, finely serrated rear face and a square notch. Includes ramped, match-grade 5" barrel with a 1:16" left-hand twist and stainless steel match-grade bushing. Reinforced polymer 10-round magazine is designed for a secure fit in a standard .45 ACP mag well, and has an anti-tilt polymer follower to ensure smooth feeding of rounds. Slide does not lock open after last shot; pistol may be dry fired with kit installed.

SPECS: Aluminum slide, steel barrel, polymer magazine. Available with matte black or silver slide. Fits 1911 Govt model pistols chambered in .45 ACP with 4" or 5" non-ramped barrels and dimensional tolerances that meet U.S. Government specs, including Series 70 and 80 Colt pistols and clones. Requires high-velocity ammunition for proper operation.

#387-000-045DF Rimfire Target Conversion Kit, Black, 7H00TPU\$ 349.95 #387-000-046DF Rimfire Target Conversion Kit, Silver,

NEED IT NOW?! — **ASK FOR OVERNIGHT DELIVERY!**

TACTICAL SOLUTIONS 1911 AUTO **2211 CONVERSION KIT**





Hone Critical Shooting Skills Using Economical .22 LR Ammo

Complete .22 LR conversion system comes fully assembled and ready to install on your 1911 Government model or Commander to help you practice critical shooting skills with economical rimfire ammo. Concentrate on improving grip, sight alignment, trigger pull, breath control, and other skills without burning up expensive, full-power ammo. Simply remove the slide as if you're field stripping, and replace with the 2211 slide/ barrel assembly and 10-round rimfire magazine. With the 2211 sinstalled, the gun functions normally—the slide even locks open after the last round is fired. Precision machined entirely from high-grade steel to the same high standards of workmanship as a custom-quality competition pistol, with a lustrous, matte blued finish. Custom features include wide, crisply milled front and rear cocking serrations, 4½" bull barrel with integral feed ramp, full-length steel guide rod, and a "flattop" sight rail with front and rear competition sights already installed. Champion rear target sight is fully click adjustable for windage and elevation, with an easy-to-acquire 110" wide square notch and flat, serrated rear face. Plain black front sight has glare-inhibiting serrations on front and rear faces. Lightweight milled aluminum 10-round magazine has flared baseplate to aid positive seating in oversized magwells; base removes easily for cleaning.

SPECS: Slide/Barrel - Steel, blued, matte finish. Magazine - Aluminum, black. 7¼" (18.4cm) overall length. 23.1 oz. (655g) total weight. Fits centerfire single-stack 1911 Govt/Commander and clones chambered in .45 ACP, .40 S&W, .38 Super, and 9mm. Conversion kit's ejector may require fitting to ensure proper clearance of frame-mounted ejector on some pistols.
#100-003-848DF 2211 Conversion Kit,

8K00DZA......\$ 429.99

LES BAER CUSTOM FRAME

Precision Forged & Machined In The USA: ReadyTo Assemble With Custom Features

The only 1911 Auto frames available with true, custom features that save the pistolsmith time and expense when building his customer's favorite gun. Fully forged and are machined by CNC equipment to close, rigorous tolerances, fully finish-machined and ready

to fit, then assemble. Available in chrome-moly Steel, in-thewhite, or non-galling stainless steel (SS). All these single-stack frames come standard with the extra-high, front strap cut and beveled magazine well. Frame tangs on Standard (Std) model are in Commander length or, choose the Beavertail Cut (B/T **Cut)** model with a .250" radius cut that fits the S&A, Les Baer or Brown, beavertail grip safeties. Frames with the Beavertail Cut are also available with the front straps Checkered (Chk) in flawless, machine cut, 30 lpi checkering.

SPECS: Steel, in-the-white, stainless steel (SS). Stripped, govt. length receiver only. Rails are .001" oversize to the Les Baer Slides and will require fitting (mfg. suggests light filing only). FFL required

for purchase.

STOCK #	STYLE	MODEL	PRICE
#124-050-001DF	Steel	Standard	4B262T66 \$ 328.32
#124-050-010DF	Steel	B/T Cut	4B265T34 \$ 331.65
#124-050-011DF	Steel	B/T Cut/Chk	4B420T00 \$ 525.00
#124-050-111DF	SS	B/T Cut/Chk	4B490T67 \$ 593.45
•			

LES BAER CUSTOM 1911 AUTO SLIDE



Precision-Machined From Steel Bar Stock With The Custom Features You Need & Want

Bar stock slides with lowered ejection port, surface-ground flats and bead-blasted rounds. Available with rear only (R) or front and rear (DBL) serrations, and with or without (NS) sight cuts. Front sight cut accepts 65° x .330", dovetail front sights. Rear sight cuts accept the Bo-Mar (Bo-Mar) BMCS or the Novak (Novak) Low Mount Sight (.495") dovetail. Lengths listed in specs are nominal barrel lengths the slides will accept.

SPECS: Chrome-moly steel, in-the-white (CM) or stainless steel (SS). .38 Super (.38S) or .45 ACP (.45) breech face. Long, (L) 6", Government (G) 5", Commanche (Cmch) 41/4". ALL models require

a .38 Super/9mm	
#124-055-451DF	CM .45 ACP G/Bo-Mar/Dbl Slide,
	4B325U08\$ 405.99
#124-055-452DF	CM .45 G/Novak/Dbl Slide,
	4B324U00
#124-055-381DF	CM .38S G/Bo-Mar/Dbl Slide,
	4B324T00
#124-055-382DF	CM .38S G/Novak/Dbl Slide,
	4B324T00
#124-055-461DF	SS .45 G/Bo-Mar/Dbl Slide,
	4B355U70
#124-055-462DF	SS .45 G/Novak/Dbl Slide,
	4B353U35
	.38S G/NS/Dbl Slide 4B257P35 350.95
#124-055-453DF	CM .45 G/NS/Dbl Slide,
	4B258U19
#124-056-453DF	CM .45 Cmch/NS/R 4B232U00 310.75
#124-056-452DF	CM .45 Cmch/Novak/R,
	4B321U35
#124-055-454DF	CM .45 L/Bo-Mar/Dbl Slide,
	4B420U00

STI 1911 AUTO SINGLE STACK RECEIVER

Precise Dimensions For A Match-Grade Fit That Gives Superb Accuracy

Fully machined single stack receiver is ready for the slide, barrel, and fire-control components of your choice to build a rugged, precisionshooting competition, combat, or carry pis-

tol. Gives you the high quality of STI's 2011 competition frames in a traditional, all-metal package with the popular enhancements you expect on high-performance custom 1911s. Machined to precise tolerances from high-quality 4140 carbon steel, then heat-treated to Rc 28-32 for exceptional wear resistance. Bead blasted to produce a smooth, non-reflective surface ready for the finish of your choice. Rails are cut slightly oversized, ready for honing to a tight, smooth, slop-free slideto-frame fit to help ensure best accuracy. Holes for all pins and controls are precisely located, with a .250" tang radius to accommodate a beavertail grip safety. Available in two models, both with a standard dust cover. Standard model is machined from a high-grade investment casting and has a smooth, plain. front strap with a rounded, undercut triggerguard, and a Wilson/Nowlin-style feed ramp. Forged model is machined from a forged billet and has a straight, rounded triggerguard, a standard ramp, and 30 lpi checkering on the front strap that helps you maintain a firm grip.

SPECS: 4140 carbon steel, in-the-white, Hardened to Rc 28-32, FFL required for purchase

#791-000-071DF	Standard Receiver.
	1F170Y00
#791-000-054DF	Forged Receiver,
	1F274D95

STI 1911 AUTO 2011 MODULAR FRAME

Composite & Steel Frame Kit For Building **Lightweight Pistols**

Ready-to-build, high-tech, double stack frame can be fashioned into your customer's dream, competition or self-defense pistol. The 2011's



modular grip frame is made from fiber-filled, nylon composite that's married to a CNC machined, 4140 steel upper, for the very best combination of durability, precision fit and lighter weight. Features: 20 lpi checkering on the front strap and triggerguard; heavy-duty dust cover for scope mounting; pre-contoured to accept aftermarket grip safeties with .250" radius; integral magazine well, oversized rails. Ready for gunsmith fitting. Frames are available in two models: **Standard** - Features a Govt. length dust cover. Long/Wide - Dust cover is approximately the same width and length as a Govt. length slide for increased weight. Both models are available either **Non-Ramp** - with standard, non-caliber-specific feed ramp or Ramped - pre-machined to accept the Nowlin/Wilson-style ramped barrels.

SPECS: Grip Frame - fiber-filled polymer composite, black. Upper Frame - 4140 steel, in-the-white, matte finish. Kit includes checkered, nylon mainspring housing and pin; titanium/composite trigger (long) and blued mag catch (complete). Frames accept most 1911

(long) and blaca i	riag cator (complete). Frames accept most 1511
auto slide, barrel	assemblies. FFL required for purchase.
#791-250-001DF	Standard Non-Ramp 2011 Frame,
	1F349Z95
#791-250-100DF	Std Ramped 2011 Frame 1F425Z55 481.56
#791-251-001DF	Long/Wide Non-Ramp 2011 Frame,
	1F423Z98 502.99
#791-251-100DF	Long/Wide Ramped 2011 Frame,
	1F496Z35 620.45

COLORED GRIP FRAME - Four colors permit personal matching of your gun and accessories. Replaces the standard black grip frame, attaches to your upper frame unit. Constructed from the same polymer composite material as the standard black frame. SPECS: Fiber-filled polymer composite. Includes frame and mainspring housing.

#/91-255-002DF	Red Polymer Grip Frame,	
	1G100Z00	125.00
#791-255-004DF	Blue Polymer Grip Frame,	
	<i>1G100Z00</i>	125.00
#791-255-006DF	Gray Polymer Grip Frame,	
	1G100Z00	125.00
#791-000-004DF	Blk Polymer Grip Frame 1G95X96.	119.95

STI 1911 AUTO 2011 SLIDE & FRAME KIT



Full contact, slide rails matched to the nylon and steel composite grip frame for superior fit. All are non-ramped, doublestack with checkered front strap, triggerguard and mainspring housing,

Pre-Fit For Accuracy

plus EDM-cut breech face, lowered and scalloped ejection port and rear cocking serrations. Includes composite/titanium match trigger and magazine catch. .38 Super has standard length dust cover and no sight cuts. .40 S&W and .45 ACP have long and wide dust cover; cut for Bo-Mar BMCS rear and 60°x.300" dovetail

SPECS: Frame: 4130 steel, in-the-white. Fiber-filled polymer, black. Slide: 4140 steel, in-the-white, 7.5" (19cm) long, Accepts 5" barrel and collar style reverse plugs. **FFL required for purchase**

#791-210-038DF .38 S Slide/Frame Kit 1F567D48\$ 681.00 #791-210-040DF .40 S&W Slide/Frame Kit.	
1F655D05	
#791-210-045DF .45 ACP Slide/Frame Kit 1F659D98 792.00	

STI 1911 AUTO

2011 LONG SLIDE & FRAME



Enhanced Recoil Reduction 6 inch Slide/Frame combination adds 3.5 oz. of forward weight to help reduce recoil and muzzle rise. Bar stock slide has full contact rails, lowered ejection port, matte finished top, front and rear cocking serrations and no sight cuts. Gunsmith fitting is required. Lightweight, nylon polymer, composite double

stack grip frame is checkered for a secure grip with an undercut triggerguard.

SPECS: Slide and rails, 4140 steel, in-the-white, Grip, fiber-filled nylon polymer. Frame includes nylon mainspring housing, titanium composite trigger and mag catch. Slide is 8½" (21.5 cm) long, accepts 6" (15.2cm) long, Nowlin/Wilson ramped barrels. Frame: FFL

required for pur		
#791-113-038DF	.38 Supr 2011 Long Slide,	
	1G223B75	ď
#791-113-040DF	.40 S&W 2011 Long Slide 1G223B75 279.6	ď
#791-113-045DF	.45 ACP 2011 Long Slide,	
	1G205B00	2
#791-114-000DF	2011 Long Frame 1F537B50 645.0)(
#791-113-045DF	.45 ACP 2011 Long Slide, 1G205B00	2(

STI 1911 AUTO PRE-FIT SLIDE & FRAME COMBO

Precise, Match-Grade Fit For Superb Accuracy

Pre-fit combo eliminates one of the most tedious jobs of building a top-quality, custom 1911 Auto-getting



a tight, smooth, slide-to-frame fit free of side-to-side or vertical play. Forged frame of 4140 carbon steel is precision machined and heat-treated to Rc 28-32, before mating with the slide fully machined from 4140 bar stock. Serial number of the frame is stamped inside the slide at the factory to make sure the two stay together. 30 lpi front strap checkering helps you maintain a firm grip, and tang is cut with a .250" radius for a beaver tail grip safety. Slide has EDM wire cut breech face for precise angle, lowered and flared ejection port, and deep-cut, extra-wide rear cocking serrations. Choose a slide without sight cuts or with Bo-Mar BMCS or Novak rear, both with a 60° x .300" front sight dovetail. Accepts 5" non-ramped .45 ACP barrels.

SPECS: 4140 carbon steel, in-the-white. For use with .45 ACP nonramped, 5" barrels only. FFL required for purchase.

#/91-000-069DF	Slide/Frame w/o sight cuts,
	1F510A81
#791-000-067DF	Slide/Frame w/Bo-Mar sight cut,
	1F561A28 674.99
#791-000-068DF	Slide/Frame w/Novak sight cut,
	1F560A00



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

STI 1911 AUTO 2011 BAR STOCK SLIDE



CNC Machined From Bar Stock With Most Wanted Custom Features

Ready-to-fit, premium-grade slides improve function, reliability and accuracy on any 1911 Auto. Precision CNC machined from solid 4140 steel bar stock, featuring an ultra-smooth wire EDM cut breech face for improved feeding, a lowered and flared ejection port, full-contact rails, and a pre-smoothed barrel bore. These slides are machined for collar reverse plugs and all edges are radiused. All models must be used with a .38 Super/9mm firing pin and require gunsmith fitting. Classic Slides feature relief cuts above the recoil spring plug housing and either rear (R) or front and rear (F/R) serrations. Also available in Commander (.45 ACP only) and extended 6" (.38 Super/9mm only) lengths, both with smooth sides (NS) ready for milling custom cocking serrations. Classic Flat Top Slides feature a .400" wide, flat, sighting plane along the top of the slide. Unique slides are straight cut with ½ oz. more weight forward for better recoil control, and have rear cocking serrations only. Also available in extended 6" length, no serrations, .38 Super/9mm only.

SPECS: 4140 steel, in the white. Semi-polished sides, matte finish top. 7½" (19cm) long, accepts 5" barrels ,unless otherwise indicated. and collar reverse plugs. All models must be used with .38 Super/9mm firing pin. Available with no sight cuts (NC) or with a 60° x.300" x.060" front dovetail and Bo-Mar BMCS (BMC) rear cut. Flattop Classic also available with 60° x.300" x .060" front dovetail and Novak (NVK) rear cut. Commander Classic – 611/16" (17cm) long. Accepts 4.25" barrel. .45 ACP only. 6" Extended Classic/Unique -87/16" (24cm) long. Accepts 6" barrel .38 Super/9mm only.

CLASSIC SLIDES

	STOCK #	CAL.	SIGHT	SERR.	PRICE
	#791-201-038DF	.38S/9mm	NC	R	1G182H18 \$ 224.99
世	791-000-077DF	.38S/9mm-6"	NC	NS	1G223P75 \$ 279.68
,,,,,	#791-201-040DF	.40 S&W	NC	R	1G179H85 \$ 220.95
迣	791-000-076DF	.45 ACP-Comm.	NC	NS	1G205P00 \$ 256.25
,,,,,	#791-201-045DF	.45 ACP	NC	R	1G176H25 \$ 211.50
	#791-202-038DF	.38S/9mm	BMC	R	1G226H24 \$ 271.49
	#791-202-040DF	.40 S&W	BMC	R	1G226H24 \$ 271.49
	#791-202-045DF	.45 ACP	BMC	R	1G226H25 \$ 271.50
	#791-202-138DF	.38S/9mm	BMC	F/R	1G186H22 \$ 215.25
	#791-202-140DF	.40 S&W	BMC	F/R	1G277H17 \$ 362.99
	#791-202-145DF	.45 ACP	BMC	F/R	1G232H50 \$ 290.62
		· · · · · · · · · · · · · · · · · · ·			

FLATTOP CLASSIC SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE
#791-000-040DF	.38S/9mm	NC	R	1G228H11 \$ 282.95
#791-000-041DF	.40 S&W	NC	R	1G226H26 \$ 271.50
#791-000-043DF	.38S/9mm	ВМС	R	1G276H25 \$ 345.31
#791-000-044DF	.40 S&W	BMC	R	1G276H25 \$ 331.48
#791-000-045DF	.45 ACP	ВМС	R	1G288H75 \$ 346.50
#791-000-046DF	.38S/9mm	NVC	R	1G279H85 \$ 345.95
#791-000-047DF	.40 S&W	NVC	R	1G276H25 \$ 345.31
#791-000-048DF	.45 ACP	NVC	R	1G279H99 \$ 331.99

UNIQUE SLIDES

STOCK #	CAL.	SIGHT	SERR.	PRICE		
#791-204-038DF	.38S/9mm	NC	R	1G178H78 \$ 214.95		
791-000-078DF	.38S/9mm-6"	NC	NS	1G205P00 \$ 256.25		
#791-204-040DF	.40 S&W	NC	R	1G176H76 \$ 220.95		
#791-204-045DF	.45 ACP	NC	R	1G176H24 \$ 211.47		
#791-205-038DF	.38S/9mm	BMC	R	1G236H25 \$ 283.47		
#791-205-040DF	.40 S&W	BMC	R	1G236H25 \$ 283.47		
#791-205-045DF	.45 ACP	ВМС	R	1G226H25 \$ 271.47		

order on the web www.brownells.com

Orders/Tech: 800-741-0015



#168-202-100DF CASPIAN ADJUSTABLE TARGET SIGHT See Page 38.

#206-103-050DF CYLINDER & SLIDE TACTICAL TRIGGER PULL KIT See Page 17.

#466-001-040DF MILLENNIUM CUSTOM COMPETITION EXTRACTOR See Page 11.

#087-867-000DF ED BROWN MEMORY GROOVE GRIP SAFETY See Page 13.

#087-000-027DF ED BROWN 25 LPI FLAT MAINSPRING HOUSING See Page 20.

#160-114-100DF COLT 10mm 8-ROUND MAGAZINE See Page 23.

#087-011-004DF ED BROWN ALLEN HEAD GRIP SCREWS See Page 37.

#100-002-546DF MIL-TAC G10 TACTICAL GRIPS See Page 35.

#100-003-270DF NIGHTHAWK CUSTOM LIGHTWEIGHT TRIGGER See Page 28.

#168-000-002DF CASPIAN STANDARD 1911 RECEIVER See Page 1.

#662-645-075DF NOVAK DOVETAIL MOUNT FRONT SIGHT See Page 41.

#168-000-051DF CASPIAN CARBON STEEL SLIDE See Page 1.

#654-358-010DF NOWLIN MFG. PRE-FIT MATCH ECM BARREL KIT See Page 6.

#965-601-045DF WILSON COMBAT EXTENDED SLIDE RELEASE See Page 9.

#654-263-003DF NOWLIN MFG. EXTENDED MAGAZINE RELEASE KIT See Page 22.

#965-600-007DF WILSON COMBAT EXTENDED THUMB SAFETY See Page 13.

STI 2011 SHORT BLOCK KIT



fitting, you add the fire control parts, sights and final finish. CNC machined slide has full contact, parallel rails that are

carefully matched to the grip frame for superior fit and reliability. Air gauged, stainless steel, button-rifled bull barrel, with link, pin and slide stop is carefully fitted to ensure consistent lockup. Short chambered. Full-length recoil spring guide improves reliability. Double-stack frames feature Wilson/Nowlin ramp cut, checkered front strap, triggerguard and mainspring housing. Includes composite/titanium match trigger and complete magazine catch. Slides feature EDM-cut breech face, lowered, scalloped ejection port, front and rear cocking serrations. Includes 10-round magazine. **5.5.38 Super Kit** - Supplied with installed, 5-port compensator blended to slide. Standard length dust cover on frame; classic slide with no sight cuts. .40 S&W/.45 ACP Kit-Long and wide dust cover on frame. Unique slide cut for Bo-Mar BMCS rear and 60° x .300" dovetail front sight.

SPECS: Frame & Rails - 4130 steel, in-the-white, matte finish. Grip - Fiber-filled nylon polymer, black. Slide - 4140 steel, in-the-white, matte finish. 7.5" (19cm) long. Barrel - 416 Stainless Steel. Compensator - 3 top ports, 2 side ports. 23/8" (6cm) long. 23/8" (6cm) long. FFL required for purchase.

#791-000-001DF 5.5 .38S Short Block Kit, #791-118-040DF .40 S&W Short Block Kit,



Comes With Popular Custom Features To Save Time & Money; Available In Carbon Or Stainless Steel

The same premium-quality slide used in Wilson's legendary custom 1911s now available separately to form the top end of your own custom tactical, self-defense, or competition pistol.

Precision machined using the latest CNC equipment from hardened steel forgings for superb strength and precise dimensions that allow a slide-to-frame fit of as little as .004". Available in unfinished carbon steel or stainless steel, these unmarked, roundtop slides come with deep-cut, diagonal front and rear cocking serrations, plus a lowered, flared ejection port to minimize risk of stovepiping or other jams and help ensure spent cases are completely ejected. Also includes .300" x 60° dovetail cut for front sight; rear of slide is plain, without dovetail, so you can install the rear sight that best suits your requirements. Requires use

with .38 Super/9mm firing pin, not included.

SPECS: Carbon steel (CS), in the white, or stainless steel (SS), natural finish. Fits full-size .45 ACP Government model frame and 5" barrel. Accepts .38 Super/9mm firing pin only.

#965-000-079DF CS Govt Model Slide 5F00YTP .. \$ 300.00 #965-000-078DF SS Govt Model Slide 5F319V99 329.99

1911 AUTO SLIDE RACKERS

BRILEY - Retro-fits pistols equipped with Bo-Mar® low-mount sights. Other slides can be machined to accept. Fits down, into the slide for a clean look. Clears popular scopes and mounts.

SPECS: Aluminum, black anodized. #129-400-001DF Cocking Sight,

TJ'S CUSTOM FRAME SLOT BLANK

Fills Series 80 Frame Cutout

Fits in the firing pin block frame cuts, permitting Series 70 slides and components to be fitted to Series 80 frames. No alteration, drop-in fit.

SPECS: Precision ground steel, in-the-white. #876-011-780DF Frame Slot Filler, each 6G00CHD...\$ 4.95

WILSON COMBAT CHECKERED FRONT STRAP

Fast, Easy, Grip Improver

Add the secure feel of a checkered front strap to any 1911 Auto in minutes. No filing, no alterations. Remove the grips, slip the Wilson Checkered Front Strap over the frame; replace grips.

**SPECS: 2" (5.1 cm) long, .006" (.1524mm) thick steel.

**965-100-001DF Blued Front Strap 5F08X47 \$ 9.99 #965-100-002DF SS Front Strap 5F08X47 9.99

BRILEY 1911 AUTO PRE-FIT BARREL & SPHERICAL BUSHING



Matched components, with hood and lugs pre-cut, only minor fitting required for a true custom fit. Bottom feet are cut to lock up with a Wilson #3 link and pin. Includes Briley's Spherical Bushing with titanium-nitrided insert for better functioning. SPECS: Barrel - Stainless steel, 5" (12.7cm) long, .45 ACP. Bushing - Stainless steel, gold, titanium nitride steel insert. Bushing O.D. .698" (drop-in) or .703" (minor turning required).

#129-115-698DF Bbl with .698" Bushing 9B180P00.\$ 225.00 #129-115-703DF Bbl with .703" Bushing 9B180P00... 225.00

BRILEY .45 BARREL & SPHERICAL BUSHING



Superb, Match-Grade Quality Stainless Steel; With Or Without A Pre-Fit Bushing

Chamber, lands and grooves are Electro-Cathode machined for closest tolerances and maximum accuracy. Precision bore is concentric with chamber and completely seals expanding gases behind the bullet for higher velocities with lower pressures. Exclusive Spherical Bushing with titanium nitrided insert fits perfectly to the barrel for less friction and increased accuracy.

SPECS: Barrel - Stainless steel, 5" (12.7cm) or 6" (15.2cm) long, .583" ±.001" O.D. ramped **(R)** or non-ramped **(N/R)**. All are .45 ACP caliber. **Bushing -** Stainless steel, gold, titanium-nitrided steel insert, O.D. must be turned to fit slide. Barrels require gunsmith fitting. Ramped barrels require machining of frame.

#129-110-245DF 245 5" NR Bbl & Bushing, #129-110-145DF 145 5" R Bbl & Bushing 9B201X42 251.78 #129-106-235DF 235 6" NR Bbl & Bushing 9B180V00 225.00

G & B CUSTOM SLIDE RACKER - For

right- or left-handed shooters; locks into dovetail with Allen head set screw. SPECS: Stainless steel or aluminum, matte,

silver finish. Fits 60° x .359" dovetails. $1\frac{1}{2}$ " (3.8cm) long, .318' (9.6mm) diameter.

#375-101-100DF SS Slide Racker 5G28P00 \$ 35.00 #375-101-110DF Alum. Slide Racker 5G24P00......30.00



BARRE

CLARK CUSTOM MATCH-GRADE BARREL



Superb Clark Accuracy In Both Ramped & Standard

Hardened, heat-treated and fully machined from long-wearing, solid billet, chrome-moly steel. (Jimmy's favorite for contin- ued, long-wearing accuracy from full power and mid-range ammo). These are the same barrels the Clarks use to build super accurate bullseye and full-house IPSC pistols for top shooters everywhere. Ramped models feature an extended, integral ramp that fully supports the case head to end head separations and bulged cases. Rounds feed directly onto the ramp, no frame-tobarrel gap for bullet noses to hang up on.

SPECS: 4150 CM steel, blued, Rc 34-38, 6" (15,2cm) long can be cut to fit most slide lengths. Available **Threaded** and **Plain**, Ramped **(R)** and Non-Ramped **(NR)**. Threaded .575"-40 tpi to a length of 2½" from tip of muzzle to fit most cone-style compensators and bushings. Oversized hood, top lugs and bottom feet require gun-

STOCK #THREADED	TYPE	CALIBER
#181-211-109DF	R	9mm
#181-211-138DF	R	.38 Super
#181-211-110DF	R	10mm
#181-211-140DF	R	.40 S&W
#181-211-145DF	R	.45 ACP
#181-211-045DF	N/R	.45 ACP
	#181-211-109DF #181-211-138DF #181-211-110DF #181-211-140DF #181-211-145DF	#181-211-109DF R #181-211-138DF R #181-211-110DF R #181-211-140DF R #181-211-145DF R

- Advise # - Clark 1911 Plain Barrel 1H136V55.. \$ 168.99 - Advise # - Clark 1911 Threaded Bbl 1H144D83 .. 178.99

CLARK CUSTOM 1911 AUTO DROP-IN COMP KIT



No fitting or gunsmithing required to get the increased muzzle control and accuracy of Clark's dual-port compensators and match-grade barrel. Comp helps control recoil and muzzle flip for improved accuracy and a faster follow-up shot. Match-grade, button-rifled barrel and pre-fit bushing provide a close fit on most slides for increased accuracy, function and reliability. SPECS: Steel, blued, Kit includes: 51/2" (14cm) barrel, threaded .580"-40 tpi, .45 ACP; blued comp; barrel bushing; .278" c-to-c link and pin. Increases pistol length by 11/2" (3.8cm). Fully chambered. #181-165-000DF .45 Comp Kit 1H223U99.....\$ 281.99

ED BROWN DROP-IN MATCH BARREL & BUSHING

Delivers Match-Grade Accuracy

chined with slightly oversized dimensions for tighter barrel lockup and a "Match Quality" drop-in fit. Premium stainless steel bar stock is machined, heat treated and cryo stress relieved before final rifling to improve accuracy and barrel life. Precision, broach cut rifling gives outstanding accuracy with all bullet types, including lead. Complete kit includes pre-fit, match-grade barrel, bushing, link and pin for fast installation. May require minor fitting.

SPECS: T-416 SS, Cut Rifled, Rc 38-42. 3.5" (8.89 cm), Commander (CO), 4.25" (10.8cm), Government Model (GM), 5" (12.7cm) long.

STOCK #	CALIBER	FITS	PRICE
#087-928-450DF	.45 ACP	CO	7H158A31 \$ 196.99
#087-925-450DF	.45 ACP	GM	7H157U25 \$ 196.00

EFK FIRE DRAGON 1911 AUTO PORTED PISTOL BARRELS



Integral Comp Cuts Muzzle Flip

Stainless steel barrels offer drop-in fit and improved accuracy. Forward-angled comp ports direct muzzle blast away from shooter and reduce muzzle rise. Broached rifling and polished feed ramp handle both lead and jacketed bullets. Extends approximately one inch past front of slide. Includes bushing, link and pin, pre-fitted bushing.

SPECS: 416 stainless steel. 6" (15.2cm) long. #503-101-911DF 1911 Govt Bbl, .45 ACP 3K166A67 .\$ 205.00

KART 1911 AUTO PRECISION QUALITY BARREL



Forged from ordnance steel to strict, national match specs; rifled by a proprietary technique that holds lands and grooves to exceptionally close tolerances and leaves the surface finish mirror smooth. Air gauged to maintain .0002" tolerance through the bore. Feed ramps are throated for wadcutter ammo. Standard Barrel - Non-ramped, oversize hood, top and bottom lugs to achieve an exact fit for optimum match accuracy. Ramped Barrel - Fully supports the case head; gives direct feeding from magazine to chamber.

SPECS: 4150 ordnance steel, in-the-white. Available in 5" (12.7cm), 6" (15.2cm), or Commander 4.25" (10.8cm) lengths. Std - Standard barrel, non-ramped. W/N - Wilson/Nowlin ramp. C/P - Clark/Para Ordnance ramp. Ramped barrels require machining of frame. Gunsmith fitting required.

5" 1911 AUTO BARREL

STOCK #	CALIBER	TYPE	PRICE				
#472-020-045DF	.45 ACP	Std	2G124H88 \$ 140.99				
#472-000-002DF	.45 ACP	W/N	2G145V28 \$ 160.00				
#472-000-004DF	.45 ACP	C/P	2G136V00 \$ 170.00				
#472-000-006DF	.40 S&W	Std	2G145B18 \$ 160.00				
#472-000-007DF	.40 S&W	W/N	2G144B00 \$ 180.00				
#472-000-008DF	.40 S&W	C/P	2G152B00 \$ 190.00				
#472-020-038DF	.38 Super	W/N	2G144H00 \$ 180.00				
#472-020-138DF	#472-020-138DF .38 Super C/P 2G152H00 \$ 190.00						
#472-000-009DF	#472-000-009DF 9mm Std 2G145B18 \$ 160.00						
#472-000-010DF	9mm	W/N	2G144B00 \$ 180.00				
#472-000-011DF	9mm	C/P	2G152B00 \$ 190.00				
	6" 1911 AU	6" 1911 AUTO BARREL					

STOCK #	CALIBER	TYPE	PRICE
#472-021-045DF	.45 ACP	Std	2G145H18 \$ 160.00
#472-000-003DF	.45 ACP	W/N	2G144V00 \$ 180.00
#472-000-005DF	.45 ACP	C/P	2G152V00 \$ 190.00
#472-021-038DF	.38 Super	W/N	2G152H00 \$ 190.00
#472-021-138DF	.38 Super	C/P	2G160H00 \$ 200.00

4.25" COMMANDER BARREL

STOCK #	CALIBER	TYPE	PRICE
#472-000-013DF	.45 ACP	Std	2G145C18 \$ 160.00
#472-000-012DF	.40 S&W	Std	2G172B00 \$ 215.00

1911 AUTO QUESTIONS?

Ask Our Full-Time Tech Staff

KART 1911 AUTO EASY FIT BARREL KIT



Barrel Installation Using Only Hand Tools

Install a precision quality barrel using just four small hand tools. The only fitting required is to adjust lockup with the two raised pads located on either side of the rear locking groove, cut the barrel hood to correct length and fit the bushing to the slide. A national match bushing is pre-fit to the barrel; has oversize O.D. for precise fitting to slide. Bottom lugs are fully finished and the correct length link installed to save hours of work. SPECS: 4150 ordnance steel. In-the-white. Available in 5" (12.7cm, or 6" (15.2cm) long. (N/R) Non-ramped. (W/N) Wilson/Nowlin ramp. (C/P) Clark/Para ramp. Ramped barrels require machining of frame. Requires gunsmith fitting. Includes instructions.

5" 1911 EASY FIT BARRELS

STOCK#	CALIBER	TYPE	PRICE
#472-001-045DF	.45 ACP	EZ fit N/R	2G154C99 \$ 189.99
#472-002-045DF	.45 ACP	EZ fit W/N	2G164C13 \$ 205.00
#472-003-045DF	.45 ACP	EZ fit C/P	2G172C00 \$ 215.00
#472-001-009DF	9mm	EZ fit N/R	2G166C60 \$ 204.99
#472-000-001DF	.38 Super	EZ fit N/R	2G164V13 \$ 205.00
#472-002-040DF	.40 S&W	EZ fit W/N	2G180C37 \$ 225.00
#472-003-040DF	.40 S&W	EZ fit C/P	2G188C13 \$ 235.00

6" 1911 EASY FIT BARRELS

STOCK#	CALIBER	TYPE	PRICE
#472-010-045DF	.45 ACP	EZ fit N/R	2G164H13 \$ 205.00
#472-010-009DF	9mm	EZ fit N/R	2G172C12 \$ 224.99
#472-011-045DF	.45 ACP	EZ fit W/N	2G180H37 \$ 225.00
#472-012-045DF	.45 ACP	EZ fit C/P	2G188H00 \$ 235.00

EASY FITTOOL KIT - Includes barrel locating block, bench bush-

ing, Swiss file and feeler gauge to help you do a precision job with Easy Fit barrels. Can be used to fit several barrels. SPECS: Steel bench bushing.

Aluminum barrel fitting block. File - 6" (15.2cm) long, .172" (4.38mm) wide. File handle included. #472-015-000DF Easy Fit Tool Kit 2G35H20 \$ 44.00

NIGHTHAWK CUSTOM 1911 AUTO MATCH GRADE BARREL & BUSHING



Premium-quality, .45 ACP barrel is precision machined from solid 416 stainless steel barstock to tolerances +/- .001" or less in critical areas. Heat treated to Rc 40-42 to maintain those dimensions, even under the battering of hard competition. These unramped barrels are broach rifled with a left-hand 1-16" twist. Some fitting required, so you can produce a tight, no-play fit for maximum accuracy from your gun. The match grade bushing is machined from the same premium-grade stainless steel, with I.D. and O.D. left slightly oversized to allow custom fitting to your barrel, further ensuring precise lockup and excellent ac-

SPECS: 416 stainless steel. Rc 40-42. .45 ACP. 1-16" twist. left hand. Govt - Barrel: 5" (12.7cm) long. Bushing: .829" long (21.1mm) long, .573" (14.6mm) I.D., .698" (17.7mm) O.D. Commander - 41/2" (10.8cm). Bushing: .515" (13.1mm) long, .573" I.D., .698" O.D. Gunsmith fitting required.

#100-003-275DF Govt Match Grade Barrel/Bushing, 2B151H96......\$ 189.95 #100-003-274DF Comm Match Grade Barrel/Bushing,

LES BAER CUSTOM 1911 AUTO MATCH GRADE BARREL

Cathode Discharge Machining Increases Accuracy

Mirror-like bore increases accuracy and boosts velocity with all bullet types plus, decreases fouling with lead bullets. SPECS: 4350 CM steel, in-the-white. Heat treated. .578" (14.1mm) O.D. .45 ACP Caliber. 5" (12.7cm) fits Govt. length slide. 6" (15.2cm) available with ramp (R) or plain (P). Oversized, gunsmith fit, installation requires alterations to frame and slide.

#124-011-045DF 5". .45 ACP Plain Bbl 4B129T75...\$ 165.55 #124-011-046DF 6", .45 ACP Plain Bbl 4B157T35.... 205.25 #124-011-146DF 6", .45 ACP Ramped Bbl 4B172T50 . 224.74

NOWLIN MFG. 1911 AUTO MATCH-GRADE ECM BARREL

Ultra-Smooth Rifling Gives Superb Accuracy

Triple heat treated, highest quality, super match-grade barrels deliver maximum accuracy. Groove and bore tolerances held to an amazing .0002" by electro-discharge cathode machining (ECM). Unique, pre-cut design of the top lugs requires only minor fitting to achieve maximum lug engagement. Rifling is ultra-smooth, uniform, and precise. Smoother bore boosts velocity with all barrel lengths. Angled edge on the driving band increases gas seal for reduced fouling with all types of bullets, plus longer barrel life. Short chambered, requires reaming to achieve correct headspace. Reamer pilot diameters: 9mm/.38S - .3445"; .40 S&W, 10mm - .3895"; .45 ACP - .4405". Threaded barrels fit tapered sleeve or cone-style bushings and compensators only. SPECS: 416 stainless steel, hardened to Rc 40. Over- size hood and feet require gunsmith fitting. Available in 5" (12.7cm) and 6" (15.2cm) lengths. All models .581" (14.7mm) O.D. **Plain 5"** – .45 ACP only. Unramped. Plain 6" in calibers listed below. Ramped. Threaded 6" has .575"-40 threads extending 1.810" (4.5cm) back from tip of muzzle to accept most cone-style compensators and bushings. 9mm and .38 Super only. Ramped.

PLAIN 6" STOCK #	THREADED 6" STOCK #	CALIBER
#654-603-109DF	#654-603-209DF	9mm
#654-603-138DF	#654-603-238DF	.38 Super
#654-603-923DF	NA	9x23mm
#654-604-140DF	NA	.40 S&W
#654-602-145DF	NA	.45 ACP
_ Advise # _ P	lain 6" Barrel 4E194C15	\$ 242 75

Threaded 6" Barrel 4E222C63..... 278.28 Advise # -654-000-049DF Plain 5" Barrel, .45 ACP 4E215Z58 . 260.99

NOWLIN MFG. 1911 AUTO ULTRA COMPACT E.C.M. BARREL

Improved Accuracy For Sub-Compacts

Improve accuracy and function of any

Kimber Ultra Compact or Springfield Armory Micro pistol. Long-wearing and dependable because it's CNC-finished from a solid forging, then heat-treated. Barrel features the exclusive Nowlin ECM rifling that produces outstanding accuracy. Bull-style contour uses the factory oversize bushing, includes pre-fit link and pin. Pre-fit external barrel dimensions at hood and feet require little to no additional gunsmithing; integral ramp will require machining of frame.

SPECS: 416 SS, heat-treated to Rc 40. 3.2" (8.1cm) long, .695" (17.65mm) O.D. at muzzle, chambered .45 ACP. Chamber may require finish reaming, check with headspace gauge before firing.

#654-000-047DF Ultra Compact Barrel 4E222Z63. .\$ 278.28





- #087-245-892DF ED BROWN AMBIDEXTROUS TACTICAL SAFETY See Page 12.
- #849-007-082DF SMITH & ALEXANDER "E-Z FIT HI-GRIP" SAFETY See Page 13.
- #087-113-101DF ED BROWN FLAT MAINSPRING HOUSING See Page 20.
- #160-114-450DF COLT 7-ROUND FACTORY MAGAZINE See Page 23.
- #654-109-104DF NOWLIN MFG. HEX HEAD GRIP SCREWS See Page 37.
- #100-001-356DF ALUMAGRIP SLIMLINE GRIP PANELS See Page 34.
- #791-000-065DF STI LIGHTWEIGHT ALUMINUM MATCHTRIGGER See Page 28.
- #969-950-600DF WOLFFTYPE B 16 LB. GOVT. MODEL RECOIL SPRING See Page 31.
- #296-000-066DF EGW CARRY BEVEL ANGLE BORED BUSHING See Page 7.
- #654-000-049DF NOWLIN MFG. 5" MATCH-GRADE ECM BARREL See Page 5.
- #087-011-100DF ED BROWN EXTENDED TACTICAL MAGAZINE CATCH See Page 22.

Other parts used in this pistol include:

#100-003-245DF
#100-003-262DF
#206-103-020DF
#791-101-110DF
#791-105-100DF

MIGHTHAWK CUSTOM .45 ACP EXTENDED EJECTOR See Page 11.

NIGHTHAWK CUSTOM GOVT. MODEL PIN SET See Page 33.

CYLINDER & SLIDE ULTRA MATCH DISCONNECTOR See Page 17.

STI MATCH GRADE SEAR See Page 19.

STI ITANIUM HAMMER STRUT See Page 19.

#296-000-087DF EGW BARREL LINK KIT See Page 8.

SATISFACTION GUARANTEED
SINCE 1939

Shop

NOWLIN MFG. PRE-FIT MATCH-GRADE ECM BARREL KIT



Pre-Fit Complete With Bushing, Link & Pin

The easiest way to install the superb performance of Nowlin's ECM Match-Grade Barrels in your 1911 Auto. Barrel Kit comes complete with a pre-fitted, stainless steel bushing, barrel link and pin with little-to-no fitting required for installation. Barrels feature pre-fitted hood, top lugs and bottom feet that give a very close fit for increased accuracy in most 1911 Autos. Includes factory-standard link and hardened, oversize pin. Gold Cup has narrow, .385" width hood to fit Colt-style, Gold Cup, Enhanced and Flat Tops with narrow hood. Non-ramped, 5" long, .45 ACP only.

SPECS: 416 stainless steel, heat treated to Rc 40. **Barrel** - 6" (15.2cm), 5" (12.7cm) or 4\%" (10.8cm) long, .581" (14.7mm) O.D. Available ramped or non-ramped in calibers listed. **Bushing** - .582" (14.8mm) I.D., .701" (178mm) O.D. **Link** - .278" c-to-c.

STK # RAMPED	STK # N-RAMPED	LENGTH	CALIBER
#654-358-109DF	#654-605-109DF	41/4"	9mm
#654-358-209DF	#654-606-109DF	5"	9mm
#654-358-009DF	#654-359-009DF	6"	9mm
#654-358-038DF	NA	6"	.38 Super
NA	#654-359-923DF	6"	9x23mm
#654-358-040DF	#654-359-040DF	6"	.40 S&W
#654-358-010DF	NA	6"	10 mm
#654-358-545DF	#654-359-545DF	5"	.45 ACP
NA	#654-359-645DF	6"	.45 ACP

- Advise # - Pre-Fit M/G Barrel Kit 4E205B29\$ 256.62 #654-000-037DF Gold Cup Barrel Kit 4E218A63 273.28

NOWLIN MFG. 1911 AUTO BULL BARREL



Extra large diameter muzzle replaces the bushing for greater barrel/slide contact area and improved lockup. Ultra-smooth ECM rifling provides a precise bore that delivers exceptional accuracy and higher velocities. Pre-fit (PF) models include link and pin; feature fully fitted bottom feet and hood. Installation requires only minor fitting. Gunsmith-fit (GF) are oversize in all dimensions and will require fitting. Available Plain or with Nowlin/Wilson ramp.

SPECS: 416 stainless steel, heat treated, Rc 40. 5" (12.7cm) long. .690" (17.71mm) O.D. Ramp barrel installation requires milling of frame.

STOCK # PF	STOCK # GF	CALIBER	RAMP
#654-610-145DF	#654-610-245DF	.45 ACP	Plain
#654-610-141DF	#654-610-241DF	.40 S&W	Nowlin/Wilson
- Advise # - Nov	wlin Bull Barrel	4E222U6	3 \$ 278.28

brownells.com

Search

1911 barrel

STI 1911 AUTO BULL BARREL



Eliminates the barrel bushing for increased lockup area and improved accuracy. Machined from billet forging, button rifled and air gaged to ensure exact bore size and finish. Fully ramped with Wilson/Nowlin-style ramp for reliable feeding. Extra material at feed ramp, hood, locking lugs and muzzle allow precise fitting. Barrels are supplied with a generic short chamber which can be opened up to accept any of the popular pistol cartridges. SPECS: 416 stainless steel. Installation requires machining of frame. All have .697' (17.7mm) muzzle diameter. Available in 5" (12.7cm) and 6" (15.2cm) lengths.

(12.7611) and 0 (13.2611) lengths.	
#791-106-400DF 5" .400 Bull Barrel	1G160A77 \$ 200.97
#791-106-450DF 5" .450 Bull Barrel	1G161A31 200.99
#791-106-135DF 6" .355 Bull Barrel	1G169A10 211.38
#791-106-140DF 6" .400 Bull Barrel	1G169A10 211.38
#791-106-145DF 6" .450 Bull Barrel	1G169A10 211.38

STI 1911 AUTO ONE-PIECE S-2 COMP & BARREL



Minimum Recoil & Muzzle Flip; Suberb Accuracy

Non-threaded, matched combo effectively controls muzzle flip from high pressure 9mm ammunition while adding matchgrade accuracy. First chamber has a 15° forward wall to increase lockup time. 932" wide comp provides clean, precise fitting to slide. Stainless steel, button rifled, bull barrel machined from a billet forging, then air gaged to ensure exact bore size and finish. Eliminates the barrel bushing for increased lockup area and improved accuracy. Fully ramped with Wilson/Nowlin-style ramp for reliable feeding. Extra material at feed ramp, hood, locking lugs and muzzle allow precise fitting. Supplied with a generic, short chamber which can be opened up to accept any of the popular, pistol cartridges.

SPECS: 416 stainless steel. Barrel - 5.4" (13.7cm) long, .697" (17.7mm) muzzle diameter. Installation requires machining of frame. Available in 9mm only.

#791-000-052DF .355" One-Piece Comp Barrel, 1G263D38 \$ 314.99

SCHUEMANN 1911 AUTO .355"THREADED HYBRID BARREL



Significantly reduces muzzle rise and recoil when combined with conventional compensators. Four integral comp ports exhaust high pressure gases. Short chambered, easily lengthened to accept any .355" pistol cartridge. Use 1-32 twist rate for 135 grain or lighter bullets. 1-16 twist for heavy bullets.

SPECS: 416 stainless steel, matte finish. Heat treated to Rc 40-42. 5.375' (13.6cm) long. Threaded .685'-40. Requires machining of slide and frame. Short chambered, lengthen with finish reamer. Wilson/Nowlin (W/N) and Clark/Para (C/P) ramps.

#836-011-160DF	1-16 W/N Ramp,	
	3D314U67\$	393.3
#836-011-161DF	1-16 C/P Ramp,	
	3D314U67	393.3
#836-011-320DF	1-32 W/N Ramp,	
	3D314U67	393.3
#836-011-321DF	1-32 C/P Ramp,	
	3D31/II67	393 3

BROWNELLS

ONLY THE BEST ... PAGE 6

Office/Tech: 641-623-5401

SCHUEMANN 1911 AUTO ULTIMATCH BULL BARREL



Heavy, bull-style barrel puts extra weight at the muzzle plus increases lockup area for improved accuracy and control. Precision machined on an eleven axis, CNC machining center for outstanding adherence to specification and tolerances - each and every barrel is accurate and uniform. Integral ramp helps support the round and improves reliable chambering. Available pre-threaded and short-chambered to save the pistolsmith time and inventory dollars; chamber can be finish-reamed to any appropriate semi-auto cartridge.

SPECS: Stainless steel, .693" (17.6mm) diameter. Bore dia.; 9mm/.38-.3550", .40-.400", .45-.4500". Available **Plain -** 5" (12.8cm) long or Threaded - 5%" (13.6cm) long. Threaded .685"-40 tpi to a length of .4" (10.2mm). Short chamber requires reaming to achieve correct headspace. Installation requires machining of frame.

THREADED BULL BARRELS - Wilson/Nowlin Ramp

STK # 9MM/.38	STK # .40	STK # .45	PRICE
#836-200-509DF	#836-200-540DF	NA	3D240V00 \$ 300.00
THREADED B	ULL BARRELS	- Clark/Para-0	Ordnance Ramp
#836-250-509DF	#836-250-540DF	NA	3D240B00 \$ 300.00

PLAIN BULL BARRELS - Wilson/Nowlin Ramp

#836-300-509DF #836-300-540DF #836-300-545DF 3D224B00 \$ 280.00

PLAIN BULL BARRELS - Clark/Para-Ordnance Ramp

#836-350-509DF #836-350-540DF #836-350-545DF 3D224B00 \$ 280.00

STORM LAKE 1911 AUTO PRE-FIT BARREL KIT



Save time and gain accuracy when re-barreling Government or Commander 1911 Autos. Includes stainless steel, matchgrade barrel complete with prefitted bushing, link and pin that makes building an accurate pistol faster and easier. Little to no gunsmithing for most 1911 Auto slides.

SPECS: Stainless steel barrel, bushing, link and pin. .45 ACP or 40 Cal. Govt. and Gold Cup, 5" (12.7cm) long. Commander, 41/4" (10.8cm) Ig. STD fits 1911 Auto.

STOCK # STD	FITS	LENGTH	PRICE
#842-100-045DF	STD Govt	5"	2D131T97 \$ 190.99
#842-100-244DF	STD Comm	4.25"	2D134P49 \$ 193.99
#842-100-345DF	STD Officers	3.75"	2D130P00 \$ 190.00
#842-000-032DF	.40 Cal. Comm.	4.25"	2D130H00 \$ 190.00

-STORM LAKE 1911 AUTO -PRE-FIT BULL BARREL



Drop-in, government-length bull barrel eliminates the need for a bushing and adds weight at the muzzle for additional recoil control. Made of stainless steel and held to tolerances within .001" in the critical areas to ensure accuracy. Heat treated after machining to Rc 40-42 hardness for strength and durability. Features cut broach rifling for superb accuracy

WILSON COMBAT 1911 AUTO DROP-IN BARREL & BUSHING



Drops right into most .45 ACP, 1911 Auto slides without fitting. You get the increased accuracy of Wilson's forged, button rifled barrels and machined bushings without gunsmithing or custom fitting. Barrel hood must be narrowed for installation on Colt "Enhanced" and Gold Cup.

SPECS: Stainless steel, .45 ACP, 5" (12.7cm) long. Includes bushing and installation instructions.

#965-033-645DF Drop-In Barrel & Bushing,

WILSON COMBAT 1911 AUTO MATCH BARREL/BUSHING SET



Made from a one-piece, 17-4 stainless forging, beautifully finished inside and out to help you achieve the finest in accuracy. Matching stainless steel bushing supplied. Barrel and bushing are left slightly oversized at lockup areas to allow precise final fitting. Chamber is fully cut. Rc 38-42.

SPECS: Machined 17-4 stainless steel, heat treated Rc 38-40, Nonramped, fits 1911 Auto. Available in 31/2" (8.8cm) Officers ACP, 4.25' (10.7cm) Commander, and 5" (12.7cm) Govt./Gold Cup.

STOCK #	LENGTH	CALIBER	PRICE
#965-033-345DF	31/2"	.45 ACP	5F125P97 \$ 199.95
#965-033-445DF	41/4"	.45 ACP	5F169P96 \$ 199.95
#965-033-545DF	5"	.45 ACP	5F170U23 \$ 199.99

6" MATCH BARREL/BUSHING SET - Made from a one-piece, 17-4 stainless forging. Barrel and bushing are left slightly oversized at lockup areas to allow precise final fitting. 6" barrel features Wilson/Nowlin ramp to fully support .38 Super rounds.

SPECS: Machined 17-4 stainless steel, heat-treated to Rc 40. 6" barrel length. Includes bushing. Chambered for .38 Super. Requires machining of frame and gunsmith fitting.

#965-000-032DF 6" Match Barrel/Bushing Set,

CLARK CUSTOM 1911 AUTO BARREL BUSHING

Improve Accuracy, Eliminate Excess Play

Two sizes: Standard fits most barrels with only minor polishing/fitting; Oversize especially made to give you enough metal to custom-fit it to a barrel that is

undersized due to wear, G.I. barrel, etc. Fully machined. Favorite bushing of experienced pistolsmiths. Requires gunsmith fitting.

SPECS: .875" (22.22mm) long, .714" (18.13mm) O.D. **Std** - .575" (14.55mm) I.D., **Oversize** - .553" (14.05mm) I.D. Blued steel. #181-001-145DF Standard Barrel Bushing,

.45 ACP model is non-ramped; .38 Super has Wilson/Nowlin ramp for full case support and reliable feeding. SPECS: 416 stainless steel. 1-16 twist, left-hand. 5" (12.7cm) long. .700" O.D. at muzzle .

#842-000-001DF .45 ACP Pre-Fit Bull Barrel, #842-000-025DF .38 Super Pre-Fit Bull Barrel,

BRILEY SPHERICAL BUSHING

Maximum Accuracy; **Drop-In Convenience**

Separate, ultra-hard, spherical, internal ring pivots on its horizontal axis inside the unique, precision-machined bushing. Absolutely prevents barrel spring.



Provides the easiest, longest wearing, closest fitting barrel bushing setup available. Models available to fit full-size Government or Commander pistols, in two configurations: Drop-in Bushing/ Ring requires no fitting on the O.D. Oversized Bushing/Ring has an oversized skirt that requires turning to fit most slides. I.D.'s of Govt. Oversize Bushing skirts are threaded to accept the exclusive Briley Bushing Mandrel that makes turning the O.D. in a lathe simple and fast. Comm. Oversize Bushings are not threaded for use with the mandrel.

SPECS: Bushing - 17-4 stainless steel. Ring - 17-4 stainless steel, titanium nitrited to Rc 60. Drop-in - .698" (17mm) O.D. Oversized - .703" (17.8mm) O.D. Bushing Mandrel - Stainless steel, 2" (5cm) long. To select correct bushing, measure barrel O.D. and select Bushing/Ring .001" larger than barrel O.D.

DROP-IN BUSHING & RING

STK # GOV'T	STK # COMM.	SIZE
#129-100-578DF	#129-000-250DF	.578"
#129-100-579DF	#129-000-251DF	.579"
#129-100-580DF	#129-000-252DF	.580"
#129-100-581DF	#129-000-253DF	.581"
#129-100-582DF	#129-000-254DF	.582"
#129-100-583DF	#129-000-255DF	.583"

- Advise # - Drop-in Bushing 9B47A14..... \$ 58.93

OVERSIZED BUSHING & RING

STK # GOV'T	STK # COMM.	SIZE
#129-101-578DF	#129-000-244DF	.578"
#129-101-579DF	#129-000-245DF	.579"
#129-101-580DF	#129-000-246DF	.580"
#129-101-581DF	#129-000-247DF	.581"
#129-101-582DF	#129-000-248DF	.582"
#129-101-583DF	#129-000-249DF	.583"
- Advise # -	Oversized Bushing 9B47A14. Bushing Mandrel 9B13A84	
#125-200-000DF	busning manurel 9B13A84	17.30

SPHERICAL RING ONLY

#129-150-578DF .578"	#129-150-579DF .579"	#129-150-580DF	.580"
#129-150-581DF .581"	#129-150-582DF .582"		

- Advise # - Spherical Ring, only 9B21U42..... \$ 26.78

ED BROWN 1911 AUTO SOLID BARREL BUSHING

Long-Wearing, Solid Steel Increases Accuracy

Machined, steel, barrel bushings provide a tight, slide to barrel fit; available in both

Government and Commander. Heat treated and hardened for outstanding durability. Drop-In - Close, drop-in fit on Colt slides. Requires no fitting with Ed Brown Barrel and Colt slides. Other brands may require minor fitting. Oversize - Requires turning of O.D., and reaming of I.D., to achieve a true match fit. Commander available in **Drop-In**, **Stainless Steel** only.

SPECS: Steel, blue or stainless steel (SS), silver, matte finish. Drop-In (DI) - .581" (14.8mm) I.D., .699" (17.7mm) O.D. Oversize (OS) - .575" (14.6mm) I.D., .705" (17.9mm) O.D. Commander available in Drop-In, (SS) only.

GOVT.

STOCK # DI	STOCK # OS	FINISH	PRICE
#087-045-832DF	#087-046-832DF	Blue	7H16C11 \$ 20.15
#087-045-833DF	#087-046-833DF	SS	7H16C96 \$ 21.20
#087-000-021DF	Commander Barı	el Bush	ing,

EGW ANGLE BORED BUSHING

Pre-Machined With The Proper Lockup Angle

Less time-consuming fitting because the proper lockup angle is pre-machined right into the bushing. Pre-Fit requires only minor fitting for installation onto Colt factory barrels. Gunsmith Fit requires fitting of both dimensions.

SPECS: 416 stainless steel, silver or chrome-moly steel, blued. Pre-Fit (P/F) - .702" (17.8mm) O.D., .579" (14.7mm) I.D. Gunsmith Fit (G/F) - .702" O.D., .574" (14.6mm) I.D. Govt. (Govt.) or Commander (Comm.) length.

STOCK # BLUE	STOCK # SS	MODEL	LENGTH
#296-410-010DF	#296-410-110DF	P/F	Govt.
#296-410-020DF	#296-410-120DF	P/F	Comm.
#296-410-011DF	#296-410-111DF	G/F	Govt.
#296-410-021DF	#296-410-121DF	G/F	Comm.

- Advise # - WCPI Blue Bushing 6B18Z67..... \$ 24.50 - Advise # - WCPI SS Bushing 6B18Z67........... 24.50

OVERSIZED 1911 BARREL BUSHINGS - Slightly oversize, machined bushings for Government Model 1911's take less time to fit because the proper lockup angle is pre-machined right into the bushing. Gunsmith fitting required. Available in Blue or

SPECS: 416 Stainless steel, silver or chrome-moly steel, blued. .**703"** (17.8mm) O.D., .574" (14.5mm) I.D. .**705"** (17.9mm) O.D., .563" (14.3mm) I.D.

STK # BLUE	SIZE	STK # SS	SIZE
#296-000-082DF	.703	#296-000-083DF	.703
#296-000-084DF	.705	#296-000-085DF	.705

- Advise # - BO/S Blue or SS Bushing 6B18Y67. \$ 24.50

ANGLED BORED BUSHING WITH CARRY BEVEL - Beveled flange looks right on "melted" guns. Bored at an angle to prevent barrel bind for smooth cycling. Provides a snug drop-in between barrel and bushing.

SPECS: Stainless steel. .580" (14.7mm) I.D., .70" (17.8mm) O.D. #296-000-066DF Carry Bevel Bshing, Govt 6B18D67 \$ 24.50 #296-000-067DF Carry Bevel Bshing, Comm 6B18D67 24.50

EGW 1911 AUTO "MELT" BUSHING

Gives Slide A Finished Look

Large flange eliminates the sharp edges and step of conventional bushings. 1911 fits Govt.; Comm. fits Commander; Off. fits Officers ACP.

SPECS: Machined, Blue, matte finish or stainless steel (SS). Has .575" (14.6mm) I.D. and .702" (17.8mm) O.D. Flange is .930" (23.6mm) outside dia. May require gunsmith fitting.

STOCK # BLUE	STOCK # SS	FITS	PRICE
#296-012-100DF	#296-012-101DF	1911	6B18Z67 \$ 24.50
#296-012-104DF	#296-012-105DF	Comm.	6B18Z67 \$ 24.50
#296-012-103DF	#296-012-102DF	Off.	6B18Z67 \$ 24.50

MELT BUSHING WRENCH - Machined Delrin®. #296-000-001DF Melt Bushing Wrench 6B04P00\$ 5.00

KART 1911 AUTO NATIONAL MATCH BUSHING



Slightly Oversize To Allow Custom **Fitting For Match-Grade Performance**

Match-grade bushing is designed for a tight, exact fit to the barrel and slide to ensure superb performance and accuracy. Slightly oversize O.D. and I.D. allow for custom turning of exterior and reaming of interior for precision fitting to your gun's specific slide and barrel combination. Bottom lugs are fully finished to save hours of work. Gunsmith fitting required.

SPECS: 4150 ordnance steel, in-the-white, .856" (21.74mm) long. 703" (17.86mm) O.D., .575" (14.61mm) I.D.

#472-000-014DF National Match Bushing 2G12C00.\$ 15.00

order on the web www.brownells.com

Orders/Tech: 800-741-0015



- #087-000-050DF ED BROWN ADJUSTABLE REAR SIGHT See Page 38.
- #206-000-039DF CYLINDER & SLIDE SPEED II TRIGGER PULL KIT See 17.
- #087-868-000DF ED BROWN MEMORY GROOVE GRIP SAFETY See Page 13.
- #849-000-017DF SMITH & ALEXANDER SMOOTH FLAT MAG GUIDE (Custom Stippled) See Page 21.
- #087-000-051DF ED BROWN 8-ROUND MAGAZINE See Page 23.
- #206-000-033DF CYLINDER & SLIDE LONG ALUMINUM TRIGGER See Page 27.
- #296-410-011DF EGW ANGLE BORED BARREL BUSHING See Page 7.
- #965-102-138DF WILSON COMBAT .38 SUPER/9MM SLIDE STOP See Page 9.
- #654-263-004DF NOWLIN MFG. MAGAZINE RELEASE See Page 22.
- #206-037-151DF CYLINDER & SLIDE HIGH GRIP THUMB SAFETY See Page 11.

MGW 1911 AUTO -**BUSHING**

Drop-In Or Oversized: 4340 Or Stainless

Installs in 1911 Autos with little to no fitting. Drop-In model fits snug in most slides,

accepts standard barrels with no reaming. Oversize model has smaller I.D. that can be fitted to exactly match the barrel.

SPECS: .701" (17.8mm) O.D. 4340 CM or 416 Stainless steel. Drop-In: 580" (14 7mm) I.D. Oversize: 575" (14 6mm) I.D.

STOCK # DROP-IN	STOCK # OVERSIZE	STEEL
#584-579-434DF	#584-571-434DF	4340
#584-579-416DF	#584-571-416DF	Stainless

NIGHTHAWK CUSTOM 1911 AUTO BARREL BUSHINGS



Precise Fit Eliminates Play For Superb Accuracy

Match grade bushings machined from the same premi-um-grade stainless steel as Nighthawk 1911 barrels for a

precision fit that improves accuracy and provides years of reliable service. I.D. and O.D. are left slightly oversized to allow custom fitting to your barrel, further ensuring precise lockup and excellent accuracy.

and excerient accuracy. **EXPECS:** 416 stainless steel. **Govt Bushing** – .829" long (21.1mm) long. .573" (14.6mm) l.D., .698" (17.7mm) O.D. **Commander Bushing** – .515" (13.1mm) long, .573" l.D., .698" O.D. Gunsmith fitting required.

#100-003-242DF Govt Barrel Bushing 2B14C71 \$ 19.99 #100-003-241DF Commander Barrel Bushing,

WILSON COMBAT 1911 AUTO BARREL BUSHING

Blued Or Stainless, Target Grade



BROWNELLS 1911 AUTO MATCH GRADE LINK PIN





Precision Ground To .0005" Tolerance

The strongest, most accurately ground link pin available for building Match Grade 1911 Autos. Centerless

ground, hardened steel pins accurately sized and sorted according to diameter for faster, easier selection. Oversized for additional strength, chamfered on both ends for solid, problem-free installation. For best installation results link pin hole should

SPECS: Steel, heat treated. .368" (9.3mm) long. .154" (3.9mm) or

.130 (4//////) ular				
#080-816-154DF	.154" Match	ı Link Pin	8K06T72	\$ 10.99
#080-816-156DF	.156" Match	Link Pin	8K05T86	6.99
#080-816-654DF	.154" Match	Grade Li	nk Pins, 6	each,
	8K34T13			40.99
#080-816-656DF	.156" Match	Grade Li	nk Pins, 6	each,
	8K31T43			35.99

EGW 1911 AUTO BARREL LINK KIT

Stress-Proof Links To Fit Most **Barrel/Frame Combinations**

Set of six, stress-proof, stainless steel barrel links helps correct most barrel-to-frame fit and feeding problems on 1911 autos. Includes the following link sizes (measured center-to-center from barrel link pin hole to slide stop hole): factory standard #3 (.278"), as well as #0 (-.015"), #1 (-.010"), #2 (-.005"), #4 (+.005"), and #5 (+.010"). #0 is for Accurail-equipped guns with rails that have been moved down. SPECS: Stainless steel, natural finish.

#296-000-087DF Barrel Link Kit 6B20Y00......\$ 25.00

MARVEL 1911 AUTO BARREL LINK



Oversize & Undersize Links Give Precise Barrel Lockup & Better Accuracy

Oversize and undersize links, in .003" increments so you can choose the exact amount of vertical lockup needed for maximum accuracy. Precision stamped from 1075 steel, reamed, then hardened to Rc 40-47 for extra strength and durability.

ed: marked -3, -6, -9. Oversized:	SPECS: 1075 steel. Undersized:
	marked +3, +6, +9.
nk 3H03U60\$ 4.50	#583-012-003DF -3 Barrel Link
nk 3H03U60 4.50	#583-012-006DF -6 Barrel Link
nk 3H03U60 4.50	#583-012-009DF -9 Barrel Link
ink 3H03U604.50	#583-012-103DF +3 Barrel Link
ink 3H03U60 4.50	#583-012-106DF +6 Barrel Link
	#583-012-109DF +9 Barrel Link

#583-012-109DF +9 Barrel Link 3H03U60 4.50
1911 AUTO NATIONAL MATCH BARREL LINK - A too- short link can keep barrel from unlocking and return- ing to battery properly. A "long" link fixes it.
short link can keep barrel from unlocking and return-
ing to battery properly. A "long" link fixes it .
SPECS: Steel. Center-to-center distances: #13, .291"
(7.39mm); #17 , .295" (7.50mm); #21 , .299" (7.59mm).
#583-013-291DF #13 NM Link 3H03U60\$ 4.50
#583-017-295DF #17 NM Link 3H03U604.50
#583-021-299DF #21 NM Link 3H03U604.50

NIGHTHAWK CUSTOM 1911 AUTO BARREL LINKS

Choose From Five Sizes For Most Precise Lockup



solid 416 stainless steel, these premium-quality links are critical for ensuring you have the precise amount of vertical lockup needed for best accuracy from your pistol. Available in nominal Colt spec .278" between the centers of the holes, with two oversized and two undersized models in .005" increments. Available individually or in a set of all five. Perfect for fine-tuning the lockup of a Nighthawk Match Grade Barrel. SPECS: 416 stainless steel. Kit includes all five.

#100-003-276DF	.268" Barrel Link,	
	2B06H36) 5
#100-003-277DF	.273" Barrel Link,	
	2B06D36) 5
	.278" Barrel Link,	
	2B06D36) 5
	.283" Barrel Link,	
	2B06D36) 5
	.288" Barrel Link,	
	2B06D36) 5
#100-003-281DF	Barrel Link Kit,	
	2B19D60	50



WILSON COMBAT **BARREL LINK**

Adjusts Lockup For Best Accuracy

Long and short barrel links kit; select the one giving best lockup and functioning. Nominal Colt spec is .278" hole center-tocenter.

SPECS: 416 stainless. Kit includes all 5.

STOCK #	C-to-C	STOCK #	C-to-C
#965-142-268DF	.268" (6.8mm)	#965-142-283DF	.283" (7.19mm)
#965-142-273DF	.273" (6.9mm)	#965-142-288DF	.288" (7.36mm)
#965-142-278DF	.278" (7.1mm)		
- Advise # -	Wilson Barr	el Link,	
	5F04B99		\$ 5.99
#965-142-000DF	Wilson Barre	el Link Kit,	
	5F22B83		26.95

BEDELL CUSTOM 1911 AUTO PROGRESSIVE 7-PORT COMP

More Efficient Recoil Reduction & No More Scope Hazing

Progressive 7-port design virtually eliminates muzzle flip. Each top port decreases in size gradually, offering balanced pressure release, and is angled 7° forward to eliminate scope lens



hazing. Plenty of room for a relief cut on the bottom to allow a government-length guide rod and reverse plug on commanderlength guns. Precision CNC machined from high-grade steel, stainless steel, and titanium.

SPECS: Available in steel (in-the-white), stainless steel, and titanium. Threaded .685"-40 tpi for bull or hybrid threaded barrels only. Measures 2.295" (5.83cm) long, .995" (2.53cm) in dia., and .930" (2.36cm) wide from flat-to-flat. Through hole must be align reamed to .368" (9.35mm) minimum for 9mm, .355", and .356" dia. bullets.

#100-001-156DF Steel Progressive Comp,

#100-001-158DF Ti Progressive Comp 3A133C33 ... 166.67

EFK 1911 AUTO TRIPLE PORT BUSHING COMP



Quick Installation, Compact Profile, Reduces Recoil

Simply replace your barrel bushing for instant recoil reduction. 3 gas ports reduce muzzle flip and felt recoil; allows faster return to target and quicker follow-up shots. Fits all Government length slides, and only adds a little over an inch in

length to your gun. May require minor fitting. SPECS: 416 stainless steel. Matte Black Long - Black, matte finish. 13/4" (4.4cm) overall length. 2.2 oz. (63 g) weight. 2-Tone Long - Polished-and-natural finish. 13/4" (4.4cm) overall length. 2.2 oz. (63 g) weight. **2-Tone Short -** Polished-and-natural finish. 17/16" (3.7cm) overall length. 1.2 oz. (42 g) weight.

#503-100-011DF Matte Black Long Comp 3K52U85 .\$ 74.99 #503-000-001DF 2-Tone Long Comp 3K52U88 69.99 #503-000-002DF 2-Tone Short Comp 3K52U42...... 74.99

EGW 1911 AUTO SEVEN CHAMBER **COMPENSATOR**



Seven, Full Ports Stop Recoil & Steady Your Red Dot

Eliminates red dot bounce and recoil, Forward canted ports diminish powder fouling on scope. Available with integral cone or threaded for use with Hybrid Compensated Barrel Systems. SPECS: Steel. in-the-white. Hybrid-Style - 2.3" (5.8cm) long. Threaded .685"-40 tpi. **Cone-Style -** 3½" (8.2cm) long, 926" (23mm) wide, 3.4 oz. (111g). Conversion Cone - Stainless steel 13/4" (4.4cm) long. .705" (18mm) diameter. Threaded .685"-40 tpi male, .575"-40 tpi female. Comps available in 9mm/.38 only.

#296-114-100DF Cone-Style Comp 6B120H00.....\$ 150.00 #296-114-101DF Hybrid-Style Comp 6B120H00....150.00 #296-114-000DF Conversion Cone 6B32H00.....40.00



EZ EQUALIZER 1911 AUTO BUSHING COMP

Easy Installation, Reduces Felt Recoil: No Threading Or Alterations

Fast, simple installation gives instant reduction in felt recoil and muzzle rise for an easier shooting 1911 Auto; fits all calibers, no gunsmithing required. Heat treated for less erosion. SPECS: Machined 17-4 PH stainless steel, matte finish. 15/8" (4.1cm), 3/4" (19mm) diameter. Includes instructions. #720-100-000DF EZ Equalizer Comp 2G44D76\$ 68.85

WILSON COMBAT 1911 AUTO MULTI-COMP

Instant Comp & Bushing Give Muzzle Control, Less Recoil

Three full chambers and seven ex-

haust ports combine to help control recoil and muzzle climb to put you back on target faster. Installation is as easy as fitting a new barrel bushing. Fits all calibers of Govt.-length barrels with O.D. of .576" to .580". Requires minor fitting and a full-length, two-piece guide rod.



CYLINDER & SLIDE 1911 AUTO FORGED SLIDE STOP

Forged For Superior Strength & Reliability

High-quality replacement slide stop is produced using proven manufactur-

ing methods to ensure this vital part won't fail you when the situation goes critical. Precision CNC machined to Mil-Spec dimensions from a true, steel forging, then heat-treated after machining for superior strength and long service life. SPECS: Steel, blued, matte finish.

#206-000-027DF Forged Slide Stop 6K36D76 \$ 45.95

EGW 1911 AUTO HEAVY DUTY SLIDE STOP

Machined From Hardened Steel For Maximum Strength & Durability

Heavy duty slide stop is precision machined from steel bar stock, then heat-treated for superb hardness and durability. Ensures a precise fit to frame for secure, consistent lockup;

prevents slop or "play" that can compromise accuracy. Available in blued 4140 carbon steel or stainless steel, both with a fine bead-blasted matte finish. Fine-line serrations on pad give your finger secure purchase to release the slide on the first pass. SPECS: Carbon steel, blued, or stainless steel (SS), matte finish. Pin diameter .200" (5.1mm). Models available for .45 ACP and

#296-000-122DF	Blued Slide Stop, .45 ACP,
	6B40U68
	SS Slide Stop, .45 ACP <i>6B40U49</i> 50.95
#296-000-121DF	Blued Slide Stop, 9mm/.38 Super,
	<i>6B40U54</i>
#296-000-119DF	SS Slide Stop, 9mm/.38 Super,
	<i>6B40U49</i>

ED BROWN 1911 AUTO HARDCORE® SLIDE STOP

Maximum Dimensions For Maximum Reliability

Pin is machined to maximum dimensions for a tighter lockup and increased accuracy. Oversize lip gives positive, last round engagement. Fits all .45 ACP 1911 Autos, including high-capacity. Specially heat-treated steel gives unlimited service; includes

Ed's LIFETIME GUARANTEE. SPECS: Steel, blue or stainless steel, silver finish, Pin diameter

.200" (5.08mm) +/- .0005". #087-815-001DF Blue Hardcore Slide Stop,

#087-815-101DF Stainless Steel Hardcore Slide Stop,

ED BROWN 1911 AUTO SLIDE STOP

Hardened Tool Steel For Increased Durability

Made from extra-hard, tool steel that works great, without deforming. Gives positive, last-round engagement and tight, long-lasting lockup with custom barrels.

SPECS: Steel, blued or stainless steel.

Pin diameter .200" (5.08mm) +/- .0005". Fits 1911 Auto, .45 ACP

#965-397-001DF Multi-Comp 5F65T90\$ 79.99

MASEN EXTENDED SLIDE STOP

Extra Length For Fast Release

Moves the contact pad rearward and out for fast, easy release, especially for shooters with smaller hands. Available with serrated (SR) or 20 lpi checkered (CK)

thumb pad. Hardened and heat treated pin. SPECS: Steel, blue (BL) or stainless (SS), matte finish. Fits .45ACF only. Thumbpad - .890" (22mm) long, .250" (6.3mm) wide.

STOCK #	FINISH	PAD	PRICE
	BI	SR	
#555-105-101DF			6E16B37 \$ 19.99
#555-105-111DF	SS	SR	6E15B12 \$ 19.99
#555-105-201DF	BL	CK	6E15B00 \$ 20.50
#555-105-211DF	SS	CK	6E17B45 \$ 21.50

NIGHTHAWK CUSTOM 1911 AUTO TACTICAL SLIDE STOP

Fast, No-Slip **Engagement & Low-Profile**

Standard-length replacement for factory slide stop gives you the benefit of an oversized stop without the added bulk. The low,

deeply serrated thumb pad sits at a 90° angle to the frame for fast, solid, fumble-free engagement. Rounded edges won't snag on holster or clothing during a fast draw. Cut from a solid, carbon steel forging, then precision machined to exact dimensions and hardened for maximum strength before receiving Nighthawk's tough Perma Kote™ finish for outstanding wear resistance. Pin is machined to maximum .200" (5.1mm) diameter to give a tight barrel-to-slide lockup for better accuracy.

SPECS: Steel, blued, matte finish. Thumb pad is .650" (16.5mm) long, .125" (3.2mm) wide.

#100-003-239DF Tactical Slide Stop.

STI 1911 AUTO SLIDE STOP Hardened Steel For Durability; Factory Original Part For STI Pistols

Standard-length slide stop of highgrade 4140 carbon steel is heat-treated to Rc 38-42 for exceptional durability

and long service life, even in hard-running competition pistols. Factory original part for STI 1911 and 2011 pistols. Hard, black oxide finish adds surface strength to resist wear and corrosion. SPECS: 4140 steel, matte black oxide finish. Thumb pad is .600" (15.2mm) long x .200" (5.1mm) wide. Pin diameter .199" (5.1mm). Fits STI 1911 and 2011 pistols in all calibers; stop tab may require minor trimming for proper function in .45 ACP pistols. May be installed on non-STI frames with additional fitting.

#791-000-085DF Slide Stop,

WILSON COMBAT 1911 AUTO BULLET PROOF™ SLIDE STOP

Reinforced In Critical Areas For Improved Function & Durability

Fully-machined from bar stock, then heat treated and hardened for fail-proof durability. Radiused corners won't catch on holsters or clothing. Thumb pad extends slightly at a 90° angle for increased leverage and faster, more positive engagement. Maximum-diameter pin increases barrel lockup.

SPECS: Steel, blue or stainless steel (SS), matte finish. Models for .45 ACP or .38 Super/9mm.

#965-414-000DF Blue Bullet Proof Slide Stop, .45 ACP, #965-000-028DF Blue Bullet Proof Slide Stop, .38S/9mm, 5F48Z34 58.95

WILSON COMBAT 1911 AUTO EXTENDED SLIDE RELEASE



Easy-To-Reach, To Speed Magazine Changes

Wider and longer than the factory lever so the shooter can keep his eyes on the target during magazine changes. Reduces recovery time greatly. Deeply grooved for no-slip

SPECS: $1\frac{1}{8}$ " (2.8cm) long x $\frac{3}{16}$ " (4.8mm) wide contact area. Matte

#965-601-045DF	Blue Ext Slide Release,
	5F30C00
#965-601-145DF	SS Ext Slide Release,
	5F29C63

WILSON COMBAT **SLIDE STOP**

Standard Length Preferred By Combat Shooters

Exact reproduction of the standard-length, factory slide stop; the style and length most preferred by combat shooters. Made from long-

wearing, hardened, heat treated steel. Precision machined pin and lip engagement surface ensures positive, last-round, slide lock open and tighter lockup with custom barrels.

SPECS: Steel, blued carbon or stainless (SS), matte finish. Fits 1911 Auto. No fitting required.

STK # .45 ACP	STK # .38S/9mm	FINISH	PRICE
#965-102-045DF	#965-102-038DF	Blue	5F25X30 \$ 29.99
#965-102-145DF	#965-102-138DF	SS	5F27X82 \$ 34.99



ED BROWN 1911 AUTO PLUNGERTUBE

Direct Replacement For The Factory Tube

High-quality, machined from Barstock, plunger tube that fits just like the factory part, but the studs are slightly over-length for a positive crimp.

SPECS: Steel, blued, or stainless steel, matte finish.

087-821-000DF	Blue Plunger Tube,	
,	7H12Y88	15.99
#087-821-100DF	SS Plunger Tube,	
	7H13Y56	16.95







- #087-000-050DF ED BROWN ADJUSTABLE REAR SIGHT See Page 38.
- #087-000-010DF ED BROWN BARSTOCK HARDCORE® HAMMER See Page 18.
- #087-813-070DF ED BROWN SERIES 70 HARDCORE® EXTRACTOR See Page 10.
- #087-245-893DF ED BROWN AMBIDEXTROUS TACTICAL SAFETY See Page 12.
- #087-868-000DF ED BROWN MEMORY GROOVE GRIP SAFETY See Page 13.
- #087-000-028DF ED BROWN FLAT 25 LPI MAINSPRING HOUSING See Page 20.
- G #087-011-104DF ED BROWN ALLEN HEAD GRIP SCREWS See Page 37.
- #087-011-151DF ED BROWN OVERSIZED BUTTON MAGAZINE CATCH See Page 22.
- #087-000-012DF ED BROWN NATIONAL MATCHTRIGGER See Page 28.
- #087-815-101DF ED BROWN HARDCORE® SLIDE STOP See Page 9.
- #087-045-889DF ED BROWN GOVT. LENGTHTWO-PIECE GUIDE ROD See Page 15.
- #087-925-450DF ED BROWN GOVT. MATCH BARREL & BUSHING See Page 5.

MICHIGUNS 1911 AUTO HEAVY DUTY PLUNGERTUBE

Thick Walls & Extra Mounting Stakes To Protect Plunger From Damage Or Misalignment

Replacement for factory plunger tube is designed to stand up to the harshest operating environments to ensure unhindered plunger function



critical for reliable, positive operation of the thumb safety and correct retention of slide stop. Precision machined from solid steel barstock, with extra-thick walls for added strength, with two additional staking studs to ensure a rock-solid attachment to the frame that won't work loose under the most extreme combat or competition conditions. Smooth internal finish and exacting tolerances help guarantee reliable operation of both plungers without snagging or grittiness. Rounded exterior and radiused edges won't snag on clothing or holster—perfect for carry, combat, or competition. Easy to install using the Installation Jig available separately.

SPECS: Steel, blued, matte finish.

#100-003-822DF Heavy Duty Plunger Tube,

<u>INSTALLATION JIG</u> - Use to install the Michiguns Heavy Duty Plunger. Includes drilling guide that fits into existing plunger tube holes on frame, carbide drill for properly drilling additional holes, and a tube guard that lets you install your Michiguns plunger tube without risk of crushing or deforming it when staking. SPECS: Steel and aluminum. Includes drill guide, 2 roll pins, drill bit, and plunger tube guard. #100-003-823DF Installation Jig 3Z19X95......\$ 24.95

NIGHTHAWK CUSTOM 1911 AUTO BAR STOCK PLUNGERTUBE

Machined To Tight Tolerances For Precise Fit Inside & Out

Precision machined from solid bar stock to ensure this small but critical part is strong and dimensionally accurate inside and out. Exacting internal dimensions allow smooth operation of both plungers. Extra-long staking studs provide plenty of material for

SPECS: Steel, blued, matte finish, Fits 1911 Auto. #100-003-253DF Plunger Tube 2B12H76......\$ 15.95

a solid attachment to the frame that won't work loose.

NOWLIN MFG. 1911 AUTO PLUNGERTUBE

Fully Machined, With Parallel Sides For Accurate Installations

Machined from stock to exacting tolerances, eliminates need for timeconsuming reaming. Smooth internal finish lets plunger detents function reliably. Parallel sides and extra length staking studs enhance fit so tube won't shoot loose.

SPECS: CM steel, blue or Stainless steel, matte finish.

#654-020-001DF Blue Plunger Tube 4E14P32 \$ 17.90 #654-020-101DF Stainless Plunger Tube 4E16P14 . . . 19.95

STI 1911 AUTO A1 PLUNGERTUBE

Precise Internal Dimensions For Smooth Plunger Movement

Standard 1911A1-style plunger tube of high-grade 4140 carbon steel has a pre-

cision drilled tunnel with polished internal finish for smooth spring operation and plunger movement. Generous staking studs ensure a secure installation that won't work loose. Hard, black oxide finish adds strength, surface wear resistance, and corrosion protection.

SPECS: 4140 steel, matte blue. Fits Colt 1911A1 and clones. **#791-000-084DF A1 Plunger Tube** 1G09U24 \$ 10.99

WILSON COMBAT 1911 AUTO **PLUNGERTUBE**

Rugged Bar Stock For Long Life

Fully machined plunger tube milled to exact specifications for a perfect fit. Smooth, internal finish for proper spring action without

binding. SPECS: Steel. Blue or Stainless steel matte finish. #965-000-026DF Plunger Tube, Blue,

BROWNELLS 1911 AUTO EXTRACTOR



Extra-Tough For Long Life & Reliable Extraction

Machined steel extractors for 70 and 80 series 1911 pistols are hardened and heat-treated for consistent operation in competition and tactical use. Available in blue or stainless steel. Stainless models have a unique copper color from the heat-treating process. Leave as is or buff off for a traditional look.

SPECS: Heat-treated machined steel. Blue (BL) or stainless steel (SS), Available for 70 & 80 series pistols, .45 ACP.

#078-000-031DF 70 Series Extractor, BL 8G23A89 .. \$ 27.95 #078-000-032DF 80 Series Extractor, BL 8G25A48 ... 29.98 #078-000-033DF 70 Series Extractor, SS 8G30A00.... 35.10 #078-000-034DF 80 Series Extractor, SS 8G30A72.... 36.10

ED BROWN 1911 AUTO HARDCORE® EXTRACTOR

Harder, Stronger For Longer Life

Pre-fitted shape helps eliminate feeding problems before they start. Made from premium-grade carbon steel and specially heat treated for longer service life and peak performance. Includes Ed's LIFETIME GUARANTEE.

SPECS: 4340 tool steel, blue. Approximately 2¹¹/₆" (6.8cm) long. Fits .45 ACP only, Series 80 **(\$80)** or Series 70 **(\$70)**.

#087-813-080DF S80 Hard Core Extractor,

7H24Z61......30.76

ED BROWN MATCH EXTRACTOR



Positive Extraction For Competition & Carry Pistols

Extra-deep hook with competition-style relief, smoothly engages the rim edge for positive extraction. Machined from tool steel for durability and reliable function, round after round. SPECS: 4340 alloy steel, blue. Approximately 211/16" (6.8cm) long, .080" (2mm) thick shank. Fits 1911 Auto. Series 80 cut for firing pin block.

STOCK #	CALIBER	SERIES	PRICE
#087-130-100DF	.45 ACP	70	7H20A36 \$ 25.45
#087-130-300DF	9mm/.38S	70	7H21A21 \$ 26.51
#087-130-200DF	.45 ACP	80	7H21A21 \$ 26.51
#087-130-400DF	9mm/.38S	80	7H22A06 \$ 27.58
#087-130-500DF	.40 S&W/10mm	80	7H22Y06 \$ 27.57

EGW 1911 AUTO HEAVY DUTY EXTRACTOR

Updated Design For Reliable Extraction & Long Service Life

Redesigned, ruggedly built extractor uses the tighter tolerances and improved geometry possible with 21st century materials and manufacturing technology to deliver outstanding reliability, strength, and durability. Proprietary steel alloy is precision machined with the latest CNC equipment, then vacuum heattreated to Rc 49-51 for superb strength and tension-retaining properties. All inside corners are radiused to eliminate the sharp 90° corners where failures often occur. Claw is wider than factory specification and undercut and positioned closer to the bolt face for a tighter grip on the case rim. Body is longer, so it can be custom fitted to your slide, and nearly three times as thick as factory original for greater strength.

SPECS: Steel, heat-treated, blued. Fits .45 ACP 1911 Auto pistols. #296-000-092DF 1911 Auto HD Extractor 6B32Y00 .\$ 39.99

MILLENNIUM CUSTOM 1911 AUTO ADVANCED COMPETITION EXTRACTOR

Dual Coil Springs End Extractor Failure

No-fail extractor operates with long-lasting coil springs for increased service life; provides enhanced, reliable performance for self-defense and competition. Machined from super strong, alloy steel; specially hardened and heat treated to last indefinitely. Installs easily in Series 70 1911 Autos without slide modifica-

SPECS: Steel, in-the-white, heat treated. Includes two sets of springs, complete instructions. NOTE on 9mm: If your slide has a true, 9mm breech face (like the SVI interchangeable, some Caspians and Nowlins, order extractor #466-001-038. If your 9mm is built on a .38 Super Slide (most are) order extractor #466-001-009,

FITS	PRICE
9x19, 9x21, 9x23, .38S Comp	5A66V55 \$ 82.99
.38 Super	5A61V95 \$ 76.95
.40 S&W/10mm	5A61V95 \$ 76.95
.45 ACP	5A61V95 \$ 76.95
	9x19, 9x21, 9x23, .38S Comp .38 Super .40 S&W/10mm

EXTRACTOR REPLACEMENT SPRINGS & CAP - Steel springs

replace worn springs in Aftec's Advanced Competition Extractor. Steel cap replaces worn or damaged cap for restored performance. Springs available in 4-paks, caps sold each. SPECS: Steel springs. Steel cap. Works with Aftec Advanced Competition Ex-

#466-000-001DF	Extractor Springs for 9x1940, 4-pal	ĸ,
	5A04V00	\$ 5.95
#466-000-002DF	Extractor Springs for .45, 4-pak,	
	5A04V00	5.95
#466-000-003DF	Extractor Spring Cap, each,	
	5A16V00	20 00

NIGHTHAWK CUSTOM 1911 AUTO -TOOL STEEL EXTRACTOR

Extra Strong For Positive Extraction; Radiused Corners Prevent Stress Cracking

Tough, long-wearing extractor is precision machined from exceptionally strong, hardened tool steel to provide years of reliable, positive extraction without breakage. The perfect choice for a working gun that will be run hard in competition where

NOWLIN MFG. "TUFF STUFF" EXTRACTOR

Fully Machined For Dependability & Long Life

The same, high-quality extractors that John uses on his own match-winning pistols. Not a casting, but fully machined from solid steel, then specially hardened and cryogenically treated for extra long life and dependable extraction, without taking a set or going flat. Contoured hook helps ensure reliable extraction and chambering. Series 80 is relieved for firing pin block. SPECS: Steel, machined, blue, matte finish. Fits 1911 Auto only.

STOCK #	SERIES	CALIBER	PRICE
#654-228-038DF	70	9mm/.38	4E27P25 \$ 33.99
#654-228-045DF	70	.45 ACP	4E27P25 \$ 33.99
#654-229-038DF	80	9mm/.38	4E26P97 \$ 33.72
#654-229-045DF	80	.45 ACP	4E26P97 \$ 33.72

WILSON COMBAT 1911 AUTO BULLET PROOF® EXTRACTOR

Extra-Tough, Machined From Solid Bar Stock

Machined, not cast, from solid, Bullet Proof, barstock for durability and abrasion resistance that will last for thousands and thousands of rounds. Radiused corners on the hook help ensure extended life and reliable feeding.

SPECS: Steel, blue, matte finish. Approximately 211/16" (6.8cm) long. .45 ACP only.

#965-415-070DF	Series 70 Bullet Proof Extractor,	
	5F26T70\$	31.99
#965-415-080DF	Series 80 Bullet Proof Extractor,	
	5F26T20	31.95

BULLET PROOF® STAINLESS STEEL EXTRACTOR - Super-

tough extractor milled from bar stock to maintain proper tension, properly extract shells,

and withstand constant shock and abrasion. Fully machined to maintain optimal dimensions. Drop-in part for most Series 70 1911's; may require minor tension adjustment for proper fit. SPECS: Stainless steel. Approximately 2¹¹/₁₆" (6.8cm) long, Fits Series 70 1911 Auto, .45 ACP.

#965-000-030DF Bullet Proof SS Ext 5F28D81..... \$ 34.99

WILSON COMBAT 1911 AUTO HEAVY-DUTY EXTRACTOR

Improved Function & Reliability In .45 ACP & .38 Super

Thicker and stiffer than the factory model with an extradeep hook that grabs cases firmly, pulls even hot reloads out for positive ejection. Thicker-than-standard shank stops breakage. Cheap insurance for any Colt or other 1911 Autos.

SPECS: Approximately 211/16" (6.8cm) long, .080" (2mm) thick shank. Blued 4140 steel. Series 80 have firing pin block notch.

	#965-101-738DF	Series 70 .38S/9mm Ext. 5F25X31 \$ 29 Series 80 .38S/9mm Ext. 5F27X37 31	.95
l		Series 70 .45 Extractor 5F24X56 29	
l	#965-101-080DF	Series 80 .45 Extractor 5F26X99 31	.95

a broken or poorly functioning extractor can be a disaster. All inside corners are radiused to get rid of the weak spots where stress cracks can start and lead to premature failure. The entire part is polished to further eliminate small nicks and imperfections that can lead to stress failure, then given a black, matte, oxide finish. May require minor tension adjustment. SPECS: Steel, black, matte, oxide finish. #100-003-254DF Tool Steel Extractor 2B22H91....\$ 29.99

CLYINDER & SLIDE 1911 AUTO EXTENDED EJECTOR



Delivers Reliable Ejection Of Spent Cases; Hardened For Long Service Life

Replacement ejector is longer than the factory part to help eliminate problems associated with incomplete ejection. Positively kicks out empties for much

improved reliability on carry and competition guns. Hardened to last thousands of rounds. Installs without modifications to frame: minor fitting may be required. For .45 ACP applications.

SPECS: Hardened steel, blued, Fits 1911 Auto .45 ACP pistols. 206-000-037DF Extended Ejector Trigger,



ED BROWN 1911 AUTO EXTENDED EJECTOR

Flips Fired Cases Clear; **Helps Prevent Jams**

Additional length engages and flips fired cases clear of the slide to help prevent jams and "smokestacking". Replaces the standard ejector with no modifications to frame. Machined from hardened steel to resist wear. Installation may require minor fitting.

SPECS: Hardened steel, blued. Fits 1911 Auto. #087-041-305DF .45 ACP Extended Ejector, 7H18X91.....

#087-041-306DF 9mm/.38S/10mm Extended Ejector, 7H18X66......**24.40**

EGW 1911 AUTO EXTENDED EJECTOR

Oversized At Both Ends For Precise Fitting

Hardened, competition-grade ejector is left long at both ends so you can fit for different calibers and slide contours.

Additional metal at the rear can be ground off flush with the slide after barrel fitting so there's no unsightly gap between the ejector and the slide. Extra long ejector post can be shaped to achieve the precise ejection angle required.

SPECS: Steel, in-the-white. Hardened to Rc 40-42. Fits 1911 Auto, standard and high-capacity frames.

#296-100-038DF 9mm/.38S Extended Ejector,	
6B19V20	\$ 25.20
#296-100-045DF .45 ACP Extended Ejector,	
6B19V20	25.20

NIGHTHAWK CUSTOM 1911 AUTO EXTENDED EJECTOR

Extra Length For Reliable Ejection; Tough, Hardened Steel Construction

High quality replacement for your gun's factory ejector has an extended nose to ensure solid contact that consistently boots the spent case clear of the ejection port. Helps prevent jamming, smokestacking, and other ejection-related problems that compromise reliablity. Cut from solid bar stock then hardened before bluing, so it'll stand up to a pounding. Part may need minor fitting; does not require modifications to frame.

SPECS: Steel, blued, Fits 1911 Auto, Separate models for .45 ACP and 9mm/.38 Super/.40 S&W.

#100-003-245DF	.45 ACP Extended Ejector,
	2B22C91
#100-003-246DF	9mm/.38/.40 Extended Ejector,
	2B22C91 29.99

WILSON COMBAT 1911 AUTO EXTENDED COMBAT EJECTOR

Positive Ejection; Helps Cure "Smokestacking"

Positively kicks cases out to prevent jams caused by incomplete ejection. Replaces factory unit, no alterations to the gun. SPECS: Heat treated. .38 Super/9mm - 4130 bar stock, blued. .45 ACP - 4130 bar stock, blued or stainless steel (SS), natural finish.

Minor fitting required. #965-034-389DF .38S/9mm Ext. Combat Ejector, Blued, #965-000-023DF .45 ACP Ext. Combat Ejector, SS,

HEAVY-DUTY EXTENDED EJECTOR - In-

stead of the traditional mounting stakes, a generous .560" long stud anchors this ejector in the frame like a rock, so even the constant pounding of the hottest +P loads won't budge it. Correct factory part for

new-model Wilson Combat frames; installation on non-Wilson frames requires milling of frame.

SPECS: 4130 carbon steel, in-the-white, or stainless steel, natural finish. .45 ACP only. Fits new-model Wilson Combat 1911 Auto frames; installation on non-Wilson frame requires milling of

965-000-082DF .45 ACP Heavy-Duty Combat Ejector, \$ 23.99 7 965-000-083DF .45 ACP Heavy-Duty Combat Ejector, Stainless 5F24A56......29.95

AMERICAN SHOOTING CENTER 1911 AUTO SWENSONTHUMB SHIELD SAFETY



Dual Or Single Shield Prevents Thumb-To-Slide Contact

Patented extra-high shield provides a safer "high thumb" position. Prevents even the slightest thumb-to-slide contact for more consistent cycling and less chance of jams. Large, oversized thumb

contact area is comfortably curved to match the natural shape of the thumb; provides increased leverage for better recoil con-

SPECS: Stainless steel. Serrated contact pad .950" (24mm) long x .315" (8mm) wide, Ambidextrous (Ambi) models, Fits 1911 Auto only, gunsmith fitting required.

#136-102-002DF Ambi Thumb Shield Safety,

CYLINDER & SLIDE 1911 AUTO HIGH GRIP THUMB SAFETY

Shaped For A High-Thumb Hold

Bottom edge matches frames contoured for high-grip beavertails. Narrow thumb pad.

SPECS: Steel, blued or stainless steel. matte finish. Thumbpad - .988" (25mm) Iona. 145" (3.7mm) wide. Requires minor

mung.	
#206-037-051DF	Blue Sgl Safety,
	6K25X20
#206-037-052DF	Blue Ambi Safety,
	6K46X62
#206-037-151DF	Stainless Single Safety,
	6K26X80
#206-037-152DF	Stainless Ambi Safety,
	<i>6K46X36</i>





#662-000-027DF NOVAK LO-MOUNT WIDE NOTCH REAR SIGHT See Page 41.

#087-000-009DF ED BROWN BARSTOCK HARDCORE® HAMMER See Page 18.

#965-415-070DF WILSON COMBAT BULLET PROOF® EXTRACTOR See Page 11.

#087-867-000DF ED BROWN MEMORY GROOVE GRIP SAFETY See Page 13.

#965-000-035DF WILSON COMBAT V-GRIP MAINSPRING HOUSING See Page 21.

#620-045-001DF METALFORM 7-ROUND MAGAZINE See Page 24.

#080-000-075DF BROWNELLS SLIM GRIP SCREWS & BUSHINGS See Page 38.

#207-559-005DF McCORMICK SLIM CARRY GRIPS See Page 35.

#124-050-001DF LES BAER CUSTOM STANDARD FRAME See Page 2.

#377-000-004DF GREIDER PRECISION V-SERIES MATCH TRIGGER See Page 28.

#100-003-258DF NIGHTHAWK CUSTOM GOVT. RECOIL SPRING PLUG See Page 14.

#087-046-832DF ED BROWN OVERSIZE SOLID BARREL BUSHING See Page 7.

#662-000-021DF NOVAK GOVT. FRONT DOVETAIL SIGHT See Page 42.

#654-602-145DF NOWLIN MFG. MATCH-GRADE ECM BARREL See Page 5.

#087-810-000DF ED BROWN SLIDE STOP See Page 9.

#087-011-100DF ED BROWN EXTENDED TACTICAL MAGAZINE CATCH See Page 22.

#087-245-890DF ED BROWN SINGLETACTICAL SAFETY See Page 12.

ED BROWN 1911 AUTO TACTICAL SAFETY

Slender, Trimmed-Down Thumb Pads For Carry Guns

Thinner thumb pads with the famous Ed Brown angle and slope. Works with the natural, sweeping motion of the

thumb for a faster, easier safety release. Trimmed down style is lighter and more comfortable when used on concealed carry guns or with full coverage holsters. Meets all requirements for U.S.P.S.A. Limited Class.

SPECS: Available in Blue and stainless steel (SS), Single and ambidextrous (Ambi). Contact area: .150" (3.8mm) wide, 1" (2.5cm) long. Gunsmith fitting required.

#087-245-890DF Blue Single Tact Safety 7H25D56..\$ 34.99 #087-245-891DF SS Single Tactical Safety 7H27D26 . 34.99 #087-245-892DF Blue Ambidextrous Tactical Safety,

ED BROWN 1911 AUTO WIDE EXTENDED SAFETY

Easy-To-Hit, Extra-Wide Pad Matches Natural Thumb Angle

Big, wide, extended thumb surface slopes down and away from the gun - made to work with the natural sweeping mo-

tion used to release the safety. **Extended** model replaces "left side only", adds minimum weight and bulk. **Ambi** model is great in "weak hand" matches and for both right- and left-handers. SPECS: Blued or SS .986" (25mm) long x .276" (7mm) wide contact surface Gunsmith fitting required

#087-145-890DF	Blue Wide Ext Safety 7H25Y56 \$ 34.99
	SS Wide Extended Safety 7H27Y26 . 34.99
	Blue Wide Ambi Safety 7H48Y32 62.99
#087-145-893DF	SS Wide Ambi Safety 7 <i>H49Y36</i> 64.99

GUNSITE 1911 AUTO LOW MOUNTTHUMB SAFETY

Easier To Reach, Faster To Snap On & Off

Places the thumb closer to the centerline of the bore; gives greater leverage and recoil control for shooters that use a high thumb hold. For shooters with smaller hands, the lower position is

easier to reach and deactivate. Serrations on thumb pad help ensure positive thumb engagement. SPECS: Steel, blued or stainless steel, matte as-cast finish. Con-

tact pad, 1.9" (2.8cm) long, .314" (8mm) wide. Installation requires

#340-100-044DF Low Mount Safety, Blue 7D33B55 . . \$ 41.90 #340-100-045DF Low Mount Safety, SS 7D33B55 41.90

LES BAER CUSTOM 1911 AUTO AMBIDEXTROUS SAFETY

Designed To Clear Thumb Guards & Scope Mounts

Left-side thumb pad sets slightly out from the frame to move your thumb away from most popular thumb guards and scope mounts. Large, gracefully-contoured shape with serrated top surface provides an easy-to-reach support for shooters that use a high-thumb hold. Thinner, right-side thumb pad gives true, ambidextrous operation and is less likely to snag.

SPECS: Steel. Blue, matte finish or stainless steel (SS) polished finish. Contact Areas: Left Side - .960" (24mm) long x .400" (10mm) wide, Right Side - .960" long x .150" (3.8mm) wide.

#124-111-001DF Blue Ambi Safety 4B49H35\$ 61.65 #124-111-101DF SS Ambi Safety 4B49H35 61.65

MUESCHKE AMBIDEXTROUS SAFETY



Either Hand Release; Minimum Bulk

Compact, non-extended safety puts a lever on both sides of gun for right- or left-handed shooters. Fits Series 70 and 80 Govt. Model, Gold Cup, Commander and Officers ACP. May require fitting.

SPECS: Blued or stainless steel (SS), matte finish. .830" (21.1mm) long, .203" (5.2mm) wide contact area. Includes hammer and sear pin. Pin Set - Replacement hammer and sear pin.

#621-145-002DF	Blue Ambi Safety 1B25X00\$ 35.70
#621-145-102DF	SS Ambi Safety 1B26X66 38.09
#621-145-901DF	Blue Pin Set, only 1B02X213.00
#621-145-900DF	SS Pin Set, only <i>1B02X00</i> 3.00
	•

MUESCHKE 1911 AUTO EXTENDED AMBIDEXTROUS .45 SAFETY

LongerThan Original; Less Bulk Than Extra-Long

Same style as used by the factory on custom installations. Gives positive release of the safety from either side of Govt. Model, Commander and copies. Longer

than original but less bulk than Long Extended types. Grooved no-slip contact area.

SPECS: Blued or stainless steel (SS), matte finish, 5/32" (3.97mm) wide x $1\frac{1}{16}$ " (17.6mm) long contact area. Includes hammer and sear pin. Pin Set - replacement hammer and sear pin.

#621-145-001DF	Blue Ext Ambi Safety 1B18X30 \$ 25.99
#621-145-101DF	SS Extended Ambi Safety 1B21X67. 30.95
#621-145-901DF	Blue Pin Set, only 1B02X213.00
#621-145-900DF	SS Pin Set, only 1B02X00 3.00

NIGHTHAWK CUSTOM 1911 AUTO EXTENDED THUMB SAFETY

Generous Thumb Pad For Easy Engagement

Extended safety lever has a curved, serrated thumb pad with plenty of surface area that ensures positive

operation. Pad is positioned to provide maximum leverage. All edges are beveled or rounded to eliminate sharp spots that could snag on clothing or other gear. The side plate is thicker at the front to prevent the safety lock plunger from riding over it, and tapers toward the rear to reduce bulk. Finished in Nighthawk's proprietary ceramic-based, self-lubricating Perma Kote[™] finish that has been tested to stay rust-free even after 5,000 hours in a salt spray.

SPECS: Steel, matte black finish. Contact pad 7/32" (5.6mm) wide, ¹⁵/16" (2.38cm) long. Some fitting required.

#100-003-240DF Extended Thumb Safety 2B34C80 .\$ 43.50

STI EXTENDED SAFETY

Serrated Pads Give Positive Disengagement

Contoured, serrated thumb pads feature a slight downward angle that lets your thumb contact the pad in a natural, sweeping motion. Provides a comfortable

thumb position for shooters using a high-thumb hold. Rounded edges resist snagging and give minimal bulk on carry guns. SPECS: CM steel, blue, or stainless steel (SS), Single and Ambidextrous (Ambi). Thumb pad: .976" (24.8mm) long, .223" (5.6mm)

wide. Gunsmith fitting required. #791-000-023DF Blue, Single Ext Safety 1G20C84....\$ 26.05 #791-000-024DF Blue, Ambi Extended Safety 1G37C50. 46.88 #791-000-025DF SS, Single Extended Safety 1G20C84. . 26.05 #791-000-026DF SS. Ambi Extended Safety 1G37C76... 46.99



GUIDE RODS/BUFFERS

WILSON COMBAT 1911 AUTO EXTENDED THUMB SAFETY

Wide Or Narrow For Fast, Positive Disengagement

Single side design with serrated surface provides fast, positive disengagement and comfortable thumb position with minimum Narrow bulk for easier carry. Wide - Extra large, full-length thumb pad can be used full size for maximum thumb engagement or custom



contoured to meet special requirements. Narrow - Shorter, slimmer thumb pad won't snag on holster or clothing; helps prevent accidental disengagement during the draw. Minimum size; best for concealed carry or tactical use.

SPECS: Steel, blued or stainless, matte finish. Gunsmith fitting required. Pad Size; Wide - 1" (2.5cm) long, 3/6" (4.8mm) wide Narrow - .750" (19mm) long, 1/8" (3.1mm) wide. Pin diameter .002" oversize

STOCK #	STYLE	FINISH	PRICE
#965-600-006DF	Wide	Blue	5F26A98 \$ 31.95
#965-600-106DF	Wide	SS	5F27A84 \$ 33.95
#965-600-007DF	Narrow	Blue	5F27A45 \$ 31.99
#965-600-107DF	Narrow	SS	5F27A84 \$ 33.95



WILSON COMBAT 1911 AUTO HIGH-RIDE AMBI THUMB SAFETY

Increased Comfort & Control With A "High-Thumb" Hold

Wider, longer thumb pads with a slight downward angle give increased comfort, faster safety operation, plus better recoil control for shooters that prefer a high-thumb hold. Ambidextrous for right- and left-handed shooters.

SPECS: CM steel, polished blue or stainless steel bright finish. 1.05" (26.6mm) wide x .239" (6.05mm) long left-side contact area, 1.05" wide x .279" (7.7mm) long right-side contact area. Installation may require minor gunsmithing.

#965-423-001DF Blue Ambi Safety 5F49P70 \$ 58.95 #965-423-101DF Stainless Ambi Safety 5F49P16..... 59.95

WILSON COMBAT 1911 AUTO EXTENDED AMBI SAFETY

Blued Or Stainless; Elegant, Classy; Works With Either Hand; The Choice Of Professional **Shooters & Pistolsmiths**

Gracefully curved, grooved, extended safety for the 1911 and its copies makes this fine gun even better. Left and right handers benefit from the extra length - it's easier to

find and release - while the ambidextrous feature makes "weak hand" shooting simpler. Beautifully contoured and finished, a first class addition to any 1911. Slightly oversized sear stud allows precise gunsmith fitting.

SPECS: Blued or stainless steel. 3/16" (4.8mm) wide x 1" (2.5cm) long left side contact area, 1/8" (3.2mm) wide x 1" (2.5cm) long right side contact area.

#965-602-045DF Blued Ambi Safety 5F51C84......\$ 59.99 #965-602-145DF SS Ambi Safety 5F50C79...... 59.99

Shop	
grip safety	Search
brownells.co	om

ED BROWN 1911 AUTO GSA MEMORY GROOVE BEAVERTAIL GRIP SAFETY

Helps Promote A Consistent, Positive Grip

Now your hand can "feel" when your grip is correct. Ed's exclusive, deep-hold grip safety drops the gun farther into the hand plus, the three memory grooves on the lower portion guide the web of the hand into the correct grip position. Raised surface area helps depress the safety and ensure positive disengagement, even for a shooter who uses a high-thumb hold.

SPECS: Matte finish. .878" (22.3mm) from rear of hole to tip. Clearanced for Commander hammer. Available in blue and stainless steel (SS) to fit series 70 or 80. .250" (6.3mm) radius, requires alteration

or marrio.	
087-867-000DF	Blue Series 70 Safety 7H30T11\$ 37.99 Blue Series 80 Safety 7H30T56 38.20
#087-867-100DF	Blue Series 80 Safety 7H30T56 38.20
#087-868-000DF	SS Series 70 Safety 7H30T11 37.99
#087-868-100DF	SS Series 80 Safety 7H31T61 38.99

LES BAER CUSTOM 1911 AUTO BEAVERTAIL GRIP SAFETY

Lowers the Pistol In Your Hand: **Contact Pad Assures Engagement**

Lowers the pistol deeper into your hand for less felt recoil and more comfortable, more accurate shooting. Raised contact pad increases engagement and helps ensure proper safety operation for shooters that use a high-thumb hold.

SPECS: Steel, blue or stainless steel, matte finish. Fits Series 70; modify to fit Series 80. .250" (6.3mm) radius,

requires aiteratio	II OI II ai II e.	
#124-152-100DF	Blue Grip Safety 4B33H35 \$ 41.65	
#124-152-101DF	Stainless Grip Safety 4B33H35 41.65	

McCORMICK 1911 AUTO "EXTREME CONTROL" **GRIP SAFETY**

Keeps Hand In Proper Position To Control Muzzle Flip

Forces the gun into your hand for excellent recoil control. Extra-wide beavertail

with hammer recess prevents pinching the web of your hand. Beveled edges eliminate snags and raised palm pad ensures

positive deactivation. SPECS: Steel, blued. $\frac{7}{6}$ " (22.2mm) from rear of hole to tip. .250° (6.3mm) radius requires alteration of frame.

#207-871-410DF Ext Control Grip Safety 7B25H81 . \$ 37.95

STI 1911 AUTO COMPETITION GRIP SAFETY

Performance Features **Enhance Function & Reliability**

Saves the pistolsmith hours of extra work with many functional, custom features built right in. Notched trigger stop speeds takedown and reassembly; insert and remove the safety without touching the mainspring housing. Raised locator

pad and sculptured beavertail ensure positive safety engagement, even with a high thumb hold. Deeper strut channel prevents hammer strut interference. Thicker overall dimensions allow easier blending with a wide variety of custom frames. SPECS: CM steel, matte blue. Stainless steel (SS), matte finish. Fits series 70 only. .250" 6.3mm) radius, requires alteration of frame.

#791-107-101DF Blue STI Series 70 Safety,

#791-107-100DF SS STI Series 70 Safety 1G25A60... 32.00

SMITH & ALEXANDER HIGH GRIP SAFETY

.220" Radius Fits Springfield Armory Frame Contour

.220" radius eliminates the unsightly gap at the top edge of the frame tangs on Springfield Ar-

mory guns. Raised palmswell gives positive release with any style grip. Curved shape lets the pistol set lower in your hand for better recoil control. Extra width and a long trigger block arm help you get a precise, custom-looking fit.

SPECS: Steel, matte Blue or stainless steel (SS) finish. 886 (22mm) from rear of hole to tip. Available in Standard and Palmswell. Fits Series 70, can be modified to fit Series 80. .220" (5.6mm) radius requires alteration of frame

radias regaines arteration or marine.		
STOCK # BLUE	STOCK # SS	MODEL
#849-009-017DF	#849-009-117DF	Standard
#849-009-027DF	#849-009-127DF	Palmswell

- Advise # - S & A .220" Grip Safety 9D26H54... \$ 36.99

GUNSMITH .220" INSTALLATION JIG - Hardened steel buttons provide correct .220" radius for perfect fit using only simple hand tools. Hardened to Rc 55, includes teflon washers and Ny-Lok nut for no scratch installation

#849-009-000DF .220" S&A Install Jig 9D11H50.....\$ 16.50



Curved shape drops the pistol deeper into the hand and lowers the line of sight for less felt

recoil and a faster pointing gun. Wide beavertail shape prevents the hammer from "bit-ing" the web of the hand. Palmswell™ model fea-tures a raised pad that maintains constant

hand contact for the shooter using a high thumb hold. SPECS: Steel, matte BLUE or satin stainless (SS), .866" (22mm) from rear of hole to tip. Available **Standard** or **Palmswell**. Series 70 or 80. .250" (6.3mm) radius requires alteration of frame.

STOCK # BLUE	STOCK # SS	SERIES	MODEL
#849-007-071DF	#849-007-171DF	70	Standard
#849-007-072DF	#849-007-172DF	70	Palmswell
#849-007-081DF	#849-007-181DF	80	Standard
#849-007-082DF	#849-007-182DF	80	Palmswell
- Advise # - S&	A Hi-Grip Safety	9D29C56.	\$ 36.95

GUNSMITH INSTALLATION JIG - Hardened steel "buttons" provide the correct .250" radius for perfect grip safety installation with simple hand tools. Hardened to Rc 55, includes teflon washers, lock nut and instructions.

#849-007-000DF S&A Safety Install Jig 9D11C50 . . . \$ 16.50

WILSON COMBAT 1911 AUTO BEAVERTAIL GRIP SAFETY

Competition Proven Design That Ends Hammer Bite

Wide grip safety spreads recoil out over a larger area of the hand for increased comfort. High, upswept, flared tail quickly guides hand into position

and totally eliminates hammer bite on the web between the thumb and finger. Pushes the wrist into a straight position for faster sight pickup and recovery. The raised pad gives positive palm contact to make certain the safety disengages.

SPECS: Satin finished stainless or blued steel. .835" (21.2mm) from rear of hole to tip. Fits Series 70 & 80/90 with firing pin block. Wilson/Clark compound radius requires alteration of frame.

#965-298-001DF	Blue Grip Safety $5F3$	<i>1T12</i> \$ 3	37.95
#965-298-002DF	Stainless Grip Safety	5F32T93 3	9.99



Allows High Grip For Better Control & Prevents Hammer Bite; Machined For Precise Fit

Generously proportioned beavertail safety is machined from high-grade steel barstock for an exceptionally precise fit and positive, consistent operation. Builds on Wilson's popular High Ride design with a wide, heavily upswept beavertail that allows the shooter to maintain a high, straight grip, with to-

tal protection from painful hammer bite. Distributes recoil over a large area of the hand for excellent control and fast follow-up shots. Raised palm pad with a pronounced ridge helps ensure complete safety disengagement and gives positive, tactile feedback for consistent hand placement every time you draw your pistol, so you'll be ready to take the shot as soon as a target is acquired. All exposed edges are rounded to prevent snagging. Flowing Wilson/Clark compound radius blends smoothly into the frame; installation requires alteration of frame. Available in carbon steel with a uniform, matte blued finish or stainless steel natural finish.

SPECS: Carbon steel, blued, matte finish, or stainless steel, satin finish. Fits Colt Series 70, 80, and 90 pistols and clones. Wilson/ Clark compound radius requires alteration of frame; also matches

#965-000-068DF	Bullet Proof Grip Safety, Blued,
	<i>5F67P96</i>
#965-000-069DF	Bullet Proof Grip Safety, Stainless,
	<i>5F80P80</i>



WILSON COMBAT 1911 AUTO DROP-IN BEAVERTAIL GRIP SAFETY

High Ride Comfort For Colts, Without Frame Cutting

Install the comfort and convenience of a high ride beavertail safety on your Colt 1911 Auto without cutting or altering the frame. Deeply curved shape lets the pistol sink farther into the web of your hand for improved recoil control and shooting comfort. Raised pad at the base ensures positive safety engagement even with a high-thumb hold. Wide beavertail eliminates painful hammer bite. All models must be used with Commander-style or bobbed hammers only. Minor fitting of trigger engagement area may be required for proper operation.

SPECS: CM steel, blue or stainless steel, matte finish. Fits Colt Series 70 and 80 1911 Auto only. Commander also fits Officers

STK # GOVT.	STK # COMM.	FINISH	PRICE
#965-429-100DF	#965-429-110DF	Blue	5F31P78 \$ 36.99
#965-429-101DF	#965-429-111DF	SS	5F32P03 \$ 37.95

BRILEY 1911 AUTO REVERSE PLUG

Contains The Recoil Spring On Cone Comp & Bull Barrel Guns

Support plugs fill in the empty space under the muzzle on bull barrel installations. Provides support and gives a clean, finished look to the front of the slide. Sprinco fits Sprinco guide rod system with .308" diameter guide rod. Standard plug retains the recoil spring and guide rod on guns using cone comps or tapered sleeve bushings. SPECS: 17-4 Stainless steel

#129-105-001DF	Govt Support Plug 9B21V42 \$ 26.78
	Comm Support Plug 9B21V42 26.78
#129-105-003DF	Off ACP Support Plug,
	9B21V42
#129-105-101DF	Govt Sprinco Plug,
	9B21V42
#129-105-103DF	Comm Standard Plug,
	9B21V42



#662-002-003DF NOVAK 2-DOTTRITIUM LO-MOUNT SIGHT See Page 41.

#100-003-268DF NIGHTHAWK CUSTOM HAMMER See Page 18.

#100-003-233DF NIGHTHAWK CUSTOM FLAT MAINSPRING HOUSING See Page 21.

#100-003-267DF NIGHTHAWK CUSTOM 8-ROUND MAGAZINE See Page 24.

#100-003-270DF NIGHTHAWK CUSTOM LIGHTWEIGHT TRIGGER See Page 28.

#152-000-041DF SUREFIRE X300 WEAPON LIGHT See on Brownells.com.

#100-003-258DF NIGHTHAWK CUSTOM GOVT. RECOIL SPRING PLUG See Page 14.

#100-003-275DF NIGHTHAWK CUSTOM MATCH BARREL & BUSHING See Page 5.

#100-003-239DF NIGHTHAWK CUSTOM TACTICAL SIDE STOP See Page 9.

#100-003-252DF NIGHTHAWK CUSTOM TACTICAL MAG RELEASE See Page 22.

K #100-003-240DF NIGHTHAWK CUSTOM EXTENDED THUMB SAFETY See Page 12.

SATISFACTION GUARANTEED *SINCE 1939*

CYLINDER & SLIDE 1911 AUTO MIL-SPEC RECOIL SPRING PLUG



Screws Onto Recoil Spring To Prevent Loss Of Plug During Disassembly

Machined steel recoil plug has milspec flange punched into the side so the recoil spring can be wound into the plug before seating in the slide. Prevents the plug from flying off spring

during field stripping and getting lost or hitting the operator, possibly causing injury. Precision-turned for proper fit in fullsize Government model pistols, with flat, diamond-pattern knurling on the front. If you lose the plug, your gun can't operate, and you're done for the day. Keep one or two of these in your range box or field maintenance kit for backup.


SPECS: Steel, blued. 1½" (3.8cm) long, .495" (12.6mm) O.D. Fits

mil-spec Government model.
#206-000-042DF Mil-Spec Recoil Spring Plug,

NIGHTHAWK CUSTOM 1911 AUTO FULL-SHOULDER REVERSE PLUG

Retains Recoil Spring On Guns With Bull & Tapered Barrels

Precision-turned, carbon steel reverse plug securely retains the recoil spring on pistols with barrel configurations that don't use a bushing, including bull and tapered (coned) barrels. A generous %" long,



SPECS: Steel, in-the-white. Use only with full-length guide rod;

some machining of slide required.
#100-003-249DF Govt. Reverse Plug 2B20C76....\$ 25.95 #100-003-251DF Commander Reverse Plug 2B20C76 25.95

NIGHTHAWK CUSTOM 1911 AUTO RECOIL SPRING PLUG

Fully Finished Replacement For Worn Or Lost Factory Plug

High-quality steel replacement for a lost or dinged up recoil plug is available in both Government and Commander sizes. Blued, semi-gloss finish and fine, diamond pattern checkering on tip.

Easy to lose during field stripping, and your gun won't work without it, so have a spare ready.

SPECS: Steel, blued, semi-gloss finish. Govt. – 1½" (3.8cm) long,

½" (1.3cm) O.D. **Commander -** 1½6" (2.7cm) long, ½" O.D.

#100-003-258DF Govt. Recoil Spring Plug 2B08H13 .\$ 9.99 #100-003-259DF Commander Recoil Spring Plug,

CLARK CUSTOM RECOIL SPRING GUIDE

Stops Spring Bind -Standard & Reverse Plugs



get smooth, reliable cycling and extraction. Two-piece design threads together for fast and easy takedown. Centerless ground, hardened steel, reverse plug is pre-drilled for use with taperedsleeve compensators or cone bushings.

SPECS: Steel, blued. 5/16" (7.9mm) diameter. Fits 1911 Auto only. Includes 5/2" Allen wrench.

STOCK #	FITS/LENGTH	PLUG	PRICE
#181-117-005DF	Govt./5"	Standard	1H14U49 \$ 20.99
#181-117-105DF	Govt./5"	Reverse	1H21U74 \$ 30.99

-MORE REVERSE PLUGS -

ACCU-LOCK - "Eared" band design fills the unsightly holes around barrel when fitting a bull barrel or cone bushing. Oversized band allows precise fitting to your slide for increased barrel Collar support. Flange plug retrofits existing slides with cone-style bushings. Collar plug fits STI/SVI slides.

SPECS: GM: Steel, in-the-white. 1.7" (43.2mm) long, .50" (12.7mm) #448-191-100DF GM Collar Plug 8D24H00 \$ 29.95

#448-191-101DF GM Flange Plug 8D24Z00........... 29.95

EGW COLLAR REVERSE PLUG & REAMER - Reverse Plugs include integral collar. Piloted Reamer cuts the spring guide tunnel to proper depth and diameter.

SPECS: Reverse Plugs - 1018 machined steel. 1.70" (4.3cm) long ½° (12.7mm) dia. body, .530° (13.5mm) dia. collar. All reverse plugs will require fitting. Long Plug-fits Govt. slides. Short Plug-face back for shortened Govt. or Commander slides. 6" Plug - 2.73" (6.9cm) long, fits 6' long slide. **Reamer** - Tool Steel (TS) or Carbide (Carb.) blades. 8' (20cm) long, %e' (11.1mm) dia. shank. **#296-108-102DF** Long Reverse Plug 6B13Y00 \$ 16.00

#296-108-101DF Short Reverse Plug 6B13Y00...... 16.00

STI REVERSE PLUGS - For slides with tapered bushings, bull barrels and cone-comps. 5" fits standard Govt. slides. 6" fits long slides, uses




COMINOLLI 1911 AUTO TUNGSTEN GUIDE ROD



 $Adds \, over three \, ounces \, of recoil-killing \, weight \, directly \, be neath \, the \, barrel \, for \, improved \, muzzle \, control \, \, and \, \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \, follow-up \, improved \, muzzle \, control \, and \, a \, faster \,$ shot. Machined tungsten rod includes cushioned "Frame Saver rod head that helps prevent frame damage. One-piece rod fits all Govt. length slides with 5" barrels without modification. SPECS: Tungsten, silver finish. 3.2 oz. (92 g) wt. Includes extra

Frame Saver cushions. #213-103-100DF Tungsten Guide Rod 3A65Z88.....\$ 86.99

TUNGSTEN GUIDE ROD PLUGS - Put additional weight right where you need it to diminish recoil by simply replacing the guide rod plug. Fully machined plugs come in two models. **Standard** fits 5", Govt. length slides. Reverse fits STI/SVI factory slides and other slides modified to accept collar reverse plugs.



(20 g) wt. **Reverse** 1.6" (4.2cm) long, .9 oz. (26 g) wt. #213-103-001DF Standard Tungsten Plug 3A38Z34 .\$ 52.25

#213-103-002DF Reverse Tungsten Plug 3A38Z34 ... 52.25

Shop

auide rod

Office/Tech: 641-623-5401

Search

Heavyweight

Rod Fights

Installation

brownells.com

SPRINCO 1911 AUTO

cludes instructions.

RECOIL MANAGEMENT SYSTEM



Reduces Felt Recoil, Muzzle Climb & Frame Damage

Drop-in sytem provides significant reduction in felt recoil and grip fatigue. Plus, it keeps the gun "flat" so your sights stay on target to help you shoot faster. Bright polished, stainless steel guide rod fitted with a chrome silicon, secondary spring that reduces slide-to-frame impact with no loss of reliable cycling. Softens the recoil impulse by gradually slowing the slide to prevent frame battering; helps extend your pistol's service life. Drop-in installation requires no modifications to your pistol. SPECS: 17-4 stainless steel (SS), heat treated to Rc 38-42. Polished finish. Select Bushing Plug (BP) or Reverse Plug (RP). In-

STOCK #	FITS	PRICE
#943-100-011DF	1911 Govt/5" clones, SS, BP	3D63X93 \$ 84.99
#943-100-003DF	1911 Govt/5" clones, light loads 9mm, .38S, .45 wad, SS, BP	3D63X71 \$ 84.95
#943-000-002DF	1911 Govt/5" clones, heavy loads, (+P+) .4045 Super, .460 Rowland, SS, BP	3D67B46 \$ 89.95
#943-000-005DF	1911 "short" (CMP ball match legal) SS, BP	3D59B95 \$ 79.94
#943-100-012DF	Commander and 4.25" clones, SS, BP	3D63X71 \$ 84.95
#943-000-008DF	Delta Elite 10mm, SS, BP	3D67B47 \$ 89.96
#943-100-001DF	1911/SVI Limited, SS, RP	3D67X46 \$ 89.95
#943-100-002DF	1911/SVI Open Gun, SS, RP	3D67X46 \$ 89.95
#943-000-009DF	Kimber 4" Pro Carry & Compact, SS, RP	3D63B71 \$ 84.95

STI 1911 AUTO RECOIL MASTER



Softens Felt Recoil For Smooth Cycling. Reliable Feeding, Fast Sight Recovery

Dual-spring, guide rod system gives smooth, gentle slide movement to significantly reduce muzzle flip and felt recoil. Proprietary, tuned springs help control muzzle rise to get you back on target faster. Primary recoil spring absorbs initial slide movement as the secondary spring gently slows and stops the slide. Softens initial chambering impulse to gently strip rounds from magazine. Improves feeding reliability, reduces sensitivity to magazine in style. **Twin-Pack** contains one light system and one heavy system. Shooter preference and experience will help determine choice of heavy or light system.

SPECS: Steel, blue finish. Fits 5" barrel guns. Includes full length guide rod, main and secondary springs, recoil plug and take down tool. **Light -** Comp guns and 9mm, plus guns with lightened slides require light system, .40/.45 caliber guns, with a loose-fit slide, can use the light system. **Heavy -** New, tightly-fitted guns and .40/.45 caliber use heavy system. Factory recommends not trimming or

replacing springs.
#791-000-033DF Bull Barrel, Light Recoil Master,
<i>1G70H84</i>
#791-000-034DF Bull Barrel, Heavy Recoil Master,
<i>1G70H84</i>
#791-000-035DF Bull Barrel, Twin-Pack Recoil Master,
<i>1G125H00</i>
#791-000-036DF Bushing Barrel, Light Recoil Master,
<i>1G70H84</i> 88.55
#791-000-037DF Bushing Barrel, Heavy Recoil Master,
<i>1G70H84</i> 88.55
#791-000-038DF Bushing Barrel, Twin-Pack,
1G125H00

GUN RUNNERS 1911 AUTO RECOIL SPRING GUIDE

Factory-Style Replacement For Repair, **Restoration Or Building New**

Machined from tough, solid barstock to factory configuration. Heat treated, one-piece design resists recoil battering.

13/4" (4.4cm) long		
#634-000-006DF	Blue Recoil Spring Guide,	
	4C10X31	12
#634-000-007DF	Parkerized Spring Guide,	
	4C10X31	12

SPECS: Steel, blue, matte finish or parkerized, matte gray finish.

NIGHTHAWK CUSTOM 1911 AUTO FULL-LENGTH GUIDE ROD WITH PLUG



ing, correct-size guide plug aids in

control and fast follow-up shots. Machined from solid stainless steel, with no threads to work loose or through hole to compromise strength. Flat face provides a snug fit and aids in proper positioning of recoil buffers. SPECS: Stainless steel, natural finish, models for Government and

Commander.	eteer, natarar milen medele rer Gevernmer	
	Government FL Guide Rod w/Plug,	
	2B29C56	36.95

Government FL Guide Rod w/1 lug,	
2B29C56	36.95
Commander FL Guide Rod w/Plug,	
2B29C56	36.9

Prevents Recoil Spring Bind

High-quality, drop-in, one-piece guide rod with matchsmooth, reliable cycling by completely captur-

ing recoil spring to prevent it from binding or deforming. Also adds extra weight up front to reduce muzzle flip for improved

00-003-248DF	Government FL Guide Rod w/Plug,	
	2B29C56	36.
00-003-247DF	Commander FL Guide Rod w/Plug,	
	2B29C56	36.

NOWLIN CUSTOM **GUIDE ROD ASSEMBLY**

Extra Length For Extra	_	
Support &	4	
Better Cycling		

design eliminates spring bind and provides more reliable feeding, extraction and ejection. 6" model provides increased support for government-length pistols equipped with full-style compensators or extended reverse plugs. Centerless ground and heattreated for better function and decreased wear.

SPECS: 416 stainless steel. Heat treated to Rc 42. Available in One-piece and two-piece with standard (STD) plug or reverse (Rev.) plug. One-piece drilled for takedown pin. Two-piece includes Allen wrench, Standard or Reverse plug only, drilled for full-length guide rod.

STOCK #	FITS/LENGTH	PLUG/PIECE	PRICE
#654-108-151DF	Govt./5"	Std/1-Piece	4E27Y96 \$ 34.9
#654-108-152DF	Govt./5"	Std/2-Piece	4E27Y79 \$ 34.7
#654-108-162DF	Comp./6"	Std/2-Piece	4E29Y71 \$ 37.1
#654-108-125DF	Govt./5"	Rev./2-Piece	4E37Y12 \$ 46.4
#654-108-231DF	Comm./43/4"	Std/2-Piece	4E27Y79 \$ 34.7
#654-108-235DF	Govt. plug only	Standard	4E05Y20 \$ 6.5
#654-108-233DF	Govt. plug only	Reverse	4E13Y35 \$ 16.6

GunsmithSupplies.com

Create personalized printed business materials with your business or shop name

#213-000-003DF Type II Outside Cushions 6-pak 3A04V00 \$ 6.00 **EFK FIRE DRAGON 1911 AUTO DUAL ACTION BUFFER SPRING SYSTEM**

3 inside/3 outside



COMINOLLI FRAME SAVER GUIDE ROD

Puts a recoil-absorbing cushion on both sides of the guide rod

head to help prevent shock damage to the frame and the slide.

SPECS: Machined stainless steel. Fits 1911 Auto. Type-II fits Frame

FITS/BBL LENGTH/STYLE

Saver II. Red outside cushion, black inside.

#213-105-104DF Sprgfld Compact 4" One-piece

#213-000-005DF Commander 41/4" One-piece

#213-100-105DF Govt. 5" One-piece

#213-100-002DF Std. Guide Plug Only

#213-000-002DF Type II Recoil Cushions

STOCK #

Helps Prevent Cracked Frames: Lessens Recoil

Softens Felt Recoil.Tames Muzzle Rise & Reduces Frame Wear

PRICE

3A25D00 **\$ 34.00**

3A25P00 \$ 35.00

3A26D00 \$ 35.00

3A04D07 \$ 5.08

3A04V00 \$ 6.00

Models

(10.2cm) long.

Simple, Robust Design For

Smooth Function & Reliability

Simple, strong, one-piece guide

rods provide smooth function and

outstanding reliability on compe-

tition and carry guns. Machined

from solid bar stock without

Government models with 5" barrels.

EGW 1911 AUTO

ONE-PIECE GUIDE ROD

through hole for extra strength and resistance to battering. Ad-

ditional weight up front improves recoil control, and flat face

helps recoil buffers fit securely. Short, G.I. Style has rounded

front end that resists snagging the recoil spring. Available in

Government and Commander sizes in stainless and blued car-

bon steel. Full Length stainless steel rod guards against recoil

spring bind for improved feeding and extraction. True, one-piece

design with takedown hole has no threads to loosen or wear. Fits

SPECS: G.I. Style - Carbon steel, blued (BL), or stainless, natu-

ral finish (SS). Government: 1¾" (4.6cm) long. Commander:

1¼" (3.2cm) long. Full Length - Stainless steel, natural finish. 4"

6B16P90

ED BROWN 1911 AUTO

gives a traditional look - just like the Colt factory part. SPECS: Govt: Plug/Guide Steel, blue matte finish. Plug - 11/2" (4cm) long, ½" (13mm) O.D. Guide - 15%" (4.1cm) long. Commander: Plug - Steel blue matte finish or Stainless steel, bead blasted silver

087-882-001DF Govt. Recoil Spring Guide, Blue,

087-000-020DF Commander Recoil Spring Plug, Blue,

finish. 15/64" (2.7cm) long, 1/2" O.D. Guide - Steel, matte blue finish.

RECOIL PLUG & GUIDE

Quality "Factory" Replacement

rebuilding existing guns or assembling new guns built to factory Government or Com-

mander configurations. Heat-treated, recoil spring guide resists wear and battering. Checkered recoil spring plug

Made to original specifications for

#296-000-075DF G.I Style Guide Rod, BL Govt.,

296-000-113DF G.I Style Guide Rod, SS Govt.,

296-000-114DF G.I Style Guide Rod, SS Comm.,

6B20A00

#296-000-080DF G.I. Style Guide Rod, BL Comm.,

#296-000-081DF Full-Length Guide Rod, SS Govt.,

Dual action, captive-spring system cushions the recoil impulse to reduce gun wear and tame muzzle jump for fast followup shots and accurate shot placement. Full-length, stainless steel guide rod fully supports the recoil spring through the entire compression/expansion cycle to provide smoother cycling and improved function. A second, fully enclosed spring in the guide rod acts like a car shock absorber to slow slide velocity and reduce frame impact. Prolongs the life of frame and slide without compromising reliability. Available with recoil springs calibrated for Government model in .45 ACP, .38 Super/9mm, and .40 S&W/10mm. Easy, drop-in installation requires no al-

SPECS: 416 stainless steel, natural matte finish. Fits full-size Gov-

enninent model with 3 - panerand ciones, instructions included.	grees a traditional room just line the contractory par
#503-000-013DF Dual Action Buffer Spring, .40	SPECS: Govt: Plug/Guide Steel, blue matte finish. Plug -
S&W/10mm 3K51U47\$ 64.99	long, ½" (13mm) O.D. Guide - 15%" (4.1cm) long. Coi
#503-000-012DF Dual Action Buffer Spring, .45 ACP,	Plug - Steel blue matte finish or Stainless steel, bead bla
3K50U84	finish. 15/64" (2.7cm) long, 1/2" O.D. Guide - Steel, matte l
#503-000-014DF Dual Action Buffer Spring, .38	1 ³ / ₁₆ " (3cm) long.
Super/9mm. 3K50U84	087-881-001DF Govt. Recoil Spring Plug, Blue,
	THOCHOL

EGW 1911 AUTO GUIDE ROD SYSTEM



Weight-Adding Tungsten Or Tough Stainless Steel

087-000-031DF Commander Recoil Spring Guide, Blue, Heavy, tungsten guide rod adds muzzle-steadying weight to help counter recoil. Stainless steel model improves functioning without adding weight. Two-piece - full-length, centerless ground construction simplifies disassembly. One-piece - gives extra weight, plus superior support to recoil spring for smoother

SPECS: .326" (8.2mm) diameter. Fits 1911 Auto, or STI, Govt. length slides with 5" (12.7cm) barrels. Tungsten 3.1 oz.(88 g). Stainless Steel 2 oz. (57 a). All models supplied with stainless steel, standard

spring plug.
#296-405-000DF Two-Piece 1911 Auto Tungsten Rod,
6B71Z20
#296-000-003DF One-Piece 1911 Auto Tungsten Rod,
6B71P20
#296-407-000DF Two-Piece 1911 Auto SS Rod,
6B20Z36
#296-000-047DF Two-Piece STI Tungsten Rod,
6B75X20
#296-000-048DF One-Piece STI Tungsten Rod,
6B75X20

ED BROWN TWO-PIECE GUIDE ROD

Prevents Recoil Spring Bind; Makes Takedown Easier

Full-length, two piece design fully supports the recoil spring to help the pistol chamber, extract and cycle smoother. Helps prevent spring bind, makes slide takedown fast and simple. Long wearing, shock-resistant head and hardened stainless steel shaft stand up to both competition and duty use. SPECS: Stainless steel. Includes guide rod plug and 5/32" Allen

STOCK #	FITS/BBL LENGTH	PRICE
#087-045-889DF	Govt. 5"	7H23D38 \$ 29.25
#087-045-890DF	Commander 41/4"	7H23D38 \$ 29.25

GUIDE RODS/BUFFERS



- #965-000-014DF WILSON COMBAT TACTICAL COMBAT SIGHT SET See Page 43.
- #965-415-070DF WILSON COMBAT BULLET PROOF® EXTRACTOR See Page 11.
- #965-337-002DF WILSON COMBAT A-2 ULTRALIGHT HAMMER See Page 18.
- #965-298-001DF WILSON COMBAT HIGH RIDE GRIP SAFETY See Page 13.
- #965-366-001DF WILSON COMBAT SPEED-CHUTE™ MAGAZINE WELL See Page 22.
- #965-047-480DF WILSON COMBAT WILSON-ROGERS MAGAZINE See Page 26
- #965-190-045DF WILSON COMBAT ULTRALIGHT MATCHTRIGGER See Page 29.
- #965-025-001DF WILSON COMBAT 1-PIECE RECOIL SPRING GUIDE See Page 16.
- #965-033-545DF WILSON COMBAT MATCH BARREL/BUSHING SET See Page 7.
- #965-414-000DF WILSON COMBAT BULLET PROOF® SLIDE STOP See Page 9.
- #965-031-020DF WILSON COMBAT TACTICAL MAGAZINE RELEASE See Page 23.
- #965-600-007DF WILSON COMBAT EXTENDED THUMB SAFETY See Page 13.
- #965-034-045DF WILSON COMBAT EXTENDED COMBAT EJECTOR See Page 11.

SATISFACTION GUARANTEED SINCE 1939

STI 1911 AUTO ONE-PIECE GUIDE ROD



Improves Function; Relieves Spring Bind

One-piece, solid steel rod improves function and reliability of competition and carry guns. Helps prevent recoil spring bind for improved feeding and extraction. Hollow Spring Tube requires no slide modification to install a one-piece guide rod in bushingequipped guns.

SPECS: 4140 steel, blue finish. **Guide Rod** - 5.1" (12.9cm) long. 1.6 oz., (45 g). Fits 1911 Govt or 5" models. Does not include Hollow Spring Tube. Hollow Spring Tube - Steel, blue (BL) finish. 1.095"

#791-110-001DF Steel Guide Rod 1G13V13......\$ 16.41 #791-000-011DF BL Steel Hollow Sprg Tube 1G07X65 9.56

WILSON COMBAT **RECOIL SPRING GUIDE**



Eliminate Spring Kink & Bind; One- & Two-Piece Styles

With a full-length guide rod in place giving no chance for recoil spring bind, a 1911 will chamber, cycle and extract more reliably. Onepiece style available for Gov-ernment/Gold Cup and Com-

mander: Two-piece for Government/Gold Cup in both standard full-length and long slide for pistols equipped with partial or full-style compensators. Reverse Plug model fits Govt. length slides altered to accept tapered sleeve bushing.

SPECS: Stainless steel. .325" (8.25mm) diameter shaft. All include

STOCK#	FITS/BBL LENGTH/STYLE	PRICE
#965-025-002DF	Comm/4¾"/1-Pc.	5F24P56 \$ 29.95
#965-025-001DF	Govt./5"/1-Pc.	5F25P03 \$ 29.99
#965-148-500DF	Govt./5"/2-Pc.	5F26D20 \$ 31.95
#965-025-021DF	Govt./5"/1-Pc.	
	w/reverse plug	5F31P19 \$ 36.95

WILSON COMBAT 1911 AUTO TUNGSTEN GUIDE ROD

Extra Weight Fights Recoil

Puts additional weight directly beneath the centerline of the bore to fight the effects of recoil and muzzle flip. Helps keep the muzzle steady for a faster, follow-up shot and more consistent accuracy. Full-length rod helps reduce spring bind, improve cycling and reliability. Same diameter as a standard, full-length guide rod; uses standard guide plug.

SPECS: Tungsten rod, includes quide plug. Fits Govt. length slides with 5" (12cm) barrels.

#965-419-000DF Tungsten Guide Rod 5F112P07...\$ 135.99

WILSON COMBAT 1911 COMPACT: **FULL-LENGTH GUIDE ROD KIT**

Ends Officers ACP & Springfield Compact Spring Plug Failures

Full length rod replaces the short, factory spring plug and guide rod for increased spring support, better reliability and smoother functioning. Two-piece, hex head guide rod and one-piece recoil spring are fast and easy to install. Installation requires only slight modification to slide.

SPECS: Machined stainless steel guide rod/head and plug. Heavy duty recoil spring. Officers ACP Rod (Officers): .326" (8.2mm) di-

WILSON COMBAT 1911 AUTO "GROUP GRIPPER" GUIDE ROD & PLUG



Easy, Drop-In Kit Squeezes Maximum Accuracy From Standard Barrels

Exclusive Dwyer "Group Gripper" acts like an instant accurizing job for standard or factory barreled guns. Full-length guide rod with heavy, internal spring forces barrel top lugs upward into the slide. Gives maximum lug engagement, positive lockup and

far more consistent shot-to-shot repeatability. SPECS: Stainless steel. Kit includes two-piece, full-length guide rod, guide plug, barrel link and instructions. Available for Govt./Gold

Cup (G/GC) and Commander (CM) length slides. #965-203-001DF G/GC Group Gripper,

WILSON COMBAT 1911 AUTO SHOK-BUFF RECOIL SYSTEM



Improves Accuracy, Functioning; **Eliminates Frame Cracking From Recoil**

Easy-to-install kit instantly improves cycling, reliability and accuracy without modifying the frame or the slide. Exclusive, injection-molded, polyfiber buffers slip onto the guide rod be-tween the head and spring and keep the slide from hitting the frame. Prevents expensive frame damage and softens the felt recoil of high power competition loads. Full-length guide rod keeps the recoil spring straight for smoother functioning and longer spring life. Together they provide consistent barrel lockup and increased accuracy.

SPECS: Kit includes stainless steel full length guide rod and plug, 6 Shok-Buff washers, 1 light recoil spring, 1 heavy recoil spring, 1 extra power firing pin return spring. Fits 1911 Auto models and calibers listed only.

STOCK #	FITS	CALIBER	PRICE
#965-064-045DF	Govt/Gold Cup	.45 ACP	5F33A11 \$ 38.99
#965-064-145DF	Commander	.45 ACP	5F32A87 \$ 38.95

WILSON COMBAT 1911 AUTO SHOK-BUFF RECOIL KIT



Improves Functioning Reduces **Recoil Sharpness & Frame Battering**

Balanced kit comes with two buffers and one steel recoil spring to help reduce frame cracking and battering. Buffers should be replaced every 1,000 rounds, and spring should be replaced every 2,000 rounds. When buffers are gone, replace the spring – an easy way to remember to replace the spring.

SPECS: Steel spring, plastic buffers, Fits Govt, model only. #965-002-001DF SHOK-BUFF Recoil Kit 5F05V95 . . . \$ 6.95

ameter. Springfield Compact Rod (SC): .326" (8.2mm) diameter. #965-025-003DF Officers Guide Rod Kit. 5F31P21 \$ 39.99 #965-025-004DF SC Guide Rod Kit 5F31P19........ 39.99

Office/Tech: 641-623-5401

BUFFERTECHNOLOGIES 1911 AUTO RECOIL BUFFER

Softens Felt Recoil, **Stops Frame Battering**



Polyurethane spacer fits on the recoil

spring guide to cushion slide impact against the frame. Gently slows the slide; helps prevent the constant frame battering that causes premature wear or cracking. Extends the service life of competition and carry pistols. Softens felt recoil, reduces muzzle rise for faster follow-up shots. Change every 1000 rounds for best results.

SPECS: Polyurethane, gray. 1 per pack. 1911 Auto, polyurethane, yellow. 8 per pack

#071-000-005DF 1911 Auto Recoil Buffer,

CP BULLETS 1911 AUTO SUPERTUFF RECOIL BUFFERS

Eliminates Frame Damage From Recoil Prevents the slide from contacting

the frame and causing serious damage during recoil. An absolute must for any shooter using major power factor ammunition in their 1911 Auto, Long- wearing. hard, nylon washers absorb the shock but won't flatten out and cause cycling problems as they begin to wear. Fits easily over full length or short, factory guide rods. Replace every 1,000 rounds

for best results. SPECS: Hard nylon, clear. Fits 1911 Auto only. 5 per pak. #169-001-000DF CP Super Tuff Recoil Buffers.

ED BROWN 1911 AUTO SLIDE BUFFERS

Prevent Slide-To-Frame Contact & Damage

Eliminates frame damage caused by slide/frame battering during the recoil cycle. A single, extra-defense, polyurethane buffer fits between the guide rod head and

the recoil spring; completely prevents the slide from contacting the frame. Precisely molded so they won't drag on the frame and cause malfunctions. For best results, change every 1,000 rounds.

SPECS: Polyurethane. Fits 1911 Auto only. 6 per pak.

#087-805-006DF Slide Buffers,



WILSON COMBAT 1911 AUTO SHOK-BUFFS®

Softens The Blow Of Recoil; **Helps Prevent Frame Damage**

Prevents expensive frame damwhen shooting high-pressure, major power factor loads. Replaceable, poly-fiber washer installs

behind the recoil spring on any length guide rod. The shock absorbing action stops the slide from battering the frame. Injection molded for the optimum balance between shock absorption and longevity. Replace every 1,000 rounds.

SPECS: Poly-fiber, blue. 6 Shok-Buffs per pak. Not for use in Officer's ACP Models.

965-002-004DF Shok-Buffs Pak.

ASK ABOUT **OVERNIGHT** DELIVERY!

CYLINDER & SLIDE 1911 AUTO SAFETY FAST SHOOTING SYSTEM

Get Your Pistol Into Action Faster Without

Compromising Safety

Easy-to-install kit replaces some of your 1911's fire control components to allow cockedand-locked Condition 1 carry with the hammer lowered. Makes pistol function like a decocker-equipped doubleaction pistol without altering



from draw to first shot. Twopart hammer system leaves an internal hammer cocked while the traditional-looking external hammer rests in the "down" position. Reduces risk of hammer snagging on clothing when drawing from concealment, and eliminates visual distraction for bystanders caused by a "dangerous"-looking cocked weapon carried by uniformed law enforcement officers or other personnel authorized for visible carry. Minimal retraining required; weapon deployment from holster is the same as a non-SFS 1911. To operate SFS, insert a loaded magazine and rack the slide. Then push the hammer forward toward the traditional hammer down position. The ambi safety levers will pop up into 206-000-034DF Tactical II Trigger Pull Set, "safe" position. The gun is completely safe. Slide is locked closed. trigger will not depress, internal hammer is physically blocked 206-000-038DF MARSOC Trigger Pull Set, from reaching the firing pin, and the external hammer cannot be pulled back. Grip safety and passive Series 80 firing pin block (if your pistol has one) function normally. To shoot, simply depress the thumb safety, and the external hammer springs back to the visibly cocked position, ready to fire. If a live round remains in the chamber after shooting, the slide must be released and hammer pressed forward to render the pistol safe again. Trained personnel who can detail strip and reassemble a standard 1911 can install SFS with ease. No fitting, drilling, or gunsmithing required. Available in blued steel or with externally visible parts hard chromed to match stainless pistols.

SPECS: Carbon steel, blued or hard-chromed, matte finish, Kit contains ambi safety, complete hammer assembly, hammer strut, slide stop, mainspring, and plunger spring, plus plunger lever and trigger bar lever for Series 80 Colt. Installation instructions included. Fits Series 70 and 80 Colt 1911 Government pistols and clones.

#206-000-040DF Safety Fast Shooting System, Blued,

CYLINDER & SLIDE 1911 AUTO 1911 AUTOTRIGGER PULL KIT



Match Quality Trigger Pull In A Drop-In Kit

Kits are tested on a Series 70-style frame to make certain they will produce the specified pull weight with little or no fitting. Parts are wire EDM cut from bar stock, honed and polished, then heat treated for years of service life. All

profiles and through-holes are mechanically correct to function without hand fitting. Sear nose has correct relief angle, sear spring is narrowed to reduce pull weight. Each kit contains a hammer, sear, disconnector, sear spring and hammer spring. Professional kit has 5 lb. of pull weight and is designed for military and police shooters. Gives complete trigger control in highstress situations.

SPECS: Billet alloy steel, in-the-white. Hammer, Rc 50-54, .5 oz. (14.1 g) weight. Sear .2 oz. (5.6 g) weight. Disconnector .2 oz. (5.6 g) weight. 23 lb. hammer spring, tactical sear spring included.

#206-000-019DF Professional 5 lb. Trigger Kit,

CLYINDER & SLIDE 1911 AUTO 3-PIECE DROP-INTRIGGER PULL SET

GSA Available In Two Configurations To Fit **Your Specific Shooting Needs**

Commander-style hammer. Tactical sear, and Ultra Match disconnector drop-in to deliver reliable ignition and improved trigger function on any 1911 auto. Each component is precision EDM



cut to ±.0005" tolerances from Cylinder & Slide's Special Tool Steel. All parts are honed and polished, then heat-treated to Rc 50-53 for long service life. **Tactical II Set** features the popular Tactical II chamfered hammer in-the-white with standard .018" long hammer hooks for a match-grade trigger pull. MARSOC Set includes a blued Tactical II-style hammer with longer .023' hammer hooks for added sear engagement and maximum reliability. Used in the U.S. Marine Corps MARSOC service pistols. Added material on the hooks allows fitting by the pistolsmith to achieve a truly custom trigger pull.

SPECS: Special billet alloy steel. Hardened to Rc 50-53. Includes hammer, sear, and disconnector. Tactical II - All parts in-the-white. .018" long hammer hooks. MARSOC - Hammer blued, disconnector and sear in-the-white. .023" long hammer hooks.



CYLINDER & SLIDE ULTRA LITE, ULTRA MATCH & SUPER MATCH COMPONENTS

Premium-Quality Parts To Produce A Long-Wearing, Match-Quality Trigger Pull

Super Match and Ultra Lite components are CNC machined from aerospace-quality, maraging alloy tool steel that's age-hardened to prevent stress, warpage and tolerance loss. All profiles are mechanically correct, through-holes are properly aligned so they function the first time without time consuming fitting. Exposed hammer edges are chamfered to minimize slide drag and clothing wear. Sets contain either the Ultra Lite or the Super Match Hammer plus matching Sear and Disconnector. SPECS: Hammer and Sear Special die steel, matte silver finish. Rc 50-53. Disconnector - Special tool steel. Rc 50-53.

ULTRA LITE HAMMER - Skeletonized for low mass and faster lock time without sacrificing long wearability and strength. 2 lb. trigger pulls can be achieved without shortening the hooks below .018". All engagement surfaces are highly polished and ready for installation.

#206-104-101DF Ultra Lite Hammer 6K78T60 \$ 98.25 #206-104-000DF Ultra Lite Set 6K134T87 160.99

SUPER MATCH HAMMER - All the great features of the Ultra-Lite Hammer in a conventional "commander" design that's best for assuring ignition on carry or personal defense pistols. #206-103-001DF Super Match Hammer 6K66T40...\$ 83.00

#206-103-000DF Super Match Set 6K116T80 146.00 **ULTRA MATCH SEAR** - Highly contoured so all excess weight is trimmed away for the absolutely lowest mass and lowest inertia. Gives reliable, positive sear engage-

ment with lighter spring weights. #206-103-010DF Ultra Match Sear 6K39T60 \$ 49.50

ULTRA MATCH DISCONNECTOR - Machined with the correct lengths, both above and below the sear pin cutout, so you get reliable functioning without a lot of fitting or scraping

#206-103-020DF Ultra Match Disconnector, 6K20T12 \$ 25.15 nector, 23 lb. hammer spring and tactical sear spring. SPECS: Ultra Light Kit: Special die steel, in-the-white. Hammer:

Rc 50-53. .39 oz. (11.1 g) weight. Sear: .07 oz. (1.9 g) weight. Ultra Light Speed II: Tool steel, in-the-white. Hammer & Sear: Rc 50-55. .7 oz. (20g) total weight. Sear: .07 oz. (1.9 g) weight. Super Match Kit: Special die steel, in-the-white. Hammer: Rc 50-53. .47 oz. (13.4 g) weight. Sear: .07 oz. (1.9 g) weight. Tactical II Kit: Special tool steel, in-the-white, Hammer. Rc 50-53. .5 oz. (14 g) weight. Sear: .09 oz. (2.5 g) weight. Tactical Match Kit: Special tool steel, inthe-white. Hammer: Rc 50-53. .52 oz. (14.7 g) weight. Sear: .09 oz, (2.5 g) weight. Warp Speed Kit: Special die steel, in-the-white. Hammer: Rc 50-53. .35 oz. (9.9 g) weight. Sear: .07 oz. (2 g) weight. Disconnector: .069 oz. (1.9 q). Professional 5 lb. Kit: Billet alloy steel, in-the-white. Hammer, Rc 50-54, .5 oz. (14.1 g) weight. Sear 2

CYLINDER & SLIDE 1911 AUTO

TRIGGER PULL KIT

Match Quality Trigger Pull In A Drop-In Kit

it will produce the specified pull weight with little or no fitting.

Parts are wire EDM cut from bar stock, honed and polished, then

heat treated for years of service life. All profiles and through-

holes are mechanically correct to function without hand fitting.

Sear nose has correct relief angle, sear spring is narrowed to

reduce pull weight. Exposed hammer edges on Ultra-Light, Su-

per Match and Tactical II are chamfered to minimize slide drag

and clothing wear. Each kit contains a hammer, sear, disconnec-

tor, sear spring and hammer spring. ULTRA LIGHT KIT - 3.5 lb.

pull weight. Ultra light, skeltonized, hammer; relieved to pre-

vent frame rub. Ultra light match sear and disconnector. Light-

ened sear spring, 18 lb. hammer spring. ULTRA LIGHT SPEED

II KIT - 3 lb. pull weight. Low-profile, skeletonized hammer re-

lieved to prevent frame rub; ultra-light weight cuts lock time to

a minimum. Deep, crisp serrations ensure secure thumb contact

for fast, positive cocking. Properly matched spring weights give

the specified pull weight and ensure positive ignition. SUPER

MATCH KIT - 3.5 lb. pull weight. Ultra match, lightened ham-

mer. Relieved to prevent frame rub. Ultra light match sear and

disconnector. Light pull sear spring, 18 lb. hammer spring. TAC-

TICAL II KIT - 4 lb. pull weight. Tactical II hammer with relieved

sides, ultra match sear and disconnector, light sear spring, 18

lb. hammer spring, TACTICAL MATCH KIT - 4.5 lb. pull weight.

Tactical hammer, sear, disconnector, light pull sear spring, 18 lb. hammer spring. Great for carry guns. WARP SPEED KIT - 3 lb.

pull weight. Very low mass hammer, relieved to prevent frame

rub. Low mass sear and disconnector, 18 lb. hammer spring, light

pull sear spring. **PROFESSIONAL KIT -** 5 lb. of pull weight and is

designed for military and police shooters. Gives complete trigger

control in high-stress situations. Contains hammer, sear, discon-

Each kit is tested on a Series 70-style frame to make certain

oz. (5.6 g) weight. Disconnector .2 oz. (5.6 g) weight. 23 lb. hammer spring, tactical sear spring included.

#206-103-030DF Ultra Light Trigger Pull Kit, #206-000-039DF Ultra Light Speed II Kit 6K176A46 220.50 #206-103-040DF Super Match Trigger Pull Kit, 6K140T00 175.00 #206-103-052DF Tactical II Trigger Pull Kit, #206-103-050DF Tactical Match Kit 6K98T13...... 122.99 #206-038-100DF Warp Speed Kit 6K152C20 190.25 #206-000-019DF Professional 5 lb. Trigger Kit,



CYLINDER & SLIDE 1911 AUTO TACTICAL HAMMER & SEAR



Hardened-Alloy Steel For Durability & Long Life

EDM, wire cut, then CNC, finish machined from tool steel and hardened to Rc 50-53 so they hold a finely-stoned edge for thousands of rounds. Preprepped hooks and sear face require only final stoning to

achieve a clean, crisp trigger pull. Plus, the sear features the proper relief cut so the hammer resets firmly during cycling. Tactical II hammer features relieved sides and chamfered edges to reduce slide drag and clothing wear.

Special tool steel, in-the-white, Rc 50-53

Ci Loc. opediai todi stedi, ili tile vilitte, ile de de.
#206-039-001DF Tactical Hammer 6K37C80\$ 47.29
#206-039-002DF Tactical Sear 6K23H4029.29
#206-039-003DF Tactical II Hammer 6K51H08 63.89

EGW 1911 AUTO IGNITION PARTS KIT

Matched & Ground: **Ready For Precise Fitting**

Hard steel sear, disconnector, spring and hammer for a match-quality trigger pull and long wear. Long design disconnector prevents drag on sear pin. Sear and hammer are ground to match with little or no stoning. Spring manufactured from hardened steel to allow for precise tuning. Available in blue or stainless steel hammer.

SPECS: With a CNC machined steel. Blue (BL) or stainless steel (SS). Gunsmith installation recommended.

#296-000-069DF Ignition Kit, BL 6B68Z00......\$ 85.00 #296-000-070DF Ignition Kit, SS 6B68Z00......85.00

NOWLIN MFG. DROP-INTRIGGER JOB



Ready-to-drop-in parts put an ultra-smooth, clean breaking, professional quality trigger job in your 1911 Auto in only minutes. Fully prepared hammer and pre-ground, pre-polished sear, plus springs and fullymachined disconnector, will install into most models of 1911 Autos with little or no fitting required. Helps promote better trigger control and improved accuracy. Pro Match & Commander Match - feature wire EDM'd hammer and sear that are

double heat treated, then finish

ground for outstanding durabil-

A Professional 31/2 Lb. Trigger Pull

Without The Work

ity. 3½ lb pull weight. These will exceed the demands of all styles of competitive shooting. Speed Demon Match - Ultra lightweight hammer quickens lock time for the fastest possible follow-up shot. Features wire EDM'd hammer and special spring weights. 3½ lb. pull weight.

SPECS: Kit includes hammer, sear, sear spring, mainspring and disconnect. Pro Match - S-7 tool steel hammer, polished sides, Rc 50. Speed Demon & Commander Match - 420 XL stainless

.00i Steei Haillille	i, polistieu sides, nc 50.	
#654-012-110DF	Pro Match Trigger Job,	
	4E116Y23	

+004-012-111DF	Commander Match Trigger Job,	
	4E103Y80	137.99
#654-012-112DF	Speed Demon Trigger Job,	
	AF 19AV79	155 90

DOUG KOENIG 1911 AUTO LOW MASS HAMMER

Minimal Over-Cock Travel Speeds-Up Ignition; Pre-Cut, Pre-Polished Hooks Speed Installation

All-steel, "Commander-style" concealed-carry hammers, ready for installation with little or no fitting required. All excess weight is removed for fast, consistent, positive ignition without cracking

or breakage. Engagement areas are surface ground plus, the half-cock notch will not damage your carefully prepared sear angles. Sides narrowed for slide clearance. Premium model has additional lightening cuts for lower mass, giving the faster lock times needed for competitive shooting.

SPECS: Tool steel, in-the-white, machined. Premium - .3 oz. (9 g)

Wt. Otalidaid 5 02. (14 g) Wt.		
#388-401-000DF Premium Hammer	<i>8H66A48</i> \$ 80.99	
#388-401-100DF Standard Hammer	<i>8H64A27</i> 80.33	

EMC 1911 AUTO WIDE SPUR HAMMER

Gives Pistol A Classic Look

Tool steel hammer gives your pistol the look of early production military and contract style 1911's. Heat-treated to RC 46-52 and machined to dimensions traceable to National Bureau of Standards specifications. Top of hammer is checkered for a positive grip and sides are tapered for clearance. SPECS: Tool steel, heat-treated to RC 46-52. Pad: 3/8" (9.5mm) wide $x^{3/4}$ " (19mm) long. Gunsmith installation recommended. #100-001-777DF Wide Spur Hammer 7A20T95.....\$ 25.95

ED BROWN 1911 AUTO BARSTOCK HARDCORE® HAMMER

Extra Tough & Long Wearing

Machined-from-barstock with the sear hooks cut to height, requiring only a light stoning to achieve a crisp, clean pull. Half-cock notch is narrowed and a lowered strut pin hole reduces full-cock spring pressure. Narrowed spur minimizes drag; a big opening reduces weight. SPECS: 4140 alloy steel, blue, or 420 stainless steel, SS. Rc 52-54,

.020"-.022" hook height, Gunsmith installation recommended. #087-000-009DF Blue Barstock Hammer 7H43X03. \$ 53.99 #087-000-010DF SS Barstock Hammer 7H46X86..... 58.99

INFINITY 1911 AUTO XCELERATOR HAMMER

Lightweight Design: Hard Tool Steel For Long Lasting Performance



Skeletonized profile removes excess weight; gives faster lock times and improved accuracy. EDM-cut from cryo-treated S7 tool steel for a lasting edge. Narrowed body prevents slide drag; smoothes function. Half cock notch is narrowed to prevent sear damage. Square cut and polished hooks require just light, final stoning to produce a first class trigger pull. Three popular styles for competition and carry guns.

SPECS: Machined S7 tool steel, cryo-treated, hardened to Rc 54-56. Available in - Commander (Comm), Square (SQ), Spur. Polished

Diue. Gurisiriitii ii	istaliation reconninenteu.	
#823-102-105DF	Commander Hammer 3B62C12\$ 77.65	,
#823-102-106DF	Square Hammer 3B62C12	,
#823-102-107DF	Spur Hammer 3B62C12	,

EDM SEAR - Precision, EDM-cut from ultra-hard, A6 tool steel that holds those finely-honed edges longer for a trigger job that lasts. SPECS: S-7 tool steel, in-the-white. **#823-103-106DF EDM Sear** 3B32C11.....\$ 40.13

MASEN 1911 AUTO **HAMMER**

Quality, Affordable Replacement Hammers

Quality castings, CNC finish machined and hardened with custom features for all shooting

styles. Standard (Std.) - Faithful reproduction of the original 1911 Auto hammer with long, checkered spur. Oval Commander (OC) - Large, oval hole lightens weight, and serrations ease hammer pull. Wide Spur (WS) - Bullseye hammer with an extrawide, checkered spur for easier cocking.

SPECS: Steel, blued or stainless steel, matte finish.
#555-103-010DF Blue Std. Hammer 6E12V49 \$ 14.99
#555-103-110DF SS Std. Hammer 6E13B55 19.99
#555-103-011DF Blue OC Hammer 6E15B2824.99
#555-103-111DF SS OC Hammer 6E18B9524.99
#555-103-012DF Blue WS Hammer 6E14B42
#555-103-112DF SS WS Hammer 6E16B7317.95

NIGHTHAWK CUSTOM 1911 AUTO HAMMER & SEAR

Machined & Hardened To Hold Dimensions & Resist Wear

Match grade hammer and sear are cut from solid tool steel bar stock, fully machined, and hardened to hold precise dimensions and stand

up to many thousands of rounds without wear. Mirror polished engagement surfaces on sear ensure an exceptionally crisp, clean-breaking let off. Hammer has oval hole to reduce weight and crisp serrations to prevent slippage when cocking or un-

SPECS: Hardened tool steel, Hammer - Blued, Sear - Heat-treated,

#100-003-268DF	1911 Hammer 2B36H76	.\$ 45.95
#100-003-269DF	1911 Sear 2B17H56	21.95

NOWLIN MFG. 1911 AUTO HAMMER



Three Grades To Satisfy All Types Of Shooters

Fully prepped and ready to install. Fully-cut hooks and pre-ground engagement surfaces don't require additional work. 201 Pro - Wire EDM'd then machined from tool steel to provide long life for competition use. Lightweight, cutaway loop. 201 CS - Traditional, Commander -style loop.

EDM'd and fully CNC machined. SPECS: 201 Pro - S7 tool steel, matte finish. 201CS - 420XL stainless tool steel, matte finish. All hammers Rc 50-53.

654-217-201DF	201 Pro Hammer 4E44P96 .	56.20
654-217-202DF	201CS Hammer 4E42P25	52.82

STI 1911 AUTO HAMMER

Three Functional Styles In Two Durable Materials For Match & Carry Use

Fully squared and cut hammer hooks, polished and ready to install as a vital part of a complete, custom trigger job. Match-quality in three of the



most popular styles to meet the needs of both the competitive and self-defense shooter. Electro-discharge machined from either long-wearing tool steel to guarantee correct fit and per-

SPECS: Tool steel, in-the-white. Available in Commander, Squared or Spur style

#791-102-001DF Commander	Hammer 1G33A71\$ 44.9!
#791-102-002DF Squared Han	nmer 1G33A71 44.9!
#791-102-003DF Spur Hamme	er 1G33A71

WILSON COMBAT 1911 AUTO ULTRALIGHT HAMMER

"Skeletonized" Design, Long-Wearing Steel

The last bit of extra weight has been stripped away for minimum weight and faster locktime. Machined from A-2 tool steel or Stainless Steel and hardened for superior strength and long life. Sear engagement hooks pre-cut to .020" height and ground;

ready to polish. Rebated width on half-cock prevents sear nose damage. Combat-style spur is serrated for fast, easy thumb grip. Narrowed body can't interfere with slide travel.

SPECS: Stainless steel (SS) or A-2 steel, heat treated to Rc 48-52. Fits Series 70 and 80. Minor fitting required.

#965-337-002DF A-2 Ultralight Hammer 5F42X13 . .\$ 49.95 **#965-337-001DF SS Ultralight Hammer** 5F33X52.... **54.95**

WILSON COMBAT 1911 AUTO VALUE LINE HAMMER & SEAR

Reliable Performance: Affordable Price

Ready to install, fully finished parts give a crisp, clean trigger pull. All engagement surfaces are correctly ground for positive hammer/sear engagement. Hammer has low-mass oval cut spur that reduces lock time. Narrowed sides improve function by reducing drag. Sear primary angle is cut; just polish it and stone the relief angle for a super clean breaking trigger.

SPECS: MIM 4340 steel, Rc 47-52. Matte black finish. #965-314-110DF Value Hammer 5F24V74 \$ 29.99

WILSON COMBAT 1911 AUTO DELUXE

COMMANDER HAMMER Light, Narrowed; Full-Width, Half-Cock Notch

Grooved, fully relieved and lightened spur gives positive, no-slip thumb grip. Gold Cup-style, repositioned hammer strut hole reduces full cock spring pressure for a crisp, lighter feeling trigger pull. Hammer hooks are precision ground to .020", squared, ready for light stoning/final polish. Narrowed half-cock notch prevents sear nose damage. SPECS: EDM from carbon steel, bar stock, Fits Series 70 and 80. Gunsmithing required.

#965-299-001DF Commander Hammer 5F40T85....\$ 47.95

EGW 1911 AUTO COMPETITION SEAR

Hardened EDM Sear For Match-Quality Triggers

Get a cleaner-breaking, lighter feeling trigger pull without stoning. Precision EDM machining assures correct "out of the package" sear angle for full hammer/ sear engagement without time consuming stoning or additional work. Made from ultra-hard tool steel and heat treated

SPECS: Machined steel. Rc 60-61. Fits 1911 Auto only. #296-100-002DF 1911 Auto Comp Sear 6B24V00 \$ 30.00

ED BROWN 1911 AUTO MATCH SEAR

Extra-Hard For Long-Wear Life, Clean Break

Precision finished from 4340 alloy that will stone sharper and wear longer. Correct geometry assures positive sear/hammer engagement and helps prevent dangerous sear bounce and hammer follow. Made to maximum 1911 Government Model specs for long life and du-

SPECS: Steel, hardened and heat treated.

for longer life.

#087-812-000DF Brown Match Sear 7H19Z96 \$ 21.20

SATISFACTION GUARANTEED SINCE 1939

Office/Tech: 641-623-5401

BROWNELLS PAGE 18

ED BROWN 1911 AUTO PERFECTION SEAR

Perfectly Mated For A Precise Trigger Pull

Ready to use as the final touch in a match trigger job. Pre-fit with primary angle already cut; simply stone the correct relief angle and install. SPECS: 4340 tool steel, blued, Hardened to Rc 50.

#087-045-874DF Perfection Sear 7H25C46 \$ 31.85

NOWLIN MFG. 1911 AUTO SFAR

Custom Performance With No Stoning Required

Sears that you can drop right in feature pre- ground and fully-prepped nose angles. No final stoning required for custom performance. Factory Enhanced -Metal injection molded; hardened, then machined for a close tolerance fit and long-lasting function. Pro Match - CNC

machined from S7 tool steel, then double heat treated to provide non-captive sear angles that stay sharp and won't round off. SPECS: Factory Enhanced - MIM steel, blued. Pro Match - S7 tool steel, in-the-white.

#654-270-100DF Factory Enhanced Sear 4E11B45..\$ 14.32 #654-270-101DF Pro Match Sear 4E18B81 24.95

STI 1911 AUTO MATCH GRADE SEAR

Premium Match Grade For A Dependable, Crisp Letoff

Electro-discharge machined to give the precision sear geometry needed for improved trigger pull. Features ground and polished angles for less work and faster installation on match-grade trigger jobs. Made

from S-7, shock-grade, tool steel, then specially hardened for longer service life on competition pistols firing many thousands of rounds per year.

SPECS: Steel, S-7, in-the-white.

#791-101-110DF Premium Grade Sear 1G17A50....\$ 21.87

WILSON COMBAT 1911 AUTO SEAR

Meets The Demands Of Competition & Self-Defense

EDM cut from tool steel bar stock, heat treated for maximum hardness then ground to a beautiful, high polish to achieve a smooth, crisp, clean trigger pull. SPECS: EDM cut from tool steel bar stock.

#965-314-000DF Deluxe Sear 5F24V56.....\$ 29.95

BRILEY 1911 AUTO DISCONNECTOR

Fits All Frames For Great Trigger Pull

MIM steel with all bearing surfaces highly polished for smooth functioning. Drop-in fit saves shop time. Heat treated to improve durability.

SPECS: MIM Steel, blue, matte finish. Fits Series 70 & 80

#129-121-100DF Blue Disconnector 9B17U14 \$ 21.43

ED BROWN 1911 AUTO PERFECTION DISCONNECTOR

Precise Fit, Perfect Functioning In 1911 Triggers

Designed to work with Ed Brown's Perfection Sear and Hardcore Hammer for crisp, high performance trigger jobs. Heat treated for super durability in rugged service. All machined surfaces are finished and dimensionally precise to ensure perfect fit and smooth functioning. Gunsmith installation required. 💳

SPECS: Steel, blued. Fits all 1911 pistols including hi-capacity models

#087-000-040DF Perfection Disconnector 7H16C96.\$ 21.20

INFINITY 1911 AUTO TRI-GLIDE DISCONNECTOR

Reduced Mass & Friction, Improves Trigger Performance

Reduced weight resets faster on guns with very light trigger pulls. Low friction head has reduced bearing area, gives trigger a smooth feel with a crisp, clean break. CNC machined from bar stock for greater strength. SPECS: 4140 steel, blue.

#823-109-000DF Tri-Glide Disconnector,

NIGHTHAWK CUSTOM 1911 AUTO BAR STOCK DISCONNECTOR

Polished Engagement Surfaces For A Precise, Clean-Breaking Trigger

Robust, match grade replacement for your pistol's factory disconnector has precision ground engagement surfaces to ensure an exceptionally crisp trigger without creep or mushiness. Fully machined from solid steel bar stock, then hardened to maintain precise dimensions and finished with Nighthawk's proprietary Perma Kote™ process before final polishing of slide notch and

sear spring contact surfaces. SPECS: Hardened steel, blued. Gunsmith fitting required. #100-003-261DF Bar Stock Disconnector 2B16H46 .\$ 19.99

NOWLIN MFG. 1911 AUTO PRO IMPROVED DISCONNECTOR

Pre-Fit & Polished For Smooth, Dependable Function

Slide notch and sear spring surface are fully-polished after hardening to maintain the correct overall length; no further fitting required. Nowlin's exclusive, long-wearing, fully-machined, hardened disconnect made even better with pre-polished engagement surfaces for achieving that "breaking-glass" trigger pull so sought after by experienced shooters. Drops right in to any 1911 Auto for improved function or make it a part of your next trigger job.

SPECS: 4140 steel, blue, matte-finish. 1.3" (3.3cm) long. #654-000-048DF Pro Improved Disconnector,

STI 1911 AUTO DISCONNECTOR

For A Smooth, Reliable Trigger Pull

A malfunctioning disconnector puts your safety and those of others around you at risk. Replace a worn or damaged disconnector with this replacement precision formed from exceptionally strong FN 0205 nickel-steel alloy. Heat-treated to Rc 61 to resist surface wear, and given a tough, long-lasting black oxide finish. Factory original part for STI pistols; will also fit most other 1911s. Gunsmith fitting may be required.

SPECS: Steel, blued. 1.304" (33.1mm) OAL. Fits all 1911

#791-000-072DF STI Disconnector 1G12T29 .\$ 15.37

EGW 1911 AUTO EXTRA-LONG HAMMER STRUT

Improved Radius For **Better Performance**

Machined stainless steel and ti-

tanium struts keep the hammer under mainspring tension even at the "hammer-down" position. Improved radius prevents the strut from contacting the sear spring and prevents interference with most grip safeties.

SPECS: Stainless steel or Titanium, matte finish, silver .2.2" (5.5cm) long, fits 1911 Govt. & Commander.

#296-000-077DF Hammer Strut, SS 6B07A31 \$ 8.99 **#296-000-078DF Hammer Strut,** Ti 6B09A72...... 12.99

ED BROWN 1911 AUTO HAMMER STRUT

Perfected Geometry For Optimal Performance

Correct radius for proper clearance between the sear spring and grip safety. Ensures consistent hammer fall for maximum reliability. Heat-treated tool steel for long lasting durability. SPECS: Cast. 8620, tool steel, blue finish, 2.2 " (5.6cm) long. 087-823-000DF Hammer Strut 7H06Y07 \$ 7.99

STI 1911 AUTO TITANIUM HAMMER STRUT




An important link in a complete, lightweight 1911 Auto ignition system for increased performance and improved accuracy. EDM'd from titanium alloy; improved geometry helps eliminate interference with most grip safeties. 💻

SPECS: EDM titanium, 2.2" (5.6cm) long. Avg. wt. 28.5 grains. #791-105-100DF Titanium Hammer Strut 1G12A45.\$ 14.99

EGW 1911 TITANIUM MAINSPRING CAP

Light Weight Helps Decrease Lock Time



#296-000-086DF Ti Mainspring Cap, Govt/Comm.,

STI 1911 AUTO MAINSPRING CAP

Ready To Install: Hard Black Oxide Finish

Don't put a worn or dinged mainspring cap back in your gun when replacing the spring or mainspring housing. This cap is precision machined from high-grade 4140 carbon steel, then heattreated for extra hardness to ensure secure, reliable spring retention. Durable, black oxide finish adds strength, surface wear resistance, and corrosion protection. Factory original part for STI 1911 and 2011 pistols.

SPECS: 4140 steel, matte black oxide finish. #791-000-083DF Mainspring Cap 1G03U94......\$ 4.99

BRILEY 1911 AUTO FIRING PINS & STOPS Correctly Sized By Caliber For Best Fit

Properly sized for each caliber to provide reliable function, fit and eliminate primer flow. Radiused Stop edges prevent stress fractures.

SPECS: Firing Pin - (FP) 17-4 Stainless steel. Hardened to Rc 38-40. Firing Pin Stop - Steel, blue, matte finish (BL), or stainless

#129-119-009DF	9mm/38 Firing Pin 9B09P66\$ 12.09
#129-119-045DF	.45 ACP Firing Pin 9B09P67 12.09
#129-120-009DF	9mm/38 BL Firing Pin Stop,
	<i>9B13P84</i>
#129-120-109DF	9mm/38 SS Firing Pin Stop,
	<i>9B14P56</i>
#129-120-045DF	.45 ACP BL Firing Pin Stop,
	<i>9B13P84</i>
#129-120-145DF	.45 ACP SS Firing Pin Stop,
	<i>9B14P57</i>



ED BROWN 1911 AUTO FIRING PIN

Sized To Fit Correctly & Eliminate Primer Flow

High-qual-

ity firing pins that are specifically sized to reduce the chances of primer flow. Proper weight for positive ignition with heavy-duty springs. Correct tip diameters in 9mm/.38 Super provide a close, firing pin hole fit for slides built to Colt or Springfield Armory dimensions.

SPECS: A-2 steel, blued. #824 fits Series 70/80 Colt .45 ACP, #825 fits Series 70/80 in 9mm/.38S/ 10mm/.40 S&W. #826 Special size for 9mm/.38S. .45 ACP Sprinafield, Inc.

3 087-205-824DF	#824 Firing Pin,
THE STATE OF THE S	7H05D41
#087-205-825DF	#825 Firing Pin,
	7H05D06
#087-205-826DF	#826 Firing Pin,
	7H05D06



ED BROWN 1911 AUTO HARDCORE® FIRING PIN & FIRING PIN STOP

Superior Toughness & Lifetime Replacement

Firing pin provides the correct weight for reliable ignition with all types of primers. Machine-turned from tool steel and specially heat treated to last for years. .45 ACP only. Stop is oversized for the tightest, drop-in fit available; keeps the extractor properly oriented. Both include Ed's LIFETIME GUARANTEE.

SPECS: Tool steel, in-the-white (ITW) or stainless steel, (SS) silver finish. Stop fits all calibers of 1911 Auto and clones.

#U8/-8U8-UUTDF	ITW Hardcore F/P,	
	7H08Z46\$	10.60
#087-809-100DF	ITW Hardcore F/P Stop,	
	7H13Z56	16.95
#087-809-101DF	SS Hardcore F/P Stop,	
	7H14Z41	18.01
	#087-809-100DF	#087-809-100DF ITW Hardcore F/P Stop, 7H13Z56



EGW 1911 AUTO FIRING PIN

Durable Stainless Steel; Available In Three Diameters For Precise Clearance

Tough, durable firing pins are precision machined from extrahard stainless steel to fit in the slide with .001" clearance to help eliminate "primer flow" with hot loads. Helps prevent jams and misfires caused by the primer backing out. Available in three diameters; select the diameter that provides just enough clearance through the hole in the firing pin stop of your gun. .068 normally fits Colt and Caspian 9mm/.38 Super/.40/10mm. .075 fits Springfield Armory 9mm/.38 Super/10mm/current-production .45 ACP. .093 fits most .45 ACP, including older-production Springfield. Fit may vary; measure your gun to be sure you select the correct size pin.

SPECS: Stainless steel. Available in .068", .075", and .093" diam-

Firing Pin, .068",	
6B09Ū68\$	11.99
Firing Pin, .075",	
6B09Ŭ68	11.99
Firing Pin, .093",	
6B09Ŭ68	11.99
	6B09Ŭ68



NIGHTHAWK CUSTOM 1911 AUTO FIRING PIN & STOP



Super Strong, Sized To Help Prevent Primer Flow & Extraction Problems

Firing Pin is machined to exact tolerances from stainless steel for a tight, precise fit to prevent primer flow. Separate models for .45 ACP and 9mm/.38 Super, so you can get the correct weight and size to ensure reliable ignition in your gun with a variety of primers. Firing Pin Stop is machined slightly oversized from solid carbon steel bar stock, allowing for custom fitting to get a solid, exact fit that keeps the extractor properly positioned for reliable extraction and feeding.

SPECS: Firing Pin – Stainless steel. Models for .45 ACP and 9mm/.38 Super. Firing Pin Stop – Steel, blued. Fits all calibers.

#100-003-255DF	.45 ACP Firing Pin 2B09H95 \$ 11.95	
#100-003-256DF	9mm/.38 Super Firing Pin 2B10H10. 14.99	
#100-003-257DF	Firing Pin Stop 2B14H82 19.99	

STI 1911 AUTO FIRING PIN


Long Wearing Steel & Ultra-Lightweight Titanium

Steel - Precision machined from long-wearing stainless steel; hardened and relieved for increased shock-resistance. **Titanium** - Dramatically lowers lock time.

SPECS: Stainless steel or titanium. Fits 1911 Auto Series 70 and Series 80.

STK # .38 S	STK # .45 ACP	MODEL	PRICE
#791-104-038DF	#791-104-045DF	Steel	1G06A25 \$ 7.82
#791-104-138DF	#791-104-145DF	Titanium	1G16A63 \$ 20.78

WILSON COMBAT 1911 AUTO BULLET PROOF™ FIRING PIN & STOP



Firing Pin - Machined to exact tolerances, then heat treated for many times the service life of a standard firing pin. Available for .38/9mm and .45 ACP. Firing Pin Stop - Machined to fit correctly in the slide; holds the extractor in proper relationship to the rim for reliable extraction. Radiused edges prevent stress risers and fatigue cracking. May require minor fitting.

SPECS: Firing Pin - Steel, in-the-white, fits both Series 70 and 80 Series. Models for .38/9mm and .45 ACP. Firing Pin Stop - Fits all calibers. 70 Series - Steel, matte blue finish or stainless steel. .80 Series - Steel matte blue finish

#965-416-000DF	.45 ACP Firing Pin 5F12T26\$	14.95
#965-416-001DF	.38/9mm Firing Pin 5F12T62	14.95
#965-399-070DF	Steel 70 Series Firing Pin Stop,	
	5F15T88	18.95
#965-399-001DF	SS 70 Series Firing Pin Stop,	
	<i>5F16T36</i>	19.95
#965-399-080DF	Steel 80 Series Firing Pin Stop,	
	5F15T88	18.95

EGW 1911 AUTO OVERSIZED FIRING PIN STOP

Helps Ensure Reliable 1911 Auto Ejection

Machined steel firing pin stop is wider and thicker than factory model to prevent extractor movement. Sized specifically to give a no-gap fit on .45 ACP Colt Series 70 pistols. Rounded corners prevent cracking for a long service life.

SPECS: Machined steel, black oxide finish. Approximately .48" (12.2mm) wide, .65" (18.6mm) long, .13" (3.3mm) high. Fits Colt Series 70 1911 Auto in .45 ACP only.

#296-000-058DF Oversized Stop 6B12D00...... \$ 15.00

OVERS Helps F

EGW 1911 AUTO OVERSIZE FIRING PIN STOP

Helps Prevent Extractor Rotation For Improved Extraction

Oversized in width so you can gunsmith it for a tight fit. That helps keep the extractor face square to the case rim for improved extraction and feeding. Bottom edge is left square, ready for final fitting to help slow slide opening and increase dwell-time with major power factor ammunition.

SPECS: Steel, blued. 48' (12mm) wide, .133' (3.3mm) thick. Fits 9mm/.38 .40/10mm and .45 1911 Auto only. For Series 70 or 80.

#296-100-001DF O/S Firing Pin Stop 6B12V00.....\$ 15.00

ED BROWN 1911 AUTO FIRING PIN STOP

Heat-Treated Steel Alloy For Long Life

Won't peen out or lose shape because it's machined from heat-treated, alloy steel for long-wearing performance. Made to maximum factory spec to provide a tight, wobble-free fit that holds the extractor in the correct position for maximum reliability and function.

SPECS: Steel, blued or stainless steel (SS), natural finish. Fits 1911

Auto only.	
#087-000-036DF S	Series 70 SS F/P Stop 7H09C31\$ 11.65
	Series 70 Blue F/P Stop 7H08C46 10.60
#087-000-039DF S	Series 80 SS F/P Stop 7H09C31 11.65
	Series 80 Blue F/P Stop 7H08C86 9.99

STI 1911 AUTO FIRING PIN STOP

Standard Or Trimmed To Clear Low Mount Sights

Machined to exact dimensions for precise dropin fit; available standard (STD) or trimmed (TR) to give clearance for low mount sights. Hardened steel

holds its shape; positions the extractor in correct alignment for reliable extraction.

SPECS: Steel, in-the-white. May require minor fitting.	
#791-112-001DF 9mm/40 STD Firing Pin Stop,	
1G09V58	11.98
#791-112-100DF 9mm/40 S&W TR Firing Pin Stop,	
1G09B58	11.98
#791-112-045DF .45 STD Firing Pin Stop 1G09V58	11.97
#791-112-145DF .45 TR Firing Pin Stop 1G09B58	11.98
8 1	

ED BROWN 1911 AUTO BOBTAIL MAINSPRING HOUSING

Reduced Bulk For Concealed Carry Guns

Eliminates the sharp profile at the rear of the grip that can "print" when carrying a concealed 1911 Auto. Reduces bulk without

reducing magazine capacity or performance. Removes nearly ½" of material from the butt while maintaining correct grip position. Also requires modification of grip

correct grip position. Also requires modification of grip panels. Choose from Smooth, Checkered (25 lpi), Snakeskin, or Chain-

Smooth, Checkered (25 lpi), Snakeskin, or Chainlink patterns. Installation Jig gives precise location of mainspring hole.

SPECS: Steel, blued (Blue), or stainless (SS). Mainspring Housing (MH). Installation Jig includes instructions.

 7H53D51
 66.90

 #087-000-049DF
 Bobtail MH Chainlink, SS 7H56D06
 70.10

 #087-953-000DF
 Installation Jig 7H36A13
 45.16





Arched Arc Blank Gro

ED BROWN 1911 AUTO MAINSPRING HOUSING

Traditional Shapes, Plus Different Surfaces Let Every Shooter Get Their Favorite Grip Feel

Both classic and contemporary looking mainspring housings combine form and function, so there is no compromise in grip control even though they look great. Flat shaped housings are available with popular 25 lpi checkering preferred by many shooters, as well the latest Snakeskin and Chainlink patterns that provide a secure gripping sur-

face without the "sharpness" of machine cut checkering. Because they won't abrade your hand or clothing, they make the perfect addition to competition and carry guns. Traditional, Arched shaped mainspring housing rides high in the heel of the hand to keep it close to the bore for minimal muzzle rise and excellent recoil control, and is available with a Grooved surface to provide a firm grip with little drag on clothing. Blank models are completely smooth to allow custom checkering or engraving, and are available in both flat and arched shapes.

SPECS: Steel, blued or stainless steel (SS) natural finish. Fits Govt./Comm./Para-Ordnance P14. P15. P16.

	FLAT 25 LPI CHECKERING
#087-000-027DF	Blued Flat 25 lpi MS Housing,
	7H50C96
#087-000-028DF	SS Flat 25 lpi MS Housing 7H51C13 63.99
	FLAT BLANK
#087-113-100DF	Blued Flat Blank MS Housing,
	7H25A46
#087-113-101DF	SS Flat Blank MS Housing,
	7H25A46
	FLAT SNAKESKIN
#087-000-005DF	Blued Flat Snakeskin MS Housing,
	7H47X56
#087-000-006DF	SS Flat Snakeskin MS Housing,
	7H50X96 63.70
	FLAT CHAINLINK
#087-000-041DF	Blued Flat Chainlink MS Housing, 7H38D21\$47.76
	7H38D21\$ 47.76
#087-000-042DF	SS Flat Chainlink MS Housing,
	7H38D21
	ARCHED BLANK
#087-000-034DF	Blued Arched Blank MS Housing,
	7H33C96
	ARCHED GROOVED
#087-000-025DF	Blued Arched Grooved MS Housing,
	7H33C96
#087-000-026DF	SS Arched Grooved MS Housing,
	7H33C9642.45

GUNCRAFTERS INDUSTRIES 1911 AUTO LANYARD MAINSPRING HOUSING

Helps Keep Your Sidearm At Your Side

LES BAER CUSTOM 1911 AUTO MAINSPRING HOUSING



Machined After Casting For A Tight, Wobble-Free Fit

Puts an end to the unsightly gap between the mainspring housing and the frame. These are the same flat, serrated housings Les uses on his own custom 1911 Auto pistols. Cast oversized, then finish machined for a tight, gap-free fit on all commercially-available 1911 Auto frames.

4B30H67 \$38.35 #124-153-101DF SS Mainspring Housing, 4B30H67 38.35

MASEN 1911 AUTO CHECKERED MAINSPRING HOUSING

Solid Steel, Checkered Surface Improves Grip, Controls Recoil

20 LPI checkering greatly improves the grip and helps keep the pistol steady in the hand for improved recoil control. Finish-

machined from a solid steel casting, no fitting required. SPECS: Chrome Moly blued (BL) or 410 stainless steel (SS), flat (FL) or arched (AR). Fits Govt./Commander (GM) 2½ "(5.2cm) long, .536" (13.6mm) wide.

ong, .550 (18	o.ommin vvide.			
STOCK # BL/FL	STOCK # BL/AR	STOCK # SS/FL	STOCK # SS/AR	FITS
#555-102-001DF	#555-102-002DF	#555-102-003DF	#555-102-004DF	GM
– Advise # –		lainspring H	ousing,	10 00
– Advise # –		ainspring Ho		13.33
	6E16V25			. 20.50

MASEN 1911 AUTO SERRATED MAINSPRING HOUSING



Solid Steel, Serrated, OEM-Style Replacement Housings

An exact reproduction of the original factory mainspring housing, complete with vertical serrations that help improve grip but won't grab clothing. Finish-machined from a solid-steel casting; excellent for restoring or building any 1911.

 SPECS: Blued (BL) or stainless steel (SS), flat

 (FL) or arched (AR). Fits Govt./Commander.

 #555-101-001DF BL/FL Mainspring Housing,
 6E13498
 \$ 19.99

 #555-101-002DF BL/AR Mainspring Housing,
 6E13V98
 19.99

 #555-101-003DF SS/FL Mainspring Housing,
 6E16V38
 19.99

 #555-101-004DF SS/AR Mainspring Housing,
 6E16V38
 19.99

Shop

mainspring housing

Search

brownells.com



NIGHTHAWK CUSTOM 1911 AUTO MAINSPRING HOUSINGS



Fully Checkered For A Firm, Nonslip Grip

Get a solid grip on your Govt. or Officers Model with the crisp, clean 25 lpi machine-cut checkering on these all-steel mainspring housings. Helps improved accuracy by keeping the pistol correctly positioned in the shooting hand for a consistent hold and improves recoil control. Great for combat or competition pistols. Flat (FL) model offers a clean, low profile that lets you get a good, solid grip. Arched (AR) has the bump or rounded swell toward the bottom of the housing that aids in maintaining a higher grip. Magwell (MW) model combines the flat housing with a separate, enlarged magazine well that helps speed magazine changes. Magwell removes easily for carry or other times when a low profile is required. Ball bearing detent eliminates play for solid contact between magwell and housing. SPECS: Steel, blued, matte finish.

#100-003-233DF	Govt. FL MS Housing 2B33X56\$ 41.95
#100-003-237DF	Govt. AR MS Housing 2B32C76 40.95
#100-003-234DF	Govt. MW MS Housing 2B63X96 79.95
#100-003-235DF	Officers FL MS Housing 2B33C56 41.95
#100-003-238DF	Officers AR MS Housing 2B32C7640.95
	Officers MW MS Housing 2B62C36 . 77.95



SMITH & ALEXANDER 1911 AUTO LANYARD LOOP MAINSPRING HOUSING

Provides Additional Weapon Security & Retention

Military-type lanyard loop gives extra security, and peace of mind, that your handgun will not be accidentally dropped or lost during extreme tactical situations. Excellent for use in military re-enactments or anytime the handgun must be

secured to your body or equipment. Checkered models feature non-slip, 20 LPI checkering; improves grasp and helps counter the effects of recoil.

SPECS: Steel blue finish Fits 1911 Auto

Si ECS. Steel, blue Illisti. Fits 1911 Auto.
#849-000-005DF Flat Checkered <i>9D36A25</i> \$ 46.95
#849-000-006DF Flat Smooth 9D36A25
#849-000-015DF Arched Checkered <i>9D36B43</i> 45.53

 $\underline{\textbf{LANYARD LOOP}}$ - Replace lost or broken lanyard loops, or add a loop to any 1911 for improved weapon retention. Installs easily to the bottom of the mainspring housing; drill three holes and secure with supplied roll pin. Available blued or stainless to match your pistol.

SPECS: Steel, blued or stainless steel (SS), natural finish. 1/4" 16 Amml Jona 3/4" 19 Emml wido

	Blued Lanvard Loop 9D07B99 9.99
	SS Lanyard Loop 9D07B99 \$ 9.99
(0.411111) long, 78	

-WILSON COMBAT 1911 AUTO -**V-GRIP**

MAINSPRING HOUSING

Fully Checkered, Consistent High Grip

Fully machined, drop-in mainspring housing forces the web of the hand high into a beavertail-style grip safety. Fully checkered for a positive grip.



SMITH & ALEXANDER MAINSPRING HOUSING

Fully-Checkered, Drop-In Fit

The combat shooters choice for increased grip and comfort. Helps keep the gun from shifting in your hand during recoil. Made from solid steel. Checkered models feature machine cut checkering in 20 lines per inch. Smooth models,

with no checkering for concealed carry use. Available to fit the 1911 Government/Commander, Officers and Para-Ordnance P-14/P-16. No fitting required.

SPECS: Steel, blued (BL) or stainless (SS), flat (FL) or arched (AR). Available to fit Govt./Commander (GM). Officers Model ACP (OM). Para-Ordnance P-14/P-16 (PO1).

CHECKERED MAINSPRING HOUSINGS

STK # BL/FL	STK # BL/AR	STK # SS/FL	STK#SS/AR	FITS
#849-005-010DF	#849-005-011DF	#849-005-110DF	#849-005-111DF	GM
#849-006-010DF	#849-006-011DF	#849-006-110DF	#849-006-111DF	OM
#849-002-010DF	#849-002-011DF	#849-002-110DF	NA	P01

#849-001-011DF	NA	#849-001-111DF	NA	GM
- Advise # -	S&A Mains	pring Housing	9D27X65	\$ 36.95

VZ GRIPS 1911 AUTO LIGHTWEIGHT MAINSPRING HOUSING

Shaves Weight For A Fast Handling, Easy-To-Carry Pistol

Flat mainspring housing machined from 6082-T6 aluminum helps achieve maximum weight reduction for shooters who want the advantages of a light, custom carry or competition gun. Weighs only 17 grams - over 2½ times lighter than similar flat housings made of steel. Checkered model is bead-blasted, then treated with a proprietary, black or silver hardcoat anodized finish that's denser and more abrasion-

resistant than traditional sulfuric anodizing; 20 lpi checkering improves grip and is less prone to snagging on clothing than extra-fine line patterns. Plain model is smooth without anodizing to allow custom checkering and finishing by the gunsmith. SPECS: 6082-T6 aluminum, Checkered - hardcoat anodized, matte Black or Silver. Plain - in-the-white, unanodized, Govt - Fits Government and Commander models. Off - Fits Officers model.

STOCK # GOVT	STOCK # OFF	STYLE	COLOR
#100-003-021DF	#100-003-188DF	Checkered	Black
#100-003-022DF	#100-003-213DF	Checkered	Silver
#100-003-023DF	#100-003-214DF	Plain	Silver

- Advise # - Lightweight MS Housing 7A34V95. \$ 45.00

WILSON COMBAT MAINSPRING HOUSING

Fully Checkered, No-Slip Grip

Solid steel mainspring housings with deep checkering keep the 1911 Auto firmly located in the shooting

SPECS: Blued steel or stainless steel. 21/16" (5.23cm) long, .536" (13.6mm) wide. 30 lpi checkering. G/C fits Govt. and Commander frames. OM fits Officers ACP lenath frames.

STOCK #	FINISH	STYLE/FITS	PRICE
#965-092-001DF	Blue	Flat (G/C)	5F40C91 \$ 46.99
#965-092-101DF	Stnls.	Flat (G/C)	5F42C16 \$ 48.95
#965-092-003DF	Blue	Flat (OM)	5F40C44 \$ 46.95
#965-092-103DF	Stnls.	Flat (OM)	5F42A16 \$ 48.95

SPECS: Blued (BL) or stainless steel (SS). #965-000-035DF V-Grip MS Housing, BL 5F39D40 ...\$ 46.95 #965-000-036DF V-Grip MS Housing, SS 5F42D16.... 48.95

DAWSON PRECISION PARA-ORD **MAGWELL & BASEPAD**

Easy Installation; Rapid Reloads & **Increased Capacity**

CNC machined, T6 aircraft aluminum magwell installs quickly and easily with no special tools and helps



you make lightning-quick magazine changes. Aluminum basepad slides onto the magazine body and locks into place. Removes in seconds for easy cleaning. Adds 3-4 rounds to P14 magazine and 5-6 rounds to P16 mag, depending on caliber. Requires extended magazine spring.

SPECS: T6 aircraft aluminum, matte black or silver, Fits Para-Ord-

nance only.		
#100-002-222DF	PARA Silver Magwell,	
	9A39D99	\$ 49.9
#100-002-224DF	PARA Black Magwell,	
	9A39D99	49.9
#100-002-225DF	PARA Silver Basepad,	
	9A27D99	34.9
#100-002-223DF	PARA Black Basepad,	
	9A27D99	34.9

ED BROWN 1911 AUTO DROP-IN MAXI-WELL



Easier, Faster Reloads; Improves The Grip; No Gunsmithing Required

Drops right onto 1911 Auto frames without gunsmithing, and the separate magazine well can be removed without disassembling the pistol. Enlarged magwell greatly increases frame opening for

faster and easier magazine changes. Flat housing increases grip surface area to help keep the pistol from riding up during rapid fire. Available in blue or stainless steel with 25 lpi machined checkering that helps keep the pistol centered in your grip. Also available with the exclusive Snakeskin and Chainlink designs. Both machined-in patterns provide a very secure, non-slip gripping surface, without the "sharpness" of conventional checkering that can sometimes abrade your hand or grab at your clothing during a concealed carry draw.

SPECS: Steel, blued (BL) or stainless steel (SS). Available with 25 lpi checkering or with snakeskin or chainlink patterns. Fits Government or Commander length frames.


STOCK #	COLOR/LPI	PRICE
#087-819-030DF	SS/25	7H64Y99 \$ 80.99
#087-000-047DF	BL/25	7H62D86 \$ 78.60
#100-002-611DF	BL/Snakeskin	7H71Y36 \$ 89.20
#100-002-612DF	SS/Snakeskin	7H73T06 \$ 91.35
#087-000-043DF	BL/Chainlink	7H71D36 \$ 89.20
#087-000-044DF	SS/Chainlink	7H73D06 \$ 91.35

EGW SEMI-AUTO MAGAZINEWELL

Easy, Drop-In Installation For STI/SVI Frames

order on the web

www.brownells.com



SPECS: Aluminum, black or matte silver. 1.2 oz. (32 g) weight

#296-013-101DF	STI/SVI Silver Mag Well,
	6B40Z00
#296-013-100DF	STI/SVI Black Mag Well,
	6B40Z00



EGW SEMI-AUTO MAGAZINE WELL

Drop-In Fit For Caspian Frames


Drop-in, magazine well slides over the frame lips on Caspian pistols for a tight fit that won't work loose during long shooting sessions. Precision machined 60° angle helps you make fast, positive reloads. Oversize well protects magazine if the weapon is accidentally dropped. SPECS: Aluminum, black or matte silver. 1.2 oz. (32g) weight.

#296-016-100DF Caspian Black Mag Well.

	6B40X00	\$ 50.00
#296-000-076DF	Caspian Silver Mag Well,	
	6B40Z00	. 50.00

SMITH & ALEXANDER MAG GUIDE

Extra-Wide For Fast Reloads: No Alterations To Frame



additional leverage and greater recoil control. For a no-slip, noshift grip, mainspring housing features extra-defined, 20 lpi checkering, unless otherwise noted. Smooth models have uncheckered mainspring housing. Grooved model has full-length vertical grooves on the mainspring housing.

SPECS: Steel. Available blued (BL) or stainless steel (SS) with flat (FL) or arched (AR) mainspring housing to fit: 1911 Govt./Commander (GM); Officers Model (OM); Para-Ordnance P-14/P-16 (PO). Para-Ordnance models require minor modification of frame with hand tools: instructions included.

STK # BL /FL	STK # BL /AR	STK # SS/FL	STK # SS/AR	FITS
#849-011-001DF	#849-011-002DF	#849-011-101DF	#849-011-102DF	GM
#849-103-010DF	#849-103-011DF	#849-103-110DF	#849-103-111DF	PO
#849-200-001DF	#849-200-002DF	#849-200-101DF	#849-200-102DF	OM
Advise # Advise # #849-000-016D #849-000-022D	Para-Ord M F Smooth BL F Smooth SS	/FL Govt 9D5 /FL Govt 9D5	69Z00	95.95 78.95 78.95

SLIM LINE MAG GUIDE - The same, 100% bigger, mag well opening for "can't miss" mag changes with narrower sides that match this ner, slim grips. Checkered 20 lpi, unless other wise noted as Smooth.

SPECS: Steel. Available blued (BL) or stainle steel (SS) with flat (FL) or arched (AR) mainsprin housing to fit: 1911 Govt./Commander (GM); (ficers Model (OM).

ag	-
n-	
er-	
ess ing Of-	E

STK # BL /FL	STK # BL /AR	STK # SS/FL	STK # SS/AR	FITS
#849-000-007DF	#849-000-008DF	#849-000-009DF	#849-000-010DF	GM
#849-000-011DF	#849-000-012DF	#849-000-013DF	#849-000-014DF	OM
- Advise # - Slim Line Mag Guide,				
	9D58A50		\$ 7	79.95
#849-000-018DF Slim Line Smooth BL/FL GM,				
	9D58B50			78.95
#849-000-019DF Slim Line Smooth SS/FL GM,				
	9D58B50			78.95
LOW DROELLE DADA ORDNIANCE MAC CLUDES			4	

LOW-PROFILE PARA-ORDNANCE MAG GUIDES One-piece, drop-in mag guide/mainspring housing increases the magazine opening at the rear without increasing the overall size of the frame. Fills the area behind the magazine base pad for a more secure grip. 20 lpi checkering; flat contour only. SPECS: Steel, blued (BL) or stainless steel (SS) natural

finish; Fits P-14/F	-16 only.	1000
#849-100-001DF	BL Flat MS Housing,	
	9D58H50	\$ 78.95
#849-100-101DF	SS Flat MS Housing,	
	9D58Z50	78.95

STI STI/INFINITY MAGWELL

No Fitting For Rapid Reloads

Greatly increases mag well opening and reloading speed. Minimum bulk, conforms to IPSC height requirements. Select light-

weight aluminum for fast pointing, easy-to-carry guns. Stainless steel for increased durability, extra weight. Drop-on installation, fits to frame with no modifications, secured with extra length mainspring housing retainer pin.

SPECS: Black, aluminum, anodized finish. 1.1oz. (31g) wt. Silver, stainless steel. 3 oz. (85 g) wt. 13/4" (4.5cm) wide, 3" (7.4cm) long. Includes retaining pin.

#791-252-001DF Black Mag Well 1G37Z50......\$ 46.87



TECHWELL USA 1911 AUTO EXTENDED MAGWELL/GRIP KITS

Lightning-Fast Mag Changes; Drop-In Installation: No Permanent Alterations To Pistol

Rugged, machined aluminum components enhance shooter's grip and aid in fast, positive magazine changes for an edge in competition or combat. IDPA- and USPSA-legal extended magwell helps guide the magazine for fumble-free changes when seconds count, and requires no permanent alterations to pistol frame. The key is the full-length grips that provide secure retention of the magwell, yet allow you to



return your pistol to stock configuration simply by reinstalling the original grips. Grips have precision-cut 16 lpi full-surface checkering to help you maintain a firm hold even in the heat of competition. Excess metal has been machined away from the panel interior to reduce weight without sacrificing strength. Cut for ambi safeties; panels conceal the mainspring housing pin. Three models available, all designed to allow the pistol to fit into the USPSA/IDPA "Box"; pistols with oversized frames or unusually high sights may need a small amount of material removed from the magwell or magazine base pad. SP - Designed for an 8-round magazine with standard or extended base pad and 10-round magazines. Carry - Highly versatile, designed for carry or competition, with smoothly flowing exterior contours to minimize bulk and risk of snagging on clothing during the draw. Accepts same magazines as SP. XT - Wide, smooth opening is designed to give the competitor maximum advantage in making fast mag changes with 10-round or extended-pad 8-round magazines. Used by USPSA champion Rob Leatham in 2007 Limited 10 National Championship.

SPECS: Machined aluminum, anodized, black. Fits full-size Government Model and Commander pistols.

SP Grip/Magwell Kit,	
7B119P95	149.95
Carry Grip/Magwell Kit,	
7B119P95	149.95
XT Grip/Magwell Kit.	
7B119P95	149.95
	7B119P95 \$ Carry Grip/Magwell Kit, 7B119P95 XT Grip/Magwell Kit,



Drop-In/Flared Magazine Well Opening Speeds Reloading

Provides the flared magazine well opening needed for fast, sure reloads without heating, grinding or beating on the gun. Loosen the grips, slip tabs over the stock bushings, file flush with the inside of the magazine well and replace the grips. Magazines should have "bumpers" for best functioning.

SPECS: Blued, or Stainless Steel. 1" (2.5cm) wide, 13/4" (4.4cm) lg. #965-170-113DF Blued EZ-Loader 5F25D30 \$ 29.99 #965-170-213DF Stainless EZ-Loader 5F27D83 34.99



WILSON COMBAT 1911 AUTO SPEED-CHUTE

Mag Well & Mainspring Housing Gives Comfortable Grip; Increases Mag Well Opening

No fitting required for an improved grip and a faster, more positive magazine change. Combination, checkered

mainspring housing and mag well increases mag well opening by 100%. Plus, functional, combined 20 and 30 lpi checkering greatly improves grip surface. Installs in only seconds; unit is held in place by mainspring housing pin. Separate mag well can be removed quickly for carry use. Use standard grip panels. SPECS: Blued (BL) or stainless steel (SS), flat housing

	L) or starriess steer (bb), riat riousing.	
#965-366-001DF	Flat Speed-Chute, BL,	
	5F72Z21	.95
#965-366-101DF	Flat Speed-Chute, SS,	
	5F76Z46 89	.95
#965-000-033DF	Officers Speed Chute, BL,	
	5F72D21	.95
#965-000-034DF	Officers Speed Chute, SS,	
	5F76D46	.95

10-8 PERFORMANCE 1911 AUTO **EXTENDED MAGAZINE CATCH**

Fast, Positive Release Without Extra Bulk

Drop-in replacement for factory magazine catch has a unique, convex button surface to ensure positive finger contact for fast magazine changes under pressure. Crisp, 30 lpi serra-



tions further aid in fumble-free engagement; .045" longer than factory part for extra leverage without creating an unwanted protrusion that snags on clothing, holster, or other gear. Tumbled and bead-blasted for a uniform, matte finish with rounded "dehorned" edges. Interior of the catch is relieved to enable instant magazine free-fall when you hit the button. Available in Carbon Steel with black manganese phosphate finish or natural finish

SPECS: Carbon steel, black, or stainless steel, natural silver, both matte finish. Gunsmith fitting may be required.

#100-003-706DF Magazine Catch, Carbon Steel,	
1B29V95	\$ 34.95
#100-003-707DF Magazine Catch, Natural Stainless,	
1B29V95	34.95

CLYINDER & SLIDE 1911 AUTO MAGAZINE CATCH LOCK

ReplacesThis **Commonly Marred Part** So Pistol Looks New Again

A small, but never overlooked part on any 1911 pistol. Restores the look and function of the magazine release after years of field stripping has caused un-

sightly damage to the screw slot. A must-have part whenever installing a new magazine catch that does not include this critical part. Machined from hardened steel, then polished for smooth function, and given a hot blue finish.

SPECS: Hardened steel, blue. .512" (1.3 cm) long. 206-000-035DF Mag Catch Lock 6K04Z80......\$ 6.00

Shop

1911 mag catch

Search

brownells.com

ED BROWN 1911 AUTO MAGAZINE CATCH

Replacement Catches For Faster Magazine Changes

Models in varying styles to fit most shooting needs. Standard, oversized, and extended catches available in blue or stainless steel. Rugged, hardened steel construction for carry and competition.

1911 OVERSIZED BUTTON CATCH - Extra-long, oversize re-

lease button features 40 lpi checkering for positive grip and increased length for faster, easier mag changes with little or no change in grip. Long wearing, heat-treated, pre-drilled, hard-



ened magazine catch comes already tapped and ready-to-install. Does not include catch lock and spring.

SPECS: Available in Blue catch and button or Stainless Steel (SS). Button: 3/8" (9.5mm) O.D., 3/16" (4.7mm) thick, 4-40 thread. #087-011-150DF Blue Mag. Catch/Button 7H25X92 .\$ 32.40

#087-011-151DF SS Mag. Catch/Button 7H27X62 34.55 #087-011-160DF Blue Mag. Catch Button, only,

1911 EXTENDEDTACTICAL MAG CATCH - Permits quicker and

easier magazine changes. Compact enough to fit carry holsters and not snag on clothing. Standard diameter button with crisp, machine cut checkering is .060"



longer than stock for easier thumb purchase. Positive internal stop prevents over-pushing and jamming magazine in place. Machined from bar stock and heat treated for durability. Does not include catch lock and spring. SPECS: Steel, blue finish or stainless steel (SS). Fits 1911 Autos.

Button: .25" (6.3mm) O.D., .25" (6.3mm) thick.

#087-011-100DF Blue Mag Catch 7H16X96......\$ 21.20



GUN CRAFT PARA-ORDNANCE MAGAZINE RELEASE All Steel; Replaces Factory Plastic

Strong, long-wearing, hardened-steel release is a drop-in fit for all Para-Ordnance high capacity frames. Available with or without a checkered, oversize mag release button that's faster to find and hit for quicker, easier magazine changes.

SPECS: Hardened steel, matte finish. Available in blue (Blue) or stainless (SS) with or without oversize mag release button. Fits Para-Ordnance, high-capacity, 1911 Auto frames only.

#376-101-001DF Blue Mag Release 6G12P00 \$ 14.95 #376-101-002DF Blue Mag Rlse w/Button 6G18P06 . . 22.62 #376-101-101DF SS Mag Release 6G14P60 18.25 #376-101-102DF SS Mag Release w/Button 6G18P71.23.50

NIGHTHAWK CUSTOM 1911 AUTO TACTICAL MAGAZINE RELEASE

Extra Length For Faster Engagement




is approximately 1/16" longer than Colt-

spec part to help you reach the button more quickly and provide extra leverage for fast, positive mag changes when fractions of a second count. Deeply serrated face ensures non-slip thumb contact, yet won't snag on holster, clothing, or other gear. Use with Nighthawk Magazine Catch Lock and Spring Kit, available separately.

SPECS: Steel, blued, matte finish. Fitting may be required.

#100-003-252DF Tactical Magazine Release,

NOWLIN MFG. 1911 AUTO MAGAZINE RELEASE KIT



lease comes complete with spring and lock. Serrated face helps provide positive engagement. Adds ½" of length and increases leverage.

SPECS: Steel, blued or stainless steel, matte finish. #654-263-003DF Ext. Blue Release Kit 4E23B99 \$ 31.99 #654-263-004DF Ext. Stainless Release Kit 4E24B21. 32.05

STI 1911 AUTO MAG CATCH

All Steel For STI & Infinity Frames

Hardened steel, drop-in fit. Available drilled and tapped or undrilled. Flat, smooth button gives good thumb purchase or, add the pad of vour choice.

SPECS: Steel, matte blue finish, Tapped, 4-40 tpi.

#791-111-100DF Tapped Mag Catch 1G37V46 \$ 46.83 #791-111-101DF Untapped Mag Catch 1G25V64..... 31.99

MAG CATCH BUTTON - Extended paddle lets your thumb hit the mag button without shifting your grip. Non-slip, grooved button permits faster mag changes. Low profile keeps button close to frame. No sharp edges to snag clothing or holster. SPECS: Steel, blue finish. Includes Includes 4-40 tpi screw. #791-000-010DF Mag Catch Button 1G18X75......\$ 22.50

SMITH & ALEXANDER 1911 AUTO AMBI-MAG CATCH

Trigger Finger Magazine Release For Right- & Left-Handers

Get quick, positive magazine changes, without shifting your grip. Fully ambidextrous magazine release permits use of trigger finger or the thumb to release the mag; provides full left- or right-hand magazine control for 1911's.

SPECS: Blued (BL) or Stainless Steel (SS). Gunsmith fitting reauired.

STOCK # SS STOCK # BLUE FITS #849-008-101DF #849-008-001DF Colt (& Clones) 1911 #849-008-002DF Para-Ord. #849-008-102DF - Advise # - Ambi-Mag Catch 9D78H00 \$ 99.00

WILSON COMBAT 1911 AUTO BULLET PROOF®

MAGAZINE RELEASE **Extended Length & Checkered Face** Aid Fast Mag Changes;



cept of Wilson's popular Tactical Magazine Release with fully machined construction from high-grade steel barstock for exceptionally smooth, consistent operation. Deeply checkered button gives you solid, no-slip thumb contact and is 1/16" longer than standard, mil-spec button to give you extra leverage. Ensures you drop the magazine fast, on the first try, every time. Available in hardened carbon steel with a uniform, matte blued finish or natural-finish stainless steel.

SPECS: Carbon steel, blued, matte finish, or stainless steel (SS), satin finish. Mag catch only, no lock or spring. Gunsmith fitting rec-

#965-000-059DF Bullet Proof Mag Release, Blued,



MAGAZINES

20

PARTS

Tactical, Oversized & Extended **Models For Different Needs**



TACTICAL MAGAZINE RELEASE - Just slightly longer that the standard mag release, but much easier and faster to reach when every second counts. Serrated face enhances touch but won't catch on holsters or clothing.

SPECS: Steel, blue matte finish. Mag catch only, no lock or

#965-031-020DF Tactical Mag Release 5F21P09\$ 24.95



SPECS: Release - steel, blue or stainless steel (SS). Both include oversize, stainless steel rectangular button, 3/8" (9.2mm) x 3/4" (19mm). Mag catch only, no lock or spring.

#965-405-100DF Blue Oversize Mag Release, #965-405-101DF SS Oversize Mag Release,



SPECS: Release - steel, blue or stainless steel (SS), Both include oversize, stainless steel removable button. Mag catch only, no lock

#965-000-024DF	Blue Ext. Mag Release,
#965-000-025DF	5F27D05
	5F28D65

CASPIAN 1911 AUTO HIGH CAPACITY MAGAZINES



9mm/38S

More Firepower, Fewer Mag Changes For Caspian Double Stack Pistols

Premium-quality magazines are manufactured to precise specifications for reliable fit and function in Caspian high capacity 1911 Autos. Provides increased firepower with fewer mag changes. Steel body with proprietary baked-on ceramic finish that actually becomes slicker with use. High-impact nylon follower is shaped to help ensure reliable feeding. Removable, aluminum base plate for easy cleaning. Models available for 9mm/.38 Super and .40 S&W pistols.

SPECS: Steel body, matte black ceramic finish; aluminum base plate; natural silver-gray finish; nylon follower, orange (9mm/.38) or black (.40). 9mm/.38

Super - 19 rd. capacity40 S&W - 17 rd. capacity.
#168-000-058DF High-Cap Magazine 9mm/.38 Super, 19-Rd,
8F66C73
#168-000-059DF High-Cap Magazine, .40 S&W, 17-Rd,
<i>8F51C88</i>
#168-000-082DF High-Cap Mag Spring, 9mm/.38 Super,
<i>8F04H75</i>
#168-000-083DF High-Cap Mag Follower, 9mm/.38 Super,
<i>8F06H50</i> 8.13
#168-000-084DF High-Cap Mag Base Plate, 9mm/.38 Super,
<i>8F15H64</i>
#168-000-085DF High-Cap Mag Spring, .40 S&W,
<i>8F02H76</i>
#168-000-086DF High-Cap Mag Follower, .40 S&W,
<i>8F02H76</i>

#168-000-087DF High-Cap Mag Base Plate, .40~S&W,

COLT 1911 AUTO FACTORY MAGAZINES

Premium-Quality Direct From The Factory

Genuine Colt replacement magazines, manufactured to factory specifications for reliable fit and function. Long-wearing, hardened steel followers; full power, tempered steel springs. The most reliable choice for duty and self-defense use.

SPECS: Fits Colt 1911 and most copies. Available in blue (BL), Nickel (NIK) and Stainless (SS). Bright SS has high polish base pad. Bumper models have black

rubber base pad. Ext. models have a one finger width grip exten-

STOCK #	ping area for large hands. GUN/CAL/RDs/FINISH	PRICE
#160-114-100DF	Delta 10mm/8/BL	6A36V74 \$ 45.9 3
#160-114-101DF	Delta 10mm/8/SS	6A39V46 \$ 49.3
#160-000-231DF	Delta 10mm/8/Bright SS	6A40Y35 \$ 49.9
#160-114-470DF	Govt .380/7/BL	6A19V95 \$ 24.9
#160-114-471DF	Govt .380/7/SS	6A24V69 \$ 30.8
#160-114-090DF	Govt 9mm/9/BL	6A26V39 \$ 32.9
#160-000-223DF	Govt 9mm/9/NIK	6A28Y29 \$ 35.3
#160-114-091DF	Govt 9mm/9/SS	6A50V01 \$ 62.5
#160-114-380DF	Govt .38S/9/BL	6A27V32 \$ 34.1
#160-000-224DF	Govt .38S/9/NIK	6A37Y67 \$ 47.0
#160-000-230DF	Govt .38S/9/Bright SS	6A42Y63 \$ 53.2
#160-114-381DF	Govt .38S/9/SS	6A34V95 \$ 43.6
#160-000-226DF	Govt .40 S&W/8/SS	6A33Y49 \$ 41.8
#160-114-450DF	Govt .45/7/BL	6A21V84 \$ 27.3
#160-000-222DF	Govt .45/7/NIK	6A30Y83 \$ 38.5
#160-114-451DF	Govt .45/7/SS	6A20V41 \$ 25.5
#160-000-228DF	Govt .45/7/Bright SS	6A27Y56 \$ 34.4
#160-114-452DF	Govt .45/8/BL	6A24V85 \$ 30.9
#160-114-453DF	Govt .45/8/SS	6A28V91 \$ 35.9
#160-000-227DF	Govt .45/8/Bright SS	6A29Y77 \$ 37.2
#160-114-460DF	Officers .45/6/BL	6A18V32 \$ 22.9
#160-114-480DF	Mustang .380/6/BL	6A20V26 \$ 25.3
#160-000-234DF	Mustang .380/6/NIK	6A23T97 \$ 29.9
#160-000-328DF	Mustang .380/6/SS	6A31X98 \$ 39.9
#160-000-225DF	Mustang .380/7/BL/Ext	6A27Y84 \$ 34.8

ED BROWN 1911 AUTO -MAGAZINE

Precision Engineered With Premium Materials For Exceptional Reliability

Premium-quality magazines is engineered and manufactured to the highest standards to deliver outstanding reliability and smoothness in competition or combat. Virtually seamless body of heattreated stainless steel and rounded, self-leveling all-steel follower and heavy duty spring further enhance reliability. 7-Round - Has six witness holes, natural matte gray finish, and extended bumper pad that protects magazine if dropped on

a hard surface and increases overall length to ensure positive seating. **8-Round** - Full-featured, "8-Pack" model has extended body designed to provide sufficient room for the extra round and maintain proper spring compression. Seven witness holes, with extra-large, easy-to-see round count numbers are crisply laser etched on both sides. Hydro-finish process gives body and follower an extra-slick surface that repels dirt, dust, and burned powder to eliminate unnecessary friction against the follower for consistent feeding and easier seating in magwell. Flared bumper pad of tough, impact-absorbing polymer gives a secure grip during mag changes and protects the magazine when dropped. "88" number template—like numbers on a digital clock—on the bottom of the pad lets you create any number from 00 to 99 with a dab of paint to track usage history of individual magazines. Depress the large, easy-to-operate release button to remove the

INFINITY MAGAZINE COMPONENTS

Replacement Tube Gives Original Capacity

TIG welded, stainless steel, flat-panel wall design gives long-wearing durability. Replacement tube allows you to repair or refurbish an existing .38/9mm high-capacity magazine. Base pad, spring and follower not included. It is a violation of the law in some states to use replacement tubes to assemble a new, high-cap magazine. SPECS: 124mm long. 17-round capacity. For .38/9mm

#823-338-017DF .38/9mm Magazine Tube . 3B64Y25 \$ 80.32

FOLLOWERS - Competition style followers increase magazine capacity. Smooth polymer construction for flawless feeding. SPECS: Polymer, blue or red depending on caliber.

#823-302-338DF Blue .38/9mm Follower 3B07Y45... \$ 9.32 #823-302-340DF Red .40/10mm Follower 3B07Y45 9.32

KIMBER TEN II / ULTRATEN II **FACTORY PISTOL MAGAZINE**

Fits Kimber Double-Stack, Polymer Pistols

Genuine, Kimber factory magazines fit the Ten II series of double-stack, polymer framed pistols. Hardened steel bodies, tempered stainless steel springs, and self-lubricating nylon followers make these magazines the very best choice for competition and self-defense. Includes unbreakable plastic

slam pad. SPECS: Body - Tempered carbon steel, blue finish. Spring - Stainless steel. Follower - Nylon. Full Size fits Kimber double stack Ten II .45ACP pistols only. Compact fits Ultra Ten II.

#387-000-040DF 10-Rd Full Size Mag 7H30A50 \$ 39.95 #387-000-041DF 10-Rd Compact Mag 7H35A95 44.95

LES BAER CUSTOM 1911 AUTO **PREMIUM MAGAZINES**

Fully Polished Interior For Flawless Feeding

Precision formed for an exact fit in all 1911 Autos. Electro polished stainless steel body has a self-lubricating, carbon fiber follower for effortless ammunition feeding. Feed lips have rounded corners to prevent cracking, improve feeding reliability. Integral, extended base pad removes easily for cleaning. SPECS: 17-7 Stainless steel body, Rc 40-41. Black syn-

thetic follower and base pad. 45ACP. Officers ACP holds 7 rounds. #124-070-008DF 8-Round Magazine 4B24U59 \$ 33.05 #124-070-007DF 7-Round Magazine 4B24U59 33.05 #124-071-000DF Officers ACP Magazine 4B24U59 . . . 33.05

SPECS: Stainless steel, natural silver finish. Polymer base pad, black. Fits .45 ACP 1911 Government and Commander models. #087-847-450DF 7-Round Magazine

087-000-051DF 8-Round Magazine 7H29Z99 39.99

MAGAZINE BUMPERS PADS - Replace a nicked or scuffed pad to present a neat appearance when magazine is seated in the gun. Protects the magazine from damage;

makes inserting mag easier. Screw-On Extended Pad - Original pad that comes on Ed's 7-round magazines increases overall magazine length for positive seating. .550" c-to-c hole spacing; includes two, 4-40, self-tapping screws per pad. 8-Round Bumper Pad - Includes pad and lockplate. Fits 8-Round magazines

SPECS: Polymer, black. Screw-On Pads - Fits Ed Brown 7-round magazines, Includes 6 pads and 12 screws, 8-Round Bumper Pad - Includes one pad and lockplate. Fits 8-Round magazines only. #087-807-006DF Screw-On Bumper Pads, 6-pak,

McCORMICK 1911 AUTO **POWER MAGAZINE**

Premium, No-Fail Features **Plus Additional Rounds**

Built to the very highest standards for the no-fail performance competitive and self-defense shooters demand. Feed lips are roll-formed and polished, not die cut. for added strength, and Chip's patented follower design provides flawless feeding with semi-wadcutters and hollow points.



Powerful spring of proprietary, heat-treated Rocket Wire further ensures reliable feeding, even when left fully loaded and seated in a pistol for extended periods. Removable plastic base pad with full, front-to-back engagement, is built to withstand continual use, and numbered witness holes on both sides of the body provide a fast, visible round count. Available in 8-round capacity with slightly extended base pad that adds about 1/4" to magazine length; long-body 10-round model has base pad that wraps around exposed portion of magazine that extends beyond mag well. Power Plus models have an advanced anti-tilt follower for even more stable support of the round stack-extra insurance that every round feeds, first to last, Replacement Power Mag Followers (standard model only) and Springs available.

SPECS: Stainless body and follower, plastic base pad. Available in 8and 10-round capacities. Fits .45ACP 1911 Auto single stack only.

#207-145-228DF	Power Magazine, 8-Rd 7B22A76\$ 27.99
#207-000-002DF	Power Magazine, 10-Rd 7B25U29 29.99
#207-000-024DF	Power Plus Mag, 8-Rd 7K24B99 34.99
#207-000-025DF	Power Plus Mag, 10-Rd 7K24B99 34.99
#207-000-011DF	Repl. Std .45 Cal. Follower 7B06A12 . 9.99
#207-000-012DF	Repl. Mag Spring, 8-Rd 7B07A72 9.99
#207-000-013DF	Repl. Mag Spring, 10-Rd 7B07A72 9.99

POWER MAG BASE PAD Rugged, high-impact plastic pads attach to Power Mag magazines to adapt for spe-

cific uses. Officers/Compact pad is shorter for concealability and to properly control the overinsertion problems that occur when full-length magazines are used in shorter frames. Extended pad is 1/4" longer than standard Power Mag base pad so it extends beyond the mag well to aid in positive seating for combat specialists or IDPA and IPSC competitors. Concealment pad shortens the top-to-bottom length of 8-round Power Mags to reduce "printing" in carry applications. Pads work with Mc-Cormick Power Mag magazines only.

SPECS: Plastic, black. For use with Power Mag magazines only. #207-000-014DF Off/Compact Base Pad 7B03A96 \$ 4.99 #207-000-015DF Extended Base Pad 7B03A96......4.99 #207-000-016DF Concealment Base Pad 7B03A96 4.99



METALFORM 1911 AUTO ELITE 8 MAGAZINE

Smooth-Running, Premium Fit & Finish, Plus An Extra Round With No Added Bulk

Superb fit and finish ensure exceptionally smooth feeding and outstanding reliability. Full 8-round capacity in the same size package as a standard 7-round magazine. Heat-treated stainless steel body has an ultra-smooth weld seam and micropolished interior for no-drag follower movement. Curved, non-tilt stainless steel follower and extrapower Wolff spring work together to ensure positive feeding of all bullet types. Delrin® base pad removes

easily for cleaning. Witness holes with high-visibility stamped and painted numbers give instant verification of round count. Available in a polished or non-reflective Hydro-Matte natural silver finish, or non-scratch IonBond® black. Includes nylon magazine pouch with flap closure and belt loops.

SPECS: Stainless body and follower, natural silver or lonBond black. Delrin base pad. 8-round capacity. Fits .45 ACP 1911 Auto only.

#620-000-017DF Elite 8 Mag, Gloss Black 2F42P33...\$ 66.33 #620-000-015DF Elite 8 Mag, Matte Black 2F38P39 . . . 60.18 #620-000-014DF Elite 8 Mag, Polished Silver 2F35P63. 55.83 #620-000-016DF Elite 8 Mag, Matte Silver 2F31P69 . . . 49.68



METALFORM MAGAZINE

Traditional & Increased-Capacity Magazines For 1911 Colts & Copies

Robust, high-quality U.S. made magazines in blued carbon steel and stainless steel for 1911 Auto pistols chambered in a variety of calibers. Choose from round or flat steel followers, both designed to give positive last-round feeding with all bullet types, including wadcutters. Safety orange nylon follower is concave to hold an additional round. Three floorplate configurations available: Welded - Flat, steel plate permanently welded to magazine body, with screw holes to accept Metalform Bumper Pads (available below). Removable - Steel plate detaches for easy internal cleaning of mag; also accepts Bumper Pads. Ultramag -Removable base pad of tough Delrin® polymer

is contoured for a neat, flush fit in extended magwells. Officers ACP marked Shoe are standard magazines equipped with an oversized, rubber shoe that covers the exposed body, adds a finger rest and gives a finished look. Shoe is available separately to retrofit existing mags. .40 S&W/Govt. 10-Round Magazine meets the 140mm, practical-shooting regulations.

SPECS: Blued carbon steel (Blue) or natural-finish stainless steel (Stnls). Approximately 5" (12.7cm) long. .40 S&W/Govt. 10-Round Magazine - 5.4" (136mm) meets 140mm practical shooting regulations. Followers - Stainless steel, natural silver or black finish, flat or round contour. Some magazines have concave safety orange nylon follower.

MAGAZINE FOLLOWERS - Replacement
steel, round and flat top magazine followers
greatly increase functioning and help reduce
last round hang ups with all bullets, includ-
ing wadcutters. Colt 9mm - Fit single stack,
Colt 9mm magazines. Round Top Follower

- Fits single stack, .45 Govt./Commander magazines. Made in

SPECS: Stainlage stool silver or black finish

OI LCO. Stannes	3 Steel, Sliver of black fillisti.	
#620-000-012DF	SS Flat Top 9mm Follower,	
	2F06T81	8.44
#620-000-003DF	Silver Rnd Top Follower,	
	2F10Y24	12.93
#620-000-004DF	Black Round Top Follower,	
	2F09Y02	11.34

MAGAZINE BUMPER PADS - Rubber pad provides protection from falls on hard surfaces and gives additional finger rest area. Precision formed to fit all Metalform magazines, bumper attaches with two screws that secure the pad to the bottom

of the magazine using pre-existing holes. No modifications to the magazine required.

SPECS: Rubber, black. 505" c-to-c mounting holes with sheet metal screws supplied. Fits all Metalform 1911 Auto Magazines.

#620-000-011DF	Mag Bumper Pad w/Screws,
	2F03T06

#620-245-000DF	Rubber Shoe $2F05X19$.		\$ 6.33			
STOCK#	CALIBER	FINISH	CAPACITY	BASE	FOLLOWER	PRICE
#620-022-001DF	.22 ACE	Blue	10	Removable	Rnd.	2F38P39 \$ 64.84
#620-138-001DF	.380 Govt.	Blue	7	Welded	Flat	2F14X83 \$ 26.48
#620-045-002DF	.45 Govt./Comm	Stnls.	7	Welded	Rnd.	2F24U57 \$ 34.99
#620-045-083DF	.45 Govt./Comm	Blue	8	Welded	Flat	2F14X40 \$ 25.99
#620-045-001DF	.45 Govt./Comm	Blue	7	Welded	Rnd.	2F14U52 \$ 25.93
#620-045-084DF	.45 Govt./Comm	Stnls.	8	Welded	Flat	2F19X95 \$ 35.61
#620-045-210DF	.45 Govt./Comm	Blue	10	Welded	Rnd.	2F19X22 \$ 34.34
#620-045-710DF	.45 Govt./Comm	Stnls.	10	Welded	Rnd.	2F23X41 \$ 41.82
#620-010-009DF	10mm/Govt./Comm	Stnls.	9	Welded	Nylon	2F20P35 \$ 36.35
#620-010-008DF	10mm/Govt./Comm	Stnls.	8	Welded	Round	2F20P95 \$ 37.42
#620-040-018DF	.40 S&W/Govt./Comm	Stnls.	8	Removable	Flat	2F24U12 \$ 43.09
#620-040-008DF	.40 S&W/Govt./Comm	Stnls.	8	Welded	Flat	2F22U08 \$ 39.45
#620-000-005DF	.40 S&W/Govt.	Blue	10	Removable	Flat	2F26Y49 \$ 47.30
#620-000-006DF	.40 S&W/Govt.	Stnls.	10	Welded	Flat	2F23Y58 \$ 41.83
#620-038-081DF	.38S Govt./Comm	Stnls.	9	Removable	Rnd.	2F24U03 \$ 42.90
#620-038-001DF	.38S Govt./Comm	Blue	9	Welded	Flat	2F14P86 \$ 26.99
#620-038-071DF	.38S Govt./Comm	Blue	9	Removable	Rnd.	2F19P46 \$ 34.54
#620-038-003DF	.38S Govt./Comm	Stnls.	10	Welded	Nylon	2F20P67 \$ 36.90
620-000-018DF	.38S Govt./Comm.	Stnls.	10	Removable	Rnd.	2F29P33 \$ 45.97
#620-009-082DF	9mm Govt./Comm	Stnls.	9	Removable	Flat	2F21P58 \$ 38.54
#620-009-081DF	9mm Govt./Comm	Blue	9	Removable	Flat	2F15P96 \$ 28.99
#620-000-013DF	9mm Govt./Comm	Stnls.	10	Ultramag	Flat	2F26T24 \$ 46.88
#620-245-117DF	.45/Officers ACP	Blue	7	Welded	Nylon	2F16X16 \$ 29.59
#620-245-127DF	.45/Officers ACP	Stnls.	7	Welded	Nylon	2F22X19 \$ 39.63
#620-245-107DF	.45/Officers ACP	Stnls.	7	Removable/Shoe	Flat	2F20X15 \$ 35.98
#620-245-008DF	.45/Officers ACP	Blue	8	Welded/Shoe	Flat	2F14X42 \$ 25.75
#620-245-108DF	.45/Officers ACP	Stnls.	8	Welded/Shoe	Nylon	2F18A45 \$ 33.63
#620-145-084DF	.45 Detonics	Stnls.	6	Fixed	Flat	2F20A60 \$ 37.54

METALFORM 1911 AUTO "SPRINGFIELD" MAGAZINES

Front Ramp Magazine Gives Smooth Feeding

Springfield-style with built-in front ramp to improve round feed into chamber. Flat follower provides consistent feeding for all 19119mm pistols. Stainless steel tube with a welded base for durability. Bumper pad models provide additional magazine protection and clearance for extended mag wells. Magazine capacity for standard





NIGHTHAWK CUSTOM 1911 AUTO MAGAZINES

Precision Mags Exceed Factory Specs For Correct Fit & Superb Reliability

Premium-quality, magazine is produced using state-of-the-art manufacturing techniques to run as flawlessly as the best custom-tuned pistol. Extra-thick, tempered steel mag body is formed to small tolerances, with a smooth-welded seam carefully polished to eliminate any rough spots or burrs that might snag the rigid, stainless steel fol-

lower. The hard, high-polish finish eases insertion into the mag well and resists attracting dust and dirt. Precision-formed feed lips are engineered to resist deforming, even when the magazine is stored fully loaded for extended periods. An extra-strong spring provides the additional force necessary to ensure reliable feeding under any conditions. A shock-resistant, polymer composite floorplate protects magazine when dropped on a hard surface, and detaches easily to disassemble the mag for cleaning. Separate, numbered witness holes let you know exactly how full

SPECS: Steel, blued, high gloss finish. Polymer composite floorplate, Govt. - 5" (12.7cm) long, 8-round capacity, Officers - 41/2" (11.4cm) long. 7-round capacity.

#100-003-267DF 8-Rd Govt. Model Mag 2B21H17 . . . \$ 24.99 #100-003-266DF 7-Rd Officers Model Mag 2B21H17 . 24.99



NOVAK EXTREME DUTY .45 CALIBER MAGAZINES

Specially-Engineered Feed Lips **Ensure Maximum Feeding Efficiency**

Durable, heat-treated, steel magazines provide flawless operation for consistent and reliable feeding. Carbonized steel body and feed lips resist misshaping for a long service life. Spring is made of Type-D music wire for consistent performance. Numbered holes let you see how many rounds are

in the magazine. Select from polished blue, matte Parkerized, or rust-resistant, electroless nickel finishes. 6- and 7-Round magazines are drilled and tapped for rubber base pads; available with or without pad. 7-Round Officers and 8-Round Govt magazines have a low-profile base pad of chip-resistant polymer that protects your magazine from damage during tactical reloads.

SPECS: Steel, blue, Parkerized, or nickel finish. 45 caliber. 8-Round **1911 -** 47/8" (12.4cm) high, 13/8" (4cm) long, 17/32" (14mm) wide. Size of others will vary.

1911 MAGAZINES

STOCK #	CAP.	BASE PAD	FINISH	PRICE
#100-001-109DF	7 Rd.	No	Blue	2F17V30 \$ 26.68
#100-001-110DF	7 Rd.	Yes	Blue	2F20V51 \$ 29.99
#100-001-111DF	7 Rd.	No	Nickel	2F19V43 \$ 29.95
#100-001-112DF	7 Rd.	Yes	Nickel	2F22V87 \$ 28.45
#100-001-113DF	8 Rd.	Polymer	Blue	2F19V83 \$ 24.65
#100-001-114DF	8 Rd.	Polymer	Nickel	2F22V78 \$ 27.75
662-000-076DF	8 Rd.	Polymer	Parkerized	2F21P95 \$ 27.95

OFFICER MAGAZINES					
STOCK #	CAP.	BASE PAD	FINISH	PRICE	
#100-001-115DF	6 Rd.	No	Blue	2F16V95 \$ 26.37	
#100-001-116DF	6 Rd.	Yes	Blue	2F20B40 \$ 31.59	
#100-001-118DF	6 Rd.	Yes	Nickel	2F22B70 \$ 35.14	

Nickel

NIGHTHAWK CUSTOM 1911 AUTO STAINLESS STEEL MAGAZINE

Built To Feed Flawlessly



Extra-thick, stainless steel magazine body is formed to tight tolerances with a smooth-welded seam that's carefully polished to eliminate any rough spots or burrs that could snag the follower. Polished exterior finish eases insertion into the mag well, while the precision-formed feed lips are engineered to resist deformation even after storing the magazine fully loaded for extended periods. Numbered witness holes let you

know exactly how many rounds are loaded. Smooth-moving, polymer/fiberglass composite follower is specifically contoured to keep the last round from feeding too fast and causing a jam; extra-strong spring delivers consistent force to ensure reliable feeding in all shooting conditions. Standard model features a. 360" thick, removeable, polymer composite base pad that extends .310" below the mag body for added protection when dropped. Low Profile version has a carbon steel, removeable base pad that extends only .090" below the mag body, perfect for concealed carry. Both versions available for Government and Officers model.

SPECS: Body - Stainless steel, natural finish. Follower - Polymer/ fiberglass composite. Base Pad - Polymer or steel. Govt. - 8-round capacity. OAL - Standard: 5 5/32" (13.1cm); Low Profile: 5" (12.7cm). Officers - 7-round capacity. OAL - Standard: 4 21/32" (11.8cm); Low

#100-003-671DF	8-Rd Govt. Standard Mag,	
	2B23Z95	\$ 28.95
#100-003-672DF	8-Rd Govt. Low Profile Mag	
	2B26Z95	. 32.95
#100-003-669DF	7-Rd Officers Standard Mag,	
	2B23Z95	. 28.95
#100-003-670DF	7-Rd Officers Low Profile Mag,	
	2B26Z95	. 32.95

REPLACEMENT PARTS - Factory replacements for critical components help you keep your Nighthawk Stainless Steel Magazines running flawlessly. Changing the spring and follower on a regular basis ensures your weapon feeds and ejects reliably. All parts are made on the same tooling from the same premium-quality materials as the originals. Springs & Followers sold as sets for 7-round Officers and 8-round Govt. Model magazines. Polymer composite Standard Base Pad adds .310" to length of magazine; aids in seating mag in gun with extended magwell. Sold in 3-Paks. Carbon steel Low Profile Base Pad extends only .090" beyond mag body, perfect for concealed carry.

SPECS: Fits Nighthawk Stainless Steel 1911 Govt magazines. May fit extra-capacity single-stack magazines from other manufacturers. Spring - Chrome silicon steel. Fol-

Iower - Polymer composite, black. Standard Base Pad - Polymer black. Adds .310" to length of magazine. Sold in 3-Pak. Low-Profile Base Pad - Carbon steel, black finish. Adds .090" to length of maga-

100-003-763DF	Govt. Spring/Follower,
	2B07H95
100-003-762DF	Officers Spring/Follower,
	2B07H959.95
100-003-765DF	Standard Base Pads, 3-pak,
	2B06H49
100-003-764DF	Low Profile Base Pad, each,
	2B04H95 5.95



662-000-077DF 7 Rd. Polymer

Stock numbers shown in red indicate the product is made in the U.S.A.

2F24P99 \$ 29.99

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

BROWNELLS PAGE 24

SATISFACTION GUARANTEED **SINCE 1939**

Office/Tech: 641-623-5401

MAGAZINES 20 **PARTS**

MEC-GAR MAGAZINES

Expert Craftsmanship, Reliable Function

Made from certified, carbon steel; TIG welded and finished without seams, then heat treated for durability. Also available with a rustproof, nickel finish. These are the same magazines that are supplied by many European handgun makers as original equip-

SPECS: Steel, blue (BL), or bright nickel (BN) finish.

STOCK#	FITS	FINISH	RDS	PRICE
#625-200-457DF	1911 Auto .45 ACP	BL	7	5B16C27 \$ 23.99
#625-201-457DF	1911 Auto .45 ACP	BN	7	5B17H68 \$ 26.9 !
#625-200-458DF	1911 Auto .45 ACP	BL	8	5B17C85 \$ 26.9 5
#625-201-458DF	1911 Auto .45 ACP	BN	8	5B18H90 \$ 28.9
#625-200-450DF	1911 Auto .45 ACP	BL	10	5B20C36 \$ 30.9
#625-201-450DF	1911 Auto .45 ACP	BN	10	5B21H96 \$ 33.9
#625-200-466DF	Colt Officers ACP	BL	6	5B15C98 \$ 23.9
#625-201-466DF	Colt Officers ACP	BN	6	5B17H68 \$ 26.9
#625-200-500DF	Para-Ord. P-14 .45 ACP	BL	10	5B19C99 \$ 30.9
#625-201-500DF	Para-Ord. P-14 .45 ACP	BN	10	5B21H88 \$ 33.9
625-000-036DF	Para-Ord. P14 .45 ACP	BL	14	5B22A67 \$ 29.9
#625-000-013DF	Para P-16 .40	BL	15	5B19A99 \$ 30.9
#625-000-014DF	Para P-18 .38	BL	17	5B20A57 \$ 30.9

PARA-ORDNANCE **FACTORY MAGAZINES**

The Correct Magazine For Your Handgun

Genuine factory replacement magazines guaranteed to fit and function correctly. All magazines listed are also listed in the factory parts section of our catalog. Please refer to the appropriate section for a complete listing of any models that may not be shown here

STOCK#	FACTORY #	FITS	PRICE
#199-000-229DF	PNM40R	10 RD, Nickel, P16/40, S16/40 LTD40	9A47U50 \$ 59.38
#199-000-233DF	PNMC45R	10 RD, Nickel, P10/45/40/9, S10/45/40/9 LTD, .45	9A47V53 \$ 59.41

PRO MAG PARA P14 **MAGAZINE**

Durable Replacement Made In The U.S.A.

Made from the finest materials for strength and durability. High carbon, steel body; chrome silicon music wire spring takes a "set" and then resist gradual weaking over time. Followers and mag pads are injection molded from unbreakable polymer to stand up to rough treatment without cracking.

SPECS: Body - Steel, blued. Spring - Chrome silicon. Follower - Ny-Ion polymer, Fits Para P14, 45ACP, 14-round capacity. #687-000-005DF Para P14 Magazine 7H18U87......\$ 37.99



Made To Better Than Factory Specs; Won't Fail When It Matters Most

Manufactured on state-of-the-art machinery to exceed factory magazine specifications. Tempered steel bodies with hardened lips keep their shape; won't flare out, fail to feed or function. 1911 Auto models include an unbreakable polymer floorplate that cushions the magazine when it's dropped. Witness holes and round designation marks provide fast, visible round count. Para Ordnance model includes a polymer floorplate that cushions the magazine when it's dropped. Does not include witness holes.

SPECS: Steel, blue, Officers ACP & 1911 Auto - Steel follower, Para Ordnance - Polymer floorplate and follower.

STI 1911 AUTO MAGAZINES, TUBES & REBUILD COMPONENTS

Mags & Components For Rebuilding **High Capacity Magazines**

Complete, high capacity magazines or high-quality components to rebuild your damaged magazines so they work just like new. TIG welded, heat-treated, stainless steel bodies hold up to competition use without cracking or failure. All springs are tempered music wire, and fit STI bodies without trim-

ming.Complete mags come with Polymer base pad and nylon follower for flawless feeding.

SPECS: 410 stainless steel tubes. Fits STI, SVI and McCormick high capacity frames only. Carry Mag Pad and 170 Mag Pad (not included with replacement tubes) can be used on both 140mm and 170mm tubes and still be legal for USPSA competition. 140mm Spring is caliber specific, 170mm Spring is universal. Capacity shown for all models is with non-extended magazine pads.

STI HIGH CAPACITY MAGAZINES

STOCK #	CAL./LENGTH	CAPACITY	PRICE	=
#791-000-055DF	.38/126mm	17	1G48D00 \$	60.00
#791-000-058DF	.38/140mm	21	1G48D00 \$	60.00
#791-000-061DF	.38/170mm	27	1G80D00 \$	100.00
#791-000-056DF	.40/126mm	15	1G48D00 \$	60.00
#791-000-059DF	.40/140mm	18	1G48D00 \$	60.00
#791-000-062DF	.40/170mm	23	1G80D00 \$	100.00
#791-000-057DF	.45/126mm	12	1G48D00 \$	60.00
#791-000-060DF	.45/140mm	15	1G48D00\$	60.00
0711110				

STI HIGH CAPACITY REPLACEMENT TUBES CAL // ENIOTH CARACITY

STOCK#	CAL./LENGTH	CAPACITY	PRICE		
#791-238-018DF	.38/126mm	17	1G42D00 \$	52.50	
#791-238-020DF	.38/140mm	21	1G42D00\$	52.50	
#791-238-027DF	.38/170mm	27	1G72D00\$	90.00	
#791-240-016DF	.40/126mm	15	1G42D00\$	52.50	
#791-240-018DF	.40/140mm	18	1G42D00 \$	52.50	
#791-240-023DF	.40/170mm	23	1G72D00 \$	90.00	
#791-245-015DF	.45/140mm	15	1G42D00 \$	52.50	
#791-247-143DF 140mm/.38 Magazine Spring, 1G04Z96					
#791-247-144DF					
	1G04Z96			. 6.20	
#791-247-170DF					
	1G07Z32			9.15	
STI MAGAZINE PADS AND FOLLOWERS					

Mag pads and caliber specific followers fit STI magazine tubes only. 9mm follower includes adapter plate.

SPECS: Black polymer base pad, low-friction nylon follower.

#791-246-170DF	170mm Mag Pad, Black,
	1G05D51
#791-000-027DF	9mm Follower 1G05C79
	.38/.40 Follower 1G02C21 2.95
#791-000-029DF	.45 ACP Follower,
	<i>1G02H21</i> 2.95

126mm 10-ROUND CARRY MAGAZINES

#791-000-051DF	9mm 10-Round Carry Magazine,	
	1G48D00\$	60.00
#791-150-038DF	.38S 10-Round Carry Magazine,	
	1G48C00	60.00
#791-150-040DF	.40 S&W 10-Round Carry Magazine,	
	1G48C00	60.00
#791-150-045DF	.45 ACP 10-Round Carry Magazine,	
	1G48H00	60.00

STOCK #	RNDS	FITS	PRICE
#625-000-029DF	6	Off. ACP	3K13C75 \$ 21.35
#625-000-030DF	8	1911 Auto	3K15C70 \$ 24.35
#100-002-805DF	14	Para Ord .45ACP	3K19V50 \$ 29.99

SHOOTING STAR 1911 AUTO MAGAZINE

Extra Capacity & Reliable Feeding

Designed by champion shooter Chip Mc-Cormick with his unique, flat follower to give more capacity. All feature a fixed base that's drilled for easy pad installation. All springs are Wolff.

MATCH GRADE - Advanced feed lip geometry gives smooth, reliable feeding with a wide selection of bullets. Held to +/- .001", 75% tighter than military spec. Extra large, numbered holes for quick round counting.

SPECS: Stainless steel, matte finish. .45 Gov't - 5" (12.7cm) long, 5½" (13.3cm) with pad, 8 rounds .45 Off. ACP - 4½" (11.4cm) long,

5 Willi pau, 7 Tourius.	
#207-145-208DF .45 Gov't No Pad 7B17A96	.\$ 24.99
#207-145-218DF .45 Gov't w/Pad 7B18A73	24.99
#207-000-004DF .45 Off ACP No Pad 7B17U95	24.99
#207-000-005DF .45 Off ACP w/Pad 7B18U73	24.99

CLASSIC - Factory replacement: made to tolerances that are 50% tighter than military spec. Non-numbered view holes. SPECS: Steel, blue, matte finish. 5" (12.7cm) long, 51/2" (13.3cm)

with pad. 8 round	d capacity.
#207-000-006DF	.45 Gov't Classic No Pad,
	7B14U89
#207-000-007DF	.45 Gov't Classic w/Pad,
	7B15U63

.38 SUPER & 10mm - Precision formed. Patented, flat follower for reliable feeding, extra capacity. Non-numbered view holes. SPECS: Stainless steel, matte finish. 5" (12.7cm) long, 51/2" (13.3cm) with pad Canacity: 38 Super 10 rds: 10mm, 9 rds

	Ly: .50 Super, 10 143, 1011111, 5 143.	
#207-138-209DF	.38 Super No Pad,	
	7B27A67	34.99
#207-140-208DF	10mm w/Pad,	
	7B28A08	39.99
		,

MAGAZINE CONVERSION KITS - Fits standard 1911 Auto magazines; increases standard .45 ACP and 10mm capacity by one round; .38 Super by two rounds. Kits include spring and

steel follower.	
.45 ACP Conversion Kit,	
7B11H83	14.99
.38 Super Conversion Kit.	
7B11H71	14.99
10mm Conversion Kit.	
	14.99
	.45 ACP Conversion Kit, 7B11H83

TRIPLE K 1911 AUTO MAGAZINES

High-Quality Replacements

Now you can keep your pistol shooting with these high-quality replacement magazines. 100% Made In The USA. All feature welded seams, machined followers and music wire springs. Unconditionally guaranteed to fit and feed. SPECS: Steel, blue, matte finish unless

otherwise denoted in fits line. RNDS indicates capacity of maga-

STOCK #	FITS	RNDS	PRICE
#486-000-004DF Co	olt Gold Cup		
.3	8 Spcl.	5	6H41X84 \$ 53.0
#486-200-465DF Co	olt Ace .22	10	6H37V89 \$ 48.0
#486-000-005DF Co	olt 1911 (Stnlss)		
.4	5 ACP	7	6H11X05 \$ 14.0
#486-202-000DF 19	11 Auto Rmv.		
Ba	ase .45	8	6H14V29 \$ 22.9
#486-200-025DF 19	11 Auto Fxd.		-
Ba	ase .45	7	6H08A68 \$ 11.0



GSA

WILSON COMBAT 1911 AUTO .45 ACP SERVICE MAGAZINES

Outstanding Value With Legendary Performance & Reliability

Affordable, extra-capacity 46-Series Service magazines feature renowned Wilson Combat performance, reliability, and quality with a price that provides outstanding value. All steel construction, with a tempered steel spring for consistent performance. Witness holes on both sides are numbered for quick visual confirmation of remaining ammo. Full-size,



8-round Govt model and 7-round Officers model available. Flat base plate fits flush in standard 1911s. An optional .375" thick hard rubber base pad is available for extended mag wells.

SPECS: Steel, blue finish. Govt - 45/8" (11.7cm) long. 8-round capacity. Officers - 47/16" (10.9cm) long. 7-round capacity. Base Pad - Rubber, black, .375" (9.5mm) thick. For .45 ACP only.

#965-000-061DF	8-Rnd Govt Magazine 5F17P02\$	19.95
#965-000-062DF	7-Rnd Officers Magazine 5F16P74	20.60
#965-000-063DF	Base Pad 5F03P24	3.95

WILSON COMBAT 1911 AUTO "BUREAUCRAT" 10-ROUND MAGAZINE + 2 Rounds Of .45 ACP

Wilson's outstanding quality, 47 Series magazine, lengthened to accept two additional rounds of .45 ACP. Gives increased firepower with fewer mag changes for the limited class shooter. All stainless steel construction, tempered steel spring, removable base pad for easy cleaning; welded stop prevents over-insertion.

SPECS: Stainless steel, nylon follower and base plate. 965-047-110DF "Bureaucrat" Magazine 5F32X38 . . \$ 37.99

WILSON COMBAT 1911 AUTO ELITETACTICAL MAGAZINE

Ultra-Reliable, Smooth Feeding; Holds One More Round Than Standard Mag

Wilson Combat applied 30 years of experience building high-performance 1911 magazines to develop this completely new, ultra-reliable extracapacity magazine. Made with state-of-the-art materials using the latest manufacturing technology, these single-stack magazines are built tough to keep running in unforgiving, real-world condi-

tions. Extra-thick stainless steel body has the radius of each curve engineered to minimize stress points. Even the position of the witness holes toward the rear is designed to enhance structural integrity. A proprietary welding, deburring, and polishing process provides an unusually strong, super-smooth seam to ensure snag-free follower movement and easy insertion in the mag well. The non-tilt follower of self-lubricating polymer fully supports the ammo stack to prevent nose-dives, double feeds, and other hang-ups. The mag body design puts less tension on the spring than standard magazines, increasing spring life and making it easy to seat a fully loaded magazine with the slide closed. The polymer base pad adds minimal bulk yet ensures a firm purchase even when your hands are wet; removes easily for cleaning. Numbers 1 through 10 stamped on the bottom help you mark each of your magazines to track usage and performance. .45 ACP - 8 round capacity; round-count numbers stamped on magazine body next to witness holes. Available in natural Silver or Black Oxide finish. 9mm - 10 round capacity; no round count numbers. Silver finish only.

SPECS: 17-7 stainless steel, natural silver or black oxide, finish, with black polymer follower and base pad. .45 ACP - 8-round capacity. 9mm - 10-round capacity.

#965-000-050DF .45 ACP Elite Mag, Silver 5F30T88 .\$ 36.99 #965-000-070DF .45 ACP Elite Mag, Black 5F30U88 .. 36.99 **#965-000-051DF 9mm Elite Mag, Silver** 5F32T99..... **34.99**





WILSON COMBAT 1911 AUTO -WILSON-ROGERS MAGAZINE

Self-Lubricating, Synthetic Follower; Improves Feeding, Won't Rust

Made from heat-treated, 17-7, aircraft-grade stainless steel to stand up to the demands of competitive and defensive shooting. Precisionformed bodies are built to very close tolerances for excellent, universal fit. Exclusive, molded, self-lubricating follower ensures reliable feed-

ing and slide stop operation. Extra-power Wolff spring resists "spring set". Removable base, spring, and follower for fast, easy cleaning. Black models have black, oxide finish and removable steel base pad.

SPECS: 17-7 Stainless steel. 1911 Auto and Officers ACP models have bright, stainless steel finish with black polymer base pad. 8-round Officers ACP models are 5/8" longer, respectively, than factory magazines. Black models have black, oxide finish with steel base pad. Furnished with low profile base pad.

1911 AUTO

STOCK#	CALIBER	ROUNDS	PRICE
965-047-470DF	.45 ACP	7	5F27B84 \$ 31.99
#965-047-480DF	.45 ACP	8	5F29P99 \$ 32.99
#965-047-310DF	.38 Super	9	5F30X67 \$ 35.99
	0.551.01		

	OFFICE	RS ACP	
STOCK#	CALIBER	ROUNDS	PRICE
#965-047-407DF	.45 ACP	7	5F26B97 \$ 34.99
#965-047-408DF	.45 ACP	8	5F31B68 \$ 36.95
PLACK 1011 ALITO			

	DLACK I	JIIAOIO	
STOCK#	CALIBER	ROUNDS	PRICE
#965-047-001DF	.45 ACP	7	5F30X30 \$ 36.95
#965-047-002DF	.45 ACP	8	5F31X23 \$ 36.95

1911 AUTO MAGAZINE W/ EXTENDED PAD - The same craftsmanship and materials as the standard 1911 auto magazine, with a %" thick pad to accommodate 1911s with magazine wells. Eight-round capacity. Extended Magazine Pad also available separately; sold in 3-Paks.

SPECS: Aircraft-grade, stainless steel. Includes a .625" magazine pad. 8-round capacity: accepts .45 ACP.

#965-000-018DF	1911 Magazine w/ Extended Pad,
	5F28H04
#965-000-019DF	Extended Magazine Pad, 3-pak,
	5F06D80

WILSON MAGAZINE CONVERSION KITS - W-45 fits Wilson Govt. and Officers ACP magazines. Converts Govt. to 8 rounds; converts Officers ACP to 7 rounds. C-45 fits Colt and other standard Govt. length magazines, converts to 8 rounds. .38 Super fits Wilson, Colt and other, standard, Govt. length magazines; converts to 10 rounds.

SPECS: Kit contains "V2" follower. #965-266-245DF W-45 8/7-Round Conversion Kit.

5F06T81
#965-266-145DF C-45 8-Round Conversion Kit,
5F06T81
#965-266-038DF .38S 10-Round Conversion Kit,
5F06T81
STANDARD MAGAZINE BASE PAD - Protects base from damage, makes seating more positive. Fits Wilson-Rogers only. SPECS: Hard, black plastic350*(8.9mm) thick. Sold 3 per pak. #965-470-000DF Standard Wilson-Rogers Base Pads, 5F05U95 \$ 6.95
OFFICERS ACP CONVERSION BASE PAD - Sturdy

steel base pad allows Wilson-Rodgers, 8-round, 45 ACP magazines to correctly seat in Officers Model pistols. Upward extension fills the gap below the frame for a comfortable grip. Compact size doesn't increase bulk, lets you use full length magazines for concealed carry. Fits Wilson-Rogers magazines only. SPECS: Steel, black, matte finish. Sold 1 per pak.

#965-000-011DF Officer ACP Conversion Pad,

WOLFF 1911 AUTO 7- & 8-ROUND MAGAZINES

Extra Power Spring For Reliable Feeding

Precision-formed, rigid steel body with an extrapower magazine spring offers maximum reliability and performance. Traditional, flat follower smoothly feeds hardball, high performance and hot, competition loads. Index holes allow you to quickly count loaded rounds. 8-Round features a 5/16" thick, button-

type, locking base pad made of impact-resistant plastic. 7-Round includes pre-drilled base pad holes and is available with or without a thin, 932" or thick, 58" cushioning rubber base pad secured with screws.

SPECS: Steel, blue finish, .45ACP only. 8-Round - 51/6" (13cm) long w/5/16" (7.9mm) thick, plastic base pad. **7-Round -** 43/4" (12.1cm) long w/o pad, 5" (12.7cm) w/thin rubber base pad, 53/8" (13.7cm) long w/thick rubber base pad.

#969-000-182DF	8-Rnd Magazine 9F20A00 \$ 23.99	
#969-000-185DF	7-Rnd Mag No Pad <i>9F17A50</i> 20.99	
#969-000-186DF	7-Rnd Mag w/Thin Pad <i>9F19A17</i> 22.99	
#969-000-187DF	7-Rnd Mag w/Thick Pad 9F19A5823.49	

BASE PADS FOR 7-RND MAGAZINE - Thick or thin, rubber base pads attach to Wolff 7-round magazines only. Cushions base plate during tactical reloads. Includes attaching screws. Available in 3-Paks.

SPECS: Rubber, black. Thick - 5/8" (1.5cm) thick. Thin - 9/32" (7.1 mm) thick.

#969-000-183DF 7-Rnd Mag Base Pad, Thick, #969-000-184DF 7-Rnd Mag Base Pad, Thin 9F06A92.. 8.29

ARRENDONDO SEMI-AUTO MAGAZINE FOLLOWERS

"SuperTuff" For Reliable Feeding

Caliber-specific contour follower improves feeding and reliability. Made from extruded nylon that reduces friction and wear. Color coded for easy identification. 💻 SPECS: Extruded nylon.

STOCK #	FITS	CAL.	COLOR	PRICE
#069-111-040DF	STI/Infinity	.40/.45	Red	9F07B04 \$ 8.80
#069-000-001DF	Para-Ord	.38/.45	Blue	9F07Z04 \$ 8.80

TEFLON MAGAZINE FOLLOWERS - Reduces friction and wear and improves reliability. Caliber and magazine specific to ensure correct fit and reliable functioning.

SPECS: Teflon, white. #069-000-021DF STI Follower, .38 Cal. 9F07T92.....\$ 9.90 #069-000-022DF STI/SVI Follower, .40 Cal. 9F07T92... 9.90

PACHMAYR 1911 AUTO MAGAZINE FOLLOWER **Helps Prevent Last Round Jams**

Re-designed to help prevent last round malfunctions so common with issue followers. Unique "rounded-top"; replaces flat-topped follower without

modification. SPECS: 13/4" (4.4cm) long. Polished stainless steel. #692-702-000DF Pachmayr .45 Follower 2F03Z99....\$ 5.98 #692-702-038DF Pachmayr .38S Follower 2F03Z99 ... 5.98

LOW PROFILE STEEL MAG BASE PAD - Supertough, steel base pad adds additional protection to magazines in competition and tactical situations. Base quickly slides onto magazine and provides additional weight for clean drops when mag change speed is essential. Fits Wilson-Rogers magazines only. SPECS: Steel, black manganese finish, 16" (4.1mm) thick. #965-047-003DF Steel Mag Base Pad 5F04X88......\$ 5.95



METALFORM 1911 AUTO 9mm MAGAZINE FOLLOWER

Reduces Last Round Hang Ups

Replacement, stainless steel, flat top followers greatly increase functioning and help reduce last round hang ups. Fits single stack, Colt 9mm magazines. Made in the USA. SPECS: Stainless steel.

#620-000-012DF 1911 9mm Follower 2F06T81 \$ 8.44

ARREDONDO HIGH-CAPACITY MAG PERFORMANCE PACK

Increased Capacity & Performance

Converts pre-ban high-capacity magazines to accept additional rounds while increasing performance and reliability. Self-lubricating, "Super-Tuff", extruded nylon follower and extra power spring help ensure reliable feeding. Extended, hollow base pad increases capacity for up to three extra shots per magazine. Fits pre-ban magazines and replacement tubes only.

SPECS: Pack includes base pad, spring, follower and retainer. Base Pad - nylon plastic, black. Extended (E) +3 rounds .38/.40 S&W, +2 rounds .45 ACP or flat (F) no change in capacity. Follower and Retainer - nylon. Para-Ordnance (PO) fits P14, P16 only. (STI) fits STI Standard and

MAGAZINE PERFORMANCE PACKS

STOCK #	FITS	CALIBER	PRICE
#069-110-138DF	PO (E)	.38/.40	9F27B28 \$ 34.10
#069-110-145DF	PO (E)	.45 ACP	9F27B28 \$ 34.10
#069-111-138DF	STI (E)	.38	9F27B28 \$ 34.10
#069-111-140DF	STI (F)	.40/.45 ACP	9F26B40 \$ 33.00

HIGH-CAP MAGAZINE SPRINGS - Stabilizes the follower to help solve feeding problems on hi-cap magazines equipped with extended

base pads. Tempered music wire springs have 10% additional power. SPECS: 3-Paks. Installation requires fitting.

#069-115-113DF 3-Pak Para-Ord Spring,

#069-115-103DF 3-Pak STI/Infinity Spring, 9F14X52

ISMI PREMIUM **HIGH CAPACITY** MAGAZINE SPRINGS Chrome Silicon Wire For Superior Performance & Durability

Wound with high tensile, chrome silicon wire that's shot peened, heat treated, then stress-relieved for the longest service life possible, without cracking or failure. SPECS: Chrome silicon steel wire.

1911 AUTO - SSCS fits single-stack, 8-round .45 ACP and 10 round .38 Super magazines. SSCS2 is for use with plastic and metal followers that require a narrow magazine spring. 7-or 8round capacity depending on follower. SS10 fits 10-round .45 ACP magazines. Do not use with Wilson Combat plastic follow-

#445-001-100DF	SSCS 1911 Spring 5D06C71 \$ 8.95
	SSCS2 1911 Spring 5D05B31 7.95
#445-001-101DF	SS10 1911 Spring,
	<i>5D07C68</i>

PARA-ORDNANCE - Fits 19-rd. .38 super; 13-, 12- and 10-rd. .45 ACP high capacity magazine tubes. Requires trimming to fit shorter magazines. #445-125-100DF Para-Ord Mag Spring,

5D07H68.....\$ 10.25

Models

WOLFF 1911 AUTO EXTRA POWER MAGAZINE SPRING

GOVT & OFFICERS ACP - .45 ACP. Extra power springs help stabilize the follower for improved feeding performance with full power loads. 8-Rd.-5% extra-power fits newer Govt/Commander, plus Shooting Star magazines, will NOT allow 8-rd capacity in Sig GSR mags; 7-Rd.- 11 lb. rating, fits Govt/Commander, Officers ACP only, except Wilson Combat.

STK # 8-RD.	STK # 7-RD.	QTY	PRICE
#969-714-610DF	#969-713-710DF	1	9F05C00 \$ 7.49
#969-714-630DF	#969-713-730DF	3	9F11C53 \$ 17.29
#969-000-145DF	#969-000-178DF	10	9F32V00 \$ 47.99

COLT 1911 AUTO - .40 S&W. 10% extra power spring, fits 8-round

#969-000-022DF Colt .40 S&W Mag Spring, #969-000-023DF Colt .40 S&W Mag Spring, 3-pak,

Government Model and Commander magazines.

COLT 1911 AUTO - 9mm and .38 Super. 8 lb., 10% extra power. 7 lb. is standard. Fits Govt/Commander magazines.

#969-000-081DF Colt 9mm Mag Spring, #969-000-082DF Colt 9mm Mag Spring, 3-pak, #969-000-083DF Colt .38 Super Mag Spring 9F05C00 . 7.49 #969-000-084DF Colt .38 Super Mag Spring, 3-pak,

COLT 1911 DELTA ELITE - 10% extra power. Fits current production, 8-round, 10mm Delta Elite magazines with rounded, smooth follower. #969-000-105DF Colt Delta Elite Mag Spring,

9F05H00 . . . #969-000-106DF Colt Delta Elite Mag Spring, 3-pak,

COLT .380 - 5% extra power replacement for weak, worn, or broken spring helps ensure reliable feeding in Colt 1911-style pistols chambered in .380 ACP. Govt 380/Mustang +2 fits Government Model and Mustang Plus 2 magazine, Mustang/Pony fits Mustang with standard magazine and Pony.

\$ 18.15 969-000-195DF Govt 380/Mustang +2 Mag Spring.

CASPIAN - 10% extra power. Fits current production Caspian

#969-000-053DF Caspian Mag Spring, 3-pak, 9F12X33\$ 18.49

PARA-ORDNANCE P12 - 10% extra power. P12 fits 12-round, P12 magazines and all calibers of Para-Ordnance 10-round magazines. P13 fits 13-round, preban magazines. P14/P16 fits 13-, 14- and 15-round .45ACP magazines; 17- and 20-round .38 Super magazines; 15-round 10mm/.40 S&W magazines; 18-round 9mm magazines. For 10-round magazines, order P12 magazine springs.

#969-764-730DF P12 Mag Spring, 3-pak 9F11H53 ... \$ 17.29 #969-769-730DF P13 Mag Spring, 3-pak 9F11H53 17.29 #969-760-730DF P14/P16 Mag Spring, 3-pak,

PARA-ORDNANCE 170mm - Fits high capacity Para Ordnance magazines up to 170mm in length, can be shortened to fit other

#445-125-170DF PO170 Spring 5D08H61......\$ 12.75

STI/INFINITY 25-2 - Fits STI/Infinity standard magazine, all calibers, up to and including 140mm +1 and +2 round base pads. Important when using 200 gr. bullets and heavier, 11 coils. 445-126-100DF ST25-2 Spring 5D07Z68.....\$ 10.25

STI 170mm - Fits 170mm, STI, high capacity magazine tubes,

#445-126-170DF 170mm STI Mag Spring,

BROWNELLS PAGE 26

SATISFACTION GUARANTEED **SINCE 1939**

Office/Tech: 641-623-5401

WOLFF OVERSIZE HIGH-CAPACITY MAGAZINE SPRINGS

Cut-To-Fit For Precise Function

Additional coils provide precise magazine tuning for reliable feeding. High-quality, tempered wire springs are 10% increased power.

SPECS: 1, 3 or 10 paks. Installation requires fitting.

STI/INFINITY/MCCORMICK - .38 fits .38 Super, 9x21mm, 9x23mm. .45 fits .40 cal. .45 ACP.

STOCK # .38	STOCK # .45	QTY	PRICE		
#969-761-610DF	#969-777-610DF	1	9F05C33 \$ 7.99		
#969-761-630DF	#969-777-630DF	3	9F12C33 \$ 18.49		
#969-761-640DF	#969-777-640DF	10	9F33H35 \$ 50.0		

PARA-ORDNANCE- Fits all calibers. P12, P13, P14, P16, cut coils

#969-763-630DF 3-Pak O/S Mag Spring 9F12H33 ...\$ 18.49 #969-763-640DF 10-Pak O/S Mag Spring 9F33H02 . . . 49.50

1911 AUTO 10-ROUND - Fits all calibers of 10-round single stack 1911 Auto.

#969-774-610DF (1) 10-Rd Mag Spring 9F05H33 \$ 7.99 #969-774-630DF 3-Pak 10-Rd Mag Spring 9F12H33 . . 18.49 #969-774-640DF 10-Pak 10-Rd Mag Spring 9F33H34 . 49.99



A & G 1911 AUTO **GRIP EXTENDER**

Use Full Size Mags In Compact Guns; **Increases Shooting Comfort**

Slip-on collar, fills the space between a compact frame and bottom of a full-sized magazine to make a comfortable, hand-filling grip. Contoured to match the frame for improved trigger and recoil control. Ideal when using full size magazines as backup. SPECS: High impact polymer, black. Use Colt 1911 magazine in Officers ACE

#075-000-005DF Colt Extender 5G09B72......\$ 14.05

ARRENDONDO SEMI-AUTO **MAGAZINE BASE PAD**

Increase Capacity On Factory Mags

Replace the pre-ban, factory base pad with this hollow extended model and get up to four additional rounds in .38 Super and two additional in .45 ACP. Molded from high impact.

unbreakable, polyethylene; includes retainer insert. SPECS: Fiberglass-filled nylon. 1½" (3.8cm) long, 1.20" (3cm)

wiae.	
#069-100-001DF	Para .38/.40 Base Pad, Black,
	<i>9F14V80</i>
#069-100-201DF	Para .38/.40 Base Pad, Blue,
	9F14V80
#069-100-002DF	Para .45 Base Pad, Black 9F14V80 17.60
#069-100-003DF	STI Base Pad, Black <i>9F14V80</i> 17.60

CLASSIC PISTOL 1911 LOW PROFILE MAG PAD

Low Profile Design That's Perfect For Concealment

Extra-tough plastic pad protects the 1911 magazine bases from damage when you drop them during competition or tactical exer-

cises. Low-profile design and black color are perfect for weapon concealment. Added length makes it easy to slam a fresh magazine home. Smooth surface allows for quick, smooth draw without the hassle of snagging on clothes. SPECS: Plastic, black. 1/4" (6.4mm) thick. Sold in 3 Paks.

#169-500-002DF Low Profile Mag Pad, 3-pak,

CLASSIC PISTOL SUPERTUFF SOFT MAG PAD

Tough, Cushioned Protection For Mags & Your Palm

Unbreakable, soft-plastic pad is easy to install and adds extra length for positive magazine seating on guns with standard or extended mag wells.

SPECS: High strength, impact-resistant plastic, black. Fits all welded, flat base 1911 Auto magazines. 3 per pak w/screws. #169-500-001DF C.P. Mag Pad 9F09H83.....\$ 14.99



HIGH CAPACITY BASE PAD

+ 2 Rounds In Caspian Mags

Outstanding-quality base pad adds an extra two rounds of .38 Super to high-capacity, 19-round Caspian, double-stack magazines. Available in black (B),

or silver (S). Requires gunsmith fitting. SPECS: CNC machined aluminum barstock. Available in black (B), or silver (S). Follower must be cut down to fit into basepad.

#296-000-073DF Base Pad, Black 6B16Z00......\$ 20.00

FREED DESIGNS 1911 AUTO X-GRIP™ MAGAZINE ADAPTER

Adapts Full-Size 8-Round Magazines To Officers Model For Increased Firepower



Snap-on adapter converts 8-round Government model Novak and Act-Mag magazines for use in an Officers model pistol. Gives your Officers model the capacity of a full-size pistol, so you have more ammo available when you need it. Two-piece, closed-bottom unit snaps tightly around the floorplate, but it removes easily if you want to use the magazine with a full-size grip frame. Streamlined contours provide a nearly seamless mate to the grip frame. Gives added support for your little finger to improve weapon control, and offers extra cushion to protect the floorplate when dropping the mag during reloads. Made of rugged, impact-resistant polymer, so it takes a beating, yet weighs only half an ounce.

SPECS: Polymer, matte black. 2½" (6.4cm) long, 111/64" (3cm) wide, 3/16" (2.1cm) high, ½ oz. (14g) weight. Adapts Novak and Act-Mag 8-round .45 ACP Govt. model magazines for use in Officers ACP.

#100-003-163DF 1911 Auto X-Grip Adapter,

PACHMAYR MAGAZINE BUMPER KIT



For Positive Seating & Magazine Protection

Gives extra length needed for fast, positive magazine changes. Protects magazine from damage too. Same compound as used on Pachmayr grips.


SPECS: Fits 1911 Auto/copies. Screw on; screws, drill and jig included. Kits include 5 bumpers

#692-700-000DF MBK-Colt Bumper Kit 2F16X68 . . . \$ 25.00

STI 1911 AUTO BUMPER PAD

For Repair Or Replacement

Tough, black nylon polymer magazine pad. 170mm is legal for USPSA competition on 140mm and 170mm magazine tubes. SPECS: Nylon polymer, black.



CYLINER & SLIDE 1911 AUTO SERIES 80 TRIGGER PULL REDUCTION KIT

Super-Slick Parts Lighten Series 80 Pull

Titanium-nitrided parts, with an exclusive moly-disulfide coating, reduce trigger pull weight without risky modifications to Series 80 Colt's firing pin safety system.

Reduces the creep and jump in the takeupthat's inherent in these guns. When used with custom, after-market parts, trigger pulls as low as 2½ lbs. can be safely achieved. SPECS: Steel, TiN and moly coated, gold color. Kit includes hammer pin, sear pin, trigger lever, plunger lever, firing pin plunger.

#206-080-000DF Trigger Pull Reduction Kit,

10-8 PERFORMANCE 1911 AUTO **FLATTRIGGER**



Delivers Consistent Length-Of-Pull Regardless Of Finger Placement

Lightweight, aluminum trigger shoe features a flat, serrated face for uniform

length-of-pull regardless of index finger placement. Full width, stainless steel bow eliminates flex and is permanently staked to the shoe for added strength, making this trigger a top choice for duty and self defense guns. Stainless steel overtravel stop screw is mounted in the rear of the shoe and requires no staking or threadlocker to keep it in place - once it's set, it won't shoot loose.

SPECS: Bow - Stainless steel, polished finish. Shoe - Aluminum, silver, anodized finish. 2.2" (5.6cm) OAL. .3 oz. (8.6g) wt.

#100-003-159DF 10-8 Flat Trigger, 1B19Z95 \$ 24.75



10-8 PERFORMANCE LLC **SPRINGFIELD EMP EMPTRIGGER**

Staked Bow For High Strength & Reliable Performance

Full width, stainless steel bow eliminates flex and is permanently staked to the trigger shoe for added strength, making this trigger a top choice for carry guns. Stainless steel overtravel stop screw is mounted in the rear of the shoe and requires no staking or threadlocker to

keep it in place - once it's set, it won't shoot loose. Aluminum, serrated shoe provides a non-slip grip and positive control. Oversized shoe and overtravel stop require gunsmith fitting. Long Curved allows a different length-of-pull depending on index finger position; ideal for larger hands. Long Flat trigger features a flat, square face for uniform length-of-pull regardless of index finger position. Length-of-pull is equal to the shortest point on a traditional, "long" curved trigger.


SPECS: Bow - Stainless steel, polished finish. Shoe - Aluminum, silver, anodized finish. Long Curved - 2.28" (5.8cm) OAL. Flat -2.13" (5.4cm) OAL. .3 oz. (8.6g) wt. Fits Springfield EMP in 9mm and .40 S&W.

#100-003-712DF Long Curved Trigger, 1B19V95 24.95

GSA

CASTILLO'S 1911 AUTO **BALL BEARING TRIGGER**

Gives A Smooth-Gliding **Trigger Pull Without Fitting**





light, crisp, match-grade trigger pull without special tools or complicated fitting operations. Permanently installed, .010" diameter ball bearings at top and bottom of trigger shoe adjust automatically for positive contact in standard and oversize trigger tracks. Responsive, anti-flex, stainless steel bow is drilled for less weight; prevents sponginess for a consistent pull that helps improve accuracy. Lightweight, aluminum shoe features swaged construction, plus a grooved face for excellent control. Stop screw helps eliminate overtravel. For a really slick pull, polish the trigger track with Brownells Trigger Track Stone (#080-721-230). Then lubricate the track and bearings, and install the trigger. SPECS: Stainless steel bow, aluminum shoe. Silver anodized finish.

23/8" (6cm) OAL. .3 oz. (8.5 a) wt. #100-001-837DF Ball Bearing Trigger, 080-721-230DF Trigger Track Stone,

CYLINDER & SLIDE 1911 AUTO SOLID ALUMINUM MATCHTRIGGER



Replaces Sloppy-Fitting Factory Trigger; Smooth, Rounded Face For Comfort

Match-grade replacement trigger improves control and increases shooting comfort for greater accuracy, Solid, aluminum alloy trigger shoe is oversized for precise fitting to your frame. Smooth, rounded face eliminates "tender finger" caused by abrasions from sharply serrated trigger faces during long shooting sessions. Transmits the actual trigger action more effectively for a better "feel" of actual pull weight and improved control of letoff. Stainless steel trigger bow is longer than factory length to reduce take up. Overtravel screw helps eliminate trigger overtravel. Available with Short, Medium, and Long trigger shoe. Gunsmith fitting required.

SPECS: Aluminum shoe, stainless steel bow. Short - 2.25" (5.72cm), **Medium -** 2.35" (5.97cm), **Long -** 2.40" (6.1cm). #206-000-024DF Alum. Match Trigger, Short,

#206-000-025DF Alum. Match Trigger, Medium, #206-000-026DF Alum. Match Trigger, Long,

CLYINDER & SLIDE 1911 AUTO LONG ALUMINUMTRIGGER





Long, aluminum, trigger shoe helps ensure

proper placement of the index finger so pull force is directed straight rearward, preventing disturbance to sight alignment for improved accuracy. Shoe is permanently staked and drilled in a 3-hole configuration to keep weight to a minimum. Fine line serrations on the face provide a positive "feel" and help improve overall trigger control. Highly polished, stainless steel bow prevents trigger-flex and eliminates drag. Overtravel stop screw allows adjustments for creep. Gunsmith fitting required. SPECS: Shoe – Aluminum, silver, anodized finish. Bow – Stainless steel, polished finish. 2.40" (6.1cm) OAL.

206-000-033DF Long Aluminum Trigger,

order on the web www.brownells.com

PAGE 27

Orders/Tech: 800-741-0015

DLASKARMS ULTRA-LIGHT TRIGGER



Magnesium & Titanium For Strength: Adjustable For Take-Up & Overtravel; Para-Ord., STI Models, Too

Titanium stirrup, magne-

sium shoe and two-way adjustability provide the best combination of strength, lower weight and crisp feeling response for an ultra-light, match quality trigger pull without flex, take-up or overtravel.

SPECS: Magnesium shoe, titanium stirrup, silver finish. Available in Short - 2.124" (5.4cm), Med. - 2.187" (5.6cm), Long - 2.335" (5.9cm), Shoe: 1911 and Para. - .245" (6.2cm) wide, Gold Cup; 352" (8.9mm) wide. .2 oz. (6 g) weight. Lightening holes not available on Short models.

STK # SHORT	STK # MED	STK # LONG	FITS
#253-102-003DF	#253-101-003DF	#253-100-003DF	1911 Auto
NA	#253-101-004DF	#253-100-004DF	Gold Cup
#253-102-010DF	#253-101-010DF	#253-100-010DF	Para-Ord.
#253-103-001DF	#253-103-002DF	#253-103-003DF	STI/Infinity
- Advise # - 19	911/Gold Cup/Pa	ara Ultra-Light	Trigger,
	E33Y15		
 Advise # − S 	TI/Infinity Ultra	a-Light Trigger	,
31	E32Y50		48.40

ED BROWN 1911 AUTO NATIONAL MATCHTRIGGER

Stainless-Steel Bow Eliminates Flex

Drilled aluminum. three-hole shoe lightens trigger pull to help vou hit where vou aim.



Long shoe length and finely serrated surface provides good feel and trigger control. Shoe height is slightly oversized for precise fitting. Stainless steel bow gives, no-flex trigger movement. Overtravel stop screw prevents creep.

SPECS: Aluminum, silver anodized shoe; stainless steel bow. 1/4"(6.3mm) wide, 15/16" (23.8 mm) high; .3 oz (7g) wt. Gunsmith fitting required.

#087-000-012DF National Match Trigger 7H17X19. .\$ 21.99

GREIDER PRECISION 1911 AUTO V-SERIES MATCHTRIGGER



Proven, Videki Design For **Match-Winning Performance**

Lightweight, competition trigger minimizes drag and reduces pull weight for extra smooth engagement and faster return. Features the same, proven design that made the "Videki Speed Trigger" the industry standard.

Extra-stiff, high-strength bow is machined using the original Class A, Videki tooling and 400 series stainless steel. Shoe is CNC-machined from top-quality, aluminum billet and left slightly oversize for custom fitting. Stop screw helps eliminate overtravel; grooved face gives excellent control. Three sizes provide the correct length-of-pull (LOP) for most shooters. 3-Hole shoe features three holes to help keep pistol weight to a minimum.

SPECS: Bow - 400 Series S, polished finish. Shoe - Aluminum, silver. Long - 21/4" (5.7cm) long. Medium - 21/8" (5.4cm) long. Short

, , , ,				
STOCK #	LOP	SHOE		
#377-000-001DF	Long	Solid		
#377-000-002DF	Long	3-Hole		
#377-000-003DF	Medium	Solid		
#377-000-004DF	Short	Solid		
- Advise # - V-Series Match Trigger 7G14B62 \$ 17.4				

EGW SOLID BLANKTRIGGER



Full Length To Accommodate Large Hands

Machined, aluminum trigger is slightly concave for shooters who like a full, near-

ly flat trigger. Serrated face improves grip. Requires gunsmith fitting. Gold Cup has wider shoe to fit Colt Gold Cup and similar pistols.

SPECS: Aluminum shoe & stainless steel bow, silver finish. 25/16" (5.9cm) long. Standard - .250" (6.4mm) wide shoe. Gold Cup -.350" (8.89mm) wide shoe. .4 oz. (11.3 g).

#296-000-053DF Solid Blank Trigger, Std 6B24C00. .\$ 30.00 #296-000-094DF Solid Blank Trigger, Gold Cup,

GUN CRAFT PARA-ORDNANCE ALUMINUMTRIGGER

Two Lengths Fit Large & Small Hands

Lightweight, aluminum triggers give shooters with differentsized hands the proper index finger placement for easier, smoother trigger en-gagement. Short trigger helps shoot- ers with smaller hands reach around the Para-Ordnance frame. Long trigger gets the placement right for shooters with larger hands. Square trigger is extra long and features a gentle 4" radius along the length of the face



that increases surface area and gives a lighter perceived pull so the gun is easier to "double-tap". -All models feature grooved face, steel bows with fitting pads and overtravel adjustment.

SPECS: Aluminum body, steel bow. Body; .240" (6mm) wide. Short; 2.3" (5.8cm) long overall, Long; 2.40" (6cm) long overall. Square; 2.40" overall length. Fits Para-Ordnance frames only, requires gunsmith fitting.

#376-100-010DF Short Trigger, for Para-Ord,	
6G24P95	5
#376-100-011DF Long Trigger, for Para-Ord,	
6G24P95	5
#376-100-111DF Square Trigger, for Para-Ord,	
6G20P67	5



INFINITY 1911 AUTO TRI-GLIDE TRIGGER SYSTEM

Steel Bearings Provide Consistent Trigger Pull

Steel ball bearings set into the trigger bow and center leg

of sear spring provide exceptionally small contact points that reduce friction to the absolute minimum. Titanium sear spring eliminates stacking, smooths takeup. Steel disconnector is contoured to minimize frame contact and reduce mass. Does not include interlocking trigger shoe, select style of your choice listed elsewhere.

SPECS: Fits Infinity and STI or 1911 Auto. **Trigger Bow -** Titanium. Sear Spring - Titanium. Disconnector - 4140 steel, blue.

STOCK #	COLOR	FITS	PRICE
#823-110-002DF	Blue	Infinity/STI	3B91Z08 \$ 113.85
#823-110-003DF	Red	Infinity/STI	3B91Z08 \$ 113.85
#823-110-000DF	Silver	Infinity/STI	3B87D85 \$ 109.82
#823-110-102DF	Blue	1911 Auto	3B83Z59 \$ 104.48
#823-110-101DF	Black	1911 Auto	3B83Z59 \$ 104.48
#823-110-103DF	Red	1911 Auto	3B83Z59 \$ 104.48
#823-110-100DF	Silver	1911 Auto	3B80Z36 \$ 100.45



INFINITY 1911 AUTO INTERLOCKING TRIGGER SYSTEM

Quick Change Trigger Profiles For The Best Possible Fit

Quickly customize your pistol to get the trigger feel that's right for you. Lightweight, interchangeable trigger inserts provide enhanced flexibility to trigger shape selection and overall length adjustment. Separate bow with staked-on base accepts interlocking inserts; change just the insert to match shooting conditions or course of fire without affecting your precisely-tuned trigger job. Solid insert is Long-Flat style; allows you to custom machine your own insert shape. Top and Bottom Curved is Short-Flat style available with the curve at the top or bottom. Standard base has light weight titanium bow. Tri-Glide trigger base has steel ball bearing inset into rear of bow. Provides uniform contact surface and reduces Friction. All base models feature overtravel and takeup adjustments. Purchase base and inserts separately.

SPECS: Bow - Titanium. Base and Inserts - 6061 aluminum. Fits Single Stack 1911 Auto or Infinity (SVI) and STI Wide Body frames.

Overall Length - Long-Flat 2.4" (6.1cm), Short-Flat 2.2" (5.6cm), Long-Curved 2.3" (5.8cm), Short-Curved 2.1 (5.4cm), 3 oz. (7 g) wt. All require aunsmith fitting.

TRIGGER INSERTS

STOCK#	STOCK#	STOCK#	STOCK#	STOCK#	STOCK#		
LONG FLAT	SHORT FLAT	LONG CRVD	SHORT CRVD	TOP CRVD	BTTM CRVD	COLOR	PRICE
#823-106-001DF	#823-106-101DF	#823-106-002DF	#823-106-102DF	#823-106-204DF	#823-106-205DF	Silver	3B16C03 \$ 20.03
#823-106-011DF	#823-106-111DF	#823-106-012DF	#823-106-112DF	#823-106-214DF	#823-106-215DF	Blue	3B19C25 \$ 24.07
#823-106-021DF	#823-106-121DF	#823-106-022DF	#823-106-122DF	#823-106-224DF	#823-106-225DF	Black	3B19C25 \$ 24.07
#823-106-031DF	#823-106-131DF	#823-106-032DF	#823-106-132DF	#823-106-234DF	#823-106-235DF	Red	3B19C25 \$ 24.07

#823-106-003DF Solid Trigger Insert, Silver 3B16C03 \$20.03

TRIGGER BASE

STANDARD			TRI-GLIDE			
STOCK #	COLOR	PRICE	STOCK #	COLOR	PRICE	FITS
#823-107-000DF	Silver	3B38H55 \$ 48.18	#823-114-000DF	Silver	3B41Z77 \$ 52.22	Infinity/STI
#823-107-012DF	Blue	3B41H77 \$ 52.22	#823-114-012DF	Blue	3B45Z00 \$ 56.25	Infinity/STI
#823-107-013DF	Black	3B41D77 \$ 52.22	#823-114-013DF	Black	3B45Z00 \$ 56.25	Infinity/STI
#823-107-014DF	Red	3B41D77 \$ 52.22	#823-114-014DF	Red	3B45Z00 \$ 56.25	Infinity/STI
#823-107-001DF	Silver	3B29H96 \$ 37.45	#823-114-001DF	Silver	3B33Z19 \$ 41.98	1911
#823-107-002DF	Blue	3B33H19 \$ 41.48	#823-114-002DF	Blue	3B36Z41 \$ 45.52	1911
#823-107-003DF	Black	3B33H19 \$ 41.48	#823-114-003DF	Black	3B36Z41 \$ 45.52	1911
#823-107-004DF	Red	3B33H19 \$ 41.98	#823-114-004DF	Red	3B36Z41 \$ 45.52	1911

NIGHTHAWK CUSTOM 1911 AUTO LIGHTWEIGHTTRIGGERS

Designed For Custom Fitting To Provide A Smooth, No-Slop Pull

The same high-quality matchgrade triggers Nighthawk fits to all its custom pistols. Choose from solid or skeletonized shoe. All models have crisp serrations on the face for positive, no-slip



justment screw and hex wrench included. Solid trigger shoe comes in Short, Medium, and Long lengths. Custom model has skeletonized shoe and an extra-wide trigger bow.

SPECS: Stainless steel bow, aluminum shoe, natural finish #100-003-273DF Solid Trigger, Short 2B20H56.....\$ 24.99 #100-003-272DF Solid Trigger, Medium 2B20H56 24.99 #100-003-271DF Solid Trigger, Long 2B20H56 . 24.99 #100-003-270DF Custom Trigger 2B20H70 . 24.99

NOWLIN MFG. 1911 AUTO LIGHTWEIGHTTRIGGER




Less Mass For Lightest Possible Trigger Pull

Less weight helps deliver the lightest trigger pull possible. Features takeup tab and overtravel adjustment for a crisp, clean letoff without excess travel. Stainless steel bow provides the stiff, no-flex feel for consistent accuracy plus, it's heat treated to maintain shape and prevent magazine drag. Specially-contoured, CNC machined, aluminum alloy shoe cuts weight to an absolute minimum. **Drop-In** shoe fits 1911 frames with no fitting. SPECS: Alum. shoe, silver, 2.2" (5.6cm) long. .22 oz. (6.3g) wt. #654-018-112DF Drop-In Light Trigger 4E19T81 ...\$ 27.98

STI MATCH GRADETRIGGER

Outstanding Feel, Extremely Lightweight

Rigid stainless steel bow attached to extremely lightweight, durable shoe has tabs for take up adjust-



SPECS: Bow - 4140 stainless steel. Shoe - Glass filled nylon or aluminum. Long Curve Trigger is 27/16" (6.1cm) long, .239" (6mm) wide. Short Curve Trigger is 21/4" (5.7cm) long, .237" (6mm) wide. Aluminum Trigger is 21/4" long, .217 (5.5mm) wide.

#791-000-063DF	Long Curve Trigger,
	1G21D12
#791-000-064DF	Short Curve Trigger,
	1G20D84 26.05
#791-000-065DF	Lightweight Aluminum Trigger,
	1G25D00 31.25

WILSON COMBAT 1911 AUTO COMPETITION MATCHTRIGGER



Light Aluminum Trigger PinnedTo Steel Stirrup

Drilled, lightweight, long, adjustable aluminum trigger is pinned to steel stir-

rup for maximum strength and long life. Grooved for positive, fingertip control. Includes overtravel adjustment screw and Allen wrench.

SPECS: 2.4" (6.1cm) overall length, .235" (5.97mm) wide. #965-001-045DF Wilson .45 Trigger,

WILSON COMBAT 1911 AUTO ULTRALIGHT MATCHTRIGGER

Light Weight For A Smooth Pull & Ultra-Crisp Letoff; Shoes To Fit Any Finger Size

The same high-quality matchgrade trigger used by the Wilson Custom Shop in its famous custom 1911 autos. Weighs a mere .2 oz. (6g) to help ensure a consistent trigger pull and ultra-crisp letoff for competition or tactical pistols. Solid shoe is precision machined from high-grade aluminum alloy, with clean, well-defined serrations on the face for positive finger con-



tact and neatly radiused edges that won't abrade finger; attractive, low-luster finish. Three-hole Skeletonized model has long shoe with curved face; Solid model available with Curved face in Short, Medium, and Long lengths or Flat face. Customize overtravel to your pistol with the adjustable overtravel screw (hex wrench included). Stirrup is made of heat-treated stainless steel to minimize unwanted flex; polished, high-gloss finish ensures minimal friction with frame. Minor fitting may be required.

	11 31100, Stairiic33 Steel Stirrup, Hatarar Illii311.
#965-190-045DF	Skeletonized Ultralight Match Trigger,
	5F29T61
#965-000-067DF	Solid Curved Ultralight Match Trigger,
	Short 5F28P95
#965-000-065DF	Solid Curved Ultralight Match Trigger,
	Medium 5F29P33
#965-000-066DF	Solid Curved Ultralight Match Trigger,
	Long 5F28P95
#965-000-064DF	Solid Flat Ultralight Match Trigger,
	5F28P95

Brownells

PRO-SPRINGS™ FOR ACTION TUNING **MADE BY WOLFF**



Replaces All The Springs For Precise Tuning Of The Government Model & Its Variations "Guaranteed Superior"

Specially selected replacement springs to greatly improve functioning AND reduce trigger pull form the basis of a topquality 1911 tuning job. 5 Wolff coil springs plus a factory-style, 3-leaf sear spring. Includes: Variable Power Recoil Spring which functions with a wider range of ammo than single power springs; Hammer Spring which lightens trigger pull; Extra Power Firing Pin Spring; New Magazine Catch; Series 80 Firing Pin Safety Block Spring; Plunger Tube Springs, plus the Sear Spring. Three kits - each with a different strength recoil spring.

0 1 0
GM-451 - 10 lb. Recoil Spring for light loads, comp guns. #080-665-451DF Kit GM-451 $6K15U92$ \$ 20.16
GM-452 - $16\frac{1}{2}$ lb. Recoil Spring for standard factory ammo. #080-665-452DF Kit GM-452 $6K15A91$ \$ 20.15
GM-453 - 18½ lb. Recoil Spring for maximum power loads. № 1080-665-453DF Kit GM-453 6K16A88 \$ 20.99
CC-454 for Colt Combat Commander - Includes 1 each factory standard weight, 18 lb., variable power recoil spring and 23 lb. hammer spring plus, (1) 19 lb. RP hammer spring and (1) XP

firing pin spring. OM-456 & OM-457 for the .45 ACP caliber Officers ACP - Single

recoil spring replaces the factory double spring to give crisp, reliable functioning; reduced power main spring (hammer spring) helps reduce trigger pull. Kit includes both 20 lb. reduced power recoil spring and 24 lb. extra power recoil spring, plus an

CLARK CUSTOM 1911 AUTO CUSTOM SEAR SPRING

Effective, Easy-To-Install Cure - Saves Carefully **Stoned Sear & Hammer Notches**

Exclusive, "split" center leg of spring keeps con-stant forward pressure on trigger to prevent ham-mer/sear notch damage (which can cause dangerous "hammer follow") on guns equipped with lightened or "traditional", custom trigger jobs. Allows hammer to stand cocked under most normal conditions and will not affect trigger break or pull. Can be used with lightweight triggers or

Gold Cup-style hammers. SPECS: Blued steel, 2¹³/₁₆" (7.1cm) long, ½" (12.7mm) wide. Fits all

models of Colt-style 1911 Auto pistols. #181-130-001DF Custom Sear Spring 1H05U19.....\$ 6.99 #181-130-003DF 3 Custom Sear Springs 1H14U24 ... 18.99

INFINITY 1911 AUTO TRI-GLIDETITANIUM SEAR SPRING

Smooth, Reliable Pull With Light Triggers

Reduced tension rate compared to steel makes pull weights as low as 1½ pounds possible. Non-stacking, linear movement reduces sear loading to allow a 1 pound reset weight without sear bounce. Steel ball bearing, inset into center leaf, reduces contact area with disconnector; provides a very smooth trigger takeup. SPECS: Titanium. Both springs require minor fitting. 1911 fits single stack, 1911 autos. Hi-Cap fits STI/ Infinity and

Para-Ordnance. #823-111-000DF 1911 Tri-Glide Sear Spring, 3B23Z73.....\$ 29.99 #823-000-005DF Hi-Cap Tri-Glide Sear Spring,

OTHER SEAR SPRINGS-

ED BROWN HARDCORE $^{™}$ - Longer center leg allows precise spring tuning; helps prevent disconnector failure and provides more positive sear engagement. Specially heat treated, spring, tool steel will never fail under normal use.
Includes Ed's LIFETIME GUARANTEE.

SPECS: Spring steel, blue. #087-825-100DF Hardcore Sear Spring 7H05Y91 \$ 7.40

ED BROWN SEAR SPRINGS - Assures positive sear engagement and helps prevent disconnector failure. High-quality, tempered spring features extra length on the center leg that allows precise tuning of the disconnector. SPECS: Steel, blue, tempered. #087-045-822DF Sear Spring 7H04C21......\$ 5.26

WILSON COMBAT BULLET PROOF™ - Made from the finest spring steel and correctly tempered for long service life. Maintains constant tension without taking a set. SPECS: Spring steel, blue.

#965-417-000DF Bullet Proof Sear Spring,

WOLFF SEAR SPRING - Wolff's renowned quality standards ensure uniform thickness throughout the entire spring for consistent tension on both the sear and disconnector. Correctly tempered so it won't take a set when left "cocked and locked".

SPECS: Blued steel, tempered. Sold singly or in 5, 10 and 25 naks Fits all 1911 Autos

paro. Tito all To Ti	714100.	
#969-302-010DF	1911 Sear Spring , Sgl <i>9F04T33</i> \$ 6.49)
#969-302-020DF	1911 Sear Spring, 5-pak 9F19T67 29.49	•
#969-302-030DF	1911 Sear Spring , 10-pak 9F35T34 52.99	,
#969-302-040DF	1911 Sear Spring, 25-pak 9F80T03 . 119.99)

extra power firing pin spring and a 21 lb., reduced power main spring (hammer spring). Two versions available: OM-456 fits factory guide rod; OM-457 fits guns equipped with aftermarket,

.330 diameter, full-length gui	ae roa.
#080-665-046DF Kit OM-456	6K09T44 \$ 15.7
#080-665-047DF Kit OM-457	6K09T44 15.7

NOWLIN MFG. **SPRINGS**



Premium Quality For Competition Pistols

Made from premium-quality, drawn and tempered, chrome silicon wire or high-carbon steel for the very best in performance and durability. Fully tested and guaranteed to perform. SPECS: Chrome silicon or high carbon, steel wire

MATCH-GRADE SEAR SPRING - Best combination of tension and pressure for light, match-quality trigger jobs. High-carbon steel with skeltonized leaves for even pressure, correct travel. #654-253-000DF Match Sear Spring 4E04B49......\$ 6.42

HAMMER SPRING - 19.5 lb hammer spring (mainspring) lets pistol cycle more easily, gives reliable ignition and the ability to achieve smoother, lighter trigger pull. #654-252-000DF 19.5 lb Mainspring 4E01V79......\$ 2.23

HEAVY DUTY FIRING PIN SPRING - Helps assure reliable igni-

tion and positive pin "return" when used with standard weight firing pins and lighter hammer springs. #654-251-000DF H/D Firing Pin Spring 4E01V70....\$ 2.26

RECOIL SPRINGS - Progressively wound to slow the slide gradually for less chance of frame damage and returns the slide quicker when faster cycling is needed. Government length only.

STOCK #	WEIGHT	STOCK #	WEIGHT
#654-250-008DF	8 lb.	#654-250-016DF	16 lb.
#654-250-009DF	9 lb.	#654-250-018DF	18.5 lb.
#654-250-014DF	14 lb.	·	

- Advise # - Nowlin Recoil Spring, 4E03A67......\$ 5.62

ED BROWN 1911 AUTO COMPETITION MAINSPRING

Lighter Mainspring For Match-Quality Triggers

Top-quality springs assure consistent, reliable ignition plus dependable performance. Provides the lower weight necessary to achieve the clean-breaking, light trigger sought after by 1911 aficionados everywhere. SPECS: Steel, pak of 5. 19 lb. weight, factory is 23 lb. #087-045-919DF Mainspring, 5-pak,

ED BROWN COMMANDER RECOIL SPRING \$AAAAAAAAAAAAA


Constant Rate Design For Improved Ejection & Dependable Cycling

Premium-quality replacement for old, tired factory recoil springs in the 1911 Commander improves function and reliability. Constant rate design along the entire length to help keep the slide closed longer when shooting heavy loads. Reduces wear from battering and shortens the distance spent casings are ejected. High tensile strength, round wire, spring steel ensures years of reliable service. 18 lb. is the correct, factory weight and an excellent choice for restoring your pistol to its original specs. 20 lb. Extra power spring holds the slide closed a little longer to help solve the problem of brass ejecting too far (more than 15 feet). SPECS: Round-wire spring steel. Approximately 51/8" (13cm) long uncompressed. Fits Commander-length 1911 pistols.

#087-000-045DF 18 lb. Commander Recoil Spring, 7H08D46.....\$ 10.60 #087-000-046DF 20 lb. Commander Recoil Spring,

ISMI

CERTIFIED SPRING



AMMINIMUM TO THE PARTY OF THE P

Designed For Maximum Consistency & Reliability

CAD designed and built to Aerospace specifications from chrome silicon, corrosion resistant, stainless steel or chrome vanadium for maximum durability, consistency and reliable performance. Built to aerospace specifications; heat treated, shot peened and fully stress relieved to minimize spring set. SPECS: Chrome silicon or stainless steel round wire, chrome vanadium flat wire.

1911 GOVT. AUTO RECOIL SPRINGS - Chrome silicon (CS), stan-

dard wound.
#445-100-109DF 9 lb. CS Spring 5D05H31\$ 7.95
#445-003-010DF 10 lb. CS Spring 5D05C31 7.95
#445-000-001DF 11 lb. CS Spring 5D05B31 7.95
#445-000-002DF 12.5 lb. CS Spring 5D05B31 7.95
#445-100-114DF 14 lb. CS Spring 5D05H31 7.95
#445-003-015DF 15 lb. CS Spring 5D05C31 7.95
#445-100-016DF 16 lb. CS Spring 5D05H31 7.95
#445-100-018DF 18 lb. CS Spring 5D05H31 7.95
#445-100-118DF 18 lb. SS Spring 5D05H31 7.95
#445-000-015DF 20 lb. CS Recoil Spring 5D05B31 7.95
4044 ALITO BAAINIOPPINIO GLEET LA 1/000 1 22

1911 AUTO MAINSPRING - Stainless steel (SS) or chrome silicon (CS); wound in the very popular 19 lb. and 17 lb. rate for lighter,

	i pun with remable ignition.
#445-004-014DF	15 lb. CS Spring, each,
	5D04C27
#445-105-017DF	17 lb. CS Spring, each,
	5D04H17
#445-105-191DF	19 lb. SS Spring, each,
	5D04H27
#445-105-195DF	19 lb. SS Spring, 5-pak,
	5D18H75
#445-000-023DF	22 lb. 1911 SS Spring, each,
	5D04X17
#445-000-024DF	22 lb. 1911 SS Spring, 5-pak,
	5D18X75
	#445-004-014DF #445-105-017DF #445-105-191DF #445-105-195DF #445-000-023DF

NIGHTHAWK CUSTOM 1911 AUTO SPRING KITS



For Smooth, **Reliable Function**

High-quality replacement springs ensure re-

liable performance from your pistol, including proper feeding, positive ejection, and minimal battering of frame and slide. Replace fatigued springs to return a gun to consistent, dependable function or use as components in a custom build. Pistolsmiths recommend changing springs regularly as part of a positive preventive maintenance program. Kits include two standard weight recoil springs, an extra power recoil spring for hot or +P loads, extra power firing pin spring for positive ignition, and reduced power hammer spring.

SPECS: Spring steel. Govt. contains two 17 lb. recoil springs, 20 lb. extra power recoil spring, reduced power hammer spring, and an extra power firing pin spring. Commander contains two 20 lb. recoil springs, 22 lb. extra power recoil spring, 21 lb. reduced power hammer spring, and an extra power firing pin spring.

#100-003-264DF Govt. Model Spring Kit 2B15H96 . . \$ 19.95 #100-003-265DF Commander Spring Kit 2B15H96... 19.95

CALL OFTEN!!

We'll Be Your Warehouse 800-741-0015

SPRINCO 1911 AUTO PROGRESSIVE RECOIL SPRING

Moly Treatment & Chrome Silicon Steel Provide Consistent Performance

Varied, progressive structure provides constant pressure with greatly increased spring performance; penetrating moly increases lubricity to last longer. Wound from high endurance $chrome\ silicon\ wire\ for\ maximum\ performance\ with\ an\ extended$ cycling range of 50,000 cycles.

ŠPECS: Chrome Silicon wire. Fits 1911 Autos.

STOCK #	WEIGHT
#943-102-008DF	8 lb.
#943-102-010DF	10 lb.
#943-102-012DF	12 lb.
#943-102-014DF	14 lb.

STOCK #	WEIGHT
#943-102-016DF	16 lb.
#943-102-018DF	18 lb.
#943-102-020DF	20 lb.

- Advise # - Progressive Recoil Spring,



TACTICAL SPRINGS 1911 AUTO RECOIL SPRINGS

Consistent Performance For High-Stress, **High-Volume Shooting**

Premium-quality recoil spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume tactical or competition shooter who needs a finely tuned spring that delivers its rated power as reliably on the 50,000th shot as it did on the first. Made from chromium-silicon steel alloy selected specifically for its hardness, heat resistance, and ability to withstand high stresses—the same allov used for valve springs on automobile engines. Cryogenically treated to relieve internal stress, and surface impregnated with Sprinco's proprietary Plate+ molybdenum disulfide lubricating coating. Available in factory standard 16-lb, weight, as well as extra-power 17- and 18-lb. weights to reduce slide and frame battering with hot loads and shorten the distance spent brass is ejected from gun.

SPECS: Cryo-treated chrome silicon alloy. Fits full-size 1911 Auto Govt. Model

#943-000-013DF	16 lb. Recoil Spring,	
	3D05X95	7.95
#943-000-014DF	17 lb. Recoil Spring,	
	3D05X95	7.95
#943-000-015DF	18 lb. Recoil Spring,	
	3D05X95	7.95

WILSON COMBAT 1911 AUTO FIRING PIN RETURN SPRING

"Extra Power" Replacement Spring Helps Prevent Accidental Discharge

Steel replacement spring helps reduce the possibility of discharge if pistol is dropped without reducing ignition reliability. Also minimizes firing pin bounce, and helps keep the firing pin stop in place. Fits all 1911 Autos.

SPECS: Steel. 21/8" (53mm) long.

#965-000-029DF	XP Firing Pin Return Spring,
	<i>5F02D59</i>

WILSON COMBAT "CUSTOMTUNE" SPRING KITS

MANAMAN Add Reliability, Improve Function

High quality

springs drop-in to improve handgun performance. High tensile strength wire delivers reliable function.

SPECS: Kit contains one each of the springs listed below. RP = Reduced Power, XP = Extra Power.

#324 "C", COLT COMMANDER .45 ACP - RP 19 lb. hammer spring; XP firing pin spring; RP 12 and XP 20 lb. recoil springs. #965-324-002DF Wilson Kit #324C 5F11V84 \$ 13.95

#324 "G", COLT GOVT. 45 ACP - RP 19 lb. hammer spring; XP firing pin spring; RP 10 and XP 18½ lb. recoil springs. #965-324-001DF Wilson Kit #324G 5F11V84 \$ 13.95

#325 COLT OFFICERS MODEL - RP 21 lb. hammer spring; XP firing pin spring; RP 18½ lb. and XP 24 lb. recoil springs. #965-325-000DF Wilson Kit #325 5F12V68......\$ 14.99


WILSON COMBAT 1911 AUTO

SPRING CADDY

JUNIOU ----

Kit of Recoil Springs & Accessories

Spare recoil springs, SHOK-BUFFS, bushing wrench and other guide rod accessories, all in one handy pouch that fits right in your shooting bag.



#965-364-000DF Wilson Spring Caddy, 5F25Z30\$ 29.95

WOLFF 1911 AUTO CHROME SILICON RECOIL SPRING

MResists Taking A Set; Choice Of Three Weights To Match Your Gun

Chrome silicon steel recoil spring resists taking a set even after thousands of compression cycles for improved performance and reliability. Available in three power ratings, so you can match spring weight to your specific gun and the type of load you shoot. Use Reduced Power 14 lb. spring for target loads with lighter than standard bullets or powder charges, Factory Standard 16 lb. spring for all-around reliability with the widest range of ammo, and Extra Power 18½ lb. spring for smoother cycling and less slide battering with heavy loads. Each spring comes with an extra power firing pin spring to ensure positive ignition and an extra margin of safety in preventing accidental discharges.

SPECS: Chrome silicon spring steel, Available in 14, 16 & 18½ lb. weights. Fits 1911 Auto Government Model.

#969-000-189DF Reduced Power 14 lb. CS Recoil Spring,

969-000-191DF Extra Power 18½ lb. CS Recoil Spring,

Shop

1911 springs

brownells.com

All, essential, factory weight coil springs for a Colt 1911/1911A1, 45 ACP pistol. No fitting required. Magazine

969-309-510DF Colt 1911 Service Pak,

WOLFF VARIABLE POWER RECOIL SPRING

WAYAAAAAAAAAAAAAA Variable rate springs function correctly with

a wider range of loads than fixed rate springs can. Rate increases as spring is compressed; gives greater protection against frame battering, more consistent lockup and improved feeding, while allowing easier manual cycling of the action.

FOR GOVERNMENT MODEL

Recoil Calibration Pak contains 1 each of seven different springs; 16½ lb., 15 lb., 14 lb., 13 lb., 11 lb., 10 lb. and 9 lb., plus three extra power firing pin springs. Individual Spring Pak contains one variable power recoil spring and one extra power firing pin spring. Factory weight is 16 lb.

STOCK#	LB.	STOCK #	LB.	STOCK#	LB.
#969-424-010DF	10	#969-424-014DF	14	#969-424-017DF	17½
#969-424-011DF	11	#969-424-015DF	15	#969-424-018DF	18½
#969-424-013DF	13	#969-424-016DF	16½	#969-424-020DF	20
			~ -		

Variable Power Spring 9F05P26 .. \$ 7.89 Advise # — #969-131-150DF Variable Recoil Cal. Pak 9F29X34 . . 43.99

FOR COLT COMMANDER

All springs are variable power. 18 lb. spring is factory standard; includes extra power firing pin spring.

STOCK#	LB.	STOCK #	LB.	STOCK#	LB.
#969-425-100DF	10	#969-425-140DF	14	#969-425-180DF	18
#969-425-120DF	12	#969-425-160DF	16	#969-425-200DF	20

- Advise # - Commander Variable Spring 9F05U26 \$ 7.89

WOLFF COMPACT 1911AUTO RECOIL SPRING

Replacing the factory double spring with one of these Single springs

eliminates binding, improves function and reliability. SPECS: Factory standard is 22 lb. recoil spring.

OFFICERS ACP, W/FACTORY GUIDE ROD - Supplied with extra power firing pin spring. For use with factory, recoil spring guide

#969-423-220DF 22 lb. Officers ACP Spring 9F05P26. \$ 7.89 #969-423-240DF 24 lb. Officers ACP Spring 9F05P26. . 7.89

OFFICERS ACP/P-12/KIMBER COMPACT & PRO CARRY - Replaces the factory double spring on Colt Officers ACP and the single spring on Para Ordnance P12. Must be used with fulldiameter (nominal .330"), full-length, after market recoil spring guide rods. Factory standard is 22 lb. Supplied with extra power firing pin spring. Also fits Kimber Compact and Pro Carry with factory guide rod.

#969-490-220DF 22 lb. Officers/P12 Spring,

SPRINGFIELD CHAMPION & COMPACT - Replaces the factory single or double spring to improve function and eliminate binds. Works with factory or aftermarket guide rods. Also includes an extra power firing pin spring.

SPECS: Factory standard is 22 lb. recoil spring

#969-000-103DF 22 lb. Springfield Champ/Compact Sprg,

WOLFF 1911 AUTO PISTOL SERVICE PAK

spring not included.

WOLFF 1911 AUTO HAMMER SPRING

Lighter & Heavier To Tailor Trigger Pull

Lighter hammer springs are required to gain those ultralight trigger pulls demanded by competitive shooters. Heavy springs adjust trigger let-off to individual requirements.

STOCK # 1 EA.	STOCK # 3-PAK	WEIGHT
#969-262-170DF	#969-263-170DF	17 lb. (light)
#969-262-180DF	#969-263-180DF	18 lb. (light)
#969-262-200DF	#969-263-200DF	20 lb. (light)
#969-262-230DF	#969-263-230DF	23 lb. (factory)
#969-262-250DF	#969-263-250DF	25 lb. (heavy)
A 1 1 11 (4) TT	G 1 0F0	27700 * 4.00

- Advise # - (1) Hammer Spring 9F02H86 \$ 4.29 - Advise # - (3) Hammer Springs 9F06H00 8.99

OFFICERS ACP HAMMER SPRING - 20 lb. reduced power for

lighter trigger pull. Factory is 23 lb. #969-000-054DF (1) Off. ACP Hammer Spring, 20#, #969-000-166DF (1) 23# Officers ACP Hammer Spring,

WOLFF 1911 AUTO REDUCED POWER HAMMER SPRING PAKS

3-In-1 Tuning Choices

Various weights of reduced power hammer springs in one kit so you can precisely tune the autos listed for smoothest trigger pull and proper functioning. Contains 1 each 19 lb., 20 lb. and 21 lb. hammer springs. Factory spring is 23 lbs.

#969-265-200DF Reduced Power Hammer Spring Pak,

WOLFF 1911 AUTO SPRINGS

1911 AUTO EXTRA POWER MAG CATCH SPRING - Provides security against accidental release. #969-000-035DF 3-Pak XP Mag Catch Spring, 1911 AUTO REDUCED POWER MAG CATCH SPRING - Fine tune the magazine release. Try-Pak includes factory weight, plus #1 (strongest), #2, #3, and #4 (lightest) springs. #969-262-403DF 10-Pak #3 Reduced Power Mag Catch

1911 AUTO FIRING PIN SAFETY BLOCK SPRING - Replaces weak or broken firing pin safety springs in all Series 80 and 90 pistols with a firing pin safety block. Fits Colt 1911, 1911A1. 1991, Government, MKIV, Gold Cup, Commander and Officers models.

#969-000-121DF Safety Block Spring, each, #969-000-122DF Safety Block Spring 3-pak,

1911 AUTO PLUNGERTUBE SPRING - Eliminates slide stop and thumb safety failures caused by a broken plunger tube spring. Fits Colt 1911, 1911A1, 1991, Government, MKIV, Gold Cup, Commander (.45, Super .38 and 9mm), Officers .45 cal., and Delta Elite 10mm. #969-000-124DF Plunger Tube Spring, each,

#969-000-125DF Tube Spring, 3-pak, 9F05D00 7.49 #969-000-126DF Tube Spring, 10-pak,

SATISFACTION GUARANTEED **SINCE 1939**

GSA

BROWNELLS PAGE 30

WOLFF RECOIL SPRING

Fine Tune For Light, Standard Or Heavy Loads

Like all Wolff springs, these for the 1911 Auto in .45, .38 Super or 9mm are the finest, most reliable, longest lasting ones available. The springs of choice for most of the nation's top builders. Except where noted, all recoil springs are supplied with an extra power firing pin spring that keeps the firing pin stop in place and prevents firing pin "float"; an addition recommended by pistolsmith Bill Wilson.

TYPE A - FORTARGET (SOFTBALL) LOADS - These were originally recommended to us by Major F. B. Conway, U.S.A. - M.T.U. Whenever lighter than standard bullets or powder charges are being used, a lighter recoil spring is a must for correct functioning; however, they MUST NOT BE USED WITH STANDARD (HARDBALL) LOADS. The 10 lb. Type A spring is the old favorite (for reduced loads) and for that reason we also make it available

LUNG SLIDE FUNCTION FAR - Consists of 5 recoil springs #1 through #5, plus 3 extra power firing pin springs. Wolff does not specify a power rating, #1 is strongest, #5 the lightest. Fitting	STOCK#	LB.	STOCK#	LB.	STOCK#	LB.
#369-419-090DF 9 #369-419-120DF 12 #369-419-150DF 15 — Advise # — R/P Recoil Spring 9F05Y26 \$7.89 #369-950-500DF 10 lb. Spring, only 9F02D37 3.56 #369-950-510DF 10 lb. Spring, 10-pak 9F21D46 35.60 TYPE B - FACTORY REPLACEMENT SPRING FOR HARDBALL LOADS - Exactly matches the specs of the original factory spring. Govt. Model does NOT come with extra power firing pin spring. Commander may also be used as an extra power spring for 9mm/38 Super pistols and comes with an XP firing pin spring. #369-950-600DF 16 lb. Govt. Model Recoil Spring, 9F02D37 \$3.56 #369-950-610DF 16 lb. Govt. Model Spring, 10-pak, 9F21D46 35.60 #369-000-183DF 18 lb. Commander Recoil Spring, 9F05A45 7.99 TYPEC-EXTRAPOWERFORHARDBALLANDHEAVIERLOADSIN GOV'T./GOLD CUP - For these guns in both 45 ACP and .38 Super. Allows more precise tuning of individual guns for better stripping, smoother cycling. Factory weight is 16 lb. Extra power firing pin spring included. #369-419-180DF 18½ lb. Spring, 10-pak, 9F09-419-180DF 18½ lb. Spring, 10-pak, 9F09-419-180DF 20 lb. Recoil Spring 9F05P26 7.89 #369-419-200DF 20 lb. Recoil Spring 9F05P26 7.89 #369-419-200DF 20 lb. Recoil Spring 9F05P26 7.89 #369-419-260DF 26 lb. Recoil Spring 9F05P26 7.89 #369-42-2-20DF 20 lb. Recoil Spring 9F05P26 7.8	#969-419-070DF	7	#969-419-100DF	10	#969-419-130DF	13
Advise #— R/P Recoil Spring 9F05Y26	#969-419-080DF	8	#969-419-110DF	11	#969-419-140DF	14
#869-950-500DF 10 lb. Spring, only 9F02D37	#969-419-090DF	9	#969-419-120DF	12	#969-419-150DF	15
Govt. Model does NOT come with extra power firing pin spring. Commander may also be used as an extra power spring for pmm/.38 Super pistols and comes with an XP firing pin spring. #969-950-600DF 16 lb. Govt. Model Recoil Spring, 9702D37	#969-950-500D #969-950-510D TYPE B - FACT	F 10 F 10 ORY	lb. Spring, only lb. Spring, 10-1 REPLACEMENT	9F0 pak 9 SPR	2D37 F21D46 ING FOR HARDI	3.56 35.60 BALL
#969-950-610DF 16 lb. Govt. Model Spring, 10-pak, 9F21U06	Govt. Model de Commander 1 9mm/.38 Super	pes N nay a pista F 16	OT come with ex also be used as ols and comes wi lb. Govt. Mode	tra po an ex th an el Rec	ower firing pin sp stra power sprin a XP firing pin sp coil Spring ,	oring. g for ring.
#969-000-188DF 18 lb. Commander Recoil Spring, 9F05A45	#969-950-610D	F 16	lb. Govt. Mode	l Spr	ring, 10-pak,	
GOV'T./GOLD CUP - For these guns in both .45 ACP and .38 Super. Allows more precise tuning of individual guns for better stripping, smoother cycling. Factory weight is 16 lb. Extra power firing pin spring included. #369-419-180DF 18½ lb. Recoil Spring 9F05P26 . \$7.89 #369-419-181DF 18½ lb. Spring, 10-pak, 9F40P14	#969-000-188D	F 18	lb. Commande	r Re	coil Spring,	
#969-419-200F 20 lb. Recoil Spring 9F05F26	GOV'T./GOLD Super. Allows 1 stripping, smoo firing pin sprir #969-419-180D	nore other of inc F 18 F 18	- For these gun precise tuning o cycling. Factory luded. ½ lb. Recoil Sp ½ lb. Spring, 10	s in k f indi weigh ring D-pak	ooth .45 ACP and vidual guns for but is 16 lb. Extra public properties of the street s	d .38 etter ower 6 7.89
lb. factory standard, 18½ lb., 20 lb., 22 lb. and 24 lb., plus 3 extra power firing pin retraction springs. #969-131-110DF X-Power Function Pak, 9F21U00 \$131-110DF X-Power Function Pak, 9F21U00 \$31.49 TYPED-EXTRAPOWER FOR HARDBALLAND HEAVIERLOADS IN COMMANDER - Provides same benefits as Type C springs, but for the shorter Commander which comes standard with an 18 lb. spring. Includes extra power firing pin spring. #969-422-200DF 20 lb. Recoil Spring 9F05P26 \$7.89 #969-422-200DF 22 lb. Recoil Spring 9F05P26 78.9 #969-422-240DF 24 lb. Recoil Spring 9F05P26 78.9 #969-422-240DF 24 lb. Recoil Spring 9F05P26 78.9 #1 through #5, plus 3 extra power firing pin springs. Wolff does not specify a power rating, #1 is strongest, #5 the lightest. Fitting required. #969-000-020DF Long Slide Function Pak, 9F24V00 \$35.99	#969-419-220D #969-419-240D #969-419-260D	F 20 F 22 F 24 F 26	lb. Recoil Spri lb. Recoil Spri lb. Recoil Spri lb. Recoil Spri	ng 9. ng 9. ng 9. ng 9.	F05P26	7.89 7.99 7.89 7.89
IN COMMANDER - Provides same benefits as Type C springs, but for the shorter Commander which comes standard with an 18 lb. spring. Includes extra power firing pin spring. #969-422-200DF 20 lb. Recoil Spring \$9F05P26\$ 7.89 #969-422-240DF 22 lb. Recoil Spring \$9F05P26 7.89 #969-422-240DF 24 lb. Recoil Spring \$9F05P26 7.89 LONG SLIDE FUNCTION PAK - Consists of 5 recoil springs #1 through #5, plus 3 extra power firing pin springs. Wolff does not specify a power rating, #1 is strongest, #5 the lightest. Fitting required. #969-000-020DF Long Slide Function Pak, \$9F24V00\$ 35.99	lb. factory stan power firing pi	dard, n reti F X-]	18½ lb., 20 lb., 2 raction springs. Power Functio	2 lb. a n Pal	and 24 lb., plus 3 d k,	extra
through #5, plus 3 extra power firing pin springs. Wolff does not specify a power rating, #1 is strongest, #5 the lightest. Fitting required. #969-000-020DF Long Slide Function Pak, 9F24V00	IN COMMAND but for the sho 18 lb. spring. In #969-422-200D #969-422-220D	ER - rter (nclud F 20 F 22	Provides same lommander whi es extra power fi lb. Recoil Spri lb. Recoil Spri	oenefi ch con ring j ng 9. ng 9.	its as Type C spr mes standard wit pin spring. F05P26 \$ F05P26 \$	7.89 7.89 7.89
	LONG SLIDE F through #5, plu specify a powe required.	UNC is 3 e: r rati F Lo	TION PAK - Con ktra power firing ing, #1 is strong ong Slide Funct	sists g pin s est, #	of 5 recoil spring springs. Wolff doe 5 the lightest. Fi Pak,	gs #1 s not tting
	IZIRADED®ENZE					



U.S.-Made Parts For The 1911 Auto Pistol

Each and every part is U.S.-made, high-quality and guaranteed to fit and function just like the factory part. SPECS: Fits 1911 Auto. Carbon steel, blued (B) or stainless steel (S), natural finish. Plunger Detent Assemblies include Slide Stop Plunger, Safety Lock Plunger and Plunger Spring. Mag Catch Assemblies include Mag Catch, Mag Catch Lock and Mag Catch Lock

DECCRIPTION

STOCK #	DESCRIPTION	PRICE		
100-002-244DF	Barrel, 5" Non-Ramped (S)	2Z76A00 \$	99.95	
100-000-857DF	Barrel Bushing, Govt. (S)	8K11A02 \$	14.70	
100-000-858DF	Barrel Bushing, Comm. (S)	8K11A04 \$	14.75	
560-453-102DF	Disconnector (S)	6E14T03 \$	19.99	
560-451-201DF	Extractor, .45 ACP (B)	6E11D97 \$	14.99	
560-451-202DF	Extractor, .45 ACP (S)	6E12D13 \$	14.99	
560-451-302DF	Ejector, .45 ACP (S)	6E07D26 \$	9.99	
100-000-861DF	Ejector Pin (B)	8K01A29 \$	2.05	
560-451-501DF	Firing Pin, .45 ACP (B)	6E07A61 \$	9.99	
560-451-502DF	Firing Pin, .45 ACP (S)	6E07A39 \$	9.99	يبد
560-451-701DF	Firing Pin Stop (B)	6E04A10 \$	5.75	C
560-451-702DF	Firing Pin Stop (S)	6E04A82 \$	6.75	
560-453-501DF	Grip Safety, Govt. (B)	6E12T69 \$	14.99	
560-453-502DF	Grip Safety, Govt. (S)	6E13T95 \$	19.99	
100-000-862DF	Hammer Pin (B)	8K01A29 \$	2.05	
100-000-863DF	Hammer Pin (S)	8K01A97 \$	3.05	
560-452-701DF	Hammer Strut (B)	6E03T99 \$	4.99	
100-000-864DF	Hammer Strut Pin (B)	8K01A29 \$	2.05	
849-000-021DF	Lanyard Loop (B)	9D07B99 \$	9.99	
849-000-020DF	Lanyard Loop (S)	9D07B99 \$	9.99	
100-000-865DF	Link Pin (B)	8K01A29 \$	2.05	
078-450-230DF	Magazine Catch Assy. (B)	8G16C45 \$	20.10	
078-451-230DF	Magazine Catch Assy. (S)	8G17C08 \$	19.79	
100-000-995DF	Mag Catch Lock Spring (B)	8K03Y37 \$	5.20	C.
100-000-867DF	Mainspring Housing Pin (B)	8K01A29 \$	2.05	***
100-000-869DF	Mainspring Housing Pin (S)	8K01V97 \$	3.05	
100-000-871DF	M/S Housing Pin Retainer (B)	8K01V29 \$	2.05	
100-000-873DF	M/S Housing Pin Retainer (S)	8K01V97 \$	3.05	
100-000-875DF	Mainspring Cap (B)	8K01V29 \$	2.05	
100-000-877DF	Mainspring Cap (S)	8K01V97 \$	3.05	
100-000-878DF	Mainspring Cap Pin (B)	8K01V29 \$	2.05	
100-000-880DF		8K01V97 \$	3.05	
560-450-101DF	PlungerTube (B)	6E07C39 \$	9.99	
560-450-102DF	PlungerTube (S)	6E07C90 \$	9.99	
078-450-234DF	Plunger Detent Assy. (B)	8G02C35 \$	3.55	
078-451-234DF	Plunger Detent Assy. (S)	8G03C05 \$	4.25	
100-000-884DF	Recoil Spring Plug, Govt. (B)	8K05V60 \$	8.65	
100-000-885DF	Recoil Spring Plug, Comm. (B)	8K05V47 \$	8.45	C
100-000-886DF	Recoil Spring Plug, Govt. (S)	8K07V43 \$	11.45	,
100-000-887DF	Recoil Spring Plug, Comm. (S)	8K07V21 \$	11.15	
	Safety Lock (Thumb Safety) (B)	6E12T69 \$	14.99	
	Safety Lock (Thumb Safety) (S)	6E13T95 \$	19.99	
100-000-888DF		8K01V29 \$	2.05	
100-000-890DF	Sear Pin (S)	8K01V97 \$	3.05	

CASPIAN 1911 AUTO PARTS



Upgrade Your Current 1911 Or Build A High-Quality Custom Pistol

High-quality, precision-machined parts from the name that means "custom quality" to serious pistol shooters. Build the ultimate custom 1911 Auto for target, action-pistol, or tactical applications. Repair or return an existing gun to factory specs or assemble a racegun that fits your exact needs. Choose from parts in blued carbon steel or natural-finish stainless.

SPECS: Fits 1911 Auto. Carbon steel, blue (B), in-the-white (W), or stainless steel (SS) natural-finish. Trik Trigger has stainless steel bow and skeletonized aluminum shoe. Gunsmith fitting required. Caliber-specific parts are .45 ACP unless otherwise noted. (SP) indicates Speed Bump-style.

indicates speed	Durrip-style.	
STOCK #	DESCRIPTION	PRICE
#168-000-012DF	Disconnector	8F19V51 \$ 23.99
#168-000-015DF	Ejector, Extended (B)	8F14V47 \$ 19.99
#168-000-017DF	Ejector, Extended (SS)	8F17V27 \$ 24.99
#168-000-014DF	Ejector, Extened, 9mm/.38S/.40 S&W (B)	8F14V47 \$ 19.99
#168-000-016DF	Ejector, Extended, 9mm/.38S/.40 S&W (SS)	8F23V11 \$ 29.99
168-000-019DF	Extractor, Series 70 (B)	8F16B25 \$ 19.99
#168-000-021DF	Extractor, Series 70 (SS)	8F17B27 \$ 24.99
#168-000-018DF	Extractor, Series 70, 9mm/.38S/.40 S&W (B)	8F16B50 \$ 19.99
#168-000-020DF	Extractor, Series 70, 9mm/.38S/.40 S&W (SS)	8F17B53 \$ 24.99
#168-000-023DF	Extractor, Series 80 (B)	8F17B53 \$ 24.99
#168-000-025DF	Extractor, Series 80 (SS)	8F18B55 \$ 24.99
#168-000-022DF	Extractor, Series 80, 9mm/.38S/10mm (B)	8F17B53 \$ 24.99
#168-000-024DF	Extractor, 9mm/.38S, Series 80 (SS)	8F19B07 \$ 24.99
#168-000-027DF	Firing Pin (SS)	8F06B60 \$ 8.25
#168-000-026DF	Firing Pin, 9mm/.38S/.40 S&W (SS)	8F06B60 \$ 8.25
168-000-029DF	Firing Pin Stop (B)	8F09B09 \$ 11.99
#168-000-031DF	Firing Pin Stop (SS)	8F12B05 \$ 15.06
#168-000-028DF	Firing Pin Stop, 9mm/.38S/.40 S&W (B)	8F08B97 \$ 11.21
#168-000-030DF	Firing Pin Stop, 9mm/.38S/.40 S&W (SS)	8F12B05 \$ 15.06
#168-000-041DF	Grip Safety, SP, Wilson/Caspian Contour (B)	8F28X80 \$ 34.99
#168-000-042DF	Grip Safety, Wilson/Caspian Contour, SP (SS)	8F28X80 \$ 34.99
#168-000-039DF	Grip Safety, .250 Radius/Ed Brown Contour, SP (W)	8F28X80 \$ 34.99
#168-000-040DF	Grip Safety, .250 Radius/Ed Brown Contour, SP (SS)	8F28X80 \$ 34.99
#168-000-046DF	Guide Rod, Comm., 2 Pc	8F14X65 \$ 19.99
168-000-032DF	Mag Catch (B)	8F14X69 \$ 20.99
#168-000-033DF	Mag Catch (SS)	8F14X69 \$ 19.99
#168-000-037DF	Pin Set (B)	8F07X85 \$ 9.99
#168-000-038DF	Pin Set (SS)	8F11X36 \$ 14.99
#168-000-048DF	Reverse Plug 5"	8F07C75 \$ 9.69
#168-000-047DF	Reverse Plug 6"	8F09C75 \$ 12.19
#168-000-049DF	Reverse Plug Commander	8F07C75 \$ 9.69

ALLAMERICAN 1911 AUTO PARTS



Quality parts, at an economical price, for building a new pistol or replacing worn parts. Precision made from Metal-Injected-Molded steel or stainless steel, for a drop-in fit. Hammer has narrowed sides to reduce drag; semi-prepped engagement sur-

SPECS: MIM carbon steel, matte blue finish. Ambi Thumb Safety - MIM stainless steel, natural finish, Recoil Spring Guide Rod is full length, 4" (10.2cm) long.

STOCK#	DESCRIPTION	PRICE
#047-000-007DF	Sear	7D06Y57 \$ 9.99
#047-000-008DF	Disconnector	7D06Y57 \$ 9.99
#047-000-009DF	Hammer	7D18Y64 \$ 24.99
#047-000-018DF	Hammer, Sear, Disconnector Kit	7D28T67 \$ 39.99
#047-000-010DF	9mm Ejector	7D08Y17 \$ 11.25
#047-000-011DF	.45 Ejector	7D08T17 \$ 11.25
#047-000-012DF	Recoil Spring Guide Rod	7D12T42 \$ 19.99
#047-000-013DF	Slide Stop	7D08T17 \$ 11.25
#047-000-014DF	SingleThumb Safety	7D08T17 \$ 11.25
#047-000-015DF	AmbiThumb Safety	7D28T67 \$ 39.99
#047-000-016DF	Barrel Bushing, Govt.	7D09T35 \$ 14.99
#047-000-019DF	.45 Caliber Firing Pin	7D06T23 \$ 9.99
#047-000-020DF	9mm Firing Pin	7D06T23 \$ 9.99
#047-000-017DF	Firing Pin Stop	7D06T57 \$ 9.99

Brownells 1911 AUTO MAINSPRING HOUSING REBUILD KIT



Helps Keep Your Pistol **Running Reliably**

Handy kit contains all the parts you need to mount a new mainspring housing on your 1911, or reburish the internal components to factory-new condition. Includes standard, factory

weight (23 lb.) hammer spring to help ensure positive ignition and restore your pistol's reliability by replacing an old, weak spring. Also includes mainspring cap, cap pin, and retaining pin, so you don't ruin a good-looking new housing's appearance with old, dinged hardware. Kit available with blued or stainless external components to match your pistol's finish. Installation instructions included.

SPECS: Kit contains factory weight hammer spring, mainspring cap, cap pin, mainspring housing retainer pin, and instructions. Fits full-size 1911 Government Model, Commander, and clones.

#080-000-549DF Mainspring Housing Rebuild Kit, Blued, #080-000-550DF Mainspring Housing Rebuild Kit, Stainless 8K08A92 11.99

#168-000-011DF	Sear	8F12V11 \$ 14.99
#168-000-013DF	Strut	8F04V61 \$ 4.99
#168-000-036DF	TrikTrigger	8F20X61 \$ 24.99

PAGE 31

Carry 4" pistols. Includes extra-power firing pin spring to keep the firing pin stop in place, prevent firing pin "float", and to offset

SPECS: Steel spring, 20 lb. Factory original spring averages 18 lb.

the increased slide thrust.

ED BROWN 1911 AUTO REBUILD KIT

Complete Pin & Spring **Assortment For Standard** & High-Capacity

Every spring and pin you need to complete or rebuild a 1911 Auto Govt. or Officers ACP. Fits standard and high-capacity frames. Kit includes one each: mainspring cap, mainspring housing pin retainer, hammer strut pin, hammer pin, sear pin, mainspring cap pin, magazine catch lock, safety lock plunger assembly, barrel link pin, ejector pin, mainspring housing pin, mainspring and magazine-catch spring.

SPECS:	Steel,	blued	(Blue),	01	sta	aınl	ess	steel	(SS),	matte	tınısh.
	4 000	DE DI	~		-			TT*			

#087-814-000DF	Blue Govt. Rebuild Kit,
	7H12Z71
#087-814-100DF	SS Govt. Rebuild Kit,
	7H15Z26
#087-814-101DF	Blue Officers Rebuild Kit,
	7H14Z41
#087-814-102DF	SS Officers Rebuild Kit,
	7H16A96



REPLACEMENT PARTS

ED BROWN 1911 AUTO STANDARD PARTS

"Quick Index" tOf Quality Replacement Parts

High-quality parts for building the ultimate custom 1911 Auto for target, hunting, and tactical applications. All parts are carefully inspected and tested to produce the highest possible accuracy, reliability and finish. SPECS: Stainless



Steel (SS) or steel, blue (B) finish. Fits Govt. Series 70 and Series

80 unless other	wise indicated.	
STOCK#	DESCRIPTION	PRICE
#087-041-306DF	9mm/.38S/10mm Ext. Ejctr B	7H18X66 \$ 24.40
#087-041-305DF	.45 ACP Ext Ejector, B	7H18X91 \$ 23.99
#087-130-300DF	9mm/.38S Extract 70	7H21A21 \$ 26.51
#087-130-100DF	.45 ACP Extract.70	7H20A36 \$ 25.45
#087-130-200DF	.45 ACP Extract 80	7H21A21 \$ 26.51
#087-130-400DF	9mm/.38S Extract 80	7H22A06 \$ 27.58
#087-130-500DF	.40 S&W/10mm Ext. 80	7H22Y06 \$ 27.57
#087-205-825DF	9mm/.38S Firing Pin	7H05D06 \$ 6.35
087-205-824DF	.45 ACP Firing Pin	7H05D41 \$ 6.99
#087-000-019DF	Firing Pin Spring	7H01X70 \$ 2.15
087-810-000DF	Slide Stop, B	7H24Z99 \$ 30.99
#087-810-100DF	Slide Stop, SS	7H25Z46 \$ 31.83
#087-045-832DF	Govt. Barrel Bushing, B	7H16C11 \$ 20.15
#087-045-833DF	Govt. Barrel Bushing, SS	7H16C96 \$ 21.20
087-881-001DF	Recoil Spring Plug, B	7H06T95 \$ 8.99
#087-000-017DF	Recoil Spring Plug, SS	7H07X61 \$ 9.51
087-882-001DF	Recoil Spring Guide	7H12T83 \$ 15.99
#087-045-203DF	Full Lgth Guide Rod Plug, SS	7H06C76 \$ 8.45
#087-805-006DF	Slide Buffers, 6-pack	7H05Z06 \$ 6.33
087-823-000DF	Hammer Strut	7H06Y07 \$ 7.99
#087-000-012DF	National MatchTrigger	7H17X19 \$ 21.99
#087-812-000DF	Match Sear	7H19Z96 \$ 21.20
#087-811-000DF	Match Disconnector	7H14Z41 \$ 18.01
	Ext. Mag Catch, B	7H16X96 \$ 21.20
#087-011-101DF	Ext. Mag Catch, SS	7H18X66 \$ 23.35
#087-000-018DF	Mag Catch Spring, Comp.	7H01X70 \$ 2.15

WILSON COMBAT "FACTORY PLUS" PARTS



Quality Parts Meet Or Exceed Factory Specs

"Just like original" parts for building a 1911 Auto or returning a gun to factory specifications. 💳

SPECS: Fits 1911 Auto. Stainless (S) and Carbon steel, blue, (B) matte finish. Plunger Spring Assembly includes spring, slide stop and thumb safety plungers DESCRIPTION

PRICE

STOCK #

#965-011-050DF	Barrel Link Pin (B)	5F00DZA \$	1.95
#965-011-051DF	Barrel Link Pin (S)	5F00TPU \$	1.95
#965-011-300DF	Disconnector	5F16X36 \$	19.95
#965-011-360DF	Ejector Pin	5F00ZAY \$	1.95
#965-000-046DF	Extended Ejector (B)	5F24A86 \$	29.95
#965-011-103DF	Firing Pin, 9mm/38S Series 80	5F13V30 \$	14.95
#965-011-104DF	Firing Pin, .45 ACP Series 70 or 80	5F12V98 \$	14.95
#965-011-110DF	Firing Pin Stop Pre-Series 80	5F14V66 \$	16.95
#965-011-120DF	Firing Pin Spring	5F00VBX \$	1.95
#965-011-280DF	Grip Screw (B) each	5F00UAV \$	1.99
#965-011-281DF	Grip Screw (S) each	5F02X73 \$	6.95
#965-011-210DF	Hammer Pin (B)	5F01A89 \$	4.99
#965-011-211DF	Hammer Pin (S)	5F00AYT \$	1.95
#965-011-190DF	Hammer Strut	5F00AVB \$	3.95
#965-011-200DF	Hammer Strut Pin (B)	5F00CHD \$	1.95
#965-011-201DF	Hammer Strut Pin (S)	5F02A70 \$	4.99
#965-011-150DF	Magazine Catch (B)	5F13H79 \$	15.95
#965-011-151DF	Magazine Catch (S)	5F15H51 \$	17.95
#965-011-152DF	Magazine Catch Spring	5F00HDZ \$.95
#965-011-153DF	Magazine Catch Lock (B)	5F00YTP \$	2.95
#965-011-154DF	Magazine Catch Lock (S)	5F02A71 \$	2.95
#965-011-160DF	Mainspring	5F01A88 \$	
#965-011-161DF	Mainspring Cap (B)	5F01A60 \$	1.95
#965-011-162DF	Mainspring Cap (S)	5F00AVB \$	
#965-011-163DF	- P J	5F00CHD \$	1.95
#965-011-165DF	Mainspring Cap Pin (B)	5F01A89 \$	4.99
#965-011-166DF	Mainspring Cap Pin (S)	5F03Y04 \$	4.99
#965-011-170DF	Mainspring Housing Pin (B)	5F00YTP \$	1.95
#965-011-171DF	Mainspring Housing Pin (S)	5F02A86 \$	
#965-011-330DF	Plunger Spring Assembly (B)	5F03Z50 \$	4.45
#965-011-331DF	Plunger Spring Assembly (S)	5F04Z45 \$	4.95
#965-011-332DF	PlungerTube (B)	5F10Z36 \$	11.95
#965-011-290DF	Sear Spring	5F04X31 \$	4.99
#965-011-310DF	Sear	5F12X94 \$	
#965-011-320DF	Sear Pin (B)	5F01X88 \$	1.95
#965-011-321DF	Sear Pin (S)	5F00XCH \$	2.95

Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

K & J ACCESSORIES 1911 AUTO DELUXE COMPLETION KIT

Every Pin & Spring You Need For Building A 1911 Auto

Complete and convenient kit has every pin and spring you need when building, or rebuilding, a 1911 Auto pistol. All are made from premium, heat-treated carbon or stainless steels. Oversized hammer and sear pin are ground to maximum diameter on the 1911 print for a close fit in worn, frame-pin holes.

SPECS: Carbon steel, blued (BI) or natural stainless steel (SS). Contains one each: link pin, ejector pin, hammer strut pin, mainspring (m/s) cap, m/s cap pin, m/s housing pin retainer, m/s housing pin, detent plunger assembly, sear pin, hammer pin, mag catch lock, mag catch spring, sear spring, 19 lb. mainspring, xp firing pin spring,

hammer strut, an	d long disconnector.	
#475-100-000DF	Deluxe Completion Kit, Bl,	
	5G38Y62	46.95
#475-100-100DF	Deluxe Completion Kit, SS,	
	5C41T06	E1 0E

WILSON COMBAT 1911 AUTO FRAME PARTS KIT



"Lower Half" Convenient kit contains all the parts needed to complete a stripped, full-size .45 ACP Government Model frame so it's fully functional and ready to receive the slide of your choice. Saves time and money—no need to hunt down each item individually and the Wilson name ensures superb fit, finish, and reliability. Perfect for a custom build, or rebuild an old frame to like-new condition. Available in matte blued Carbon Steel (CS) or natural finish Stainless Steel (SS). Kit contains: mainspring housing, mainspring, mainspring cap, mainspring retainer, trigger, hammer, hammer strut, sear, sear spring, disconnector, grip safety, thumb safety, magazine catch, magazine catch lock, slide stop, plunger tube, safety lock plunger, slide stop plunger, grip bushings and screws, and all the other necessary retaining pins. Includes many performance features preferred by experienced tactical pistol shooters. Skeletonized, ultralight hammer and trigger deliver exceptionally quick lock time and reset. Lowprofile hammer spur minimizes risk of snagging during carry or draw from concealment, and match-grade trigger features machined aluminum shoe with deeply serrated face and hardened stainless steel bow that's brightly polished to minimize friction on frame. Deluxe sear is wire-EDM cut from S-7 tool steel bar stock and heat treated for maximum hardness before contact surfaces are precision ground for ultra-crisp letoff. Narrow-profile thumb safety's deeply grooved pad is contoured for natural thumb placement to ensure quick, instinctive disengagement, yet is low enough to resist accidental release. High-ride beavertail grip safety allows a high hand position close to the bore 206-000-036DF 911 Pin Set 6K09Z39............\$ 11,95 axis for better recoil control. Raised "Posi-Release" tab at the base helps you locate your hand properly for positive safety disengagement, while hammer pocket surrounds the hammer spur when cocked to protect against hammer bite. Mainspring housing is fully machined from steel bar stock with deeply cut 30 lpi checking for a secure grip and maximum recoil control. Extended, tactical magazine release with deeply serrated face extends an extra 1/16" farther than factory release to aid in fast. positive magazine changes.

WILSON COMBAT 1911 AUTO SLIDE PARTS KIT



All The Parts To Complete A Stripped Slide

Convenient kit contains all the parts needed to complete a full-size Government Model slide so it's fully functional and ready to install on the frame of your choice. Saves time

and money—no need to hunt down each item individually—and the Wilson name ensures superb fit, finish, and reliability. Perfect for custom builds, or use to rebuild an old slide and return it to like-new condition. Kit contains 5" long, unramped, .45 caliber stainless steel barrel, barrel bushing, barrel link, link pin, recoil spring, recoil spring plug, guide rod, .38 Super/9mm firing pin, firing pin spring, and firing pin stop. Available with extractor, firing pin stop, and recoil spring plug of **Carbon Steel (CS)** to match blued slide or **Stainless Steel (SS)** to match natural finish stainless slide. Internal parts not visible when slide is assembled are a combination of carbon steel and stainless steel.

SPECS: Carbon steel and stainless steel. Fits full-size .45 ACP 1911 Auto slide. Included firing pin fits slides that accept .38S/9mm fir-

#965-000-074DF CS Slide Parts Kit 5F226A86 \$ 269.99 #965-000-075DF SS Slide Parts Kit 5F231A90 275.99




AllThe

Parts To Turn

A Complete

EGW 1911 AUTO FEED RAMP INSERT

Converts Alloy Frame Pistols To Accept Hollow Point Ammo; Repairs A Damaged Ramp



hollow points or boogered up by an incorrectly cut ramp. Gunsmith installation required.

SPECS: Steel, in-the-white. #296-000-112DF Feed Ramp Insert, .45 ACP, #296-000-111DF Feed Ramp Insert, .38 Super/9mm,



Replaces Every Pin In The 1911 Auto



Complete set of eleven, centerless ground pins helps you refurbish or build a new 1911 from scratch, Each is heat-treated for added wear-resistance and long service life. SPECS: Hardened steel, blued, Fits

single stack 1911 auto. Set includes: hammer strut pin, link pin, mainspring plunger, sear pin, ejector pin, mainspring housing pin, mainspring plunger, mainspring plunger retain-

er, hammer pin, slide stop plunger, and thumb safety plunger.

SPECS: Carbon steel or stainless steel. Fits full-size .45 ACP 1911 Auto frame. Some parts require minor fitting. Wilson compound radius on grip safety requires alteration to frame.

#965-000-076DF CS Frame Parts Kit, #965-000-077DF SS Frame Parts Kit.


BROWNELLS PAGE 32

PARTS

Brownells 1911 AUTO REPLACEMENT PIN KIT

Economical Bulk Assortment

Eleven American-made. high-quality pins and other, often-replaced small parts, all in a hinge-top, plastic, bench box.





listed below. Refill paks contain six each of one piece

STOCK # EACH	STOCK # 6-PAK	DESCRIPTION
#100-000-867DF	#100-000-868DF	M/S Housing Pin
#100-000-862DF	#100-000-874DF	Hammer Pin
#100-000-864DF	#100-000-870DF	Hammer Strut Pin
#100-000-990DF	#100-000-991DF	Safety Lock Plunger
#100-000-875DF	#100-000-876DF	M/S Cap
#100-000-878DF	#100-000-879DF	M/S Cap Pin
#100-000-992DF	#100-000-993DF	Slide Stop Plunger
#100-000-865DF	#100-000-866DF	Link Pin
#100-000-861DF	#100-000-883DF	Ejector Pin
#100-000-888DF	#100-000-889DF	Sear Pin
#100-000-871DF	#100-000-872DF	M/S Housing Pin Retainer
- Advise # - - Advise # - #100-001-010DF	1911 Auto Pin, 6	each 8K01A29 \$ 2.05 3-pak 8K07V93 12.2 i t 8G67V75 108.4

ONE GUN PIN SET - The little pieces to build one 1911 Auto. SPECS: Steel, blue. Kit contains one each of the above parts. #100-001-011DF 1911 Auto One Gun Kit 8K10V41 .. \$ 16.00



EGW 1911 AUTO PIN SET

Ready To Install, Hardened For Maximum Durability

Complete, 11-piece set contains every pin for your 1911 pistol, perfect for installing a new set of pins during a restoration or for building a new custom pistol from the ground up. Designed to provide years of reliable service without binding, distorting, or breaking. Machined from hard-


ened drill rod to G.I. specs for exceptional durability and fit, with a good-looking, uniform, matte blued finish.

SPECS: Steel, blued, matte finish. Set contains barrel link pin, sear pin, ejector pin, hammer pin, hammer strut pin, mainspring housing pin, mainspring housing pin retainer, mainspring cap, mainspring cap pin, safety lock plunger, and slide stop plunger.

#296-000-118DF 1911 Auto Pin Set 6B16U90 \$ 21.99

NIGHTHAWK CUSTOM 1911 AUTO PIN SETS

Ready To Install: Hardened To Resist Wear, **Beautifully Finished**





blued steel replacements. This pin set is really complete, with every pin for your 1911 pistol, including the mainspring cap and pin and the safety lock plunger/slide stop plunger assembly. Sets available for Govt. and Officers models.

SPECS: Steel, blued, matte finish. Set includes barrel link pin, ejector pin, hammer pin, hammer strut pin, mainspring cap, mainspring cap pin, mainspring housing pin, mainspring housing pin retainer, plunger spring, safety lock plunger, slide stop plunger, and sear

#100-003-262DF Govt. Model Pin Set 2B12H05 \$ 14.99 #100-003-263DF Officers Model Pin Set 2B12H05.... 14.99

NOWLIN MFG. 1911 AUTO PIN SET

Heat Treated & Hardened For Long Life

Centerless ground, heat treated and hardened. Every 1911 pin in one pak.

SPECS: Steel, blue or stainless. Matte finish. Set includes; ham-

mer strut pin, link pin, mainspring plunger, sear pin, ejector pin, mainspring housing pin, mainspring plunger, mainspring plunger retainer, hammer pin, slide stop and thumb safety plungers.

#654-228-001DF Blue Pin Set 4E14P31 \$ 17.88 #654-228-002DF SS Pin Set 4E19P47 24.33



STI 1911 AUTO PIN SET

Ready To Install In Your Frame

Every 1911 Auto pin, in one package. Centerless ground, then heat treated and hardened for durability. SPECS: Steel, blue or stainless steel, matte finish. 1911 fits single stack, 1911 autos. STI fits STI/Infinity widebody frames.

Set includes; hammer strut pin, link pin, mainspring plunger, sear pin, solid ejector pin, mainspring housing pin, mainspring housing retainer, mainspring plunger retainer, hammer pin, slide stop

#791-000-030DF 1911 Pin Set 1G12H47\$ 15.5	8
#791-000-031DF STI Pin Set 1G13H29	2

WILSON COMBAT PIN SET

Every Pin To Rebuild & Repair

High quality replacement pins for the 1911 Auto in a convenient, money-saving pak. Set of eleven pins. Oversized sear and hammer pins are hardened, then ground to maximum diameter on the 1911 Auto print to fit worn or out-ofspec frame pin holes.

SPECS: Steel, heat treated; blued (BI) or stainless. Pin Set - one

each: mainspring plunger, sear pin, ejector roll pin, mainspring housing pin, link pin, mainspring housing retainer, strut pin, mainspring plunger retainer, hammer pin, slide release plunger, thumb safety plunger.

#965-315-101DF 1911 Pin Set, Blue 5F13V52......\$ 15.95 **#965-315-102DF 1911 Pin Set, Stainless** 5F16V07..... **18.95**

ACCURACY GRIP 1911 AUTO GRIP KIT



Improved Accuracy & **Better Control**

Endorsed by chamoion shooter Jerry Miculek, Grip Kits are easy to install and place the tip of your finger consistently on the trigger

for better control and accuracy with every shot. Keeps your hand firmly seated on the grips and allows you to pull straight back on the trigger, 8- and 9-piece kits include five interchangeable trigger finger extenders to fit small and large hand sizes comfortably. Right-hand only.

SPECS: Molded polymer, black. 9-Piece Kit fits 1911 Government/ Commander series large and medium frame pistols, 8-Piece Kit fits Colt 1911 Officers/Compact pistols

	1911 Gov/Comm Grip Kit, 9-Pc.,
#400 000 47FDF	4A20T00
#100-002-4/5DF	1911 Off./Compact Grip Kit, 8-Pc., 4A20T00

AHRENDS 1911 AUTO

EXOTIC WOOD GRIPS

Handsome & Functional, For Combat, Carry, Or Display

Handsome, distinctive, exotic wood 1911 Auto grip panels, precision shaped, hand checkered, and carefully matched. Top quality hardwoods become even more beautiful with age, and these slabs are aged for more



SPECS: Approximately 1/4" (6.4mm) thick. Weigh 11/2 oz. (42a) per pair. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-003-102DF	Cocobolo Smooth	2E25V00 \$ 36.00
#052-001-102DF	Cocobolo Combat	2E25A00 \$ 36.00
#052-002-102DF	Cocobolo Diamond	2E34V95 \$ 50.00
#052-000-005DF	Cocobolo Skip	2E25Y00 \$ 36.00
#052-003-104DF	Ebony Smooth	2E32V50 \$ 46.00
#052-001-104DF	Ebony Combat	2E32A50 \$ 46.00
#052-002-104DF	Ebony Diamond	2E43V50 \$ 60.00
#052-000-006DF	Ebony Skip	2E32Y50 \$ 46.00
#052-002-109DF	Walnut Diamond	2E34V95 \$ 50.00

TACTICAL GRIPS - Dual-purpose grips with a unique, highly functional, combination checkered/smooth surface. Smooth top section allows your hand to slide into place for a fast, unimpeded grip and a smoother draw. Hand checkered, 18 lpi, bottom section provides a solid, secure grip the instant your fingers curve around the front strap. Available in Cocobolo, Gaboon Ebony, and Rosewood.

SPECS: Approximately 1/4" (6.4mm) thick. Weigh 1½ oz. (42a) per pair. Notched for ambi safety. Natural wood color and grain patterns will vary.

STOCK #	STYLE	PRICE
#052-004-102DF	Cocobolo Tactical Grips	2E34B95 \$ 50.00
#052-004-107DF	Rosewood Tactical Grips	2E34B95 \$ 50.00
#052-004-104DF	Ebony Tactical Grips	2E43B50 \$ 60.00

SQUARE BOTTOM GRIPS - Squared bottom edge looks "right" on guns equipped with add-on magwells. Covers the unsightly gap between the bottom edge of the frame and the magwell, so the magwell looks like it's part of the frame. Hardwood panels are thicker than factory slabs to provide a handfilling grip and better recoil control for more comfortable combat-style shooting. Available in Cocobolo, Gaboon Ebony, and Rosewood. Combat Checkered has hand-cut, full coverage 18 lpi checkering. Diamond Checkered has 18

lpi hand-cut checkering broken by smooth diamonds at the grip screw holes. Pin Covered (PC) models do not have cutout for mainspring housing pin.

SPECS: Approximately 9/32" (7.1mm) thick. Weight 1.7oz. (46g, per pair. Notched for ambi safety. Natural wood color and grain patterns will vary

STOCK #	STYLE	PRICE
#052-020-102DF	Cocobolo Combat	2E24X95 \$ 36.00
#052-040-102DF	Cocobolo Combat PC	2E31C95 \$ 46.00

BROWNELLS PREMIER WOOD GRIPS



Traditional Elegance Of Beautiful Hardwoods. Three Distinct Styles

Beautifully crafted, hardwood grip panels enhance the appearance of any 1911 Auto. Premium-grade woods are carefully selected for their natural grain patterns, then properly kiln dried for superior stability, precision shaped, expertly checkered, and carefully paired. All models are inletted for ambi safeties, with cutouts for the mainspring housing pin and crisply beveled bottom edges. A clear, semi-gloss protective finish seals the pores and protects the grip from moisture and scratches. Choose from one of four distinctive woods: Cocobolo is an extremely dense, reddish-brown wood tinged with orange and distinct grain stripes of dark red-brown. Rosewood is a richly hued medium dark brown with contrasting, almost black, grain stripes. Strong and heavy, it takes a smooth, even polish. Walnut, the traditional American stock wood, is light/medium brown with softly contrasting, slightly darker grain patterns. Black Dymondwood is an extremely hard, strong, durable, resin-impregnated laminate with a rich, black color like natural ebony. Dense grain with fine texture holds checkering exceptionally well. Three styles are available: Double Diamond - traditional style with 16 lpi checkering, broken by smooth diamonds at the grip screw holes. Combat - full-coverage, 16 lpi checkering, for maximum gripping texture when hands are wet or sweaty. Smooth - non-abrasive, no snag surface shows off the grain pattern best.

	SPECS: Approxim	nately ¼" (6.4mm) thick. Natural wood color and
	figure will vary.	
	#078-000-146DF	Diamond Grip, Cocobolo 7A39P99 \$ 49.99
	#078-000-147DF	Diamond Grip, Rosewood 7A39P99 49.99
	#078-000-148DF	Diamond Grip, Walnut 7A39P95 49.99
	#078-000-149DF	Diamond Grip, Black Dymondwood,
ı		7A39P95
ı	#078-000-150DF	Combat Grip, Cocobolo 7A39P95 49.99
ı	#078-000-151DF	Combat Grip, Rosewood 7A39P95 49.99
ı		Combat Grip, Walnut 7A39P95 49.99
ı	#078-000-153DF	Combat Grip, Black Dymondwood,
ı		7A39P95
ı	#078-000-154DF	Smooth Grip, Cocobolo 7A39P95 49.99
ı		Smooth Grip, Rosewood,
ı		7A39P95
ı	#078-000-156DF	Smooth Grip, Walnut,
ı		7A39U95
1	#078-000-157DF	Smooth Grip, Black Dymondwood,
1		7A39U95
L		

#052-021-102DF	Cocobolo Diamond	2E34X95 \$ 50.00
#052-030-102DF	Cocobolo Diamond PC	2E43C50 \$ 60.00
#052-021-107DF	Rosewood Diamond	2E36X00 \$ 50.00
#052-030-104DF	Ebony Diamond PC	2E51C00 \$ 70.00

DYMONDWOOD THIN GRIPS - Reduce bulk and overall width of gun to improve grip for all shooters, regardless of hand size, and aid concealment of carry guns. Vertical grasping grooves give a secure grip without abrading or snagging on clothing. Inletted for ambi safety, with cutouts for mainspring housing pin. Thermo-set, resin-impregnated hardwood laminate is dark gray/black with a distinctive silver grain. Thin bushings and screws included. SPECS: Laminated hardwood, .170" (4.3mm) thick. Weigh 1.1 oz. (30g). Includes polished blue,

replacement screws and bushings. #052-000-037DF Dymondwood Thin Grips,

2E43T50 \$60.00





AJAX EXOTIC GRIPS

Functional Grips In Beautiful Exotic Materials

Enhance the looks and feel of your favorite semi-auto pistol. White (WP) and Black Pearlite (BP) are highly polished with heavy swirls of iridescent pearl color. Ivory Polymer (IP) - Cast from natural looking polymer that closely duplicates the look and feel of genuine ivory. Staglite™ provides the look and feel of rare Samber stag horn. 💳

SPECS: Plain (PL) or with gold, Colt Medallion (MED).

WHITE PEARLITE GRIPS

STOCK # PL	STOCK # MED	FITS
#041-200-012D	F #041-201-012DF	Colt 1911 Auto
#041-200-010D	F #041-201-010DF	Colt Off. ACP
Advise # -	White Pearlite Plain (White Pearlite Medall 1D44A67	ion Grips,

BLACK PEARLITE GRIPS

STOCK # PL	STOCK # MED	FITS
#041-250-012DF	#041-251-012DF	Colt 1911 Auto
#041-250-010DF	#041-251-010DF	Colt Off. ACP
- Advise # - Black	Rearlite PL Grips	1D36A67 \$ 55.00

- Advise # - Black Pearlite MED Grips 1D44A67.. 61.00

IVORY POLYMER GRIPS

STOCK # PL	STOCK # MED	FITS
#041-150-012DF	#041-151-012DF	Colt 1911 Auto
#041-150-010DF	#041-151-010DF	Colt Off. ACP
		5P67 \$ 55.00 1D44P67 61.00

STAGLITE GRIPS

STOCK # PL	STOCK # MED	FITS
#041-000-007DF	#041-000-008DF	Colt 1911 Auto
#041-000-009DF	#041-000-010DF	Colt Off. ACP

- Advise # - Staglite Plain Grips 1D43A33..... \$ 65.00 - Advise # - Staglite Medallion Grips 1D51A33 ... 71.00

ALLAMERICA 1911 AUTO ELEGANT PEWTER GRIPS

Cast Pewter Grips Add Weight; Improve Balance

Heavy weight gives increased recoil control. Relieved for mag catch and flush fitting grip screws. Florentine scroll with finely matted background shows tremendous detail. Checkered with double-diamond pattern, 18 lpi. Heavy Checkered raised boss fills in the cutouts in frame. RKBA, Right To Keep and Bear Arms eagle and banner.



American Eagle, gray, Checkered and Florentine scroll with our National symbol on each grip.

SPECS: Cast pewter alloy, matte gray or gold finish. 41/8" (10.4cm) long, 4.7 oz. (132 g) wt. per pair. Fits 1911 Auto Gov't., Commander, Gold Cup. May require minor fitting. Heavy Checkered will require minor fitting 93 oz 1263 al wt

11111101 111111119. 0.0 02.	1200 g/ WL.	
#047-191-000DF G1	ay Florentine Grips	7D54T51\$ 89.99
#047-191-100DF Gd	old Florentine Grips	7D53T95 79.99
#047-000-001DF G1	ay Checkered Grips	7D54Y51 89.99
#047-000-002DF Go	old Checkered Grips	7D53Y95 79.99
#047-000-003DF G1	ay Heavy Checkered	1 7D53Y95 69.99
#047-000-004DF G1	ay RKBA Grips 7D6	5Y85 109.99
#047-000-005DF Ea	gle Scroll Grips 7D5	4Y51 89.9 9
#047-000-006DF Ea	gle Checkered Grips	S,
71	54V51	90 00



ALUMAGRIP 1911 AUTO ALUMINUM GRIPS

Precision Machined For Style, **Endurance, Function**

Tough, machined aluminum creates exceptionally durable grips that withstand years of hard, tactical use. Faultless, border-pattern checkering features unique, smooth-top diamonds with square edges for a very comfortable and secure grip that won't abrade clothing.


CNC'd with all curves, angles and cutouts true and exact; cut for ambi safeties. Comes in both 1911 Auto and Officers Model. SPECS: Aluminum, anodized, satin finish, black or olive gray. Officers in black only. Approximately 1/4" (6.7mm) thick.

#100-000-507DF	Black 1911 Auto Grips,	
	<i>5K43D96</i>	,
#100-000-900DF	Olive Gray 1911 Auto Grips,	
	<i>5K43B96</i>	,
#100-000-898DF	Black Officers Grips,	
	<i>5K43B96</i>	,

SLIMLINE GRIPS - Very thin aluminum grips help shooters with small hands maintain a good hold on the gun. CNC-machined checkering is cut to full depth for a superb, no-slip grip, with smooth-top diamonds that won't damage clothing. 1911 Auto available in black and olive gray; Officers Model in black only. SPECS: Aluminum, anodized, satin finish, black or olive gray. 153" (3.9mm) thick nominal.

#100-001-356DF Black Slimline 1911	l Auto Grips
5K43V96	\$ 54.95
#100-001-358DF Olive Gray Slimling	e 1911 Auto Grips
	54.95
#100-001-360DF Black Slimline Offi	cers Grips
5K43V96	54.95

SLIM GRIP SCREWS AND BUSHINGS - Replacement package of four, short screws and bushings for use with Slim Grips. Socket head looks great and prevents ragged looking screws. Polished Blue or Stainless



-ALUMAGRIP 1911 AUTO — TACTICAL ALUMINUM GRIPS

CNC Machined For

Sturdy, machined aluminum creates extra strong, long-lasting grips that withstand years of hard, tactical use. Checkering features unique, smoothtop diamonds with square edges for a very comfortable and secure grip that won't drag on clothing and gives you a firm grip for a positive draw in tactical and competition situations. Half grip pattern creates an distinctive, eye



catching look that is fully functional and comfortable. Overall dimensions as well as screw holes, and safety cutout are CNC precision machined.

SPECS: Aluminum, anodized. Full Size grips fit Govt/Commander. 41/8" (10.5cm) long, approximately 1/4" (6.7mm) thick. Compact grips fit Officers model. 31/8" (7.9cm) long, approximately 1/4" (6.7mm)

LITICK.		
#100-002-466DF	Full Size Tactical Grips, Black,	
	5K46Y00	50
#100-002-467DF	Full Size Tactical Grips, Olive Gray,	
	<i>5K46Y00</i>	50
#100-002-470DF	Compact Tactical Grips, Black,	
	5K46Y00	50
#100-002-471DF	Compact Tactical Grips, Olive Gray,	
	5K46T00	50



BAR S GRIPS SEMI-AUTO TRU IVORY™ GRIPS

Handmade Pistol Grips Look & Feel Like Genuine Ivory

Handcrafted and polished from a manmade, state-of-the-art, ivory substitute that looks and feels so much like genuine elephant ivory that only an expert can tell the difference. Available in two natural

shade variations with authentic grain layering throughout the full cross-sectional density. Natural White (NW) mimics un-aged, virgin ivory with a beautiful off white grain pattern. Slightly Aged (SA) is a subtle shade darker with a hint of yellowing and natural scarring. Can be carved and checkered like natural, elephant ivory. Available in standard, 1911, A-1 configuration or with square bottom (S/B) for proper fit to frames equipped with add-on magazine wells.

SPECS: Manmade ivory substitute. Natural White (NW) or Slightly Aged (SA).

STK # NW	STK # SA	FITS	PRICE	
#100-001-713DF	#100-001-714DF	1911 Govt A-1	7A78H67 \$	95.00
#100-001-717DF	#100-001-718DF	1911 Govt S/B	7A78H67 \$	95.00
#100-001-715DF	#100-001-716DF	1911 Officers A-1	7A78H67 \$	95.00
#100-001-719DF	#100-001-720DF	1911 Officers S/B	7A78H67 \$	95.00

BROOKSTACTICAL AGRIP

Improves Handling & Control, Secure Grip Helps Increase Accuracy

Pre-cut, wrap around sleeve sticks on easily with an ultra high-tech, pressure-sensitive adhesive. Won't peel off in harsh conditions, even under water. Provides a comfortable, secure grip for competition, law enforcement and tactical firearms. Non-slip and non-

abrasive, with a soft feel that's not tacky. Extremely durable, resists splitting, tearing, abrasion, and wear. Flexible, conforms to Glock frames with and without finger grooves. Resistant to most oils and solvents.

SPECS: Black. Soft texture. #100-001-234DF AGrip, for 1911 Auto,

Shop

1911 grips

Search

brownells.com

SLIMLINE TACTICAL 1911 GRIPS - CNC-machined, aluminum grips are extremely durable but lightweight and thin to help shooters with small hands get a good hold on the gun. Smoothtop, square edged checkering pattern covers half the grip and provides an instant and positive grip with every draw. Select from Slimline or Compact Slimline in Black or Olive Gray.

SPECS: Aluminum, black or olive gray. Full Size grips fit Govt/Commander. 41/6" (10.5cm) long, approximately .155" (.39cm) thick. Compact grips fit Officers model. 31/8" (7.9cm) long, approximately

. 100 (.000111) 11110	N.
#100-002-468DF	Full Size Slimline Grips, Black,
	<i>5K43Y96</i>
#100-002-469DF	Full Size Slimline Grips, Olive Gray,
	<i>5K43Y96</i>
#100-002-472DF	Compact Slimline Grips, Black,
	<i>5K43T96</i>
#100-002-473DF	Compact Slimline Grips,
	Olive Gray 5K43T96 54.95

CARBON CREATIONS 1911 AUTO CARBON FIBER GRIPS



Lightweight Hi-Tech Grips For 1911's

Strong, lightweight, durable, carbon fiber and kevlar woven together, then resin-impregnated to create a distinctive grip. Weave pattern changes with the viewing angle. Double-diamond, 18 lpi checkering. Hard, clear, synthetic finish resists cleaning solvents.

SPECS: Approximately 1/4" (6.3mm) thick Models for Govt/ Commander & Officers

STK # BLUE	STK # RED	STK # BLACK	MODEL
#222-100-001DF	#222-000-001DF	#222-101-001DF	Colt Govt
#222-100-002DF	#222-000-002DF	#222-101-002DF	Officers ACP
Advise # Conhon Fibon Crine			

arbon Fiber Grips, 2B55Z00.....\$80.00

CARBON FIBER SQUARE BOTTOM GRIPS - Square cut along the bottom to eliminate the unsightly gap left by conventional grips on guns equipped with add-on mag wells. SPECS: Approx. 1/4" (6.3mm) thick. Fits Govt/Comm. & Off. ACP.

STK # BLUE	STK # RED	STK # BLACK	MODEL
#222-100-004DF	#222-000-003DF	#222-101-004DF	Colt Govt
#222-100-005DF	#222-000-004DF	#222-101-005DF	Officers ACP
	200 0 1 700	a :	


Advise # - S/B Carbon Fiber Grips,

2B55Z00......\$80.00

CRIMSONTRACE 1911 AUTO LASER GRIPS

Instant On-Off Aiming Without The Bulk Of An Accessory Laser Unit

Laser Grips give you an immediate, decisive advantage because 80% of self-defensive shootings occur in low light conditions or complete darkness. Provides an added defensive edge in any light condition. With just a squeeze of your



SPECS: Injection molded rubber, black, matte, Front Activated 1911 Auto models require shortening of right side thumb safety lever. Includes batteries, installation instructions and training manual.

STOCK #	FITS	STYLE	
#100-002-590DF	1911 Govt./Comm.	W/A	
#100-002-592DF	Off. ACP/Def	W/A	
#100-002-600DF	1911 Govt./Comm.	F/A	
#100-002-601DF	Off. ACP/Def	F/A	

- Crimson Trace Laser Grips,

PAY ANY WAY

VISA/MC/Am Ex/Discover CrossCheck/IMPAC/C.O.D.

SATISFACTION GUARANTEED SINCE 1939

Office/Tech: 641-623-5401

GRIPS ∞ **SCREWS**

FALCON INDUSTRIES 1911 AUTO

XT GRIPS

Extremely Tough, Textured Grip Surface

Strong, lightweight, and extremely tough, heavily textured grips provide excellent handling and stability in all conditions. Cut for ambidextrous safeties. Install easily with standard grip screws and bushings. Models available for Government/ Commander grip frame, as well as Officers



Model. **Beveled** has a neatly beveled bottom edge that allows fast hand clearance during draw and minimizes "printing" through clothing on concealed carry pistols. Square Bottom gives a flush, tight fit against magazine guides and chutes that attach to the 1911

SPECS: Injection molded nylon-based rigid polymer. Govt/Comm available with beveled bottom edge (BB) or square bottom (SB) in black covote brown O.D. green Officers in beveled black only

vvii, O.D. green. Onicers in beveled black only	/·
Govt/Comm BB Grip, Black,	
3G19H52\$ 24	.99
Govt/Comm BB Grip, Coyote Brown,	
3G19H84 24	.99
Govt/Comm BB Grip, O.D. Green,	
3G19H52 24	.20
Officers Model BB Grip, Black,	
3G20H17 24	.99
Govt/Comm SB Grip, Black,	
3G19X52	.20
Govt/Comm SB Grip, Coyote Brown,	
3G19X52	.20
Govt/Comm SB Grip, O.D. Green.	
3G19X52	.20
	3G19H52 . \$ 24 Govt/Comm BB Grip, Coyote Brown, 3G19H84 24 Govt/Comm BB Grip, O.D. Green, 3G19H52 24 Officers Model BB Grip, Black, 3G20H17

HOGUE 1911 AUTO PISTOL GRIPS

Hand-Filling, Versatile Designs In Rubber & Wood

Hand-filling grips help absorb recoil by spreading the shock over a wider area of the hand. Finger groove models for semi-autos tighten the grip upward, into the triggerguard for better recoil control. All wood grips are cut from imported, select grades of hardwood. Molded rubber grips cushion recoil. Non-slip, pebble finish. Checkered grips are Double Diamond pattern.

SPECS: Select model from chart. Model designations abbreviated as follows. Checkered (CH); Finger Grooves (FG); Goncalo Alves (GA); Pau Ferro (PF); Rubber (RU); Slabs (SL); Smooth (SM).

STOCK#	MODEL	FITS	PRICE
#408-602-045DF	RU/SL	1911 Auto	8K10A17 \$ 16.95
#408-602-145DF	RU/FG	1911 Auto	8K14A97 \$ 24.95
#408-000-013DF	RU/SL/CH	1911 Auto	8K10H17 \$ 16.95
#408-605-045DF	GA/CH/SL	1911 Auto	8K29Y96 \$ 39.95
#408-606-045DF	PF/CH/SL	1911 Auto	8K29Y96 \$ 39.95
#408-603-145DF	GA/SM/FG	1911 Auto	8K52H46 \$ 69.95
#408-604-145DF	PF/SM/FG	1911 Auto	8K52Y46 \$ 69.95
#408-602-245DF	RU/FG	Off ACP	8K14V97 \$ 24.95
#408-602-010DF	RU/FG	Para-Ord P-10	8K14A97 \$ 24.95
#408-602-012DF	RU/FG	Para-Ord P-12	8K14A97 \$ 24.95
#408-602-014DF	RU/FG	Para-Ord P-14	8K14A97 \$ 24.95

-HOGUE 1911 AUTO -**SQUARE BOTTOM GRIPS**

Additional Length Fits Pistols Equipped With Add-On Mag Wells





HOGUE 1911 AUTO EXTREME ALUMINUM GRIPS

Comfortable, Good-Looking; **Machined From Solid Aluminum** For Strength & Durability

Extreme-duty grips precision machined from solid 6061 T6 aluminum billet help you maintain a firm, comfortable, no-slip grasp on your pistol in combat or competition, even when your hands are wet. These grips weigh only a few tenths of an ounce more than traditional wood



grips, yet stand up to the harsh wear and tear of tactical operations. The crisp, precision-cut diamond pattern, broken by smooth diamonds at the grip screw holes, replicates fine 18 lpi checkering and provides a superior gripping surface that won't bite into your hand. Custom-quality features include cutouts for mainspring housing pin, neatly beveled bottom edges, and a left panel inletted for an ambi safety.

SPECS: Machined 6061 T6 aluminum, Type III hard anodized, matte black finish. Approximately ¼" (6.4mm) thick. Fits 1911 Govt Model & Commander

#408-000-073DF Checkered Ext Grips 8K51V95 \$ 59.95



McCORMICK 1911 AUTO **SLIM CARRY GRIPS**

40% Narrower For Carry & **Concealment Comfort**

Thinner-than-stock, Slim Carry grips reduce overall width to better fit shooters with small hands, and make pistol more concealable for any shooter. Exhibition grade rosewood has a reddish brown color with contrasting black grain, Right

panel is relieved for ambidextrous thumb safety. Hand cut, 18 lpi checkered models feature the popular, double diamond pattern to provide a positive grip. Smooth, uncheckered models really show off the beauty of the wood and work great for concealed carry; won't catch or drag on clothing.

SPECS: Rosewood, Double diamond checkered (Chk), or Smooth. Fits 1911 Auto and Officers Model (Off.). Approximately 5/32" (4mm) thick. Includes shorter bushings and screws.

#207-559-003DF	Slim Carry Checkered 1911 Grips,
	7B36U41
#207-559-005DF	Slim Carry Smooth 1911 Grips,
	7B36U41
#207-559-004DF	Slim Carry Checkered Officers ACP
	Grips 7B36U41
#207-559-006DF	Slim Carry Smooth Officers ACP Grips,
	7B36U41

McCORMICK 1911 AUTO **EXHIBITION GRADE ROSEWOOD GRIPS**

Distinctive Elegance For The Finest Pistols

Best quality, exhibition grade, rosewood, properly shaped and contoured to improve handling and grip feel for better

recoil control. Hand cut, 18 lpi, checkering in the double diamond pattern provides a positive grip. Colors vary from light reddish shades to dark burgundy with contrasting dark lines. Right panel is relieved for ambidextrous thumb safety.

SPECS: Rosewood Fits 1911 Auto and Officers Model

Of ECO. Hosewood. This 15 IT Auto and Officers Would.
#207-559-001DF 1911 Auto Grips 7B32U56\$ 43.50
#207-559-002DF Officers ACP Grips 7B32U56 43.50

control. Functional, combat-style, 18 lpi checkering provides additional, no-slip grip.

SPECS: Approximately 1/4" (6.3mm) thick

#408-607-245DF	Pau Ferro S/B Grips 8K29Y96 \$ 39.95	
#408-607-345DF	Goncalo S/B Grips 8K29Y96 39.95	



MIL-TAC KNIVES & TOOLS 1911 AUTO **TACTICAL GRIPS**

Made From Nearly Indestructible G10 & Micarta Laminates

Fully CNC-machined from G10 fiberglass and Micarta laminates, these grips are impervious to impact, solvents, heat, sweat, and moisture for non-degrading dimensional stability in all conditions. Govern-



ment Beveled (GB) grips are machined from G10 to the standard 1911A1 configuration with beveled bottom and an aggressive diamond pattern that forms an agressively textured gripping surface. Features a notched thumb ramp on the left panel for fast reach to the magazine release. Cutout allows access to mainspring housing pin without removing the whole grip panel. Tactical Flat Bottom (TFB) grips are machined from G10 with a traditional diamond checkering pattern that provides an outstanding gripping surface. Square bottom provides a proper fit for guns equipped with add-on magazine wells; covers mainspring hous-ing pin. Includes notched thumb ramp on left panel. Government Flat Bottom (GFB) Micarta grips have square bottom for guns with add-on mag wells, with a cutout notch allowing access to mainspring housing pin. Wide, pronounced vertical grooves and underlying linen-like texture provide a superb grip even with wet hands, yet won't abrade the skin. No thumb ramp.

SPECS: G10 laminate or Micarta, black, black/gray speckled, desert tan, desert camo, or woodland camo. Fits 1911 Govt. and Commander. GB - G10 laminate. A1 configuration. Desert tan and woodland camo cut for ambi safety, TFB - G10 laminate, Square bottom. All colors cut for ambi safety. GFB - Micarta. Square bottom, cutout for mainspring housing pin. Desert tan cut for ambi safety.

GB STOCK #	TFB STOCK #	GFB STOCK #	COLOR
100-003-931DF	#100-002-545DF 🕺	100-003-939DF	Black
#100-002-546DF 👔	100-003-935DF	NA	Black/Gray
100-003-932DF 🐧	🗯 100-003-936DF 🐧	100-003-940DF	Desert Tan
100-003-933DF 🧃	📆 100-003-937DF 🤾	100-003-941DF	Desert Camo
	📆 100-003-938DF 🦿		
- Advise # Advise # -	GB/TFB G10 G GFB Micarta G	rips <i>5A56D00</i> . rips <i>5A39Z97</i> .	\$ 69.99 49.99

NAVIDREX CUSTOM GRIPS

Handcrafted From Genuine Westinghouse Micarta® & Laminated Dymondwood

Long-wearing comfortable grips hand crafted and checkered from two of the best handgun grip materials ever invented; genuine Micarta and laminated Dymondwood. The Micarta is available in jet Black that's close to ebony, or lvory that has the looks and warmth of real tusk. The resin-impregnated Dymondwood looks like real Rosewood

but its synthetic compound is much harder; it never wears, and resists gun solvents and bore cleaners. Double diamond pattern features hand cut, 18 lpi checkering and models to fit either Government/Commander length (STD) 1911 Auto or Officers ACPlength frames. Grips marked (S&A) are cut longer to fit flush on guns equipped with Smith & Alexander mag guides.

SPECS: Approximately .246" (6.3mm) thick.

#647-012-002DF #647-012-102DF Ivory

1911 AUTO

STOCK # STD ST	OCK # S&A	COLOR	PRICE
#647-011-001DF #64	7-011-101DF	Black	7D30B00 \$ 40.00
#647-011-002DF #64	7-011-102DF	lvory	7D40B61 \$ 54.14
#647-011-003DF #64	7-011-103DF	Rosewood	7D28B78 \$ 39.00
OFFICERS ACP			
#647-012-001DF #64	7-012-101DF	Black	7D30B00 \$ 40.00

#647-012-003DF #647-012-103DF Rosewood 7D28B78 \$ 39.00

7D40B61 **\$ 54.14**

order on the web www.brownells.com

NAVIDREX CONTOURED GRIPS

Shaped For Small Hands

Sculptured areas place the hand closer to the frame. All feature hand-cut checkering. Partial Checkered features smooth, contoured areas: Full Checkered and Double Diamond, fully checkered except for diamonds around both holes. Materials: Black



Micarta®; genuine Westinghouse Micarta; Grained Ebony, close grained, black, with brown, vertical grain stripes; Dymondwood (DW), resin-impregnated, laminated hardwood looks like rosewood.

SPECS: Available Standard (STD) or Square Bottom (S/B) for frames equipped with add-on Mag Wells. 18 lpi checkering. Relieved for ambi safety. Contoured for left- and right-hand shooters.

PARTIAL CHECKERED GRIPS

TAITTAL CHECKETED GITT 5				
STOCK # STD	STOCK # S/B	MATERIAL		
#647-112-001DF	#647-112-101DF	Micarta		
#647-111-001DF	#647-111-101DF	Ebony		
#647-113-001DF	NA	Dymondwood		
F	ULL CHECKERED GRIF	rs		
#647-112-002DF	#647-112-102DF	Micarta		
#647-111-002DF	#647-111-102DF	Ebony		
#647-113-002DF	#647-113-102DF	Dymondwood		
D	DOUBLE DIAMOND GRIPS			
#647-112-003DF	#647-112-103DF	Micarta		
#647-111-003DF	#647-111-103DF	Ebony		
#647-113-003DF	#647-113-103DF	Dymondwood		
	ta/DW Contour Grip			

- Advise # - Ebony Contoured Grips 7D31H08..... 40.99

NAVIDREX PARA P-14 DOUBLE DIAMOND CHECKERED GRIPS

Extra-Thin Design For Extra Comfort

Cut much thinner than the factory grips to provide increased comfort. Beautiful, hand-cut, 18 lpi double-diamond checkering enhances the grip

for a solid, no-slip feel. Direct replacement for both the old- and new-style P-14 factory grip. Available in two different materials: Micarta® - genuine, jet-black, Westinghouse Micarta has superior wearability and strength. Dymondwood" (DW) - resin-impregnated laminated hardwood that has the look and color of genuine rosewood, plus withstands solvents and wears much longer than natural wood.

SPECS: Available for P-14 Old- or New-style, full size Para-Ordnance frames. May require minor fitting

Harice Harries, IVI	ay require minor mung.	
#647-013-101DF	New Style Micarta Grips,	
	7D50X65	60.99
#647-013-102DF	Old Style Micarta Grips,	
	7D50X00	00.06
#647-013-201DF	New Style DW Grips,	
	7D50X65	60.99
#647-013-202DF	Old Style DW Grips,	
	7D50X00	00.06





NAVIDREX MAHOGANY GRIPS

Genuine Philippine Mahogany

A true asian hardwood with the beauty of expensive exotics, at a fraction of the cost. Deep reddish/brown color of varying intensity provides attractive contrast with blue and stainless steel guns. Contoured (Ctd) is relieved in the center to improve grip for persons with smaller hands. Available Standard or square bottom

(S/B) for guns with add-on mag wells. Fits 1911 Auto and Officers Model frames.

SPECS: Approximately 1/4" (6.7mm) thick

STK #1911	STK # OFF. ACP	STYLE
#647-025-001DF	#647-026-001DF	Std Double Diamond
#647-025-002DF	#647-026-002DF	S/B Double Diamond
#647-025-003DF	#647-026-003DF	Std Double Diamond Ctd
#647-025-004DF	#647-026-004DF	S/B Double Diamond Ctd
#647-025-005DF	#647-026-005DF	Std Full Checkered
#647-025-006DF	#647-026-006DF	S/B Full Checkered
#647-025-007DF	#647-026-007DF	Std Full Checkered Ctd
#647-025-008DF	#647-026-008DF	S/B Full Checkered Ctd
- Advise # - Mah	ogany Grips 7D	<i>14C00</i> \$ 18.00

NAVIDREX SLIM GRIPS

Reduces Bulk For Easy-To-Grip **Shooting & Carry Comfort**

Extra-thin to reduce bulk for concealed carry and give shooters with small hands a better hold. Available Smooth, uncheckered, Checkered with full coverage checkering or Double Diamond checkered to fit 1911 Auto and Officers ACP. All require slim bushings and screws listed below, not included, Black Micarta® gives Black Rosewood the appearance of fine ebony. Black Rosewood

STK # OFF ACP



PRICE


is a deep, reddish brown with contrasting black vertical stripes **Ebony** is very deep brown/black, almost black, with mild grain pattern. Mahogany is deep reddish/brown color of varying in-

SPECS: Approximately . 165" (4.2mm) thick. Black Rosewood and Ebony are resin impregnated Dymondwood. Mahogany is genuine Philippine mahogany.

MICARTA

STVI F

31K# GOVI.	31K # UFF. ACF	SITLE	FRICE
#647-000-003DF	#647-000-006DF	Smooth	7D30A00 \$ 40.00
#647-000-004DF	#647-000-007DF	Checkered	7D30A00 \$ 40.00
#647-000-005DF	#647-000-008DF	Double Dia.	7D30A00 \$ 40.00
	BLACK ROS	SEWOOD	
STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
#647-000-009DF	#647-000-011DF	Checkered	7D24A68 \$ 32.89
#647-000-010DF	#647-000-012DF	Double Dia.	7D24A68 \$ 32.89
EBONY			
	FROI	N Y	
STK # GOVT.	STK # OFF. ACP	STYLE	PRICE
STK # GOVT. #647-000-013DF			PRICE 7D24B68 \$ 32.89
	STK # OFF. ACP	STYLE	
#647-000-013DF	STK # OFF. ACP #647-000-015DF	STYLE Checkered Double Dia.	7D24B68 \$ 32.89
#647-000-013DF	STK # OFF. ACP #647-000-015DF #647-000-016DF	STYLE Checkered Double Dia.	7D24B68 \$ 32.89
#647-000-013DF #647-000-014DF	STK # OFF. ACP #647-000-015DF #647-000-016DF MAHOG	STYLE Checkered Double Dia. GANY STYLE	7D24B68 \$ 32.89 7D24B68 \$ 32.89
#647-000-013DF #647-000-014DF STK # GOVT.	STK # OFF. ACP #647-000-015DF #647-000-016DF MAHOG STK # OFF. ACP	STYLE Checkered Double Dia. GANY STYLE Checkered	7D24B68 \$ 32.89 7D24B68 \$ 32.89 PRICE





Black

Popular "Grippy" Texture Keeps Gun In Your Hand Even When Wet

Tough, long-wearing, all-weather grips of nearly indestructible G10 composite provide an extra secure grip during the draw and tactical maneuvers, and ensure maximum weapon control while firing. Minimizes rotation during recoil for better accuracy and reduced likelihood of having to reposition hand for follow-up shots. Popular golfball pattern, preferred by many shooters, crisply cut into the grip surface ensures a no-

slip grip even when hands are sweaty. Hard, nonreflective, glass-fiber reinforced G10 composite is impervious to extremes of heat, cold, moisture, and most solvents. Non-tapered, cut for an ambi safety. Available in Black, Desert Tan (similar to U.S.

military Flat Dark Earth), or Ranger Green. SPECS: G10 fiberglass composite in Black, Desert Tan, or Ranger Green. Approximately .275" (7mm) thick. Fits 1911 Government and Commander frames. Fhall G10 Grine Black

#100-003-569DF	Golf
	2B71
#100-003-570DF	Golf
	2B71
100-003-571DF	Golf

"	doliban dio diips, black,	
	2B71D96	.\$ 89.95
F	Golfball G10 Grips, Desert Tan,	
	2B71D96	89.95
F	Golfball G10 Grips, Ranger Green,	
	2B71D96	89.95




GSA

PACHMAYR COMBAT GRIPS

Faster Handling For Combat Matches

Improved features enhance handling and help shooters reload faster in action shooting events. **GM-45CS "Special"** has no thumbrest and features a "sculptured" cutaway so the thumb reaches the magazine release button quicker. GM-45C has flat sides, with no thumbrest or cutaway.



copt officers rior	•	
#692-545-345DF	GM-45CS "Special" 2F19	Z33 \$ 28.98
692-545-245DF	GM-45C Grip 2F19Z46	28.99

PACHMAYR SIGNATURE GRIPS

Wrap-Around, Non-Skid, For Semi-Autos

Unique, wrap-around grips specifically designed for semi-auto pistols incorporate front strap checkering* to meet the demands of com- petitive shooters - as well as police officers and military personnel. Over 22 square inches of sharp diamonds molded into durable semi-soft Neoprene rubber compound for superior grip- ping surface, wet or dry. Checkering scientifically designed to provide a firm, non-slip grip without biting into your hand. No alteration to gun. Eliminates time-consuming

job of stippling or checkering the front strap. For either right or left-handed shooters, these one-piece steel reinforced grips will compliment the finest accurizing job or combat alterations. SPECS: Molded, black, neoprene rubber.

SLIM GRIP SCREWS AND BUSHINGS - Replacement package of		PACHMAY	R	
four, short screws and bushings for use with Slim Grips, Socket	STOCK #	MODEL#	MFG - MODEL	PRICE
head looks great and prevents ragged looking screws. Polished	692-545-145DF	GM-45	Colt Govt. Mod.	2F19Z46 \$ 28.99
Blue or Stainless Steel.	#692-545-500DF	GM-45G	Colt Govt. Mod.	2F19Z33 \$ 28.98
#080-000-074DF Blue Slim Screws/Bushings,			Grooved	
8K08A90	#692-545-400DF	CO-45	Colt Off. Mod .45	2F19Z33 \$ 28.98
8K10A37	#285-511-100DF	Detonics	Combat Master	5H21T42 \$ 26.78



PACHMAYR 1911 AUTO AMERICAN LEGEND GRIPS

The Look & Feel Of Real Wood, Plus The Handling & Control Of Rubber

Rugged, dual-material grips combine the appearance and feel of real wood with the control and handling benefits of rubber combat grips. Smooth grip panels of attractive Pacwood, a rosewood laminate with a durable satin-finish, have neatly beveled bottom edges

with cutouts for mainspring housing pin. The insert of semi-soft Decelerator® neoprene rubber has sharp diamonds molded in the side panels for superior gripping surface, wet or dry, that won't bite into your hand. Deep, molded finger grooves on the frontstrap provide maximum control and comfort. For either right- or left-handed shooters, these grips will complement the finest accurizing job or combat alterations. Installation requires no alterations to gun.

SPECS: Smooth rosewood laminate, with black molded neoprene rubber. Fits 1911 Auto Gov't. and Commander pistols.

#692-000-022DF Legend Finger Groove Grips,

PEARCE SEMI-AUTO GRIPS -

1911 AUTO MODULAR HANDGUN GRIPS - Soft, rubber grips add both style and controllability to any full-size 1911 Auto. Thin, contoured shape provides additional support for the inside of the palm. Gives reach for shooters with smaller hands. Classic, double-diamond pattern with sharp 18 lpi checkering ensures a positive, noslip grip. Use independently or with the fingergroove, wrap-around grip enhancement below. SPECS: Soft rubber, black. Reinforced backing.

#092-100-011DF 1911 Auto Grip Panels 2K09P10 ...\$ 14.50 #092-100-014DF Officers ACP Grip Panels 2K09P10 . 14.50

FINGER-GROOVE GRIP ENHANCEMENT - Adds increased control and repeatable finger placement. Installs easily, no permanent modifications required. May be used with the Pearce Soft Rubber Grips above, or your favorite aftermarket panel.

SPECS: Soft rubb	oer, black.	
#092-100-012DF	1911 Grip Enhancement,	
	2K06P90	\$ 11.00
#092-100-017DF	Officers ACP Grip Enhancement	,
	2K06P90	11.00

ROCO FIREARMTECHNOLOGY 1911 AUTO WALNUT GRIPS

Ergonomically Designed For Shooting Comfort & Accuracy

Solid walnut grips enhance your hold with their contoured swell that fills and supports the palm for increased shooting comfort. Helps accommodate differences in finger length for a more consistent trigger pull

and accuracy. Stippled surface allows secure, non-slip contact with the hand without abrading the skin during recoil. Made from fancy Turkish Walnut hardened for extra strength, then beautifully finished and sealed with urethane resin.

SPECS: Turkish Walnut. Fits Government length grip only. #100-002-551DF 1911 Grip 3A33V03 \$ 39.90

1911 MASTER GRIP - Ergonomic, wrap-around shape and formed palm swell helps ensure a consistent, optimum hold. Stippled surface in the palm area helps prevent slipping. Designed for either left or right hand shooting; increased length provides ample space for a stronger, twohand hold.

SPECS: Turkish Walnut. Fits Govt. length grip frame only. Will not fit guns with add-on Mag wells or Springfield 1911s built before 2004.

#100-002-552DF 1911 Master Grip 3A73V13......\$ 97.50

STRIDER KNIVES 1911 AUTO SIMONICH GUNNER GRIPS



Extreme Texture For Maximum Weapon Retention In Any Condition

Aggressive, golf-ball-like texture provides maximum grip potential to help you retain your pistol in the most extreme match or tactical situations, even when the grip is wet or oily. Features hundreds of clean-edged dimples that grab like tiny suction cups. You may have seen similarlooking grips elsewhere, but only Strider

is producing these high-quality grips to the original specs by agreement with Simonich Knives. Made from tough, maintenance-free, G-10 filament glass cloth/epoxy resin composite matched to the exact colors used by the U.S. armed forces. G-10's superior impact-resistance, low moisture-absorption properties, and dimensional stability over a wide temperature range mean these grips will not fail, even under the worst weather conditions. Non-tapered, cut for ambidextrous safety.

SPECS: G-10 laminate, Ranger Green, Coyote Brown, or Black. Approximately 1/4" (6.3mm) thick. Fits 1911 Govt. and Commander. #100-002-450DF Gunner Grip, Ranger Green,

4A48Z00 #100-002-829DF Gunner Grip, Black 4A48X00 60.00

VZ GRIPS 1911 AUTO **VZ OPERATOR'S GRIPS**

Aggressive Texture Improves Control

Durable, tactical style grips provide improved pistol control during peak shooting action. Dimensionally stable, CNC machined, square bottom panels feature moderately coarse checkering and diagonal grooving for improved grip traction. Ballcut grooves increase the available surface

area to help you resist grip rotation during recoil. Hard G10 fiberglass composite is non-reflective and meets select military requirements. Paper Micarta has a semi-gloss finish. Both models available

in black only and are not relieved for ambidexdrous safety. SPECS: Approximately 1/4" (6.3mm) thick. Fit 1911 Auto Govt. and Commander. G10 - Fiberglass composite, black, matte finish. Paper Micarta - Micarta, black, semi-gloss finish.

#100-003-189DF G10 Grips, Black 7A53P50 \$ 65.00 #100-003-190DF Paper Micarta Grips, Blk 7A45P00..56.00

VZ GRIPS 1911 AUTO VZ 320 GRIPS



Extremely Stable In All Weather Conditions; Superior Gripping Texture That Won't Snag On Clothing

Attractive, square bottom warp-proof panels of lightweight canvas Micarta laminate provide an excellent gripping surface that will not abrade or catch on clothing, making these grips the perfect addition to any carry gun. Micro CNC milling, plus a unique texturing process creates a grip texture similar to fine, 320 grit sandpaper. Laminate construction forms a resilient. solvent-resistant panel that's completely Desert stable in all temperature and humidity extremes to maintain a custom fit indefinitely.

Grips are not relieved for ambidexdrous safety. Blasted Black Canvas is a versatile, medium gray color overall, highlighted with light gray strands of canvas. Desert Blonde Canvas is a medium tan color with contrasting strands of light tan canvas that matches well with desert camo gear.

SPECS: Canvas Micarta laminate, Blasted Black or Desert Blonde. 3/16" (5mm) thick. Fits 1911 Government and Commander.

#100-003-191DF Blasted Black Grips 7A45P00 \$ 56.00 #100-003-192DF Desert Blonde Grips 7A45P00...... 56.00

BROWNELLS PAGE 36

STK # GOVT

SATISFACTION GUARANTEED SINCE 1939

Office/Tech: 641-623-5401

VZ GRIPS 1911 AUTO DOUBLE DIAMOND GRIPS

Traditional Checkering Pattern; Sharp Texture For Excellent Hold & Weapon Control

Rugged grip panels made from tough G10 fiberglass are cut with a traditional double-diamond checkering pattern to give your 1911 a



classic look with the durability and superior gripping texture of modern composite materials. Prevents hand from shifting and helps maintain strong recoil control for fast, accurate followup shots. Advanced G10 laminate won't absorb moisture, resists impact, and won't expand or contract due to temperature fluctuation-perfect for all-weather operations and extreme conditions. Crisp, 20 lpi checkering and smooth, diamond-shaped raised areas around screw holes are CNC machined into the laminate, then hand-finished to ensure uniform pattern depth. The laminate's hard surface allows the checkering to be cut a little sharper to give more "bite" than traditional checkered wood grips. Features a square-bottom with cutouts to allow access to mainspring housing pin. Not inletted for ambi safeties.

SPECS: G10 fiberglass composite, Tactical Black, Black/Desert Sand, or Brown/Black Tiger Stripe Approximately .275" (7mm) thick. Fits 1911 Auto Govt. and Commander.

#100-003-955DF	Dbl Diamond Grip	s, Tactical Black,
	7A54Y99	
#100-003-956DF	Dbl Diamond Grip	s, Black/Desert Sand,
		69.99
#100-003-957DF	Dbl Diamond Grip	s, Tiger Stripe,
	7A54Y99	69.99

-VZ GRIPS 1911 AUTO -"GATOR-BACK" GRIPS



Comfortable, Non-Slip MICARTA® Grip

Durable Micarta® panels provide a custom look to your 1911. Available in three Micarta® types: Paper, which is dense in color and very decorative: Linen, medium grade in toughness and durability;

Canvas, thickest of the three with canvas threads in the milled finish for additional grip texture. All resist temperature changes and have length-wise ridges that resemble alligator back hide for a distinct look and a comfortable, non-slip grip. Models available for Government & Officers standard, slim, and Bobtail. SPECS: Standard is approximately .25" (6.3mm) thick, Slim is approximately .175" (4mm) thick.

GOVERNMENT

STD. STK #	SLIM STK#	COLOR
#100-001-742DF	#100-001-750DF	Blast Black Canvas
#100-001-743DF	#100-001-751DF	Green Canvas
#100-001-744DF	#100-001-752DF	Black Paper
#100-001-745DF	#100-001-753DF	Green/Black Linen

- Advise # - Gator-Back Grip Gov't Std 7A45Z00 ...\$ 56.00 - Advise # - Gator-Back Grip Gov't Slim 7A45Z00 . . 56.00

OFFICERS

STD. STK#	SLIM STK#	COLOR
#100-001-746DF	#100-001-754DF	Blast Black Canvas
#100-001-747DF	#100-001-755DF	Green Canvas
#100-001-748DF	#100-001-756DF	Black Paper
#100-001-749DF	#100-001-757DF	Green/Black Linen

- Advise # -	Gator-Back Grip Off. Standard,
	7A45Z00\$ 56.00
- Advise # -	Gator-Back Grip Off. Slim 7A45Z00 56.00

VINTAGE GUN GRIPS REPRODUCTION HANDGUN GRIPS

Faithful Reproductions Of The Original, Hard, Black Rubber Grips

Modern, high-quality reproductions of the *original* Colt 1911 Commander grip panels make restoring that "turn-of- thecentury" pistol easier and more authentic. Guaranteed to fit correctly and look "right" because the checkering pattern, rampant Colt logo, borders and decorations have all been faithfully reproduced from the origi-



nals using CAD/CAM techniques and injection molding. SPECS: Black, plastic. Screws and escutcheons are not included. Fits Colt 1911 Commander.

#121-100-027DF Colt 1911 Comm. Grips 1B25U40 ..\$ 31.75

WILSON COMBAT 1911 AUTO EXOTIC WOOD GRIPS

Beautiful Hardwoods, Custom Crafted

Double-diamond, 20 lpi checkering, relief cut for ambi safety with Wilson "Eagle" logo. SPECS: Approx. 1/4" (6.3mm) thick. Fit Govt./Comm #965-351-105DF Kingwood Grip 5F51Z76 . \$ 59.95 #965-351-102DF Cocobolo Grip 5F51Z76.... 59.95

Brownells 1911 AUTO **TIN-COATED TORX & ALLEN HEAD GRIP SCREWS**



Bright Gold Accents For Your Favorite 1911

Really dresses up and accentuates the grip panels on any model of 1911 Auto; a great finishing touch for your favorite custom pistol. Brownells, Stainless Steel Grip Screws with ultra-hard, gold-colored, Titanium nitride coating; Allen or Torx sockets help prevent stripped or damaged screw heads.

SPECS: Stainless steel, .150"-50 x .250" top. 4 screws per pak, includes correct wrench.

#080-833-004DF TiN Torx Grip Screws 8K10A50 ...\$ 15.00 #080-834-004DF TiN Allen Grip Screws 8K09A23.... 13.18

BROWNELLS 1911 AUTO **ALLEN HEAD GRIP SCREWS**



No-Slip Head With A Custom Look

Puts an end to scratched and marred screw heads on 1911 Auto

pistols. Machined and hardened screws use an Allen head socket to prevent the wrench from slipping and making your "masterpiece" look less-than-perfect.

SPECS: Steel, heat treated. .150"-50 x .250". Available blued (BLU) or stainless steel (SS). Sold in single and multiple paks of 4 screws, each pak contains one wrench.

STOCK #	FINISH	QTY.	PRICE
#080-831-004DF	BLU	4	8K08U59 \$ 12.25
#080-831-104DF	SS	4	8K10U14 \$ 13.85
#080-831-024DF	BLU	24	8K40U23 \$ 57.49
#080-831-124DF	SS	24	8K42U09 \$ 60.77
#080-831-048DF	BLU	48	8K68U64 \$ 85.71
#080-831-148DF	SS	48	8K72U72 \$ 103.88

BOBTAIL GOVERNMENT

STD. STK #	COLOR	PRICE	
#100-001-758DF	Blast Black Canvas	7A48Z00 \$ 60.00	

BROWNELLS TORX® HEAD GRIP SCREWS

Distinctive Star Shape Gives A Custom Look; **Prevents Scratched Frames & Grips**

Positive wrench engagement prevents scratches and marks on 1911 Auto frames and custom grips. Miniature star shape adds that distinctive, personal touch to a favorite pistol. Machined and hardened screws fit flush in all factory and aftermarket 1911 Auto grip panels.

SPECS: Steel, heat-treated. .150"-50 x .250". Available blued (BLU) or stainless steel (SS). Sold in single and multiple paks of 4 screws, each pak contains one wrench.

STOCK #	FINISH	QTY.	PRICE
#080-830-004DF	BLU	4	8K09P30 \$ 13.27
#080-830-104DF	SS	4	8K10U25 \$ 14.65
#080-830-024DF	BLU	24	8K43P60 \$ 62.29
#080-830-124DF	SS	24	8K48U16 \$ 68.80
#080-830-048DF	BLU	48	8K76U55 \$ 109.35
#080-830-148DF	SS	48	8K83U48 \$ 119.25

ED BROWN ALLEN HEAD GRIP SCREWS

Give Your 1911 Auto That High Tech Look

Beautifully machined with the correctly proportioned head and hole size, contoured to fit flush in any 1911 grip and look great. No more buggered screw heads.

S & A 1911 AUTO **ENGRAVED GRIP SCREWS**



Give Your Gun A Unique, Individual Appearance

Hand engraved, polished and blued screws with an attractive floral pattern that provides a distinctive, custom look to 1911 Auto pistols. Hex head "slot" blends into the engraving pattern, plus reduces the possibility of slot damage. Blue or Stainless steel compliments the finest exotic wood grips.

SPECS: Steel, polished blue or stainless steel (SS) matte finish.

#849-015-011DF	Blue 1911 Engraved Screws,	
	<i>9D16H00</i>	20.0
#849-015-111DF	SS 1911 Engraved Screws $9D16H80$	21.0

STI Stainless Steel



Factory hardware fits 2011 pistol frames to ensure reliable performance. Kit is the perfect option when building a 2011 pistol, or keep as a spare to replace lost or damaged screws. Includes two

Replacement Hardware

For Polymer Framed 2011's

grip screw bushings, trigger guard sleeve, two long grip screws, two short grip screws, two trigger guard screws, and three allen wrenches.

SPECS: Stainless steel, natural finish. Kit includes: (2) grip screw bushings, (1) trigger guard sleeve, (2) long grip screws, (2) short grip screws, (2) trigger guard screws, (1) 1/8" allen wrench, and (2) 1/16" allen wrenches.

#791-117-000DF 2011 Grip Screw Kit 1G16B63 \$ 20.80

Brownells 1911 AUTO STOCK BUSHINGS. **SCREWS & TAPS**



Made to Original Factory Specs For Easy Replacement

The 1911 Government model auto is about as rugged as a mountain mule, but when you take the grips off to polish and reblue the critter or put on another set of grips, chances are that at least one of the stock screws will need replacing, or, worse yet, the stock frame bushing will be stripped. And, when you remove the frame bushings to get the best polishing job on the frame, you'll find yourself looking for new bushings.

STANDARD STOCK BUSHING & SCREWS

Nicely made and finished, these special-sized, blued screws and bushings are packed in sets of 4 Screws or 4 Bushings. We've also had the proper sized taps made up as well.

SPECS: Blued steel, Screws - .150"-50, Bushings - .236"-60, Taps -High speed steel. .150"-50 (screws). .236"-60 (bushings). Use 7/32" tan drill for hushing: #31 tan drill for 150"-50 screw

		ig, #3 i tap uriii ioi . i50 -50 screw.	
	#080-568-004DF	Stock Bushings, per 1 set of 4,	
		8K04H29	\$ 7.15
	#080-568-412DF	Stock Bushings, 6 sets of 4 (24),	
		8K19H26	41.05
	#080-568-425DF	Stock Bushings, 12 sets of 4 (48),	
		8K29H75	81.00
	#080-569-004DF	Stock Screws, per 1 set of 4,	
		8K04H05	. 8.76
	#080-569-412DF	Stock Screws, 6 sets of 4 (24),	
		8K17D55	54.54
	#080-569-425DF	Stock Screws, 12 sets of 4 (48),	
		8K26D45	98.95
	#080-598-150DF	1911 Auto Screw Tap 2K29U82	38.99
ě		1911 Auto Bushing Tap 2K30U50	
ì		3 1	

STAINLESS STEEL STOCK BUSHING & SCREWS

Look "right" on stainless steel and nickel-plated guns. SPECS: .150"-50 thread.

#078-045-104DF	SS Stock Bushings, Set of 4,
	8G06Y23
#078-045-412DF	SS Stock Bushings, 6 sets of 4 (24),
	8G30Y68
#078-045-425DF	SS Stock Bushings, 12 sets of 4 (48),
	<i>8G46Y34</i>
#080-573-004DF	SS Stock Screws, Set of 4,
	8K04Z99
#080-573-412DF	SS Stock Screws, 6 sets of 4 (24),
	8K23Z85
#080-573-425DF	SS Stock Screws, 12 sets of 4 (48),
	8K40Z12

2011 GRIP SCREW KIT —— GRIP SCREWS & BUSHINGS

BROWNELLS TRI-WING GRIP SCREWS - Offers positive driver

purchase plus a neat way to set your 1911 Auto apart. Three recesses in a symmetrical design. SPECS: Stainless steel, heat treated, .150"-50 x .250". Sold 4 screws



#080-863-104DF Tri-Wing Grip Screws 8K11C74....\$ 17.65 **NOWLIN CUSTOM HEX HEAD GRIP SCREWS & BUSHINGS**

- Fully machined and hardened hex head grip screws in natural stainless steel that's a real eye-catcher on custom pistols.

ŠPECS: Stainless steel. .150"-50 tpi x .250". Four

#654-109-104DF SS Hex Head Screws 4E08Y11.....\$ 10.13 #654-110-004DF Grip Screw Bushings,

order on the web www.brownells.com



GRIPS

œ

S

Brownells 1911 AUTO **OVERSIZED STOCK BUSHINGS & TAP**



Professionally & Easily Replace Stripped-Out **Bushing Holes - No Welding Or Drilling**

Easily and professionally solves the problem of stripped out stock bushing holes. Special tap cleans out stripped frame threads, cuts new ones without pre-drilling. Matching bushing screws right in, uses original grip screw. Will save your life when polishing/bluing, accurizing .45's!

SPECS: Bushings - .255"-60, blued steel. Tap - High speed steel. #080-570-000DF Oversized Bushing Set, Basic, 1 set of 4/one tap 8K29D74 \$ 54.00 #080-571-100DF Oversized Bushing Set, Deluxe, 6 sets of 4, (24)/one tap 8K50D39 92.04

#080-572-012DF Oversized .45 Bushings, per 1 set of 4, #080-572-050DF Oversized .45 Bushings, 12 sets of 4, (48), 8K61Z59 96.97 #080-598-225DF Oversized Bushing Tap, each,

Brownells 1911 AUTO **SLIM GRIP SCREWS AND BUSHINGS**



The Right Fit For Thin Grips

Replacement package of four, short screws and bushings for use with Slim Grips. Hex head looks great and prevents ragged looking screws.

SPECS: Steel, blued or stainless steel, natural. Socket head screws: .150"-50 tpi. Bushings: .236"-60 tpi.

#080-000-074DF Blue Slim Grip Screws & Bushings,



WILSON COMBAT 1911 AUTO HEX HEAD GRIP SCREWS

Eliminates Burred Screw Slots

Give positive purchase for removing grip screws and prevents damaged, ragged-looking grips and screws. Fit flush with most grips.

SPECS: Steel, heat treated, .150"-50 x .250", Available blue or stainless steel. Includes Allen wrench

#965-313-004DF	4 Hex Head Blue G/Screws,
	5F05A95
#965-313-024DF	24 Hex Head Blue G/Screws,
	5F29A48
#965-313-104DF	4 Hex Head SS Grip Screws 5F00TPU7.99
	24 Hex Head SS Grip Screws,
	5F32V76

ARISTOCRAT 1911 AUTO ADJUSTABLE SIGHTS

Simplified Mill-In Installation

Blends beautifully with the 1911 Auto slide.

Hidden recoil shoulder prevents shoot-off. Your 1/2", center-cut end mill makes the necessary cuts, no dovetails. Tri-Set - Slotted cam selects three pre-set positions for fast elevation changes. SPECS: Blued steel, satin finish. Body - 2.2" (5.6cm) long, .700" (17.7mm) wide. Blade - .874" (22mm) wide. .432" (11mm) high. Notch - .11" (2.8mm) wide, Use approx. .215" (5.4mm) high front sight. Installation requires milling of slide.

#044-045-401DF TS-45 Tri-Set Rear 4D130H08\$ 154.95

ARISTOCRAT 1911 AUTO SIGHT RIB

Front & Rear Adjusting Ribs

Unique, Poly-Set system allows selection of three, preset sight elevations for standard combat distances. Can be reset to any of those distances with a quick, easy movement of the elevation cam. Also adjusts for windage. Rib top is serrated and blade notch beveled to reduce glare. Underside internally hollowed to save weight. Durable, steel front sight won't snag and break off. Available for Govt. Model and Govt. Model with long slide.

SPECS: Steel, blued. Screws and instructions included. Gunsmith installation required. **Govt. Model -** 71/8" (18.1cm) long; fits 1911 Auto Government Model with 5" barrel. Govt. Model Long - 81/4" (21cm) long; fits 1911 Auto Government Models with long slides and 6" harrel

Govt. Model Auto 5" Rib, 4D165C62 \$ 204.95	
Govt. Model Long Auto 6" Rib, 4D165C62	



10-8 PERFORMANCE 1911 AUTO U-NOTCH REAR SIGHT

Rugged Construction For Daily Carry; Offers A Clear, **Easy-To-See Sight Picture**

Fixed rear sight is precision machined from heat-hardened 4140 steel

bar stock, so it withstands the wear and tear of daily carry, yet delivers a clear, precise sight picture. Perfect for concealed carry, duty, or combat pistols where a rugged, reliable rear sight is mission critical. Fully "dehorned," with rounded and chamfered edges to prevent snagging on holster, clothing, or other gear that could impede draw. Easy-to-acquire .125" high U-shaped notch aligns quickly with a wide variety of factory-height front sights, including fiber optic, tritium dot, and gold beads. Rear face of the plain black blade has 40 lpi serrations for a glare-free sight picture under almost any light conditions; front of the blade has ledge contour to aid in one-hand cocking. A hard, manganese phosphate parkerized finish that matches many tactical pistol finishes adds strength and surface wear resistance. Anchors securely in the popular Novak Lo-Mount-style dovetail with a centrally located setscrew. Includes wrench and instructions. May require minor fitting.

SPECS: Steel, matte black finish. Fits Novak-style 65° x .500" dovetail. Standard - .325" high, available with .125", .140" and .156" wide notches. Tall - .375" high, with .125" wide notch, for Officers model and other short-barrel 1911s; a direct replacement for Springfield Armory factory rear sight.

#100-003-766DF	Standard .125" U-Notch Rear Sight,	
	1B29H95\$	39.95
#100-003-768DF	Standard .140" U-Notch Rear Sight,	
	1B39H95	49.95
#100-003-769DF	Standard .156" U-Notch Rear Sight,	
	1B39H95	49.95
#100-003-767DF	Tall .125" U-Notch Rear Sight,	
	1B29H95	39.95

BRAZOS CUSTOM-LIGHTNING ROD SIGHT

Bright Red Sight Holds Your Eye On Target

Extra long, fiber optic rod provides a glowing sight picture that draws your eye to the sight. Open center blade lets in lots of light for a bright red, easy-to-see dot. Five heights, for use with, fixed and adjustable, ghost ring, v-notch and conventional sights. Includes green, yellow and red optic

SPECS: Steel, black, matte finish, Kimber/Novak, 65° x .330" x .075" dovetail. .127" (3.2mm) wide, .150" (3.8mm), .160" (4mm), .175" (4.5mm), .200" (5mm), .240" (6mm) high. .820" (21mm) long.



Light gathering, interchangeable green and red fiber optic rods really stand out against various target backgrounds. Improves front sight visibility, excels with ghost ring rear sights. SPECS: Steel, matte black finish. Blade .185" high, .125" wide. 60N: 65° x .330" x .75" dovetail. 60H: 60° x .300" x .60" dovetail. #168-203-600DF 60N Fiber Optic Sight 8F21P15....\$ 24.99 #168-203-605DF 60H Fiber Optic Sight 8F21P16..... 24.99

CASPIAN

ADJUSTABLE SIGHT

3 Styles Improve Sight Picture, Target Acquisition, Visibility



found on Springfield, Para-Ord and others. Fully adjustable for windage and elevation.

SPECS: Steel, black, matte finish. Rear blade .423" (10.7mm) high. .900" (22.8mm) wide. Target notch .128" (3.27mm) wide. Installation requires machining of slide.

STOCK #	FITS	STYLE	PRICE
#168-202-100DF	BM-1	Target	8F53P00 \$ 66.25
#168-202-101DF	BM-1	Round	8F53P00 \$ 66.25
#168-202-102DF	BM-1	Diamond	8F53P00 \$ 66.25
#168-202-110DF	LPA	Target	8F53P00 \$ 66.25
#168-202-111DF	LPA	Round	8F53P00 \$ 66.25
#168-202-112DF	LPA	Diamond	8F53P00 \$ 66.25

ED BROWN 1911 AUTO ADJUSTABLE REAR SIGHT



Ultra-Low Mount, Fully-Adjustable, Classic Bo-Mar Style

Low-profile rear sight replicates the dimensions and function of the proven Bo-Mar adjustable sight. Rugged design

withstands the shock of full-power service ammunition—perfect for combat applications—yet provides fine adjustability to meet the needs of the target shooter. Minimal-height sight body hugs the top of the slide for faster sighting and increased accuracy. Precise click detents provide full adjustment for both windage and elevation. Combat-style blade with fine-line serrations on the rear face angles backward from the top to help deflect the light for a clear, easy-to-acquire sight picture in all light conditions. Deep, square-cut notch further enhances sight picture; dog-ear cuts on top corners help reduce snagging during draw. Installation requires machining, drilling and tapping of slide. SPECS: Steel, blued. Body - 1.435" (3.6cm). Blade - .765" (19mm) x .425" (11mm) with .110" (2.8mm) wide notch. Fits pistols with 60° x .359" x .100" rear sight dovetail.

#087-000-050DF Adjustable Rear Sight 7H60Z84 . . . \$ 73.99

#985-000-001DF	.150" Lightning Rod Sight,	
	5H28B00	\$ 34.95
#985-000-002DF	.160" Lightning Rod Sight,	
	5H28B00	
	.175" Lightning Rod Sight 51	
	.200" Lightning Rod Sight 51	
#985-000-004DF	.240" Lightning Rod Sight 51	128X00. 34.95

EGW FIBER OPTIC FRONT SIGHT



Enhanced Sight Picture In Bright Or Low Light

Interchangeable, red or green, fiber optic insert glows brightly, drawing your eye to the sight for fast pickup and improved shooting per-

formance. Open center gathers lots of light for a bright dot. Three heights match most rear sights. Kimber and Para-Ord replace factory height blades. Fits factory dovetails.

SPECS: Steel, black, matte finish. Blade - . 125" (3.2mm) wide. Models for 65° x .330" x .070", 60° x .330" x .070" dovetails, plus Kimber Classic, and Para-Ord Limited.

STK # 65°	STK # 60°	HEIGHT	PRICE
#296-065-160DF	#296-060-160DF	.160"	6B28A00 \$ 35.00
#296-065-185DF	#296-060-185DF	.185"	6B28A00 \$ 35.00
#296-065-200DF	#296-060-200DF	.200"	6B28A00 \$ 35.00

STK # KIMBER	STK # PARA	HEIGHT	PRICE
#296-000-004DF	NA	.150"	6B28P00 \$ 35.00
#296-000-005DF	NA	.160"	6B28P00 \$ 35.00
#296-000-006DF	#296-000-008DF	.175"	6B28P00 \$ 35.00
#296-000-007DF	#296-000-044DF	.200"	6B28P00 \$ 35.00

 $\overline{\textbf{REPLACEMENT RODS}} \cdot \text{Change sight colors or replace damaged}$ rods. 4 rods per pak, 2-red and 2-green. Fits above sights. SPECS: Fiber optic rods. .058" (1.5mm) dia. Approx. 1/2" long. #296-000-009DF 4-Pak Replacement Rods 6B06P62..\$ 7.99

BIG DOT REPLACEMENT RODS - Big, glowing dot grabs your eye. 4 rods per pak, 2-red and 2-green. Fits above sights. SPECS: Fiber optic rods, Approx. 1/2" long, .0885" (2.25mm) dia #296-000-045DF 4-Pak Big Dot Repl. Rods 6B07X34 .\$ 9.78

ENTREPRISE ARMS 1911 AUTO GHOST RING NIGHT SIGHT

Easy-to-See, Day or Night

Low, trim design positions the aperture close to the slide for minimum bulk, maximum speed and accuracy. Large ring

and post-style front sight with green Tritium inserts help you quickly acquire targets using the eye's natural ability to center objects in a circle. A fast, accurate sighting system. Great for self-defense pistols.

SPECS: 4140 steel, blue, matte finish. Rear Aperture - (2) Tritium inserts. . 193" (4.9mm) diameter ghost ring. Front Sight - (1) Tritium insert, wide tenon, 65° x .330" x .075" dovetail, installation requires modification to slide

#292-011-100DF Ghost Ring Sight Set 2B120V00 . . \$ 171.01

HARRISON DESIGN & CONSULTING 1911 AUTO **HD-001 REAR SIGHT**



Smooth, No-Snag Combat Sight Fits Standard Bo-Mar Slide Cut

Rugged, solid steel fixed rear sight fits the Bo-Mar BMCS slide cut. Fully radiused edges and corners help eliminate snagging during draw, and front of blade is squared off to aid slide racking. Deep, .135" wide notch produces a clear sight picture with more light around the front

blade. Fine, 50 lpi horizontal serrations on rear face eliminate glare. Precision machined from steel bar stock, unique two-piece design has separate base that allows mounting in both standard open BMCS cut and the "Deluxe" pocket cut. Two, hardened steel screws and a hidden lug join the body to the base for a rock-solid installation that will not shoot loose. Drift adjustable .030" left or right for windage, allowing correction of approximately 3" of error at 20 yards. Installed height is same as many popular aftermarket rear sights, so you may not need to replace your pistol's front sight. Gunsmith installation recommended.

SPECS: Steel, blued, matte finish. Body - 1.420" (3.6cm) OAL, .690" (1.8cm) wide. .500" (1.3cm) high. Notch - .135" wide x .115" high. Fits Bo-Mar BMCS (BM #1) 60 x .359" x .100" slide cut.

#100-003-572DF HD-001 1911 Rear Sight 9B72D00. \$ 90.00

BROWNELLS PAGE 38

SATISFACTION GUARANTEED SINCE 1939

HEINIE SPECIALTY 1911 AUTO

SLANTPRO™ NIGHT SIGHTS

No-Snag, Low-Profile With Tritium Dots For Enhanced Visibility In Low Light

The ultimate marriage of quality and function, Trijicon® selfilluminating tritium inserts provide a fast, easy-to-acquire sight





Standard 2-Dot Ultra Low Mount Ledge 1-Dot

ed edges and sets low in the slide for minimum profile and a smooth, snag-free draw for concealed carry and competition guns. Fine line serrations on rear of blades eliminate glare for the best possible sight picture. Doyetails are cut .002"-.003" oversized to fit existing sight cuts; gunsmith fitting may be required. Straight Eight model is supplied as a set of front and rear sights. All other models are rear sight only. Straight Eight - One tritium dot on the front sight and one on the rear align vertically for exceptionally fast acquisition. Ultra Low Mount provides an even more compact profile; fits pistols with Novak-type .500" x 65° dovetail in slide. "T" suffix on model number indicates rear sight is .050" taller to provide correct sight picture on smaller short-slide pistols. Ultra Low Mount Ledge - Front edge of the rear sight blade has been cut square to provide adequate purchase for one-handed racking of the slide. Available in standard and T models, with one centered Trijicon insert for "Straight Eight" sight picture or with two sideby-side inserts for a more traditional, three-dot horizontal sight picture.

SPECS: Steel, matte blue finish. Straight Eight - Rear notch is .125" wide. 1911 Auto fits .375" x 65° rear dovetail and .300" x 60° front dovetail. May require milling of slide to install. Instructions included. **Kimber** and **S&W** fit factory dovetails. May require minor fitting. **Ultra Low Mount**, including **Ledge**, fits Novak-type .500" x 65° dovetail. "T" suffix on model number indicates .050" taller height for short-slide compact pistols. May require minor fitting.

STRAIGHT EIGHT FRONT/REAR SETS

			HEIGHT		
STOCK #	MODEL#	FITS	REAR	FRONT	PRICE
#394-102-306DF	3005	1911 Auto	.450"	.190"	4C103Z74 \$ 129.68
#394-102-355DF	355	Kimber (fixed rear)	.375"	.185"	4C103Z74 \$ 129.68
#394-000-020DF	357	Kimber (adj. rear)	.465"	.185"	4C103A74 \$ 129.68
#394-000-026DF	405	S&W 1911	.305"	.175"	4C103V74 \$ 129.68

ULTRA LOW MOUNT REAR SIGHTS

STOCK #	MODEL#	STYLE	HEIGHT	NOTCH	PRICE
#394-000-008DF	365	Standard, 1 dot	.325"	.125"	4C63A82 \$ 79.78
#394-000-034DF	365-T	Standard, 1 dot	.375"	.125"	4C63X82 \$ 79.78
#394-000-031DF	362	Standard, 2 dot	.325"	.125"	4C76B18 \$ 95.22
#394-000-037DF	366	Ledge, 1 dot	.325"	.140"	4C63H82 \$ 94.78
#394-000-038DF	366-T	Ledge, 1 dot	.375"	.140"	4C63H82 \$ 94.78
#394-000-035DF	363	Ledge, 2 dot	.325"	.140"	4C76H18 \$ 110.22
#394-000-036DF	363-T	Ledge, 2 dot	.375"	.140"	4C76H18 \$ 110.22

ORIGINAL STRAIGHT EIGHT NIGHT SIGHT - Heinie's classic, low-mount, no-snag Combat/Competition Fixed Sights with Trijicon self-illuminating tritium lamps give a fast, easy-to-see sight picture in any light. The exclusive two-dot "Straight Eight" design makes sighting simple and fast. Serrated face of rear blade angles slighly toward the shooter to eliminate glare; smooth, rounded corners can't catch on clothing or holsters. Sold as a matching front and rear sight set for 1911 Auto applications.

SPECS: Steel, matte blue. Rear Sight - Body: 1.04" (2.6cm) x .695". Blade: .695" (17 mm) x .440" (11mm). Notch: .125" (3.1mm) x .112" (2.8mm). Fits .375" x 65° dovetail. Front Sight - .190" high. Fits .300" x 60° dovetail. Requires milling of slide. #394-300-000DF Model 3000 1911 Auto Original Straight 8 Sights 4C103Z74. \$129.68

HEINIE SPECIALTY SEMI-AUTO RAMPED DOVETAIL FRONT SIGHT



A Bold, Easy-To-See Sight Picture In A Compact, Easy-To-Carry Shape

Serrated-ramp fronts provide a perfect match for low mount,

rear sights. Available with Black Ramp (BR) or White Dot (WD). Installation requires machining of slide. .185" or .190" match Heinie 1911 and Bo-Mar BMCS rears. 200" front matches Heinie Browning HP Rear.

SPECS: Steel, blue, matte finish. Blade - . 126" (3.1mm) wide, . 175" (4.4mm), .185" (4.6mm,) .190" (4.8mm), .200" (5mm) high, .500" (12.7mm) long. **Dovetail -** .60° x 300" x .060" with .002" taper.

STOCK # BR STOCK # WD		HEIGHT
#394-000-002DF	NA	.175"
#394-309-185DF	#394-312-185DF	.185"
#394-309-190DF	#394-312-190DF	.190"
#394-309-200DF	#394-312-200DF	.200"
- Advise # - BR 1	\$ 22.15	
_ Advise # _ WD	Ramped Front Sight	

HEINIE SPECIALTY SLANT PRO™ SIGHT



Wedge shaped body with rounded edges provides a snag-free draw for concealed carry and competition. Sets low in the slide for minimum profile.

Gives A No-Snag Draw

Front and rear sight blades have fine line serrations to eliminate glare. Supplied as a front/rear set for all models listed except Low Mount, which is a rear sight only to fit guns with Novak dovetail dimensions. Low Mount T is .050" taller than standard Low Mount to provide correct sight picture on smaller, short-slide pistols. Kimber Fixed fits Kimber pistols with factory fixed sights. Kimber Adj. is a fixed sight replacement for Kimber models with factory adjustable sights.

SPECS: Steel, matte black finish. 1911 and Kimber - Rear: 1" (25mm) x 11/16" (17mm). Front: 1/2" (13mm) x 1/8" (3mm). **Low Mount** and Low Mount T Rear - 1" (25mm) x 11/16", fits Novak dovetail only. Rear Sight Notch - 1/8" wide, height varies.

DF	#394-312-185DF	.185"	STOCK #	FITS	PRICE
DF	#394-312-190DF	.190"	#394-102-305DF	1911, set	4C45Z16 \$ 56.45
DF	#394-312-200DF	.200"	#394-102-350DF	Kimber Fixed, set	4C45Z16 \$ 56.45
	Ramped Front Sight,		#394-000-017DF	Kimber Adj., set	4C46A06 \$ 57.58
	7A72Ramped Front Sight,	\$ 22.15	#394-000-007DF	Low Mount, rear	4C31A00 \$ 38.75
	Namped Front Signt, 9749	24.36	#394-000-033DF	Low Mount T, rear	4C31X00 \$ 38.75
1010	1 10	=			

HEINIE SPECIALTY SEMI-AUTO TRIJICON® FRONT DOVETAIL SIGHT

Serrated Ramps & Tritium Dots For Fast Pickup

Fully-contoured, cross-dovetail sights complete with the increased, low light visibility of genuine Trijicon, tritium vials. Tapered dovetail holds the sight firmly. Fits nominal 60° x .300" x .060" front sight dovetails.

SPECS: Steel, blued, matte finish, green dot. Blade; .126" (3.2mm) wide, . 175 (4.4mm), .185" (4.6mm), .190" (4.8mm) or .200" (5mm)

rrequires macmi	iirig oi siiae.	
F .175" Tritium	Sight 4C39A97	\$ 49.96
F .185" Tritium	Sight 4C39A97	49.96
F .190" Tritium	Sight 4C39Y97	49.96
F .200" Tritium	Sight 4C39Y97	49.96
	F .175" Tritium F .185" Tritium F .190" Tritium	F .175" Tritium Sight 4C39A97 F .185" Tritium Sight 4C39A97 F .190" Tritium Sight 4C39Y97 F .200" Tritium Sight 4C39Y97

HIVIZ KIMBER 1911 AUTO

INTERCHANGEABLE FIBER OPTIC **FRONT SIGHT**



Improves Visibility With Interchangeable Red, Green & White Rods



Advanced fiber optic sight maintains perfect sight/target contrast in all shooting conditions by allowing you to easily interchange fiber optic

rods at any time from red to green, or to a solid white color as lighting conditions change. Innovative sight base uses a locking spring to keep the LitePipe secure, while allowing interchangeability in the field with the provided key. Streamlined, no snag design helps prevent holster catch that can slow down your draw. Fits Kimber 1911 dovetail and regulates with the original factory rear sight. Includes rods, carrying case, and key for interchanging the rods. Gunsmith fitting is recommended.

SPECS: Steel, black, matte finish. Includes (3) red, (2) green, (1) white rod, carrying case, and key. Overall Sight Dimensions - 34' (19.1cm) long, 1/8" (3.2mm) wide, .186" (4.72mm) high from top of slide, LitePipe - .092" (2.3mm) diameter, Requires 60° x .330" x .075" dovetail. Will not fit Kimber .22 rimfire.

#638-000-082DF Kimber Interchangeable Sight,

-INNOVATIVEWEAPONRY PT NIGHT SIGHT-

Speeds Low-Light Aiming

Green front and colored rear, tritium lamps provide fast sight recognition in all low-light situations. Opti-



cally clear lamp lenses and high-density, shock-absorbing housings make these fixed sights a great choice for self-defense and law enforcement. Factory guarantees tritium elements for 15

SPECS: Steel housing, matte finish, blued. 1911 Auto, Colt Govt, Officers Models Enhanced have stake-on front sight. Colt Enhanced Dovetail fits Colt Enhanced Slides and old model Colt Defender with dovetail front sight cut; does not fit current production Defender.

3-DOT GREEN FRONT/RED REAR

STOCK #	FITS
#441-000-001DF	1911 Auto, wide tenon
#441-000-002DF	Colt Govt. Enhanced
#441-000-003DF	Officers Model Dovetail Fron
#441-000-004DF	Officers Model Enhanced
#441-000-005DF	Colt Enhanced Dovetail Front
#441-000-011DF	Kimber
0.007.005	N FRONT (ORANGE REAR

3-DOT GREEN FRONT/ORANGE REAR

STOCK #	FITS
#441-102-011DF	1911 Auto, wide tenon

KENSIGHT 1911 AUTO ADJUSTABLE NIGHT SIGHT

Glowing Tritium Lamps Maximize Sight Visibility In Low Light

Genuine, Trijicon, green Tritium lamps feature polished quartz lenses for improved sight recognition in low



light, plus appear as white dots for enhanced sight acquisition in bright sunlight as well. Sight bodies are EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered to retain the extra-tight tolerances. Features precise clickadjustments for consistent changes in windage and elevation. Fine line serrations on rear blade surface cuts light reflection to enhance sight pick up.

SPECS: 4140 steel, blue, matte finish. .076" (1.9mm) diameter Tritium lamps, BM #1 retrofits pistols modified to accept the Bo-Mar BMCS rear sight. LPA fits Springfield Armory, Para-Ordnance, and Charles Daly 1911 Autos using the LPA TRT dovetail. Kimber **Adjustable** fits Kimber models with adjustable factory rear sight. **Elliason** fits Colt Gold Cup, Officer's Model Match, Ace, and others originally fitted with either Accro or Elliason sights.

#100-002-627DF	
	<i>5A84T95</i>
#100-002-628DF	
	<i>5A87T95</i>
#100-002-629DF	Kimber Adjustable,
	<i>5A87T95</i>
#100-003-407DF	Elliason Adjustable,
	<i>5A83Y50</i>

KENSIGHT 1911 AUTO CLASSIC TARGET SIGHT

Wire EDM Produced For Precision Fit & Function



Provides consistent accuracy through better production methods. Electro-discharge machined from 4140 steel, heat-treated to Rc 38-40, then vacuum tempered to help retain these tolerances for many years to White Dot come. One-piece blade is cut from solid steel barstock, so it won't fly apart when your shot

matters most. Consistent, click-adjustable detents for windage and elevation give precise repeatability. All models except Accro feature a full-serrated, square corner blade for better target recognition and a rebated square notch for improved, "shadowless" front sight definition. BM #1 Deep Notch features a .020" deeper sight notch and finer surface serrations than standard model for easier front sight acquisition. White Dot model has rounded corners like the old Bo-Mar combat style adjustable sight, and features two, white, .070" (1.8mm) diameter dots, one on each side of rear notch.

SPECS: 4140 steel, blue, matte finish. Blade - .750" (19mm) wide, .433" (1mm) thick. Notch - .100" (2.5mm) deep (except BM #1 Deep Notch), .134" (3.3mm) wide.

STOCK#	FITS DOVETAIL	PRICE
#100-002-632DF	BM #1 Standard	5A52T05 \$ 64.99
#100-002-633DF	BM #1 Deep Notch	5A52T50 \$ 69.95
#100-003-069DF	BM #1 White Dot	5A54P95 \$ 69.95
#100-002-634DF	Kimber 1911 Adj.	5A52T50 \$ 67.95
#100-002-635DF	Elliason	5A40P00 \$ 53.95
#100-003-408DF	Accro	5A40Y00 \$ 59.95

3-DOT GREEN FRONT/YELLOW REAR

STOCK #	FITS
#441-103-011DF	1911 Auto, wide tenon
- Advise # - 3-Dot PT Sights	1D65Y00 \$ 85.00
2 DOT OPEN ED	ONT/CDEEN DEAD

3-DOT GREE	IN FRONT/GREEN REAR
CTOCK #	FITC

STOCK #	FIIS	
#441-000-019DF	Para-Ordnance LDA	
- Advise # - 3-Dot PT Sights	1D66A18	\$ 89 99

order on the web www.brownells.com



KENSIGHT COMBAT CARRY ADJUSTABLE REAR SIGHT

Rounded Blade Edges Won't Snag On Clothing Or Holsters

Enjoy the accuracy of a fully adjustable, competition-style rear sight in a package suitable for daily carry. Beveled edges on sight body and radiused corners on blade minimize chances of snagging on clothing or holster. Blade, sight body, and base are EDM-wire machined from high-grade, 4140 billet steel, then heat-treated to Rc 28-32 to retain the extra-tight tolerances. Front hinge pin is hardened to Rc 60 for reliable, long-lasting service without breakage. Fine serrations EDM machined on the rear sight blade surface reduce light reflection to enhance sight pick up in all light conditions. Consistent, click adjustable detents for windage and elevation provide precise, repeatable

SPECS: 4140 steel, blued, matte finish, BM #1 - Fits pistols with the Bo-Mar BMCS rear sight dovetail. **Spgfld 1911 -** Fits Springfield Armory, Para-Ordnance, Nowlin, High Standard, Olympic Arms, and Charles Daly 1911 auto slides cut for adjustable sights.

#100-002-637DF BM #1 Rear Sight 5A51P50.....\$ 64.95 #100-002-638DF Spgfld 1911 Rear Sight 5A52P50.... 67.95

KENSIGHT DEFENSIVE SIGHTS

Low Profile. No-Snag Design For Self Defense Pistols







Adiustable


drag on holsters or snag clothing because these low profile sights are designed specifically for concealed carry. EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered. Fully Adjustable (Adj.) models are click-adjustable for windage and elevation. Elevation Adjustable (Elev.) model provides the consistency of click adjustment for elevation only. Fixed (Fxd.) models feature no adjustments for maximum reliability and simplicity preferred by many shooters. White Dot (WD) model features two white, ABS plastic .070" (1.8mm) diameter dots, one on each side of rear notch. Tritium (Trit.) versions feature dual, self-luminous, .076" (1.9mm) diameter, green Tritium dots on both sides of the rear notch for improved sighting in low light conditions. Serrated (Sert.) models feature fine line serrations on the rear surface of the sight. Available to fit Novak-style dovetail and Kimber pistols equipped with factory fixed sights.

SPECS: 4140 steel, blue, matte finish. Lo-Mount - fits Novak-style 65° x .495" dovetail cut. Kimber - fits Kimber models with factoryequipped fixed sights.

STOCK#	MODEL	PRICE
#100-002-639DF	Lo-Mount, Adj.	5A51P50 \$ 64.95
#100-002-640DF	Lo-Mount, Adj./Sert.	5A53P00 \$ 68.95
#100-003-068DF	Lo-Mount, Adj./Sert./WD	5A54P95 \$ 69.95
#100-002-641DF	Lo-Mount Elev./Trit.	5A79P95 \$ 99.95
#100-002-642DF	Lo-Mount Adj./Trit.	5A89U95 \$ 117.95
#100-002-643DF	Lo-Mount Fxd./Sert.	5A27U95 \$ 34.95
#100-002-916DF	Lo-Mount, Fxd./WD	5A27P95 \$ 35.95
#100-002-644DF	Lo-Mount Fxd./Trit.	5A55U97 \$ 74.95
#100-002-645DF	Kimber Fxd./Sert.	5A28U95 \$ 36.95
#100-002-646DF	Kimber Fxd./Trit.	5A58U95 \$ 76.95

KIMBER PARA ORDNANCE -MEPROLIGHT TRITIUM NIGHT SIGHT





Rugged, steel tritium sight gives you a bright, white dot for

fast target acquisition in low light situations. Rear sight has two dots, front sight has one dot for positive sight picture. Sealed, Tritium vials aren't affected by even the most aggressive clean-

LPA SEMI-AUTO PISTOL SIGHT



Compact, Adjustable - Low Mount Rears Or High-Visibility Sets

Two styles of sights, both with microclick windage and elevation screws and all-steel construction. Available in: solid black target model; white-outline rear; 2-dot rears or 3-dot systems. SPECS: CNC mchined steel, matte blued

TPU REAR SIGHTS - Extra low profile, adjustable sight mounts down, out of the way, and increases sight radius for enhanced sight picture. Rectangular body, raised adjustment screws. Requires no alteration to the slide; fits in the standard dovetail and uses the existing front sight.

STOCK #	STOCK #	STOCK #	
TARGET	WHITE OUTLINE	3-DOT REAR	FITS MODEL
#625-100-111DF	#625-100-211DF	#625-100-311DF	1911 Auto .45 Govt
#625-100-112DF	#625-100-212DF	#625-100-312DF	Colt 1911, 70/80/90
- Advise # -	TPU Pistol Si	ght 3K40Y45	\$ 67.55

SPR FRONT & REAR SIGHT SETS - Standard profile, adjustable sights fit factory dovetails and require no alterations to slide. Tapered body, flush adjustment screws. Front sights may require gunsmith installation.


#625-102-111DF	#625-102-211DF	#625-102-311DF 1911 Auto .45 Govt.
#625-102-112DF	#625-102-212DF	#625-102-312DF Colt 1911, Ser. 80/90

SPR Front/Rear Sight Set,

MEPROLIGHT DAY/NIGHT SIGHT

FOR POPULAR HANDGUNS Always "On"; No Batteries, No Charging

Really "shines" when other sights are useless. No switch to turn on, no batteries to wear



SPECS: Blued steel with tritium inserts. Sights marked Adj. fit guns originally equipped with factory, adjustable sights. Sights marked Fxd. fit guns originally equipped with factory, fixed/non-adjustable sights. S&W models will NOT fit guns originally equipped with

STOCK #	FITS	PRICE
#387-304-776DF	1911 Auto (Fxd. Wide Tenon)	7H75U00 \$ 109.00
#387-000-008DF	Kimber Full size (Fxd.)	7H75Y00 \$ 109.00
#387-000-009DF	Kimber Cust, Target (Adj.)	7H120Y00 \$ 186.00

MEPROLIGHT FRONT SIGHTS - Single, front sights only. Replace damaged units or stake-on models after refinishing. SPECS: Steel body, blue. Self-luminous lamp. Sights marked Adi. are for use with Meprolight Adjustable rear sights; all others are used with Meprolight Fixed sights.

STOCK #	FITS	PRICE
#387-500-011DF	1911 Auto, Adj. (Narrow Tenon)	7H37U50 \$ 50.00
#387-500-111DF	1911 Auto, Adj. (Wide Tenon)	7H37U50 \$ 50.00
#387-500-112DF	Colt Gold Cup w/Wide Tenon fro	
	& Ellison rear, Adj.	7H33U00 \$ 44.00
#387-500-211DF	1911 Auto (Narrow Tenon)	7H33U00 \$ 44.00

SPECS: Blued steel with white tritium inserts. Fits Para Ordnance LDA models with fixed dovetail front/rear sights.

#387-000-038DF Tritium Night Sight.

MEPROLIGHT® ADJUSTABLE SIGHT



Adjustable, Illuminated Sights For Handguns

Rugged, all-steel bodies surround a highly visible TRU-DOT tritium lamp for sight definition in dark and low-light conditions. Fully adjustable for both windage and elevation

with positive, all-steel detents built to withstand the rigors of duty use and rough, inclement hunting conditions.

SPECS: Blued steel with tritium inserts. Includes front and rear sights. Sights marked **Adj.** fit gun originally equipped with factory adjustable sights. Sights marked Fxd. fit guns originally equipped with factory fixed sights. Factory warranties illumination of TRU-**DOT** to the original purchaser for twelve years.

#387-304-276DF 1911 Auto (Fxd. Wide .125 Tenon), 7H120U00......\$ 186.00

MGW SEMI-AUTO DOVETAIL FRONT SIGHT BLANK

Strong & Ready-To-Shape For Custom Applications

Long enough and high enough for most custom pistol applications. Dovetail installation is much stronger than staking, so the front sight stays put under heavy recoil or extreme use. Drilled for 1/16" diameter roll pin for more "hold". Blues easily.

SPECS: Steel, blued. Blade - .268" (6.8mm) high, .128" (3.2mm) wide. .640" (16mm) long. **Dovetail -** 65° x .330" x .075".

#584-012-268DF Dovetail Front Sight, 4H09D79......\$ 13.08

Selection • Service • Satisfaction

MGW 1911 AUTO FIXED SIGHT COMBO



Easy Installation, Low Profile

Mounts in factory dovetail to replace issue sights. Blade overhangs the back of the slide for fast pickup. Rounded corners and edges.

SPECS: Steel, blue, matte finish. Rear Blade - .735" (18mm)

wide x .345" (8.8mm) high. Front - available in Wide (WT) or Narrow (NT) tenon, .121" (3mm) wide x .195" (4.9mm) high. Styles - and Colors: Front - Plain Black (PB) or White Dot (WD) in both Improved Ramp Serrated (IRS) or Plain Post (PP).

#584-006-145DF	IRS/PB/NT Front Sight,
	4H06V75
#584-007-446DF	IRS/PB/WT Front Sight,
	4H06D759.11
#584-006-545DF	IRS/WD/NT Front Sight,
	4H08D35
#584-007-445DF	IRS/WD/WT Front Sight,
	4H08D35
#584-006-345DF	PP/PB/NT Front Sight,
	<i>4H06D75</i> 9.11
#584-007-945DF	PP/PB/WT Front Sight,
	4H06D759.11
#584-003-145DF	IRS/PB/NT Front/Rear Combo,
	4H22T27 30.06
#584-003-545DF	IRS/PB/WT Front/Rear Combo,
	4H22V27 30.06
#584-003-645DF	IRS/WD/NT Front/Rear Combo,
	4H27V84
#584-003-745DF	IRS/WD/WT Front/Rear Combo,
	4H27V84
#584-003-345DF	PP/PB/NT Frt/Rear Combo,
	4H22V27 30.06
#584-003-945DF	PP/PB/WT Frt/Rear Combo,
	4H22V27

MMC ADJUSTABLE PISTOL SIGHT-Low Mount, Tactical Carry Sights



Low-mount, no-snag design is adjustable for windage and elevation, plus the fully-protected rear blade won't catch on holsters or clothing.

ADJUSTABLE REAR SIGHT - All steel combat-style design features adjustable blade protected by steel ears. Black, matte finish prevents glare; blends well with most duty-style applications. Standard sight available in Plain target, white outline and white dot. Tritium models include, double bar, single bar and box bar in green; 2-dot in green, red, orange and yellow. 1911 Auto requires machining slide for Novak Lo-Mount cut. Kimber fits models originally equipped with fixed sights. SPECS: Steel, blue, matte finish.

STOCK # 1911	STOCK # KIMBER	STYLE	PRICE
#617-150-011DF	#617-066-020DF	Target Black	7A56P76 \$ 70.95
#617-151-011DF	NA	White Outline	7A60U76 \$ 75.95
#617-152-011DF	#617-066-002DF	White Dot	7A60U76 \$ 75.95
#617-153-011DF	#617-066-003DF	Tritium Green	7A83B47 \$ 102.99
#617-154-011DF	NA	Tritium Red	7A82B36 \$ 102.95
#617-155-011DF	NA	Tritium Orange	7A82X36 \$ 102.95
#617-156-011DF	NA	Tritium Yellow	7A82C36 \$ 102.95
#617-157-011DF	NA	Tritium Box Bar	7A82H36 \$ 102.95
#617-158-011DF	NA	Tritium Double Bar	7A82H36 \$ 102.95
#617-159-011DF	NA	Tritium Single Bar	7A82D36 \$ 102.95

FRONT SIGHT - Plain target black (TB), white dot (WD), or Tritium green dot (TD). Tritium dot is brighter than rear. Fits 1911 Auto with .65°x.330"x.075" dovetail. SPECS: Steel, blue, matte finish.

STOCK #TB	STOCK #WD	STOCK #TD	HEIGHT	WIDTH
#617-170-125DF	#617-171-125DF	#617-172-125DF	.125"	.125"
#617-170-150DF	#617-171-150DF	#617-172-150DF	.150"	.125
#617-170-175DF	#617-171-175DF	#617-172-175DF	.175"	.125"
#617-170-200DF	#617-171-200DF	#617-172-200DF	.200	.125"
A 1 1 11 175 14	DI 1 C' 1 4 74 10 DOG			A 04.05

- Advise # - Target Black Sight 7A19D96. \$24.95 - Advise # - White Dot Sight 7A20Z76. 25.95

SATISFACTION GUARANTEED **SINCE 1939**

MARKIHIGH PROFILE REAR - Fits Colt 1911 Auto dovetail. Sits high, deflects light for sharp, clear sight picture. White outline, Dual Focus (DF) style and Dual White Dot (WD). Requires .185" high front sight. SPECS: .640" (1.6mm) wide x .342" (8.7mm) high. Steel.

MARK II LOW PROFILE REAR - Held in Colt dovetail by two lock screws. Overhangs slide for fast pickup, extra sight radius. No-snag design. Available in white outline, Dual Focus (DF) style, Dual White Dot (WD) and solid black Target style. Requires .200" high front sight.

SPECS: .825" (2.1mm) long overall. Face is .740" (1.9mm) wide x .375" (9.5mm) high. Steel.

FRONT SIGHTS - .185" (4.6mm) and .200" (5mm) blade height. Bright orange color for fast sight acquisition and contrast with the rear sight. Use with Millett Mark I and Mark II rear sights. Stake-On Narrow Tenon or Dual-Crimp styles, Dual Crimp models must be installed using the Millett Dual Crimp tools listed elsewhere.

SPECS: Blades are .125" (3.1mm) wide. Orange bar only. Stake-On Narrow Tenon or Dual Crimp. Wide tenon front sights are listed

REAR SIGHTS		FRONT SIGHTS	
STOCK # (STYLE)	BLADE HEIGHT	STOCK # STAKE-ON NARROW TENON	STOCK # DUAL CRIMP
#601-026-182DF (Mk I DF)	.185"	#601-402-183DF	#601-401-183DF
#601-026-111DF (Mk IWD)	.185"	#601-402-183DF	#601-401-183DF
#601-027-122DF (Mk II DF)	.200"	#601-402-203DF	#601-401-203DF
#601-027-111DF (Mk II WD)	.200"	#601-402-203DF	#601-401-203DF
#601-027-124DF (Mk II Target)	.200"	#601-402-203DF	#601-401-203DF

- Advise # - Mark I Rear Sight	1K13A91	
- Advise # - Mark II Rear Sight	1K23A37	
- Advise # - Front Sight 1K11T	48	

MILLETT ADJUSTABLE SIGHT -





Complete Assortment Of FullyAdjustable **Pistol Sights**

Fully adjustable, allsteel sights for semiautos and revolvers to replace the often lessthan-adequate factory fixed and adjustable sights. All the features demanded by top shooters, usually with

no modifications to the gun. Carefully manufactured, fitted and finished in a deep, blue/black that blends well with any gun finish. Millett Rears: Blades are angled toward the shooter with grooved faces for positive glare prevention. Deep, positive notches and spring-loaded detent balls give crisp, clean windage and elevation adjustments. Anti-backlash feature in windage screw eliminates slop. Semi-auto models have a locking feature that compensates for dovetail variations. High Profile fits most existing dovetails and can be used with the existing factory front sight where indicated in the table. For all others, use the appropriate Millett Front Sight. Custom Combat Low Profile mounts low in

Colt and Browning autos requiring milling of the slide, cutting of a new sight dovetail and replacing the front sight with one of the Millett fronts. Both style rear sights are available with a square cornered, Target or rounded corner, white outline, Combat rear blade. Some are also carried in a 3-dot rear. Also available on some is a Marksman Speed variation which has a taller, Targetstyle rear blade with an oversized .100" x .125" notch for even faster pickup of the front sight. Millett Front is lightweight steel to hold up under the heavy recoil of magnum and full power loads and resist "flyoff." Available in ramp style with Orange Bar. Front sights are available in two basic styles. PinOn/StakeOn/ ScrewOn/Dovetail models match the original factory-style mounting. Some are not pre-drilled for the pins to allow precise positioning on individual guns. Dual Crimp models are Millett's own design and install without soldering using the Millet Dual Crimp installation tool listed elsewhere in catalog.

- *1 Use Factory Front or .185" Dual Crimp. Fits late adjustable sight models only.
- *2 Must use Millett Front Sight.
- *3 Narrow Tenon Wide Tenon Front sights are listed elsewhere in the Millett section.

	MILLETT	MILLETT ADJUSTABLE REAR SIGHTS		MILLET FRONT SIGHTS	
GUN	STOCK # WHITE OUTLINE	STOCK # TARGET	STOCK # DOT	STOCK # PIN-ON/STAKE-ON/ SCREW-ON/DOVETAIL (MILLETT No.)	STOCK # DUAL CRIMP (MILLETT No.)
AMT Hardballer *1	1K32U97 \$ 54.95 #601-022-182DF	NA	NA	NA	1K10A80 \$ 18.00 #601-401-183DF (DC18502)
Colt Gov't/Cmndr - High Profile *2	1K38U85 \$ 63.99 #601-024-132DF	1K38A37 \$ 63.95 #601-024-134DF	1K38U37 \$ 63.95 #601-024-131DF	1K10P80 \$ 18.00 *3 #601-402-313DF (SO31218)	1K10Y80 \$ 18.00 #601-401-313DF (DC31218)
Colt Govv't/Cmndr - High Profile Marksman Speed *2	NA	1K38A37 \$ 63.95 #601-024-149DF	NA	NA	1K10T80 \$ 18.00 #601-401-413DF (DC41031)
Colt Gov't/Cmndr - Cmbt Low Profile *2	NA	NA	1K38A37 \$ 63.95 #601-025-111DF	1K10P80 \$ 18.00 #601-402-223DF (SO22514)	1K10Y80 \$ 18.00 #601-401-223DF (DC22514)
Colt Gov't/Cmndr - Custom Combat - Low Profile - Marksman Speed *2	NA	1K38A37 \$ 63.95 #601-025-149DF	NA	NA	1K10Y80 \$ 18.00 #601-401-273DF (DC27528)
Colt Gold Cup - High Profile - can use factory front	1K32V97 \$ 54.95 #601-028-122DF	1K32X97 \$ 54.95 #601-028-124DF	1K32V97 \$ 54.95 #601-028-111DF	1K10P80 \$ 18.00 #601-402-203DF (SO20006)	1K10A80 \$ 18.00 #601-401-203DF (DC20006)
Colt Gold Cup - High Profile Marksman Speed *2	NA	1K32X97 \$ 54.95 #601-028-149DF	NA	NA	1K10Y80 \$ 18.00 #601-401-273DF (DC27528)

MILLETT 1911 AUTO WIDETENON FRONT SIGHT



Stake-On; For Target & Combat Shooting

Fits Series 80, Delta Elite, etc., requiring the wide tenon. Height and color listed in pricelines.

SPECS: . 125 (3.1	i /mm) wide tenon.	
#601-403-183DF	.185" Orange Bar Wide Tenon,	
	1K11U32	.\$ 18.99
#601-403-203DF	.200" Orange Bar Wide Tenon,	
	1K10U80	18.00
#601-403-223DF	.225" Orange Bar Wide Tenon,	
	1K10U80	18.00
#601-403-313DF	.312" Orange Bar Wide Tenon,	
	1K10U80	18.00

NOVAK 1911 AUTO LO-MOUNT WIDE NOTCH REAR SIGHT







Clear Sight Picture, Fast Target Acquisition


.140" wide notch provides more light around the front sight than standard .125" notches for a clear sight picture and fast target acquisition. Helps aging eyes see front sight more easily, and aids in engaging targets swiftly in combat or competition. Lo-Mount design has angled top surface with mitered edges that won't snag on holsters or clothing. Rebated blade fights glare. Three styles available to fit your specific needs: plain black, white dot, and 2-dot Tritium for superior, low-light visibility.

SPECS: Steel, matte black finish. 1" (25.4mm) long, .72" (18.3mm) wide. .45" (11.4cm) high. Blade is .720" (18.3mm) x .450" (11.4mm) with .140" (3.6mm) wide notch. Use with front sights .175"-.200' (4.5-5mm) high. Requires milling of slide; use 65° x .495" dovetail

cutter. #662-000-027DF	Plain Black Wide Notch Rear Sight,
	2F27C96
#662-000-028DF	White Dot Wide Notch Rear Sight,
	2F31C96
#662-000-029DF	2-Dot Tritium Wide Notch Rear Sight,
	2F73C56 91.95

NOVAK SEMI-AUTO DOVETAIL MOUNT FRONT SIGHT

Strong, Easily Changed Sights For Autos



SPECS: Blued steel, .295" (7.5mm) high x .125" (3.17mm) wide blade. Requires milling 65° x .330" dovetail in slide. .075 size for Govt. Mod., Commander, S&W 645/745/59. .060 for

	S&W mini-guns, Browning Hi-Power, CZ-75.
#662-645-075DF	.075 Novak Front Sight,
	2F14U00
#662-645-060DF	.060 Novak Front Sight,
	2F14U00



View Our Online Instructional Video For Measuring Pistol Sight Height At Brownells.com

NOVAK 1911 AUTO TRITIUM SIGHT

No-Snag Shape. Low-Light Visibility



Competi-

tion plain, target-style, undercut blade with protected notch. Hangs over the rear of the slide and extends sight radius for quicker, more precise sighting. Lo-Mount has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. Wide Notch (WN) has enlarged, .140" notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. Helps aging eyes see front sight more easily.

SPECS: Machined steel, matte blue finish. .125" (3.1mm) wide notch. Available with two tritium dots (2-Dot) or horizontal tritium bar (Bar). Wide Notch (WN) has .140" (3.6mm) notch. Competition - 1911 fits in factory dovetail. All Competition rear sight blades are .735" (18.7mm) wide x .425" (10.8mm) high. Lo-Mount - 1911 requires milling of slide, use 65° x.495" dovetail cutter.

TRITIUM COMPETITION REAR SIGHTS

STOCK #	FITS/MOD.	USE FRONT SIGHT	PRICE
#662-003-004DF	1911 Bar	.185"200"	2F72B06 \$ 89.95
#662-003-002DF	1911 2 Dot	.185"200"	2F72B06 \$ 89.95

TRITIUM LO-MOUNT REAR SIGHTS

		USE	REAR
STOCK #	FITS/MOD.	FRONT SIGHT	BLADE W x H
#662-002-004DF	1911 Bar	.175"200"	.700"x.340"
#662-002-003DF	1911 2-Dot	.175"200"	.700"x.340"
#662-000-029DF	1911 2-Dot WN	.175"200"	.720"x.450"
- Advise # - Bar Lo-Mount Sight 2F72V06 \$ 89.95			

NOVAK TRITIUM DOVETAIL FRONT SIGHT

- Advise # - 2-Dot Lo-Mount Sight 2F72B06 89.95

- Advise # - 2-Dot WN Lo-Mount Sight 2F73C56 91.95



Strong, Easily Changed Sights For Autos

Dovetail mounted, roll-pinned sights (except Kimber) resist shoot-off. Easily changed for different loads or conditions. Bright Tritium dot draws your eye in low light. TARGET RING - Includes

white ring surrounding tritium dot. TRITIUM - Bright, Tritium dot only for shooters who find the white ring distracting. SPECS: Includes Instructions. Steel, blue. .125" (3.17mm) wide blade, Govt, Model, Commander, S&W 645/745/59 require 65° x .330" x .070" dovetail in slide. Colt Officers ACP, S&W mini-guns. Browning Hi-Power, CZ-75 require 65° x .330" x .060" dovetail. Kimber - Requires 65° x .330" x .070" dovetail, .150" high only.

TARGET RINGTRITIUM

STK # GOVT	STK # OFF ACP	HEIGHT	
#662-000-020DF	#662-007-160DF	.160"	
NA	#662-007-165DF	.165"	
#662-005-175DF	NA	.175"	
#662-005-180DF	NA	.180"	
#662-005-190DF	NA	.190"	
#662-000-026DF	#662-000-025DF	.215"	
- Advise # -	- Advise # - Target Ring Tritium Front Sight,		

TRITIUM

662-006-150DF Kimber Target Ring Tritium Frnt Sight,

except .215" High 2F44C05 \$ 54.95

STK # GOVT	STK # OFF ACP	HEIGHT
NA	#662-000-014DF	.165"
#662-000-015DF	NA	.175"
#662-000-016DF	NA	.180"
#662-000-017DF	NA	.190"
Adviso # Trui	Ent Colet no mbito nino	OF47VOC & FOOF

Advise # — Tri. Frt Sght, no white ring 2F47X96 \$ 59.95

order on the web www.brownells.com



NOVAK 1911 AUTO ADJUSTABLE EXTREME DUTY SIGHTS

Low-Profile Mounting; Fully Adjustable

CNC-machined, steel, rear sight with Novak's famous, lowprofile design and the added versatility of elevation and windage adjustments. Set screw allows drift adjustment for windage; elevation screw positively stops and audibly clicks for easy finetuning. Smooth, contoured edges have less chance of catching or snagging. Front sights are CNC-machined, steel and mount in factory dovetail. Available in Plain Black, White Dot, and Tritium Dot for Colt and clones, Kimber, and SW1911 pistols. SPECS: CNC-machined steel, black, matte finish. Front (F) and Rear (R) sights available in Plain Black (PB), 2-Dot White (WD), and 2-Dot Tritium (TR), Rear Dimensions: 1" (2.54cm) long, ½" (13mm) high. 3/4" (19mm) wide. Requires matching of slide. Colt and Kimber rear sights regulate properly with .225" high front sights. Select from .275" or .305" high front sight for SW1911.


STOCK #	FITS (F/R)	TYPE	HEIGHT
#662-000-013DF	Colt (F)	PB	.225"
#625-000-009DF	Colt (R)	PB	
#100-001-533DF	Colt (F)	TR	.225"
#625-000-011DF	Colt (R)	TR	
#625-000-010DF	Colt (R)	WD	
#662-000-044DF	Colt (R)	FO red	
#662-000-045DF	Colt (R)	FO grn	
#100-001-521DF	Kimber (R)	PB	
#100-001-535DF	Kimber (F)	WD	.225"
#100-001-522DF	Kimber (R)	WD	
#100-001-536DF	Kimber (F)	TR	.225"
#100-001-523DF	Kimber (R)	TR	
#662-000-058DF	S&W (F)	PB	.305"
#100-001-524DF	S&W (R)	PB	
#100-001-538DF	S&W (F)	WD	.275"
#662-000-059DF	S&W (F)	WD	.305"
#100-001-525DF	S&W (R)	WD	
#662-000-060DF	S&W (F)	TR	.305"
#100-001-526DF	S&W (R)	TR	
			\$ 24.95
			29.95
			54.95 69.95
			79.95
 Advise # — 7 	FR Rear Sigh	ts 2F95A96	119.95
 Advise # —] 	FO Rear Sigh	ts 2F65H56	81.95

-NOVAK 1911 AUTO **-CARRY REAR SIGHT**

Low Profile: Fit In Factory Dovetails: Great Sight Picture

Exclusive, wedge-shaped, "Concealed Carry" design puts the sight body and blade close to the slide for a snag-free draw and smooth, comfortable carry. Highly visible rear blade with rebated notch gives fast, glare-free sight pickup for more accurate instinctive shooting. Available in: plain black; with two, white dots; horizontal tritium bar; or two tritium dots. SPECS: Machined steel, blue, matte finish.

1911 AUTO - Fits Colt-style, 1911 auto rear dovetail, uses Series 80 factory front. Includes windage lock screw. Tritium models available with Bar or 2 Dot. May require slight fitting. .125" (3.1mm) wide notch. Rear blade - .630'



	Black 1911 Carry Sight,	
	2F23T96	5
#662-017-005DF	2-Dot 1911 Carry Sight,	
	2F27T96	5
#662-001-004DF	Tritium Bar 1911 Carry Sight,	
	2F71A96	5
#662-001-002DF	2-Dot Tritium 1911 Carry Sight,	
	2F71A86	5

NOVAK 1911 AUTO SIGHT



No-Snag "Angle" Design; Faster Sight **Picture**

Competition (Comp) plain, target style, un-

REAR

dercut blade with protected notch. Hangs over the rear of the slide and extends sight radius for quicker, more precise sighting. Lo-Mount (LM) has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. Wide Notch (WN) has enlarged, .140" notch to provide more light around the front sight for a clearer sight picture and faster target acquisition. Helps aging eyes see front sight more easily. SPECS: Machined steel, matte black finish. .125" (3.1mm) wide notch. Available with two white dots (WD) or plain black (P/B). Wide Notch (WN) has .1540" (3.6mm) notch. 1911 LM requires milling of slide, use 65° x.495" dovetail cutter. 1911 Comp fits in factory dovetail.

PLAIN BLACK REAR SIGHTS

USE

STOCK #	FITS/MOD.	FRONT SIGHT	BLADE W x H
#662-250-045DF	1911/Comp	.185"200"	.735"x.425"
#662-260-045DF	1911/LM	.175"200"	.700"x.340"
#662-000-027DF	1911/LM/WN	.175"200"	.720"x.450"
- Advise # - P/B 0 2F23 - Advise # - P/B 1	A96		\$ 29.95
2F26	A36		
- Advise # - P/B \\ 2F27	Wide Notch Lo 7C96		

WHITE	DOT	REAR	SIGHTS
			USE

STOCK #	FITS/MOD.	FRONT SIGHT	BLADE W x H
#662-255-045DF	1911/Comp	.185"200"	.735"x.425"
#662-255-046DF	1911/LM	.175"200"	.700"x.340"
#662-000-028DF	1911/LM/WN	.185"200"	.735"x.425"
- Advise # - Whit	te Dot Compet		\$ 34.95
- Advise # - Whit		nt Sight,	

2F31C96......**39.95**

NOVAK 1911 AUTO TRITIUM GHOST SIGHT

- Advise # - WD Wide Notch Lo-Mount Sight,

Fast, Clear Sight Picture; Compact, No-Snag Size



Streamlined, rugged, all-steel sight eliminates the top half of the conventional ghost ring to quickly and naturally center the eye on the front sight. One Tritium dot is positioned below the aperture. Wedge shape prevents snagging. For use with .175"-.200" high front sights.

SPECS: Steel, blue, matte finish. 1.02" (25.9mm) long, .720" (18.3mm) wide, .325" (8.3mm) high. .345" (8.8mm) wide semi-circular ghost ring. Use 65° x .495" dovetail cutter. Retrofits to pistols already equipped with Novak sights.

#662-004-003DF Tritium Ghost Sight,

KIMBER CLASSIC - Fits Kimber Classic dovetail, uses factory front sight. Includes windage lock screw. Available with Bar or 2 Dot. May require slight fitting. .125" (3.1mm) wide notch. Rear Blade .700" (17.9mm) wide. .316" (8mm) high

DIGGO .100 (11.0	min wide. 1910 (omin) mgn.	
#662-029-125DF	Black Kimber Sight,	
	2F26P36\$3	32.95
#662-030-125DF	2-Dot Kimber Sight,	
	2F30P36	37.95
#662-002-032DF	Tritium Bar Kimber Sight,	
	2F72B06	39.95
#662-002-031DF	2-Dot Tritium Kimber Sight,	
	2F72B06	39.95

NOVAK FIBER OPTIC SIGHTS

Models



Maximizes Available Light For Fast, Low-Light Sight Acquisition

Advanced light gathering properties of fiber optic rods make maximum use of ambient light to provide a bright glow that stands out against dark backgrounds and puts you on target fast, even in low-light or high-stress situations. Fronts and rears sold separately, so you can create a custom, three-dot, fiber optic system tailored to your shooting needs. Available with red or green inserts. Lo-Mount rear sights have radiused edges that won't snag on holster or clothing. Front sight can also be used with Novak's plain, wide-notch rear. Colt rear sight fits Government model; requires milling, installation instructions included. S&W rear sight drops in; fits both Commander and Government models. Kimber and Taurus front and rear sights are the same height as factory sights and fit factory dovetails; no machining required.

SPECS: Machined steel, matte black finish with fiber optic rods in red or green. Colt - Front: Blade is .64" (1.6cm) long, .127" (3.2mm) wide. Rear: 1" (2.5cm) long, .72" (1.8cm) wide, .46" (1.17cm) high, with .125" (3.2mm) wide notch. Fits Government model; milling required, instructions included, Kimber - Front: Red insert, Blade is .650" (16.5mm) long, .125" (3.2mm) wide. Available in .150" (3.8mm) and .175" (4.4mm) heights. Rear: Green inserts. 1.080" (2.7cm) long. .704" (1.8cm) wide, with .125" wide notch, Fits factory dovetails of Kimber 1911 pistols; minor fitting may be required. **S&W** - Front: Blade is .47" (1.19cm) long, .127" (3.2mm) wide. Rear: .94" (2.4cm) long, .69" (1.8cm) wide, .38" (9.7mm) high, with .122" (3.1mm) wide notch. Fits Government and Commander models. Taurus - Front: Red insert. Blade is .66" (1.7cm) long, .123" (3.1mm) wide, .150" (3.8mm) high. Rear: Green inserts. .76" (1.9cm) long, .625" (1.6cm) wide, with .135" (3.4mm) wide notch. Fits Taurus 1911 pistols; minor fitting may be required.

FRONT SIGHTS

THOIT GIGHTO			
STK # RED	STK # GREEN	HEIGHT	FITS
#662-000-036DF	#662-000-037DF	.175"	Colt 1911
#662-000-039DF	#662-000-042DF	.180"	Colt 1911
#662-000-040DF	#662-000-043DF	.190"	Colt 1911
662-000-090DF	NA	.150"	Kimber 1911
662-000-091DF	NA	.175"	Kimber 1911
#662-000-030DF	#662-000-031DF	.245"	S&W 1911
#662-000-034DF	#662-000-035DF	.275"	S&W 1911
662-000-086DF	NA	.150"	Taurus 1911
of the			

- Advise # - Fiber Optic Front Sight 2F27C96 \$ 34.95

LO-MOUNT REAR SIGHTS

STK # RED	STK # GREEN	FITS
#662-000-038DF	#662-000-041DF	Colt 1911
NA	662-000-089DF	Kimber 1911
#662-000-032DF	#662-000-033DF	S&W 1911
NA	662-000-085DF	Taurus 1911
- Advise # -	Fiber Optic Rear Sight 2F35C96	, except Taurus,
662-000-085DF	Taurus Fiber Optic Rea	ar Sight, Green,
The same of the sa	2F44A71	54.99

Shop Search 1911 sight brownells.com

NOVAK 1911 AUTO FRONT DOVETAIL SIGHTS

Low Profile Provides Excellent Carry Performance

CNC machined, steel, dovetail front sight won't snag on your holster during presentation. Available with a big, .075" dot for fast sight recog-

nition or with a plain black, serrated face for glare reduction. Requires use of a 65° x.330" dovetail cutter to cut the proper Novak dovetail; roll pin inserts in front to stake sight in place. SPECS: Steel, black oxide, matte finish. Fits 1911 Auto or any gun

with a 65° x.330" dovetail. Includes roll pin and complete instructions. Gunsmith installation recommended. **Govt.** models have a .070" thick dovetail; Officers ACP models have a .060" thick dove-

STK # GOVT	STK # OFF ACP	COLOR	HEIGHT
#662-000-019DF	NA	White	.160"
#662-000-022DF	NA	Gold	.160"
#662-000-021DF	NA	Black	.160"
#662-000-055DF	NA	White	.175
#662-000-056DF	NA	Black	.175
#662-000-057DF	NA	White	.180
#662-000-061DF	NA	Black	.180
#662-000-062DF	NA	White	.185
#662-000-063DF	NA	Black	.185
#662-000-018DF	NA	White	.215"
NA	#662-000-024DF	Gold	.215"
NA	#662-000-023DF	Black	.215"
#662-000-012DF	NA	White	.225"
#662-000-013DF	NA	Black	.225"
- Advise # - Wh	ite Dot Front Sight	2F23C96.	\$ 29.95

- Advise # - Gold Bead Front Sight 2F79C96 99.95 - Advise # - Plain Black Front Sight 2F19C96 24.95

NOVAK 1911 AUTO X-MODEL REAR SIGHTS









Rugged, Fixed Combat Sights With Aggressive Low Profile; Four Styles Available

Fixed rear sight combines the low profile of Novak's popular Lo-Mount sights with a wide notch for fast sight alignment and easy target acquisition. A forward-canting, horizontal ridge on the front of the blade aids in one-handed slide racking and gives your pistol a uniquely aggressive appearance. Non-serrated, recessed rear face with .145" wide notch guides your eve guickly to the front sight. Rugged, precision-machined steel construction handles the rigors of tactical operations and daily carry. Smooth, rounded corners and beveled edges minimize risk of catching or snagging. Fits an existing Novak dovetail without alteration; Colt factory dovetail requires milling for proper fit. Available in four styles, all with non-glare matte black finish. Plain Black (PB) for a clean, traditional sight picture; White Dot (WD), with a highly visible dot on each side of the rear notch; and two models with self-illuminating Tritium inserts. Tritium Dot (TD) has the same dot pattern as WD, and **Tritium Bar (TB)**, has a .145" long horizontal Tritium bar under the notch.

SPECS: Steel, matte black finish. Works with front sights .175" to .200" high. Fits standard Novak .495" x 65° dovetail.

#662-000-064DF	PB	X-Model	Rear	Sight
	0.770	~ 4 0 0		_

#002-000-00 1 D1	I B X-Model Real Signe,	
	2F35A96	44.95
#662-000-065DF	WD X-Model Rear Sight,	
	2F38A36	47.95
#662-000-066DF	TD X-Model Rear Sight,	
	2F79A96	99.95
#662-000-067DF	TB X-Model Rear Sight,	
		99 95

SATISFACTION GUARANTEED ROWNELLS ... PAGE 42 **SINCE 1939**

NOVAK TAURUS 1911 X-MODELTRITIUM SIGHTS

Clear, Fast Sight Picture In All Light Conditions: Low-Profile, No-Snag Shape



Low-profile, fixed sights for Taurus 1911 have Tri-

tium inserts that glow in low light, so you can see the sights clearly under all conditions. Same height as original factory sights, and cut for drop-in fit to factory dovetails-no machining of slide required. Rear sight has two dots, one on each side of the notch; front sight has one dot. Wide notch in rear sight provides more light around the front sight for a clearer sight picture and faster target acquisition. White circles around the inserts further enhance visibility in daylight conditions, while rebated rear blade helps prevent glare in bright light. X-Model design with sloping top surface, rounded corners, and beveled edges that won't snag on clothing or holster-perfect for concealed-carry or tactical use. Purchase together to give your pistol an advanced three-dot night sight system or mix with other Novak sights to create a sight system customized to your shooting needs.

SPECS: Machined steel, matte black finish, with Tritium inserts. Fits Taurus 1911 pistols; minor fitting may be needed. Front - .610" (1.5cm) long, .125" (3.2mm) wide, .150" (3.8mm) high. Rear - .80" (2cm) long, .625" (1.6cm) wide, with .135" (3.4mm) wide notch.

#662-000-093DF Tritium Front Sight for Taurus 1911, $2F44A86 \dots \$ 54.99$ #662-000-092DF 2-Dot Tritium Rear Sight for Taurus

PSI 1911 AUTO TTF ADJUSTABLE FIBER OPTIC SIGHT SET



Easy-To-See Sight Picture In All **Light Conditions**; Click Adjust For Windage & Elevation; **Drop-In Installation**

Drop-in replacements for factory front and rear sights use true fiber optic technology to give the shooter maximum sight illumination for easy target acquisition in full daylight or lowlight conditions. Three-dot system, with two green dots on the rear sight and red dot on the front, helps ensure a fast, accurate sight picture in competition or combat shooting. Rear sight click adjusts for windage and elevation using the handy adjustment tool or slotted screwdriver to turn the hardened steel adjustment screws. Bright, white index markings on the top of the sight aid in selecting accurate windage setting. Sleek, practical, lowprofile design with chamfered and radiused edges won't snag on clothing or other gear. Precision machined to exact dimensions from solid steel billet for strength and durability. Designed for solid, secure fit in existing factory slide cuts to prevent movement and shifting of zero under recoil.

SPECS: Steel, matte blue finish. Set includes front and rear sights. adjustment tool, Allen wrench, spare fiber optic rods, and instructions. TTF45CT fits Colt 1911A1 with narrow-tenon (.051") front sight. TTF80CT fits Colt Series 70/80/90 pistols with wide-tenon

#100-003-419DF TTF45CT Adj. Fiber Optic Sight Set, #100-003-420DF TTF80CT Adj. Fiber Optic Sight Set,

STI SEMIAUTO 3-DOTTRITIUM SIGHT SET

Fully Adjustable, Easy To See

All steel construction, fully adjustable for windage and elevation, sight set fits Government Model



1911's with a BM-#1 cut. Easy-to-see tritium 3-dot system gives great target acquisition in all shooting environments. Low profile, flat blade rear sight is serrated to cut down on glare. Front sight is contoured on the leading edge to prevent hanging up in the holster and won't snag on clothing.

SPECS: Steel, matte black finish, Rear blade - .447" (11.5mm) high. Notch - . 138" (3.5mm) wide. Front blade - . 161" (4mm) high x . 125 (3.1mm) wide, 65° x .300" dovetail.

#791-000-066DF 3-Dot Tritium Sight Set,

STI ADJUSTABLE REAR SIGHTS



Low-Profile, Easy Carry; Precise Sight Picture With Full Adjustability

Precision-machined steel rear sights give ideal sight picture for target or carry, with low profile and rounded contours that resist snagging. Flushmounted, positive-click windage and elevation screws won't get knocked from your selected settings. Flat blade with anti-glare serrations and wide notch provide a clear, fast sight Tactical Adjustable picture that is easy to acquire under

stress. Adjustable sits low on the slide for quick alignment, yet provides a precise sight image. Fits Bo-Mar BMCS slide cut. Tactical Adjustable combines the adjustability of a target sight with the compact, snag-free profile of a fixed tactical sight that fits a standard Novak rear sight slide cut. Beveled and rounded edges won't catch on clothes when drawing or holstering.

SPECS: Steel, matte black finish. Installation may require milling, drilling, and tapping of slide. Adjustable - Blade: .434" (11mm) high, .762" (19.3mm) wide. Notch: .110" (2.8mm) wide. Fits Bo-Mar BMCS (BM#1) 60° x .359" cut. Tactical Adjustable - Blade: .325' (8.3mm) high, .690" (17.5mm) wide. Notch: .110" wide. Fits Novak 65° x .495" slide cut.

#791-256-000DF STI Adjustable Sight, #791-000-074DF Tactical Adjustable Rear Sight,

STI 1911 AUTO RAMPED DOVETAIL FRONT SIGHT

Easy-To-See, Plain Black, No-Snag Design

Low-profile, blued-steel front sight is the perfect match for a fixed, combat-style rear sight on a CCW or tactical pistol. Plain black

face provides a straightforward, easy-to-acquire sight picture. Radiused front and angle cut on the rear face virtually eliminate chances of snagging on clothing during draw. Installation requires machining of slide.

SPECS: Steel, blued, matte finish. Blade - .470" (11.9mm) long, 110" (2.8mm) wide, .175" (4.4mm) high. For pistols with fixed rear sight and barrel lengths between 5" and 6". Dovetail - Fits 60° x .300" x .074" thick dovetail cut.

#791-000-073DF Ramped Dovetail Front Sight,

TRIJICON® FRONT SIGHT

Replace Lost Or Removed Sights; Add Tritium

Front sights only, to replace those knocked off or removed for refinishing.

SPECS: Steel body, blued. Self-luminous lamp.

STOCK#	FITS	PRICE
#892-500-100DF	1911 Auto Govt. narrow	2H30T00 \$ 48.00
#892-500-101DF	1911 Auto Govt. wide	2H30T00 \$ 48.00
#892-501-101DF	1911 Auto Commander wide	2H30T00 \$ 48.00
#892-502-101DF	1911 Auto Officers wide	2H30V00 \$ 48.00

TRIJICON® TRITIUM HANDGUN SIGHTS



Low Light Handgun Sights Without Batteries

Nighttime and low light shooting tests prove sights equipped with these glowing dots are easier to see and more accurate than instinctive shooting with standard black sights. Rugged, heavy duty, Traser®, luminous, 3-Dot tritium lamps provide their own long-lasting energy source.

Lamps are mounted in silicone-sealed, metal cylinders to give maximum protection from breakage or leakage. Polished sapphire, crystal windows give a bright, crisp and perfectly round aiming dot in low light. Inlaid white rings around each sapphire make the sights appear as standard white dots in daylight. Very narrow blades do not have the white ring and will look more like a plain black blade in daylight. Most can be installed in factory dovetail or sight base. Tenon, staked, 1911 models require use of special Trijicon installation tools to prevent sight damage.

SPECS: Steel, blued with tritium inserts. Sights listed as Adj. are adjustable sights to fit guns originally equipped with factory, adjustable sights. Sights listed as Fxd. fit guns originally equipped with factory, fixed sights. Kimber fits Polymer Custom, Polymer Stainless, Pro Carry, Pro Carry II, Ultra Carry, Compact, Pro Eclipse II, and Ultra 10. Para - Fits Para-Ordnance.

STOCK #	FITS	PRICE	
#892-101-001DF	Colt 1911, Para P10,		
	P14 (Fxd.) Wide	2H77Z33 \$	99.00
#892-101-002DF	Colt 1911, (Fxd.) Narrow	2H77Z33 \$	99.00
#892-101-004DF	Colt Comm., Para P13 (Fxd.) Wide	2H85A33 \$	109.00
#892-101-006DF	Colt Enhanced Govt.	2H100A00 \$	129.00
#892-101-005DF	Colt Off. ACP, Para P12 (Fxd.)	2H85A33 \$	109.00
#892-101-103DF	Colt Installation Tool	2H279A99 \$	284.99
#892-000-014DF	Kimber (see specs for fit)	2H77B33 \$	99.00
#892-000-028DF	S&W 1911 (Fxd.)	2H113X33 \$	145.00

WILLIAMS FIRE SIGHTS

Glowing Fiber Optic Dots For Faster Sight Pickup




Direct fixed sight replacements for factory sights on Colt Series 80 and clones equipped with fixed factory sights. Gathers ambient light for superb visibility. The more light, the brighter the beads glow. 3-dot sight picture; front sight has red insert, rear has two green inserts. SPECS: Aluminum body, black finish, Fiber optic insert, Includes front and rear sights. Fits fixed sight Colt Series 80 and clones with wide, .125" (3.2mm) front sight Tenon.

#962-563-620DF Colt Series 80 Fire Sight Set,

WILSON COMBAT TACTICAL SIGHT

Snag-Free, Low Profile



Scalloped leading edge blends

eliminated for a snag-free profile. Rear blade provides a crisp sight picture without glare. All include dovetail front sight. Tritium models have bright green front insert, subdued yellow, rear inserts.

SPECS: Steel, black, matte finish. 1911 Auto - Rear Blade: .722" (18.3mm) wide, .369" (9.4mm) high, .124" (3mm) wide notch. Rear sight fits slides with Novak-style sight cut. Front Blade: .125" (3.2mm) wide. Govt. is .173" (4.4mm) high, Officers ACP is .130" (3.3mm) high. Front sight requires .300" x 60° x .070" dovetail. Kimber fits 5" Govt. model or Compact.

STK # BLACK	STK #TRITIUM	FITS
#965-463-001DF	#965-463-101DF	Govt.
NA	#965-463-102DF	Kimber Govt.
NA	#965-463-104DF	Off. ACP.
NA	#965-463-105DF	Kimber Compact

- Advise # - Black Tactical Sight Set 5F38U90.. \$ 46.95 - Advise # - Tritium Tactical Sight Set 5F114U76 139.95

TACTICAL COMBAT SIGHT-Lowprofile, snag-free body with sharp edges eliminated. High-visibility, tritium inserts with subdued vellow rear and bright, green front draw your eye to the front sight.



Reverse contour rear blade face eliminates glare. Set includes rear sight and dovetail front sight.

SPECS: Steel, black, matte finish. Rear Blade: .722" (18.3mm) wide, .369" (9.4mm) high, .124" (3mm) wide notch. Requires machining of the slide for installation. Rear sight fits slides with Novakstyle sight cut. Front Blade: .125" (3.2mm) wide. Govt. is .173" (4.4mm) high, Officers ACP is .130" (3.3mm) high. Requires 60° x .300" x .070"dovetail

#965-000-014DF Govt. Model Sight Set 5F114H76 .\$ 139.95 #965-000-016DF Officers ACP Sight Set 5F114H76. . 139.95

WILSON COMBAT 1911 AUTO SNAG-FREE SIGHT



STOCK #



Low Mount, No-Snag **Design For Combat Pistols**

"Melted" design with no sharp corners to catch on hol-

STOCK #

sters or clothing and slow your draw. Low-mount, combat sights give a crisp, easy-to-pickup sight picture that speeds sight acquisition in high stress situations. Rear sight body fits in factory dovetail. Extra-secure front sight mounts in a cross slide dovetail (machining required for installation). Three different blade styles accommodate shooter preferences in sight picture. Plain Black; crisp, black front and rear blade; the best choice for all-around use. 3-Dot; One front, two rear white dots give faster snap shot sight pickup. Nite-Eyes™; Glowing Tritium inserts front and rear give increased visibility in low light.

SPECS: Steel, blued. Rear Blade; .649" (16mm) wide, .230" (5.8mm) height with .124" (3mm) width notch. Front Blades are .125" (3.2mm) wide. Govt. is .173" (4.4mm) high; Officers ACP is . 130" (3.3mm) high. Front sight installation requires machining .300" x 60° dovetail in slide. Fits 1911 Auto only.

STOCK #

BLACK	3-DOI	NITE-EYES	<u> HIS</u>
#965-367-001DF	#965-367-003DF	#965-367-004DF	Govt.
NA	NA	#965-367-006DF	Off. ACP
#965-367-001DF	Black Snag-Free	Sights 5F27A41	\$ 32.95
	3-Dot Snag-Free		
Advise # —	Nite-Eyes Snag l	Free Sights,	
	5F101A62		. 119.95

60° x .290" DOVETAIL CUTTER - The correct dovetail cutter for installing all current models of Wilson Snag-Free front sights. SPECS: High-speed steel, Nominal 60° x .290", .375" (9.5mm) di-

#080-621-290DF Wilson Dovetail Cutter 8K27H76 . . \$ 36.61



Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

XS SIGHT SYSTEMS TRITIUM EXPRESS SIGHT SET



Fast Sight Pickup In Low Light

High-visibility sight combinations

put you on target faster in high stress or low light conditions by pulling your eyes to the front sight. Sight set includes nontritium, white line V-notch for the rear sight, green tritium dot surrounded by a white ring for the front. Low profile, no-snag design is great for carry and combat competition guns. Matched sight sets offer direct replacement of factory sights. Big Dot (BD) front sight has a large, easy-to-see white ring surrounding the tritium dot. **Standard Dot (STD)** front sight has narrow white ring around the tritium dot for precise aiming at longer distances.

SPECS: Machined steel, matte black. Big Dot . 161" (4mm) diameter dot. Standard Dot .110" (2.8mm) diameter dot. 1911 Govt and Officers: Rnd. fits round top slides. Novak fits slides with Novak-style sight cut. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two setscrews. All sights are fixed. Gunsmith installation recommended.

STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-102-111DF	#006-098-111DF	1911 Govt. Rnd
#006-102-211DF	#006-098-211DF	1911 Govt. Rnd Novak
#006-102-113DF	#006-098-113DF	Officers ACP & .380 Cal. Rnd
#006-000-083DF	#006-000-094DF	Springfield 1911 Loaded
#006-000-084DF	#006-000-095DF	Sprgfld Champion & Cmpct
#006-000-085DF	#006-000-096DF	Sprgfld Ultra & Micro Cmpct
#006-102-101DF	NA	Kimber Cust. & Ultra Carry
NA	#006-098-102DF	Kimber Compact
- Advise # -	BD or STD Expres	

XS SIGHT SYSTEMS EXPRESS SIGHT SET

Low Profile, High Visibility, **Rapid Sight Picture**

White line, V-notch rear sight and a white dot front



ed) is great for carry and combat competition guns. Matched front and rear sets offer direct replacement of factory sights. Big Dot provides improved speed when engaging targets at close range. Standard Dot gives better long range accuracy. SPECS: Machined steel, matte black. Big Dot (BD) .161" (4mm) diameter dot. Standard Dot (STD) .110" (2.8mm) diameter dot.

1911 Govt. Comm. Officers: Rnd fits round top slides. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two setscrews. All sights are fixed. Gunsmith installation recommended.

STOCK #	STOCK#	
BD SET	STD SET	FITS
NA	#006-100-111DF	1911 Govt. Rnd
NA	#006-100-211DF	1911 Govt. Rnd Novak cut
NA	#006-100-112DF	1911 Comm. Rnd
#006-099-113DF	NA	Officers ACP & Mustang
#006-099-101DF	NA	Kimber Custm, Ultra-Carry
- Advise # - BD or STD Express Sight Set,		
6K4	5A00	\$ 60.00

Find a Gunsmith At **Gunsmiths**.com

BROWNELLS PAGE 44

XS SIGHT SYSTEMS 24/7TRITIUM EXPRESS SIGHT SET



Quick Sight Acquisition, Day or Night

Matched sight set features green tritium on both

the front and rear sights for fast pickup under any light conditions. Rear sight features vertical tritium bar with a highly visible, white border; front includes tritium dot surrounded by a white ring. Rounded, low profile design won't slow your draw. Designed to directly replace factory sights. Standard Dot front sight has narrow, white ring around the tritium dot for precise aiming at longer distances. Big Dot front sight has a large, easyto-see white ring surrounding the tritium dot.

SPECS: Machined steel, matte black. Big Dot .161" (4mm) diameter dot. Standard Dot .110" (2.8mm) diameter dot. 1911 Govt, Comm, Officers: Rnd. fits round top slides. Novak fits slides with Novakstyle sight cut. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two set screws. Para P13/ P14 Limited rear sight has adjustment screws for elevation. Gun-

Smith installation	recommenaea.	
STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-000-132DF	NA	Charles Daly EMS
#006-000-052DF	NA	Kimber Compact
#006-115-004DF	#006-000-074DF	Kimber Cust. & Ultra Carry
#006-115-001DF	#006-000-063DF	1911 Govt. Rnd
#006-000-042DF	#006-000-064DF	1911 Govt. Rnd Novak
#006-000-043DF	#006-000-065DF	1911 Comm. Rnd
#006-000-044DF	#006-000-066DF	Officer ACP & .380 Cal. Rnd
#006-000-120DF	#006-000-121DF	Para P10, P12, C6.45, C7.45
#006-000-122DF	#006-000-123DF	Para P13, P14 Limited, Adj.
#006-000-046DF	#006-000-068DF	Springfield 1911 Loaded
NA	#006-000-069DF	Springfield Champ. & Cmpct
#006-000-048DF	#006-000-070DF	Sprgfld Ultra & Micro Cmpct
_ A dvice # _ 9	1/7 Evprose Sigh	t Sot oveent P13/P14

	жете орг	gna citia at imore cimpet
- A dvise # -	24/7 Express Sight Se	t, except P13/P14
	Limited 6K90D00	\$ 120.00
- Advise # -	24/7 Express Sight Se	t, P13/P14 Limited,
	6K112H50	150.00

XS SIGHT SYSTEMS

PRO EXPRESS SIGHT

Easy-To-See White Line Or Tritium

All steel, fully adjustable for windage and elevation, V-rear blade gives fast sight

alignment. Vertical, white line, or tritium bar provides a quick focal point with the front sight. Use with a tritium or white Big Dot front sight for a bar-dot setup. SPECS: Steel, black, matte finish. Rear Sight: Blade - .760"

(19.3mm) wide, .385" (9.8mm) high. **Body -** 1.5" (3.7mm) long, .72" (17.5mm) wide. Fits BM-1 sight cut. Use with .180" high front sight. Front Sight: fits 65° x .330" x .075" dovetail. .180" high. .161" (4mm)

#006-000-021DF	White Line Express Rear Sight,
	6K50H00
#006-000-022DF	Tritium Express Rear Sight,
	<i>6K75H00</i>
#006-000-025DF	White Big Dot Front Sight 6K22H50 30.00
#006-000-026DF	Tritium Big Dot Front Sight,
	6K45H00

- ALLCHIN-

C-MORE COMP MOUNT



BURRIS

FASTFIRE™ RED DOT

REFLEX SIGHT

Fast, Precise Heads-Up Sighting;

Ultra-Robust Design Handles

Mounting On Slide

yet rugged, red dot sight provides fast,

accurate, both-eyes-open sighting.

Stainless steel and aluminum hous-

ing built to handle magnum shotgun allows slide mounting.

Originally developed for military and law enforcement use, Fast-

Fire's panoramic field of view and unlimited eye relief simplify

shooting with an unobstructed view of the area around the tar-

get for fast target acquisition and precise shot placement. Won't

interfere with peripheral vision, so the operator can maintain

better situational awareness. A high-intensity LED projects a 4

MOA red sighting dot on the heads-up display, while a light sen-

sor and integrated control circuitry adjust the dot's brightness

to the light around the target. Coated, dual-layer, optic-quality

lens resists scratches and scuffs and is parallax-free to 50 yards.

Mild, 1.07x magnification aids in acquiring long-range targets,

without compromising close-in effectiveness. Set the point-of-

impact with two flush-mounted screws that provide 3° (190" at 100 yards) windage and elevation adjustments using the in-

cluded scale disc and adjustment tool. Low-profile control switch

conveniently positioned on the left side resists accidental activa-

tion and has positive clicks for on/off positions. Powered by one 3-volt CR 2032 lithium battery, included; up to 5-year battery life when used in Battery Saver mode. Comes with a mount that fits Picatinny and Weaver-style rails. For other installations, sight

SPECS: Sight - Steel, aluminum, optic-grade glass. 1¾" (4.5cm) long, 1" (2.5cm) wide, 1" high. Includes snap-on cover, CR 2032 lithium battery, windage/elevation scale disc and adjustment tool, instructions. **Mounts** - Aluminum, matte black. Mounting screws

#118-000-008DF FastFire Sight, w/Picatinny/Weaver Mount,

and mounts are available separately, listed below.

#118-000-014DF 1911 Novak FastFire Mount,

#118-000-009DF FastFire Sight, only,

Extremely compact and light weight,

Replaces the grip on the right side of Colt-Style semi-auto frame so it can't interfere with thumb safety operation. "Quad Lock" installation system securely attaches the mount to the frame

AIMTECH 1911 AUTO

Shown with Picatinny/

Weaver Mount

at four points. Accepts Weaver-style rings. No drilling or tap-SPECS: Black-anodized, extruded aluminum. Approx. 5½" long, 6"

(15.2cm) high. Includes mounting pins and instructions. Cannot be used with ambi safety or ambi slide release. #017-245-001DF 1911 Grip Mount 7A44H82 \$ 66.99

spacing; two additional holes give increased support. Includes a removable thumb rest. Accepts C-More, Glock, slide-ride mount and Weaver-style rails.

SPECS: Aluminum, matte finish. 4.5" (11.5cm) long. 1.7 oz. (48 g). Includes screws and instructions. Gunsmith fitting recommended. #005-100-000DF C-More Comp Mount,

SINCE 1939

CLARK 1911 AUTO SLIDE MOUNTED SCOPE BASE

Add Optics To Existing Holes

Replaces Bomar Tuner rib and accepts Weaver-style rings. Available with (WC) or without (WO) cutout

for the Bomar tuner. SPECS: Aluminum, black, anodized finish. 7½" (18cm) long, .874" (215mm) wide 17 oz (48 g). Fits 5". Goyt, length slides only

	02 (40 g). Tits 0 , dovt. icrigiti sildes only.
#181-011-100DF	WC Scope Base,
	1H21X74
#181-011-200DF	WO Scope Base,
	1H21X74

J.P. ENTERPRISES J-POINT MOUNT

Keeps Optics Low For Fast Target Acquisition




Gives the J.P. J-Point and the old Tasco Optima and Fire Point sights the lowest possible mount for fast eye alignment and sight pickup. No machining required; fits the factory dovetail. Four locating studs lock sight to base. BM #1 fits slides cut for "melted-in" sight. LPA fits Para-Ordnance and others with LPA sight cut.

SPECS: Aluminum, black anodized, matte finish.

STOCK #	FITS	PRICE
#452-000-002DF	BM #1	2E32P00 \$ 39.9
#452-000-018DF	1911 Auto w/fixed sight	2E32U00 \$ 39.9 !
#452-000-003DF	LPA	2E32P00 \$ 39.9 !

WEIGAND COMBAT 1911 AUTO GP SCOPEMOUNT®



Solid side panels and no-flex design make this mount great for shooting full power loads. Light weight helps reduce red-dot "carry over". Won't affect ejection or cycling. Ac-


cepts Weaver-style rings. SPECS: Extruded aluminum, silver or black, matte finish. 41/2" (11cm) long. Fits 1911 Auto. Installation requires drilling and tap-

ping of frame. Includes instructions and screws. #957-117-200DF GP Scopemount, Silver,

WEIGAND COMBAT 1911 AUTO

3rd GENERATION **SCOPEMOUNT®**

Frame Mount Design Gives Stable Sight Picture



and electronic scopes low, directly over center of slide and grip frame for better balance and pointability. Lightweight, one-piece, no-flex, dependable base stands up to the demands of competitive pistol shooting. Won't interfere with ejection or cycling. Will accept the Tasco PDP4 40mm Red Dot Scope.

SPECS: Aluminum, silver or black, anodized finish. 41/2" (11cm) long, 2 oz. (57 g) wt. Fits 1911 Auto, Govt. length frame. Accepts Weaverstyle rings. 3.296" (8.3cm) c-to-c ring spacing. Requires drilling and

tapping of frame.	includes screws and instructions.
#957-210-000DF	3rd Gen. Scopemount, Silver,
	7E79C95
#957-000-052DF	3rd Gen. Scopemount, Black,
	7E79T95

SATISFACTION GUARANTEED

Lightweight & Rigid

Single side design helps elimi-

nate ejection interference. Front

deflector shield protects the lens

from blast residue. Mounts on the dust cover using C-More hole

HOLSTERS/MAG **POUCHES**

GHOST PRODUCTS GHOST HOLSTER

Lightweight, Fast & Secure

Spring-loaded triggerguard lock provides positive retention without clips, buckles, muzzle cups or walk through straps. Holds the gun securely until you unlock for the draw; no more concerns about pistol retention; just run, unlock, draw and shoot. No need to re-adjust configuration to use Limited and Open guns in the same holster. Completely adjustable for height, draw angle and cant. Lock plate clamps tightly to 1" wide belt, completely eliminates movement.

SPECS: Steel, aluminum and plastic. Black, matte finish. Right hand only. 1911 - fits 1911 Auto, STI/Infinity, Para-Ordnance.

#100-000-293DF 1911 Ghost Holster,

BLACKHAWK INDUSTRIES 1911 AUTO CQC™ & TACTICAL **CARBON FIBER HOLSTERS**



CQC

Durable & Fast To Use; Choose Level 1 Or **Level 2 Retention**

Injection molded from advanced carbon fiber nylon composite to provide maximum strength, with minimal weight. CQC mod-

els feature a contoured paddle for waist belt mounting. Tactical models mount directly to the right thigh for unrestricted access. CQC Standard (STD) features a close friction fit, tension-adjustable, passive retention system for Level 1 requirements. CQC SERPA features adjustable tension with an index fingeractuated, Level 2 retention system that will not release the triggerguard until you press on the lock while you draw. CQC models can

be mounted using the belt loop or separate paddle attachment for added versatility when duty requirements change. Paddle and belt loop are lock-adjustable for forward and rearward cant. Tactical SERPA includes the same finger-actuated, Level 2 retention system as the CQC SERPA holster. Advanced thigh holster attaches to the right leg directly below the waist belt to keep your pistol within easy reach and always at the ready. Features adjustable tension with an index finger-actuated, active system that won't release the triggerguard until you press on the lock while you draw. Length adjustable, upper and lower leg straps are built from heavy duty, nylon elastic webbing and provide a firm, secure fit around your thigh. Quick-release buckles allow easy removal and installation. Dual top straps use hookand-loop fastener for easy installation around the waist belt and include quick-release pull tabs for fast removal. Innovative polymer swivels allow the holster to pivot when sitting-down, without pinching or binding. All models feature a fully covered trigger guard for added safety, with a cutout trailing edge for maximum clearance during presentation. Adjusts to fit belts up to 15/8" (4.1cm) wide.

SPECS: Injection molded carbon fiber impregnated nylon, black. Adjusts to fit belts up to 15/8" (4.1cm) wide. Fits Govt. 1911 Auto. Right hand only. CQC - Paddle attachment. 4 oz (113g) weight. Tactical – Thigh pad, polymer buckles, nylon elastic webbing. 20.5 oz (581a) weight

#100-002-883DF	CQC Std. Holster,
	8K32A94
#100-002-891DF	CQC SERPA Holster,
	8K35A00
#100-003-486DF	Tactical SERPA Holster,
	8K99V54

BLACKHAWK INDUSTRIES 1911 AUTO COC MAG POUCH

High Security & Fast Magazine Changes

Lightweight, high-strength polymer magazine holder with built-in tension spring holds your magazine firmly in place until it's needed. Compact for easy concealment, with a short profile that allows a hand-filling grasp of the exposed magazine for quick removal and fast magazine

changes. One-piece, wrap around belt clip is spring-loaded to the closed position for worry-free retention. Molded polymer construction. Models available for single- and double-stack 1911 type magazines or similar size. Available in black, coyote tan, and foliage green. Fits belts up to 2" (5.1cm) wide.

SPECS: Molded polymer, black, coyote tan, or foliage green; 15/8" (4.1cm) long, 11/8" (1.8cm) wide, 31/2" (8.7cm) high. Fits belts up to 2" (5.1cm) wide. Fits 1911 type magazines.

STK#	FITS	COLOR
#100-003-491DF	Single-Stack	Black
#100-003-494DF	Double-Stack	Black
#100-003-495DF	Single-Stack	CoyoteTan
#100-003-496DF	Double-Stack	CoyoteTan
#100-003-497DF	Single-Stack	Foliage Green
#100-003-498DF	Double-Stack	Foliage Green

- Advise # - Mag Pouch 8K16B00 \$ 20.99

BLADETECH 1911 AUTO INJECTION MOLDED **HOLSTER & MAG POUCH**



Tough, Secure, **Lightweight & Economical**

Injection molded to give an exact gun/holster fit for secure carry. A built-in sight channel and low, speed-cut front provide for an ultra-fast presentation. Twin tension screws let you set precise re-

tention force. Excellent for daily carry, practice, or competition. Belt - IDPA approved holster features a straight drop belt loop with shim inserts. Paddle - Provides 3-position carry for straight drop, muzzle forward or FBI cant. Delivers optimal comfort and convenience, and permits easy mounting and removal from pants and belts. Combo Pak - Includes belt holster, paddle assembly for easy conversion, plus a double magazine pouch with TEK-LOK system. Double Mag Pouch - Holds two spare magazines for easy reach and fast reloads. Low profile design with TEK-LOK belt attachment makes concealment easy.

SPECS: Prvlon, black, matte, Fits 11/4 to 13/4" wide belts, Right-hand only. Belt model includes inserts to accommodate belt width.

#098-000-018DF	Belt Holster, for 1911 8K22Z36\$ 27.95
#098-000-021DF	Paddle Holster, for 1911,
	8K22Z36
#098-000-035DF	Combo Pak, for 1911,
	<i>8K43A96</i>
#098-000-036DF	Double Mag Pouch, for 1911,
	<i>8K19A81</i>

QUAD MAG POUCH - Securely holds four full-size single stack 1911 magazines at your fingertips for fast reloads—perfect for the competitor or tactical law enforcement shooter. Made from the same tough, injection-molded polymer as the Double Mag Pouch listed above, with two adjustable tension screws that let you set precise retention force so magazines stay in the pouch. Ambidextrous,

low-profile design accommodates both left- and right-handed shooters; TEK-LOK™ belt attachment fits belt widths up to

SPECS: Injection-molded polymer, black, matte. Holds 4 full-size 1911 Auto magazines. Fits 11/4" to 13/4" wide belts.

#098-000-059DF Quad Mag Pouch for 1911,

BLADE-TECH INDUSTRIES KYDEX® HOLSTER & POUCH

Comfortable, Simple, Secure; Impervious To Wear

Kydex provides long-lasting weapon retention, plus it stands up to the harshest environment, does not squeak, and it's impervious to solvents and oils. Tension screws allow you to adjust retention. All models include reducers for 1½" and 1¼" belts.

STANDARD HOLSTER - Paddle model has threeway adjustment for carry angle, FBI cant, straight drop and muzzle forward. Wide, comfortable paddle with adjustable retaining keeper holds the holster to the waistband. Belt model has straight-up carry angle, provides fast draw and close, comfortable carry, IDPA approved.

SPECS: Kydex, black. Fits belts to 13/4" (4.4cm) wide. Fits Colt-style slides. Oversize, aftermarket slides may not fit.

	,	
STK # PADDLE	STK # BELT	FITS
#098-100-011DF	#098-101-011DF	Gov't
#098-100-012DF	#098-101-012DF	Cmdr
NA	#098-101-013DF	Officers
- Advise # - Pade	dle Holster 8K50C36	\$ 62.95
	Holster 8K50C36	

INSIDE WAIST BAND HOLSTER (IWB) - Wear between the belt and pants or inside the waist band. Adjustable for angle of carry; FBI Tilt or straight up carry position. Dual belt loops secure holster. Hammer shield prevents snagging on clothing. SPECS: Kydex, black. Adjustable to fit belts 11/4" to 13/4" (4.4cm) wide. Fits Colt-style slides. Oversize, aftermarket slides may not fit.

#098-000-011DF IWB Holster 8K51Z96.....\$ 64.95

FLASHLIGHT/MAGAZINE POUCH - Holds one single stack magazine and a Surefire 6P/9P flashlight, lens down. Tek-Lok™ quick release belt clip fits belts up to 134" (4.4cm) wide. SPECS: Kydex, black, matte finish

#098-000-016DF Tek-Lok Light/Mag Pouch,

MAGAZINE POUCHES - Single screw with rubber spacer adjusts friction fit; holds magazines without rattling. Lock pouches feature quick release, Tek-Lock™ utility belt clip. **Paddle** has molded clip, adjustable for belt width, that snaps over Double belt or waistband.

SPECS: Kydex, black. Fits belts 11/4" to 13/4" (4.4cm). Fits single stack magazines only.

#098-116-001DF Single Mag Pouch 8K22H37......\$ 31.95 #098-121-001DF Double Mag Pouch, Lock 8K42H36.. 52.95 #098-120-001DF Double Mag Pouch, Paddle 8K40H76 50.95

CALIFORNIA COMPWORKS 5/10TOURNAMENT POUCH

Protects & Secures Magazines During Competition

Robust, 1000 denier Cordura® nylon pouch provides convenient storage for up to ten 1911 single-stack magazines or five double-stack magazines. Overlapping cover with hook-andloop latch provides a tight seal to keep magazines clean and secure during tactical compe-

tition. High strength, double-stitched loop fits belts up to 234" wide. Mounts on either left- or right-hand side for easy access. SPECS: 1000 denier Cordura nylon, black. 45/8" (11.7cm) long, 2" (5.1cm) wide, 4" (10.2cm) deep. 20 oz. (567g) wt. Fits belts up to 2¾" (6.9cm) wide.

#151-000-031DF 5/10 Mag Pouch,



FOBUS 1911 AUTO TACTICAL ELITE HOLSTER

Comfortable Carry That's Light & Secure

Triggerguard-detent, passive retention system provides nearly snatch-proof security, and allows a quick, smooth draw. Molded from lightweight thermoplastic for an exact

fit, with a molded-in sight channel to prevent snagging. Contoured paddle with a full width belt lock lets the firearm hug your body. SPECS: RX18 thermoplastic, black. Right-hand only. C-21 fits 5"

1911 Auto.

#100-000-286DF C-21 Tactical Paddle Holster,

MAGAZINE POUCH - Uses a friction pad retention system to keep magazine secure; prevents rattling. Paddle, with full-length belt lock, holds pouch tightly to your belt.

SPECS: RX18 thermoplastic, black. Accepts singlestack, 1911 Auto magazines.

#100-000-288DF 1911 Auto Double Mag Pouch,



HELP YOUR BOTTOM LINE

BrownellsBusinessAdvantage.com

BLADE-TECH 1911 AUTO — **IDPA COMPETITION PAK**



Perfect For Practical Shooting Competition Or Daily Carry; IDPA Approved;

Convenient kit has the belt gear you need to get started in practical shooting competition, plus the versatility to serve for daily carry, too. The IDPA-approved, custom-fit belt holster is heat-molded to fit your gun model from strong, flexible Kydex® thermoplastic acrylic

polyvinyl chloride sheet. With a tough outer surface highly resistant to abrasion, Kydex retains its shape in extreme environments, does not squeak, and is impervious to solvents and oilsperfect for a hard-working competition holster. Twin tension screws and rubber spacers let you set the right retention force to keep your gun securely holstered and still have smooth presentation. Adjustable Sting Ray belt attachment system pulls the gun closer to the body, aiding concealment and maintaining a consistent position for fast draw during competition. May be positioned in straight drop, grip forward (FBI cant), or muzzle forward positions. Install the injection-molded paddle attachment (screwdriver required) to convert to a compact, concealable configuration for daily carry. Wide, curved paddle conforms to body and has a lower profile for better concealment. Flared base adds stability and prevents unwanted rocking motion when worn with a belt. Allows the same three angles as belt mount configuration; fits belts between 11/4" and 21/4" wide. Tough, shock-resistant, injection molded polymer magazine pouch with adjustable belt loop holds two spare mags at the ready, in easy reach for fast reloads when fractions of a second count. Single screw adjusts friction fit to prevent magazines from rattling or falling out when running. Separate models for Govt/Commander and Officers Model.

SPECS: Holster - Kydex, black. Pouch & Paddle Attachment - Injection-molded polymer, black. All items fit belts up to 21/4" wide. For right-handed shooters only.

#098-000-058DF Govt Model Competition Pak, #098-000-061DF Officers Model Competition Pak,

PAGE 45

order on the web www.brownells.com

Orders/Tech: 800-741-0015



GALCO INTERNATIONAL PREMIUM GUNLEATHER

For Concealed Carry

Expertly crafted for superior fit and function. Cut from the top 2% of the finest, "Number One" grade,

U.S. vegetable tanned steer hides, then hand-molded for a perfect fit. Hand-rubbed oil preserves the leather. Havana brown is a rich burgundy color produced by penetrating, aniline dyes.

MIAMI CLASSIC - Includes tension-adjustable holster, 1" wide harness and double magazine carrier with tab for cuff case or tie down. Four-point spider harness pivots independently for added mobility. Flexalon, swivel back plate provides excellent

SPECS: Steer hide, tan. RH. Fits 1911 barrels 3" to 5" long: Colt, Kimber, S&W, Springfield, AMT Hardballer and Star PD.

#100-001-635DF Miami Classic 7A136V27 \$ 174.95

C.C.P. - Single, adjustment screw gives the Concealed Carry Paddle a wide range of rotation for your preferred angle of carry. Open top and muzzle with injection-molded paddle; includes an adjustable wedge that grips inside the waistband and under your belt.

SPECS: Steer hide, Havana brown, RH, Fits 1911 barrels 5" long only: Colt, Kimber, S&W, Springfield, Para C7, P14, P16, and LDA. Accepts belts up to 13/4" (4.4cm) wide.

#100-001-651DF C.C.P. Holster,

U.S.A. - Ultimate Second Amendment™ features the Generation III J-Hook; attaches over the waistband, behind the belt and hooks upward over the bottom of the belt for total concealment with a tucked-in shirt.

SPECS: Horsehide, natural. RH. Fits 1911 barrels 3" long only: Colt, Kimber, Springfield and Para LDA. Accepts 11/4" (3.2cm) wide belts.

#100-001-658DF U.S.A. Holster.

FL.E.T.C.H.™ - High-ride, open muzzle design with retention strap fully covers the triggerguard and protects the sights. Low cut grip access ensures fast presentation. Body-side contour gives extra comfort on the hip. Reinforced thumb break. SPECS: Steer hide, tan. RH. 3.5" fits 1911 barrels 3.5" long only: Colt, Springfield, Para-Ordnance P12, C7, LDA, and Star PD. 5" fits 1911 barrels 5" long only: Colt, Kimber, S&W, Springfield, Para

C7, P14, P16, LDA, and AMT Hardballer. Accepts belts up to 13/4" (4.4cm) wide.

#100-001-640DF 3.5" F.L.E.T.C.H. Holster, #100-001-642DF 5" F.L.E.T.C.H. Holster,

CONCEALABLE™ - Low profile belt holster contours your hip for extra stability. Open top provides grip accessibility for fast presentation and reholstering. Belt slots minimize shift give weapon a forward cant.

SPECS: Steer hide, Havana brown. RH. Fits 1911 barrels 4" to 4.25" long only: Colt, Kimber, Springfield and Para P13. Accepts belts up to 1½" (3.8cm) wide.

#100-001-729DF Concealable Holster,

YAQUI SLIDE BELT HOLSTER - Concealable under a short jacket. Features minimum bulk with plenty of security. Contoured for zero cant. Tension screws allow fitting to a variety of pistols. Belt slide has cutout for over a belt loop to prevent shifting.

SPECS: Steer hide, tan. RH. Fits all length 1911 barrels: Colt, Kimber, S&W, Springfield, Para, AMT Hardballer, Star PD. Accepts belts up to 13/4" (4.4cm) wide.

#100-001-891DF Yaqui Holster.



HELLWEG **BELT SLIDE HOLSTER**

Slim Profile Helps Conceal Pistol

High, close carry for concealability. Top grain, unlined, wet-molded cow-

Fits belts to 11/2" wide

SPECS: Leather, black. Right-hand only.

#425-107-101DF 1911 Belt Slide.

HELLWEG KSTTACTICAL HOLSTER

Carry Strong Side. Concealed Or Cross-Draw

Wear on the hip for duty, behind the back for concealment, or re-position for cross draw. Standard Belt Plate has clearance for protective vests. Fully adjustable for carry

angle and height. Molded Kydex® with suede lining provides outstanding strength, yet is gentle on the gun's finish. Friction fit, no thumb snap; draw is easy and silent. Covers the trigger guard.

SPECS: Kvdex plastic, suede leather lining, black, Fits 1911 Government model. Accepts belts to 1½" (3.8cm) wide. Right hand only.

#425-109-011DF Govt. KST Holster,



HELLWEG 1911 AUTO KSTCTACTICAL-C HOLSTER

Rides Low & Close: Gives Natural Draw Position; IDPA Approved

The KST Holster with Concealment Belt Plate lets the gun ride low and close to the body. Positions gun 17/8" below the belt. Adjustable for height and angle of carry. Suede lined. Tension screw adjusts

resistance. SPECS: Kydex, suede leather lining, black. Fits 1911 Govt model.

Fits belts up to 11/2" (3.8cm) wide. Right-hand only.

#425-110-005DF 1911 Tactical-C Holster,

HELLWEG **KSL LIMITED HOLSTER**

Limited Class Legal, Open Class Fast

Limited class holster that is fast as open class holsters. Variable tension screw holds gun securely, does not impede draw. Fully adjustable, Standard Belt Plate lets you select height and angle of carry, plus holds gun

away from body for full access to grip. Made from thermo-molded Kydex® and suede leather lined so it's easy on the gun's finish. SPECS: Kydex plastic, suede leather lining, black. Fits 5" (12.7cm) 1911 Auto, Fits belts to 11/2" (3.8cm) wide, Right-hand only

#425-105-191DF 1911 Limited Holster.

D.M.P.™ - Ambidextrous, Double Magazine Paddle holds two .45 or 10mm single-stack magazines. Dual, tension adjustment screws for maximum

retention. Injection-molded, belt-lock paddle fits inside the waistband and hooks under a belt; keeps mag carrier secure and allow on/off without removing belt.

SPECS: Steer hide, tan only. Approx. 4" (10cm) long x 4" high. Fits belts up to 2" (5.1cm) wide.

#100-001-687DF D.M.P. Magazine Carrier,

HOGUE SEMI-AUTO UNIVERSAL POWERSPEED™HOLSTER



Maximum Retention; Releases Instantly For A Lightning-Fast Draw

Modular holster securely retains your pistol, then releases instantly as you draw. Exclusive design uses three, extremely powerful rare earth magnets to hold almost any semi-auto pistol snugly on the support platform ready to draw. Separate locking mechanism secures the triggerguard in your choice of two levels of retention. Fully-Locked or Semi-Race; releases instantly with just a light push from the thumb as you draw. Disengage the lock for a completely unim-

peded draw in full-race situations. Made from lightweight, unbreakable, resin impregnated plastic. Holster is fully adjustable for width at triggerguard, height of draw and left- or right-hand carry. Includes two belt mounts: Competition/Duty is adjustable for cant and angle, fits belts 1½" (3.8cm) to 3" (7.6cm) wide; High Rise fits 1½" wide belts and is designed for concealed carry. SPECS: Plastic, black 7.2 oz. (202 g) wt. Fits most full-size, semiauto pistols with steel slides and a minimum barrel length of 31/2". #408-300-000DF Powerspeed Holster,

MICHAEL'S KYDEX DOUBLE MAGAZINE CASE

Injection Molded For Durability



SPECS: Kydex, black. 43/16" (10.6cm) long x 31/8" (7.9cm) high x 23/4" (7cm) deep x 7/8"(2.2cm) thick. Fits two single-stack 1911-style magazines. Accepts belts up to 13/4" (4.4cm) wide.

#593-000-033DF Double Magazine Case,



MILT SPARKS SEMIAUTO **SUMMER SPECIAL 2**

Highly Concealable, Comfortable, All-Day Carry

Classic inside the waistband holster offers optimum concealment and comfort. Open top style for a quick draw; wet molded to an exact fit for excellent retention. Steel reinforced top always remains open

for easy, one hand reholstering. Rough-side-out texture grips clothing to prevent holster from shifting. Protective backflap prevents thumb safety from snagging on clothing; keeps slide from digging into your ribs. Features sewn-in sight channel and belt loops with one-way directional snaps. SPECS: Leather, tan. 1 1/2" (3.8cm) belt loops.

#728-002-191DF 1911 Auto Summer Special,

#728-002-192DF Commander Summer Special, 29 99 #728-002-193DF Officers ACP Summer Special,

Shop

Search 1911 holster brownells.com

MITCH ROSEN **EXPRESS LINE™ GUN LEATHER**

Top-Of-The-Line Craftsmanship At An Affordable Price From One Of The Most Innovative Names In Handgun Leather

Hand fitted from the finest quality cowhide to precisely match the contours of the firearm for a snug fit and secure retention. Nylon thread stitching with double-stitched stress points and back-tacked ends for years of service. Formed sight channel ensures the front sight never snags or pulls leather. Excellent attention to detail and design gives comfortable, all-day carry.

ARG, AMERICAN REAR GUARD - Inside-thewaistband. Double leather and steel reinforced top for easy, one-hand re-holstering. Rides extremely low with radical rearward muzzle rake. Single rear belt loop reduces bulk; holds securely to belt. Draws the butt tightly against body for minimal printing. One-way snap for easy removal.

SPECS: Cowhide, tan and brown. Fits 11/2" belt loops. Right-hand. #100-000-465DF ARG Holster, 1911 Auto 5K70C00. . . \$ 90.00

PREMIER HOLSTER - Hand-fitted from the finest quality cowhide to precisely match the contours of the firearm for a snug fit and secure retention. Holster features two snap closures for quick attachment and release without removing belt. Double nylon stitching increases rigidity for easy re-holstering. 18° forward cant gives quick presentation; rides close to the body for minimal printing. SPECS: Cowhide, black. Fits 1½" belts. Right-hand.

STOCK #	FITS	STOCK #	FITS
#100-001-822DF	1911 Govt	#100-001-823DF	1911 Comm
#100-001-824DF	1911 Off		
- Advise # - Pre	mier Holster	5K70U00	\$ 90.00

DEUCE - Holds two magazines vertically. Attaches to the belt with two, one-way snaps, or thread your belt through the 11/2" slots. Features two tension adjustment screws.

SPECS: Cowhide, brass rivets, Black or brown, RH, Single-Stack - 9mm or .45 ACP. Double- Stack - 9mm or .40 S&W. also fits Glock 36.

ACE - Holds a single magazine. Two tension adjustment screws. Attaches with single, one-way snap. SPECS: Cowhide, brass rivets. Black or brown. RH. Single-Stack - 9mm or .45 ACP. Double- Stack - 9mm or .40 S&W. also fits Glock 36.



STK # DEUCE	STK # ACE	FITS	COLOR
#100-000-480DF	#100-000-484DF	Single-Stack	Black
#100-000-481DF	NA	Single-Stack	Brown
#100-000-482DF	#100-000-486DF	Double-Stack	Black

Advise # - Deuce Mag Pouch 5K37H50..... \$ 50.00 - Advise # - Ace Mag Pouch 5K30H00 40.00

RESCOMP C-RVERSA POUCH

Adjust Angle & Tension For High-Speed Magazine Changes; Ambidextrous Design

Injection-molded, competition pouch makes it easy to fine-tune the pull tension and angle of draw. Spacer inserts and knurled-head, adjusting

screw provide proper fit for most single- and double-stack mags. Finger groove gives a positive, repeatable grip. Belt hanger reverses for left- or right-hand use. Fits belts to 1½" wide. SPECS: Molded polymer, black, red, or blue, Pouch - 15/8" (4.1cm)

long, 13/8" (3.5cm) wide, 23/4" (7cm) high. 3.2 oz. (90.7 g) wt. Accepts double-stack hi-cap magazines including STI, SV, SPS, Para Ordnance, Bul M5, and Caspian.

#775-000-018DF	Black C-R Versa Pouch,
	5G37V84
#775-000-019DF	Red C-R Versa Pouch,
	5G29V70
#775-000-021DF	Blue C-R Versa Pouch,
	5G37V84

Office/Tech: 641-623-5401

SATISFACTION GUARANTEED **SINCE 1939**

Highly Functional Design Provides Lightning Fast Draws For 1911 Auto

Ultra-lightweight, rail-style design provides open access to grip for a fast, unrestricted draw. Exclusive, safety-locking lever engages with a flick of your thumb. Fully adjustable for overall length, degree of rake, draw tension, height and outward cant. Fits all barrel lengths, with or without scopes and comps. Can be converted for left-hand use; clamps to belts up to 1%" wide. SPECS: Polyethylene plastic, black. 8.8 oz.(250 g) wt.

Imported from South Africa. Includes 3mm and 4mm Allen wrenches. Fits 1911 Auto, all styles and models plus, many other guns with triggerguards from 3/8" (9.5mm) to .453" (11.5mm)

#775-100-001DF "A" C-R Speed Holster, *5G86X59***\$ 108.25**

C-R SPEED MUZZLE PLATFORM - Adjustable position, rigid plastic muzzle platform replaces the muzzle cup on C-R Speed Holsters to shorten draw time by that winning "whisker". Three different sized muzzle spuds are included for use with 9/38,

.40, and .45 pistols and can be changed easily with a Phillips head screw driver. Platform can be reversed and mounted in two different positions on the holster for short or long pistols. SPECS: Polyethylene plastic, black.

#775-000-031DF C-R Speed Muzzle Platform,

RESCOMP WSM SPEED HOLSTER

Functional, Universal Design; Fits Most Semi-Autos; Provides Lightning Fast Draws

Lightweight, open, rail design speeds your draw because it touches and retains the pistol at only two points. Slim, streamlined body lets you come down from the top or "scoop" the gun out from below. Flip on, flip off, safety-locking lever secures pistol in the holster, releases instantly for shooting. Adjusts to fit all barrel lengths, scoped or non-scoped, comped or non-comped variations of standard and high-capacity 1911 Auto's, STI, Infinity, Para-Ordnance, Caspian, Beretta, Taurus, Tanfoglio, Hi-Power, CZ, and Star. Converts for left-hand use.

SPECS: Holster - Nvlon, all black (Blk) or black and red (Red). Hanger - Aluminum, black finish. 11 oz.(310 g) wt. Includes metric Allen wrench. Fits semi-auto pistols with triggerquards from 3/8" (9.5mm) to .453" (11.5mm) wide, Imported from South Africa.

#775-000-005DF Black WSM Holster 5G153A27....\$ 190.99 #775-000-006DF Red WSM Holster 5G152A67 190.85

ARREDONDO REPLACEMENT MUZZLE PLATFORM - Produced by Arredondo. Stud rests inside the bore exit hole; holds the muzzle steady without restricting your draw. Replaces the Rescomp factory muzzle cup. Double sided spud fits 9mm, .38 .40 and .45 caliber

SPECS: Nylon plastic, purple.

Shop

#069-210-001DF Rescomp Muzzle Platform,

Search safariland

brownells.com

SAFARILAND 1911 AUTO 5188 PADDLE-STYLE **CONCEALMENT HOLSTER**

Compact & Lightweight With Low Sides For Comfort & Ease Of Draw

Low-profile, open-top paddle holster offers minimal bulk and a low-cut front to help improve the speed of your draw. Cut-down sides won't interfere with draw and maximize comfort and concealment.

Constructed of nearly indestructible Safari-Laminate™ thermal molded to the exact shape of a full-size 1911 Government model pistol for superior retention and no movement of gun while walking or running. Adjustable tension system lets you set the right amount of retention for your gun and the level of resistance during unholstering, while soft, suede lining protects the gun's finish. Self-locking paddle of injection-molded polymer readily conforms to your body for a comfortable, close to the body fit that positions the gun for smooth, fast presentation. Paddle also accepts a belt up to 13/4" wide for extra support. Approved by the International Defensive Pistol Association (IDPA) for competi-

SPECS: Safari-Laminate with suede leather lining, black. For Govt. Model with 5" barrel. Right hand only. Fits belts up to 1¾" (4.5cm)

#797-000-102DF 5188 Paddle Holster, Govt.,

SAFARILAND 5182/5186 CONCEALMENT HOLSTERS Lightweight & Comfortable, For Carry & Competition

 $Thermal\ molded, Safari-Laminate^{\intercal M}\ construc$ tion provides the toughness and durability for vears of service. Open top, with a low cut front helps improve the speed of your draw. Soft, suede

lining protects gun finish, gives smoother draw. Cut down sides reduce bulk, plus improve wear comfort and concealment. Accessory spacer kit allows the user to adjust the angle of fit between the holster and the body. Tension device may be adjusted to your liking for a customized feel when drawing. Approved by the International Defensive Pistol Association (IDPA). 5182 Paddle - Self-locking paddle provides easy placement and removal of the holster, readily conforms to your body. 5186 Belt - Fits belts 1" to 1½" wide. Belt loop adjusts for draw angle.

SPECS: Safari-Laminate and suede leather, black. Right hand only. Fits belts 1" to 11/2" wide. Fits Govt. Model with 5" barrel.

#797-000-001DF 5182 Paddle Holster, Govt.

-SAFARILAND-6004TACTICAL HOLSTER

Lightweight, Rugged, Secure Weapon Retention & Protection

Thermal-molded laminate holster protects pistol from dents and dings, and ensures retention in the most demanding tactical situations. Self Locking System (SLS) releases the weapon when you push down on the thumb lock and rotate hood forward; pulling up on the gun's grip without releasing the lock actually makes weapon more

secure. With no cumbersome snaps to release, SLS design allows a smoother draw, protects weapon from attempted seizure, and is less likely to release accidentally. Molded sight track and suede liner protects sights and finish. Attaches to duty belt and secures to leg with a double strap and contoured shroud system for added comfort and stability. Setscrew allows adjustment for optimal retention force. Available in Black, Dark Earth and Foliage Green to match common camo colors.



SPECS: Safari-Laminate™, nylon, ABS plastic, Black, Dark Earth, or Foliage Green. Fully lined. Right-hand only. Holster must be worn with belt up to 21/4" (5.7cm) wide. Fits full-size 1911.

with T-shaped 3-hole screw pattern, including 6004, 6074, 6274,

#797-000-126DF 6005 Quick-Detach Leg Strap,

SAFARILAND 1911 AUTO

6304TACTICAL HOLSTER

System (SLS) prohibits access until you push down on the thumb

lock and rotate the protective hood forward. Upward force on the

gun's grip without releasing the lock actually makes the weapon

more secure. Hood also serves as a hammer blocking device on

a pistol carried in Condition 1. In addition, the Automatic Lock-

ing System (ALS) automatically grips the gun from the inside

every time you holster it. After releasing the SLS, your thumb

is positioned to pull back on the ALS release lever and complete

a straight-up draw that is natural, smooth, and faster than tra-

ditional snap-and-strap systems. The hood guard at the front of

the holster further blocks unauthorized access by another per-

son but won't interfere with your access to the controls. Nearly

indestructible Safari-Laminate™ is thermal molded to encase

the gun and protect it from impact, while the molded sight track and soft suede lining protect sights and finish. Setscrews allow

adjustment retention force to prevent movement of gun when

walking or running. Adjustable vertical strap mounts to any

width duty belt, and a hook-and-loop system lets you set the

exact holster height you want. A contoured leg shroud with two

adjustable straps secures the holster to your leg for maximum

SPECS: Safari-Laminate™, nylon, ABS plastic, with suede lining,

SAFARILAND 1911 AUTO

6005 QUICK-DETACH LEG STRAP

Easy, Fast Attachment & Removal

Of 6000-Series Tactical Holsters

Upgraded, replacement leg strap with quick-re-

lease buckle allows easy, fast attachment and removal

of Safariland's 6000-series tactical holsters without

having to remove duty belt. Secure, positive-locking

buckle of tough molded-polymer has extra lock but-

ton that must be depressed as you squeeze the side

prongs to release the buckle. Virtually eliminates the

danger of accidentally opening the buckle and drop-

ping the holster. Strap made of the same super-tough

nylon webbing as the original strap that came with

SPECS: Molded polymer, nylon webbing, black. Approx.

14½" (36.8cm) long. Fits Safariland leg-shroud holsters

black. Fits full-size 1911 with 5" barrel. Right hand only.

#797-000-112DF 6304 Tactical Holster,

your holster.

Strong, Lightweight

& Adjustable;

Dual Quick-Release

Retention Systems

mal-molded laminate holster

securely retains your pistol

during the most strenuous

tactical maneuvers and pre-

vents seizure by unauthorized

personnel. Dual quick-release

locking systems ensure that

you-and only you-can access

your weapon. The Self Locking

stability and comfort.

Rugged, lightweight, ther-

#797-000-074DF 6004 Tactical Holster, Black, #797-000-117DF 6004 Tactical Holster, Dark Earth, #797-000-121DF 6004 Tactical Holster, Foliage Green,

SAFARILAND 012 COMPETITION HOLSTER

Adjustable To Fit All Barrel Lengths

One holster fits both your Limited and Unlimited pistol. Adjustable nosepiece has reduced profile with closed bottom, gives faster draw with improved security. May be quickly adjusted to accommodate pistols with barrel or barrel/compensator combinations from 5" (12.7cm) to 7" (17.8cm) long. Aluminum body accepts all frame- or slide-mounted scope applications with no adjustment necessary. Tensionadjustable insert block locks onto the triggerguard and holds the pistol securely until you're ready to draw.

SPECS: Available in black or black/silver carbon fiber (CF) pattern, right-hand only. Fits 1911 Auto, STI/SVI, EAA Witness, Para-Ordnance, Caspian, CZ75, CZ85, McCormick/Tripp, Sphnix, Straver-Voiat Infinity, Tanfoglio, JSP Spitfire and Springfield P-9. Fits belts up to 13/4" (4.4cm) wide. Hook and loop fasteners lock holster to belt.


#797-012-001DF Black 012 Holster 7G208U21 \$ 265.00 #797-000-078DF CF 012 Holster 7G208A21 265.00

ARRENDONDO 012 MUZZLE PLATFORM - Replaces the Safariland factory muzzle strap; secures gun without restricting your draw. Muzzle rests over a nylon spud that will not lose tension with use. Spud fits 9mm/.38/.40/.45

SPECS: High impact polyurethane, black, matte finish. #069-000-002DF 012 Muzzle Platform 9F30Z08....\$38.50

SAFARILAND 1911 AUTO 77-53 DOUBLE MAGAZINE POUCH

Secure Magazine Retention & Protection From The Elements



Safariland 6004/6005 Tactical Thigh Holster system, but will fit any 21/4" belt. Injection-molded polymer and heat-fused polymer laminate construction provides snug fit, with adjustment screw for extra secure retention. Inside of pouch back and flaps is covered with a thin layer of Safari-Suede™ to protect magazine finish and absorb oils and lubricants. Tough STX Tactical™ exterior finish blends well with other tactical and duty gear, repels water, and resists scuffs and nicks, yet looks good through years of hard use. Will not absorb water or sweat, and cleans up easily with water and mild soap.

SPECS: Molded and heat-laminated polymers, black. Fits magazines for Colt 1911 Government Model, Commander, Officers, and clones including Kimber and AMT Hardballer. Also fits H&K P7/ P7M8, Sig P220, and S&W 39/3904/3906/4013/4053/439/639/909/ CS9. Fits belts up to 21/4" wide.

#797-000-124DF 77-53 Dbl Mag Pouch 7G31Z61 \$ 40.25

SAFARILAND 079 DOUBLE CARRY MAGAZINE HOLDER

Ambi Design; Cut Low For Faster Reloads

Low-cut design for easier magazine access, plus adjustable tension so each shooter can set the amount of resistance for getting the draw that feels best, without sac-

rificing safety. SPECS: Safari-Laminate™. Black basketweave. Fits belts up to 13/4" wide. Reversible to fit either right- or left-hand. Single-Stack accepts 1911-style magazines, Double-Stack accepts Glock 20/21, Para-Ordnance, McCormick, STI, Infinity,

#797-079-057DF Single-Stack Mag Holder 7G30V64 \$ 39.00 #797-079-157DF Double-Stack Mag Holder 7G30V64. 39.00

HOLSTERS MAG

order on the web www.brownells.com

6304, and 6305

SAFARILAND 773 COMPETITION MAG POUCH



Fully Adjustable For Fast, Smooth Draw

Thermo-molded from Safari-Laminate® for light weight and durability. Adjustable draw angle and tension. Closed front improves re-

SPECS: Safari-Laminate, black basketweave finish for right-handed shooters. Fits belts up to 11/2" (3.8cm) wide. Fits: 53 - 1911 Auto, single-stack; 850 - STI/Infinity, Para-Ordnance P-14.


#797-773-001DF Competition Mag Pouch 53,

7G27H60......**35.00**

SAFARILAND LEVITATION HOLSTER

Easily Adjustable; Lets You Draw Fast & Easily

Great-looking, machined aluminum holster stabilizes your handgun, while creating very little friction so you can draw quickly and smoothly. Fan-shaped, belt-mount bracket moves through a 20° arc for adjustability and the injection-molded triggerguard has a tension adjustment for maximum customization. Front nosepiece retains and locates handgun. Only works with Levitation System from Safariland; available in right- or left-hand.



#797-000-042DF Levitation Holster.



SPECTER GEAR TACTICAL THIGH HOLSTER

Multiple Adjustments For Comfort; Securely Retains Your Handgun & Magazine

Heavy-duty pistol holster offers almost infinite adjustability for correct fit and increased wearing comfort. Multiple adjustment points safely and securely retain your handgun at the recommended mid-thigh level for tactical duty applications. Fully adjustable,

double leg straps are made with durable, 2" wide nylon webbing with interwoven rubber stitching to prevent shifting during use. Dual, quick-release side buckles with elastic inter-loops evenly distribute weight for less fatigue and expansion of the leg straps during movement. Triple routing channels for the attachment straps provide a perfect fit for all users. Vertical hanger strap with quick-release buckle is constructed of three layers of 2" wide webbing with a full length hook-and-loop pad for up to 6" of vertical drop adjustment. All stitching and seams are sewn with either #69 or #92 mil-spec nylon thread; high stress points are quadruple stitched for added strength. Adjustable hammer retention strap with additional security release flips clear with minimum thumb pressure, vet securely retains your pistol even when low crawling or rappelling. Includes single magazine pouch located at the front of the holster.

SPECS: Ballistic nylon w/ 1000 denier cordura nylon outer shell, black. Approx. 1 lb. (.5 kg) weight. Available in right hand (RH) or left hand (LH). Fits 5" 1911 Govt.

#100-002-860DF	1911 Thigh Holster, RH,	
"400 000 004DF	4K52P00	
#100-002-861DF	1911 Thigh Holster, LH,	
	4K52P00	



Attaches In Seconds To Most Handguns; Easily Removable For Use With Holsters

Spring steel belt clip installs to most pistols and revolvers to provide secure carry with minimum bulk for maximum concealment. Attach the predrilled mounting plate to a clean, flat surface on the gun using the provided high-bond, 3M doubleback tape, then fasten the clip to the mounting plate with the included Allen screws. Adhesion actually increases over time. For conventional holster carry, simply unscrew and remove the clip; mounting plate will not interfere with most holster configurations. Installation requires a minimum 3"x¹/₄" flat surface area on the firearm. Great for any handgun with varying carry requirements. Stretch release technology makes it

easy to completely remove all traces of mounting tape with no remaining residue or blemishes to your gun's metal finish. SPECS: Steel, blue (BL) or stainless steel (SS), natural finish. 3" (7.6cm) long, ¼" (6mm) wide, 3/8" (10mm) high. Includes adhesive strips, cleaning pads, screws, and Allen wrench.

	SS Universal Clipdraw,
#918-000-004DF	8A11Z95
	8A11Z95

SKYLINETOOLWORKS CLIPDRAW

Safe, Convenient Carry Without A Holster

Spring steel clip holds gun securely, provides an inside the waistband carry without the additional bulk of a holster. Installs easily under gun grip panel, does not interfere with gun function.

SPECS: Spring steel, black or nickel finish

STOCK #	FITS	COLOR	PRICE
#918-011-100DF	1911 Auto	Black	8A11Z95 \$ 19.95
#918-011-101DF	1911 Auto	Silver	8A11Z95 \$ 19.95
#918-012-100DF	Officers ACP	Black	8A11Z95 \$ 19.95
#918-001-100DF	S&W J-Frame	Black	8A11Z95 \$ 19.95
#918-001-101DF	S&W J-Frame	Silver	8A11Z95 \$ 19.95

BROWNELLS 1911 AUTO LIGHT RAIL MOUNT


Add Lights & Lasers To Non-Railed Frames

Add-on light rail makes it cost-effective to convert any 1911 Auto-type pistol without an integral frame rail to accept a wide assortment of popular weapon lights and lasers. Rail attaches

permanently with the supplied screws and Acraglas Gelo to form a seamless mate with the dust cover. Aluminum model keeps aluminum-framed pistols lightweight and maneuverable. Steel version provides extra strength and added weight for improved balance and recoil control, plus can be welded into place and finish-shaped for a "built-in" appearance on steel framed pistols. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist.

SPECS: Aluminum or steel, matte black. 19/16" (4cm) long, 13/16 (2.1cm) wide, 3/8" (9.5mm) high. Weight: Aluminum - .6 oz. (17g). Steel - 1.2 oz. (34g). Fits 1911 Auto-type pistols. Slot centers located 510" from each end

Aluminum Light Rail Mount,
8G39U95
 9A40V07 50.10





Rock Solid Under-Receiver Mounting Of Tactical Lights & Lasers

Low-profile accessory mount attaches to underside of receiver in front of triggerguard for ul-

tra-secure mounting of tactical lights and laser aiming devices. Gets light/laser close to the bore axis for accurate aiming, with controls in easy reach of support hand. Four precision machined slots accept any accessory designed to fit a MIL-STD 1913 Picatinny rail. Beveled and dehorned for snag-free operation; extends only 1/4" below frame to allow easy fit in any holster designed for use with light/laser-equipped pistols. Available in blued carbon steel, matte gray stainless steel, or extremely lightweight aluminum with matte black anodized finish. Mounts using three super-strong, heat-hardened hex-head screws; drilling and tapping of frame required.

SPECS: Steel - Carbon steel, blued, or stainless, matte gray finish. 1.3 oz. (36g) weight. **Aluminum -** Anodized, matte black. .4 oz. (12g). All models 2.18" (5.5cm) long, .835" (2.1cm) wide. Extends approx. ¼" (6.4mm) below frame when installed. Drilling and tapping of frame required. Includes mounting screws, hex wrench,

and instructions. #662-000-080DF	Blued Steel Tactical Light Rail,
	2F49U49 \$ 59.95
#662-000-078DF	Stainless Steel Tactical Light Rail,
	2F49U96
#662-000-079DF	Aluminum Tactical Light Rail,
	2F49U96

RANSOM MACHINE REST

Ultimate Handgun **Accuracy Tester Eliminates** Human Error; Fitted Inserts For Popular Handguns

The finest handgun machine rest; very well made and extremely reliable. Shows pistolsmiths, competitive shooters and accuracy

buffs the true shooting potential of their guns and ammunition. Designed, thoroughly tested and performance proven to duplicate the human wrist and hand action during shooting, but without the element of human error. Positive stop pad gives exact repositioning after each shot. Adjustable for elevation. Interchangeable grip inserts of special polyurethane, bonded to aluminum plates, add versatility. Inserts available separately.

	3cm) x 8" (20.3cm) x 63/8" (16.8cm). 7 lbs. (2.9kg).
	Ransom Rest, only $4F354X78$ 412.99$
#164-001-069DF	Caspian Widebody Insert $4F49X69$. 58.23
#164-001-002DF	Colt Govt. 1911 Insert 4F49C69 58.23
#164-001-067DF	McCormick/STI/SVI Insert 4F49X69 58.23
#164-001-066DF	Para-Ordnance Insert 4F49X69 58.23

RANSOM WINDAGE BASE - Get positive control over windage with your Ransom Rest by mounting it on this fully adjustable base. SPECS: 123/4" (32.4cm) x 95/8" (24.4cm) x 31/8"

(8cm), 5 lb. (2,2ka). #164-003-000DF Ransom Windage Base,



MASEN PARA-ORDNANCE MAGAZINE LOADER

Saves your thumbs and increases the refilling speed. Increases leverage on the follower. Works for both right- and left-handed shooters. SPECS: High-impact plastic. Fits Para-Ordnance, STI, SVI and

Glock-type magazines. #555-203-000DF Para Mag Loader 6E04B50 \$ 5.95 **BUTLER CREEK SEMI-AUTO PISTOL** UPLULA UNIVERSAL **MAGAZINE LOADER**

> Loads Pistol Magazines Fast, **Protects Fingers & Thumbs**

Hand-held loader fills standard centerfire pistol magazines quickly and easily, so you spend

less range time loading mags and more of it shooting. Smooth, positive operation protects fingers and thumbs while you load hundreds of rounds painlessly—as fast as one round per second. Also lengthens magazine life by reducing wear and tear on feed lips. One size fits all; no inserts, spacers, or adjustments needed to change calibers. Hold the magazine upright with the bottom resting on a solid surface. Place the loader over the top of the mag, press down lightly while squeezing the lever to depress the follower, drop in a round, and work the lever quickly to push it into the mag. Repeat the process until the magazine is full. Constructed from tough, reinforced, black polymer. Locks closed when not in use, so it takes up minimal space in pocket or range bag. Fits single and double stack 9mm, .357, .40, 10mm, and .45 ACP magazines, plus some .380 mags. Will not load Glock 6-round single stack .45 caliber or Smith & Wesson 7-round single stack 9mm, or magazines with less than 8mm between

SPECS: Reinforced polymer, black. Approximately 27/8" (7.3cm) long, 1¼" (3.2cm) wide, 3¼" (8.3cm) high. Fits single and double stack magazines from 9mm to .45 ACP.

#100-003-052DF Universal Pistol Magazine Loader,

HKS

MAGAZINE SPEEDLOADER

Load Mags Almost As Fast As You Can Shoot, Without The Sore Fingers

Simple, easy-to-use design lets you load 1911 Auto magazines quickly without dinging the feed lips and pinching your fingers, so you spend more precious range time shooting, less loading magazines. Slide the loader over the magazine and grasp

both firmly as you repeatedly depress the ribbed, no-slip thumb lever to relieve the spring pressure and insert rounds. SPECS: Plastic, black. 450 fits standard single-stack 7-rd magazines and many 8-rd magazines. 451 fits Colt 9mm/.38 Super/.40/10mm/.45 ACP. 452 fits double-stack pistols, including

Caspian, Para Ordnance, and STI. #392-000-018DF HKS 450 Magazine Speedloader, #392-000-019DF HKS 451 Magazine Speedloader, #392-000-017DF HKS 452 Magazine Speedloader,



Inert Barrel For Safe, Realistic **Training & Function Testing**

Provide realistic, hands-on training with this replacement barrel that

allows safe service pistol use during classroom demonstrations and instruction. Converts a functional pistol into a non-loading. non-firing gun, so you can still operate the slide and dry-fire the weapon during presentation drills. Easily identifiable, bright yellow color indicates the gun is safe for training. Constructed of high strength, polymer composite that's resistant to solvents allowing a lifetime of use.

SPECS: Polymer composite, bright yellow, TB005 fits Govt, models, TB006 fits Commander.

#098-000-056DF TB005 Training Barrel, #098-000-057DF TB006 Training Barrel,

SATISFACTION GUARANTEED **SINCE 1939**



CRTC SAFETY MAG

Weighted, Inert Magazines Enhance Firearms Safety Training

Duplicates the weight and feel of a loaded magazine; eliminates the fear of accidental discharge during training. Ideal for creating safer, more realistic training in tactical reloads, dry firing, and immediate response drills. International Inert Blue color provides fast, easy identification.

SPECS: Solid synthetic, blue. 1911 Auto fits singlestack Colt, clones, and S&W .45 autos. STI/SVI fits double-stack STI and SVI pistols.

#182-100-001DF 1911 Auto Safety Mag 2H14C00....\$ 17.50 #182-100-003DF STI/SVI Safety Mag 2H16C80..... 22.00

RING'S MANUFACTURING FIREARMS SIMULATOR

Safe, Non-Gun, For Practice & Training

A realistic, safe alternative to using real firearms for training exercises and weapons retention drills. Molded from actual weapons for true-to-life detail. Strong, polyurethane plastic has steel reinforcement to prevent bending and flexing:

handles and balances like an actual firearm. Safety blue color signifies this is a non-firing training aid. SPECS: Polyurethane. Safety blue color. Handgun simulators 080-000-183DF 1911 Armorer's Tool Kit,

weigh approximately 11 oz. (311g) depending on model. #100-000-664DF 1911 Auto Simulator 3K35Z35....\$73.75

10-8 PERFORMANCE ARMORER TOOL




Sturdy Non-Marring Tool Has Dozens Of Uses

Handy tool of extremely tough, non-marring glass-reinforced nylon is perfect for prying and pushing applications where a metal tool can damage the part or gun finish. Rigid chisel point on one end is useful for depressing springs and spring-loaded parts—even use to thread MOLLE straps through webbing—while the semi-flexible flat blade on the other end can get into tight spots or serve as a temporary shim. Great to have around during disassembly of semi-auto pistols

like the 1911, Glock, or Smith & Wesson M&P or when working on service rifles like the AR-15/M16. Multiple ridges molded into the grasping area in the middle of the tool help prevent slippage when working with oily or greasy hands. Available in Black, Flat Dark Earth, and Foliage Green.

SPECS: Glass reinforced nylon, Black, Flat Dark Earth, or Foliage Green. Approximately 5" (12.7cm) long, ¼" (6.4mm) diameter. #100-003-708DF Armorer Tool, Black 1B06V49......\$ 7.95 #100-003-709DF Armorer Tool, Flat Dark Earth,

1B06V49 **#100-003-710DF Armorer Tool,** Foliage Green 1B06V49. **7.95**



Frees Both Hands & Holds Pistol Securely In Vise For Easy Cleaning & Maintenance

Solid, high-strength vise block slides into mag well and locks tight using the mag catch to hold your 1911 pistol securely for easy cleaning and maintenance. Keeps both hands free for detailed, precision work, and helps eliminate the chance of dropping the pistol and causing damage. Durable, injection-molded polymer composite construction won't mar or scratch gun and resists most common solvents. Fits Government Model, Commander, and Officers Model.

SPECS: Polymer, black, Stem - 41/4" (10.8cm) long.

#100-003-987DF 1911 Vise Block 6B30P54......\$ 39.99





The Tools You Need To Do Quality Work On 1911s

This kit includes the 21 most essential tools necessary to assemble, disassemble, improve performance, and to do general maintenance on 1911-style pistols. Plus, we put them in a heavyduty case and added a large, bench/field mat to protect guns, parts and your bench.

1911 ARMORER'S KIT

#81 MAGNA-TIP® SOLID HANDLE - Rugged and hand fill-(1) ing with a powerful magnet for fast bit changes. Suitable for dozens of jobs when working on 1911s.

SPECS: 11/4" (3.2cm) diameter, 8" (20.3cm) long overall. #080-086-181DF #81 Solid Handle 8K10D30 \$ 12.30

3/32" ALLEN BIT - Inserts into the Magna-Tip screwdriver to remove Allen-head grip screws. SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger®

MkI/MkII grip screws. #080-185-100DF #185-1 Bit 1K01V89 \$ 2.49

3 #240-5 SLOTTED BIT - Inserts into the Magna-Tip screwdriver to remove slotted grip screws. SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII arip screws.

#080-240-540DF #240-5 Bit 8K02A52 \$ 2.99 (4) <u>T15TORX BIT</u> - Inserts into the Magna-Tip screwdriver to remove torx grip screws.

SPECS: Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII arip screws

#080-435-015DF T15 Torx Bit 8K02T48\$ 2.99

(5) MAGNA-TIP .45 BUSHING DRIVER BIT - Supports grip bushings for easy removal; fits in the Magna-Tip Handle

SPECS: 19/16" (3.9cm) overall length, 1/4" (6.35mm) O.D. #080-434-045DF Magna-Tip .45 Bushing Driver Bit,

1911 AUTO GRIP BUSHING STAKER - 8-segment, 90° head gives maximum contact with bushing for most secure installation possible.

SPECS: Staker head - S5 Tool Steel with Rc 57-60 hardening. 4" (10.2cm) handle.

#080-644-000DF 1911 Auto Grp Bshg Stkr 8K23B66.\$ 31.95

(7) BROWNELLS LUG IRON - Removes rough spots and machine marks from the slide lug area of 1911 Autos.

SPECS: 83/4" (22.2cm) long. One-piece steel shaft and head. #080-689-000DF Brownells Lug Iron 8K44Y58.....\$ 52.95

1911 AUTO ANODIZED BUSHING WRENCH - Non-marring aluminum gets the tightest bushings loose. Fits Govt. and Officers

SPECS: Aluminum, red anodized. 51/2" (14cm) long, 11/4" (3.2cm) wide, 1/4" (6.35mm) thick.

080-045-200DF 1911 Auto Anodized Bushing Wrench,

or frame damage.

PLUNGERTUBE CRIMPER KIT - Easy-to-use tool lets you secure the plunger tube to the frame without fear of tube crush

SPECS: Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunger Tube Support - Hardened steel, 4" (10,2cm) long, .106" (2,7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.

080-806-500DF Plunger Tube Crimper Kit,

1911 AUTO SAFETY DETENT DEPRESSOR - Slips behind the thumb safety; cupped tip won't slip off lock detent pin. Press in and pop the safety into place.

SPECS: Steel shaft, plastic handle, 5" (12.7cm) long.

#583-120-101DF 1911 Auto Safety Detent Depressor, 3H00YTP.....\$ 9.95

MAINSPRING HOUSING PIN PUSHER - Pops the mainspring housing pin out easily.

SPECS: Approx. 3" (7.6cm). RC 50 steel shank, plastic handle.

#080-850-000DF Mainspring Housing Pin Pusher,

1911 AUTO TRIGGER STIRRUP DIE - Smoothes out bends and bumps found in production triggers to match-fit them for smooth travel.

SPECS: Hardened Steel. 115/16" (23.8mm) long, 5/8" (15.9mm) thick, 1½" (3.8cm) high

#080-710-045DF Trigger Stirrup Die 1911 Auto,

1" NYLON/BRASS HAMMER COMBO - Brass head for driving various pins; no-mar nylon head for soft "tapping". SPECS: 1" (2.5cm) diameter faces. 111/2" (29.2cm) hickory handle. Weighs approximately 6 oz. (170.1g).

8A00DZA......\$ 19.99 BLUE PISTOL BENCH BLOCK - Large, durable bench block;

won't embed or mar when pounding out pins. SPECS: Polyethylene blue. 4" (10cm) diameter, 11/8" (2.8cm) high. #080-000-493DF Blue Pistol Bench Blck 8D00XCH .\$ 16.99

NYLON FRONT SIGHT PUNCHES - Non-marring punch lets you drift the front sight right or left without damage to the

sight. SPECS: 4" (10.2cm) long. 5/16" (7.9mm) diameter. Polyenco Nylon. Sold in a set of 3.

#080-478-000DF Set of 3 Nylon Front Sight Punches,

BROWNELLS FRONT SIGHT STAKER - Offset punch efficiently directs the full force of the hammer blow downward against the sight tenon to stake front sights tightly.

SPECS: Steel, blued. 5/16" (7.9mm) x 1/2" (12.7mm) x 41/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.

#080-817-000DF Brownells Front Sight Staker,

1911 AUTO EXTRACTOR REMOVALTOOL - Dual-purpose tool prevents scarred breech faces, scratched slides and gives fast, easy extractor removal every time.

SPECS: Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) diameter handle, .150" (3.7mm) diameter lever. #080-923-000DF 1911 Auto Extractor Removal Tool.

(18) #120-3 BIT - Fits slotted magazine catch locks. SPECS: Steel. .120" (3.1mm) shank diameter, .03" (.76mm) blade

#080-120-330DF #120-3 Bit 8K02U52.....\$ 2.99 (19) #185-00 HEX-HEAD BIT - Fits hex-head (Allen) magazine

catch locks. SPECS: Steel. 1" (2.54cm) long, 1/16" (1.6mm) thick #080-185-002DF #185-00 Bit 8K01V89.....\$ 2.49

.120" BRASS ALIGNMENT & PUSH PUNCH - Helps install and remove hammer pins.

SPECS: Plastic handle, 360 alloy punch. 43/4" (12cm) long. Punch -31/4" (8.2cm) long. .120" (3.05mm) diameter.

#080-000-025DF .120" Brass Alignment & Push Punch,

BROWNELLS MAGAZINEWELL FILLER

Helps Prevent Expensive Frame Damage

Fits inside and fills the magazine well to help prevent distortion caused by vise pressure. SPECS: 7075 aircraft aluminum, silver, matte finish. 1911 Auto available Standard (Std) 4" (10.2cm) long and Extended (Ext) 5" (12.7cm) long. Double-Stack models are Extended (Ext) 8" (20cm) long only. STI fits STL SVI and McCormick

,			
STOCK #	MODEL	LENGTH	PRICE
#080-810-100DF	1911 Auto	Std.	8K22X99 \$ 29.97
#080-810-101DF	1911 Auto	Ext.	8K26X17 \$ 36.66
#080-925-002DF	STI	Ext.	8K20C14 \$ 24.97

BAT INDUSTRIES 1911 AUTO ROTO STAND



In Any Position For Two-Hands-Free Cleaning & Maintenance

Holds Pistol Securely

Sturdy, adjustable stand holds your 1911 securely in a wide range of positions for easy cleaning and maintenance. Frees both hands to work and gets the pistol up from the work surface to protect it from scuffs, scratches, and dings that

can happen if it slips as you work on it. Great for competitors and other high-volume shooters who need secure, unobstructed access for cleaning gunked up guns quickly. Also serves as a display stand to show off that prized custom pistol or racegun. Large, circular base is stable enough to support any single stack 1911 Auto configuration and has a lipped edge and soft, no-slip neoprene pad to prevent tools and small parts from rolling away. The insert on the ball-and-socket swivel mechanism fits in the pistol's mag well. Adjust the screw on the spring tensioner with the included hex wrench to ensure the insert grasps the pistol firmly. Unlock the swivel mechanism's release lever and rotate the gun for best access to the area you want to work on, then lock the lever and go to work. Tough, structural polymer composite base and swivel, with chemical resistant neoprene base mat.

SPECS: Injection-molded structural polymer composite with neoprene rubber mat, black. Height fully assembled, approximately 6" (15.2cm). Base diameter, 125/8" (32.1cm). Hex wrench and instructions included. Fits all models of single-stack 1911 Auto pistol.

#100-003-406DF 1911 Roto Stand 6B91Y71.....\$ 99.95 BrownellsBusinessAdvantage.com

(21) 092" BRASS ALIGNMENT & PUSH PUNCH - Helps install and remove sear pins.

SPECS: Plastic handle, 360 alloy punch shaft. 43/4" (cm) long. Punch - 31/4" (8.2cm) long. .092" (2.3mm) diameter.

#080-000-024DF .092" Brass Alignment & Push Punch,

22) BENCH/FIELD GUN MAT - Soft face prevents scratches and dings when working on your gun. Absorbs liquid, and includes a non-slip backing.

SPECS: Polypropylene fiber, brown, expanded, vinyl acetate backing. 12" (30.5cm) x 24" (61cm).

084-280-001DF 12x24 Gun Mat,

73 TOOL BOX - Heavy-duty box holds everything in one place. Perfect for the shop, armory, or as a take along to a match. SPECS: High-impact plastic. 15" (38.1cm) long, 7" (18cm) wide, 5" (13cm) high

#696-100-303DF Tool Box,

order on the web

Brownells 1911 FIELD TOOL KIT



Fix In-The-Field Problems On The Spot

Six critical tools to do field maintenance, improve performance, and assist in assembly/disassembly on your 1911 pistol The heavy-duty tool box provides you a convenient way to haul the tools to matches or wherever you take your 1911. To protect your gun, parts, and work surface, we also included a highlyabsorbent field/bench mat to work on. #080-100-184DF 1911 Field Tool Kit 8K182D11 \$ 204.95

1911 FIELD TOOL KIT

1911 AUTO GRIP BUSHING STAKER - 8-segment, 90° head gives maximum contact to bushing for most secure installation possible.

SPECS: Staker head - S5 Tool Steel hardened to Rc 57-60. 4 (10.2cm) handle.

#080-644-000DF 1911 Auto Grip Bushing Staker,

BROWNELLS LUG IRON - Removes rough spots and machine marks from the slide lug area of 1911 Autos. SPECS: 83/4" (22.2cm) long. One-piece steel shaft and head. **#080-689-000DF** Brownells Lug Iron 8K44Y58.....\$ 52.95

3 PLUNGERTUBE CRIMPER KIT - Easy-to-use tool lets you secure the plunger tube to the frame without fear of tube crush or expensive frame damage.

SPECS: Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunaer Tube Support - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter.

080-806-500DF Plunger Tube Crimper Kit,

1911 AUTOTRIGGER STIRRUP DIE - Smoothes out bends and bumps found in production triggers to match-fit them for smooth travel.

SPECS: Hardened Steel. 115/16" (23.8mm) long, 5/8" (15.9mm) thick, 1½" (3.8cm) high.

#080-710-045DF Trigger Stirrup Die 8K20A75.....\$ 25.95 (5) BLUE PISTOL BENCH BLOCK - Large, durable bench block; won't embed or mar when pounding out pins.

SPECS: Polyethylene blue. 4" (10cm) diameter, 11/8" (2.8cm) high. #080-000-493DF Blue Pistol Bench Blk 8D00XCH .. \$ 16.99

BROWNELLS FRONT SIGHT STAKER - Offset punch efficiently directs the full force of the hammer blow downward against the sight tenon to tightly fit front sights.

SPECS: Steel, blued. 5/16" (7.9mm) x 1/2" (12.7mm) x 41/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes complete instructions.

#080-817-000DF Brownells Front Sight Staker,

BENCH/FIELD GUN MAT - Soft face prevents scratches and dings when working on your gun. Absorbs liquid, and includes a non-slip backing.

SPECS: Polypropylene fiber, brown, expanded, vinyl acetate backing. 12" (30.5cm) x 24" (61cm).

#084-280-001DF 12x24 Bench/Field Gun Mat.

BROWNELLS 1911 AUTO TRIGGER STIRRUP DIE



Trigger not included

Forms Stirrup For Precise Trigger Pull

Makes it easy to smooth out the bends and bumps found in production triggers and match-fit them for precise, no-wobble travel. Slide a trigger over the die and tap lightly around it with a small hammer. Maintains correct shape and angles. Dual

use, lets you save dinged and damaged ones too. Models available for standard Single-Stack, as well as double-stack Para-Ordnance and STI pistols.

SPECS: Hardened Ŝteel. Single-Stack - 115/16" (23.8mm) long, 5/8" (15.9mm) thick, 1½" (3.8cm) high. **Para-Ordnance -** 1¹⁷/₂₂" (3.9cm) long, ¹⁵/₁₆" (2.4cm) thick, 2" (5.1cm) high. **STI -** 2" long, ¹⁵/₁₆" thick,

#080-710-045DF Single-Stack Stirrup Die 8K20A75.\$ 25.95 #080-000-388DF Para-Ord Stirrup Die 8K25X88..... 38.97 #080-000-389DF STI Trigger Stirrup Die 8K25X88... 38.97

POWER CUSTOM SLIDE RAIL COMPOUND CLAMP

Semi-Auto Slide Tightening Made Easy

Giant, steel "pliers" has two machined "steps" that can tighten one or both rails with just a "squeeze" of your bench vise. Step one distributes pressure evenly to both rails at the same time. Step two straightens and adjusts one side at a time if the slide is bent or sprung. Stop bolt helps prevent overtightening and damaged slides.

SPECS: Heat-treated steel, blued finish. Machined from 11/2" (3.81cm) square stock, approx. 71/2" (19cm) long. Ratio 2:1.

#713-101-000DF Slide Rail Compound Clamp, 3A00ZAY.....\$ 114.99

TOOL BOX - Heavy-duty, plastic case conveniently holds everything in one place. Perfect for the shop, armory, or as a take along to a match.

SPECS: High-impact plastic, 15" (38.1cm) long, 7" (18cm) wide, 5" (13cm) high.

#696-100-303DF Tool Box 6F11U44.....\$ 16.99

1911 ARMORER'S ADD-ON PAK - 15 additional tools essential to assemble, disassemble, improve performance, and to do general maintenance on 1911-style pistols; turns your Field Tool Kit into an Armorer's Kit.

SPECS: Upgrade Kit includes: (1) #81 Magna-Tip® Solid Handle -11/4" (3.2cm) dia., 8" (20.3cm) long overall. (1) 3/32" Allen Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger Mkl/Mkll grip screws. (1) #240-5 Slotted Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger Mkl/Mkll grip screws. (1) T15 Torx Bit - Steel, heat treated. Fits Brownells 1911 Auto and Ruger MkI/MkII grip screws. (1) Magna-Tip .45 Bushing Driver Bit 19/16" (3.9cm) overall length, ¼" (6.35mm) O.D. (1) 1911 Auto Anodized Bushing Wrench - Aluminum, red anodized. 51/2" (14cm) long, 11/4" wide, 1/4" (6.35mm) thick. (1) 1911 Auto Safety Detent Depressor - Steel shaft, plastic handle, 5" (12.7cm) long. (1) Mainspring Housing Pin Pusher - Approx. 3" (7.6cm). RC50 steel shank, plastic handle. (1) 1" Nylon/Brass Hammer Combo - 1" (2.5cm) dia. faces. 11½" (29.2cm) hickory handle. Weighs approximately 6 oz. (170.1g). (3) Nylon Front Sight Punches - 4" (10.2cm) long. 5/16" (7.9mm) dia. Polyenco Nylon. (1) 1911 Auto Extractor Removal Tool - Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) dia. handle, .150" (3.7mm) dia. lever. (1) #120-3 Bit - Steel. .120" (3.1mm) shank dia., .03" (.76mm) blade thickness. (1) #185-00 Hex-Head Bit - Steel. 1" long, 1/16" (1.6mm) thick. (1) . 120" Brass Alignment & Push Punch - Plastic handle, brass shank, 360 alloy shaft. 43/4" (12cm) long. Shank - 31/4" (8.2cm) long. .120" (3.05mm) dia. (1) .092" Brass Alignment & Push Punch - Plastic handle, brass shank, 360 alloy shaft. 4¾" long. Shank - 3¼" long. 092" (2.3mm) dia

Brownells WEAPONS FIELD MAINTENANCE PACK



Complete, Dedicated Kit For Field Repair & **Maintenance Of Tactical 1911 Autos**

This compact field maintenance pack is designed specifically for servicing combat 1911 Autos during Military Ops. And, it provides the soldier with all the required tools to field strip, repair, and maintain this pistol while on the move. This is not a run-ofthe-mill cleaning kit, but carefully selected, high-quality field armorer tools dedicated to working on the 1911 pistol, so there is no confusion and no down time spent scrounging through one large field case of loose odds and ends. Individual pouches and compartments inside the water- and abrasion-resistant, denier Cordura case keeps all tools secure and separated to help minimize noise that could jeopardize your mission. Quiet, #9 YKK zippers with oversize pulls make it fast and easy to get tools in and out. Front panel features clear, I.D. card sleeve and loop strip for name tape. Includes two, nylon grab handles for easy carry. Made in the U.S.A. Field Pack Case is also available separately. SPECS: Includes: #81 MAGNA-TIP® screwdriver handle w/ #120-3, #185-00, #185-1, #240-5, T15 Torx, and bushing driver bits; grip bushing staker; lug iron; bushing wrench; plunger tube crimper kit; safety detent depressor; trigger stirrup die; nylon/brass hammer; pistol bench block; (3) nylon punches; front sight staking tool; extractor removal tool; .092" and .120" dia. brass push punches; mainspring housing pin pusher; 12"x24" bench/field gun mat. 5 lb. 2 oz. (2.32 kg) wt.

#080-000-456DF 1911 Auto Field Pack,

FIELD PACK CASE - The same, heavy-duty, Cordura field case included with our 1911 Auto Weapons Field Maintenance Pack. Made available separately for your additional tactical gear and accessories.

SPECS: Denier Cordura nylon, O.D. green. 12" (30.5cm) long, 101/2" (26.7cm) high, 31/2" (8.9cm) thick.

#080-000-459DF Field Pack Case,

POWER CUSTOM 1911 AUTO FRAME SUPPORT SYSTEM

2-Piece Set Prevents Frame Damage **During Fitting, Acts As Guide** For Stippling

Stops frame "crush" while performing any of the lapping, heavy hammering or heating and bending alterations that require holding and squeezing the frame in a bench vise. Expandable Magazine Well Support adjusts to fill magazine opening so it can't collapse. Hardened

steel Side Plates index off the grip bushings to take vise jaw pressure and dings, plus provide a convenient, damage-proof, straight edge guide for stippling on the front strap. Fits all types and calibers of 1911 Auto frames.

SPECS: Heat-treated steel, blued finish. Mag Well Support - 4" (10cm) long, adjusts to 13/8" (3.5cm) wide. **Side Plates -** 3 " (7.62cm) wide, 4½" (11.4cm) long, ¼" (6.3mm) thick. Includes Allen wrenches, adjustment screws and instructions.

#713-100-000DF Frame Support System,



ALPHA PRECISION 1911 AUTO

SLIDETIGHTENINGTOOLS

Tighten Slide-To-Frame Tolerances Without Over-Squeezing Or Damage

Tools developed by noted pistolsmith Jim Stroh help you produce an exceptionally tight slide-to-frame fit for better accuracy without loss of clearance for reliable cycling. Eliminate accuracy robbing slide slop and uneven spots to produce a uniform slide/ rail gap as small as .0005" on carbon steel guns. All components are precision machined from high-quality steel or aluminum barstock; instructions included. Slide Tightening Blocks use the powerful mechanical advantage of your bench-mounted vise to produce controlled, incremental squeezing of the slide to tighten its fit to the frame. Lets you tighten a stainless steel slide to run on a stainless steel frame with as little as .001"-.002" clearance without risk of galling. Should be used with the SlideTightening Stop to prevent overtightening and damage to the slide. Specially heat treated aluminum alloy won't deform under pressure and won't mar the slide; kit includes two vise blocks and steel fulcrum rod. Slide Tightening Stop fits between the slide rails to set correct dimensions and prevent deformation of the slide while applying pressure with the Tightening Blocks. Tighten until the stop cannot be moved in the slide, release pressure, move the stop and blocks down the slide, and apply pressure in the new location. Repeat procedure until the entire slide/frame contact area has been tightened. Rail Gauge – Use in conjunction with a caliper's depth-measuring feature or a depth micrometer to measure depth of frame rails for selecting a correct-size spacer bar for peening the rails to eliminate vertical slide movement. SPECS: Tightening Blocks - Aluminum, 1" (2.5 cm) square, 3" (7.6cm) high. Tightening Stop - Steel, machined. Adjusts from .701" (17.9mm) to .852" (21.6mm) in width. Rail Gauge - Steel. 57/g"(14.9cm) long, ¾" (1.9cm) wide.

#012-101-000DF	Slide Tightening Blocks,	
	2A45B00	49.95
#012-101-001DF	Slide Tightening Stop,	
	2A64B00	69.95
#012-100-093DF	Rail Gauge,	
	2A31B00	34.95

BROWNELLS 1911 AUTO RAIL SWAGING PUNCHES

Helps Prevent Frame Rail Damage

Puts downward swaging pressure directly onto the frame rails and not on the frame. Giant steel punches with spe-



cially machined steps prevent overpeening and crushed frame rails. Single or Double design allows tightening only the specific rail area required for closer frame-to-slide fit.

SPECS: Machined steel. 51/8" (56cm) long, 1" (2.5cm) diameter. Set includes 1 nunch of each design

80-805-001DF	Single Swage Punch,	
	8K29B96	39.9
80-805-002DF	Double Swage Punch,	
	8K25B02	30.9
80-805-000DF	Swage Punch Set,	
	8K49B84	65.9

SATISFACTION GUARANTEED **SINCE 1939**

BROWNELLS/STARRETT 1911 AUTO SLIDE RAIL MICROMETER

Quickly Choose Correct Slide Fitting Bar With Micrometer Accuracy



For match level accuracy, slide-to-frame fit on 1911-style autos must be closer than a gnat's whisker. This specially modified Starrett mike precisely measures the thickness of the slide's "rails". Makes choosing the correct slide fitting bar quick and accurate. No guesswork, Take measurement at three points along \$\sqrt{957-122-000DF}\$ Frame Holding Fixture 7E00YTP. \$ 64.25 the slide, average readings together, and select a slide fitting bar (listed elsewhere) .001" to .002" thicker.

SPECS: Stainless steel, 21/2" (6.3cm) overall. Carbide measuring faces read .0000 to .4265" (10.8mm). Includes plastic case.

#827-561-730DF Slide Rail Micrometer,

7B00VBX.....



MARVEL 1911 AUTO SLIDE LAPPING TOOL

Simplifies hand lapping a 1911 slide and frame. Oversize ball handle on a dummy "bushing" fits into the

slide and makes it possible to apply a smooth back-and-forth lapping action.

SPECS: 51/8" (13cm) long overall. 31/2" (8.8cm) long x 5/8" (15.9mm) dia. steel shaft. 2" (5cm) dia. plastic ball handle.

#583-100-000DF 1911 Slide Lapper,

3H00AVB.....\$ 39.95



BROWNELLS 1911 AUTO -SLIDE FITTING BARS



Surface ground and hardened tool steel bars in ten thicknesses - Recommended by agency armorers and top pistolsmiths as the most accurate way to remove vertical slide "play" from the 1911 Auto, its variations and copies. May be slower than the quick-and-dirty methods, but gives an infinitely more accurate and professional job. Basic procedure as follows: Measure gun's slide rail thickness; place closest-sized Slide Fitting Bar in frame "way"; tap frame rail with light hammer to close the "ways" space down to match the slide rail thickness. Complete instructions included.

SPECS: 4" (10.2cm) L x 1" (2.5cm) W. stainless steel, heat treated. + .0000"/- .0005" (.0127mm) tolerances. Set includes 10 slide fitting bars, and a hardwood divider tray, all in a tough, polypropylene bench storage box.

STOCK #	THICKNESS	STOCK #	THICKNESS		
#080-745-111DF	.111" (2.8914mm)	#080-745-116DF	.116" (2.9464mm)		
#080-745-112DF	.112" (2.8448mm)	#080-745-117DF	.117" (2.9718mm)		
#080-745-113DF	.113" (2.8702mm)	#080-745-118DF	.118" (2.9972mm)		
#080-745-114DF	.114" (2.8956mm)	#080-745-119DF	.119" (3.0226mm)		
#080-745-115DF	.115" (2.9210mm)	#080-745-120DF	.120" (3.0480mm)		
- Advise # - Single Slide Fitting Bar,					
	8K23B95		\$ 29.95		
#080-745-0010	#080-745-001DF Slide Fitting Bar Box and Tray,				
	8K29B38		41.17		
#080-745-000E	F Slide Fitting	Bar Set.			
			347.19		



WEIGAND COMBAT 1911 AUTO FRAME HOLDING FIXTURE

Clamps & Holds Frames Without Damage


Aluminum vise jaws hold all single-stack, 1911 Auto frames for machining and railpeening operations. Won't slide in the vise. Relieved for plunger tube/oversize mag



SPECS: Machined aluminum, silver, matte finish. 4" (10cm) square, each plate is 1/2" (12.7mm) thick. Includes instructions.

FRAME & SLIDE GROOVING SAW

Make Fast, Accurate, Slide & Frame Cuts



SPECS: Solid carbide. 1.250" (3.2cm) dia., 1/16" (1.58mm) thick, 1/2 (12.7mm) arbor. Feed rate for Rc 42 steel is 4"/minute, 610 RPM.

Made in U.S.A. 1	5° and 60° - 24 tooti	h cut.	
#296-040-015DF	15° Slitting Saw	6B00HDZ	54.00
#296-040-060DF	60° Slitting Saw	6B00YTP	67.00
#296-015-050DF	Slitting Saw Ark	or 6B00PUA	50.00



BROWNELLS 1911 AUTO SLIDE/FRAME RAIL FILE

One File Does It All: Trues, Deburrs & Squares Slide Rails

Clean up and square slide rails with one side of this file, turn it over and deburr or enlarge the rail channels with the other. Specially ground, stepped file does the job of two or more separate files and the safe edges make sure that only the areas that need to be cut, get cut. Simplifies, speeds up and adds precision to slide fitting work.

SPECS: 6" (15.2cm) long, 1/2" (12.7mm) wide. Surface ground. #080-753-000DF Slide/Frame Rail File 8K39P76 \$ 50.99




1911 AUTO **FITTING & DEBURRING FILE SET**

Indispensable

For Accurizing

Your Pistol For Precise

Fit & Function



Convenient set of five, round parallel files for deburring mag release hole, slide stop hole, and other frame pin holes to ensure precise fit and smooth function of your 1911. Also use to fit, shape, and blend beavertail grip safety to frame. Americanpattern, single-cut files ensure gradual, even metal removal to help you maintain precise dimensions. Indispensable for any accurizing job.

SPECS: Hardened cutting steel. Round parallel files with approximately 6½" (15.2cm) cutting surface, 2" (5.1cm) tang. Kit contains one each 1/8" (3.2mm), 5/32" (4mm), 3/16" (4.8mm), 7/32" (5.6mm), 1/4" (6.4mm) diameter.

#191-000-002DF 1911 File Set 1A16U24 \$ 21.67

SLIDE FITTING BAR HOLDING FIXTURE -

The third hand you've been looking for when peening or swaging 1911 frame rails. All-steel tool holds a single or double Slide Fitting Bar securely in place, without movement, Makes striking our Rail Swaging Punches with a hammer easyand more accurate. Designed by



#080-745-002DF Slide Fitting Bar Fixture 8K24B25 \$ 30.95

Brownells/YAVAPAI 1911 AUTO SLIDE JIG Faster, More Precise Milling

Of Popular Slide Modifications

Securely holds all models of 1911

of low-mount sight dovetails, extrac-

(759q) wt. Includes complete instructions.

tor rollover cuts, front cocking serrations, French

great handle for power-sanding and polishing.

Cuts, ejection port lowering, 1° comp cuts plus, makes a

SPECS: Aluminum. 53/4" (14.6cm) long, 2" (10cm) wide, 1 lb. 10 oz.

#080-835-002DF 1911 Slide Jig 8K94A19 \$ 126.95

CASPIAN ARMS 1911 AUTO

POCKETSMITH IIG

cutter. Additional tools in the handles are 3/2" and 5/2" Allen

wrenches, three screwdriver bits with assist tabs for easy grasp

when swinging out of handle, mainspring housing pin punch, file, and an easy-open knife with half-serrated, half-straight blade. Scratch-resistant, matte black hardcoat finish for excep-

tional strength, and grip panels of rugged G10 fiberglass com-

posite with checkered surface pattern for a firm grasp. Nylon

SPECS: Stainless steel, matte black finish, with anodized G10 fiber-

glass grips, matte black. 41/8" (10.5cm) OAL folded; 61/2" (16.5cm)

BROWNELLS

MAINSPRING HOUSING PINTOOL

Pops This Stubborn Pin Out Easily

held in by a detent) a snap. Round, plastic handle fits your palm

nicely, one "rap" and the pin is out. Speeds any disassembly/reas-

sembly job, whether doing repairs or using the "stone and try"

SPECS: Plastic handle, RC50 steel shank, Approximately, 3" (7.6cm)

AL MARVEL 1911 AUTO

SAFETY DETENT DEPRESSOR

Stop Scratching Frames

Easily slips behind the thumb safety; cupped tip won't slip off

8K16A42 \$ 24.97

method for trigger pull work. Fits all 1911 Autos.

#080-850-000DF Mainspring Housing Tool,

Makes removing the 1911 Auto mainspring housing pin (it's

#168-000-088DF Pocketsmith IIG Multi-Function Tool,

OAL extended. Includes black nylon belt pouch.

Auto slides for more precise milling

belt pouch included.

Everything You Need

For Field Repair

In One Compact Tool

pocket tool has all the tools

needed to service your 1911

at the range and on the bench.

Fold-open design has a bush-

ing wrench, pliers, and wire

All-in-one, stainless steel

DISCONNECT **SCRAPER**



Deepens Disconnector Notch For Smoother Trigger "Feel"

Super-hard, steel scraper lets you deepen the disconnector notch to keep the disconnector from bumping the slide. The right way to end the problem. NEVER shorten the disconnector. SPECS: CPM Rex 76 steel. 51/4" (13.3cm) long overall. #080-746-002DF Disconnect Scraper 8K11B87 \$ 15.99

Brownells 1911 AUTO MAGAZINE LIP FORMING TOOLS



Customizes Magazines To Properly Feed Wadcutter Ammo

No amount of accurizing will make a 1911 Auto shoot wadcutter ammo if the magazine's feed lips aren't right. These tools easily reform the lips to the optimum angle, curing the tendency of wadcutters to jam against the ramp. "Anvil" fits inside the magazine and establishes

the angle. "Yoke" (designed by Lou Woll) fits over the lips and ensures that both sides will be identical.

SPECS: 1018 Steel, hardened to Rc 50, Anvil - 23/4" (70cm) x 11/4" $(3.2cm) \times \frac{3}{8}$ " (9.5mm). **Yoke -** 3" $(7.6cm) \times 1$ " $(2.5cm) \times \frac{5}{8}$ " (41.2mm). Set includes one of each. Instructions included.

#080-810-001DF	Lip Forming Anvil 8K48X49	\$ 60.95
#080-810-002DF	Lip Forming Yoke 8K29X04	36.85
#080-810-003DF	Lip Forming Set 8K75X46	100.95

Brownells 1911 AUTO **GUN SPECIFIC MAGNA-TIP®** SCREWDRIVER SET

Self-Storing, Carry Along For 'Smiths & Shooters

We precisely matched each screw on the 1911 Auto to our MAGNA-TIP bits to give you the best possible, blade-to-slot fit, then added in a few specialty bits, plus a brand new, short-shanked, #84 MAGNA-



TIP Hollow Handle for maximum control when working on your pistol. The result is a compact, take-it-anywhere field tool for the 1911 shooter or gunsmith. Contoured driver handle holds six bits: #150-4 for the magazine catch lock, #240-5 for slotted grip screws, 3/32" Allen for Allen head grip screws, 1/16" Allen for Bomar and Heine sights, 5/64" Allen for Novak sights, a mainspring housing bit, plus a .050" Allen wrench for adjusting XS sights. SPECS: 61/8" (15.5cm) OAL, 11/8" (2.9cm) dia. handle, 13/4" (4.4cm) long shank. Set contains (1) each: #150-4, #240-5, 3/32, 1/16" and 5/64' Allen bits, mainspring housing bit, and .050" Allen wrench.

#080-000-444DF 1911 Screwdriver Set 8K21B07....\$ 24.95 #080-000-448DF 1911 Bits, only 8K10C61 13.95

BROWNELLS GRIP SCREW BITS





Allen®, TORX® & Slotted Bits Fit Right

Here are the three Magna®-Tip bits you'll need to install and remove our custom grip screws. Although we picked them to match our screws, they'll fit other brands too. SPECS: Steel, heat treated. Allen: 3/32" hex. Slotted: 240-5. TORX: T-15. Fit Brownells 1911 Auto and Ruger Mkl/Mkll grip screws.

#080-185-100DF 3/32" Allen Bit 1K01V89\$ 2.49 #080-240-540DF 240-5 Slotted Bit 8K02A52............2.99 #080-435-015DF T-15 TORX Bit 8K02T48......2.99

order on the web www.brownells.com

#583-120-101DF Detent Depressor,

SPECS: Steel shaft, plastic handle, 5" (12.7cm) long.

the slide lock detent.



Brownells Magna-Tip® 1911 AUTO BUSHING DRIVER™ BIT

Supports Bushing For Easiest Removal - & Fits Into Your MAGNA-TIP's Hollow Handle!!

> Special bits that fit our MAGNA-TIP® and Clip-Tip handles to correctly center the blade and fully support 1911 grip

bushings. Makes removal easier, faster and prevents tearing up the slot. Regular 1911 Bushing Driver Bit removes standard bushings; Slim 1911 Bushing Driver Bit removes the thin bushings used for slim grips.

SPECS: 19/16" (3.9cm) overall length, 5/16" (8mm) O.D. #080-434-045DF 1911 Bushing Driver Bit 8K07T65 .\$ 10.99 #080-134-001DF 1911 Slim Bushing Bit 8K07A27 8.99

BROWNELLS 1911 AUTO **GRIP BUSHING STAKER**

8-Segment, 90° Head Gives Maximum Contact To Frame For Most Secure Bushing Installation Possible

1911 stock bushings get bunged up or lost in the field or, when a pro is doing a "Master Reblue Job" they get removed to permit the finest possible polishing job. Then they have to be replaced and that can be a real chore. No more. With this special Brownells 1911 Auto Grip Bushing Staker, it's now quick and easy to get them tight on the first try. Made in 8 segments with 90° cuts between for maximum bushing contact to frame. Has "handle" and deep hole in top of Staker to prevent your 1/8" punch from slipping off. (The 1/8" punch passes thru bushing center on opposite side of frame to give clean access to bushing being replaced or tightened.) NOTE: Make an anvil block to support outside of bushing while it is being staked. Works great!

SPECS: Staker head - S5 Tool Steel hardened to Rc 57-60. 4"

(10.2cm) handle.		
#080-644-000DF	Grip Bushing Staker,	
	8K23B66	\$ 31.9!
#080-644-001DF	Replacement Staker Head,	
	8K20B61	24.99
#891-215-640DF	15/64" High Speed Drill,	
	1H00DZA	3.3



Helps You Fit The Standing Lugs On Oversized Barrels

> Three essential tools work together to help you successfully fit oversized barrels. The Barrel Holder locks the barrel in the slide to let you cut the excess material on the

lugs with the included, carbide Barrel Lug Cutters. Plus, the Slide Pusher holds the slide forward to put a consistent pressure on the barrel while cutting. Comes in a convenient case.

SPECS: Barrel Holder - Steel. Approximately 3.5" (9cm) long .44" (1.1cm) O.D. Barrel Lug Cutter - Carbide. . 186" cutter and . 195" cutter; includes handle. Slide pusher-steel shaft, plastic handle. 6.5"

(16.5cm) long.		
#080-000-089DF	1911 Auto Lug Fitting Kit,	
	8K134H54\$ 17	79.99
#080-746-001DF	1911 Auto Slide Pusher,	
	<i>8K14B43</i>	19.97
#080-711-100DF	1911 Auto Barrel Holder,	
	8K15U56	20.99
#080-000-058DF	1911 Auto Lug Cutter, Handle only,	
	8K17A29	21.61
#080-000-063DF	1911 Auto .195 Lug Cutter,	
	8K43A88	3.98
#080-000-062DF	1911 Auto .186 Lug Cutter,	
	8K43A98	3.98

BROWNELLS **1911 AUTO LUG IRON**



Removes Ridges & Levels Lug Area

Quickly, accurately removes wear flanges and machining ridges from the slide lug area of 1911 Autos. Ensures a precise fit, reduces barrel friction and improves accuracy. SPECS: 83/4" (22.2cm) long. One-piece steel shaft and head.

#080-689-000DF Brownells Lug Iron 8K44Y58.....\$ 52.95

Brownells **1911 AUTO LUG CUTTER**

Recuts Lua For A Tight Fitting Barrel That Improves Accuracy

Hand operated, carbide cutter easily trims excess material from the bottom barrel lug when fitting custom or factory barrels to 1911 Autos. Cuts barrel lugs parallel, and with the correct height and



SPECS: 1" (2.5cm) diameter knob; 2.07" (5.25cm) long shank. .186" (4.72mm) or .195" (4.95mm) diameter cutters. Complete instructions included.

#080-000-067DF	Handle & .186" Cutter	<i>8K58A88</i> \$ 78.50
#080-000-068DF	Handle & .195" Cutter	8K58A88 78.50
#080-000-062DF	.186" Cutter, only 8K43	A98 53.98
#080-000-063DF	.195" Cutter, only 8K43	A88 53.98
#080-000-063DF	.195" Cutter, only 8K43	A88 53.9 9

Brownells 1911 AUTO **BARREL LOCKING LUG FILE**

For Critical Fitting Of Match-Grade BarrelTop Lugs

Precision, surface-ground file deepens barrel locking lugs without increasing width. Safe on two sides to let the gunsmith file to a close fit with no chance of widening lug area. #2 cut, Swiss pattern cuts smoothly; little or no additional stoning/polishing

SPECS: 6" (15.2cm) long. .171" (4.35mm) square. #080-751-000DF Barrel Locking Lug File 8K45P43 .\$ 59.99

BROWNELLS 1911 AUTO **EJECTION PORT GRINDING STONE KIT**

"Cobalt" Stones Easily Shape **Hardened Slides**

Long-lasting, Cobalt impregnated aluminum oxide stones are the ultimate for shaping the ejection port roll-over notch. SPECS: Cobalt impregnated aluminum oxide, 120 grit. Includes (2) B51, (2) B42 stones and instructions. 1/8" (3mm) dia. shank. #080-810-000DF Ejection Port Stone Kit,



SINCE 1939



BROWNELLS 1911 AUTO **CHECKERING GUIDE**

Get True Diamonds On Front Strap

Clamps over the frame of a 1911 Auto to provide a solid guide for getting the front strap checkering lines started correctly. Sets up 60° or 90° diamonds. 🔙

SPECS: 2½" (6.3cm) long, 1" (2.5cm) wide. 7/16" (11.1mm) thick. Aluminum Guide and Clamp Bar, Allen head lock screw.

#080-684-000DF 1911 Checkering Guide 9A23X93 .. \$ 29.97

MARVEL PRECISION **EZ CHECKERING FIXTURE**

Produces Accurate, Beautiful, Hand-Cut Checkering In Any LPI Spacing

Professional-quality fixture helps you produce straight, accurate, front strap frame checkering on your very first try. Clamps to any single stack, Govt. length frame and provides repeatable indexing for vertical and horizontal cuts, plus the initial undercut. If used correctly, this

CNC-machined fixture will make it very difficult to make a mistake. Accepts all wide checkering files. GSA Includes well written, well illustrated instructions.

SPECS: Aluminum fixture, matte, silver finish. Steel screws and indexing pins. Includes undercut rollers and Allen wrenches.

#588-100-011DF EZ Checkering Fixture 8H00UAV \$ 184.95

CHADWICK & TREFETHEN 1911 AUTO BARREL BUSHING REAMER

A Better-Fitting Bushing Means Enhanced Accuracy

Expandable reamers easily adjust to cut the exact I.D. dimension required for a tight barrel-to-bushing fit. "A" Reamer is used for the smaller I.D., Colt factory Commander barrels in 9mm and .38 Super. "B" Reamer is used for all factory and aftermarket Government-length barrels in all calibers.

SPECS: Carbon steel, in-the-white. Dimensions and expansion ranges: "A" 55%" (14.2cm) long, .218" (5.5mm) square shank, .468" (12mm) - .531" (13.5mm). "B" 5³/₄" (14.6cm) long, .282" (7.1mm) square shank, .531" - .593" (15mm).

#170-531-001DF "A" Adjustable Reamer 7A00YTP .. \$ 52.62 #170-531-002DF "B" Adjustable Reamer 7A00VBX... 52.62 1080-045-045DF Can't Mar™ Bushing Wrench, #170-531-102DF "B" Replacement Reamer Blade Set,

BROWNELLS 1911 AUTO ANODIZED BUSHING WRENCH



Non-Marring Aluminum Gets The Tightest Bushings Loose

The perfect tool for every 1911 owner's range bag or cleaning kit. Precision machined for a close fit to Government Model and Officers ACP bushings. The extra thick, contoured handle fits comfortably in your hand; has plenty of heft for a good, solid grip. Turns the tightest bushings without slipping.

SPECS: Aluminum, red anodized. 5½" (14cm) long, 1¼" (3.2cm) wide, 1/4" (6.35mm) thick. 080-045-200DF Anodized Bushing Wrench,

SATISFACTION GUARANTEED

Brownells COLT WRENCH



1911 Auto Bushing Wrench, Plus Ratchet/Ejector Rod Wrench

An obvious "must have" tool belonging on the bench of every gunsmith or armorer who works on (or strips for rebluing) any Colt handgun. The double-ended 1911 Auto bushing wrench feature has been time proven by gunsmiths. Ours handles the traditional Government model with one end and the Colt Officer's ACP with the other. We've all sweated over the mar-free removal and reassembly of the ratchet (ejector/extractor) from the ejector rod of large and small frame Colt revolvers. Brownells Colt Wrench handles the operation properly. The hex opening fits over the ratchet of large frame Colts (including old and new Pythons) to hold the ratchet for unscrewing from the ejector rod. For small frame Colt revolvers, the slot with two small studs fits between ratchet and cylinder face; the two studs fitting into two of the ratchet cartridge extractors. The tool ratchet unscrews from rod with no mar or deformations! A lifesaver!! **SPECS:** Blued steel. 61/8" (15.6mm.) x 1" (2.5cm) x 1/8" (3.2mm). #080-557-000DF Brownells Colt Wrench 8K17B81 . . \$ 24.97

BROWNELLS CAN'T MAR™ 1911 AUTO BUSHING WRENCH



- Can't Damage Finishes Virtually Unbreakable
- Pocket-Sized •Versatile, Double-Ended Design

Every 1911 owner and gun shop needs a wrench to remove the barrel bushing from the 1911 Autos. Ours fits all the calibers and variations; Colt-made (including factory Officers ACP), plus copies. Made from super tough ABS "T" grade polymers, Brownells Can't Mar™ wrench has more thickness and heft than other synthetic wrenches. It gets out even the most tightly fitted match-grade bushing WITHOUT scarring or marring the finish of the gun's bushing or slide. Virtually unbreakable, the Can't Mar™ wrench carries easily in pocket or field kit.

SPECS: 5½" (14cm) long. 1¼" (3.2cm) wide. .187" (4.75mm) thick Weighs 1 oz. (28 g).

Brownells **BUSHING/COMPENSATOR** FITTING MANDREL

Grips & Centers For Turning O.D.



Makes uniform, precise fitting of an oversized bushing or cone style compensator fast and simple. Two-piece mandrel threads together with the bushing/comp in between. Flat seat locates front of bushing; tapered, hardened "nose" automatically centers the rear. Mount in the lathe or drill press and file or turn O.D. as needed.

SPECS: Machined steel. 11/16" (17.4mm) diameter. Approximately 4" (10.2cm) long. Comes complete with "A" rod for bushing, "B" rod for cone style comps. Instructions included.

#080-804-100DF Bushing/Compensator Fitting Mandrel,

Office/Tech: 641-623-5401

Brownells SEMI-AUTO PISTOL **COMPENSATOR TAP & DIE**

Make & Install Custom Compensators For Reduced Recoil And Better Control

Use die to thread custom and standard barrels to accept recoil compensators. Use plug tap to chase threads or tap your own custom compensators.

1911 AUTO COMPENSATOR TAPS AND DIES - Dies are $1\frac{1}{2}$ " (3.8cm) diameter. Unthreaded comps should be drilled with $^{35}\!\!\!/\!\!\!/ _{4}$ " HSS drill then reamed to .551" before threading with either tap. Turn barrels to approximately .002" smaller than thread diameter. .575"-40 thread matches most commercial, tapered-sleeve or integral, cone-style comps. .581"-40 thread is same as used on Wilson, Brown and Storm Lake Machine barrels and bushing style comps. .685"-40 thread is used to fit compensators to threaded Bull and Hybrid barrels.

SPECS: High spe	
#080-598-575DF	.575"-40 Compensator Tap,
	2K31B65
#080-598-576DF	.575"-40 Compensator Die,
	2K68B74
#891-235-640DF	35/64" Drill Bit,
	1H00XCH
#080-598-581DF	.581"-40 Compensator Tap,
	2K34B81
#080-598-582DF	.581"-40 Compensator Die,
	2K54B96
#080-598-685DF	.685"-40 Compensator Tap,
	6K30B04
#080-598-686DF	.685"-40 Compensator Die,
	6K48B35

DAVE MANSON PRECISION REAMERS **NOWLIN CHAMBER REAMER**

Fits Nowlin Tight Bore Barrels

Specially ground, reduced-diameter pilots fit the tighter bore specifications used on all Nowlin barrels. Precision ground with an integral throater and solid, fixed pilot.

SPECS: M7 high speed steel. Six straight flutes with right hand cut. 3/8" (6.3mm) square drive shank.

#513-051-909DF	9mm Nowlin Reamer 3A00YTP\$ 72.95
#513-051-389DF	38S Nowlin Reamer <i>3A00VBX</i> 82.95
#513-051-929DF	9x23 mm Nowlin Reamer,
	3A00YTP 72.95
	.40S&W Nowlin Reamer 3A00VBX 72.95
#513-051-459DF	.45 ACP Nowlin Reamer 3A00XCH 70.00



CLYMER 1911 AUTO GO/NO-GO GAUGE SETS

Headspace Gauge Sets To Check For Safe Chamber **Dimensions**





Convenient kits contain

"Go" and "No-Go" gauges for accurately checking chamber length to make sure it meets SAAMI specs. These gauges are essential tools for ensuring a tight, accurate, safe chamber when chambering a new barrel. Always have a set on hand to check for correct headspace before buying or firing a new gun. Comes in a handy, durable plastic carrying case.

SPECS: Steel, precision machined to SAAMI specs. Each set contains one go gauge and one no-go gauge in a single caliber. Sets

available in .45 ACP and 9mm Luger.

#184-000-041DF .45 ACP Headspace Gauge Kit,

NOWLIN MFG. 1911 AUTO RAMPED BARREL FRAME **BRIDGE CUTTER**

Speeds Ramped Barrel Installation; **Ends Ruined Frames & Broken Cutters**

Precision-ground cutter speeds up the time-consuming job of removing the ramp from a 1911 Auto frame prior to installing a fully ramped barrel. Custom-ground, longshank end mill helps you get a frame that's cut clean and straight, ready to fit. Fully piloted to eliminate bind, and won't lose zero if you take the frame out of the milling vise. SPECS: High-speed steel cutter, carbon steel shank, aluminum bushing. $5\frac{5}{8}$ " (14.3cm) OAL, $\frac{7}{16}$ " (1.11cm) diameter cutter, ½" (1.3cm) diameter shank. Works for all ramped barrels equipped with bottom feet cut square at the rear, like Nowlin and Wilson. #654-105-000DF Ramped Barrel Frame Bridge Cutter,

4E00PUA.....\$ 99.95

1911 AUTO

BARREL INSTALLATION ACCESSORIES

BARREL HOLDER - Locks the barrel to the slide, simplifying lug-to-pin fitting using either the Wilson Lug Cutter or a 3/16" diameter, parallel round file. Mounts through the bushing below the barrel, and clamps it in the full lock position with a set screw. SPECS: 53/4" (14.6cm) long. 5/8" (15.9mm) diameter. Steel. Fits

9mm, .38 Super and .45 ACP. #080-711-100DF 1911 Auto Barrel Holder 8K15U56.\$ 20.99

VISE JAWS - Multi-position, aluminum vise jaws with one horizontal and three, vertical "V"s, firmly hold 1911 Auto barrels without damage. Powerful, magnetic strip keeps the jaws in place. Also holds cylindrical parts. SPECS: Aluminum. 4" (10.2cm) wide, 11/4" high face. #080-824-000DF 1911 Auto Vise Jaws 8K18P68 \$ 28.13

Brownells 1911 AUTO BARREL ALIGNMENT GAUGE

.38 Super/9mm

Fast Check For Proper Lug Engagement & Firing Pin Alignment

Valuable barrel fitting aid for the gunsmith and

a great "used gun" checker for the dealer. The rod slides down the barrel and the centered tip drops into the firing pin hole on a properly-fitted factory barrel. A little layout fluid on the breech face shows exact alignment.

SPECS: Centerless ground steel, 8½" (21cm) long, Set includes

all tillee gauges.		a
#080-804-038DF	.38 Super/9mm Gauge 8K37B92 \$ 46.99	ζ
#080-804-040DF	.40 S&W/10mm Gauge 8K36B81 44.99	
#080-804-045DF	.45 ACP Gauge 8K37B89 44.99	
#080-804-000DF	Barrel Alignment Ga. Set,	
	8K75B99	

EGW 1911 AUTO HOOD LENGTH GAUGE

Makes It Easy To Fit Hood Length On New, Oversized Barrels

Steel gauge fits in your slide to precisely measure the correct hood length down to a thousandth of an inch. Shows you how much to cut the first time and eliminates the time-consuming, file, fit, and file some more process.

SPECS: Steel, black-oxide finish. 63/8" (16.2cm) long, 1/2" (13mm) wide, 1/8" (3.2mm) thick. Indicates hood lengths of 1.313", 1.315", 1.318", and 1.321".

#296-000-055DF Hood Length Gauge 6B26H67.....\$ 33.33

Brownells 1911 AUTO BARREL ALIGNMENT BLOCK

Fast, Accurate Hood-To-Slide Fitting On 1911 Autos

Milled lug slot holds the barrel square in the slide for precise fitting of the hood to the bolt face slot. Provides a quick visual check for hood fit that eliminates time consuming as-

sembly/disassembly for hood fitting. Fits between the slide rails to prevent barrel twist. Aids lockup and accuracy. May require minor fitting to slide.

SPECS: Steel, black oxide finish. 2" (5 cm) long, 3/4" (19mm) wide, 1/2" (12.7cm) high. Instructions included.

#080-000-041DF Barrel Alignment Block 8K27U26 .\$ 39.95

EVOLUTION GUN WORKS 1911 AUTO LOCK-UP GAUGE

Keeps Barrel True During Milling & Fitting

Aluminum gauge keeps barrel placement consistent during "mill and fit" procedure. Hole in gauge lets you place a dial indicator on barrel to make sure that it remains in proper alignment

while you check for proper lock-up. 🔙 SPECS: Aluminum, black, 3" (76mm) long, 1" (25mm) high, Slots are .362" (9.1mm) and .368" (9.3mm).

#296-000-071DF Lock-Up Gauge 6B22Z00.....\$ 27.95

WEIGAND COMBAT 1911 AUTO **BARREL FITTING FIXTURE**

Precision Milling Machine Setup For Greater Accuracy & Repeatability

Heavy-duty, steel jig serves as a secure milling fixture that lets you clamp any 1911 Auto barrel at the correct angles in your milling machine to make accurate, repeatable cuts for hood length, width, and bot-

tom lug foot height. Far more precise than hand filing, so it helps improve the accuracy of your finished pistols, while saving valuable shop time. Adjustable "V" block and fully-indexable jack 1080-771-000DF Plunger Tube Reamer Set, screws let you set up, remove barrel to check fit, and re-clamp it in the fixture with absolutely no loss of zero. Use with a fourflute, 5mm diameter end mill, available separately.

SPECS: Fixture - Steel, parkerized, matte black. 6" (15cm) long, 3" (7.6cm) wide, 2" (5cm) high. Instructions included. End Mill - High speed steel, four-flute. 5mm (.1968") dia. x ½" (12.7mm) long cut. 23/8" (6cm) OAL, 3/8" (9.5mm) dia.shank.

#957-000-075DF Barrel Fitting Fixture 7E00XCH .\$ 179.95 265-000-011DF 5mm HSS End Mill 5F00HDZ 23.99

GUN RUNNERS 1911 AUTO PLUNGERTUBE STAKINGTOOL

Easy, Two-Hand Operation Gives Tight Crimp

Combination tool clamps plunger tube firmly and accurately in place, helps prevent expensive damage to the frame or the plunger tube. Locking bar is milled for a precise fit to both 5%2", Mil-Spec, and 3%6", oversize tubes. Spot faced holes along the back of the locking bar hold tool in correct alignment for a tight crimp. Hardened point gives vears of service.

SPECS: 1018 steel body, matte grey parkerized finish. Bar - 31/2"

(8.9cm) long. Body - 2³/₄" (7cm) long. **#634-000-001DF Plunger Tube Staking Tool,**

Brownells 1911 AUTO PLUNGERTUBE CRIMPER KIT

Foolproof, Military Design For Tightest Tubes

Easy-to-use adaptation of a proven armorer's tool lets you secure the plunger tube to the frame without fear of tube crush



or expensive frame damage. Adjustable to fit all makes of frames and tubes for both installing and re-tightening. Beveled jaws allow easy frame access; hardened crimping point assures long tool life. PlungerTube Support slips inside plunger tube and prevents compression damage while tube is being staked to frame. SPECS: Steel, 7" (17cm) long. Crimper Kit includes crimper and plunger tube support. Includes external reinforcing block. Plunger Tube Support - Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter. Replacement Tip - 10-32 tpi fits current crimpers, 8-32 tpi fits all older

crimpers.	
080-806-500DF	Plunger Tube Crimper Kit,
The state of the s	<i>8K57B94</i>
#080-707-000DF	Plunger Tube Support 8K10A28 14.
#080-806-100DF	10-32 tpi Crimper Replacement Tip,
	8K03B12
#080-806-101DF	8-32 tpi Crimper Replacement Tip,
	8K03B57

—PLUNGER TUBETOOLS –

GSA Faster, Tighter Installation; Damage-Free Removal

PLUNGERTUBE SUPPORT - Slips inside plunger tube and prevents compression damage while tube is being staked to frame. Supports the tube over its full length. SPECS: Hardened steel. 4" (10.2cm) long, .106" (2.7mm) diameter. Step is .300" (7.6mm) long, .090" (2.3mm) diameter. #080-707-000DF Plunger Tube Support 8K10A28...\$ 14.97

PLUNGER TUBE REAMER - Extra long reamers return the plunger tube to correct I.D. after staking - and provide plenty of spring clearance for positive operation.

SPECS: Approximately 7½" (17.7cm) long. Tool steel reamers. Inlcudes (1) .096" (2.4mm) and (1) .116" (2.9mm) diameter reamer.

8K17P71\$ 25.99

KRIEGER 1911 AUTO DETENT SPOTTING DRILL

Cut Positive Detents On New Thumb Safeties/Slide Stops

Combination step drill and ball end mill aligns through the plunger tube and cuts new detents using only finger pressure. SPECS: Drill rod. 6½" (16.5cm) long. 088" (2.26mm) diameter. #492-002-000DF Detent Spotting Drill 2D00VBX ...\$ 23.65

ED BROWN 1911 AUTO BEAVERTAIL INSTALLATION JIG



Radius Frame Ears "Just Right" For Brown Beavertail Safeties

Neat little jig "buttons" show you just how much of the frame ears to mill/grind away when installing Ed's Beavertail Safety. Just drop in the thumb safety pivot pin hole, scribe

around, grind/mill close, then hand file right down to the hardened button. Includes instructions.

SPECS: Hardened steel. 1/2" (12.7mm) dia. x 13/4" (4.4cm) long. #087-145-886DF Brown Beavertail Jig 7H18Y66....\$ 23.35

order on the web www.brownells.com

HARRISON DESIGN & CONSULTING 1911 AUTO GRIP SAFETY FIXTURE GSA

Holds Beavertail Grip Safeties Firmly In Place While Fitting

Precision machined fixture fits in place of the trigger to hold the grip safety securely in place while fitting it to the top of the frame tangs. Adjustable screw and pin allows precise positioning and retension of the grip safety and frame. For best results, use with thumb safety and mainspring housing in place.

SPECS: Plastic body, stainless steel screw and adjustment pin. Body is 134" (4.45cm) long x 1/4" (.64cm) thick. Adjusts out to 234"

#100-002-919DF Grip Safety Fixture 9B31P95.....\$ 38.95

WILSON COMBAT 1911 AUTO BEAVERTAIL FITTING JIG

Takes The Guesswork Out Of Beavertail Fitting



Provides a precise guide for cutting the frame tangs on 1911 Auto frames; makes short work of installing Wilson High-Ride Beavertails. Install on frame and file up to guide; file will not cut 3080-721-621DF 2 Ceramic Stone Ground Set, the hardened jig. Remove jig and sand or file to fit. SPECS: Steel, in-the-white, hardened. Includes jig, fasteners and

instructions. Fits Wilson and Clark beavertails. #965-402-000DF 402 Beavertail Jig 5F20T46 \$ 24.95

Brownells 1911 AUTO EXTRACTOR REMOVALTOOL

Fast, Damage-Free Extractor Removal

Dual-purpose tool gives fast, easy extractor removal. Handle end helps depress the firing pin to remove the stop, spring and pin. Lever end reaches easily into the slide, moves the extractor to the side, presses it to the rear for easy removal. SPECS: Steel, blue, matte finish. 6" (15.2cm) long, 3/8" (9.4mm) diameter handle. .150" (3.7mm) diameter lever.

#080-923-000DF Extractor Removal Tool 8K19X78 .\$ 24.97

WEIGAND COMBAT EXTRACTOR TENSION GAUGE SET

Eliminate **Extraction Problems**



Accurately measure extractor/shell rim tension to help achieve reliable case feeding, extraction and ejection. Slips between the breech face and the extractor. Take measurement with your 6 lb. trigger pull gauge. SPECS: EDM brass. 2" (5cm) long. Set includes two double-ended gauges to fit 9mm/.38 Super, .40, 10mm/.45 ACP for most semiauto pistols with exposed extractors and open breech faces.

#957-101-000DF Ext Tension Ga Set 7E00BXC \$ 14.95

WEIGAND COMBAT 1911 AUTO EXTRACTORTENSIONING TOOL



Easily puts just the right bend in the extractor, without over-bending, for precise tension adjustment, right to the ounce. Use in conjunction with the Weigand Extractor Tension Gauges to fine tune the extractor for optimum extraction and feeding reliability. Carry in your range bag to keep the

extractor performing its best. SPECS: Aluminum, natural finish. 23/4" long. Instructions included. 957-000-037DF Ext Tensioning Tool 7E00AVB....\$ 29.95 080-721-230DF Trigger Track Stone 8K12V18....\$ 15.99



State-Of-The-Art Stones Combine Fast Metal

Removal With Fine Finish

Custom made to our specs from premium ceramic. The cutting

action is very fast and the resulting surface very smooth. Perfect

for all trigger work from burr removal to final finish. Use dry

or with water as a lube (no messy oil); soap and water cleanup.

Less fragile than Arkansas stones. Sold in two colors, White and

Black, Ground sides for sharp, 90° edges and an extremely fine

like the 1911 Auto, that require an exact 90° interface for best

performance. White stones produce a finer cut than Black. Set

BROWNELLS HAMMER/SEAR FILE & STONE KIT - The most

complete and useful selection of specially designed $\frac{1}{2}$ " x $\frac{1}{2}$ " x 6" sharp edged stones and files ever offered for 1911 Auto trigger

and sear work. Our exclusive 90° Hammer Hook Squaring File

w/Handle, FF-46 India Stone, Ground Black Ceramic Stone and

Ground White Ceramic Stone packaged in a convenient polypro-

NORTON 6" x 1/2" x 1/2" STONES

Traditional Gunsmithing Favorites Deliver

Excellent Surface Finishes

INDIA STONES - Fast cutting aluminum oxide stone. Medium is

perfect for fast production cleanup of the manufacturing burrs

found in almost all new guns. A few quick strokes in the jig re-

sults in a much smoother trigger pull. Lubricate with stoning/

honing oil. **Fine** is a good combination of speed and smoothness

of cut to put a finer finish on parts for slicker, smoother trig-

ger pulls. A favorite of many armorers. Lubricate with stoning/

#657-246-146DF MF-46 India Stone 7E00ZAY \$ 14.99

#657-246-246DF FF-46 India Stone 7E14P62 24.99

HARD ARKANSAS STONES - The standard of the industry. Pre-

mium grade, white, hard Arkansas stone gives precise metal removal and is the final step in match trigger jobs. Puts on that

final surface polish that brings the pull to its ultimate. Soak well

with stoning/honing oil for longest life, most consistent results.

#657-300-650DF Hard Arkansas Stone 7E00TPU ...\$ 57.89

BROWNELLS 1911 AUTO

TRIGGER TRACK STONE

Polish The Channel To Reduce Trigger Pull Of 1911 Autos

SPECS: Medium grit, gray ceramic. .230" (5.8mm) square, 5"

COLOR/CUT

Black/M-Fine

White/X-Fine

8K35H84.....\$49.99

PRICE

\$ 29.95

\$ 29.95

STYLE

Ground

Ground

#080-811-000DF Hammer/Sear File & Stone Kit,

pylene storage box with oak divider tray.

honing oil. Aluminum oxide.

a light, crisp, trigger.

(12.7mm) long.

GSA

contains one of each stone.

STOCK #

#080-721-604DF

#080-721-601DF



Brownells 1911 AUTO HAMMER SLOT STONE

The Right-Sized Stone For Semi-Auto Pistol & Revolver Work

Precision-cast, ceramic stone is an exact fit for smoothing the inside surface between the frame tangs on a 1911 Auto. That gives smooth hammer movement and a lighter trigger pull. We had it specially made for that one job, then, as we used it, we found that it works great for many others. It also fits the hammer slots on all Ruger "P" Series Pistols, all Ruger Revolvers plus all S&W K, L, & N frame revolvers. We didn't plan on such a versatile stone, but we're delighted it turned out that way. SPECS: Ceramic, brown, .302" (7.6mm) sq., 5" (12cm) long.

cutting action for polishing and smoothing triggers and sears, 3080-625-002DF Hammer Slot Stone 8K09D93 \$ 13.99

Brownells/Yavapai 1911 AUTO SEARTOOL

Adjustable For Angle Of Cut; Lets You Examine Actual Hammer & Sear Engagement At 25X!

Precision-machined tool incorporates a rollertype, sear stoning fixture that allows incremental cutting of both primary and secondary sear angles plus, a 25 power magnifier for detailed, up-close examination and precise changes in individual hammer/sear engagement.

Sets Critical Sear Angle For 1911 Trigger Jobs

the palm of your hand, holds sear at the correct angle for precise stoning. Adjustable positioning screw lets you make exact sear angle changes to increase or decrease trigger pull weight. Use with 6"x½"x½" stones to

SPECS: Stainless steel. 1" (2.5cm) wide. 47/16" (11.1cm) long.

MARVEL 1911 AUTO SEAR JIG

Locates Sear Precisely, **Guides Stone Accurately**

CNC-machined, aluminum sear jig with stainless steel roller is preset to cut the primary and relief angles. Steel post corresponds with sear hole; side clamp

holds the sear in place. Change angles by releasing the clamp and pressing down on the sear. Steel thread inserts in the drilled screw holes prevent wear.

SPECS: Aluminum jig body and sear vise, natural finish. Steel roller.

33/8" (8.5cm) L x 13/4" (4.4cm) H x 1" (2.5cm) W.

#583-000-001DF 1911 Auto Sear Jig 3H00CHD \$ 48.95 713-000-082DF Triangle Stone Holder,

MARVEL PRECISION **ULTIMATE 1911 SEAR JIG**



Roller-Guided Stoning For **Precise Sear Engagement Cuts**

Aluminum jig uses two rollers to guide your stone evenly over the sear to let you get the exact angle for a crisp, clean trigger pull. Three modes allow

you to pre-set, mate, and set up for secondary stoning to ensure that the hammer-sear engagement is precisely set. An adjustable angle mode is also available for experimenting with different angles. Brass rollers prevent over-stoning the sear and an adjustable insert and knob work with the sear block to lock the sear in place to prevent movement.

SPECS: Aluminum block, brass rollers. Includes instructions.

#588-000-003DF Ultimate 1911 Sear Jig 8H129U99\$ 132.00

POWER CUSTOM

SERIES II STONING FIXTURE

ground indexing elevator column and clamps the hammer in

the right position for correct stoning with the specially ground Series II India Stone or Series II Hard Arkansas Stone. Adjust-

able design lets you change hammer angle to meet the shooters'

precise needs. Series II India Stone or Series II Hard Arkansas

Stone required for use. Purchase separately; listed below. Uni-

versal Adapter fits 1911 Auto, plus High Standard rimfires, S&W

3rd, Gen., Browning HP, SIG 226 series, Ruger single and double Actions, Ruger 10/22, Beretta, and many others.

SPECS: Steel, blued, precision ground and hardened. 5" (12.7cm)

4" (10cm) high, 3" (7.6cm) wide, Fixture includes Adapter, hammer

#713-270-100DF Series II Stoning Fix. w/Univ. Adapter,

and sear clamp, three Allen wrenches and instructions.

#080-815-001DF Series II Hard Arkansas Stone.

Precise, Controlled Stoning

Of 1911 Auto Hammer

For Perfect Trigger Pull

gives an accurate, repeatable meth-

od to achieve a crisp, clean-breaking

trigger pull on semi-automatic fire-

arms. Individual, easy-to-change

Adapter attachs to a precision-

Eliminates the guesswork and

SPECS: Aluminum block, 3" (7.6cm) x 1.5" (3.8cm) x 34" (19cm). Includes 25X magnifier, steel roller, hammer pin, sear pin and complete instructions.

#080-835-001DF Brwnlls/Yavapai Sear Tool,

ED BROWN 1911 SEAR JIG

Contoured design fits comfortably in

achieve a mirror smooth finish for a clean, crisp letoff. Includes complete instructions and .020" shim.

#087-000-011DF Brown Sear Jig 7H31X88\$ 39.85

TRIANGLE STONE HOLDER - Lets you use a common 4" x ½" triangular

India stone in the Series II stoning fixture. Completely supports stone

#080-815-000DF Series II India Stone.



SPECS: 6061 T6 aluminum, anodized, matte black, and polyethylene. 4" (10.2cm) long, 11/4" (3.2cm) wide, 1" (2.5cm) high. Includes (1) triangular 4" x ½" fine grit India stone.

Precision ground to fit inside the trigger bow frame ways; polishes out the manufacturing burrs and rough edges that interfere with trigger movement. Made of premium ceramic for fast cutting action that quickly imparts a very smooth surface. Easy cleanup with soap and water. Truly essential to achieving

BROWNELLS 1911 AUTO-**SEAR STONING FIXTURE**

Helps You Adjust Primary Sear Angle

Easy-to-use tool retains the sear and positions it so you can stone the contact surfaces at the correct angles to produce a smooth, clean-breaking trigger. Helps you produce precise, mirror-finish surfaces for complete. full-width contact with the hammer to ensure reliable

ignition while preserving proper operation of the thumb safety. Raising or lowering the fixture's setscrew lets you change sear angle. Fixture is machined from solid carbon steel for years of service without loss of alignment. Hardened, .020" thick, stainless steel shim prevents you from removing too much material from the sear, and protects the fixture body from wear. SPECS: Steel, black oxide finish. 3¼" (8.3cm) long, ¾" (1.9cm)

wide. Includes .020" thick stainless steel shim and instructions. **#080-000-579DF** Sear Fixture 8K24B99 \$ 34.99

SATISFACTION GUARANTEED



SINCE 1939

Office/Tech: 641-623-5401

GUNSMITHING

TOOLS

POWER CUSTOM **SERIES I STONING FIXTURE**

Ultimate For Hammer & Sear Work; Accurate, Repeatable Setup

Save time and money by providingrepeatable setup, accurate and, measurable adjustments for 1911 trigger jobs. To use, mount hammer or trigger/sear on adapter, set and lock at correct index mark as



instructed. Set stoning angle by counting "clicks" specified to raise or lower elevator and stoning guide. Lock guide, place stone on both roller and hammer or trigger/sear, and stone as normal. Easily adjustable to allow variations in stoning angle for exact, desired trigger pull weight. Same tool Ron Power uses in his own shop. Complete with one adapter and very detailed instructions written by Ron. You will also need a #10 Machinist's Clamp and 6"x½"x½" stones.

SPECS: 59% (14.1cm) long x 29% (6.5cm) wide x 3* (7.6cm) high. 34* (19mm) thick base. 53% lb. (2.6 kg) Blued steel. Includes roller quide and one adapter in the price.

FIXTURE COMP STK #	ADAPTER ONLY STK #	MODEL	ADAPTER FITS
#713-070-002DF	#713-071-002DF	45	Colt Govt.
#713-070-019DF	NA	380	Colt .380 Govt & Mustang
- Advise # -	Series I Fixtu	re Con	iplete,
			\$ 149.99
- Advise # -	Series I Fixtu 3A00VBX		pter, only, 25.49

Brownells HAMMER/SEAR PIN BLOCK



Inspection Of Hammer & Sear Engagement

Machined steel block allows you to mate the hammer and sear (or trigger) outside of the firearm for a clear, unobstructed view of the critical point of

engagement. Accepts a wide selection of hammer and sear pins sized for various handguns and rifles. Dovetailed adjustment block rides in slotted channel so pin spacing can be precisely set to match individual frames and receivers. Allen screw locks the pin setting so hammer and sear can be dropped in place relative to their actual position in the firearm. Great for cutting the engagement surfaces on new parts or fine-tuning the factory ones. Pins are individually numbered for proper identification. SPECS: Block - Steel, blued. Pins - Stainless steel. 21/2" (6.4cm) long, 11/16" (1.7cm) wide. Block and pins sold separately.

4000-000-030DL	nammer/Sear block nammer Fin,	
	for 1911, 8K03H99\$ 4.	99
#080-000-099DF	Hammer/Sear Block Sear/Trigger Pin,	
	for 1911, 8K03H994.	99
#080-000-116DF	Hammer/Sear Pin Block, only,	
	<i>8K47Z96</i>	99

BROWNELLS — TRIGGER ADJUSTMENT PINS





Mount On Outside; Save Repeated Assembly/Disassembly

Precision-ground and hardened trigger and hammer pins (.0005" tolerance) that mount on the outside of the gun frame, using the gun's own pin holes. Allows you to easily observe and

BROWNELLS TRIGGER, HAMMER & SEAR KIT **FOR 1911 AUTOS**



Indispensable Tools To Help You Produce A Match Quality Trigger Job

A smooth, clean breaking trigger is one of the most important steps in fine tuning the 1911 Auto. We've brought together a complete selection of professional quality jigs, stones, files and more; plus, we've included clear, easy-to-understand instructions to help you produce that clean-as-glass trigger break and light, smooth-as-silk pull your customers want. This kit will help you modify most triggers, hammers and sears made for the Colt 1911A1, its many models and copies, including both the traditional single-stack and the popular double-stack variations.

Compiced Riving	rades each of the reems hated below.	
#000 70F 000DF	1011 A T.	
#U8U-/85-UUUDF	1911 Auto Trigger/Hammer/Sear Kit,	
	8K230Y22	

BOB MARVEL SEAR & HAMMER JIG - Three-piece combination jig/vise guides stone over hammer and sear. Makes both primary and secondary sear cuts simple. #080-823-000DF Marvel Sear & Hammer Jig.

8K118P41
2 BROWNELLSTRIGGERADJUSTMENT PINS - Let you test
your stone cuts without repeated assembly/disassembly.
#080-622-001DF Trigger Adjustment Pins,

8K21D73
3 BROWNELLS TRIGGER STIRRUP DIE - Maintains and con
rects the angle of all trigger stirrups for proper length of travel.
#080-710-045DF Trigger Stirrup Die,

6K20A75	ງ.ອວ
4 SWISS PATTERN PILLAR FILE - Fine cut, safe-sided file	for
trimming hammer hooks, angles and pads on custom trigge	rs.
#191-399-110DF #2 6" Swiss Pattern Pillar File,	
	9 63

5 <u>.020 SHIM STOCK</u> - Use with		
assure correct height when trimming the hammer hooks.		
#080-785-020DF .020 Steel Shim	•	
OZOTVOT	é o oo	

6 BROWNELLS HAMMER/SEAR FILE & STONE KIT - Spe-
cially designed ½"x½"x6" sharp edged stones and files for 1911
Auto trigger and sear work. Our exclusive 90° Hammer Hook
Squaring file, FF-46 India Stone, Ground Black Ceramic Stone
and Ground White Ceramic Stone, all in a storage box.
#080-811-000DF Hammer/Spar File & Stone Kit

#080-811-000DF	Hammer/Sear File & Stone Kit,	
	8K95X34	

540 BENCH BOX - Made from virtually indestructible, polypropylene plastic. Resists heat, cold, most chemicals. (Not shown.) #084-078-501DF 540 Bench Box,

adjust trigger pull and sear engagement without repeated disassembly/reassembly to "blind test" changes. Saves time and money; greatly improves chances of getting it right! SPECS M2 tool steel hardened to Rc 55-60. Fits 1911 Govt., Commander and Gold Cup.

#080-622-001DF 1911 Auto Trigger Adjustment Pins,

BROWNELLS 1911 AUTO HAMMER SQUARING FILE



Makes A Perfect 90° Cut When Squaring The Hammer Hooks

Our specially designed, two-sided, square file greatly simplifies trigger jobs by establishing the required, precise, 90°, hammer hook angle. Saves those easily-worn stones for setting hook heights and putting on the final polish. Safe on two sides, cannot damage hammer, and safe to use with the various hammer/trigger sear jigs. Keeps its sharp corners and dead flat edges, even after extended use. Available with or without black

prastic nanule.		
SPECS: 5" (12.7c	m) lg. Tapers, .185" (4.8mm)180" (4.6mm).
#080-752-000DF	1911 Hammer Squaring File,	
	8K25P13	34.99
#080-811-001DF	1911 Hammer Squaring File w/hand	le,
	8K27X96	39.99

BROWNELLS 1911 AUTO HAMMER STOP BLOCK



Saves Time, Speeds 1911 Trigger Jobs

Save time and effort, accurately evaluate trigger function and pull weight without installing and removing the slide each time. Slides onto the frame rails and locks solidly with a thumb screw; nylon pad cushions hammer fall, prevents damage to hammer and frame. Greatly simplifies action tuning and trigger work on 1911 Auto pistols. Does not interfere with

safety or disconnector operation. SPECS: Aluminum, silver, anodized finish. 1" (2.5cm) long, 1"

#080-929-000DF	Hammer Stop Block,
	8K32H32

BROWNELLS **SIGHT BASE FILES**

The Professional Way To Safely Widen Or **Cut New Dovetails**

order on the web

www.brownells.com

65°- 1911 AUTO-TYPE SLOT

Designed especially for widening and final fitting after using our 65° Sight Base Cutter to cut the basic slot. Or, can open up a 60° slot to proper 65° angle if changing to a new sight design. Has true parallel cutting edges for precision filing, giving you full control over the angle of the dovetail. One cutting side only, with the other two sides "safe", so you can widen or deepen sight slots safely without fear of changing the other dimensions. (See Sight Base Cutters listed elsewhere.)

SPECS: 7" (17.8cm) long. 3/16" (4.8mm) wide #1, medium, double-

cut. #2 , fine, sing	gle-cut.	
#080-648-165DF	#1 65° Sight Base File,	
	6C27D93	1.99
#080-648-265DF	#2 65° Sight Base File,	
	6C26D70	3.39

Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

Brownells 1911 AUTO FRONT SIGHT STAKER

Makes Sight Staking Easier

Makes front sight staking effortless, faster and far more accurate. Improved, offset punch design efficiently directs the full force of the hammer blow downward against the sight tenon. Hardened, "V"-shaped tip easily displaces both wide and narrow tenons for a greatlooking, tight-fitting front sight that won't shoot loose. Large, square shaft is easier to hold, see and hit so there's less chance of a missed hammer blow striking your customer's expensive slide.

SPECS: Steel, blued. 5/16" (7.9mm) x 1/2" (12.7mm) x 41/2" (11.4cm) long shaft. Replaceable, hardened steel tip. Fits 1911 Auto. Includes

,	somplete monde	tions.	
- 4	#080-817-000DF	Front Sight Staker 8K35T79	\$ 46.99
4	#080-870-213DF	Replacement Tip 8K10Y17	13.85

Brownells 1911 AUTO **NIGHT SIGHT MOUNTING FIXTURE**

Helps Prevent Tritium Vial Breakage; Accepts All 1911 Stake-On Sights

Heavy, solid steel fixture securely

holds the slide and the night sight in the proper, damage-free position for fast and easy staking. Simply prepare the slide to accept the night sight, clamp the slide and sight in the fixture, then clamp the fixture in your bench vise. The night sight is now ready to stake using your Brownells 1911 Front Sight Staking Tool. Can be used with both Government and Commander length slides, and all 1911 stake-on sights. SPECS: Steel, blue. 51/2" (14 cm) long, 1" (2.5cm) wide handle, 3/4" (19mm) thick. Includes instructions, clamping plate and screw.

#080-000-454DF Night Sight Mounting Fixture,

TRIJICON® 1911 AUTO SIGHT STAKING TOOL

Ensures Sight; Is Professionally Mounted & Securely Staked

Install 1911 Auto, tenon sights so they won't fly off or shoot loose -- without damaging the sight or marking the slide. Solid steel mandrel fits into front of the slide; fixture adjusts to hold sight in place. Tap the hardened steel wedges with a hammer to displace the tenon material for a secure, professional installation that won't shoot loose. Use to install all narrow and wide tennon, skirted front sights, including Trijicon and Millett, plus non-skirted front sights no less than .185" in height. cludes tool, wide and narrow tenon wedges, cleanup shear and complete instructions. Fits all 1911 Autos except Officers ACP. #892-101-103DF Sight Staking Tool 2H279A99 \$ 284.99

MGW SEMI-AUTO SIGHT MOVER



Removes, Installs & Adjusts 1911 Auto Pistol Rear Sights Without Damage

Safely engages the standard, factory, fixed sight (some after-market fixed sights, too) and moves it right or left without deforming slide or sight. Knurled thumbscrew securely locks the sight tool into the slide recesses.

Hardened steel handle provides plenty of leverage to break rear sights loose from even the tightest dovetail. Bronze oilite bearings and extra-fine threads for smooth, precise adjustment. SPECS: Anodized, aluminum body, steel, cross carriage bolt fits factory sights. Colt model: approximately 43/4" (12cm) wide, 3" (7.6cm) high, 3/4" (19mm) thick.

#584-045-001DF 1911 Auto Sight Mover 4H82V19 .\$ 109.99



MEPROLIGHT® UNIVERSAL SIGHT INSTALLATION TOOL



Adjust & Install Over Forty Different Semi-Auto Pistol Sights

Universal bench tool provides accurate cross-dovetail pistol sight adjustment and installation without damage to the sight or the slide. Multi-position, slide support

block and separate slide clamp adjust quickly. Body is machined from a solid block of aluminum alloy. Square thread adjustment screw provides plenty of leverage to move even the most stubborn sight without damage. Includes attachment ears for bench

SPECS: Body - Aluminum, black, hardcoat anodized finish. 6" (15cm) wide, 4½" (11cm) high, 2 lb. (.9kg) wt. Adjustment Screw Hardened steel. Includes complete instructions and pistol sight reference chart. Will not install tenon-style front sights. #387-100-000DF Type II Univ. Sight Tool,

KIMBER SIGHT PUSHER - Heavy-duty steel sight pusher installs onto the screw shaft of your Type II Universal Sight Installation Tool to help you remove, install, and adjust Kimber sights. Precision-machined engagement lugs correspond with the Kimber, sight dovetail to push the sight where you want it to go. SPECS: Steel, black oxide, matte finish, Approxi-

mately 123/64" (3.4cm) long, 121/64" (3.3cm) high, 15/16" (24mm) wide. #387-000-029DF Kimber Sight Pusher, 7H48D00.....\$ 60.00

P500 UNIVERSAL SIGHTTOOL

Safely Removes & Installs **Dovetail Front & Rear Sights;** Works On Shallow, Cross-Dovetails

Precision-machined, steel tool safely removes, installs and adjusts front and rear sights on handguns. Clamp your

slide into the tool and line up the sights with unit's pusher tip for removal. Mobile jaw customizes to the height of your slide and can be used from the right or left side. Delrin® liner protects slide from scratches. Includes three sight pushers that attach to the end of the sight-pushing bolt. 1/4", square tip works perfectly on shallow, cross-dovetail sights. Install and adjust sights by aligning the sight with the pusher and slowly press it on. SPECS: Steel, black, powder-coat finish. Approximately 5" (12.5cm) long, 2" (5cm) wide, 1" (2.54cm) high. Instructions included.

#694-000-001DF P-500 Sight Removal Tool,

Brownells RAMP SOLDERING JIG

Spring Pressure Keeps Ramps/Bases/.45 Sights In Place

Cures the "ramp slips just as the solder melts" problem with a pointed, spring-loaded plunger that keeps constant pressure on the ramp or a .45 sight. Adjusts for height, angle and amount of spring pressure. Non-marring, V" block base centers barrel under the plunger. Great torch clearance.

SPECS: 2" (5.1cm) long. aluminum Base. 4" (10.2cm) high overall.

#080-739-000DF Ramp Soldering Jig,

TOLL FREE: 800-741-0015

BROWNELLS SIGHT BASE CUTTERS

CUSTOM MADE DOVETAIL END MILLS IN BOTH PREMIUM CARBIDE AND HIGH SPEED STEEL

LOW MOUNT 1911 AUTO SIGHT BASE CUTTER

65° Shoulder x .495"





These cutters are specially designed by us and made to our specifications for cutting the sight base slot required to mount the Wichita and Novak Lo-Mount 1911 Auto sights. Use 1/4" carbide end mill to remove the bulk of the material (see drawing above) then make final dovetail cut. Final cut to lower rear of slide is done with an end mill and is not a part of the sight base cut. Made slightly undersized to compensate for variations in sight bases and milling tolerances on installation. With the popularity of custom 1911 Auto pistols, this cutter is one that you will use frequently in your custom work. CAUTION: For use in milling machine only.

HSS DOVETAIL SIGHT BASE CUTTER - 2" (5cm). .495" diameter cut. ½" (12.7mm) diameter shank. 65° shoulder. DO NOT EX-CEED 700 rpm. HIGHER SPEED WILL BREAKTEETH.

#080-621-495DF HSS Lo-Mount Sight Base Cutter,

CARBIDE DOVETAIL SIGHT BASE CUTTER - Much harder and longer-lasting than HSS cutter. Use on hardened Colt factory slides. Solid carbide, 2" (5cm) long. .495" diameter cut. ½" (12.7mm) diameter shank, 65° shoulder.

#080-621-965DF Carbide Lo-Mount Sight Base Cutter,

FRONT SIGHT DOVETAIL CUTTER

60° & 65° Shoulder x .300"

Cuts lengthwise dovetail required to install special



HSS FRONT SIGHT DOVETAIL CUTTER - High speed steel. .300" (7.3mm) diameter cut, .36" (9.5mm) diameter shank. 60° or 65° shoulder. **DO NOT EXCEED 700 rpm**, **HIGHER SPEED WILL** BREAKTEETH.

#080-621-300DF 60° HSS Front Sight Dovetail Cutter,

CARBIDE FRONT SIGHT DOVETAIL CUTTER - Solid carbide resists wear and easily cuts through even hardened steels. .300' (7.3mm) dia. cut, 3/8" (9.5mm) dia. shank. 60° or 65° shoulder.

#080-621-960DF 60° Carbide Front Sight Dovetail Cutter, #080-621-963DF 65° Carbide Front Sight Dovetail Cutter,

XS SIGHT SYSTEMS DOVETAIL MEASURING TOOL

Determines Sight & Dovetail Width

Takes the guesswork out of determining how wide to mill the dovetail cut. Lets you make fast, finished cuts within .0005". Measures sights and dovetails. SPECS: Aluminum base, matte black

finish. Steel pins. Base 2" (5.8cm) x 2" (5.8cm) x 1.1" (2.8cm). Includes charts, instructions.

#006-101-000DF Dovetail Measuring Tool, 6K00PUA\$ 50.00

SEMI-AUTO PISTOL SIGHT BASE CUTTER

60° & 65° Shoulder x .330"



Our special 65° shoulder Sight Base Cutter designed to cut dovetails for both standard Colt factory and mil-spec 1911 Autos, and for replacement sights like Wichita Hi-Mount, older Bo-Mar and others with a 65° shoulder. Some makers use a 60° dovetail on their rear sights and we also have a cutter to match them. For low-mount adjustable sights use the Standard Sight Base Cutter shown on this page. Actual cutting diameter is .330" so more than one pass will be required to install most sights. This is done on purpose to allow for factory variations in base width as well as milling tolerances. CAUTION: For use in milling machine only.

HSS SEMI-AUTO PISTOL SIGHT BASE CUTTER - High speed steel,2"(5cm)long,3%"(9.5mm)diameter shank.60° or 65° shoulder. DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAK

#080-621-331DF 60° HSS Semi-Auto Sight Base Cutter,

8K23H62......31.49

CARBIDE SEMI-AUTO PISTOL SIGHT BASE CUTTER - Solid carbide cutter resists wear when cutting pistols made from hardened steel. 2" (5cm) long, 3/8" (9.5mm) diameter shank. 60° or 65° shoulder.

#080-621-066DF 60° Carbide Semi-Auto Sght Base Cutter,

FRONT SIGHT INSERT CUTTER

60° Shoulder x .245"



We've had many requests for a small dovetail cutter that would speed up the cutting of dovetails in front sight blades when installing colored inserts. The one we've had made cuts a 1/4" wide dovetail, just right for sight inserts, and the finished product is very precise. Since the cutter is small, (it tapers to a diameter of .110"), you must make an initial cut with a 1/8" end mill (listed below). By using the end mill to remove some metal first, you'll avoid overloading the cutter and breaking it. CAU-TION: For use in milling machine only.

HSS FRONT SIGHT INSERT CUTTER - High speed steel. 21/32" (5.1cm) long. 1/4" (6.3cm) diameter shank. Maximum cut depth is .100" (2.5mm) 60° shoulder. DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH.

#080-621-245DF HSS Front Sight Insert Cutter,

CARBIDE SIGHT INSERT CUTTER - Solid carbide 2" (5cm) long. 1/4" (6.3cm) diameter shank. 60° shoulder.

#080-621-246DF Carbide Sight Insert Cutter,

HEINIE REAR SIGHT CUTTER

65° Shoulder x .370"

Cuts the .370 x 65 $^{\circ}$ dovetail required when fitting Heinie

rear sights. Solid carbide cuts the hardest slides with minimal

#080-621-371DF Carbide Heinie Rear Sight Cutter,

STANDARD SIGHT BASE CUTTER

60° Shoulder x .359"

Universal Sight Base Cutter made for sights with 60° shoulder and a 3/8" base.



Cuts most standard front and rear rifle sights as well as 1911 Auto low-mount, adjustable sights like E.E.A. Super Sights, Millett and Bo-Mar-style. Cutter is slightly undersized at .359' which requires that you make two cutting passes to compensate for factory variations in sight manufacture and milling tolerances. Designed with proper relief for maximum strength and clean cutting. CAUTION: For use in milling machine only.

HIGH SPEED STEEL STANDARD SIGHT BASE CUTTER - 2' (5cm) long. 3s" (9.5mm) diameter shank. 60° shoulder. DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH. #080-621-359DF HSS Standard Sight Base Cutter,

CARBIDE STANDARD SIGHT BASE CUTTER - Solid carbide. 2" (5cm) long. 3/8" (9.5mm) diameter shank, 60° shoulder. #080-621-060DF Carbide Standard Sight Base Cutter,

SPECIAL FRONT SIGHT DOVETAIL CUTTERS

Unique Sizes For Wilson & Meprolight

WILSON SNAG-FREE DOVETAIL CUTTER - Cuts the .290" x

60° dovetail required to install all current models of the Wilson Snag-Free front sights. CAUTION: For use in milling machine only.

HIGH SPEED STEELWILSON DOVETAIL CUTTER - 2" (5cm) long. .375" (9.5mm) diameter shaft, 60° shoulder, DO NOT EXCEED 700 rpm, HIGHER SPEED WILL BREAKTEETH. #080-621-290DF HSS Wilson Dovetail Cutter, 8K27H76.....\$ 36.61

CARBIDE WILSON DOVETAIL CUTTER - Solid carbide 2" (5cm) long. .375" (9.5mm) diameter shaft. 60° shoulder. #080-621-291DF Carbide Wilson Dovetail Cutter,

MEPROLIGHT® DOVETAIL CUTTER - Cuts the .250" x 74° dove-

required altering when ramp-style front sights to accept

Meprolight's Universal front sight inserts. Cutter can be used to open up a standard ramp when installing Brownells Colored Sight Inserts. DO NOT EXCEED 700 RPM. HIGHER SPEED WILL BREAKTEETH.

#080-621-250DF Dovetail Cutter, .250" x 74°, 8K35H87......\$ 44.35

BROWNELLS, WebBench

Professional Gunsmithina Information on the Web

JOIN OUR EMAIL LIST TODAY!

at brownells.com


SATISFACTION GUARANTEED **SINCE 1939**



JERRY KUHNHAUSEN THE COLT .45 AUTOMATIC A SHOP MANUAL

200 pages. 6" x 9". Softbound. Covers the popular 1911 including the Series 80. All the step-by-steps, plus a full section on popular accurizing tricks and how to do them. Includes the only really detailed instructions on fitting barrel and link that we've seen in print. With the popularity of the .45 still







JERRY KUHNHAUSEN THE U.S. M1911/M1911A1 **PISTOLS**

& Commercial M1911 Type Pistols

A SHOP MANUAL

Volume II In The Series; Covers Repair, Rebuilding & Customizing; Even More Detailed Than Volume 1

207 pages. 6" x 9". Softbound. Filled with incredibly crisp, clear, cutaway drawings, exploded views, how-to pictographs, and photos; complimented by very readable, detailed text, dimensioned close ups of all the components and valuable tricks of the trade. If you want to understand the 1911, how it functions, what causes it to malfunction and how to fix it, you must have this book. Includes what are probably the best set of instructions for fitting a custom barrel available to date. Illustrates how to fit parts to the proper dimensions and install them correctly - a must whether you're building duty guns, casual plinkers, or match winners. Even the index is well laid out and useful. An excellent reference work and practical how-to manual.

#924-800-245DF M1911 Pistols Manual, Volume II, 4B00TPU.....\$ 29.99

FIREARMS TAKEDOWN GUIDES

J. Martin. Approximately 14 pages. 8½" x 11". Covers field stripping and disassembly procedures for the 1911. Detailed, step-by-step instructions, with large photos of disassembly sequence and reassembly tips.



KUHNHAUSEN M1911 WALL CHART



Illustration shows just some of 18 views

Illustrates Basic Function & Cycle Of Operation

Illustrates the operating cycle of the 1911 A1 pistol. Very detailed, printed on Tan 80 lb. poster stock and covered with a leather grain, embossed plastic laminate to cut glare and protect against damage.

17" x 25" 1911 Chart, 4B24V02\$ 30.00
25" x 39" 1911 Chart,
4B35V35



A5 Automatic

M1911A1TECHNICAL DIAGRAM MANUAL Eric A. Nicolaus. 98

pages. 81/2" x 14". Softbound. This informative

shop manual is very well illustrated, well written, and provides an in-depth analysis for the both the novice and professional. Documents literally every original



U.S. government blueprint for each individual component and subcomponent of the M1911A1 pistol. Original factory prints provide critical dimensions and in-depth manufacturing data to help you understand the individual sub-components. Contains a unique appendix with cross-reference guide for easy access to substitute part numbers. Cover and back of the manual are 10mil thick polypropylene for complete protection in the workshop. Spiral bound to lay flat when open so you can work on your pistol while using as a reference guide.

M1911A Diagram Manual,	
7B24H95\$ 29.95	



.45 AUTO CUSTOM TOUCHES

R.D. Nye. 88 pages. 81/2" x 11". Softbound. Nye's down-to-earth style helps you decide how to improve your .45 to shoot better with more accuracy, dependability and comfort. Large, concise, detailed drawings show each step and operation using only basic gunsmithing skills and tools. 15 chapters cover simple to complex jobs. Plus, info on making jigs, fixtures and tools. Sources

and pistolsmiths directory. An outstanding .45 book!! #645-045-000DF .45 Custom Touches 5D10Y36 \$ 12.95

GUN DIGEST BOOK OF THE 1911

Patrick Sweeny. 334 pages. 8½" x 11". Softbound. 700 photos. Fifteen chapters are devoted to history, how to inspect a used gun, how a 1911 functions, (including malfunction cures), competition and carry, custom building and gunsmithing options, choosing magazines, shooting schools, reloading techniques, plus information on five, .22 LR conversion kits. In addition, there is a very



thorough evaluation, comparison and accuracy test of two dozen. semi-custom, production guns.

#491-000-008DF	The 1911 Book,
	<i>1D18U64</i>
 6 or More – 	Mix of 6, each,
	<i>1D16U78</i> 23.76

WILSON COMBAT 1911 AUTO MAINTENANCE MANUAL

Bill Wilson. 67 pages. 51/2" x 81/2". Soft cover. Step-by-step disassembly, cleaning, inspection, lubrication and reassembly instructions. Well-illustrated with color photos. Covers guns with conventional or tapered cone bushings and shows field stripping for cleaning and detailed disassembly. Includes a troubleshooting section explaining problems, their causes and cures.

#965-401-000DF Wilson 1911 Manual,



ED BROWN'S 1911 BENCH REFERENCE CD-ROM

Ed Brown. CD-ROM. Well illustrated, step-by-step instructions cover installation of new parts and bench work the individual can perform with minimal tools. Photographs define important points. Twenty-three chapters, including one on reloading. Read on screen, enlarge the graphics, even print out for use at the bench. Runs on Mac (with Adobe Acrobat) or PC.

#087-000-002DF 1911 Bench CD-ROM, 7H27B16.....\$ 33.95

AMERICAN GUNSMITHING INSTITUTE PROFESSIONAL GUNSMITHING **VIDEO INSTRUCTIONAL SERIES**

The following, separate titles are additions to the Professional Gunsmithing Series but are not included in the package price.

#308 BUILDING THE 1911 STYLE LIMITED CLASS OR CARRY GUN VOL. 1 - 4 hours, 1 DVD tapes. Gene Shuey covers accessories and modifications, installing and fitting parts, function, tuning, feeding and troubleshooting. DVD format only. #050-120-308DF Building The 1911 Vol 1 5K63Z96..\$ 79.95

#309 BUILDING THE 1911 STYLE LIMITED CLASS OR CARRY GUN VOL. 2 - 3 hours, 1 DVD. Covers fitting slide to frame, barrel lockup, headspace and chamber reaming, ejector/extractor tuning, full length guide rods, selecting the right springs.DVD format only.

#050-000-001DF Building The 1911 Vol 2 5K63A96..\$ 79.95

#316 BUILDINGTHE ULTIMATE 1911 "HIGH CAPACITY PISTOL" VOL. 3-5 hours, 3 VHS tapes. Covers installing fiber optic sights, checkering and serrating steel, fitting a bull barrel with an oversize slide, setting a 11/2 lb. trigger, installing an ambi safety, selecting the right finish, spring rates. VHS format only.

#050-000-002DF Building The 1911 Vol 3 5K63A96..\$ 79.95



AMERICAN GUNSMITHING INSTITUTE VIDEO ARMORER'S COURSES

Bob Dunlap, VHS or DVD, Run time varies, Covers history and design, plus a detailed stripping, cleaning and inspection. You'll learn many handy tips, and the reassembly portion isn't just "reassemble in reverse order". You'll stop and look at the parts, learn exactly how to put the pieces back together correctly and pick up more repair tricks. Tuning Tips shows you ways to make sure the gun functions better than it did when you started. Accessories covers spare parts you should keep around, and why.

STOCK #	COVERS	RUNTIME
#050-120-101DF	Colt 1911 .45 Auto pistol, VHS	111 min.
#050-000-030DF	Colt 1911 .45 Auto pistol, DVD	111 min.
	orer's VHS Course 5K31C96. orer's DVD Course 5K31V96.	

WILSON COMBAT **COMBAT CUSTOMIZING THE 1911 AUTO**



A Comprehensive DVD Set That Covers Everything You Need To Know

By Bill Wilson and the pistolsmiths at Wilson-Combat. A complete course on how to alter the 1911 for increased reliability, accuracy and performance. Each DVD is a stand-alone presentation of a Wilson master pistolsmith showing the modifications they make at the shop.

VOLUME 1 - 2 hours. Covers disassembly, feed ramp polishing, barrel throating, ejection port flaring, extractor work, sight installation, mag well opening and beavertail grip safety installation. DVD format only

#965-000-041DF 1911 DVD, Volume 1 5F30Z55 \$ 34.95

VOLUME 2 - 2 hours. Explains hammers, the "perfect" trigger job and safety installation. DVD format only. #965-000-042DF 1911 DVD, Volume 2 5F30Z55 \$ 34.95

VOLUME 3 - 1 hour, 52 min. Shok-Buff/Group Gripper installa-

tion, slide tightening and barrel fitting, chamber reaming, feed ramp cutting, front sight removal, compensator installation, fitting reverse plug and checking breech face clearance. DVD format only.

#965-000-043DF 1911 DVD, Volume 3 5F30Z54 \$ 34.95

VOLUME 4 - 1 hour, 39 min. Serrating/checkering rear of slide, checkering front strap, making dovetail cuts, extended slide stop and mag release installation, thumbguard installation, logo etching, final prep, assembly and testing. DVD format only.

#965-000-044DF 1911 DVD, Volume 4 5F30Z55\$ 34.95 #965-000-040DF 1911 DVD, Four Vol. Set 5F105Z22 . . 119.95



STI 1911 AUTO 2011 TACTICAL RAIL FRAME

Integral Mount For Tactical Light

Double stack frame can be fashioned into your customer's dream pistol. Modular grip frame is made from fiber-filled, nylon composite that's married to a CNC machined, 4140 steel upper, for the very best combination of durability, precision fit and light weight. Features include a tactical rail milled into the extra-long

dust cover that accepts all industry standard light mounts, 20 lpi checkering on the front strap and triggerguard; pre-contoured to accept high-ride beavertails and aftermarket grip safeties with .250" radius; integral magazine well; and oversized rails. Ready for gunsmith fitting. Long/wide dust cover is approximately the same width and length as a Govt. length slide for increased weight up front. Accepts Nowlin/Wilson-style ramped barrels. SPECS: Grip Frame - Fiber-filled polymer composite, black, Upper Frame - 4140 steel, in-the-white, matte finish. Kit includes checkered, nylon mainspring housing and pin; titanium/composite trigger (long) and blued mag catch (complete). Frames accept most 1911 Auto slide/barrel assemblies. FFL required for purchase.

#791-000-075DF Tactical Rail Frame 1F519P49....\$ 599.95



STI 1911 AUTO SINGLE STACK RECEIVERS



Single-stack ceiver gives the high quality of STI's 2011 competition frames in a traditional, all-metal package. Machined from 4140 carbon steel. then heat-treated to Rc 28-32. Bead blasted to

produce a smooth, non-reflective surface ready for the finish of your choice. Rails are cut slightly oversized, ready for honing to a tight slide-to-frame fit. Holes for all pins and controls are precisely located, with a .250" tang radius to accommodate a beavertail grip safety. Forged model is precision machined from a top-quality forging and has a straight, rounded triggerguard, a standard ramp, and plain, uncheckered frontstrap. Master model is machined from a high-grade investment casting and features a squared, undercut triggerguard, a cut to accept a barrel with Wilson/Nowlin feedramp, and a squared-off dustcover that extends the full length of a 5" slide for extra weight up front. SPECS: 4140 carbon steel, in-the-white. Hardened to Rc 28-32. FFL

required for purchase. #791-000-079DF Forged Receiver, Plain 1F235P10 .\$ 294.99 #791-000-081DF Master Receiver, Check'd 1F225U10 284.99

STI 1911 AUTO 2011 MODULAR ALUMINUM GRIP

Gives That All-Metal "Feel"

Provides a drop-in fit on all STI 2011 $\,$ modular frames. Precision-machined from a single block of aero-space grade aluminum, then blasted matte, and left un-anodized for custom checkering, painting, or grip tape. Offers a slight weight increase over composite grips for improved recoil control; gives that "feel"

of an all-metal gun. Basic (B) size offers approximately the same grip circumference as the traditional composite grip; Slim (S) size is milled down to provide the slimmest contour possible. Mainspring housing not included. Both models accept add-on magazine wells for STI/Infinity.

SPECS: High grade aluminum alloy, unfinished in-the-white. Size B - 4.6 oz. (130.4g) wt. Size S - 3.6 oz. (102.1g) wt.

#791-000-086DF Basic B Grip 1G367A75 \$ 459.99

order on the web





WILSON COMBAT 1911 AUTO CHECKERED RECEIVER



The same receiver that Wilson's legendary full-size custom 1911s are built on, with popular performance features that combat and competition shooters want. Precision machined from hardened steel forgings to ensure maximum strength and precise dimensions,


including slide rails that allow a slide-to-frame fit as tight as .004" or less. Custom features include deep-cut, 30 lpi checkering on the frontstrap for a superb, non-slip grip and outstanding recoil control; deeply undercut triggerguard for a hand position high up on the receiver that also promotes fast recovery between shots; integral feed ramp; and a beveled mag well for fast magazine changes under stress. Pre-cut to accept a Wilson extended beavertail grip safety, available separately. Requires Wilson Heavy Duty Extended Ejector, also available separately. Available in high-grade carbon steel, ready for the tactical finish of your choice, or naturally corrosion-resistant stainless steel. SPECS: 4140 carbon steel, in-the-white, or stainless steel, natural

finish. FFL required for purchase. #965-000-080DF Checkered Receiver, Carbon,



EMC 1911 AUTO "200 PIN" SLIDE STOP

Machined To Maximum **Dimensions For Tight Lockup**



slide lockup for improved accuracy. Square-cut checkering on top of the thumb pad provides a unique custom look and helps provide positive contact for "no-slip" disengagement. Underside provide positive contact for no-sup unsengagement of pad is finished smooth with and upswept contour to prevent snagging during presentation or re-holstering. Polished surface finish requires little to no work to match the finish of your gun's stainless steel frame.

SPECS: Stainless steel, polished finish. OAL - 15/16" (3.3cm). Thumb Pad – $\frac{1}{2}$ " (12.7mm) long x $\frac{1}{8}$ " (3.2mm) wide. Fits single stack and high capacity .45 ACP.

#100-004-487DF "200 Pin" Slide Stop, Stainless,



Updated Design For Reliable Extraction & Long Service Life

Redesigned, ruggedly built .38 Super/9mm extractor uses the tighter tolerances and improved geometry possible with 21st century materials and manufacturing technology to deliver outstanding reliability, strength, and durability. Proprietary steel alloy is precision machined with the latest CNC equipment, then vacuum heat-treated to Rc 49-51 for superb strength and tension-retaining properties. All inside corners are radiused to eliminate the sharp 90° corners where failures often occur. Claw is wider than factory specification and undercut and positioned closer to the bolt face for a tighter grip on the case rim. Body is longer, so it can be custom fitted to your slide, and nearly three times as thick as factory original for greater strength.

SPECS: Steel, heat-treated, blued. Fits .38 Super/9mm Series 70

#296-000-133DF 1911 Auto HD Extractor, .38 Super/9mm,



EGW 1911 AUTO HEAVY DUTY EJECTOR

Extra Metal For Custom Fit, Reliable **Ejection & Long Service Life**

Oversized ejector is precision machined from solid carbon steel barstock, with plenty of extra metal for exceptional

strength and precise fitting. Extra width and extra-long posts mean this ejector won't budge under the pounding of thousands of rounds in hard competition and tactical operations. Longer at the front and rear, just like EGW's standard extended ejectors, to allow precise, custom-fitting to your gun to achieve the precise ejection angle and eliminate ejection-related failures. Gunsmith fitting required.

SPECS: Steel, heat-treated, blued. Fits .45 ACP 1911 Auto pistols, standard and high-capacity frames.

#296-000-134DF Heavy Duty Ejector, .45 ACP,

EGW 1911 AUTO HEAVY DUTYTHUMB SAFETY

Oversized Thumb Pad For Fast, **Positive Contact**

Extended thumb safety is precision machined from solid steel barstock using a state-of-the-art, four-

axis CNC cutting station to ensure outstanding strength and duarability. The deeply grooved, oversized pad is ergonomically shaped to ensure natural, comfortable thumb contact and provide maximum leverage for quick, positive safety engagement and disengagement under stressful conditions. Edges are beveled or rounded to prevent abrading of the finger or snagging on clothing during the draw from concealment.

SPECS: Carbon steel, blued, or stainless steel, natural silver, matte finish. Contact pad 1" (2.5cm) long, 1/4" (6.4mm) wide. Gunsmith fitting may be required.

#296-000-129DF HD Thumb Safety, Blued 6B48T00 .\$ 59.99 #296-000-130DF HD Thumb Safety, SS 6B51T65 60.95

BLUE FORCE GEAR 1911 AUTO VICKERS IGNITION COMPONENTS



Provides Ultra-Smooth Trigger Pull & Crisp Letoff

Delivers an ultrasmooth trigger pull and a crisp, clean letoff without sacri-

ficing reliability. Larry Vickers, noted American Pistolsmiths Guild member and retired 20-year veteran of the U.S. Army Special Forces, designed each component with improved geometry to provide a precise, reliable trigger job with minimal fitting. All parts are wire-EDM cut to exacting tolerances from hardened tool steel, with hand-polished sear engagement hooks, precisionmilled pin holes, beveled no-snag edges, and a mirror polished surface for ultra-smooth operation. Available as complete kits with either classic Commander-type ring hammer or slotted style with a large, elongated relief hole, plus Larry's Tactical Sear and Disconnector. Hammers, sear, and disconnector also available separately.

SPECS: Hardened tool steel, in-the-white. Some fitting required.

	ation recommended.
#100-004-351DF	Classic Hammer/Sear/Disconnector Kit,
	7A00XCH
#100-004-366DF	Slotted Hammer/Sear/Disconnector Kit,
	7A00TPU
#100-004-364DF	Classic Commander Hammer, only,
	7A89T99
	Slotted Hammer, only 7A00VBX 94.99
	Tactical Sear, only 7A37V99 51.99
#100-004-362DF	Tactical Disconnector, only 7A24Y99 31.99

EMC 1911 AUTO HAMMERS



Precision-Machined, **Hardened Steel For Durability; Gives Pistol A Distinctive Look**

U.S.-made hammers are precision-machined from solid steel to ensure this critical ignition compo-

nent is as reliable as it is attractive. Available in blued, highcarbon tool steel or stainless, both heat-treated to Rc 46-52 for exceptional strength and wear-resistance. Deep, crisply cut serrations on the thumb pad ensure a secure, non-slip purchase during cocking. Available in stainless or two-tone blued tool steel with sides left in-the-white. **Web** model provides much of the weight-reduction and reduced lock time of a skeletonized hammer, with a checkered, reinforcing web that adds extra rigidity and gives your pistol a unique appearance. Ring model is a well-executed copy of the original Colt Commander hammer, machined from high-grade stainless steel. Wide Spur model is machined to dimensions close to original National Bureau of Standards specifications and gives your pistol the look of an early production military 1911. Top of spur is checkered for a positive grip and sides are tapered for proper clearance.

finish. Gunsmith installation recommended. Wide Spur - Pad: 3/8" (9.5mm) wide x 34" (19mm) long.

#100-004-490DF	Web Hammer, Blued 7A21V25\$ 25.99
#100-004-491DF	Web Hammer, Stainless 7A21V25 25.99
#100-004-492DF	Ring Hammer, Stainless 7A21V25 25.99
#100-001-777DF	Wide Spur Hammer, Blued 7A20T95, 25.9

EMC 1911 AUTO DISCONNECTOR

For A Clean, Crisp Trigger Pull

recommended.	
SPECS: Steel, blue or stainless steel (SS), grey.	
#100-004-493DF Disconnector, Blue 7A12V07\$	14.99
#100-004-494DF Disconnector, SS 7A12V07	14.99

HARRISON DESIGN & CONSULTING 1911 AUTO HARD USE IGNITION SET



Hardened Tool Steel Components For Durability, Reliability & Precise Fit

Critical ignition parts are machined from high-grade tool steel for precise fit and reliable, consistent function under the most demanding operating conditions. Each component is wire-EDM cut, CNC machined and

honed to final dimensions with +/-.005" tolerances for drop-in fit on many 1911s, then heat-treated to Rc 53-56 to maintain those dimensions through thousands of firing cycles. Hammer hooks are pre-prepped and sear nose polished for precise contact and crisp, clean letoff. Commander-style hammer has elongated spur with deep serrations to provide extra-secure thumb purchase. Beveled edges resist snagging on clothing and protect the thumb from abrasion, and slightly narrower hammer body prevents unwanted slide contact.

SPECS: Hardened tool steel, in-the-white. Hardened to Rc 53-56. Some fitting may be required #100-004-374DF Hard Use Ignition Set 9B112X33 .\$ 139.99



Distinctive-looking,

hammer fall, fast lock time, and reliable ignition. Wire-EDM machined to precise tolerances from hardened tool steel for the strength and durability required in a hard-running tactical or competition pistol. Designed by Larry Vickers, noted American Pistolsmiths Guild member and retired 20-year veteran of the U.S. Army Special Forces. SPECS: Hardened tool steel, in-the-white. 2.25" (5.7cm) long. #100-004-365DF Hammer Strut 7A19T99 \$ 24.99 **OVERSIZED FIRING PIN STOP**

SPECS: High-carbon tool steel, blued, or stainless steel, natural

#100-004-490DF	Web Hammer, Blued 7A21V25\$ 25.99
#100-004-491DF	Web Hammer, Stainless 7A21V25 25.99
#100-004-492DF	Ring Hammer, Stainless <i>7A21V25</i> 25.99
#100-001-777DF	Wide Spur Hammer, Blued 7A20T95, 25.95

Heat-Treated, Then Polished

Machined to precise dimensions, then hardened for long-lasting service with the slide notch and sear spring engagement surfaces polished for smooth, reliable function and a much improved trigger pull. No lightening cuts to guarantee maximum strength for hard-running service and competition pistols. Gunsmith installation

EMC 1911 AUTO MAINSPRING HOUSING

S&W/.45 ACP Colt Series 80 pistols and clones.

#296-000-131DF Series 70 O/S Firing Pin Stop,

Flat Contour With Vertical Grooves For Ease Of Concealed Carry

Simple and effective mainspring housing design benefits both the competition shooter, as well as those who carry a Government or Commander model for personal protection. Features a flat, lowprofile contour to help minimize "printing," while maintaining the extra-secure "feel" you get when the frame sets lower in your grip. Deep, smooth,

vertical grooves help reduce lint collection during daily carry, plus won't catch on clothing and slow down your draw. Cleanly machined inner surfaces ensure free movement of the mainspring and plunger (not included). Available in matte blue or natural stainless steel. Gunsmith installation recommended. SPECS: Steel, blue, matte finish, or natural stainless steel (SS),

BLUE FORCE GEAR 1911 AUTO VICKERS HAMMER STRUT

Improved Geometry

For Consistent Hammer Fall & Reliable Ignition

interference between grip safety and sear spring for consistent

EGW 1911 AUTO

final fitting to help slow slide opening and increase dwell-time

with major power factor ammunition. Heat-treated to Rc 48,

with radiused corners that resist cracking, for a long service life.

Series 70 is sized specifically to give a no-gap fit on .45 ACP Colt

Series 70 pistols and clones. Series 80 fits 9mm/.38 Super/.40

SPECS: Stainless steel, natural finish. .48" (12mm) wide, .65"

(16.6mm) high, .133" (3.3mm) thick. Gunsmith fitting required.

Helps Prevent Extractor Rotation

For Improved Extraction

Machined stainless steel firing pin stop is wid-

er and thicker than standard, so you can gun-

smith it for a tight fit that keeps the extractor face

square to the case rim for improved extraction

and feeding. Bottom edge is left square, ready for

High-performance strut has improved geometry to eliminate

matte finish. Fits Govt./Commander 1911 Auto.

#100-004-488DF MS Housing, Blue 7A21V25......\$ 25.99 #100-004-489DF MS Housing, SS 7A21V25 25.99

TECH QUESTIONS?

Call Our 1911 Auto Experts 800-741-0015

SATISFACTION GUARANTEED **SINCE 1939**

EGW 1911 AUTO HEAVY DUTY MAGAZINE CATCH

Extended Button & Tweaked **Geometry For** Extra-Secure Mag Retention



Tactical magazine catch aids in fast mag changes and secure retention to help reduce feed-related failures caused by a loose magazine. The finely checkered, extended button is .040" higher than the original 1911A1 factory button to ensure fast positive magazine release on the first try. Redesigned geometry ensures this catch will fit standard frame holes, while it retains loosefitting magazines higher in the magwell than the original catch for more reliable feeding, especially with extended-capacity magazines and hollow points. Precision machined on a state-ofthe-art, four-axis CNC cutting station from high-grade steel barstock to ensure exact dimensions and superb strength. Available with a satin blued finish or hard-chromed for extra corrosion resistance and lubricity.

SPECS: Carbon steel, blued or hard-chromed finish. Includes Magazine catch only, no lock or spring.

#296-000-127DF HD Mag Catch, Blued 6B26T00 \$ 34.95 #296-000-128DF HD Mag Catch, Stainless 6B26T00...34.95



WILSON COMBAT 1911 AUTO 10mm/.40 S&W MAGAZINE

Self-Lubricating, Synthetic Follower Improves Feeding; Protective Polymer Base Pad

Single-stack, 9-round magazine is made from heat-treated 17-7 stainless steel to stand up to the demands of competitive and defensive shooting. Precision-formed body is built to very close tolerances for excellent, universal fit. Exclusive, molded, self-lubricating follower ensures reliable feeding and slide stop operation. Extra-power Wolff spring resists "spring set." Removable base pad, spring, and follower allow fast, easy cleaning.

SPECS: 17-7 SS, bright finish, with black polymer follower and base pad. Fits single-stack 1911 Auto chambered in .40 S&W or 10mm. Capacity: 9-rnds.

#965-047-190DF 10mm/.40 S&W Magazine 5F32U78 \$ 39.99

HALPERNTITANIUM 1911 AUTO ULTRA-SLIMTITANIUM GRIPS

Machined From The "Space Age Metal" For Highest Strength-To-Weight Ratio, Superior Corrosion Resistance & An Extra Thin Profile

Ultra-slim grip panels of lightweight Titanium are precision CNC machined for a perfect fit and truly custom appearance on any full-size Colt 1911 or clone. Extra low density Natural Silver Ti trims unnecessary weight while



Heat Anodized

maintaining steel-like strength. Corrosion-resistant - even in salt water - to maintain the original, stunning good looks dayafter-day with little to no maintenance. Unique texturing pattern gives an aggressive gripping surface that "sticks" to your hand for positive control under heavy recoil. Smooth, radiused edges produce a clean transition from grip-to-frame for added comfort. Countersunk holes provide a flush-fit for the included hex head grip screws. Available with natural silver, beat-blasted finish or heat-anodized to produce a brilliant multi-color scheme of purple, blue, and copper hues.

SPECS: Titanium, natural silver, bead-blasted finish or multi-color heat-anodized finish. .101" (2.5mm) thick. 2.3 oz. (65g) wt. Fits 1911 Auto Government and Commander.

#100-004-603DF Ti Grips, Natural. Silver 8B69P04...\$ 84.99 #100-004-604DF Ti Grips, Heat Anodized 8B69P04 84.99

CRIMSONTRACE 1911 AUTO PRO-CUSTOM BURLWOOD LASER GRIPS

Provides The Tactical Advantages Of An Integral Laser With The Look Of Traditional Wood Grips

Now you can get the best of both worlds an ultra light, built-in, cutting-edge laser, plus the good-looks of traditional wood grips. Pro-Custom grips utilize a small but powerful, Class IIIa laser to output 5 milliwatts at a wavelength of 633 nanometers for superior brightness, even in broad daylight. Tough,

molded polymer grip panels feature a classic double diamond checkering pattern for a sure grip in all defensive situations, plus a simulated burlwood finish that gives your pistol a truly elegant appearance without the fragileness of natural wood. Overmolded, front-activated pressure pad is positioned on the front strap just underneath the trigger guard when the grips are installed. A squeeze of your shooting hand instantly projects a bright red aiming dot on your target. The manually activated on/ off switch on the left side grip panel helps prevent dead batteries and accidental laser activation. Models available for Govt./ Comm. and Off./Compact. Installation requires shortening of the right side thumb safety lever on guns equipped with ambidextrous safeties.

SPECS: Injection molded polymer & rubber, burlwood finish. Includes (2) #2032 lithium batteries. Govt./Comm. - Fits most Government and Commander models with 31/16" (7.8cm) c-to-c grip screw hole spacing. Off./Compact - Fits most Officers and Compact models with 211/16" (6.8cm) c-to-c grip screw hole spacing. Pistols equipped with ambidextrous safeties require shortening of

rigiti side triurrib .	saiety ievei.	
#100-004-219DF	Burlwood Laser Grips	, Govt./Comm,
	4B00ZAY	\$ 359.00
#100-004-263DF	Burlwood Laser Grips	, Off./Compact,
	4B00XCH	

HOGUE 1911 AUTO EXTREME SERIES MAGRIP KIT



Integral Magwell Ensures Fast, Fumble-Free Reloads Without Adding Bulk Or Extra Weight

Three-piece kit, machined from aerospace grade aluminum, installs without fitting to form an integrated magwell with no added bulk and minimal weight increase.

Bottom of each grip panel features an integral 7/32" extension that tapers up and inward at the frame's magazine well opening; a specially cut, custom mainspring housing completes the contours to form an integrated magwell. Sharp, precision-cut checkering on the grips and housing provide a positive gripping surface. Eliminates the bulk and excessive weight of oversized magazine wells used in competition, yet enlarges the surrounding magazine well opening enough to speed magazine changes in high-stress situations. An extremely low profile makes this system especially adaptable to carry guns. Models for Government/Commander and Officers frames, available with Flat or Arched mainspring housing.


SPECS: High-grade aluminum alloy, black, matte finish. Grips - 1/4" (6.4mm) thick. Weight (Grips & Housing) - 3 oz. (85g). Includes (2) grip panels with mainspring housing. Fits 1911 Auto Government and Commander

#408-000-085DF	Govt/Comm Magrip, Flat MH,	
	8K119X52	5
#408-000-086DF	Govt/Comm Magrip, Arched MH,	
	<i>8K119X52</i>	5
#408-000-087DF	Officers Magrip, Flat MH,	
	<i>8K119X52</i>	5
#408-000-088DF	Officers Magrip, Arched MH,	
	8K119X52	5

HARRISON DESIGN 1911 AUTO HARD USETRIGGER

Delivers A Precise. Comfortable Trigger Pull, Plus Strength & Reliability

High-performance trigger is built for shooters who run their guns hard, yet want a precise, smooth, consistent trigger pull. Solid aluminum shoe gives a comfortable, natural finger position to help prevent uneven pressure that can compromise



accuracy. Smooth, curved face with radiused edges doesn't have serrations or a screw hole to abrade the finger, while a protected internal screw lets you adjust overtravel when you install the trigger. Choice of long or short shoe lets you set a comfortable length of pull that concentrates the pull force on the centerline of the trigger. Shoe is permanently staked to the non-flex bow of hardened stainless steel for extra strength and rigidity. Mirror-polished bow surface eliminates unwanted friction with the frame. Available in natural silver finish or wear-resistant, black IonBond DLC, an exceptionally hard coating used in a variety of high-stress industrial applications, including race car engines.

SPECS: Stainless steel bow, aluminum shoe, natural silver or black IonBond DLC finish. Shoe is .25" (6.4mm) wide. Length measured from middle of curve in shoe face to back of bow. Short - 2.1' (5.3cm) long; Long - 2.25" (5.7cm) long; Springfield EMP - Silver

Ulliy. 1.00 (4.001)	1/ 1011g.	
#100-004-094DF	Short Hard Use Trigger, Silver,	
	<i>9B21U49</i>	26.95
#100-004-096DF	Short Hard Use Trigger, Black,	
	9B27U36	34.99
#100-004-095DF	Long Hard Use Trigger, Silver,	
	9B21U49	26.95
#100-004-097DF	Long Hard Use Trigger, Black,	
	9B26U69	34.95
#100-004-373DF	Hard Use Trigger, Springfield EMP,	
	9B22X73	28.95

HARRISON DESIGN & CONSULTING 1911 AUTO LPA-CUT HARD USE REAR SIGHT



Provides A Heavy Duty. **Fixed Sight Alternative** For Pistols Equipped With LPA-Cut Adjustable Rear Sights

Rugged, fixed rear sight features a precision machined LPA dovetail cut for easy replacement on many duty and carry guns equipped with fragile adjustable sights. Extra-wide, .135" sight notch provides more light around the front blade to open up the sight picture for fast target acquisition. Radiused edges prevent holster snag to ensure a smooth, uninterrupted presentation. Precisely milled, 50 lpi horizontal serrations on the rear face help eliminate glare in bright light conditions. Allen head setscrew locks sight into slide dovetail for a rock-solid sight installation that won't shoot loose. Precision machined from steel bar stock to fit the LPA adjustable sight cut on Springfield Armory, Para-Ordnance and other pistols originally equipped with adjustable sights. Will not fit Springfield TRP Operator. Regulates with most factory installed front sights. Minor fitting may be required. Available in plain black or with horizontal tritium bar for low light use.

SPECS: Steel, black, matte finish. Sight Body - 1.4" (3.5cm) long, .690" (1.7cm) wide, .463" (1.2cm) high. Notch - .135" (3.3mm, wide x .115" (2.9mm) deep. Plain Black or with .135" wide x .025" (0.6mm) thick horizontal tritium bar. Fits Springfield Armory, Para-Ordnance and others with 60° x .395" x .100" LPA adjustable sight cut. Does not fit Springfield Armory TRP Operator.

#100-004-076DF LPA-Cut Rear Sight, Plain Blk,

HEINIE SPECIALTY TAURUS 1911 AUTO SLANTPRO® 3-D

NIGHT SIGHT SET

No-Snag, Low-Profile With Tritium Dots For Enhanced Visibility In Low Light

The ultimate marriage of quality and function, fixed combat sights with Trijicon® self-illuminat-

ing tritium inserts provide a fast, easy-to-acquire sight picture for your Taurus 1911 in all light conditions. 3-D system employs one tritium dot on the front sight, and two side-by-side dots on the rear sight for a traditional, three-dot horizontal sight picture. The rear dots are slightly smaller to help the shooter quickly identify the front sight dot and get the sights aligned on the target fast. Wedge shaped body has fully rounded edges and sets low in the slide for minimum profile and a smooth, snag-free draw for concealed carry and competition guns. Fine-line serrations on rear of blades eliminate glare for the best possible sight picture. Setscrew locks rear sight in the slide dovetail to prevent shifting under recoil. Some gunsmith fitting may be required. SPECS: Steel, matte blue finish. Rear sight is .285" high above the slide, with .125" wide notch. Front sight is .180" high. Fits factory dovetails on Taurus 1911 Auto pistols. May require minor fitting.

#394-000-043DF Taurus 1911 Sight Set 4C117Z49. .\$ 145.99

10-8 PERFORMANCE 1911 AUTO **U-NOTCH REAR SIGHTS**



Rugged Construction For Daily Carry, Plus A Clear, **Easy-To-See Sight Picture**

Fixed rear sights are precision machined from heat-hardened 4140 steel bar stock, so they withstand the wear and tear of daily carry, yet deliver a clear, precise sight picture. Perfect for concealed carry, duty, or combat pistols where a rugged, reliable rear sight is mission critical. Fully "dehorned," with rounded and chamfered edges to prevent snagging on holster, clothing, or other gear that could impede draw. Easy-to-acquire U-shaped notch and plain black blade with 40 lpi serrations on the rear face for a glare-free sight picture under almost any light conditions. A hard, manganese phosphate Parkerized finish that matches many tactical pistol finishes adds strength and surface wear resistance. A hidden setscrew helps anchor the sight in the slide dovetail for extra-secure mounting and resistance to shifting under recoil. Pronounced ledge on the front of rear blade aids in one-hand cocking. Kimber fits dovetail on fixed-sight Kimber pistols and comes with a matching .200" high front sight. NM -National Match style rear sight combines modern features with "retro" looks. Fits the dovetail of GI-pattern 1911 pistols, including current-production Colts—no milling required. Extra-thick blade is tall enough to work with Colt .175" high front sight or same-height aftermarket alternatives. Wide .140" notch aids in easy, fast acquisition of front sight for precise targeting.

SPECS: Steel, matte black finish. Kimber - Rear: .360" high, with .135" wide x .125" high notch. Fits Kimber fixed-sight pistols with forward-slanting factory rear sights. Fits the dovetail on pre-Series Il and Warrior series pistols that came with rear-slanting sights. but will shoot high on guns with 5" barrels. Will not fit SIS series. Front: .125" wide x .200" high. NM - .325" high, with .140" wide x .125" high notch. Fits dovetail for GI-style rear sight, including recent-production Colt models.

#100-004-357DF Kimber U-Notch Sgt Set 1B60A76 .\$ 75.95 #100-004-375DF NM U-Notch Rear Sgt, only 1B26X76 33.95

> **WE HAVE THE PARTS YOU NEED!**

KENSIGHT 1911 AUTO CLASSICTARGET SIGHT

Wire EDM Produced For Precision Fit & **Function; Fits LPA-Cut Dovetails**

Provides consistent accuracy through better production methods. Electro-discharge machined from 4140 steel barstock, heat-treated to Rc 38-40, then vac-

uum tempered for added strength. Fits the LPA sight cut found on Springfield Armory, Para-Ordnance, Nowlin, High Standard, Olympic Arms, and Charles Daly 1911 Autos with factoryinstalled adjustable rear sights. One-piece blade has rounded corners like the old Bo-Mar combat-style adjustable sight, and features two, white, .070" (1.8mm) diameter dots, one on each side of rear notch. Fine-line serrations on the rear face and a rebated square notch for improved, "shadowless" front sight definition and better target recognition. Consistent, click-adjustable detents for windage and elevation give precise repeatability.

SPECS: 4140 steel, blue, matte finish. Blade - .750" (19mm) wide x .430" (10.9mm) high. Notch is .115" wide x .095" deep.

#100-004-083DF Classic Target Sight, LPA 5A54T49 \$ 69.95



Rounded Blade Edges Won't Snag On Clothing Or Holsters; Oversized **Dovetail For Fitting To** Loose Slide Cuts



Enjoy the accuracy of a fully adjustable, competition-style rear sight in a package suitable for daily carry. Beveled edges on sight body and radiused corners on blade minimize chances of snagging on clothing or holster. Dovetail fits the Bo-Mar BMCS slide cut and is .010" oversized to allow custom-fitting to slides with loose dovetail cuts. Consistent, click adjustable detents for windage and elevation provide precise, repeatable settings. Fine serrations EDM machined on the rear sight blade surface reduce light reflection to enhance sight pick up in all light conditions. Blade, sight body, and base are EDM-wire machined from highgrade, 4140 billet steel, then heat-treated to Rc 28-32 to retain the extra-tight tolerances. Front hinge pin is hardened to Rc 60 for reliable, long-lasting service without breakage.

SPECS: 4140 steel, blued, matte finish. Fits pistols with the Bo-Mar BMCS rear sight dovetail. Sight dovetail is .010" oversized to allow fitting to loose slide cuts.

#100-004-082DF BM #1 Oversized Rear Sight,

TRUGLO 1911 AUTO TFO BRITE-SITE FOR KIMBER



Gathers Light & Illuminates For Maximum Sight Visibility In All Conditions

> Tritium/Fiber Optic (TFO) technology combines the self-illuminating properties of Tritium with the lightgathering capabilities of fiber optics to ensure fast sight acquisition in any

light conditions from daylight to complete darkness. Precisionmachined, steel body provides excellent strength to handle the wear and tear of daily carry or competition. Low-profile design prevents holster snagging. Fits factory dovetails; rear sight includes setscrew for extra-secure installation on slide. Sold in front/rear pairs.

SPECS: Steel, matte black finish. Fiber optic/Tritium rods, green front/green rear (G/G) or green front/yellow rear (G/Y). Fits factory dovetails

#902-000-116DF TFO Sights For Kimber, G/G, #902-000-117DF TFO Sights For Kimber, G/Y,

BROWNELLS 1911 AUTO RIMFIRE CONVERSION CASE



Protects Pistol & Conversion Unit From Nicks & Dings

Protects your favorite 1911 pistol and its .22LR conversion kit from bumps, nicks, and scratches during the trip to and from the range. Generously-proportioned, fully padded rear compartment has plenty of room for the pistol, while the separate front com-

partment features a padded internal sleeve with a hook-and-loop closure to secure the conversion slide/barrel unit. Four separate sleeves each hold a single-stack .22 or .45 ACP magazine, and there's even room for a few boxes of .22 ammo. This case is built like our Signature Series gun cases with a tough outer shell of water-repelling 1000 denier nylon, heavy-duty YKK nylon zippers with easy-to-grasp metal pulls, a brass D-ring that lets you lock the rear compartment (padlock not included), and a doublestitched ballistic nylon carry strap that fully supports the case by looping all the way around the main compartment. A soft, nylon tricot lining in the rear compartment ensures your pistol comes out looking just like it did when it went in. Leather pocket stitched on the front holds a business card or luggage ID tag. SPECS: 1000 denier nylon shell, black or Coyote. 131/2" (34.3cm)

long, 10" (25.4cm) high, 3" (7.6cm) thick when zipped. #084-000-337DF Rimfire Conv. Case, Blk 4H29T60 .. \$ 39.99 #084-000-338DF Rimfire Conv. Case, Coyote 4H29T60 39.99

EGW 4-CALIBER CARTRIDGE CHECKER

Helps Prevent Jams By Making Sure Each Round Meets Specs **Before Shooting**

Make sure all your ammo is in spec before you shoot that critical match. One tool lets you check four popular calibers used in practical

shooting matches: 9mm, .38 Super, .40 S&W, and .45 ACP. Helps you avoid jams, misfires, feeding problems, and other malfunctions caused by out-of-spec ammo that can cost you precious points—or the whole match. Machined aluminum with check holes precision bored using the same high-quality Clymer reamers EGW chambers its barrels with.

SPECS: 6061 T6 aluminum, anodized, black. 3" (7.6cm) long, 1" (2.5cm) wide, 11/4" (3.2cm) high.

#296-000-125DF 4-Cal. Cartridge Checker 6B16A49 \$ 21.95

10-8 PERFORMANCE 1911 AUTO ARMORER'S BLOCK



For Fast, Easy Maintenance, While Protecting Pistol & Hands From Damage

Handy bench block machined from super-tough, glass-reinforced nylon supports 1911 pistol components so you can perform a variety of repair,

assembly/disassembly, and accurizing tasks quickly and easily. Securely holds the frame on its side, so you can work on it without risk of damaging the finish. Helps you check hammer/sear engagement, remove hammer strut pin, remove mainspring housing, and holds thumb safety for easy filing of sear stop stud engagement surface. Use to tension the extractor off the slide, so you don't risk scratching the slide, and retain the extractor while filing and honing the claw. Holds the barrel during link pin removal, with blind holes to catch the pins so they don't get lost. You can even place the frame between two blocks and clamp it in a bench vise for slide fitting.

SPECS: Glass-reinforced nylon, black. 4" long (10.2cm) x 4" wide x 1 1/4" (3 2cm) high

#100-004-369DF Armorer's Block 1B35V96......\$ 44.95

Brownells 1911 AUTO **SEAR STONING FIXTURE**

Helps You Adjust Primary Sear Angle For A Perfect Trigger Pull

Easy-to-use, hand-held tool retains the sear and positions it so you can stone the contact surfaces at the correct angles to produce a smooth, cleanbreaking trigger free from unwanted creep. Helps you produce precise, mirror-finish surfaces for complete, full-width contact with the hammer to ensure reliable ignition while preserving proper operation of the thumb safety. Raising or lowering the fixture's setscrew lets you change sear angle. Fixture body is machined from solid carbon steel for years of service without loss of alignment. Includes a hardened, stainless steel .020" thick shim that prevents you

from removing too much material from the sear, and protects the fixture body from wear.

SPECS: Steel, black oxide finish. 3¼" (8.3cm) long, ¾" (1.9cm) wide. Includes .020" thick stainless steel shim and instructions.

#080-000-579DF Sear Fixture,

CYLINDER & SLIDE 1911 AUTO BUSHING WRENCH

Integral Shield Helps Prevent Search & Rescue Of Flying Parts

Simple, practical wrench includes an integral shield that blocks the recoil plug from going airborne during bushing removal on Govern-

ment models and clones. Makes the entire process of field stripping your pistol faster and safer. Heavy gauge steel construction makes rotating even the tightest-fitting bushings smooth and effortless, plus eliminates bending or rounding-off of the bearing surfaces that can lead to slippage. Smooth edges around the entire circumference of the tool make it comfortable in the hand and help prevent marring of the bushing, slide, or plug. SPECS: Steel, blue, matte finish. 5^{1} / ϵ " (13cm) long x 1 / ϵ " (3.2mm)

#206-000-043DF C&S Bushing Wrench,

EGW 1911 AUTO FRAME CUTTER FOR WILSON/NOWLIN RAMPED BARREL

Removes Factory Feed Ramp From Frame: Trues Up **Contact Surfaces**

End-mill cutter helps you quickly convert a standard 1911 frame for precise fit of a Wilson/Nowlin ramped barrel. Use in a lathe or milling machine to cleanly remove the frame's feed ramp and true up factory flaws found in many frames to allow proper contact with the barrel feet. Helps ensure a cleaner impact surface that prevents excess battering and uneven stresses on the feet for longer barrel life. Manufactured from U.S.-sourced M42 high-speed tool steel blanks for precise cutting surfaces that stay sharp. One-piece design means nothing to work loose halfway through the job. Shank is long enough to clear full-length dust covers.

SPECS: Tool steel, in-the-white. 6" (15.2cm) long, 7/16" (11.1mm) diameter cutter, ½" (12.7mm) diameter shank.

#296-000-124DF Wilson/Nowlin Barrel Ramp Cutter.

EGW 1911 AUTO PLUNGERTUBE STAKING TOOL

Protects The Tube & Frame From Damage; No Need To Remove Ejector

Two-piece staking tool protects the plunger tube and surrounding frame area with a block of machined Delrin® while you spread the pins with the steel staking bar. Eliminates metalon-metal contact on exterior surfaces to prevent scratches that can mar the pistol's finish. Saves you time, too, because the staking bar has a cutout to clear the extractor, so you can stake the tube without having to remove the extractor. The staking point is a hardened steel screw that lets you adjust the staking depth. When the point wears out, simply install a new screw (spare included) to make the tool good as new. Delrin block has cutouts to support both rounded and square plunger tubes. SPECS: Steel, black oxide finish, and machined Delrin®.

#296-000-123DF Plunger Tube Staking Tool, 6B00AYT.....\$ 25.95

STREAMLIGHT TLR-3 **COMPACT WEAPON LIGHT**

Ultra-Powerful Illumination With Minimal-Profile

This ultra-low-profile light uses the same system of interchangeable locating keys as the rest of the TLR series to fit a wide variety of pistol receiver rails. Employs Streamlight's C4 LED



technology to project a high-intensity, 90-lumen beam that's 2 to 3 times brighter than standard LEDs. Electronic powercontrol system helps maintain consistent brightness, while the parabolic reflector and Borofloat glass lens produce a focused beam with minimal fade at the edges. One CF2 lithium battery. included, provides 11/2 hours of continuous operation and a storage life up to 10 years. Ambidextrous switch offers an instant choice of momentary or steady-on operation. Rail clamp system allows easy, one-handed attachment/removal from the side of the weapon, so hands stay away from the muzzle. Body constructed of reinforced, impact-resistant polymer, with a lens cap of strong, yet lightweight, machined 6000-series aluminum. Waterproof to 1 meter for 30 minutes.

SPECS: Polymer body and anodized aluminum lens assembly, black. 2¾" (7cm) long, 1½" (2.9cm) wide, 1½" (3.8cm) high from top of rail clamp to bottom of housing. 2.4 oz. (67g) weight with batterv. Fits MIL-STD 1913 Picatinny rail, and includes five rail keys to allow installation on Beretta 90-Two and Vertec, Glock, Kel-Tec PF-9, KimberTLE/RLII, Sig GSR, Smith & Wesson M&P and TSW, Springfield XD compact and full frame. Springfield 1911, and others.

#100-004-290DF TLR-3 Weapon Light 1K81X00....\$ 135.00



BRIAN ENOS SLIDE-GLIDE FIREARMS LUBRICANT



Protects Against Corrosion & Wear

Extreme pressure greases protect your 1911 from cor-

rosion and wear, and help improve overall operation. Will not attract dust like conventional lubes. Standard is a medium viscosity grease for temperatures of 60° F (16° C) or higher. Not recommended for compensated pistols, .22 rimfire, or revolvers. **Lite** is a thin viscosity grease for temperatures 30° F (-1° C) or higher. Works well in non-compensated and compensated pistols, including .22 rimfire. Blended specifically for maximum reliability in all "IPSC Open guns" and service pistols. SPECS: 1/2 fl. oz (15 mL) tube.

#100-004-080DF Slide-Glide Standard 3K06T69 \$ 7.99

#100-004-081DF Slide-Glide Lite 3K06T60 **7.99**

BROWNELLS PAGE 60

SATISFACTION GUARANTEED **SINCE 1939**

Office/Tech: 641-623-5401

COLT

STOCK #	FAC.#	DESCRIPTION	CAL./GA.	PRIC
		00LT		

COLT

SEE PAGE 23 FOR COLT FACTORY MAGAZINES.

INDEX:
Autoloading Pistols
1911 - Common Parts
Commander, L/W Comm., Combat Comm61
1911 Government Models
1911 Officer's ACP
1991 A1 Commander, Compact 61-62
Model O Gold Cup - Common Parts62
1911 Delta Elite
1911 Gold Cup, 10mm Gold Cup, Combat Target 62
1 40 4 D 6 1

Unless otherwise noted, all parts are for current production 1911, Series 80 Models.

SPECS: The following abbreviations may be used in the Colt charts: Officers ACP = Off; Government Model = Govt; Commander = Cmdr; Delta Elite = Delta; Lightweight Commander = LtCmdr; Gold Cup = GC; Enhanced = Enh; Compact = Cmpt; 38Super = .38S; Barrel Bushing = Brl Bush; Target = Tgt; Front Sight = Frt Site; Rear Sight = Rr Site; Magazine = Mag; Mainspring Housing = Mspring Hsing; composite = Comp; Stainless Steel = SS; Assembly = Assy. Barrels marked "E" or "Enhanced" have narrow hoods for Enhanced slides only.

Autoloading Pistols

••••	••	1911 - Common Pa	arts •	••••	•
#160-103-100DF	SP50143B	Barrel Link, Blue	All	6A04U65	\$ 5.81
#160-103-101DF	SP50144B	Barrel Link Pin, Blue	All	6A03A58	\$ 4.48
#160-106-100DF	SP54636T	Disconnector	All	6A12V75	\$ 15.94
#160-107-001DF	SP50170B	Ejector Pin	All	6A03H58	\$ 4.48
#160-108-450DF	SP567531B	Extractor, Blue	All	6A16D80	\$ 21.00
#160-108-090DF	SP567541B	Extractor, Blue	.38 Super	6A37Z20	\$ 46.5
#160-108-091DF	SP567542W	Extractor, Bright SS	.38 Super	6A43A34	\$ 54.1
#160-109-045DF	SP56758	Firing Pin, Blue	.45	6A08Y53	\$ 10.6
#160-109-080DF	SP56765T	Firing Pin Plunger	All	6A04T16	\$ 5.2
#160-109-082DF	SP567671T	Firing Pin Plunger Lever	All	6A03P58	\$ 4.4
#160-109-081DF	SP56764	Firing Pin Plunger Spring	All	6A04V16	\$ 5.2
#160-109-100DF	SP50186	Firing Pin Spring	All	6A03B58	\$ 4.4
#160-109-101DF	SP567571B	Firing Pin Stop, Blue	All	6A10X14	\$ 12.6
#160-109-102DF	SP567571L	Firing Pin Stop, SS	All	6A09C34	\$ 11.6
#160-113-070DF	SP55695B	Hammer, Enhanced Blue	All	6A34H51	\$ 44.9
#160-113-200DF	SP50153B	Hammer Pin, Blue	All	6A04D16	\$ 5.2
#160-000-123DF	SP572352	Hammer Pin, Bright SS	All	6A04Z16	\$ 5.2
#160-113-202DF	SP50153DB	Hammer Pin, Dull Blue	All	6A04A16	\$ 5.2
#160-113-201DF	SP572351	Hammer Pin, Dull SS	All	6A04Y16	\$ 5.2
#160-113-250DF	SP53503B	Hammer Strut, Blue	All	6A05T48	\$ 6.8
#160-113-251DF	SP53503L	Hammer Strut, SS	All	6A04P65	\$ 5.8
#160-113-252DF	SP50152B	Hammer Strut Pin	All	6A03Y71	\$ 4.6
#160-115-100DF	SP54727B	Magazine Catch, Blue	All	6A14P70	\$ 18.3
#160-115-103DF	SP547272W	Magazine Catch, Bright SS	All	6A16X13	\$ 20.1
#160-115-110DF	SP50007B	Magazine Catch Lock, Blue	All	6A06C31	\$ 7.8
#160-115-113DF	SP50007DB	Magazine Catch Lock, Dull Blue	All	6A05H48	\$ 6.8
#160-115-111DF	SP572371	Magazine Catch Lock, Dull SS	All	6A07Z98	\$ 9.9
#160-116-130DF	SP50160B	Mainspring Cap Pin, Blue	All	6A03A58	\$ 4.4
#160-116-131DF	SP50160L	Mainspring Cap Pin, SS	All	6A04Y16	\$ 5.2
#160-116-115DF	SP572012	Mainspring Housing, Arched,	All	6A45T77	\$ 57.2

Bright SS

Orders/Tech: 800-741-0015

=	OTOOK #	EAO.#	DECODIDETION	041 (04		_	DDIAE
₽	STOCK #	FAC.#	DESCRIPTION	CAL./GA.			PRICE
	#160-116-126DF	SP546761	Mainspring Housing, Arched, Composite, Blue	All	6A11P12	\$	13.90
	#160-116-111DF	SP572822	Mainspring Housing, Flat, Bright S	S All	6A40U92	\$	49.99
_	#160-116-125DF	SP546791	Mainspring Housing, Flat, Composite, Blue	All	6A08A53	\$	10.66
	#160-116-225DF	SP546792	Mainspring Housing, Flat, Composite, Gray	All	6A08V53	\$	10.66
	#160-116-133DF	SP50163B	Mainspring Housing Pin, Blue	All	6A04B16	\$	5.20
	#160-000-124DF	SP572392	Mainspring Housing Pin, Bright SS	All	6A04X65	\$	5.81
	#160-116-134DF	SP572391	Mainspring Housing Pin, Dull SS	All	6A04C16	\$	5.20
	#160-117-110DF	SP50164B	Plunger Spring Assembly, Blue	All	6A06H31	\$	7.89
	#160-116-127DF	SP50164L	Plunger Spring Assembly, SS	All	6A07D98	\$	9.98
	#160-117-100DF	SP50171B	PlungerTube, Blue	All	6A13Z16	\$	14.99
	#160-121-110DF	SP50178B	Sear Pin, Blue	All	6A04A16	\$	5.20
	#160-000-126DF	SP572422	Sear Pin, Bright SS	All	6A04Y16	\$	5.20
	#160-121-112DF	SP50178DB	Sear Pin, Dull Blue	All	6A04T16	\$	5.20
	#160-121-111DF	SP572421	Sear Pin, Dull SS	All	6A04P16	\$	5.20
	#160-121-120DF	SP50179	Sear Spring, Blue	All	6A03U80	\$	4.75
	#160-123-450DF	SP50195B	Slide Stop, Blue	.45	6A28H98	\$	36.23
	#160-123-452DF	SP572462	Slide Stop, Bright SS	.45	6A35D05	\$	43.81
7-	#160-000-131DF	SP573082	Slide Stop, Bright SS	.38 Super	6A46U64	\$	58.30
r; 1;	#160-123-453DF	SP50195DB	Slide Stop, Dull Blue	.45	6A28V40	\$	35.50
=	#160-123-451DF	SP572461	Slide Stop, Dull SS	.45	6A28B98	\$	36.23
"	#160-123-381DF	SP573081	Slide Stop, Dull SS	.38 Super	6A59X41	\$	74.26
	#160-000-027DF	SP50209DB	Stock Screw, Dull Blue	All	6A04C16	\$	5.20
٦	#160-000-128DF	SP572731	Stock Screw, SS	All	6A04H16	\$	5.20
I	#160-000-026DF	SP50173	Stock Screw Bushing	All	6A04D32	\$	5.40
1	#160-000-385DF	SP558811	Trigger, 1911	All	6A24Z29	\$	30.36
	#160-126-080DF	SP56766T	Trigger Bar Lever	All	6A04A16	\$	5.20

1911 Commander, L/W Commander, Combat Commander Other parts Listed Under 1911 Common Parts

	Web Quick-Find Schematic #138					
#160-107-346DF	SP57171	Ejector, SS	.45	6A18P27	\$	22.84
#160-107-138DF	SP57366	Ejector, SS .38	8 Super, 10mm	6A28U27	\$	35.34
#160-000-230DF	SP574482	Magazine, 9-Round, Bright SS	.38 Super	6A42A63	\$	53.29
#160-114-380DF	SP50225B	Magazine, Govt, 9-Round, Blue	.38 Super	6A27V32	\$	34.15
#160-114-381DF	SP574481	Magazine, Govt, 9-Round, SS	.38 Super	6A34B95	\$	43.69
#160-000-226DF	SP57532	Magazine, Govt , 8-Round, SS	.40 S&W	6A33X49	\$	41.86
#160-114-450DF	SP53355B	Magazine, Govt, 7-Round, Blue	.45	6A20C80	\$	26.00
#160-000-228DF	SP572492	Magazine, Govt, 7-Round, Bright	SS . 45	6A27H56	\$	34.45
#160-000-222DF	SP53355N	Magazine, Govt, 7-Round, Nickel	.45	6A30D83	\$	38.54
#160-114-451DF	SP572491	Magazine, Govt, 7-Round, SS	.45	6A20Z41	\$	25.51
#160-114-452DF	SP54926B	Magazine, Govt, 8-Round, Blue	.45	6A24A58	\$	29.99
#160-000-227DF	SP574002	Magazine, Govt, 8-Round, Bright	SS . 45	6A29Y77	\$	37.21
#160-114-453DF	SP574001	Magazine, Govt , 8-Round, SS	.45	6A28T67	\$	34.99
#160-000-224DF	SP50225N	Magazine, Govt 9-Round, Nickel	.38 Super	6A37P67	\$	47.09
#160-114-090DF	SP51032B	Magazine, Govt, 9-Round, Blue	9mm	6A26U39	\$	32.99
#160-000-223DF	SP51032N	Magazine, Govt, 9-Round, Nickel	9mm	6A28A29	\$	35.36
#160-114-091DF	SP945381	Magazine, Govt, 9-Round, SS	9mm	6A36V52	\$	45.65
#160-116-100DF	SP50158	Mainspring, Blue	.45, 10mm	6A03B58	\$	4.48
#160-116-135DF	SP50159B	Mainspring Cap	All	6A03X58	\$	4.48
#160-116-132DF	SP50162B	Mainspring Retainer Pin	All	6A03C58	\$	4.48
#160-119-206DF	SP51015	Recoil Spring, Blue .	45, .38 Super	6A06H32	\$	7.90
#160-119-201DF	SP51016B	Recoil Spring Guide, Blue	All	6A16D48	\$	20.60
#160-119-212DF	SP51017B	Recoil Spring Plug, Blue	All	6A14Z29	\$	17.86
#160-119-213DF	SP51017L	Recoil Spring Plug, SS	All	6A14A29	\$	17.86

STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
	19	911 Government M	lodels –		
	Oth	ner parts Listed Under 1911 Com	mon Parts		
		Web Quick-Find Schematic #			
#160-100-445DF	SP57701	Barrel, 5", Enhanced, SS	.45	6A98Y71	\$124.99
#160-000-132DF	SP573172	Barrel Bushing, Bright SS	.45, 10mm	6A25T77	\$ 32.21
#160-102-050DF	SP50145DB	Barrel Bushing, Dull Blue	.45, 10mm	6A16P13	\$ 20.16
#160-102-051DF	SP573171	Barrel Bushing, Dull SS	.45, 10mm	6A15U05	\$ 18.81
#160-107-245DF	SP54881B	Ejector, Blue	.45	6A15A16	\$ 19.99
#160-107-138DF	SP57366	Ejector, SS	.38 Super, .45	6A28V27	\$ 35.34
#160-107-145DF	SP57459	Ejector, SS	.45	6A20C41	\$ 25.51
#160-112-110DF	SP54849B	Grip Safety, Enhanced, Blue	All	6A30H41	\$ 38.01
#160-112-111DF	SP574461	Grip Safety, Enhanced, SS	All	6A33D59	\$ 41.99
#160-000-230DF	SP574482	Magazine, 9-Round, Bright SS	.38 Super	6A42Z63	\$ 53.29
#160-114-380DF	SP50225B	Magazine, Govt, 9-Round, Blue	.38 Super	6A27A32	\$ 34.15
#160-114-381DF	SP574481	Magazine, Govt, 9-Round, SS	.38 Super	6A34Y95	\$ 43.69
#160-000-226DF	SP57532	Magazine, Govt , 8-Round, SS	.40 S&W	6A33T49	\$ 41.86
#160-114-450DF	SP53355B	Magazine, Govt, 7-Round, Blue	.45	6A20P80	\$ 26.00
#160-000-228DF	SP572492	Magazine, Govt, 7-Round, Bright	SS .45	6A27U56	\$ 34.45
#160-000-222DF	SP53355N	Magazine, Govt, 7-Round, Nickel	.45	6A30A83	\$ 38.54
#160-114-451DF	SP572491	Magazine, Govt , 7-Round, SS	.45	6A20V41	\$ 25.51
#160-114-452DF	SP54926B	Magazine, Govt,8-Round, Blue	.45	6A24B58	\$ 29.99
#160-000-227DF	SP574002	Magazine, Govt, 8-Round, Bright	SS .45	6A29X77	\$ 37.21
#160-114-453DF	SP574001	Magazine, Govt,, 8-Round, SS	.45	6A28C67	\$ 34.99
#160-000-224DF	SP50225N	Magazine, Govt 9-Round, Nickel	.38 Super	6A37H67	\$ 47.09
#160-114-090DF	SP51032B	Magazine, Govt, 9-Round, BL	9mm	6A26D39	\$ 32.99
#160-000-223DF	SP51032N	Magazine, Govt, 9-Round, Nkl	9mm	6A28Z29	\$ 35.36
#160-114-091DF	SP945381	Magazine, Govt, 9-Round, SS	9mm	6A36A52	\$ 45.65
#160-116-100DF	SP50158	Mainspring, Blue	.45, 10mm	6A03Y58	\$ 4.48
#160-116-135DF	SP50159B	Mainspring Cap	All	6A03T58	\$ 4.48
#160-116-132DF	SP50162B	Mainspring Retainer Pin	All	6A03P58	\$ 4.48
#160-119-204DF	SP50204	Recoil Spring, 32 Coils	.45, 10mm	6A06U30	\$ 7.88
#160-119-200DF	SP50205B	Recoil Spring Guide	.45	6A12A37	\$ 15.46
#160-119-210DF	SP50206B	Recoil Spring Plug, Blue	.38 Super, .45, 10mm	6A13V52	\$ 16.90
#160-119-211DF	SP572471	Recoil Spring Plug, Dull SS	.45	6A14A29	\$ 17.86
#160-121-100DF	SP54759T	Sear	All	6A20Z51	\$ 24.99
#160-111-102DF	SP54721B	Sight, Front, High Profile, w/Dot	All	6A08V93	\$ 9.99
#160-111-011DF	SP55011B	Sight, Front, High Profile, w/o Do	t All	6A06B31	\$ 7.89
#160-118-102DF	SP54841B	Sight, Rear, High Profile, w/Dot	All	6A12X35	\$ 14.99
#160-118-001DF	SP55010B	Sight, Rear, High Profile, w/o Dot	All	6A11C98	\$ 14.98
#160-122-646DF	SP576341	Slide Assembly, Enhanced, Dull 3	SS . 45	6A252H37	\$315.46
		1911 Officer's AC	P		
	Oth	ner parts Listed Under 1911 Com	ımon Parts		
		Web Quick-Find Schematic #			
#160-107-346DF	SP57171	Ejector, SS	.45	6A18Z27	\$ 22.84
#160-114-092DF	SP579991	Magazine, 7-Round, SS	.45	6A30A30	\$ 37.88
#160-114-460DF	SP55723B	Magazine, Off, 6-Round, Blue	.45	6A18Y32	\$ 22.90

STOCK #

FAC # DESCRIPTION

CAL /GA

Other parts Listed Under 1911 Common Parts						
		Web Quick-Find Schematic #282				
#160-107-346DF	SP57171	Ejector, SS	.45	6A18Z27	\$	22.84
#160-114-092DF	SP579991	Magazine, 7-Round, SS	.45	6A30A30	\$	37.88
#160-114-460DF	SP55723B	Magazine, Off, 6-Round, Blue	.45	6A18Y32	\$	22.90
#160-116-140DF	SP54549B	Mainspring Cap	.45	6A03T58	\$	4.48
#160-116-116DF	SP547082	Mainspring Housing, Composite, Gray	.45	6A08P53	\$	10.66
#160-116-136DF	SP54548B	Mainspring Retainer Pin	.45	6A03U58	\$	4.48
#160-000-074DF	SP54718B	Sight, Front, w/Dot	.45	6A07A98	\$	9.98
#160-118-102DF	SP54841B	Sight, Rear, High Profile, w/Dot	.45	6A12V35	\$	14.99

1991 A1 Commander, Compact

	Other parts Listed Under 1911 Common Parts							
	Web Quick-Find Schematic #281							
#160-112-101DF	SP572241	Grip Safety, Dull SS	.45	6A29B70	\$	37.13		
#160-000-241DF	SP94722	Grip Set	.45	6A21X81	\$	27.26		
#160-113-080DF	SP55696DB	Hammer, Dull Blue	.45	6A22C55	\$	28.19		

order on the web www.brownells.com
⚠ NOTE: PART MAY REQUIRE FITTING ⚠



COLT & PARA-ORDNANCE

Colt 19	91 A1	Commander, Com	pact c	ontinue	d
STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#160-114-380DF	SP50225B	Magazine, Govt 9-Round, Blue	.38 Super	6A27H32	\$ 34.15
#160-114-381DF	SP574481	Magazine, Govt, 9-Round, SS	.38 Super	6A34Y95	\$ 43.69
#160-000-226DF	SP57532	Magazine, Govt .40, 8-Round, SS	.40 S&W	6A33T49	\$ 41.86
#160-114-450DF	SP53355B	Magazine, Govt, 7-Round, Blue	.45	6A20P80	\$ 26.00
#160-000-228DF	SP572492	Magazine, Govt, 7-Round, Bright S	SS . 45	6A27U56	\$ 34.45
#160-000-222DF	SP53355N	Magazine, Govt, 7-Round, Nickel	.45	6A30A83	\$ 38.54
#160-114-451DF	SP572491	Magazine, Govt ., 7-Round, SS	.45	6A20V41	\$ 25.51
#160-114-452DF	SP54926B	Magazine, Govt, 8-Round, Blue	.45	6A24B58	\$ 29.99
#160-000-227DF	SP574002	Magazine, Govt, 8-Round, Bright S	SS . 45	6A29H77	\$ 37.21
#160-114-453DF	SP574001	Magazine, Govt, 8-Round, SS	.45	6A28D67	\$ 34.99
#160-000-224DF	SP50225N	Magazine, Govt 9-Round, Nickel	.38 Super	6A37Z67	\$ 47.09
#160-114-460DF	SP55723B	Magazine, Off, 6-Round, Blue	.45	6A18A32	\$ 22.90
#160-119-201DF	SP51016B	Recoil Spring Guide, Blue	.45	6A16Y48	\$ 20.60
#160-119-210DF	SP50206B	Recoil Spring Plug, Blue	.45	6A13T52	\$ 16.90
#160-111-102DF	SP54721B	Sight, Front, High Profile, w/Dot	.45	6A08P93	\$ 9.99
#160-111-011DF	SP55011B	Sight, Front, High Profile, w/o Dot	.45	6A06U31	\$ 7.89
#160-000-074DF	SP54718B	Sight, Front, w/Dot	.45	6A07A98	\$ 9.98
#160-118-102DF	SP54841B	Sight, Rear, High Profile, w/Dot	.45	6A12V35	\$ 14.99
#160-118-001DF	SP55010B	Sight, Rear, High Profile, w/o Dot	.45	6A11B98	\$ 14.98
#160-000-129DF	SP572733	Stock Screw, Dull SS	.45	6A04Z16	\$ 5.20

● ● ● 1911 Model O Gold Cup - Common Parts ●

#160-103-100DF	SP50143B	Barrel Link, Blue	All	6A04Y65	\$	5.81	#160-107-138DF
#160-103-101DF	SP50144B	Barrel Link Pin, Blue	All	6A03T58	\$	4.48	#160-114-100DF
#160-106-100DF	SP54636T	Disconnector	All	6A12P75	\$	15.94	#160-000-231DF
#160-107-001DF	SP50170B	Ejector Pin	All	6A03U58	\$	4.48	#160-114-101DF
#160-108-090DF	SP567541B	Extractor, Blue	All	6A37V20	\$	46.50	#160-119-204DF
#160-108-091DF	SP567542W	Extractor, Bright SS	All	6A43B34	\$	54.18	#160-119-230DF
#160-109-045DF	SP56758	Firing Pin, Blue	All	6A08X53	\$	10.66	
#160-109-080DF	SP56765T	Firing Pin Plunger	All	6A04A16	\$	5.20	1911 G
#160-109-082DF	SP567671T	Firing Pin Plunger Lever	All	6A03Y58	\$	4.48	
#160-109-081DF	SP56764	Firing Pin Plunger Spring	All	6A04B16	\$	5.20	
#160-109-100DF	SP50186	Firing Pin Spring	All	6A03X58	\$	4.48	#400 400 040DE
#160-109-101DF	SP567571B	Firing Pin Stop, Blue	All	6A10C14	\$	12.68	#160-102-046DF
#160-109-102DF	SP567571L	Firing Pin Stop, SS	All	6A09H34	\$	11.68	#160-000-132DF
#160-113-070DF	SP55695B	Hammer, Enhanced Blue	All	6A34D51	\$	44.99	#160-102-051DF
#160-113-200DF	SP50153B	Hammer Pin, Blue	All	6A04A16	\$	5.20	#160-121-200DF
#160-000-123DF	SP572352	Hammer Pin, Bright SS	All	6A04V16	\$	5.20	#160-121-201DF
#160-113-202DF	SP50153DB		All	6A04Z16	\$	5.20	#160-107-245DF
#160-113-201DF	SP572351	Hammer Pin, Dull SS	All	6A04A16	\$	5.20	#160-107-145DF
#160-113-250DF	SP53503B	Hammer Strut, Blue	All	6A05Y48	\$	6.85	#160-000-230DF
#160-113-252DF	SP50152B	Hammer Strut Pin	All	6A03T71	\$	4.64	#160-114-380DF
#160-115-100DF	SP54727B	Magazine Catch, Blue	All	6A14C70	\$	18.38	#160-114-381DF
#160-115-103DF	SP547272W	Magazine Catch, Bright SS	All	6A16Z13	\$	20.16	#160-114-450DF
#160-115-110DF	SP50007B	Magazine Catch Lock, Blue	All	6A06A31	\$	7.89	#160-000-228DF
#160-115-113DF	SP50007DB	Magazine Catch Lock, Dull Blue	All	6A05Y48	\$	6.85	#160-000-222DF
#160-115-111DF	SP572371	Magazine Catch Lock, Dull SS	All	6A07T98	\$	9.98	#160-114-451DF
#160-116-135DF	SP50159B	Mainspring Cap	All	6A03P58	\$	4.48	#160-114-452DF
#160-116-130DF	SP50160B	Mainspring Cap Pin, Blue	All	6A03U58	\$	4.48	#160-000-227DF
#160-116-131DF	SP50160L	Mainspring Cap Pin, SS	All	6A04A16	\$	5.20	#160-114-453DF #160-000-224DF
#160-116-115DF	SP572012	Mainspring Housing, Arched,	All	6A45V77	\$	57.21	
		Bright SS			_		#160-114-090DF #160-000-223DF
#160-116-126DF	SP546761	Mainspring Housing, Arched, Composite, Blue	All	6A11B12	\$	13.90	#160-000-223DF #160-114-091DF
#160-116-111DF	SP572822	Mainspring Housing, Flat, Bright SS	All	6A40X92	•	49.99	#160-114-031DF #160-000-075DF
#160-116-125DF	SP546791	Mainspring Housing, Flat,	All	6A08C53	_	10.66	#160-000-075DF #160-116-102DF
#100-110-125D1	31 340731	Composite, Blue	All	0A08C33	پ	10.00	#160-116-102DF #160-119-200DF
#160-116-225DF	SP546792	Mainspring Housing, Flat,	All	6A08D53	\$	10.66	#160-119-200DF #160-119-210DF
		Composite, Gray					#160-119-210DF #160-119-211DF
#160-116-133DF	SP50163B	Mainspring Housing Pin, Blue	All	6A04U16	\$	5.20	#160-119-211DF #160-111-021DF
							# 10U-111-U21DF

STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#160-000-124DF	SP572392	Mainspring Housing Pin, Bright SS		6A04P65	\$ 5.81
#160-116-134DF	SP572391	Mainspring Housing Pin, Dull SS	All	6A04A16	\$ 5.20
#160-116-132DF	SP50162B	Mainspring Retainer Pin	All	6A03V58	\$ 4.48
#160-117-110DF	SP50164B	Plunger Spring Assembly, Blue	All	6A06B31	\$ 7.89
#160-116-127DF	SP50164L	Plunger Spring Assembly, SS	All	6A07X98	\$ 9.98
#160-117-100DF	SP50171B	PlungerTube, Blue	All	6A13C16	\$ 14.99
#160-121-110DF	SP50178B	Sear Pin, Blue	All	6A04T16	\$ 5.20
#160-000-126DF	SP572422	Sear Pin, Bright SS	All	6A04B16	\$ 5.20
#160-121-112DF	SP50178DB	Sear Pin, Dull Blue	All	6A04A16	\$ 5.20
#160-121-111DF	SP572421	Sear Pin, Dull SS	All	6A04Y16	\$ 5.20
#160-121-120DF	SP50179	Sear Spring, Blue	All	6A03T80	\$ 4.75
#160-123-450DF	SP50195B	Slide Stop, Blue	All	6A28P98	\$ 36.23
#160-123-452DF	SP572462	Slide Stop, Bright SS	All	6A35U05	\$ 43.81
#160-000-131DF	SP573082	Slide Stop, Bright SS	All	6A46A64	\$ 58.30
#160-123-453DF	SP50195DB	Slide Stop, Dull Blue	All	6A28V40	\$ 35.50
#160-123-451DF	SP572461	Slide Stop, Dull SS	All	6A28B98	\$ 36.23
#160-123-381DF	SP573081	Slide Stop, Dull SS	All	6A59Z41	\$ 74.26
#160-000-027DF	SP50209DB	Stock Screw, Dull Blue	All	6A04A16	\$ 5.20
#160-000-128DF	SP572731	Stock Screw, SS	All	6A04Y16	\$ 5.20
#160-126-080DF	SP56766T	Trigger Bar Lever	All	6A04T16	\$ 5.20

1911 Delta Elite

Other parts Listed Under Model O Gold Cup Common Parts Web Quick-Find Schematic #139						
#160-107-138DF	SP57366	Ejector, SS .38 S	uper, 10mm	6A28V27	\$	35.34
#160-114-100DF	SP54760B	Magazine, Delta 8-Round, Blue	10mm	6A36B74	\$	45.93
#160-000-231DF	SP573422	Magazine, Delta, 8-Round, Bright SS	10mm	6A40X35	\$	49.99
#160-114-101DF	SP573421	Magazine, Delta 8-Round, SS	10mm	6A39U46	\$	49.33
#160-119-204DF	SP50204	Recoil Spring, 32 Coils	10mm	6A06A30	\$	7.88
#160-119-230DF	SP54945	Recoil Spring Plate, Blue	10mm	6A02V86	\$	3.58

— 1911 Gold Cup, 10mm Gold Cup, Combat Target —

Other parts Listed Under Model O Gold Cup Common Parts Web Quick-Find Schematic #140 Barrel Bushing, Blue #160-102-046DF SP50145B 6A15X76 \$ 19.99 #160-000-132DF SP573172 Barrel Bushing, Bright SS All 6A25C77 \$ 32.21 6A15H05 \$ 18.81 #160-102-051DF Barrel Bushing, Dull SS All SP573171 6A04D65 \$ 5.81 #160-121-200DF SP52444B Depressor, Blue #160-121-201DF SP52445 Depressor Spring, Blue ΑII 6A04Z65 \$ 5.81 #160-107-245DF SP54881B .45 6A15A16 \$ 19.99 #160-107-145DF SP57459 Ejector, SS .45 6A20Y41 \$ 25.51 #160-000-230DF SP574482 Magazine, 9-Round, Bright SS .38 Super 6A42T63 \$ 53.29 .38 Super #160-114-380DF SP50225B Magazine, Govt, 9-Round, Blue 6A27P32 \$ 34.15 #160-114-381DF Magazine, Govt, 9-Round, SS 6A34U95 \$ 43.69 .38 Super #160-114-450DF SP53355B Magazine, Govt, 7-Round, Blue 6A20A80 \$ 26.00 .45 #160-000-228DF 6A27V56 \$ 34.45 SP572492 Magazine, Govt, 7-Round, Bright SS .45 #160-000-222DF SP53355N Magazine, Govt, 7-Round, Nickel 6A30B83 \$ 38.54 #160-114-451DF Magazine, Govt, 7-Round, SS 6A20X41 \$ 25.51 #160-114-452DF Magazine, Govt, 8-Round, Blue 6A24C58 \$ 29.99 #160-000-227DF Magazine, Govt, 8-Round, Bright SS .45 6A29H77 \$ 37.21 #160-114-453DF SP574001 Magazine, Govt, 8-Round, SS .45 6A28D67 \$ 34.99 6A37Z67 \$ 47.09 #160-000-224DF SP50225N Magazine, Govt 9-Round, Nickel .38 Super #160-114-090DF SP51032B Magazine, Govt, 9-Round, Blue 6A26A39 \$ 32.99 #160-000-223DF SP51032N Magazine, Govt, 9-Round, Nickel 6A28Y29 \$ 35.36 #160-114-091DF SP945381 Magazine, Govt, 9-Round, SS 6A36T52 \$ 45.65 9mm #160-000-075DF SP547273W Magazine Catch, Dull SS ΑII 6A15P61 \$ 19.99

ΑII

All

All

All

STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#160-000-049DF	SP51195	Sight Detent Ball, Rear	All	6A03C58	\$ 4.48
#160-000-354DF	SP53940B	Sight Elevation Screw, Rear, 2-Pak Elliason	, All	6A16H60	\$ 20.75
#160-000-054DF	SP51649B	Sight Elevation Screw Pin, Rear	All	6A03D58	\$ 4.48
#160-000-048DF	SP51194	Sight Elevation Spring, Rear	All	6A03Z58	\$ 4.48
#160-126-112DF	SP55093DB	Trigger, Dull Blue	All	6A28A67	\$ 34.99

1911 Defender

Web Quick-Find Schematic #145

#160-000-341DF	SP576591	PlungerTube, SS	.45	6A20A01	\$ 25.0
#160-000-342DF	SP577601	Recoil Spring Bushing	.45	6A13X98	\$ 17.48
#160-000-351DF	SP94766	Stock Assembly, Hogue, Wrap	around .45	6A37C55	\$ 46.94

PARA-ORDNANCE

INDEX:
Autoloading Pistols
P10.9/.40/.45/.45LTD
P12.45/.45LTD & P14.40 - Common Parts63
P12.45/.45LTD
P14.40
P13.45/.45LTD & P15.40 - Common Parts
P13.45/.45LTD
P15.40
P14.45/LTD, P16.40 LTD, & P18.9 - Common Parts 65
P14.45/.45LTD
P16.40/.40LTD
P18.9
P12.45 LDA & P14.40 LDA - Common Parts
P12.45 LDA
P14.40 LDA
P14.45, P16.40, & P18.9 LDA LTD - Common Parts 66-67
P14.45 LDA/.45 LDA LTD
P16.40 LDA/.40 LDA LTD
P18.9 LDA LTD
C6.45 LDA & C7.45 LDA - Common Parts 67-68
C6.45 LDA
C7.45 LDA

Genuine Factory Parts help you repair these guns correctly. Please note, many Para-Ordnance parts interchange. SPECS: Parts supplied with factory applied finish.

Autoloading Pistols

P10.9/.40/.45/.45LTD

Web Quick-Find Schematic #787

	#199-000-095DF	0390600	Barrel, 3", Blue	.45	9A122H97	\$1	53.71
	#199-000-096DF	0390700	Barrel, 3", Blue	.40 S&W	9A123D26	\$1	54.08
٠	#199-000-099DF	0391000	Barrel, 3", Blue	9mm	9A123T26	\$1	54.08
	#199-000-200DF	9390600	Barrel, 3", SS	.45	9A127P53	\$1	59.41
	#199-000-202DF	9390700	Barrel, 3", SS	.40 S&W	9A127U55	\$1	59.44
٠	#199-000-208DF	9410001	Barrel Link, .010 Over Size, SS	.40 S&W, .45	9A04A30	\$	5.38
	#199-000-102DF	0410001	Barrel Link, .010 Over Size	All	9A04V30	\$	5.38
	#199-000-209DF	9410002	Barrel Link, .015 Over Size, SS	.40 S&W, .45	9A04B30	\$	5.38
٠	#199-000-103DF	0410002	Barrel Link, .015 Over Size	All	9A04X30	\$	5.38
	#199-000-104DF	0410003	Barrel Link, .020 Over Size	All	9A04C30	\$	5.38
	#199-000-210DF	9410003	Barrel Link, .202 Over Size, SS	.40 S&W, .45	9A04H30	\$	5.38
	#199-000-207DF	9410000	Barrel Link, Standard, SS	.40 S&W, .45	9A04D30	\$	5.38



SP54715B Sight, Front

Mainspring, Blue

Recoil Spring Guide

Recoil Spring Plug, Blue

Recoil Spring Plug, Dull SS







6A04U65 \$ 5.81

6A12A37 \$ 15.46

6A13V52 \$ 16.90

6A14B29 \$ 17.86

6A08X53 \$ 10.66

SP51837

SP50205B

SP50206B

SP572471

	P10.9/.40/.45/.45LTD	continued		STOCK #	FAC.# DE	SCRIPTION
STOCK #	FAC.# DESCRIPTION	CAL./GA.	PRICE	#199-000-367DF	0370301 Pow	er Extractor Assembly
#199-000-101DF	0410000 Barrel Link, Standard	All	9A04Z30 \$ 5.38	#199-000-368DF	9370101 Pow	er Extractor Assembly
#199-000-101DF #199-000-257DF	940000 Barrel Link, Standard	All	9A04A18 \$ 5.23	#199-000-370DF	9370301 Pow	er Extractor Assembly
#199-000-257DF #199-000-154DF	9170200 Ejector, Long, SS	.40 S&W, .45	9A13Y49 \$ 16.86	#199-000-111DF	0430004 Rec	oil Spring
#199-000-034DF	0170200 Ejector, Long	All	9A13T49 \$ 16.86	#199-000-118DF	0430005 Rec	oil Spring Assembly, B
#199-000-036DF	0180000 Ejector Pin	All	9A03P52 \$ 4.40	#199-000-123DF		oil Spring Plug, Full Lei
#199-000-188DF	9370100 Extractor, SS	.45	9A20U38 \$ 25.48	#199-000-019DF	0090200 Safe	ety Lock, Ambidextrous
#199-000-189DF	9370200 Extractor, SS	.40 S&W	9A14A29 \$ 17.86	#199-000-144DF	9090200 Safe	ety Lock, Ambidextrous
#199-000-082DF	0370100 Extractor	.45	9A20V38 \$ 25.48	#199-000-143DF	9090100 Safe	•
#199-000-083DF	0370200 Extractor	.40 S&W	9A20B38 \$ 25.48	#199-000-018DF	0090100 Safe	·
#199-000-084DF	0370300 Extractor	9mm	9A20X38 \$ 25.48	#199-000-168DF		ety Lock Plunger, SS
#199-000-186DF	9350001 Firing Pin, SS	.45	9A07C53 \$ 9.41	#199-000-058DF		ety Lock Plunger
#199-000-187DF	9350002 Firing Pin, SS	.40 S&W	9A06H89 \$ 8.61	#199-000-021DF	0100100 Sea	
#199-000-225DF	9460000 Firing Pin Plunger, SS	All	9A04D16 \$ 5.20	#199-000-146DF	9120000 Sea	
#199-000-081DF	0360000 Firing Pin Spring	All	9A03Z18 \$ 3.98	#199-000-026DF	0120000 Sea	
#199-000-191DF	9380100 Firing Pin Stop, SS	All	9A10A14 \$ 12.68	#199-000-025DF		r Spring
#199-000-085DF	0380100 Firing Pin Stop	All	9A08Y33 \$ 10.41	#199-000-074DF		t, Front, Dovetail, Blac
#199-000-142DF	9081200 Grip Safety, Beavertail, SS, LTD	.45	9A26T13 \$ 32.66	#199-000-326DF		it, Front, Dovetail
#199-000-016DF	0081100 Grip Safety	All	9A14P29 \$ 17.86	#199-000-330DF	0340500 Sigh	
#199-000-270DF	0030300 Grip Screws, Set of 4, Hex Hea	ad, LTD .45	9A07U86 \$ 9.83	#199-000-078DF		nt, Rear, White Dot, Lo
#199-000-137DF	9030300 Grip Screws, Set of 4, Hex Hea	ad, .45	9A11A97 \$ 14.96	#199-000-331DF	0320200 Slid	- '
	SS, LTD			#199-000-333DF	9320200 Slid	- 17
#199-000-009DF	0030100 Grip Screws, Set of 4	All	9A06V32 \$ 7.90	#199-000-169DF		e Stop Plunger, SS
#199-000-007DF	0020700 Grips, Pair	All	9A41B84 \$ 52.30	#199-000-059DF	0290000 Slide	
#199-000-148DF	9130200 Hammer, SS, LTD	.45	9A24X70 \$ 30.88	#199-000-358DF #199-000-336DF		all Black Telescopic Plu ger Assembly, Extende
#199-000-147DF	9130100 Hammer, SS	All	9A17C56 \$ 21.95	#199-000-336DF #199-000-056DF		· · · · · · · · · · · · · · · · · · ·
#199-000-027DF	0130100 Hammer	All	9A15H41 \$ 19.26	#199-000-056DF	0260100 Trigg	ger bar Lever
#199-000-283DF	0140001 Hammer Pin, LTD	.45	9A03D30 \$ 4.13	D1) 4E / 4EI	TD & P14.40
#199-000-286DF	9140001 Hammer Pin, SS, LTD	.45	9A04Z09 \$ 5.11	1000 F 12	2.43/.43L	1 D & F 14.40
#199-000-149DF	9140000 Hammer Pin, SS	All	9A03A71 \$ 4.64	#199-000-208DF	9410001 Barr	el Link, .010 Over Size
#199-000-029DF	0140000 Hammer Pin	All	9A03V18 \$ 3.98	#199-000-102DF		el Link, .010 Over Size
#199-000-151DF	9150200 Hammer Strut, SS	All	9A04B42 \$ 5.53	#199-000-209DF		el Link, .015 Over Size
#199-000-031DF	0150200 Hammer Strut	All	9A04X15 \$ 5.19	#199-000-103DF		el Link, .015 Over Size
#199-000-152DF	9160000 Hammer Strut Pin, SS	All	9A03C69 \$ 4.61	#199-000-104DF		el Link, .020 Over Size
#199-000-233DF	PNMC45R Magazine, 10-Round, Nickel	.45	9A47H53 \$ 59.41	#199-000-210DF		el Link, .202 Over Size
#199-000-293DF	0050200 Magazine Catch, Double Stack		9A13D85 \$ 17.31	#199-000-207DF		el Link, Standard, SS
#199-000-296DF	9050400 Magazine Catch, Double Stack		9A15Z67 \$ 19.59	#199-000-101DF	0410000 Barr	el Link, Standard
#199-000-138DF	9060100 Magazine Catch Lock, SS	All	9A04A23 \$ 5.29	#199-000-257DF	9400000 Barr	el Link Pin, SS
#199-000-012DF	0060100 Magazine Catch Lock	All	9A03Y96 \$ 4.95 9A03T18 \$ 3.98	#199-000-154DF	9170200 Ejec	tor, Long, SS
#199-000-013DF	0070000 Magazine Catch Spring			#199-000-034DF	0170200 Ejec	tor, Long
#199-000-301DF #199-000-298DF	0521400 Magazine Floor Plate Retainer,0520100 Magazine Floor Plate Retainer	All	9A05P86 \$ 7.33 9A03U50 \$ 4.38	#199-000-036DF	0180000 Ejed	tor Pin
#199-000-130DF	0510100 Magazine Follower	All	9A03U30 \$ 4.38 9A07A15 \$ 8.94	#199-000-225DF	9460000 Firir	g Pin Plunger, SS
#199-000-303DF	0500500 Magazine Pad, 10-Round, Poly		9A08V87 \$ 11.09	#199-000-081DF	0360000 Firin	g Pin Spring
#199-000-305DF	0500502 Magazine Pad, L/E, Hi-Cap	All	9A08B87 \$ 11.09	#199-000-150DF	9150100 Han	nmer Strut, SS
#199-000-128DF	0490003 Magazine Spring	All	9A07X78 \$ 9.73	#199-000-030DF	0150100 Han	nmer Strut
#199-000-040DF	0190003 Mainspring	All	9A03C52 \$ 4.40	#199-000-152DF	9160000 Han	nmer Strut Pin, SS
#199-000-158DF	920003 Mainspring Cap, SS	All	9A04H16 \$ 5.20	#199-000-293DF	0050200 Mag	gazine Catch, Double S
#199-000-045DF	0200003 Mainspring Cap	All	9A02D87 \$ 3.59	#199-000-296DF	9050400 Mag	gazine Catch, Double S
#199-000-159DF	9210000 Mainspring Cap Pin, SS	All	9A03Z69 \$ 4.61	#199-000-138DF	9060100 Mag	gazine Catch Lock, SS
#199-000-046DF	0210000 Mainspring Cap Pin	All	9A02A87 \$ 3.59	#199-000-012DF	0060100 Mag	gazine Catch Lock
#199-000-312DF	0220301 Mainspring Housing, Flat, Che		9A06Y67 \$ 8.34	#199-000-013DF		gazine Catch Spring
#199-000-050DF	0220300 Mainspring Housing, Flat	All	9A04T22 \$ 5.28	#199-000-301DF		gazine Floor Plate Reta
#199-000-164DF	9230100 Mainspring Housing Pin, SS	All	9A04P16 \$ 5.20	#199-000-298DF		gazine Floor Plate Reta
#199-000-051DF	0230100 Mainspring Housing Pin	All	9A02U87 \$ 3.59	#199-000-130DF		gazine Follower
#199-000-167DF	9240003 Mainspring Retainer, SS	All	9A04A16 \$ 5.20	#199-000-303DF		gazine Pad, 10-Round,
#199-000-054DF	0240003 Mainspring Retainer	All	9A03V18 \$ 3.98	#199-000-305DF		gazine Pad, L/E, Hi-Cap
#199-000-055DF	0250100 Plunger Lever	All	9A04B15 \$ 5.19	#199-000-128DF	0490003 Mag	
#199-000-057DF	0270000 Plunger Spring	All	9A03X18 \$ 3.98	#199-000-159DF		nspring Cap Pin, SS
#199-000-126DF	0470000 Plunger Spring for Firing Pin	All	9A03C19 \$ 3.99	#199-000-046DF		nspring Cap Pin
#199-000-365DF	0370101 Power Extractor Assembly, Bla		9A70H00 \$ 87.50	#199-000-164DF		nspring Housing Pin, S
-	- 7			#199-000-051DF	0230100 Mai	nspring Housing Pin

STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#199-000-367DF	0370301	Power Extractor Assembly, Black	9mm	9A70D00	\$ 87.50
#199-000-368DF	9370101	Power Extractor Assembly, SS	.45	9A75Z71	\$ 94.64
#199-000-370DF	9370301	Power Extractor Assembly, SS	9mm	9A75A71	\$ 94.64
#199-000-111DF	0430004	Recoil Spring	All	9A07Y78	\$ 9.73
#199-000-118DF	0430005	Recoil Spring Assembly, Blue	All	9A23T88	\$ 29.85
#199-000-123DF	0450301	Recoil Spring Plug, Full Length, LTD	.45	9A08P14	\$ 10.18
#199-000-019DF	0090200	Safety Lock, Ambidextrous, Blue	All	9A39U56	\$ 49.45
#199-000-144DF	9090200	Safety Lock, Ambidextrous, SS	All	9A40A12	\$ 50.15
#199-000-143DF	9090100	Safety Lock, SS	All	9A18V99	\$ 23.74
#199-000-018DF	0090100	Safety Lock	All	9A18B26	\$ 22.83
#199-000-168DF	9280000	Safety Lock Plunger, SS	All	9A04X15	\$ 5.19
#199-000-058DF	0280000	Safety Lock Plunger	All	9A03C44	\$ 4.30
#199-000-021DF	0100100	Sear	All	9A12H82	\$ 16.03
#199-000-146DF	9120000	Sear Pin, SS	All	9A04D15	\$ 5.19
#199-000-026DF	0120000	Sear Pin	All	9A03Z18	\$ 3.98
#199-000-025DF	0110103	Sear Spring	All	9A03A56	\$ 4.45
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17Y56	\$ 21.95
#199-000-326DF	0330300	Sight, Front, Dovetail	All	9A17T14	\$ 21.43
#199-000-330DF	0340500	Sight, Rear, Night	All	9A64P29	\$ 80.36
#199-000-078DF	0340101	Sight, Rear, White Dot, Low Mount	All	9A26U31	\$ 32.89
#199-000-331DF	0320200	Slide Stop, Blue	All	9A17A14	\$ 21.43
#199-000-333DF	9320200	Slide Stop, SS	All	9A20V00	\$ 25.00
#199-000-169DF	9290000	Slide Stop Plunger, SS	All	9A04B15	\$ 5.19
#199-000-059DF	0290000	Slide Stop Plunger	All	9A03X18	\$ 3.98
#199-000-358DF	0450500	Small Black Telescopic Plug	All	9A10C48	\$ 13.10
#199-000-336DF	0040500	Trigger Assembly, Extended	All	9A24H60	\$ 30.75
#199-000-056DF	0260100	Trigger Bar Lever	All	9A04D49	\$ 5.61

#133-000-330D1	0040300	rrigger Asserribly, Exterided	All	3A241100	φ	30.75
#199-000-056DF	0260100	Trigger Bar Lever	All	9A04D49	\$	5.61
				_		
● ● ● P12	2.45/.4	l5LTD & P14.40 - Com	ımon	Parts •		•
#199-000-208DF	9410001	Barrel Link, .010 Over Size, SS	All	9A04Z30	\$	5.38
#199-000-102DF		Barrel Link, .010 Over Size	All	9A04A30	_	5.38
#199-000-209DF		Barrel Link, .015 Over Size, SS	All	9A04Y30	_	
#199-000-103DF		Barrel Link, .015 Over Size	All	9A04T30	_	
#199-000-104DF		Barrel Link, .020 Over Size	All	9A04P30	_	5.38
#199-000-210DF		Barrel Link, .202 Over Size, SS	All	9A04U30	÷	5.38
#199-000-207DF		Barrel Link, Standard, SS	All	9A04A30	_	5.38
#199-000-101DF	0410000	Barrel Link, Standard	All	9A04V30	\$	5.38
#199-000-257DF	9400000	Barrel Link Pin, SS	All	9A04U18	\$	5.23
#199-000-154DF	9170200	Ejector, Long, SS	All	9A13V49	\$	16.86
#199-000-034DF	0170200	Ejector, Long	All	9A13B49	\$	16.86
#199-000-036DF	0180000	Ejector Pin	All	9A03U52	\$	4.40
#199-000-225DF	9460000	Firing Pin Plunger, SS	All	9A04V16	\$	5.20
#199-000-081DF	0360000	Firing Pin Spring	All	9A03B18	\$	3.98
#199-000-150DF	9150100	Hammer Strut, SS	All	9A04D42	\$	5.53
#199-000-030DF	0150100	Hammer Strut	All	9A04Z45	\$	5.56
#199-000-152DF	9160000	Hammer Strut Pin, SS	All	9A03A69	\$	4.61
#199-000-293DF	0050200	Magazine Catch, Double Stack, Blue	All	9A13Y85	\$	17.31
#199-000-296DF	9050400	Magazine Catch, Double Stack, SS	All	9A15T67	\$	19.59
#199-000-138DF	9060100	Magazine Catch Lock, SS	All	9A04P23	\$	5.29
#199-000-012DF	0060100	Magazine Catch Lock	All	9A03U96	\$	4.95
#199-000-013DF	0070000	Magazine Catch Spring	All	9A03A18	\$	3.98
#199-000-301DF	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05V86	\$	7.33
#199-000-298DF	0520100	Magazine Floor Plate Retainer	All	9A03B50	\$	4.38
#199-000-130DF	0510100	Magazine Follower	All	9A07X15	\$	8.94
#199-000-303DF	0500500	Magazine Pad, 10-Round, Polymer	All	9A08C87	\$	11.09
#199-000-305DF	0500502	Magazine Pad, L/E, Hi-Cap	All	9A08H87	\$	11.09
#199-000-128DF	0490003	Magazine Spring	All	9A07D78	_	9.73
#199-000-159DF	9210000	Mainspring Cap Pin, SS	All	9A03Z69	\$	4.61
#199-000-046DF	0210000	Mainspring Cap Pin	All	9A02A87	\$	3.59
#199-000-164DF	9230100	Mainspring Housing Pin, SS	All	9A04Y16	\$	5.20

STOCK #	FAC.#	DESCRIPTION	CAL./GA.		-	PRICE
#199-000-055DF	0250100	Plunger Lever	All	9A04C15	\$	5.19
#199-000-057DF	0270000	Plunger Spring	All	9A03H18	\$	3.98
#199-000-126DF	0470000	Plunger Spring for Firing Pin	All	9A03D19	\$	3.99
#199-000-365DF	0370101	Power Extractor Assembly, Black	.45	9A70Z00	\$	87.50
#199-000-366DF	0370201	Power Extractor Assembly, Black	All	9A70A00	\$	87.50
#199-000-367DF	0370301	Power Extractor Assembly, Black	9mm	9A70Y00	\$	87.50
#199-000-368DF	9370101	Power Extractor Assembly, SS	.45	9A75T71	\$	94.64
#199-000-369DF	9370201	Power Extractor Assembly, SS	All	9A75P71	\$	94.64
#199-000-370DF	9370301	Power Extractor Assembly, SS	9mm	9A75U71	\$	94.64
#199-000-019DF	0090200	Safety Lock, Ambidextrous, Blue	All	9A39A56	\$	49.45
#199-000-144DF	9090200	Safety Lock, Ambidextrous, SS	All	9A40V12	\$	50.15
#199-000-143DF	9090100	Safety Lock, SS	All	9A18B99	\$	23.74
#199-000-018DF	0090100	Safety Lock	All	9A18X26	\$	22.83
#199-000-168DF	9280000	Safety Lock Plunger, SS	All	9A04C15	\$	5.19
#199-000-058DF	0280000	Safety Lock Plunger	All	9A03H44	\$	4.30
#199-000-021DF	0100100	Sear	All	9A12D82	\$	16.03
#199-000-146DF	9120000	Sear Pin, SS	All	9A04Z15	\$	5.19
#199-000-026DF	0120000	Sear Pin	All	9A03A18	\$	3.98
#199-000-327DF	0330400	Sight, Front, Night	All	9A47Y14	\$	58.93
#199-000-185DF	9320100	Slide Stop, SS	All	9A20T41	\$	25.51
#199-000-169DF	9290000	Slide Stop Plunger, SS	All	9A04P15	\$	5.19
#199-000-059DF	0290000	Slide Stop Plunger	All	9A03U18	\$	3.98
#199-000-056DF	0260100	Trigger Bar Lever	All	9A04A49	\$	5.61
		D40 45 / 451TD				

P12.45/.45LTD-

	Other parts Listed Under P12.45 & P14.40	Common	Darte	
	Web Quick-Find Schematic #7		aits	
#199-000-097DF	0390900 Barrel, 3-1/2", Blue	.45	9A122V99	\$153.74
#199-000-203DF	9390900 Barrel, 3-1/2", SS	.45	9A127B26	\$159.08
#199-000-212DF	9420300 Barrel Bushing, SS	.45	9A14X70	\$ 18.38
#199-000-107DF	0420300 Barrel Bushing	.45	9A14C29	\$ 17.86
#199-000-188DF	9370100 Extractor, SS	.45	9A20H38	\$ 25.48
#199-000-082DF	0370100 Extractor	.45	9A20A38	\$ 25.48
#199-000-186DF	9350001 Firing Pin, SS	.45	9A07Y53	\$ 9.41
#199-000-086DF	0380200 Firing Pin Stop, LTD	.45	9A08A84	\$ 11.05
#199-000-192DF	9380200 Firing Pin Stop, SS, LTD	.45	9A10D14	\$ 12.68
#199-000-191DF	9380100 Firing Pin Stop, SS	.45	9A10T14	\$ 12.68
#199-000-085DF	0380100 Firing Pin Stop	.45	9A08P33	\$ 10.41
#199-000-015DF	0080200 Grip Safety, Beavertail, LTD	.45	9A27C88	\$ 34.85
#199-000-017DF	0081200 Grip Safety, Beavertail, LTD	.45	9A25H40	\$ 31.75
#199-000-140DF	9080200 Grip Safety, Beavertail, SS, LTD	.45	9A28A95	\$ 36.19
#199-000-010DF	0030200 Grip Screws, Set of 4, LTD	.45	9A07T98	\$ 9.98
#199-000-136DF	9030200 Grip Screws, Set of 4, SS, LTD	.45	9A14P29	\$ 17.86
#199-000-134DF	9030000 Grip Screws, Set of 4, SS	.45	9A06U66	\$ 8.33
#199-000-008DF	0030000 Grip Screws, Set of 4	.45	9A06A32	\$ 7.90
#199-000-006DF	0020501 Grips, Pair, LTD	.45	9A41V84	\$ 52.30
#199-000-005DF	0020500 Grips, Pair	.45	9A41B84	\$ 52.30
#199-000-028DF	0130200 Hammer, LTD	.45	9A21C84	\$ 27.30
#199-000-148DF	9130200 Hammer, SS, LTD	.45	9A24H70	\$ 30.88
#199-000-147DF	9130100 Hammer, SS	.45	9A17D56	\$ 21.95
#199-000-027DF	0130100 Hammer	.45	9A15U41	\$ 19.26
#199-000-283DF	0140001 Hammer Pin, LTD	.45	9A03A30	\$ 4.13
#199-000-286DF	9140001 Hammer Pin, SS, LTD	.45	9A04B09	\$ 5.11
#199-000-149DF	9140000 Hammer Pin, SS	.45	9A03C71	\$ 4.64
#199-000-029DF	0140000 Hammer Pin	.45	9A03H18	\$ 3.98
#199-000-344DF	PNMS45 Magazine, 12-Round, Nickel	.45	9A44D00	\$ 49.00
#199-000-133DF	0521300 Magazine Extension, 10-Round	.45	9A09Z34	\$ 11.68
#199-000-306DF	0490002 Magazine Spring	.45	9A07A70	\$ 9.63
#199-000-040DF	0190003 Mainspring	.45	9A03Y52	\$ 4.40
#199-000-158DF	9200003 Mainspring Cap, SS	.45	9A04T16	\$ 5.20
#199-000-045DF	0200003 Mainspring Cap	.45	9A02P87	\$ 3.59

9A02X87 **\$ 3.59**

	P	12.45/.45LTD contin	ued		
STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#199-000-312DF	0220301	Mainspring Housing, Flat, Checkere	ed .45	9A06B67	\$ 8.34
#199-000-050DF	0220300	Mainspring Housing, Flat	.45	9A04H22	\$ 5.28
#199-000-167DF	9240003	Mainspring Retainer, SS	.45	9A04D16	\$ 5.20
#199-000-054DF	0240003	Mainspring Retainer	.45	9A03A18	\$ 3.98
#199-000-352DF	0430012	Recoil Spring Assembly, 3.5" Barrel	.45	9A23Y88	\$ 29.85
#199-000-123DF	0450301	Recoil Spring Plug, Full Length, LTD	.45	9A08T14	\$ 10.18
#199-000-222DF	9450300	Recoil Spring Reverse Plug, w/Tab,	SS. 45	9A09P73	\$ 12.16
#199-000-024DF	0110102	Sear Spring	.45	9A05C03	\$ 6.29
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17P56	\$ 21.95
#199-000-326DF	0330300	Sight, Front, Dovetail	.45	9A17U14	\$ 21.43
#199-000-330DF	0340500	Sight, Rear, Night	.45	9A64A29	\$ 80.36
#199-000-078DF	0340101	Sight, Rear, White Dot, Low Mount	.45	9A26V31	\$ 32.89
#199-000-336DF	0040500	Trigger Assembly, Extended	.45	9A24B60	\$ 30.75

P14.40

Other parts Listed Under P12.45 & P14.40 Common Parts Web Quick-Find Schematic #788

#199-000-090DF	0390300	Barrel, 3-1/2", Blue	.40 S&W	9A123X26	\$ 154.08
#199-000-196DF	9390300	Barrel, 3-1/2", SS	.40 S&W	9A127C55	\$ 159.44
#199-000-211DF	9420100	Barrel Bushing, NI	.40 S&W	9A14H70	\$ 18.38
#199-000-105DF	0420100	Barrel Bushing	.40 S&W	9A14P29	\$ 17.86
#199-000-189DF	9370200	Extractor, SS	.40 S&W	9A14U29	\$ 17.86
#199-000-083DF	0370200	Extractor	.40 S&W	9A20A38	\$ 25.48
#199-000-187DF	9350002	Firing Pin, SS	.40 S&W	9A06V89	\$ 8.61
#199-000-191DF	9380100	Firing Pin Stop, SS	.40 S&W	9A10B14	\$ 12.68
#199-000-085DF	0380100	Firing Pin Stop	.40 S&W	9A08X33	\$ 10.41
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.40 S&W	9A06C66	\$ 8.33
#199-000-008DF	0030000	Grip Screws, Set of 4	.40 S&W	9A06H32	\$ 7.90
#199-000-001DF	0020100	Grips, Pair	.40 S&W	9A41D84	\$ 52.30
#199-000-147DF	9130100	Hammer, SS	.40 S&W	9A17Z56	\$ 21.95
#199-000-027DF	0130100	Hammer	.40 S&W	9A15A41	\$ 19.26
#199-000-149DF	9140000	Hammer Pin, SS	.40 S&W	9A03Y71	\$ 4.64
#199-000-029DF	0140000	Hammer Pin	.40 S&W	9A03T18	\$ 3.98
#199-000-131DF	0521100	Magazine Extension	.40 S&W	9A09P34	\$ 11.68
#199-000-127DF	0490001	Magazine Spring	.40 S&W	9A07U15	\$ 8.94
#199-000-037DF	0190000	Mainspring	.40 S&W	9A03A18	\$ 3.98
#199-000-156DF	9200001	Mainspring Cap, SS	.40 S&W	9A04V16	\$ 5.20
#199-000-043DF	0200001	Mainspring Cap	.40 S&W	9A02B87	\$ 3.59
#199-000-310DF	0220102	Mainspring Housing, Arched	.40 S&W	9A06X67	\$ 8.34
#199-000-165DF	9240001	Mainspring Retainer, SS	.40 S&W	9A04C16	\$ 5.20
#199-000-052DF	0240001	Mainspring Retainer	.40 S&W	9A03H18	\$ 3.98
#199-000-219DF	9450100	Recoil Spring Plug, SS	.40 S&W	9A09D73	\$ 12.16
#199-000-119DF	0450100	Recoil Spring Plug	.40 S&W	9A08Z14	\$ 10.18
#199-000-022DF	0110100	Sear Spring	.40 S&W	9A03A56	\$ 4.45
#199-000-326DF	0330300	Sight, Front, Dovetail	.40 S&W	9A17Y14	\$ 21.43
#199-000-075DF	0340100	Sight, Rear, White Dot, Low Mount	.40 S&W	9A26T12	\$ 32.65
#199-000-336DF	0040500	Trigger Assembly, Extended	.40 S&W	9A24P60	\$ 30.75

● ● P13.45/.45LTD & P15.40 - Common Parts ● ●

#199-000-102DF	0410001	Barrel Link, .010 Over Size	All	9A04U30	\$ 5.38
#199-000-209DF	9410002	Barrel Link, .015 Over Size, SS	All	9A04A30	\$ 5.38
#199-000-103DF	0410002	Barrel Link, .015 Over Size	All	9A04V30	\$ 5.38
#199-000-104DF	0410003	Barrel Link, .020 Over Size	All	9A04B30	\$ 5.38
#199-000-210DF	9410003	Barrel Link, .202 Over Size, SS	All	9A04X30	\$ 5.38
#199-000-207DF	9410000	Barrel Link, Standard, SS	All	9A04C30	\$ 5.38
#199-000-101DF	0410000	Barrel Link, Standard	All	9A04H30	\$ 5.38
#199-000-257DF	9400000	Barrel Link Pin, SS	All	9A04D18	\$ 5.23
#199-000-154DF	9170200	Ejector, Long, SS	All	9A13Z49	\$ 16.86
#199-000-034DF	0170200	Ejector, Long	All	9A13A49	\$ 16.86

STOCK #	FAC.#	DESCRIPTION	CAL./GA.			PRICE
#199-000-036DF	0180000	Ejector Pin	All	9A03Y52	\$	4.40
#199-000-225DF	9460000	Firing Pin Plunger, SS	All	9A04T16	\$	5.20
#199-000-081DF	0360000	Firing Pin Spring	All	9A03P18	\$	3.98
#199-000-150DF	9150100	Hammer Strut, SS	All	9A04U42	\$	5.53
#199-000-030DF	0150100	Hammer Strut	All	9A04A45	\$	5.56
#199-000-152DF	9160000	Hammer Strut Pin, SS	All	9A03V69	\$	4.61
#199-000-293DF	0050200	Magazine Catch, Double Stack, Blu	ie All	9A13B85	\$	17.31
#199-000-296DF	9050400	Magazine Catch, Double Stack, SS	All	9A15X67	\$	19.59
#199-000-138DF	9060100	Magazine Catch Lock, SS	All	9A04C23	\$	5.29
#199-000-012DF	0060100	Magazine Catch Lock	All	9A03H96	\$	4.95
#199-000-013DF	0070000	Magazine Catch Spring	All	9A03D18	\$	3.98
#199-000-301DF	0521400	Magazine Floor Plate Retainer, Hi-C	Cap AII	9A05Z86	\$	7.33
#199-000-130DF	0510100	Magazine Follower	All	9A07A15	\$	8.94
#199-000-303DF	0500500	Magazine Pad, 10-Round, Polymer	All	9A08Y87	\$	11.09
#199-000-305DF	0500502	Magazine Pad, L/E, Hi-Cap	All	9A08T87	\$	11.09
#199-000-128DF	0490003	Magazine Spring	All	9A07P78	\$	9.73
#199-000-159DF	9210000	Mainspring Cap Pin, SS	All	9A03U69	\$	4.61
#199-000-046DF	0210000	Mainspring Cap Pin	All	9A02P87	\$	3.59
#199-000-164DF	9230100	Mainspring Housing Pin, SS	All	9A04U16	\$	5.20
#199-000-051DF	0230100	Mainspring Housing Pin	All	9A02A87	\$	3.59
#199-000-055DF	0250100	Plunger Lever	All	9A04V15	\$	5.19
#199-000-057DF	0270000	Plunger Spring	All	9A03A18	\$	3.98
#199-000-126DF	0470000	Plunger Spring for Firing Pin	All	9A03Y19	\$	3.99
#199-000-365DF	0370101	Power Extractor Assembly, Black	.45	9A70T00	\$	87.50
#199-000-366DF	0370201	Power Extractor Assembly, Black	All	9A70P00	\$	87.50
#199-000-367DF	0370301	Power Extractor Assembly, Black	9mm	9A70U00	\$	87.50
#199-000-368DF	9370101	Power Extractor Assembly, SS	.45	9A75A71	\$	94.64
#199-000-369DF	9370201	Power Extractor Assembly, SS	All	9A75V71	\$	94.64
#199-000-370DF	9370301	Power Extractor Assembly, SS	9mm	9A75B71	\$	94.64
#199-000-019DF	0090200	Safety Lock, Ambidextrous, Blue	All	9A39X56	\$	49.45
#199-000-144DF	9090200	Safety Lock, Ambidextrous, SS	All	9A40C12	\$	50.15
#199-000-143DF		Safety Lock, SS	All	9A18H99		23.74
#199-000-018DF	0090100	Safety Lock	All	9A18P26	\$	22.83
#199-000-168DF		Safety Lock Plunger, SS	All	9A04C15	\$	5.19
#199-000-058DF		Safety Lock Plunger	All	9A03P44	\$	4.30
#199-000-021DF	0100100		All	9A12C82	<u> </u>	16.03
#199-000-146DF		Sear Pin, SS	All	9A04P15	\$	5.19
#199-000-026DF	0120000		All	9A03X18	\$	3.98
#199-000-327DF		Sight, Front, Night	All	9A47B14		58.93
#199-000-075DF		Sight, Rear, White Dot, Low Mount		9A26Z12	_	32.65
#199-000-185DF		Slide Stop, SS	All	9A20A41		25.51
#199-000-072DF		Slide Stop	All	9A17Y56		21.95
#199-000-169DF		Slide Stop Plunger, SS	All	9A04T15	\$	5.19
#199-000-059DF		Slide Stop Plunger	All	9A03P18	\$	3.98
#199-000-056DF	0260100	Trigger Bar Lever	All	9A04U49	\$	5.61

P13.45/.45LTD

Other parts Listed Under P13.45 & 15.40 Common Parts Web Quick-Find Schematic #789

#199-000-093DF	0390500 Barrel, 4-1/4", Blue	.45	9A123A26	\$154.08
#199-000-198DF	9390500 Barrel, 4-1/4", SS	.45	9A140V41	\$175.51
#199-000-256DF	9420200 Barrel Bushing, SS	.45	9A14B29	\$ 17.86
#199-000-106DF	0420200 Barrel Bushing	.45	9A14X29	\$ 17.86
#199-000-188DF	9370100 Extractor, SS	.45	9A20C38	\$ 25.48
#199-000-082DF	0370100 Extractor	.45	9A20H38	\$ 25.48
#199-000-186DF	9350001 Firing Pin, SS	.45	9A07D53	\$ 9.41
#199-000-086DF	0380200 Firing Pin Stop, LTD	.45	9A08Z84	\$ 11.05
#199-000-192DF	9380200 Firing Pin Stop, SS, LTD	.45	9A10A14	\$ 12.68
#199-000-191DF	9380100 Firing Pin Stop, SS	.45	9A10Y14	\$ 12.68
#199-000-085DF	0380100 Firing Pin Stop	.45	9A08T33	\$ 10.41
#199-000-015DF	0080200 Grip Safety, Beavertail, LTD	.45	9A27P88	\$ 34.85

STOCK #	FAC.#	DESCRIPTION C	AL./GA.		PRIC
#199-000-017DF	0081200	Grip Safety, Beavertail, LTD	.45	9A25U40	\$ 31.7
#199-000-140DF	9080200	Grip Safety, Beavertail, SS, LTD	.45	9A28A95	\$ 36.1
#199-000-010DF	0030200	Grip Screws, Set of 4, LTD	.45	9A07V98	\$ 9.9
#199-000-136DF	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A14B29	\$ 17.8
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.45	9A06X66	\$ 8.3
#199-000-008DF	0030000	Grip Screws, Set of 4	.45	9A06C32	\$ 7.9
#199-000-004DF	0020301	Grips, Pair, LTD	.45	9A41H84	\$ 52.3
#199-000-003DF	0020300	Grips, Pair	.45	9A41D84	\$ 52.3
#199-000-028DF	0130200	Hammer, LTD	.45	9A21Z84	\$ 27.3
#199-000-148DF	9130200	Hammer, SS, LTD	.45	9A24A70	\$ 30.8
#199-000-147DF	9130100	Hammer, SS	.45	9A17Y56	\$ 21.9
#199-000-027DF	0130100	Hammer	.45	9A15T41	\$ 19.2
#199-000-283DF	0140001	Hammer Pin, LTD	.45	9A03P30	\$ 4.1
#199-000-286DF	9140001	Hammer Pin, SS, LTD	.45	9A04U09	\$ 5.1
#199-000-149DF	9140000	Hammer Pin, SS	.45	9A03A71	\$ 4.6
#199-000-029DF	0140000	Hammer Pin	.45	9A03V18	\$ 3.9
#199-000-345DF	PNMM45	Magazine, 13-Round, Nickel	.45	9A44B00	\$ 49.0
#199-000-132DF	0521200	Magazine Extension, 10-Round	.45	9A09X34	\$ 11.6
#199-000-306DF	0490002	Magazine Spring	.45	9A07C70	\$ 9.6
#199-000-039DF	0190002	Mainspring	.45	9A03H52	\$ 4.4
#199-000-157DF	9200002	Mainspring Cap, SS	.45	9A04D16	\$ 5.2
#199-000-044DF	0200002	Mainspring Cap	.45	9A02Z87	\$ 3.5
#199-000-311DF	0220201	Mainspring Housing, Flat, Checkere	d .45	9A06A67	\$ 8.3
#199-000-049DF	0220200	Mainspring Housing, Flat	.45	9A04Y09	\$ 5.1
#199-000-166DF	9240002	Mainspring Retainer, SS	.45	9A04T16	\$ 5.2
#199-000-053DF	0240002	Mainspring Retainer	.45	9A03P18	\$ 3.9
#199-000-109DF	0430002	Recoil Spring	.45	9A07U15	\$ 8.9
#199-000-215DF	9440201	Recoil Spring Guide, Full Length, SS	.45	9A16A64	\$ 19.9
#199-000-114DF	0440200	Recoil Spring Guide	.45	9A08X49	\$ 10.6
#199-000-120DF	0450101	Recoil Spring Plug, Full Length, LTD	.45	9A08H14	\$ 10.1
#199-000-220DF	9450101	Recoil Spring Plug, Full Length, SS, LTD	.45	9A09A73	\$ 12.1
#199-000-023DF	0110101	Sear Spring	.45	9A05X03	\$ 6.2
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17C56	\$ 21.9
#199-000-326DF	0330300	Sight, Front, Dovetail	.45	9A17A14	\$ 21.4
#199-000-328DF	0330600	Sight, Front, Dovetail	.45	9A17V14	\$ 21.4
#199-000-077DF	0340300	Sight, Rear, Adjustable, LTD	.45	9A57B56	\$ 71.9
#199-000-351DF	0340400	Sight, Rear, Night Sight	.45	9A64X29	\$ 80.0
#199-000-336DF	0040500	Trigger Assembly, Extended	.45	9A24C60	\$ 30.7

P15.40

Other parts Listed Under P13.45 & 15.40 Common Parts

Web Quick-Find Schematic #789

ı	#199-000-211DF	9420100	Barrel Bushing, NI	.40 S&W	9A14H70	\$ 18.38
ŀ	#199-000-105DF	0420100	Barrel Bushing	.40 S&W	9A14D29	\$ 17.86
ŀ	#199-000-189DF	9370200	Extractor, SS	.40 S&W	9A14H29	\$ 17.86
ŀ	#199-000-083DF	0370200	Extractor	.40 S&W	9A20D38	\$ 25.48
ŀ	#199-000-187DF	9350002	Firing Pin, SS	.40 S&W	9A06Z89	\$ 8.61
ŀ	#199-000-191DF	9380100	Firing Pin Stop, SS	.40 S&W	9A10A14	\$ 12.68
ŀ	#199-000-085DF	0380100	Firing Pin Stop	.40 S&W	9A08Y33	\$ 10.41
ŀ	#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.40 S&W	9A06T66	\$ 8.33
ŀ	#199-000-008DF	0030000	Grip Screws, Set of 4	.40 S&W	9A06P32	\$ 7.90
ŀ	#199-000-001DF	0020100	Grips, Pair	.40 S&W	9A41U84	\$ 52.30
ŀ	#199-000-147DF	9130100	Hammer, SS	.40 S&W	9A17A56	\$ 21.95
ŀ	#199-000-027DF	0130100	Hammer	.40 S&W	9A15V41	\$ 19.26
ŀ	#199-000-149DF	9140000	Hammer Pin, SS	.40 S&W	9A03B71	\$ 4.64
ŀ	#199-000-029DF	0140000	Hammer Pin	.40 S&W	9A03X18	\$ 3.98
ŀ	#199-000-131DF	0521100	Magazine Extension	.40 S&W	9A09C34	\$ 11.68
ŀ	#199-000-127DF	0490001	Magazine Spring	.40 S&W	9A07Z15	\$ 8.94
ŀ	#199-000-037DF	0190000	Mainspring	.40 S&W	9A03A18	\$ 3.98
ŀ	#199-000-156DF	9200001	Mainspring Cap, SS	.40 S&W	9A04T16	\$ 5.20
1						









PRICE

PARA-ORDNANCE

	P15.40 continued						
STOCK #	FAC.#	DESCRIPTION	CAL./GA.			PRICE	
#199-000-043DF	0200001	Mainspring Cap	.40 S&W	9A02A87	\$	3.59	
#199-000-047DF	0220100	Mainspring Housing, Arched	.40 S&W	9A07H14	\$	8.93	
#199-000-310DF	0220102	Mainspring Housing, Arched	.40 S&W	9A06D67	\$	8.34	
#199-000-052DF	0240001	Mainspring Retainer	.40 S&W	9A03Z18	\$	3.98	
#199-000-109DF	0430002	Recoil Spring	.40 S&W	9A07A15	\$	8.94	
#199-000-219DF	9450100	Recoil Spring Plug, SS	.40 S&W	9A09Y73	\$	12.16	
#199-000-119DF	0450100	Recoil Spring Plug	.40 S&W	9A08T14	\$	10.18	
#199-000-022DF	0110100	Sear Spring	.40 S&W	9A03U56	\$	4.45	
#199-000-326DF	0330300	Sight, Front, Dovetail	.40 S&W	9A17T14	\$	21.43	
#199-000-336DF	0040500	Trigger Assembly, Extended	.40 S&W	9A24P60	\$	30.75	

● P14.45/LTD, P16.40/LTD, P18.9 - Common Parts ●

	•	,				
#199-000-208DF	9410001	Barrel Link, .010 Over Size, SS	All	9A04U30	\$	5.38
#199-000-102DF	0410001	Barrel Link, .010 Over Size	All	9A04V30	\$	5.38
#199-000-209DF	9410002	Barrel Link, .015 Over Size, SS	All	9A04B30	\$	5.38
#199-000-103DF	0410002	Barrel Link, .015 Over Size	All	9A04C30	\$	5.38
#199-000-104DF	0410003	Barrel Link, .020 Over Size	All	9A04H30	\$	5.38
#199-000-210DF	9410003	Barrel Link, .202 Over Size, SS	All	9A04U30	\$	5.38
#199-000-207DF	9410000	Barrel Link, Standard, SS	All	9A04X30	\$	5.38
#199-000-101DF	0410000	Barrel Link, Standard	All	9A04T30	\$	5.38
#199-000-257DF	9400000	Barrel Link Pin, SS	All	9A04P18	\$	5.23
#199-000-036DF	0180000	Ejector Pin	All	9A03U52	\$	4.40
#199-000-225DF	9460000	Firing Pin Plunger, SS	All	9A04A16	\$	5.20
#199-000-081DF	0360000	Firing Pin Spring	All	9A03V18	\$	3.98
#199-000-150DF	9150100	Hammer Strut, SS	All	9A04D42	\$	5.53
#199-000-030DF	0150100	Hammer Strut	All	9A04P45	\$	5.56
#199-000-152DF	9160000	Hammer Strut Pin, SS	All	9A03A69	\$	4.61
#199-000-293DF	0050200	Magazine Catch, Double Stack, Blue	All	9A13V85	\$	17.31
#199-000-296DF	9050400	Magazine Catch, Double Stack, SS	All	9A15B67	\$	19.59
#199-000-138DF	9060100	Magazine Catch Lock, SS	All	9A04C23	\$	5.29
#199-000-012DF	0060100	Magazine Catch Lock	All	9A03T96	\$	4.95
#199-000-013DF	0070000	Magazine Catch Spring	All	9A03X18	\$	3.98
#199-000-131DF		Magazine Extension	All	9A09C34	\$	11.68
#199-000-301DF		Magazine Floor Plate Retainer, Hi-Cap		9A05A86	\$	7.33
#199-000-298DF	0520100	Magazine Floor Plate Retainer	All	9A03Y50	\$	4.38
#199-000-300DF		Magazine Floor Plate Retainer	All	9A05T00	\$	6.25
#199-000-130DF		Magazine Follower	All	9A07A15	\$	8.94
#199-000-303DF		Magazine Pad, 10-Round, Polymer	All	9A08V87		11.09
#199-000-305DF		Magazine Pad, L/E, Hi-Cap	All	9A08B87	\$	11.09
#199-000-127DF		Magazine Spring	All	9A07X15	\$	8.94
#199-000-128DF		Magazine Spring	All	9A07C78	\$	9.73
#199-000-037DF		Mainspring	All	9A03D18	\$	3.98
#199-000-156DF		Mainspring Cap, SS	All	9A04Z16	\$	5.20
#199-000-043DF		Mainspring Cap	All	9A02A87	\$	3.59
#199-000-159DF		Mainspring Cap Pin, SS	All	9A03Y69	\$	4.61
#199-000-046DF		Mainspring Cap Pin	All	9A02P87	\$	3.59
#199-000-164DF		Mainspring Housing Pin, SS	All	9A04X16	\$	5.20
#199-000-051DF		Mainspring Housing Pin	All	9A02D87	\$	3.59
#199-000-165DF		Mainspring Retainer, SS	All	9A04Z16	\$	5.20
#199-000-052DF		Mainspring Retainer	All	9A03A18	\$	3.98
#199-000-055DF		Plunger Lever	All	9A04P15	\$	5.19
#199-000-057DF #199-000-126DF		Plunger Spring	All	9A03X18	\$	3.98
		Plunger Spring for Firing Pin		9A03Z19		
#199-000-365DF #199-000-366DF		Power Extractor Assembly, Black	.45 All	9A70A00 9A70T00	_	87.50 87.50
#199-000-366DF #199-000-367DF		Power Extractor Assembly, Black				87.50
#199-000-367DF #199-000-368DF		<i>r</i> -	.45	9A70A00 9A75C71		94.64
		Power Extractor Assembly, SS				94.64
#199-000-369DF #199-000-370DF		Power Extractor Assembly, SS	All	9A75H71		94.64
# 199-000-370DF	9370301	Power Extractor Assembly, SS 9	mm	9A75Z71	Þ	94.64

Orders/Tech: 800-741-0015

STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#199-000-019DF	0090200	Safety Lock, Ambidextrous, Blue	All	9A39A56	\$ 49.45
#199-000-144DF	9090200	Safety Lock, Ambidextrous, SS	All	9A40Y12	\$ 50.15
#199-000-143DF	9090100	Safety Lock, SS	All	9A18T99	\$ 23.74
#199-000-018DF	0090100	Safety Lock	All	9A18P26	\$ 22.83
#199-000-168DF	9280000	Safety Lock Plunger, SS	All	9A04U15	\$ 5.19
#199-000-058DF	0280000	Safety Lock Plunger	All	9A03A44	\$ 4.30
#199-000-021DF	0100100	Sear	All	9A12V82	\$ 16.03
#199-000-146DF	9120000	Sear Pin, SS	All	9A04B15	\$ 5.19
#199-000-026DF	0120000	Sear Pin	All	9A03X18	\$ 3.98
#199-000-022DF	0110100	Sear Spring	All	9A03C56	\$ 4.45
#199-000-327DF	0330400	Sight, Front, Night	All	9A47H14	\$ 58.93
#199-000-351DF	0340400	Sight, Rear, Night Sight	All	9A64D29	\$ 80.00
#199-000-185DF	9320100	Slide Stop, SS	All	9A20Z41	\$ 25.51
#199-000-072DF	0320100	Slide Stop	All	9A17A56	\$ 21.95
#199-000-169DF	9290000	Slide Stop Plunger, SS	All	9A04Y15	\$ 5.19
#199-000-059DF	0290000	Slide Stop Plunger	All	9A03T18	\$ 3.98
#199-000-056DF	0260100	Trigger Bar Lever	All	9A04P49	\$ 5.61

– P14.45/.45LTD-

Ot	her parts L	Listed Under 14.45/LTD, 16.40, P18.9 Web Quick-Find Schematic #790	Comi	mon Parts	
#199-000-193DF	9390100	Barrel, 5", SS	.45	9A140U13	\$175.16
#199-000-211DF	9420100	Barrel Bushing, NI	.45	9A14A70	\$ 18.38
#199-000-105DF	0420100	Barrel Bushing	.45	9A14V29	\$ 17.86
#199-000-034DF	0170200	Ejector, Long	.45	9A13B49	\$ 16.86
#199-000-188DF	9370100	Extractor, SS	.45	9A20X38	\$ 25.48
#199-000-082DF	0370100	Extractor	.45	9A20C38	\$ 25.48
#199-000-186DF	9350001	Firing Pin, SS	.45	9A07H53	\$ 9.41
#199-000-086DF	0380200	Firing Pin Stop, LTD	.45	9A08D84	\$ 11.05
#199-000-192DF	9380200	Firing Pin Stop, SS, LTD	.45	9A10A14	\$ 12.68
#199-000-191DF	9380100	Firing Pin Stop, SS	.45	9A10U14	\$ 12.68
#199-000-085DF	0380100	Firing Pin Stop	.45	9A08V33	\$ 10.41
#199-000-015DF	0080200	Grip Safety, Beavertail, LTD	.45	9A27C88	\$ 34.85
#199-000-017DF	0081200	Grip Safety, Beavertail, LTD	.45	9A25T40	\$ 31.75
#199-000-140DF	9080200	Grip Safety, Beavertail, SS, LTD	.45	9A28P95	\$ 36.19
#199-000-136DF	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A14U29	\$ 17.86
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.45	9A06A66	\$ 8.33
#199-000-008DF	0030000	Grip Screws, Set of 4	.45	9A06V32	\$ 7.90
#199-000-002DF	0020101	Grips, Pair, LTD	.45	9A41B84	\$ 52.30
#199-000-001DF	0020100	Grips, Pair	.45	9A41X84	\$ 52.30
#199-000-028DF	0130200	Hammer, LTD	.45	9A21C84	\$ 27.30
#199-000-148DF	9130200	Hammer, SS, LTD	.45	9A24H70	\$ 30.88
#199-000-147DF	9130100	Hammer, SS	.45	9A17D56	\$ 21.95
#199-000-027DF	0130100	Hammer	.45	9A15Z41	\$ 19.26
#199-000-283DF	0140001	Hammer Pin, LTD	.45	9A03A30	\$ 4.13
#199-000-286DF	9140001	Hammer Pin, SS, LTD	.45	9A04Y09	\$ 5.11
#199-000-149DF	9140000	Hammer Pin, SS	.45	9A03T71	\$ 4.64
#199-000-029DF	0140000	Hammer Pin	.45	9A03P18	\$ 3.98
#199-000-346DF	PNM45	Magazine, 14-Round, Nickel	.45	9A44U00	\$ 49.00
#199-000-310DF		Mainspring Housing, Arched	.45	9A06A67	\$ 8.34
#199-000-048DF	0220101	Mainspring Housing, Flat, Checkered	.45	9A07B14	\$ 8.93
#199-000-120DF	0450101	Recoil Spring Plug, Full Length, LTD	.45	9A08H14	\$ 10.18
#199-000-220DF	9450101	Recoil Spring Plug, Full Length, SS, LTD	.45	9A09D73	\$ 12.16
#199-000-219DF	9450100	Recoil Spring Plug, SS	.45	9A09Z73	\$ 12.16
#199-000-119DF	0450100	Recoil Spring Plug	.45	9A08U14	\$ 10.18
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17B56	\$ 21.95
#199-000-326DF	0330300	Sight, Front, Dovetail	.45	9A17A14	\$ 21.43
#199-000-076DF	0340200	Sight, Rear, Adjustable, LTD	.45	9A57Y56	\$ 71.95
#199-000-075DF	0340100	Sight, Rear, White Dot, Low Mount	.45	9A26T12	\$ 32.65
#199-000-336DF	0040500	Trigger Assembly, Extended	.45	9A24P60	\$ 30.75

P16.40/.40LTD

FAC.# DESCRIPTION

STOCK #

Other parts Listed Under 14.45/LTD, 16.40, P18.9 Common Parts Web Quick-Find Schematic #790

CAL./GA.

Web Quick-Find Schematic #790							
#199-000-197DF	9390400	Barrel, 5", SS	.40 S&W	9A140U41	\$175.51		
#199-000-211DF	9420100	Barrel Bushing, NI	.40 S&W	9A14A70	\$ 18.38		
#199-000-105DF	0420100	Barrel Bushing	.40 S&W	9A14V29	\$ 17.86		
#199-000-154DF	9170200	Ejector, Long, SS	.40 S&W	9A13B49	\$ 16.86		
#199-000-034DF	0170200	Ejector, Long	.40 S&W	9A13X49	\$ 16.86		
#199-000-189DF	9370200	Extractor, SS	.40 S&W	9A14C29	\$ 17.86		
#199-000-083DF	0370200	Extractor	.40 S&W	9A20H38	\$ 25.48		
#199-000-187DF	9350002	Firing Pin, SS	.40 S&W	9A06D89	\$ 8.61		
#199-000-086DF	0380200	Firing Pin Stop, LTD	.40 S&W	9A08A84	\$ 11.05		
#199-000-192DF	9380200	Firing Pin Stop, SS, LTD	.40 S&W	9A10Y14	\$ 12.68		
#199-000-191DF	9380100	Firing Pin Stop, SS	.40 S&W	9A10V14	\$ 12.68		
#199-000-085DF	0380100	Firing Pin Stop	.40 S&W	9A08X33	\$ 10.41		
#199-000-015DF	0080200	Grip Safety, Beavertail, LTD	.40 S&W	9A27C88	\$ 34.85		
#199-000-017DF	0081200	Grip Safety, Beavertail, LTD	.40 S&W	9A25A40	\$ 31.75		
#199-000-140DF	9080200	Grip Safety, Beavertail, SS, LTD	.40 S&W	9A28Y95	\$ 36.19		
#199-000-010DF	0030200	Grip Screws, Set of 4, LTD	.40 S&W	9A07T98	\$ 9.98		
#199-000-136DF	9030200	Grip Screws, Set of 4, SS, LTD	.40 S&W	9A14H29	\$ 17.86		
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.40 S&W	9A06Z66	\$ 8.33		
#199-000-008DF	0030000	Grip Screws, Set of 4	.40 S&W	9A06A32	\$ 7.90		
#199-000-002DF	0020101	Grips, Pair, LTD	.40 S&W	9A41Y84	\$ 52.30		
#199-000-001DF	0020100	Grips, Pair	.40 S&W	9A41U84	\$ 52.30		
#199-000-028DF			.40 S&W	9A21A84	\$ 27.30		
#199-000-148DF	9130200		.40 S&W	9A24V70	\$ 30.88		
#199-000-147DF	9130100	Hammer, SS	.40 S&W	9A17B56	\$ 21.95		
#199-000-027DF	0130100		.40 S&W	9A15X41	\$ 19.26		
#199-000-283DF			.40 S&W	9A03C30	\$ 4.13		
#199-000-286DF			.40 S&W	9A04H09	\$ 5.11		
#199-000-149DF		•	.40 S&W	9A03D71	\$ 4.64		
#199-000-029DF			.40 S&W	9A03Z18	\$ 3.98		
#199-000-347DF	PNM40	- 3	.40 S&W	9A44A00	\$ 49.00		
#199-000-310DF			.40 S&W	9A06T67	\$ 8.34		
#199-000-048DF	0220101	Mainspring Housing, Flat, Checkered	.40 S&W	9A07P14	\$ 8.93		
#199-000-109DF	0430002	Recoil Spring	.40 S&W	9A07U15	\$ 8.94		
#199-000-120DF	0450101	Recoil Spring Plug, Full Length, LTD	.40 S&W	9A08A14	\$ 10.18		
#199-000-220DF	9450101	Recoil Spring Plug, Full Length, SS, LTD	.40 S&W	9A09V73	\$ 12.16		
#199-000-219DF	9450100		.40 S&W	9A09B73	\$ 12.16		
#199-000-119DF	0450100	Recoil Spring Plug	.40 S&W	9A08X14	\$ 10.18		
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	.40 S&W	9A17C56	\$ 21.95		
#199-000-326DF	0330300	Sight, Front, Dovetail	.40 S&W	9A17H14	\$ 21.43		
#199-000-076DF	0340200	Sight, Rear, Adjustable, LTD	.40 S&W	9A57D56	\$ 71.95		
#199-000-075DF	0340100	Sight, Rear, White Dot, Low Mount	.40 S&W	9A26Z12	\$ 32.65		
#199-000-336DF	0040500	Trigger Assembly, Extended	.40 S&W	9A24A60	\$ 30.75		

P18.9

Other parts Listed Under 14.45/LTD, 16.40, P18.9 Common Parts Web Quick-Find Schematic #790

16							
10	#199-000-206DF	9391100	Barrel, 5", SS	9mm	9A140Y41	\$1	75.51
16	#199-000-211DF	9420100	Barrel Bushing, NI	9mm	9A14T70	\$	18.38
18	#199-000-154DF	9170200	Ejector, Long, SS	9mm	9A13P49	\$	16.86
95	#199-000-034DF	0170200	Ejector, Long	9mm	9A13U49	\$	16.86
13	#199-000-190DF	9370300	Extractor, SS	9mm	9A14A29	\$	17.86
95	#199-000-084DF	0370300) Extractor	9mm	9A20V38	\$:	25.48
55	#199-000-187DF	9350002	2 Firing Pin, SS	9mm	9A06B89	\$	8.61
75	#199-000-191DF	9380100	Firing Pin Stop, SS	9mm	9A10X14	\$	12.68
_	#199-000-085DF	0380100	Firing Pin Stop	9mm	9A08C33	\$	10.41

order on the web www.brownells.com
⚠ NOTE: PART MAY REQUIRE FITTING ⚠



		P18.9 continue	d		
STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	9mm	9A06H66	\$ 8.33
#199-000-008DF	0030000	Grip Screws, Set of 4	9mm	9A06D32	\$ 7.90
#199-000-001DF	0020100	Grips, Pair	9mm	9A41Z84	\$ 52.30
#199-000-147DF	9130100	Hammer, SS	9mm	9A17A56	\$ 21.95
#199-000-027DF	0130100	Hammer	9mm	9A15Y41	\$ 19.26
#199-000-149DF	9140000	Hammer Pin, SS	9mm	9A03T71	\$ 4.64
#199-000-029DF	0140000	Hammer Pin	9mm	9A03P18	\$ 3.98
#199-000-348DF	PNM9	Magazine, 18-Round, Nickel	9mm	9A44U00	\$ 49.00
#199-000-310DF	0220102	Mainspring Housing, Arched	9mm	9A06A67	\$ 8.34
#199-000-315DF	0430007	Recoil Spring	9mm	9A07V72	\$ 9.65
#199-000-316DF	0430011	Recoil Spring	9mm	9A06B67	\$ 8.34A
#199-000-219DF	9450100	Recoil Spring Plug, SS	9mm	9A09X73	\$ 12.16
#199-000-119DF	0450100	Recoil Spring Plug	9mm	9A08C14	\$ 10.18
#199-000-326DF	0330300	Sight, Front, Dovetail	9mm	9A17H14	\$ 21.43
#199-000-076DF	0340200	Sight, Rear, Adjustable, LTD	9mm	9A57D56	\$ 71.95
#199-000-336DF	0040500	Trigger Assembly, Extended	9mm	9A24Z60	\$ 30.75

● ● P12.45 LDA & P14.40 LDA - Common Parts● ●

#199-000-208DF	9410001 Barrel Link, .010 Over Size, SS	All	9A04A30	\$	5.38
#199-000-102DF	0410001 Barrel Link, .010 Over Size	All	9A04Y30	\$	5.38
#199-000-209DF	9410002 Barrel Link, .015 Over Size, SS	All	9A04T30	\$	5.38
#199-000-103DF	0410002 Barrel Link, .015 Over Size	All	9A04P30	\$	5.38
#199-000-104DF	0410003 Barrel Link, .020 Over Size	All	9A04U30	\$	5.38
#199-000-210DF	9410003 Barrel Link, .202 Over Size, SS	All	9A04A30	\$	5.38
#199-000-207DF	9410000 Barrel Link, Standard, SS	All	9A04V30	\$	5.38
#199-000-101DF	0410000 Barrel Link, Standard	All	9A04B30	\$	5.38
#199-000-257DF	9400000 Barrel Link Pin, SS	All	9A04X18	\$	5.23
#199-000-258DF	0160100 Cocking Cam Assembly	All	9A11C13	\$	13.91
#199-000-259DF	0160200 Cocking Cam Pin	All	9A02H56	\$	3.20
#199-000-262DF	0640000 Drawbar	All	9A05D75	\$	7.19
#199-000-263DF	0600000 Drawbar Platform Spring	All	9A03Z03	\$	3.79
#199-000-154DF	9170200 Ejector, Long, SS	All	9A13A49	\$	16.86
#199-000-034DF	0170200 Ejector, Long	All	9A13Y49	\$	16.86
#199-000-264DF	0180100 Ejector Pin	All	9A02T56	\$	3.20
#199-000-359DF	0090500 Extended LDA Black Ambi Safety	All	9A39P43	\$ 4	49.29
#199-000-362DF	9461000 Firing Pin Plunger, LDA	All	9A03U64	\$	4.55
#199-000-081DF	0360000 Firing Pin Spring	All	9A03A18	\$	3.98
#199-000-085DF	0380100 Firing Pin Stop	All	9A08V33	\$	10.41
#199-000-265DF	0080400 Grip Safety, Beavertail, Blue	All	9A25Z00	\$:	31.25
#199-000-266DF	9080400 Grip Safety, Beavertail, SS	All	9A28A57	\$ 3	35.71
#199-000-134DF	9030000 Grip Screws, Set of 4, SS	All	9A06Y66	\$	8.33
#199-000-008DF	0030000 Grip Screws, Set of 4	All	9A06T32	\$	7.90
#199-000-280DF	9130300 Hammer, SS	All	9A35P71	\$ 4	44.64
#199-000-278DF	0130300 Hammer	All	9A34U29	\$ 4	42.86
#199-000-282DF	0140500 Hammer Assembly Pin	All	9A03A50	\$	4.38
#199-000-287DF	9140100 Hammer Pin, SS	All	9A03V50	\$	4.38
#199-000-284DF	0140100 Hammer Pin	All	9A02B56	\$	3.20
#199-000-289DF	0140400 Hammer Return Spring	All	9A03X94	\$	4.93
#199-000-291DF	9150300 Hammer Strut, SS	All	9A03C91	\$	4.89
#199-000-290DF	0150300 Hammer Strut	All	9A03H64	\$	4.55
#199-000-292DF	0160001 Hammer Strut Pin	All	9A02D56	\$	3.20
#199-000-293DF	0050200 Magazine Catch, Double Stack, B	lue All	9A13Z85	\$	17.31
#199-000-296DF	9050400 Magazine Catch, Double Stack, S	S All	9A15A67	\$	19.59
#199-000-138DF	9060100 Magazine Catch Lock, SS	All	9A04Y23	\$	5.29
#199-000-012DF	0060100 Magazine Catch Lock	All	9A03T96	\$	4.95
#199-000-013DF	0070000 Magazine Catch Spring	All	9A03P18	\$	3.98
#199-000-301DF	0521400 Magazine Floor Plate Retainer, Hi	-Cap All	9A05U86	\$	7.33
#199-000-130DF	0510100 Magazine Follower	All	9A07A15	\$	8.94
#199-000-303DF	0500500 Magazine Pad, 10-Round, Polyme	er All	9A08V87	\$	11.09
	· · · · · · · · · · · · · · · · · · ·				

STOCK #	FAC.#	DESCRIPTION	CAL./GA.			PRICE
#199-000-305DF	0500502	Magazine Pad, L/E, Hi-Cap	All	9A08B87	\$	11.09
#199-000-128DF	0490003	Magazine Spring	All	9A07X78	\$	9.73
#199-000-159DF	9210000	Mainspring Cap Pin, SS	All	9A03C69	\$	4.61
#199-000-046DF	0210000	Mainspring Cap Pin	All	9A02H87	\$	3.59
#199-000-164DF	9230100	Mainspring Housing Pin, SS	All	9A04D16	\$	5.20
#199-000-051DF	0230100	Mainspring Housing Pin	All	9A02Z87	\$	3.59
#199-000-313DF	0650000	Platform	All	9A05A75	\$	7.19
#199-000-314DF	0250200	Plunger Lever	All	9A03Y64	\$	4.55
#199-000-057DF	0270000	Plunger Spring	All	9A03T18	\$	3.98
#199-000-126DF	0470000	Plunger Spring for Firing Pin	All	9A03P19	\$	3.99
#199-000-365DF	0370101	Power Extractor Assembly, Black	.45	9A70U00	\$	87.50
#199-000-366DF	0370201	Power Extractor Assembly, Black	All	9A70A00	\$	87.50
#199-000-367DF	0370301	Power Extractor Assembly, Black	9mm	9A70V00	\$	87.50
#199-000-368DF	9370101	Power Extractor Assembly, SS	.45	9A75B71	\$	94.64
#199-000-369DF	9370201	Power Extractor Assembly, SS	All	9A75X71	\$	94.64
#199-000-370DF	9370301	Power Extractor Assembly, SS	9mm	9A75C71	\$	94.64
#199-000-364DF	9090500	Safety, Ambi, Extended, SS, LDA	All	9A40H00	\$	50.00
#199-000-320DF	9090400	Safety Lock, Extended, SS	All	9A22D86	\$	28.58
#199-000-319DF	0090400	Safety Lock, Extended	All	9A17Z86	\$	22.33
#199-000-321DF	0620000	Safety Lock Lever	All	9A13A23	\$	16.54
#199-000-168DF	9280000	Safety Lock Plunger, SS	All	9A04Y15	\$	5.19
#199-000-058DF	0280000	Safety Lock Plunger	All	9A03T44	\$	4.30
#199-000-322DF	0100300	Sear	All	9A12P38	\$	15.48
#199-000-324DF	9120100	Sear Pin, SS	All	9A04U33	\$	5.41
#199-000-323DF	0120100	Sear Pin	All	9A03D30	\$	4.13
#199-000-325DF	0110300	Sear Spring	All	9A03A00	\$	3.75
#199-000-326DF	0330300	Sight, Front, Dovetail	All	9A17Y14	\$	21.43
#199-000-327DF	0330400	Sight, Front, Night	All	9A47T14	\$	58.93
#199-000-078DF	0340101	Sight, Rear, White Dot, Low Moun		9A26P31	\$	32.89
#199-000-361DF	0040600	Skeletonized SA Single	All	9A24Y29	\$	30.36
		Stack w/Overtravel Stop			_	
#199-000-185DF		Slide Stop, SS	All	9A20T41	_	25.51
#199-000-072DF		Slide Stop	All	9A17P56	_	21.95
#199-000-169DF		Slide Stop Plunger, SS	All	9A04U15	\$	5.19
#199-000-059DF		Slide Stop Plunger	All	9A03A18	\$	3.98
#199-000-360DF		Straddle, LDA	All	9A05V83	\$	7.29
#199-000-338DF		Trigger Assembly	All	9A17B14		21.43
#199-000-339DF		Trigger Pin	All	9A03C04	\$	3.80
#199-000-340DF	0040402	Trigger Return Spring	All	9A03H03	\$	3.79
		— P12.45 LDA -			_	
I						

Other parts Listed Under 12.45 LDA & 14.40 LDA Common Parts Web Quick-Find Schematic #791

#199-000-097DF	0390900	Barrel, 3-1/2", Blue	.45	9A122D99	\$ 153.74
#199-000-203DF	9390900	Barrel, 3-1/2", SS	.45	9A127Z26	\$ 159.08
#199-000-212DF	9420300	Barrel Bushing, SS	.45	9A14A70	\$ 18.38
‡199-000-107DF	0420300	Barrel Bushing	.45	9A14Y29	\$ 17.86
‡199-000-188DF	9370100	Extractor, SS	.45	9A20T38	\$ 25.48
‡199-000-082DF	0370100	Extractor	.45	9A20P38	\$ 25.48
‡199-000-186DF	9350001	Firing Pin, SS	.45	9A07U53	\$ 9.41
‡199-000-133DF	0521300	Magazine Extension, 10-Round	.45	9A09A34	\$ 11.68
‡199-000-306DF	0490002	Magazine Spring	.45	9A07V70	\$ 9.63
199-000-040DF	0190003	Mainspring	.45	9A03A52	\$ 4.40
‡199-000-158DF	9200003	Mainspring Cap, SS	.45	9A04Y16	\$ 5.20
‡199-000-045DF	0200003	Mainspring Cap	.45	9A02T87	\$ 3.59
‡199-000-312DF	0220301	Mainspring Housing, Flat, Checkered	.45	9A06P67	\$ 8.34
‡199-000-050DF	0220300	Mainspring Housing, Flat	.45	9A04U22	\$ 5.28
‡199-000-167DF	9240003	Mainspring Retainer, SS	.45	9A04A16	\$ 5.20
199-000-054DF	0240003	Mainspring Retainer	.45	9A03B18	\$ 3.98
‡199-000-352DF	0430012	Recoil Spring Assembly, 3.5" Barrel	.45	9A23X88	\$ 29.85
‡199-000-222DF	9450300	Recoil Spring Reverse Plug, w/Tab, SS	3.45	9A09D73	\$ 12.16

1	STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRIC
ı	#199-000-330DF	0340500	Sight, Rear, Night	.45	9A64T29	\$ 80.3
1	#199-000-357DF	0450400	Small Black Telescopic Plug	.45	9A10P48	\$ 13.

P14.40 LDA

Other parts Listed Under 12.45 LDA & 14.40 LDA Common Parts

		vveb Quick-Find Schematic #7	91			
199-000-090DF	0390300	Barrel, 3-1/2", Blue	.40 S&W	9A123U26	\$1	154.08
199-000-196DF	9390300	Barrel, 3-1/2", SS	.40 S&W	9A127V55	\$1	159.44
199-000-211DF	9420100	Barrel Bushing, NI	.40 S&W	9A14B70	\$	18.38
199-000-105DF	0420100	Barrel Bushing	.40 S&W	9A14X29	\$	17.86
199-000-189DF	9370200	Extractor, SS	.40 S&W	9A14C29	\$	17.86
199-000-083DF	0370200	Extractor	.40 S&W	9A20H38	\$	25.48
199-000-187DF	9350002	Firing Pin, SS	.40 S&W	9A06D89	\$	8.61
199-000-268DF	0610000	Grip Safety Lever, Regular	.40 S&W	9A03T50	\$	4.38
199-000-274DF	0020102	Grips, Pair	.40 S&W	9A41P43	\$	51.79
199-000-131DF	0521100	Magazine Extension	.40 S&W	9A09U34	\$	11.68
199-000-127DF	0490001	Magazine Spring	.40 S&W	9A07A15	\$	8.94
199-000-037DF	0190000	Mainspring	.40 S&W	9A03V18	\$	3.98
199-000-156DF	9200001	Mainspring Cap, SS	.40 S&W	9A04B16	\$	5.20
199-000-043DF	0200001	Mainspring Cap	.40 S&W	9A02C87	\$	3.59
199-000-047DF	0220100	Mainspring Housing, Arched	.40 S&W	9A07D14	\$	8.93
199-000-310DF	0220102	Mainspring Housing, Arched	.40 S&W	9A06P67	\$	8.34
199-000-165DF	9240001	Mainspring Retainer, SS	.40 S&W	9A04U16	\$	5.20
199-000-112DF	0440100	Recoil Spring Guide	.40 S&W	9A08A13	\$	10.16
199-000-219DF	9450100	Recoil Spring Plug, SS	.40 S&W	9A09V73	\$	12.16
199-000-119DF	0450100	Recoil Spring Plug	.40 S&W	9A08H14	\$	10.18
199-000-075DF	0340100	Sight, Rear, White Dot, Low Mount	t.40 S&W	9A26Y12	\$	32.65
199-000-357DF	0450400	Small BlackTelescopic Plug	.40 S&W	9A10T48	\$	13.10


● ● P14.45, 16.40, 18.9 LDA/LTD- Common Parts● ●

- 1						
-	#199-000-208DF	9410001	Barrel Link, .010 Over Size, SS	All	9A04P30	\$ 5.38
	#199-000-209DF	9410002	Barrel Link, .015 Over Size, SS	All	9A04V30	\$ 5.38
	#199-000-210DF	9410003	Barrel Link, .202 Over Size, SS	All	9A04B30	\$ 5.38
	#199-000-207DF	9410000	Barrel Link, Standard, SS	All	9A04X30	\$ 5.38
	#199-000-257DF	9400000	Barrel Link Pin, SS	All	9A04C18	\$ 5.23
	#199-000-258DF	0160100	Cocking Cam Assembly	All	9A11H13	\$ 13.91
	#199-000-259DF	0160200	Cocking Cam Pin	All	9A02A56	\$ 3.20
-	#199-000-261DF	0300200	Disconnector Lever	All	9A03T64	\$ 4.55
	#199-000-262DF	0640000	Drawbar	All	9A05P75	\$ 7.19
	#199-000-263DF	0600000	Drawbar Platform Spring	All	9A03A03	\$ 3.79
	#199-000-359DF	0090500	Extended LDA Black Ambi Safety	All	9A39V43	\$ 49.29
	#199-000-362DF	9461000	Firing Pin Plunger, LDA	All	9A03B64	\$ 4.55
ŀ	#199-000-265DF	0080400	Grip Safety, Beavertail, Blue	All	9A25X00	\$ 31.25
3	#199-000-266DF	9080400	Grip Safety, Beavertail, SS	All	9A28C57	\$ 35.71
3	#199-000-268DF	0610000	Grip Safety Lever, Regular	All	9A03P50	\$ 4.38
5	#199-000-282DF	0140500	Hammer Assembly Pin	All	9A03U50	\$ 4.38
3	#199-000-289DF	0140400	Hammer Return Spring	All	9A03A94	\$ 4.93
3	#199-000-291DF	9150300	Hammer Strut, SS	All	9A03V91	\$ 4.89
_	#199-000-290DF	0150300	Hammer Strut	All	9A03B64	\$ 4.55
3	#199-000-292DF	0160001	Hammer Strut Pin	All	9A02X56	\$ 3.20
3	#199-000-293DF	0050200	Magazine Catch, Double Stack, Blue	All	9A13C85	\$ 17.31
)	#199-000-296DF	9050400	Magazine Catch, Double Stack, SS	All	9A15H67	\$ 19.59
2	#199-000-138DF	9060100	Magazine Catch Lock, SS	All	9A04D23	\$ 5.29
2	#199-000-012DF	0060100	Magazine Catch Lock	All	9A03Z96	\$ 4.95
	#199-000-013DF	0070000	Magazine Catch Spring	All	9A03A18	\$ 3.98
3	#199-000-131DF	0521100	Magazine Extension	All	9A09U34	\$ 11.68
2	#199-000-301DF	0521400	Magazine Floor Plate Retainer, Hi-Cap	All	9A05A86	\$ 7.33
3	#199-000-130DF	0510100	Magazine Follower	All	9A07X15	\$ 8.94
<u>.</u>	#199-000-303DF	0500500	Magazine Pad, 10-Round, Polymer	All	9A08C87	\$ 11.09
;	#199-000-305DF	0500502	Magazine Pad, L/E, Hi-Cap	All	9A08Y87	\$ 11.09









				ı	PARA-O
P14.45,	16.40, 18.9 LDA/LTD-	Common	Parts ctd	STOCK #	FAC.# DESCRIPTION
STOCK #	FAC.# DESCRIPTION	CAL./GA.	PRIC	#199-000-191DF	9380100 Firing Pin Stop,
#199-000-127DF	0490001 Magazine Spring	All	9A07T15 \$ 8.9	#199-000-085DF	0380100 Firing Pin Stop
#199-000-128DF	0490003 Magazine Spring	All	9A07P78 \$ 9.7	= #199-000-010DF	0030200 Grip Screws, S
#199-000-037DF	0190000 Mainspring	All	9A03A18 \$ 3.9	#199-000-136DF	9030200 Grip Screws, S
#199-000-156DF	9200001 Mainspring Cap, SS	All	9A04V16 \$ 5.2	- #199-000-134DF	9030000 Grip Screws, S
#199-000-043DF	0200001 Mainspring Cap	All	9A02P87 \$ 3.5	#199-000-008DF	0030000 Grip Screws, S
#199-000-159DF	9210000 Mainspring Cap Pin, SS	All	9A03U69 \$ 4.6	- #199-000-2/4DF	0020102 Grips, Pair
#199-000-046DF	0210000 Mainspring Cap Pin	All	9A02A87 \$ 3.5	- #199-000-2/5DF	0020103 Grips, Pair
#199-000-164DF	9230100 Mainspring Housing Pin, SS	All	9A04V16 \$ 5.2	#199-000-280DF	9130300 Hammer, SS
#199-000-051DF	0230100 Mainspring Housing Pin	All	9A02B87 \$ 3.5	#199-000-281DF	9130400 Hammer, SS
#199-000-165DF	9240001 Mainspring Retainer, SS	All	9A04X16 \$ 5.2	#199-000-278DF	0130300 Hammer
#199-000-052DF	0240001 Mainspring Retainer	All	9A03C18 \$ 3.9	#199-000-279DF	0130400 Hammer
#199-000-313DF	0650000 Platform	All	9A05H75 \$ 7.1	#199-000-287DF	9140100 Hammer Pin, S
#199-000-314DF	0250200 Plunger Lever	All	9A03D64 \$ 4.5	#199-000-288DF	9140101 Hammer Pin, S
#199-000-057DF	0270000 Plunger Spring	All	9A03Z18 \$ 3.9	#199-000-284DF	0140100 Hammer Pin
#199-000-126DF	0470000 Plunger Spring for Firing Pin	All	9A03A19 \$ 3.9	= #199-000-285DF	0140101 Hammer Pin
#199-000-365DF	0370101 Power Extractor Assembly, E	Black .45	9A70Y00 \$ 87.5	- #199-000-04/DF	0220100 Mainspring Ho
#199-000-366DF	0370201 Power Extractor Assembly, E		9A70T00 \$ 87.5	- #199-000-310DF	0220102 Mainspring Ho
#199-000-367DF	0370301 Power Extractor Assembly, E		9A70P00 \$ 87.5	= #199-000-048DF	0220101 Mainspring Ho
#199-000-368DF	9370101 Power Extractor Assembly, S		9A75U71 \$ 94.6	_ #199-000-108DF	0430001 Recoil Spring
#199-000-369DF	9370201 Power Extractor Assembly, S		9A75A71 \$ 94.6	- #199-000-120DF	0450101 Recoil Spring F
#199-000-370DF	9370301 Power Extractor Assembly, S		9A75V71 \$ 94.6	- #199-000-220DF	9450101 Recoil Spring F
#199-000-112DF	0440100 Recoil Spring Guide	All	9A08B13 \$ 10.1	- I	Length, SS, LTI 9450100 Recoil Spring P
#199-000-364DF	9090500 Safety, Ambi, Extended, SS,		9A40X00 \$ 50.0	_ #133-000-213D1	
#199-000-320DF	9090400 Safety Lock, Extended, SS	All	9A22C86 \$ 28.5	_ #133-000-113D1	0450100 Recoil Spring P
#199-000-319DF	0090400 Safety Lock, Extended	All	9A17H86 \$ 22.3	_ # 133"000"074D1	0330200 Sight, Front, Do
#199-000-321DF	0620000 Safety Lock Lever	All	9A13P23 \$ 16.5	_ # 133-000-320DF	0330300 Sight, Front, Do
#199-000-168DF	9280000 Safety Lock Plunger, SS	All	9A04U15 \$ 5.1	_ # 133-000-070D1	0340200 Sight, Rear, Ad
#199-000-058DF	0280000 Safety Lock Plunger	All	9A03A44 \$ 4.3	_ # 133-000-073DF	0340100 Sight, Rear, Wh
#199-000-322DF	0100300 Sear	All	9A12V38 \$ 15.4	- l	P16.40 LD
#199-000-324DF	9120100 Sear Pin, SS	All	9A04B33 \$ 5.4	ī	1 10.40 ED
#199-000-323DF	0120100 Sear Pin	All	9A03X30 \$ 4.1 :	Oth	er parts Listed Under P14.
#199-000-325DF	0110300 Sear Spring	All	9A03C00 \$ 3.7	- l	Web Quick-
#199-000-327DF	0330400 Sight, Front, Night	All	9A47H14 \$ 58.9	#400 000 407DE	9390400 Barrel, 5", SS
#199-000-361DF	0040600 Skeletonized SA Single	All	9A24D29 \$ 30.3	- #400 000 044DE	9420100 Barrel Bushing
	Stack w/Overtravel Stop			#199-000-105DF	0420100 Barrel Bushing
#199-000-185DF	9320100 Slide Stop, SS	All	9A20Z41 \$ 25.5	#199-000-102DF	0410001 Barrel Link, .01
#199-000-072DF	0320100 Slide Stop	All	9A17A56 \$ 21.9 9	#199-000-103DF	0410002 Barrel Link, .01
#199-000-169DF	9290000 Slide Stop Plunger, SS	All	9A04Y15 \$ 5.1	#199-000-104DF	0410003 Barrel Link, .02
#199-000-059DF	0290000 Slide Stop Plunger	All	9A03T18 \$ 3.9	#199-000-101DF	0410000 Barrel Link, Sta
#199-000-360DF	0630000 Straddle, LDA	All	9A05P83 \$ 7.2	#199-000-154DF	9170200 Ejector, Long, S
#199-000-338DF	0040400 Trigger Assembly	All	9A17U14 \$ 21.4	#199-000-034DF	0170200 Ejector, Long
#199-000-339DF	0040401 Trigger Pin	All	9A03A04 \$ 3.8	#199-000-264DF	0180100 Ejector Pin
#199-000-340DF	0040402 Trigger Return Spring	All	9A03V03 \$ 3.7	#199-000-082DF	0370100 Extractor
				#199-000-187DF	9350002 Firing Pin, SS
	—— P14.45 LDA/.45 L	.da Ltd—		#199-000-081DF	0360000 Firing Pin Sprin
				#199-000-191DF	9380100 Firing Pin Stop,
Othe	er parts Listed Under P14.45, 16.40, 18.		non Parts	#199-000-085DF	0380100 Firing Pin Stop
#100 000 10255	Web Quick-Find Schema		04140D19 647F 4	#199-000-010DF	0030200 Grip Screws, S
#199-000-193DF	9390100 Barrel, 5", SS	.45	9A140D13 \$175.1	#199-000-136DF	9030200 Grip Screws, S.

		Web Quick-Find Schematic #792	2			
#199-000-193DF	9390100	Barrel, 5", SS	.45	9A140D13	\$1	175.16
#199-000-211DF	9420100	Barrel Bushing, NI	.45	9A14T70	\$	18.38
#199-000-105DF	0420100	Barrel Bushing	.45	9A14P29	\$	17.86
#199-000-102DF	0410001	Barrel Link, .010 Over Size	.45	9A04U30	\$	5.38
#199-000-103DF	0410002	Barrel Link, .015 Over Size	.45	9A04A30	\$	5.38
#199-000-104DF	0410003	Barrel Link, .020 Over Size	.45	9A04V30	\$	5.38
#199-000-101DF	0410000	Barrel Link, Standard	.45	9A04C30	\$	5.38
#199-000-034DF	0170200	Ejector, Long	.45	9A13D49	\$	16.86
#199-000-264DF	0180100	Ejector Pin	.45	9A02Z56	\$	3.20
#199-000-188DF	9370100	Extractor, SS	.45	9A20A38	\$	25.48
#199-000-082DF	0370100	Extractor	.45	9A20U38	\$	25.48
#199-000-186DF	9350001	Firing Pin, SS	.45	9A07X53	\$	9.41
#199-000-081DF	0360000	Firing Pin Spring	.45	9A03C18	\$	3.98

Orders/Tech: 800-741-0015

CTOOK #	FAO.#	DECORIDEION	A1 /OA			DDIAE
STOCK #	FAC.#		AL./GA.			PRICE
#199-000-191DF		Firing Pin Stop, SS	.45	9A10T14	÷	12.68
#199-000-085DF		Firing Pin Stop	.45	9A08P33	\$	
#199-000-010DF	0030200	Grip Screws, Set of 4, LTD	.45	9A07U98	\$	9.98
#199-000-136DF	9030200	Grip Screws, Set of 4, SS, LTD	.45	9A14V29	\$	17.86
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.45	9A06X66	\$	8.33
#199-000-008DF	0030000	Grip Screws, Set of 4	.45	9A06A32	\$	7.90
#199-000-274DF	0020102	Grips, Pair	.45	9A41U43	\$	51.79
#199-000-275DF	0020103	Grips, Pair	.45	9A41A43	\$	51.79
#199-000-280DF	9130300	Hammer, SS	.45	9A35B71	\$	44.64
#199-000-281DF	9130400	Hammer, SS	.45	9A34U29	\$	42.86
#199-000-278DF	0130300	Hammer	.45	9A34X29	\$	42.86
#199-000-279DF	0130400	Hammer	.45	9A32C86	\$	41.08
#199-000-287DF	9140100	Hammer Pin, SS	.45	9A03H50	\$	4.38
#199-000-288DF	9140101	Hammer Pin, SS	.45	9A04D09	\$	5.11
#199-000-284DF	0140100	Hammer Pin	.45	9A02A56	\$	3.20
#199-000-285DF	0140101	Hammer Pin	.45	9A03V30	\$	4.13
#199-000-047DF	0220100	Mainspring Housing, Arched	.45	9A07Z14	\$	8.93
#199-000-310DF	0220102	Mainspring Housing, Arched	.45	9A06U67	\$	8.34
#199-000-048DF	0220101	Mainspring Housing, Flat, Checkered	.45	9A07A14	\$	8.93
#199-000-108DF	0430001	Recoil Spring	.45	9A07V15	\$	8.94
#199-000-120DF	0450101	Recoil Spring Plug, Full Length, LTD	.45	9A08B14	\$	10.18
#199-000-220DF	9450101	Recoil Spring Plug, Full Length, SS, LTD	.45	9A09X73	\$	12.16
#199-000-219DF	9450100	Recoil Spring Plug, SS	.45	9A09C73	\$	12.16
#199-000-119DF	0450100	Recoil Spring Plug	.45	9A08H14	\$	10.18
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	.45	9A17Z56	\$	21.95
#199-000-326DF	0330300	Sight, Front, Dovetail	.45	9A17V14	\$	21.43
#199-000-076DF	0340200	Sight, Rear, Adjustable, LTD	.45	9A57X56	\$	71.95
#199-000-075DF	0340100	Sight, Rear, White Dot, Low Mount	.45	9A26T12	\$	32.65

P16.40 LDA/.40 LDA LTD

Other parts Listed Under P14.45, 16.40, 18.9 LDA/LTD Common Parts Web Quick-Find Schematic #792

.40 S&W 9A140A41 \$175.51

1100 000 10701	0000400	Duriol, 0 , 00	.40 0011	0211102111	Ψ.	70.0.
#199-000-211DF	9420100	Barrel Bushing, NI	.40 S&W	9A14V70	\$	18.38
#199-000-105DF	0420100	Barrel Bushing	.40 S&W	9A14B29	\$	17.86
#199-000-102DF	0410001	Barrel Link, .010 Over Size	.40 S&W	9A04X30	\$	5.38
#199-000-103DF	0410002	Barrel Link, .015 Over Size	.40 S&W	9A04U30	\$	5.38
#199-000-104DF	0410003	Barrel Link, .020 Over Size	.40 S&W	9A04A30	\$	5.38
#199-000-101DF	0410000	Barrel Link, Standard	.40 S&W	9A04V30	\$	5.38
#199-000-154DF	9170200	Ejector, Long, SS	.40 S&W	9A13B49	\$	16.86
#199-000-034DF	0170200	Ejector, Long	.40 S&W	9A13X49	\$	16.86
#199-000-264DF	0180100	Ejector Pin	.40 S&W	9A02C56	\$	3.20
#199-000-082DF	0370100	Extractor	.40 S&W	9A20H38	\$	25.48
#199-000-187DF	9350002	Firing Pin, SS	.40 S&W	9A06D89	\$	8.61
#199-000-081DF	0360000	Firing Pin Spring	.40 S&W	9A03Z18	\$	3.98
#199-000-191DF	9380100	Firing Pin Stop, SS	.40 S&W	9A10A14	\$	12.68
#199-000-085DF	0380100	Firing Pin Stop	.40 S&W	9A08Y33	\$	10.41
#199-000-010DF	0030200	Grip Screws, Set of 4, LTD	.40 S&W	9A07T98	\$	9.98
#199-000-136DF	9030200	Grip Screws, Set of 4, SS, LTD	.40 S&W	9A14P29	\$	17.86
#199-000-134DF	9030000	Grip Screws, Set of 4, SS	.40 S&W	9A06A66	\$	8.33
#199-000-008DF	0030000	Grip Screws, Set of 4	.40 S&W	9A06V32	\$	7.90
#199-000-274DF	0020102	Grips, Pair	.40 S&W	9A41B43	\$	51.79
#199-000-275DF	0020103	Grips, Pair	.40 S&W	9A41C43	\$	51.79
#199-000-280DF	9130300	Hammer, SS	.40 S&W	9A35Z71	\$	44.64
#199-000-281DF	9130400	Hammer, SS	.40 S&W	9A34A29	\$	42.86
#199-000-278DF	0130300	Hammer	.40 S&W	9A34P29	\$	42.86
#199-000-279DF	0130400	Hammer	.40 S&W	9A32U86	\$	41.08
#199-000-287DF	9140100	Hammer Pin, SS	.40 S&W	9A03A50	\$	4.38
#199-000-288DF	9140101	Hammer Pin, SS	.40 S&W	9A04V09	\$	5.11
#199-000-284DF	0140100	Hammer Pin	.40 S&W	9A02B56	\$	3.20

	CAL./GA.	DESCRIPTION	FAC.#	STOCK #
\$ 9A03X30	.40 S&W	Hammer Pin	0140101	#199-000-285DF
\$ 9A47C50	.40 S&W	Magazine, 10-Round, Nickel	PNM40R	#199-000-229DF
\$ 9A07H14	.40 S&W	Mainspring Housing, Arched	0220100	#199-000-047DF
\$ 9A06D67	.40 S&W	Mainspring Housing, Arched	0220102	#199-000-310DF
\$ 9A07Z14	.40 S&W	Mainspring Housing, Flat, CHKRD	0220101	#199-000-048DF
\$ 9A07A15	.40 S&W	Recoil Spring	0430001	#199-000-108DF
\$ 9A07Y72	.40 S&W	Recoil Spring	0430007	#199-000-315DF
\$ 9A08T14	.40 S&W	Recoil Spring Plug, Full Length, LTD	0450101	#199-000-120DF
\$ 9A09P73	.40 S&W	Recoil Spring Plug, Full Length, SS, LTD	9450101	#199-000-220DF
\$ 9A09B73	.40 S&W	Recoil Spring Plug, SS	9450100	#199-000-219DF
\$ 9A08X14	.40 S&W	Recoil Spring Plug	0450100	#199-000-119DF
\$ 9A17C56	.40 S&W	Sight, Front, Dovetail, Black, LTD	0330200	#199-000-074DF
\$ 9A17H14	.40 S&W	Sight, Front, Dovetail	0330300	#199-000-326DF
\$ 9A57D56	.40 S&W	Sight, Rear, Adjustable, LTD	0340200	#199-000-076DF
\$ 9A26Z12	.40 S&W	Sight, Rear, White Dot, Low Mount	0340100	#199-000-075DF
	9A47C50 9A07H14 9A06D67 9A07Z14 9A07Z14 9A07Z14 9A07Z14 9A07Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z14 9A0Z166 9A0Z14 9A0Z166	.40 S&W 9A47C50 .40 S&W 9A07H14 .40 S&W 9A06D67 .40 S&W 9A07Z14 .40 S&W 9A07A15 .40 S&W 9A07Y72 .40 S&W 9A08T14 .40 S&W 9A09P73 .40 S&W 9A09B73 .40 S&W 9A08X14 .40 S&W 9A17C56 .40 S&W 9A17H14 .40 S&W 9A57D56	Magazine, 10-Round, Nickel .40 S&W 9A47C50 Mainspring Housing, Arched .40 S&W 9A07H14 Mainspring Housing, Arched .40 S&W 9A06D67 Mainspring Housing, Flat, CHKRD .40 S&W 9A07Z14 Recoil Spring .40 S&W 9A07X15 Recoil Spring Plug, Full .40 S&W 9A07Y72 Recoil Spring Plug, Full .40 S&W 9A08T14 Length, LTD 80 S&W 9A09P73 Recoil Spring Plug, Full Length, SS, LTD .40 S&W 9A09B73 Recoil Spring Plug, SS .40 S&W 9A08X14 Recoil Spring Plug .40 S&W 9A08X14 Sight, Front, Dovetail .40 S&W 9A17H14 Sight, Rear, Adjustable, LTD .40 S&W 9A57D56	PNM40R Magazine, 10-Round, Nickel .40 S&W 9A47C50 0220100 Mainspring Housing, Arched .40 S&W 9A07H14 0220102 Mainspring Housing, Arched .40 S&W 9A06D67 0220101 Mainspring Housing, Flat, CHKRD .40 S&W 9A07A11 0430001 Recoil Spring .40 S&W 9A07A15 0430007 Recoil Spring Plug, Full .40 S&W 9A07Y72 0450101 Recoil Spring Plug, Full .40 S&W 9A08T14 Length, LTD 9450101 Recoil Spring Plug, Full Length, .40 S&W 9A09P73 SS, LTD 9450100 Recoil Spring Plug, SS .40 S&W 9A09B73 0450100 Recoil Spring Plug .40 S&W 9A08X14 0330200 Sight, Front, Dovetail, Black, LTD .40 S&W 9A17C56 0330300 Sight, Front, Dovetail .40 S&W 9A17H14 0340200 Sight, Rear, Adjustable, LTD .40 S&W 9A57D56

P18.9 LDA LTD-

Other parts Listed Under P14.45, 16.40, 18.9 LDA/LTD Common Parts Web Quick-Find Schematic #

#199-000-206DF	9391100	Barrel, 5", SS	9mm	9A140A41	\$ 175.5°
#199-000-211DF	9420100	Barrel Bushing, NI	9mm	9A14Y70	\$ 18.3
#199-000-102DF	0410001	Barrel Link, .010 Over Size	9mm	9A04T30	\$ 5.3
#199-000-103DF	0410002	Barrel Link, .015 Over Size	9mm	9A04P30	\$ 5.3
#199-000-104DF	0410003	Barrel Link, .020 Over Size	9mm	9A04U30	\$ 5.3
#199-000-101DF	0410000	Barrel Link, Standard	9mm	9A04A30	\$ 5.38
#199-000-010DF	0030200	Grip Screws, Set of 4, LTD	9mm	9A07V98	\$ 9.98
#199-000-136DF	9030200	Grip Screws, Set of 4, SS, LTD	9mm	9A14B29	\$ 17.80
#199-000-275DF	0020103	Grips, Pair	9mm	9A41X43	\$ 51.79
#199-000-281DF	9130400	Hammer, SS	9mm	9A34C29	\$ 42.8
#199-000-279DF	0130400	Hammer	9mm	9A32D86	\$ 41.0
#199-000-288DF	9140101	Hammer Pin, SS	9mm	9A04Z09	\$ 5.1
#199-000-285DF	0140101	Hammer Pin	9mm	9A03A30	\$ 4.13
#199-000-048DF	0220101	Mainspring Housing, Flat, Checkere	d9mm	9A07Y14	\$ 8.93
#199-000-315DF	0430007	Recoil Spring	9mm	9A07B72	\$ 9.6
#199-000-120DF	0450101	Recoil Spring Plug, Full Length, LTD	9mm	9A08X14	\$ 10.18
#199-000-220DF	9450101	Recoil Spring Plug, Full Length, SS, LTD	9mm	9A09U73	\$ 12.1
#199-000-074DF	0330200	Sight, Front, Dovetail, Black, LTD	9mm	9A17A56	\$ 21.9
#199-000-076DF	0340200	Sight, Rear, Adjustable, LTD	9mm	9A57V56	\$ 71.9

● ● ● C6.45 LDA & C7.45 LDA - Common Parts ● ●

18.38	\$ 9A14Y70	All	9420300 Barrel Bushing, SS	#199-000-212DF
17.86	\$ 9A14T29	All	0420300 Barrel Bushing	#199-000-107DF
5.38	\$ 9A04C30	All	9410001 Barrel Link, .010 Over Size, SS	#199-000-208DF
5.38	\$ 9A04H30	All	9410002 Barrel Link, .015 Over Size, SS	#199-000-209DF
5.38	\$ 9A04D30	All	9410003 Barrel Link, .202 Over Size, SS	#199-000-210DF
5.38	\$ 9A04Y30	All	9410000 Barrel Link, Standard, SS	#199-000-207DF
5.23	\$ 9A04T18	All	9400000 Barrel Link Pin, SS	#199-000-257DF
13.91	\$ 9A11B13	All	0160100 Cocking Cam Assembly	#199-000-258DF
3.20	\$ 9A02P56	All	0160200 Cocking Cam Pin	#199-000-259DF
4.55	\$ 9A03U64	All	0300200 Disconnector Lever	#199-000-261DF
7.19	\$ 9A05A75	All	0640000 Drawbar	#199-000-262DF
3.79	\$ 9A03T03	All	0600000 Drawbar Platform Spring	#199-000-263DF
16.86	\$ 9A13P49	All	9170200 Ejector, Long, SS	#199-000-154DF
3.20	\$ 9A02U56	All	0180100 Ejector Pin	#199-000-264DF
49.29	\$ 9A39A43	All	0090500 Extended LDA Black Ambi Safety	#199-000-359DF
25.48	\$ 9A20V38	All	9370100 Extractor, SS	#199-000-188DF
9.41	\$ 9A07B53	All	9350001 Firing Pin, SS	#199-000-186DF
4.55	\$ 9A03X64	All	9461000 Firing Pin Plunger, LDA	#199-000-362DF

order on the web www.brownells.com
⚠ NOTE: PART MAY REQUIRE FITTING ⚠



C6 45 I D	۸ <i>ه</i> , ۲	7.45 LDA - Common	Parte	contin	116	л Т
				COIILIII		
STOCK #	FAC.#		AL./GA.			PRICE
#199-000-081DF	0360000	Firing Pin Spring	All	9A03C18	\$	3.98
#199-000-191DF	9380100	Firing Pin Stop, SS	All	9A10H14	\$	12.68
#199-000-085DF	0380100	Firing Pin Stop	All	9A08D33	\$	10.41
#199-000-266DF	9080400	Grip Safety, Beavertail, SS	All	9A28Z57	\$	35.71
#199-000-353DF	0080500	Grip Safety, Snag Free, Carry, Small,	All	9A27A81	\$	34.7
#400 000 070DF	0000504	Black	A.II	0.4.0077077	_	
#199-000-273DF		Grip Screw Bushing, SS	All	9A06Y67	\$	8.34
#199-000-272DF		Grip Screws, Set of 4, SS	All	9A06T67	\$	8.34
#199-000-280DF		Hammer, SS	All	9A35P71	\$	44.64
#199-000-278DF	0130300	Hammer	All	9A34U29	\$	42.8
#199-000-282DF	0140500	Hammer Assembly Pin	All	9A03A50	\$	4.3
#199-000-287DF	9140100	Hammer Pin, SS	All	9A03V50	\$	4.3
#199-000-284DF	0140100	Hammer Pin	All	9A02B56	\$	3.20
#199-000-289DF	0140400	Hammer Return Spring	All	9A03X94	\$	4.9
#199-000-291DF		Hammer Strut, SS	All	9A03D91	\$	4.8
#199-000-290DF		Hammer Strut	All	9A03Z64	\$	4.5
			All		<u> </u>	
#199-000-292DF		Hammer Strut Pin		9A02A56	\$	3.2
#199-000-294DF		Magazine Catch, Single Stack, Blue	All	9A10Y77	\$	13.4
#199-000-297DF	9050300	Magazine Catch, Single Stack, SS	All	9A11T92	\$	14.9
#199-000-138DF	9060100	Magazine Catch Lock, SS	All	9A04P23	\$	5.29
#199-000-012DF	0060100	Magazine Catch Lock	All	9A03U96	\$	4.9
#199-000-013DF	0070000	Magazine Catch Spring	All	9A03A18	\$	3.98
#199-000-301DF	0521400	Magazine Floor Plate Retainer, Hi-Ca	IIA q	9A05V86	\$	7.3
#199-000-299DF		Magazine Floor Plate Retainer	All	9A05B00	\$	6.2
#199-000-302DF		Magazine Follower	All	9A06X67	\$	8.3
#199-000-303DF		Magazine Pad, 10-Round, Polymer	All	9A08C87	\$	11.09
#199-000-305DF					÷	
		Magazine Pad, L/E, Hi-Cap	All	9A08H87	\$	11.0
#199-000-159DF		Mainspring Cap Pin, SS	All	9A03D69	\$	4.6
#199-000-046DF		Mainspring Cap Pin	All	9A02A87	\$	3.5
#199-000-164DF	9230100	Mainspring Housing Pin, SS	All	9A04Y16	\$	5.2
#199-000-051DF	0230100	Mainspring Housing Pin	All	9A02T87	\$	3.5
#199-000-167DF	9240003	Mainspring Retainer, SS	All	9A04P16	\$	5.2
#199-000-054DF	0240003	Mainspring Retainer	All	9A03U18	\$	3.9
#199-000-313DF	0650000	Platform	All	9A05A75	\$	7.19
#199-000-314DF		Plunger Lever	All	9A03V64	\$	4.5
#199-000-057DF		Plunger Spring	All	9A03B18	\$	3.9
#199-000-126DF			All		÷	
		Plunger Spring for Firing Pin		9A03X19	\$	3.9
#199-000-365DF	0370101	Power Extractor Assembly, Black	.45	9A70C00	\$	87.5
#199-000-366DF		Power Extractor Assembly, Black	All	9A70H00	\$	87.5
#199-000-367DF		Power Extractor Assembly, Black	9mm	9A70D00	\$	87.5
#199-000-368DF	9370101	Power Extractor Assembly, SS	.45	9A75Z71	\$	94.6
#199-000-369DF	9370201	Power Extractor Assembly, SS	All	9A75A71	\$	94.6
#199-000-370DF	9370301	Power Extractor Assembly, SS	9mm	9A75Y71	\$	94.6
#199-000-364DF		Safety, Ambi, Extended, SS, LDA	All	9A40T00	\$	50.00
#199-000-320DF		Safety Lock, Extended, SS	All	9A22P86	_	28.5
#199-000-319DF		Safety Lock, Extended	All	9A17U86	_	22.3
#199-000-313DF		Safety Lock Lever	All	9A13H23	<u> </u>	16.5
#199-000-321DF #199-000-168DF		<u> </u>	All	9A13H23 9A04D15	\$	5.19
		Safety Lock Plunger, SS			÷	
#199-000-058DF		Safety Lock Plunger	All	9A03Z44	\$	4.3
#199-000-322DF	0100300		All	9A12A38	-	15.4
#199-000-324DF		Sear Pin, SS	All	9A04Y33	\$	5.4
#199-000-323DF	0120100	Sear Pin	All	9A03T30	\$	4.1
#199-000-325DF	0110300	Sear Spring	All	9A03P00	\$	3.7
#199-000-326DF		Sight, Front, Dovetail	All	9A17U14	\$	21.4
#199-000-327DF		Sight, Front, Night	All	9A47A14		58.9
#199-000-330DF		Sight, Rear, Night	All	9A64V29	_	80.3
		Slide Stop, Blue	All		_	
#199-000-332DF				9A17B14		21.4
#199-000-334DF		Slide Stop, SS	All	9A20X00	-	25.0
#199-000-169DF #199-000-059DF		Slide Stop Plunger, SS Slide Stop Plunger	All	9A04C15 9A03H18	\$	3.9

1	STOCK #	FAC.#	DESCRIPTION	CAL./GA.		PRICE
:	#199-000-360DF	0630000	Straddle, LDA	All	9A05D83	\$ 7.29
-	#199-000-338DF #199-000-339DF #199-000-340DF	0040400	Trigger Assembly	All	9A17T14	\$ 21.43
5	#199-000-339DF	0040401	Trigger Pin	All	9A03P04	\$ 3.80
5	#199-000-340DF	0040402	Trigger Return Spring	All	9A03U03	\$ 3.79

C6.45 LDA

Other parts Listed Under C6.45 LDA & C7.45 LDA Common Parts

	Web Quick-Find Schemati	ic#		
#199-000-200DF	9390600 Barrel, 3", SS	.45	9A127A53	\$159.41
#199-000-267DF	9080500 Grip Safety, Bobbed	.45	9A28V57	\$ 35.71
#199-000-269DF	0610100 Grip Safety Lever, Small	.45	9A03B50	\$ 4.38
#199-000-277DF	0020600 Grips, Pair	.45	9A70X40	\$ 88.00
#199-000-350DF	PNM645 Magazine, 6-Round	.45	9A38C57	\$ 48.21
#199-000-040DF	0190003 Mainspring	.45	9A03H52	\$ 4.40
#199-000-158DF	9200003 Mainspring Cap, SS	.45	9A04D16	\$ 5.20
#199-000-045DF	0200003 Mainspring Cap	.45	9A02Z87	\$ 3.59
#199-000-050DF	0220300 Mainspring Housing, Flat	.45	9A04A22	\$ 5.28
#199-000-111DF	0430004 Recoil Spring	.45	9A07Y78	\$ 9.73

C7.45 LDA

Other parts Listed Under C6.45 LDA & C7.45 LDA Common Parts Web Quick-Find Schematic

#199-000-203DF	9390900	Barrel, 3-1/2", SS	.45	9A127T26	\$ 159.08
#199-000-253DF	0390102	Barrel, 5", Blue	.45	9A122P86	\$ 153.58
#199-000-254DF	9390102	Barrel, 5", SS	.45	9A127U14	\$ 158.93
#199-000-211DF	9420100	Barrel Bushing, NI	.45	9A14A70	\$ 18.38
#199-000-102DF	0410001	Barrel Link, .010 Over Size	.45	9A04V30	\$ 5.38
#199-000-103DF	0410002	Barrel Link, .015 Over Size	.45	9A04B30	\$ 5.38
#199-000-104DF	0410003	Barrel Link, .020 Over Size	.45	9A04X30	\$ 5.38
#199-000-101DF	0410000	Barrel Link, Standard	.45	9A04C30	\$ 5.38
#199-000-034DF	0170200	Ejector, Long	.45	9A13H49	\$ 16.86
#199-000-082DF	0370100	Extractor	.45	9A20D38	\$ 25.48
#199-000-265DF	0080400	Grip Safety, Beavertail, Blue	.45	9A25Z00	\$ 31.25
#199-000-268DF	0610000	Grip Safety Lever, Regular	.45	9A03A50	\$ 4.38
#199-000-276DF	0020200	Grips, Pair	.45	9A43Y26	\$ 54.08
#199-000-355DF	PCN745	Magazine, 7-Round, Nickel	.45	9A28T57	\$ 35.71
#199-000-309DF	0490006	Magazine Spring	.45	9A06P67	\$ 8.34
#199-000-039DF	0190002	Mainspring	.45	9A03U52	\$ 4.40
#199-000-157DF	9200002	Mainspring Cap, SS	.45	9A04A16	\$ 5.20
#199-000-044DF	0200002	Mainspring Cap	.45	9A02V87	\$ 3.59
#199-000-311DF	0220201	Mainspring Housing, Flat, Checkered	.45	9A06B67	\$ 8.34
#199-000-049DF	0220200	Mainspring Housing, Flat	.45	9A04X09	\$ 5.11
#199-000-352DF	0430012	Recoil Spring Assembly, 3.5" Barrel	.45	9A23C88	\$ 29.85
#199-000-357DF	0450400	Small Black Telescopic Plug	.45	9A10H48	\$ 13.10




product specialists, Brownells online videos are packed with invaluable information for the gunsmith, hobbyist, and shooter. View product demonstrations and installations, plus how-to videos for the latest new products, as well as your old favorites. Stay better informed about how to care for your firearms, their parts, and accessories. Watch our videos today at Brownells.com, and check back regularly to see what we've added.

Visit brownells.com









Shop online at brownells.com

It's Simple, 100% Secure, and now Faster than ever. Here's how:

Ordering an item from the Brownells Online Store is fast and easy. For example, let's say you are looking for J-B $^{\textcircled{\$}}$ Bore Bright.

- Open your web browser and type **brownells.com** in the address box to access the Brownells website homepage.
- In the **Search** box, type the product name or stock number (from your Brownells catalog) of the item you wish to find. Click the **Search** button. Your search results will appear. Click on the product image to view the product page. If you do not have the stock number or know the name of your item, you can also browse by category using the top tabs or left navigation menu.
- Scroll to the bottom of the product page to view the **Stock Number, Description, Quantity,** and **Price**. If there are specific restrictions for the product, these will also appear under the **Notice** link. If you wish to purchase the product, click the **Add** button. The merchandise will automatically be added to your Shopping Cart. You can also add them to your Wish List or Favorites for fast re-ordering.
- When you are finished shopping, click the **View Cart** link at the top right-hand corner of the screen to begin the Checkout process.
- The Checkout screen allows you to view all selected merchandise in your Shopping Cart, modify your order, if needed, and confirm your order total. When you are ready to checkout, click the **Checkout** button.













Just \$11.50 to ship your order anywhere in the United States including Hawaii, Alaska, Puerto Rico and U.S. Virgin Islands. Fill your order with as many items as you can (limit 5 lbs.), it's still just \$11.50.



• With our *One-Rate*

Shipping Program, our Order Takers can give you your complete total at the end of your call. No guessing at total shipping charges. It's \$11.50

• Back Order Shipping Charges are **FREE**! Back Ordered items will be shipped by **Standard** service.

You also have three more great options for delivery:

- 2nd Day Shipping For just \$12.00 more (total of \$23.50) you can upgrade to 2nd Day Shipping for faster service at a low, low price.
- Next Day Air If you really need your order in a hurry, it's just \$39.50 total to get your order there the very next day.
- Special Small Package Rate For only \$5.25 you can ship any order that weighs 13 ounces or less.

From our total 30,000+ products, there are some items that are just too heavy to fit into this program. You'll find these products listed in the Yellow Index section of this Catalog.

CUSTOMER PRIVACY & SECURITY POLICY

When you do business with Brownells you don't have to worry that your personal information will become common knowledge because we value your trust above all. Our privacy and security policy is very simple. We do not sell, distribute or give out customers' names or other private information to anyone at any time. It has always been our policy to hold all customer information in the strictest confidence.

When you decide to use your credit card to pay for any purchase, your credit card and personal information are completely safe, and private, with us. Credit card security for our Website is handled by VeriSign, Inc., the world's leading provider of digital trust services. We make use of the latest 128-bit security encryption technology any time we ask for your name, address, e-mail address, credit card info or telephone number. Our servers are equipped with the latest dual application firewalls, hack detection and anti-virus technology to make certain your private information stays private and secure.

TOLL-FREE ORDER LINE: 800-741-0015

With more than 3,000 products, over 120 of them new, our 1911 Catalog #5 is the largest, most complete one-stop source for parts and accessories to build, customize, and service the world's most popular pistol.

BROWNELLS SELECTION. SERVICE. SATISFACTION.

World's Largest Supplier of Firearms Accessories and Gunsmithing Tools™

200 S. Front St. Montezuma, IA 50171 800-741-0015 • brownells.com

