

**NEW!** Lights  
**STREAMLIGHT®**  
**TACTICAL WEAPON LIGHTS**



**Powerful, Compact, Feather-Weight Lighting With Laser Sight Option**

Gun-mounted light illuminates dangerous places with intense, white light. Ambidextrous, momentary or constant-on paddle switch lets you control light output to match your needs. High-output C4® LED lamp produces a uniform beam with peripheral illumination and no hot spots or shadows. Runs on two CR-123 lithium batteries for up to 2.5 hours of continuous runtime. Rugged aluminum housing has unique locking bar system with interchangeable locating keys for secure mounting directly to MIL-STD 1913 Picatinny, Glock-style, S&W 99, S&W TSW, and Beretta 90-Two accessory rails. Fits all holsters that accept pistols mounted with the earlier Streamlight M-3/-5/-6 series lights. **USA**

**TLR-1 WEAPON LIGHT** - TLR-1 produces

300 lumens continuous output. TLR-1s also outputs 300 lumens and adds a strobe setting instantly activated by two, rapid, successive taps on the paddle. TLR-1 HP produces a long-range targeting beam that pushes out to 400 meters. 200 lumen; no strobe. High-output TLR-1 HL provides up to 630 lumens of intense white light to illuminate large areas, ideal for clearing a room or searching an alley. Also has programmable strobe setting. Available in Black, Flat Dark Earth (FDE) and Flat Dark Earth Brown. TLR-1 HPL delivers an astonishing 775 lumens of white light with excellent peripheral illumination and maximum down-range performance.



TLR-1 HPL

**SPECS:** Machined aluminum, anodized, matte black. 3/4" (8.3cm) long x 1 1/2" (3.8cm) wide x 1 1/4" (3.7cm) high. Uses two CR-123 lithium batteries, included.

- #100-003-009AS** TLR-1 Weapon Light, 1K119J99 ..... **\$ 119.99**
- #100-005-925AS** TLR-1s Weapon Light w/Strobe, 1K119L99 ..... **119.99**
- #100-009-755AS** TLR-1s HP Weapon Light, 1K132G52 ..... **139.99**
- #100-011-713AS** TLR-1 HL Weapon Light, Black, 1K139E99 ..... **139.99**
- #100-018-998AS** TLR-1 HL Weapon Light, FDE, 1K149H99 ..... **149.99**
- #100-018-999AS** TLR-1 HL Weapon Light, FDE Brown, 1K149M99 ..... **149.99**
- #100-016-759AS** TLR-1 HPL, 1K129J99 ..... **129.99**

**TLR-2 WEAPON LIGHT/LASER SIGHT**

- Expands the TLR-1 system with a high visibility, red 650-660 nm aiming laser to aid in precise shot placement. Selector switch lets you choose light only, laser only, or light plus laser illumination. Laser is fully adjustable for windage and elevation, with screws mounted in brass bushings for precise settings and reliable return to zero. TLR-2 produces 300 lumens continuous light output. TLR-2s outputs 300 lumens and adds a strobe setting. TLR-2 HL provides up to 630 lumens of intense white light to illuminate large areas, ideal for clearing a room or searching an alley. Also has programmable strobe setting. TLR-2 HL G offers an even more powerful 720-lumen light output plus a 510-530 nm green laser for even longer-range targeting than the red laser TLR-2 models.



TLR-2/2s/2 HL G

**SPECS:** Machined aluminum, anodized, matte black. 3/4" (8.3cm) long x 1 1/2" (3.8cm) wide x 1 1/4" (4.5cm) high. Uses two CR-123 lithium batteries, included.

- #100-004-220AS** TLR-2 Weapon Light/Laser Sight, 1K289H99 ..... **\$ 289.99**
- #100-005-924AS** TLR-2s Weapon Light w/Laser & Strobe, 1K299M99 ..... **299.99**
- #100-011-714AS** TLR-2 HL Weapon Light/Laser, 1K299H99 ..... **299.99**
- #100-016-763AS** TLR-2 HL G Weapon Light/Laser, 1K339P99 ..... **339.99**

**INFORCE**  
**AUTO PISTOL LIGHT**



**Versatile, Powerful Pistol Light With Ambidextrous Controls**

Designed specifically for pistols, this lightweight, low-profile light delivers a brilliant white beam, and securely attaches to Glock or MIL-STD 1913 Picatinny rails. High-efficiency, 200-lumen LED emitter provides up to 1.5 hours of runtime. Easy-to-operate paddles - conveniently positioned on both the left and right sides of the triggerguard - allow for speedy, ambidextrous operation. User may select between constant-on and momentary-on modes. Attaches/detaches quickly; no tools required. **USA**

**SPECS:** Fiber composite, matte gray. 3" (7.6cm) OAL. 1.2" (3cm) wide. 2.8 oz. (79.4g). Fits most rail-equipped pistols. Not compatible with Beretta PX4 Storm or HK USP. 1.5 hr battery life. Includes universal mount, Picatinny mount, one CR-123A battery, and instructions.

- #100-011-625AS** Inforce Auto Pistol Light, 4C131E88 ..... **\$ 139.99**

**INFORCE**  
**LED WEAPON LIGHTS**



**Compact & Powerful Picatinny Mounted Light; IR Option Available**



Rugged, powerful LED weapon light attaches quickly to any MIL-STD 1913 Picatinny rail to provide brilliant light for close- to mid-range applications. Easy to access, integral, rear-facing activation switch toggles between momentary-on, constant-on, strobe, and high/low (user can change sequence to low/high). Mechanical lockout system prevents accidental activation. White model offers a 200-lumen high mode with 1.5 hour battery life. Low mode provides 30 lumens for up to 10 hours. White/IR model has 175-lumen white LED output for 1.5 hours. 30 lumens for 10 hours, and adds an infrared light option with 75mW high (3.5 hours) and 25mW low (17 hours) modes. The more powerful WMLx model produces 500 lumens of brilliant white light for up to 2 hours. With its penetrating center beam and generous peripheral light, the WMLx is ideal for long distance target identification. Includes the same modes but without a low setting. **USA**

**SPECS:** Fiber-reinforced hard polymer composite, Black or Flat Dark Earth (FDE). 4.1" (10.4cm) OAL. 1" (2.5cm) bezel. O.D. 3 oz. (85g) wt. Uses one CR-123A battery, included. WMLx - 5.3" (13.5cm) OAL. 1.1" (2.8cm) bezel. O.D. 4 oz. (113.4g) wt. Uses two CR-123A batteries, included.

- #100-009-784AS** LED White Weapon Light, Black, 4C134Q49 ..... **\$ 139.99**
- #100-009-782AS** LED White/IR Weapon Light, Black, 4C156A03 ..... **164.99**
- #100-015-377AS** White/IR Light, FDE, 4C156D03 ..... **164.99**
- #100-015-378AS** LED WMLx Weapon Light, Black, 4C158L09 ..... **169.99**
- #100-015-379AS** LED WMLx Weapon Light, FDE, 4C158K09 ..... **169.99**

**TACTICAL ILLUMINATOR MOUNT** - Tough, polymer mount attaches to AR-15 handguards to accept your TLR-1/-2 or M-3/-5/-6 light. Winged end stop keeps light from sliding off.

**SPECS:** Polymer, black, matte finish. 80-90 lumens. 3.4" (8.6cm) L, 1.57" (4cm) W, 1.52" (3.8cm) H. 3.3 oz (90.4 g) wt. Accepts TLR-1/-2 and M-3/-5/-6 lights. Includes lithium batteries. Mounting hardware and instructions included.

- #100-000-831AS** Tactical Illuminator Mount, 1K18G99 ..... **\$ 18.99**



**NEW!** **STEINER OPTICS**  
**DBAL-A3 CIVILIAN LASER & ILLUMINATOR**



**Brings Military Type Technology To The Civilian Market**

Compatible with NVD, this civilian grade DBAL-A3 comes with an infrared illuminator, infrared pointer and the brightest visible aiming laser allowed by law. Adjustable IR illuminator allows the user to switch from a narrow 2° beam to a wide 30° beam that floods an area with infrared light for easy surveillance with night vision devices. The IR laser can be seen for 275 yards while the green aiming laser is visible out to more than 800 yards. Both the IR laser and visible laser are co-aligned, meaning the lasers can be simultaneously zeroed. Sight includes a single laser activation switch, high/low power modes plus low profile windage and elevation adjustments. Dual remote cable ports allow the operator to plug a tactical light directly into the laser housing. The DBAL-A3 also includes mounting holes for a flip-up front sight, sub-miniature red dot sight or a MIL-SPEC-1913 top rail. Robust aluminum sight is as rugged and reliable as the military issued device it's based on. Item ships directly from manufacturer. Please allow 5 additional business days for delivery. **USA**

**SPECS:** 6061-T6 aluminum, Type III hardcoat anodized, matte black or desert sand. 3.5" (8.9cm) long, 2.75" (6.9cm) wide, 1.5" (3.8cm) high. 8 oz. (226.8g) wt. 532 NM, 5MW, Class IIIA, green laser. Includes (1) CR-123A battery.

- #100-017-785AS** DBAL-A3 Laser, Black, 8H1239F99 ..... **\$ 1239.99**
- #100-017-786AS** DBAL-A3 Laser, Desert Sand, 8H1289B99 ..... **1289.99**

**NEW!** **STREAMLIGHT**  
**TLR-6 WEAPON LIGHT**

**Positively Identify & Acquire Your Target**



Engineered to fit today's most popular compact and sub-compact handguns, this combination light and laser sight helps you easily identify and acquire a target. With its C4 LED and textured reflector, the light casts a 100-lumen beam out to almost 300 feet. The red laser is centered in the light beam, allowing you to get on target quickly in a high-stress situation when adrenaline is pumping. Ambidextrous switch lets you select laser only, LED only, or both laser and LED. Light automatically shuts off after 10 minutes to preserve battery life. Sturdy, impact-resistant, reinforced polymer body doesn't add an ounce of unnecessary weight or bulk to your pistol. Laser can be adjusted for windage and elevation. TLR-6 is sold with gun-specific mounting hardware or **Combo Pack** that includes LED/laser module and mounting hardware to fit all the pistols listed below. **USA**

**SPECS:** Hard polymer housing, black or Flat Dark Earth (FDE) Brown. 2.3" (5.8cm) long. .85" (22mm) wide, 1.4" (3.6cm) high. 1.3 oz. (36g) wt. 640-660nm red laser. Includes two 3V CR-1/3 N lithium batteries.

- #100-017-571AS** TLR-6, Glock 42/43, 1K99H99 ..... **\$ 99.99**
- #100-018-991AS** TLR-6, Glock 42/43, FDE Brown, 1K99H99 ..... **99.99**
- #100-018-992AS** TLR-6, Glock 26/27/33, 1K99P99 ..... **99.99**
- #100-018-993AS** TLR-6, S&W M&P Shield, 1K99D99 ..... **99.99**
- #100-018-994AS** TLR-6, Kahr, 1K99B99 ..... **99.99**
- #100-018-995AS** TLR-6, Sig Sauer P238/P938, 1K99D99 ..... **99.99**
- #100-018-996AS** TLR-6, Kimber Micro, 1K99C99 ..... **99.99**
- #100-018-997AS** TLR-6 Combo Kit, 1K119L99 ..... **119.99**

**TLR-3 COMPACT WEAPON LIGHT**



**TLR Power In A Pistol-Mountable Package!**

Even smaller than the popular TLR-1/2 series, this ultra-low-profile light uses the same system of interchangeable locating keys as the rest of the TLR series to fit a wide variety of pistol receiver rails. Streamlight's C4 LED technology project a high intensity, 90-lumen beam, while electronic power-control system helps maintain consistent brightness. Parabolic reflector and Borofloat glass lens produce a focused beam with minimal fade at the edges. One CR2 lithium battery, included, provides 1 1/2 hours of continuous operation and a storage life up to 10 years. Ambidextrous switch offers an instant choice of momentary or steady-on operation. Rail clamp system allows easy, one-handed attachment/removal from the side of the weapon, so hands stay away from the muzzle. Waterproof to 1 meter for 30 minutes. **USA**

**SPECS:** Reinforced polymer body and anodized aluminum lens assembly, black. 2 1/4" (7cm) long, 1 1/4" (2.9cm) wide, 1 1/4" (3.8cm) high from top of rail clamp to bottom of housing. 2.4 oz. (67g) weight with battery. Fits MIL-STD 1913 Picatinny rail, and includes five rail keys to allow installation on Beretta 90-Two and Vertec, Glock, Kel-Tec PF-9, Kimber TLE/RLI, Sig GSR, Smith & Wesson M&P and TSW, Springfield XD compact and full frame, Springfield 1911, and others.

- #100-004-290AS** TLR-3 Weapon Light, 1K79J99 ..... **\$ 79.99**

**NEW!** **SUREFIRE**  
**X300 ULTRA WEAPON LIGHT**

**Compact Light Works On Both Handguns & Long Guns**



Lightweight, powerful weaponlight has integral mount that fits onto both handgun rails and Picatinny rails and gives blinding illumination and fast target identification. Intuitive, ambidextrous controls make it easy to activate the light and to switch between momentary- and constant-on. Accepts Surefire remote switches, sold separately, that allow for handgun grip activation, or mounting on longer rifles and shotguns. With a maximum output of up to 600 lumens, it has an LED lamp that runs for up to 1.5 hours on 2 123A batteries, included. **USA**

- #152-000-156AS** X300 Ultra Weapon Light, 2E269G99 ..... **\$ 269.99**

**SUREFIRE ST07**  
**REMOTE TAIL SWITCH**



**Put Switch Exactly Where You Want It For Instantaneous Light Activation**

Sealed, weatherproof pressure switch lets you remotely activate your Surefire WeaponLight for immediate, on-demand target illumination. Plugs directly into the tail cap switch of a variety of Surefire lights. Comes with a 7' long cable ending in the pressure pad that can be taped to the forearm or vertical grip of a tactical rifle or shotgun. Fits all Surefire lights with a plug-in socket in the tailcap, including the X300, X400, XT, Scout Light, Millennium Universal, and Classic Universal lights. NSN #5930- 01-531-2192. **USA**

- #152-000-065AS** ST07 Remote Switch, 2E61M38 ..... **\$ 62.99**



## SUREFIRE X400 ULTRA WEAPON LIGHT/LASER

Powerful Tactical Illumination For Rail-Equipped Handguns



Compact, lightweight weapon light provides powerful target illumination for tactical pistols equipped with Picatinny and Universal Standard mounting rails. Solid-state, shock-isolated, electronically controlled LED outputs 500 lumens of intense, white light for up to 1 1/2 hours runtime. LED is protected by a tempered Pyrex® lens; anti-reflective coating ensures maximum light transmission. Specially engineered Total Internal Reflection focusing lens tightens light beam to project a more focused beam at longer distances, yet provides enough surround beam to support peripheral vision. Ambidextrous constant on/off toggle switch provides fail-safe operation under stress. Push button, spring-loaded mounting clamp allows you to instantly attach or detach light for any situation. O-ring sealed fittings are waterproof to 70 feet. Adapter plates and mounting hardware for Picatinny and Universal Standard rails included. Includes the same powerful 500 lumen LED and other technical features as the X300 with the addition of a fully-adjustable, super-bright red aiming laser that puts you on target immediately. Makes the X400 the perfect choice for military, law enforcement, and self defense use. Laser outputs 5 milliwatts at a wavelength of 635 nanometers, making the beam brighter and more visible than comparable units. Five-position switch, located behind the laser, offers four modes of operation, including light only, laser only, light and laser together, and two disable positions. Nylok® adjustment screws won't back out under recoil, so loss of zero is a thing of the past. Fully sealed to keep dust and moisture out. Includes adapters and hardware for mounting to Picatinny and Universal Standard rails. ■

**SPECS:** Aluminum body, mil-spec Type III hardcoat anodized, black. Approx. 3 1/2" (9.2cm) long, 1 1/8" (3.7cm) wide, 1 1/8" (4.8cm) high. 4.4 oz. (125g) wt., with two, included, CR-123A lithium batteries installed. Output: 500 lumens of light for up to 1 1/2 hours.

**#152-000-137AS X400 Ultra Weapon Light/Laser, 2E535P99 . . . \$ 535.99**

## TAC-STAR WLS 2000 WEAPON LIGHT



Compact, Powerful, Multi-Configuration Light System For Rifles & Shotguns

Clamp-on light system for rifles and shotguns puts control of 75 lumens (15,000 candle power) of bright, white light at your touch to illuminate your intended target. Multi-configuration system lets you choose the setup that suits your needs: a push button tailcap switch or the pressure-sensitive on/off switch with expandable coiled cord that attaches to a vertical grip or forearm and provides instant activation without shifting your grip. Includes two clamps that allow mounting to a variety of guns ranging from .22 caliber rifles to 12 gauge shotguns. Light body of machined aluminum is lightweight yet strong, with a knurled surface for nonslip engagement with the barrel clamp. "O" ring seals protect against shock and make the WLS 2000 water-proof to 100 feet. Shock-resistant, fixed-beam, Xenon gas filled bulb; up 1 hour continuous output from a pair of lithium batteries. ■

**SPECS:** 6061 T6 aluminum, anodized, black. Body - 4 1/2" (11.4cm) long, 1" (2.5cm) diameter. Reflector - 1 1/4" (3.1cm) diameter. Mounting Clamps - Steel, black oxide finish. 5.7 ounces (170g) total weight with batteries. Includes two CR-123A lithium batteries, rifle and shotgun barrel clamps, mounting hardware, and instructions.

**#867-000-023AS WLS 2000 Weapon Light, 7F86L47 . . \$ 90.99**

## BROWNELLS TACTICAL TAPE

Secure Temporary Attachment Of Tactical Gear To Weapons



A strong, waterproof, nonreflective tape for secure but temporary attachment of pressure switches or as camo to break up your gun's silhouette. Use to tape down zippers, swivels, straps and other sources of noise that could give away your position during stealthy operations. Has a thousand and one other uses in the field, in the armory, or on your workbench. This is vinylcoated, high thread count cloth tape, not cloth reinforced vinyl "duct" tape. Tears off the roll clean and straight. High-tack, synthetic rubber adhesive won't leave behind sticky residue and provides excellent adhesion and conformability over a wide temperature range. 42 lb. per inch tensile strength means this tape won't come loose during stressful tactical operations. Once you've used this stuff, you won't settle for ordinary electrical or duct tape ever again! ■

**SPECS:** Vinyl coated cotton cloth, synthetic rubber resin adhesive. 1" (2.5cm) wide, 180' (55m) long, .001" (12 mil) thick. Available in Black and Coyote Brown.

**#100-002-654AS Tactical Tape, Black, 5A11B45 . . . \$ 15.99**

**#100-002-656AS Tactical Tape, Coyote Brown, 5A12G88 . . . 18.49**

## COMMAND ARMS FLASHLIGHT/LASER MOUNT



Five-Position Mount For Rifle Or Pistol Accessory Rails

Combat-proven, securely slide onto Picatinny or Weaver-style rails to provide a stable mounting platform for 1" O.D. flashlights/lasers. Spring-loaded, push-button release facilitates quick attach/detach, and the integrated C-clamp firmly tightens to ensure maximum light retention. Pivots and locks into five, definable positions up to 90° left or right of center allowing you to reposition the flashlight, so it's exactly where you need it. ■

**SPECS:** Fiber-filled polymer, black. Accepts 1" (2.5cm) O.D. lights/lasers. 2 1/4" (7cm) long, 1.5" (3.8cm) wide, 2 1/2" (6.3cm) tall. 2.8 oz (79g) wt.

**#100-003-353AS 5-Position Flashlight/Laser Mount, 6C15D90 . . . \$ 16.99**

## BROWNELLS GLOCK® TACTICAL LIGHT MOUNT

Converts Early Model Pistols To Accept Weapon Lights & Lasers



It's now possible to upgrade the hundreds upon thousands of early model Glock medium frame pistols in the 17/19 family to accept an assortment of weapon lights and lasers without the expense of replacing the original frames. This low profile, add-on rail permanently attaches to the dust cover for solid mounting of the most popular pistol-mounted combat accessories. Mount is contoured for a smooth, clean appearance and features a milled slot for unobstructed viewing of the factory serial number plate. Provided nut plate and screws completely immobilize rail from all movement, even after thousands of rounds with extra power loads. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist. ■

**SPECS:** Aluminum, matte black. 1 1/2" (3.8cm) long, 3/16" (2.1cm) wide, 1/4" (6.4mm) high. 4 oz. (11.3g) wt. Fits early model Glock 17/19 pistols without integral frame rail. Requires gunsmith fitting.

**#078-000-079AS Tactical Light Mount, 9A60B04 . . . \$ 65.99**

## MISSION FIRST TACTICAL

### FAS2 TACTICAL LIGHT MOUNT

Get Flashlight Illumination & Keep Both Hands On Your Gun



Injection-molded, reinforced, polymer-resin mount makes it easy to use your handheld flashlight as a weaponlight in tactical situations. Accepts any light with a 1" body. Screw-adjustable, radiused pads hold light tightly in place; push-button locking system gives quick attachment and removal. Use on rifle or shotgun equipped with Picatinny or Weaver-style rails. ■

**SPECS:** Polymer, black. 1 1/4" (4cm) long, 1 1/4" (4cm) high, 1 1/4" (3.2cm) wide. Accepts flashlights with a 1" O.D. body.

**#100-001-022AS FAS2 Mount, 9C15J03 . . . \$ 16.99**

## BROWNELLS BERETTA 92/96 & 1911 AUTO LIGHT RAIL MOUNT



Add Lights & Lasers To Non-Railed Frames

Add-on light rail makes it cost-effective to convert any 1911 Auto-type pistol or early model Beretta 92/96 pistol without an integral frame rail to accept a wide assortment of popular weapon lights and lasers. Rail attaches permanently with the supplied screws and Acraglas Gel® to form a seamless mate with the dust cover. Aluminum model keeps aluminum-framed pistols lightweight and maneuverable. Steel version provides extra strength and added weight for improved balance and recoil control, plus it can be welded into place and finish-shaped for a "built-in" appearance on steel framed pistols. Installation requires permanent alteration of the frame and must be completed by a competent gunsmith or machinist. ■

**SPECS:** Aluminum or steel, matte black. 1 1/8" (4cm) long, 3/16" (2.1cm) wide, 1/2" (9.5mm) high. Weight: Aluminum - 6 oz. (17g). Steel - 1.2 oz. (34g). Fits Beretta 92/96 and 1911 Auto-type pistols. Slot centers located 510" from each end.

**#078-000-076AS Alum. Light Rail Mount, 8G42G56 . . . \$ 49.99**

**#078-000-078AS Steel Light Rail Mount, 8G43M02 . . . 49.99**



## VIKING TACTICS FLASHLIGHT/LASER MOUNT

Offset For Fast, Easy Access To Activation Switches



Extra-wide, offset base mounts flashlights and lasers to any railed handguard for easy light/laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9- o'clock positions to accommodate right- or left-handed shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC alloy thermoplastic that's resistant to most solvents. Adjustable to fit flashlights and lasers from .800" to 1" diameter. ■

**SPECS:** PVC alloy thermoplastic, Black, Coyote Tan, or Flat Dark Earth. 1 1/2" (3.8cm) long, 2 1/2" (6.3cm) wide, 1 1/4" (3.2cm) high. 1.8 oz. (51g) weight. Fits .800" (20mm) to 1" (2.5cm) diameter flashlight and laser.

**#100-004-371AS Flashlight/Laser Mount, Black, 7K22G74 . . . \$ 24.99**

**#100-004-372AS Flashlight/Laser Mount, Coyote, 7K22H74 . . . 24.99**

**#100-005-402AS Flashlight/Laser Mount, Flat Dark Earth, 7K22K74 . . . 24.99**

## TACSTAR

### UNIVERSAL FLASHLIGHT MOUNT

Steel, Two-Piece Mount Clamps Securely To Barrel



Made especially to mount flashlights to your shotguns and rifles without modifications to the barrel. This all-steel, two-piece light mount fasten securely to the barrel with two Allen head screws - Allen wrench and two spare screws included. ■

**SPECS:** Steel, gloss black finish. Attaches 1" light to 1/4" to 1" barrel. Two extra Allen head screws included. **#867-000-011AS #4 Universal Flashlight Mount, 7F16K92 . . . \$ 17.99**

## WILSON COMBAT SCOPE ACCESSORY MOUNT

For Mounting Light Or Red Dot Sight On A 1" Scope Tube



Compact, rugged mount fully machined from 6061 T6 aluminum clamps directly to any 1" diameter scope tube and provides 1 1/16" of Picatinny rail space for mounting a light, red dot sight, laser, or other accessory. Enables quick transition from long-range (scope) targeting to close-range (red dot) simply by shifting your eyes. Durable hardcoat anodized finish resists surface wear and matches most tactical scope finishes. ■

**SPECS:** 6061 T6 Aluminum, hardcoat anodized, matte black. 1 1/8" long rail. Fits 1" scope tube.

**#965-000-099AS Scope Accessory Mount, Only, 5F64M99 . . . \$ 64.99**

## FALCON INDUSTRIES AR-15/M16 UNIVERSAL ACCESSORY MOUNTING PLATFORM

Easy Installation; Mount Tactical Accessories



Injection-molded, nylon-based, polymer platform installs easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts Picatinny accessories. ■

**SPECS:** Injection-molded polymer, black. 5 1/8" (14.3cm) OAL. **#573-000-027AS Universal Accessory Mounting System, 3G8M87 . . . \$ 10.75**

## LITE TECHNOLOGIES TACTICAL SHOTGUN MOUNT

Won't Interfere With Sights



Contoured, aluminum mount clamps to the extended magazine tube for secure mounting of a flashlight or laser sight on tactical shotguns. Positions the light/laser below the barrel for a clear line of sight. ■

**SPECS:** 6061-T6 aluminum, black matte finish. Fits 1" (2.5cm) dia. magazine tube and accepts 1" dia. flashlight or laser.

**#100-000-400AS 1" Tactical Light/Laser Mount, 2Z29P16 . . . \$ 33.99**

Orders/Tech: 800-741-0015

order on the web  
**brownells.com**

**BROWNELLS** PAGE 373

## VLTOR SCOUT MOUNT



Turns Handheld Flashlight Into Compact, Rail-Mounted Weaponlight

All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triple-function cross-bolt with large, easy-grasp thumbscrew tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below. Off-set models let you position the light to the left, right, or below the rail, approximately 1/4" off-set from the centerline of the rail. **SM-OCG** – Dual thumbscrew cross-bolts ensure extra secure attachment to rail. **SMQ-OCG** adds an American Defense quick-release release lever for ultra-fast attachment and removal. Lever releases the mount only when you depress the release tab, and may be configured to swing to the front or the rear. Mount is adjustable to ensure a secure, no-slip fit on any Picatinny rail, including over- or under-sized commercial rails. **SPECS:** Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. **SM-E** fits lights with .810" to .826" O.D., including SureFire Executive series. **SM-OCG** off-set mount fits flashlights with 1.010" to 1.040" O.D., including SureFire G- and CK-series. **SMQ-OCG** quick-release off-set mount accepts flashlights with .980" to 1.040" O.D., including SureFire G- and CK-series.

- #100-003-714AS SM-E Scout Mount, 3A33L99..... \$33.99**  
**#100-004-279AS SM-OCG Off-Set Scout Mount, 3A56N99..... 56.99**  
**#100-004-711AS SMQ-OCG Off-Set Scout Mount, 3A80H99..... 80.99**

## SUREFIRE

### SF-123A LITHIUM BATTERIES

Always Have Spares So You're Never In The Dark

Direct replacements for CR-123A type batteries used in many weapon lights, hand-held lights and powered optics. **SPECS:** 6061-T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1/16" (3.8cm) long, 1/16" (3.5cm) wide, 1/16" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

- #152-000-023AS SF-123 Batteries, 2-Pak, 2E4N49..... \$4.49**  
**#749-003-691AS SF-123A Batteries, 12 Pak, 2E24A99..... 24.99**

## DURACELL®

### PROCELL® BATTERIES



Economical bulk packs of Duracell alkaline batteries in sizes commonly-used by shooters for electronic muffs, flashlights, red dot sights, timers, and other electronic shooting accessories. **SPECS:** 6061-T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1/16" (3.8cm) long, 1/16" (3.5cm) wide, 1/16" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

- #100-010-675AS AA Batteries, 24-Pak, 3F10C99..... \$10.99**  
**#100-010-676AS AAA Batteries, 24-Pak, 3F9L99..... 9.99**  
**#100-010-677AS CR-123A Batteries, 6-Pak, 3F17M99..... 17.99**  
**#100-010-679AS CR-2032 Batteries, 6-Pak, 3F7N99..... 7.99**

## MIDWEST INDUSTRIES

### M14/M1A TACTICAL LIGHT MOUNT



Lightweight, Easy To Install Mount Provides A Rugged Platform For Your Lights & Accessories

When you're shooting in low light conditions, you want to be sure your light stays fastened securely to your rifle, especially with heavy-recoil M14 and M1A's. Lightweight construction keeps weapon balance changes to a minimum. Attaches firmly to the barrel and gas piston tube and allows you to mount lights, lasers, or accessories on the right or left hand side. Front of each Picatinny rail features a socket for a pushbutton QD sling swivel. Will not interfere with stock removal during field stripping and cleaning. No gunsmithing required. **SPECS:** Aluminum, CNC machined from billet hard-coat anodized to Mil-Spec, black. Rail is 2 3/16" (7.5cm) long, 1/16" (2.1cm) wide. Allen wrenches included.

- #100-002-327AS M14/M1A Tactical Light Mount, 2A61P32..... \$64.99**

### MESA TACTICAL REMINGTON/BENELLI TACTICAL BARREL/MAGAZINE CLAMP

Secures Extended Mag Tube & Mounts Accessories Up Front



Lightweight, aluminum clamp locks barrel and extended magazine tube together to form a rigid, rock-solid assembly. Can be used as a tactical light mount: install a 1" diameter light in one side of the clamp and secure the other side to the barrel or magazine. Left- and right-side sling swivel sockets accept standard pushbutton swivels. Two side Allen head screws pull the clamp halves together for a tight, non-slip hold. Also available with a 2" long, 4-slot, MIL-STD 1913 Picatinny rail that can be installed in the 3- or 9- o'clock position, for mounting additional accessories. Fits Remington 870, 1100, 11-87 and Benelli M1, M2, M4, M1014, 12 gauge shotguns. **SPECS:** 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1/16" (3.8cm) long, 1/16" (3.5cm) wide, 1/16" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

- #100-004-032AS Barrel/Mag Clamp, w/Rail, 5A79C74... \$83.99**  
**#100-005-447AS Barrel/Mag Clamp, Only, 5A54L99... 54.99**

## LITE MOUNT TECHNOLOGIES

### 3-RAIL PICATINNY SHOTGUN MOUNT



Mounts Easily Under Barrel; Accepts Picatinny Accessories

Rigid, aluminum, tri-rail mount lets you attach picatinny accessories such as lights, lasers, and other tactical equipment to your shotgun. Installs on the magazine tube without modifications to the gun, and will hold up to three attachments. Low mounting point keeps lights and lasers in proper alignment with the shot pattern and prevents interference with iron sights. Secures with two 1/16" clamping screws. Models for most popular brands of tactical shotguns. **SPECS:** 6061-T6 aluminum, matte black. 1 1/8" (4.2cm) long. 1" - Fits Winchester, Remington, and FN shotgun magazine tubes. 25mm - Fits Mossberg and Ithaca shotgun magazine tubes. 26mm - Fits Benelli and Franchi SPAZ shotgun magazine tubes.

- #100-002-041AS 1" 3-Rail Shotgun Mount, 2Z49L39... \$54.99**  
**#100-002-015AS 25mm 3-Rail Shotgun Mount, 2Z49C39..... 54.99**  
**#100-002-052AS 26mm 3-Rail Shotgun Mount, 2Z49N39..... 54.99**



## BROWNELLS BVL-530 FLASHLIGHT



Compact, Powerful, Adaptable, Durable – And Affordable

When we decided to design our own flashlight, we started with a list of "mission critical" features. We wanted a compact yet super-bright, with an ultra-reliable, shockproof LED "emitter," rather than a traditional light bulb with a filament that's easily broken on impact or under recoil when mounted on a gun. We wanted a rugged, machined aluminum body that's 1" wide, so it'll fit a lot of popular gun mounts, and O-ring sealed to make it waterproof. The light had to run on two readily available CR-123A lithium batteries because so many law enforcement, military, and civilian shooters already have devices that use those. And we wanted to offer these lights at a really affordable price that says, "Hey, why not buy two?!" We think we've achieved all those goals (and then some!) with the Brownells Versatile Light. The BVL530's powerful CREE® XM-L2 LED emitter gives an astonishing 530 lumens maximum output, with Low (175 lumen) - brighter than "high" mode on a lot of other lights - and Ultra-Low (13 lumen) modes available. High mode can be set to steady-on or strobe. Change modes by hitting a simple sequence of "clicks" on the sealed rubber tailcap switch. All this power sticks around, too: you get up to 2.5 hours continuous output in High mode, and an amazing 9 hours in Low. Comes with accessories to help you customize your BVL530 to your needs: a spring-steel pocket clip and a free-spinning lanyard loop that rotates a full 360° so the lanyard (also included) won't get tangled. There's a silicone rubber ring that slides over the body to serve as a finger stop when employing the popular "syringe" grip technique. All of these items are easily installed and removed as you need them.

**SPECS:** 6061 T6 aluminum body 303 stainless steel "strike" bezel, matte black finish. 5 1/8" (13.6cm) OAL, 1 1/8" (3.5cm) maximum O.D. at bezel, 1" (2.5cm) O.D. body. 6 oz. (169g) wt. Output levels and run times: High (530 lumen), 2.5 hours; Low (175 lumen), 9 hours; Ultra-Low (13 lumen), 150 hours; Strobe (530 lumen), 7 hours. Runs on two CR-123A lithium batteries or one 18650 x1 Li-Ion rechargeable cell, not included.

- #080-001-089AS Brownells BVL-530 Flashlight, 5C69A67..... \$79.99**

## NM COLLECTOR

### GUN COLLECTOR SOFTWARE

Catalog Your Entire Gun Collection On Your Computer




Keep track of every aspect of your gun collection with this database program conveniently loaded on a USB flash drive. Create detailed files on individual guns with model number, serial number, purchase date, purchase price, sale price, and appraised value—even lets you attach photos to each entry. Searchable database has a statistics feature that lets you track both the appraised and realized value of individual firearms, or your entire collection. Print hard copy reports and personalized gun tags, even customize the screen appearance, modify or add field headings, and add your own drop-down values. Runs off the USB drive, so it can be plugged into any computer, the program can also be permanently installed on one computer. Drive is built into a durable wooden carrying case with a handy rope lanyard. Free upgrades downloadable from Internet with purchase. **SPECS:** Requires Java 6 run-time engine; compatible with Windows, Mac (OS 10.4 and above), and Linux operating systems.

- #100-005-296AS Gun Collector Software, 2Z43N52... \$49.99**

Latest Edition

## BLUE BOOK OF GUN VALUES



S.P. Fjestad. Over 2,500 pages. 6" x 9". Softbound. Complete guide includes over 30,000 accurate model descriptions, 180,000 prices, dates of manufacture, proof marks, and percentage value pricing for current and discontinued, domestic, foreign and military guns, major trademark antiques, and commemorative models. Color photo section clearly shows examples of various firearms in 0%-100% condition and explains the Photo Percentage Grading System (PPGS) to help you determine the accurate value of any firearm. **SPECS:** 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1/16" (3.8cm) long, 1/16" (3.5cm) wide, 1/16" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

- #117-000-020AS Blue Book of Gun Values 37th Edition, 7A44I26..... \$49.99**



## BROWNELLS GUNSMITHS DATA RING BINDER

Super-Sized, Super-Tough For Instructions, Newsletters, Drawings & Notes



.125-thousandths thick, leather-grained high-density polyolefin that's nearly indestructible. Lays flat; includes ring opener/closer, levers top and bottom, wide page lifters front and back, and label holder on spine. **SPECS:** 1 1/8" x 3 1/8" thick. Holds up to 2 1/2" thick page stack.

- #263-250-000AS Data Ring Binder, 8K16M87..... \$17.99**

14th Edition

## CARTRIDGES OF THE WORLD



Frank C. Barnes, edited by W. Todd Woodard. 688 pages. 8 1/2" x 11". Softbound. Completely revised and much expanded edition of the definitive book on all kinds of cartridges—metallic, rimfire, centerfire, paper, new, old, rifle, shotgun, pistol, revolver, factory, wildcat—all the way back to the 1850s. Coverage new to this edition includes many new factory and wildcat listings, plus a 64-page full color section with articles by prominent gun writers. A must-read for anybody planning to build a rifle around a wildcat cartridge. Over 1,500 photos. **SPECS:** 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1/16" (3.8cm) long, 1/16" (3.5cm) wide, 1/16" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.

- #491-000-066AS Cartridges of the World, 1D23Q23... \$27.99**

## GUNSMITHING

Roy F. Dunlap. 848 pages. 5 1/2" x 8 1/2". Hardbound. Reprint of a classic, one of the most complete and thorough works on gunsmithing ever written. Practical, useful and entertaining information on every phase of traditional gun work from selection of the stock blank on through to the metal engraving and bluing. Over 95 photos, plus 140 diagrams and illustrations, combined with detailed instructions provide a wealth of knowledge for both amateur and professional gunsmith alike. **SPECS:** 6061 T6 aluminum, mil-spec Type 3 hardcoat anodized, matte black. Clamp - 1/16" (3.8cm) long, 1/16" (3.5cm) wide, 1/16" (4.1cm) high. Rail - 2" (5.1cm) long. Includes mounting hardware. Fits Remington 870/1100/11-87 and Benelli M1/M2/M4/M1014, 12 gauge only.



- #825-000-002AS Gunsmithing, 8B37I03..... \$39.99**