



VANG COMP SYSTEMS REM 870/1100/11-87

GHOST RING SIGHTS

Extremely Rugged;
Provides Fast Target Acquisition

Heavy duty Picatinny rail with integral ghost ring sight naturally centers for fast target acquisition during tactical ops. Front sight features a blade with white dot and solid steel side guards for maximum protection. Aperture is fully adjustable for windage and elevation using clearly marked adjustment screws that hold under heavy recoil. Front sight is adjustable for elevation with included tool. Rail allows mounting of scopes and red dot sights. Designed for non-ribbed barrels.

SPECS: Fits Remington 870/1100/11-87 shotguns with non-ribbed barrels. Front sight requires soldering with Silvaloy 355 (not included). Ghost ring/rail requires drilling and tapping receiver for 8-40 tpi screws. Includes mounting hardware and instructions. **Front Sight - Steel, in-the-white, .110" (2.8mm) diameter white dot. Ghost Ring/Rail - One-piece, hard anodized aluminum sight body and rail. 2.2 oz. (62.4g) weight. Rail - 2 3/4" (7cm) long x .830" (21mm) wide. Aperture - Steel, black. .23" (5.8mm) I.D. .5" (mm) high from top of receiver to center of aperture.**

#100-003-640AK Front Sight 6K56Y34 \$ 69.99

#100-004-335AK Rear Ghost Ring Sight w/Rail, 6K165H52 189.99

XS SIGHT SYSTEMS REMINGTON SHOTGUN TACTICAL GHOST RING SIGHT SET

Speeds Sight Acquisition



Convert your shotgun to a tactical workhorse. Banded front sight features green, tritium dot surrounded by a white ring. Supplied shims ensure barrel band clamps snugly around muzzle. Contoured rear sight requires drilling and tapping; includes two interchangeable aperture sizes. Completely adjustable for windage and elevation.

SPECS: Steel, black, matte finish. **Front Sight - Tritium dot with white ring, 3/4" (19mm) high from top of barrel. Rear Sight - Base, 1 1/2" (38mm) long, 3/4" wide, 1" (25mm) long. Small Aperture I.D., 3/16" (4.8mm); large aperture I.D., 1/2" (12.7mm). Fits Rem 870, 1100, 11-87 shotguns with .860-.885" (21.8-22.5mm) muzzle diameters.**

#006-000-107AK Tactical Ghost Ring Sight Set, 6K120V00 \$ 144.00

#006-000-118AK Banded Front Sight, only, 6K52V50 63.00

XS SIGHT SYSTEMS SHOTGUN TACTICAL GHOST RING SIGHT SET

For Tactical & Hunting Use

Includes green tritium front sight and two, interchangeable, fully adjustable, rear ghost ring apertures to accommodate long- and short-range shooting. Steel wings give added rear sight protection. Dovetailed front sight fits factory sight ramp with minor fitting.

SPECS: Steel, blue, matte finish. Tritium dot/white ring front sight, 3/8" (10mm) high. **Rear Sight - base, 1 1/2" (38mm) long, 3/4" (19mm) wide, 1" (25mm) long. Small Aperture I.D. - 3/16" (4.8mm); Large Aperture I.D. - 1/2" (12.7mm). Rear sight requires drilling and tapping, front sight requires sight ramp.**

STOCK #	FITS
#006-000-108AK	Rem. 870/1100/11-87
#006-000-109AK	Mossberg 500/590, Ithaca 37

— Advise # — Tactical Sight Set 6K112V50 \$ 150.00

XS SIGHT SYSTEMS SHOTGUN BIG DOT TRITIUM FRONT SIGHT

Installs Easily Over
The Existing Bead Sight



High-visibility Tritium dot front sight surrounded by a large white ring epoxies over the existing front bead sight to help improve target focus and low light sight acquisition and sight recovery after muzzle flash. Installs over front sight beads from .125" - .140" diameter by filling the cavity on the underside of the sight with Brownells Acraglas Gel, then pressing the sight over the bead and allowing it to fully cure. If existing bead is too small or too large, replace with Brownells #6 bead for 3-56 threads or #26 for 6-48 threads. Some shotgun barrels may require drilling and tapping of existing hole to 6-48 for installation of #26 Brownells bead. **Remington Pedestal** model with stepped bottom fits Remington shotgun barrels with front sight pedestal. **Vent Rib** model with flat bottom fits shotgun barrels with ventilated ribs. **Plain Barrel** model with cupped bottom fits round shotgun barrels. Includes instructions.

SPECS: Machined steel, black, matte finish. Big Dot .161" (4mm) diameter. Fits beads from .125" (3.2mm) to .140" (3.5mm). **Remington Pedestal** fits Remington front sight pedestals. **Vent Rib** fits ventilated ribs. **Plain Barrel** fits round barrels. Includes instructions.

#006-000-158AK Remington Pedestal Big Dot Tritium, 6K45V00 \$ 54.00

#006-000-159AK Vent Rib Big Dot Tritium 6K45V00 54.00

#006-000-160AK Plain Barrel Big Dot Tritium, 6K45V00 54.00



BROWNELLS

Make Inserts Quickly &
Easily In A Variety Of Colors



It's been several years since there was a good, do-it-yourself product on the market for making sight inserts, so we decided the best way to fill the gap was to go out and develop our own. The result is our latest "assist" for the professional gunsmith and serious hobbyist - a kit with everything you need to add, change, or rebuild colored front sight inserts on

revolvers quickly and easily. Although primarily designed for wheelguns, it'll also let you make custom inserts for a variety of rifles, shotguns, and pistols. Sight inserts offer many benefits for target shooters and hunters, especially in situations requiring fast, accurate front sight acquisition, like dawn and dusk, when game is more likely to be active. Never again replace a perfectly good front sight because it's too hard to see in low light, your eyes aren't as good as they used to be, or because the insert has faded, broken, or fallen out.

Our kit contains everything you need to make professional-looking inserts formed to the exact contours of your gun's front sight. Mix the liquid acrylic and powdered activator with the concentrated dye to create bright, high-contrast inserts that are stronger and more durable than factory originals at a fraction of the cost of replacement or custom sights. Kit includes dyes in five popular colors—red, green, orange, yellow, and white.

Step-by-step instruction booklet show you how to mix the ingredients (the ratios aren't that critical so it's tough to screw up) and create forms to install inserts that won't shoot loose, even on the hardest recoiling guns. We also explain, in detail, how to hand cut a dovetail for an insert on a gun that doesn't already have one. With a hardening time of around 20 minutes, it's so fast and easy you'll want to add inserts to get the best accuracy and maximum versatility from all your iron-sighted guns. Refill supplies sold separately, so you can replace only the ingredients you use up rather than buy a whole new kit.

SPECS: Kit contains: 1 oz. (29.57 ml) Liquid Acrylic; 2 oz. (59.15 ml) Powdered Activator; .05 oz. (1.5 g) each of red, green, orange,

BIRCHWOOD CASEY SIGHT BLACK

Easy-To-Use Aerosol

Flat-black coating stops glare and reflections on sights. Goes on easily, dries quickly. Won't hurt finishes. **SPECS:** 3.5 oz. (103 g) net contents aerosol can.

#167-127-000AK Sight Black, 7F05T93 \$ 7.99
- 3 or More - Sight Black, per each, 7F05T04 6.99

Cannot ship outside Continental U.S. Ship UPS or FedEx Ground only within U.S.

BRIGHTSIGHTS GUN SIGHT COATING

High-Visibility Paint
Improves Sight Contrast
For Better Shot Placement



Tough, flexible coating provides a highly visible contrast between sights and target. Provides more accurate shot placement, improves sight picture and focal concentration on front sight. Durable, won't harm firearms finish. Easy-to-apply **Five Color Kit** for use on rifle, pistol and handgun sights. Three color; **Ghost Glow Kit** contains a light activated, luminescent coating for use in reduced visibility situations.

SPECS: 3cc glass bottles. **Five Color Kit - Red, White, Green, Orange and Yellow, plus cleaner. Ghost Glow Kit - Green, Yellow and Orange colors plus Green, Yellow and Orange luminescent, light activators.**

#100-000-243AK Gun Sight Five Color Kit, 3K09X50 \$ 14.95

#100-000-244AK Gun Sight Ghost Glow Kit, 3K14X00 24.95

BROWNELLS SIGHT INSERT KIT

Easily Install Colored Plastic
Front Sight Inserts

Everything you need to install or replace a colored plastic front sight insert. Enough material for 228 Sight Inserts, plus files and complete, illustrated instructions.

SPECS: Kit Contains: PLASTIC SHEETS, 7 pieces, 2" (5.1cm) x 6" (15.2cm), one each, Black, White, Yellow, Orange, Traditional Red (matches factory front sights), Fluorescent Red, and Fluorescent Green; 3-SQUARE NEEDLE FILES, one fine cut, one medium cut; NEEDLE FILE HANDLES, 2; INSTRUCTIONS.

STOCK #	COLOR	STOCK #	COLOR
#080-068-069AK	Black	#080-068-072AK	Orange
#080-068-070AK	White	#080-068-073AK	Red
#080-068-071AK	Yellow	#080-068-074AK	Flo. Red
#080-068-075AK	Flo. Green		

— Advise # — Sight Insert Sheet 8K08A28 \$ 10.99
#080-068-000AK Sight Insert Kit 8K40A87 52.99
#076-200-115AK Instructions 4B00YJJ NC

yellow, and .19oz. (5.3g) of white pigment; 5 mixing cups; complete instructions.

#081-000-370AK Front Sight Insert Kit 1H41A84 .. \$ 60.99

#081-000-371AK Powdered Activator, 2 oz., 1H06A95 12.47

#081-000-372AK Liquid Acrylic, 1 oz. 1H14A81 20.97

#081-000-375AK Red Pigment, .05 oz. 1H03A33 4.99

#081-000-376AK Orange Pigment, .05 oz. 1H03A33 4.99

#081-000-377AK White Pigment, .19 oz. 1H03A52 4.99

#081-000-002AK Mixing Cup Refill, 25-pak, 1H02X13 2.99

KG INDUSTRIES SITE KOTE

Change Sight Colors Instantly;
Great For Touch-Up Or Changing
Colors To Match Conditions



High-pigment sight paints allow the iron sight shooter to add, change or touch-up sight colors in as little as 60 minutes. Greatly improves sight acquisition, shooter focus, and helps shooters

tailor their sights for competition, hunting or self defense. Coating dries flexible to resist chipping and will not fade over time. Great for adding color to new gun sights and archery sight pins, or touching up worn, or chipped sights on all types of weapons. Easy-to-use needle applicator bottle puts the exact amount of paint right where you want it — no waste and no paint brush required. Shake bottle, apply and allow 1 hour to dry. One bottle paints a lifetime of sights.

SPECS: 1/4 oz. (.74 ml) needle applicator bottle. Available in Red, White, Neon Green, Neon Yellow and Safety Orange.

#665-000-010AK Red Site Kote 5F09P23 \$ 12.99

#665-000-011AK White Site Kote 5F09P23 12.99

#665-000-012AK Orange Site Kote, 5F09P23 12.99

#665-000-016AK Neon Yellow Site Kote, 5F09P23 12.99

#665-000-015AK Neon Green Site Kote, 5F09P23 12.99

BROWNELLS REPLACEMENT FIBER OPTIC RODS

Super Bright
For Enhanced Sight Picture

Refurbish fiber optic sights by replacing broken or damaged rods, or change sight colors to enhance the sight picture with these super-bright replacement rods. Sold in 6" lengths; cut to fit your needs. Available in red or green in four common diameters (see table).

SPECS: Fiber optic rods, red or green. 6" (15.2cm) long. 1 rod per pak.

DIA.	STOCK # RED	STOCK # GREEN	PRICE
.020" (.5mm)	#080-000-727AK	#080-000-728AK	9A03Y04 \$ 3.99
.030" (.75mm)	#080-000-725AK	#080-000-726AK	9A03Y04 \$ 3.99
.040" (1mm)	#080-000-729AK	#080-000-730AK	9A03Y63 \$ 4.99
.060" (1.5mm)	#080-000-731AK	#080-000-732AK	9A03Y63 \$ 4.99

MOUNTING SOLUTIONS PLUS FIBER OPTIC SIGHT RODS

Restore Fiber Optic Sight's Bright, Glowing Dot

Optical-grade, acrylic rods replace lost or broken rods on popular fiber optic sights. Pak includes one each: red, green, and amber fiber optic rods. Available in four diameters: .060" diameter rod fits most shotgun sights and .125" wide pistol sights. .040" fits most rifle and some shotgun sights, plus .090" wide pistol sights. .030" and .020" rods fit competition-style, rifle sights.

SPECS: Optical-grade, acrylic rod. One each in red, green, amber. 6" (15.2cm) long. .060" (1.5mm), .040" (1mm), .030" (.75mm), or .020" (.5mm) dia.

#100-001-459AK .060" Fiber Optic Rod, 3-pak, 1K17X88 \$ 27.99

#100-001-460AK .040" Fiber Optic Rod, 3-pak, 1K13X86 19.99

#100-001-461AK .030" Fiber Optic Rod, 3-pak, 1K06X70 9.75

#100-001-462AK .020" Fiber Optic Rod, 3-pak, 1K05X50 8.25

AMERIGLO SEMI-AUTO PISTOL SIGHTS

Low-Profile Combat Sights In Plain Black Or With Tritium Dots

Fixed, low-profile combat sights are drop-in replacements for factory sights and feature streamlined contours with rounded corners to help prevent snags and hanging-ups. Precision-machined steel sight bodies sit low in the slide to resist catching on clothing during the draw, yet stand up to the abuse of hard operational and competition use.

SIGHTS FOR GLOCK® - Night sights have two self-illuminating, Trijicon® Tritium inserts in the rear sight and one in the front blade to provide an easy-to-see, 3-dot sight picture in low-light conditions. Helps you acquire the sights and get on target quickly under stress. Works like a simple, 3-white-dot system for enhanced visibility in daylight. Nothing to turn on: as the ambient light gets lower, the Trijicon® Tritium dots start glowing. **Classic** Tritium sights have standard-width rear notches, and green front and rear dots. **Pro Series** night sights have an extra-wide rear notch that allows more light around the front blade to speed target acquisition. Rear sight face extends all the way to the back of the slide for maximum sight radius. Wedge-shaped rear sight body has fully rounded edges and sits low in the slide to resist snagging on clothing during the draw. Green front sight insert; available with Green or Yellow rear dots. **Ghost Ring** rear aperture sight uses the eye's natural ability to center objects in a circle to aid in fast target acquisition. Tritium dots on each side of the ghost ring are smaller than the front sight dot to eliminate confusion during sight alignment. Green front sight insert; available with Green or Yellow rear dots. **Plain Black** front sights have traditional, fine-line serrations on the rear face to help prevent glare. Can be used in conjunction with Night Sights for distinctive dot/no-dot combination sight pictures.

SPECS: Machined steel, matte black finish. **Plain Black** - Front: .450" (11mm) long, .090" (2.9mm) wide, heights indicated in table. **Night Sights** available with green front/green rear (G/G) or green front/yellow rear (G/Y) dots. **Classic Night Sights** - Front: .450" long, .140" (3.6mm) wide, .165" (4.2mm) high. Rear: .315" long, .830" wide, .150" (3.8mm) wide notch. **Pro Series** - Front: .450" long, .125" (3.2mm) wide, .160" (4.1mm) high. .11" (2.8mm) diameter green Tritium dot. Rear: .650" (16.5mm) long, .720" (18.3mm) wide with .180" (4.6mm) wide notch, and two .070" (1.8mm) diameter Tritium dots. **Ghost Ring** - Front: .450" long, .125" wide, .240" (6.1mm) high. .11" diameter green Tritium dot. Rear: .700" (17.8mm) long, .740" (18.8mm) wide, with .270" (6.8mm) diameter aperture and two .050" (1.3mm) diameter Tritium dots.



GLOCK SIGHTS

FITS	DESCRIPTION	STOCK #	PRICE
17, 19, 22, 23, 24, 26, 27, 33, 34, 35, 37, 38, & 39	Classic Tritium, G/G	#100-004-575AK	4K72H67 \$ 74.99
	Pro Tritium, G/G	#100-004-576AK	4K76H67 \$ 79.99
	Pro Tritium, G/Y	#100-004-206AK	4K70C67 \$ 74.99
	Ghost Ring Tritium, G/G	#100-004-204AK	4K66C67 \$ 84.99
20, 21, 29, 30, 31, 32, 36	Pro Tritium, G/G	#100-004-577AK	4K76H67 \$ 79.99
	Pro Tritium, G/Y	#100-004-207AK	4K76C67 \$ 79.99
	Ghost Ring Tritium, G/G	#100-004-205AK	4K62C67 \$ 84.99
	Rear Tritium, Green, .394 high w/.150" wide notch	#100-004-572AK	4K49H99 \$ 55.95
All Glocks	Front Tritium, Green, .315" high x .140" wide	#100-004-569AK	4K33H01 \$ 41.99
	Front, Plain Serr, .165" high x .090" wide	#100-004-570AK	4K21H22 \$ 27.99
	Front, Plain Serr, .215" high x .090" wide	#100-004-571AK	4K21H22 \$ 27.99

BOWIETACTICAL SIGHTS FOR M&P

Designed for AmeriGlo by well-known M&P customizer David Bowie for a sleek, ultra-low-profile fit on the Smith & Wesson M&P pistol. The rear sight notch is wider and deeper than the factory notch to help you get the front sight centered ASAP. Rounded corners prevent snagging that can impair the draw from concealment.

SPECS: Machined steel, matte black finish. Front - .435" (11.1mm) long, .140" (3.6mm) wide, .230" (5.8mm) high. Rear - .875" (22.2mm) long, .720" (18.3mm) wide rear face, .235" (6mm) overall height above slide, .164" x .115" notch. Available with green front/green rear sight (G/G) or green front/yellow rear (G/Y).

SMITH & WESSON M&P SIGHT SETS

STOCK #	FITS	DESCRIPTION	PRICE
#100-004-565AK	All*	Bowie Tactical Tritium Set, G/G	4K75H86 \$ 89.99
#100-004-566AK	All*	Bowie Tactical Tritium Set, G/Y	4K85H67 \$ 109.99

* Except Pro Series and "L" versions.

CLASSIC TRITIUM SET FOR XD/XDM

Drop-in replacements for Springfield XD/XDM factory sights have three-dot Tritium insert system, one green in the front blade and two yellow inserts in the rear, for optimal low-light visibility. Easy-to-see white rings surround each Tritium dot for enhanced daytime visibility.

SPECS: Machined steel, matte black finish. Front - .470" (11.9mm) long, .140" (3.6mm) wide, .160" (4.1mm) high. .110" (2.8mm) O.D. white ring with green Tritium center dot. Rear - .320" (8.1mm) long, .630" (16mm) wide with .160" (4.1mm) wide notch. Two .07" (1.8mm) diameter Tritium dots. .260" (6.6mm) wide dovetail. Fits all Springfield XD and XDM models.

#100-004-190AK XD-193 Classic Night Sight Set, 4K76C61 \$ 84.95

ARO-TEK™ GHOST RING SIGHT for GLOCK®

Draws Your Eye Toward The Target For Faster, More Accurate Sighting

Open-aperture uses your eye's natural tendency to align concentric shapes; provides fast, accurate sighting in all conditions. Front sight with easy to see green, light-gathering Aro-Glow insert helps draw your eye toward the target. Smooth shape won't snag.

SPECS: Aluminum, black, matte finish. +0 .180" high front blade with green Aro-Glow insert, fits Glock 17, 19, 22, 23, 24, 34, 35. Includes screws, Allen wrench and instructions.

#066-012-160AK +0 G/R Sight Set, Green 6F71A20 \$ 89.00
#066-500-074AK G/R Rear Sight, only 6F47A20 \$ 99.00

TRITIUM GHOST RING NIGHT SIGHT SETS FOR GLOCK

Two, green, tritium-filled vials in the rear plus a single tritium vial in the front blade provide an easy-to-find, 3-dot reference point.

SPECS: Aluminum, black, matte finish, with green tritium inserts. +0 .180" high front blade, fits Glock 17, 19, 22, 23, 24, 34, 35. +1 .160" high front blade, fits Glock 20, 21, 26, 27, 28, 29, 30, 31, 32, 33, 36. Includes screws, Allen wrench and instructions.

#066-012-001AK +0 Tritium Sights, Glock, 6F78A40 \$ 98.00

#066-012-002AK +1 Tritium Sights, Glock 6F78A40 \$ 98.00

GHOST RING NIGHT SIGHT SETS FOR GLOCK

Green, tritium-filled vial in the front blade works with the standard, Ghost Ring rear aperture to align quickly in both low and bright light.

#066-012-170AK +0 G/R Night Sights, Glock, 6F76A80 \$ 96.00

ARISTOCRAT

REVOLVER & SEMI AUTO RIBS

Front & Rear Adjusting Ribs For Bull Barrel Revolvers

Proven performance and state-of-the-art design for bull-barreled PPC and Combat revolvers. Rib top is serrated and blade notch beveled to reduce glare. Durable front blade. Matte blue finish. Screws and instructions included. Gunsmith installation required.

TRI-SET COMPETITION SIGHT RIB - Rear Adjusting

Features the unique Aristocrat Poly-Set

slotted cam system which allows selection of 3 pre-set rear sight positions for standard PPC and Combat distances. Can be reset to any of those distances with a quick, easy movement of the elevation cam. Rear sight also has windage adjustment and an extra elevation screw to compensate for light or ammo changes.

SPECS: Blued steel. Approx. .7" (18mm) wide. Fits Ruger Speed Six and S&W "K" w/6" (15.2cm) long, .950" (24.1mm) - 1.062" (27mm) diameter bull barrels. 8 1/4 oz. (234 g).

#044-007-206AK Tri-Set TS-6-T Aristocrat Rib, 4D154C46 \$ 189.99

ASR-6 SIGHT RIB - Single Screw, Rear Adjusting

Simple, precise, traditional-style, adjustable rear sight on Aristocrat's rugged base. Winged front sight, serrated rib top, smooth rear blade face. Beveled rear notch and flared front post for reduced glare; sharp, clear sight picture.

SPECS: Blued steel. 1 1/16" (17.5mm) wide. 8 3/8" (21.3cm) long. Fits Ruger Speed Six, S&W "K" w/6" (15.2cm) long, .950" (24.1mm) - 1.062" (2.7cm) diameter bull barrels. 8 1/4 oz. (234 g).

#044-007-106AK ASR-6 Aristocrat Sight Rib, 4D119C13 \$ 144.95

1911 AUTO SIGHT RIB - Rear Adjusting

Unique, steel, front-and-rear, sight system features a knurled cam that turns to select from three sight elevations. Underside of ribs internally hollowed to save weight. Durable, steel front sight won't snag and break off. Rear sight also adjusts for windage. Available for Govt. Model and Govt. Model with long slide.

SPECS: Steel, blued. Govt. Model - 7/8" (18.1cm) long; fits 1911

ARO-TEK™ ARO-SIGHT for GLOCK®

Sleek, No-Drag, Drop-In Gives Clean Sight Picture

Speeds your draw plus provides faster target acquisition. Threaded, rear dovetail filler block allows fast changing of

rear sights. Front sights attach with a single locking screw.

SPECS: Steel, blued, matte finish. Sight heights same as factory. +0 sights fit Glock 17, 19, 22, 23, 24, 34, 35. +1 sights fit Glock 20, 21, 29, 30, 31, 32, 33, 36. Rear sights only can be used with factory fronts. Includes screws, hex wrench and instructions.

ARO-TEK NIGHT SIGHTS

Tritium-filled green vials provide an increased sight picture in low light conditions. Front and rear dots are green. Front dot is brighter than the rear dots.

#066-010-132AK +0 Night Sight Set 6F78A40 \$ 98.00

#066-010-133AK +1 Night Sight Set 6F78A40 \$ 98.00

#066-001-053AK Green Front Night Sight 6F38A40 \$ 48.00

ARO-TEK TARGET SIGHTS

Low reflection, serrated fronts for sharp, clear target definition. Available with Black Rear/Serrated Front (BS) or 3-Dot (TD).

#066-011-102AK +0 BS Sight Set 6F41A60 \$ 52.00

#066-011-122AK +0 TD Target Sight 6F46A40 \$ 58.00

#066-011-123AK +1 TD Target Sight 6F46A40 \$ 58.00



AMERIGLO PRO I-DOT SIGHTS

Vertical Two-Dot System Enables Quick Sight Alignment



An alternative to traditional sights, Pro I-DOT sights encourage accurate, instinctive sight alignment without taking the time to line up a three-dot sight picture. Simply position the top dot directly above the bottom dot on the target and squeeze the trigger! Tritium inserts and photo luminescent front-sight outlines make these sights visible in all light conditions - day or night. **Glock** set has a green rear dot and a green front sight with a lime-green outline. **Smith & Wesson M&P** set has a green rear dot and a green front sight with an orange outline.

SPECS: Machined steel, matte black. Fits factory dovetails. **Glock** - .199" front blade height. Fits 17, 19, 22, 23, 24, 26, 27, 33, 34, 35, 37, 38 and 39. **S&W M&P** - .159" front blade height. Fits all M&P models except Shield.

#100-010-617AK Glock Pro I-Dot Sights 4K89P65 \$ 99.99

#100-010-616AK S&W Pro I-Dot Sights 4K89P65 \$ 99.99

BOWEN CLASSIC ARMS RUGER® REVOLVER ROUGH COUNTRY REAR SIGHTS

Strong & Reliable For Rugged Use

A heavy-duty, highly visible replacement for current production Ruger revolvers. Opposing-tension screws eliminate fragile click movements when making precise adjustments for windage and elevation. Blades interchange without sight removal. **Square-Notch**, standard, .125" high square-notch/white-outline blade for use with conventional blade front sights. **V-Notch** provides shallow V-cut, white-line blade for dot front sights.

SPECS: Heat-treated steel alloy, black matte. Fits newer model Ruger revolvers with .350" (8.9mm) high rear sight. **Note** - some Redhawks, Super Redhawks and GP-100 models are factory-fit with .390" (9.9mm) rear sight and will require shorter front sight.

#100-001-391AK Square-Notch Sight 1A79X96 \$ 99.99

#100-001-392AK V-Notch Sight 1A79X96 \$ 99.99

Auto Government Model with 5" barrel. **Govt. Model Long** - 8 1/4" (21cm) long; fits 1911 Auto Government Models with long slides and 6" barrel.

#044-000-023AK Govt. Model Auto 5 Rib, 4D171C62 \$ 209.95

#044-000-024AK Govt. Model Long Auto 6 Rib, 4D171C62 \$ 209.95

BROWNELLS

Watch it, Buy it, Build It

Instructional videos at www.brownells.com/diy



BOWEN CLASSIC ARMS S&W REVOLVER ROUGH COUNTRY REAR SIGHT

Over-Engineered & Built For Accuracy & Dependability

Heavy-duty rear sight is over-engineered for both strength and durability, so you can take your S&W wheelgun into the rough country without worrying about sight failure. Oversized blade tenon and buttressed sight body stand up to the knocks and dings of the real world. Machined from solid steel bar stock, then heat-treated for hardness and given a matte black finish to reduce glare. Dual opposing windage screws lock your settings until you're ready to change them. Hunting-style rear blade features rounded edges to prevent snags, and a serrated surface for a glare-free sight picture. Elevation adjustment screw with dual detents holds settings under hard recoil.

SPECS: Steel, matte black finish. 2.6" (6.6cm) long, .125" (3.1mm) wide x .082" (2mm) deep rear notch. Blade height shown below measured from bottom of blade to top of blade. Fits current-production S&W revolvers with round-tang sights and drilled for scope bases. Includes installation instructions and screw.

#100-004-952AK .370" High RC Sight 1A99V05 . . . \$ 114.95
#100-004-953AK .385" High RC Sight 1A99V05 . . . \$ 114.95
#100-004-954AK .400" High RC Sight 1A99V05 . . . \$ 114.95



10-8 PERFORMANCE S&W M&P FRONT & REAR SIGHTS

Rugged Construction; U-Notch Provides Fast Alignment With Front Sight

Cleanly machined from hardened, steel bar stock to better resist the wear and tear caused by daily holster carry. **U-Notch Rear Sight** eliminates the distracting bottom corners of traditional sights for fast alignment with fiber optic, Tritium dot, and brass bead front sights of factory height. 40 lpi serrations on the blade face reduce glare in sunny conditions. Upper corners are machine chamfered to prevent snagging on holster or clothing. Centrally located setscrew secures sight in factory dovetail. Includes wrench and instructions. May require minor fitting. **Brass Bead Front Sight** has a brass insert and a 40 lpi serrated face to help you pick up the sight quickly in broad range of ambient light conditions. Same height as the factory front sight.

SPECS: Hardened 4140 steel, black, matte, manganese phosphate finish. **Rear Sight** - .895" (2.3cm) long x .730" (1.9cm) wide. Notch - .140" (3.5mm) wide x .100" (2.5mm) high. Fits all calibers, sizes of Smith & Wesson M&P pistols. **Front Sight** - .125" (3.2mm) wide, .165" (4.2mm) high with .075" (1.9mm) dia. brass bead. Fits all M&P models, except long slide M&P 9L and Pro Series 9mm /40 cal.

#100-003-171AK M&P Rear Sight 1B43Y31 . . . \$ 49.99
#100-005-979AK M&P Front Sight 1B33X31 . . . \$ 39.99



BRAZOS CUSTOM LIGHTNING ROD SIGHT

Bright Red Sight Holds Your Eye On Target

Extra long, fiber optic rod provides a glowing sight picture that draws your eye to the sight. Open center blade lets in lots of light for a bright red, easy-to-see dot. Five heights, for use with fixed and adjustable, ghost ring, v-notch and conventional sights. Includes green, yellow and red optic rods.

SPECS: Steel, black, matte finish. Kimber/Novak, 65° x .330" x .075" dovetail. .127" (3.2mm) wide, .150" (3.8mm), .160" (4mm), .175" (4.5mm), .200" (5mm), .240" (6mm) high. .820" (21mm) long.

#985-000-001AK .150" Lightning Rod Sight, 5H28U00 . . . \$ 34.95
#985-000-002AK .160" Lightning Rod Sight, 5H28U00 . . . \$ 34.95
#985-000-003AK .175" Lightning Rod Sight, 5H28U00 . . . \$ 34.95
#985-100-330AK .200" Lightning Rod Sight, 5H28U00 . . . \$ 34.99
#985-000-004AK .240" Lightning Rod Sight, 5H28U00 . . . \$ 34.95



BROWNELLS S&W REAR SIGHT REBUILD KITS

Every Little Part Required For S&W Factory Rear Sights

Here's every replaceable part contained in the rear sight assembly, conveniently packaged in time-and-money saving kits.

PARTS KIT #1 - Windage screws must be broken anytime a standard sight blade is replaced; here are the replacements.
SPECS: **Single Pak** contains 1 windage adjustment screw w/nut, 2 detent plungers and 2 springs. **Six Pak** contains 6 windage adjustment screws w/nuts, 6 detent plungers and 6 springs.

#078-001-001AK S&W Parts Kit #1, each 8G07Y72 . . . \$ 9.99
#078-001-006AK 6 S&W Parts Kits #1 8G32Y40 . . . \$ 46.32

PARTS KIT #2 - The elevation stud and spring clip are the most commonly lost parts on a S&W rear sight.
SPECS: Package contains one of each. Paks of one or six.

#078-002-001AK 1 S&W Parts Kit #2, 8G03Y80 . . . \$ 4.99
#078-002-006AK 6 S&W Parts Kit #2 8G21Y02 . . . \$ 24.99

S&W SIGHT NUT SPANNER - MAGNA-TIP™ Bit, made to fit the windage nut that secures the S&W rear sight leaf. To use: Drill out staking, hold nut with Spanner and unscrew the screw. To install: Hold new nut with Spanner and seat screw. Always turn the screw; never the nut. Because it is fragile, and can break if you turn it, the Spanner is not guaranteed against breakage.
SPECS: 1 1/2" (3.8cm) long, .154" (3.9mm) diameter.
#080-431-000AK 2 Sight Nut Spanners 8K09X60 . . . \$ 12.99



BROWNELLS/WEIGAND COMBAT S&W REVOLVER COMPETITION REAR SIGHT BLADE KIT

Provides A Sharp, Easy-To-Align Sight Picture

Flat blade gives a crisp, target-style sight picture that eliminates the distracting "double-notch" found on factory sights. .160" high blade (same as factory) features an angled and serrated rear face that reduces glare. Extends over the rear of the sight body for a cleaner look and gives a slight increase in sight radius. Available in two notch widths. .110" for target and PPC use, plus .125" for IPSC, IDPA and pin shooting. Deeper notch gives easier eye alignment.

SPECS: 6061-T6 aluminum, matte black, anodized. Heat treated. .700" (178mm) blade width, .371" (9.4mm) height, .350" (8.9mm) long. .085" (2.2mm) deep notch. Kit includes windage screw assembly for installation. Fits Smith & Wesson K, L, and N frame revolvers. Will work on all with adjustable sights.

#078-000-012AK .110" Notch Blade Kit 8G23X47 . . . \$ 27.99
#078-000-013AK .125" Notch Blade Kit 8G23X47 . . . \$ 27.99



BROWNELLS

S&W V-NOTCHED REAR SIGHT KITS

Complete Rear Sight Replacement Kit

Complete rear sight kit replaces the standard blade on your Smith & Wesson revolver and provides a wide, V-shaped notch. Enables faster pick up of the front sight, especially with fine bead and ball front sights. Adjustable for windage.

SPECS: Kit contains sight blade, windage screw, nut, spring, and plug. Available in three blade heights: .122" fits J-frame only; .160" & .196" fit K, L, and N-frame. Blade heights measured from bottom to top of blade, not including lug.

#078-003-002AK .122" V-Notch Sight Kit, J-Frame, 8G16Y80 . . . \$ 20.99
#078-003-004AK .160" V-Notch Sight Kit, K/L/N-Frame, 8G20Y31 . . . \$ 25.99
#078-003-005AK .196" V-Notch Sight Kit, K/L/N-Frame, 8G21Y51 . . . \$ 24.99



BROWNELLS SMITH & WESSON DELUXE REAR SIGHT REBUILD KIT

Everything You Need To Rebuild S&W Rear Sights

Rebuild and repair Smith & Wesson rear sights with ease. The kit features the all the parts you need plus special tools to install them. The S&W Sight Nut Spanner is a MAGNA-TIP™ bit that fits the windage nut. The S&W Sight Staking Punch eliminates the chance the rear sight will come off when adjusting the windage on Smith & Wesson revolvers.

SPECS: **Punch** - S2 tool steel, black oxide finish. 4" (10.2cm) long, 3/8" (9.5mm) dia. Kit includes: (6) Windage Nuts, (6) Windage Screws, (6) Plungers, (6) Plunger Springs, (6) Elevation Studs, (6) Spring Clips, (2) S&W Sight Nut Spanner bits, (1) S&W Sight Staking Punch.

#080-000-090AK S&W Sight Staking Punch, only, 8K10C98 . . . \$ 14.99
#078-000-040AK S&W Deluxe Rear Sight Rebuild Kit, 8G79A87 . . . \$ 103.99



CYLINDER & SLIDE "STRONG" FRONT SIGHT

Extra Metal Prevents Front Sight Failure; Fits Novak Dovetail

Heavy duty front sight is over-engineered with the needs of the tactical operator in mind. Plain, black blade incorporates an integral "gusset" of reinforcing metal between the base and the blade for additional strength that helps prevent breakage. Ideal choice for pistols used during room clearing operations or close quarter battle. Fits in the standard Novak-style front dovetail cut. Pre-drilled for vertical roll pin.

SPECS: Machined steel, matte black finish. Blade - .295" (7.3mm) high, .125" (3.1mm) wide. Fits standard .330" x 65° Novak front dovetail cut. Includes stainless steel roll pin.

#206-000-044AK "Strong" Front Sight 6K22A01 . . . \$ 24.99



EGW HANDGUN

FIBER OPTIC FRONT SIGHT

Enhanced Sight Picture In Bright Or Low Light

Interchangeable, red or green, fiber optic insert glows brightly, drawing your eye to the sight for fast pickup and improved shooting performance. Open center gathers lots of light for a bright dot. Three heights match most rear sights. **Kimber** and **Para-Ord** replace factory height blades. Fits factory dovetails.

SPECS: Steel, black, matte finish. **Blade** - .125" (3.2mm) wide. Models for 65° x .330" x .070", 60° x .330" x .070" dovetails, plus Kimber Classic, and Para-Ord Limited.



STOCK # 65°	STOCK # 60°	HEIGHT	PRICE
#296-065-160AK	#296-060-160AK	.160"	6B28H00 \$ 35.00
#296-065-185AK	#296-060-185AK	.185"	6B28H00 \$ 35.00
#296-065-200AK	#296-060-200AK	.200"	6B28H00 \$ 35.00

STK # KIMBER	STK # PARA	HEIGHT	PRICE
#296-000-004AK	NA	.150"	6B28Y00 \$ 35.00
#296-000-005AK	NA	.160"	6B28Y00 \$ 35.00
#296-000-006AK	#296-000-008AK	.175"	6B28Y00 \$ 35.00
#296-000-007AK	#296-000-044AK	.200"	6B28Y00 \$ 35.00

REPLACEMENT RODS - Change sight colors or replace damaged rods. 4 rods per pak, 2-red and 2-green. Fits above sights.
SPECS: Fiber optic rods. .058" (1.5mm) dia. Approximately 1/2" long.
#296-000-009AK 4-Pak Replacement Rods 6B06Y62 \$ 9.99

BIG DOT REPLACEMENT RODS - Big, glowing dot grabs your eye. 4 rods per pak, 2-red and 2-green. Fits above sights.
SPECS: Fiber optic rods. Approx. 1/2" long. .0885" (2.25mm) dia.
#296-000-045AK 4-Pak Big Dot Repl. Rods 6B07A34 \$ 9.78

SMITH & WESSON REVOLVER - Fits K, L and N frame with pinned front blade. Interchangeable, red and green rods let you choose the best color.
SPECS: Steel body, black, matte finish. 3/4" (19mm) long, .295" (7.5mm) high. .058" (1.5mm) diameter optic rod. Includes (1) red and (1) green rod. Requires drilling for cross pin hole.
#296-000-039AK S&W Fiber Optic Sight 6B28A00 . . . \$ 35.00



GOSHEN ENTERPRISES HEXSITE® SIGHTING SYSTEM for GLOCK®

Instinctively Centers Target & Draws Eye To Front Sight

Easy-to-install replacements for factory sights speed target acquisition with a distinctive sight picture. Naturally centers the target in the hexagon-shaped rear aperture and focuses the eye on the front sight. Based on medical and psychological research for instinctive use in stressful situations where fine motor skills are often impaired. Helps the shooter combine the best of "sight shooting" and both-eyes-open "point shooting" for close quarters combat and accurate engagement of long-range targets. Made of lightweight, exceptionally strong, impact-resistant molded HexZite-22™ polymer that's virtually indestructible. Rear sight is beveled to resist snagging in holster or on clothing, and front sights have hexagon-pattern stippling on the rear face to prevent glare for maximum contrast with target. Comes with three different-height front sights to fit a wide variety of Glock pistols. Detailed, illustrated installation instructions included.

SPECS: Fiber-reinforced, injection-molded HexZite-22™ polymer, black. Fits Glock 17, 19, 22, 23, 26, 27, 30, 34, 36. Kit includes rear sight body, three front sights, and all mounting hardware. **Rear Sight Body** - .580" (14.7mm) wide, 1" (2.54cm) long, .483" (12.3mm) high. **Front Blades** - .570" (14.5mm) long, .140" (3.6mm) wide, in three heights: .150" (3.8mm), .165" (4.2mm), .180" (4.6mm).

#100-004-967AK HexSite System for Glock, 1C120V00 . . . \$ 129.99



HEINIE SPECIALTY SIGHT for GLOCK®

Low-Profile Gives Fast, Enhanced Sight Picture For Combat Pistols

Gives a sharp, glare-free, easy-to-see sight picture without extra weight or bulk. Strong, compact, one-piece rear and serrated-ramp front sights replace the factory sights with no modifications required. Ultra-low mounted; has no sharp edges to snag on clothing or holsters. Locking, rear sight is drift adjustable for windage.

SPECS: Steel, black, matte finish. **Rear** - Serrated blade, .700" (17mm) wide, .250" (6.5mm) high, .119" (3mm) wide notch. **Front** - Semi-ramp .125" wide, .250" (6.3mm) high. Fits all Glock pistols. **Combo** includes rear sight and 216" high front sight. Use .250" high front sight for correcting point of aim on Glock Models 22, 23, 30 & 35; also works with Novak Black Glock Sights.

#394-100-322AK Glock Rear Sight, 4C33P40 . . . \$ 41.99
#394-100-323AK Glock .250" Front Sight, 4C22P13 . . . \$ 26.66
#394-100-320AK Glock Front/Rear Combo, 4C49P12 . . . \$ 59.99



HEINIE SPECIALTY "STRAIGHT EIGHT" NIGHT SIGHT SET for GLOCK®

Fast, Low-Light Sight Pickup With High-Quality, Trijicon® Lamps

Low-mount, no-snap combat/competition fixed sights with Trijicon self-illuminating tritium lamps provide a fast, easy-to-see sight picture in all light conditions. The exclusive two-dot "Straight Eight" design places one front dot on top of a single rear dot to make sighting simple and fast. The no-snap sight body mounts low on the slide but provides a glare-free rear blade with smooth, rounded corners that can't catch on loose clothing or holsters. Sold as a matching front and rear sight set.

SPECS: Steel, blued, matte finish. **Rear Blade** - .700" (17mm) x .250" (6.5mm). **Notch** - .119" (3mm) x .125". **Body** - .712" (18mm) x .727" (18.4mm), .6 oz. wt. Fits in all Glock factory dovetails.

#394-322-000AK Glock Straight 8 Sights, 4C99P99 . . . \$ 121.99



HEINIE SPECIALTY SEMI-AUTO SLANTPRO® 3-D NIGHT SIGHTS



No-Snag, Low-Profile
With Easy-To-See
Tritium Dots

Self-illuminating, Trijicon® inserts give your pistol a fast, easy-to-acquire sight picture in all light conditions. Dual inserts on rear sight are smaller than front sight dot to eliminate confusion and help the shooter get the sights aligned on the target fast. Fine-line serrations eliminate glare for the best possible sight picture in daylight. Wedge-shaped rear sight body has fully rounded edges and fits low in the slide for minimum profile. Offers an exceptionally smooth, snag-free draw for concealed carry and competition guns. Supplied as a front/rear sight set. Minor fitting required; dovetails are cut .002"-.003" oversized for secure fit in factory sight cuts.

SPECS: Steel, matte black finish. .125" wide rear notch. Heights measured from the top of the slide. **Glock** - Rear Sight: .250" high. Front Sight: .215" high. Fits all Glock models. **Taurus 24/7** - Rear Sight: .230" high. Front Sight: .200" high.
#394-000-032AK SlantPro 3-D Night Sights, Glock, 4C107P50 \$ 132.99
#394-000-044AK SlantPro 3-D Night Sights, Taurus 24/7, 4C119P50 147.99

HEINIE SPECIALTY SEMI-AUTO SLANTPRO® SIGHTS



Low Profile, Fixed Sights
Give A No-Snag Draw

Wedge-shaped body with rounded edges provides a smooth, snag-free draw for concealed carry and competition guns. Sits low in the slide for minimum profile. Fine-line serrations on front and rear sight blades eliminate glare for best possible sight picture. Fits factory dovetail cuts; minor fitting may be required. Supplied as a front/rear set. Standard SlantPro rear sight has a rear face that slants slightly forward and a gently curved front face. **Ledge™** models have a vertical, square-cut front face that provides extra purchase for one-handed slide racking.

SPECS: Steel, matte black finish. Rear Sight: .125" wide notch, unless otherwise indicated. Other dimensions vary depending on model. Front sight heights vary to regulate properly with rear sight. **Browning HP** requires milling of slide. **Glock/Glock Ledge** fit all models except G36. Ledge rear sight has .156" wide notch. **S&W M&P Ledge** - Rear sight has .140" wide notch.

STOCK #	FITS/STYLE	PRICE
#394-000-011AK	Browning HP	4C47P15 \$ 58.99
#394-102-315AK	Glock (all exc. G36)	4C49P12 \$ 61.99
#394-000-042AK	Glock Ledge (all exc. G36)	4C60P15 \$ 76.99
#394-102-330AK	SIG 225, 226, 228, 239	4C44P81 \$ 55.99
#394-000-039AK	S&W M&P Ledge	4C59P50 \$ 73.99
#394-000-019AK	Springfield XD	4C44P81 \$ 55.99

HEINIE SPECIALTY SEMI-AUTO RAMPED DOVETAIL FRONT SIGHT



A Bold, Easy-To-See
Sight Picture In A Compact,
Easy-To-Carry Shape

Serrated-ramp fronts provide a perfect match for low mount, rear sights. Available with **Black Ramp (BR)** or **White Dot (WD)**. Installation requires machining of slide. .185" or .190" match Heinie 1911 and Bo-Mar BMCS rears. .200" front matches Heinie Browning HP Rear.

SPECS: Steel, blue, matte finish. **Blade** - .126" (3.1mm) wide, .175" (4.4mm), .185" (4.6mm), .190" (4.8mm), .200" (5mm) high, .500" (12.7mm) long. **Dovetail** - .60° x 300° x .060" with .002" taper.

STOCK # BR	STOCK # WD	HEIGHT
#394-000-002AK	NA	.175"
#394-309-185AK	#394-312-185AK	.185"
#394-309-190AK	#394-312-190AK	.190"
#394-309-200AK	#394-312-200AK	.200"

— Advise # — BR Ramped Front Sight 4C19P05 . . . \$ 23.99
— Advise # — WD Ramped Front Sight 4C21P05 . . . 25.99

HEINIE SPECIALTY SEMI-AUTO TRIJICON® FRONT DOVETAIL SIGHT

Serrated Ramps & Tritium Dots
For Fast Pickup



Fully-contoured, cross-dovetail sights complete with the increased, low light visibility of genuine Trijicon, tritium vials. Tapered dovetail holds the sight firmly. Fits nominal 60° x .300" x .060" front sight dovetails.

SPECS: Steel, blue, matte finish, green dot. **Blade:** .126" (3.2mm) wide, .175 (4.4mm), .185" (4.6mm), .190" (4.8mm) or .200" (5mm) high. Installation requires machining of slide.
#394-000-001AK .175" Tritium Sight 4C41P15 \$ 52.99
#394-311-185AK .185" Tritium Sight 4C41P15 52.99
#394-311-190AK .190" Tritium Sight 4C41P15 52.99
#394-311-200AK .200" Tritium Sight 4C41P15 52.99

KENSIGHT CLASSIC TARGET SIGHT



Wire EDM Produced
For Precision
Fit & Function

Provides consistent accuracy through better production methodology.

Electro-discharge machined from 4140 steel, heat-treated to Rc 38-40, then vacuum tempered to help retain these tolerances for many years to come. One-piece blade is cut from solid steel barstock, so it won't fly apart when your shot matters most. Consistent, click-adjustable detents for windage and elevation give precise repeatability. All models feature a full-serrated blade for better target recognition and a rebated square notch for improved, "shadowless" front sight definition. **BM #1 Deep Notch** features a .020" deeper sight notch and finer surface serrations than standard model for easier front sight acquisition. **White Dot** model has rounded corners like the old Bo-Mar combat style adjustable sight, and features a white, .070" (1.8mm) diameter dot on each side of the notch.

SPECS: 4140 steel, blue, matte finish. **Blade** - .750" (19mm) wide, .433" (11mm) thick. **Notch** - .100" (2.5mm) deep (except BM #1 Deep Notch), .134" (3.3mm) wide.

STOCK #	FITS DOVETAIL	PRICE
#100-002-632AK	BM #1 Standard	5A52V05 \$ 64.99
#100-002-633AK	BM #1 Deep Notch	5A52V50 \$ 69.95
#100-003-069AK	BM #1 White Dot	5A54H95 \$ 69.95
#100-002-634AK	Kimber 1911 Adj.	5A52V50 \$ 67.95
#100-002-635AK	Eliason	5A40V00 \$ 53.95
#100-002-636AK	Ruger® Mark II/MarkIII	5A52V50 \$ 69.95

HIVIZ FIBER OPTIC HANDGUN SIGHTS

Improves Sight Visibility For Fast Target Acquisition

Direct replacements for factory sights use light-gathering LitePipe fiber optic rods that help you acquire and get on target fast. The eye-catching dots really stand out and give you a sight picture that's fast-to-pick-up in poorly lit surroundings, bright daylight, or anything in between. Machined steel sight bodies protect the LitePipes from impact and blend neatly into the slide.

SETS/COMBOS - Everything you need to upgrade popular duty and self-defense pistols with fiber optic sights. **Sets** contain front and rear sights with LitePipes in the same color (indicated in table below).

Combos have interchangeable front sight LitePipes that let you change the front dot color and size for maximum contrast with the rear sight to ensure correct alignment. Inserts are securely held in place by locking springs, yet remove easily using the included tool. Also includes a non-fiber optic white insert to produce a traditional white dot front sight picture.

SPECS: Steel, matte black. .050" (1.3mm) diameter rear LitePipes. Minor fitting may be required. Gunsmith installation recommended.

STOCK #	MODEL	FITS
#638-000-186AK	Combo w/Green Rear	Glock 9mm, .40 S&W, .357 SIG, except ported/comp models
#638-000-187AK	Combo w/Green Rear	Glock .45 ACP, .45 GAP, 10mm, except ported/comp models
#638-000-184AK	Green Set	S&W M&P all except L model w/5" barrel
#638-000-185AK	Green Set	Springfield XD & XDM

— Advise # — Front/Rear Sight Set/Combo 8C64B29 \$ 79.99

FRONT SIGHTS - Comes with a set of interchangeable red and green LitePipes that let you change the dot color and size to suit your specific shooting conditions.

SPECS: Steel, black matte finish, with an assortment of interchangeable red and green fiber optic inserts. All models fit factory dovetails. **Glock** fits all Glock pistols except 24C. .167" (4.2mm) high, .121" wide. **Ruger/Browning** fits Ruger Mark II and III, Mark II .22/45™, and Single Six®, plus Browning Buckmark standard model, Camper, Plus, and Bullseye. .423" (10.7mm) high, .130" (3.3mm) wide. **S&W M&P 9L** fits Smith & Wesson M&P chambered in 9mm with 5" barrel. .247" (6.3mm) high, .4" (10.2mm) wide. Includes an opaque, non-fiber-optic white rod.

#638-510-017AK Glock Front Sight 8C23B86 \$ 37.75
#638-000-003AK Ruger/Buckmark Sight 8C27V29 . . . 43.20
#638-000-189AK S&W M&P 9L Front Sight, 8C28B33 36.99

REAR SIGHT - Two green fiber optic rods work with factory or HiViz fiber optic front sight to give you fast sight acquisition in a variety of light conditions. Horizontal serrations on rear face help prevent glare. Smooth profile has rounded corners and beveled edges that resist snagging on holster, clothing, or other gear. **SPECS:** Steel, black, matte finish. Fits factory rear sight dovetails; minor fitting may be required. Compatible with factory front sight or HiViz front sights listed above.

STOCK # GRN	STOCK # RED	FITS
#638-000-006AK	NA	Glock 9mm (except 17L), .40 S&W, .357 SIG
#638-000-116AK	NA	S&W M&P, all models
NA	#638-000-180AK	Springfield XD/XDM, all models
NA	#638-000-182AK	CZ-75, all except Kadet, Champion, IPSC

— Advise # — HiViz F/O Rear Sight 8C35V43 \$ 56.99

FRONT SIGHT TOOL for GLOCK - Installs and removes HiViz front sights for Glock pistols. Large, hex-shaped grasping surface gives you a secure purchase and plenty of leverage. Also fits Walther P99, Smith & Wesson SW99, and other pistols with sights that use 3/16" hex head screws.

SPECS: Aluminum, anodized finish. Fits 3/16" hex head screws.
#638-000-188AK Glock Front Sight Tool 8C09B79 . . \$ 11.99

HEINIE SPECIALTY SEMI-AUTO SLANTPRO® NIGHT SIGHTS

Low Mount
With Tritium Dots



Fixed combat sights with Trijicon® self-illuminating Tritium inserts provide a fast, easy-to-acquire sight picture in all light conditions. The Tritium dot on the front sight aligns vertically with the single dot on the rear sight in a distinctive elongated figure eight pattern. Wedge-shaped body has fully rounded edges and sets low in the slide for minimum profile. Offers an exceptionally smooth, snag-free draw for concealed carry and competition guns. Fine-line serrations on front and rear blade eliminate glare for the best possible sight picture. Fits factory dovetail cuts; minor fitting may be required. Supplied as a front/rear sight set. Standard SlantPro rear sight has a rear face that slants slightly forward and a gently curved front face. **Ledge™** rear sight has a vertical, square-cut front face that provides extra purchase for one-handed slide racking. **Straight Eight** - Tritium dot on the front sight aligns vertically with the single Tritium dot on the rear sight in a distinctive, elongated "figure eight pattern." Sight sets are Straight Eight configuration unless indicated otherwise in the table. **3D** - Tritium dot on the front sight aligns horizontally with two dots on each side of the rear sight notch for an easy-to-see three dot sight picture. Supplied as a front/rear sight set.

SPECS: Steel, matte blue finish. Tritium inserts - Green. Rear Sight: .125" (3.1mm) x .112" (2.8mm) notch. Other dimensions vary depending on model. Front sight heights vary to regulate properly with rear sight. **Browning HP** requires milling of slide. **Glock/Glock Ledge** - Rear Sight: .250" high, .156" wide notch. Front Sight: .210" high. Fits all models except G36. **S&W M&P Ledge** - Rear Sight: .255" high, .140" wide notch. Front Sight: .180" high.

STOCK #	FITS/STYLE	PRICE
#394-000-014AK	Browning HP	4C106P50 \$ 132.99
#394-102-318AK	Glock	4C99P15 \$ 111.99
#394-000-041AK	Glock Ledge	4C112P50 \$ 137.99
#394-000-045AK	Glock/Ledge 3D	4C121P51 \$ 146.99
#394-000-015AK	Glock 36	4C95P85 \$ 118.99
#394-000-023AK	HK USP Compact	4C106P50 \$ 132.99
#394-102-335AK	SIG 225, 226, 228, 239	4C89P99 \$ 112.99
#394-000-010AK	SIG 220, 229	4C89P99 \$ 112.99
#394-000-040AK	S&W M&P Ledge	4C118P10 \$ 147.99
#394-000-022AK	Springfield XD	4C89P99 \$ 112.99

HEINIE SPECIALTY SEMI-AUTO SLANTPRO® QWIK™ SIGHTS

Extra-Wide Rear Notch For
Fast Acquisition Of Front Sight



Straight Eight

Low-profile, fixed sights have an extra wide rear notch that aids in fast acquisition and alignment with the front blade. Excellent for a self-defense or carry gun, as well as for competition or to give a shooter with aging eyes an extra edge. Sits low in the slide for minimal profile, and wedge-shaped body has rounded edges to aid in a smooth, snag-free draw. Fine-line serrations on the rear of the blades helps eliminate glare in bright light. Rear sight has a gently curved front face and a rear face that slants slightly forward, further minimizing risk of snagging. All models fits factory sight dovetails. **Ledge™** model has a vertical, square-cut front face for easy one-handed slide racking. **Night Sights** have self-illuminating, green Tritium inserts provide a fast, easy-to-acquire sight picture in dim light. Available in two configurations. **Straight Eight (S8)** - Dot on the front sight aligns vertically with the single dot under the rear sight notch in a simple, distinctive, elongated figure eight pattern.

SPECS: Steel, matte black finish. Rear Sight Notch - .156" wide x .120" deep. Front sight heights vary to regulate properly with rear sight. Minor fitting required; dovetails are cut .002"-.003" oversized for secure fit in factory sight cuts. **Glock** sights are plain black; **S&W M&P** and **Springfield XD** are Tritium night sights.

#394-000-053AK	Glock Qwik Sight Set, 4C63P21 \$ 73.99
#394-000-062AK	M&P Qwik S8/Ledge Night Sight Set, 4C132P15 \$ 158.99
#394-000-057AK	Springfield XD Qwik S8 Night Sight Set, 4C106P15 127.99

The Brownells Guarantee!

If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. Your complete satisfaction is what's most important to us.

SATISFACTION GUARANTEED
SINCE 1939

HIVIZ OVERMOLDED HANDGUN FRONT SIGHTS

Improved Visibility In All Light Conditions

Replacement front sights work in conjunction with factory rear sights to give you fast sight acquisition in most light conditions. Machined steel body uses overmolded technology to completely cover and protect the light gathering, polymer LightPipe with an extra layer of clear polymer. Gunsmith fitting recommended.

S&W 99 & WALTHER P99/P22 - Screw fits snugly into existing front sight screw hole for a tight, professional looking job that won't break loose during extended firing sessions. Fits S&W 99 and Walther P99/P22. Available with green or red light rod.

SPECS: Steel, black, matte finish. .790" (20mm) long.
#638-000-049AK Front Sight, Green 8C26V02 \$ 43.35

S&W 317/66/67/625/629/657/686/696 - Fits S&W revolvers that accept pinned front sights: models 317, 66, 67, 625, 629, 657, 686 and 696 (except 686SSR, Classic Series and Performance Center guns). Red light rod.

SPECS: Steel, black, matte finish. .893" (22.6mm) long.
#638-000-059AK Front Sight, Red 8C27V29 \$ 43.20

S&W J FRAME - Fits J frame revolvers with 3" or shorter barrel and pinned front sight blade. Sight is not predrilled; gunsmith fitting recommended. Available with red or green light rod.

SPECS: Steel, black, matte finish. .712" (18.1mm) long x .150" (3.8mm) high from top of barrel.
#638-000-084AK S&W J-Frame Front Sight, Green, 8C27V34 \$ 43.20

#638-000-083AK S&W J-Frame Front Sight, Red, 8C27V34 43.20

S&W K, L & N FRAME - Fits K, L & N frame models with pinned front sight blade (except 686SSR). Gunsmith fitting recommended. Available with green or orange light rod.

SPECS: Steel, black, matte finish. .893" (22.7mm) long.
#638-000-002AK S&W K/L/N Frame Front Sight, Green, 8C27V29 \$ 43.20

#638-000-023AK S&W K/L/N Frame Front Sight, Orange, 8C27V29 43.20

S&W CLASSIC, PERFORMANCE CENTER & DX MODELS - Interchangeable for different shooting distances and scenarios. Easy-to-see, bright red or green light rod makes target acquisition fast and efficient. Specially machined base is precision cut to fit factory ramp or base. Fits S&W Classic, Performance Center, and DX models.

SPECS: Steel, black, matte finish. .813" (20.6mm) long. Available in .208", .250", and .310" heights.

#638-000-053AK .208" Front Sight, Green, 8C25V95 \$ 44.99

#638-000-054AK .208" Front Sight, Red 8C25V33 43.20

#638-000-051AK .250" Front Sight, Green, 8C25V33 43.20

#638-000-052AK .250" Front Sight, Red 8C26V02 44.99

#638-000-055AK .310" Front Sight, Green, 8C25V95 44.99

#638-000-056AK .310" Front Sight, Red 8C25V95 44.99

RUGER® LCR™ - Drop-in replacement for factory front sight has contoured base to match the barrel radius for a snug fit and streamlined appearance. Secures to factory sight mounting stub with included steel cross-pin.

SPECS: Steel, black, matte finish. Red or green light rod. .850" (21.6mm) long.
#638-000-192AK LCR Front Sight, Red, 8C25B93 \$ 29.99

#638-000-193AK LCR Front Sight, Green, 8C25B93 29.99

S&W M&P - Precision machined to fit the factory dovetail; will not shift, even under the heaviest recoil. Smooth, streamlined design prevents snagging on clothes or holster. Standard, .090"

KENSIGHT ADJUSTABLE NIGHT SIGHT

Glowing Tritium Lamps Maximize Sight Visibility In Low Light

Genuine, Trijicon, green Tritium lamps feature polished quartz lenses for improved sight recognition in low light, plus appear as white dots for enhanced sight acquisition in bright sunlight as well. Sight bodies are EDM machined from 4140 steel, then heat-treated to Rc 38-40 and vacuum tempered to retain the extra-tight tolerances. Features precise click-adjustments for consistent changes in windage and elevation. Fine line serrations on rear blade surface cuts light reflection to enhance sight pick up.

SPECS: 4140 steel, blue, matte finish. .076" (1.9mm) diameter Tritium lamps. **BM #1** retrofits pistols modified to accept the Bo-Mar BMCS rear sight. **LPA** fits Springfield Armory, Para-Ordnance, and Charles Daly 1911 Autos using the LPA TRT dovetail. **Kimber Adjustable** fits Kimber models with adjustable factory rear sight. **Elliason** fits Colt Anaconda, Diamondback, Gold Cup, Officer's Model Match, Python, Trooper, Ace, and others originally fitted with either Accro or Elliason sights.

#100-002-627AK BM #1 5A91V26 \$ 116.95

#100-002-628AK LPA 1911 Auto 5A92V79 121.99

#100-002-629AK Kimber Adjustable 5A87V95 114.95

#100-003-407AK Elliason Adjustable, 5A91H26 116.95

diameter light rod allows accurate shooting under the most demanding conditions. Fits Smith & Wesson M&P models, available in red or green.

SPECS: Steel, black, matte finish. Red or green light rod. .790" (20mm) long.
#638-000-073AK M&P Front Sight, Red 8C27V29 \$ 43.20

#638-000-074AK M&P Front Sight, Green, 8C27V29 43.20

GLOCK - Attaches using existing front sight screw hole. Standard, .090" bead diameter for precise target shooting; minimal steel on the blade edge gives maximum visibility of the light rod. Available in red only. Fits all Glock models except ported/compensated pistols.

SPECS: CNC machined steel, black, matte finish. .785" (19.9mm) long.
#638-000-047AK Front Sight, Red 8C27V29 \$ 43.20

CZ 75 - Fits existing dovetail on CZ pistols. Bright green light rod is visible in all conditions. Fits CZ 75 models except Kadet, Champion, and IPSC.

SPECS: Steel, black, matte finish. .878" (22.3mm) long.
#638-000-048AK Front Sight, Green 8C27V29 \$ 43.20

SIG P220/P225/P226/P228/P229/P239 - CNC machined base installs firmly in the factory dovetail. Smooth edges won't catch on clothing or holster. Fits P220, P225, P226, P228, P229 and P239. Available with green or red light rod.

SPECS: Steel, black, matte finish. .793" (20.1mm) long.
#638-000-058AK Front Sight, Green 8C27V29 \$ 43.20

SPRINGFIELD XD - Precision machined to fit the factory dovetail; will not shift, even under the heaviest recoil. Overmolded with clear resin to protect the light-gathering rod, prevents snagging on clothes or holster. Standard .090" front sight diameter allows accurate shooting under the most demanding conditions. Fits Springfield XD models.

SPECS: Steel, black, matte finish. .790" (20mm) long.
#638-000-080AK Front Sight, Red 8C27V29 \$ 43.20

#638-000-079AK Front Sight, Green 8C27V29 43.20

 For more choices of HIVIZ SIGHTS visit brownells.com

MEPROLIGHT TRU-DOT® DAY/NIGHT SIGHT

FOR POPULAR HANDGUNS Always "On"; No Batteries, No Charging

Really "shines" when other sights are useless. No switch to turn on, no batteries to wear out. Both front and rear blades have their own green tritium gas light source and provide a green/green (gm/gm), 3-dot sight picture. Some models also available in green/yellow (gm/yl) and green/orange (gm/omg). The front sight is always green for contrast with the rear sight. Unaffected by weather, gun solvents or oils. Used by NATO, U.S., and Israeli armies. Also ideal for law enforcement and others requiring accuracy in low-light conditions. Contains both front and rear sights. Rear sights either replace the original rear entirely or, as on S&W revolvers, a new rear leaf, screw and nut are provided. Front sights either replace the original (1911 Auto); slip over and are pinned to the original blade (most other autos); or replace the factory colored insert (S&W Autos). Factory warranty on TRU-DOT sights to the original purchaser for 12 years.

SPECS: Blued steel with tritium inserts. Sights marked Adj. fit guns originally equipped with factory, adjustable sights. Sights marked Fxd. fit guns originally equipped with factory, fixed/non-adjustable sights. S&W models will NOT fit guns originally equipped with plastic sights.

STOCK #	FITS	PRICE
#387-304-776AK	1911 Auto (Fxd. Wide Tenon)	7H99A99 \$ 119.99
#387-302-762AK	Beretta 92F (Fxd. Lo-Profile)	7H89U99 \$ 99.99
#387-000-066AK	Beretta PX4 Storm F/G Models (Fxd.)	7H89Y99 \$ 99.99
#387-303-785AK	Browning HP (Fxd. Dovetail Frt/Rear)	7H85U10 \$ 89.99
#387-307-724AK	Glock 9mm & .40 cal. (Fxd. grn/grn)	7H89A99 \$ 99.99
#387-102-220AK	Glock 10mm & .45 cal. (Fxd. grn/grn)	7H89C99 \$ 99.99
#387-307-726AK	Glock 26, 27 (Fxd. grn/grn)	7H89A99 \$ 99.99
#387-000-002AK	Glock 9mm & .40 cal. (Fxd. grn/orng)	7H89D99 \$ 99.99
#387-000-004AK	Glock 26, 27 (Fxd. grn/orng)	7H89D99 \$ 99.99
#387-000-005AK	Glock 9mm & .40 cal. (Fxd. grn/yl)	7H89D99 \$ 99.99
#387-000-006AK	Glock 10mm & .45 cal. (Fxd. grn/yl)	7H89D99 \$ 99.99
#387-000-007AK	Glock 26, 27 (Fxd. grn/yl)	7H89D99 \$ 99.99
#387-000-012AK	Glock 17, 19, 20, 21, 22, 23 (Adj.)	7H129D99 \$ 135.00
#387-308-715AK	H&K P7, P-13 Series (Fxd.)	7H89A99 \$ 99.99
#387-215-160AK	H&K USP (Adj., full size tactical)	7H125C31 \$ 139.99
#387-000-014AK	H&K USP (Fxd., full size grn/omg)	7H85T10 \$ 89.99
#387-000-015AK	H&K USP (Fxd., full size grn/yl)	7H85T10 \$ 89.99
#387-115-160AK	H&K USP (Fxd., full size)	7H89C99 \$ 99.99
#387-000-017AK	H&K USP (Fxd., compact grn/yl)	7H85V10 \$ 89.99
#387-115-170AK	H&K USP (Fxd., compact)	7H85C10 \$ 89.99
#387-000-043AK	H&K 2000, (Fxd.)	7H85V10 \$ 89.99
#387-000-044AK	Kahr K-9, K-40 & K-45 (Fxs.) Post 11/04	7H89V99 \$ 99.99
#387-000-008AK	Kimber Full size (Fxd.)	7H92D10 \$ 99.99
#387-000-009AK	Kimber Custom Target (Adj.)	7H146D00 \$ 149.99
#387-311-790AK	Ruger® P-85/89® (Fxd.)	7H89A99 \$ 99.99
#387-791-901AK	Ruger P90®/91®/93®/95® (Fxd.)	7H89X99 \$ 99.99
#387-109-940AK	Ruger P-94® (Fxd.)	7H85C10 \$ 89.99
#387-000-018AK	Ruger Super Redhawk® GP100® (Adj.)	7H115V54 \$ 125.99
#387-000-019AK	Sig P220, 225, 226, 228 (Fxd. grn/orng)	7H85V10 \$ 89.99
#387-000-020AK	Sig P220, 225, 226, 228, 229 9mm/357 SIG (Fxd. grn/yl)	7H85V10 \$ 89.99
#387-000-021AK	Sig P220, 226 (Adj.)	7H124V99 \$ 129.99
#387-000-022AK	Sig P229, 239 (Fxd. grn/orng)	7H85V10 \$ 89.99
#387-000-023AK	Sig P229, 40 Cal., 239 (Fxd. grn/yl)	7H85V10 \$ 89.99
#387-101-290AK	Sig P229 (Fxd.)	7H35C99 \$ 41.99
#387-312-710AK	Sig P-220, 225, 226, 228, 239 (Dovetail)	7H89A99 \$ 99.99
#387-000-042AK	S&W K, L & N Frame except Mtn. Guns (Adj. factory rear & pin-on front)	7H85V10 \$ 89.99
#387-313-200AK	S&W K, L & N Frame (Adj.) Use Locite #609	7H89A99 \$ 99.99
#387-313-173AK	S&W 3900/5900/6900 (Fxd Novak rear)	7H89A99 \$ 99.99

KENSIGHT COMBAT CARRY ADJUSTABLE REAR SIGHT

Rounded Blade Edges Won't Snag On Clothing Or Holsters

Enjoy the accuracy of a fully adjustable, competition-style rear sight in a package suitable for daily carry. Beveled edges on sight body and radiused corners on blade minimize chances of snagging on clothing or holster. Blade, sight body, and base are EDM-wire machined from high-grade, 4140 billet steel, then heat-treated to Rc 28-32 to retain the extra-tight tolerances. Front hinge pin is hardened to Rc 60 for reliable, long-lasting service without breakage. Fine serrations on the rear sight blade surface reduce light reflection to enhance sight pick up in all light conditions. Consistent, click adjustable detents for windage and elevation provide precise, repeatable settings.

SPECS: 4140 steel, blued, matte finish. **BM #1** - Fits pistols with the Bo-Mar BMCS rear sight dovetail. **BM #1 Oversized** - Dovetail is .010" oversized to allow custom-fitting in loose Bo-Mar BMCS slide cuts. **LPA Cut 1911** - Fits Springfield Armory, Para-Ordnance, Nowlin, High Standard, Olympic Arms, and Charles Daly 1911 Auto pistols with the LPA slide cut for adjustable sights.
#100-002-637AK BM #1 Rear Sight 5A54V49 \$ 67.99
#100-004-082AK BM #1 Oversized Rear Sight, 5A58V50 69.99
#100-002-638AK LPA Cut 1911 Rear Sight 5A55V50 69.99



STOCK #	FITS	PRICE
#387-174-420AK	S&W Sigma (Fxd)	7H89C99 \$ 99.99
#387-000-024AK	Springfield XD 9mm/.40 cal., 4"/5" bbl (Fxd. grn/grn)	7H85V10 \$ 89.99
#387-000-048AK	Springfield XD 9mm/.40 cal., 4"/5" bbl (Fxd. grn/yl)	7H89Y99 \$ 99.99
#387-000-049AK	Springfield XD 9mm/.40 cal., 4"/5" bbl (Fxd. grn/orng)	7H89Y99 \$ 99.99
#387-000-050AK	Springfield XD .45 cal. (Fxd.grn/yl)	7H89Y99 \$ 99.99
#387-000-051AK	Springfield XD .45 cal. (Fxd. grn/orng)	7H89Y99 \$ 99.99
#387-188-000AK	Walther P99, (Fxd.)	7H89C99 \$ 99.99

MEPROLIGHT FRONT SIGHTS - Single, front sights only. Replace damaged units or stake-on models after refinishing.
SPECS: Steel body, blue. Self-luminous lamp. Sights marked Adj. are for use with Meprolight Adjustable rear sights; all others are used with Meprolight Fixed sights.

STOCK #	FITS	PRICE
#387-500-011AK	1911 Auto, Adj. (Narrow Tenon)	7H00AYT \$ 106.90
#387-500-111AK	1911 Auto, Adj. (Wide Tenon)	7H42U99 \$ 49.99
#387-500-112AK	Colt Gold Cup w/Wide Tenon front & Ellison rear, Adj.	7H39U99 \$ 49.99
#387-500-211AK	1911 Auto (Narrow Tenon)	7H35U99 \$ 42.99
#387-102-240AK	Glock 17, 19, 20, 21, 22, 23, 26, 27 29, 30, 31, 32, 33 (.170" high)	7H35C99 \$ 42.99
#387-000-010AK	Ruger SP101® .38/357	7H45D00 \$ 49.99
#387-000-011AK	S&W J-Frame 1 7/8" barrel	7H40D99 \$ 49.99

 For more choices of MEPROLIGHT SIGHTS visit brownells.com

LPA
SEMI-AUTO PISTOL SIGHT



Compact, Adjustable - Low Mount Rears Or High-Visibility Sets

Two styles of sights, both with micro-click windage and elevation screws and all-steel construction. Available in: solid black target model; white-outline rear; 2-dot rears or 3-dot systems.

SPECS: CNC machined steel, matte blued finish.

TPU REAR SIGHTS - Extra low profile, adjustable sight mounts down, out of the way, and increases sight radius for enhanced sight picture. Rectangular body, raised adjustment screws. Requires no alteration to the slide; fits in the standard dovetail and uses the existing front sight.

FITS MODEL	STOCK # TARGET	STOCK # WHITE OUTLINE	STOCK # 3-DOT REAR
Beretta 92F			
92SB, 96, 98F	#625-100-192AK	#625-100-292AK	#625-100-392AK
Browning HP (.285" Dvtl)	#625-100-135AK	NA	NA
1911 Auto .45 Govt.	#625-100-111AK	#625-100-211AK	#625-100-311AK
Colt 1911, 70/80/90	#625-100-112AK	#625-100-212AK	#625-100-312AK
Glock 17, 19, 20, 21, 22, 23, 24	#625-100-117AK	#625-100-217AK	#625-100-317AK
Sig-Sauer P220, 225, 226, 228	#625-100-120AK	#625-100-220AK	#625-100-320AK
S&W 3rd Gen. 9mm, .40 Novak	NA	NA	#625-100-340AK
EAATanfoglio, all	NA	#625-100-250AK	#625-100-350AK
Taurus PT-92/58/100	NA	#625-100-258AK	NA
— Advise # — TPU Pistol Sight 3K48Y32 \$ 71.99			

SPR FRONT & REAR SIGHT SETS - Standard profile, adjustable sights fit factory dovetails and require no alterations to slide. Tapered body, flush adjustment screws. Front sights may require gunsmith installation.

Beretta 92, 96, 98	NA	NA	#625-102-392AK
Browning HP Std., MKIII, HP Practical,	NA	NA	#625-102-335AK
Brno CZ-75, CZ-85 new/w/dovetail front	NA	NA	#625-102-380AK
1911 Auto .45 Govt.	#625-102-111AK	#625-102-211AK	#625-102-311AK
Colt 1911, Ser. 80/90	NA	NA	#625-102-312AK
Glock 17, 19, 20, 21, 22, 23, 24	#625-102-117AK	#625-102-217AK	#625-102-317AK
Ruger P90*, P91	NA	NA	#625-102-390AK
— Advise # — SPR Front/Rear Sight Set, 3K51T13 \$ 80.99			

MARBLE RUGER® REVOLVER FIBER OPTIC FRONT SIGHT



Bright Fiber Optic Is Fast On Target For Hunting & Action Shooting

Solid steel body with a bright, fiber optic rod gives your eye a quick-to-focus aiming point for fast target acquisition. Brilliant orange or green rod is 3/16" long for excellent light gathering. Drop-in replacement for factory sight. SPECS: Steel, blue, matte finish. .150" (3.8mm) blade width. Height/fits - .332" fits Super Redhawk .44 Mag and GP-100*. 357 Mag but will not fit 3" barrels. .390" fits Redhawk*. 44 Mag., Super Redhawk .480 and Blackhawk* Hunter.

STK # ORANGE	STK # GRN	HEIGHT	PRICE
#579-000-029AK	#579-000-032AK	.332"	9G13T83 \$ 21.99
#579-000-030AK	#579-000-033AK	.390"	9G13T83 \$ 21.99

MGW SEMI-AUTO DOVETAIL FRONT SIGHT BLANK



Strong & Ready-To-Shape For Custom Applications

Long enough and high enough for most custom pistol applications. Dovetail installation is much stronger than staking, so the front sight stays put under heavy recoil or extreme use. Drilled for 1/16" diameter roll pin for more "hold". Blues easily. SPECS: Steel, blued. **Blade** - .268" (6.8mm) high, .128" (3.2mm) wide, .640" (16mm) long. **Dovetail** - .65" x .330" x .075". #584-012-268AK **Dovetail Front Sight, 4H09X79** \$ 13.08

NOVAK SEMI-AUTO CARRY REAR SIGHT

Low Profile; Fits Factory Dovetails; Great Sight Picture



Plain Black



2 Dot

Exclusive, wedge-shaped, "Concealed Carry" design puts the sight body and blade close to the slide for a snag-free draw and smooth, comfortable carry. Highly visible rear blade with rebated notch gives fast, glare-free sight pickup for more accurate instinctive shooting. Available in **Plain Black (PB)**, with two **White Dots (2 Dot)**, or **Tritium** night sight with two self-illuminating Tritium dots for easy sight acquisition in low light conditions.

SPECS: Machined steel, blued, matte finish. **Glock** - .125" (3.1mm) wide notch. **Rear Blade** - .713" (18mm) wide x .195" (4.9mm) high. Fits factory dovetail in all models of Glock pistols. Requires Novak Glock Front Sights, listed elsewhere. **Beretta** .150" (3.8mm) wide notch. **Rear Blade** - .535" (13.6mm) wide x .320" (8.1mm) high. Fits factory dovetails on Beretta 92, Brigadier, and Elite II; may require minor fitting. Uses existing front sights.

- #662-017-001AK **PB Glock Sight 2F27Y96** \$ 34.99
- #662-017-003AK **WD Glock Sight 2F31Y96** 39.99
- #662-001-011AK **Trit. Glock Sight 2F73V65** 89.99
- #662-000-007AK **WD Beretta Sight 2F33A56** 41.99

NOVAK FRONT SIGHT FOR GLOCK®

Drop-In Replacement For All Models Of Glock Pistols



Easy-to-install, all-steel, replacement sights fit right in the factory dovetail. **White Dot** model matches the Novak 3 Dot Glock Rear Sight. **Blank** model lets you change sight height to accommodate different shooting styles and ammunition. Can be trimmed with a file and touch-up blued.

SPECS: Fits all models of Glock semi-auto pistols. Machined steel, blued. **Blank** - .134" (3.4mm) wide, .220" (5.6mm) high. **White Dot** - .134" wide, .185" (4.7mm) high.

- #662-817-101AK **Blank Sight 2F19U96** \$ 24.95
- #662-817-103AK **White Dot Sight 2F23U96** 29.95

TRITIUM DOT - Matches the Novak 3 Dot Glock Rear Sight and Glock Tritium dot or bar rear sight.

SPECS: Machined steel, blued. .134" (3.4mm) wide, .185" (4.7mm) high. Fits all models of Glock semi-auto pistols. #662-005-004AK **Tritium Dot Sight 2F44V05** \$ 54.95

REAR SIGHT DOVETAIL INTERCHANGEABILITY

The term Bo-Mar Cut® is a registered trademark of Bo-Mar Tool And Manufacturing Co., Inc. We carry rear sights from various other manufacturers that fit in cuts identical to the Bo-Mar cut. To avoid trademark infringement, you will see the following sight cuts, along with the symbol that will represent that specific sight, listed in the SPECS section of rear sights from manufacturers other than Bo-Mar.

SIGHT CUT	DOVETAIL	SYMBOL
Bo-Mar BMCS	60° x .359" x .100"	BM-#1
Bo-Mar BMCS-2	60° x .359" x .100"	BM-#2

NOVAK FIBER OPTIC SIGHTS for GLOCK®



Steel Replacement Sights For All Light Conditions

Snag-free, steel front and rear fiber optic sights enable you to find the target quickly in all types of light conditions. Front sights replace Glock factory sights with a slightly angled front edge to prevent snagging. **Tactical** front sight covers both sides of light insert for maximum concealability; **Competition** front sight exposes more of the light rod for excellent light gathering capability. Rear sights are CNC machined to fit the factory dovetail and include a setscrew; machined light channels provide optimum light gathering. Available with .040" or .060" diameter light inserts. Edges are rounded to prevent drag on holsters or clothing. Available in red or green, as indicated below.

SPECS: Steel, blued, matte finish. **Tactical Front** - is .63" (1.6cm) long, .12" (.3cm) wide. **Competition Front** - is .63" (1.6cm) long, .12" (.3cm) wide. **Rear Sights** are .66" (1.6cm) long, .72" (1.8cm) wide, .19" (.48cm) high, with .13" (3.3cm) wide notch.

- #662-000-047AK **Tactical Front Sight, Red 2F33A56** \$ 41.99
- #662-000-048AK **Competition Front Sight, Red, 2F33A56** 41.99
- #662-000-051AK **Tactical Front Sight, Green, 2F33A56** 41.99
- #662-000-052AK **Competition Front Sight, Green, 2F33A56** 41.99
- #662-000-050AK **.060" Rear Sight, Red 2F39A96** 49.99
- #662-000-053AK **.040" Rear Sight, Green 2F39A96** 49.99
- #662-000-054AK **.060" Rear Sight, Green 2F39A96** 49.99

NOVAK S&W M&P

LO-MOUNT FIBER OPTIC SIGHTS

Fixed Combat Sights Maximize Available Light For Fast Targeting In All Light Conditions



X-Model Standard

Low-profile fixed sights for Smith & Wesson M&P pistol use glowing fiber optic rods to help you get on target fast, even in low-light or high-stress situations. Makes maximum use of available light so sights stand out against dark targets and backgrounds. Same height as original factory sights, and cut for drop-in fit to factory dovetails—no milling of slide required. Precision-machined, all-steel construction, with non-glare matte black finish, handles the rigors of tactical operations and daily carry. Sloping tops, rounded corners, and beveled edges won't snag on clothing or holster. Front sights have one red dot and are available in .170" and .190" heights. Rear sights have a green dot on each side of the notch; setscrew allows drift adjustment for windage. Wide, .145" notch aids fast acquisition of front sight. **Standard Rear** - Exceptionally low profile—only .236" above slide at the highest point. Recessed rear face helps draw the eye quickly to the front sight. **X-Model Rear** - Flat, unserrated rear face angles toward the shooter at the top to prevent glare. Raised front edge aids in one-handed slide racking and gives your pistol a uniquely aggressive appearance.

SPECS: Machined steel, matte black finish, with fiber optic inserts. Fits factory dovetails on S&W M&P pistols; minor fitting may be needed. **Front** - Red insert. .425" (10.8mm) long, .125" (3.2mm) wide. Available in .170" (4.3mm) and .180" (4.6mm) heights. **Std Rear** - Green insert. .905" (2.3cm) long, .750" (1.9cm) wide, .236" (6mm) height above slide. .145" (3.7mm) wide notch. **X-Model Rear** - Green insert. .940" (2.4cm) long, .750" wide, .275" (7mm) height above slide. .145" wide notch.

- #662-000-082AK **S&W M&P F/O Front Sight, .170", 2F33A56** \$ 41.99
- #662-000-084AK **S&W M&P F/O Front Sight, .190", 2F33A56** 41.99
- #662-000-081AK **S&W M&P Std F/O Rear Sight, 2F39A96** 49.99
- #662-000-083AK **S&W M&P X-Model F/O Rear Sight, 2F39A96** 49.99

NOVAK BROWNING HI-POWER LO-MOUNT REAR SIGHT



No-Snag "Angle" Design; Fast Sight Picture

Smooth, low-profile rear sight has an angled top surface with mitered edges that won't snag on holsters or clothes. Rebated blade fights glare. Helps aging eyes see front sight more easily. Available in **Plain Black (PB)** or **Tritium** night sight with two self-illuminating Tritium dots for easy sight acquisition in low light conditions.

SPECS: Machined steel, matte black finish. Fits later models with external, slide extractor only. Use with .175"-.215" high front sight. Requires milling of slide; use 65° x .495" dovetail cutter. **PB** has .125" (3.2mm) wide notch; **Tritium** has .123" (3.9mm) wide notch. #662-260-009AK **PB Lo-Mount Sight 2F28A05** \$ 34.99 #662-002-007AK **Tritium Lo-Mount Sight, 2F73V65** 89.99

NOVAK SEMI-AUTO DOVETAIL MOUNT FRONT SIGHT

Strong, Easily Changed Sights For Autos

Dovetail mounted, roll-pinned sights resist shoot-off. Easily changed for different loads or conditions. Full instructions.

SPECS: Blued steel, .295" (7.5mm) high x .125" (3.17mm) wide blade. Requires milling 65° x .330" dovetail in slide. **.075** size for Govt. Mod., Commander, S&W 645/745/59. **.060** for Colt Officers ACP, S&W mini-guns, Browning Hi-Power, CZ-75.

- #662-645-075AK **.075 Novak Front Sight 2F14U00** . . . \$ 17.50
- #662-645-060AK **.060 Novak Front Sight 2F14U00** . . . 17.50

NOVAK S&W M&P EXTREME DUTY SIGHTS

Low-Profile Mounting; Fully Adjustable; Four Styles To Choose From

Rugged, machined steel front and rear sights let you upgrade your M&P with a precise, versatile, windage- and elevation-adjustable sight system that's

easy to install because it fits the factory dovetails. Low-profile design similar to Novak's famous Lo-Mount sights has rugged, machined steel construction to stand up to the rigors of tactical operations and daily carry. Smooth, rounded and beveled edges minimize risk of catching or snagging. Set screw allows drift adjustment for windage; elevation screw positively stops and audibly clicks for easy fine-tuning. Rear sights have non-serrated, recessed rear face with .120" wide notch that correctly regulates with front sight. Front sight's gently sloping rear face and rounded front provide a clear sight picture and resists snagging during the draw. Front and rear sights are sold separately, so you can mix and match styles to suit your shooting application. Available in Plain Black, Fiber Optic Dot, and Tritium Dot models. Dot styles have a dot on each side of the rear notch and one on the rear face of the front sight. Non-glare matte black finish.

SPECS: Steel, matte black finish. Front and rear sights available separately in **Plain Black (PB)**, **Fiber Optic (F/O)**, and **Tritium (TR)**. #662-000-068AK **PB Rear Sight 2F56A72** \$ 69.99 #662-000-070AK **F/O Rear Sight 2F65A78** 81.99 #662-000-071AK **TR Rear Sight 2F96A28** 119.99 #662-000-075AK **F/O Front Sight 2F35A96** 41.99 #662-000-074AK **TR Front Sight 2F44A99** 54.99

STAY UP-TO-DATE ON OUR EXCLUSIVE OFFERS & INFORMATION

Follow us on Twitter, Facebook, and YouTube



**NOVAK TAURUS 24/7 OSS
X-MODEL SIGHTS**



Rugged, Low-Profile Combat Sights Maximize Available Light For Fast Targeting In All Light Conditions

Low-profile, fixed sights for Taurus 24/7 OSS pistols have glowing fiber optic or Tritium inserts that help you see the sights and get on target fast, even in low-light or high-stress situations. Same height as original factory sights, and cut for drop-in fit to factory dovetails. Streamlined design combines the compact profile of Novak's Lo-Mount rear sights with a recessed rear face and wide notch that guide your eye quickly to the front sight. Precision-machined steel construction, with non-glare matte black finish, handles the rigors of tactical operations and daily carry. Sloping top surface, rounded corners, and beveled edges won't snag on clothing or holster. Horizontal ridge on the front of the rear sight aids in one-handed slide racking and gives your pistol a uniquely aggressive look. Rear sights have a dot on each side of the notch; front sights have one dot. Choose the advanced light gathering properties of **Fiber Optic (F/O)** rods to make maximum use of ambient light and provide a bright glow that stands out against dark backgrounds, or select self-illuminating **Tritium** inserts that glow bright green in low light. White circles around the inserts enhance visibility in daylight. Front and rear sights sold separately, so you can mix to create a custom sight system tailored to your shooting needs.

SPECS: Machined steel, matte black finish, with fiber optic (F/O) or Tritium inserts. Fits factory dovetails on Taurus 24/7 OSS pistols with 5/8" barrel; minor fitting may be needed. **Front** - .595" (1.5cm) long, .125" (3.2mm) wide, .20" (5.1mm) high. **Rear** - .95" (2.4cm) long, .615" (1.6cm) wide, with .135" (3.4mm) wide notch.

- #662-000-087AK Taurus 24/7 F/O Rear Sight, Green, 2F47A57 \$ 58.99
- #662-000-088AK Taurus 24/7 F/O Front Sight, Red, 2F33A56 41.99
- #662-000-094AK Taurus 24/7 Tritium Rear Sight, 2F81A13 99.99
- #662-000-095AK Taurus 24/7 Tritium Front Sight, 2F44A55 54.99

**NOVAK RUGER® SR9®
NIGHT SIGHTS**



**Drop-In Replacements With
Tritium Inserts For Fast Targeting
In Low-Light**

Self-illuminating Tritium inserts glow bright green in dim light to help you see the sights and get on target fast. Rear sight has a dot on each side of the notch, front sight has one dot, for an intuitive, horizontal three-dot sight picture that's easy to acquire, even under stress. White circles around the inserts retain the daylight visibility advantage or your SR9's original factory white dot sights. Same height as factory sights, and cut for drop-in installation in factory dovetails. Both sights are drift-adjustable for windage; rear sight elevation is fixed. Recessed rear face and wide notch on rear sight help guide your eye quickly to the front sight. Forward sloping top surface, beveled edges, and rounded corners won't snag on clothing or holster. Front sight is slightly longer than factory sight but will fit holsters designed to accept the stock pistol. Precision-machined steel construction, with non-glare matte black finish, handles the rigors of daily carry and tactical operations.

SPECS: Machined steel, matte black finish. Fits factory dovetails on Ruger SR9 pistol; rear sight also fits SR9c and SR40. Minor fitting may be needed.

- #662-000-100AK SR9 Rear Night Sight, 2F73V56 \$ 91.95
- #662-000-101AK SR9 Front Night Sight, 2F51V29 54.95

**NOVAK RUGER® LCR™
MEGA DOT® FRONT SIGHTS**

**High-Visibility Fiber Optic
Or Tritium Inserts
For All Light Conditions**



High-visibility replacement front sight comes with a bright, light-gathering fiber optic rod or a self-illuminating Tritium insert to provide immediate sight acquisition in a broad range of light conditions. The eye is immediately drawn to the big, .125" diameter dot for fast, instinctive targeting. Choose from green or red **Fiber Optic (F/O)** or green **Tritium** night sight configuration. Precision-machined steel body provides maximum protection of the inserts. Installs on factory sight lug. Some fitting required; gunsmith installation recommended.

- SPECS:** Steel, blued, matte finish. .875" (22.2mm) long, .145" (3.7mm) wide blade, .225" (5.7mm) wide base, .265" (6.7mm) high. **Fiber Optic (F/O)** - red or green, .125" O.D. **Tritium** - green .05" O.D. insert, white ring .125" O.D. Fitting required; gunsmith installation recommended.
- #662-000-046AK LCR Mega Dot F/O Front Sight, Green, 2F33A56 \$ 39.99
 - #662-000-097AK LCR Mega Dot F/O Front Sight, Red, 2F33A56 39.99
 - #662-000-096AK LCR Mega Dot Front Sight, Tritium, 2F43A96 52.49

PSI

**TTF ADJUSTABLE FIBER OPTIC
SIGHT SET**



**Easy-To-See Sight Picture In All
Light Conditions; Click Adjust
For Windage & Elevation;
Drop-In Installation**

Drop-in replacements for factory front and rear sights use true fiber optic technology to give the shooter maximum sight illumination for easy target acquisition in full daylight or low-light conditions. Models available for Glock, SIG, and Springfield XD pistols. Three-dot system, with two green dots on the rear sight and red dot on the front, helps ensure a fast, accurate, no-fail sight picture in competition or combat shooting. Rear sight click adjusts for windage and elevation using the handy adjustment tool or slot-tip screwdrivers to turn the hardened steel adjustment screws. Bright, white index markings on the top of the sight aid in selecting accurate windage setting. Sleek, practical, low-profile design with chamfered and radiused edges won't snag on clothing or other gear. Precision machined to exact dimensions from solid steel billet for strength and durability. A tapered dovetail helps ensure a solid, secure fit into the existing factory slide cuts to prevent unwanted movement or shifting of zero under recoil. Glock model uses standard screw for attachment of front sight.

SPECS: Steel, matte blue finish. Set includes front and rear sights, adjustment tool, Allen wrench, spare fiber optic rods, and instructions. **Glock** fits Glock 17, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31, and 32 pistols. **SIG** fits model 220, 225, 226, and 228 pistols. **SIG/Springfield** fits SIG 229 and Springfield XD (all models).

- #100-003-416AK TTF Fiber Optic Sight Set, Glock, 3K70H62 \$ 104.99
- #100-003-417AK TTF Fiber Optic Sight Set, SIG, 3K70H62 104.99
- #100-003-418AK TTF Fiber Optic Sight Set, SIG/Springfield 3K70H62 104.99

**LOOKING FOR A GUNSMITH JOB OR
GUNSMITH SCHOOL?**

**Check out our annual Career Fair
at www.gunsmithcareerfair.com**

**SDM S&W REVOLVER
GOLD BEAD FRONT SIGHT**

**Classic, McGiven-Style
Gold Bead Keeps Its Shine,
Won't Tarnish**



Distinctive, 14K gold, McGiven-style bead dresses up your Smith & Wesson revolver and provides an easy-to-see dot that won't dull or corrode. Blade is EDM wire cut from ground, flat stock to ensure clean edges and proper fit, then matte finished for excellent contrast and glare resistance. Available in .250" or .300" blade heights to regulate properly with standard factory loads or today's high performance, hunting ammo. 3/8" diameter, bead is slightly domed and highly polished for excellent light reflection. **GC** models fit S&W Classic and DX revolvers with interchangeable front sights. **GP** models fit S&W revolvers with pinned front sights; requires drilling and pinning for installation.

SPECS: Blade - Steel, matte blued, 2 1/32" (16.7mm) long, 1/8" (3.2mm) wide, 1/4" (4.4mm) high. **Bead** - 14K gold, 3/8" diameter.

- #864-000-090AK GP .250" Gold Bead Sight, 4F45C91 \$ 57.99
- #864-000-010AK GP .300" Gold Bead Sight, 4F45C91 57.99
- #864-000-011AK GC .250" Gold Bead Sight, 4F45C91 57.99
- #864-000-012AK GC .300" Gold Bead Sight, 4F45C91 57.99

SDM S&W REVOLVER SUPER SIGHT



**Super Bright, Fiber Optic
Offers A Clear Sight
Picture For Hunting &
Action Shooting**

One inch long, fiber optic rod gathers lots of light, creating an exceptionally bright sight picture even in low light conditions. Base is wire EDM'd with 50 lpi machined serrations on the rear face. Extra heavy works with higher than factory, aftermarket rear sights. Works best with Millett .360" and .410" rear sights. **Pin** fits all Smith & Wesson revolvers with pinned front sight. **Classic** fits S&W Classic and DX revolvers with interchangeable front sights.

SPECS: Steel base, black, matte finish. 1" (2.5cm) long, .125" (3.17mm) blade width, **Pin** - .250" (6.35mm) and .300" (7.62mm) high. **Classic** - .250" and .300" high.

- #864-000-005AK .250" Pin Red Sight, 4F24C61 \$ 28.95
- #864-000-006AK .250" Pin Green Sight, 4F24C61 28.95
- #864-110-001AK .300" Pin Red Sight, 4F24A61 28.95
- #864-110-003AK .300" Pin Green Sight, 4F24A61 28.95
- #864-000-003AK .250" Classic Red Sight, 4F28C76 35.95
- #864-000-004AK .250" Classic Green Sight, 4F28C76 35.95
- #864-000-001AK .300" Classic Red Sight, 4F28C76 35.95

**STI SEMIAUTO
ADJUSTABLE REAR SIGHT**

**Low Profile, Easy Carry,
Fits Most Semi-Auto Pistols**



Flat blade with anti-glare serrations gives ideal sight picture for target or carry; contoured, resists snagging. Low profile for quick alignment. Machined, solid steel; adjusts for windage and elevation.

SPECS: Steel, matte, black finish. **Rear blade** - .434" (11mm) high, .762" (19.3mm) wide. **Notch** - .110" (2.8mm) wide. Installation requires milling, drilling and tapping of slide. Fits BM-#1 cut.

- #791-256-000AK STI Adjustable Sight 1G47B12 ... \$ 58.99



**TRIJICON®
TRITIUM HANDGUN SIGHTS**

**Low Light Handgun Sights
Without Batteries**



Nighttime and low light shooting tests prove sights equipped with these glowing dots are easier to see and more accurate than instinctive shooting with standard black sights. Rugged, self-luminous, 3-dot Tritium lamps provide their own long-lasting energy source. Lamps are mounted in silicone-sealed, metal cylinders to give maximum protection from breakage or leakage. Polished sapphire, crystal windows give a bright, crisp and perfectly round aiming dot in low light. Inlaid white rings around each sapphire make the sights appear as standard white dots in daylight. Very narrow blades do not have the white ring and will look more like a plain black blade in daylight. Most can be installed in factory dovetail or sight base. Glock® models require use of special Trijicon installation tools to prevent sight damage.

SPECS: Steel, blued with tritium inserts. Sights listed as **Adj.** are adjustable sights to fit guns originally equipped with factory, adjustable sights. Sights listed as **Fxd.** fit guns originally equipped with factory, fixed sights. **S&W** models fit 3rd generation only, will **NOT** fit guns originally equipped with plastic sights. **S&W M&P** fits Smith & Wesson M&P

STOCK #	FITS	PRICE
#892-000-003AK	Beretta Brigadier (Fxd.)	2H113V98 \$ 119.00
#892-000-004AK	Beretta Cougar (Fxd.)	2H113V98 \$ 119.00
#892-000-005AK	Beretta 9000 (Fxd.)	2H113V98 \$ 119.00
#892-000-032AK	Beretta PX4 Storm (Fxd.)	2H113T98 \$ 119.00
#892-103-001AK	Glock 17/17L/19/22/23/24/26/27/33/34/35 (Fxd.)	2H88T96 \$ 92.65
#892-103-002AK	Glock 20/21/29/30/32 (Fxd.)	2H88T96 \$ 92.65
#892-000-007AK	Glock 36 (Fxd)	2H84V79 \$ 89.25
#892-103-102AK	Glock Installation Tool	2H135T51 \$ 139.99
#892-108-006AK	H&K USP (Fxd.)	2H118T15 \$ 123.25
#892-108-007AK	H&K USP Compact (Fxd.)	2H125T10 \$ 131.75
#892-102-001AK	Ruger® P85® (Fxd.)	2H113D98 \$ 119.00
#892-000-009AK	Ruger SP-101®, .357 Mag. front only	2H00VBX \$ 69.99
#892-100-001AK	S&W 9mm, .40 (Adj.)	2H137V61 \$ 144.50
#892-100-004AK	S&W 9mm/40 Full Size (Fxd.)	2H129V27 \$ 136.00
#892-100-012AK	S&W 410 909 910 Full Size (Fxd.)	2H137V61 \$ 144.50
#892-100-007AK	S&W 9mm Full Size, Novak (Fxd.)	2H137V61 \$ 144.50
#892-100-008AK	S&W 9mm Compact, Novak (Fxd.)	2H137V61 \$ 144.50
#892-100-011AK	S&W 4006/4046 Novak (Fxd.)	2H137V61 \$ 144.50
#892-100-009AK	S&W .45 Std., Novak (Fxd.)	2H120V93 \$ 127.50
#892-000-034AK	S&W M&P (Fxd.)	2H137T61 \$ 144.50
#892-000-002AK	S&W Sigma .40 S&W (Fxd.)	2H129V27 \$ 136.00
#892-104-002AK	SIG 3-Dot 220, 229, 240, 245, 2340 (Fxd.)	2H104T25 \$ 109.65
#892-104-001AK	SIG 3-Dot 225, 226, 228, 239 (Fxd.)	2H104T25 \$ 109.65
#892-000-033AK	Springfield XD/XDM (Fxd.)	2H113T98 \$ 119.00
#892-111-001AK	Walther P-99, S&W99 (Fxd.)	2H113V98 \$ 119.00

TRIJICON® FRONT SIGHT

Replace Lost Or Removed Sights

Front sights only, to replace those knocked off or removed for refinishing.

SPECS: Steel body, blued. Self-luminous lamp.

STOCK #	FITS	PRICE
#892-500-100AK	1911 Auto Govt. narrow	2H56V99 \$ 63.99
#892-500-101AK	1911 Auto Govt. wide	2H00VBX \$ 56.99
#892-501-101AK	1911 Auto Commander wide	2H56D99 \$ 67.99
#892-502-101AK	1911 Auto Officers wide	2H56T99 \$ 63.99
#892-505-000AK	Glock (all models)	2H44T48 \$ 62.99
#892-506-225AK	Sig 225/226/228	2H52T82 \$ 63.99
#892-506-220AK	Sig 220/229	2H52T82 \$ 63.99

TRIJICON HD™ NIGHT SIGHTS
Dual Self-Illumination System For Better Visibility In Rapidly Changing Light Conditions



Tactical night sights employ a combination of self-illuminating Tritium inserts and photoluminescent paint for superior visibility in varying low-light conditions. Tritium dots on each side of the rear sight notch align with the front sight dot for a simple, horizontal, three-dot sight picture that's easy to acquire even under stress. Bright orange or yellow outline around the front insert emits a short-term glow of its own that gives the eyes more time to adjust to a rapid reduction in ambient light—such as during a building entry—and pick up the Tritium insert. The outline is charged by exposure to any artificial or natural bright light. Yellow luminesces for approximately 10 minutes when fully charged; orange glows for approximately 5 minutes on a full charge. Fixed rear sight has an angled and serrated rear face to minimize glare, with a wide U-shaped notch to guide your eye quickly to the front sight. Pronounced ridge on the front face enables one-handed racking of the slide in an emergency, yet is contoured so it won't snag during the draw. Rugged, machined steel sight bodies, with rounded no-snap edges. **USA**

SPECS: Steel, blue, matte finish. Green Tritium inserts with Orange or Yellow outline on front sight only. Sold as front/rear sight sets. Gunsmith installation recommended.

STOCK #	FITS	COLOR	PRICE
#892-000-076AK	Glock 17, 17L, 19, 22, 23, 24, 26, 27, 33, 34, 35, 38, 39	Orange	2H125V10 \$ 130.90
#892-000-077AK	Glock 17, 17L, 19, 22, 23, 24, 26, 27, 33, 34, 35, 38, 39	Yellow	2H125V10 \$ 130.90
#892-000-078AK	SIG P225, 226, 228, 239	Orange	2H125V10 \$ 126.65
#892-000-079AK	SIG P225, 226, 228, 239	Yellow	2H125V10 \$ 126.65
#892-000-080AK	Smith & Wesson M&P SD9/SD40	Orange	2H145V95 \$ 153.85
#892-000-081AK	Smith & Wesson M&P SD9/SD40	Yellow	2H145V95 \$ 153.85
#892-000-082AK	Springfield XD/XDM	Orange	2H125V10 \$ 130.90
#892-000-083AK	Springfield XD/XDM	Yellow	2H125V10 \$ 130.90

TRIJICON® REPLACEMENT FRONT SIGHT SCREWS for GLOCK®

Replaces Lost Or Damaged Screws On Night Sights



Replace lost, broken, stripped or rounded off screws on Trijicon front night sights for Glock pistols. $\frac{3}{16}$ " hex head fits standard front sight wrenches used for most threaded Glock front sights. Use with a low to medium strength thread locking agent for a solidly mounted front sight that won't "shoot off." Fits Trijicon brand Tritium front sights for all Glock models. **USA**

SPECS: Steel, matte, blue finish. 5 per pak. 2.5 mm x 0.5 mm thread, .090" long shank, $\frac{3}{16}$ " dia. hex head.

#892-000-049AK Front Sight Screws, 5-pak, 2H00VBX \$ 14.45

VOLQUARTSEN RUGER® MKI/MK II TL 2000 REAR SIGHT



Accurate, Repeatable Settings

Milled from a steel billet for accurate adjustments. Fits factory dovetail on Ruger, Mk I/Mk II equipped with adjustable rear sight. Use original front sight. **USA**

TRUGLO SIGHT SETS for GLOCK®
Advanced Sight Systems For All Shooting Conditions, Day & Night

High quality sight systems offer exceptional brightness in a low profile configuration that won't hang up in your holster or slow you down. CNC machined, steel construction provides superior durability for combat or competition. Dovetailed rear with set screw and screw-on front sight makes replacement of Glock factory sights fast and simple. **USA**

TRITIUM/FIBER OPTIC BRITE-SITE - Advanced T.F.O. technology combines the brightness of fiber optics with the glowing properties of long-lasting tritium. Provides fast sight acquisition and excellent transition from daylight to darkness with highly visible, green or yellow T.F.O. rods. Machined channels in front and rear sight housings provide maximum, ambient light gathering and protect the rods from damage while concealing them from your target. Two-dot rear and single dot, serrated front sight makes alignment easy so you can concentrate on your target. **131GT1** and **131GT2** use green dot front and rear sight. **131GT1Y** and **131GT2Y** use green dot front and yellow rear sight.

SPECS: Steel, matte black. Fiber optic/Tritium rods, green/yellow. Front - .970" (2.46cm) long, .142" (3.6mm) wide. Rear - .950" (2.4cm) long, .720" (1.8cm) wide. **131GT1/131GT1Y** - Fits Glock 17, 17L, 19, 22, 23, 24, 26, 27, 33, 34, 35, 38 and 39. **131GT2/131GT2Y** - Fits Glock 20, 21, 29, 30, 31, 32 and 37.

- #892-000-083AK 131GT1 T.F.O. Brite-Site, Green Front/Rear 2K97V73** \$ 109.99
- #892-000-084AK 131GT2 T.F.O. Brite-Site, Green Front/Rear 2K97V30** 121.99
- #892-000-107AK 131GT1Y T.F.O. Brite-Site, Green Front/Yellow Rear 2K97X85** ... 121.99
- #892-000-108AK 131GT2Y T.F.O. Brite-Site, Green Front/Yellow Rear 2K97X30** ... 121.99

TRITIUM BRITE-SITE - High quality, self-illuminating, tritium tubes glow bright green so you can find your sights, even in complete darkness. Surrounding white ring shows up well in daylight. Popular, three-dot system provides fast sight alignment in high stress situations. No-snap design for standard, carry holsters.

SPECS: Steel, matte black. Sight heights same as factory. Front - .970" (24.6mm) long, .142" (3.6mm) wide. Rear - .650" (16.5mm) long, .720" (18.3mm) wide. **231G1** - Fits models 17, 17L, 19, 22, 23, 24, 26, 27, 33, 34 and 35. **231G2** - Fits models 20, 21, 29, 30, 31 and 32.

- #892-000-085AK 231G1 Tritium Brite-Site, 2K75V86** \$ 89.99
- #892-000-086AK 231G2 Tritium Brite-Site, 2K77V15** 89.99

FIBER OPTIC BRITE-SITE - Fiber optic rods produce a brilliant shine in bright and low light conditions without battery power. Contrasting green rear and orange front ensures fast sight recognition and alignment. Rear sight features two individual fibers for maximum surface area to collect ambient light. Rods are recessed and fully protected in the sight channels to survive the toughest blows and remain hidden from your target.

SPECS: Steel, matte black. Sight heights same as factory. Front - .720" (18.3mm) long, .142" (3.6mm) wide. Rear - .650" (16.5mm) long, .720" wide. **131G1** - Fits models 17, 17L, 19, 22, 23, 24, 26, 27, 33, 34 and 35. **131G2** - Fits models 20, 21, 29, 30, 31 and 32.

- #892-000-087AK 131G1 F.O. Brite-Site 2K52V11** ... \$ 64.96
- #892-000-088AK 131G2 F.O. Brite-Site 2K52V11** 64.96

SPECS: Steel, blue, matte finish. Blade - .767" (19.5mm) wide, .319" (8mm) high. Notch - .11" (2.7mm) wide, .07" (1.8mm) deep. Body - .70" (18mm) wide, 1.4" (3.6cm) long.

#930-000-011AK TL 2000 Sight 3Z56A00 \$ 75.00

TRUGLO SEMI-AUTO TFO BRITE-SITE
Gathers Light & Illuminates For Maximum Sight Visibility In All Conditions



Tritium/Fiber Optic (TFO) technology combines the self-illuminating properties of Tritium with the light-gathering capabilities of fiber optics to ensure fast sight acquisition in any light conditions from daylight to complete darkness. Precision-machined, steel body provides excellent strength to handle the rigors of combat or competition. Low-profile design prevents holster snagging. Fits factory dovetails; rear sight includes setscrew for extra-secure installation on slide. Sold in front/rear pairs. **USA**

SPECS: Steel, matte black finish. Fiber optic/Tritium rods, green front/green rear or green front/yellow rear. Sight heights same as factory. **SIG 9mm/.357** - #8 Front (F) - .952" (2.4cm) long x .166" (4mm) wide. #8 Rear (R) - .917" (2.3cm) long x .625" (1.6cm) wide. **SIG .40/.45** - #6 Front (F) - .965" long x .167" (4mm) wide. #8 Rear (R) - .922" (2.3cm) long x .642" (1.6cm) wide. **S&W M&P** - Front - .920" (2.3cm) long x .355" (9mm) wide. Rear - .867" (2.2cm) long x .820" (2.1cm) wide. **Springfield XD** - Front (F) - .970" (2.5cm) long x .163" (4.2mm) wide. Rear (R) - .905" (2.3cm) long x .618" (1.6cm) wide. Fits all Springfield XD models.

STOCK #	FITS	COLOR (F/R)	PRICE
#902-000-093AK	Sig 9mm/.357	Green/Green	2K96X95 \$ 121.19
#902-000-109AK	Sig 9mm/.357	Green/Yellow	2K98X67 \$ 121.99
#902-000-094AK	Sig .40/.45	Green/Green	2K96X95 \$ 121.19
#902-000-110AK	Sig .40/.45	Green/Yellow	2K96X95 \$ 109.99
#902-000-125AK	S&W M&P	Green/Green	2K103X87 \$ 119.99
#902-000-126AK	S&W M&P	Green/Yellow	2K103X87 \$ 119.99
#902-000-102AK	Springfield XD	Green/Green	2K97X30 \$ 121.99
#902-000-111AK	Springfield XD	Green/Yellow	2K97X28 \$ 121.99

WARRENTACTICAL FRONT SIGHT SCREWS for GLOCK®

Non-Corroding Stainless Steel Replacements For Aftermarket Sights

Stainless steel screws have the standard Glock $\frac{3}{16}$ " hexagonal head but a shorter shank for correct fit on threaded aftermarket front sights from Warren Tactical, Novak, Trijicon, and others. Inexpensive, corrosion-resistant replacements for lost or dinged up screws that came with your sights. Fits standard Glock front sight tool. Use with thread-locking agent to ensure a secure installation. Recommended for all Warren front sights for Glock, including Tactical, Sevigny, Fiber Optic, and Tritium Night Sight models sold individually and in sets. Available in 2- and 5-Paks.

- SPECS:** Stainless steel, natural finish. .110" long shank. $\frac{3}{16}$ " (.188"/4.8mm) diameter head. 3-56 thread pitch.
- #100-006-816AK Glock Front Sight Screws, 2-Pak, 5A04P63** \$ 5.99
 - #100-006-817AK Glock Front Sight Screws, 5-Pak, 5A09P29** 11.99

WEIGAND COMBAT INTERCHANGEABLE FRONT SIGHT SYSTEM

Change Sight Picture To Match Shooting Needs

Steel base features a spring-loaded plunger that lets you interchange front blades. Blades also fit S&W Classic models with quick-change factory front sights.

- SPECS:** Steel base, black, matte, or silver, hard chrome finish. Base: $\frac{1}{4}$ " (6.35mm) wide and high, 1.75" (4.5cm) long. Blade: black, matte finish. .125" (3.2mm) wide. Requires milling of barrel or slide.
- #957-000-005AK Front Sight Base, Blue 7E31V99** ... \$ 39.99
 - #957-000-006AK Front Sight Base, Silver, 7E31V99** 39.99

WRENTECH INDUSTRIES SEMI-AUTO ADVANTAGE TACTICAL SIGHT SET

Innovative, Pyramid Design Speeds Front Sight Acquisition, Improves Accuracy

Proper alignment of front and rear sight forms a unique pyramid shape that aids the shooter in becoming front sight oriented for maximum speed and accuracy. Rear sight alignment becomes primarily peripheral and unconscious to improve concentration on the target, not the sights. Bright, interchangeable inserts make customizing the color combination fast and easy. Front sight forms the top of the pyramid to give precise alignment and eliminates the need to center a traditional front blade in a rear notch. Sides of rear sight angle inward to eliminate snagging and dramatically open up the sight picture. Windage adjustable rear sight locks solidly against the factory dovetail with setscrew pressure. Front sight includes installation tool and metal shims for elevation adjustment. **USA**

SPECS: Steel, black sights w/orange, red, green, yellow, and white polymer inserts. Some fitting may be required.

- #100-003-322AK Glock ATS Sights 2B75H96** \$ 89.99
- #100-003-323AK Springfield XD ATS Sights 2B82H73** . 94.99
- #100-003-324AK Sig Sauer ATS Sights 2B82H73** 94.99

XS SIGHT SYSTEMS SEMI-AUTO TRITIUM EXPRESS SIGHT SET

Fast Sight Pickup In Low Light

High-visibility sight combinations put you on target faster in high stress or low light conditions by pulling your eyes to the front sight. Sight set includes non-tritium, white line V-notch for the rear sight, green tritium dot surrounded by a white ring for the front. Low profile, no-snap design is great for carry and combat competition guns. Matched sight sets offer direct replacement of factory sights. **Big Dot (BD)** front sight has a large, easy-to-see white ring surrounding the tritium dot. **Standard Dot (STD)** front sight has narrow white ring around the tritium dot for precise aiming at longer distances. S&W AirLite Ti replaces pinned front sight on fixed sight guns, requires drilling for pin. **USA**

SPECS: Machined steel, matte black. **Big Dot** - .161" (4mm) diameter dot. **Standard Dot** - .110" (2.8mm) diameter dot. All rear sights are secured with one or two setscrews. All sights are fixed. Gunsmith installation recommended.

STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-102-017AK	#006-098-017AK	Glock 36, all 9mm, .357, .40 Cal.
#006-102-023AK	NA	Glock 20, 21, 29, 30
#006-000-156AK	#006-000-157AK	S&W M&P
#006-102-200AK	NA	SIG 225, 226, 228, 229, 2340, 2009
NA	#006-000-102AK	SIG P239
#006-102-019AK	NA	Walther PPK
— Advise # — BD or STD Sight Set 6K67B50 ... \$ 90.00		
#006-115-003AK	S&W AirLite Ti, Big Dot Tritium, Front only, 6K45H00 54.00

XS SIGHT SYSTEMS 24/7 TRITIUM EXPRESS REVOLVER FRONT SIGHTS

Easy-To-See In Any Light; Ideal For Concealed Carry

Replacement front sights have a high-visibility white outline surrounding a Tritium insert for easy sight acquisition in any type of light from bright sunlight to nighttime. Low, streamlined, no-snap shape makes these sights excellent for concealed carry guns. Fits factory dovetails. **USA**

SPECS: Machined steel, matte black finish. **S&W J-Frame** - .161" (4mm) dia. dot; **LCR** - .110" (2.8mm) dia. dot. Both sights fit factory dovetails. Gunsmith installation recommended.

- #006-000-173AK S&W J-Frame 24/7 6K42B86** \$ 54.00
- #006-000-171AK Ruger LCR 24/7 6K42B86** 54.00

WARRENTACTICAL PISTOL SIGHTS



"Working" Sights For Duty, Carry, Or Competition; Fiber Optic & Tritium Options

Used by numerous IDPA and USPSA National champions, as well as law enforcement professionals, these streamlined, steel sights are built for fast target acquisition. A variety of front and rear sight configurations, including fiber optics, self-illuminating Tritium inserts, and plain black, let you mix and match for carry, competition or tactical operations. Designed to fit factory dovetails with little to no fitting required. Ramped **Front Sights** are available with a black, serrated rear face to minimize glare, interchangeable bright red or green fiber optic rods for fast acquisition in diverse light conditions, or Tritium inserts with white ring outline. **Rear Sights** have a non-serrated face and are available in plain matte black for optimal contrast in bright light, as well as in 1-dot or 2-dot Tritium configurations for low light and night use. Drift-adjustable for windage, with a locking setscrew to hold the setting. **Tactical** rear sight features a unique Wave Profile contour with concave corners for an extra wide field-of-view and smooth, no-snap removal from the holster. U-shaped notch has gently radiused corners to help direct the eye quickly to the front sight acquisition. **Sevigny Competition** rear sight features a plain, square notch and a crisp, clear outline with no serrations, points, edges, or other distractions. Rear face slopes back toward the shooter at the top to prevent glare. **Sevigny Carry** has the same features as the Competition, plus rounded edges on the rear face to resist snagging on clothing during carry or unholstering.

SPECS: Hardened steel, matte black finish. **Fiber Optic** sights come with 1 red and 1 green rod, 2" long x .040" dia. **Tritium** - Front sights: Green with .100" dia. inlaid white ring outline. .050" dia. Tritium lamp. Rear sights: Yellow. .040" dia. Tritium lamp. **Sight Sets** - Front and rear sights are fully regulated. **Front Sights** - All have serrated rear face, except Tritium. Front sights for Glock include hexagonal mounting screw. **Rear Sights** - Sevigny - .150" wide notch. **Tactical** - .145" wide notch.

SIGHT SETS for GLOCK®

STOCK #	STYLE		PRICE
	Rear	Front	
#100-003-026AK	Tactical	Black Serrated	5A49Y99 \$ 59.99
#100-005-159AK	Tactical	Tritium 1-Dot	5A71V16 \$ 86.99
#100-005-172AK	Tactical Tritium	Tritium 1-Dot	5A103V96 \$ 119.99
#100-003-609AK	Tactical Tritium	Tritium 1-Dot	5A111V96 \$ 129.99
#100-003-027AK	Sevigny Competition	Black Serrated	5A61V56 \$ 84.99
#100-003-608AK	Sevigny Competition	Fiber Optic	5A75V99 \$ 89.99
#100-005-125AK	Sevigny Carry	Black Serrated	5A47V96 \$ 59.95
#100-005-144AK	Sevigny Carry	Fiber Optic	5A61V56 \$ 74.99
#100-005-160AK	Sevigny Carry	Tritium 1-Dot	5A71V16 \$ 86.99
#100-005-173AK	Sevigny Carry	Tritium 1-Dot	5A103V96 \$ 119.99

REAR SIGHTS for GLOCK®

STOCK #	STYLE	PRICE
#100-005-108AK	Tactical	5A31V16 \$ 38.95
#100-005-136AK	Tactical w/1-Dot Tritium	5A65V56 \$ 77.99
#100-005-166AK	Tactical w/2-Dot Tritium	5A75V16 \$ 89.99
#100-005-114AK	Sevigny Competition	5A39V16 \$ 46.99
#100-005-109AK	Sevigny Carry	5A31V16 \$ 38.95
#100-005-137AK	Sevigny Carry w/1-Dot Tritium	5A65V56 \$ 77.99

FRONT SIGHTS for GLOCK®

STOCK #	STYLE	H x W	PRICE
#100-005-081AK	Gunsmith Blank w/Serr. Face	.3 x .125	5A29V56 \$ 34.99
#100-005-075AK	Black Serrated	.215 x .125	5A20V76 \$ 25.95
#100-005-080AK	Black Serrated	.245 x .125	5A20V76 \$ 25.95
#100-005-092AK	Black Serrated	.185 x .115	5A22V36 \$ 27.99
#100-005-093AK	Black Serrated	.215 x .115	5A22V36 \$ 27.99
#100-005-094AK	Black Serrated	.245 x .115	5A22V36 \$ 27.99
#100-005-100AK	Fiber Optic	.185 x .115	5A30V36 \$ 36.99
#100-003-610AK	Fiber Optic	.215 x .115	5A30V36 \$ 36.99
#100-005-103AK	Fiber Optic	.245 x .115	5A30V36 \$ 36.99
#100-005-119AK	1-Dot Tritium	.185 x .125	5A39V96 \$ 47.99
#100-005-121AK	1-Dot Tritium	.215 x .125	5A39V96 \$ 47.99
#100-005-122AK	1-Dot Tritium	.245 x .125	5A39V96 \$ 48.99

S&W M&P SIGHT SETS

STOCK #	STYLE		FITS	PRICE
	Rear	Front		
#100-005-123AK	Tactical	Black Serrated	Full Size/Compact	5A47V96 \$ 59.95
#100-005-141AK	Tactical	Fiber Optic	Full Size/Compact	5A61V56 \$ 72.99
#100-005-143AK	Tactical	Fiber Optic	Pro/L Series	5A61V56 \$ 72.99
#100-005-156AK	Tactical	Tritium 1-Dot	Full Size/Compact	5A71V16 \$ 82.99
#100-005-170AK	Tactical	Tritium 1-Dot	Full Size/Compact	5A103V96 \$ 119.99
#100-005-171AK	Tactical	Tritium 1-Dot	Pro/L Series	5A103V96 \$ 119.99
#100-005-177AK	Tactical	Tritium 2-Dot	Full Size/Compact	5A111V96 \$ 129.99
#100-005-178AK	Tactical	Tritium 2-Dot	Pro/L Series	5A111V96 \$ 129.99
#100-005-130AK	Sevigny Competition	Black Serrated	Full Size/Compact	5A61V56 \$ 72.99
#100-005-150AK	Sevigny Competition	Fiber Optic	Full Size/Compact	5A69V56 \$ 82.99
#100-005-152AK	Sevigny Competition	Fiber Optic	Pro/L Series	5A69V56 \$ 82.99

S&W M&P FRONT SIGHT

STOCK #	STYLE	H x W	FITS	PRICE
#100-005-096AK	Fiber Optic	.165 x .115	Full Size/Compact	5A29V56 \$ 36.95
#100-005-101AK	Fiber Optic	.190 x .115	Pro/L Series	5A30V36 \$ 36.99
#100-005-116AK	1-Dot Tritium	.165 x .125	Full Size/Compact	5A39V96 \$ 47.99
#100-005-120AK	1-Dot Tritium	.190 x .125	Pro/L Series	5A39V96 \$ 47.99

S&W M&P REAR SIGHT

STOCK #	STYLE	FITS	PRICE
#100-005-106AK	Tactical	Full Size/Compact	5A31V16 \$ 38.95
#100-005-107AK	Tactical	Pro/L Series	5A31V16 \$ 38.95
#100-005-134AK	Tactical	Full Size & Compact	5A65V56 \$ 75.99
#100-005-113AK	Sevigny Competition	Pro/L Series	5A37V56 \$ 46.95

WILLIAMS FIRE SIGHTS

Glowing Fiber Optic Dots For Fast Sight Pickup



Direct replacements for factory sights on popular handguns gather ambient light for superb visibility. The more light, the brighter the rods glow. Easy-to-acquire 3-dot sight picture; front sight has red insert, rear has two green inserts. The Fire Sights for guns originally equipped with fixed sights are also fixed. If the gun was originally equipped with an adjustable rear sight, the Fire Sight will be adjustable for windage and elevation. **SPECS:** Aluminum body, black finish. Fiber Optic Rods - 1 red rod in front sight, 2 green rods in rear sight.

STOCK #	FITS	TYPE	PRICE
#962-000-022AK	Browning Buckmark w/rear sight more than 1" long	Adj.	2F47B61 \$ 55.50
#962-563-620AK	Colt 1911 Series 80	Fixed	2F38D57 \$ 44.99
#962-563-590AK	Glock, all models	Fixed	2F38D95 \$ 49.95
#962-000-093AK	Ruger® GP100®, Redhawk®, Super Redhawk®, Super Blackhawk® Hunter	Adj.	2F48B50 \$ 59.99
#962-000-095AK	Ruger® Mark II/III™ w/ 6/8" tapered barrel	Adj.	2F48B50 \$ 59.99
#962-000-094AK	Ruger® Mark II/III™ and 22/45™ w/bull and slab-sided bbl	Adj.	2F48B65 \$ 59.99
#962-563-600AK	Ruger P-Series (all except P-85™)	Fixed	2F38D57 \$ 44.99
#962-000-096AK	Ruger® New Model Single Six® (.22 & .32 cal.)	Adj.	2F48B50 \$ 59.99
#962-000-097AK	Ruger® SR9®/SR40™	Adj.	2F48B50 \$ 59.99
#962-000-091AK	Smith & Wesson M&P, all models	Fixed	2F38B57 \$ 44.99
#962-000-053AK	Springfield XD, all models	Fixed	2F38B57 \$ 44.99
#962-000-052AK	Taurus 111/132/138/140/145/ Millennium/Millennium Pro w/screw-on sights	Fixed	2F38B57 \$ 44.99
#962-000-086AK	Taurus 100/111/140/145/745/24-7/ Millennium/Millennium Pro w/dovetail sights	Fixed	2F40B01 \$ 49.95

XS SIGHT SYSTEMS EXPRESS SIGHT SET for GLOCK®



Low Profile, High Visibility, Rapid Sight Picture

White line, V-notch rear sight and white dot front post pull your eye to the front sight in high stress or low light conditions. Presents a very fast, highly visible sight picture to get you on target quickly. Low-profile, no-snap design (top of the front sight body is even rounded) is great for carry and combat competition guns. Matched front and rear sets offer direct replacement of factory sights. **Big Dot** provides improved speed when engaging targets at close range. **Standard Dot** gives better long range accuracy. **SPECS:** Machined steel, matte black. **Big Dot (BD)** .161" (4mm) dia. dot. **Standard Dot (STD)** .110" (2.8mm) dia. dot. Fits factory dovetails on all 9mm, .40 S&W, and .357 Sig Glock pistols, including G36. All sights are fixed. Gunsmith installation recommended. **#006-099-017AK BD Sight Set for Glock 6K45B00 . \$ 60.00** **#006-100-017AK STD Sight Set for Glock, 6K45B00 60.00**

SIG REAR SIGHTS

STOCK #	STYLE	FITS	PRICE
#100-005-097AK	Tactical	Sig 220/226	5A31V16 \$ 38.95

SPRINGFIELD XD REAR SIGHTS

STOCK #	STYLE	FITS	PRICE
#100-005-105AK	Tactical	All	5A31V16 \$ 38.95

XS SIGHT SYSTEMS SEMI-AUTO 24/7 TRITIUM EXPRESS SIGHT SET

Quick Sight Acquisition, Day or Night



Matched sight set features green tritium on both the front and rear sights for fast pickup under any light conditions. Rear sight features vertical tritium bar with a highly visible, white border; front includes tritium dot surrounded by a white ring. Rounded, low profile design won't slow your draw. Designed to directly replace factory sights. **Standard Dot (STD)** front sight has narrow, white ring around the tritium dot for precise aiming at longer distances. **Big Dot (BD)** front sight has a large, easy-to-see white ring surrounding the tritium dot. **SPECS:** Machined steel, matte black. **Big Dot** .161" (4mm) diameter dot. **Standard Dot** .110" (2.8mm) diameter dot. 1911 Govt, Comm, Officers: Rnd. fits round top slides. Novak fits slides with Novak-style sight cut. Older Browning HP requires .303" x 60° front sight dovetail. 1911 front requires 65° x .330" x .075" front sight dovetail. All rear sights are secured with two set screws. **Para P13/P14 Limited** rear sight has adjustment screws for elevation. Gunsmith installation recommended.

STOCK # BD TRIT EXP SET	STOCK # STD TRIT EXP SET	FITS
#006-000-040AK	#006-000-060AK	Browning HP & Mk II std. dovetail
#006-000-132AK	NA	Charles Daly EMS
#006-115-002AK	#006-000-061AK	Glock, all 9mm, .357, 40, and Glock 36
#006-000-041AK	#006-000-062AK	Glock 20, 21, 29, 30
#006-000-052AK	NA	Kimber Compact
#006-115-004AK	#006-000-074AK	Kimber Custom & Ultra Carry
#006-115-001AK	#006-000-063AK	1911 Govt. Rnd
#006-000-042AK	#006-000-064AK	1911 Govt. Rnd Novak
#006-000-043AK	#006-000-065AK	1911 Comm. Rnd
#006-000-120AK	#006-000-121AK	Para P10, P12, C6.45, C7.45
#006-000-122AK	#006-000-123AK	Para P13, P14 Limited Adj.
#006-000-172AK	NA	Ruger® SR9®
#006-000-055AK	NA	SIG 220
#006-000-056AK	#006-000-079AK	SIG 225, 226, 228, 229, 2340, 2009
#006-000-049AK	NA	S&W 4006, 5903, 5906, CSpl 9mm
#006-000-046AK	#006-000-068AK	Springfield 1911 Loaded
#006-000-048AK	NA	Springfield Ultra & Micro Compact
#006-000-056AK	#006-000-079AK	Springfield XD & HS2000
— Advise # —	24/7 Express Sight Set, except P13/P14 & SR9 6K90V00	\$ 108.00
— Advise # —	24/7 Express Sight Set, P13/P14 Limited, 6K112V50	\$ 135.00
— Advise # —	24/7 Express Sight Set, Ruger SR9, 6K85B71	\$ 108.00

XS SIGHT SYSTEMS PRO EXPRESS SIGHT

Easy-To-See White Line Or Tritium



All steel, fully adjustable for windage and elevation. V-rear blade gives fast sight alignment. Vertical, white line, or tritium bar provides a quick focal point with the front sight. Use with a tritium or white Big Dot front sight for a bar-dot setup. **SPECS:** Steel, black, matte. **Rear Sight: Blade** - .760" (19.3mm) wide, .385" (9.8mm) high. **Body** - 1.5" (3.7mm) long, .72" (17.5mm) wide. Fits BM-1 sight cut. Use with .180" high front sight. **Front Sight:** fits 65° x .330" x .075" dovetail. .180" high. .161" (4mm) dia. dot. **#006-000-021AK White Line Express Rear Sight, 6K50D00 \$ 60.00** **#006-000-022AK Trit. Express Rear Sight 6K75D00 \$ 90.00** **#006-000-025AK White Big Dot Front Sight 6K22D50 30.00** **#006-000-026AK Tritium Big Dot Front Sight, 6K45D00 \$ 60.00**