

**PISTOL INDEX**

Barrels . . . . .	207-208	Magazines & Parts . . . . .	212-216
Frames/Slides . . . . .	206-207	Magwells . . . . .	211
Grips & Screws . . . . .	221-222	Safeties . . . . .	208
Guide Rods . . . . .	208-210	Springs . . . . .	216-218
Ignition Parts . . . . .	210-211	Triggers & Components . . . . .	218-220
Mag & Slide Releases . . . . .	211-212		



**BROWNELLS**  
9mm SLIDE KIT for GLOCK®



Stainless Steel Slide Plus OEM Internal Parts For Custom Builds Or Upgrades

Convenient kit lets you upgrade an existing Glock pistol with a high-grade stainless steel slide, or build a new one from the ground up on a suitable frame. The One Source Tactical 9mm slide comes in both Model 17 and 19 lengths, with a choice of pre-machined dovetails for factory sights or a low-profile installation of the popular Trijicon RMR red dot sight. Add your choice of barrel, recoil system, and sights; the kit includes the rest of the internal slide components – all Glock factory parts. Slide can be plated, coated, or painted with the finish of your choice or left in natural silver to give your pistol a unique appearance. **USA**  
**SPECS:** Stainless slide with 9mm breech face. Models available to fit G17 or G19 frames. Both available with dovetails for factory open sights or Trijicon RMR red dot sight. Kit also contains: firing pin, with spring, spring cups, spacer sleeve, safety, safety spring, and channel liner; extractor with depressor plunger, spring, and spring-loaded bearing; and slide cover plate.

- #100-008-808AK Slide Kit for Glock 17, Std Sight Cut, 4H357P33 . . . . . \$ 379.99
- #100-008-810AK Slide Kit for Glock 17, RMR Sight Cut, 4H357P33 . . . . . 379.99
- #100-008-812AK Slide Kit for Glock 19, Std Sight Cut, 4H357P33 . . . . . 379.99
- #100-008-815AK Slide Kit for Glock 19, RMR Sight Cut, 4H357P33 . . . . . 379.99



**ONE SOURCE TACTICAL**  
TACTICAL SLIDE for GLOCK®

Makes Your Glock Look Unique; Available With Built-In Trijicon RMR Sight Mount



Guns and sight not included

Machined from stainless steel for strength and superb resistance to corrosion under harsh conditions. Available with built-in mount for ultra-low-profile installation of Trijicon RMR sight, or with standard factory sight dovetails. Natural silver finish

**GUNCRAFTER INDUSTRIES**  
50 GI® CONVERSION SYSTEM for GLOCK®



Steps Up Large-Frame Glock Pistol To Powerful .50 Caliber Cartridge

Drop-in conversion system replaces the top end of your Glock 20/21 pistol and converts it to fire the hard-hitting, yet controllable, 50 GI cartridge. Developed by Guncrafter, the 50 GI's head is the same diameter as a .45 ACP, so the rest of your pistol remains stock, allowing easy conversion back to the original caliber. 50 GI ammo can be loaded to drive a 185 grain bullet at 1,200fps, with a felt recoil similar to 230 grain .45 ACP ball ammo. Delivers greater knock-down power, while remaining controllable during rapid fire. Conversion unit comes fully assembled with 4½" stainless steel barrel, firing pin, and guide rod with captive recoil spring. Slide and barrel are precision machined from stainless steel forgings to the same exacting tolerances as the original factory components. Non-reflective, matte finish is durable and good-looking. Black polymer fixed sights with easy to acquire white dot on front sight and U-shaped white outline around rear sight notch. The SF-style magazine uses a modified .45 ACP follower and has an extended base pad that allows it to hold 9 rounds; convenient witness holes at the rear. Fits standard mag pouches for .45 caliber Glock mags. Cut for SF-style magazine catch. Additional magazines available separately. **USA**  
**SPECS:** Slide/Barrel Assembly - Stainless steel, matte finish. Magazine - Stainless steel liner, black polymer shell, base pad, and follower. 9-round capacity. May require some fitting of conversion unit's locking lug and/or pistol's locking block. Fits Glock 20/21 pistols only.

- #100-003-756AK 50 GI Conversion System for Glock, 9A00HDZ . . . . . \$ 599.99
- #100-003-757AK 9-Rd Magazine for 50 GI Conversion, 9A00YTP . . . . . 50.95

gives your Glock a unique two-tone appearance; may also be coated, plated, or painted. Slide is precisely machined to match tolerances and accepts all OEM internal components or aftermarket parts built to the same dimensions. Models available for Glock 17 or 19.

- SPECS:** 17-4 stainless steel, silver, natural finish.
- #100-008-539AK Glock 17 Slide w/Standard Sight Cuts, 2G00ZAY . . . . . \$ 269.99
  - #100-008-782AK Glock 17 Slide w/RMR Sight Cut, 2G00ZAY . . . . . 269.00
  - #100-008-727AK Glock 19 Slide w/Standard Sight Cuts, 2G00BXC . . . . . 269.00
  - #100-008-783AK Glock 19 Slide w/RMR Sight Cut, 2G00PUA . . . . . 269.00

**SIGARMS® P220/P226/P229R**  
.22 LR RIFLE CONVERSION KIT



Use Low Cost .22 LR Ammo For Practice

Factory rimfire conversion unit lets you shoot inexpensive .22 LR ammunition in your full-size pistol, so you can hone your shooting skills and save money at the same time. Easy installation, simply remove the factory slide, barrel, and recoil spring/guide and replace them with the rimfire unit. High contrast target sights feature one .1" (2.5mm) diameter white dot front sight and two .08" (2mm) white dots on the rear sight to form an easy-to-align, 3-dot sight picture. Rear sight is "click" adjustable for windage and elevation. Factory manufactured so you know it will fit and function properly. Slide is precision machined from solid aluminum billet and hardcoat anodized for durability. Includes polycarbonate 10-round magazine with slotted witness holes on each side for easy round counting. Removable base pad allows easy cleaning. Includes hardshell plastic carrying case. Additional magazines available separately.

- SPECS:** Slide - Aluminum, black, matte finish. Barrel - Steel. Magazine - Polymer, matte black. Includes: Slide, barrel, recoil spring/guide, 10-round magazine, rear sight key, and Allen wrench. Fits P220, P226 excluding X5, and P229R with rail.
- #732-000-439AK P220 Conversion Kit 2C309Z99 . . . \$ 329.99
  - #732-000-440AK P226 Conversion Kit 2C249Z99 . . . 269.99
  - #732-000-441AK P229R Conversion Kit 2C334Z99 . . . 349.99
  - #732-000-442AK P220 Extra 10-Rd Mag 2C41Z16 . . . 51.99
  - #732-000-443AK P226 Extra 10-Rd Mag. 2C49Z51 . . . 58.99
  - #732-000-444AK P229R Extra 10-Rd Mag. 2C41Z16 . . . 51.99



**TACTICAL SUPPLY DEPOT**  
MAGAZINE BASE/SLIDE PLATE KIT for GLOCK®

Matching Logo'd Parts Personalize Your Glock

Replace the factory-supplied plastic magazine base plate and rear slide plate on your Glock with machined aluminum parts featuring a distinctive, laser-etched logo that gives your pistol a unique, personal touch. Hardcoat anodizing adds extra strength, and resists scuffs and wear. Logos will not fade or wear off. Slide plate is a drop-in fit, so no modification the slide is required. Magazine plate slides on and off magazine body just like the factory plate; made to extremely close tolerances and may require minor fitting. Available with patriotic **American Flag**, aggressive death's head **Punisher**, international **Bio-Hazard**, or **Smiley Face** logo. **USA**  
**SPECS:** 6061 T6 aluminum, hardcoat anodized, matte black finish with white logo.

STOCK #	STOCK #	DESCRIPTION
9mm/.40 S&W	.45ACP	
#080-000-858AK	#080-000-854AK	Smiley Face
#080-000-859AK	#080-000-855AK	Biohazard
#080-000-860AK	#080-000-856AK	American Flag
#080-000-861AK	#080-000-857AK	Punisher

- Advise - Magazine Base/Slide Plate Kit 8K35A00 \$ 44.99

**JENTRA GRIP PLUGS for GLOCK®**



Keeps Dirt Out Of Grip Frame

Snaps into the opening at the rear of the Glock grip frame for a cleaner appearance, plus keeps dust, dirt, snow and water out of the gun. Creates a perfect location for adding extra weight to competition guns or to counter recoil on light, carry guns. Easily removed, does not alter gun. **USA**  
**SPECS:** Synthetic material, black. **Grip Plug for Glock** fits models 17, 19, 20, 21, 22, 23, 24, 25, 31, 32, 34, 35. **Plug for Mini Glock** fits Models 26, 27 and 33. Does not fit Models 29 and 30. **Plug for Glock Gen4** fits Gen4 Glock 17, 19, 22, and 23 only. Can be used with the factory backstrap inserts on or off. Includes steel attachment screw.

- #463-100-017AK Grip Plug for Glock 3F05P21 . . . . . \$ 6.99
- #463-000-001AK Grip Plug for Mini Glock 3F05P00 . . 6.95
- #463-000-002AK Grip Plug for Glock 30 3F06P36 . . . . 7.95
- #463-000-004AK Grip Plug for Glock 21SF 3F05P00 . . 6.95
- #463-000-008AK Grip Plug for Glock Gen4 3F05P75 . . 7.99

**NOWLIN**  
TACTICAL LANYARD PLUG for GLOCK®



Positive Weapon Retention Without Additional Bulk & Weight

Molded, nylon plug provides Glock pistols a positive, fail-safe weapon retention loop for attachment of tactical lanyards. Inserts into the grip recess, and secures with an Allen screw. Accepts nominal ⅜" diameter nylon lanyard line. Fits models 17 through 23. **USA**  
**SPECS:** Black nylon with polished stainless steel loop. Fits Glock 17/19/20/21/22/23. Includes Allen wrench.

- #654-000-050AK Tactical Lanyard Plug 4E14X87 . . . \$ 17.95

**PEARCE GRIP**  
GRIP FRAME INSERT for GLOCK®



Fills The Opening In Glock Frames For Smoother Reloading

Plastic plug installs in the bottom rear cavity of the frame to fill the opening found in Glock pistols. Front "lip" forms a tight, flush bond with the mag well to help make sure the mag goes where it should, smoothly. Keeps dirt and debris from finding its way inside the pistol and gives a clean, smooth look. Uses the lanyard hole for retention to snap firmly into place. **Glock Plus Zero** fits Models 17 through 25, 31, 32, 34, 35, 37, and 38. Other inserts fit the Glock models indicated in the price lines below. Does not add extra rounds. **USA**  
**SPECS:** Impact-resistant plastic, black. One per pack. Does not fit Glock Gen IV guns with interchangeable grips.

- #092-000-009AK **Glock Plus Zero** Grip Frame Insert, 2K04U00 . . . . . \$ 5.99
- #092-000-011AK G26/27/33/39 Grip Frame Insert, 2K04U00 . . . . . 5.99
- #092-000-013AK G29/30 Grip Frame Insert, 2K04U00 . . . . . 5.99
- #092-000-014AK G20SF/21SF Grip Frame Insert, 2K04U00 . . . . . 5.99
- #092-000-016AK G36 Grip Frame Insert, 2K04U00 . . . . . 5.99



**FOR INTERNAL COMPONENTS**  
**SEE GLOCK® FACTORY PARTS**

**SCHERER SLUG PLUG™ for GLOCK®**  
Aids Grip, Keeps Frame Clean

Fills the opening at the bottom of the frame, keeps dirt out; serves as a mag well for fast, positive magazine changes. Snaps into place; provides a convenient location to locate lead weight on competition guns. **SP-1** fits standard frame Glock in 9mm/.40 S&W/.357 SIG. **SP-4** fits Model 36. **SP-5** fits Model 21 short frame. **SPECS:** Synthetic material, black.



- #861-101-001AK SP-1 Slug Plug 1F04B32 ..... \$ 5.76
- #861-101-004AK SP-4 Slug Plug 1F04B32 ..... 5.76
- #861-000-024AK SP-5 Slug Plug 1F04B95 ..... 5.95

**SUNSET ENTERPRISES**  
**SUNSET INSERT for GLOCK®**

Keeps Debris & Dirt Out;  
Stores One Additional Round



Lightweight, plastic plug with a unique hinged cover design fills the void at the back of your Glock's grip plus provides convenient snap-top storage for one additional round, laser batteries, tools or other small accessories. No gunsmithing required for installation; plug unit is retained in the grip void by snapping the raised bump into the factory lanyard hole. **SPECS:** Plastic, matte finish, black. 1.2" (3.2cm) long. Fits Glock models 22, 23, 24, 31, 32 & 35.

- #100-002-521AK Sunset Glock Insert 5A08P64 .... \$ 12.95

**PRO MAG GSG-5P**  
**THREAD ADAPTER**

Lets You Install An AR-15 Muzzle Device On Your GSG-5P Pistol



Steel adapter screws into the front sight tower to enable installation of a wide range of popular muzzle accessories on your GSG-5P. 22 LR pistol. Standard 1/2"-28 tpi male threads accept an AR-15-type flash hider or muzzle brake, while three, integral lugs accept H&K-type, twist-on sound suppressors. Included thread cap protects threads when a hider or brake is not installed. **SPECS:** Steel, phosphate coated, black. 2" (5.1cm) long, 7/8" (2.2cm) diameter, 1.4 oz. (39g) weight. Front Threads: 1/2"-28 tpi male. Rear Threads: 9/16"-24 tpi male.

- #687-000-071AK GSG-5P Thread Adapter 7H34V23 \$ 44.49

**VOLQUARTSEN RUGER® MARK II/III**  
**V-COMP**



Great Pointability & Recoil Control

Large, single chamber compensator gives almost recoil-free rimfire shooting. Plus, the extra weight gives a steady sight picture. **Bull** fits Mark II/III and 22/45™ with bull barrel. **Slab-Side** fits Competition Slab-Side barrel only. Available with front sight or plain, without sight cut. **SPECS:** Stainless steel or black, painted finish. 2.25" (5.7cm) long, 1.2" (2.6cm) O.D. 3.6 oz. (102 g) wt. Includes instructions and Allen wrench. **Clamp-On** fits Mark II/III standard tapered barrel. Does not fit 6 7/8" and 10" Target models. **Bull** fits Ruger Mark II/III and 22/45 with 4", 5 1/2" 6 7/8" long, .875" O.D. bull barrel. Does not fit factory 10" bull barrel. Includes front target sight. **Slab-Side** fits Mark II/III Competition, Slab-Side model. Available with target front sight or plain, with no sight cut.

- #930-022-001AK Bull V-Comp, Black, 3Z48U28 ..... \$ 55.99
- #930-022-002AK Bull V-Comp, SS 3Z46U67 ..... 58.34
- #930-022-003AK Slab-Side V-Comp, w/Sight, 3Z60U00 ..... 80.00
- #930-000-033AK Slab-Side V-Comp, No Sight Cut, 3Z60C00 ..... 80.00

**LSP HIGH STANDARD MATCH BARREL**




Replace Worn Or Shot-Out Barrels  
With Accurate, Match-Quality Models

Precision-machined from Douglas Premium blanks and cut with a special match chamber. Two models: **Match Bull Barrel** is full-contour for greater forward weight, adds the "muzzle-heavy" feel. **Match Aluma-Lite Barrel** features a turned down forward section that's sleeved with aluminum to help compensate for the weight of red-dot optics or a scope. Both feature a recessed target crown and are pre-drilled to accept the **LSP Scope Mount** listed elsewhere. Fits push-button, take-down models of High Standard. **SPECS:** Steel, polished blue or matte silver finish. Chambered .22 long rifle. 5 1/2" (14cm) long, .90" (22.8mm) diameter. **Bull**, 14.6 oz. (414 g), **Aluma-Lite**, 9.7 oz. (274 g) wt.

- #530-100-100AK Bull Barrel for Hi Standard, 3E115U20 ..... \$ 135.00
- #530-100-102AK Aluma-Lite Barrel for Hi Standard, 3E132U27 ..... 155.00

**HIGH STANDARD**  
**FACTORY PISTOL BARRELS**



Factory Made For Best Fit & Accuracy

Restore or customize your High Standard pushbutton, take-down pistol with a factory replacement barrel. All barrels are drilled and tapped for High Standard Universal Scope Mount (#430-000-122). Models with front sight cut or tap, as well as cuts for muzzle stabilizer, are noted in chart. Sight not included. **SPECS:** Steel, blued, gloss or matte finish. Available in .22 LR and .17 High Standard (.17 P/MC, .17 Aguila) calibers and three contours: Round (R), Fluted (F), and Slab-Sided (S).

.22 LONG RIFLE						
STOCK #	LENGTH	CONTOUR/ FINISH	STAB. CUT	SIGHT CUT		PRICE
#430-000-135AK	4 1/2"	S/Gloss	N	Tapped	3D145H40	\$ 181.75
#430-000-107AK	5 1/2"	R/Gloss	Y	Dovetail	3D128C64	\$ 160.80
#430-000-136AK	5 1/2"	S/Matte	N	Tapped	3D137H20	\$ 171.50
#430-000-126AK	5 1/2"	S/Gloss	N	Tapped	3D229H91	\$ 287.39
#430-000-124AK	5 1/2"	Bull R/Matte	Y	Dovetail	3D198H08	\$ 247.61
#430-000-109AK	5 1/2"	Bull R/Matte	N	Dovetail	3D118C28	\$ 147.85
#430-000-110AK	5 1/2"	Bull S/Matte	N	No	3D113C88	\$ 143.99
#430-000-125AK	7 1/4"	F/Matte	Y	Dovetail	3D226H61	\$ 283.26
#430-000-108AK	7 1/4"	F/Gloss	Y	Dovetail	3D183C70	\$ 229.63
#430-000-123AK	10"	Silhouette R/Matte	N	No	3D212H31	\$ 265.39
#430-000-241AK	10"	Heavy R/Gloss	N	No	3D186H36	\$ 232.99
.17 HIGH STANDARD						
STOCK #	LENGTH	CONTOUR/ FINISH	STAB. CUT	SIGHT CUT		PRICE
#430-000-243AK	5 1/2"	S/Gloss	N	Tapped	3D149Z97	\$ 187.46
#430-000-240AK	5 1/2"	Trophy R/Gloss	N	Dovetail	3D141H79	\$ 177.24
#430-000-242AK	7 1/4"	Heavy R/Matte	N	No	3D163H21	\$ 204.01
#430-000-241AK	10"	Heavy R/Gloss	N	No	3D186H36	\$ 232.99

**LONEWOLF**  
**THREADED BARREL for GLOCK®**



Threaded For Compensator, With Conventional Rifling &  
Fully Supported Chamber

Match-grade barrel has a threaded muzzle to enable mounting of a compensator or suppressor. Machined from a 416 stainless forging to tighter-than-factory tolerances for drop-in fit and improved lockup, with conventional land-and-groove rifling for excellent potential accuracy with both lead and jacketed ammunition. The improved feed ramp design ensures proper feeding with a wide variety of bullet types and provides maximum chamber support. Thread protectors sold separately. **SPECS:** 416 stainless steel, non-reflective black oxide finish. Fits all generations of the Glock models listed below, including Gen 4. Muzzle thread patterns: **Model 17/19** - 1/2"-28 tpi; **Model 21** - .578"-28 tpi; **Model 22** - 9/16"-24 tpi. **Thread Protectors** - 303 stainless steel, knurled, black oxide finish.

- #100-007-597AK Model 17 Threaded Barrel, 9mm, 2K106Y60 ..... \$ 129.95
- #100-007-598AK Model 19 Threaded Barrel, 9mm, 2K119Y99 ..... 138.00
- #100-007-599AK Model 21 Threaded barrel, .45 ACP, 2K106Y60 ..... 129.95
- #100-007-600AK Model 22 Threaded Barrel, .40 S&W, 2K106Y60 ..... 129.95
- #100-007-601AK 17/19 Thread Protector, 1/2"-28, 2K10Y75 ..... 13.45
- #100-007-602AK 22 Thread Protector, 9/16"-24, 2K10Y65 ..... 13.45
- #100-007-603AK 21 Thread Protector, .578"-28, 2K10Y65 ..... 13.45

**STORM LAKE PRE-FIT BARRELS for GLOCK®**



Provides Easy Installation & Superb Accuracy;  
Stainless Steel Gives Unique Contrast To Black Slide

Machined, 416 stainless steel barrels are held to tolerances of .001" to ensure maximum accuracy and a precision fit. Features cut-broach rifling with 1-16 twist that's great for cast bullets. May require minor fitting. **SPECS:** 416 Stainless steel, matte finish. Rc 40-42.

STOCK #	MODEL/CAL.	LENGTH	PRICE
#842-000-003AK	17/9mm	4.5" (11.4cm)	2D139H99 \$ 149.99
#842-000-004AK	17L/9mm	6" (15.2cm)	2D162H84 \$ 188.99
#842-000-034AK	19/9mm	4" (10.16cm)	2D139H99 \$ 149.99
#842-000-026AK	21/.45	4.6" (11.6cm)	2D139H99 \$ 149.99
#842-000-030AK	22, 31, 357 SIG	4.5" (11.4cm)	2D139H99 \$ 149.99
#842-000-005AK	22, 31, 40 S&W	4.5" (11.4cm)	2D139H99 \$ 149.99
#842-000-035AK	23/9mm	4" (10.16cm)	2D139H99 \$ 149.99
#842-000-029AK	23, 32, 357 SIG	4.2" (10.2cm)	2D139H99 \$ 149.99
#842-000-033AK	23/.40 S&W	4" (10.16cm)	2D139H99 \$ 149.99
#842-000-006AK	24/.40 S&W	6" (15.2cm)	2D139H99 \$ 149.99
#842-000-028AK	27/.357 SIG	3.5" (8.9cm)	2D139H99 \$ 149.99
#842-000-037AK	27/.40 S&W	3.5" (8.9cm)	2D139H99 \$ 149.99
#842-000-007AK	34/9mm	5.3" (13.5cm)	2D139H99 \$ 149.99
#842-000-031AK	35/.357 SIG	5.3" (13.5cm)	2D139H99 \$ 149.99
#842-000-008AK	35/.40 S&W	5.3" (13.5cm)	2D139H99 \$ 149.99

For more choices of **STORM LAKE BARRELS** visit [brownells.com](http://brownells.com)

**STORM LAKE S&W M&P**  
**PRE-FIT MATCH GRADE BARRELS**



Broach Cut Rifling For Optimum Accuracy With All Bullet Types

Ready-to-install, match grade 416R stainless steel barrels with broach-cut rifling provide outstanding accuracy and lead bullets. CNC machined to precise tolerances, then hardened to Rc 40-42 for superior strength and durability. Chambered for maximum case support. Drop-in installation, may require minor modifications to fit certain models. **Ported** models are longer than factory barrel and have two ports on top, at the muzzle, to vent blast upward and counteract muzzle flip to help you get back on target faster. **Threaded** models are also longer than factory barrel and come pre-threaded to accept screw-on aftermarket compensators. Thread pitch is indicated in table; comes with a thread protector. **.40 S&W-To-9mm Conversion** barrel converts M&P Compact .40 S&W caliber pistols to shoot 9mm ammunition; 9mm extractor and ejector must be installed to ensure reliable shell ejection. **.40 S&W-To-.357 SIG Conversion** converts a full-size M&P .40 S&W pistol to shoot .357 SIG. **SPECS:** 416 stainless steel, natural, polished finish. Hardened to Rc 40-42.

STOCK #	MODEL/CAL	LNTH	PRICE
#842-000-044AK	M&P Full Size .357 Sig	4.25"	2D139H99 \$ 149.99
#842-000-045AK	M&P Compact .357 Sig	3.58"	2D139H99 \$ 149.99
#842-000-046AK	M&P Full Size .40 S&W	4.25"	2D139H99 \$ 149.99
#842-000-091AK	M&P .40 S&W Full Size (Ported)	4.95"	2D162H84 \$ 183.99
#842-000-047AK	M&P Compact .40 S&W	3.58"	2D139H99 \$ 149.99
#842-000-048AK	M&P Full Size .45 ACP	4.6"	2D139H99 \$ 149.99
#842-000-092AK	M&P .45 ACP Full Size (Ported)	5.3"	2D149H99 \$ 159.99
#842-000-094AK	M&P .45 ACP Full Size (.578"-28 threaded)	5.3"	2D217H80 \$ 237.99
#842-000-049AK	M&P Full Size 9mm	4.25"	2D139H99 \$ 149.99
#842-000-093AK	M&P 9mm Full Size (Ported)	4.95"	2D162H84 \$ 183.99
#842-000-095AK	M&P 9mm Full Size (1/2"-28 threaded)	4.95"	2D217H80 \$ 237.99
#842-000-050AK	M&P Compact 9mm	3.58"	2D139H99 \$ 149.99
#842-000-051AK	M&P Compact .40 S&W-to-9mm conversion	3.58"	2D149H99 \$ 159.99
#842-000-090AK	M&P Full-Size .40 S&W to .357 SIG Conversion (Ported)	4.95"	2D149H99 \$ 159.99

**BARREL FITTING**

All custom aftermarket barrels will need some fitting. The amount required will depend on the tolerances allowed by both the barrel and slide makers, as well as the frame of the pistol. Some barrels may need the chamber cut to full depth after the barrel has been fitted. We carry a wide variety of files and stones to help with the fitting, and chambering reamers from Clymer and Manson Precision.

**STORM LAKE  
PRE-FIT PORTED BARREL for GLOCK®**



**Reduces Muzzle Flip & Recoil For Fast Follow-Up Shots**

Tame recoil and increase your shooting speed by venting exhaust gases through a series of four ports in the top of the barrel. Broach-cut rifling gives improved accuracy with lead or jacketed bullets. Chambered for .40 S&W. **USA**

**SPECS:** 416 stainless steel, polished finish. .40 S&W caliber. 5.32" (13.5cm) long. Rc 40 - 42. Fits Glock 35.

**#842-000-012AK Ported Barrel for Glock, 2D159H99. . . . . \$ 169.99**

**STORM LAKE  
PORTED PISTOL BARREL for GLOCK®**



**Quality Stainless Steel With A Drop-In Fit**

416R stainless steel, extended two-port barrel controls recoil and muzzle flip. Drop-in design replaces factory barrel with no fitting needed. Oversized lockup area enhances accuracy. Works with lead and jacketed ammunition. **USA**

**SPECS:** 416R stainless steel. Glock 22 also fits model 31, Glock 23 also fits model 32.

STOCK#	MODEL/CAL	STOCK #	MODEL/CAL
<b>#842-000-016AK</b>	17/9mm	<b>#842-000-017AK</b>	19/9mm
<b>#842-000-018AK</b>	26/9mm	<b>#842-000-019AK</b>	22/.40 S&W
<b>#842-000-020AK</b>	23/.40 S&W	<b>#842-000-021AK</b>	27/.40 S&W
<b>#842-000-022AK</b>	22/.357 Sig	<b>#842-000-023AK</b>	23/.357 Sig

**- Advise # - Ported Pistol Barrel 2D162H84 . . . . . \$ 188.99**

**STORM LAKE  
GLOCK CONVERSION BARRELS**



**Ready To Drop-In, Add A Magazine In The New Caliber & Go Shooting**

Drop-in barrels let you convert your Glock to a different caliber simply by changing the barrel and adding a magazine in the new caliber (available separately). Machined from stainless steel for superior strength, accuracy, and performance. Tight tolerances (+/- 0.001" to 0.002") in all critical areas. Cut broach rifling with 1-16" twist enables shooting of jacketed and lead bullets. Models available for Glock 22, 27, and 30. Magazines indicated in the table below will provide the correct fit with the bottom of the grip frame. **USA**

**SPECS:** 416R stainless steel, hardened to Rc 40-42, natural finish. 1-16" twist rifling. May require minor fitting.

STK#	PISTOL MODEL	CONVERTS			MAG
		FROM	TO	LENGTH	
<b>#842-000-015AK</b>	Glock 22	.40 S&W	9mm	4.49" (11.4cm)	G17
<b>#842-000-040AK</b>	Glock 27	.40 S&W	9mm	3.46" (8.8cm)	G26
<b>#842-000-052AK</b>	Glock 30	.45 ACP	10mm	3.78" (9.6cm)	G29

**- Advise # - Glock Conversion Barrel, 2D139H99 . . . . . \$ 149.99**

**For more choices of STORM LAKE BARRELS visit brownells.com**

**STORM LAKE SPRINGFIELD XDM  
CONVERSION BARRELS**



**Provides A No-Gunsmithing, Drop-In Caliber Conversion**

Match-grade conversion barrels make it easy to change the caliber of your XDM, with no gunsmithing required. Precision machined from certified 416 stainless steel hardened to Rc 40-42 for superior strength. Broach-cut rifling delivers excellent accuracy with both copper jacketed and lead bullets. Fully chambered and throated to match grade standards, with an extended ramp for full case support. **Ported** models are longer than factory barrel and have two ports on top, at the muzzle, to vent blast upward and counteract muzzle flip to help you get back on target faster. **USA**

**SPECS:** 416 stainless steel, natural, polished finish. Hardened to Rc 40-42. Fits Springfield XDM .40 S&W with 4.5" barrel. **9mm** barrels require the use of a 9mm magazine. May require changing to a 9mm extractor to ensure reliable extraction/ejection; incompatible with the XDM 9mm model pistol.

STOCK #	CONVERTS	LENGTH	PORTED	PRICE
<b>#842-000-077AK</b>	.40 S&W to 9mm	4.6"	No	2D139H99 \$ 149.99
<b>#842-000-079AK</b>	.40 S&W to 9mm	5.3"	Yes	2D149H99 \$ 159.99
<b>#842-000-076AK</b>	.40 S&W to .357 SIG	4.6"	No	2D139H99 \$ 149.99
<b>#842-000-078AK</b>	.40 S&W to .357 SIG	5.3"	Yes	2D162H84 \$ 183.99

**STORM LAKE SPRINGFIELD XD/XDM  
MATCH GRADE BARREL**



**Broach Cut Rifling Improves Accuracy With All Bullet Types**

Custom-grade barrels make it easy to improve accuracy from new pistols or restore it to those guns that are simply "shot out." Precision machined from certified 416 stainless steel hardened to Rc 40-42 to deliver superior accuracy and strength. Broach-cut rifling provides excellent accuracy with both copper jacketed and lead bullets. Fully chambered and throated to match grade standards, with an extended ramp for full case support. Semi-drop-in design may require some gunsmith fitting. **Ported** model has two ports on top directly behind the muzzle to vent blast upward to counteract muzzle flip and help you get back on target faster. Longer than factory barrel. **USA**

**SPECS:** 416 stainless steel, natural, polished finish. Lengths and calibers as indicated below.

STOCK #	LENGTH	FITS	PRICE
<b>#842-000-039AK</b>	4"	9mm XD Service	2D149H99 \$ 159.99
<b>#842-000-041AK</b>	5"	9mm XD Tactical	2D149H60 \$ 172.99
<b>#842-000-043AK</b>	4"	.357 SIG XD Service	2D139H99 \$ 149.99
<b>#842-000-042AK</b>	5"	.40 S&W XD Tactical	2D139H99 \$ 149.99
<b>#842-000-036AK</b>	5"	.45 ACP XD Tactical	2D139H99 \$ 149.99
<b>#842-000-080AK</b>	4.6"	.40 S&W XDM 4.5	2D129H99 \$ 133.99
<b>#842-000-081AK</b>	5.3" (ported)	.40 S&W XDM 4.5	2D149H99 \$ 159.99

**WILSON COMBAT  
MATCH-GRADE BARREL for GLOCK®**



**Pre-Fit Dimensions For Tighter Lockup To Improve Accuracy; Conventional Rifling Accepts Lead Bullets**

Precision machined from 416 stainless steel and slightly over-size in the lockup area to tighten slide-to-barrel fit. Conventional rifling gives reliable performance with both lead and jacketed

**SATISFACTION GUARANTEED  
SINCE 1939**

**Color TACTICAL SOLUTIONS BROWNING  
BUCK MARK  
TRAIL-LITE BARRELS**




**Gives The Benefits Of A Bull Barrel Without The Extra Weight**

Machined aluminum replacement for factory barrel gives your Buck Mark the rigidity and thickness of a bull barrel for improved accuracy without the weight penalty. A button-rifled, chrome-moly steel liner helps ensure precise accuracy. Comes with target front sight installed, and pre-threaded muzzle to accept the Tactical Solutions compensator listed below or another 1/2"-28 tpi threaded muzzle accessory. Includes muzzle thread protector for clean, finished look if compensator isn't installed. **USA**

**SPECS:** 6061 T6 aluminum, hardcoat anodized, black or O.D. green, matte finish. Chrome-moly steel liner with 1-16" twist rifling. .900" (2.3cm) O.D. Installation instructions included. **4"** - 4.7 oz. (133g) wt. **5 1/2"** - 5.6 oz. (158g) wt.

**#100-005-207AK 4" Trail-Lite Bbl, Blk 8K194H86. . . \$ 199.99**  
**#100-009-908AK 4" Trail-Lite Barrel, O.D. Green, 8K194A00 . . . . . 199.99**  
**#100-005-208AK 5 1/2" Trail-Lite Barrel, O.D. Green, 8K225H31. . . . . 259.99**



**COMPENSATOR** - Internal expansion chamber and 48 vent holes redirect muzzle blast to help control muzzle jump and recoil, so you can keep your Buck Mark's sights on the target for fast follow up shots. Same O.D. as the Trail-Lite barrel for a neat look. **SPECS:** 6061 T6 aluminum, hardcoat anodized, gloss black finish. 2" (5.1cm) long, .900" (2.3cm) O.D. 1/2"-28 tpi threads.

**#100-005-209AK Trail-Lite Comp 8K35H00. . . . . \$ 39.99**



**COMINOLI MANUAL  
SAFETY KIT for GLOCK®**

**Helps Prevent Unintentional Discharges**

Manually engaged safety lever provides an extra level of security and safety for Glock owners. Blocks trigger movement, allows the slide to be cycled and pistol loaded or unloaded with the safety on. Operates easily with your right-hand thumb. Contact pad is easy to engage, yet won't interfere with holster fit. All Glock passive safeties continue to function normally. Gunsmith installation is recommended. **USA**

**SPECS:** Thumb Safety - Plastic trigger housing, black. Steel parts, black thumb pad. Pad - 1/2" (12.7mm) long, 1/4" (6.35mm) wide. Includes instructions with positioning template, replacement trigger housing, plus thumb lever, detent pressure plate, spring and trigger bar guide. Fits all models except Model 36.

**#100-004-729AK Recoil Buffer, Beretta 92 4D06P67 . . \$ 8.99**  
**#100-004-730AK Recoil Buffer, Glock 4D06P67. . . . . 8.99**

**SAFETY INSTALLATION JIG** - Holds your Glock frame securely and has two, machined slots that correspond with the cut you'll have to make to install Cominoli's Manual Thumb Safety. Slot marked "SM" is for 9mm, .40 S&W, and .357 SIG; slot marked "LG" is for .45 ACP and 10mm. Includes a 3/8" end mill that must be used in a high-speed rotary tool (listed elsewhere) to properly make the cut. Delrin® guide makes it easy to cut the correct angle. **SPECS:** Safety Installation Jig - Aluminum, silver matte finish. 3 1/2" (9cm) long, 5" (12.7cm) high, 3/8" (9.5mm) thick. Includes frame locating pins and delrin guide. 3/32" End Mill - High speed steel. 3/32" (2.4mm) diameter, 1/8" (4.8mm) shank. Single end, centercut.

**#213-000-001AK Thumb Safety for Glock 3A64U75 \$ 85.00**  
**#213-000-004AK Thumb Safety Installation Jig, 3A00UAV . . . . . \$ 93.00**

bullets. **USA**  
**SPECS:** 416 Stainless steel hardened to Rc 38-40, natural finish. 4 1/2" (11.4cm) long. May require minor fitting.  
**#965-397-017AK 9mm Barrel for G17 5F135Z99 . . \$ 159.99**  
**#965-380-022AK .40 S&W Barrel for G22/31, 5F135Z96 . . . . . 159.95**  
**#965-381-021AK .45 ACP Barrel for G21 5F135Z96 . . 159.95**

**CYLINDER & SLIDE COMBAT  
BROWNING HI-POWER  
EXTENDED SAFETY**



**Wide, Can't-Miss Thumb Pad For Faster Release, Faster Shooting**

Easy-to-install, extended safety lever effectively doubles the thumb contact area and makes it easier to hit in all shooting situations. Serrated, extra wide thumb pad with rounded edges to help prevent snagging on holsters or clothing. Gunsmith fitting required. **USA**

**SPECS:** Steel matte blue or hard-chrome silver finish. Contact area: .726" (18mm) x .17" (4.3mm). Includes detent spring, plunger and instructions.

**#206-035-010AK Extended Safety 6K42U00 . . . . . \$ 52.50**

**SAF-T-BLOK  
SAF-T-BLOK for GLOCK®**

**Prevents Unintentional Discharges; Discourages Unauthorized Use**



Drop-in, trigger-block safety fits behind the trigger to frustrate and delay unauthorized personnel that might try to fire the weapon. Snaps easily into place; ejects instantly for use. **SPECS:** Molded polymer, black. Fits all Glock's manufactured after January 1998.

**#100-000-841AK Right-Handed Saf-T-Blok, 8K10X60 . . . . . \$ 14.95**  
**#100-000-842AK Left-Handed Saf-T-Blok 8K10X60 . . 14.95**

**SWISS BIANCO SEMI-AUTO PISTOL  
RECOIL BUFFERS**



**Cushions Slide Impact For Less Wear & Reduced Felt Recoil**

Polyurethane buffer cushions the impact of the slide against the frame during recoil, resulting in less wear to the gun, less fatigue on the hand and arm, and less muzzle rise. Reduces felt recoil so you can get back on target quickly for faster, more accurate follow-up shots. Each buffer is precision CNC cut from a sheet of ultra-tough, tear-resistant polyurethane. Drop-in installation without any permanent alteration to the firearm. Models available to fit Beretta 92 and Glock pistols

**SPECS:** Polyurethane, clear.  
**#100-004-729AK Recoil Buffer, Beretta 92 4D06P67 . . \$ 8.99**  
**#100-004-730AK Recoil Buffer, Glock 4D06P67. . . . . 8.99**

**BUFFERTECHNOLOGIES SEMI-AUTO  
RECOIL BUFFER™**

**Softens Felt Recoil, Stops Frame Battering**



Polyurethane spacer fits on the recoil spring guide to cushion slide impact against the frame. Gently slows the slide; helps prevent the constant frame battering that causes premature wear or cracking. Extends the service life of competition and carry pistols. Softens felt recoil, reduces muzzle rise for faster follow-up shots. Change every 1,000 rounds for best results.


**SPECS:** Polyurethane, gray. 1 per pack. **Glock** will not fit Gen4 pistols. **1911 Auto**, polyurethane, yellow. 8 per pack. **S&W Model 41** fits. 22 rimfire Model 41 and 46. **CZ** fits 75 and all clones.  
**#071-000-001AK Glock Recoil Buffer 1G07B37 . . . . . \$ 9.95**  
**#071-000-002AK Browning Recoil Buffer 1G06B97 . . 9.95**  
**#071-000-005AK 1911 Auto Recoil Buffer 1G06B97 . . 9.95**  
**#071-000-011AK S&W Model 41 Buffer 1G07B46. . . . . 9.95**  
**#071-000-012AK CZ 75/85 Buffer 1G07B46 . . . . . 9.95**

**LOOKING FOR A GUNSMITH JOB OR GUNSMITH SCHOOL?**

**Check out our annual Career Fair at www.gunsmithcareerfair.com**

**WILSON COMBAT**  
**SHOK-BUFF® for GLOCK®**


Helps Prevent Expensive Frame Damage

Durable, vinyl elastomer washer guards your pistol frame from expensive damage and protects the pistol from wear. Install between the recoil guide rod and spring to prevent the slide from ever touching the frame. 

**SPECS:** Includes one Shok-buff. Fits all Glock pistols.  
#965-000-047AK Shok-Buff, for Glock 5F08Z16 . . . . \$ 9.95

**GLOCKWORX**  
**GUIDE ROD REDUCING RING**  
for GLOCK® GEN4

Lets You Use Gen3 Guide Rods & Springs In Your Gen4

Aluminum ring fits into the end of a Gen4 slide to enable use of narrower-diameter Gen3 guide rods and springs. Increases your choice of aftermarket guide rod/recoil spring combinations for tuning the performance of your Gen4 pistol. Compatible with both captured and uncaptured springs. 

**SPECS:** Aluminum, hardcoat anodized, black. .447" front dia., .550" back dia., .300" (mm) inside dia., .188" (mm) thick. Fits slides of Glock Gen4 pistols only.

#100-006-593AK Gen4 Reducing Ring 8B09X42 . . . \$ 11.99

**ARO-TEK™ GUIDE ROD for GLOCK®**



Lightweight Titanium Or Durable Stainless Steel; Improves Function & Durability


Improves function, reliability and accuracy. Stainless steel rods add extra muzzle weight and corrosion resistance. Lightweight, Titanium rods are hollow to provide rigid, no-flex spring function that will tighten groups and improve reliability. Both types are easy to install and use factory recoil spring. Plain Titanium has a press-fit spring retaining plug. Stainless rod has no spring retainer. Captured stainless steel rods feature a removable tip for easy spring replacement.

**SPECS:** Stainless steel, silver, or Titanium, hard-finish, black. Plain includes spring ferrule. Captured includes spring ferrule, retaining screw and wrench.

STAINLESS STEEL PLAIN RODS			
STOCK #	FITS	PRICE	
#066-000-001AK	Glock 17, 17L, 22, 24	6F12Z00	\$ 15.00
STAINLESS STEEL CAPTURED RODS			
STOCK #	FITS	PRICE	
#066-000-007AK	Glock 17, 17L, 22, 24	6F17Z60	\$ 22.00
#066-000-008AK	Glock 19, 23, 25	6F17Z60	\$ 22.00
#066-000-009AK	Glock 20, 21	6F17Z60	\$ 22.00
TITANIUM PLAIN RODS			
STOCK #	FITS	PRICE	
#066-101-101AK	Glock 26 & 27	6F25Z60	\$ 32.00

**CYLINDER & SLIDE BERETTA 92/96**  
**STAINLESS STEEL GUIDE ROD**

Drop-In Replacement For Factory Plastic Part

No gunsmithing required to gain improved function and reliability with your Beretta Model 92 or 96. One-piece, stainless steel guide rod replaces the two-piece plastic Beretta factory guide rod; works with your factory recoil spring.   
**SPECS:** Stainless steel, matte finish, silver. 3.5" long (9.1 cm) long, .28"(7.2mm) diameter. Fits Beretta models 92 and 96 only  
#206-000-021AK S/S Beretta Guide Rod 6K20V47. . . \$ 26.99

**BUFFERTECHNOLOGIES SEMI-AUTO**  
**RECOIL BUFFER**

Dampens Recoil, Enhances Muzzle Control



Three-part buffer system installs easily to reduce recoil and minimize muzzle flip. High carbon, stainless steel guide rod and slide bushing retains the existing factory spring and resists corrosion. Stiff, rubber buffer sleeve cushions slide before impacting frame, increasing overall service life.


**SPECS:** Polished stainless steel, hardened to Rc 48-52. Includes guide rod, buffer, and slide bushing. Beretta 92/96 fits full size Beretta 92/96 and Taurus 92/96 model pistols. Sig 220/226 - fits Sigarms P220/P226.

#071-000-018AK Beretta 92/96 Recoil Bfr 1G17A63 \$ 24.95  
#071-000-019AK SIG 220/226 Recoil Bfr 1G17A46. . . 24.95

**EFK FIRE DRAGON DUAL ACTION**  
**BUFFER SPRING KIT for GLOCK®**



Softens Felt Recoil, Reduces Frame Damage

Dual action, captive-spring system reduces muzzle jump for faster follow-up shots. Full-length guide rod is a drop-in replacement for factory plastic, provides smoother cycling and improved function. Internal spring acts like a recoil shock absorber to slow slide velocity, reducing frame impact and damage. External spring is calibrated for each model. Easy, drop-in installation requires no alterations to gun. 

**SPECS:** 416 Stainless steel. Matte finish. Instructions included. Glock 26, 29, and 30 use a dual recoil spring.

STOCK #	FITS	PRICE
#503-416-017AK	17, 17L	3K51A05 \$ 71.08
#503-416-019AK	19	3K47A08 \$ 69.99
#503-416-020AK	20	3K48A17 \$ 69.99
#503-416-021AK	21	3K47A08 \$ 69.99
#503-416-022AK	22, 24	3K47A08 \$ 69.99
#503-416-023AK	23, 32	3K47A08 \$ 69.99
#503-416-026AK	26	3K47A08 \$ 69.99
#503-416-030AK	30	3K51A05 \$ 71.08

**EFK FIRE DRAGON**  
**GUIDE ROD & SPRING for GLOCK®**

Hardened Stainless Steel For Improved Cycling



Full-length, stainless steel guide rod assembly replaces the factory plastic guide rod for reduced spring bind and improved cycling. Heat treated and hardened to Rc 40-43 for added durability. Features a removable Allen head screw for easy spring replacement. Includes standard-weight, chrome silicon flat spring. **SPECS:** Guide Rod - 416 Stainless steel, natural finish, hardened to Rc 40-43. Spring - Factory weight, chrome silicon.


STOCK #	FITS	STOCK #	FITS
#503-000-005AK	17	#503-000-008AK	21
#503-000-006AK	19	#503-000-010AK	23, 32
#503-000-007AK	20	#503-000-011AK	22, 24, 31, 35

— # Advise — Guide Rod & Spring 3K21A44 . . . . \$ 26.99

**ISMI CAPTURED GUIDE ROD SYSTEM**  
for GLOCK®

Hardened & Cryo Treated, Improves Performance



Cryogenically processed, stress relieved and hardened steel rod offers no-flex cycling that reduces spring bind, helps ensure reliable feeding and ejection. Fits the small I.D., flat wire, factory and aftermarket springs. 


**SPECS:** 4140 steel, black, matte finish. Hardened to Rc 32-24. Glock 17 fits; 17 17L, 22, 24, 31, 34, 35. Glock 21 fits; 20, 21. Does not include washer or recoil spring.

#445-000-008AK Glock 17 Guide Rod 5D18T36 . . . \$ 22.95  
#445-000-011AK Glock 21 Guide Rod 5D18T36 . . . . 22.95

**LIGHTNING STRIKE**  
**RECOIL GUIDE ROD for GLOCK®**



Replaces The Plastic Factory Rod For Improved Cycling; Captured & Non-Captured Styles

Full-length, polished, solid stainless steel rods prevent spring bind for smooth cycling and improved reliability. Supplied with flat wire spring. Non-Captured models give you the option of easily changing to different weight springs. Captured models are easy to install and remove for cleaning and maintenance without risk of losing the spring. 

**SPECS:** Stainless steel, polished. 17/22 fits 17, 17L, 22, 24, 31, 34, 35, 37. 19/23/32 fits 19, 23, 32. 26/27/33 fits 26, 27, 33. 29/30/36 fits 29, 30, 36.

#642-105-017AK	17/22 Non-Captured Rod, 2D15H00. . . . .	\$ 20.99
#642-105-020AK	20/21 Non-Captured Rod 2D15H00 . . . . .	\$ 20.99
#642-105-019AK	19/23/32 Non-Captured Rod, 2D15H00. . . . .	20.99
#642-000-010AK	17/22 Captured Rod 2D19H00 . . . . .	24.99
#642-000-011AK	20/21 Captured Rod 2D20H00 . . . . .	25.95
#642-000-012AK	19/23/32 Captured Rod 2D19H00 . . . . .	24.99
#642-000-019AK	26/27/33 Captured Rod 2D34H67 . . . . .	43.33
#642-000-020AK	29/30/36 Captured Rod 2D37H33 . . . . .	46.67

**LONE WOLF**  
**GUIDE ROD ASSEMBLY for GLOCK®**

Stainless Steel Prevents Rod Flex & Spring Bind For More Reliable Cycling




Hardened stainless steel guide rod won't break or flex and bind the spring like the factory plastic rod. Helps prevent cycling problems, improves reliability and overall performance. Features a captured, ISMI chrome silicon flat spring that's heat-treated, shot peened, and calibrated to the factory-spec 17 lb. weight. Steel Allen head screw and washer secure the spring to the rod, yet enable easy disassembly for spring replacement. **SPECS:** 416 stainless steel guide rod, natural finish; chrome silicon spring. Standard (Std.) fits G17/17L/22/24/31/34/35/37. Does not fit Gen 4 guns. Large fits G20/21/21SF.

#100-006-202AK	Guide Rod Assembly, Std., 2K21X30. . . . .	\$ 24.99
#100-006-203AK	Guide Rod Assembly, Large, 2K21X30. . . . .	24.99

**SPRINCO SEMI-AUTO**  
**RECOIL MANAGEMENT SYSTEM**

Reduces Felt Recoil, Muzzle Climb & Frame Damage



Drop-in system provides significant reduction in felt recoil and grip fatigue by gradually slowing the slide to prevent frame battering. Plus, it keeps the gun "flat" so your sights stay on target. Stainless steel guide rod fitted with a chrome silicon, secondary spring that reduces slide-to-frame impact with no loss of reliable cycling. 1911 models can be tuned by changing recoil springs. Models marked with a \* include a new recoil spring, others use your factory or aftermarket spring. Drop-in installation requires no modifications to your pistol. 

**SPECS:** 17-4 stainless steel, Rc 38-42. Polished Bushing Plug (BP) or Reverse Plug (RP) for 1911 models. Includes instructions.

STOCK #	FITS	PRICE
#943-100-011AK	1911 Govt./5" clones, BP	3D67Z70 \$ 89.99
#943-100-003AK	1911 Govt./5" clones, light loads 9mm, .38S, .45 wad, BP	3D67Z46 \$ 89.99
#943-000-002AK	1911 Govt./5" clones, heavy loads, (+P+) .40-.45 Super, .460 Rowland, BP	3D71Z21 \$ 94.99
#943-100-092AK	*Beretta/Taurus 92/99, all	3D59Z95 \$ 79.95
#943-100-012AK	Commander & 4.25" clones, BP	3D67Z46 \$ 89.99
#943-000-008AK	Delta Elite 10mm, BP	3D71Z22 \$ 94.99
#943-100-001AK	1911/SVI Limited, RP	3D71Z21 \$ 94.99
#943-100-017AK	*Glock 17, 22, 31	3D59Z95 \$ 79.95
#943-000-001AK	*Glock 17L, 24, 24C, 34, 35	3D59Z95 \$ 79.95
#943-100-019AK	*Glock 19, 23, 32	3D59Z96 \$ 79.95
#943-100-020AK	*Glock 20, 21	3D59Z96 \$ 79.95
#943-000-009AK	Kimber 4" Pro Carry, and Compact, RP	3D67Z46 \$ 89.99
#943-100-220AK	SIG 220	3D59Z95 \$ 79.95
#943-000-010AK	SIG P226	3D59Z95 \$ 79.95
#943-100-229AK	SIG 229	3D59Z98 \$ 79.95
#943-000-012AK	Walther P99/SW99 .40 S&W,	3D59Z95 \$ 79.95

**SPRINGER PRECISION SPRINGFIELD XD/XDM**  
**RECOIL GUIDE ROD**



Smooth, Polished Surface Improves Reliability


Solid stainless steel one-piece guide rod is polished smooth to help prevent spring bind, reduce slide drag, and improve reliability with less chance of slide stoppage caused by grit or dirt. Mild heat-treat hardening improves rod wear without increasing slide wear. Added weight up front helps counter recoil; shoulder at flange is sized to help retain recoil spring for easy assembly and disassembly. For use with factory recoil springs only. Gunsmith installation recommended.

**SPECS:** Stainless steel, polished finish or DiamondBlack IonBond black finish. XD Tactical fits XD tactical .45 ACP guns with 5" barrels. XDM fits XDM pistols chambered in 9mm/.40 S&W with 4.5" barrel.

#100-005-261AK	.45 ACP XD Tactical Guide Rod 5", Blk, 1B19H29. . . . .	\$ 21.99
#100-005-260AK	9mm/.40 XDM Guide Rod 4.5", Black, 1B19H29. . . . .	21.99
#100-005-259AK	9mm/.40 XDM Guide Rod 4.5", Silver, 1B19H29. . . . .	21.99

**SHOP ONLINE AT BROWNELLS.COM**

Search by category, keyword, stock #, firearm make or model. Narrow your results by highest rated, most popular, USA made & more! Read reviews, see additional product photos, watch videos, all online.



### WOLFF RECOIL GUIDE ROD for GLOCK®



Superior Support & Better Spring Alignment

Full-length, hardened steel guide rods help prevent spring bind and improves cycling. Lets you keep your factory, captive, recoil assembly intact and use Wolff recoil springs. Machined from solid steel, polished, then hardened. **US**  
**SPECS:** Steel, hardened to Rc-55, black finish.

- #969-500-000AK Model 17/22 Guide Rod, 9F19Z96 . . . \$ 24.95
- #969-501-000AK Model 20/21 Guide Rod 9F19Z96 . . . 24.95
- #969-502-000AK Model 19/23 Guide Rod 9F19Z96 . . . 24.95

### WOLFF SEMI-AUTO RECOIL GUIDE ROD SET

Superior Support & Function

Full-length, hardened, tool steel guide rod and plug prevent spring bind. Extra power springs improve cycling. Non-captive system allows fast spring changes. **US**



**SPECS:** Steel, black finish, hardened to Rc 55. Includes guide rod, recoil spring, factory weight striker spring and recoil plug. **Glock 26/27/33** factory spring weight (FSW) is 16 lb. Extra power (EP) is 18 lb. **Glock 29/30** FSW is 17 lb. EP is 19 lb.

- #969-000-006AK 16 lb. FSW, Glock 26/27/33, 9F23Y32 . . . \$ 34.95
- #969-000-007AK 18 lb. EP, Glock 26/27/33, 9F23Y32 . . . 34.95
- #969-000-011AK 17 lb. FSW, Glock 29/30 9F23Y32 . . . 34.95
- #969-000-012AK 19 lb. EP, Glock 29/30 9F23Y32 . . . 34.95

### WOLFF BERETTA 92/96 RECOIL GUIDE ROD



Superior Support & Smooth Cycling

Full-length, hardened steel guide rod helps prevent spring bind and improves cycling. Replaces the soft, factory, plastic part for smooth, reliable function without galling or binding. Machined from solid steel, polished, then hardened. **US**  
**SPECS:** A2 tool steel, black, matte finish or bright polish, silver. Hardened to Rc-55. Fits 92/96 full size.

- #969-000-077AK Black Guide Rod 9F19Y96 . . . \$ 24.95
- #969-000-078AK Silver Guide Rod 9F19Y96 . . . 24.95

### WOLFF COLT MUSTANG/PONY GUIDE ROD & SPRINGS



Improves Performance; Prevents Spring Bind

Machined, full-length, stainless steel, guide rod replaces the factory, plastic part for smooth, dependable cycling. Use with the included, 11 lb., standard-weight, recoil spring, or the factory-original, dual, recoil springs. Included, firing pin return spring provides 20 - 25% extra power to quickly and positively return the firing pin to battery after ignition. **US**

- SPECS:** Guide Rod - Stainless steel, black, or natural polished finish. Kits include guide rod, 11 lb. recoil spring and extra power firing pin spring. Fits Colt Mustang and Pony. .380 ACP
- #969-000-127AK Black Guide Rod Kit 9F20Y83 . . . \$ 24.99
  - #969-000-128AK Polished Guide Rod Kit 9F20Y83 . . . 24.99
  - #969-000-115AK Polished Guide Rod, only 9F16Y67. . . 19.99

### CYLINDER & SLIDE BROWNING HI-POWER HAMMER, SEAR & SPRING SET



Premium Components For A Smooth, Crisp, Trigger Pull



Four-piece, target set allows precise fitting for sear engagement to greatly improve trigger feel and function. Includes a heat-treated, CNC-machined sear; 21 lb., reduced-power, hammer spring; factory-weight, firing pin spring and commander-style hammer for no-bite, shooting comfort. **CS281** features a standard, round spur hammer with narrow, chamfered edges to eliminate drag. **CS283** and **CS283HC** include a skeletonized, Type II hammer for less weight and decreased lock time. **CS285** and **CS285HC** have chamfered ring hammer with deep, contoured back for less weight and reduced lock time. Tool steel sear replaces the factory, cast part; polishes easily and holds its angles for thousands of rounds. Serrated hammers are available in blue or silver, hard chrome (HC) finish. Includes instructions. Gunsmith fitting recommended. **US**

**SPECS:** Hammer - 4140 chrome moly, carbon steel; blue finish or silver, hard chrome (HC) finish. Rc 50-53. Sear - Tool steel, in-the-white. Rc 50-53. Hammer Spring - 21 lb. (9.5 kg) reduced power, factory is 32 lb. (14.5 kg). Firing Pin Spring - Standard weight. Fits Browning Hi-Power 9mm and .40 S&W.

STOCK #	MODEL	HAMMER	PRICE
#206-000-013AK	CS281	Standard, Blue	6K96V60 \$ 109.99
#206-000-015AK	CS283	Type II, Blue	6K105V70 \$ 119.99
#206-000-016AK	CS283HC	Type II, HC	6K111V60 \$ 129.99
#206-000-017AK	CS285	No-Bite, Blue	6K96V60 \$ 109.99
#206-000-018AK	CS285HC	No-Bite, HC	6K101V28 \$ 119.99

### CYLINDER & SLIDE BROWNING HI-POWER COMMANDER-STYLE HAMMER

Narrowed, Light, Commander-Style; Ends Hammer Bite

Premium, hardened and heat treated, combat grade hammer is fully EDM machined for better fit, function and longer life. Oversized fitting pads below the full cock notch help the gunsmith achieve proper sear engagement and a smoother trigger pull. Exposed edges are chamfered to minimize slide drag and clothing wear. **Standard** - fine line serrated, round spur is easy to cock, has attractive style. **Type II** - narrowed sides reduce slide drag. Lightweight, skeletonized and serrated spur speeds lock time. **US**

- SPECS:** 4140 chrome-moly steel. Hardened to Rc 50-53. **Standard** - Blue finish or silver, hard-chrome finish. .53 oz., (15 g) weight. **Type II** - Blue finish. .49 oz., (14 g) weight. Includes instructions. Gunsmith installation recommended.
- #206-035-100AK Blue Standard Hammer 6K51C67 \$ 65.99
  - #206-035-101AK Silver Standard Hammer 6K60C77 . 79.99
  - #206-035-102AK Blue Type II Hammer 6K63C03 . . . 78.99

**HAMMER & SEAR SET** - Combines above hammers and the CNC machined sear, listed elsewhere, into a convenient package that will greatly improve the trigger pull on your Hi-Power. **Standard Set** features blue, standard hammer. **Type II Set** uses type II hammer.

- SPECS:** Hammer - 4140 chrome-moly steel, blue finish. Hardened to Rc 50-53. Sear - Tool steel, in-the-white. Hardened to Rc 50-53.
- #206-000-005AK Std. Hammer/Sear Set 6K84V96 . . \$ 99.99
  - #206-000-006AK Type II Hammer/Sear Set, 6K93V92 . . . . . 109.99



Standard Type II



Standard Type II

### CYLINDER & SLIDE BERETTA 92/96 LOW-MASS DROP-IN TRIGGER PULL KIT



For A Smoother, Lighter Trigger Pull

Precision-machined replacements for factory parts let you perform a professional trigger job on a Beretta 92 or 96 pistol for a lighter, smoother trigger pull, more precise, letoff, better shot placement, and faster follow-up shots. When properly installed, kit provides a 4.5 lb. trigger pull that can be further reduced to 3 lb. to 3.5 lb. with proper stoning. C&S Beretta Low-Mass Hammer and C&S Beretta Match Sear are CNC wire-EDM cut from solid stainless steel billet plate stock, then finish machined to tolerances of +/- .0005", heat treated to Rc 50-54, and 100% inspected for quality, fit, and function. Light pull hammer spring and trigger return spring included. Recommended for competition use only. **US**

**SPECS:** Hammer and sear - stainless steel, silver finish. Springs - music wire. Fits Beretta models 92 and 96 only.  
 #206-000-022AK Low Mass Trigger Pull Set, 6K162V03 . . . . . \$ 202.99

### CYLINDER & SLIDE BROWNING HI-POWER CNC SEAR

Precision Machined For A Trigger Job That Lasts

CNC machined, not cast, from solid steel for a trigger job that breaks light and clean but lasts for thousands of rounds. Outlasts the factory cast sear because it's made from hardened, heat-treated, tool steel that will cut and polish beautifully plus, hold those crisp, finely honed edges without breaking down or rounding off. **US**

**SPECS:** Tool steel, in-the-white. Heat treated to Rc 50-53. Fits Browning Hi-Power and some clones.  
 #206-035-031AK Hi-Power Sear 6K37C41 . . . . . \$ 47.99

### GLOCKWORX CUSTOM SKELETONIZED STRIKER for GLOCK®



Lightweight For Fast Locktime; Mirror-Polished For Smoothness & Speed

Drop-in replacement for factory striker has 15-20% less mass and a highly polished surface for fast lock time and a light, smooth-feeling trigger pull, plus ultra-fast reset for minimum delay between follow-up shots. Precision machined from solid stainless steel with skeletonized cuts like those used on bulkheads in aircraft to reduce weight without sacrificing strength. Hard, polished surface resists galling, wear, and corrosion for years of reliable service. For best results, use with reduced-power striker spring from GlockWorx Competition Spring Kit, available separately. **US**

**SPECS:** Stainless steel, natural polished finish. Fits Glock pistols chambered in 9mm, .357 Sig, and .40 S&W.  
 #100-004-117AK Custom Skeletonized Striker, 8B64X00 . . . . . \$ 80.00

**Can't Find It Here?**  
**Try Searching Our Website**

Beretta 92 trigger kit

brownells.com

### LIGHTNING STRIKE LIGHTWEIGHT STRIKER for GLOCK®



Cuts Lock Time By 50% In Glocks

Lightweight **Titanium Striker** reduces lock time by a minimum of 50% for a faster shot and improved accuracy. Drops in with no gunsmithing and no permanent alterations to the firearm required. CNC machined from titanium and hardened for long lasting performance. Lightweight **Steel Striker** is 32% lighter than factory part, heat treated for exceptional strength and performance with hot loads. Coated with Kolene Nutride for greater lubricity and corrosion resistance. Titanium striker includes Wolff striker spring. **US**

**SPECS:** Solid titanium, TiN coated gold or EDT150 tool steel, heat treated to Rc 70. **Small Frame** fits Glock 9mm/.40 S&W. **Large Frame** fits Glock 10mm/.45 ACP.

- #642-100-001AK Ti. Small Frame Striker 2D81H51 \$ 101.95
- #642-100-002AK Ti. Large Frame Striker 2D80H00 . 100.00
- #642-104-001AK Steel Small Frame Striker, 2D52H95 . . . . . 65.95

### POWER CUSTOM RUGER® MARK I/II/III™ & 22/45™ TOOL STEEL FIRING PIN

For Positive Ignition & Reduced Risk Of Misfire

Replacement firing pin has a larger surface area on the impact point than the factory pin to help ensure positive ignition. Reduces chance of a misfire with ammo made of slightly harder than normal brass. High surface hardness resists wear, too, so you can fire thousands of rounds from your Ruger .22 pistol. **US**

**SPECS:** A2 tool steel, in the white. Fits Ruger Mark I/II/III and 22/45™ pistols.  
 #713-000-142AK Ruger .22 Pistol Firing Pin, 3A22Y22 . . . . . \$ 24.99

### POWER CUSTOM RUGER® MARK II TITANIUM PARTS

Lighter Weight Means Superior Performance

Both parts are machined from solid, titanium alloy for long-lasting performance and minimum increase in weight. **US**

**TITANIUM BOLT RACKER** - Fast, one-finger racking even on scoped pistols. Attaches to the rear of the bolt and provides a convenient handle for faster racking. **US**  
**SPECS:** Titanium, matte finish. 2.4" (6cm) long, .7 oz. (19 g) wt.  
 #713-275-002AK Titanium Bolt Racker 3A33V33 . . \$ 36.99

**TITANIUM FIRING PIN** - Significantly lower locktime and more consistent ignition. No modifications. **US**  
**SPECS:** Titanium, matte finish. 1.8" (4.7cm) long, .1 oz. (2.4 g) wt.  
 #713-275-001AK Titanium Firing Pin 3A22V22 . . . \$ 24.99

### VOLQUARTSEN RUGER® MARK II/III TARGET SEAR

Replaces Factory Sear For A Light, Clean-Breaking Trigger Pull

Drop-in sear provides a crisp, clean, responsive trigger pull for Ruger semi-auto .22 LR pistols. Engagement surface is precision-ground and polished—no stoning required. Made from tool steel and then hardened. Includes sear spring. **US**  
**SPECS:** A2 tool steel, in-the-white, hardened to Rc 58-60. Includes sear spring. Fits Ruger Mark II, III, and .22/45 pistols.  
 #930-000-050AK Mark II/III Target Sear, 3Z24U29 . . . . . \$ 27.99

**VOLQUARTSEN RUGER® MARK II  
HAMMER BUSHING**

Close Tolerances For A Smooth,  
Consistent Trigger Pull



CNC machined from hardened steel to exceptionally close tolerances to help ensure a smooth, consistent trigger pull. Advanced screw machine technology is used to drill and ream the pivot pin hole perfectly concentric for optimal hammer-to-sear engagement. Black oxide finish for added durability and resistance against corrosion.

**SPECS:** Steel, black oxide finish. Fits Ruger Mark II pistols only.

**#930-000-056AK Mark II Hammer Bushing, 3Z06U00..... \$ 7.99**

**POWER CUSTOM  
S&W M&P/SPRINGFIELD XD & XDM  
SEAR PIVOT PIN SHIMS**

Reduces Parts Play To Smooth Trigger



Stainless steel shims eliminate play in critical parts of the pistol's fire control system to help produce a smoother, more consistent trigger pull. Install shims on the pivot pin on each side of the sear to eliminate side-to-side movement.

**SPECS:** Stainless steel, heat-hardened. Pak of 10. .200" O.D., .100" dia. center hole, .004" thick. Fits Springfield Armory XD/XDM pistols and Smith & Wesson M&P pistols, all calibers.

**#713-000-110AK Sear Pivot Pin Shims 3A13Y89... \$ 15.99**

**TITANIUM, CARBON STEEL,  
STAINLESS STEEL, OR WHAT?**

Throughout the catalog you'll see similar parts - hammers and sears for example - made out of all three materials. So what's the difference, which is better?

We'll start with the simplest choice, **Carbon or Stainless steel.** It's really just a matter of looks, the two metals are so close in wear characteristics, and how smooth a finish you can achieve on the hooks and notches, that it comes down to what you like. If you want a blue hammer on a blue gun, pick a carbon steel part. If you want something to contrast with the bluing, a stainless steel hammer can be finished to a soft matte, almost gray, or polished bright to look much like chrome. Same goes for a stainless gun, match it, or create contrasts with a bright or matte blued hammer. Whatever you choose you'll have excellent wear life out of either a carbon steel or stainless steel part.

**Titanium** can help deliver the ultimate action speed, and the lightest possible trigger pulls. An identical part made from titanium will weigh about 62% as much as its steel counterpart. If the hammer, strut, mainspring cap and firing pin are 38% lighter, there's less resistance to overcome as you squeeze the trigger, hence, a lighter pull. Since the mainspring can accelerate those parts more quickly, you'll also get a faster lock time. Less time for the sights to slip off target! The drawback - you knew there was one - is that titanium wears much more quickly than steel and can gall pretty easily, which will slow everything back down. The all-important hooks on a titanium hammer will lose their sharp edges much more quickly than those on a steel hammer. That means you (or your gunsmith) will have to re-stone that hammer more often and it will eventually wear out, sooner. If you clean and lube regularly to prevent galling and accept the fact that total life of these parts will be less than steel, the light weight can help your race gun go really fast.

**TiN**, or Titanium Nitride, isn't a metal, it's an extremely thin, very hard, smooth coating that greatly increases the wear characteristics of the metal to which it is added. A good addition for maximum service life, and that gold color's a great way to set a gun's looks apart from the crowd.

This is a quick look; if you have specific questions on your application, call one of our Tech Support staff, 800-741-0015.

**SPRINGER PRECISION SPRINGFIELD XD  
REDUCED TRAVEL SEAR**

Drop-In Sear Shortens Trigger Take-Up,  
Improves Pull



Drop-in sear reduces trigger travel for a more consistent trigger pull and improved accuracy. Cuts pre-travel about 1/4" to help increase control and help prevent accuracy degrading creep. Lessens total travel to limit finger movement for better follow through. Fits all calibers and models. Comes with pre-polished sear face to speed up installation. Gunsmith installation recommended.

**SPECS:** Steel, in-the-white. Fits all calibers and models.

**#100-003-112AK Reduced Travel Sear, 1B46Y95..... \$ 60.00**

**MAJESTIC ARMS RUGER® MARK I/II/III  
SPEED STRIP KIT**

Replaces Factory Parts For  
Fast Field Stripping & Cleaning



Makes field stripping your Ruger .22 pistol faster and easier by enabling rapid disassembly with a single Allen wrench for routine cleaning and maintenance. Replaces the factory hammer and sticky bolt stop pin that make bolt removal a real chore. Replacement parts are precision machined from high-grade stainless steel to tolerances that meet or exceed the factory parts. Requires no permanent modification to your pistol; gunsmith installation recommended.

**SPECS:** Stainless steel, natural silver finish. Kit includes replacement hammer and bolt stop pin, plus Allen wrench and illustrated installation instructions. **Mark I/II** fits Ruger Mark I, II, and 22/45 pistols. **Mark III** fits Ruger Mark III pistol only.

**#941-000-003AK Mark III Speed Strip Kit, 1D40P99..... \$ 45.99**

**#941-000-002AK Mark III Speed Strip Kit, 1D40P99..... 45.99**

**TACTICAL SOLUTIONS RUGER® 10/22®  
HEAVY DUTY EXTRACTOR**

Hardened Tool Steel  
With Improved Hook  
For Reliable Extraction



Improved hook design helps ensure consistent extraction each and every time. Machined from tool steel then hardened to resist breakage and reduce wear for a lifetime of reliable operation. Includes extra-power spring for added reliability. Also fits Ruger® Mark I, II, III" and 22/45" pistols.

**SPECS:** Tool steel extractor, high performance spring. Fits Ruger 10/22, 10/22 Magnum, Mark I/II/III & 22/45.

**#100-006-000AK Heavy Duty Extractor, 8K07U14..... \$ 9.99**

**VOLQUARTSEN WALTHER P22  
EXACT EDGE EXTRACTOR**

Tuned & Hardened  
For Lasting Performance



Steel extractor is machined using advanced EDM technology to ensure precise tolerances, then hardened to Rc 58-60 to help prevent premature wear. Extra long extractor hook is .005" closer to case rim for a positive, non-slip grip on the case head. Made from A2 tool steel.

**SPECS:** A-2 tool steel, in-the-white. Hardened to Rc 58-60. Includes replacement spring. Fits Walther P22.

**#930-000-053AK Exact Edge Extractor, 3Z15U94..... \$ 19.99**

**CALIF. COMPWORKS  
LIGHTWEIGHT MAG WELL for GLOCK®**

Lightweight Delrin Matches  
Grip Frame Perfectly



Enlarges the mag well opening for faster mag changes; funnels the magazine right into the chute. Machined from lightweight Delrin that perfectly matches the Glock grip frame. Thin profile doesn't add much bulk or weight; great on carry pistols. Securely held in place with a single screw; requires drilling only one hole in the rear of the grip frame for installation.

**SPECS:** Delrin, black. 2 5/8" (6.6cm) long, 1 3/8" (2.5cm) wide. .6 oz. (18 g) wt. Small fits Mod. 17, 17L, 19, 22, 23, 24. Large fits 20, 21.

**#151-150-017AK Small Lightweight Mag Well, 1E38D66..... \$ 49.99**

**#151-150-020AK Large Lightweight Mag Well, 1E38D66..... 49.99**

**GLOCKWORX SPEED FEED  
MAGWELL for GLOCK® GEN4**

Aids In Smooth,  
Fast Reloads



Oversized aluminum magazine well extension is engineered for precise geometry, fit, and

angle to ensure quick, positive reloads. Designed primarily for competition use with magazines that have extended base pads. Easy, no gunsmithing installation: the brass mounting insert fits into the void behind magazine well and is secured by a setscrew through the lanyard hole. The extension's powder-coated crinkle finish blends nicely with the pistol frame's textured polymer. Available with small and large brass inserts for 3 oz. and 4 oz. total weights. Heavier model provides extra leverage at a critical point in the firing cycle to help reduce felt recoil and counteract muzzle flip. Both models fit all Gen4 pistols.

**SPECS:** Magwell - Aluminum, powder-coated, crinkle-finish, black. 3" (7.6cm) long, 1 3/4" wide, extends approximately 3/8" (9.5mm) below grip. Insert - Brass, natural finish.

**#100-006-599AK Gen 4 Speed Feed, 3 Oz. 8B75X00. \$ 80.00**  
**#100-006-600AK Gen 4 Speed Feed, 4 Oz. 8B94X00. 100.00**

**JP ENTERPRISES MAG WELL for GLOCK®**

Drop-On Design Doubles The Opening



Doubles the mag well opening. Machined from solid, lightweight aluminum, closely matches the contour of the pistol grip. Easily installed or removed in only minutes, without modifications to your pistol.

**SPECS:** Aluminum anodized, black. 1 3/8" (2.5cm) wide, 2 5/8" (6.6cm) long, 1.1 oz. (30 g) wt. Fits Glock 17, 22, 24, 34 and 35, including Gen4 models.

**#452-100-017AK Mag Well for Glock 2E67H16..... \$ 73.99**

**PREZINE  
GRIP ADAPTER & MAG WELL for GLOCK®**

Increases Mag Well Opening  
For Smoother Insertion;  
Helps Support your Shooting Hand



Drop-in, plastic grip adapter and mag well helps funnel magazine into the grip for faster reloads. Adds a flare at the bottom of the grip that increases stability. Extended mag well also protects magazine if weapon is dropped, helping to minimize jams. Requires no modification to the gun. Fits Glock models 17, 22, 24, 31, 34, and 35.

**SPECS:** High impact plastic, black. Fits Glock models 17, 22, 24, 31, 34, & 35.

**#727-000-001AK Grip Adapter & Mag Well, 7B19H93..... \$ 29.99**

**SMART LOCKTECHNOLOGY SPRINGFIELD XD  
MAGLOC EASYFIT MAGWELL**

For Quick, No-Miss Reloads  
Under Pressure



Bolt-on magwell funnels magazine directly into the pistol for quick reloads without fumbling or distraction. Lightweight molded polymer won't mar, scrape, or dent, plus it protects the magwell opening from damage. Just insert into the bottom of the grip and tighten the included steel retention screw for a snug, form-fitting, grip. Separate models available for 9mm/.40 S&W and .45 ACP XDs. **SPECS:** Molded glass-fill nylon polymer, matte black. 2 5/8" (5.8cm) long. 9mm/.40 S&W - 1.47" (37.5mm) wide. .45 ACP - 1.53" (39mm) wide. .34 oz. (9.6g) wt. Fits full-size Springfield XD and older HS2000 with 4" and 5" barrels. Does not fit compact or sub-compact. May require minor trimming to fit 9mm/.40 S&W models made after March 2005.

**#100-006-212AK XD EasyFit Mag Well, 9mm/.40 S&W, 2A18X57..... \$ 23.99**

**#100-006-213AK XD EasyFit Mag Well, .45 ACP, 2A21X43..... 26.99**

**T.H.E. ACCESSORIES**

**COMPETITION MAGWELL for GLOCK®**

Speeds Reloads, Helps Control Recoil



Oversized magwell guides the magazine into the gun quickly and smoothly to eliminate fumbling during reloads. Helps you make mag changes without taking your eyes off the target, and aids in maintaining a consistent hand position on the

grip. Installs in minutes by inserting the brass channel insert in the bottom of the grip behind the magazine well and locking it with the machine screw (hex wrench included). Requires no permanent modification to pistol; remove and return to factory configuration at any time. Brass insert adds weight to aid in recoil control for faster follow-up shots.

**SPECS:** Aluminum, anodized, gloss black finish; brass grip plug. 2.8" (7.1cm) long. 1.7" (4.3cm) wide. 3.1 oz. (89g) wt. Fits Glock 17, 22, 24, 31, 34, and 35 pistols. Minor fitting may be required.

**#100-004-035AK Competition Magwell 4K59P49... \$ 74.95**

**TAYLOR FREELANCE  
SEATTLE SLUG MAG GUIDE  
for GLOCK®**

Adds Weight, Speeds Mag Changes



Brass plug fills recess at the rear of grip and provides additional weight to reduce recoil and improve balance. Helps prevent "limp-wrist" malfunctions, especially in weak-hand shooting. Mag chute aids fast, sure reloads.

**SPECS:** Brass, matte black finish. 2.4" (64mm) long. 3.5 oz. (.99g) weight. 17 fits 17/20/21/22/34/35/37, 19 fits 19/23. May require minor fitting, but no modifications to gun.

**#100-000-013AK 17 Seattle Slug 1K29D57..... \$ 34.99**  
**#100-000-014AK 19 Seattle Slug 1K29D57..... 34.99**

**GHOST  
X-MAG RELEASE for GLOCK®**

Easy Reach For Faster Mag Changes



Two-piece, teardrop shaped magazine release helps speed mag changes. Mag release button is ergonomically shaped and much faster to depress; no need to shift your firing grip or modify your frame. Installs easily, in place of the factory magazine release. Made from a polymer similar to the GLOCK frame.

**SPECS:** Nylon plastic, black, matte finish. Fits Glock small frame models only.

**#100-002-951AK X-Mag Magazine Release, 7K12H95..... \$ 19.95**



**ARO-TEK™  
EXTENDED MAG RELEASE  
for GLOCK®**

Easier To Reach For Faster Mag Changes

Extends the mag release just far enough for an easier reach without getting in the way. Great for shooters with small hands or left-handed shooters. Made from lightweight alloy and treated with a teflon finish that resists abrasion and increases lubricity for fast, no snag magazine changes. Tough enough to stand up to the metal mags, easy on the plastic ones.

**SPECS:** Alloy, black or silver finish. **1032** - extends 1.5mm and fits Mod. 20, 21. **1034 & 1035** - extends 3mm and fits Mod. 17, 19, 22, 23, 24, 25, 26, 27, 31, 32, 33.

**#066-103-200AK 1032 Mag Release, Blk 6F25Z60 . . . \$ 32.00**  
**#066-103-400AK 1034 Mag Release, Blk 6F25Z60 . . . \$ 32.00**  
**#066-103-500AK 1033 Mag Release, Silver 6F25Z60 . . . \$ 32.00**

**J.P. ENTERPRISES**

**EXTENDED MAG RELEASE for GLOCK®**

Checked Button For Fast, Sure Mag Changes

Machined aluminum pad provides your thumb with an easy-to-hit target for fast, smooth mag changes. Gives positive release without shifting hand position. Polymer body won't wear frame slot or factory magazines. Standard fits 9mm and .40 S&W. Large Frame fits 10mm and .45 ACP.



**SPECS:** Polymer plastic body, aluminum button, black, matte finish. Pad - .360" (9.1mm) wide, .5" (12.9mm) lg. .160" (4.2mm) high. **#452-000-001AK Std Mag Release, Glock 2E25V07 . . . \$ 27.99**  
**#452-000-014AK Large Frame Release 2E25V07 . . . \$ 27.99**

**LONE WOLF EXTENDED MAGAZINE  
CATCH for GLOCK®**

Aids In Fast, Positive Mag Changes

Drop-in replacement for factory magazine catch has a deeply serrated button that protrudes farther from the frame to ensure positive, fast mag release on the first try. Gives a small but critical performance edge to the practical pistol competition shooter. Fits all 9mm, .40 S&W, .357 SIG, and .45 GAP Glock. Same length as the factory catch on the G20, 21, 29, and 30, so it can be used as a direct replacement for the original part.

**SPECS:** Reinforced, molded polymer, matte black. Fits Glock chambered in 9mm, .40 S&W, .357 SIG, and .45 GAP as an extended catch; factory-length replacement for G20, 21, 29 and 30. Does not fit G36.

**#100-006-205AK Extended Mag Catch 2K00XCH . . . \$ 2.99**

**T.H.E. ACCESSORIES  
COMPETITION MAG RELEASE  
for GLOCK®**

Easy-To-Reach For Fast, Sure Mag Changes

Serrated aluminum button extends 1/4" to the rear for excellent thumb purchase; easy-to-reach without breaking your shooting grip. Uses a modified factory release so no metal comes in contact with plastic magazine. Provides a drop-in fit for small or large frame guns.

**SPECS:** Plastic and aluminum, black, matte finish. Extends .25" (6.35mm) to the rear. **Small Frame** - fits 9mm, .40 S&W and .357 SIG frames, including G36. **Large Frame** - fits 10mm and .45ACP.

**#100-000-369AK Small Frame Mag Release, 4K24Y81 . . . \$ 33.99**  
**#100-000-370AK Large Frame Mag Release, 4K24Y81 . . . \$ 33.99**

**SMART LOCK TECHNOLOGY  
SPRINGFIELD XD  
EXTENDED MAGAZINE RELEASE**

Oversized Button For Easy Release & Quick Mag Changes



Replacement mag release extends 1/8" farther from the frame than the factory part, making it easier to find the button and drop the mag under the stress of competition. Oversized, 3/8" diameter contact pad has almost twice the surface area of the factory button, with machined concentric rings for secure, non-slip thumb contact. Button can be installed on the left or right side of the frame for operation by either hand. Fits full-size and compact XDs.

**SPECS:** Steel, blued, matte finish. 1.33" (3.4cm) long, .375" (9.5mm) dia. contact button. Models for full-size and compact Springfield XDs in 9mm/.40 S&W or .45 ACP. Does not fit XDM.

**#100-006-210AK XD Extended Mag Release, 9mm/.40, 2A21X79 . . . \$ 29.99**  
**#100-006-211AK XD Extended Mag Release, .45 ACP, 2A21X79 . . . \$ 29.99**

**TANGODOWN  
VICKERS EXTENDED MAG  
RELEASE for GLOCK®**

Easy To Reach For Quick Mag Changes

Extended magazine release is easy to find and operate allowing fast, smooth mag changes that save you precious seconds. Serrated release button is 3/8" longer than original, allowing easy thumb access without repositioning your hand. Replaces factory original without alteration. Constructed of high strength polymer composite.

**SPECS:** Polymer composite, matte black. Fits Glock Models 17, 19, 22, 23, 24, 26, 27, 31, 32, 33, 34, and 35.

**#100-003-404AK Vickers Mag Release 9B14V43 . . . \$ 16.99**

**RANCH PRODUCTS RUGER® MARK II  
EXTENDED  
MAGAZINE RELEASE**

Increased Length For Easier Mag Changes

Provides increased length and better purchase for faster, easier magazine changes; even with oversized or target-style grips. Easy to install, simply replaces the factory mag release with no permanent alterations to your pistol required.

**SPECS:** Steel, blued or stainless steel (SS), matte finish. Fits Ruger Mk II .22 rimfire pistols.  
**#746-102-001AK Blue Extended Mag Release, 6D07P96 . . . \$ 9.95**  
**#746-102-101AK SS Extended Mag Release, 6D10P36 . . . \$ 12.95**

**LONE WOLF DIST.  
EXTENDED SLIDE LOCK  
LEVER for GLOCK®**

Easier Slide Removal For Quicker Field Stripping

If you've ever tried to field strip your Glock with even slightly oily or sweaty fingers, you'll appreciate the benefit of this extended slide lock lever. Drop-in replacement is 3mm longer than the factory original part to provide a firmer grasp, so you can remove the slide quickly without fumbling with the lever. No gunsmithing required; easy to install, no permanent alterations to the gun. Gun will still fit all standard holsters.

**SPECS:** Steel, black oxide finish. 1 1/2" (29.9mm) long. Fits all Glock pistols except M36.  
**#100-002-412AK Extended Slide Lock Lever for Glock, 2K08P25 . . . \$ 9.95**

**ARO-TEK™ EXTENDED SLIDE RELEASE  
for GLOCK®**

Increases Leverage For Easier Operation



Extends rearward for increased leverage and easier, faster chambering after magazine changes. Rounded shape extends slightly away from the slide so it's easier to engage but won't catch on clothing or holster during a draw.

**SPECS:** Steel, blue or silver finish, includes spring. **1001** fits 17/17L single pin models. **1003/1004** fit all 2-pin models except Model 36. **36B** fits Model 36 only.

STOCK #	FINISH	MODEL
#066-100-100AK	Blue	1001
#066-100-300AK	Blue	1003
#066-100-400AK	Silver	1004
#066-100-001AK	Blue	36B

— Advise # — Extended Slide Release 6F28Z80 . . . \$ 36.00

**EXTENDED SLIDE  
RELEASE LEVER for GLOCK®**

Easy To Hit For Positive Slide Release On The First Try

Drop-in replacement for factory slide release lever has a much larger finger pad and a trapezoid-shaped bump that help ensure you release the slide fast, on the first try, after a reload. Saves precious seconds that can be lost making multiple swipes to release the slide and chamber the next round. Low profile and smooth contours will not affect holster fit or snag on clothing. Rugged, all-steel construction; matte black finish matches Glock factory finish. Separate models to fit current-production 3-Pin and early 2-Pin pistols, plus G37/38/39 pistols chambered in .45 GAP.

**SPECS:** Steel, matte black finish. **3-Pin** fits all guns with separate trigger, locking block, and trigger housing pins, including early 2-Pin G19. Does not fit early G17, 17L, and 34 2-Pin guns. **2-Pin** fits G17, 17L, and 34 that do not have a locking block pin, manufactured from 1986 to mid-2002. 37/38/39 fits all G37, 38, and 39 pistols.

**#100-002-748AK 3-Pin Ext. Slide Stop Lever, 3-Pin, 5B11H72 . . . \$ 11.99**  
**#100-003-747AK 2-Pin Ext. Slide Stop Lever, 2-Pin, 4N35H96 . . . \$ 44.95**  
**#100-002-698AK 37/38/39 Ext. Slide Stop Lever, 5B11H72 . . . \$ 11.99**

**LONEWOLF 3-PIN EXTENDED  
SLIDE STOP for GLOCK®**

Aids In Smooth Reloads & Fast Return-To-Battery

Drop-in replacement for factory part has a larger, easier-to-locate thumb pad that helps you release the slide and return to battery faster after an empty-gun mag change. Fits all "3-pin" (trigger pin, locking block pin, and trigger housing pin) Glock, except G36.

**SPECS:** Steel, electro-coated, matte black finish. Fits all 3-pin Glock pistols, except G36; will not fit early 2-pin 17, 17L and 34.  
**#100-006-699AK 3-Pin Extnd Slide Stop 2K09Y24 . . . \$ 10.99**

**If you aren't 100% satisfied with your purchase from Brownells, return it for a full refund or exchange.**

**SMART LOCK TECHNOLOGY  
SPRINGFIELD XD MAGLOC®  
EXTENDED SLIDE RELEASE**

Large, Easy-To-Locate Contact Pad For Fast, Positive Slide Release



Replacement slide release lever has more than twice the contact surface of the XD90/40's tiny factory part to make hitting the release or manually locking back the slide easy, painless, and fast. Helps you reload faster—simply hit the Magloc button with the thumb of the shooting hand to close the slide on a fresh mag, rather than manually racking with the off hand. The larger button surface spreads the pressure you apply over a larger area of the thumb, so it feels like you're using less pressure to operate it. Machined, hardened steel construction, with three large horizontal grooves to give secure, non-slip purchase; low profile won't interfere with any holster designed for the stock XD.

**SPECS:** Steel, blued, matte finish. Contact Pad - 1 1/8" (2.8cm) long x 5/16" (7.9mm) high. Fits Springfield XD standard and compact models in 9mm or .40 S&W only. Does not fit pistols with thumb safety or any of the XDM series.

**#100-005-900AK Extended Slide Release 2A37P61. \$ 42.99**

**VICKERSTACTICAL ENHANCED SLIDE  
STOP for GLOCK®**

Optimum Shape To Ensure Positive Thumb Contact



Redesigned thumb pad places it slightly forward of the factory position, so your thumb gets to it quicker and returns the pistol to battery faster. Pad is shaped to aid in positive contact to help prevent accidental slide stop engagement, even when you're wearing gloves. Stamped and formed from durable 4130 steel, then treated with a special hardcoat finish that resists rust and wear.

**SPECS:** 4130 chromoly steel, black, matte finish/ includes spring. Fits Glock 17, 17L, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 31, 32, 33, 34 and 35. Gunsmith installation recommended.

**#100-007-477AK Enhanced Slide Stop 9B15Y96 . . . \$ 19.95**

**VOLQUARTSEN RUGER® MARK III™  
SPRING LOADED MAGAZINE EJECTOR**

For Fast, Positive Magazine Ejection



Drop-in, no-gunsmithing kit helps provide fast, positive magazine ejections—even with partially loaded magazines—each and every time. Fits inside the magazine well, completely out of view, and applies spring pressure to ensure the magazine pops out smoothly when released. Machined from 6063 aluminum alloy for a precise fit, then hardcoat anodized for added strength and durability.

**SPECS:** 6063 aluminum, hardcoat anodized, matte gray finish. Steel spring. Fits Ruger Mark III pistol only.

**#930-000-054AK Spring-Loaded Mag Ejector, 3Z21U45 . . . \$ 29.75**

**BROWNELLS RUGER® MK II PISTOL  
FIELD REPAIR KIT**

Emergency Field Repair Parts



Convenient, pre-packaged kit contains genuine factory parts most often required for emergency, field repairs.

**SPECS:** Contains one each: Firing pin (SS), firing pin stop (SS), rebound spring, rebound spring support (SS), extractor (SS), extractor plunger (SS), extractor spring (SS), recoil spring assembly, magazine.

**#078-060-002AK Ruger Mk II Field Repair Kit, 8G44C54 . . . \$ 54.99**



## FACTORY PISTOL MAGAZINES for GLOCK®

Choose Genuine Factory Magazines  
For Top Performance & Reliability

Be confident your Glock pistol will perform to factory standards each and every time with genuine Glock factory magazines. Manufactured to Glock specifications in Austria by Glock. Available in all factory round counts, including high-capacity, and listed below by factory model designation and caliber. All models include round count indicator on rear face of magazine body and standard factory baseplate.

**SPECS:** Polyethylene body over steel liner.

STOCK #	FITS	CAL	RNDS	PRICE
#100-002-752AK	17	9mm	10	6E26H53 \$ 27.99
#100-002-770AK	17	9mm	17	5B26D53 \$ 27.99
#100-002-771AK	17	9mm	33	5B39D20 \$ 39.99
#100-002-753AK	19	9mm	10	5B26H53 \$ 27.99
#100-002-772AK	19	9mm	15	6E27D83 \$ 34.99
#100-002-754AK	20	10mm	10	5B26H53 \$ 27.99
#100-002-773AK	20	10mm	15	6E26D53 \$ 27.99
#100-002-755AK	21	.45 ACP	10	5B26H53 \$ 27.99
#100-002-774AK	21	.45 ACP	13	6E26D89 \$ 27.99
#100-002-756AK	22	.40 S&W	10	6E26H53 \$ 27.99
#100-002-775AK	22	.40 S&W	15	6E27D99 \$ 29.99
#100-006-053AK	22	.40 S&W	22	5B39Z99 \$ 41.99
#100-002-757AK	23	.40 S&W	10	5B27H51 \$ 29.99
#100-002-776AK	23	.40 S&W	13	6E26D89 \$ 27.99
#100-006-053AK	23	.40 S&W	22	5B39Z99 \$ 41.99
#100-002-760AK	26	9mm	10	6E26H53 \$ 27.99
#100-002-777AK	26	9mm	12	6E34D35 \$ 34.99
#100-002-761AK	27	.40 S&W	9	6E26H53 \$ 27.99
#100-002-778AK	27	.40 S&W	10	6E34D35 \$ 34.99
#100-006-053AK	27	.40 S&W	22	5B39Z99 \$ 41.99
#100-002-762AK	29	10mm	10	5B26H53 \$ 27.99
#100-002-763AK	30	.45 ACP	9	5B27H45 \$ 34.95
#100-002-764AK	30	.45 ACP	10	6E26H53 \$ 27.99
#100-002-758AK	31	.357 SIG	10	5B26H53 \$ 27.99
#100-002-779AK	31	.357 SIG	15	5B26D53 \$ 27.99
#100-002-759AK	32	.357 SIG	10	5B26H53 \$ 27.99
#100-002-780AK	32	.357 SIG	13	5B26D53 \$ 27.99
#100-002-765AK	33	.357 SIG	9	5B26H53 \$ 27.99
#100-002-781AK	33	.357 SIG	11	5B34D35 \$ 34.99
#100-002-752AK	34	9mm	10	6E26H53 \$ 27.99
#100-002-770AK	34	9mm	17	5B26D53 \$ 27.99
#100-002-771AK	34	9mm	33	5B39D20 \$ 39.99
#100-002-756AK	35	.40 S&W	10	6E26H53 \$ 27.99
#100-002-775AK	35	.40 S&W	15	6E27D99 \$ 29.99
#100-006-053AK	35	.40 S&W	22	5B39Z99 \$ 41.99
#100-002-766AK	36	.45 ACP	6	6E26H53 \$ 27.99
#100-002-767AK	37	.45 GAP	10	5B26D53 \$ 27.99
#100-002-768AK	38	.45 GAP	8	5B26D53 \$ 27.99
#100-002-769AK	39	.45 GAP	6	5B26D53 \$ 27.99

### HIGH-CAPACITY MAGAZINES

While the Federal Ban on magazines with capacity above 10 rounds has been lifted, some states and cities have their own bans in place. In those areas it is still illegal to use rebuild components to assemble a new, high-capacity magazine. Please be sure to comply with all state and local ordinances when rebuilding magazines.



## MAGAZINES for GLOCK®

Convenient, Money-Saving 3-Paks  
Of Factory Mags For Popular Models

Genuine Glock factory magazines ensure smooth, reliable feeding and help you stay confident your pistol will perform reliably. Manufactured to Glock specifications in Austria by Glock. Features a round count indicator on rear face of mag body and the standard factory base plate. Also available bundled with a rugged Uncle Mike's molded-Kydex two-mag belt pouch. Tension screw system lets you adjust the amount of retention for competition or carry. Combos available for Glock 17/34 (9mm) and 22/35 (40 S&W) pistols.

**SPECS:** Magazines - Polyethylene body over steel liner. Pouch - Kydex, black. Accepts belts up to 1-3/4" (4.4cm).

#100-006-989AK **Three 17-Rd Mags for Glock 17/34, 5B00PUA** ..... \$ 79.99

#100-006-990AK **Three 17-Rd Mags Glock 17/34 + Pouch, 8K93B43** ..... 94.99

#100-006-991AK **Three 15-Rd Mags for Glock 22/35, 5B79X99** ..... 84.99

#100-006-992AK **Three 15-Rd Mags for Glock 22/35 + Pouch 8K93X43** ..... 94.99

## BERETTA BERETTA 92 FACTORY HIGH CAPACITY MAGAZINES

Dependable, Factory Magazines  
For Superior Performance

Factory, double stack 9mm magazines is ultra-reliable in combat or competition. High-tech manufacturing techniques allow seamless construction for snag-free follower movement and smooth insertion into the mag well. Self-lubricating follower and is injection molded from high-strength polymer for durability. Numbered witness holes on the backside allow easy viewing of remaining ammunition. Built from high carbon, heat-treated steel for maximum strength; includes a high tensile strength music wire spring that resists memory and won't weaken over time. Removable base pad allows easy cleaning. **Sand-Resistant 15-Round (SR)** model features a synthetic base pad, a full-length "sand slot" to allow debris to fall out, and a special dark gray, high-lubricity coating for improved reliability in desert environments. Adopted for use by the USMC. **17-Round** comes with a synthetic base pad and an attractive, high-gloss blued finish.

**SPECS:** Body - Carbon steel, heat treated. Spring - Music wire. Follower/Pad - Polymer, black. Fits all 9mm Beretta 92's, except Type-M and old Model 92/92S that use a single stack magazine. **15-Rd SR** - Dark gray, high-lubricity coating, polymer base pad. **17-Rd** - Blued, gloss finish, polymer base pad.

#100-003-851AK **15-Rd SR Beretta 92 Magazine, 1Z52Y61** ..... 57.99

#100-003-850AK **17-Rd Beretta 92 Magazine, 1Z39Y99** ..... 43.99

## MEC-GAR BERETTA M9/M92 OPTIMUM MAGAZINES

High Capacity With Anti-Friction  
Coating; The Mags That Really Work

You'll gain reliable, additional round capacity with these high quality replacement magazines that really fit and function like proven factory magazines. Tempered steel body with hardened feed lips is treated with a phosphated anti-friction coating inside and out to ensure drop-free operation and no-jam feeding. Hardened, high tensile music wire spring and supported, self-lubricated nylon follower eliminates follower tilt so every round feeds flawlessly. Flush-fitting, **18-Round** magazine features a tough synthetic base pad that removes easily for magazine cleaning. **20-Round** model includes a removable, synthetic



## MEC-GAR SEMI-AUTO MAGAZINES

Expert Craftsmanship, Reliable Function

Made from certified, carbon steel; TIG welded and finished without seams, then heat treated for durability. Also available with a rustproof, nickel finish. These are the same magazines that are supplied by many European handgun makers as original equipment.

**SPECS:** Steel, blue (BL), or bright nickel (BN) finish. **RNDS** indicates capacity of magazine.

STOCK #	FITS	FINISH	RNDS	PRICE
#625-200-350AK	Browning HP 9mm	BL	10	5B20A14 \$ 31.99
#625-000-024AK	Browning HP 9mm	BL	13	5B20Z14 \$ 31.99
#625-000-025AK	Browning HP 9mm	BL	15	5B22Z12 \$ 26.99
#625-200-340AK	Browning 40 S&W	BL	10	5B20A14 \$ 31.99
#625-201-920AK	Beretta 92 9mm	BN	10	5B21A92 \$ 34.99
#625-000-017AK	Beretta 92 9mm	BL	15	5B20Z15 \$ 24.99
#625-000-035AK	Beretta 96 .40S&W	BL	13	5B26Z31 \$ 31.99
#625-000-027AK	CZ 75 9mm	BL	16	5B20Z14 \$ 31.99
#625-200-008AK	Luger P-08 9mm	BL	8	5B27A00 \$ 42.99
#625-000-034AK	SIG P226 9mm	BL	18	5B24Z21 \$ 28.99
#625-000-016AK	SIG P228 9mm	BL	15	5B21Z92 \$ 34.99
#625-000-020AK	S&W 5900 9mm	BL	15	5B20Z14 \$ 31.99
#625-000-021AK	S&W 5900 9mm	BL	17	5B21Z92 \$ 34.99
#625-000-023AK	Taurus PT92/99 9mm	BL	15	5B20Z37 \$ 31.99
#625-200-012AK	Walther PP .32 ACP	BL	8	5B22A81 \$ 35.99
#625-200-010AK	Walther PPK/S .380 ACP	BL	7	5B22A81 \$ 35.99

## PRO MAG SEMI-AUTO MAGAZINES

Durable Replacements Made In The U.S.A.

Made from the finest materials for strength and durability. High-carbon, steel bodies; chrome silicon music wire springs take a "set" and then resist gradual weakening over time. Followers and mag pads are injection molded from unbreakable polymer to stand up to rough treatment without cracking.

**SPECS:** Body - Steel, blued. Spring - Chrome silicon. Follower - Nylon polymer. Capacities as listed in table.

STOCK #	FITS (CAPACITY/RDS)	PRICE
#687-100-092AK	Beretta 92 9mm (10)	7H18T08 \$ 24.99
#687-000-009AK	Beretta 92 9mm (15)	7H14T17 \$ 28.35
#687-100-096AK	Beretta 96 .40 S&W (10)	7H18T08 \$ 24.99
#687-108-383AK	Bersa 383A .380 (7)	7H16T54 \$ 22.99
#687-000-016AK	Browning HP 9mm (13)	7H15T73 \$ 31.45
#687-000-018AK	CZ 75 9mm (15)	7H18T08 \$ 24.99
#687-000-015AK	HK USP F/S 45 ACP (12)	7H21T70 \$ 43.40
#687-000-039AK	Ruger LCP® (6)	7H16T54 \$ 21.25
#687-000-040AK	Ruger LCP® (10)	7H18T85 \$ 24.75
#687-000-017AK	Ruger P Series (15)	7H15T73 \$ 31.45
#687-000-024AK	SIG P225 9mm (8)	7H18T08 \$ 24.99
#687-000-025AK	SIG P225 9mm (10)	7H18T08 \$ 24.99
#687-000-006AK	SIG P226 9mm (15)	7H18T08 \$ 24.99
#687-000-055AK	SIG P226 9mm (32)	7H21T54 \$ 28.00
#687-000-007AK	SIG P228 9mm (13)	7H18T08 \$ 24.99
#687-000-008AK	SIG P229 .40 S&W (12)	7H21T54 \$ 29.99
#687-000-012AK	S&W 5900 9mm (15)	7H18T08 \$ 24.99

"Plus 2" base pad. Witness holes in the rear side on both models provide fast, remaining round count.

**Specs:** Body - Hardened carbon steel, black phosphated anti-friction coating. Spring - High tensile music wire. Follower - Nylon, black. Fits Beretta M9 and M92, 9mm caliber.

#625-000-032AK **18-Rd M9/M92 Magazine 5B25Z31** \$ 29.99  
#625-000-033AK **20-Rd M9/M92 Magazine 5B29Z99** . . . 32.99

## PRO-MAG FN FIVE-SEVEN 30-ROUND MAGAZINE

Increases Capacity By 10 Rounds  
Over Factory Magazine

Rugged, lightweight polymer magazine increases the capacity of your 5.7 x 28mm FN Five-seveN pistol by an additional 10 rounds over the factory mag. Extension is contoured for a smooth, seamless fit to the bottom of the mag well, with exterior texturing that matches the pistol grip's texturing.

**SPECS:** Reinforced, injection-molded polymer, black. 30-round capacity. Fits FN Five-seveN pistol chambered in 5.7 x 28mm.

#687-000-038AK **30-Rd Five-seveN Magazine, 7H28T91** ..... \$ 32.99

## PSI SEMI-AUTO ACT-MAG

Made To Better Than Factory Specs;  
Won't Fail When It Matters Most

Manufactured on state-of-the-art machinery to exceed factory magazine specifications. Tempered steel bodies with hardened lips keep their shape; won't flare out, fail to feed or function. Includes an unbreakable polymer floorplate. Witness holes and round designation marks provide fast, visible round count.

**SPECS:** Steel, blue. Polymer follower.

#100-002-608AK **Beretta 92 Magazine, 15-Rd, 3K20A46** ..... \$ 29.99

#625-000-031AK **SIG P220 Magazine, 8-Rd, 3K20Z93** ..... 31.99

## RUGER® SR9® FACTORY MAGAZINES

Same Mags That Came With Your Pistol;  
10- Or 17-Rd Capacity

Factory magazine ensures exact fit and reliable function in your SR9 pistol. Features seamless TIG-welded steel body for exceptional strength and rigidity, with a slick, high-gloss blued finish, and numbered witness holes to give you a round count at a glance. Smooth-sliding polymer follower and easy-to-remove, two-piece base pad. High-grade steel spring resists taking a set to help ensure years of reliable feeding.

**SPECS:** Body - Steel, blued, high-gloss finish. Follower/Base Pad - Reinforced, injection-molded polymer, black. Approximately 5/2" O.A.L. Fits Ruger SR9 pistol chambered in 9 x 19mm. 17- or 10-round capacity.

#780-001-260AK **17-Rd SR9 Magazine 4C30Z32** ..... \$ 34.99  
#780-001-259AK **10-Rd SR9 Magazine 4C28Z00** ..... 32.99

## RUGER® RIMFIRE PISTOL MAGAZINES

Genuine Factory Magazines  
For All Ruger Pistols

High quality, made by Ruger to fit and function just like the originals. Crackproof, tempered steel bodies, music wire springs, nylon followers. **SPECS:** Steel, blued finish.

STOCK #	FITS/RDS	PRICE
#780-001-216AK	Mark I (9)	8G21Z40 \$ 26.75
#780-002-210AK	Mark II (10)	8G21P40 \$ 26.75
#780-002-245AK	22/45 (10)	8G18P89 \$ 19.99
#780-001-246AK	Mark III (10)	4C21Z40 \$ 26.75
#780-001-247AK	Mark III 22/45 (10)	4C21Z40 \$ 26.75





**RUGER® LCP™  
FACTORY MAGAZINE**

Rugged & Dependable Factory Original;  
Comes With Two Floorplates

Original Ruger factory 6-round magazine for exact fit and excellent performance in the LCP compact pistol. Tempered steel body with hardened feed lips, steel spring, and nylon follower all built to original specifications. Comes with a standard, low-profile floorplate and an extended plate with a convenient finger ledge for an improved grip and better recoil control for fast follow-up shots.

*SPECS:* Steel, blued finish. 6-rd capacity. Fits Ruger LCP.  
#780-001-261AK LCP Magazine 8G25Z31 . . . . . \$ 28.99

**SIG SAUER MOSQUITO  
FACTORY MAGAZINE**

Factory Built For Reliability & Performance

Genuine factory, 10-round magazine helps ensure maximum reliability from your Sig Sauer Mosquito .22 LR pistol. Aluminum body has an ultra-smooth, spot weld-free seam for unimpeded follower movement. Self-lubricating follower and music wire spring provide effortless feeding without hang-ups. Slots in sides allow fast visual inspection of remaining rounds. Removable floorplate for fast, easy cleaning.

*SPECS:* Aluminum body, molded polymer follower and base, matte black. 10-round capacity. Fits .22 LR Sig Sauer Mosquito.  
#732-000-448AK Mosquito Magazine, 2C38Z51 . . . . . \$ 42.99

**SMITH & WESSON M&P  
FACTORY MAGAZINES**

All Calibers & Capacities

Brand-new replacement magazines from your pistol's manufacturer ensure your spare mags work just as well in your M&P as the ones that came with the gun. Have plenty on hand – a personal defense or carry pistol is only as reliable as the magazine in it.

*SPECS:* Steel bodies, polymer followers and base pads, black. .45 ACP mags are available with choice of black or tan base pad.

STOCK #	FITS	CAP	PRICE
#940-000-991AK	M&P 9mm	10	4Z31D53 \$ 33.99
#940-000-993AK	M&P 9mm	17	4Z31D89 \$ 33.99
#940-000-990AK	M&P .357 Sig/40 S&W	10	4Z31D53 \$ 33.99
#940-000-992AK	M&P .357 Sig/40 S&W	15	4Z31D53 \$ 33.99
#940-000-995AK	M&P .45 ACP, Black	10	4Z31D53 \$ 33.99
#940-001-022AK	M&P .45 ACP, Tan	10	4Z31D53 \$ 33.99
#940-001-023AK	M&P .45 ACP, Black	14	4Z37D15 \$ 39.99
#940-001-024AK	M&P .45 ACP, Tan	14	4Z37D15 \$ 39.99
#940-001-037AK	M&P Shield 9mm	7	4Z29D31 \$ 31.99
#940-001-038AK	M&P Shield 9mm	8	4Z29D31 \$ 31.99
#940-001-035AK	M&P Shield .40 S&W	6	4Z29D31 \$ 31.99
#940-001-036AK	M&P Shield .40 S&W	7	4Z29D31 \$ 31.99

**MAGAZINES THAT WON'T HOLD  
ADVERTISED NUMBER OF ROUNDS**

New magazines, and/or magazines with new springs, may not let you load them with the maximum number of rounds they should hold. Here's the solution: load them up with the maximum number of rounds you can and let them set for a few days. The new spring will take its normal "set" and allow the rest of the rounds to be loaded.



**SMITH & WESSON SEMI-AUTO  
HIGH CAPACITY  
PISTOL MAGAZINES**

Factory High-Cap Mags  
Let You Shoot With Fewer Mag Changes

Steel body, factory magazines are guaranteed to work properly with your Smith & Wesson Model 422, 41 and 99 semi-auto pistols. Magazines feature high-impact plastic follower for smooth feeding, steel springs for proper tension, and detachable, plastic bases for easy cleaning. Magazines for Model 99 available in .40 S&W only. 422/41 accepts .22 LR.

*SPECS:* Steel body, black. Plastic follower, steel spring, plastic detachable base pad.  
#940-000-932AK S&W Mod. 99, .40 S&W Hi-Cap Mag, 4Z33H78 . . . . . \$ 42.23  
#940-000-934AK S&W Mod. 422 & 41 Hi-Cap Mag, 4Z24H01 . . . . . 29.99

**SPRINGFIELD ARMORY  
SPRINGFIELD XD/XDM  
FACTORY HIGH CAPACITY  
MAGAZINES**

Made The "Factory Way"  
For Smooth, Reliable Feeding

Long-lasting, stainless steel, high-capacity magazines are made to precise, factory tolerances to ensure maximum firepower and reliability from your Springfield XD pistol. Steel spring and molded polymer follower feed rounds smoothly and reliably to the chamber, every time. Highly polished body won't drag or hang-up during high-speed, tactical reloads. High-impact, polymer, base pad removes easily for cleaning. Numbered witness holes provide quick round count. Magazines fit 4" Service and 5" Tactical model pistols.

*SPECS:* Body - Highly polished stainless steel. Base Pad & Follower - Polymer, black. Capacity: 9mm - 16-rounds; .40 S&W - 12-rounds; .45 ACP - 10- and 13-round capacities available. Fits Springfield XD Service and Tactical model pistols with 4" or 5" barrel. .45 ACP 13-round magazine also fits XDM.

#817-000-014AK XD 9mm Magazine, 16-Round, 7A22P07 . . . . . \$ 23.99  
#817-000-015AK XD .40 S&W Magazine, 12-Round, 7A21P33 . . . . . 23.99  
#817-000-118AK XD/XDM .45 ACP Magazine, 13-Round, 7A23U45 . . . . . 24.99  
#817-000-119AK XD .45 ACP Magazine, 10-Round, 7A23U45 . . . . . 24.99

**SPRINGFIELD ARMORY  
XD-S™ MAGAZINES**

Factory Magazines;  
5- Or 7-Round Capacity



Same as the mags that came with your pistol, these stainless steel .45 ACP magazines resist wear and corrosion for extra-long service life. Molded polymer follower with integrated steel plate reliably raises the slide lock into position after the last round is fired. Base plate re-

moves for cleaning. 7-round model includes polymer sleeves that match both backstraps that came with your pistol.

*SPECS:* Stainless steel, polished natural finish. Fits single-stack, .45 ACP Springfield XD-S pistols.  
#817-000-136AK 5-Rd XD-S Magazine, 7A22U07 . . . . . \$ 24.99  
#817-000-135AK 7-Rd XD-S Magazine, 7A31U04 . . . . . 33.99



**TRIPLE K SEMI-AUTO  
MAGAZINES**

High-Quality Replacements  
For Many Current & Obsolete Pistols

Now you can keep your pistol shooting with these high-quality replacement magazines. 100% Made in the U.S.A. All feature welded seams, machined followers, and music wire springs. Unconditionally guaranteed to fit and feed.

*SPECS:* Steel, blue, matte finish unless otherwise denoted in fits line. **RDS** indicates capacity of magazine.

STOCK #	FITS	RDS	PRICE
#486-200-009AK	Browning 1910 .380	6	6H33D49 \$ 39.99
#486-200-296AK	Browning Medalist .22	10	6H33D24 \$ 43.99
#486-200-120AK	Browning, Baby .25	6	6H26D59 \$ 33.99
#486-000-007AK	Browning Challenger II	10	6H33V49 \$ 38.00
#486-200-017AK	Colt Pocket .380	7	6H33D49 \$ 39.99
#486-200-016AK	Colt Pocket .32	8	6H33D49 \$ 39.99
#486-200-015AK	Colt Pre-War .25	6	6H28D00 \$ 34.00
#486-200-213AK	Colt Woodsman (Early) .22	10	6H34D49 \$ 43.00
#486-200-394AK	Colt Woodsman (Late) .22	10	6H31D58 \$ 40.99
#486-200-405AK	High Standard "B" .22	10	6H31D37 \$ 39.99
#486-200-612AK	High Std. Duramatic .22	10	6H31D58 \$ 40.99
#486-200-990AK	High Std. Military .22	10	6H39D99 \$ 49.99
#486-200-212AK	High Std. LD .22	10	6H33D49 \$ 45.00
#486-200-490AK	High Std. Sportking .22	10	6H33D49 \$ 42.00
#486-200-489AK	Llama IXA .45	7	6H32D00 \$ 39.99
#486-200-578AK	Luger .309mm Woodbtm.	7	6H29D99 \$ 37.00
#486-200-980AK	Mossberg 140/152 .22	10	6H27D00 \$ 33.49
#486-200-293AK	Mossberg 340/350 .22	10	6H27D00 \$ 33.99
#486-200-053AK	Mauser HSc .32	7	6H36D00 \$ 47.00
#486-200-741AK	Mauser HSc .380	7	6H34D90 \$ 45.99
#486-200-075AK	Walther P38 9mm	8	6H25D00 \$ 30.00
#486-200-074AK	Walther PPK .32	6	6H28D25 \$ 35.99

**KRUNCH PRODUCTS MAG SLICK**

Keeps Magazines Clean & Working

Aerosol, dry lubricant, improves magazine function and feeding. Protects against corrosion, repels dirt. Dries in seconds, safe for all metal and plastic mags.

*SPECS:* Aerosol, 6 oz. (170 g) wt.

#474-000-001AK Mag Slick, 4G06U70 . . . . . \$ 8.75  
Cannot ship outside Continental U.S. Ship UPS or FedEx Ground only within U.S.



**TAURUS  
FACTORY PISTOL MAGAZINES**

Guaranteed To Fit Your Taurus Pistol



Genuine, factory magazines feature steel bodies for durability with steel springs and plastic followers for reliable feeding. Magazines available for PT-22 (8 rd), PT-92/99 (17 rd), and PT-100/101 (11 rd).

*SPECS:* Steel body, steel spring, plastic follower. Fits Taurus pistol models as listed below.

#872-000-003AK PT-22 Magazine, 8-Rd 2G18B67 . . . \$ 25.67  
#872-000-004AK PT-92/99 Magazine, 17-Rd 2G31B08 . 42.99  
#872-000-005AK PT-100/101 Mag., 11-Rd 2G30B81 . . . 42.92

**MAGPUL  
SPEEDPLATE for GLOCK®**


Fast Mag Changes, Easy Retention  
After Tactical Reloads



Rubber-coated floorplate with finger loop replaces the factory floorplate of your 9mm/.357/.40 Glock pistol magazine to give you the added tactical or competitive edge of faster mag changes. The easy-to-grasp loop aids in quick, positive extraction from tight mag pouches and helps you hang onto a partially expended magazine with just a finger after a tactical reload. Also gives the lower fingers a convenient rest for a more solid grip on subcompact models like the Glock 26/27/33. Made of polymer resin and no-slip Santoprene® rubber to cushion the magazine from impact when dropped on concrete or other hard surfaces. Available in 3-Paks.

*SPECS:* Santoprene synthetic rubber over hard polymer, black. Fits Glock 9mm/.357/.40 magazines. 3-pak.

#100-003-077AK Magpul Speedplate for Glock, 3-pak, 3K1Y22 . . . . . \$ 14.20



**TACTICAL SUPPLY DEPOT SEMI-AUTO LOGO MAGAZINE BASE PLATE**

Lightweight Aluminum With Custom Logos

Replacement for factory plastic base plate is precision machined from lightweight, durable aluminum and laser-etched with a custom logo that gives your pistol a unique, personal touch. Hard-coat anodized for extra strength and resistance to scuffs and wear. Slides on and off magazine body just like factory plate; removes for easy cleaning. Available with patriotic American Flag, aggressive death's head Punisher, international Bio-Hazard, or Happy Face logo. Plain base plates without logo available for Glock® only. All Glock plates are machined to extremely close tolerances and require minor fitting to the magazine (instructions included).


*SPECS:* 6061 T6 aluminum, hardcoat anodized, matte black.



GUN/CALIBER	STK # PLAIN	STK # FLAG	STK # PUNISHER	STK # BIO HAZ	STK # HAPPY
Glock 9mm/.40	#100-006-002AK	#100-006-022AK	#100-006-020AK	#100-006-024AK	#100-006-026AK
Glock .45 ACP	#100-006-003AK	NA	#100-006-021AK	NA	NA
Springfield XD 9mm/.40	NA	NA	NA	NA	#100-006-004AK
Springfield XD .45 ACP	NA	#100-006-011AK	#100-006-009AK	NA	NA
S&W M&P 9mm/.40	NA	NA	#100-006-014AK	NA	NA
S&W M&P .45 ACP	NA	NA	#100-006-015AK	NA	#100-006-007AK
- Advise # - Plain Base Plate 4C10U37 . . . . . \$ 14.99					- Advise # - Logo Base Plate 4C17U04 . . . . . \$ 24.99


## 10-8 PERFORMANCE S&W M&P .45 ACP MAGAZINE BASE PLATE

Durable Aluminum Replacement For  
The Factory Plastic Part

Lightweight aluminum base plate replaces the factory plastic pad and won't crack, chip or break when dropped on a hard surface. Elliptical cut-outs on the front and sides provide an easy-to-grasp surface for fast reloads and quick clearing of a stuck mag. Streamlined front and rear lips help prevent hang-ups with other mags during removal from a belt pouch. Bottom of the pad features eight dimples to aid in marking individual magazines. 

**SPECS:** 6061 aluminum, hard anodized, matte black. 1 3/4" (4.5cm) long, 1 3/16" (3cm) wide, 5/16" (8mm) high. Fits magazines for Smith & Wesson M&P .45 ACP pistols with full-size frames.

**#100-004-454AK M&P .45 Base Plate 1B16P50. . . . \$ 19.99**


**LOW-PROFILE .45 MAGAZINE BASE PAD** - Machined aluminum base pad for extended 14-round .45 ACP magazine offers a much lower profile than the factory pad. Eliminates the factory pad's extended "toe" that can snag on adjacent mags in a pouch, and is less bulky for better reload indexing. Side scallops give you a better grip during tactical reloads and help you pull a stuck magazine out of the magwell. 

**SPECS:** Aluminum, hardcoat anodized, matte black. Fits Smith & Wesson M&P 14-round .45 ACP magazines only.

**#100-005-980AK Low-Pro .45 Base Pad 1B31X41 . . \$ 36.99**

## ARREDONDO SEMI-AUTO EXTENDED MAGAZINE BASE PAD

Increases Mag Capacity; Easy To Install

Two-piece, extended base pad replaces factory pad to increase magazine capacity without compromising reliability. Molded from impact-resistant, fiberglass-reinforced nylon to protect your magazine from damage when ejected onto hard ground. Checkered bottom panel assists in fast, positive, non-slip, mag changes. Locks securely to the magazine body and lets you retain the factory magazine spring. Removes quickly and easily to reinstall factory pad and return mag to original spec. **Springfield XD** models also available with optional extra power magazine spring for added reliability. **Smith & Wesson M&P** has parts for two attachment options. For low-stress applications where the mag will not be ejected onto hard surfaces, use the spring plate to lock the extender and add six rounds. Use the L-shaped locking insert for extra-secure attachment and five additional rounds. Pads add 1 1/4" (3.2mm) to mag OAL. 

**SPECS:** Fiberglass-filled nylon, black. Springfield XD models available with extra power, steel music wire magazine spring.

**#069-000-032AK S&W M&P Ext. Base Pad, Only, 9F14B80. . . . . \$ 17.60**

**SPRINGFIELD XD EXTENDED MAG BASE PAD W/SPRING**

STOCK #	FITS	+ROUNDS	ADD'L MAG OAL
#069-000-035AK	9mm/.40 Springfield XD	5 (9mm)/3 (.40)	1 5/8" (2.9cm)
#069-000-033AK	.40 Springfield XD/M	4	1 5/16" (2.3cm)
#069-000-034AK	.45 ACP Springfield XD	3	1" (2.5cm)

- Advise # - Extended Mag Base Pad 9F17B60. . \$ 22.00

## DAWSON PRECISION EXTENDED BASEPAD & SPRING for GLOCK®

Add Additional Rounds  
Without Special Tools

High-strength, aircraft aluminum base pad slides open to accept magazine body and locks into place. Removes in seconds for easy cleaning. Base pad increases capacity of 15 round, .40S&W magazines by three rounds and 9mm magazines by 4 rounds. Maintains 140mm USPSA rule. Comes with extra-power, steel spring and installation instructions. 

**SPECS:** Aluminum, black. Steel mag spring. Fits small frame Glock 9mm & .40 S&W pistols.

**#100-002-221AK Basepad w/ Mag Spring, for Glock, 9A2Y34. . . . . \$ 32.99**

## FRED DESIGNS XGRIP™ MAGAZINE ADAPTER

Adapts Full-Size  
Pistol Magazines  
To Compact Firepower



Durable Xgrip magazine adapters easily convert full-size pistol magazines for use in compact pistols, so you have more ammo available when you need it. Gives added support for your little finger to improve comfort and weapon control. Special, impact-resistant, polymer construction takes a beating, yet weighs only ounces. **HK P2000SK** adapts the Heckler & Koch P2000 magazine for use in the compact P2000SK. Increases 9mm P2000SK's capacity from 10 rounds to 13, and from 9 rounds to 12 in .40 S&W and .357 Sig. Slides over mag body and interlocks with the floorplate, so the larger magazine flows seamlessly into the SK's grip to maintain proper hand/wrist alignment with improved comfort and control. **S&W M&P** model converts 15- and 17-round magazines from full-size M&P pistol chambered in 9mm, .40 S&W, and .357 SIG for use in M&P compact pistols of the same caliber. Easy installation: just slide the adapter over the full-size magazine and snap into position around the floorplate.


**SPECS:** Polymer, black. **HK P2000SK** - 2 1/8" (5.4cm) long, 1 1/8" (2.9cm) wide, 3/4" (1.9cm) high. Fits factory HK P2000 magazines for use in HP P2000SK. **S&W M&P** - 2 1/8" (5.4cm) long, 1 1/8" (2.8cm) wide, 1 1/8" high. Fits factory 15- and 17-round magazines from full-size Smith & Wesson M&P pistols chambered in 9mm, .40 S&W, and .357 SIG for use in M&P compact pistols.

**#100-004-078AK HK P2000SK Xgrip Adapter, 2A10P99. . . . . \$ 14.99**

**#100-004-443AK S&W M&P Xgrip Adapter 2A13Y97. 14.99**

## LIGHTNING STRIKE EXTENDED MAGAZINE PAD for GLOCK®

Additional Weight Helps Mags Drop Free


Replacement for factory mag pad adds length to help ensure the magazine can be seated fully in flared mag wells. +2 increases mag capacity by two rounds; others do not increase capacity. 

**SPECS:** Aluminum, black, matte finish. **Small** fits Models 17, 17L, 18, 19, 22, 23, 24, 25, 26, 27, 28, 31, 32, 33, 34, 35. **Small +2** fits Models 17, 17L, 18, 19, 22, 23, 24, 34, 35. **Large** fits Models 20, 21, 29, 30.

STOCK #	SIZE	COLOR	PRICE
#642-000-001AK	Small	Black	2D10H87 \$ 14.99
#642-000-005AK	Small +2	Black	2D20H62 \$ 27.99
#642-000-003AK	Large	Black	2D12H37 \$ 16.99

## PEARCE GRIP SEMI AUTO GRIP EXTENSION

Adds Recoil Control For Better Accuracy


Lets you use your entire hand to grip the gun for better recoil control and more consistent shot placement. **Grip Extension** does not increase magazine capacity or weight. Extended "shelf" for the little finger attaches in place of the factory magazine base. Makes shooting these little "handfuls" a lot more comfortable. **Plus One** and **Plus Two** extensions increase magazine capacity by number indicated in chart. **Glock PlusTwo\*** adds two rounds to 9mm magazines, one round to .40 S&W and .357 SIG magazines. **Glock Sub-Compact Plus Extension XL\*\*** adds one round for Model 39, two round for Model 27/33, and three rounds for Model 26. **Glock Plus XL Magazine Extension\*\*\*** adds one round in .45 GAP magazines, two rounds in .40 S&W and .357 SIG magazines, and 3 rounds for 9mm magazines. **Springfield XD** fits 9mm, .40 S&W, .357 Sig, and .45 GAP only. **Springfield XD .45 ACP** fits .45 ACP caliber only. 

**SPECS:** Impact-resistant plastic, black. Sold singly, except Beretta Tomcat, Kahr models, and Ruger® LCP® are sold in 2-paks.

STOCK #	FITS	ADDS	PRICE
#092-000-002AK	Beretta 92/Browning Hi Power	2	2K06Z00 \$ 9.95
#092-000-020AK	Beretta Tomcat 3032/ Bersa .380/Kel-Tec P3AT	0	2K09Z35 \$ 14.99
#092-100-026AK	Glock 26/27/33	0	2K06Z00 \$ 9.95
#092-100-029AK	Glock 29	0	2K06Z00 \$ 9.95
#092-100-030AK	Glock 30	0	2K06Z00 \$ 9.95
#092-100-027AK	Glock 27/33	1	2K06Z00 \$ 9.95
#092-000-008AK	Glock 36	0	2K07Z96 \$ 9.95
#092-000-001AK	Glock 36	1	2K06Z00 \$ 9.95
#092-000-003AK	Glock PlusTwo*	2	2K06Z00 \$ 9.95
#092-000-004AK	Glock 10mm/.45ACP	2	2K06Z00 \$ 9.95
#092-000-005AK	Glock Mid-/Full-Size	0	2K06Z00 \$ 9.95
#100-002-616AK	Glock Sub-Compact**	3	2K06V00 \$ 9.99
#100-002-617AK	Glock 26/27/33/39	0	2K06V00 \$ 9.99
#100-002-618AK	Glock Plus XL***	1	2K06V00 \$ 9.99
#092-100-025AK	Kahr, MK-9/K-9/K-40, Colt Pocket 9	0	2K09Z35 \$ 14.95
#092-000-019AK	Kahr P380	0	2K09Z35 \$ 14.99
#092-000-012AK	Ruger LCP	0	2K09Z49 \$ 14.99
#092-000-006AK	Springfield XD	0	2K06Z00 \$ 9.95
#092-000-018AK	Springfield XD	2 (9mm), 1 (.40 S&W/.357 SIG/45 GAP)	2K06Z12 \$ 9.99
#092-000-010AK	Springfield XD .45 ACP	0	2K06Z00 \$ 9.95
#092-000-017AK	Springfield XD .45 ACP	1	2K06Z12 \$ 9.99
#092-000-007AK	Taurus PT111/Kel-Tec P11	0	2K06Z00 \$ 9.95

## PEARCE GRIP FML GRIP ENHANCER for GLOCK®

Provides Extra Gripping Surface

Replaces factory floorplate to fill in the opening at the bottom of the Glock frame for a more secure grip.   
**SPECS:** Nylon plastic, matte black. Fits new-style, metal lined magazines for models 17, 18, 19, 22, 23, 24, 25.

**#092-100-201AK FML Grip Enhancer 2K06Z00. . . . \$ 9.95**

## PAY ANY WAY




VISA/MC/Discover/Am Ex/IMPAC/CrossCheck/C.O.D.

## ARREDONDO EXTENDED BASE PAD for GLOCK®



Provides Extra Capacity For High-Capacity Magazines


Two-piece, synthetic base pad increases the cartridge capacity of pre-ban, Glock magazines without compromising reliability. Impact-resistant pad locks securely to the magazine body; removes quickly and easily with the supplied compression tool. Wolff, 10% extra power spring ensures reliable feeding. Checkered, bottom panel allows positive, non-slip, mag changes. **Plus 5** extends pre-ban magazines to 140mm. Adds +6 rounds to 9mm, +5 to .40 S&W and 10 mm, and +4 to .45 ACP. USPSA Limited legal. **Plus 3** meets the PPSC box rule. Adds +4 rounds to 9mm and +3 rounds to .40 S&W pre-ban mags. 

**SPECS: Pad** - High-impact, fiberglass-filled nylon, black, blue, or red. 1 1/2" (3.8cm) long, 1 1/8" (2.9cm) wide, 1 1/2" high for 9mm/.40 S&W, 10mm/.45 ACP is larger. **Spring** - Tempered music wire, 10% extra power.

PLUS 5W/SPRING			
STK # BLACK	STK # BLUE	STK # RED	FITS
#069-000-004AK	#069-000-010AK	#069-000-012AK	G17
#100-001-343AK	NA	NA	G19/G23
#100-001-344AK	NA	NA	G20/G21
- Advise # -	Plus 5 Base Pad with Spring, 9F32B08. . . . . \$ 39.99		
#069-000-003AK	Black Plus 5 Base Pad, only, 9F27B28. . . . . 34.10		
#069-000-005AK	Plus 3 Base Pad with Spring, 9F17B60. . . . . 22.00		

## A & G SEMI-AUTO GRIP EXTENDER

Use Full Size Mags In Compact Guns;  
Increases Shooting Comfort

Slip-on collar fills the space between a compact frame and bottom of a full-sized magazine to make a comfortable, hand-filling grip. Contoured to match the frame for improved trigger and recoil control. Ideal when using full-size magazines as backup. 


**SPECS:** High impact polymer, black.

STOCK #	FITS MAGAZINE	FOR USE IN
#075-000-010AK	Glock 17/22/31	Glock 19/23/32
#075-000-002AK	Glock 17/22	Glock 26/27
#075-000-001AK	Glock 19/23	Glock 26/27
#075-000-003AK	Glock 20/21	Glock 29/30
#075-000-005AK	Colt 1911 Govt Model	Colt 1911 Officers Model
#075-000-013AK	S&W M&P 9/40 Full Size	S&W M&P 9/40 Compact
#075-000-011AK	Springfield XD 9/40 Full Size	Springfield XD 9/40 Compact
#075-000-012AK	Springfield XD 45 Full Size	Springfield XD 45 Compact

- Advise # - Grip Extender 5G09A91. . . . . \$ 13.99

## PACHMAYR MAGAZINE BUMPER KIT

For Positive Seating  
& Magazine Protection

Gives extra length needed for fast, positive magazine changes. Protects magazine from damage too. Same compound as used on Pachmayr grips.   
**SPECS: MBK-Colt** fits 1911 Auto/copies. Screw on; screws, drill and jig included. **MBK-B** fits Browning Hi-Power, Beretta/Taurus 92, Ruger P-85, 89, 90, 91. Glue on. Kits include 5 bumpers.

**#692-700-000AK MBK-Colt Bumper Kit 2F17U01. . \$ 25.99**

**#692-701-000AK MBK-B Bumper Kit 2F12X34. . . . . 18.99**



## SCHERER SEMI-AUTO FINGERTIP EXTENSION

Improves Grip For Large Hands; Better Recoil Control

Polymer grip extension replaces the magazine base plate and provides a handy rest for the little finger for more support and better recoil control. Extra length and textured front give you a secure purchase and more to grasp during magazine changes.

**SPECS:** Molded polymer, black. Does not increase magazine capacity. Includes 2 per pak. Glock G30 fits 10-round magazine for G30 (.45 ACP) pistol only, P10/12 fits Para-Ord magazines. P-32/P-3AT fits Kel-Tec micro pistols in .32 ACP and .380.

**#861-118-145AK Glock G30 Extension 1F06C17 . . . \$ 9.99**  
**#861-118-101AK P10/12 Mag Extension 1F07C06 . . . 9.42**  
**#861-000-025AK P-32/P3AT Mag Extension, 1F08C50 . . . \$ 9.99**

## SCHERER EXTENDED MAGAZINE PAD for GLOCK®

Extra Rounds For Duty Or Competition



Extends pre-ban factory, and some after-market, Glock magazines; gives additional capacity without permanent alterations to the magazine. **Super 2** adds two additional rounds, **+1** adds 1 extra round to Model 27/33 or Model 36. Made from lightweight, impact-resistant, high-strength plastic.

**SPECS:** Plastic, black. Sold per pair. **Super 2** fits 10mm/.45 ACP +1 fits Model 27/33 or Model 36.

**#861-117-145AK Super 2 Mag Extension 1F06C60 . \$ 13.20**  
**#861-000-001AK +1 27/33 Mag Extension 1F07C59 . . . 14.99**  
**#861-000-002AK +1 36 Mag Extension 1F06C00 . . . 12.00**



## TAYLOR FREELANCE EXTENDED MAG PAD

Increases Capacity Up To 10 More Rounds

Extended base pads of machined aluminum or Delrin® clamp securely to the magazine with an aluminum retainer plate, eliminating unexpected "speed-unloads" when a plastic snap-on extender fails. Designed to keep magazine overall length within the 140mm and 170mm USPSA and IPSC limits. Glock models include extended magazine spring, and are available in Drop configuration that fits "drop-free" magazines (will not fit original, non-drop magazines). **Glock +5** adds 5 rounds of .40, 6 rounds of 9mm. 140mm OAL for USPSA. **Glock +8** adds 8 rounds of .40, 10 rounds of 9mm. 170mm OAL for IPSC International Open class. **S&W M&P +5** adds 5 rounds of .40 caliber, 6 rounds of 9mm. 140mm OAL for USPSA Limited competition. Uses factory spring. **S&W M&P +10** adds 8 rounds of .40 caliber, 10 rounds of 9mm. 170mm OAL for USPSA Open Division. Includes extended magazine spring. **Springfield XDM +3** adds three rounds of 9mm or .40 caliber. 140mm OAL for USPSA Limited competition. Uses factory spring.

**SPECS:** Machined aluminum, hardcoat anodized, or Delrin (Glock only), black. Aluminum clamp, natural silver. **Glock +5** fits 17/18/19/22/23/24. **Glock +8** fits 17/17L/18/19/22/23/24/24C. **S&W M&P +5/+10** fit 9mm/.40 caliber Smith & Wesson M&P **Springfield XDM +3** fits 9mm/.40 caliber Springfield XDM.

**#100-000-034AK Glock +5 Drop Mag Pad, 1K29T07 \$ 41.99**  
**#100-000-035AK Glock +8 Drop Mag Pad, 1K41T65 . . . 59.99**  
**#100-005-343AK S&W M&P +5 Mag Pad, 1K26V67 . . . 31.99**  
**#100-005-344AK S&W M&P +10 Mag Pad, 1K40V58 . . . 49.99**  
**#100-005-345AK Sprfld XDM +3 Mag Pad, 1K27V71 . . . 29.99**

## BROWNELLS PRO-SPRINGS™ FOR ACTION-TUNING by WOLFF

Brownells Pro-Spring™ Kits are made from the finest high-tensile spring wire - wire formulated and drawn especially for the finest quality springs. The tension is built into the wire as it is being drawn - not added afterwards by heat treating. Consequently, these springs will continue to function correctly and continually, long after many of the other springs have taken on so much "set" that they have lost their ability to return to required length and tension. It's simply not worth taking a chance when the best quality springs are only a small part of the repair or custom project. Find out for yourself the satisfaction of using a really good gun spring - designed and made expressly for us by Wolff, the Dean of quality gun springs for the professional firearms industry.

**SPECS:** RP = Reduced Power, XP = Extra Power, FSW = Factory Standard Weight.

**BHP-501 FOR BROWNING HI-POWER** - Contains 1 each FSW 17 lb., variable power recoil spring and 32 lb. hammer spring plus, (1) 28 lb., RP hammer spring and XP firing pin spring.  
**#080-665-501AK Kit BHP-501 6K10V49 . . . \$ 15.73**

**BSBF-600 FOR BERETTA 92/96 F/SB** - Contains 1 each FSW 13 lb., recoil spring and 20 lb. hammer spring plus, (1) 18 lb., RP hammer spring, (1) XP firing pin spring, 13 lb.  
**#080-665-600AK Kit BSBF-600 6K11V05 . . . \$ 16.45**

**GM-455 FOR COLT GOVERNMENT .380** - Includes (1) 12 lb., XP recoil spring and (1) XP firing pin spring to improve functioning, plus (1) RP 20 lb. mainspring (hammer spring) to lighten trigger pull, and (1) FSW 23 lb. hammer spring.  
**#080-665-355AK Kit GM-455 6K11V05 . . . \$ 16.45**

**CM-456 FOR COLT MUSTANG .380** - Includes (1) 12 lb. XP recoil spring and (1) XP firing pin spring to improve functioning, plus (1) RP 20 lb. mainspring (hammer spring) to lighten trigger pull, and (1) FSW 23 lb. hammer spring.  
**#080-665-356AK Kit CM-456 6K11V05 . . . \$ 16.45**

**RMK II FOR RUGER® MARK II PISTOL** - Kit contains (1) XP recoil spring, (1) XP firing pin spring, (1) RP hammer spring and (1) RP trigger spring.  
**#080-665-002AK Kit RMK II 6K11V05 . . . \$ 16.45**

**RPN-105 FOR RUGER P85 & P90®** - Kit contains 1 each FSW 11 lb., recoil spring and 23 lb., hammer spring, plus (1) 20 lb., RP hammer spring and (1) XP firing pin spring.  
**#080-665-105AK Kit RPN-105 6K11V05 . . . \$ 16.45**

**95427 FOR SIG P220** - Does not fit current production guns with plastic mainspring housing and stirrup. S.N. 219166 and above use heavier recoil springs than earlier models. Contains (1) 20 lb., FSW recoil spring, plus (1) 24 lb., FSW hammer spring, (1) 18 lb., RP hammer spring and (1) XP firing pin spring.  
**#080-665-110AK Kit 95427 6K11V05 . . . \$ 16.45**

**SSP-701 FOR SIG P226** - Contains 1 each FSW 15 lb., variable recoil spring and 20 lb. hammer spring plus (1) 18 lb., RP hammer spring and (1) XP firing pin spring.  
**#080-665-701AK Kit SSP-701 6K11V05 . . . \$ 16.45**

**95308 FOR SIG P225, P228, P229** - Contains (1) FSW 16 lb., Recoil spring, (1) EP firing pin spring, plus 1 each FSW 24 lb. Hammer spring and RP 19 lb. Hammer spring.  
**#080-665-109AK Kit 95308 6K11V05 . . . \$ 16.45**

**SWODA-205 FOR S&W 39, 439, 539, 639, 59, 459, 559, 659, 3904, 3906, 5903, 5904, & 5906** - Contains 1 each FSW 14 lb., recoil spring and 20 lb. hammer spring plus, (1) 18 lb., RP hammer spring and (1) XP firing pin spring.  
**#080-665-205AK Kit SWODA-205 6K11V05 . . . \$ 16.45**

**TSA-800 FOR TAURUS PT-99/92** - Fits all variations. Kit contains (1) 11 lb., RP recoil spring, (1) 18 lb., FSW hammer spring and (1) 16 lb., RP hammer spring.  
**#080-665-800AK Kit TSA-800 6K11V05 . . . \$ 16.45**



## BROWNELLS BERETTA 92 CHROME SILICON 9mm MAGAZINE SPRING



Smooth, Reliable Performance In High-Capacity Magazines

Chrome silicon spring replaces factory spring and provides positive pressure against the follower to ensure that rounds feed smoothly and consistently, even in the worst conditions. Requires dry lubricants only that won't attract grit and sand which can cause misfeeding. Fits high-capacity magazines for Beretta 92 model pistols.

**SPECS:** Chrome silicon steel wire. Fits Beretta 92 Model high-capacity magazines.  
**#078-000-129AK Chrome Silicon Mag Spring, each, 8G05H99 . . . \$ 7.49**  
**#078-000-130AK Chrome Silicon Mag Spring, 3-pak, 8G16H75 . . . 20.99**

## BROWNELLS CHROME SILICON MAGAZINE SPRINGS for GLOCK®



Consistent Delivery Of Every Round

Chrome silicon springs deliver consistent pressure and reliable feeding of every round in high-capacity magazines. Many springs continue to set and weaken over time, eventually failing to feed all the rounds in the mag and require replacement. Quality springs, like our chrome silicon springs, take an initial set (all springs do) then stabilize for long service life. Models for Glock 17/17L (7 & 19 rds) and Glock 19 (15 & 17 rds).

**SPECS:** Chrome silicon. 7" (17.7cm) long. Models for Glock 17/17L - 17 & 19 rds, Glock 19 - 15 & 17 rds. Available in 3-paks.  
**#080-000-305AK Mag Spring, CS, Glock 17/17L, 3-pak, 8K16D75 . . . \$ 20.99**  
**#080-000-307AK Mag Spring, CS, Glock 19, 3-pak, 8K16D75 . . . 20.99**

## BROWNELLS/ISMI S&W M&P HIGH-CAPACITY EXTRA-POWER MAGAZINE SPRING



Applies More Pressure To Follower For Smooth Feeding From Extended Magazines

Extra-length magazine spring replaces factory-supplied spring for use with aftermarket magazine extenders and extended base pads that increase round capacity. Gives follower up to 10% more power for smooth, reliable feeding of rounds. Made of certified aerospace-spec chrome silicon wire, then heat-treated and stress-relieved to ISO 9000 standards.

**SPECS:** Chrome silicon steel wire. Fits S&W M&P pistols chambered in 9mm, .40 S&W, and .357 SIG.  
**#078-000-168AK S&W M&P Mag Spring 8G05H31 . . . \$ 7.99**

## CYLINDER & SLIDE BROWNING HI-POWER TRIGGER PULL SPRING KIT

Reduces Pull Weight For A Light, Crisp Trigger Pull

Competition trigger pull spring kits reduce the pull weight of heavy factory triggers by approximately 2½ lbs. for a much improved trigger pull and better accuracy. **#25A** fits all pre-'91 Browning Hi-Power pistols, and includes (1) 22 lb. hammer spring, (1) reduced power trigger return spring, and (1) reduced power firing pin spring. **#25B** fits 1991 and later Hi-Power pistols, and includes (1) 22 lb. hammer spring and (1) reduced power firing pin spring.

**SPECS:** Spring steel. **#25A** includes (3) springs. **#25B** include (2) springs.  
**#206-025-001AK #25A Spring Kit 6K14C52 . . . \$ 18.99**  
**#206-025-002AK #25B Spring Kit 6K14C80 . . . 18.50**

## GLOCKWORX TRIGGER UPGRADE COMPONENTS for GLOCK®

For A Smoother, Crisper, More Refined Trigger Pull; Drop-In Installation

Drop-in parts give your Glock a smooth, crisp, light pull that helps promote consistent, match-grade accuracy. Change specific components to improve a particular aspect of the trigger pull, or do a complete upgrade. Fits all Glock pistols.

**COMPETITION SPRINGS** - Precisely calibrated spring weights deliver consistent force through the entire compression/release cycle to give you a light, refined trigger without sacrificing the reliability of your pistol's Safe Action system. High-stress, aerospace-grade stainless steel spring wire is heat- and cryo-treated for 99.99% consistent energy output, so trigger pull feels the same every time. For maximum improvement over factory pull, use with V2 Race Connector, below. **Trigger Spring** has nearly 30% more power than factory spring, yet actually reduces pull by as much as 1 lb. for improved control. Also produces faster trigger reset for quicker follow-up shots. Reduced power **Safety Spring** reduces friction caused by the firing pin safety, further smoothing the pull. **Striker Spring** is designed for improved consistency and durability over factory spring. Available in standard factory weight for a 3 to 3½ lb. pull or light model that reduces pull by at least 1 lb. to a consistent 2 to 2½ lb., while preserving reliable primer ignition. **Competition Spring Kit** contains the trigger spring, firing pin safety spring, and standard power striker spring.

**SPECS:** Spring stainless steel wire. Fits all Glock pistols.  
**#100-004-108AK Competition Spring Kit 8B07X67 . . \$ 8.99**  
**#100-005-562AK Trigger Spring, Only 8B02X92 . . . 3.99**  
**#100-005-561AK Firing Pin Safety Spring, Only, 8B02X92 . . . 3.99**  
**#100-005-563AK Std. Striker Spring 8B02X31 . . . 2.99**  
**#100-005-564AK Light Striker Spring 8B02X31 . . . 2.99**

**V3 RACE CONNECTOR** - Redesigned connector gives a Glock trigger a clean, lighter-than-factory pull for positive control and "single-action"-like accuracy, while maintaining reliable trigger reset. Precision laser cut from a proprietary steel alloy then heat treated for improved spring tension. Extra-long "slot" prevents debris build-up and keeps trigger parts clean for smooth, consistent pulls. Produces a consistent 2 lb. trigger pull in most pistols when used with the Competition Spring Kit. **SPECS:** Stainless steel alloy, polished. Fits all Glock models, including Gen 4. May require minor tuning.  
**#100-005-565AK V3 Race Connector 8B13X06 . . . \$ 15.99**



**A NOTE ON SPRING "SET"** - "Set" is normal in all springs, and is the "held-compression" all springs take after being put under compression for a length of time. What is critical about "set" is that all springs do not take it equally, or stabilize at a predetermined amount of "set". In measured tests, Brownells Pro-Springs™ took 4 to 10 times less set after equal time under compression than did other springs tested. And once stabilized, took no more set. The other springs continued

to take "set" until we stopped testing them. Prove it to yourself . . . measure the springs you want to test; lock them in a vise overnight, and when you take them out, measure how much length has been lost. (Do the test on the same springs a second - or third - time. Consider the effect this "shortening" will have an action job that was based on the spring's original length. Trigger pull, action smoothness and even the safe functioning of the gun can be ruined by an inferior spring.

## GLOCKWWORX RECOIL SPRING for GLOCK®



Color-Coded For Easy Identification

Round wire, steel recoil springs are color-coded, so you can make sure you have the correct spring for a custom or hot load. Coating typically lasts 3,000 rounds, which is the recommended spring life. **Blue** spring is rated at 12 lbs. and is designed for standard-velocity 9mm ammunition. **Red** spring is rated at 14 lbs. for hot-loaded 9mm, .40 S&W, or .45 ACP ammunition. **SPECS:** Round-wire spring steel, approximately 6¼" (15cm) long. Available rated at 12 lb. (Blue), or 14 lb. (Red).  
**#100-006-597AK Blue Recoil Spring, 12 lb. 8B06X43 . \$ 7.99**  
**#100-006-598AK Red Recoil Spring, 14 lb. 8B06X43 . . . 7.99**

## VOLQUARTSEN RUGER® MARK I/II/III ACCURIZER SPRING KIT

Improves Trigger Pull For Better Accuracy

High quality replacement springs improve the factory trigger pull so your pistol delivers its best accuracy. Includes (1) reduced power trigger plunger spring and (1) mainspring, plus (1) assembly pin for ease of installation. Fits Ruger Mark I, Mark II, Mark III™ and 22/45™ pistols. **SPECS:** Spring steel. Includes (2) springs and (1) assembly pin.  
**#930-012-004AK Accurizer Spring Kit 3Z08A90 . . . \$ 11.10**

## ISMI SEMIAUTO CERTIFIED SPRING



Designed For Maximum  
Consistency & Reliability

CAD designed and manufactured to aerospace specifications from chrome silicon or chrome vanadium for maximum durability, consistency and reliable performance. Built to aerospace specifications; heat treated, shot peened and fully stress relieved to minimize spring set. **SPECS:** Chrome vanadium flat wire. Chrome silicon round wire or flat wire.

**GLOCK RECOIL SPRINGS** - Flat wire, chrome vanadium alloy, wound to fit factory diameter guide rod of .250" or less. **Glock 17** fits large frame 17, 17L, 20, 21, 22, 24, 31, 35. Factory weight is 17 lb. **Glock 19** fits 19, 23, 25, 32. Factory is 18 lb.  
**SPECS:** Chrome vanadium flat wire.  
**#445-000-012AK 13 lb. Glock 17 Spring 5D05T99 . . . \$ 8.95**  
**#445-000-005AK 15 lb. Glock 17 Spring 5D05T99 . . . 8.95**  
**#445-000-006AK 17 lb. Glock 17 Spring 5D05T99 . . . 8.95**  
**#100-002-624AK 11 lb. Glock 17 Spring 5D05V99 . . . 8.95**  
**#100-002-623AK 18 lb. Glock 19 Spring 5D05V99 . . . 8.95**  
**#100-002-622AK 20 lb. Glock 19 Spring 5D05V99 . . . 8.95**

**BERETTA RECOIL SPRING** - Chrome silicon (CS) springs wound for 14 and 16 lb. Beretta Models 92 & 96.  
**SPECS:** Chrome silicon round wire.  
**#100-002-626AK 14 lb. CS Beretta Spring 5D05V31 . . . \$ 7.95**  
**#100-002-625AK 16 lb. CS Beretta Spring 5D05V31 . . . 7.95**

**HK MP5/M94 RECOIL SPRINGS** - Chrome silicon (CS) recoil springs available in extra power.  
**SPECS:** Chrome silicon round wire.  
**#100-002-620AK CS HK MP5/M94 Extra Power Spring, 5D10V83 . . . \$ 14.95**

**S&W M&P** - Chrome silicon (CS) flat springs available in reduced power 13 lb. and 15 lb. weights, and extra power 17 lb. Factory weight is 16 lb.  
**SPECS:** Chrome silicon flat wire.  
**#445-000-027AK 13 lb. CS S&W M&P Spring, 5D05T99 . . . \$ 8.95**  
**#445-000-028AK 15 lb. CS S&W M&P Spring, 5D05T99 . . . 8.95**  
**#445-000-029AK 17 lb. CS S&W M&P Spring, 5D05T99 . . . 8.95**

## ISMI HIGH CAPACITY PREMIUM MAGAZINE SPRINGS

Chrome Silicon Wire For  
Superior Performance  
& Durability



Wound with high tensile, chrome silicon wire that's shot peened, heat treated, then stress-relieved for the longest service life possible, without cracking or failure. **SPECS:** Chrome silicon steel wire.

**BERETTA** - Fits Beretta 92 and 96 high capacity magazine; holds 15 rounds of 9mm, 13 rounds of .40 S&W.  
**#445-000-020AK Beretta Magazine Sprg 5D07T68 . . . \$ 10.25**  
**GLOCK** - Fits Glock 19, 21, 23 and 32, Law Enforcement, high capacity magazines. 10% Extra power.  
**#445-002-100AK Glock Spring 5D07T68 . . . \$ 10.25**  
**GLOCK** - Fits Glock 19, 21, 23 and 32, Law Enforcement, high capacity magazines. 10% Extra power.  
**#445-000-003AK Mini-Glock Spring 5D07T68 . . . \$ 10.25**  
**GLOCK 140mm** - Fits 9mm and .40 S&W high capacity magazines with +2 and +4 base pads.  
**#445-006-140AK 140mm Glock Spring 5D07T89 . . . \$ 10.99**

## TACTICAL SPRINGS BERETTA 92/M9 RECOIL SPRING



Consistent Performance For High-Stress,  
High-Volume Shooting

Factory weight 13-lb. recoil spring helps ensure consistent, dependable operation for tens of thousands of compression cycles. Perfect for the high-volume shooter who needs a finely tuned spring that delivers its rated power as reliably on the 50,000th shot as it did on the first. Made from chromium-silicon steel alloy selected specifically for its hardness, heat resistance, and ability to withstand high stresses—the same alloy used for valve springs on automobile engines. Cryogenically treated to relieve internal stress, and surface impregnated with Sprinco's proprietary Plate+ molybdenum disulfide lubricating coating. **SPECS:** Cryo-treated chrome silicon alloy. Fits full-size Beretta 92/M9.  
**#943-000-016AK Beretta 92/M9 Recoil Spring, 3D06Z71 . . . \$ 8.99**

## WILSON COMBAT

### "CUSTOMTUNE" PISTOL SPRING KITS



Add Reliability, Improve Function

High quality springs drop-in to improve handgun performance. High tensile strength wire delivers reliable function. **SPECS:** Kit contains one each of the springs listed below. **RP = Reduced Power, XP = Extra Power.**

**#322 BERETTA 92F** - RP 18 lb. hammer spring; XP firing pin spring; RP 10 lb. and XP 15 lb. recoil springs.  
**#965-322-000AK Wilson Kit #322 5F12U75 . . . \$ 14.95**  
**#323 BROWNING HP** - RP 26 lb. hammer spring; XP firing pin spring; RP 12 lb. and XP 18½ lb. recoil springs.  
**#965-323-000AK Wilson Kit #323 5F12U68 . . . \$ 14.99**  
**#326 CZ-75** - RP 17 lb. hammer spring; XP firing pin spring; RP 12 lb. and XP 15 lb. recoil spring. Also fits Tanfoglio CZ-75 copies.  
**#965-326-000AK Wilson Kit #326 5F12U68 . . . \$ 14.99**

**NO HANDLING CHARGE • NO MINIMUM ORDER**  
**ONE-RATE SHIPPING ANYWHERE IN THE U.S.**

## WOLFF RECOIL SPRINGS

For optimum reliability with hardball and hot handloads. Improves overall function by matching the spring to the specific loads being fired. **SPECS:** Chrome silicon steel wire.

**BROWNING HI-POWER RECOIL CALIBRATION PAK** - A wide range of recoil springs to match your loads and shooting conditions. Factory recoil spring is 17 lb. Fits 9mm and .40 S&W pistols. (1) 17 lb., (1) 18.5 lb., (1) 20 lb. and (1) 22 lb. recoil springs, plus (3) extra power firing pin springs. 18.5 lb. extra power recoil spring also available separately.  
**#969-131-370AK Recoil Pak 9F16V66 . . . \$ 24.99**  
**#969-407-180AK 18½ lb. Recoil Spring, only 9F05H26 . . . 7.89**

**RUGER® LCP® RECOIL SPRINGS** - Factory weight is 9 lb. Heavier-weight 13 lb. spring improves cycling reliability, especially with hot loads. Recoil "spring" consists of an outer and inner spring; comes with an extra-power firing pin spring to further promote reliable ignition. **Recoil Calibration Pak** contains one each 11, 12, and 13 lb. recoil springs, plus three extra-power firing pin springs.  
**#969-000-226AK LCP Recoil Calibration Pak, 9F13A23 . . . \$ 19.99**  
**#969-000-237AK LCP 13 lb. Recoil Spring 9F04A86 . . . 6.99**

**SMITH & WESSON M&P RECOIL SPRINGS** - Factory weight (16 lb.) spring for full-size 9mm, .40 S&W and .357 SIG pistols. NOTE: These springs require a full-length, non-captive guide rod. Each recoil spring, including those in calibration kits, comes with a factory weight striker spring. Calibration Paks let you try out different weights to see which works best in your pistol. **Extra Power (XP) Recoil Calibration Pak** contains one each 17, 19, 20, 22, and 24 lb. recoil spring, plus five replacement, factory-weight striker springs. **Reduced Power (RP) Recoil Calibration Pak** contains one each 12, 14, and 15 lb. reduced-power recoil spring, plus three factory weight striker springs.  
**#969-000-233AK M&P XP Recoil Calibration Pak, 9F19A38 . . . \$ 29.99**  
**#969-000-232AK M&P RP Recoil Calibration Pak, 9F11A57 . . . 16.99**  
**#969-000-240AK M&P 16 lb. Factory Weight Spring, 9F04A86 . . . 6.99**

**SIG SAUER RECOIL CALIBRATION PAK** - Each spring pack is provided with three extra power firing pin springs. **P-225/228/229 Spring Pak** contains (1) 17 lb., (1) 19 lb. and (1) 21 lb. extra power recoil springs. Factory is 16 lb. **P-220 and P-226 Spring Paks** include (1) 15 lb., (1) 16 lb., (1) 18 lb., and (1) 20 lb. recoil spring. Factory P220 is 20 lb., factory P226 9mm is 15 lb., factory .357 Sig and .40 S&W are both 20 lb.  
**#969-131-940AK P-225/228/229 Spring Pak, 9F12H53 . . . \$ 18.79**  
**#969-131-770AK P-220 Spring Pak 9F16H66 . . . 24.99**  
**#969-000-205AK P-266 Spring Pak 9F16A66 . . . 24.99**

**WALTHER PPK/PPKS RECOIL CALIBRATION PAK** - A variety of reduced power recoil springs to match your handloads and provide optimal slide function. Includes (1) 14 lb., (1) 15 lb., (1) 16 lb. and (1) 17 lb. reduced power recoil springs; and (3) extra power firing pin springs. Fits 9mm (.380) pistols. Factory standard recoil spring is 20 lb.  
**#969-000-194AK Recoil Calibration Pak 9F17A95 . . . \$ 24.99**  
**BERETTA 92/96 RECOIL SPRINGS** - 13lb., factory standard weight, recoil spring only. **Recoil Calibration Pak:** - 1 each 15 lb., 16 lb., 18 lb., and 20 lb. extra power recoil springs, plus (3) extra power firing pin springs. **Performance Pak:** - 1 each 10 lb. reduced power, and (1) 15 lb. extra power recoil spring, plus (1) extra power, firing pin spring and (1) 18 lb. reduced power hammer spring.  
**#969-000-141AK 13 lb. Recoil Spring 9F05H27 . . . \$ 7.89**  
**#969-131-900AK Calibration Pak 9F16H67 . . . 24.99**  
**#969-140-300AK Performance Pak 9F09H33 . . . 13.99**

**GLOCK RECOIL SPRING** - Replaces the factory spring with (1) non-captive, recoil spring and (1) striker spring to tailor recoil function. Factory weight, Glock 17 (G17) is 17 lb. and also fits Glock 17L, 20, 21, and 22. Glock 19 (G19) is 18 lb. factory weight and also fits 23. Springs are for current-production models.  
**#969-437-015AK G17 15 lb. Recoil Spring 9F05A26 . . . \$ 7.89**  
**#969-437-017AK G17 17 lb. Recoil Spring 9F05A26 . . . 7.89**  
**#969-437-022AK G17 22 lb. Recoil Spring 9F05A45 . . . 7.99**  
**#969-438-018AK G19 18 lb. Recoil Spring 9F05A26 . . . 7.89**

## WOLFF SEMI-AUTO

### EXTRA POWER MAGAZINE SPRING

Better Feeding  
For Your  
Semi-Auto



Increased pressure stabilizes the follower and improves feeding, especially on high-capacity magazines. **Beretta** fits Full Size, Compact and Centurion. **Browning HP** fits Hi-Power 9mm and .40 S&W. **Caspien** has 14 coils, can be used for repairing Browning, S&W, SIG, Beretta and similar high-capacity magazines. **CZ/EA-9** fits CZ-75 and Tanfoglio EA-9/P9/TZ-75/AT-84 9mm, 16 shot and .40 S&W, 12 shot. **Glock** - **Hi-Cap 17** fits 17, 17L, 20 (15-rd), 22, 31 (15-rd), 34 (17- and 19-rd), and 35 (15-rd). **Hi-Cap 19** fits 19 (15- and 17-rd), 21 (10- and 13-rd), 23 (10- and 13-rd), 26, 27, 29, 30, 33 (10-rd). **Big Stick** fits high capacity, 31- and 33-round magazines. **HK USP** - #10 fits 10-rd magazines for 9mm, .40 S&W, and .45 ACP. **SIG P220** provides 10% more power in your older .45 ACP Sig P220 and is the factory standard spring in newer P220s with a green recoil spring. Also fits the Browning BDA .45 ACP. Separate models available for magazines with a metal floorplate (MF) or a plastic floorplate (PF). Will not fit 8-round magazines made by Mec-Gar. **SIG P226** fits 15-round mags, **P228** fits 13-round mags, and **P229** fits 12-round mags. **SPECS:** Chrome silicon steel wire.

STOCK #	FITS	POWER PAK	PRICE
#969-740-730AK	Beretta 92	+10% 3-pak	9F11D53 \$ 17.29
#969-706-630AK	Browning HP (P-35)	+5% 3-pak	9F11D53 \$ 17.29
#969-706-730AK	Browning HP (P-35)	+10% 3-pak	9F11D53 \$ 17.29
#969-742-730AK	CZ/EA-9	+10% 3-pak	9F11D53 \$ 17.29
#969-000-053AK	Caspien	+10% 3-pak	9F12Y33 \$ 18.49
#969-752-730AK	Glock Hi-Cap 17 (see above for fits)	+10% 3-pak	9F11D53 \$ 17.29
#969-000-015AK	Glock 17/17L, 10-rd	+10% 3-pak	9F11Y53 \$ 17.29
#969-753-730AK	Glock Hi-Cap 19 (see above for fits)	+10% 3-pak	9F11D53 \$ 17.29
#969-000-076AK	Glock Big Stick 31-33-rd	+5% 3-pak	9F12Y33 \$ 18.49
#969-786-730AK	HK USP #10	+10% 3-pak	9F11D53 \$ 17.29
#969-000-220AK	SIG P220/Browning BDA MF	+10% 3-pak	9F11A63 \$ 17.99
#969-000-222AK	SIG P220/Browning BDA PF	+10% 3-pak	9F11A53 \$ 17.29
#969-000-057AK	SIG P226, P228, P229 Hi-Cap	+10% 3-pak	9F11Y53 \$ 17.29
#969-000-223AK	Sprgflrd XD 9mm (16-rd), .357 Sig/.40 (12-rd)	+5% 1 ea.	9F05A50 \$ 6.99
#969-000-225AK	Sprgflrd XD 9mm (16-rd), .357 Sig/.40 (12-rd)	+5% 3-pak	9F12A50 \$ 16.99
#969-000-227AK	Sprgflrd XD 9mm (16-rd), .357 Sig/.40 (12-rd)	+5% 10-pak	9F34A50 \$ 47.99
#969-000-229AK	Sprgflrd XD .45 ACP, 13-rd	+5% 3-pak	9F12A50 \$ 16.99

## WOLFF PISTOL SERVICE PAK

All essential factory weight coil springs for a particular semi-auto pistol. No fitting required. Magazine spring not included. **SPECS:** Chrome silicon steel wire.

**BERETTA 92/96** - Full size, 9mm & .40 S&W. Kit #69521.  
**#969-000-036AK Beretta Full Size Pak 9F12Y67 . . . \$ 18.99**  
**GLOCK 17/17L/20/21/22/24/31/34/35** - 9mm/.40S&W, #69541.  
**#969-000-038AK Glock 17 Service Pak 9F11Y33 . . . \$ 16.99**  
**GLOCK 19, 23, 32** - 9mm/.40 S&W - Kit #69542.  
**#969-000-039AK Glock 19 Service Pak 9F11Y33 . . . \$ 16.99**  
**LUGER** - 7.65/9mm - Kit #69201.  
**#969-333-510AK Luger Service Pak 9F06V60 . . . \$ 9.90**  
**MAUSER** - 7.63/9mm C-96/Broomhandle 1896 - Kit #69241.  
**#969-335-810AK Mauser Service Pak 9F07Y33 . . . \$ 10.99**  
**WALTHER P-38** - 9mm No firing pin spring. Kit #69491.  
**#969-366-510AK Walther Service Pak 9F11H38 . . . \$ 16.99**

**TZ-75/CZ-75 RECOIL SPRING** - Factory is weight 14 lb. Fits older CZ/TZ without firing pin block.  
**#969-430-014AK 14 lb. Recoil Spring 9F05A26 . . . \$ 7.89**  
**#969-430-016AK 16 lb. Recoil Spring 9F05A26 . . . 7.89**

Orders/Tech: 800-741-0015


order on the web  
www.brownells.com

**BROWNELLS**  
... ONLY THE BEST ... PAGE 217

PISTOL

SPRINGS

**WOLFF HIGH STANDARD SPRING KITS**



Improves Performance, Restores Reliability


**Service Pack** includes 1 each of the factory standard springs: recoil spring, firing pin spring, extractor spring, slide lock spring, trigger bar spring, hammer spring, sear spring, magazine catch spring, and takedown spring. **Extra Power Recoil Spring** - 6 lb. recoil spring (factory weight is 5.5 lb.) gives more positive cycling and comes with an extra power firing pin spring.

**SPECS:** Spring steel. Fits all push-button, takedown models. **#969-691-910AK High Std Service Pack, 9F12D67** . . . . . \$ 18.99 **#969-447-060AK 6 lb. High Std Recoil Spring, 9F05A26** . . . . . 7.89

**HD MILITARY RECOIL SPRINGS** - For all early internal and external hammer models, Dura-Matics and lever takedown models. Extra coils allow fitting to individual gun. **#969-160-420AK 2-pak Recoil Springs 9F07Y34** . . . \$ 11.00

**WOLFF SPRINGFIELD XD RECOIL SPRING**

Aids In Smooth, Reliable Cycling



Standard-weight, 17-lb. recoil spring helps ensure smooth, reliable cycling without frame battering in 4"-barreled Springfield XD service pistols. Comes with an extra power striker spring for positive, reliable primer ignition. Springs are for use with full-power ammunition only.

**SPECS:** Kit includes (1) 17-lb. recoil spring and (1) extra power striker spring. Fits Springfield XD, 4" Service models in 9mm, .40 S&W, and .357 Sig. **#969-000-110AK XD Recoil Spring, 17 lb. 9F05Y27** . . . \$ 7.89

**WOLFF SEMI-AUTO SPRINGS**

**GLOCK REDUCED POWER STRIKER SPRING** - Replaces the factory striker (firing pin) spring to lighten and improve the trigger pull for competition. 4 lb. rating. Factory weight is 5.5 lb. **#969-161-620AK Glock Striker Sprg, 3-Pak 9F05Y00** . \$ 7.49

**BROWNING HI-POWER EXTRA POWER MAG CATCH SPRING** - Provides security against accidental release. **#969-000-035AK 3-Pak XP Mag Catch Spring, 9F05Y00** . . . . . \$ 7.49

**S&W TRIGGER RETURN SPRING** - Improves double action on all S&W, centerfire, semi-automatic pistols, except Sigma. 3-Pak contains (1) 2.5 lb., (1) 3.0 lb., and (1) 3.5 lb., reduced power springs. Factory weight is 4 lb. **#969-261-250AK 3-Pak S&W Trigger Return Spring, 9F05P33** . . . . . \$ 7.99

**S&W STRIKER SPRINGS** - Reduced-power replacement for factory striker (firing pin) spring lightens and smoothes trigger pull for competition. **M & P** - Fits 9mm, .40 S&W, and .357 Sig. 4 lb. rating; factory weight is 5 lb. **Sigma** - Fits all models except .380, 3.5 lb. rating; factory weight is 4.75 lb. **#969-000-207AK S&W M&P Striker Spring, 3-Pak, 9F05A00** . . . . . \$ 7.49 **#969-000-208AK S&W Sigma Striker Spring, Each, 9F02A55** . . . . . 3.99 **#969-000-209AK S&W Sigma Striker Spring, 3-Pak, 9F05A36** . . . . . 7.99

**WOLFF REDUCED POWER HAMMER SPRING PAKS**

3-In-1 Tuning Choices

Various weights of reduced power hammer springs in one kit help you precisely tune your semi-auto pistol for the smoothest double- and/or single-action pull and proper function.

**KIT #26510 BROWNING HI-POWER (1935)** - Contains 1 each 26 lb., 28 lb. and 30 lb. hammer springs. Factory spring is 32 lbs. **#969-265-100AK Wolff Kit #26510 9F06B00** . . . . . \$ 9.00

**KIT #26574 SIG P220** - Short spring for guns with serial number below 219,166. Contains 1 each 18 lb., 19 lb., and 20 lb. hammer springs. Factory spring is 22 lb. Also fits Browning BDA.45. **#969-000-089AK Wolff Kit #26574 9F06Y00** . . . . . \$ 9.00

**KIT #33295 SIG P-239** - Contains 1 each 12, 14, and 16 lb. reduced power hammer springs. Factory spring is 18 lb. **#969-000-176AK Wolff Kit #33295 9F06A00** . . . . . \$ 9.00

**KIT #26581 S&W 39/59, 439/459, 3904/3906, 5903/5904/5906, 645/745/4506, 4006/1006** - Contains 1 each 16 lb., 17 lb. and 18 lb. hammer springs. Factory spring is 20 lbs. **#969-265-810AK Wolff Kit #26581 9F06B00** . . . . . \$ 9.00

**KIT #26582 S&W 469/669, 6904/6906, 3913/3914 (Incl. L/S), 4516/4516-1, 1066/1076** - Contains 1 each 17 lb., 18 lb. and 20 lb. hammer springs. Factory spring is 20 lbs. **#969-265-820AK Wolff Kit #26582 9F06B00** . . . . . \$ 9.00

**WOLFF**

**TRIGGER GROUP COMPETITION PAK**

for GLOCK®

Easily Improve & Lighten Trigger Pull Without Permanent Modifications



Contains the correctly calibrated springs you need to lower pull weight and improve trigger pull quality of your Glock pistol without complicated gunsmithing or permanent alterations. Installing this kit will not disable or diminish the effectiveness of the well-proven Glock Safety System. Designed specifically to meet the needs of competitive shooters; this alteration is not recommended for duty pistols.

**SPECS:** Steel. Includes one (1) each of the following: 4lb. reduced power striker spring, reduced power safety block spring, and extra power trigger spring. Fits all models and calibers of Glock pistols. **#969-000-177AK Glock Competition Pak 9F06A00** . . \$ 9.00

**WOLFF SIG MAINSPRING KIT**

Reduces Trigger Pull, Improves Accuracy



Three, reduced power springs for tuning and smoothing felt trigger pull. Fits the newer P-220, P-226 and P-229's that use a short mainspring with a plastic, hammer spring base insert. Contains 1 each of 17, 18, and 19 lb., reduced power, mainsprings. P-220 factory spring is 22 lb. P-226 and P-229 factory spring is 24 lb. **#969-000-021AK SIG Mnsprg Kit #32356 9F06Y00** . . \$ 9.00

**GLOCKWORX**

**TITANIUM PIN SET for GLOCK® GEN4**

Lightweight, Hard Titanium Replacements For Factory Pins



Replacements for factory pins in lightweight, wear-resistant Titanium will outlast your gun's frame. Machined to precise dimensions for snug fit so they resist creeping out of the frame. Kit includes trigger pin, locking block pin, standard-length ejector housing pin, and extended ejector pin. Fits all Glock pistols, except Model 36. **SPECS:** Titanium, natural finish. **#100-006-596AK Gen 4 Titanium Pin Set 8B26X13** . . \$ 27.99



**GLOCKWORX FULCRUM TRIGGER SYSTEM for GLOCK®**

Precise Letoff, Fast Reset, Fully-Adjustable For Takeup & Overtravel; Easy To Install



Ultimate Drop-In Kit

Convenient kits combine easy drop-in installation with the performance benefits of a custom trigger job to give your Glock an ultra-smooth pull, clean let-off, and short reset without impairing the reliability of the factory safeties. Fully adjustable for pre-travel and over-travel via two easy-to-access hex-head screws (wrench included), so you can tune trigger feel to your exact requirements for maximum control. Trigger shoe and trigger safety are precision machined from 6061 T6 aluminum billet for precise engagement, smooth movement, and superb responsiveness. Engagement surfaces on the stainless steel trigger bar are mirror polished for outstanding sensitivity and consistency. Basic Fulcrum trigger includes preassembled trigger shoe, safety lever, and trigger bar. **Small Frame** model fits 9mm/.357 SIG/.40 S&W pistols and **Large Frame** trigger fits .45 ACP/10mm pistols. **Complete Trigger Kit** contains the trigger, trigger bar, trigger block, ejector, connector, trigger spring, and a lightweight Titanium firing pin safety plunger and spring to further refine the trigger pull. Comes with a reduced-power striker spring to produce a lighter-feeling trigger for competition, and the factory-weight striker spring for daily carry and duty use. **Ultimate Kit** adds to the Complete kit, a skeletonized stainless steel striker with reduced mass and highly polished surface to speed lock time and deliver an even lighter, smoother perceived trigger pull, plus ultra-fast reset so you're ready for follow-up shots. **Gen 4 Kits** available for Gen 4 models 17/19 (9mm) and 22/23 (.40 S&W) pistols.

**SPECS:** Aluminum, anodized, matte black; stainless steel, polished finish; molded polymer, black. **Small Frame Trigger** fits 9mm/.357 SIG/.40 S&W Glock pistols, including model 17, 19, 22, 23, 24, 26, 27, 34, and 35. **Large Frame Trigger** fits .45 ACP/10mm Glocks, including 20, 21, 21SF, and 30.

- #100-004-109AK Small Frame Fulcrum Trigger, only, 8B125X00** . . . . . \$ 139.99
- #100-004-110AK Large Frame Fulcrum Trigger, only, 8B122X00** . . . . . 139.99
- #100-004-111AK Complete Trigger Kit, 9mm, 8B149X99** . . . . . 179.99
- #100-004-112AK Complete Trigger Kit, 40 S&W/.357 SIG, 8B145X00** . . . . . 179.99
- #100-004-113AK Complete Trigger Kit, .45 ACP/10mm, 8B145X00** . . . . . 179.99
- #100-004-114AK Ultimate Trigger Kit, 9mm, 8B205X00** . . . . . 249.99
- #100-004-115AK Ultimate Trigger Kit, 40 S&W/.357 SIG, 8B205X00** . . . . . 249.99
- #100-004-116AK Ultimate Trigger Kit, 45 ACP/10mm, 8B205X00** . . . . . 249.99
- #100-006-564AK Gen 4 Complete Trigger Kit, 9mm, 8B149Z99** . . . . . 179.99
- #100-006-565AK Gen 4 Complete Trigger Kit, 40 S&W, 8B149Z99** . . . . . 179.99
- #100-006-566AK Gen 4 Ultimate Trigger Kit, 9mm, 8B209Z99** . . . . . 249.99
- #100-006-567AK Gen 4 Ultimate Trigger Kit, 40 S&W, 8B209Z99** . . . . . 249.99

*The Brownells Guarantee!*

If you aren't completely, 100% satisfied with any purchase you receive from Brownells, for any reason, at any time, return it for a full refund or exchange. Your complete satisfaction is what's most important to us.

**GHOST RUGER® SR9®/SR9c™/SR40™ TRIGGER CONNECTOR**

Improves Accuracy By Reducing Trigger Pull & Over-Travel



Redesigned connector reduces the factory trigger pull down to 3½ to 5 lbs., while it drastically shortens or completely eliminates accuracy-robbing over-travel. A debris channel lets dust, dirt, grit, and other foreign matter exit the trigger system, helping to ensure reliable function. Three models available to meet a variety of needs, including concealed carry, competition, and law enforcement use. **Ultimate** model offers drop-in, no-gunsmithing installation for a 3½" lb. trigger pull; comes pre-set for minimum over-travel. The **Rocket** also features a 3½" pull, with a Trigger Control Tab that lets you completely eliminate over-travel for maximum accuracy. Some fitting required. **Tactical** model has the same great features as the Rocket but with a slightly heavier, 5 lb. pull for law enforcement and self-defense applications where a heavier pull is desirable. Some fitting required. **SPECS:** Steel, polished, natural finish. All models fit Ruger SR9, SR9c, and SR40 pistols.

- #100-005-898AK Ultimate 3.5 Trigger Connector, 7K15P97** . . . . . \$ 19.99
- #100-005-896AK Rocket 3.5 Trigger Connector, 7K19P94** . . . . . 24.99
- #100-005-897AK Tactical 5.0 Trigger Connector, 7K15P97** . . . . . 19.95



**GHOST TRIGGER CONNECTOR for GLOCK®**

Lightens & Improves Trigger Feel



Stainless steel connector reduces the length of trigger pull, improves reset, and eliminates accuracy-robbing overtravel. **5.0 Tactical** and **Ghost Rocket 3.5** reduce trigger-pull weight to 5 pounds and 3.5 pounds respectively; both have an extra tab that contacts the trigger bar and prevents overtravel after the striker falls. Each connector requires minor fitting.

- SPECS:** Stainless steel, polished finish. Fits all models. **#100-000-631AK Ghost Rocket 3.5 Trigger Connector, 7K19B99** . . . . . \$ 22.99
- #100-000-935AK 5.0 Tactical Trigger Connector, 7K16X99** . . . . . 19.99

**GHOST 3.5 CONNECTOR** - Easy-install, drop-in, steel connector lowers trigger-pull weight to 3.5 pounds for competition and sporting use and improves trigger reset. Does not have extra overtravel fitting tab.

- SPECS:** Stainless steel, polished finish. Fits all models. **#100-000-936AK Ghost 3.5 Trigger Connector, 7K09X99** . . . . . \$ 11.99

**ARMORER'S ORANGE SLIDE COVER PLATE** - A "must have" for easy, error-free installation of Ghost Rocket 3.5 and Ghost Tactical 5.0 trigger connectors. Plate is sectioned by one-third to permit viewing the sear and firing pin engagement during connector installation.

- SPECS:** Orange polymer with grooved face. **#100-001-260AK Armorer's Orange Slide Cover Plate, 7K03H20** . . . . . \$ 4.00

**GHOST 3.5 & 4.5 CONNECTOR** - Stainless steel connectors reduce trigger pull weight to 3.5 pounds and 4.5 pounds respectively. Debris channel "hole" is self-cleaning and reduces friction of trigger parts for smooth, reliable pulls.

- SPECS:** Stainless steel, polished finish. Fits all models. Gunsmith installation recommended for 4.5 Ranger trigger. **#100-002-007AK 3.5 Ultimate Trigger 7K15X17** . . . \$ 19.99 **#100-002-008AK 4.5 Ranger Trigger 7K16X55** . . . . . 19.99

## ROCKET 3.5 TRIGGER KIT for GLOCK®


Provides Short Pre-travel & Fast Reset

Drop-in kit with newly designed self-cleaning trigger connector helps eliminate bothersome pre-travel and allows fast reset for improved accuracy and quick shot recovery. Trigger connector features a self-cleaning debris channel that reduces accumulation of grit and residue for less friction, longer service life, and improved reliability; connector may require minor fitting. Installation requires no permanent alteration to pistol. Not for use for self defense with 4 lb. firing pin spring or 2 lb. firing pin safety spring. For self defense use with 10mm/.45 caliber Glock, a Wolff 6 lb. firing pin spring and factory Glock firing pin safety spring are recommended. 


**SPECS:** Trigger Connector - Stainless steel, polished finish. Springs - Tempered steel. Includes 2 lb. firing pin safety spring, 4 lb. firing pin spring, 6 lb. trigger spring, armorer's orange slide cover plate, and armorer's tool. Fits all Glock models.

**#100-003-306AK Glock Rocket 3.5 Trigger Kit, 7K29A76 . . . . . \$ 39.99**

## LIGHTNING STRIKE ALUMINUM TRIGGER for GLOCK®



Improves Trigger "Feel", Gives Consistent Letoff

Machined aluminum trigger helps eliminate the mushy feel of the factory plastic part. Closely held tolerances remove trigger slop and free movement for smooth, consistent trigger letoff. Trigger face incorporates a wider trigger safety and contoured edges that are easier on the finger than the factory shoe. Drop-in installation requires no modification to gun. Does not alter factory pull weight. 


**SPECS:** 2024 aluminum, black, anodized. **Small** fits all 9mm, .357 Sig and .40 S&W. **Large** fits 10mm and .45 ACP. **Glock 36** fits Glock 36 only

**#642-103-001AK Trigger for Small Glock, 2D86H54 . . . . . \$ 108.99**  
**#642-103-002AK Trigger for Large Glock 2D86H53 . 108.99**  
**#642-000-018AK Trigger for Glock 36 2D86H54 . . . . 108.99**

## LIGHTNING STRIKE COVER PLATE for GLOCK®

Durable Replacement To Factory Part Easy, Drop-On Installation




Cover plate personalizes the look of your Glock and replaces the plastic, factory part for added strength. Installs and removes more easily than the factory cover plate for maintenance access. 

**SPECS:** Machined aluminum, hardcoat anodized, matte black finish. Universal fit for Glock pistols.

**#642-000-016AK Cover Plate for Glock 2D11H00 . . \$ 14.50**

## LIGHTNING STRIKE TITANIUM SAFETY PLUNGER for GLOCK®

Helps You Get A Smoother, Lighter Trigger Pull

Extremely lightweight titanium safety plunger reduces mass for a lighter felt trigger pull. Titanium nitride coating reduces friction. One of those small detail that helps complete a Glock trigger job. Includes Wolff safety plunger spring. 

**SPECS:** Solid titanium, titanium nitride coated. **Small** - fits all other Glock pistols. 1 oz., (2.8 g) wt. **Large** - fits Model 21 and 30 pistols.

**#642-102-021AK Small Safety Plunger 2D14H87 . . \$ 21.99**  
**#642-102-017AK Large Safety Plunger 2D16H25 . . . . 23.99**

## LONEWOLF 3.5 CONNECTOR for GLOCK®

Smooths Trigger Pull, Aids In Faster Reset



Drop-in replacement connector gives an immediate improvement in trigger performance on any Glock pistol. Provides the same 3.5 lb. trigger pull as the factory connector, but its 25% lighter weight and a highly polished, nickel-plated surface makes the pull smoother and more consistent. Helps the trigger reset more quickly for faster follow up shots and less temptation to jerk the trigger and compromise accuracy. Requires no permanent alterations to pistol, so factory connector can be reinstalled any time. Use in conjunction with Lone Wolf Ultimate Trigger Stop (available separately) for an even cleaner pull. 


**SPECS:** Steel, nickel plated, high-polish finish. Fits all Glock pistol models.

**#100-006-204AK 3.5 Connector for Glock, 2K07X84 . . . . . \$ 13.45**

## LONEWOLF DIST. SIDERLOCK® for GLOCK®



Safety Trigger Helps Prevent Accidental Discharge

Polymer trigger features a steel cross-bolt safety that locks the trigger to prevent any movement for added protection against accidental discharge. CNC machined cross-bolt slides smoothly in and out with finger pressure for easy, eyes-off operation. On/Off position is easily reversed with included tool and bushing, allowing right- or left-hand operation. In the "Off" position, the original factory safeties are active for added protection. Chrome plating on cross-bolt reduces wear for long service life. Gunsmith installation recommended. 

**SPECS:** Polymer and steel, black. Steel cross-bolt, chrome plated. Replaces factory original trigger. Fits all Glock pistols.


**#100-003-545AK SiderLock 2K00YTP . . . . . \$ 49.95**

## LONEWOLF

### "ULTIMATE" TRIGGER STOP for GLOCK®


Eliminates Over-Travel For Faster Trigger Reset



Easy-to-install part eliminates trigger overtravel on your 9mm Glock, for faster reset and faster, steadier follow-up shots than with a factory-stock pistol. Helps you keep on the target by reducing the time the sights can "wander" between rapid fire shots. Re-designed polymer trigger housing with steel ejector is a direct replacement for the factory housing and can be installed and removed at will. Recommended for competition use only. 


**SPECS:** Polymer housing, steel stop. Fits G17, 19, 26 and 34; will not fit 30SF.

**#100-006-207AK Ultimate Trigger Stop, 2K17P65 . . . . . \$ 21.00**



## SCHERER TRIGGER CONNECTOR for GLOCK®

Lightens Trigger Pull For Competition Glock Pistols

Reduces trigger pull to 3.5 pounds and increases trigger control so the pistol is easier to shoot, and more accurate. Provides competitive shooters with the best possible trigger. Installs with no modifications to gun. 

**SPECS:** Steel, in the white.

**#861-119-035AK Trigger Connector for Glock, 1F13C50 . . . . . \$ 18.00**

## TACTICAL SUPPLY DEPOT SLIDE PLATE for GLOCK®

Functional, All-Metal Construction; Personalizes Your Glock



Durable, machined aluminum slide plate replaces factory plastic part and is laser etched with a distinctive decorative logo that dresses up your favorite Glock pistol with your own personal statement. Drop-in fit, so no modifications to the slide are required. Logos will not fade or wear off. Available with American Flag, Punisher, Jolly Roger, Biohazard, or Smiley Face logo. 

**SPECS:** Machined aluminum, anodized, matte black finish with white logo. Fits all Glock pistol models.


**#100-004-914AK US Flag Slide Plate 4C18V67 . . . . \$ 24.99**

**#100-004-915AK Punisher Slide Plate 4C18V67 . . . . 24.99**

**#100-005-824AK Jolly Roger Slide Plate 4C18X80 . . . . 24.99**

**#100-005-825AK Biohazard Slide Plate 4C18X80 . . . . 24.99**

**#100-005-826AK Smiley Face Slide Plate 4C18X80 . . . . 24.99**

**SLIDE RACKER** - Replacement slide plate has an aluminum extension that lets you rack the slide from behind with a fast pull of your fingers. Also helps you rack the slide in a confined space to clear a jam or reload while maintaining cover. Remove the two screws and flip the extension to the other side for right- or left-handed operation. Available in plain black or with American Flag logo. 

**SPECS:** Machined aluminum, anodized, matte black finish. Fits all Glock pistol models.


**#100-005-827AK Plain Black Slide Racker, 4C25X60 . . . . . \$ 34.99**

**#100-005-828AK US Flag Slide Racker 4C25X60 . . . . 34.99**

## POWDER RIVER PRECISION STRIKER UPGRADE PARTS


For A Lighter, Cleaner Trigger Pull



**XD/XDM STRIKER** - Steel striker is heat-hardened to Rc 52-53, with a micro-polished face that helps smooth the trigger pull. Works with the factory trigger components and Powder River Easy-Fit trigger kits. APG approved. 


**SPECS:** Chrome-alloy steel, natural finish. Fits 9mm and .40 S&W Springfield XD and XDM pistols.

**#100-005-384AK XD/XDM Striker 5C34V29 . . . . . \$ 39.99**

**STRIKER SAFETY KIT** - Titanium striker safety weighs less than factory part and works with the included reduced-power striker safety spring to reduce trigger pull and lock time, while maintaining proper safety function. Compatible with Powder River trigger kits and factory trigger components. APG approved. 

**SPECS:** Titanium, with steel spring.

**#100-005-385AK XD/XDM Striker Safety Kit, 5C21V43 . . . . . \$ 24.99**

**STRIKER INDICATOR KIT** - Low-mass Titanium striker indicator is about 40% lighter than the factory steel part, for faster lock time and a crisper trigger pull in a 9mm/.40 caliber XD/XDM pistol. Included reduced-power striker spring and rebound spring helps ensure consistent primer ignition. Works with factory trigger components and Powder River trigger kit. 


**SPECS:** Titanium, with steel spring. Fits 9mm and .40 S&W Springfield XD and XDM pistols.

**#100-005-386AK XD/XDM Striker Indicator Kit, 5C17V14 . . . . . \$ 19.99**

## SPRINGER PRECISION SPRINGFIELD XD/XDM TRIGGER/SPRING KITS

For A Smooth, Crisp Trigger Pull



CNC machined components allow a smooth, crisp trigger with a much lighter pull and more precise letoff for better accuracy and fast follow-up shots. Cuts sear pre-travel by about 1/4" to help increase control and prevent accuracy-degrading creep. Kits include the reduced-travel sear with pre-polished face, heat-treated to Rc 45-50, plus trigger and sear springs, trigger bar, 10% reduced power striker spring and 15% extra power striker spring. Lightens trigger pull by approximately 1 to 1 1/2 lbs. 


**SPECS:** Steel, in-the-white. Includes: Sear, heat treated to Rc 45-50, trigger/sear springs, and trigger bar. Striker Springs - Steel, tempered, (1) 10% reduced power, (1) 15% extra power.

STOCK #	FITS	PRICE
<b>#100-003-967AK</b>	XD Standard, 9mm/.357 Sig/.40 S&W	1B121C68 \$ 129.99
<b>#100-003-968AK</b>	XD Sub-Compact, 9mm/.357 Sig/.40 S&W	1B121C68 \$ 129.99
<b>#100-003-969AK</b>	XD Service, Tactical Compact, .45 ACP	1B121C68 \$ 129.99
<b>#100-003-970AK</b>	XD w/Thumb Safety, .45 ACP	1B121C68 \$ 129.99
<b>#100-005-361AK</b>	XDM Standard & Sub-Compact, 9mm/.40 S&W	1B121V68 \$ 129.99

## WOLFF BERETTA TRIGGER CONVERSION UNIT

Improves Reliability, Smooths Pull



Drop-in, captured spring unit replaces the factory mousetrap trigger spring to eliminate breakage. Gives a smoother pull and improves trigger control. Robar NP3® coated to reduce friction. 

**SPECS:** Steel, NP3 coated. Fits Beretta, 92/96, 96D and Centurion plus Taurus PT92/96. Does not fit late production guns with polymer triggers. Factory weight or 20% reduced power.


**#969-000-060AK Factory Weight Trigger Unit, 9F17Y60 . . . . . \$ 19.99**

**#969-000-061AK Reduced Power Trigger Unit, 9F17Y60 . . . . . 19.99**

## CYLINDER & SLIDE BROWNING HI-POWER MATCH-GRADE TRIGGER LEVER

Smooths & Lightens Trigger Pull



Wire EDM machined d from A2 tool steel to precise tolerances to provide a more consistent trigger pull that's 1 1/2 lbs. lighter. Heat-treated to Rc 40 for longer service life than cast factory part. Retains factory safety features. Fits Mk III series; can be altered to fit earlier models. 

**SPECS:** A2 tool steel, heat treated, blued. Installation requires drilling of slide with included drill bit. Gunsmith installation required.

**#206-000-053AK Match Trigger Lever 6K35A97 . . . \$ 42.99**

OWN IT? INSTALLED IT? TRIED IT?

RATE IT! ★★★★★ 5.0

Go online at [www.brownells.com](http://www.brownells.com) and review products you have used. Would you recommend it to a friend? Would you purchase it again? Have any useful tips you think others might benefit from? Share it! Your opinion matters to us!



## APEXTACTICAL S&W M&P ACTION ENHANCEMENT COMPONENTS

Drop-In Upgrade Parts Improve Trigger Pull For Competition Or Carry

Drop-in replacements for factory components enhance reliability and optimize the performance of your M&P for different applications. Parts sold separately or in handy kits.

**ACTION ENHANCEMENT KITS** - Installing the **Competition Kit** yields a smooth, consistent, trigger pull of slightly less than 3 lbs., with shorter overtravel and faster reset than a factory-stock M&P. Retain the factory sear spring to get a slightly heavier 3½ lb. pull. Designed for IDPA, USPSA, Steel Challenge, 3-gun, and similar types of action shooting competition. Not for duty, carry, or self-defense applications. **Duty/Carry Kit** delivers a smooth, consistent 5½ lb. trigger pull with less over-travel and shorter reset. Improves performance of your pistol while maintaining its safety features for daily carry. Retain the factory sear spring to get a slightly lighter 5 lb. pull. Both kits engineered for a drop-in fit, though gunsmith installation is recommended.

**SPECS:** Kits include hard sear, Ultimate Striker Block (see below), two sear springs (different sizes), and trigger return spring. **Duty/Carry Kit** also includes competition striker spring and aluminum slave pin for installing trigger return spring.

- #100-006-035AK **Competition Kit**, 9mm/.40/.357, 7F85U61 ..... \$ 97.99
- #100-006-036AK **Competition Kit**, .45 ACP, 7F89U99 ..... 97.99
- #100-006-039AK **Duty/Carry Kit**, 9mm/.40/.357, 7F79U99 ..... 92.99
- #100-006-040AK **Duty/Carry Kit**, .45 ACP 7F79U99... 92.99

**ULTIMATE STRIKER BLOCK KIT** - Hardened stainless steel striker safety plunger has different geometry and dimensions from the factory part to help deliver an exceptionally smooth takeup before the trigger bar engages the sear cam. Minimizes drag on the trigger bar as it transitions to the rest point, and gives a more clearly detectable reset. Mirror polished surface for minimal drag. Includes a reduced-power plunger spring to maintain safety integrity while reducing drag. Also includes a tool to aid in fast, easy installation.

**SPECS:** Heat-treated 17-4 stainless steel, mirror-polished surface. Fits all M&P pistols.

- #100-006-044AK **Striker Block Kit** 7F29U99..... \$ 35.99

**HARD SEAR** - Replacement sear machined from hardened A2 tool steel has a different geometry from factory part that dramatically reduces pull weight. Gives a factory gun an approximately 4½ lb. trigger pull, while improving overtravel, sear reset speed, and trigger "feel." Use as a stand-alone upgrade or in conjunction with an Apex spring kit (below) and Ultimate Striker Block.

- SPECS:** Hardened A2 tool steel, natural finish. Separate models for 9mm/.357 SIG/.40 S&W and .45 ACP S&W M&P pistols.
- #100-006-041AK **Hard Sear**, 9mm/.40/.357 7F34U99... \$ 41.99
- #100-006-042AK **Hard Sear**, .45 ACP 7F36U21 ..... 41.99

**FAILURE RESISTANT EXTRACTOR** - Although no gun part can be absolutely failure "proof," this upgraded extractor helps prevent one of the M&P's few weaknesses: occasional extraction failures. The FRE is designed to ensure consistent, reliable extraction under highly adverse conditions. Engagement surfaces are wire electrical discharge machined (EDM) to precise tolerances for a drop-in fit (usually—individual guns may require minor fitting) and exceptional reliability and function. With the FRE installed, M&P shooters have reported as many as 2,500 rounds through their pistols without a single



## CYLINDER & SLIDE COLT .380 ALUMINUM TRIGGER

Replaces The Plastic Factory Part For Better Wear, Improved "Feel"

Long-wearing, CNC-machined, aluminum trigger easily replaces the Colt factory nylon/plastic trigger for increased durability and a more solid feeling trigger pull. Use as a standalone enhancement or part of a complete trigger job. Installation may require slight modification; completely eliminates premature trigger wear breakage at the trigger pivot pin hole.

**SPECS:** Aluminum, matte silver. Fits Colt .380 Government and Mustang models.

- #206-000-020AK **Aluminum Colt .380 Trigger**, 6K25V20 ..... \$ 31.50

## CYLINDER & SLIDE BROWNING HI-POWER WIDE COMBAT TRIGGER

Smooth, Combat-Style, Lightens "Felt" Trigger Pull

Drop-in replacement trigger gives increased leverage for lighter "felt" trigger pull. Wide, smooth face provides faster trigger access for better combat shooting. Installation deactivates magazine disconnect so actual trigger pull may measure lighter.

**SPECS:** Steel, **Blue (Bl)**, matte finish or **Silver (Sil)**, hard chrome, finish. Trigger face .35" (8.9mm) wide, .65" (16.6mm) long. Wt. .4 oz. (11 g). Includes instructions.

- #206-035-030AK **Bl Hi-Power Trigger** 6K42C00... \$ 52.50
- #206-035-130AK **Sil Hi-Power Trigger** 6K53C75 ..... 69.99

## CLARK CUSTOM RUGER® MARK I/II STEEL TRIGGER

Precision Trigger Gives 1st-Class Trigger Job

Chrome Moly steel replacement trigger for the Ruger Mark I/Mark II and 22/45 pistols. Precision drilled and reamed pin holes eliminate trigger sloppiness, making it possible for the pistolsmith to complete a first class trigger job on these guns. Adjustable trigger stop screw. As a big plus, Clark also made this ¾" wide, serrated trigger longer to fit the shooter's finger better. Since trigger pull is so basic to good accuracy, anytime a Ruger Auto comes in for "tuning up," either as a target pistol or for the serious plinker, replacement of the factory trigger with this excellent custom trigger is an obvious and important place to start the accurizing job.

**SPECS:** ¾" (9.5mm) wide, grooved, 1½" (4.2cm) long. Fits Ruger Mark I, Mark II, and 22/45 pistols. Requires gunsmith installation.

- #181-002-022AK **Ruger Auto Trigger** 1H26Z00 ..... \$ 30.00

extraction failure. **SPECS:** Fits all Smith & Wesson M&P pistols. .45 ACP pistols may require minor fitting.

- #100-006-043AK **Failure Resistant Extractor**, 7F39U99 ..... \$ 45.99

**M&P SPRING KITS** - Same springs found in the Action Enhancement Kits can be used as high-quality replacements for worn or tired factory springs. **Duty/Carry Spring Kit** includes a trigger return spring, a slave pin to aid in installing the return spring, and two sear springs. Select the sear spring that works best in your pistol. **Competition Spring Kit** adds a competition striker spring and gives a 3 lb. trigger pull when used with the Hard Sear and Ultimate Striker Kit.

- SPECS:** Fits all M&P pistols, recent and older manufacture. Will not fit pistols adapted for sale in Massachusetts.
- #100-006-037AK **Competition Spring Kit** 7F21U99... \$ 25.99
- #100-006-038AK **Duty/Carry Spring Kit** 7F20U99... 24.99

## TJ'S CUSTOM SIG CUSTOM TRIGGER

Ergonomic Design For A Smoother-Feeling, Double-Action Pull



All stainless steel trigger is narrower and shorter than the factory trigger for a smoother, double-action stroke that won't pinch your finger. Lets you "roll" the trigger. Does not alter the factory pull weight or length of pull. Drop-in specs, no fitting required.

STOCK #	FITS	PRICE
#876-020-220AK	Sig P220	6G59V94 \$ 74.95
#876-020-226AK	Sig P226, 228, 229	6G59V94 \$ 74.95

## VOLQUARTSEN RUGER® MARK I/II/III™ TARGET TRIGGER

Drop-In Trigger Job For Ruger .22 Pistols

Precision machined from billet for precise fit to cut down trigger weight and eliminate the heavy pressure required to move the factory part. Helps produce a more consistent pull for improved accuracy. Stop screw is adjustable for overtravel and pretravel with the gun fully assembled, so you get a no-creep pull. Ultra-smooth shoe offers more contact with the trigger finger. Available in **Black** anodized aluminum or polished stainless steel (**SS**). Includes trigger spring and trigger spring plunger.

**SPECS:** Aluminum, anodized, black, or stainless steel, natural silver finish. .354" (9mm) wide trigger shoe face. Fits Ruger Mark I, Mark II, Mark III™, and 22/45™ pistols.

- #930-012-002AK **Ruger Target Trigger**, Black, 3Z27A59 ..... \$ 34.99
- #930-000-123AK **Ruger Target Trigger**, SS, 3Z33U10 ..... 39.99

## VOLQUARTSEN RUGER® MARK II DROP-IN ACCURIZER KIT

Instant Target Grade Accuracy



Complete kit eliminates the factory weak spots for a smoother trigger pull and faster bolt cycling. Redesigned, hand matched, hammer and hard-plated sear with fully ground and polished engaging surfaces combine for a shorter, faster trigger pull. Correct angles; no stoning required. Smooth trigger with ½" wide face and built-in overtravel screw lightens perceived pull. Trigger rebound spring matched to the redesigned parts to further reduce trigger pull and give smoother cycling. Available with a **Black** anodized aluminum or natural finish **Stainless** steel trigger to match the finish of your pistol.

**SPECS:** Trigger - 6061 T6 aluminum, hardcoat anodized, black, or stainless steel, natural finish. Stainless steel hammer, sear, and slide stop. Steel springs. Includes complete instructions. Fits Ruger Mark II and Mark II 22/45 pistols only. May require minor fitting.

- #930-012-100AK **Ruger Accurizer Kit**, Black Trigger, 3Z96A55 ..... \$ 109.99
- #930-000-124AK **Ruger Accurizer Kit**, Stainless Trigger, 3Z91U03 ..... 104.99

**VOLQUARTSEN RUGER MK II TARGET HAMMER** - Hardened, precision-ground, drop-in hammer lightens trigger pull by 35% on Mark II pistols. Electro-polished to remove even minor imperfections for an ultra-smooth sear surface and a clean breaking, target-quality, trigger pull. Includes strut and pin.

**SPECS:** Machined steel, 1.05" (2.6cm) long, .56" (14mm) wide. .5 oz. (14 g) wt. Fits Ruger Mark II and Mark II 22/45 pistols only.

- #930-012-003AK **Target Hammer**, 3Z34A67 ..... \$ 46.23

## VOLQUARTSEN RUGER® MARK III™ DROP-IN ACCURIZING KIT

For A Smoother Functioning Mk III With Target-Grade Accuracy



Easy-to-install kit replaces factory trigger and hammer parts for a smooth, crisp, 2½ lb. trigger pull and faster bolt cycling. Machined aluminum target trigger, with smooth, radiused, .36"-wide trigger face,

adjust for take-up and overtravel with included Allen wrench. Trigger is matte black, hardcoat anodized for superior strength and wear resistance. Redesigned stainless steel target hammer and micro-polished sear are surface ground to exact tolerances for a short, fast trigger pull. Engagement surfaces are precision-ground and polished—no stoning required. Polished trigger plunger and trigger rebound spring are matched to the redesigned parts to further reduce trigger pull and provide smoother cycling. An extended bolt release completes the package.

**SPECS:** Includes trigger, trigger plunger, trigger rebound spring, hammer, sear, sear spring, bolt release, Allen wrench, and complete instructions. Fits Ruger Mark III and Mark III 22/45 pistols only. May require minor fitting.

- #930-000-046AK **Ruger Mark III Accurizing Kit**, 3Z101U11 ..... \$ 109.99

## TACTICAL SOLUTIONS RUGER® MARK I/II/III™ & 22/45™ HEAVY DUTY EJECTOR

Hardened, Machined Stainless Steel To Resist Wear & Breakage



Replacement for factory ejector is precision machined from hardened 416 stainless steel billet for extra strength and wear resistance. Helps ensure positive, consistent ejection, with reduced risk of reliability problems caused by a worn or broken ejector. Includes 416 stainless steel mounting screw.

**SPECS:** 416 stainless steel, natural finish. Fits Ruger Mark I, Mark II, Mark III, and 22/45 pistols.

- #100-005-999AK **Ruger .22 Pistol Ejector** 8K15U71 \$ 19.99

## VOLQUARTSEN RUGER® MARK II/III™ EXTENDED BOLT RELEASE

Oversized Thumb Pad For Fast, Positive Operation



Drop-in replacement bolt release has a large, easy-to-find, contact pad with a serrated face ensures fast, positive closing of the action, especially during high-stress competition. Gives the shooter a secure, non-slip grip with or without gloves on. Replaces the factory bolt release on both Mark II and Mark III pistols in minutes. No permanent modifications required.

**SPECS:** Carbon steel, gloss blued, or stainless steel, silver finish. Pad is ¾" (1.4mm) long x ½" (1.1mm) wide. .2 oz. (5.6g) weight.

- #930-000-068AK **Extended Bolt Release**, Blued, 3Z09A85 ..... \$ 11.99
- #930-000-067AK **Extended Bolt Release**, Silver, 3Z09A85 ..... 11.99

## BROWNELLS TRIGGER STOP SCREWS

Non-Marring Rubber Tips

Controls trigger overtravel for clean let-off. Rubber tips cushion frame "touch" and won't mark trigger loop. Use on handguns, rifles, shotguns.


- SPECS:** 8-32 tpi. 6 Pak contains 6 screws and instructions.
- #084-010-006AK **Trigger Stop Screws**, 6-pak, 4H16D55..... \$ 22.99

SATISFACTION GUARANTEED

SINCE 1939

## BROWNELLS RUGER® MARK I/II/III ALLEN-HEAD GRIP SCREWS

Blue Or Silver;  
Improves Looks & Function

Excellent looking Allen-head screws dress up the Ruger Mark I, Mark II, or Mark III™ pistol, plus give positive wrench engagement to help prevent stripped-out heads. Fits flush on all factory and aftermarket grips. Available in 4-Paks 

**SPECS:** Steel, blue or nickel-plated. 6-40 tpi, .250" (6.3mm) diameter head, .325" (8.1mm) long. Installation requires 3/32" Allen wrench.

**#080-832-004AK Blue Grip Screws, 4-Pak, 8K06C86** ..... \$ 9.99

**#080-000-055AK Nickel Grip Screws, 4-Pak, 8K10V41** ..... 14.99

## SEMI-AUTO DECAL GRIP

Improves Grip In All Types Of Weather

Pre-cut, pre-shaped decals attach to the frame and slide for a superior grip without increasing bulk. Easy-to-use, peel-and-stick design will not harm the surface it's applied to. Stays put under extreme conditions. Resistant to oils and solvents. **SAND** gives very positive, aggressive grip. **RUBBER** has the gripping texture of Sand with a non-slip, rubber coating.

**SPECS:** Black, medium texture. Glock Standard frame does not have finger grooves.

### GLOCK - STANDARD FRAME

STK # SAND	STK # RUBBER	FITS
#384-100-017AK	#384-110-017AK	17/18/22/24/31/34/35
#384-100-019AK	#384-110-019AK	19/23/25/32

### GLOCK - FINGER GROOVE FRAME

STK # SAND	STK # RUBBER	FITS
#384-101-017AK	#384-111-017AK	17/18/22/24/31/34/35
#384-101-019AK	#384-111-019AK	19/23/25/32
#384-101-020AK	#384-111-020AK	20/21
#384-101-026AK	#384-111-026AK	26/27/28/33

### SPRINGFIELD - XD


STK # SAND	STK # RUBBER	FITS
#384-000-013AK	NA	.357/.40/9mm 4" & 5" Bbl.

### SPRINGFIELD - XDM

STK # SAND	STK # RUBBER	FITS
#384-000-019AK	NA	9mm/.40
- Advise # - Sand Decal Grip 4H06X53 ..... \$ 9.99		
- Advise # - Rubber Decal Grip 4H08X43 ..... 10.99		

## KRUNCH PRODUCTS PRO GRIP ENHANCER

Non-Sticky, Non-Abrasive;  
Keeps Your Pistol In Your Hand

Used and endorsed by USPSA Master Shooters to enhance their natural grip for increased recoil control and more consistent accuracy. Non-sticky formula actually works with your natural skin oils to repel moisture and perspiration, and keep your pistol or rifle firmly in your grip. Non-toxic, washes off with soap and water; will not stain clothing or damage gun finishes. **Flip Top** or **Pump** dispenser. 


**SPECS:** Liquid, 2 fl. oz. (59ml), resealable container.

**#474-100-000AK Flip Top Pro Grip Enhancer, 4G07U28** ..... \$ 9.99

**#474-100-001AK Pump Pro Grip Enhancer, 4G07U45** ..... 10.99

## HOGUE SEMI-AUTO GRIP SCREWS

Factory Replacement Screws  
For Popular Semi-Autos

Blue and stainless steel slot head replacement screws maintain factory appearance. Hex head gives grips a neat, clean look, prevents burred slots. **SPECS:** Steel, blued or hard chrome (H/C), matte finish. Package contains two or four screws, as required. 

STK # BLUE	STK # H/C	STYLE	FITS
#408-010-226AK	NA	Slot	SIG P226, P228, P229
#408-010-228AK	#408-011-228AK	Hex	SIG P226, P228, P229
#408-010-220AK	NA	Slot	SIG P220, P230
#408-010-230AK	NA	Hex	SIG P220, P230
#408-010-035AK	NA	Slot	Browning HP
#408-010-075AK	NA	Slot	CZ-TZ-75
#408-010-092AK	NA	Slot	Beretta/Taurus
#408-010-093AK	#408-011-093AK	Hex	Beretta/Taurus


- Advise # - Slotted Beretta/Taurus, SIG, 8K06X91 ..... \$ 9.99

- Advise # - Slotted Browning, CZ/TZ 8K05U15 ..... 5.99

- Advise # - Hex SIG, Beretta/Taurus 8K06X99 ..... 7.99

## TJ'S CUSTOM SIG HEX HEAD GRIP SCREWS

Great Looking Replacements For SIG Pistols

Functional, hex head screws help put an end to scratched, beat-up and worn grip screws. Pristine screws make grips look nicer. Plus, hex head wrenches are less likely to slip and put marks on the grips or frame. **SPECS:** Stainless steel, natural finish or blackened. 2 or 4 screws per pak depending on the model. 226 fits guns with serial #144,000 and higher. 

STOCK #	FINISH	FITS	PRICE
#876-050-220AK	Black	SIG 220, 225, 245	6G13V00 \$ 16.25
#876-051-220AK	S/S	SIG 220, 225, 245	6G13V00 \$ 16.25
#876-050-225AK	Black	SIG 226, 228, 229	6G13V00 \$ 16.25
#876-051-225AK	S/S	SIG 226, 228, 229	6G13V00 \$ 16.25
#876-000-002AK	Black	SIG 239	6G16V90 \$ 20.99

## BROOKSTACTICAL SEMI-AUTO AGRIP

Improves Handling & Control, Secure Grip Helps Increase Accuracy

Pre-cut, wrap around sleeve sticks on easily with an ultra high-tech, pressure-sensitive adhesive. Won't peel off in harsh conditions, even under water. Provides a comfortable, secure grip for competition, law enforcement and tactical firearms. Non-slip and non-abrasive, with a soft feel that's not tacky. Extremely durable, resists splitting, tearing, abrasion, and wear. Flexible, so it conforms to Glock frames with and without finger grooves. Resistant to most oils and solvents. Use 5" x 8", **AGrip Sheet** to cover rifles, shotgun stocks, forends, flashlights and tools or handguns not listed below. 

**SPECS:** Black. Soft texture.

STOCK #	FITS
#100-000-528AK	Glock 17, 18, 22, 24, 31, 34, 35, 37
#100-000-529AK	Glock 19, 23, 25, 32, 36
#100-000-626AK	Glock 20, 21
#100-000-530AK	Glock 26, 27, 28, 33
#100-001-239AK	Kahr PM/MK/M/Covert
#100-001-245AK	Springfield XD/HS2000
- Advise # - AGrip 5K22H29 ..... \$ 31.99	
#100-000-532AK AGrip Sheet 5K24T19 ..... 33.99	

## HOGUE SEMI-AUTO HANDALL™ GRIP

Comfortable, Non-Slip Grip  
For Semi-Auto Pistols

Slip-on sleeve offers a contoured, non-slip grip with no gun modifications. Proportioned finger grooves and a slight ambidextrous palmswell give extra support for greater shooting control and pointability. Made from recoil-absorbing soft rubber that dramatically improves shooting comfort and accuracy. **SPECS:** Soft rubber, textured, Black or O.D. Green. Approximately 2 1/4" (6cm) long, 1 1/4" (3cm) wide, 3 1/4" (8cm) high. **Glock** fits all full-size and compact Glock pistols, plus other similarly proportioned semi-autos without a grip safety. **Springfield** fits Springfield XD and XDM chambered in 9mm, .40 S&W, and .357 Sig, and many similarly proportioned semi-autos without a grip safety. **Handall Jr.** fits most .22/.25 ACP semi-auto pocket pistols. 

**#408-617-000AK Glock Handall Grip, Blk 8K06A50** . \$ 6.99

**#408-000-070AK Glock Handall Grip, O.D. Green, 8K07A05** ..... 7.99

**#408-617-001AK Handall Jr. Grip, Black 8K05A99** ..... 6.99

**#408-000-095AK Springfield XD/XDM Handall Grip, Black, 8K06A42** ..... 6.99

## ACCURACY GRIP RUGER® MARK II/III GRIP KIT

For Improved Accuracy & Better Control

Endorsed by champion shooter Jerry Miculek, Grip Kits are easy to install and place the tip of your finger consistently on the trigger for better control and accuracy with every shot. Keeps your hand firmly seated on the grips and allows you to pull straight back on the trigger. Kit contains two molded one-piece grips. Trigger finger extender is molded into right hand grip. Right handed only. Fits Ruger Mark II and Mark III™ pistols. 

**SPECS:** Molded polymer, black. Measure from web between trigger finger and middle finger to end of middle finger to determine grip size needed. Med. = 2 1/2" - 3", Lg. = 3" - 3 1/4", XL = 3 1/4" and longer.

**#100-002-476AK Accuracy Grip Kit, Med 4A14Y00** . \$ 24.95

**#100-002-477AK Accuracy Grip Kit, Lg 4A14Y00** . . . . . 24.95

**#100-002-478AK Accuracy Grip Kit, XL 4A14Y00** . . . . . 24.95

## ALUMAGRIPS BERETTA 92/SIG P238 ALUMINUM GRIPS

Precision Machined For Style, Durability & Function

Durable, good-looking aluminum grips withstand years of hard use. CNC-machined with all curves, angles, and cutouts true and exact for correct fit on your pistol. Won't chip or crack like plastic grips, nor susceptible to humidity and cleaning chemicals like wood. **Checked** grips have border-pattern checkering featuring smooth-top diamonds with square edges for a very comfortable and secure grip that won't abrade the hand or clothing. **Tactical** grips combine a smooth upper portion for fast, no-sag, initial hand contact and easy withdrawal from the holster, with checkering on the front and bottom for a secure grasp and superior stability when shooting. **Grooved** grips provide unobstructed, no-sag carry, with three vertical grooves for a secure grasp when shooting. 

**SPECS:** Aluminum, anodized, satin finish, black or natural silver. Approx. 1/4" (6.7mm) thick. **Beretta** grips fit 92FS and 92FS INOX.

**#100-005-642AK Beretta 92 Checked Alumagrips, Black, 5K61H29** ..... \$ 66.99

**#100-005-643AK Beretta 92 Checked Alumagrips, Silver, 5K61H29** ..... 66.99

**#100-005-893AK SIG P238 Tactical Alumagrips, Black, 5K48P49** ..... 52.99

**#100-005-891AK SIG P238 Grooved Alumagrips, Black, 5K48P49** ..... 52.99

## HOGUE SEMI-AUTO PISTOL GRIPS

Hand-Filling, Versatile Designs

Hand-filling, molded rubber grips help absorb recoil by spreading the shock over a wider area of the hand. Finger groove models for semi-autos tighten the grip upward, into the triggerguard for better recoil control. **SPECS:** Molded rubber w/pebble finish. Model designations abbreviated as follows. Available with finger grooves (FG) as slabs (SL). 

STOCK #	MODEL	FITS	PRICE
#408-602-192AK	FG Beretta 92		8K16H08 \$ 19.99
#408-602-092AK	SL Beretta 92		8K11H10 \$ 12.99
#408-602-135AK	FG Browning Hi-Power		8K16H08 \$ 19.99
#408-602-109AK	FG CZ/TZ EA-9/P9Tang		8K16H08 \$ 19.99
#408-602-189AK	FG Ruger® P89/90/91™		8K16H08 \$ 19.99
#408-602-220AK	SL SIG P220 American		8K16H08 \$ 19.99
#408-602-226AK	SL SIG P226		8K16H08 \$ 19.99
#408-000-014AK	FG SIG P226		8K16C08 \$ 19.99
#408-602-228AK	SL SIG P228/229		8K16H08 \$ 19.99
#408-000-023AK	FG SIG P228/229		8K16C08 \$ 19.99
#408-602-230AK	FG SIG P230		8K16H89 \$ 19.99
#408-602-239AK	FG SIG P239		8K16H08 \$ 19.99
#408-602-099AK	SL Taurus PT 92/99, 100/101		8K10H92 \$ 12.99

## HOGUE SIG P226 EXTREME ALUMINUM GRIPS

Comfortable, Good-Looking; Machined From Solid Aluminum For Strength & Durability

Extreme-duty grips precision machined from solid 6061 T6 aluminum billet help you maintain a firm, comfortable, no-slip grasp on your pistol, even when your hands are wet. These grips weigh only slightly more than factory grips, yet stand up to the harsh wear and tear of duty and tactical operations. The crisp, precision-cut diamond pattern on the sides and backstrap replicates fine 18 lpi checkering and provides a superior gripping surface that won't bite into your hand. Type III hard anodized for additional strength and outstanding resistance to surface wear. 

**SPECS:** Machined 6061 T6 aluminum, Type III hard anodized, matte black finish. Fits SIG P226.

**#408-000-072AK SIG P226 Extreme Grips, 8K115A95** ..... \$ 119.99

## HOGUE RUGER® MARK II™ TARGET GRIPS

Comfortable, Hand Filling Custom Wood Or Soft Rubber

Shaped to improve comfort and recoil control for better accuracy. Two styles of soft rubber: **82060** with right-hand thumbrest or **82000** without. Both have a "Cobblestone" texture and wraparound finger grooves for a grip that isn't spongy or tacky. Smooth-cut, **Pau Ferro** grips have a single palmswell and right-hand thumbrest; feature a hand-buffed, carnauba wax finish. 

**SPECS:** Rubber, black or Pau Ferro, Medium brown with medium-to-dark, brown graining. Fits Ruger Mark II pistols.

**#408-604-222AK Pau Ferro Grips, 8K56A35** ..... \$ 59.99

**#408-502-108AK 82060 Rubber Grips, 8K16T08** ..... 19.99

**#408-502-109AK 82000 Rubber Grips, 8K16T08** ..... 19.99





**PACHMAYR COMBAT GRIPS**

Faster Handling For Combat Matches; Models For Browning HP & Beretta 92

Improved features enhance handling and help shooters reload faster in action shooting events. **B-HP/CG** has flat sides, a sculptured cutaway, plus front finger grooves for positive finger placement. **B-HP/C** has only one flat side (left side), right side has raised portion near top of grip panel. **B92** model has front strap finger grooves and checkered backstrap insert for 360° wrap-around support. **SPECS:** Molded Neoprene rubber, black.

STOCK #	PACHMAYR MODEL #	FITS	PRICE
#692-000-018AK	B92FS-G	Beretta 92FS/D/G & 96FS/D/G & Centurion	2F26A75 \$ 38.99
#692-500-003AK	B-HP/CG	Browning Hi-Power	2F25H99 \$ 38.99
#692-500-002AK	B-HP/C	Browning Hi-Power	2F25H99 \$ 38.99

**PACHMAYR SIGNATURE GRIPS**

Wrap-Around, Non-Skid, For Semi-Autos



Unique, wrap-around grips incorporate front strap checkering to meet the demands shooters. Over 22 square inches of sharp diamonds molded into durable, Neoprene rubber for non-slip gripping, wet or dry. No alteration to gun. For either right or left-handed shooters. **SPECS:** Molded, black, neoprene rubber. **NOTES:** \*Improved for models with ambidextrous safeties. \*\*Does not fit S&W-made PPK/S with serial #1100BAB and higher.

STOCK #	PACHMAYR MODEL #	MFG - MODEL	PRICE
#692-501-084AK	B84	Beretta 84	2F25H99 \$ 38.99
#692-500-001AK	B-HP	Brng Hi-Power, 9mm/40	2F25H93 \$ 38.99
#692-500-002AK	B-HPC	Brng Hi-Power, 9mm/40, Sculpted,	2F25H99 \$ 38.99
#692-500-003AK	B-HPCG	Brng Hi-Power, 9mm/40, Grooved/Sculpted	2F25H99 \$ 38.99
#692-500-580AK	BDA-380	Browning .380 DA Auto	2F25H93 \$ 38.99
#867-000-022AK	MK-G	Ruger® Mark II/III™	7F26U01 \$ 28.99
#692-508-039AK	*SW-39	S&W 39/52	2F25A99 \$ 38.99
#692-508-059AK	*SW-59	S&W 59, S&W 659	2F25A99 \$ 38.99
#692-509-199AK	PT 99D/G	Taurus PT 99 w/decocker	2F25A99 \$ 38.99
#692-506-000AK	**PPK/S	Walther PP & PPK/S	2F25A99 \$ 38.99

**MAJESTIC ARMS, LTD. RUGER® MARK II/III COCOBOLO GRIPS**



Provides A Comfortable, Secure Grip

High-quality Cocobolo wood grips dress up the appearance of your Ruger Mark II or III pistol and provide a comfortable, solid, natural grip for better shooting. Attractive, dark orange-brown with distinct black grain stripes, Cocobolo is durable and holds the clean, precise 20 lpi checkering extremely well to give you a solid purchase. **Mark II/III Right-Hand (RH)** grips feature a smooth, comfortable thumb rest for right-handed shooters. **Mark II/III Ambi** grips offer a low-profile thumb rest on each panel to accommodate either right- or left-handed shooters. **22/45** grips fit Ruger® Mark III™ 22/45™ pistols with removable grip panels only; left-side panel has a thumb rest cut. **SPECS:** Cocobolo wood.

- #941-000-001AK RH Mark II/III Grips, 1D45P61 . . . \$ 49.99
- #941-000-004AK Ambi Mark II/III Grips, 1D45P31 . . . 49.99
- #941-000-005AK RH Mark III 22/45 Grips, 1D45P61 . . . 49.99



**NAVIDREX BROWNING HP COMBAT GRIPS**

Thin, Combat-Checkered Or Palmwell Models Give Improved Comfort And Secure Grip

Available in two different styles. All models feature full-coverage, hand-cut, 18 lpi checkering for a secure, no-slip grip and are relieved for new, factory ambi safeties. **Thin Combat** are much thinner than the factory grips so it's easier for smaller hands to hold and shoot. Available only in long wearing, genuine Ivory White Westinghouse **Micarta® (MI)** for superior wearability and strength. **Palmwell** features thumb and palmwells that spread recoil energy over a greater area for increased shooting comfort. Available in three different materials. **Philippine Mahogany (PM)** - medium-to-light, reddish base with darker red to light brown graining. **Dymondwood** - resin-impregnated, laminated hardwood that has the look and color of genuine **Rosewood (DWR)** or **Walnut (DWW)**; withstands solvents and wears much longer than natural wood. **SPECS:** Fits Browning Hi-Power and clones. **Thin Combat available in Ivory Micarta only.**

- #647-035-100AK Ivory MI HP Thin Grp 7D50Z35 . . \$ 68.09
- #647-035-004AK PM HP Palmwell Grip 7D28Z00 . . . 42.95
- #647-035-008AK DWR HP Palmwell Grip 7D28Z00 . 42.95
- #647-035-009AK DWW HP Palmwell Grip 7D28Z00 . 42.95

**PACHMAYR TACTICAL GRIP GLOVE**

Absorbs Recoil, Prevents Slippage



Recoil-absorbing, soft rubber sleeve offers a contoured, non-slip grip that dramatically improves shooting comfort and accuracy from your semi-auto duty pistol. Finger grooves and a slight palm swell help reduce felt recoil and muzzle jump for fast, accurate follow-up shots. Vertical and horizontal serrations provide a textured surface that's comfortable and easy-to-hold, especially during long periods in the ready position. Slides over pistol grip. **SPECS:** Rubber, textured finish, black. Approximately 2 1/4" (5.7cm) long, 1" (2.5cm) wide, 2 3/4" (6cm) high. .7 oz. (20g) weight. **Glock** fits 17, 20, 21, 22, 31, 34, 35, 37. **Glock Compact** fits 19, 23, 25, 32, and 38. **SIG** fits P220, P226, P228, P229. **M&P** fits Smith & Wesson M&P, all models, all calibers. **XD/XDM** fits full-size Springfield Armory XD and XDM, all calibers. **#692-000-025AK Grip Glove, Glock 2F08A87 . . . . . \$ 9.99**  
**#692-000-029AK Grip Glove, Glock Compact, 2F08A87 . . . . . 9.99**  
**#692-000-026AK Grip Glove, SIG 2F08A87 . . . . . 9.99**  
**#692-000-027AK Grip Glove, XD/XDM 2F08A87 . . . . . 9.99**  
**#692-000-028AK Grip Glove, M&P 2F08A87 . . . . . 9.99**

**ROCO FIREARM TECHNOLOGY SIG SAUER WALNUT GRIPS**



Ergonomically Designed For Shooting Comfort & Accuracy

Solid walnut grips enhance your hold with their contoured swell that fills and supports the palm for increased shooting comfort. Helps accommodate differences in finger length for a more consistent trigger pull and accuracy. Stippled surface allows secure, non-slip contact with the hand without abrading the skin during recoil. Made from fancy Turkish Walnut hardened for extra strength, then beautifully finished and sealed with urethane resin. **SPECS:** Turkish Walnut. Inletted for decocker. Minor fitting may be required on some guns. **#100-002-549AK SIG P220 Grip 3A73V13 . . . . . \$ 9750**  
**#100-002-550AK SIG P226 Grip 3A73V13 . . . . . 9750**

**SIMS VIBRATION LABORATORY LIMBSAVER® PRO HANDGUN SYSTEM**

Reduces Felt Recoil & Improves Accuracy



High-tech, vibration-absorbing NAVCOM® grip sleeve reduces felt recoil and muzzle jump for fast, accurate follow-up shots. Advanced break-away technology uses over one hundred individual raised nodes to absorb the recoil shock-wave and redirect the energy outward over a wide area for almost 50% recoil reduction. Hand-filling design provides a comfortable, firm grip that minimizes hand fatigue during long periods in the ready position. Fine horizontal serrations provide a ribbed surface that's comfortable and easy-to-grasp, even when wet. Installs over pistol grip. Not for use with semi-automatic pistols equipped with any type of grip safety. **SPECS:** NAVCOM synthetic material, black. 1 1/8" (4.8cm) long, 1" (2.5cm) wide, 3 3/8" (9.6cm) high. .8 oz. (23g) weight. Fits full-frame semi-automatic pistols including Beretta PX4 Storm, 40S&W, 92FS (all 92 Series); FN Herstal P45, 5.7; Glock® 21SF, 17, 22; Heckler & Koch USP 45 Full, USP 40 V1; Magnum Research Desert Eagle, Baby Eagle .45; Ruger® SR9®, P512, 22/45™; Sig P220; Taurus PT 24/7 Pro; and mil-spec type AR-15/M16 pistol grips. **#100-004-337AK Pro Handgun System 7K07P99 . . . . \$ 9.99**

**VOLQUARTSEN RUGER® MARK II/III VOLTHANE PISTOL GRIPS**

Hand-Filling Target Grips For Ruger® Mark II & Mark III



Large, contoured, bottom-swell heelrest and wide, upswept thumb-rest straighten and extend the wrist for a relaxed, steadier hold and more reliable accuracy. Wedge-shaped grip area (wide in the rear, narrow in front) and evenly spaced finger grooves match the natural shape of the hand. Flexible, synthetic rubber construction with impressed checkering ensures secure, no-slip one- or two-hand hold. Available for Ruger Mark II (also fits Mark I with "A-100" frame) and Mark III pistols. **SPECS:** Thermo-molded Volthane rubber, black. Approx. 3 1/4" (8.2cm) wide at base, 4 1/4" (10.7cm) high, 5.2 oz. (147 g). Right-hand (RH) and left-hand (LH). Includes Allen head screws and wrench. **Mark II - One-piece design fits Ruger Mark II and Mark I with "A-100" marked frame. Mark III - Two-piece design fits Ruger Mark III only. Does not have silver medallion as shown in photo.** **#930-012-001AK RH Volthane Grips, Mark II, 3Z40A00 . . . . . \$ 50.99**  
**#930-011-001AK LH Volthane Grips, Mark II, 3Z40A00 . . . . . 50.99**  
**#930-000-047AK RH Volthane Grips, Mark III, 3Z48U00 . . . . . 60.00**

**VOLQUARTSEN RUGER® MARK II/III™ LAMINATED WOOD GRIPS**



Comfortable & Hand-Filling For Maximum Control & Accuracy

Wrap-around, finger-groove grip panels fully support your hand to provide superb control for consistent accuracy. An enhanced grip angle that positions wrist for a relaxed hold, plus a comfortable thumb rest, help you concentrate on a smooth, consistent trigger pull. Durable laminated hardwood won't crack, break, or split. Comes with extended, oversize bolt release, magazine release button (Mark III), hex-head grip screws, and hex wrench. **SPECS:** Laminated hardwood, Brown or Green, with stainless steel bolt release. Magazine Release (Mark III only) & Grip Screws - Carbon steel, blued. Separate models for Ruger Mark II and Mark III. Right-hand only. **#930-000-062AK Mark II Grips, Brown 3Z120A00 . . \$ 129.00**  
**#930-000-061AK Mark II Grips, Green 3Z120A00 . . . 129.00**  
**#930-000-060AK Mark III Grips, Brown 3Z120A00 . . 129.00**  
**#930-000-059AK Mark III Grips, Green 3Z120A00 . . 129.00**

**SMART LOCK TECHNOLOGY MAGLOC® THUMB REST**

Improves Control & Reduces Muzzle Jump For Better Accuracy

Ambidextrous rest provides comfortable support for the thumb of your shooting hand. Helps you control muzzle flip for fast, accurate follow-up shots, while the extended beavertail protects the web of the hand from painful contact with the slide. Stainless steel pin replaces the factory trigger housing pin to anchor the rest securely to the grip frame. May require some fitting, but no permanent modification to gun.

**GLOCK® - Competition 2-M** features 3/8" wide thumb rests for maximum support and muzzle control in action shooting events. **Duty-M** has slightly narrower, 1/2" wide rests for improved fit in duty holsters. **Both rests may limit access to slide lock lever with thumb of shooting hand, and are not recommended for use with thumb-break holsters.** **SPECS:** Molded polymer, black. Fits Glock 17, 18, 19, 20, 21, 21SF, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 37, 38, 39. Does not fit slim line Glock 36 or 21SF. Some models, such as 10mm and .45 ACP made after 2007 with serial number starting with L, require enlarged holes on the rest to ensure proper fit. **Competition 2-M - 1 1/2" (3.8cm) long, 2" (5.1cm) wide, .35" (8.99mm) beavertail, .39 oz. (11g) weight. Duty-M - 1 1/2" (3.8cm) long, 2" (5.1cm) wide, .75" (19.1mm) beavertail. .35 oz. (9g).**



Glock Competition 2-M



Glock Duty-M

- #100-005-389AK Competition 2-M Thumb Rest, 2A16V40 . . . . . \$ 20.99
- #100-005-390AK Duty-M Thumb Rest 2A14V80 . . . . . 18.99

**SPRINGFIELD XD -** Fits the 9mm/.40 S&W XD frame and similar in size to the Glock Duty M model. Can be filed down to fit some duty holsters with a non-adjustable security strap. Does not fit XDM. **SPECS:** Molded polymer, black. Stainless steel pin. 1 1/8" (4.7cm) long, 2" (5.1cm) wide, .34" (8.7mm) thumb rests. .28 oz. (9g) wt. **#100-006-214AK XD 9/40 Thumb Rest 2A12X41 . . . . \$ 15.99**



**FOLLOW US ON PINTEREST**

Visit any of our pin boards to get inspired for your next firearm purchase or custom build. Look at our dream guns, hot sellers, new products, even stuff for the ladies!

