AR-15/M16 INDEX			
Accessory Mounts 103-104	Pistol Grips		
Barrels	Range & Training Gear 90-91		
Bolt & Mag Releases	Receiver Extensions & Buffer Systems 59-62		
Bolts & Carriers	Recoil Buffers 45-47		
Caliber Conversions	Retro Rifle™ Parts		
Charging Handles	Safety Selectors 52-54		
Cleaning Supplies 91-94	Sights		
Comps/Flash Hiders 30-35	Slings & Adapters 87-90		
Gas System Components	Small Parts & Kits54-59		
Gunsmithing Tools 94-103	Springs		
Handguards 67-74	Stocks		
Lower Receivers9-13	Triggerguards 41-42		
Magazines & Parts	Triggers		
Magazine Accessories 82-83	Upper Receivers 1-9, 13, 14		
Optic Mounts	Vertical Grips		

#### **AERO PRECISION AR-15/M16** M4A1 SOCOM UPPER RECEIVER



#### Civilian Clone of the Upper Used on USSOCOM M4 Carbines

For those looking to match the specs and performance on the M4A1 SOCOM Block II carbines used by troops during Operations Iragi Freedom and Enduring Freedom, the Daniel Defense M4A1SO-COM Block II Upper Receiver is a great starting point. The recevier itself if forged from 7075 T6 aluminum. It features a guad-rail handguard equipped with a Picatinny-compatible rail sections. The barrel is cold hammer forged from mil-spec chrome-moly vanadium steel and features a SOCOM, heavy profile, with a chrome-lined interior. matching military-style barrels with the same construction. Includes the correct SOCOM-profile 14.5" barrel with 1-7" rifling. Gas block is the proper Mk12 type. A bolt/carrier group, charging handle, and flash suppressor are omitted included so you can customize your rifle with aftermarket components that exactly suit your needs. #100-040-692 M4A1 SOCOM Upper Rec'r, 14.5" Bbl,

8K774F99 ..... \$ 899.99

#### AERO PRECISION AR-15/M16 -**M4E1 ENHANCED UPPER RECEIVER/** HANDGUARD SYSTEM



#### Swap Handguards & Change Accessory Configurations In Seconds

Flattop upper receiver is configured for fast, easy attachment of Aero's proprietary M4E1 free-float handguard. Just slip the handguard on the front of the receiver and tighten the screws. It's that

#### **AERO PRECISION AR-15/M16 COMPLETE STANDARD UPPER**



#### Classic Carbine Upper That Gets the Job Done

Aero Precision's basic AR-15 carbine upper receiver closely resembles the U.S. military's M16A4 flattop upper - and it comes fully assembled. It lacks only a bolt/carrier group and charging handle, two components many AR-15 fans prefer to customize based on their needs (this is America darn it, we have freedom of choice!). These are mil-spec forged 7075 T6 aluminum receivers, with a military hardcoat anodized finish in matte black. They feature a barrel of high-grade 4150 chrome-moly carbon steel with 1-7" rifling and a tough, corrosion- and scratch-resistant black QPQ finish. Chamber accepts both military 5.56mm NATO and civilian .223 Remington ammo. There's a GI-style plastic A2 handquard, A2 front sight tower. and A2 "birdcage" flash suppressor. Comes with a 16" barrel and is available with the standard carbine-length (CL) gas tube OR a longer mid-length tube (ML) that slows gas velocity for enhanced cycling reliability. Remember: the bolt/carrier group and charging handle are NOT included.

#100-025-501	Assembled AR-15 Upper, 16" Bbl/CL, 3E00CQG	\$ 329.99
#100-025-502	<b>Assembled AR-15 Upper,</b> 16" Bbl/ML, 3E00HSL	329.99

easy to swap from a short to long handquard! Upper has M4 feed ramps to aide in reliable feeding. T-marked for rapid mounting/dismounting of optics and sights. Includes the nut and wrench. Handguard has Picatinny top rail that aligns continuously with receiver rail to give ample space for optics and sights. Magpul® M-LOK™ easy-on/off accessory attachment system. Designed for use with low-profile gas blocks.

SPECS: Receiver and handguards are sold separately. Upper Receiver - 7075 T6 aluminum. .250" dia. pivot/takedown pin holes. Handguard - 6061 T6 aluminum. Both hardcoat anodized with matte black finish.

#100-015-499	M4E1 Upper Receiver, 3E00IYI \$ 148.74	
#100-015-527	Enhanced M-LOK HG, 12", 3E00AKC 135.99	
#100-015-528	Enhanced M-LOK HG, 15", 3E00QKD 144.49	

#### AERO PRECISION AR-15/M16 STRIPPED UPPER RECEIVER

**Economical Yet High-Quality** Uppers for Your Custom Build; Standard & "Smooth Side" Models

The Aero Precision upper is forged from 7075 aluminum for superior strength and given a super tough, Type 3 hardcoat anodized finish for excellent resistance to surface wear. It features M4-type feed cuts inside for reliable feeding and laser-





Fwd Assist & Cover Installed

engraved T-marks on the Picatinny rail (black anodized models only). Compatible with standard, mil-spec AR lowers and components. A really high-quality receiver at a great price! Smooth-Side model eliminates the forward assist, reducing the risk of snagging on other gear and giving your rifle a clean, streamlined appearance. "Not Quite Stripped" uppers with forward assist and ejection port cover installed. (You can get a fully stripped one in Desert Tan.) SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Also available with a tough, non-reflective Cerakote finish in Desert Tan (DT). Flat Dark Earth (FDE), or O.D. Green (ODG). Cerakote-finished models do not

l models use .250" pivot and takedown pins.	
	\$ 93.49
	106.24
	89.24
	80.74
	89.24
	I models use .250° pivot and takedown pins.  Upper Receiver w/Fwd Assist & Cover, Black, 3E00HZS.  Upper Receiver w/Fwd Assist & Cover, FDE Cerakote, 3E100D99.  Stripped Upper Receiver - NO Fwd Assist/Cover, DT Cerakote, 3E84H99.  Smooth-Side Stripped Upper, No Ejection Port Cover, 9Z80M74.  Smooth-Side Stripped Upper, w/Ejection Port Cover Installed, 9F89T24

#### **AERO PRECISION AR-15 M4E1 GEN2 THREADED UPPER RECEIVER**



The Enhanced Strength & Looks of Billet - Accepts Standard Mil-Spec Parts & Accessories

Aero Precision's M4E1 receiver gives you the best of two worlds the badass looks and robustness of a billet receiver, plus the easy parts compatibility (and price!) of a traditional mil-spec upper. And i comes with two nit-picky jobs done for you: the forward assist and ejection port cover are already installed. But there's more... Unlike Aero's M4E1 Enhanced upper, this M4E1 model has standard bar rel threads up front so it can accept a standard AR-15 barrel nu and handguard attachment. The original M4E1 upper is configured for the proprietary attachment system of Aero's Gen2 Enhanced or Atlas 'quards. The version offered here gives you all the M4E1 uppe features AND lets you build your rifle with a different handguard Ready to serve as the foundation of an exciting custom AR-15, it's forged from 7075 T6 aluminum, like a regular mil-spec receiver but with angular external contours that add the strength - and custom look - of a "billet" receiver. Accepts any mil-spec AR-15 bolt carrier group (not included) and fits on a standard AR-15 lower though it looks darned good paired up with Aero's equally rugged all-business M4E1 forged lower receiver. Stripped - bare receiver

ist or ejection port cover.	
Assembled AR-15 Gen2 Upper Receiver, Black, 3E00AJP	\$ 114.74
Assembled AR-15 Gen2 Upper Receiver, FDE, 2Y127L49	127.49
<b>Stripped AR-15 Gen2 Upper Receiver,</b> Black, <i>3E00KYE</i>	97.74
<b>Stripped AR-15 Gen2 Upper Receiver,</b> FDE, <i>7K110X49</i>	110.49
	Receiver, Black, 3E00AJP  Assembled AR-15 Gen2 Upper Receiver, FDE, 2Y127L49.  Stripped AR-15 Gen2 Upper Receiver, Black, 3E00KYE  Stripped AR-15 Gen2 Upper Receiver,

### **AERO PRECISION AR-15** SSEMBLED M4E1 GEN2 UPPER



#### Tactical Uppers With Acres of Accessory-Mounting Real Estate

Aero Precision's M4E1 uppers come fully assembled, minus only the bolt/carrier group and charging handle - the two components any AR-15 fan with even a little urge to customize want to replace anyway. The M4E1 combines the unique look of a custom billet receiver with the affordability and "mil-spec" parts compatibility of a forged receiver. It comes with Aero Precision's latest Gen 2 Enhanced M-LOK handguard installed. Some models also come with an Atlas R-One or Atlas S-One M-LOK® handguard. Receiver and handguard form a solid, monolithic accessory mounting platform, while the full-length Picatinny top rail runs from the rear of the receiver across the entire length of the "handquard, which has plenty of M-LOK accessory attachment slots and QD sling swivel sockets at the 3/6/9 o'clock positions. Texture milled into the flats give you a better grip and add to your gun's unique appearance. If you can't mount each of your accessories on your M4E1 upper in the exact perfect spot, at least you know the quest is over - you won't find one that's better!

Forged 7075 T6 aluminum receiver, Mil 8625 Type 3 Class 2 hardcoat anodized. .250" dia. pivot/takedown pin holes. Ejection port cover and forward assist installed. 4150 chrome-moly-vanadium barrel, 1-7" rifling, black QPQ finish. PL = pistol length, CL = carbine length, ML = mid-length, RL = rifle length. HG = handguard. FSB = A2-style gas block/front sight base. Lo-Pro = low-profile gas

	ndguard. 📒	
#100-025-503	M4E1 Gen2 5.56 Upper, 7.5" Bbl/PL/7"	
		\$ 429.99
#100-025-504	HG/FSB, <i>3E00QHH</i>	489.99
#100-025-505	HG/FSB, 3E00QUN	459.99
#100-025-506	ML/12" HG/Lo-Pro, <i>3E00KGK</i>	499.99
#100-025-508	<b>M4E1 Gen2 5.56 Upper,</b> 16" Bbl/CL/15" HG/Lo-Pro, <i>3E00LEF</i>	499.99
#100-025-509	<b>M4E1 Gen2 5.56 Upper,</b> 16" Bbl/ML/15" HG/Lo-Pro, <i>3E00PJG</i>	509.99
NEW 100-054-449		499.99
NEW 100-054-450	<b>M4E1 Gen2 5.56 Upper,</b> 16" Bbl/ML/15" Atlas R-One HG, <i>5E509S99</i>	509.99
MEW 100-054-460	Atlas R-One HG, 6M509Z99	509.99
#100-025-511	<b>M4E1 Gen2 5.56 Upper,</b> 18" Bbl/RL/15" HG/Lo-Pro, <i>3E00LVH</i>	519.99
MEW 100-054-461	<b>M4E1 Gen2 5.56 Upper,</b> 18" Bbl/RL/15" Atlas R-One HG, 6W519J99	519.99
NEW 100-054-451		519.99
MEW 100-025-515	<b>M4E1 Gen2 .223 Wylde Upper,</b> 16" Bbl/ ML/15" HG, <i>3E515F62</i>	524.99
#100-025-516	<b>M4E1 Gen2 .223 Wylde Upper,</b> 18" Bbl/ RL/15" HG, <i>3E00ECC</i>	549.99
#100-025-512	<b>M4E1 Gen2 300 BLK Upper,</b> 8" Bbl/ PL/8" HG/Lo-Pro, <i>3E00LWJ</i>	459.99
NEW 100-054-453	<b>M4E1 Gen2 .300 BLK Upper,</b> 8" Bbl/ PL/7" Atlas S-One HG, <i>6B459G99</i>	459.99
#100-025-513	<b>M4E1 Gen2 300 BLK Upper,</b> 10" Bbl/ PL/9" HG/Lo-Pro, <i>3E00CEE</i>	479.99
NEW 100-054-454		479.99
#100-025-514		519.99
NEW 100-054-455		
	#100-025-504 #100-025-506 #100-025-508 #100-025-509 #200-054-449 #200-054-440 #100-054-461 #200-054-461 #200-054-451 #200-055-516 #100-025-516 #100-025-512 #200-054-453 #100-054-454 #100-055-514	#100-025-504 M4E1 Gen2 5.56 Upper, 10.5" Bbl/CL/7" HG/FSB, 3E00QUH.  #100-025-505 M4E1 Gen2 5.56 Upper, 10.5" Bbl/CL/9" HG/FSB, 3E00QUN.  #100-025-506 M4E1 Gen2 5.56 Upper, 14.5" Bbl/ ML/12" HG/Lo-Pro, 3E00KGK.  #100-025-508 M4E1 Gen2 5.56 Upper, 16" Bbl/CL/15" HG/Lo-Pro, 3E00LEF.  #100-025-509 M4E1 Gen2 5.56 Upper, 16" Bbl/ML/15" HG/Lo-Pro, 3E00PJG.  ##100-054-449 M4E1 Gen2 5.56 Upper, 16" Bbl/ML/12" Atlas R-One HG, 6B499G99.  ##100-054-450 M4E1 Gen2 5.56 Upper, 16" Bbl/ML/15" Atlas R-One HG, 5E509S99.  ##100-054-460 M4E1 Gen2 5.56 Upper, 16" Bbl/ML/15" Atlas R-One HG, 6M509Z99.  ##100-054-461 M4E1 Gen2 5.56 Upper, 18" Bbl/RL/15" HG/Lo-Pro, 3E00LVH.  ###100-054-451 M4E1 Gen2 5.56 Upper, 18" Bbl/RL/15" Atlas S-One HG, 6W519J99.  ###100-054-451 M4E1 Gen2 5.56 Upper, 18" Bbl/RL/15" Atlas S-One HG, 1A519N99.  ###100-055-515 M4E1 Gen2 2.23 Wylde Upper, 16" Bbl/ RL/15" HG, 3E515F62.  ##100-055-516 M4E1 Gen2 300 BLK Upper, 18" Bbl/ RL/15" HG, 3E50ECC  ###100-055-517 M4E1 Gen2 300 BLK Upper, 18" Bbl/ PL/8" HG/Lo-Pro, 3E00LWJ.  ####100-055-518 M4E1 Gen2 300 BLK Upper, 10" Bbl/ PL/8" HG/Lo-Pro, 3E00EE.  ####100-055-519 M4E1 Gen2 300 BLK Upper, 10" Bbl/ PL/9" Atlas S-One HG, 6B459G99.  ####100-055-514 M4E1 Gen2 300 BLK Upper, 10" Bbl/ PL/9" Atlas S-One HG, 2B479P99.  ####100-055-514 M4E1 Gen2 300 BLK Upper, 10" Bbl/ PL/9" Atlas S-One HG, 2B479P99.  #####100-055-515 M4E1 Gen2 300 BLK Upper, 10" Bbl/ PL/9" Atlas S-One HG, 2B479P99.  #################################

order on the web





Plug-n-Play Tactical/Competition Upper with Atlas R-One Handguard

This nearly-complete M4E1 upper comes fitted with the Aero Precision ATLAS R-ONE Handguard. The R-ONE line of handguards are designed with size and weight in mind, perfect for your lightweight build. The proprietary ATLAS attachment system is a durable and dependable mounting platform, maintaining a slim profile while still providing the strength and stability that Aero Precision handguards are known for. Includes a low-profile gas block and a carbine-length gas tube. Does not include a bolt/carrier group or charging handle, so you can customize these components to your needs. The included muzzle brake is NOT pinned nor welded to this barrel. The M4E1 upper is a new enhanced forging that provides a "billet look," with a new Picatinny rail profile that blends seamlessly with Aero's Enhanced Series Handguards. Upper has M4 feed ramps, .250 takedown pin holes, laser-engraved T-marks, ejection port door, and forward. Barrel of 4150 CrMoV steel is chambered for 5.56 NATO, with a 1-7" twist, Government profile, .750" O.D. gas block journal, and M4 feed ramp extension. Barrel is high-pressure and magnetic particle inspect (MPI) to ensure no hidden flaws that could lead to premature failure. Models with 10.5" barrels have Carbine-

Length gas syst	em; other models have Mid-Length gas sy	stem.
• ,	M4E1-T Atlas R-One Upper, BLK w/10.5 Bbl, 3E00NSF.	
#100-040-592	<b>M4E1-T Atlas R-One Upper,</b> FDE w/10.5" Bbl, <i>3E00MNE</i>	484.99
NEW 100-036-053	<b>M4E1-T Atlas-R-One Upper,</b> BLK w/11.5 Bbl, <i>3E00GRR</i>	
NEW 100-036-054	<b>M4E1-T Atlas-R-One Upper,</b> FDE w/11.5" Bbl, <i>3E00DYF</i>	489.99
NEW 100-042-527	<b>M4E1-T Atlas-R-One Upper,</b> BLK w/14.5" Bbl, 8P494B99	494.99

**AERO PRECISION AR-308** 

**M5 UPPER RECEIVER** 

with DPMS LR-308 components, making it a solid, versatile foundation for your next big bore AR build. Final machined to Aero Preci-

in reliable feeding of all types of 7.62/.308 ammo. DPMS-pattern

takedown holes (.2795") allow for compatibility with a variety of

lower receivers, especially Aero Precision's matched M5 lower.

Picatinny-cut accessory rail on top is T-marked. Available with for-

ward assist and ejection port cover installed OR totally stripped.

SPECS: 7075 T6 aluminum, MIL 8625 Type 3 Class 2 harcdcoat anodized

Cover, Black, *3E00FPB* . . . . . . . . . . . . \$ 169.99

Black, 3E00QFB.....

1U164G99.....

Works with DPMS-type high-profile handguards.

#100-015-987 M5 .308 Upper Receiver w/Fwd Asst &

100-054-334 Stripped M5 .308 Upper Receiver, FDE,

#100-026-654 Stripped M5 .308 Upper Receiver,

matte black. .2795" dia. pivot and takedown pin holes.

Perfect Match For Aero M5

Lower; Forward Assist & Port

Cover Pre-Installed

per receiver is fully compatible

Forged aluminum flattop up-

#### **AERO PRECISION ASSEMBLED M5E1 6.5 CREEDMOOR UPPER RECEIVER**



#### Feature-Laden Upper for a "Boringly Accurate" Target Rifle

Aero Precision's M5E1 AR-style upper is ready to be the foundation of a lightweight, tack-driving target rifle. Chambered for the inherently accurate 6.5mm Creedmoor cartridge that's taking the long-range target shooting community by storm, the M5E1 fits DPMS GEN 1 LR-308 lower receivers and clones, and it accepts the DPMS-compatible bolt/carrier group and charging handle of your choice. The BCG and charger are omitted because ... so many target shooters prefer to select them separately. (No need to pay for parts you're going to replace, right?) Each receiver comes with a highquality 416R stainless steel target barrel with a 1-8" twist to stabilize a variety of popular target bullets. An extra-length gas system slows gas velocity for gentler, more reliable cycling and reduced wear on the gas block, BCG, and receiver. Available with an 18" barrel and a MID-LENGTH (ML) gas system; or choose a 20" or 22" barrel for extra bullet velocity and RIFLE-LENGTH (RL) gas system. Forged 7075 T6 aluminum receiver, hardcoat anodized matte black. Ejection port cover and forward assist installed. Comes with Aero Precision's Gen 2 Enhanced M-LOK handquard with an uninterrupted. gap-free, full-length Picatinny top rail that runs from the rear of the receiver across the entire length of the handquard. There are plenty of M-LOK accessory attachment slots and QD sling swivel sockets at the 3/6/9 o'clock positions. Texture milled into the flats gives you a secure hold and adds to your gun's unique appearance. The result: a laser-accurate target rifle with a rock-solid accessory

mounting plati	Offfi.	
#100-025-517	M5E1 Gen2 Upper Rec'r, 18" Bbl/ML	
	Gas, 3E00QAH	\$ 689.99
#100-025-518	M5E1 Gen2 Upper Rec'r, 20" Bbl/RL	
	Gas, 3E00BWN	699.99
#100-025-519	M5E1 Gen2 Upper Rec'r, 22" Bbl/RL Gas. 3E00HCH	709.99
	das, Jeodineir	103.33

#### **AERO PRECISION AR-15 EPC-9 ENHANCED** PISTOL-CALIBER UPPER RECEIVER



Dedicated "Top Half" for a Pistol-Caliber AR Build; Includes Last-Round Bolt Hold-Open System

Aero Precision's EPC-9 purpose-built 9mm AR-15 upper receiver works with their matching EPC-9 lower and other lower receivers that use Glock® magazines. Aside from the sleek exterior contours (look Ma, no bump for a bolt carrier cam pin!), another unique

feature is a mechanism that works with the Glock® mags to lock the bolt back on the last round. A lot of other PCC AR conversions put that mechanism in the lower, but Aero has succeeded in incorporating it into the top half. Machined aluminum with hardcoat anodized finish and white T-marks on the topside Picatinny rail. Can be used for AR-15s chambered in 9mm Luger or .40 S&W. Also available in a set with Aero's matching EPC-9 lower receiver. (See separate listing for details on the lower.)

#100-054-500	Stripped EPC-9 Upper Rec'r, Blk, 1X128K99	135.99	
#100-054-501	Stripped EPC-9 Upper Rec'r, FDE, 6B141G23	159.99	
#100-042-438	EPC 9 Upper/Lower Rec'r Set, Blk, 8U274H99.	274.99	
	EPC 9 Upper/Lower Rec'r Set, FDE, 8D00PQR	309.99	1

#### **AERO PRECISION AR-15** COMPLETE 6MM ARC UPPER RECEIVERS




#### Chambered for the Hot NEW 1.000-Yard Cartridge for the AR-15 Platform

Throw out the Old Rules! Until now, true long-range shooting from the AR platform has largely been reserved to larger "AR-308" rifles. Those old rules go out the window with the 6mm ARC from Hornady - a cartridge that delivers an 800 to 1,000 yard effective range from a standard AR-15 platform. Brownells partnered with Aero Precision and Ballistic Advantage to bring the upper receivers in the exciting new 6mm ARC to market. Each Aero Precision 6mm ARC Complete Upper Receiver features a M4E1 Receiver with Atlas R-One 15" handguard. The stainless steel barrel is precision machined by Ballistic Advantage, with a 1-7" twist and a bead blasted finish. The 18" model comes in an optional black nitride finish. The 16" and 18" uppers have a mid-length gas system and the longer 20" and 24" setups have a rifle-length gas system. Uppers include a matched 6mm ARC bolt with carrier. The muzzle is capped with a VG6 Gamma Muzzle Brake.

Complete 6mm ARC Upper SS/16" Bbl, 3E713/85	\$ 749.99
Complete 6mm ARC Upper SS/18" Bbl, 3E728C22	759.99
Complete 6mm ARC Upper BLK/18" Bbl, 3E737B79	769.99
Complete 6mm ARC Upper SS/20" Bbl, 3E737B79.	769.99
Complete 6mm ARC Upper SS/24" Bbl, 3E766Q54	799.99
	3E713/85 Complete 6mm ARC Upper SS/18" Bbl, 3E728C22 Complete 6mm ARC Upper BLK/18" Bbl, 3E737B79 Complete 6mm ARC Upper SS/20" Bbl, 3E737B79.

#### **BRAVO COMPANY AR-15/M16** M4 UPPER RECEIVER

**Precise Dimensions Give** Proper Fit & Function



receiver includes fully-as-

sembled forward assist and ejection port cover and accepts barrels with M4 barrel extensions. All final dimensions machined to correct mil-spec tolerances to readily accept standard AR-15 parts to help you complete an upper receiver. Laser-etched T-marks on Picatinny rail enable easy removal and re-mounting of optics, sights, and other accessories in the correct position. Interior has dry film lubrication to help reduce wear. **NOTE:** The inside diameter for the barrel extension is slightly undersized to help you achieve a tight barrel fit for a more accurate rifle. If you have trouble inserting the barrel extension, use a hair dryer to warm up the threaded bore of the receiver. SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. .250' (6.3mm) pivot/takedown pin holes.

#100-014-626 M4 Flattop Upper, 1E105C19.......\$ 119.99

#### CMMG AR-15 **DEDICATED .22 LR UPPER RECEIVER**



Don't Settle for a Conversion When You Can Build a Dedicated Rimfire AR From the Ground Up

CMMG's .22 LR upper receiver is configured specifically for use in

a rimfire AR-15. This is a MK9 upper forged from 7075 T6 aluminum. Comes with an integral gas deflector, with the dust cover and forward assist assembly installed because you have better things to do than install the "fiddly bits"! Picatinny rail on top for easy mounting of an optic but no T-marks. Tough Type III hardcoat anodized finish, matte black. #100-044-644 Stripped .22 LR Upper Rec'r, 3B110L34 .. \$ 124.58

#### **BATTLE ARMS DEVELOPMENT AR-15/M16 BAD-556 LIGHTWEIGHT BILLET UPPER RECEIVER**



Extra Strength Without Extra Weight That Can Slow You Down

Make your rifle BAD to the bone! Battle Arms Development's lightweight receiver gives you all

the strength benefits of receivers machined from billet aluminum, with the component compatibility of a standard forged one. Rather than heavy and blocky like some billet receivers, this upper is designed to keep weight to a minimum with extra reinforcing metal only in the areas that need it, so your rifle is robust AND maneuverable. After machining, they are de-burred by hand to smooth out the edges and make sure all surfaces mate seamlessly. Fully compatible with standard ("mil-spec") and aftermarket AR-15 parts. Includes Tmarks on the Picatinny rail for easy mounting and dismounting of sights, optics and accessories.

SPECS: 7075 T6 aluminum billet, hardcoat anodized, matte black finish

<b>#100-016-156</b>	Ltwt Billet Upper Receiver Only,	
_	6D244F29	\$ 266.99

#### **BROWNELLS** AR-15/M16 STRIPPED M4 UPPER RECEIVER

#### A Solid Foundation for Your **Next Custom Build**





need a basic stripped receiver where the production effort goes into quality, rather than bells and whistles. Our stripped M4 upper is that component - the perfect starting point for many an AR-15 build. Starting with a 7075 T6 aluminum forging, our stripped M4 flattop upper is precision machined to final dimensions that make it compatible with the multitude of available "mil-spec" AR-15 components. It has a matte black, Type III hardcoat anodized finish, mirroring the military requirement. Standard .250" dia. pivot/takedown pin holes. T-marked Picatinny top rail. Inside, our upper features M4 feed ramps to aid in chambering during high rates of fire. And outside the T-marks in the Picatinny rail's slots are engraved AND painted to aid in fast exchanges of optics. **Note:** This is a truly stripped upper receiver, with NO forward assist or ejection port cover installed, so you can truly customize every aspect of your rifle.

#078-000-371 Stripped M4 Upper Rec'r. 8G49G99 .... \$ 62.99

#### CROSS MACHINE TOOL AR-15/M16 .458 SOCOM BILLET UPPER



Optimized For Large-Caliber AR Cartridges

Stripped flattop upper has expanded ejection port to enable reliable ejection .458 SOCOM and other

big-bore AR-15 cartridges. Machined from high-grade 7075 billet aluminum with M4 feed ramp cuts and thicker walls for the extra strength to handle harder-hitting cartridges. Fits any standard milspec lower, while slick-side configuration simplifies your build by eliminating provisions to accept dust cover or forward assist. Topside Picatinny rail has engraved T-numbers that are left unpainted to reduce distractions. Accepts standard bolt carrier, charging handle, and barrel nut, sold separately.

SPECS: Machined 7075 T6 billet aluminum, hardcoat anodized, matte black finish. #100-015-679 .458 SOCOM Billet Upper, 5H00PTP... \$ 115.99

### **BROWNELLS AR-15** RN-180° GEN2 UPPER RECEIVER



Contained INSIDE the Receiver - Fire With a Folding Stock Folded! - NEW for 2022: 7.62x39mm & "Sport" Models!

We think the BRN-180® Gen2 upper is the most revolutionary evolution of the AR-15 since the platform was invented. That's a bold statement. Here's what backs it up: Gas piston reliability. The BRN-180® Gen2 upper has a robust gas piston operating system, with the bolt carrier riding smoothly on a PAIR of guide rods. A built-in polymer buffer at the rear has a molded-in steel plate

Standard
Charging



that captures the guide rods. More noticeable to the shooter is the charging handle located on the forward right-hand side of the receiver. The **Standard** charging handle has unique dogleg configuration that makes it exceptionally easy to grasp and operate. If you prefer one with a lower profile, the cylindrical **Sport** charging handle is more like a semi-auto shotgun's handle. (Ejection port cover omitted on Sport model.) Up front, ALL Gen2 BRN-180° models have an adjustable gas block that enables you to easily dial in the correct amount of gas flow for suppressed OR unsuppressed shooting. Folding stock ready. The BRN-180° is ideal for use with a folding stock because it has no AR-15 type buffer system or buffer tube extending behind the receiver. You can easily fire the rifle with the stock folded. We offer matching lower receivers that accept Picatinny-mount folding buttstocks. **Versa**tile & compatible. The BRN-180° is fully compatible with any standard, mil-spec AR-15 lower receiver. The barrel is forged from extra-strong 4150 carbon steel, with a hard Nitride finish that really resists surface wear. Chambered in .223 Wylde, with 1-8" rifling, it handles both .223 Remington and military-type 5.56mm NATO ammo equally well. New for 2022 is the 7.62x39mm chambering. The three-prong flash hider has a solid hemispherical bottom prong that prevents a dust signature when shooting prone. Standard ½-28 tpi muzzle threads let you swap on any AR-15 muzzle device if you're bitten by the customizing bug. In-novation without complexity. The BRN-180's free-floating handguard is extremely easy to remove. Remove a single large hex-head setscrew, and the whole 'guard comes right off. With it removed, you have access to the gas system without removing any internal components. Outside, the handguard has rows of M-LOK® slots and a full-length MIL-STD 1913

with advanced 21st Century upgrades! #078-000-600 BRN-180 Gen2 Upper Rec'r, 16" Bbl, 7D854K99 . . . . \$ 899.99 **2078-000-722 BRN-180 Gen2 SPORT Upper,** 16" Bbl, 7D889A99 . . **899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99 899.99** #078-000-601 BRN-180 Gen2 Upper Rec'r, 18.5" Bbl, 7D00QNN ... 899.99 **100 078-000-723 7.62x39 BRN-180 Gen2 Upper.** 16" Bbl. 7D890D00 . . .

Picatinny top rail that lines up seamlessly with the receiver rail. It machined from extra-strong 7075 T6 aluminum, with a tough hardcoat

anodized finish. A rich heritage. The BRN-180° was actually inspired by the Armalite® AR-180 rifle of the 1960s. The AR-180 was a civilianized semi-auto version of the AR-18, itself an upgrade on the M16 - proof that when you wait long enough, the old truly does become new again. But make no mistake: the BRN-180° in a robust, reliable, AR-15 platform

BRN-180S® - Shortbarreled version of the BRN-180<sup>™</sup> for use in pistol and SBR builds. Aside from its 10.5" barrel, the 180S has an adjustable-




flow gas block to help preserve reliability, which can be compromised in short-barreled configurations. Gas flow can be adjusted by turning the knob on the front of the gas block, so you can easily switch between optimal flow for suppressed and unsuppressed operation. When set for suppressed fire, gas to the front to ensure smooth cycling and to keep excess gas from being blow back at you. All NFA rules apply.

#078-000-599	.223 Wylde BRN-180S Gen2 Upper,	
	10.5" Bbl, 7D800B00\$	899.9
#078-000-609	.300 BLK BRN-180S Gen2 Upper, 10"	
	Bbl, 7D800H00	899.9
NEW 078-000-724	<b>7.62x39 BRN-180S Gen2 Upper,</b> 10.5" Bbl", <i>7D890100</i>	969.0

Orders: 800-741-0015



# CMMG AR-15 RESOLUTE & BANSHEE COMPLETE 9MM UPPER RECEIVERS



#### Dedicated 9mm "Top Half" for a Carbine, SBR or Pistol -Choice of 3 Tiers of Features - Uses Standard AR Mags!

Thanks to the growing popularity of pistol-caliber carbines, CMMG rolled out a reorganized line of 9mm upper receivers that are compatible with the company's unique 9 ARC magazine system. When used with one of the company's Resolute AR-15 9mm upper receivers, the 9 ARC system allows users to feed 9mm through standard-sized AR-15 magazine wells.

Resolute uppers are available in three tiers: the Resolute 100, 200, and 300. All of the upper receivers are complete units, shipping with a charging handle and a bolt/carrier group. These uppers also include a 16.1" medium-taper barrel machined from 4140 chromemoly steel. However, there are differences that are important for the consumer. The 100 Series CMMG Resolute upper receivers are equipped with an A2 flash hider, mil-spec charging handle and an RML15 M-LOK handguard. The Resolute 200 Series includes an SV Muzzle Brake instead of the standard A2 flash hider, and the Resolute 300 Series swaps out the mil-spec charging handle for an ambidextrous design from CMMG while also including the SV brake. Differing from the Resolute uppers, which feature full-length, 16" barrels, the Banshee is designed for AR-style pistol builds.

#100-035-774 (a) Resolute 100 9mm Upper, 16" 3B00LPS	
#100-035-775 (a) Resolute 200 9mm Upper, 16" 3B00AVK	
#100-035-776 (a) Resolute 300 9mm Upper, 16" 3B00DYF	
#100-035-778 ( Banshee 200 9mm Upper, 8" B 3B00FDB	

# DANIEL DEFENSE AR-15 DDM4V9 COMPLETE UPPER RECEIVER



#### Tactical Carbine Upper Designed for the Modern Shooter

The DDM4v9 upper is designed not only for tactical and self-defense applications, but the modern competition shooter as well. The long, 15° DDM4 quad-railed handguard over a 16° cold hammer-forged Government profile barrel gives the shooter the option of extending his support hand well forward, out close to the muzzle, allowing him to "drive" the gun quickly and very precisely, and preventing over-travel when transitioning between multiple targets. The DDM4v9 has a forged 7075 T6 receiver with M4 feed ramps inside and a military-type hardcoat anodized finish. The 16° barrel has a 1-7° rifling twist, a pinned low-profile gas block machined from 4140 hardened steel, a mid-length gas tube, and DD's 17-4 PH stainless steel flash suppressor. Chrome-lined M16- profile bolt carrier. Includes Daniel Defense polymer vertical grip with soft-touch overmolding for an excellent hold. Handy rail covers included. ■

#100-024-473	DDM4v9 5.56 NATO Upper, 16" Bbl/15'	
	DDM Rail, 8K00JKN	

# ASSEMBLED UPPER RECEIVERS

#### Complete Your Next AR Build With a Genuine Colt Upper!

Add the Colt legend of reliability to your rifle or build with these partial upper receivers from Colt. They are based on the combat proven M4 upper receiver and feature 1-7" RH twist in a chromelined, button-rifled barrel. Available in a variety of barrel lengths, all of these uppers come without a charging handle, bolt/carrier group, or sight, so you can customize your rifle with mil-spec or aftermarket components that suit your specific needs.



<u>LE6920/LE6921</u> - Add the Colt legend of reliability to your rifle or build with these complete upper receivers from Colt. These Uppers are based off the combat proven M4 upper receiver and feature 1-7" RH twist in a chrome-lined, button rifled barrel.

	reature 1-7 RH	twist in a chrome-lined, button rifled bar	reı.
, 3	#160-710-147	<b>M4 LE6921 Upper Rec'r Assembly,</b> 14.5" Bbl, <i>9L525H00</i>	
r	MEW 160-000-508	M4 LE6921 Upper, 14.5" Bbl + BCG & Charge Handle NO Handguard, 6H818V99	861.99
) /	160-000-507	M4 LE6920 Upper, 16" Bbl + BCG & Charge Handle NO Handguard, 1M818799	861.99
-			

LE6920EPR/LE6921EPR - Colt's Enhanced Patrol Rifle M4 upper receivers come with a Centurion Arms free-float M-LOK® hand-guard, making for a convenient tactical upper that's ready to drop onto a mil-spec lower receiver. Barrel is chrome-lined, button rifled with a 1-7" twist, and given a durable phosphate exterior finish. Comes with an M16 bolt-carrier group and charging handle. MI NFA rules apply.

###160-000-505 LE6920EPR M4 Upper Group, 16" Bbl + BCG & Charge Hndle, 8A1154M99 ... \$ 1215.99 ###160-000-506 LE6921EPR M4 Upper Group, 14.5" Bbl + BCG & Charge Hndle, 3P1154B99 ... 1215.99



<u>LE6933</u> - Based on the combat-proven M4 carbine and features a 1-7' twist. chrome-lined, button-rifled barrel. Get ot with or without a bolt-carrier group, charging handle, and backup sights. **EPR** swaps the plastic M4 handguard for a lightweight Centurion Arms 'guard that puts the "S" into Slimline, with a Picatinny rail on top, M-LOK® slots at 3, 6, and 9 o'clock - and pairs of front and rear QD sling swivel sockets. **All NFA rules apply**.

#160-710-148	M4 LE6933 Upper Rec'r, 11.5" Bbl +	
	BCG & Sights, 6A937J93\$	969.99
#160-710-149	<b>M4 LE6933 Upper,</b> 11.5" Bbl, 1K525H00.	549.99
#160-710-150	M4 LE6933EPR Upper Rec'r, 11.5" Bbl +	
	BCG & Sights, 6A1089Q66	1129.99
#160-710-151	M4 LE6933EPR Upper Rec'r, 11.5" Bbl,	
	6A751H72	779.99

**LE6940** - The LE6940 upper offers an upgrade over the traditional M4 setup. It features Colt's monolithic upper receiver, which provides a one piece Picatinny top rail and rigid mounting surfaces all around, in addition to a completely free floated barrel. Built-in flip-up front sight is compatible with most standard height rear sights. Available with 16° or 10.3" chrome-lined, 1-7 twist, button rifled barrel. Available with or without a charging handle, bolt-carrier group, and back up sights.

#160-710-153	M4 LE6940 Upper Rec'r, 16" Bbl,
	6A979J31\$ 1014.99

#### COLT AR-15/M16 UPPER RECEIVER



#### Stripped Flattop Upper Genuine Colt Factory Part

Build your next custom AR-15 with an original Colt factory flat-

top upper fully finished and ready for installation. Made from a high-quality aluminum alloy forging machined to precise tolerances for correct fit on Cott lowers and clones. Hardcoat anodized for added surface strength, abrasion resistance, and corrosion protection, with a uniform, matte black finish that matches other factory components and easily accepts alternate finishes. The forward assist and ejection port cover already installed, so you can select the bolt assembly, carrier, gas key, and other components to suit your specific needs. White alphanumeric position markers on rail slots aid in removal and reinstallation of sights without loss of zero.

<b>#160-302-053</b>	Flattop Upper Rec'r w/Assist & Cover,	
	6A18OC19	\$ 211.99

# LE6943/LE6944 - These uppers have an integral Picatinny quad-railed handguard neatly mated to the receiver for a secure, "monolithic"



accessory mounting platform. The barrel is free-floated. The gas block has a built-in flip-up front sight on top that is compatible with standard-height rear sights. Chrome-lined, 1-7" twist, button rifled barrel. Complete upper includes charging handle, bolt-carrier group, and Matech-style rear flip-up sight.

carrier group, a	and Matecin-style rear hip-up signit.	
NEW 160-000-501	<b>M4 LE6943 Upper,</b> 11.5" Bbl + BCG &	
	Sights, 9L1154Y99\$ 1215	.99
NEW 160-000-502	<b>M4 LE6943 Upper,</b> 11.5" Bbl & Front Sight, <i>5R920D99</i> <b>969</b>	.99
NEW 160-000-503	<b>M4 LE6944 Upper,</b> 14.5" Bbl & Front Sight, 6S920E99	.99

LE6945 - An upgrade over the traditional M4 setup featuring Colt's monolithic upper receiver, which



provides a one piece Picatinny top rail and rigid accessory mounting surfaces all around, in addition to a completely free-floated barret. Built-in flip-up front sight is compatible with most standard-height rear sights. Available with 16" or 10.3" chrome lined, 1-7 twist, button rifled barret. Available with or without a charging handle, bolt carrier group, and back up sights.

	BCG & Sights, 6A1089N66	\$ 1129.99
#160-710-155	M4 LE6945 Upper Rec'r, 10.3" Bbl,	
	6A868M97	899.99
	A .	



#160-710-154 M4 LE6945 Upper Rec'r, 10.3" Bbl +

R0901 (M16) - These are genuine M16 upper receivers with 20° rifle barrels - the same as used on M16A2 and M16A4 rifles, which has a Government profile and feature a chrome lined bore and chamber, along with a 1-7 twist. Colt has paired these with Magpul MOE handguards to make them fully modular. Available with or without a charging handle, bolt carrier group, and back up sights.

) –	Without a charging harrate, bott carrier group, and back up signis.		
s.	NEW 160-000-504	Partial M16 Upper, 20" Bbl + A2	
d		Handguard, 2D540R99 \$ 569.99	
er	NEW 160-710-157	Partial M16 Upper, 20" Bbl + Magpul	
		MOE Handguard, 6A510N34 <b>529.99</b>	
	NEW 160-710-156	Complete M16 Upper, 20" Bbl + MOE	
9		Handguard, BCG & Sights, 6A703D45. 729.99	

### COLT AR-15/M16 COMPLETE UPPER RECEIVERS





#### Original Colt Factory Top Half In Standard Or Quad-Railed Carbine Configurations

Fully-assembled flattop upper receiver from the original manufacturer of U.S. military M16s comes loaded with combat-proven features and ready to snap onto any mil-spec lower. Includes M16-type bolt carrier compatible with semi- or full-auto/burst lowers, A2 flash hider, and step-cut barrel that allows mounting of M203 grenade launcher. Comes with U.S. Army standard-issue MaTech backup rear sight with quick-adjust detent lever that lets you choose eight range settings from 200 meters to 600 meters. Government Carbine - M4-style upper has an M4 handguard with dual-insulated aluminum internal shielding for excellent heat protection. A2-type front sight has side-mounted sling swivel that allows comfortable sling carry, even with a grenade or tear gas launcher installed. LE6920CK has a 16" barrel. LE6921CK has a 14.5" barrel. M4 Carbine is a basic upper similar to the LE6920CK upper, without bolt/carrier group or charging handle, so you can choose aftermarket components to suit your needs. Has a GI-style plastic A2 handguard, A2 front sight tower, and A2 "birdcage" flash suppressor. Chrome-lined bore. Advanced Law Enforcement Carbine (ALEC) - "Monolithic" receiver and handguard are machined from a single piece of aluminum billet for superb strength and 14" of uninterrupted top rail space. Bottom rail removes for easy access to the barrel nut and fully free-floated barrel. Low-profile gas block includes a bayonet lug and an integral flip-up front sight with an A2type post. LE6940CK has a 16" barrel and LE6944CK has a 14.5" barrel. LE6960-CCU is the same upper found on the Colt Combat Unit Carbine AR-15. Includes a 13" Centurion Arms slim profile, M-LOK, free float handguard, 16.1" lightweight profile, and a mid-length gas system barrel.

SPECS: Receiver – 7075 T6 aluminum, hardcoat anodized, black. Barrel – 4140 carbon steel, black oxide finish. 16.1" (40.9cm) long. Chambered for 5.56mm NATO, chrome lined, 1-7" twist rifling. .250" dia. pivot and takedown pin holes.

#160-000-388	<b>LE6920CK Gov't Carbine Upper,</b> 16" Bbl, 6A00NCH	\$ 868.99
#160-000-392	<b>LE6921CK Gov't Carbine Upper,</b> 14.5" Bbl, <i>6A00FPL</i>	868.99
#160-000-446	<b>M4 Upper Receiver,</b> No BCG or Charge Handle, 6A539199	559.99
#160-000-387	<b>LE6940CK ALEC Upper,</b> 16", 6A00HXJ	1089.99
#160-000-393	<b>LE6944CK ALEC Upper,</b> 14.5", 6A00LQB	1337.99
#160-000-445	LE6960-CCU Upper Receiver, 6A616A24	724.99

# **UPPER** RECEIVERS

#### CMMG AR-15 **BANSHEE PISTOL-CALIBER UPPER RECEIVERS**

Purpose-Designed Pistol/PCC Uppers Loaded With Popular Performance & Reliability Features

We're not totally sure why CMMG calls its pistol-caliber ARs "Banshees" - maybe because they're wonderfully compact little screamers? And here's something else to scream about - joyfully, please! Here's a whole



slew of complete Banshee uppers ready to mate up with a pistoldesignated lower receiver.

.22 LR - The Banshee 200 .22 LR upper has 9" barrel and Banshee 300 has a 4.5" barrel. Both have CMMG's stainless steel .22 LR bolt group and a designated .22 LR barrel, not a converted centerfire barrel, for best accuracy. Banshee 200 comes with CMMG's Anti-Jam .22 LR charging handle, SV muzzle brake, RML7 M-LOK handquard, and two 25-round magazine. The Banshee 300 comes with a CMMG Ambidextrous Charging Handle and RML4 M-LOK handguard, and three 25-round magazines.

5.7x28mm - The Banshee 200 comes with an 8" barrel, while the Banshee 300 has a 5" barrel. Both have CMMG's Radial Delayed Blowback operating system. Banshee 200 comes with CMMG's milspec charging handle, SV muzzle brake, RML7 M-LOK handguard, and two 40-round 5.7 AR conversion magazines. The Banshee 300 has CMMG's Ambi Charging Handle, RML4 M-LOK handguard, and three 40-round 5.7 AR Conversion Magazines.

9mm Luger - The Banshee 200 upper has an 8" barrel plus CMMG's mil-spec charging handle, SV muzzle brake, RML7 M-LOK handquard, and two 30-round 9mm AR conversion magazines. The Banshee 300 has a 5" barrel and comes with CMMG's Ambidextrous Charging Handle, RML4 M-LOK handguard, three 30-round 9mm conversion magazines. Both 9mm Banshees feature CMMG's Radial Delayed Blowback operating system.

#100-044-562	Banshee 100 .22 LR Upper Receiver, 3B00DXH	.\$ 524.95
#100-044-572	MK4 Banshee 200 .22 LR Upper w/2x25-Rd Mags, 3B00CEG	579.95
#100-044-561	Banshee 300 .22 LR Upper Receiver, 3B00DED.	549.95
#100-044-573	MK4 Banshee 300 .22 LR Upper w/2x25-Rd Mags, 3B00NZJ	. 594.95
#100-044-568	MK57 Banshee 200 5.7x28 mm Upper w/2x40-Rd Mags, 3B00GZC	. 824.95
#100-044-569	MK57 Banshee 300 5.7x28 mm Upper w/3x40-Rd Mags, 3B00EXI	. 799.95
#100-044-570	Banshee 200 9mm Upper w/2x30-Rd Mags, 3B00JRS	
#100-044-571	Banshee 300 9mm Upper w/3x30-Rd Mags, 3B00GJE	

#### GIBBZ ARMS AR-15/M16 **G4 SIDE CHARGING UPPER**

Side Charging Upper Lets You Rack **Bolt Without Changing Firing Grip** 



you cycle the bolt without changing your firing grip. Fits a standard mil-spec lower and accepts mil-spec AR-15 bolt carrier groups and other parts. Detent keeps side charging handle forward during rifle operation. Bolt carrier door in traditional charging handle position enables easy bolt carrier removal and keep out dust and debris. No provisions for ejection port cover. Requires replacing standard cam pin with included cam pin for proper function.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized matte black finish. Includes cam pin.

#100-015-448 G4 Side-Charging Upper, 2D221M39 . . \$ 245.99

#### **DANIEL DEFENSE AR-15 DDM4V7 UPPER RECEIVER**



Chambered for 5.56 NATO. The DDM4v7 Upper Receiver features M-LOK attachment technology in the MFR XS 15" rail. The midlength gas system provides smooth and reliable cycling under any condition and reduces both perceived recoil and wear on moving parts. The DDM4v7 also features a machined 7075-T6 aluminum upper receiver with M4 feed ramps and a 16" Chrome Moly hammer forged steel, 1-7 twist government profile barrel. Threaded muzzle: 1/2-28 TPI threads, Low Profile Gas Block utilizes the Mid-Length Gas System. Daniel Defense 17-4 PH Stainless Steel Flash Hider. M16 Mil-Spec Chrome Lined Bolt Carrier Group

MFR XS M-LOK Handquard, DDM4v7 Pro Series Upper is built around DD's newest 18" Strength-to-Weight (S2W), cold hammer forged barrel, this platform delivers the speed, controllability, and precision required to engage the courses most difficult stages. The DDM4v7 Pro Series Upper Receiver is hard coat anodized Mil-Spec aluminum with M4 feed ramps and a hammer forged chrome moly 18" barrel with a 1-7 twist S2W™ profile. The Daniel Defense DDM4v7 Pro Series Upper Receiver is chambered in 5.56 NATO and delivers the performance we've come to expect from the DDM4v7

#100-024-470	DDM4v7 M-LOK Upper, 16" Bbl/MFR	
	XS Rail, 8K00QJH	\$ 1008.99
#100-024-471	<b>DDM4v7 Lightweight M-LOK Upper,</b> 16" Bbl/15" MFR XS Rail, 8K00IYK	1008.99
#100-024-472	<b>DDM4v7 Pro M-LOK Upper,</b> 18" Bbl/ 15" MFR XS Rail, <i>8K00HNS</i>	1276.99
#100-024-480	<b>DDM4v7S Upper,</b> 11.5" Bbl/10" MFR XS Rail, <i>8K1063D99</i>	1119.99

### DANIEL DEFENSE MK18 SOCOM UPPER RECEIVER + HANDGUARD



#### Build Your Next AR Around The Platform The Professionals Use

Here's the foundation for a truly unique, customized tactical AR-15 pistol or SBR: the upper receiver plus barrel and handguard of Daniel Defense's MK18 SOCOM carbine. Mil-spec upper receiver has "T" indexing marks in the flattop slots, plus M4 feed ramps to aid in feeding reliability. The Government-profile 10.3" barrel is cold hammer-forged and chrome-lined, with low-profile gas block pinned in place and carbine-length direct impingement gas system installed. The "T"-marked, guad-Picatinny railed handguard is the exact same RIS II MK18 model Daniel Defense provides to US-SOCOM. Because individual operators prefer to customize to their specific needs, we've left off the following items, so you can choose and install exactly what you want: bolt/carrier group, muzzle device, and charging handle.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black. .250" dia. pivot/takedown pin holes. Comes with forward assist and ejection port cover installed. Barrel - hammer-forged chrome moly Vanadium steel, mil-spec black phosphate finish, 10.3" length, 1-7" rifling twist, Gas Block - Hardened, machined 4140 steel, black phosphate finish, Handguard - Machined 6061 T6 aluminum, hardcoat anodized, Flat Dark Earth. All NFA rules apply.

#100-018-030 MK18 SOCOM Upper Rec'r, 8K810A42 . . \$ 899.99

#### **DANIEL DEFENSE AR-15** DDM4.300 AAC BLACKOUT UPPER **RECEIVER**



**Delivers Exceptional** Performance in a Compact, Fast-Handling Package

The Daniel Defense DDM4 300S was designed for operators demanding a short-barrel rifle chambered in the popular 300 Blackout cartridge. Using standard 5.56mm magazines and bolts, the 300S is able to deliver .30 caliber ammunition with greater muzzle energy than comparable 5.56mm rifles. The Daniel Defense DDM4 300S also features a durable hard coat anodized finish and a hammer forged 10.3" chrome moly barrel with a 1-8 twist in a Strength-to-Weight (S2W) profile and a 5/8 x 24 tpi threaded muzzle. Pinned low profile gas block machined from 4140 hardened steel, pistol length. Daniel Defense 17-4 PH stainless steel extended flash suppressor.

From home defense, target shooting, hunting to suppressed operation, and tactical applications, the Daniel Defense DDM4 300S is capable of delivering exceptional performance from a compact, fast-handling package.

#100-024-481 DDM4 300S 300 AAC Blackout Upper, 10.3" Bbl. 8K00DBJ...... \$ 1119.99


#### **DANIEL DEFENSE AR-15** MK12 SPR UPPER RECEIVER

#### Fully Featured Tactical Upper for Your Next Special Purpose Rifle

The MK12 SPR Upper Receiver from Daniel Defense is built around an 18" stainless steel barrel, engineered with a rifle-length direct impingement gas system and utilizing the MK12 gas block, which is built to Crane Specifications for USSOCOM. The Daniel Defense MK12 Upper Receiver features a rugged hard coat anodized Mil-Spec aluminum upper with a hammer forged stainless steel 18" barrel in a 1-7 twist with a MK12 profile. MK12 low profile gas block machined from 416 hardened steel, rifle length. Daniel Defense 17-4 PH stainless steel flash suppressor. 6061 T6 hard coat anodized 12" Daniel Defense DDM4 Rail. The MK12 Upper Receiver from Daniel Defense offers rugged dependability and precision accuracy in a complete package

#100-024-477 MK12 SPR 5.56 NATO Upper, 18" Bbl/12" DDM4 Rail, 8K00IZE...... \$ 1326.99

#### DANIEL DEFENSE AR-15/M16 **MK 18 UPPER RECEIVER**



### Semi-Auto Pistol Upper

This upper has the same RIS II MK18 Rail System handguard Daniel Defense provides to US-

SOCOM, plus the compact 10.3" cold hammer-forged barrel commonly used in SOCOM SBRs for CQB operations. Other features include a DD low-profile gas block, bolt/carrier group, and charging handle. Mil-spec T-marks on the receiver rail, plus M4-type feed ramps to keep rounds cycling in and out of the chamber. The bare receiver is final-machined from a 7075 T6 aluminum forging, then given a Type III hardcoat anodized finish before the other components are painstakingly hand-assembled, quality-assurance tested, and test fired. All NFA rules apply.

#100-023-304 Complete MK18 Upper Receiver, 8KOOBGB.....\$ 1104.99

#### FNH USA AR-15/M16 COMPLETE FN15 UPPER RECEIVERS



#### Top-Quality, Mil-Spec, Plug-N-Play Uppers; Standard Carbine/ Rifle, Plus Tactical/Competition Models

FNH's flattop upper assemblies are the shortcut to getting a rifle customized to the type of shooting you intend to do. They come fully assembled and ready to install on the mil-spec lower of your choice - and fully equipped with popular accessories and options. All models have M4-pattern feed ramps to aid in reliable cycling, plus M16 bolt carriers with the extended bottom shroud to trip the autosear on full-auto/burst lowers. Bolt and carrier are high-pressure tested, then Magnetic Particle Inspected (MPI) for flaws, Standard Carbine (16" barrel) closely matches configuration of USGI M4A1 carbine upper, while Rifle (20" barrel) replicates the M16A3 rifle, both with GI-style molded plastic handquard. A2-style gas block/ front sight, bayonet lug, front sling loop, and A2-style flash suppressor - both classic, proven, AR-15 configurations. Carbine barrel has cutout forward of front sight for grenade launcher.

SPECS: Upper Receiver - Forged aluminum alloy, hardcoat anodized, matte black finish. .250" dia. pivot/takedown pin holes. Barrel - cold hammer-forged Chromium-Molybdenum-Vanadium steel, manganese phosphate finish, matte black, Hard-chrome-lined to MIL-STD 171, Chambered for 5.56x45mm NATO (compatible with .223 Rem), with 1-7" rifling. Bolt - Carpenter 158 steel alloy, DMR/Tactical Carbine Handquards - Machined 6061 T6 aluminum, hardcoat anodized, matte black

#119-000-258	16" Carbine Upper, 9A00QLS	\$ 699.99
#119-000-259	<b>20" Rifle Upper,</b> <i>9A00KMA</i>	699.99

### FOXTROT MIKE AR-15 -9 COMPLETE 9MM UPPER RECEIVERS A Pistol-Caliber M-LOK® Upper for Carbines, Pistols & SBRs

This upper comes fully assembled and ready to drop on any pistol caliber lower receiver that uses Glock® magazines. The charging handle is mounted forward, on the left side of the handguard, for easy access with your support hand. With a full-length Picatinny top rail and M-LOK® slotted handguard, it offers plenty of mounting space for optics and as many accessories as you need. A special interlocking connector between the receiver and handquard ensures the barrel nut will not work loose over time. The Melonite-finished 4150 carbon steel barrel has a button-rifled bore, 1-10" twist, and ½"-36 threaded muzzle. Bolt/carrier is Melonite finished, too. Engineered to function reliably, this receiver is forgiving enough to cycle even the most economical (we're not saying "cheap"!) steel, brass, or aluminum cased ammo. Comes with standard A2 flash

suppressor.		
#100-024-843	FM-9 M-LOK Upper, 16" Bbl, 6D00BSB	\$ 429.99
#100-024-844	<b>FM-9 M-LOK Upper,</b> 10.5" Bbl, 6D00CZI	419.99
#100-026-233	<b>FM-9 M-LOK Upper,</b> 8.5" Bbl, 6D00LDH	399.99
#100-039-110	<b>FM-9 M-LOK Upper,</b> 5" Bbl, 6D00LHN	379.99
#100-035-365	<b>FM-9 M-LOK Upper,</b> 16" Bbl, 6D00DCF	439.99

order on the web



**Turns Your AR Into** A Belt-Fed Rifle

Why settle for an extra-capacity maga-

zine for your AR when you can feed it from a (disintegrating link) BELT? FightLite's unique upper receiver adds tons of fun - and practical utility - to your rifle! Complete upper converts your AR-15 into a multi-purpose, belt-fed rifle. These latest "Dual-Feed" models also work with standard AR-15/M16 magazines. Comes with a topmounted Picatinny rail and a choice of Picatinny or M-LOK® slot handguard. Chrome-lined barrel comes in choice of 16.25" carbine length or in an extra-compact 12.5" length, with a 1-7" twist and 1/2"-28 muzzle threads. Proprietary quick-detach barrel system lets you replace the barrel in mere seconds. The 6-lug, rotating bolt is more robust than a standard AR-15 bolt and designed to withstand the pounding of sustained fire. Upper does not include sights, but is optic ready. Uses M249 SAW links to form the belt. Requires no additional paper work or registration for purchase, but NFA barrellength rules apply to 12.5" barreled models.

SPECS: 7075-T6 billet, Type III anodized finish, matte black. 5.56mm NATO. Steel feed tray. 1/2"-28 threaded muzzle.

#100-075-005	MCR Dual-Feed Upper Rec'r, 12.5" Bbl/Picatinny, 4D00LGD	\$ 5211.99
#100-075-004	MCR Dual-Feed Upper Rec'r, 12.5"	
	Bbl/M-LOK, 4D00QGQ	5211.99
#100-075-003	MCR Dual-Feed Upper Rec'r, 16.25" Bbl/Picatinny, 4D00BCH	5211.99
#100-019-947	MCR Belt-Fed FULL-AUTO Upper Receiver, 16.25" Bbl/Picatinny,	3211.77
	4D00GQK	4999.99

MCR UPPER ACCESSORIES - With these handy accessories, you can easily run belt ammo through your rifle equipped with an MCR upper receiver. Aluminum Magazine Adapter plugs into MCR's standard



magazine well and permits mounting of linked ammo containers to MCR. **Pouch** holds 100 rounds of M27 linked 5.56 ammo. Keeps ammo belt out of the dirt while on the range or during tactical

SPECS: Magazine Adapter – Aluminum, matte black. 2.4" long, 0.9" wide. Pouch - Nylon, Woodland Camo pattern.

#100-019-950	MCR Magazine Adapter, 4D00IPA\$1	145.99
#100-023-023	MCR 100-Rd Soft Pouch, Woodland,	
	4D00ADA	79.99

#### **FAXON FIREARMS AR-15** COMPLETE 9MM UPPER RECEIVER



#### Ready To Shoot - Snap Onto a Lower Receiver & Hit the Range

These 9mm upper receivers are built on Faxon's Enhanced Forged Upper Receiver, which is mated to a Taper 9mm barrel and Faxon's Gen2 bolt/carrier assembly. They are compatible with both Colt SMG AND Glock® magazine lowers, and they'll even work with binary triggers. Other features include a Faxon aluminum handguard, a totally serviceable A2-style flash hider up front, and a matte black hardcoat anodized finish on the receiver.

	<b>Complete 9mm Upper,</b> 10.5" Bbl, 1D00NRD	\$ 508.25
#100-036-978 🔘	Complete 9mm Upper, 16" Bbl, 1D00KPK	522.50

#### **FOXTROT MIKE AR-15** FM-9 MONOLITHIC UPPER RECEIVER

#### Complete & Ready To Mate With the Lower of Your Choice

Styled after the Colt pistol-caliber carbine, FM's upper offers AR aficionados the opportunity to put together a unique 9mm-chambered PCC. These are complete uppers with FM's non-reciprocating charging-handle positioned on the left side of the M-LOK handguard. The "monolithic" configuration is achieved with a proprietary interlock between the upper and the slim-line handguard. Designed to work with lower receivers that use either Colt SMG magazines or Glock® pistol mags. Available in three barrel lengths: 16" barrel comes with FM-9 Muzzle Brake, while 8.5" and 10.5" barrels have FM's forward blast diffuser directs the muzzle blast forward, away from the shooter. 1/2" - 36 tpi thread, if you'd like to change the muzzle device in the future.

#100-027-598 FM-9 Upper Rec'r, 16" Bbl, 6D00LZL ... \$ 434.99 #100-027-613 FM-9 Upper Rec'r, 10.5" Bbl. 6D00MYR 399.99 #100-027-614 FM-9 Upper Rec'r, 8.5" Bbl, 6D00KHC. 375.99



#### Designed With a "Clean Slate" To Be the Nerve Center of a Dedicated "AR-9": Choose Rear- or FRONT-Charging Model

Foxtrot Mike's FM-9 Enhanced 9mm AR uppers are not mere conversions or kludges to turn a standard AR-15 upper into a larger-caliber blowback operated unit. They were purposed-designed "from the ground up" as pistol-caliber receivers. The slim handguard extends neatly all the way to just behind the muzzle device, providing a continuous Picatinny rail on top and plenty of M-LOK® slots for mounting accessories. The bolt-carrier assembly is compatible with lowers that use Glock® 9mm magazines. Also works on mil-spec lowers fitted with the Stern Defense AR-15 9mm pistol magazine adapter (available separately). 1-10" rifling. 1/2"-36 tpi muzzle threads. Pistol version is very compact and streamlined with no forward assist, shell deflector, or ejection port cover - simply a carefully engineered open ejection port that helps ensure the empties clear the receiver cleanly. M-LOK® slots on the integral handguard are ready to accept accessories of your choice, while the blast diffuser on the muzzle directs concussion forward and AWAY from the shooter. Forward-Charging model has the charging handle positioned up front on the handquard, much like an MP5, making operation of the upper fast and simple It allows the shooter to charge the chamber without moving out of the shooting position. The 10" barreled model has the blast diffuser on the muzzle, while the 16" model features a muzzle brake that counteracts muzzle flip and helps you keep the sights on the target for fast follow-up shots.

#100-041-773	FM-9 Enhanced 4" Upper, 7M314Z99 \$	329.00
#100-041-774	FM-9 Enhanced 5" Upper, 9P331B99	349.00
#100-041-775	FM-9 Enhanced 10" Upper w/Fwd Charging Handle, 6L379Y99	399.00
#100-041-776	FM-9 Enhanced 16" Upper w/Fwd	
	Charging Handle, 8NOOCDE	459.00

# GEISSELE AUTOMATICS AR-15



#### Comes With a Full Suite of Popular Options - Choose Complete, Ready-To-Shoot OR Customizable Partial Models

Super Duty uppers come with more options than a 1970s Cadillac, and you can get them in two configurations: absolutely Complete and ready to install on the complete lower of your choice... or in Partial configuration that you can customize by installing the bolt/carrier group, charging handle, and muzzle device of your choice. Both configurations are fully compatible with any mil-spec AR-15 lower receiver. Each Super Duty upper is fitted with a cold hammer-forged barrel manufactured by Geissele in their own factory in North Wales, Pennsylvania (not outsourced!). Chambered in 5.56 NATO (.223 Remington compatible), it has a chrome-lined bore and a phosphate exterior finish. The mid-length gas tube reduces the velocity of the gas for less violent, more reliable operation of the bolt/carrier group. The Geissele Super Gas Block is pinned to the barrel, so it's not going to move - no matter how many rounds you cycle through this bad boy! The Geissele Super Modular Rail M-LOK® handquard has a tooth in the top rear that mates with a notch in the upper receiver to prevent unwanted handguard rotation that could mess up optic and/or backup sight alignment. Complete models add a Surefire closed tine Warcomp, Geissele's ambidextrous Airborne charging handle, and their Reliability Enhanced Bolt Carrier Group (REBCG). The carrier is machined from extra-hard 8620 carbon steel with extended upper rails to ensure ultra-reliable feeding. (The chrome-lined gas key is, of course, "properly" staked.) The bolt itself is forged from Carpenter 158+ steel alloy, which is far stronger than standard Carpenter 158 for a service life up to 5 times longer than a plain mil-spec bolt. The strongest bolt and carrier in the world do no good if they're compromised by a failed campin, so the cam pin is machined from a medical-grade steel alloy called H13. The entire BCG is finished with Geissele's tough, chrome-nitride "Nanoweapon" finish that has a surface hardness similar to synthetic diamonds. Self-lubricating Nanoweapon is highly resistant to fouling and so is very easy to clean. Super Duty uppers are available in basic Black (BLK), Geissele's proprietary Desert Dirt Color (DDC), or O.D. Green (ODG)

or O.D. Green (	ODG).	
#100-040-500	Partial SD Upper, BLK w/10.3" Bbl, 7B00JNQ	\$ 800.00
#100-040-501	Partial SD Upper, DDC w/10.3" Bbl, 7B00ANP	925.00
#100-040-502	Partial SD Upper, BLK w/11.5" Bbl, 7B00ICG	800.00
#100-040-503	Partial SD Upper, DDC w/11.5" Bbl, 7B00JWF	925.00
#100-040-504	Partial SD Upper, BLK w/14.5" Bbl, 7B00AFK	800.00
#100-040-505	Partial SD Upper, DDC w/14.5" Bbl, 7B00PGM	925.00
#100-040-506	Partial SD Upper, BLK w/16" Bbl, 7B00MJC	800.00
#100-040-507	Partial SD Upper, DDC w/16" Bbl, 7B00EVP	925.00
#100-040-508	Partial SD Upper, BLK w/18" Bbl, 7800GGG	900.00
#100-040-509	Partial SD Upper, DDC w/18" Bbl, 7B00DXF	1025.00
#100-040-515	Complete SD Upper, BLK w/10.3" Bbl, 7B00IZI	1080.00
#100-040-516	Complete SD Upper, DDC w/10.3" Bbl, 7B00DES	1205.00
EW 100-041-447	Complete SD Upper, ODG w/10.3" Bbl, 2R00EFG	1350.00

#### **GEISSELE AUTOMATICS AR-15** SUPER DUTY RIFLE BUILD KIT



#### Just Add a Stripped Lower Receiver To Build a High-End AR

The Geissele Automatics Super Duty AR-15 Build Kit includes almost everything you need to build a top-quality AR-15 (just add a stripped lower receiver). Each kit includes a complete Geissele Super Duty upper receiver, with a long list of specially engineered upgrades, including a free-floating Geissele MK18 Super Modular Rail M-LOK® handguard, mid-length gas system with "bombproof" Super Compact Gas Block, and a custom version of the Surefire Warcomp with enhanced flash hiding capabilities made just for Geissele. Also: Geissele's super-strong, Nanoweapon-coated M16-type Reliability Enhanced Bolt Carrier Group, their Airborne ambidextrous charging handle, a Wide Body Lightning Bow Super Semi-Automatic (SSA-E X) trigger that's usually available ONLY on complete Geissele rifles, B5 Systems SOPMOD stock, and Geissele's Super 42 recoil buffer system.

The 5.56 NATO chambered, cold hammer-forged barrel is manufactured by Geissele, not farmed out, and is chrome-lined, with a 1-7" twist, with a Geissele Super Compact gas block securely installed to ensure there are no gas leaks for optimal cycling. The MK16 rail is a variant of the SMR MK16 currently fielded by USASOC and renowned by operators for their performance, comfort, and adaptability. Small parts are all made by Geissele, too, including their Maritime Bolt Catch, famous for its aggressive texturing and extended paddles, and the Ambidextrous Super Configurable Safety, with interchangeable safety levers, provides the shooter with a satisfying and positive tactile feedback when the safe or fire position is engaged. The takedown pins and mag release button feature the same "tank tread" texturing as the Maritime Bolt Catch, giving your rifle a tasteful and cohesive look. Include Geissele's robust Ultra Precision Trigger Guard.

Geissele's A22 Pistol Grip is a modern take on the classic A2 grip, with a similar angle, anti-slip texturing, and a thicker palm swell to assist with easily attaining a "high-and-tight" hold. The remaining small parts are ALL made by Geissele, too, not generic, off-the-shelf items, so you can assemble one heckuva robust, reliable, smoothcycling, straight-shooting AR-15! Available in Black, Geissele's proprietary Desert Dirt Color (DDC), and O.D. green (ODG).

#100-042-617	AR-15 Super Duty Rifle Build Kit, Black, 1Q00DEF	\$ 1700.00
#100-042-618	<b>AR-15 Super Duty Rifle Build Kit,</b> DDC, 8X00LMN	1835.00
#100-042-619	<b>AR-15 Super Duty Rifle Build Kit,</b> ODG, 6B00GHQ	1835.00

I			
	#100-040-517	Complete SD Upper, BLK w/11.5" Bbl, 7B00ICM	1080.00
	#100-040-518	<b>Complete SD Upper,</b> DDC w/11.5" Bbl, 7B00LWH	1205.00
	#100-040-519	Complete SD Upper, BLK w/14.5" Bbl, 7B00ABM.	1080.00
	#100-040-520	<b>Complete SD Upper,</b> DDC w/14.5" Bbl, 7B00DNN	1205.00
	#100-040-521	Complete SD Upper, BLK w/16" Bbl, 7B00LLL	1080.00
	#100-040-522	Complete SD Upper, DDC w/16" Bbl, 7B00EXR	1205.00
	#100-040-523	Complete SD Upper, BLK w/18" Bbl, 7B00LXQ	1180.00
	#100-040-524	Complete SD Upper, DDC w/18" Bbl, 7B00PAI	1305.00



#### **KEARMS AR-15 KE-15 & KE-9 STRIPPED UPPER RECEIVERS**

#### The Proverbial "Blank Slate" for Your Next Custom AR Build -What Will It Be?

KE's stripped upper offers w/Fwd Assist & Dust Cover what you expect from them: high quality at a very reasonable price. These flattop uppers come with U.S. military-style T markings on the Picatinny rail, making it easy for you to mount, dismount, and re-attach an optic without losing its zero. This mil-spec receiver is machined from a 7075 T6 aluminum forging, so it's ready to accept whatever aftermarket components you want to install - as KE-9 Stripped elaborate or as basic as you need for Upper for 9mm Lowers





the rifle's intended purpose. Type III hard-anodized finish that protects your gun from wear and weather, so it'll be ready to handle any kind of situation. **KE-15** is available with the forward assist and ejection port cover installed, or if you want to customize those parts as well, in a totally stripped, bare receiver. **KE-9** is optimized for use on blowback 9mm lower receivers. It does NOT have a forward assist or provisions for installing an ejection

port cover.		
#100-410-757	KE-15 Stripped Upper w/Fwd Assist &	
	<b>Dust Cover,</b> 4X116R96	\$ 116.96
#100-410-756	KE-15 Stripped Upper Receiver,	
	5M89Q96	89.96
#100-410-758	KE-9 Stripped Upper Receiver for 9mm	
	Lowers, 6N89R96	89.96

#### LUTH-AR AR-308 STRIPPED A3-STYLE UPPER RECEIVER

High-Quality 308 Flattop Upper for Your Next Dream Rifle

Stripped upper receiver comes bare - without the charging handle,

ejection port cover, or forward assist - so you can totally build your rifle from scratch. M16A3 flattop configuration offers plenty of flexibility in both open and optical sighting options. MIL-STD 1913 Picatinny rail has plenty cross-slots that accept popular scope mounts. Shell deflector and forward assist are machined as a single unit. SPECS: 7075 T6 aluminum, hardcoat anodized, matte black finish. .275" dia. pivot and takedown pin holes. Compatible with Gen I DPMS LR-308 lower receivers and barrels only

#100-028-068 AR-308 A3 Upper Receiver, Stripped, 3D143C44.....\$ 150.99

#### **MIDWEST INDUSTRIES AR-15** ASSEMBLED UPPER RECEIVER



#### **Cutting-Edge Upper Merges the Best Features** Into a Single Receiver

Boasting the latest in AR design, the SLH M-LOK Assembled Upper Receivers is built around a mid-length gas system designed to reduce wear on internal components as well as mitigate recoil. Chambered in .223 Wylde, the pencil-profile barrel enables users to get the most accuracy possible from their 5.56 NATO and .223 Rem. Ammunition, while the A2 flash hider quickly disperses combustive gasses. The slim, streamlined handquard is compatible with all M-LOK accessory attachments. Receiver forged from 7075 aluminum and includes M4-style feed ramps. Does not include charging handle or bolt/carrier group.

#100-032-030 SLH M-LOK Upper Receiver, 16" Bbl, 2A00MAA.....\$ 535.99

#### KNIGHT'S ARMAMENT AR-STYLE.308 SR-25 COMPLETE UPPER RECEIVERS



#### Add a Lower & Head for the Range

The SR-25 Complete Upper provides the performance and accuracy Knight's has built their reputation on. Packing a chrome-lined barrel chambered with 5R cut rifling and a



3-prong QDC flash suppressor, this upper strikes the right balance for a precision rifle equally suited for CQB. Each upper is outfitted with a one-piece, free floating, URX4 handquard and integrated barrel nut, plus a continuous Picatinny top rail and M-LOK slots. Complete upper assembly comes standard with BCG, Knight's Armament micro front sight, Knight's Armament Micro 600m rear sight, SR-25 buffer, SR-25 action spring, and a Magpul M-LOK cover kit. Brownells Gun Tech™ Note: Compatible only with SR-25 lower receivers, and lowers utilizing the SR-25 pattern. Will not work with DPMS lowers.

#100-027-607	SR-25 Combat Carbine .308 Upper, 14.5" Bbl, 4C00BEN	\$ 3500.00
#100-027-609	SR-25 Precision Carbine .308 Upper, 16" Bbl, 4C00GMR	3500.99
#100-027-610	SR-25 Precision Rifle .308 Upper, 20" Bbl, 4C00JWJ	3572.99
#100-027-611	SR-25 Precision Rifle 6.5 Creedmoor Upper, 22" Bbl, 4C00BBL	3500.99

#### **ODIN WORKS AR-15** STRIPPED BILLET UPPER RECEIVERS

The Strength of a Machined Billet Upper WITHOUT the Excess Weight & Bulk



blocky and chunky - until Odin released this "slick side" upper with everything you need and nothing you don't! They put the AR-15 upper on a bulk- and weight-reduction program that'll let you build a trimmer, sleeker, leaner rifle (or pistol or SBR) that can be carried with ease while still providing excellent strength. The Odin crew trimmed down the size of the brass deflector AND removed the forward assist entirely. Remember, the assist was added to the M16 as a DoD requirement; Eugene Stoner didn't put one on his original AR design because..... it didn't need one. This is a stripped, flattop receiver of 7075 T6 aluminum, with a durable hardcoat anodized finish. Flattop slots are not T-marked. Fits "mil-spec" lowers with .250" pivot/takedown pin holes. Dust cover is included, but no other parts are, so think of this as a blank canvas for creating your ideal AR-15! **9mm Upper** is machined from 6061 T6 and configured for blowback-operated pistol-caliber AR-15s. It has a smaller ejection port with no provisions for a dustcover.

#100-036-218 🔘	AR-15 Billet Upper, BLK, 4A00EHA \$	154.99
#100-036-217	9mm AR-15 Billet Upper, BLK,	
_	4A104G54	122.99

### **MIDWEST INDUSTRIES AR-15** IGHTWEIGHT UPPER RECEIVER



#### Complete Uppers For Lightweight, Highly Mobile Rifles

These complete upper receivers offer an extremely lightweight configuration, allowing for rapid acquisition and maximum mobility. Machined from 7075 aluminum forgings, uppers are chambered in .223 Wylde and include M4 feedramps. Precision manufactured lightweight profile barrels ensure you get the most accuracy potential out of your match-grade .223 Rem. ammo while still being able to shoot 5.56 NATO. The unique, free floating, Combat M-LOK Rail Handguard sports rows of M-LOK compatible attachment points, plus a full length Picatinny top rail, allowing you to accessorize the rifle to meet your unique needs. Handguard comes with two anti-rotation QD sling sockets. Other highlights include engraved T-marks on the receiver and the 1/2"x28 threaded muzzle with an A2 style flash hider. Also available with Midwest Industries Slim Line Handguard (SLH) for a perfect fit and matching finish, with a full length Picatinny top rail and plenty of M-LOK accessory-attachment points for added customization. Chambered in .223 Wylde, with a mid-length gas system, this lightweight barrel lets you make the

most of both 5.	56 NATO and .223 Rem ammo. 💳
MEW 100-042-401	Lightweight Upper w/10.5" Bbl & 9.5" M-LOK Combat Rail, 5V564P95 \$ 564.95
#100-032-819	Lightweight Upper w/16" Bbl & 15" M-LOK Combat Rail, 2A00PYK 584.99
#100-032-820	Lightweight Upper w16" Bbl & 12" M-LOK SLH Rail, 2A00BDD 530.99
#100-032-821	Lightweight Upper w/16" Bbl & 15" M-LOK SLH Rail, 2A00BYN

COMPLETE MOD 1-M UPPER RECEIVER

#### PRIMARY WEAPON SYSTEMS AR-15 MK1 PRO COMPLETE UPPER RECEIVER



#### A True Workhorse for All Uses -Plus a Brownells Exclusive 300BLK Model!

Outfitted with a 3-setting adjustable gas system, a free-floating MLOK handguard, plus a Radian Raptor charging handle, all mated to an extruded upper receiver, the MK1 PRO line is ideal for shooters of all levels. The PWS long stroke piston system enhances overall reliability, while also reducing carrier tilt, cam pin wear, and carrier bounce. Chambered in .223 Wylde, the PWS MK1 PRO uppers let you get the most performance possible from 5.56 NATO and .223 ammunition; a .300 AAC Blackout model is also available (see below). An A2 flash hider on the end of the barrel helps dissipate combustive gases and reduce muzzle flash. Forward assist has been eliminated. The MK111 PRO upper comes with an 11.85" barrel and carbine length gas system. The MK116 PRO includes a 16.1" barrel with a mid-length gas system, MK109 PRO is chambered in .300 AAC Blackout and has a 9.75" barrel with 1-8" rifling. This model is available ONLY from Brownells!

#100-033-589	<b>MK111 PRO .223 Wylde Upper,</b> 11.85" Bbl, <i>4B00GDP</i>	\$ 799.95
#100-033-590	<b>MK116 PRO .223 Wylde Upper,</b> 16.1" Bbl, <i>4B00FJS</i>	
#100-034-986	<b>MK109 PRO .300 BLK Upper,</b> 9.75" Bbl, <i>4B00QHS</i>	

# PRIMARY WEAPON SYSTEMS AR-15





This high value, no-nonsense complete upper receiver assembly is ready to be mated with your lower. At the heart of the MK1 MOD 1-M line is the PWS long stroke piston system, which utilizes an operating rod attached to the carrier and a floating head piston. This innovative design enhances overall reliability, while also reducing carrier tilt, cam pin wear, and carrier bounce. Fully forged upper comes with a free floating, M-LOK handguard with a Picatinny top rail that melds seamlessly with the receiver rail. Free floating, M-LOK handguard with a Picatinny top rail melds seamlessly with the receiver rail. Upper assembly includes a Radian Raptor charging handle, a 3-setting adjustable gas system, and an A2 flash hider. MK111 upper receiver comes with an 11.85" barrel and a Triad556 Compensator. MK114 has a 14.5" barrel with a pinned FCS 556 Compensator. MK116 upper receiver sports a 16.1" barrel with a FCS 556 Compensator. The MK109 includes a 9.75" barrel with Triad 30 Compensator.

#100-031-913	<b>MK111 .223 Wylde Upper,</b> 11.85" Bbl, 4B00JJQ	\$ 999.95
#100-031-914	<b>MK114 .223 Wylde Upper,</b> 14.5" Bbl, 4B00NRF	999.95
#100-031-915	<b>MK116 .223 Wylde Upper,</b> 16.1" Bbl, 4 <i>B781G57</i>	892.98
#100-031-916	MK109 .300 Blackout Upper, 9.75" Bbl, 4B00IJE	999.95

#### PRIMARY WEAPON SYSTEMS AR-308 **COMPLETE MK2 MOD 1-M** UPPER RECEIVER



#### Combines Weight Savings & Long Range Accuracy

The PWS MK2 MOD 1-M complete upper receiver assemblies provide a simple, drop-in upgrade for your AR platform. Built around a fully forged receiver, with Radian Raptor charging handle included, the receiver has a Picatinny top rail that blends smoothly with the top rail on the free-floating M-LOK handguard. A 3-setting adjustable gas system lets you fine tune the upper to run reliably and smoothly on your ammo. PWS made sure the MK2 MOD 1-M upper receivers were lightweight, yet solid feeling, by adding lightening cuts to remove excess material and eliminating the forward assist. MK216 is chambered in .308 Winchester has a 16.1" barrel with an FSC30 Compensator. MK218 is chambered in 6.5 Creedmoor, has an 18" barrel, and a PRC 30 compensator up front.

#100-031-917	<b>MK216 .308 Win Upper,</b> 16.1" Bbl, 4B00IWK
#100-031-919	<b>MK218 6.5 Creedmoor Upper,</b> 18" Bbl, 4B00BMF



order on the web

JEW

### ROCK RIVER ARMS AR-15/M16 9MM UPPER RECEIVER ASSEMBLY



#### Easily Convert Your 5.56/.223 AR Into A Fast-Shooting 9mm

Sub-caliber upper assemblies allow fast and simple conversion of ARs chambered in .223 to 9mm Luger. True, dedicated, complete upper receivers are assembled from military specification components; includes a Wilson, 1-10 twist barrel, bolt and carrier, charging handle, shell deflector, heat-shield lined handguards, sling swivel, and A1-style flash hider. Additional items not included but required for conversion to 9mm are a 9mm magazine, magazine adapter, action spring, and recoil buffer, sold separately. This is an A4 flattop upper that accepts most aftermarket accessories designed to fit a Picatinny rail. \$\interprescript{SPECS: Barrel - 41:40 steel, blue, matte finish, 16° (40.6cm) long, .725° (18cm) O.D. Receiver - Aluminum, anodized finish, matte black. Designed to fit lower receiver with .25' (6.3mm) diameter takedown pins.

#739-000-013 A4 9mm Upper Rec., 9C589104 ...... \$ 692.99

# "EAST INDIA" UPPER RECEIVER STARTER KITS



### The Core of a Great Rifle (or Pistol) Fully Assembled & Ready for Customizing

SOLGW's East India upper kits provide a solid foundation for a custom AR-15 build. Each kit comes with the receiver, barrel, gas system, bolt/carrier group, and small parts assembled. You add the muzzle device and handguard (G.I. barrel nut included) of your choice. Even better, it comes in a variety of popular chamberings, from military-standard 5.56 NATO to .300 Blackout to the versatile .223 Wylde that accept both 5.56 and .223 Remington ammo. Each El kit comes with a 7075 T6 forged flattop upper receiver, low-profile 4140 carbon steel gas block, stainless steel gas tube with black Melonite finish, and a 4150 chrome-moly-vanadium steel barrel with M4 feed ramp extension, 1-7" rifling, and a ½"-28 tpi threaded muzzle. Tough matte black QPQ finish on the barrel. The 13.7" barrel is SOLGW's answer to getting a minimal-length barrel while still meeting NFA requirements for a 16" barrel so you don't have to register your gun as an SBR. Most commonly available muzzle devices are at least 2.5" long. Mount one on this barrel, pin it and weld it, and you're good to go with a minimal-length carbine barreled AR. Now.... Go ahead - you're "at Liberty" to build an AR-15 that's perfect for you! Match starter kits swap out the carbon steel barrel for a heavy-contour match-grade 416R stainless steel barrel with slightly slower 1-8" six-groove rifling that helps stabilize longer. heavier long-range match bullets.

ricavici torig i	arige materi battets. ==	
#100-038-777	<b>5.56 NATO EI Upper,</b> 10.5" Bbl, 6H00DCQ \$	389.00
#100-038-778	<b>5.56 NATO EI Upper,</b> 11.5" Bbl, <i>6H00KWR</i>	389.00
NEW 100-042-424	<b>5.56mm NATO EI Upper,</b> 13.7" Bbl, 1L426D99	449.99
#100-038-781	<b>5.56 NATO EI Upper,</b> 16" Bbl, 6H00AZI	389.00
#100-038-780	5.56 NATO El Upper, 16" Bbl w/Front Sight	
	Base, 6H00KRE	389.00
#100-038-782	<b>223 Wylde El Match Upper,</b> 16" Bbl, 6H444B99.	444.99
#100-038-783	223 Wylde El Match Upper, 18 Bbl, 6H444N99	444.99
#100-038-786	. <b>224 Valkyrie El Match Upper,</b> 22" Bbl, 6H00AVP	444.99
#100-038-784	<b>6.5mm Grendel El Match Upper,</b> 16" Bbl, 6H00HZF.	444.99
#100-038-785	6.5mm Grendel El Match Upper, 18" Bbl,	444.99
#100-038-776	.300 Blackout El Upper, 9" Bbl, 6H00NKL	389.00

### SEEKINS PRECISION AR-15/M16 UPPER RECEIVER

#### Beefed Up For Extra Strength

Uniquely-sculpted receiver is machined from a solid billet with ded strength. Receiver comes with assist installed, and is compatible

extra metal in critical areas for added strength. Receiver comes with ejection port cover and forward assist installed, and is compatible with any standard pattern AR lower receiver. Machined with M4 feed cuts for reliable feeding and hardcoat anodized for superior wear resistance.

SPECS: 7075-T6 aluminum, hardcoat anodized, matte black finish. Forward assist and ejection port cover included.

#100-011-235 Upper w/Forward Assist & Door, 8C00LYL \$239.99

### SONS OF LIBERTY GUN WORKS AR-15 M4-76 UPPER RECEIVER

Comes with M76 Wedge Lock Rail M-LOK® Handguard Installed



With the M4-76 upper, SOLGW joins the trend of offering "semicomplete" AR-15 receivers that omit the parts most folks customize anyway. So the M4-76 comes with the barrel, handguard, and small parts installed. You add the bolt/carrier group, sights, charging handle, and muzzle device you want - go as basic or as wildly aftermarket as you want! The 16" barrel made from extra-strong 4150 chrome-moly-vanadium steel has been high-pressure tested and magnetic particle inspected to ensure a long service life. The mid-length gas system is installed, ensuring an extra measure of reliability over a carbine-length gas tube. Inside, 1-7" rifling, and a threaded 1/2"-28 tpi threaded muzzle. The handguard is SOLGW's machined aluminum M76 Wedge Lock Rail with a full-length Picatinny rail on top that lines up with the receiver rail, and plenty of M-LOK® slots on the sides. A steel barrel nut keeps all this 15" of accessory-mounting goodness rock steady. The entire receiver is MIL-A-8625F, Type III, Class 2, hardcoat anodized, with a matte black finish and NiAc seal.

### SONS OF LIBERTY GUN WORKS AR-15/M16 STRIPPED UPPER RECEIVER



#### Manufactured With Extra Care to Ensure Excellent Fit & Finish

We like this upper because the SOLGW crew takes the extra effort to machine out the flash marks and

any sharp edges left over from the forging process. The result is a smooth, clean upper with tighter tolerances and a better fit than you'll find on cheaper products. It is a 7075 T6 forging final machined to U.S. military dimensions, so this upper is compatible with any milspec lower out there. Picatinny top rail has T-marks engraved but they are not painted or otherwise highlighted. M4 feed ramp cuts and compatible with full-auto fire control mechanisms. 250° pivot/takedown pin holes. Matte black Mil 8625 Type 3 Class 2 hardcoat anodized finish. This is a truly STRIPPED lower, so you'll have to install a forward assist and ejection port dust cover. An excellent start to a special rifle build where "doing it right" counts! ■

## SONS OF LIBERTY GUN WORKS AR-15 SAGE DYNAMICS UPPER RECEIVER



It's all about teamwork, SOLGW teamed up with Aaron Cowan of Sage Dynamics to build a hard-use AR pistol, and now Brownells has teamed up with SOLGW to offer that pistol's upper receiver as a standalone component to go on your AR-15 pistol or SBR build. The 12.5" barrel is made of 4150 chrome-moly-vanadium steel alloy, with a carbine-length gas system, a 1-7" rifling, 1/2"-28 tpi muzzle threads that are ready for the muzzle device YOU need to go with your sound suppressor of choice.... C'mon, any gun built with this upper has to have a silencer on it! Surrounding the barrel is an SOLGW 11.5" M76 Wedge Lock Rail handguard, with tons of M-LOK slots and steel barrel nut to keep everything rock-steady. Comes with "Rail Scales" to cover up any unused M-LOK slots. The included SOLGW bolt/carrier group checks all the boxes you want to see in a top-quality BCG: Carpenter 158 steel alloy bolt, heat-treated, shot peened, high-pressure tested, magnetic particle tested, and the whole Nine Yards. There's a Raptor-LT charging handle that lets you get chamber charged guickly and is purpose-designed to vent excess gas AWAY from the operator when shooting suppressed (believe us, you'll appreciate it!). The whole package has a durable black Cerakote finish. All in all, SOLGW built this upper to be to be used hard, so if you go into harm's way with it, it won't let you down. All NFA rules apply.

# SPIKE'S TACTICAL M4 FLATTOP UPPER RECEIVER ASSEMBLY



Complete M4-style upper comes fully assembled and ready to install on any mil-spec AR-15/M16/M4 lower receiver. The 6° M4-profile barrel is chambered for military 5.56x45mm NATO ammo, and has extended M4-style feed ramps in the barrel extension to aid in reliable feeding. Barrel exterior has the cutout for installing a grenade/tear gas/bean bag launcher. Chamber and bore are hard-chromed for superb corrosion resistence. M16-type boltcarrier with extended shroud to trip the auto-sear on full-auto rifles. F-marked A2 front sight base. All critical components, incuding barrel and bolt, are individually high pressure tested (HPT) and then individually magnetic particle inspected (MPI) to ensure integrity.

SPECS: Receiver - CNC Machined from a 7075 T6 MIL-H-6088 forging, with MIL-A-8625F Type III Class 2 hardcoat anodized finish, matte black. 250' pivot/takedown pin holes. Barrel - MIL-B-11595E chromoly vanadium alloy steel, Parkerized finish, matte black. 1-7' twist rifle. Carrier - 8620 tool steel, MIL-STD-171 phosphate coated. Bolt - CNC machined Carpenter 158 steel. MIL-STD-171 phosphate coated.

### 0

### VLTOR AR-15/M16 MODULAR UPPER RECEIVER



Extra Metal For Superb Strength & Rigidity; Mil-Spec Dimensions For Compatibility

The MUR is a flattop upper receiver with thicker walls than

a standard upper to provide a more rigid platform for greater stability, better accuracy, longer service life, and improved reliability. Precision machined from a fully heat-treated and cryogenically stress-relieved aluminum forging, before hand finishing to final dimensions. All critical interface points are 100% compatible with mil-spec select-fire AR-15/M16/M4 components and lower receivers, and will fit most commercial semi-auto lowers. A slick, dry-lube coating over the hard-anodized finish further guards against surface wear and helps ensure smooth operation of bolt/carrier and other internal components. Comes with true MIL-STD 1913 Picatinny rail with 13 cross-slots, plus forward assist and ejection port door pre installed. Gunsmith installation recommended.

SPECS: 7075 T6 aluminum, Type II, Class 3 hardcoat anodized, dry lube coating, matte black. .250" dia. pivot/takedown pin holes.

	MUR Upper Receiver, 3A189M99	\$ 199.99
#100-011-160	MUR Upper Receiver w/o Fwd Assist,	
	3A00BQL	174.99

# STERN DEFENSE AR-15 COMPLETE 9MM UPPERS



#### Complete Assembly Gets Your Build Range-Ready Quicker

Ready to go, complete upper receiver for those looking to spend more time shooting, less time building. Each receiver is fitted with a free-floating M-LOK handguard attached to a 7075-T6 forged aluminum receiver. Barrels have a Melonite finish with a ½⁻-36 threaded muzzle. Complete assembly includes 9mm bolt and charging handle. Compatible with both Glock and Colt SMG magazines, works in conjunction with the Law Tactical Folding Adapter. SD Mod 4 available with a 16.1″ free float barrel, 1-10″ twist, 12″ M-LOK handguard, and A2 flash hider. Handguards on the SD Mod 5 has an SD HBC 9MM Blast Can installed. The 8.5″ barreled upper has a 10″ M-LOK free float handguard, SD Mod 4 4″ Upper Receiver has a 4″ free float barrel, 1-10 twist, 4″ M-LOK handguard, and SD HBC 9MM Blast Can installed. ■■

Diasi Carrinstat	ileu. ===	
#100-032-661	SD MOD 4 Upper Receiver, 16.1" Bbl, 9D00GTK	\$ 544.99
#100-033-499	SD MOD 4 Upper Receiver, 4" Bbl,	
	9D00EXR	429.99
#100-032-662	SD MOD 5 Upper Receiver, 8.5" Bbl,	
	9D00ASE	486.99
#100-032-663	SD MOD 5 Upper Receiver, 6" Bbl,	
	9D00FBQ	470.99

YOUR 100% SATISFACTION IS OUR GUARANTEE!!

Recoil Buffer

Included

Rifle M4F1 w/

PRS Stock

# STAG ARMS AR-15 —— STAG 15 UPPER RECEIVER ASSEMBLIES

#### Shortcut To Building a Specialized Custom Rifle or AR Pistol

Stag joins the current trend toward "semi-complete" upper assemblies, so these are almost ready to go - after you add the bott-carrier group, charging handle, sights or optic, and of course lower receiver assembly to complete the package. Gets you about 80% "there' so all you have to concentrate on is the customization. Great way for our dealer customers to build high-quality custom rifles without starting from scratch with a stripped receiver. That receiver is standard forged aluminum, mated to a Stag Picatinny/M-LOK handquard, both with hardcoat anodized finish.



CLASSIC M4 CARBINE "CARRY HANDLE" - No matter how many options emerge in the AR-15 market, there's always going to be a demand for the classic M4 carbine configuration that's been proven on battlefields across the world. Stag's M4 upper receiver is everything you're looking for in a classic GI-spec "carry-handle" profile, complete with the 5.56 NATO-chambered, 16" barrel with a 1-7" twist rate and a black phosphate on the exterior. The bore and chamber are chrome-lined for corrosion resistance, and the muzzle is crowned with an A2 birdcage flash hider. Standard carbinelength gas system. Surrounding the barrel assembly is a polymer M4 handguard that completes the look of this classic platform.

#100-701-033	Stag 15 M4 Carbine Upper w/16" Bbl,	
	5Z00EFG	



STAG 15 TACTICAL - Takes the AR platform to the "next level" beyond the basic M4 carbine configuration. The Stag 15 Tactical Upper Receiver is chambered in 5.56 NATO, with a 16" barrel and 1-7" rifling twist that'll stabilize heavier-weight bullets so you can sling lead downrange with greater energy and capability than with "slower" barrels. Hard Black Nitride finish on the barrel. The mid-length gas system (pistol-length on short-barreled model) softens the recoil impulse and reduces wear on internal components, ensuring a long service life. Stag's slim. lightweight M-LOK handguard is free-floated to ensure it does not impose pressure on the barrel that could compromise accuracy. The open latticework of the 'quard allows plenty of air flow to keep the barrel cool during rapid strings of fire. A full-length, T-marked Picatinny rail runs continuously from the receiver to give you more flexibility for your optic, while the M-LOKs at the 3, 6 and 9 o'clock positions open up plenty of options for and accessory mounting. A2 flash suppressor up front.

#100-701-022	Stag 15 5.56 Tactical Upper w/16" Bbl, 1V00ABC	\$ 549.99
#100-701-023	Stag 15L 5.56 LEFT-Hand Tactical Upper w/16" Bbl, 2W00BCD	599.99
#100-701-026	Stag 15 5.56 Tactical Upper w/7.5" Bbl, 3X00CDE	499.99

STAG 15 3-GUN ELITE - Designed specifically for 3-Gun competitors, where fast and accurate shooting is required. This upper has the Stag 15 M-LOK SL 16.5" handguard, which provides a slimline, lightweight profile with unmatched ergonomics, airflow, and modularity. This handguard has plenty of real estate for accessories or getting that support hand as far out as possible to stabilize the rifle and steer it efficiently through 3-gun stages. Built around an 18" long, 5.56 NATO chambered, 1-8" twist fluted heavy barrel of 416R stainless steel for consistent accuracy. Stag's 3G Compensator provides absolute muzzle control. Rifle-length gas system - the one the AR-15 was originally designed to use - delivers excellent reliability, the minimum of battering of bott, carrier, and

### WMD GUNS AR-15/M16 NIB-XTM COATED UPPER RECEIVER

Ultra-Hard, Smooth-As-Glass Finish For Maximum Durability & Smooth Cycling

Stripped receiver has WMD's NiB-X nickel boron coating inside and out to provide an exceptionally tough, ultra-smooth surface finish



for outstanding wear resistance and lubricity. A ceramic topcoat is applied for color on the exterior only, leaving the nickel boron exposed inside to keep friction with the bolt carrier to the absolute minimum. Works great with standard carriers, too, but even smoother with nickel boron coated bolt carriers, including WMD's NiB-X coated carrier, available separately.

SPECS: 7075 T6 aluminum, NiB-X coating with matte ceramic finish, Black or Flat Dark Earth. Stripped receiver only. Fits standard AR-15/M16 lowers, and accepts standard barrels and upper receiver parts. .250°. dia. pivot/takedown pin holes.

#100-010-558	NiB-X Upper Receiver, Blk,	3C00LKD \$ 98.99
#100-010-559	NiB-X Upper Receiver, FDE	, 3C00FRS <b>98.99</b>

other internal components, and a pleasantly soft recoil impulse.



STAG 15 VARMINTER/SUPER VARMINTER - If you're a big-time varmint hunter, then you need to have a rifle rig that's set up specifically so you can perform at the highest level on your hunts. Stag Arms has your back with its uniquely purpose-driven Stag 15 Varminter upper receiver, which is built around an optimized barrel design, giving you a platform that is sure to drop those pesky varmints in their tracks. The 416R stainless-steel bull barrel is chambered in 5.56 NATO, with a 1-8" twist rate that gives the best all-around performance across a broad range of bullet weights. Surrounding this core system is the Stag's 16.5" M-LOK SL free-floated handguard, offering plenty of flexibility in accessory mounting while remaining slim enough for a comfortable grip with the support hand. A rifle-length gas system and M4 feed ramps in the upper receiver help ensure maximum cycling reliability. A target crown on the unthreaded barrel helps the bullet leave the bore on the straightest path possible. The Super Varminter has extra oomph from being chambered in 6.8mm SPC II and has a 20.77" barrel with 1-11" rifling. Also has targetcrowned muzzle.

#100-701-029	Stag 15 5.56 Varminter Upper w/24"	
	Bbl, 6A00FGH\$4	99.99
#100-701-030	Stag 15L 5.56 LEFT-Hand Varminter	
	Upper w/24" Bbl, 8C00HJK 5	49.99
#100-701-031	Stag 15 6.8 SPC Super Varminter Upper	
	w/20.77" Bbl, 7B00GHJ 4	99.99



STAG 15 PISTOL .300 BLACKOUT - Designed around the ideallength barrel for both subsonic and super-sonic shooting, suppressed or unsuppressed, this compact upper has an 8" barrel chambered in .300 Blackout, with a 1-7" twist, durable QPQ Nitride exterior finish, and A2-style birdcage flash hider, plus Stag's Slimline 7.25" M-LOK Handguard reaching all the way to the flash hider. (Pistol-length gas system.) An amazingly compact, maneuverable, versatile shooter.

#100-701-037	Stag 15 .300 Blackout Upper w/8" Bbl, 4Y00DEF\$4	199.99
	Stag 15L LEFT-Hand.300 Blackout	
	Upper w/8" Bbl, 7D00MNP	549.99

### AERO PRECISION AR-15 GEN2 STRIPPED LOWER RECEIVER

Strong, Basic Mil-Spec Receiver Ready For Your Next Custom Build



Stripped, small pin, semiauto lower receiver is precision machined from a durable,

7075 T6 aluminum forging. Stamped "Cal Multi," this versatile milspec receiver can be the foundation for rifle builds on 5.56/.223, 6.5mm, 6.8mm, 300 AAC Blackout, 9mm Luger, or other chamberings that fit the standard AR-15 receiver. Holes, inletting and pin locations have been cut to final dimensions and accept standard AR-15 magazines and components. Clearly stamped safe/fire switch position indicators ensure that you can easily identify the service state of the rifle. FFL required for purchase.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black (BLK) or Flat Dark Earth (FDE). Small pin, .154' (3.9mm) hammer/pin holes. .250' (6.3mm) pivot/takedown pin holes. FFL required for purchase.

#953-000-018	AR-15 Stripped Lower Receiver, BLK, 3E88H99	\$ 93.49
#953-000-019	AR-15 Stripped Lower Receiver, FDE,	110 40

### AERO PRECISION AR-15 M4E1 STRIPPED LOWER RECEIVER



Strength of a Machined Receiver With Universal Fit of a Forged Lower

Aero Precision's M4E1 Stripped Lower Receiver

delivers the strength and unique looks of a billet machined lower, with the lower cost, lighter weight, and easy parts compatibility of a forged lower. The M4E1 starts as an "enhanced" forging from extra-strong 7075 T6 aluminum that is precision machined to final dimensions for compatibility with all standard "mil-spec" AR-15 parts. As a bonus, the good-looking M4E1 has a streamlined profile, without the chunky appearance of many milled lowers. This receiver is not quite "stripped." Extra benefits include an integral triggerguard, which creates a more rigid, structurally sound receiver than a standard AR-15 lower, and also eliminates the risk of accidentally breaking off a triggerguard tab when working on the rifle. The enlarged triggerguard opening gives extra clearance so you can easily operate the trigger when wearing gloves. The M4E1 comes with an easy-to-install threaded bolt catch roll pin that eliminates the risk of damaging the lower's finish during installation (OK, you may be able to still do damage, but you'll have to work hard at it!). Flared magwell opening facilitates fast, one-shot mag changes. Threaded takedown pin detent recess for easy buffer removal without chasing down a flyaway detent! Accepts standard mil-spec AR-15 fire control components, pistol grip, buffer tubes & stocks. Polymertipped tensioning screw nestled in the grip tang that you can adjust for a tight, rattle-free fit with the upper receiver. All the benefits of a custom machined lower without the downside!

#100-026-146	<b>M4E1 Stripped Lower Rec'r,</b> Black, 3E118L99	\$ 124.9
#100-026-148	<b>M4E1 Stripped Lower Rec'r,</b> FDE, 3E137A99	144.9

QUESTIONS BEFORE YOU BUY?
Call Or Email Our Full-Time Tech Staff



# AERO PRECISION AR-15/M16 PARTIAL & COMPLETE LOWER

**RECEIVERS** 

Variety of Models Available With OR Without Buttstock (Everything Else Included)

tol grips. Models available with **Rifle**, **Carbine** and

Pistol buffer systems. AR-

15 Gen2 Lower Receiver

is built around a forged

receiver that's final ma-

chined to mil-spec dimen-

sions, so it's compatible

with any quality "mil-spec"

upper receiver and ac-



"Featureless" M4E1

cessories. The Gen2 has been engineered with upgraded features. including a tensioning screw for a tight upper-to-lower fit for better accuracy potential; threaded takedown pin detent recess, and a wider magwell flare. See listing for stripped lower for further details. M4E1 Lower Receiver offers the strength and distinctive appearance of a billet-machined lower, with the compatibility with other components of a forged mil-spec lower like the Gen2 - the best of both worlds. Includes an integral triggerguard for extra strength, threaded bolt catch roll pin, threaded takedown pin recess for easy buffer removal, and Aero's upper-to-lower tensioning screw. See separate listing for more details. M4E1 "Featureless" Lower conforms to California DOJ requirements. It includes a Magpul MOE® Fixed Carbine stock and a Strike Industries Simple Featureless Non-Pistol Grip. Caution: The Strike grip is made to conform to the DOJ criteria but has not been approved. If the grip is used in conjunction with other features on the California DOJ banned features list, the host system no longer constitutes a "featureless" build. Please con-

suit local laws a	and regulations to ensure compliance.	
#100-054-429	AR-15 Gen2 Carbine Lower w/A2 Grip - NO STOCK, 3E00DSN	\$ 219.99
#100-054-425	Complete AR-15 Gen2 Carbine Lower w/M4 Stock & A2 Grip, 3E00EQA	244.99
#100-054-431	Complete AR-15 Gen2 Lower w/Magpul MOE SL Stock & SL Grip, 4A294N99	294.99
#100-054-432	Complete AR-15 Gen2 Lower w/Magpul MOE SL-S Stock & SL Grip, 3E00CIM	314.99
	M4E1 Pistol Lower w/A2 Grip - NO BRACE, 3E00MRP	234.99
	M4E1 Rifle Lower w/A2 Grip - NO STOCK, 7N229A99	229.99
	Complete M4E1 Lower w/A2 Grip & M4 Stock, 3E00LXS	259.99
#100-054-441	Complete M4E1 Carbine Lower w/ Magpul MOE SL Grip & SL Stock,	
#100-054-442	3E00DVL	304.99
#400 OF4 470	MOE Grip & PRS Gen3 Stock, 3E00JXL	489.99
#100-054-438	"Featureless" Complete M4E1 Lower, 3E00MGE	264.99

order on the web

brownells.com

### **AERO PRECISION AR-308 M5 LOWER RECEIVER**

A Solid & Versatile Foundation For Your Next Big Bore AR

Stripped lower is the ideal mate for Aero's M5 upper, plus it's fully compatible with DPMS-pattern 308

parts, so you can build a 7.62/.308 AR from the ground up with maximum versatility in your choice of components. Accepts any magazine that fits the DPMS LR-308. Integral triggerguard adds extra structural strength. Selector markings function with 45°, 60° or 90° safety selectors. Accepts standard LR-308 safety or Battle Arms Development short-throw safety selectors. Rear takedown pin detent hole has 4-40 threads to allow for a setscrew to retain the takedown pin. Bolt catch is threaded for a screw pin, so that no roll pin is needed.

SPECS: Forged 7075 T6 aluminum, MIL 8625 Type 3 Class 2 harcdcoat anodized, Matte Black (BLK) or Flat Dark Earth (FDE). .2795" dia. pivot and takedown pin holes. FFL required for purchase.

#100-015-985	<b>M5 Stripped .308 Lower Rec'r,</b> BLK, 3E165199	.24
#100-036-666	<b>M5 Stripped .308 Lower Rec'r,</b> FDE, <i>3E145E38.</i> <b>204</b>	.99



Aero's nearly complete

M5 lower includes everything except one of the most-often customized parts of any AR rifle: the buttstock. The rest of the components, including the receiver extension (aka "buffer tube"), fire control group, and pistol grip are included AND installed for you. The M5 lower works with standard AR-308 uppers and magazines. The rear takedown pin detent hole is threaded for a 4-40 setscrew. Bolt catch is threaded for a screw pin (no roll pin needed). Integral triggerquard. Selector markings will work with 45-, 60- or 90 degree safety selectors, and it accepts Battle Arms Development short-throw safety selectors, as well as any standard selector. A standard A2 or Magpul MOE® pistol grip is included; there will be no gap with aftermarket pistol grips. Includes a .308 carbine buffer and spring. Also available as a Complete M5 Lower with A2 grip and M4 carbine stock.

#100-034-904	M5 Nearly-Complete Upper Rec'r, 3E00PVM	\$ 344.99
NEW 100-054-444	M5 Complete Lower w/Magpul MOE Grip, 5V364H99	364.99
NEW 100-054-443	M5 Complete Lower w/A2 Grip & M4 Stock 37369M99	369 99

#### ANDERSON MANUFACTURING AR-15/M16 -STRIPPED LOWER RECEIVER



A Good-Quality Mil-Spec Lower At An Unbeatable Price

Anderson's basic lower is ready for your next custom rifle or pistol build - without a custom

shop price. Forged from military-grade 7075 T6 aluminum, with a standard hardcoat anodized finish for extra surface strength and abrasion-resistance in the field. Manufactured to tolerances that

#### **AERO PRECISION AR-15 EPC-9 ENHANCED** PISTOL-CALIBER LOWER RECEIVER



Forget Conversions - A Purpose-Designed Lower for 9mm/.40 S&W AR Uppers That Uses Glock® Mags

The EPC-9 Lower Receiver delivers billet aesthetics in a forged package for your next pistol caliber build. And it accepts standard-frame Glock® magazines, meaning you'll have a ready supply of reliable, affordable magazines for your finished PCC or AR pistol. The nicely flared magazine well aids in quick, smooth reloads. This customdesigned enhanced forging is made of

7075 T6 aluminum and has several functional features, much like Aero's M4E1 receivers, to help simplify the assembly process for the custom builder. Integral, enlarged triggerguard removes the risk of breaking off triggerguard tabs and provides an overall more rugged platform for the finished gun. Threaded bolt catch pin for easy installation. Threaded takedown pin detent recess allows for the installation of the detent and spring with a single 4-40 setscrew. Standard AR15 takedown/pivot pin lug pattern. Comes with magazine catch and ejector pre-installed. Purchase the lower alone, or in a Set with Aero's matching EPC-9 upper receiver. (See separate listing for details on the upper.)

#100-054-498	EPC-9 Lower Receiver, Black,	
	9W139J99	\$ 139.99
#100-054-499	EPC-9 Lower Receiver, FDE, 9E152G09	159.99
#100-042-438	EPC 9 Upper/Lower Receiver Set, Black,	
	8U274H99	274.99
#100-042-439	EPC 9 Upper/Lower Receiver Set, FDE,	
	8D00PQR	309.99

#### AMERICAN DEFENSE MANUFACTURING AR-15 **UIC-15 LOWER RECEIVER**

Machined from Billet - 40% Stronger Than Mil-Spec - Comes With Ambidextrous Controls Installed

There are tons of stripped lower receivers on the market, but only one is loaded with the special features

found on the UIC-15. It definitely isn't a standard, mil-spec, budgetpriced lower, as the ADM team incorporated a number of nextgeneration features into this design. To start, each UIC-15 lower is machined with radii and chamfer cuts, plus a 20-degree magwell cut that speeds up reloads, and the well also features reinforcing ribs that make it 40 percent stronger than standard, mil-spec lowers with only half an ounce of added weight. Includes an ambidextrous magazine release, bolt catch, bolt release, and dimpled takedown/ pivot pins. Finished with a Teflon-impregnated finish that reduces friction and aids in protecting your AR from the elements and keeps it running right.

#100-035-875 ( UIC-15 Semi-Stripped Lower Rec'r, 

ensure a drop-in fit for all mil-spec lower components. Right side has "SAFE" and "FIRE" selector markings.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. .250" dia. nivot/takedown nin holes

#100-016-811 Stripped Lower Receiver, 8Z83H99..... \$ 85.99

#### ANDERSON MANUFACTURING AR-15/M16 **80% LOWER RECEIVER**



FFL-Free Item - Requires Machining To Complete

Aluminum forging is 80% complete and ready for final machining and finishing by the user - you! Can be shipped to non-FFL holders. Brings an extra dimension to

"build your own AR-15". Operations that need to be completed: fire control/trigger group machining, trigger and hammer pin holes, trigger slot, and safety selector hole. Comes unfinished, or with a matte black anodized finish for those who can drill carefully without scratching the finish! Requires Anderson Receiver Jig, #100-016-684. May not be returned to Brownells once modified in any way. SPECS: Forged 7075 T6 aluminum, in the white, or matte black anodized.

	<b>80% Lower Receiver,</b> Unfinished, 8Z50G39	\$ 62.99
#100-022-698	<b>80% Lower Rec'r,</b> Black Anodized, 8Z51M19	63.99

#### **BROWNELLS** AR-15 **BRN-180® FORGED LOWER RECEIVER**

Retro Looks, Plus Folding Stock Ready "Other Half" for BRN-180°/BRN-180S° Uppers



receiver pays homage to Eugene Stoner and Arthur Miller's original AR-18 rifle designed in 1963 with all the right visual lines, yet offers modern AR-15 lower receiver features. While the original AR-18/AR-180 receiver was constructed from stamped steel, this lower is a 7075 aluminum forging that meets the standards of modern AR-15 lower receiver construction. Don't worry though - we've retained the exterior detail of the original, right down to the simulated "weld" marks of the stamped originals. This receiver accepts any mil-spec AR-15 lower parts kits and can be fed from standard USGI/STANAG AR-15 magazines. The really unique part is at the back, where a Picatinny rail section is in place of the normal AR-15 buffer tube threads - because a BRN-180 upper does not use the standard buffer system. This allows installation of a stock or pistol brace such as those for the SIG MCX or MPX that will let you take advantage of the BRN-180's "fire while folded" capability. FFL required for purchase.

#100-036-374 BRN-180 Forged Lower Rec'r, 8K152Q99 .. \$ 169.99

#### CMMG AR-15 MKG "GUARD" 9MM LOWER RECEIVER

Purpose-Designed, Billet-Machined Lower for PCCs, SBRs & More

CMMG's Mk G Guard 9mm lower receiver is what you need to

build a dedicated pistol caliber carbine that feeds from Glock® pistol magazines. It offer last-round hold-open using CMMG's innovative Bolt Catch Linkage System, so that bolt locks back reliably and consistently when the mag runs dry. An oversized magazine catch enables fast, easy mag changes every time. The Mk G is machined from 7075 T6 aluminum billet with an integral oversized triggerguard and a flared magazine well. It accepts factory and most aftermarket 9mm magazines that fit Glock® 17/19/26 pistols. This lower is designed to work exclusively with CMMG's Mk G uppers. Other manufacturers uppers may work, but you'll need to experiment - we cannot guarantee function or reliability. FFL required for purchase.

#100-034-990 Mk G "Guard" 9mm Lower Rec'r, 3B00NIF. \$ 374.99

#### **BRAVO COMPANY AR-15** COMPLETE BCM LOWER RECEIVER + STOCK





Full-Featured, Ready To Be Matched With Your Favorite "Other Half"

The core of this lower is a mil-spec 7075 T6 aluminum forging with a tough, wear-

resistant MIL-A-8625F, Type III, Class 2 hardcoat anodized finish - but that's just the beginning! You get a BCM mil-spec receiver extension with a USGI H-type buffer (1 tungsten, 2 steel weights) and BCM QD endplate, both clamped down by an M4 lock nut. A BCM triggerquard leaves plenty of room for getting your trigger finger on the trigger quickly. Inside, you'll final an un-notch hammer that is compatible with 9mm Luger chambered uppers, plus a low shelf for RDIAS and Accuwedge installation. Safety selector marked SAFE and SEMI. Choice of standard G.I. M4 carbine stock or enhanced

BCMGuringriter	DULISIOCK.	
#100-018-638	Complete Lower w/M4 Stk, 1E00KFR	\$ 395.99
#100-018-639	Complete Lower w/BCMGunfighter Stock, 1E00ELK	395.00
#100-034-400	Complete Lower Rec'r w/Gunfighter Stock, FDE, 1E00MUR	395.99
#100-034-401	Complete Lower Rec'r w/Gunfighter Stock, Wolf Grey, 1E00PJG	395.99
#100-034-402	Complete Lower Rec'r w/SOPMOD Stock, BLK, 1E00QMQ	395.00
#100-034-403	Complete Lower Rec'r w/SOPMOD Stock, FDE, 1E00CRE	395.99
#100-034-404	Complete Lower Rec'r w/A5 Buffer & Gunfighter Stock, BLK, 1E00AIK	444.99

#### **BROWNELLS** AR-15 **BRN-180M™ MACHINED LOWER RECEIVER**

Robust, Purposed-Designed "Bottom Half" for a Totally Modern, Folding-Stock Ready BRN-180 Rifle, Pistol or SBR



The Brownells BRN-180M Lower Receiver is specifically designed to pair up with the BRN-180 Upper Receivers to maximize the full potential of the upper's "ARevolutionary" capabilities. While the BRN-180 uppers are designed to be fully compatible with milspec AR-15 lower receivers, parts, and triggers, the BRN-180M lower dispenses with the traditional receiver extension threads. In their place is a milled-in Picatinny rail section for mounting a stock or pistol brace, such as those for the SIG Sauer MCX and MPX. This lower is machined from solid 7075 T6 aluminum billet, then given a hardcoat anodized finish. It has an integral, oversized triggerguard, a threaded bolt catch pin, and a captive setscrew for the takedown pin detent spring. Bolt catch and takedown pins included. Due to the proprietary design nature of this lower, it will not function with standard AR-15 upper receivers. FFL required for purchase.

#080-001-382 BRN-180M Machined Lower Rec'r, 8C170N99.....\$ 189.99

LOWER

RECEIVERS

#### CMMG AR-15/M16 **DEDICATED 9MM LOWER RECEIVER**

Integral 9mm Magwell **Requires No Conversion Block** 

Semi-auto lower receiver lets vou build a dedicated 9mm AR that doesn't look like a conversion-because it isn't. The maga-



zine well is machined to accept only Colt or modified Uzi-style 9mm magazines. Eliminates the need for a separate conversion block and the reliability problems that can result from converting a standard .223/5.56mm lower with add-on parts. Comes with feed ramp, bolt catch, and ejector all designed for best function with the 9mm pistol cartridge. Plus, the flush-fit mag well gives your gun a clean, uncluttered look. All holes, inletting, and pin locations have been machined to final dimensions. Add the trigger group, buttstock, and 9mm buffer/spring of your choice. Ideal for use with CMMG Enhanced 9mm Bolt/Carrier assembly, available separately. Machined from high-grade 7075 T6 aluminum billet that provides superb strength and rigidity. Hardcoat anodized, then Teflon® coated for excellent resistance to scuffs, scratches, surface abrasion, and discoloration from cleaning solvents and gun oils. FFL required for purchase. SPECS: 7075 T6 aluminum, hardcoat anodized, Teflon coated, matte black. .250" diameter pivot/takedown pin holes. FFL required for purchase.

**#100-004-879** 9mm Lower Receiver, 3B177K04 . . . . \$ 194.99

#### **FOXTROT MIKE AR-15 9MM BILLET LOWER RECEIVERS**



Take Your PCC Build to the Next Level in Looks AND Performance

Designed to give you greater latitude in customization, these FM-9

Lower Receivers are an ideal base for your next pistol caliber build. Machined from 7075 T6 aluminum, with mil-spec hardcoat anodizing, these premium lower receivers come with FM's proprietary last-round bolt-hold open, a stainless steel recoil spring, and full compatibility with 9mm Glock®-style magazines. The Complete Rifle Lower includes lower parts kit with no MIM parts, GI trigger group, and a 6-position mil-spec M4 carbine buffer tube ready for the carbine stock of your choice. FFL required for purchase.

#100-035-373	FM-9 Complete Rifle Lower Receiver, 6D00PXP	\$ 269.99
#100-027-987	<b>Stripped FM-9 Billet Lower Receiver,</b> 6D00IME	169.99

#### **JAMES MADISON TACTICAL AR-15/AR-308 80% POLYMER GEN2 LOWER RECEIVER**

Complete The Lower For Your Next Build At Home



the necessary jig and instructions for final machining into a finished AR lower. Because it is incomplete, an FFL is not required for purchase. Reinforced areas around magwell, bolt release, and interface points with upper receiver give added strength and durability. Built-in triggerguard simplifies assembly and enhances structural strength. AR-15 - threads for buffer tube, bolt release cavity, and rear pivot pin hole accept standard mil-spec AR-15 parts. AR-308 accepts components that fit a DPMS LR-308 lower. May not be returned to Brownells once modified in any way.

#100-014-622 AR-15 80% Lower Rec'r, 6B83D99.... \$ 104.99 **#100-017-979** AR-308 80% Lower Rec'r, 6B117H59... **146.99** 

#### **FOXTROT MIKE AR-15 FM-45 BILLET LOWER RECEIVERS**



#### The Ideal Lower for a .45 ACP PCC With Punch - Stripped & Stock-Ready Models To Choose From

The FM-45 lower receiver is designed to feed from Glock® .45 ACP magazines and features last-round bolt hold-open. They come with the bolt release and magazine release pre-installed. These receivers are machined from 7075 T6 billet aluminum and given a tough matte black finish. Stripped lower includes only what's described above. Almost-Complete lower adds a mil-spec trigger assembly, extension, and an 8 oz. buffer with an AR-308 spring to handle the punch of the .45 ACP round. You add the buttstock or pistol brace of your choice to complete the assembly. FFL required for purchase.

#100-039-100	Stripped FM-45 Lower Rec'r, BLK, 6D00KNG	\$ 169.99
#100-039-101	Complete FM-45 Pistol Lower Rec'r,	
#100-039-102	BLK, 6D00LTJ	249.99
	6D00AUK	269.99

#### **FOXTROT MIKE AR-15** FM-9/FM-45 BUILDER KITS



Convenient Kits for **Building a Pistol-**Caliber AR - Just Add Upper Receiver. Magazines & Brace

Handy kits contain the major components needed to build up an AR-15 pistol. Includes a stripped lower receiver

that accepts Glock® magazines, a complete bolt carrier assembly, a heavy buffer, an AR-308 buffer spring with plenty of oomph to handle the blowback operating system, and a thread protector for the included barrel. Compatible with all factory and aftermarket 9mm Glock magazines. The receiver itself is machined from 7075 T6 aluminum billet AND comes with a built-in last-round bolt holdopen mechanism. Barrels are machined from 41V50 chrome-moly vanadium steel and button rifled for match-grade accuracy. The bolt carrier assembly is machined from a single piece of 8620H steel alloy and given a deep-penetration salt bath nitride for both lubricity and wear-resistance. As an added benefit, the FM bolt is "ramped" to accommodate both standard GI and dedicated 9mm hammers. Includes a correct-weight buffer to ensure reliable cycling of any blow-back operated AR-15 pistol action. The extended length Heavy Pistol Buffer requires no spacer and helps prevent bolt catch breakage. By installing this buffer, you'll enjoy smoother function, less felt recoil, and reduced rate of fire from your AR pistol. FFL

required for purchase.		
#100-039-980	FM-9 Builder Kit, 5" Bbl, 6D00BLJ \$	349.99
#100-039-981	FM-9 Builder Kit, 9.75" Bbl, 6D00HMJ.	359.99
#100-039-982	FM-9 Builder Kit, 16" Bbl, 6D00HKB	399.99
#100-039-983	FM-45 Builder Kit, 5" Bbl, 6D00LWD	349.99
#100-039-984	FM-45 Builder Kit, 9.75" Bbl,	
	6D00PGA	359.99



#### **KEARMS AR-15 KP-15 POLYMER LOWER RECEIVER**

As Strong as Aluminum With Less Weight AND a Solid, Stable, All-of-a-Piece Feel!

The KP-15 receiver is the foundation of the WWSD 2020 - What Would Stoner Do - rifle developed by lan and Karl from InRange TV and available exclusively from Brownells. The onepiece KP-15 is made of injection-molded glassfilled nylon incorporating the buttstock, buffer tube, pistol grip, and trig-



ger into the receiver design as integral components. There have been polymer lowers before; the KE Arms team has significantly improved on those earlier efforts. This type of receiver offers several benefits: It weighs much less than the traditional forged aluminum + separate plastic buttstock/pistol grip and buffer tube configuration, combined with lower cost because the whole assembly is molded at once. The simplified production process and elimination of subcomponents means a LOT of KP-15s can be produced during high demand cycles in the firearm market. And the KP-15 lower is compatible with most common AR15 uppers and lower parts kits. The flared magwell makes reloads easy to perform under stress, and the A1-length 13" length-of-pull (LOP) fits a wide range of shooters. M-LOK® slots at the rear plus a QD swivel socket up front enable a variety of sling attachment options. The ergonomically shaped pistol grip gives you an excellent hold, while the oversized, integral "winter" triggerguard has plenty of clearance for shooters who wear gloves. Accepts standard mil-spec triggers OR drop-in trigger modules, including the KE Arms DMR and SLT units. Uses a carbine buffer and spring. Pivot and takedown pins have the detents built into them, eliminating the spring and detent holes, which results in a more structurally sound lower.

Available as a Stripped lower, Complete lower with mil-spec internal parts installed, or a Complete Ambidextrous lower with SLT-1 trigger system and an ambidextrous selector installed. Complete DMR model has all the features of the standard KP-15 and adds KE's light, smooth, crisp-breaking, 4.5 lb. DMR trigger. NOTE: The KP-15 accepts a standard mil-spec bolt catch; DOES NOT include the PDQ Lever or the provision to accept one. The PDQ Lever is exclusive to the complete WWSD 2020 rifle. FFL required for purchase.

#100-036-999	Stripped KP-15 Lower Rec'r, BLK, 6A103H99	\$ 109.99
#100-037-286 🗞	<b>Stripped KP-15 Lower Rec'r,</b> FDE, 6A97N73	109.99
#100-037-287 🗞	Complete KP-15 Lower Rec'r, Mil- Spec/BLK, 6A189F99	199.99
#100-037-288 🗞	Complete KP-15 Lower Rec'r, Mil- Spec/FDE, 6A189F99	199.99
#100-037-289 🗞	Complete Ambd. KP-15 Lower Rec'r, BLK, 6A426D99	449.99
NEW 100-041-629	Complete KP-15 DMR Lower Receiver, BLK, 2V284P99	299.99

QD SLING SWIVEL SOCKET - Installs in the circular hole on the KP-15 buttstock close to the pistol grip to provide an attachment point for a pushbutton QD sling swivel. All-steel construc-

tion: black Melonite finish. Installs with single screw and washer. This QD Socket is NOT anti-rotation. Not recommended to install two sockets, one on each side of the stock because the screw head from one socket will interfere with the other

w100-047-169	KP-15 Single QD Swivel Socket,	
	9M14X99	\$ 14.99

#### **KEARMS AR-15** WWSD 2021 COMPLETE LOWER **ASSEMBLY**

What Would **Eugene Stoner Do Today?** Build a Rifle on This Lower!



ceiver is the bottom half of the WWSD 2020 Rifle - "What Would [Eugene] Stoner Do" if he were alive today and designing an AR-15? The WWSD started as a sort of speculative "thought project" that ended up becoming reality, designed by InRange TV, built by KE Arms, and sold exclusively by Brownells. And this is the complete lower from the rifle, now available separately for folks who have uppers they're happy with but want to enjoy some of the underthe-hood benefits of the WWSD. So this lower includes KE's RTS-1 Rekluse trigger, which is the next evolution of their proven Sear Link Technology trigger series. The Rekluse is even more sealed against dirt and debris and has a full-power hammer spring that makes it more reliable when you're shooting ComBloc ammo with hard primers and/or have a bolt-carrier group with a firing pin safety. Here's the full rundown of what the WWDS 2021 consists of: KP-15 Monolithic Polymer Receiver, Rekluse trigger, Ambi 90/45 Wedge Selector, and KE's ambi magazine release. It also has their PDQ Lever installed with the receiver correctly milled to accommodate it, and there's a JP Enterprises Silent Capture Spring System (standard carbine weight). Last but not least, a trapdoor buttplate is installed on the stock so the hollow interior of the stock doesn't go to waste. Build a rifle on the WWSD 2021 and see what kind of gun the creator

OI THE AIT-13 IIII	grit build if the were with us today:	
#100-042-491	Complete WWSD2021 Lower Receiver,	
	Black, 1U759N99	\$ 799.95
#100-042-492	Complete WWSD2021 Lower Receiver,	
	FDE, 9C759W99	799.95

# **KEARMS AR-15 KE-15 LOWER RECEIVER** Stripped Billet

#### Forged & Billet Models To Choose From, Stripped or Complete, And Ready for Your Next Build

Each KE Arms KE-15 Lower Receiver is manufactured to tight tolerances within military specifications, so mil-spec components will function in these lowers, and they are compatible with any M16and M4-style upper receiver. To enhance its durability, the receiver is treated with an all-black, Type III hardcoat anodized finish. Billet lower is machined from a billet of 7075 T6 aluminum and is available Stripped or Complete with a full suite of upgrades. The neatly flared magwell aids in FAST mag changes, and this lower has been optimized to work reliably with SureFire 60- and 100-round magazines, as well as the Magpul D-60 drum and X Products drum mag. Complete model comes with a mil-spec six-position M4-style collapsible carbine stock, ambidextrous mag release, ambi safety selector, an Xtech Tactical adjustable pistol grip for a perfect fit to YOU and your shooting style, and KE's SLT-1 trigger. Complete Forged lower has a mil-spec receiver of forged 7075 T6 and comes with KE's DMR Trigger, an ambidextrous safety selector, and an Xtech Tactical adjustable pistol grip for superb comfort and control. Includes a civ position MA stock

SIX-POSITION IVE	† 310CK. ===	
#100-410-747	KE-15 Stripped Billet Lower Receiver, 3K284N99	\$ 299.95
#100-410-752	KE-15 Billet Complete Lower Receiver, 7A664U99	699.95
#100-410-751	KE-15 Forged Complete Lower Receiver, 4L379P99	399.95

order on the web

#### **KEARMS AR-15 KE-9 BILLET LOWER RECEIVER**



#### A Premium Lower for Your Next PCC Build -**Available in Several States of Completeness**

The KE-9 lower is designed specifically for a 9mm PCC, and it's set up to accept factory and aftermarket Glock® magazines. Each KE-9 receiver is machined from a billet of 7075 T6 aluminum, to tight tolerances within military specifications, so all mil-spec components will function in this lower, and the receiver is compatible with "mil-spec" 9mm upper receivers. To enhance its durability, the receiver is finished with an all-black, Type III Class 2 hard-anodized finish. A wide-flared magwell promotes fast mag changes. **Stripped** lower comes with a magazine catch and ejector installed. You can also get the stripped lower with an **Ambidextrous** mag catch. This lower does not have last-round bolt hold-open, unless you have a linkage system incorporated into your upper receiver. KE Arms warns users that you can use the standard bolt catch to manually lock the bolt to the rear, but the Glock® magazine followers will not actuate the catch. Some 9mm upper receivers will include this linkage. Also available as a **Complete** lower with an M4 carbine style buttstock, A2 pistol grip, and your choice of a basic Mil-Spec trigger or KE's upgraded **SLT-1** trigger.

#100-410-748	KE-9 Stripped Lower Receiver, 8B236V99	\$ 249.95
#100-410-749	KE-9 Stripped Lower Rec'r w/Mag	
	Catch, 3W274Q99	289.95
#100-410-753	KE-9 Complete "Mil-Spec" Lower Rec'r,	
	6Z379T99	399.95
#100-410-754	KE-9 Complete Lower Rec'r w/SLT-1	
	Trigger, 7P569S99	599.95

#### KNIGHT'S ARMAMENT AR-15/AR-308 **SR-15/SR-30 COMPLETE LOWER RECEIVERS**

All The Elements For Constructing Your Next Go-To Rifle

Purpose-built to be your perfect starting point, the Knight's Armament IWS Complete Lower Receiver

is loaded with some of the best features available in today's AR world. Crafted from solid aluminum with a hard black finish, you know this lower receiver is built to last! Fully ambidextrous safety selectors. magazine release, bolt release, plus a KAC 4.5 lbs. two-stage match trigger, are all contained in a battle-ready lower. Each lower comes with an LMT SOPMOD stock. SR-15 is caliber-marked for 5.56 NATO and includes a six-position buffer tube. SR-30 is caliber-marked for .300 AAC Blackout.

#100-027-982	SR-15 Complete Lower Rec'r, 4C00LNF	\$ 865.99
#100-027-983	SR-30 Complete Lower Rec'r, 4C00CTC	856.99



#### POLYMER80 AR-15/M16 **80% POLYMER LOWER RECEIVER** & JIG KIT

No Expensive Jig Or Extra Parts To Purchase

Receiver kit everything needed to start your next build. Lower receiver is constructed from a single block of proprietary polymer composite with a solid core design, stiffened magwell and beefier buffer tube housing. These lower receivers are 80% finished and

require final milling of the fire control group, trigger pin, hammer pin, trigger slot, and safety selector. The included jig system provides an insert for trigger hole drilling, and also includes the necessary drill bits plus end mill bit to finish your lower. Because the receiver is incomplete, an FFL is not required for purchase. May not be returned to Brownells once modified in any way.

SPECS: Nylon polymer, black. Jig - Polymer, red. Includes bits and Allen wrench

#100-016-996 80% Polymer Lower Receiver & Jig Kit, 9D58K64.....\$**68.99** 



#### 17 DESIGN & MANUFACTURING AR-15/M16 17D MIL-STANDARD FORGED

LOWER RECEIVER

"Basic" Doesn't Mean Low Quality

This AR-15 stripped forged lower receiver is the perfect base for many AR-15 builds. It's finish machined to mil-spec dimensions, so this lower

works with standard AR-15 components and ensures the highest quality and parts interchangeability. If the component's manufacturer says it fits a "mil-spec" lower, it'll fit this one. Otherwise, this is your standard .153" trigger/hammer pin, .250" pivot/takedown pin GI-type lower forged from 7075 T6 aluminum alloy with tough black hardcoat anodized finish.

#100-041-746 Forged AR-15 Lower Rec'r, 3P65C99... \$ 69.99



#### 17 DESIGN & MANUFACTURING AR-15 17DM-15 BILLET LOWER

**RECEIVER** 



Extra Strength & Rigidity With the Parts Compatibility of a Traditional Mil-Spec Receiver

A fully machined lower receiver with oversized integral trigger-

guard is the next step up in customization from 17 Design's forged lower. Machining allows extra metal to be left in high-stress areas. resulting in an extremely structurally solid receiver that'll hold tolerances and won't cause shifting between it and the upper receiver that compromises accuracy. It allows the user to fine-tune the fit of the upper and lower via the nylon-tipped tensioning setscrew in the grip tang. Wider angles in the magazine well give much of the benefit of an oversized magwell without increasing the width/footprint of the receiver. The bolt catch pin is threaded so it stays put. Compatible with parts that fit a "mil-spec" lower receiver.

#100-041-549 Billet AR-15 Lower Receiver, 2N109B99......\$129.99

#### 17 DESIGN & MANUFACTURING AR-15 **IFLR-15 INTEGRATED FOLDING** LOWER RECEIVER



Put a Folding Stock on a Standard AR-15

The IFI R lower receiver is the perfect base for a unique AR-15 with a folding stock. Rather than a later addition, 17 Design's folding mechanism is built right into the

receiver, resulting in an extremely secure, solid platform. All wearable parts are made from S7 tool steel for extreme wear resistance. while corrosion-resistant coatings ensure your IFLR stays mint for years to come. Nylon-tipped tensioning setscrew in the grip tang of the receiver lets the user fine-tune the fit of the upper and lower, just like on 17 Design's Billet lower receiver. Wider angles in the magwell give the benefits of a flared magwell while keeping the exterior of the receiver slim and trim. The bolt catch pin is threaded. Includes a Specialty H1 buffer that must be used. The critical contact points are machined to mil-spec dimensions, so this lower accepts most standard AR-15 components. Comes assembled and ready to be the foundation of a truly exceptional custom rifle.

#100-041-548 Integrated Folding Lower Rec'r. 1M284A99. \$ 299.99



### SILENCERCO AR-15 **SCO-15 BILLET LOWER**

RECEIVER

Machined from Billet for Strength, Extra-Tight Fit & a Unique Look



SilencerCo's lower receiver is machined from a billet of 7075 aluminum with extra metal in critical spots for greater strength than a forged mil-spec lower, plus an integral triggerguard that adds to the structural rigidity of the receiver. That extra metal does not impair your freedom to match it to any mil-spec compatible upper and other parts. You also get integral ambidextrous anti-rotation QD sling swivel sockets on either side of the rear of the receiver, SilencerCo's proprietary ambidextrous bolt release, an enlarged "cold weather" triggerguard, flared magazine well, and a 45 to 90 degree safety selector window for short-throw selectors. There's a hole drilled for a rear tensioning screw (gotta provide your own screw though) if you really want to tighten up the upper-to-lower fit. Designed for use with standard mil-spec lower parts kits and buffer assemblies.

#100-041-063 SCO-15 Billet Lower Rec'r, 8J249B00.. \$ 249.00

### 17 DESIGN & MANUFACTURING BRN-180 17DM-180 STRIPPED

LOWER RECEIVER



Accepts Picatinny-Mount Stocks; Lets You Take Advantage of Your Brownells BRN-180™ Upper's "Fire When Folded" Capability

The 17DM-180 lower receiver is the perfect base for a Brownells BRN-180 build. This machined-from-billet lower is designed to work with the BRN-180 upper receiver. Since the BRN-180's buffer system is enclosed entirely within the receiver, it does not need a traditional receiver extension (aka "buffer tube") and buffer-spring assembly. So MIL-STD 1913 Picatinny rail slots at the rear of this lower are ready to accept a Picatinny-mount stock or brace, such as those for the SIG MCX and MPX or recently release Picatinny stocks from Midwest Industries. This gives you the ability to take advantage of the BRN-180™ upper's "fire while folded" capability. The integral trig-



#### Item SONS OF LIBERTY GUN WORKS AR-15 **SEMI-COMPLETE LOWER RECEIVER**



All the Necessary Basic Parts Are Installed, so You Can Customize With the Trigger & Stock of Your Choice

This SOLGW lower receiver comes fully assembled with all the small parts installed except for the two most frequently customized components: the trigger and the stock. That means you can purchase and install the exact components you want - and there's nothing left over to toss in the spare parts drawer. (C'mon, we've all got plenty of spare buttstocks and mil-spec triggers already, right?) The core of this lower is a milspec 7075 T6 forging that is final-machined to precise dimensions. with no flash marks or sharp edges left behind. SOLGW takes extra care when machining, resulting in tighter tolerances and a far better fit than you'll find on some generic \$50 stripped lower! It has a Mil 8625 Type 3 Class 2 hardcoat anodized finish in matte black. Comes fully assembled with these parts installed: carbine receiver extension and buffer assembly, pivot/takedown pins, B5 P23 pistol grip, bolt release, and magazine release. The Rebellious Stripes roll mark adds some visual pizazz and represents the flag adopted by the original Sons of Liberty in Boston in 1767. You can also get your lower with SOLGW's "Angry Patriot" roll mark. You're free to choose - and isn't that the way it should be in America? FFL required for

nurchase ==

#100-040-651 SOLGW Semi-Complete AR-15 Lower, Rebellious Stripes, 6H00PNM..... \$ 345.99

100-042-838 SOLGW Semi-Complete AR-15 Lower,

Angry Patriot, 9K344C99..... 344.99

SHARPS BROS. AR-15 **GEN 2 LOWER RECEIVER** 



#### Make Your AR Stand Out From ANY Crowd

Inspired by nose art on World War II fighter planes and bombers, the Sharps Bros. Gen 2 Lower Receivers let you express your individuality through your AR. Crafted from 7075-T6 aluminum, the lowers sport aggressive, skeletonized styling on the front of the magwell that is not only eye-catching, but helps reduce weight by removing excess material. These Gen 2 lowers are loaded with a number of benefits, like the beveled magazine flares which aid in rapid reloads, oversized trigger guards for easy trigger control - even with gloved hands, and a threaded bolt catch pin. Lowers are all compatible with mil-spec internal components and mate up with any standard AR-15 upper. Accepts all standard AR-15 magazines. The Hellbreaker is inspired by the legendary Flying Tigers of World War II, while the Warthog is based on the iconic A-10 Warthog, and the Jack, with its grinning skull, stands as a warning to anyone who messes with you.

#100-027-167 Hellbreaker Lower Rec'r, 1B242Q99 ... \$ 269.99 #100-027-169 Warthog Lower Rec'r, 1B251E99...... 279.99 #100-027-170 "The Jack" Lower Rec'r, 1B266P39..... 295.99

gerguard, machined as part of the lower, gives your '180 exceptional strength and stability. As for the trigger, safety selector, mag release, and other small components.... anything that fits a mil-spec AR-15 lower will fit this one.

#100-042-524 17DM-180 Picatinny Lower Rec'r, 4Q143D99.. \$ 160.00

#### SONS OF LIBERTY GUN WORKS AR-15 STRIPPED LOWER RECEIVER

A Premium Mil-Spec Lower With a Variety of Freedom-Loving **Graphic Options** 



These lowers are built from mil-spec 7075 T6 forgings from

the and final machined to precise dimensions for ecxellent fit and finish. SOLGW machines their lower receivers to tighter, more consistent tolerances than the cheap, no-name lowers that sometimes flood the market. Standard .250" pivot/takedown pin holes, .153" hammer/trigger holes. Matte black Mil 8625 Type 3 Class 2 hardcoat anodized finish. The bonus is your choice of a va-



Criase.		
#100-038-756	Angry Patriot Stripped Lower Rec'r, 6H00ESC	\$ 134.99
#100-038-757	Soul Snatcher Stripped Lower Rec'r, 6H00JQB	134.99
#100-038-758	Lone Star Stripped Lower Rec'r, 6H00JIB	134.99
#100-038-759	Scalper Stripped Lower Rec'r, 6H00NNS	134.99
#100-038-760	Rebellious Stripes Stripped Lower Rec'r, 6H00AGM	
#100-038-761	Loyal 9 Stripped Lower Rec'r, 6H00PXP	134.99

#### SPIKE'S TACTICAL AR-15 **LOWER RECEIVER**



**High-Quality Forgings** Machined to Mil-Spec Dimensions; Stripped & Assembled Models

Semi-auto lower receiver is machined from

a 7075 T6 aluminum forging to mil-spec dimensions for precise fit and outstanding performance. Ruggedized hardcoat anodized finish resists scuffs, scratches, and wear. Stamped and color-coded bullet selector position markings notify operator when weapon is in "safe" or "semi-auto." A "full-auto" position is not selectable but gives this semi-auto lower receiver the appearance of being multi-burst capable. Magazine well features Spike's spider logo and multi-cal engraving. Complete Lower w/Buttstock includes stainless steel trigger, black oxide finished triggerguard and hammer assembly, pistol grip, six-position mil-spec buffer tube (1.146" O.D.), ST-T2 tungsten heavy buffer, mil-spec 17-4 stainless steel buffer spring, and Spike's M4 stock. Stripped Lower - comes without trigger group, mag release, selector, or bolt release; has color selector markings.

SPECS: Receiver - 7075 T6 aluminum, hardcoat anodized, matte black finish. Buttstock - Reinforced molded polymer, black. .154" hammer/trig-

ger pirmoles25	o takedown/pivot pirmotes. FFL required for p	Jui Criase.
#100-004-686	Complete AR-15 Lower Receiver w/	
	Buttstock, 3B00DMQ	\$ 294.99
#100-004-685	Stripped AR-15 Lower w/Color	
	Markings, 3B99E11	108.99



Built for Superb Strength, Fit, Finish AND Function -Don't Build a High-End AR Without One!



Designed by Bill Wilson and

the Wilson Combat design team to be the base for the ultimate precision tactical AR-15 rifle, the BILLet-AR lower receiver is 100% machined in Wilson's Berryville, Arkansas, facility. The BILLet-AR receiver was engineered from the ground up to address structural design weaknesses in standard USGI lowers and improve overall tolerances. It's been enhanced with an oversized magazine well for quick reloads and an integral triggerquard that adds structural strength while providing extra clearance for folks wearing gloves - because some of us live up north where winter isn't pretty like a postcard. More deets: machined from a solid billet of 7075 T6 aluminum to exceptionally tight tolerances. Hand prepped for a flawless surface finish and given a Type 3 hardcoat anodized finish. Precision threaded, with reamed pin holes. The bolt catch is retained by a hex screw. More good news: compatible with both standard, GI-style uppers AND Wilson Combat BILLet-AR upper receivers.

#965-000-443 WC-15 Billet Lower Rec'r. 7P175V99 ... \$ 184.95

### **BROWNELLS** AR-15/M16 Retro STRIPPED C7 UPPER RECEIVER

99 Build Your Next Piece of AR-15 History

Another in Brownells Retro Rifle line of AR-15 components, this unique receiver design features the correct carry-handle contours for Canadian C7 clones or the Colt Model 723 used by the military during the "Black Hawk



Down" time frame. Each Brownells C7 Stripped Upper Receiver is built with a similar profile as the company's M16A1 upper receivers, including an original A1 profile that incorporates a shell deflector, A1 rear-sight housing and the aforementioned carry-handle design. Completely stripped, all-black finish, does not have M4 feedramps, and accepts with all standard mil-spec AR-15 components. Made from 7075-T6 forged aluminum, each Brownells C7 Stripped Upper Receiver is machined to military specifications and then treated with a matte-black, hard-anodized finish.

#078-000-451 C7 Stripped Upper Rec'r, 4G107E19....\$ 133.99

#### BROWNELLS Retro M16A1 UPPER RECEIVER



Finally, A New-Manufactured, Detail-Correct Upper for a "Period" Build

Designed in conjunction with Nodak Spud, our M16A1 upper closely replicates the original M16A1 receiver profile. Perfect for a "retro"

or reproduction build, our receiver has the original A1 profile: no shell deflector, A1 rear sight housing, and correct carry handle contours. This kind of precise match is only possible by starting with 7075 T6 aluminum forgings that have the proper profile built in. All dimensions where other parts attach are current mil-spec dimensions, so standard AR-15 components will fit perfectly. Matte Gray hard-anodized finish matches the finish on original rifles. Matte Black fnish matches most modern lowers available today. Both are correct matches to finishes on Brownells BRN-16A1 lower receivers (sold separately).

#080-001-303 M161A Upper Rec'r, Blk, 4G121E59.....\$ 149.99 **#078-000-362 M16A1** Upper Rec'r, Gray, 4G522052N45... **149.99** 

#### BROWNELLS AR-15/M16 -COMPLETE Retro RIFLE® **UPPER RECEIVERS**

Back to the Future - Complete & Fully Assembled Top Halves for Your Next Retro Build

Step into the Wayback Machine and go back to the early years of the AR-15/M16 platform with our faithful replicas of the upper receivers from early ARs. If you're an AR-15 aficionado or collector, you need to build yourself a Retro Rifle™. It's easy when you match one of our replica lower receivers with one of these complete, ready-to-install upper receiver assemblies. Each model is a carefully researched, detail-correct replica, in some cases sourced off original drawings. All complete Retro Rifle™ uppers are manufactured from all-new components, with forged/machined 7075 T6 aluminum receivers that have a hardcoat anodized finish that's as close as we can get it to the originals. They are all chambered for modern 5.56x45mm NATO (.223 Remington compatible) and come with an M16-type bolt/carrier group with extended carrier shroud for auto-sear. Barrels have a modern chrome-lined bore and chamber for extra corrosion resistance. Get yourself a piece of history - fresh from the factory and ready to shoot!



XBRN16E1® - An authentic replica of the receiver on XM16E1 rifles issued to ground troops during the early years of the Vietnam War. The XM16E1 incorporated the first round of improvements developed as a result of field experience with the original M16 rifle. The XM16E1 changes were eventually finalized into the M16A1, which was in production from 1967 to 1982. In common with the XM16E1, our XBRN16E1 upper receiver has the A1 model's forward assist but retains the older-style three-prong flash suppressor. (The classic "bird cage" suppressor would be added to the M16A1.) It also retains the early model's fully chromed bolt/carrier group and small, triangle-shaped charging handle. The XBRN16E1 upper also sports a triangle cross-section handguard in modern reinforced black polymer, so your finished gun will take on the iconic "Black Rifle" look we all know. Other features: built to current standards with modern materials - ready to be a shooter! Robust forged-thenmachined 7075 T6 aluminum receiver. Period-correct matte gray hardcoat anodized finish. Chambered for modern 5.56x45mm NATO (.223 Remington compatible). 20" barrel with chrome-lined bore & 1-12" twist rifling. Rifle-length gas system. Windage-adjustable rear sight drum. A faithful reproduction of the "top half" on Vietnam War Era rifles, the XBRN16E1 upper is built from all-newproduction parts - no refurbs here! Its internal dimensions match present-day mil-spec uppers, so customizing is easy. But why not mate it up with one of our XM16E1 lower receivers (#078-000-360) and A1-style buttstock (#078-000-350) to build an accurate Retro Rifle™? Here's a little slice of history that no AR-15 fan should be without!

#078-000-471 XBRN16E1 Complete Upper Rec'r,



XBRN177E2® - For serious AR-15 collectors, one of the most coveted yet nearly impossible to find models is the XM177E2 carbine. Issued to Special Operations forces during the Vietnam War, the XM177E2 had a significantly shorter barrel than the standard-issue M16A1, making it a direct ancestor of the present-day M4 carbine. Our XBRN177E2 upper enables you to build your own Retro Rifle

replica or custom variation of this famous carbine. Like the original, the XBRN177E2 upper is built around our standard A1 "carry handle" rifle receiver. It comes outfitted with a forward assist and A1 rear sight assembly. It has an M16 bolt/carrier group with the extended shroud on the carrier to trip the auto-sear on full-auto/ burst rifles (works just fine on semi-auto rifles). The BCG has a black phosphate finish with a chromed ID area on the carrier. We offer the XBRN177E2 upper with these barrel options: a 12.7" barrel with 1-12" rifling that's excellent for lighter-weight bullets such as the 55 gr M193. Or get a 1-7" twist that works well with the heavier bullets favored by many AR-15 shooters. You can also get an 11.5" barrel with 1-12" rifling. All 3 barrels come with a replica of the XM177E2's "moderator" muzzle device with grenade launcher ring. On the 12.7" barrels, it is pinned and welded in place to meet NFA minimum barrel length requirements. The 11.5" barrel's moderator is NOT permanently attached, allowing for use in an SBR or pistol build. All NFA rules apply. Fully assembled and ready to attach to the lower receiver of your choice, the Brownells XBRN177E2 Complete Upper Receiver will have you wanting to build your own Vietnam Era carbine di di mau!

#078-000-475	XM177E2 Upper Rec'r, 12.7" Bbl/1-12" Twist, 3E700E14	\$ 736.99
#078-000-477	XM177E2 Upper Rec'r, 12.7" Bbl/1-7"	
#078-000-476	Twist, 3E693K49	729.99
	Twist/Unpinned, 3E664M19	737.99



BRN16A1° - So authentic you can smell the elephant grass! The Brownells BRN16A1 Complete Upper Receiver Assembly enables you to build your own replica of the M16A1 - the rifle that symbolized the Vietnam War era and changed firearm history. The M16A1 was the standard-issue, production rifle used through some of the heaviest periods of ground combat in the war. It incorporated the improvements developed through field testing of the original M16 and XM16E1 rifles, and it was in production from 1967 through 1982. The BRN16A1 upper is fitted with a replica of the standard triangle cross-section handguard made from black reinforced molded polymer that is much stronger than the original rifle's fiberglass. It is fitted with a forward assist and has A1-type sights. Of course, the BRN16A1 has the "skinny"-profile M16A1 barrel, capped with the correct A1 "birdcage" flash suppressor that replaced the early 3-prong design that tended to snag on vegetation - a serious problem in the lush jungles of Vietnam. You can get your BRN16A1 complete upper with the original's 1-12" rifling - ideal for M193 55 grain ammo - or the faster, current 1-7" twist that plays nicely with heavier bullet weights. For the full measure of authenticity, you can get your BRN16A1 with an M16-type carrier that has the extended shroud to trip the auto sear on full-auto/burst rifles; it's compatible with semi-auto lower receivers. Other features: dimensioned for compatibility with current mil-spec parts, robust forged-thenmachined 7075 T6 aluminum receiver, matte gray hardcoat anodized finish, chambered for modern 5.56x45mm NATO (.223 Remington compatible), 20" barrel with choice of 1-7" or 1-12" twist rifling chrome-lined bore & chamber. Our BRN16A1 Complete Upper Receiver Assembly is built to current standards with milspec materials, so it is ready to be a hard-working "shooter," not just a pretty wall-hanger! Whether you're a collector, a reenactor, or just an avid AR-15 / M16 fan and shooter, the BRN16A1 upper gives you the foundation for building an impressive M16A1 replica.

e e	#078-000-472	BRN16A1 Complete Upper Rec'r, 1-12"/20" Bbl, 3E657F89\$ 730.99	
e. ©	#078-000-473	BRN16A1 Complete Upper Rec'r, 1-7"/20" Bbl, 3E657H89	

#### **FOLLOW US • FRIEND US • LIKE US**

GO ONLINE FOR SPECIAL PROMOTIONS, CONTESTS AND NEWS, LEAVE YOUR COMMENTS OR SUGGESTIONS!

order on the web

### **BROWNELLS** AR-15 Retro "SLICKSIDE" UPPER RECEIVER



Correct Contours for a "Retro-Repro" Build of an Early AR-15

Our Slickside upper mirrors the contours of the original, early AR-15 upper receiver. Perfect for your next "Retro" or reproduction build. our upper has the following features specific to the original Slickside: (1)

Correct early-style carry handle contours, (2) No shell deflector, (3) No forward assist, and (4) A1-pattern rear sight housing. With help from the folks at Nodak Spud, this precise match was achieved by starting with 7075 T6 aluminum forgings that already have the proper profile built in. In machining to final dimensions, all points where other parts attach are finished to current mil-spec dimensions, so current-production AR-15 components will fit perfectly. However, note that the Slickside receiver is so period-accurate that it DOES NOT have the M4-type feed ramps found on most currentproduction AR-15 flattop uppers. After machining, each Slickside gets a durable hardcoat anodized matte black finish that matches modern, current-production lowers, including the black version of our BRN-16A1 lower receiver (sold separately). Our M16 Slickside upper is the proper receiver for "Retro-Repros" of the following rifles: the original AR-15, Model 601 and 602, Model 607 and 608 Carbines, Model 610 "XM177" Carbine, Model 630 GAU-5A Carbine, and the Model 649 GAU-5A/A Carbine.

#078-000-363 AR-15 Slickside Upper Rec'r, Black, 

### **BROWNELLS** AR-15/M16 ${f Ret}$ ro BRN-601 LOWER RECEIVER

#### Detail-Accurate Replica of Lower on Very Early AR Rifles

Our BRN-601 is a replica of the lower receiver of the very first Colt AR-15, the Model 601. Designed in conjunction with the folks at Nodak Spud, our receiver precisely mirrors the features



and "slab-side" profile of the original. As a result, our BRN-601 lower is perfect for a "Retro" or reproduction build of a very early AR-15. Each BRN-601 lower receiver starts life as a 7075 T6 aluminum forging that is then machined to final dimensions. The machined lower then gets a gray hardcoat anodized finish that's an excellent match to the color of the originals. Standard, current-production AR-15 components will work perfectly with the BRN-601, with the exception of the front takedown pin. Features of the Brownells BRN-601 lower receiver that make it a close replica of the original 601 include the front takedown lug profile and area surrounding the receiver extension. This lower has a distinctive "slab side" contour on the right-hand side of the magazine well, with no "fence" around the magazine release. Most forged AR-15 "carry handle" lower receivers produced today have the A2 profile, which is incorrect for reproductions of the early rifles. This receiver so accurately replicates the original that you must use our special Model 601 Pivot Pin (#078-000-372, sold separately below). FFL required for purchase.

The BRN-601 lower is the proper receiver for building reproduction of the following rifles: Model 601 (early AR-15 "Air Force" rifles), Model 602, and early prototype AR-15 rifles. NOTE: The original Model 601 lower receiver was found on early AR-15 rifles produced by Colt Manufacturing from 1959 through 1963. These receivers were used on the first rifles issued to the Air Force - and those tested by the U.S. Army. The production numbers of original rifles with this type of receiver are quite low, making the BRN-601 an excellent base for a very unique "Retro" build.

#078-000-414 BRN-601 Lower Rec'r, Blk, 3E125G00 . . \$ 149.99 **1078-000-372** Model 601 Retro Rifle Pivot Pin, 5G11K99 .....

#### **BROWNELLS** AR-15/M16 Retro XM16E1 LOWER RECEIVER



**Correct Lower for Replicas** of Early U.S. Army M16 Rifles

Our XM16E1 lower is a replica of the receiver on the original XM16E1 rifles developed for the U.S. Army in the 1960s. We worked with the folks at Nodak Spud to

produce a receiver that replicates the exact contours and "partial fence" configuration of the original XM16E1, making it perfect for a Retro build replicating the early Army M16s. The original XM16E1 lower receiver was developed for the "improved" M16 rifles produced by Colt Manufacturing for the U.S. Army from 1964 through 1967. These receivers were found on the first M16 rifles issued to the troops in Vietnam, before the arrival of the M16A1. XM16E1 lowers were used on the first M16s with the forward assist, as well as various early M16 carbines.

Features specific to the Brownells XBRN16E1 lower that make it a close replica of the originals include the proper front takedown lug profile and the contour of the metal surrounding the receiver extension. Also, the XM16E1 lower was the first with the "partial fence" above the magazine release and just below the ejection port cover. Most forged AR-15 "carry handle" lower receivers produced today have the A2 profile, which is incorrect for reproductions of early M16 rifles.

Each of our XM16E1 lower receivers starts life as a 7075 T6 aluminum forging that is precision-machined to final dimensions before receiving a gray hardcoat anodized finish that gives the best match to the color of the originals. Current-production AR-15 components will work perfectly with the Brownells XM16E1 lower receiver. FFL required for purchase.

This XM16E1 lower is the correct receiver for building reproductions of the following rifles: XM16E1, Model 604, Model 605 Carbine, Model 606, Model 607 Carbine, Model 608 Survival Carbine, Model 609 "XM177E1" Carbine, and Model 610 "XM177" Carbine.

#078-000-415 XM16E1 Lower Rec'r, Blk, 3E125L00....\$ 149.99 #078-000-360 XM16E1 Lower Rec'r, Gray, 3E125M00 . 149.99

### **BROWNELLS** AR-15/M16 Retro CHROMED M16 BOLT/ **CARRIER GROUP**

Replicates Appearance Early AR-15 BCGs - Extra Touch of Authenticity for a Retro Build

Our "Retro" BCG matches the finish of the bolt



W/O Fwd Assist Serrations found on the earliest AR-15

and M16 rifles introduced. It includes a bolt machined from 9310 steel, which is magnetic particle inspected & finished with a slick chrome finish. The carrier is fabricated from 8620 hardened steel and also receives the same, durable chrome application. In addition to the bolt and carrier, the extractor, gas key and cam pin also are chromed to ensure all moving parts are corrosion resistant and as slick as possible. This BCG will work reliably in any AR-15 chambered in 5.56x45mm, 300 AAC Blackout or .223 Remington. The perfect complement to a retro build, this BCG is available with or without forward assist serrations. The model without serrations is similar to the original BCG found on early AR-15s, such as the Air Force 601. The model with serrations could be found on early XM16E1 models in the mid-1960s.

Extractor includes spring and rubber insert. Includes torqued and staked gas key. Complete package: bolt, bolt carrier, gas key,

firing pin, cam pin and a firing pin retaining pin. #078-000-375 Chrome M16 Bolt/Carrier Group, w/ Serrations, 8G131Q87 . . . . . . . . . . . . \$ 149.99 #078-000-376 Chrome M16 Bolt/Carrier Group, w/o Serrations, 8G161J99.....

#### **BROWNELLS** AR-15 Retro BRN-16A1° LOWER RECEIVER



Designed in conjunction with Nodak Spud, our BRN-16A1® lower replicates the exact contours of the original military M16A1 receiver, making it perfect for a "retro" or re-

production build. Current-production forged lower receivers have the A2 profile, which is incorrect for the original M16A1, but ours has the proper A1 front takedown lug profile and correct contours around the receiver extension. Manufactured using the latest technology from a 7075 T6 aluminum forging and machined to current mil-spec dimensions for proper fit, so currently available standard AR-15 components will work perfectly with this lower. Engraved markings: "Model: BRN-16A1". "Cal: 5.56mm" and "Mfg: Brownells Inc." Proper receiver for the following reproduction builds: M16A1, Mk 12, Mk 18 Mod 0, and Models 619, 629, 630/GAU-5A, 639, 649/ GAU-5A/A, 651/652 and 653/654. FFL required for purchase.

#080-001-304 BRN-16A1 Lower Rec'r, Blk, 3E125L00. \$149.99 #078-000-361 BRN-16A1 Lower Rec'r, Grav. 

#### **BROWNELLS** AR-308 Retro BRN-10° "PORTUGESE" **FLASH SUPPRESSOR**

Replica of Early AR-308 Hider from the 1960s

This three-prong flash hider replicates the type found on many Portuguese and later production Armalite AR-10 rifles. Unlike the original "Dutch" hiders, this one's closed prongs are more resistant to breaking if the muzzle accidentally strikes a hard surface. It will give ANY AR-308 rifle a unique appearance - and do an excellent job reducing the fireball coming from the muzzle! It has the standard .30 caliber 5/8"-24 thread pitch. The .320" dia. clearance hole is excellent not just for .308 rifles, but also .243 Winchester, 6.5mm Creedmoor. etc. It has a modern-day high-tech QPQ finish that is far more durable than the Parkerized or black oxide finishes of the Old Days, vet replicates the matte black/dark gray shading of the originals.

#078-000-394 BRN-10 Retro Closed-Prong Portugese Flash Hider, 1D50E39 ...... \$ 62.99

### **BROWNELLS** AR-308 Retro BRN-10 SLIP RING

#### An Extra Touch of Retro Authenticity for Your "Vintage" .308 AR

Our BRN-10 Retro Slip Ring replicates the contour of the slip rings used on early M16 rifles, so it'll add an extra touch of period authenticity to your next "retro" AR-style .308 build. Just combine the BRN-10 slip ring with a .308 barrel nut, handguard spring, and snap ring to add the correct handguard retention hardware to your barrel. The "flat" exterior of the Brownells BRN-10 Retro Slip Ring enables the use of non-free-float drop-in handguards on your AR-308. All-aluminum construction with flat exterior, no taper like modern delta rings. Fits both DPMS LR-308 and Armalite® AR-10® rifles and clones. (Barrel nut, handguard spring, and snap ring not included, available separately.) The BRN-10 Retro Slip Ring is even finished in the correct XM gray anodizing of the 1950s and 1960s. All in all, a "vintage" detail that enhances the vintage feel of a retro Big AR-308 build. #078-000-388 BRN-10 Slip Ring, 3G17P84...... \$ 20.99

#### **BROWNELLS** AR-15/M16 Retro EARLY-STYLE THREE-PRONG FLASH SUPPRESSORS

#### The Correct "Front End" For a Retro AR-15 Build With our XM16E1 3-Prong "Duckbill" Flash Hider



you can give your early-style retro AR-15 that extra touch of authenticity. The XM16E1 3-Prong Duckbill Flash Hider is found on some of the earliest AR-15 rifles, such as the Colt Model 601 used by the United States Air Force. The prongs on the XM16E1 Duckbill flash hider redirect combustion gases to the sides, reducing temporary blindness caused by the muzzle flash during low-light firing. The original XM16E1 flash hider was eventually phased out by the military due to a tendency of the lightweight prongs to bend. Still looks at home on a Retro rifle or any AR-15 of your choice (just be a little careful not to bend the prongs). Improved 3-Prong - Developed to replace the original "Duckbill" flash hider due to its tendency to bend and/or break Early 3-Prong on impact, has reinforced prongs to ensure it stands

up to hard use in the field. Correct part for building an accurate replica of the Model 602 or 603 rifle, as well as the XM16E1 issued to the U.S. military during the Vietnam War.

Note: These hiders do not have wrench flats to install. You'll need a strap wrench or three-prong armorer's wrench to properly install it. The #276-000-024 Blackout flash hider installation tool (sold separately) is helpful in installation.

#078-000-390	XM16E1 3-Prong Flash Hider, 8G12H74 \$	16.99
#078-000-391	Early 3-Prong AR-15 Flash Hider,	
	8G22H49	29.9



Our "retro" barrels exactly match the contours of the original M16A1 and A2 barrels of the 1960s and '70s, ready to lend an extra touch of authenticity to a retro build. Or install one for extra weight savings on a lightweight carbine, PDW, or pistol. All are machined from 4150 chrome-moly steel, chambered in 5.56 NATO, MPI inspected to detect hidden flaws, and given a hard black phosphate finish. Bores are chrome-lined. Muzzle threads are the current 1/2-28" standard, and on the other end the barrel extension's already installed. Also included is the .625" gas block/front sight base with bayonet lug, sight post, detent, spring, sling swivel, Delta ring, barrel nut, weld spring, snap ring, and triangular handguard cap. A1 barrels are available with both the original, 1-12" rifling and the modern 1-7" twist; A2 models have a 1-7" twist.

#100-020-999	<b>M16A1 Barrel Assembly,</b> 20"/1-12" Twist, 5A205K69	241.99
#078-000-464	<b>M16A1 Barrel Assembly,</b> 16"/1-7" Twist, 5A228N64	268.99
#078-000-462	<b>M16A1 Barrel Assembly,</b> 12.7"/1-7" Twist, 5A203F14	238.99
#100-020-996	<b>M16A1 Barrel Assembly,</b> 12.7"/1-12" Twist, <i>5A209J69</i>	232.99
#078-000-461	<b>M16A1</b> Barrel Assembly, 11.5"/1-7" Twist, 5A211F64	248.99
#078-000-377	<b>M16A1 Barrel Assembly,</b> 11.5"/1-12" Twist, 5A207A39	243.99
#078-000-460		243.99

#### **BROWNELLS** AR-15/M16 Retro XM177 FLASH SUPPRESSOR & GRENADE RING



#### Gives That Authentic Look To Your "Retro" Carbine

Our XM177 flash suppressor replicates the appearance of the original flash/sound "moderator" used on Vietnam War era CAR-15. It mirrors the original device's exterior dimensions, as well as flash hider cuts and grenade launcher ring. Gives an extra degree of authenticity to a "retro" carbine build. Machined 8620L steel with a period-correct black oxide finish. Fits 1/2"-28 muzzle threads. For appearance only: does not have actual sound suppression capability. This is the correct muzzle device for the following reproduction builds: XM177 (Colt Model 610), XM177E1 (Colt Model 609), Colt Model 619/620, XM177E2 (Colt Model 629), Colt Model 630 (USAF GAU-5A), Colt Model 639, Colt Model 649 (USAF GAU-5A/A). SPECS: 8620L steel, black oxide finish. Flash hider OAL is 4.335". OAL with the grenade ring is 4.45'

#078-000-311	XM177 Flash Hider & Grenade Ring,
	8G40E79



For those fans of the classic retro AR-15 look, Brownells teamed up with Nodak Spud to produce the Brownells Retro AR-15 Triangle Charging Handle. This handle is not an approximation but a carefully researched, detailed replica of the charging handle found on early, much-sought-after "601" rifles issued to the Air Force in the early 1960s. In fact, to distinguish our reproduction from originals, we had to engrave "BRN" hidden away at the bottom to prevent these from being confused with the genuine article. It features the correct triangle shape like the originals, but also fits and functions correctly in any standard, current-production mil-spec AR-15 upper receiver. Constructed of high-grade 6061 T6 aluminum, with a "Colt gray" hardcoat anodized finish. If you're building a 601 replica using our M16A1 upper and lower receivers and reproduction stock/ pistol grip/handguard, the Brownells Retro AR-15 Triangle Charging Handle is a must-have component.

#078-000-373 Retro 601 Charging Handle, 4C55H79 \$ 61.99



If you want the final, finishing touch to complete the look of your CAR-15 carbine reproduction, then our XM177 CAR Buttstock is a must-have. The predecessor for the modern-day M4 adjustable carbine buttstock, the XM177 CAR stock is a perfect reproduction of the original design used on the early XM177 and CAR-15 designs, but this stock looks great and fits onto any standard modern AR-15 platform. Constructed of reinforced, molded polymer (the originals were aluminum). Fits USGI-type (nominal 1.14" O.D.) "mil-spec" receiver extension/buffer tube

#078-000-498 XM177 CAR Bttstk, Mil-Spec, 4H36G54.. \$ 42.99

### BROWNELLS AR-15/AR-308 Retw BRN-16/BRN-10 SMALL PARTS

Small Parts Give the Period-Correct Finishing Touches to an Authentic Retro Rifle Build

The delight is in the detail! Our complete Retro Rifles, as well as upper and lower receiver assemblies, don't just give the general look of original AR-15/M16s. They are cor-



rect down to many small details, and we are pleased to offer these detail parts to folks who are building their Retro Rifles from parts. While we have maintained the period appearance, these parts are manufactured from modern materials for better-than-original strength, reliability, and function. Finishes are formulated to match originals as close as possible, yet also bring modern durability to the mix. BRN-16 Receiver Extension is the correct rifle-type A1 length. BRN-16 Handguard Slip Ring/Spring is for use with our Retro Rifle handguards. BRN-16 Triggerguard is correct contour to match early prototypes and Army M16 rifles. BRN-10 action spring and buffer works in BRN-16 receiver extension and provides proper spring tension and buffer weight for reliable cycling with our Retro Rifle bolt/carrier groups. BRN-10 Crush Washer is desined to work with our BRN-10 rifle and carbine barrels.

#078-000-529	BRN-16 Rifle Receiver Extension, 8G27Q19	\$ 33.99
#078-000-525	BRN-16 Buffer Retainer Spring, 8G0Q74	.99
#078-000-526	BRN-16 Buffer Retainer, 8G1N49	1.99
#078-000-527	BRN-16 Triggerguard, 8G4I79	5.99
#078-000-528	BRN-16 Triggerguard Roll Pin, 8G0L74	.99
#078-000-532	BRN-16 Handguard Slip Ring, 8G2G39	2.99
#078-000-533	BRN-16 Handguard Slip Ring Spring, 8G7A99	9.99
#078-000-530	BRN-10 Rifle Action Spring, 8G3J74	4.99
#078-000-531	BRN-10 Rifle Buffer, 8G15G19	18.99
#078-000-534	BRN-10 Crush Washer, 5/8", 8G2F24	2.99



### **BROWNELLS** AR-15/M16 Retro EARLY-STYLE 20-RD "WAFFLE" MAGAZINE

Forget About Scrounging for Battered Originals! Brand-New "Waffle" Mags Are Available Again

Our Retro Waffle magazine is a close replica of the original military M16 magazines issued in the late 1950s and early '60s. With the distinctive waffle pattern stamped into its steel (NOT aluminum!) body, just like the originals, our Waffle magazine gives the final touch of period accuracy to your "Retro" reproduction rifle. Most of the original USGI waffle mags were destroyed by the Department of Defense and so are extremely rare and hard to come by - and the few that survive are collector's items too valuable to shoot. Our mags give you the period-correct appearance at a fraction of the cost, with 100% up-to-date and reliable innards for dependable function in ANY AR-15 - new, old, or reproduction. It has a fully heat-treated (for strength) carbon steel magazine body with the waffle pattern crisply stamped into the sheet metal and a durable, period-correct matte black Parkerized finish. The floorplate and spring are from the Brownells USGI 20-round aluminum magazines.

With a Retro Waffle 20-round M16 magazine, you give your retro AR-15 build the right vintage military look. The waffle texture gives any AR-15 shooter extra "purchase" to aid in fast mag changes in non-retro rifles, too.

#078-000-365	Early AR-15 "Waffle" Magazine, 20-Rd,	
	9Z43K99 \$	



#### **BROWNELLS** AR-15/M16 Retro RIFLE® FURNITURE

The Correct Stocks, Handguards & Pistol Grips To Give Your Retro Build the Period Look & Feel

This is the correct furniture for any Retro Rifle™ build using our Retro upper assemblies, lower receivers, and other com-



ponents. Although designed for historic clone builds, these parts are made from modern reinforced polymer that is stronger than the original - and more colorfast. They also make excellent furniture for a maneuverable lightweight AR-15 of any stripe. Our M16A1 **Stock** is modeled directly off of original stocks, which are becoming increasingly difficult to find in decent condition. Combine it with the matching handguard and pistol grip, and you have brand-new furniture for your AR-15, M16, M16A1 or other early model rifle. This buttstock is styled the same as a "Type D" stock, with a rear sling swivel and no trapdoor compartment. This model fits the widest variety of early M16 and AR-15 variants. It comes with an A1-length buttstock screw and instructions. DOES NOT include buffer tube or other hardware. The Handguard is designed to fit 20" rifle barrels with a triangular handguard cap. It's also modeled directly from original handguards and is set up in left- and right-hand halves, just like the originals, including aluminum heatshields to protect your hand and the handquard itself from barrel heat. Like the original, our Pistol Grip omits the little finger shelf of the later A2 grip, so it has a smooth, straight frontstrap that some shooters actually prefer even on their "daily driver." Also has the reinforced hole for a lanyard loop through the bottom front of the grip. Grip includes grip screw, washer, and instructions.

ALL three components are available in three colors that come close to the original colors for the following rifles: Brown - Similar to the earliest AR-15 Prototype Rifle furniture used in the late 1950s. Green - Proper for early Model 601 rifles, the first AR-15 adopted by the U.S. Air Force in 1959. Black - Proper for Model 602, XM16E1, M16A1, and later-generation rifles introduced after 1963. NOTE: Brownells Retro Rifle furniture is not exact copies of original components or their construction. Some areas have been changed due to manufacturing methods or to avoid counterfeit concerns.

		_
#078-000-350	M16A1 Retro Bttstk, Blk, 8G32P99 \$	43.99
#078-000-351	AR-15 Model 601 Bttstk, Green, 8G32I24	42.99
#078-000-352	AR-15 Prototype Bttstk, Brown,	
		42.99
#078-000-344	M16A1 Retro HG, Black, 8G35E99	44.99
#078-000-345	AR-15 Model 601 HG, Green, 8G33P59	41.99
#078-000-346	AR-15 Prototype HG, Brown, 8G33P59	41.99
#078-000-347	M16A1 Retro Pistol Grip, Blk, 8G13E49	17.99
#078-000-348	AR-15 Model 601 Pistol Grip, Green,	
	8G12D74	16.99
#078-000-349	AR-15 Prototype Pistol Grip, Brown,	
	8G12C74	16.99

**BROWNELLS** AR-15/M16 Retro 25-ROUND STRAIGHT

BROWNELLS AR-15/M16

Retro A1 EJECTION PORT

Our Brownells A1 Ejection Port Cover is an accurately detailed

replica of the cover used on M16A1 and earlier rifles that have a cover

- basically the Vietnam Era guns. Unlike the standard A2 cover still in

use today, the A1 has a smaller, rectangular finger pad with crisp 90

degree edges. On the inner side, an early-style hexagonal housing

retains the catch detent and spring, rather than the simpler, easier to

manufacture cylindrical housing of the A2 cover. Aside from these

physical details, this cover operates and installs just like the covers on

modern-day rifles. It's made of stamped steel (not plastic - of course!),

with a classic matte dark gray Parkerized finish that's a good match

to our Retro Rifle receivers. If you've gone to the effort of building up

a nice early Retro Rifle from Brownells parts, why cut corners on the

details? The A1 Ejection Port Cover provides that finishing touch of

historical accuracy. **NOTE:** Pin, C-clips & spring NOT included.

#078-000-467 Retro A1 Ejection Port Cover, 8G15G19 .. \$ 18.99

COVER ASSEMBLY

Got You Covered With the Correct

**Details for Early Rifles** 

**BODY MAGAZINE** The Final Touch of Historical Detail for Your "Retro" Rifle - Plus 5 Extra Rounds

Whether you're at the range or humpin' the boonies, having plenty of ammo to feed your AR-15 "Retro" rifle is vital. With a few extra loaded Brownells 25-round Retro AR-15 magazines on hand, vou won't have to "di-di mau" back for more. Externally, this straightbodied steel mag is a carefully reproduced replica of the magazines Armalite assembled for their original AR-15 prototype rifles - ideal for your very early Retro Repro build. These mags are 100% up-todate with reliable modern innards, and they will fit and function dependably in ANY modern AR-15 with a mil-spec lower, including our Retro lowers. We're pointing this out because, if you know your AR-15/M16 history well, you know that the prototype rifles' mag won't fit a modern gun. Now you can give your rifle that period-correct appearance so many AR-15 history fans/shooters crave, with a reasonably priced "shooter" mag! Fits modern "mil-spec" AR-15 lower receiver, including Brownells Retro receivers. Stamped steel body and floorplate have correct markings/indentations, with a durable, period-correct matte black Parkerized finish. Modern chrome silicon spring maintains proper tension for consistent feeding, while the glass-fiber reinforced composite follower further aids feeding.

Our 25-round Retro AR-15 magazine is the perfect complement to your Retro AR-15 rifle - whether you bought it whole or built it from parts. It's also ideal for shooters who prefer the reliability of the straight-body magazines the AR-15 was originally designed to use but want extra capacity beyond a standard 20-round mag. As a bonus, that sturdy steel body will stand up to all the abuse you can give it, and be ready for more!

#078-000-466 Retro 25-Rd Straight Mag, 5E60A99 ... \$ 63.99

### **BROWNELLS** AR-308 -Retro BRN-10 "PROTOTYPE" **HANDGUARD**

An Accurate Repro Handguard for Your Retro AR-308

Many AR-15 enthusiasts don't know that Eugene Stoner's original AR prototype was actually chambered for the .308 Winchester cartridge. Only later did the 5.56 NATO rifle emerge as the primary design. Our BRN-10 'quard is a detailed reproduction of the original handguard found on these prototype .308 Winchester-chambered rifles. It has the classic rounded cross-section of the 1950s-era handguards with six venting holes on each side to promote barrel cooling. Even better: while our handguard looks entirely authentic, it's manufactured from a modern reinforced molded polymer that is FAR stronger than the original's somewhat fragile (OK, more fragile than modern plastic) fiberglass material. And our handquard is available in O.D. green and brown - to match the stock colors used on various early Armalite AR-10 rifles, so you can keep your "Retro Repro" rifle build entirely authentic. It is designed for use with rifle-length gas systems and requires a round front handguard cap for installation.

#078-000-398 BRN-10 "Prototype" HG, Brown, 6D24F74..\$ 32.99 #078-000-399 BRN-10 "Prototype" HG, Green, 6D24D74.. 32.99

order on the web

brownells.com

BROWNELLS PAGE 15

Orders: 800-741-0015

#### **BROWNELLS** AR-15/AR-308 Retro BRN-10° PISTOL GRIP



Correct Look for Replicas of Early AR-10s; Subtle Upgrades for Comfort; Fits AR-15 Lowers, Too!

Our BRN-10 Pistol Grip is inspired by the original grip for Armalite AR-10® rifles built for the

Dutch contract. However, as the original was a bit undersized and not entirely comfortable in the average hand, we have subtly bulked up our grip in a few key spots to make it fill the hand better and give you a better hold. It still has the contour below the safety and serrations on the backstrap, just like the original. We have of course adapted it to fit our BRN-10 lower receiver, which means it will also fit any AR-15 or DPMS LR-308/Knight's SR-25-pattern lower receiver, as long as the receiver has the standard AR-15 contour at the pistol grip attachment point. The BRN-10 pistol grip is made of modern reinforced molded polymer, so it's far more durable than an original, AND you can get it in **Brown** (correct for very early rifles) and Black (later rifles and use on modern AR-15/AR-308s).

#078-000-485 BRN-10 Pistol Grip, Brown, 8G24J02 . . \$ 25.99 **#078-000-486 BRN-10 Pistol Grip, Black, 8G24K02... 25.99** 



#### CMMG AR-15 DEDICATED.22 LR **PISTOL BARREL**



#### Gives Best Accuracy In Your Rimfire AR Pistol

M4-contour barrel converts a standard .223/5.56 upper receiver to a dedicated .22 LR pistol upper when used in conjunction with a CMMG. Ciener, or other Atchison-style .22 rimfire conversion kit (sold separately) and magazine (CMMG or Black Dog). Solves the accuracy problems sometimes caused by firing rimfire ammo in the .224" bore of the centerfire barrel. Comes with a chamber adapter and pre-installed barrel extension with locator pin. Installs on a mil-spec upper receiver using a standard or free-float barrel nut. Requires removal of the conversion unit's .223/5.56-to-.22 LR chamber adapter, using caution to avoid "springing" the unit's rails, and replacement with the barrel's chamber adapter. Includes a stainless steel collar so you may convert your .22 LR conversion kit to a dedicated bolt group.

SPECS: 4140 chrome-moly steel, nitridge finish on barrel, Parkerized adapter, matte black. 9" OAL. .750" O.D. at position where gas port is normally located, 1-16" twist rifling, 1/2" x 28 tpi muzzle threads.

#100-014-828 AR-15.22 LR Barrel w/ Collar, 3B177L71. \$ 208.99

STERN DEFENSE AR-15 -

PISTOL MAGAZINE ADAPTER

into any mil-spec AR-15 lower receiver within seconds, and even

incorporates a last-round bolt hold open feature plus an easy to

reach mag release. Available for 9mm Glock®, S&W M&P/SIG 320

Mags and .45 ACP S&W M&P Mags (all generations).

#100-027-483 9mm Adapter for Glock® Mags,

Converts Standard Mil-Spec Lower

To Use Popular Pistol Mags

you can easily convert your AR-15 lower to run

on popular 9mm pistol magazines. Made of air-

craft grade aluminum, the adapter installs easily

9D00LKH.....\$ 179.99

With the Stern Defense Mag-AD9 Adapter,

#### CMMG AR-15 **BRAVO .22 LR CONVERSION KITS**



Use Economical .22 LR Ammo To Practice More & Hone Critical **Shooting Skills** 

Drop-in .22 LR conversion system comes fully assembled and ready to

install in any semi-auto AR-15 to help you practice critical shooting skills with economical rimfire ammunition. Helps you concentrate on improving grip, sight alignment, trigger pull, and other skills without burning up expensive centerfire ammo. Simply replace the rifle's bolt and carrier with the Bravo conversion unit, load up the included magazine, and you're ready to shoot. Precision machined from high-grade stainless steel for reliable function in any mil-spec AR-15 rifle or carbine chambered in 5.56mm NATO, including many gas piston systems. **Note:** CMMG recommends Federal 36 grain plated round-nose ammunition for best performance. Works best with round-style AR-15 hammers; notched hammers can cause function problems.

SPECS: Stainless steel bolt group, polished finish. Includes and a forward assist adapter, stainless steel jag/guide rod, anti-jam charging handle, brass bushing. Fits semi-auto AR-15 rifles chambered in 5.56mm NATO, including gas piston conversions where the piston enters the receiver no more

than 17/8". Designed	for high-velocity, round-nose 22 LR ammun	ition.
#100-010-627	Bravo .22 Conversion Kit w/1x 25-Rd	
•	Mag, 3B183K10	\$ 219.99
#100-022-952 🔘	Bravo .22 Conversion Kit w/3x 25-Rd	
_	Mags, 3B217A99	229.99
#100-039-979	Bravo .22 Conversion Kit w/1x 10-Rd	
	Mag, 3B195D99	244.99



#### CMMG AR-15 MK57.22 LR CONVERSION KIT


Converts Your 5.7x28 AR Conversion to .22 Rimfire for Plinking/Practice Fun

So you've installed a CMMG Mk57 upper receiver on your AR to convert it to shoot the super high velocity 5.7x28mm cartridge. But



they do for the regular 5.56/.233 AR-15.... Oh wait, they do - and it's right here. This drop-in conversion unit turns your CMMG 5.7x28mm upper receiver into a .22 LR in seconds! Just remove the existing CMMG bolt-carrier group from the 5.7x28 upper and replace it with this unit. Pair the upper with any mil-spec AR-15 or CMMG Mk4 lower receiver and use the included polymer magazines to safely shoot .22 LR. Get in more trigger time while saving money on ammo. This conversion kit is designed for use in all CMMG Mk57 5.7x28mm upper receiver groups and bolt/barrel combinations when paired with an AP-15 lower Pobust stainless steel construction

	Mk57 .22 LR Conversion Kit w/3x25-Rd
#100-061-305	Mags, 5L217Y99 \$ 229.95 Mk57 .22 LR Conversion Kit w/3x10-Rd
	Mags, 6P217B99 229.95



9D00MYP ...... 186.99

GUARANTEED. FOREVER.®

**SINCE 1939** 



#### **HAHN PRECISION AR-15** 9MM CONVERSION BLOCK

Reliable Feeding With A Host Of Ammo Types; Models For Every Shooting Application

One-piece, machined aluminum block converts AR-15 lower receiver to 9mm. Compatible with all Colt-type, 9mm upper receivers, the feed ramp is cut for reliable feeding with all types of ammo, including hollow point and frangible ball. Roller retention device holds block securely in receiver, prevents accidental release. Hardened steel ejector, feed ramp and

bolt hold open give long service life; last-round-hold open feature on bottom-loading model works when used with Colt magazines. Also works with modified UZI magazines but last-round-hold-open will not function. No receiver modification required. Top-Loading Block installs from the top of the lower receiver (no hold open feature) and **Bottom-Loading** Block installs from the bottom of the lower receiver. Also available as a kit that includes a Metalform 32-rd steel magazine for more shooting time between reloads.

SPECS: Body - Aluminum, black, matte finish, Feed Ramp, Bolt Catch & Eiector - Steel, Magazine - Steel, blued.

#100-000-920	Top-Loading 9mm Conversion Block, 6K152F14	178.99
#100-007-325	Top-Loading 9mm Conversion Kit, w/32-Rd. Mag., 8K186C99	219.99
#100-000-443	Bottom-Loading 9mm Conversion Block, 6K175E09	
#100-007-324	Bottom-Loading 9mm Conversion Kit,	
	w/32-Rd. Mag., 8K199J74	234.99

DEDICATED 9mm CONVERSION BLOCK - Designed, manufactured, and field-tested specifically for law enforcement personnel who require an AR-15/M16 dedicated to 9mm ammo using Colt and modified Uzi-type magazines. Integral "leg" hooks over the top of the lower receiver to prevent accidental fall-out during actual combat situa-

tions where reliability is paramount. Hold actuator is wire EDMmachined from high grade, 01 tool steel and functions with the standard 5.56mm bolt hold-open, which is strong, reliable and more readily available than the 9mm version. (Last round holdopen feature functions with Colt magazines only.) Ejector is of standard, Colt configuration for easy replacement by any department armorer. Funneled magazine well ensures smooth entry for rapid mag changes and limits rotational movement caused by variances in magazine taper. Spring-loaded roller maintains constant tension against the lower receiver well to prevent free play. Steel feed ramp provides consistent round delivery with most bullet types. Armorer installation recommended.

SPECS: Body - 6061-T6 billet aluminum, mil-spec black anodized finish. Components - Steel, parkerized finish. Fits all Mil-Spec AR-15/M16 receivers.

#100-002-321 Dedicated 9mm Conv. Block, 6K213P59.. \$ 266.99



#### **AERO PRECISION AR-15/M16** M16-TYPE BOLT/CARRIER **GROUP**



Correct Assembly for

Full-Auto/Burst Fire Rifles - Extra Strength for Semi-Auto Rifles


Whether you're looking to finalize your latest AR build or have a spare on-hand to keep your current AR-15 running, having a robust M16 bolt/carrier group is a must, and Aero's high-quality BCG offers an excellent combination of durability at an affordable price. The carrier is machined from 8620 steel, and the bolt is machined from either 9310 steel or Carpenter 158 (C158) tool steel (your choice see listing below). Before leaving the factory, each assembly is shot-peened and magnetic-particle inspected for quality. The gas key is properly torqued and staked. All models have forward assist serrations because.... sometimes we can all benefit from a little assistance. Choose traditional black Phosphate finish. Black Nitride finish that provides a low-friction surface that aids in operation, or ultra-slick **Nickel Boron** that resists fouling buildup.

NEW 100-054-336	5.56/.223 Bolt/Carrier w/C158 Bolt + Blk Phosphate, 6B34G50	\$ 144.99
#100-036-669	M16 5.56/.223 BCG w/C158 Bolt + Blk Nitride, 3E00AMP	149.99
NEW 100-054-337	<b>5.56/.223 BCG w/9310 Bolt + Nickel Boron,</b> <i>6B34G50</i>	184.99
NEW 100-054-338	6.5 Grendel/6mm ARC Bolt/Carrier w/9310 Bolt + Blk Nitride, 3N154U99.	154.99
NEW 100-054-339	6.8mm SPC/.224 Valkyrie Bolt/Carrier w/9310 Bolt + Blk Nitride, 5P154B99	154.99

#### **AERO PRECISION AR-308 BOLT/CARRIER GROUP**

Beefed Up in the Right Places for .308





generation LR-308 uppers. Black Parkerized finish. #100-019-270 AR-308 Bolt/Carrier Group, 3E00MVP.....\$ 214.99



#### SPIKE'S TACTICAL AR-15/M16 HAVOC" 37MM FLARE LAUNCHER



Adds Another Tactical/Training Capability To Your AR

Breech-loading 37mm flare launcher clamps securely to the bottom rail of any 7" or longer Picatinny handguard. Lets you use 53/4" U.S. Coast Guard approved flare, smoke, or gas rounds for field operations or training. A single push of the button quickly opens the launcher to remove a spent round and insert a fresh cartridge, STZ pushbutton cylindrical breech lock is far stronger than lever locks

typically used on this type of launcher. 9" Launcher has pivoting tube that swings to the side for loading. 12" Launcher tube slides forward for rear feed. Mounting hardware and instructions included. Kaos Stock System lets you turn rail-mounted Havoc into a stand-alone launcher. Features a standard M4 stock, A2 pistol grip, Picatinny top rail, buffer tube, latch plate and castle nut. Fits 12" launcher only. SPECS: 6061 T6 aluminum, hardcoat anodized, and 1018 cold-rolled steel, oxide coated, black. 9" Launcher - 91/16" (23cm) OAL, 51/2" (14cm) tube length. 2 lb., 5 oz. (1kg) wt. 12" Launcher - 125/8" (32cm) OAL, 9" (22.8cm) tube length. 2 lb., 14 oz. (1.4kg) wt.

#100-007-033	Havoc 9" Launcher, 3B392L39	435.9
#100-007-034	Havoc 12" Launcher, 3B334H79	371.9
#100-007-474	Kaos Stock System for 9" Launcher, 3B228Q59	253.9
#100-011-261	Kaos Stock System For 12" Launcher, 3B220E49	244.9

**BROWNELLS. PAGE 16** 

Office/Tech: 641-623-5401

BOLTS &

CARRIERS

#### BRAVO COMPANY AR-15/M16 M16 BOLT/CARRIER GROUP

Configured to Trip Auto-Sear in Full-Auto Guns - Works Just as Well in Semi-Autos



Bravo Company's BCG is machined to USGI specifications with an M16/M4 carrier that can be used on full-auto rifles. Of course, the heat-treat hardened, chrome-lined gas key is secured with Grade 8 screws and "properly" staked. Likewise, the bolt assembly is machined from the correct mil-spec Carpenter 158 steel alloy and shotpeened for enhanced strength, then fitted with a tool steel extractor and ejector, BCM extractor spring. During manufacture, these BCGs are high-pressure tested and magnetic particle inspected (MPI) to weed out flawed units before they leave the factory. Prior to shipping, all are test fired for function, so they will show handling marks consistent with these QC procedures. Available with Black Parkerized carrier or Flat Dark Earth (FDE) carrier finished with an IonBond coating that lowers friction and resists fouling build-up, so requires less frequent cleaning and is easier to clean when you do

tess frequent eleaning and is easier to elean when you do.		_
#100-020-758	M16 Bolt/Carrier Group, Black,	
	1E00CVI	\$ 189.99
#100-020-760	M16 Bolt/Carrier Group, FDE,	
	1E00QJB	199.99

A Robust, Reliable BCG Available With Black Nitride Finish OR Chrome-Plated

> Whether you're looking to finish off a new AR-15 build or you need a spare bolt/carrier group to have on-hand as a ready replacement, our ready-to-roll BCG is built to provide dependable operation in any semi-auto AR-15 chambered in 5.56 NATO, .223 Remington or 300 Blackout.



The carrier lacks the extended shroud on the underside that would trip the auto sear on a select-fire rifle. If you're building a semi-auto gun, the shroud serves no real purpose. The bolt is machined from 9310 tool steel, which is heat-treated and shot-peened. The carrier itself is machined from 8620 hardened steel. Both of these components, as well as every other part in the bolt-carrier group, are finished in a nitride coating. Each bolt is magnetic-particle inspected to detect flaws that could lead to premature failure before it ever leaves the factory and finds its way into your rifle. The gas key on the carrier is, of course, "properly" torqued-and-staked. Available with tough Black Nitride finish or Chrome-Plated. Chromed model available without forward assist serrations for match rifles that aren't equipped with the FA

BROWNELLS AR-15

SEMI-AUTO BOLT/CARRIER GROUPS

equipped with	HEIA.	
#078-000-563	AR-15 Semi-Auto BCG, Black Nitride, 6H143I99.	\$ 159.99
#078-000-561	AR-15 Semi-Auto BCG, Chromed, 6H125Q59	139.99
#078-000-562	<b>AR-15 Semi-Auto BCG,</b> Chromed/NO Serrations, <i>6H125A59</i>	149.99

#### **BROWNELLS** AR-15 "OTHER CALIBER" BOLT/CARRIER **GROUPS** Correct-Fitting,

Complete BCG for Rifles Chambered in Non-Traditional AR Cartridges



Our M16-pattern bolt/carrier groups for AR-15s chambered in "non-traditional" cartridges are built to the same rigorous criteria as our standard AR-15 BCGs. The offer premium performance in any AR-15-style rifle, ensuring reliable and durable service. The Brownells M16 6.8 SPC Bolt Carrier Group features construction using both 8620 and 9310 steel. The bolt face is constructed using the harder 9310 steel, which then undergoes heat treatment and shot peening. The carrier itself is machined from hardened 8620 steel. Quality assured with magnetic particle inspection. Rubber insert and spring included in extractor construction. Matte-black nitride finish provides reduced friction and increased rust-resistance. Properly torqued and staked gas-key screws. 6.8 SPC bolt/carrier group also comes complete with a firing pin, cam pin and firing-pin retaining pin. Brownells M16 .458 SOCOM Bolt Carrier Group provides users with a complete assembly, also including a firing pin, cam pin and a firing pin retaining pin.

#078-102-006	8G101H99	\$ 119.99
#078-102-008	<b>6.8mm SPC/224 Valkyrie Bolt/Carrier Group</b> , <i>8G109N99</i>	113.99
#078-102-005	<b>7.62x39 Bolt/Carrier Group,</b> 8G99Q99	113.99
#078-102-007	.458 SOCOM Bolt/Carrier Group, 8G99G44	116.99

**BROWNELLS** AR-STYLE 308

**BOLT/CARRIER GROUPS** 

Our .308 BCG is designed to operate reliably in DPMS LR-308

pattern rifles chambered in .308, .243, 7mm-08, .338 Federal, .260

. Remington, 6.5mm Creedmoor, or any other cartridge based on

the .308 Winchester. These BCGs are manufactured to the same

uncompromising standards as our M16-style BCGs. Our Complete

.308 Bolt Carrier Group has a bolt machined from robust 9310 steel,

heat-treated and shot-peened for superb hardness. The carrier itself

is fabricated from hardened 8620 steel. Both are magnetic particle

inspected (MPI) to make sure there are no hidden microscopic

flaws that could lead to premature failure. Carrier has forward assist

notches. Extractor is installed with rubber insert and spring. Gas key

screws are torqued and staked. For use in DPMS LR-308 pattern

upper receivers only; NOT compatible with Armalite rifles. Avail-

able with a hard Black Nitride finish that is exceptionally resistant

to surface wear OR a Nickel Boron finish (a dull matte silver) that's

even harder and self-lubricating to boot. Both come complete with firing pin, firing pin retaining pin, cam pin, gas rings, gas key, extrac-

tor, and ejector installed. Unlike BCGs with a traditional Parkerized

finish, the carrier on our Black Nitride bolt carrier group is not hard-

chromed inside because Nitride is actually harder than industrial

SPECS: Fits DPMS LR-308 pattern rifles, including chamberings in .243,

.260 Remington, 6.5 Creedmore, 7mm-08, and 338 Federal. Bolt- Vac-

Arc 9310 steel. Carrier - 8620 steel. Extractor - S7 tool steel. Gas Key - 4140

Boron, 8G215G99.....

**Built For Strength.** 

Durability & Reliability In

Your DPMS-Pattern Rifle

Pistol-Caliber Carbine

#### BROWNELLS AR-15 9MM BOLT/CARRIER GROUP

A Purpose-Made **Bolt for Your** 



Our 9mm AR-15 bolt/carrier "group" is specifically designed for use in pistol-caliber carbines, which are a growing trend in the AR-15 world. This bolt-carrier group allows AR builders to custommake their own 9mm AR. Constructed entirely from a single piece of steel billet and features a pinned weight that can be taken out for compatibility with different buffer systems. Compatible with both Glock and Colt magazines. Features complete nitride treatment for reduced friction. The Brownells 9mm AR-15 Bolt Carrier Group also features a captured firing pin in order to prevent the possibility of

starrings.	
	9mm Bolt/Carrier Group for Colt, 1D134C29 \$ 157.99
	9mm Bolt/Carrier Group for Glock®,
	8G104J20

### CMMG AR-15



magazine ==

#100-037-927 (a) AR-15 .22 I	R Bolt Carrier/Barrel
Assembly.	3B269K44\$ <b>316.99</b>

### .22 LR BOLT/CARRIER/BARREL ASSEMBLY



#### Easily Convert an Existing AR-15 PISTOL to .22 Rimfire

CMMG's barrel and bolt carrier group provides everything you need to convert your AR-15 pistol into a dedicated .22 LR rimfire training platform. The 4.5" barrel is machined from 4140 chromemoly steel, complete with a salt-bath nitride finish and a mediumtaper profile. The 1-16" rifling is compatible with a wide range of .22 LR bullets on the market, but the system runs best with 36-grain round-nose bullets. Features a .22 LR sporting chamber and a 1/2"-28 tpi threaded muzzle for the muzzle device of your choice. CMMG recommends using a round-style hammer in place of a notched hammer to ensure maximum reliability. The only other piece of the kit needed for a fully functioning system is a dedicated .22 LR

#### CMMG AR-STYLE.308 MK3 BOLT/CARRIER GROUP

**Heavy Duty** Construction Stands Up To Hard Use



Complete bolt/carrier group is ready to drop into your AR-style .308 rifle and run hard. Machined of 8620 steel, carrier has a durable phosphate finish and chrome lined interior. Carrier does not have serrations for a forward assist. Bolt is machined from 9310 hardened steel with an extractor of hardened S7 tool steel and a phosphate finish. Gas key has been torqued to spec and properly staked. Firing pin is machined from stainless steel. Group also includes cam pin and firing pin retaining pin.

SPECS: Carrier - 8620 steel, chrome lined, phosphate finish, matte black. Bolt - 9310 steel, phosphate finish. Extractor - S7 tool steel, phosphate finish. Firing Pin - Stainless steel.

AR-308 Bolt/Carrier Group,	
3B256L49	\$ 269.9

### **BROWNELLS** AR-15/M16 M16 BOLT/CARRIER GROUP



Complete, HPT/MPI Inspected BCG That Won't Leave You High & Dry

Fully-assembled bolt-and-carrier group drops into an M16 or AR-15 and gives superb reliability. After machining, bolt is shot peened and heat-treated for extra strength and hardness. Every bolt is high-pressure tested (HPT) with a proof load, then magnetic particle inspected to detect internal flaws that could lead to premature failure. Bolt carrier body is machined from 8620 hardened steel and is chrome lined for high resistance to wear and heat. Has the extended shroud to trip auto sear on full-auto rifles; works fine in semi-auto rifles, too. Installed extractor includes black rubber insert with spring. Gas key is also chrome-lined, with screws correctly torqued and staked. The Brownells BCG is available with a traditional military-type **Parkerized** finish that stands up to surface erosion and helps extend service life, or a self-lubricating Nitride finish that offers greater wear resistance and easier cleaning.

SPECS: Bolt - Carpenter 158 alloy steel. Carrier - 8620 steel. Available with mil-spec Parkerized finish or extra-hard matte black Nitride finish. Includes firing pin cam pin and firing pin retaining pin

miciaaco ming pi	ri, carri piri, arra mirig piri retairing piri.	
#078-000-250	M16 Bolt/Carrier Group, Parkerized,	
	8G133C78	. \$ 149.99
#078-102-001	M16 Bolt/Carrier Group, Nitride,	
	8G100N92	119.99
#078-102-002	M16 Bolt/Carrier Group, Nickel Boron,	
	8G113F12	. 129.99
#078-102-003	M16 Bolt ONLY, Nitride, 6H44D19	51.99
# 07 0 101 003	MILO DOR OTTEI, Miliac, OTT 1015	

#### **BROWNELLS** AR-15LIGHTWEIGHT TITANIUM BOLT/CARRIER GROUP



Lighten Your BCG, Lessen Your Rifle's Felt Recoil

This upgraded bolt/carrier group fits any 5.56 NATO-chambered AR-15 with a mil-spec upper receiver to provide an immediate performance improvement. The carrier is made of exceptionally lightweight yet strong 6A1-4V Titanium alloy, which reduces the overall reciprocating mass of the BCG for less felt recoil and easier, faster follow-up shots. A further benefit is a reduction in the overall weight of your rifle or carbine - why carry around an ounce more than you need to? The bolt is machined from sturdy, heat-treat hardened 9310 tool steel to resist blast erosion and provide solid lockup. Each BCG is given a super-tough black DLC (Diamond-Like Carbon) finish, and ships completely assembled, including extractor O-rings and torquedand-staked gas key. For use in semi-auto AR-15s only; will not work in full-auto capable rifles.

#078-000-493 Titanium Bolt/Carrier Group, 



#### Stock numbers shown in red indicate the product is made in the U.S.A.

This information is not available for all products at time of catalog production, but will be regularly updated on our website.

order on the web

brownells.com

chrome plating.

carbone steel. Cam Pin - 4340 carbon steel.

#078-102-004 AR-308 Bolt/Carrier Group, Nitride,

#078-000-392 AR-308 Bolt/Carrier Group, Nickel-

**BROWNELLS** PAGE 17

Orders: 800-741-0015

#### CMMG AR-15/M16 5.56/.223 BOLT

JUST the Bolt, Ready To Drop Into Your Rifle OR the Stripped Bolt Body for (Very) Custom Builds

> Oh no! A lug (or two) broke off your rifle's bolt! That does happen sometimes, and if it's happened to

you in the past, you probably want to be prepared by having a spare bolt on hand, like this one from CMMG. This is a basic 5.56/.223 AR-15 bolt that you can get as a complete **Bolt Assembly** with extractor, ejector, and gas rings installed and ready to drop into your rifle's carrier, or just the Bare Bolt body alone. These bolts have a traditional black phosphate finish and come with no stamping or identifying markings at all.

#100-044-648	Complete AR-15 Bolt Assembly,	
	2H75V99	79.95
#100-044-592	Bare AR-15 Bolt, 8S52D99	56.73

#### COLT AR-15/M16 **BOLT/CARRIER GROUP**

#### **Precision Engineered For Years** Of Dependable Service

Complete, mil-spec bolt-

and-carrier group comes fully assembled and ready to drop into your carbine or rifle. Each component is precision machined then high pressure tested and magnetic particle inspected to meet strict quality control. Carrier has full-length shroud to trip the auto sear on full auto/burst rifles. The black Parkerized finish provides extra strength and corrosion resistance. Gas key is properly staked to prevent gas leakage that can lead to short stroking. Chrome lined carrier and gas key help resist wear from hot combustion gases and ensure smooth cycling.

SPECS: Steel, matte black Parkerized finish.

#160-000-390 M16 Bolt/Carrier Group, 6A215C64... \$ 226.99



#### DANIEL DEFENSE AR-15/M16 COMPLETE BOLT/CARRIER GROUP



**Drop-In Assembly With** Strength & Durability Features For Dependable Service

Complete, mil-spec, 5,56/,223 assembly with bolt, bolt carrier, and firing pin is ready to drop into the rifle or carbine upper of your choice. Features a shot-peened bolt for increased surface strength and durability, and an extractor booster to ensure reliable cycling during rapid fire. Each assembly is magnetic particle inspection tested to ensure it's free from imperfections that can lead to premature failures. Carrier is chrome lined for smooth cycling and resistance to wear from hot combustion gases for years of dependable service. Properly staked gas key prevents gas leakage that can lead to short stroking. M16-style carrier with full-length shroud for tripping auto sear, so the it may be installed in full-auto law enforcement and

SPECS: Steel, matte black Parkerized finish, Fits mil-spec AR-15/M16 upper receiver chambered for .223/5.56mm. May be installed in semi- or

#100-004-634 223/5.56 Bolt/Carrier Group, Parkerized, 8K00QNQ ..... \$ 186.99

#### **FAXON FIREARMS M16-TYPE BOLT/CARRIER GROUP**



Premium-Quality M16-Type BCG With Choice of **High-Tech Finish** 

Just because a bolt/carrier group meets standard "mil-

spec" dimensions doesn't mean it's a low-rent component made by the lowest bidder. Faxon machines the bolt from high-grade 9310 tool steel that is STRONGER than the standard Carpenter 158 alloy used on AR-15 bolts. The backs of the lugs are chamfered to aid in smooth, reliable lockup. Of course, the extractor is made of \$7 tool steel, while the carrier is machined from 8620 carbon steel with a torqued-and-staked gas key of 4140 steel. The carrier has an M16-type full-length shroud on the underside to correctly trip the auto sear of full-auto rifles - works just as reliably in semi-auto ARs. Comes with forward assist serrations, and a Crane O-ring is standard equipment (installed). Bolt has a tough QPQ salt bath nitride finish that resists corrosion and provides a natural slickness that resists wear and requires less gas pressure to operate. Carrier available with black QPQ, even more wear-resistant gold Titanium Nitride (TiN), or exceptionally hard, wear- and heat-resistant multi-color

Chameteon FV	Dililisti.	
#100-030-944	<b>5.56/.223 M16 Bolt/Carrier,</b> Black QPQ, 1D00CFC	144.99
#100-030-945	<b>5.56/.223 M16 Bolt/Carrier,</b> TiN, 1D00GUA	189.99
#100-030-946	<b>5.56/.223 M16 Bolt/Carrier,</b> Chameleon PVD, <i>1D00KHG</i>	189.99
#100-030-949	<b>6.5 Grendel M16 Bolt/Carrier,</b> Black QPQ, <i>1D00NPL</i>	160.99



#### **FAXON FIREARMS AR-15/M16 GUNNER LIGHTWEIGHT BOLT/ CARRIER GROUP**

Fast-Cycling, Reliable & Smooth; Unique Looks, Too

Faxon set out to create a lightweight NATO/.]300 Blackout BCG with no compromises in strength or reliable function. The M16type carrier (full-auto



compatible) is machined from 8620 carbon steel, leaving out every last milligram of unnecessary metal to reduce weight without sacrificing structural integrity. The bolt is made from 9310 tool steel and fully MPI checked to ensure it is sound and without hidden defects. Bolt lugs are chamfered 45° to ensure reliable operation even with max-pressure handloads. Don't worry - the 4140 steel carrier key is securely staked and has Permatex on the screw threads. Extractor is machined from S7 tool steel. Bolt has a tough QPQ salt bath nitride finish that resists corrosion and provides a natural slickness that resists wear and requires less gas pressure to operate. Carrier available with black QPQ, even more wear-resistant gold Titanium Nitride (TiN), or exceptionally hard, wear- and heat-resistant multicolor Chameleon PVD finish.

#100-022-838	Lightweight 5.56 Bolt/Carrier Group,	
	Black QPQ, 1D242Q24	\$ 254.99
#100-030-947	Lightweight 5.56 Bolt/Carrier Group,	
	TiN, 1D00KWR	284.99
#100-030-948	Lightweight 5.56 Bolt/Carrier Group,	
	Chameleon PVD, 1D00HYD	284.99

#### DANIEL DEFENSE AR-15/M16 COMPLETE BOLT ASSEMBLY



Manufactured To Rigorous Quality Control Standards: Available In 5.56mm Or 6.8mm SPC

Steel bolt is shot-peened for extra surface hardness, then magnetic particle inspected (MPI) for cracks and flaws to ensure reliability and long service life. Comes completely assembled, with gas rings, extractor, and ejector installed.

SPECS: 4340 steel, phosphate coated, matte black. Fits rifles chambered for 5.56 NATO or .223 Rem, or other cartridges that have the same size

#100-009-950 5.56mm Bolt Assembly, 8KO0EJE...... \$ 68.99

#### **FAXON FIREARMS AR-15** 9MM FULL-MASS BOLT/CARRIER **ASSEMBLY**

**Engineered for Superb** Reliability & Long Service Life in Pistol-Caliber ARs



This entire bolt/carrier group is machined from a single billet of mil-spec 8620 carbon steel. Even the integral gas "key" is machined as part of the carrier - no fasteners to worry about working loose. Faxon designed this 9mm BCG to be compatible with lower receivers that use BOTH Colt-style stick mags and Glock® pistol mags. It also has the correct shroud length to trip the auto sear on full-auto ARs, which has no impact on function of semi-autos, except to add a little extra strength. Fully heat-treated for hardness and wear-resistance, and QPQ salt-bath Nitride coated for lubricity and corrosion resistance. Easy-to-remove, pinned-on weight can be removed for compatibility with all buffer systems. To avoid slam-fires, the firing pin is captured with a dedicated pin and spring. Extractor is contoured for consistent purchase on the case rim for reliable extraction.

#100-026-111	9mm AR-15 Bolt/Carrier Assembly, BLK, 1D00KDP	\$ 160.99
#100-033-768	9mm AR-15 Bolt/Carrier Assembly, FDE, 1D00NES	189.99

#### GEISSELE AUTOMATICS AR-15/M16 BOLT/CARRIER GROUP RELIABILITY **ENHANCEMENT KITS**



An Integrated Solution To Improving the Consistency & Reliability of the AR Platform

The Reliability Enhancement Kit includes the Geissele Reliability

Enhanced Bolt/Carrier Group (REBCG) and the Geissele Super 42 Braided Wire Buffer Spring & Buffer in your choice of H1, H2 or H3 configuration for 5.56mm AR-15 pattern rifles. The REK is the culmination of a many years of extensive testing and fine tuning to produce the most reliable operating system upgrade you can make to your AR-15. The REBCG is a 5.56mm full-mass, full-auto rated M16/M4 bolt/carrier group. The carrier is machined from mil-spec 8620 steel, and features a properly torqued and staked, chrome lined, gas key. The cam pin is machined from an advanced medical steel typically used to produce medical instrumentation known as H13, it is then coated with Nanoweapon (Chrome-Nitride) for maximum corrosion and wear resistance. The extended upper rails on the carrier also provide much greater stability and dramatically increase feeding reliability. The Carrier is coated with Nanoweapon for maximum corrosion and wear resistance. The Geissele Stressproof Bolt is made from Carpenter 158, however this is not your typical material spec'd by the US Government. Since Geissele wanted to take it to the next level, their engineers worked directly with the Carpenter Steel metallurgists in Reading PA, to produce a special heat of material known as Carpenter 158+. This material is cleaner with less impurities, ultimately making it stronger and more consistent. We did not stop there, we decided to forge the bolt. Using the same process used to produce upper and lower receivers, a forged bolt manipulates the grain structure of the metal and yields a bolt capable of 5 times the life of a mil-spec bolt. Each bolt is then rigorously inspected, high pressure tested, mag particle inspected and coated with Nanoweapon for maximum corrosion and wear resistance. Nanoweapon is a family of coatings similar to DSL (Durable Solid Lubricant) that was developed by Picatinny Arsenal (US ARMY ARDEC), and is only available exclusively from Geissele

#### **FM PRODUCTS AR-15** PISTOL CALIBER BOLT/CARRIER **ASSEMBLIES**



Aids in Smooth, Reliable Cycling of Your AR-15 Pistol

Foxtrot Mike Products bolt/carrier assemblies fit blowbackoperated AR-style pistols and carbines. They will work with both semi-auto and full-auto-capable ARs. The carrier is "ramped" to accommodate both standard GI-type and dedicated pistol-caliber hammers. Machined from a single piece of premium 8620H steel alloy, then finished with a deep-penetration salt bath nitride that gives both lubricity and wear-resistance. One-piece construction delivers superb reliability in blowback-operated ARs. Even has forward assist serrations. Comes complete, with firing pin and extractor installed, and ready to go into your pistol caliber carbine build. Separate models for rifles that use Glock® pistol or Colt SMG magazines.

100-024-845	FM-9 9mm Bolt/Carrier, Glock® Mag,	
	6D00PIE\$ 99.99	
100-027-615	FM-9 9mm Bolt/Carrier, Colt SMG Mags,	
	6D00HBL 99.99	
100-035-377	FM-45 .45 ACP Bolt/Carrier, Colt SMG	
	Mag, 6D96B89	

#### JP ENTERPRISES AR-15 STAINLESS STEEL BOLT CARRIER

#100-039-951 BCG Reliability Kit H1, 7B308K99..... \$ 325.00

#100-039-952 BCG Reliability Kit H2. 7B324N99 ..... 342.00

#100-039-953 BCG Reliability Kit H3, 7B340L99..... 359.00

#100-039-954 BCG Reliability Bolt/Carrier Group,

Burnished & Hand Polished For Smooth, Reliable Operation



carrier features a 100% increase in bearing surface for smooth cycling and outstanding reliability. Includes forward assist serration and dust cover notch for tactical duty or any application requiring absolute "no-fail" operation. Expanded, exterior, bearing surfaces are hand polished and ensure precise alignment in upper receiver for less wear. Non-plated carrier bore is roller burnished for lowdrag movement. Rear of carrier is designed in the AR-15, semi-auto configuration with longer, mil-spec cocking pad in the front. Fivestep QPQ process produces an exceptionally hard, wear-resistant high-lubricity black finish. Comes with steel gas key installed. SPECS: 416 stainless steel, polished, black QPQ finish. Includes steel key. 9 oz. (255a).

#452-000-022 JPBC-2 Stainless Steel Bolt Carrier, 2E204H24.....\$ 214.99

#### JP ENTERPRISES AR-15 STAINLESS BOLT/CARRIER SETS

High-Performance, **B/C Groups In Choice** Of Full- Or Low-Mass Configuration

Precision-machined. stainless bolt-and-carrier group features JP's enhanced bolt made of high-grade 9310 steel for a significantly longer life expectancy than standard mil-spec bolts. Set is available with choice of



a JPBC-3A Low Mass carrier that reduces felt recoil and increases bolt speed slightly for enhanced rapid fire handling, or with a standard JPBC-2A Full Mass carrier that replicates the normal carrier weight and is preferred for duty rifles or any time absolute reliability is required. Standard weight carrier features a 100% increase in bearing surface for smoother cycling and reduced wear on the inside of the receiver. Both carriers feature JP's super-hard QPQ finish for maximum wear resistance and minimal friction. JPBC-3SPA Low Mass carrier has a bright, polished, natural silver finish.

SPECS: Bolt - 9310 steel, in the white. Fits 5.56mm/.223, 300 AAC Blackout, and other .223-based cartridges. Carrier - 416 stainless, natural polished silver or black QPQ coated. Extractor firing pin, cam pin, and firing

piri retairier irictude	U.	
#452-000-130	JPBC-2A Full-Mass Bolt & Carrier, 2E323G99	\$ 359.99
#452-000-131	JPBC-3A Low-Mass Bolt & Carrier, 2E325J84	342.99
#452-000-158	JPBC-3SPA Polished Low Mass Bolt & Carrier, 2E319B19	335.99
MEW 452-000-250 (	<b>Full-Mass AR-308 BCG,</b> QPQ, 2E402D79	423.99
₩¥452-000-251 🍅	<b>Full-Mass AR-308 BCG,</b> Enhanced, 2E425P59	447.99

FULL MASS 6.5 GRENDEL B/C SET - Brings the same superb fit, function, and reliability of JP's 5.56 bolt/carrier sets to AR-15s chambered for the versatile 6.5 Grendel cartridge.

#452-000-173 JPBC-2A-6.5G Full-Mass 6.5 Grendel B&C, 2E323199 ..... \$ 359.99

#### JP ENTERPRISES AR-15 9MM BOLT/CARRIER GROUP FOR **SHORT-STROKE CARBINES**



Extra Weight To **Dramatically Reduce Bolt** Bounce in Your PCC

Machined to the same exacting tolerances as JP's bolt carriers. this third generation 9mm bolt assembly eliminates the need for a central mass (slug) to readily function with their 9mm JP Silent Captured Spring without compromising bolt weight and reliability. In fact, when combined with the dedicated 9mm JPSCS, you have the heaviest, most reliable 9mm operating system for a dramatic reduction in bolt bounce and improved accuracy. This bolt assembly is heavier than the Rock River Arms 9mm bolt with its central mass removed. When used in conjunction with the Silent Captured Spring, the complete JP 9mm operating system is slightly heavier than the complete RRA bolt and buffer, some of the bolt mass having been transferred to the SCS in JP's system. New to this revision is compatibility with JP's line of short-stroke Silent Captured Springs. This bolt assembly will provide reliable last-round lockback with any compatible receiver such as their GMR-15™.

#452-000-262	9mm Carbine Short Stroke BCG,
_	2E234N64\$ 246.99

#### JP ENTERPRISES AR-STYLE .308 JPBC-4 LOW-MASS **BOLT/CARRIER ASSEMBLY**

Helps Reduce Felt Recoil On Large-Caliber AR Platform Rifles



Reduced-weight bolt/carrier assembly helps tame felt recoil on an Ar-



maLite®, DPMS, or Remington AR-style .308 rifle. Carrier features the same type of weight-reducing cuts found on the original JPBC-3 AR-15 bolt carrier to give the same benefits your .308. Wide carrier rails have extra bearing surface to improve bolt alignment and reduce wear. Forward assist serrations have been omitted for competition use and further weight reduction. Comes with a complete JP EnhancedBolt™ (also available separately), designed to stand up to high-heat, highimpact use. Carrier key is already installed and staked.

SPECS: Carrier - 416 stainless steel, with bright polished finish or black QPQ finish. Bolt – 9310 nickel-chromium-molybdenum steel. Fits DPMS LR-308 and Remington R-25 rifles. May also be used in ArmaLite® AR-10® or Rock River Arms rifles ONLY as a complete assembly.

#452-000-128	JPBC-4BA Low-Mass Bolt/Carrier, QPQ, 2E411B34	\$ 432.99
#452-000-249	JPBC-4AHP Enhanced Low-Mass BCG, Polished, 2E425G59	447.99
#452-000-172	JPBC-4 Low Mass Carrier Only, QPQ, 2E235E44	276.99

#### JP ENTERPRISES AR-15/AR-STYLE .308 LOW-MASS BOLT CARRIER



Reduces Reciprocating Mass To Soften Recoil

Lightweight, stainless steel bolt carrier has significantly lower reciprocating mass than a standard carrier for softer recoil impulse on

competition rifles. Helps limit felt recoil to get you back on target for fast follow-up shots. Lightening cuts reduce weight without sacrificing strength, and the forward assist serrations have been omitted for competition use. Extra-wide carrier rails have extra bearing surface to improve bolt alignment and reduce wear. Comes with carrier key installed and staked, and features a dust cover notch. JPBC-3 is available with bright polished finish or black QPQ finish, a five-step process that produces an exceptionally hard, wear-resistant surface with natural lubricity. JPBC-4SP comes in bright polished. For best performance and to minimize impact wear, use JPBC-3 styles only in rifles with JP Low-Mass Recoil Buffer, Speed Hammer, and Reduced-Power Spring Kit, all available separately.

SPECS: 416 stainless steel. JPBC-3 - Black QPQ or bright polished (SP) finish. Fits AR-15. JPBC-4SP - Bright polished finish. Fits JP LRP-07 and DPMS LR-308 platforms and requires JP or DPMS subcomponents only, including firing pin, cam pin, firing pin retainer, bolt assembly. Both styles are recommended for competition rifles only.

#452-000-039	JPBC-3 Black Low-Mass Bolt Carrier,	
	2E204D24	\$ 214.99
#452-000-156	JPBC-3SP Low-Mass Bolt Carrier,	
	2E208P99	219.99
#452-000-157	JPBC-4SP Low-Mass .308 Bolt Carrier,	
	2E244D14	256.99

#### JP ENTERPRISES AR-15/M16/AR-STYLE .308 ENHANCEDBOLT™ BOLT ASSEMBLY

Designed For Extra-Long Service Life



Complete bolt assembly is precision machined from an ultra-strong steel alloy to last up to 10 times longer than a standard carbon steel bolt, minimizing the risk of bolt failure during a critical engagement. SAE 9310 steel has a tough, ductile inner core highly resistant to stress fracturing, with a hard outer surface that resists galling and wear, to ensure a service life of up to 60,000 rounds. This is the same steel used in the transmission gears of Formula 1 race cars, so it's ideal for high-impact, high-heat applications like sustained full-auto fire. Meticulously machined radiuses on all 90-degree corners on the locking lugs help distribute impact force evenly and further reduce risk of premature wear and cracking. Fully supported extractor face and precise extractor engagement further ensure smooth, reliable cycling. JPBC Bolt Completion Group adds to the EnhandeBolt a firing pin, cam pin, and firing pin retaining pin. High Pressure (HP) .308 JPBC has a reduced-diameter firing pin hole and a matched .062" low-mass firing pin to help eliminate primer flow and risk of pierced primers, allowing a broader choice of SAAMI/NATO spec ammunition. Does not allow use of "overloaded" ammunition that produces pressure exceeding SAAMI specifications.

SPECS: SAE 9310 nickel-chromium-molybdenum steel, hard Nickel-Boron (.223 & 6.5 models) or black Magnesium Phosphate (.308 models) finish. Fully assembled with extractor, gas rings, ejector, pins, and springs installed. .223 fits AR-15/M16 and clones. Fully compatible with any milspec bolt carrier. 6.5 Grendel fits rifles with a mil-spec bolt carrier and 6.5 Grendel sub-components. .308 fits JP LRP-07 and DPMS LR-308 rifles onlv. 9mm fits 9mm-chambered rifles with standard .223 hammer; do not use a dedicated 9mm hammer

.223 EnhancedBolt, 2E113A04	\$ 118.99
.223/5.56 Bolt Completion Group, 2E126C89	140.99
<b>6.5 Grendel EnhancedBolt,</b> 2E126N34	132.99
6.5 Grendel JPBC Bolt Completion Group, 2E136A79	151.99
.308 EnhancedBolt, 2E141N94	166.99
.308 JPBC Bolt Completion Group, 2E181E89	213.99
.308 JPBC HP Bolt Completion Group, 2E197J09.	218.99
9mm EnhancedBolt, 2E230H84	242.99
	.223/5.56 Bolt Completion Group, 2E126C89 6.5 Grendel EnhancedBolt, 2E126N34 6.5 Grendel JPBC Bolt Completion Group, 2E136A79 .308 EnhancedBolt, 2E141N94 .308 JPBC Bolt Completion Group, 2E181E89 .308 JPBC HP Bolt Completion Group, 2E197J09

#### JP ENTERPRISES AR-15/M16/AR-STYLE.308 **ENHANCED GAS RINGS**



Fights Carbon Fouling & Helps Maintain Reliability

JP's one-piece gas ring combines a superb gas seal with a very low-friction relationship between rings and bolt carrier. Decreased resistance between rings and carrier results in a direct increase in the rifle's reliability. In addition, the ring's precision-ground surface is contoured to use the cycling action itself to scrape the walls of the carrier, so it combats carbon buildup with every shot. Ideal for use on the JP EnhancedBolt™. JPGR-223 fits bolts on rifles chambered in .223/5.56mm NATO. JPGR-308 fits rifles chambered in .308 Win/7.62mm NATO.

.000, ,			
#452-000-170	JPGR-223 Gas Rings,	2E8G99	\$ 9.99
#452-000-169	JPGR-308 Gas Rings,	2E8G99	9.99

### QUESTIONS BEFORE YOU BUY — Ask Our Full-Time Tech Staff

#### KEARMS AR-15/M16 HARD-CHROMED M16-TYPE **BOLT/CARRIER GROUP**

Built To Solve the "Broken Bolt Bugaboo" - Ensures a Smooth-Operating. Reliable Rifle



All AR-15 BCGs are pretty much alike, right? No, not this one from KE Arms! It has an HMB Bolt made for KE by HM Defense that eliminates the pass-through campin hole and replaces it with a cam pin socket and redesigned radiused cam pin. This eliminates the natural weak point of mil-spec bolts by significantly increasing the amount of metal (and strength) at the cam pin location. The benefit to you is NO MORE BROKEN BOLTS! This bolt also reduces contact between cam pin and firing pin, enabling smoother operation of firing pin, bolt lugs, and aft gas rings. The new cam pin socket also retains lubrication, further extending the life of your bolt. (The cam pin on the BCG you receive may be chromed OR Nitrided - works just as well with either finish.) Bolt and carrier are machined from ordnance-quality steel. The carrier is heat-treated. THEN bolt and carrier are hard-chromed, with the bolt throat being chrome-lined for added wear protection. Extra care is taken during machining process to remove sharp edges and rough finishes to ensure smooth operation - and not shred your fingers when you're handling the BCG or cleaning it. Includes recoil lug supported gas key. The M16type carrier has the extended shroud to trip the auto-sear on full-auto rifles; semi-auto rifles benefit from the added carrier strength. #100-042-638 Enhanced M16 Bolt/Carrier Group.

#### KNIGHT'S ARMAMENT AR-15/M16 **SR-16 "SAND CUTTER" BOLT CARRIER**



**Provides Reliable Function** In Adverse Conditions

Grooves machined into the underside of this bolt carrier ensure free movement and operation, especially in extremely adverse dirty/dusty/sandy - conditions. These grooves help to channel away the debris, keeping your rifle's mission-critical bolt/carrier unit operating, even when you haven't been able to give it a proper cleaning. Carrier only, no bolt, gas key, firing pin, or other small parts. #100-027-612 M16 "Sand Cutter" Bolt Carrier,

#### **RADIAN WEAPONS AR-15/M16** ENHANCED BOLT/CARRIER GROUP

**Engineered To Minimize** Carrier Tilt & Reduce Friction Inside Receiver



Radian's Weapons Enhanced Bolt/Carrier Group was designed to minimize carrier tilt and reduce friction inside the upper receiver by relocating key bearing surfaces. All materials, tolerances, and coatings meet or exceed mil-spec standards for performance, reliability, and durability. This is a full-auto capable .223/5.56 NATO assembly. Bolt: Case hardened 9310 steel, shot peened with a Black Nitride finish. Carrier: Billet machined case hardened 8620 steel with black nitride finish. Gas Key: 4130 steel, attached using Grade 8 hardware and proper staking techniques.

#100-039-876 Enhanced Bolt/Carrier Group, 

order on the web

brownells.com

#### SONS OF LIBERTY GUN WORKS AR-15/M16 M16-TYPE BOLT/CARRIER GROUP



**Extra Features for** Superb Reliability & Long Service Life

What you most need to know about the SOLGW BCG: This is an M16-type bolt/carrier group, meaning it has the extended shroud to trip the auto sear on full-auto-capable rifles. It's built far stronger than any tank and will go through hell and back with you - and still buy you a drink afterward. (OK, that last bit may be a slight exaggeration - but not by much.) For specs geeks, here are the details: The bolt is precision machined from Carpenter Technology No. 158 alloy, heat treated per mil-spec, shot peened per ASTM B851/SAE AM\$2430S, vibratory tumbled, individual high pressure/proof (HP), and full-auto test fired as an assembly. Markings are deep laser engraved to indicate all of the above. The extractor is precision machined from 4340 tool steel alloy per SAE AMS6415T/AMS6484D (vs. 4140), heat treated, and shot peen per ASTM B851/SAE AMS2430S. The extractor retaining pin is precision machined and ground S7 Tool Steel. The extractor spring is a Tactical Springs/Sprinco 5 coil, ASTM Grade A401 Chrome Silicon wire stock. Mil-spec black insert/ synthetic elastomer extractor buffer (nitrile-butadiene, shore hardness 80+/-5 durometer per MIL-PRF-6855). Ejector: \$7 Tool Steel. yeat treated per ASTM A681-08. Gas rings are standard stainless steel per Mil-Spec X3. The carrier is machined from AISI 8620 aircraft quality alloy per ASTM A108/A322-13 with a full-auto profile, hard chrome lined, with a precision-ground gas key interface. Last but not least, the Sons of Liberty Battle Flag logo is deep laser engraved on the side

#100-038-745 AR-15 Bolt/Carrier Group, 6H00IJC ... \$ 158.99

#### STERN DEFENSE AR-15 **COMPLETE PISTOL CALIBER BOLT/** CARRIER ASSEMBLIES

Compatible With Two **Popular PCC Magazines** 



Designed to work with both Glock® pistol and Colt SMG "stick" magazines, Stern's dedicated pistol-caliber bolt/carrier assemblies will work with a standard mil-spec AR-15/M16 charging handle. They are designed to work well single-stage triggers that have short resets, and they're compatible with the JP silent captured spring. Law Tactical folding stock adapter, and Echo triggers. They're machined from hardened 8620 AISI steel. Each bolt comes completely assembled, including all necessary pins and springs. Compatible with all standard and Glock-pattern upper receivers, and with standard AR-15/M16 charging handles. Available with a matte black Manganese Phosphate Parkerized finish OR an extra-durable combination Nickel-Boron (NiB) and black Melonite finish. Unless otherwise indicated, Stern PCC BCGs will work in both full-auto and semi-auto rifles; a semi-auto-ONLY 9mm model is also available.

#100-032-658	9mm Bolt/Carrier Assembly, Parkerized, 9D00DND	129.99
#100-032-659	<b>9mm Bolt/Carrier Assembly,</b> NiB/ Melonite, <i>9D00EYG</i>	169.99
#100-033-219	<b>9mm Semi-Auto Bolt/Carrier Assembly,</b> Parkerized, <i>9D00CDP</i>	129.99



#### RUBBER CITY ARMORY AR-15/M16 TITANIUM BOLT/CARRIER GROUP



**Optimized For Recoil** Reduction & Less Wearn-Tear on Receiver

Weighing in at just 7.8 oz., Rubber City's complete M16-style bolt/carrier group is one of the lightest on the market today. Made from lightweight Titanium, the carrier's lower reciprocating mass produces less felt recoil, so you keep the rifle under better control, resulting in faster follow-up shots and less fatigue during long shooting sessions. With its M16 profile, carrier will work with standard semi-auto AR-15s, as well as full-auto rifles. Bolt is machined from 9310 carbon steel, mated to a gas key machined from steel billet and properly torqued down and staked. Both the extractor and cam pin are made from tool steel to ensure proper function. The proprietary aerospace nitride coating gives the group enhanced lubricity for smoother operation and excellent wear resistance.

#100-019-396 Titanium Bolt/Carrier Group,

9D00JZD.....\$ **370.99** 

0

#### SPIKE'S TACTICAL AR-15/M16 STANDARD BOLT & CARRIER SET

Ultra-Smooth Operation & **Enhanced Reliability** 



Matched bolt/carrier set is machined to mil-spec dimensions using the latest manufacturing and quality-control techniques to deliver superb reliability in both semi-auto and select-fire rifles. Carrier is hard-chromed inside and has an M16-type full-length shroud on the underside to trip the auto sear on full-auto/burst rifles. Bolt is magnetic particle inspected to ensure there are no internal flaws to compromise structural integrity and cause premature failure. Fully staked carrier key and tool steel extractor further aid reliable cycling. Laser-engraved Spike's Tactical logo on the side of the carrier is visible when the ejection port door is open.

SPECS: Bolt - Carpenter 158 steel alloy. Carrier - 8620 carbon steel, chrome lined. MIL-STD-171 5.3.1.2 phosphate finish. Fits standard AR-15/ M16/M4 rifles chambered in .223/5.56 NATO.

SPIKE'S TACTICAL AR-15/M16

**NICKEL-BORON COATED** 

**BOLT/CARRIER GROUP** 

Matched bolt/carrier set for .223/5.56mm rifles has a FailZero

nickel-boron finish applied using proprietary EXO Technology.

Nicke-boron is smoother than hard chrome and will not chip, peal,

or flake off. Helps reduce friction, so gun cycles more smoothly

with minimal lubrication, and allows carbon and fouling to be wiped

off easily. Tool steel extractor uses a mil-spec extractor spring with

black insert and Viton O-ring to provide highly reliable extraction

even with short barrels. Carrier has M16-type full-length shroud on

the underside to trip the auto sear on full-auto/burst rifles. Bolt has

been shot peened, high pressure tested, and magnetic particle in-

SPECS: Bolt - 158 Carpenter steel alloy, 223/5.56 bolt face. Carrier -

8620 tool steel. Extractor – tool steel. All components have FailZero EXO

3B204I91 . . . . . . . . . . . . . . . . . . \$ 224.99

spected to ensure the highest level of quality control.

#100-008-575 N-B Coated .223/5.56 Bolt/Carrier,

nickel-boron coating, silver finish, Fits AR-15.

#100-007-035 .223/5.56 Bolt/Carrier, Phosphate Finish, 3B137C74 ..... \$ 144.99

#965-900-009 M16 Bolt/Carrier, Polished Blk Nitride,

#965-000-444 AR-308 Low Mass Bolt/Carrier, Nickel

#### WILSON COMBAT AR-15/M16/AR-308 **BOLT/CARRIER GROUPS**



#### Premium-Quality BCGs from a **Premier Custom Firearm Maker**

"Wilson Combat" appears next to the dictionary definition of the word "quality." OK, it really doesn't, but it should! They are certainly renowned for the quality and reliability of their custom firearms, including AR-15 rifles. These bolt/ carrier groups are the exact same

ones used in Wison's ARs. AR-15/M16 - The bolt is machined from Carpenter No. 158 steel, shot-peened to give it more strength and magnetic particle inspected (MPI). Bolts from every production batch are high-pressure tested, too. The goal is to find bad bolts and weed them out before one lands in your rifle. Includes a tool steel extractor and ejector because.... how often do good-quality tools break? The carrier is machined 8620 carbon steel with a thin. extra-tough salt bath Nitride exterior finish and chrome-lined interior. The gas key is precision machined to mil-spec dimensions and heat-treated per GI specifications for added strength. The gas key is chrome-lined, secured to the carrier via Grade 8 fasteners, and "properly" staked during final inspection. These precisely machined, hardened, and finished parts will ensure long-term proper gas system functioning and reliability. model has an M16-type carrier that'll work perfectly well in a semi-auto rifle that has a mil-spec AR-15 upper receiver; drop-in fit for any good-quality 5.56 case head based AR rifle chambered in .223 Rem/5.56 NATO, .300 Blackout, .204 Ruger, or 7.62x40 WT.

AR-308 model has a low-mass steel carrier made of hardened 8620 carbon steel with the bolt made of MPI-inspected, aerospace-grade 9310 steel with a machined ejector and extractor of S7 tool steel that will easily handle the pressure and battering of hot .308-based cartridges. (Yes, all propriety has been observed in staking the gas key!) The entire assembly is Nickel Boron plated for excellent wear- and corrosion-resistance, plus easy clean up. The low-mass carrier can be tuned with your gas system to produce a lower recoil impulse that makes shooting your big AR-308 more pleasant. This BCG is a drop-in fit for any good-quality .308 case head based, DPMS-compatible AR rifle with forward assist, including guns chambered in 7.62x51mm NATO, .308 Winchester, .243, 6.5 Creedmoor, .260 Remington, .338 and other .308 Winchester based cartridges. 💻

1S170Y99.....\$ **179.95** 

Boron, *5M293T99*..... 309.95

### BROWNELLS AR-15/M16 **BOLT/CARRIER GROUP** REPLACEMENT SMALL PARTS

Correct Replacement Parts for Mil-Spec Carriers



The gas key of an AR-15 carrier does occasionally break or fail. Rather than toss the entire carrier assembly, simply replace the key with our high-quality, mil-spec part - factory original on Brownells BCGs. Hardened steel construction with a tough matte black finish. As long as your replacing the key, why try to salvage a gas key screw that may be equally worn or compromised? Replace both at the same time and make a clean job of it!

#100-040-949	Carrier Gas Key, 6H00JBL	\$ 13.99
#100-040-948	Gas Key Screw, 6H00PQA	1.99
#100-040-951	<b>AR-15 Cam Pin,</b> 6H00BJD	5.99



#### WMD GUNS AR-15 NiB-X™ COATED **BOLT/CARRIER GROUP**



#### **Self-Lubricating Finish For** Outstanding Durability & Resistance To Fouling

Each WMD bolt-and-carrier set is precisely machined from high-grade steel alloy to government M16 specs, then given WMD's proprietary NiB-X nickel boron coating that results in a super-smooth, harder-than-chrome surface. NiB-X reduces friction to the bare minimum and is impervious to corrosion and abrasion. The slick finish also keeps carbon from adhering, so clean up is much faster and easier than with standard parts. Ideal choice for 3-gun competitors and other high-volume shooters. Also available with a matching NiB-X coated hammer for the smoothest cycling. M16 model has extended shroud on the carrier underside to trip the auto-sear on select-fire rifles

SPECS: Carrier - 8620 carbon steel. Bolt - Carpenter 158 steel alloy. Both have Nickel boron finish, silver. Extractor includes black buffer, black Oring, and spring. Fits mil-spec AR-15/M16 upper receiver.

#100-010-556	NiB-X Bolt & Carrier Group, 3C163G19	\$ 191.99
#100-011-664	M16 NiB-X Bolt & Carrier Group, 3C164B89	189.99
#100-011-665	M16 NiBX Bolt & Carrier Group w/ Hammer, 3C165L74	199.99
#100-012-192	NiB-X Bolt, Only, 3C70G50	77.99
#100-009-957	NiB-X Spare Bolt Cam Pin, 3C11G04	12.99



#### CMMG AR-15/M16 **REPLACEMENT CAM PIN** & GAS RINGS

So Small & Inexpensive but SO Critical to the Reliability of Your Rifle!

Sure, they're unglamorous small parts.... but if they're worn out broken, or just lost under your cleaning bench, your rifle's dead in the water, whether it's a basic M4 carbine or the fanciest race gun on the course. And your day at



Standard Gas Ring

the range is cut short or aborted even before it starts. Cam Pin fits standard mil-spec AR-15/

M16 bolt/carrier group. We sell a LOT of these - maybe it's a good idea to have a couple-three spares on hand before the one in your rifle goes AWOL? Gas Rings are critical to getting a proper gas seal that enables your rifle to cycle reliably. Choose Standard rings, sold in a 3-pack since you'll need three or a one-piece McFarland type Helical gas ring.

#100-044-590	AR-15 Standard Mil-Spec Cam Pin,	
	9T06E99	\$ 7.41
#100-044-591	AR-15 Helical Gas Ring, 7B03V72	3.72
#100-044-649	AR-15 Gas Ring 3-Pak, 1E01Y85	1.85

GUARANTEED. FOREVER.® **SINCE 1939** 

Wear-Resistant FailZero

Coating For Reliable,

Trouble-Free Service

#### JP ENTERPRISES AR-15/M16 **ENHANCED CAM PIN**

Do You Want Your Cam Pin Made by the Lowest Bidder?

The JP Enhanced Cam Pin retains the critical mil-spec dimensions of the part but improves on both design and finish. A smoother operating system



with lower overall wear in the components is the result. In addition to having JP's low-friction QPQ finish, these pins are also machined thicker than the usual undersized dimension of standard pins. An undersized pin drops right in but allows slop in the relationship between bolt, bolt carrier, and cam pin. Looseness in these parts stresses the cam pin hole of the bolt during cycling, which is why bolt breakage is so common at this point. It also wears the cam pin faster as the carrier wears into the material at the bearing points. A tighter pin with low-friction coating cuts all this wear down dramatically. Avoid all of these nasty problems by swapping a JP Enhanced Cam Pin into your AR today!

**BROWNELLS** AR-15

High-quality hardened steel extractors for those "other" calibers

more and more AR-15s are chambered for. These are correctly di-

mensioned for their respective cartridges. Magnetic Particle tested

to weed out the bum units before they end up in your rifle! Note:

Extractor only, no spring or insert. 6.5 Grendel for use with 6.5 Grendel Type II specific bolts. 6.8mm SPC fits original 6.8 SPC, 6.8 SPC II,

and .224 Valkyrie bolts.

Get 'Em Now, So You Have 'Em

When You Need 'Em

a tight gas seal on your AR's bolt

so your rifle will keep function-

ing reliably. These are top-quality

tempered steel U.S.-manufac-

tured gas rings. AR-308 rings fit

What you need to maintain

#100-040-963 6.5 Grendel AR-15 Extractor,

#100-040-966 6.8mm SPC AR-15 Extractor,

#100-040-965 7.62x39mm AR-15 Extractor,

#100-040-964 .458 SOCOM AR-15 Extractor,

OTHER CALIBER" EXTRACTORS

7D09R99.......9.99

4A10N99.....

SPRINGCO USA AR-15/M16/AR-308

**BOLT GAS RINGS** 

A Critical Part that Must Fit

the Cartridge Your AR Is

Chambered For

#452-000-257	.223/5.56 Enhanced Cam Pin,	
_	2E13K49	\$ 14.99



**Smooth-Operating Cam Pin With** Extra Insurance Against Breakage

If you want to build a truly battle-ready AR-15, then it's imperative to take every precaution to protect against parts breakage and to ensure that your rifle runs smoothly without any added wear and tear.



The POF Roller Cam Pin Upgrade Kit ensures that your rifle has a cam-pin setup that won't break and operates smoothly. It includes the beefed-up extra-strength cam pin itself, along with the modified gas key needed to use it. The carrier and bolt assembly parts needed for the entire system are not included and must be purchased senarately

citabea separat		
#100-036-449	Roller Cam Pin Upgrade Kit, 9Z00BXH	52.99
#100-036-448	Roller Cam Pin, ONLY, 9Z00GXM	27.99



#### AERO PRECISION AR-15/M16 **GAS TUBES**

#### All the Popular Lengths, in Shiny Silver or With Black Melonite Finish

Aero's stainless steel gas tubes come in the four most popular lengths: pistol (6.75"), carbine (9.75"), mid-length (11.75"), and riflelength (15.25"). Get them in traditional bright bare stainless steel (SS) for a contrast with your AR's black handguard and barrel or with a

nonreflective b	lack <b>Melonite</b> finish. Roll pin is included. 💻	
#100-054-378	SS Pistol-Length Gas Tube, 8T14Z99	14.99
#100-054-379	SS Carbine-Length Gas Tube, 2E14S99.	15.99
#100-054-380	SS Mid-Length Gas Tube, 3F15T99	16.99
#100-054-381	SS Rifle-Length Gas Tube, 8L16Y99	17.99
#100-054-382	Melonite Pistol-Length Gas Tube, 2M15T99	16.99
#100-054-383	Melonite Carbine-Length Gas Tube,	47.00
	1B16H99	17.99
#100-054-384	Melonite Mid-Length Gas Tube, 2W17Q99.	18.99
#100-054-385	Melonite Rifle-Length Gas Tube,	19 99

#### BROWNELLS AR-15/M16 **BLACK NITRIDE-FINISHED**

#### **GAS TUBES**

Hardened Stainless Steel To Resist Gas Erosion, Plus a Tough Corrosion-Resistant Finish

Our stainless steel gas tubes have a tough salt-bath Black Nitride finish for enhanced corrosion resistance, gas-erosion resistance, fatigue strength, and (let's be honest!) cosmetic appeal. Instead of the contrasting silver tube glinting from inside your Picatinny or M-LOK handguard, it's all stealthy black when you use one of these gas tubes. Choose from Pistol length (6.75"), Carbine length (9.75"), Mid-length (11.75"), and Rifle length (1513/16"). Roll pin is NOT included. We recommend he Luth-AR pin, sold separately below. #100-042-434 Pistol-Length Gas Tube, 6B34G50..... \$ 11.99 #100-042-435 Carbine-Length Gas Tube, 6B34G50.... 11.99 #100-042-436 Mid-Length Gas Tube, 6B34G50 ...... 12.99

#100-042-437 Rifle-Length Gas Tube, 6B34G50...... 12.99

#100-041-701 AR-15 Gas Tube Roll Pin, 1Q00G99..... 1.25

#### **DOUBLE STAR AR-15** PISTOL-LENGTH GAS TUBE

#### The Right Tube for Your AR Pistol or SBR Build

Short gas tube is made specifically for AR pistols. Fits currently available 61/4" to 71/2" pistol barrels. Also a handy alternative for really short carbine barrels where a standard carbine-length tube is too long. SPECS: Stainless steel, natural finish. 63/4" long.

#100-008-042 Pistol-Length AR Gas Tube, 2Z12N74 .. \$ 14.99

#### LUTH-AR AR-15/M16 STAINLESS STEEL GAS TUBES

#### Your Rifle Won't Work Without It

Luth-AR factory replacement stainless steel gas tubes. Available in pistol-length, carbine-length, mid-length, and standard rifle-length. Fits standard AR-15 rifles. Luth-AR factory replacement stainless steel gas tubes. Available in pistol-length, carbine-length, mid-length, and standard rifle-length. Fits standard AR-15 rifles. Luth-AR factory replacement stainless steel gas tubes. Available in pistol-length, carbine-length, mid-length, and standard riflelength. Fits standard AR-15 rifles.

#100-028-044	<b>Gas Tube,</b> Rifle, <i>3D13K59</i>	\$ 15.99
#100-028-045	Gas Tube, Carbine, 3D11P04	12.99
#100-028-046	Gas Tube, Pistol, 3D10B19	11.99
#100-028-047	Gas Tube, Mid-length, 3D11H89	13.99



#### **SONS OF LIBERTY GUN WORKS** AR-15/M16 GAS TUBES

**Correct Sizes for Popular** Gas System Lengths + Anti-Corrosion QPQ Finish

If you know anything about SOLGW rifles, you know they're built by folks who sweat the de-

tails - because the "little" things make the difference between a rifle that works when you need it and one that..... doesn't. SOLGW's factory OEM stainless steel gas tubes for mil-spec AR-15s have a tough, non-reflective black QPQ finish. Roll pin is included.

#100-045-050	Pistot-Length Gas Tube, 6k19b99	) T3.33
#100-045-049	Carbine-Length Gas Tube, 4Y19R99	19.99
#100-045-051	Mid-Length Gas Tube, 1H19Z99	19.99
#100-045-048	Rifle-Length Gas Tube, 9Z19R99	19.99



#### LUTH-AR AR-15/M16 -**GAS TUBE ROLL PIN**

Can't Install a Gas Tube Without It

A tiny but critical part - but not so easy to find on its own without having to buy the

whole gas tube! Which may explain why we sell so many of these. This is the correct 5/64" dia. x . 320" long roll pin for mounting any-size gas tube in your AR-15/M16/AR-308. Keep a few spares on hand;

#### SPIKE'S TACTICAL AR-15/M16 **GAS TUBES**

#### Melonite Coated For Extra Heat Resistance & **Elimination Of Light Reflection**

Melonite coating on hardened stainless steel gas tubes gives extra heat- and corrosion-resistance for an exceptionally long service life. Matte black finish enhances the tactical profile of rifles with open handguards by eliminating a source of accidental light reflection. Includes gas tube roll pin.

SPECS: 304 stainless steel, Melonite coated, matte black. Available in Pistol, Carbine, Mid-Length, and Rifle lengths.

#100-008-576	Melonite Gas Tube, Pistol, 3B16P14	\$ 18.99
#100-008-577	Melonite Gas Tube, Carbine, 3B16N14	18.99
#100-008-578	Melonite Gas Tube, Mid-Length,	
	3B16E14	18.99
#100-008-579	Melonite Gas Tube, Rifle, 3B16B14	18.99



#### WILSON COMBAT AR-15/M16 STAINLESS STEEL GAS TUBES

#### Don't Skimp on the Quality of This Critical Component

One of the often-overlooked components of an AR build is the gas tube. AR builders and owners forget how critical this part is to the reliable operation of their rifles. Each Wilson Combat gas tube is manufactured from corrosion-resistant stainless steel to strict military specifications, ensuring complete compatibility with mil-spec AR components. Gas tube roll pin NOT included. The Intermediate Length tube sizes between "mid-length" and rifle-length tubes and is strictly for use on Wilson Combat barrels designed for a gas system of this length, such as their .300 HAM'R barrels.

#965-900-017	Mid-Length Gas Tube, 6N12U99	\$ 13.95
#965-900-016	Rifle-Length Gas Tube, 5W13C99	14.95
#965-000-330	Intermediate-Length 13.25" Gas Tube,	
	5F12H34	12.95

#### WMD GUNS AR-15/M16 **NITROMET GAS TUBE**

#### Special Coating Gives Extra Resistance To Heat & Corrosion

Stainless steel gas tubes are salt bath nitrocarburized for extra resistance to heat and corrosion. Nitromet finish gives added durability with a surface hardness of Rc 55. Installs easily and available for carbine and mid-length gas systems.

SPECS: Mil Spec 304 stainless steel, matte black Nitromet finish. Carbine - 93/4" (24cm) long. Mid-Length - 113/4" (30cm) long.

#100-010-978	Nitromet Carbine Gas Tube, 3C16D14 \$	18.99
#100-010-979	Nitromet Mid-Length Gas Tube,	40.00
#100-011-964	3C16L14	18.99 19.99

you don't want a new build or re-build project held up for lack of this inexpensive part.

#100-041-701 AR-15 Gas Tube Roll Pin, 1Q00G99..... \$ 1.25

order on the web

brownells.com

BROWNELLS, PAGE 21

Orders: 800-741-0015

both DPMS LR-308 pattern rifles and Armalite® AR-10®.

#943-000-069 AR-15 Bolt Gas Ring 3-Pak, 1K02B09 . . . . \$ 2.55

**#943-000-070** AR-15 Bolt Gas Ring 9-Pak, 1A06S99..... 7.40

#943-000-071 AR-308 Bolt Gas Ring 3-Pak, 7A02S80 ... 2.80

**#943-000-072** AR-308 Bolt Gas Ring 9-Pak, 5P06F99... **7.90** 

#### **AERO PRECISION AR-15 LOW-PROFILE GAS BLOCK**

#### Low Enough To Fit **Under Almost ANY Handquard**



ket, and the block ships with setscrews that lock it into position and keep your rifle secure. Aero Precision recommends the use of non-permanent thread-locking compound (i.e., NOT the red stuff!) on the setscrews, should users decide to use thread-locking compound at all. A roll pin is not included. Available in two finishes - black Phosphate and extra-tough, thin, Black Nitride. You can get your gas block with the Aero Precision "A" Logo etched into the side, or if you're operating behind enemy lines and don't want identifying marks on your weapon, go for the **NO Logo** model.

NEW 100-054-363	.625" Gas Block - Logo - Phosphate, 6R27X99	\$ 29.99
#100-036-670	.750" Gas Block - Logo - Phosphate, 3E00MLE	25.49
NEW 100-054-364	.875" Gas Block - Logo - Phosphate, 7L27H99	29.99
NEW 100-054-365	.936" Gas Block - Logo - Phosphate, 5S27E99.	29.99
NEW 100-054-366	.625" Gas Block - NO Logo - Phosphate, 4P27V99	29.99
NEW 100-054-367	.750" Gas Block - NO Logo - Phosphate, 3T25F49	25.49
NEW 100-054-368	.875" Gas Block - NO Logo - Phosphate, 4R27D99	29.99
NEW 100-054-369	.936" Gas Block - NO Logo - Phosphate, 9K27H99	29.99
NEW 100-054-370	.625" Gas Block - Logo - Nitride, 4R27H99	29.99
NEW 100-054-371	. <b>750</b> " Gas Block - Logo - Nitride, 7S25Y49	25.49
NEW 100-054-372	.875" Gas Block - Logo - Nitride, 3Q27C99	29.99
NEW 100-054-373	.936" Gas Block - Logo - Nitride, 5N27H99	29.99
NEW 100-054-374	.625" Gas Block - NO Logo - Nitride, 6F27N99	29.99
NEW 100-054-375	.750" Gas Block - NO Logo - Nitride, 3W25J99	25.49
NEW 100-054-376	.875" Gas Block - NO Logo - Nitride, 7M27H99	29.99
NEW 100-054-377	.936" Gas Block - NO Logo - Nitride, 9L27N99	29.99

#### BRAVO COMPANY AR-15/M16/M4 LOW-PROFILE GAS BLOCK

#### Heavy Duty Low Profile Block Fits Under Most Handquards

Designed to fit AR-15 and M16 barrels. the BCM low-profile gas block is machined from high quality steel to Mil-Spec tolerances. Gas block includes set screws for mounting and a phosphate finish for corrosion and wear resistance. Available with either .625" or .750" inside diameter.



SPECS: Machined steel, phosphate finish. 1.34" high, (3.4cm), 1" long (2.5cm). Includes set screws for mounting.

#100-014-215	Low-Profile Gas Block, .750", 1E39D09 \$ 45.99	
#100-014-216	Low-Profile Gas Block, .625", 1E38K24 44.99	



#### **AERO PRECISION AR-15** ADJUSTABLE GAS BLOCK

#### 15 Different Settings To "Dial In" Gas Flow - Fits Under Slim Free-Float Handguards



Enables the shooter to fine-tune the flow of gas through their AR's gas system. This is particularly useful for managing gas flow for different types of ammo OR restricting gas flow to reduce blowback on suppressed firearms or competition guns where the shooter

wants to mitigate recoil. This low-profile block is designed to fit under slim-profile free-float handquards including the Aero Precision Atlas series. The stainless steel adjustment screw is held in place by a spring and detent, providing 15 nicely audible, repeatable "clicks" of adjustment. This also eliminates the need for a secondary setscrew that can work loose under recoil. Carbon fouling is channeled into a "sacrificial" chamber to help prevent carbon locking; also provides an access point for solvent in the event carbon locking does occur (but you'll have to put a LOT of rounds down the barrel for that to happen). The block itself is machined from hardened 4140 carbon steel, with a tough black Nitride finish. Locks to the underside of the barrel via two 10-32 x 3/16" setscrews. Comes with a 3/32" hex wrench for easy adjustment of the gas flow setscrew underneath the handguard. Replacement spring and detent included.

	.625" Adjustable Low-Profile Gas Block, 2P55B24 \$55.24	
#100-041-031	.750" Adjustable Low-Profile Gas Block, 6834G50	

BADGER ORDNANCE AR-15/M16

**ULTRA LOW PROFILE GAS BLOCK** 

**Provides Maximum Clearance For Optics** 

Or Free-Float Handguards

provides maximum clearance for optics and

free-float handguards. Setscrews, gas tube

mounting pin, and installation instructions

included. Mk 12 is an exact copy of the gas

manifold on the Mk12 Mod 1 and Mk 18 Mod

Slim replacement for factory gas block



#### A.R.M.S. AR-15/M16 #41-BL GAS BLOCK & FOLDING FRONT SIGHT

Ruggedness & Appearance Of Standard Sight; Folds Down When Not Needed


Integral gas block and folding front sight replicates the appearance of the classic factory front sight tower, yet folds neatly out of the way when

it's not needed. Eliminates need to purchase a railed gas block and a separate rail-mount folding sight. Deploys and locks securely in place as quickly as any flip-up combat sight. To fold, press straight down on the top of the diagonal rear support to release the lock and pull back on the sight tower. Standard A2-type sight post, so it works with any factory-height rear sight. Easy to install; dual clamping rings fit standard .750" diameter barrels, and hex-head bolts (hex wrench included) provide plenty of clamping force to make sure the sight doesn't shift and change point of aim. Steel base/gas block provides exceptional resistance to erosion by hot gases. Includes bayonet lug, and rear clamping ring drilled to accept sling swivel pin. Aluminum tower minimizes weight without sacrificing strength. SPECS: Steel and aluminum, matte black finish. Fits barrels that are .750" OD at the gas nort

100-003-742	#41-BL Gas Block/Folding Front Sight,
	3A00DKS\$ 177.99

# **DOUBLE STAR AR-15/M16 ACCESSORY RAIL GAS BLOCK**

Secure Forward Accessory Mounting With Minimal Weight & Bulk: 2- & 4-Rail Models



bulk. Lets you mount a backup iron sight, weapon light, laser sight, folding bipod, vertical grip, and other tactical accessories. Standard models fit barrels with .750" O.D. at gas port. Two-piece, clamp-on design with top and bottom rails doesn't require removal of flash hider to install or remove. Clamps securely in place with four hexhead cap screws for a rock-solid installation that won't shift under recoil. Circular cutouts in the sides reduce weight without compromising strength.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black finish. Fits barrels with .750" O.D. 17/8" (4.8cm) long, 1.2" (3cm) wide, 13/4" (4.5cm) high. 2.6 oz. (74g) wt.

#100-004-516 2-Rail Std. Gas Block, 2Z58G64 ...... \$ 68.99

### DOUBLE STAR AR-15/M16 LOW PROFILE ADJUSTABLE GAS BLOCK

#### **Ideal For Competition Shooters**

This gas block provides a "double threat" for the competition shooter: control of the gas flow so you can find the sweet spot in fine-tuning your rifle's cycling. And a minimal profile that lets you put this gas block under just about any handguard. The stainless steel adjustment screw is coupled with brass locking screw that won't damage the threads. Self-



SPECS: Machined 1045 steel, hard nitride coated, matte black. 1" long x .960" wide. Fits barrels with .750" O.D. at gas port. Includes instructions and two Allen wrenches

#100-015-286 Adjustable Gas Block, 2Z00FNH..... \$ 54.59

### **BROWNELLS** AR-15/M16 MODULAR GAS BLOCK

#### Unique, Modular Design For Ultimate Customization

Easy-to-install gas block features an integral fixed rail and a modular design that allows fast installation and removal of up to three, additional Picatinny rails for mounting lasers,

lights, night vision optics, back-up sights, and a variety of other tactical accessories. Side and bottom rails attach easily with two screws, so you can configure the unit for each mission's requirements. Precision-machined from rugged, 6061 billet aluminum for superior strength without weighing down your weapon. Mounts securely to barrel with three, hardened steel setscrews.

SPECS: Aluminum, matte black, hardcoat anodized finish. Fits standard .750" (19mm) dia. barrels. Gas Block - 17/8" (4.8cm) long, 1" (2.5cm) wide, 17/16" (3.6cm) high. Gas Block Kit - Includes modular gas block with three add-on rails. 17/8" long, 27/64" (5.3cm) wide, 2" (5.0cm) tall.

	Modular Gas Block, Only, 8K27G74  Modular Gas Block Rail, Per Each.	\$ 36.99
#080-000-383	8K11P99	14.99
#080-000-384	Modular Gas Block Kit, 8K46H39	57.99

**BAYONET LUG** - Bolts directly to Modular Gas Block to allow installation of a mil-spec bayonet or lug-mounted bipod on your AR-15. Installs and removes easily with an Allen wrench so you can configure your rifle's accessory package at any time to fit mission requirements. Precision ma-

chined from 4140 steel for optimal strength and rigidity. Includes mounting screws, Modular Gas Block not included. SPECS: Steel, matte black Parkerized finish. 25/16" (5.9cm) long, 1/2" (1.3cm) wide, 21/64" (8.3mm) tall. Allen wrench not included.

#080-000-439 Modular Gas Block Lug. 8K12E79......\$ 15.99

ish. Dual setscrews secure gas block to barrel. Honed interior allows for smooth installation. Does not include roll pin. #078-101-158 Nitrided Lo-Pro Gas Block, 8G18I65.



### Forged Steel Replacement With Integral Bayonet Lug

High-quality replacement for HBAR-style front sight housing includes bayonet lug, so you can upgrade a rifle manufactured during the now-expired Assault Weapons Ban to authentic military appearance. Forged from C1137 steel, then heat-treated for superior strength before final machining to military specifications. Ready to

accept an A1- or A2-type front sight post, spring, and detent of your choice. Hole for sling swivel rivet is pre-drilled. Holes must be drilled for setscrews or taper pins for precise fit to your gun. Matte black Parkerized finish matches standard mil-spec finish. Fits both M16A2 and M4 contour heavy barrels currently used by the U.S. Military. SPECS: Forged C1137 steel, matte black Parkerized finish. Height from top of barrel to top of sight housing without blade installed - 1.9" (4.8cm). Fits M16A2 and M4 contour barrels with .750" (19.1mm) O.D. at gas journal.

#100-002-413 Gas Block Front Sight, HBAR-Type,

2Z31L34.....\$ 32.99

1 Special Purpose Rifles used by the U.S. Army and Navy. Made from 416 stainless steel with a tough, wearresistant black oxide finish, and fits barrels with .750" O.D. Mk 12 Style has the same appearance as the Mk12 Mod 1 gas manifold, and fits barrels with .875" O.D.

SPECS: 416 stainless steel. Mk 12 fits .750" (19mm) O.D. barrels. Black finish. 1" (25.4mm) long, 7/8" (22.2mm) wide, 17/16" (36.5cm) high. **Mk 12** Style fits .875" (22.2mm) O.D. barrels. Natural silver finish. 1" (25.4mm)

iorig, i wide, i'/ii	s riigri.		
#093-000-026	Mk 12 Gas Block, 3K65	Q54	\$ 68.99
#093-000-027	Mk 12-Style Gas Block	3K66D59	73 99



Adds Bare Minimum of Bulk to Front of Your Gun - Nitrided for Strength & Wear Resistance

Our lowest low-profile steel gas block fits a .750" gas block journal and is machined from 4140 carbon steel before receiving its tough. corrosion- and wear-resistant black Nitride fin-



# GAS YSTEM COMPONENTS

#### **DOUBLE STAR AR-15/M16 PICATINNY RAIL GAS BLOCK**

Ensures Reliable Gas Flow; Models For Three Popular Barrel Diameters

Compact gas block clamps securely to barrel with a unique three-point attachment system to provide a solid accessory mounting platform and ensure proper gas system alignment for reliable



cycling. Precision machined from high-grade 6061 T6 aluminum for an ideal combination of strength and low weight, with an integral MIL STD 1913 Picatinny rail on the topside. Anchors to the barrel with a pair of hex-head setscrews on the underside, plus a third screw on top to ensure a superior gas seal and resist unwanted movement that can impair gas system function. Streamlined design has clean, good-looking, angular lines with all exposed edges radiused to eliminate sharpness. Mil-spec hardcoat anodized for superior surface strength and wear resistance with an even, matte black finish that matchesmost manganese phosphate Parkerized barrel finishes. Models available to fit three common barrel outside diameters: hard-to-find .625" for A1 barrels; .750" for A2 and most remaining modern barrels, except for target and bull barrels. SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. All models

2729F74	\$ 74 99
#100-004-537 .625" Picatinny Gas Block,	
rail height. 2.6 oz. (73g) weight.	
height. 3 oz. (84g) weight750" - 1" wide, 1.5" overall height, .545	i"(13.8cm)
rail625" - 1" (2.5cm) wide, 1.5" (3.8cm) overall height, .600" (.	1.5cm) rail
1.875" (cm) long. Rail heights are measured from top of barre	l to top of

2Z27Q89..... **ADJUSTABLE GAS BLOCK** - Adjustable version of Double Star's Picatinny gas block lets you reduce the recoil of your rifle by fine tuning the bolt velocity to match specific loads. Self-tapping set screws on the bottom ensure a secure barrel fit while the extra top set screw

#100-004-536 .750" Picatinny Gas Block,



#100-009-514	Adjustable Picatinny Gas Block,	
	2Z00PDR\$	2.99

**FAXON FIREARMS** AR-15/M16

LOW-PROFILE GAS BLOCK

side cutouts to reduce weight, while they clamp to the barrel with

not two but three hex head screws so they will not shift no mat-

ter how many high-pressure rounds you put downrange. (Faxon recommends securing the screws with Loc-Tite or similar thread-

#100-022-859 .750" Low-Profile Gas Block,

#100-022-860 .625" Low-Profile Gas Block,

Bare Minimum of Bulk; Securely

**Anchored By 3 Screws** 

fit under just about any free-float hand-

guard and are ideal companions for any

barrel with a standard diameter gas block

journal. Machined from high-strength,

erosion-resistant steel, these blocks have

These ultra-low profile gas blocks will

#### JP ENTERPRISES AR-15/M16 ADJUSTABLE GAS BLOCKS

Pressure Adjustable For Smooth Cycling

Replaces the factory front sight/gas block and allows you to tune the gas system for smoother cycling and operation. Especially critical on match and varmint rifles when shooting both factory and custom-loaded ammunition. Simple setscrew lets you control the gas flow, so you can customize the setting for each load. Hex head setscrews clamp the block securely to the barrel. Installation instructions included. features a topside Picatinny rail for mounting flip-up front sights and other accessories. Low Profile model fits under handguard on .750" barrels. Rugged, all-steel construction resists gas erosion and helps maintain rifle's weight distribution. Heavy Low Profile aluminum block fits under handguard on barrels with .936" O.D. Eight Torx T15 screws securely clamp the block to the barrel. A2-Style - Retains the classic look of military rifles and carbines. Two side-mount hex head screws clamp the block securely to barrels with .750" O.D. at the gas block position. Rugged, stainless steel construction resists gas erosion and helps maintain rifle's weight distribution. Hard, abrasion-resistant black oxide finish.



J	Low-Profile Gas Block, SS, 2E69N69	\$ 81.99
#452-000-148	Low-Profile Gas Block, Black SS, 2F72I19	75.99
#452-000-122	Heavy Low-Profile Gas Block, Alu,	/3.33
#452-000-065	2E77N39	
#-13E-000-003	AZ Style das block, Ala, ZEIZONOS	172.77



Low Profile

Heavy I ow

#### Items MIDWESTINDUSTRIES AR-15/M16 STEEL GAS BLOCKS

One-Piece Design & Tough Steel Construction

One-piece, low profile, steel gas block fits under most free-float handguards for a clean, uncluttered look. Models available to fit .625", .750", .875", and .936" O.D. barrels. Locks securely to barrel with three steel setscrews.



Wt936 - 113/16	long, 1 <sup>2</sup> / <sub>2</sub> (5.8cm) nign. 3.6 oz. Wt.	
#100-008-248	.625" Low Profile Gas Block, 2A00DXN \$ 39.99	
#100-002-854	.750" Low Profile Gas Block, 2A38J69 42.99	
MEW 100-061-558	.875" Low Profile Gas Block, 7L00XZH 39.99	
#100-004-908	.936" Low Profile Gas Block, 2A00NCS 39.99	


PICATINNY RAIL GAS BLOCK - Steel gas block with integral Picatinny rail has extra height that lets you mount a flip up or cowitness front sight on the same plane as the receiver rail of your flattop AR-15/M16. Add a Picatinny rail handguard to have a continuous rail extending from the receiver to the gas block for superb accessory mounting flexibility. Precision machined from tough

4140 billet steel to stand up to tens of thousands of rounds without eroding. Fits .750" O.D. barrels, and locks securely to barrel with three setscrews.

SPECS: 4140 steel, dark gray Parkerized finish. 113/16" (4.6cm) long, 113/16 high. Fits .750" O.D. barrels. 6.2 oz. (175g) weight.

#100-003-073 Steel Picatinny Rail Gas Block, 2A61N74. \$ 64.99

MICRO GAS BLOCK - The block you want when "low profile" doesn't go low enough. The Micro is only 1.290" tall x 1.125" long and will fit under most commercially available free-float handguards. It's machined from 4140 carbon steel and has a black phosphate finish. It's anchored to the barrel via two setscrews in the underside (distance between screw holes: .450").





#### **LUTH-AR AR-15** LOW-PROFILE GAS BLOCK

Fits Neatly Under Extended Handguards

Luth-AR's minimal-profile gas block snuggles down underneath even narrow-diameter extended railed forearms, yet keeps your rifle's gas system cycling along. Covers less than 1" of barrel length, with minimal weight. Two models



to choose from: one fits standard .750" barrel O.D. at gas journal and the other fits barrels with .936" O.D. at journal. Low-profile steel setscrews secure the block tightly to the barrel so it won't shift around under recoil. Matte black finish. Gas tube pin included.

100-028-069	Low-Profile Steel Gas Block, .750", 3D16M14	\$ 18.9
100-028-070	Low-Profile Steel Gas Block, .936", 3D15P29	17.9

#### **ODIN WORKS AR-15 BASIC LOW-PROFILE GAS BLOCK**



#### Fits Under Just About Any Slim Handquard

Designed specifically to fit easily underneath all of Odin's low-profile AR-15 handguards, this gas block is engineered to provide flawless functioning in your rifle, and the minimalist profile of the design means it's possible for this gas block to fit underneath most slim handguards on the market today. It's machined from carbon steel and

treated with a non-reflective, corrosion- and wear-resistant Black-Nitride finish. The block fits all .750" gas journals and weighs a mere 1.95 oz. with the included cross-pin and setscrews.

#100-036-199 ( ) Basic Low-Profile Gas Block, .750", 4A23P79 .....

#### ALG DEFENSE AR-15/M16 **SUPER GAS BLOCK**



Low Profile Fits Easily Under Long Free-Float Tubes

Minimal-bulk gas block fits easily under most free-float rails. All-steel construction provides plenty of strength to resist erosion from hot gas. Precisely machined for a close slip fit on standard .750" OD barrels. Includes mounting hardware and instructions. Gunsmith installation recommended.

SPECS: Stainless steel, with Black Nitride finish. 1" (2.5cm) long, 1.4 (3.6cm) high. Fits barrels .750" O.D. at gas port.

#100-014-198 Super Gas Block, SS BLK, 7B75C99..... \$ 80.00



**WANT MORE NEW PRODUCTS? SHOP ON LINE!** PRODUCTS ADDED DAILY

### **ODIN WORKS AR-15/M16** ADJUSTABLE LOW-PROFILE

**GAS BLOCK** 

Ball-Detent Lets You Click To Any of 20 **Discrete Gas Flow Settings** 

Odin's tunable all-steel gas block has a front-facing adjustment screw that gives you 20 clicks of ball-detent adjustment - no setscrews needed. Simply adjust the screw to allow the amount of gas flow you want and leave it. Works with any caliber AR, as long

as the barrel is .750" O.D. at the gas journal. Screw and spring are made from Inconel so they'll handle the erosive effects of hightemperature combustion gas. Black nitride finish matches most harrel finishes

#100-022-684	Adj. Low-Pro .750" Gas Block, 4A73J09	\$ 85.99
MEW 100-036-200 🔘	.875" Tunable Gas Block, 4A72M24	84.99
NEW 100-036-201	.936" Tunable Gas Block, 4A72F24.	84.99

#### ODIN WORKS AR-15/M16 TUNABLE GAS BLOCK

Low-Profile Gas Block Lets You Easily "Tune" the Gas Flow To Match Your Ammunition

Machined from stainless steel and with a minimal profile, this gas block lets you adjust gas flow to suit your rifle (or pistol) and the type of ammo you're shooting. It will fit under almost any slim handguard and is designed to fit on all of Odin's direct-impingement AR-15 barrels, as well as any other AR barrels outfitted with a .750" gas journal. Treated with a tough Nitride finish to resist corrosion and wear. Weighs 1.9 oz, including the cross-pin, setscrews and steel tuning screws that ship with the gas block. The wrenches needed for gas flow adjustment are also included with the block

#100-036-202 ( .750" Tunable Gas Block, 4A44E19... \$ 51.99

**FOLLOW US • FRIEND US • LIKE US** 

order on the web brownells.com

**BROWNELLS** PAGE 23

Orders: 800-741-0015

# SYSTEM COMPONENTS

#### PRECISION REFLEX AR-15 ADJUSTABLE LOW-PROFILE GAS BLOCK



Lets You Tailor Extraction & Ejection To Individual Loads

Steel gas block features an adjustable gas port that lets you tune the amount of gas output for reliable extraction and ejection to match your ammo. Adjustment screw closes or opens the port in the block and not the gas tube; drilling of

the gas tube is not required. Fits under free float handguards and does not interfere with the sight picture through scopes or red-dot sights. Dual set screws on bottom securely lock the block onto the barrel. SPECS: 1141 high-strength steel, magnesium phosphate finish, matte black. 1" (2.5cm) long, 1.37"(3.4cm) high, 1 oz. (28g) wt. Fits barrels .750" OD at the gas block position.


#714-000-019 Adjust. Low-Profile Gas Block, 4A70Q54.. \$ 82.99



Clamp On

#### Give Your AR the Exact Amount of Gas It Needs

SLR's adjustable gas blocks gives AR owners total control over their rifle's gas systems, giving them the chance to fine-tune the gun with different ammo or with an attached suppressor.





Setscrew Titanium.

included tool and features a clamp-on attach-

SLR RIFLEWORKS AR-15/M16

SENTRY ADJUSTABLE GAS BLOCKS

ment design tha	at is guaranteed to provide a solid gas seal.	
#100-025-363	Steel Adj. Gas Block, .625"/Clamp On, 2Z00JDD.	\$ 119.99
#100-025-364	<b>Steel Adj. Gas Block,</b> .750"/Clamp On, 2Z00BLF	122.99
#100-025-367	Steel Adj. Gas Block, .625"/Setscrew, 2Z00QRL	119.99
#100-025-368	Steel Adj. Gas Block, .750"/Setscrew, 2Z00HFJ	122.99
#100-025-369	<b>Steel Adj. Gas Block,</b> .875"/Setscrew, 2Z00CDA	119.99
#100-025-370	Steel Adj. Gas Block, .936"/Setscrew, 2Z00LBJ	119.99
#100-025-372	<b>Titanium Adj. Gas Block,</b> .750"/ Setscrew, <i>2Z00HDQ</i>	179.99
#100-025-373	<b>Titanium Adj. Gas Block,</b> .875"/ Setscrew, <i>2Z00KRC</i>	184.99

# 0

#### TROY INDUSTRIES AR-15/M16 LOW-PROFILE GAS BLOCK

Won't Interfere With Extended-Length **Tactical Forearms** 


Minimal-profile replacement for factory front sight/gas block won't interfere with extendedlength tactical forearms, while ensuring proper function of gas system for reliable cycling. Protrudes only .420" above barrel, covers less than 1"

of barrel length, and adds only 1.4 oz. of weight. Compatible with M4style carbines and M16A2/A3/A4-style rifles with any length, .750" O.D. barrel. Two steel setscrews keep the block securely anchored to the barrel to prevent shifting even under the force of full-auto recoil. Black oxide finish matches most factory barrel finishes.

SPECS: Carbon steel, oxide finish, matte black. .950" (24mm) long. 1.375' (3.5cm) overall height. 1.4 oz. (41g) weight. Fits AR-15/M16 with .750" O.D. barrel at gas block mounting position. Includes hex-head setscrews.

#100-004-062 Low-Profile Gas Block, 3B32M50......\$ 35.99

### SEEKINS PRECISION AR-15/M16 ADJUSTABLE GAS BLOCK



Steel gas block lets you adjust the amount of gas flow, so you can tune gas output for reli-

able extraction and ejection with different ammo types. Brass friction screw holds adjustments without thread locker and won't mar the adjustment screw. Fits under free-float handguards on .750" O.D. barrels. Dual bottom screws secure block to barrel. Requires Allen wrench, not included.

SPECS: Steel, matte black finish. 1" (2.5cm) long. .9" (2.3cm) wide. 13/8" (3.5cm) high. 1.8 oz. (51g) wt.

#100-011-244 Adjustable Gas Block, 8C00QVS .... \$ 58.99









Extended Nose

#### Minimal Profile To Fit Under Handquard; Models With Integral Accessory Rail

Carbon steel gas blocks give the choices you need to create a custom-built rifle with a mission-specific configuration. Fits under a free-float handguard and lets you use a longer handguard on carbinelength barrels for extra accessory-mounting options, plus a streamlined look with more gripping surface. Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as

you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Extended Nose is like Low-Profile, butwith an extended sleeve that covers taper pin holes left by the issue A2-style sight tower. Choose black Parkerized or black Nitride finish. 🔙 SPECS: 6061 T6 aluminum, hardcoat anodized, black, or 1018 alloy steel, Parkerized, black. Barrel O.D. measured at gas port.

SADLAK INDUSTRIES AR-15/M16 GAS BLOCKS

STOCK #	TYPE	BBL. O.D.	FINISH	LENGTH	WIDTH	HEIGHT	PRICE
#100-006-899	Slip-On	.625"	Parkerized	.95" (24mm)	.775" (19.6mm)	1.3" (33mm)	6A29B99 \$ <b>39.9</b> 9
NEW 100-054-237	Slip-On	.625"	Black Nitride	.95" (24mm)	.780"	1.3" (33mm)	3P12C99 \$ 13.49
NEW 100-054-236	Skeletonized Slip-On	.625"	Parkerized	.95" (24mm)	.780"	1.3" (33mm)	2N14B99 \$ 14.99
#100-005-337	Slip-On	.750"	Parkerized	.95" (24mm)	.90" (23mm)	1.4" (36mm)	6A23H99 <b>\$ 31.9</b> 9
NEW 100-054-238	Slip-On	.750"	Parkerized	.95" (24mm)	.900"	1.4" (36mm)	7Y10B99 <b>\$ 11.4</b>
NEW 100-054-239	Slip-On	.750"	Black Nitride	.95" (24mm)	.900"	1.4" (36mm)	8Z11C99 <b>\$ 12.4</b> 9
NEW 100-054-241	Slip-On	.936"	Parkerized	.95" (24mm)	1.090"	1.4" (36mm)	1M14A99 \$ 15.49
NEW 100-054-235	Clamp-On	.625"	Parkerized	.95" (24mm)	.780"	1.3" (33mm)	4Q23D99 \$ 24.99
#100-005-339	Clamp-On	.750"	Parkerized	.95" (24mm)	.90" (23mm)	1.5" (38mm)	6A37E49 \$ 49.99
NEW 100-054-240	Clamp-On	.875"	Black Nitride	.95" (24mm)	1.090"	1.5" (38mm)	6B34G50 <b>\$ 27.9</b>
#100-008-732	Extended Nose Slip-On	.750"	Parkerized	1.8" (46mm)	.90" (23mm)	1.4" (36mm)	6A39G74 <b>\$ 52.9</b> 9

#### VLTOR AR-15/M16 LOW-PROFILE GAS BLOCK



One-Piece Design Fits Under Free-Float Handquards

Slim replacement for cumbersome USGI front sight/gas block tower features a low profile for a more streamlined appearance and less chance of snagging on vegetation and other gear. Covers only 1" of barrel length

and reduces weapon's forward weight for improved handling and maneuverability. Clamp-on attachment system squeezes around the barrel with included socket head screws.

SPECS: 17-4 PH stainless steel, oxide finish, matte black. Includes hexhead mounting bolts or set screws, and gas tube pin. 1" (2.54cm) long. .926" (2.35cm) wide, 1.388" (3.52cm) tall. Fits barrels with .750" O.D. at gas journal. Will not fit under small-diameter free-float tubes or those with an exposed bottom rail channel on the inside of the handquard such as VLTOR VIS, Daniel Defense, and LaRue Tactical

#100-003-996 .750" Low-Profile Gas Block, Clamp-On, 

### 0

SLR RIFLEWORKS AR-15/M16

MICRO GAS BLOCK

Versatility in a Low-Profile Design

low-pro block to go under an extended railed

handguard? SLR has your solution: Change it

out and add more versatility to your AR-15 with the addition of the

SLR Rifleworks Micro Gas Block, The SLR Rifleworks micro is made

with a low-profile design that allows clearance for most aftermarket

handguards offered for the AR-15 platform, giving owners a wide

range of versatility and customization options for their rifle. Ma-

chined from 4140 billet steel with a tough QPQ Melonite finish OR

super-lightweight Titanium in it natural silver finish. Available to fit

barrels with .625", .750", .875" and .936" O.D. at gas journal. The

SLR Micro also comes equipped with 0.400"-spaced setscrews to

#100-025-355 Steel Micro Gas Block, .625", 2Z00LKH . . \$ 35.99

#100-025-356 Steel Micro Gas Block, 750", 2Z00NRL. 35.99

#100-025-357 Steel Micro Gas Block, .875", 2Z00LBJ . . 39.99

#100-025-358 Steel Micro Gas Block, .936", 2Z00JKJ . . 39.99

2Z00JKS .....

2Z00PEM.....

ensure your gas block never moves from its position.

#100-025-360 Titanium Micro Gas Block, .750".

#100-025-361 Titanium Micro Gas Block, .875",

Sick of that front-sight gas block? Need a

#### SUPERLATIVE ARMS AR-15/M16 ADJUSTABLE GAS BLOCKS





Dial Up The Amount of Gas Flow You Need: Many Sizes, 2 Different Attachment Systems To **Choose From** 



Superlative's "Bleed Off" direct-impingement gas block lets you adjust the gas flow by venting (bleeding) excess gas out of the block instead of restricting its flow like conventional adjustable blocks. The pressure is reduced to just the amount required to reliably drive the bolt carrier. The remaining gas is bled out of the block, so

the system runs much cleaner and cooler. These blocks are extremely effective on SBRs, pistols, and suppressor-equipped ARs because the excess gas is exhausted out of the block instead of being blown back at the shooter. The adjustment screw and detent are on the outside of the block so they won't get contaminated by carbon buildup. The screw is removable, but there is a safety stop to prevent you from unintentionally backing it out too far. Stainless steel construction, with natural finish or black Melonite. Models to fit .625", .750", .875" and .936" gas journals. Solid models have two setscrews on the underside to anchor the block to the barrel. Clamp On models have a split underside and two side-mounted cap screws to provide friction-fit

provide fricti	on-tit. 🚞	
100-020-574	AR-15 Adjustable Gas Block .750", Solid Stainless Steel, 5A00LIH	91.99
100-020-572	<b>AR-15 Adjustable Gas Block .750",</b> Clamp On Stainless Steel, <i>5A00KSE</i>	91.99
100-020-571	<b>AR-15 Adjustable Gas Block .750",</b> Clamp On Melonite, <i>5A00FXQ</i>	90.99
100-020-573	<b>AR-15 Adjustable Gas Block .750",</b> Solid Melonite, <i>5A00NKS</i>	90.99
100-020-570	<b>AR-15 Adjustable Gas Block .625",</b> Solid Stainless Steel, <i>5A00GMR</i>	89.99
100-020-568	AR-15 Adjustable Gas Block .625", Clamp On Stainless Steel, 5A00FFS	89.99
100-020-569	AR-15 Adjustable Gas Block .625", Solid Melonite, 5A00ELM	89.99
100-020-567	AR-15 Adjustable Gas Block .625", Clamp On Melonite, 5A00FND	91.99
100-020-578	AR-15 Adjustable Gas Block .875", Solid Stainless Steel, 5A00IKP	89.99
100-020-576	AR-15 Adjustable Gas Block .875", Clamp On SS, 5A00CNG	89.99
100-020-577		91.99
100-020-575	AR-15 Adjustable Gas Block .875", Clamp On Melonite, 5A00GSK	89.99
100-020-582	AR-15 Adjustable Gas Block .936", Solid Stainless Steel, 5A00QJL	89.99
100-020-580	AR-15 Adjustable Gas Block .936", Clamp On Stainless Steel, <i>5A00KDE</i>	89.99
100-020-581	AR-15 Adjustable Gas Block .936", Solid Melonite, 5A00NGS	89.99
100-020-579	AR-15 Adjustable Gas Block .936", Clamp On Melonite, 5A00PHI.	89.99
	On Metonite, SAUUFAI	07.77

#### CALL OFTEN!!

We'll Be Your Warehouse 800-741-0015



#### YANKEE HILL MACHINE AR-15/M16 **LOW-PROFILE GAS BLOCKS**

#### Two Variations; Choose the One That Fits Your Application

Unique, all-steel gas blocks expand the versatility of your rifle by providing a variety of accessory rail and handguard mounting options. Especially helpful in cus-







tomizing short-barreled tactical rifles. Machined from bar stock for extra strength and rigidity, then mil-spec Parkerized for exceptional wear- and corrosion-resistance. Unless otherwise noted, fits barrel with .750" at gas journal. One-piece YHM-9383 block is designed to fit inside most free-float handguards, allowing use of rifle-length handguards on carbine length barrels for a clean, streamlined look .950" (2.4cm) long, 11/3" (3.3cm) high. 1.4 oz. (40g) wt. YHM-9384 has a slot cut into the bottom for easy mounting and dismounting; slide the block into position and tighten the two pinch screws to snug it securely to the barrel. .950" (2.4cm) long, 13/8" (3.7cm) high. 1.8 oz (51a) wt.

#100-010-655	YHM-9383 Low Profile Gas Block, 9A16A79	\$ 20.99
#100-010-657	YHM-9384 Low-Profile Slotted Gas Block, 9A22H39	27.99

#### WILSON COMBAT AR-15/AR-308 **BULLET PROOF® ADJUSTABLE GAS SYSTEM**



**Enables You To Precisely Control Gas** Flow To Match the Ammo You're Shooting - Ideal for Sound-Suppressed ARs

The Wilson Combat Bullet Proof® Adjustable Gas system has 16 clicks of adjustment, allowing the shooter to fine-tune the gas flow on their rifle to the ammunition they are using for optimized performance. The internal stainless steel regulator assembly actually cuts carbon like an auger as you adjust the block, ensuring that it will not clog or seize during or after heavy use. The regulator allows full cutoff and prevents excess carbon fouling. The robust adjustment screw is a common flat head size, so no special tools are required for field tuning or adjustment. Comes fully assembled with a straight gas tube that ensures better mating with your bolt's gas key and higher strength under sustained fire than a typical "bent" gas tube. The black nitride finished block will match most AR finishes and ensures your block will remain corrosion free. Fits .750" gas journal.

#965-000-408 AR-15 Adj. Gas Block w/Rifle Tube, 5F109J67.....\$ **119.95** 



Quick & Easy Solution To Worn-Out Stripped Screws; Designed To Resist Backing Out





SOLGW's AR-15 gas block setscrews are a must-have to replace stripped out setscrews on your low-profile gas block. These are 10-32 tpi screws that feature a serrated tip to dig into the barrel and prevent the screws from backing out. Sold in pairs.

#100-045-044 AR-15 Gas Block Setscrews, 8W03N99...\$ 3.99

#### SUPERLATIVE ARMS AR-15/M16 ADJUSTABLE GAS PISTON SYSTEM



Piston Operating System + Gas Flow You Control = Ultra-Reliable Rifle

Superlative's "Bleed Off" gas piston system extends combines the benefits of their adjustable-flow gas blocks with a gas piston operating system. The result is a superbly reliable, cool-running, smooth-cycling AR-15 rifle (or pistol). Complete kit replaces your rifle's bolt carrier (retain your existing bolt), gas tube, and gas block. Up front, just as with Superlative's gas blocks, the gas flow is controlled by bleeding excess gas out of the block instead of restricting its flow. The pressure used in the block is just enough to drive the piston to operate the bolt carrier. The remaining gas is vented out of the block, so your rifle runs much cleaner and cooler, with a noticeable reduction in felt recoil. The control screw and detent are located outside of the block, eliminating the risk of seizing or wear due to carbon build up. Solid design employs two setscrews on the underside of the piston block to anchor the block to the barrel. SPECS: Stainless steel, with black Melonite finish. Models to fit .625" and .750" gas journals. Includes piston block assembly, carrier (bolt not included), necessary mounting hardware, and instructions.

#100-020-584	Carbine Piston System .750",	
	5A00LPL	\$ 260.99
#100-020-585	Mid-Length Piston System .750",	
	5A00GMP	260.99

#### BRAVO COMPANY AR-15 ENHANCED LIGHTWEIGHT BARREL ASSEMBLY KITS



Available only from Brownells, these barrels have a unique, continuous-taper contour that cuts weight while delivering optimum rigidity and balance. The sharp shoulder at the handguard cap has been eliminated for improved barrel harmonics and, consequently, better accuracy potential. M4-type feed ramps in the extension encourage reliable chambering and extraction of rounds. 1-7" twist handles heavier long-range bullets. Mid-length gas system slows gas velocity to promote smoother, more reliable operation than with the standard carbine-length system. Comes with a low-profile steel gas block (.625") and a stainless steel gas tube (mid-length). SPECS: 11595E certified mil-spec steel, manganese phosphate finish, matte black. Chambered in 5.56 NATO. Chrome-lined bore. 1/2" x 28 muzzle threads 622" (1.6cm) O.D. at das nort

mazzic imcads.	.022 (1.0611) O.D. at gas port.	
#100-019-397	14.5" Enhanced Lightweight Barrel	
	<b>Assembly,</b> 1E308A69	\$ 342.99
#100-019-398	16" Enhanced Lightweight Barrel	
	<b>Assembly</b> , 1E314P99	349.99

#### BALLISTIC ADVANTAGE AR-15 BARRELS —



#### A Barrel Contour To Serve Every Shooter's Need

Ballistic Advantage AR barrels come in a great variety of chamberings, lengths, and contours, so you are certain to find the exact barrel you need for any type of rifle you are building or upgrading. These barrels are precision machined from extra-strong 4150 chromemoly-vanadium steel alloy and have a nickel-boron coated barrel extension with M4 feed ramps to help ensure reliable feeding and extraction. Government, M4, Pencil, Bull, SPR, and DMR profiles are all well-known among AR platform aficionados. The DRP (Distinct Rigid Profile) is a stocky profile designed for short pistol barrels. The Hanson Profile delivers the rigidity of a heavy-profile barrel without the extra weight. Developed by Ballistic Advantage's barrel guru, Clint Hanson, this unique profile eliminates sharp shoulders and smooths tapers to symmetrically limit barrel "whip" caused by vibrations and flexing during prolonged shooting. It also controls barrel harmonics,



so the barrel returns quickly to its "home" position after each shot - highly beneficial for follow up shots at a high rate of fire or even fullauto fire. Hanson barrels come with a .750" low-profile gas block installed and pinned on. All NFA rules apply to sub-16" length barrels.

Details on specific chamberings: **5.56 NATO** barrels accept both military-type 5.56x45mm and civilian .223 Remington ammo. 6.5 Grendel barrels are machined from 416 Stainless Steel with a bead blasted finish. .308 Winchester (DPMS style) barrels are machined from 4150 Chrome Moly Vanadium steel with a QPQ Corrosion Resistant Finish and QPQ coated M4 feed ramp extension. 9mm Luger barrels are designed to work with both Colt/RR and Glock®-style AR builds. Compatible with standard mil-spec uppers. Requires the use of a unique magwell conversion (Colt/Rock River style) with UZI mags or a dedicated 9mm lower with Glock® mags. The "barrel extension" is an integral part of the barrel, so the length stated is the true overall length.

STOCK #	CALIBER	LENGTH	GAS SYSTEM	CONTOUR	THREAD SIZE	TWIST	COLOR	PRIC	CE
#915-000-009	5.56 NATO	7.5"	Pistol	DRP	1/2"-28 tpi	1-7"	Black	5A92B90	\$ 109.99
#915-000-011	5.56 NATO	10.5"	Carbine	Government	1/2"-28 tpi	1-7"	Black	5A111D11	\$ 133.99
#915-000-026	5.56 NATO	11.3"	Carbine/.625"	Hanson	1/2"-28 tpi	1-7"	Black	5A170F90	\$ 199.99
#915-000-012	5.56 NATO	11.5"	Carbine	Government	1/2"-28 tpi	1-7"	Black	5A138N99	\$ 145.99
#915-000-025	5.56 NATO	12.3"	Carbine/.750"	Hanson	1/2"-28 tpi	1-7"	Black	5A176E79	\$ 207.99
#915-000-013	5.56 NATO	12.5"	Carbine	Government	1/2"-28 tpi	1-7"	Black	5A111E43	\$ 142.99
#915-000-014	5.56 NATO	14.5"	Mid-Length	Government	1/2"-28 tpi	1-7"	Black	5A112F43	\$ 152.99
#915-000-019	5.56 NATO	16"	Carbine	M4	1/2"-28 tpi	1-7"	Black	5A113C33	\$ 152.99
#915-000-018	5.56 NATO	16"	Mid-Length	Government	1/2"-28 tpi	1-7"	Black	5A148P99	\$ 156.99
#915-000-021	5.56 NATO	18"	Rifle	SPR w/OPS 12	1/2"-28 tpi	1-7"	Black	5A140M90	\$ 166.99
#915-000-038	.223 Wylde	16"	Mid-Length	Fluted SPR w/LoPro	1/2"-28 tpi	1-8"	Silver	5A189I13	\$ 218.99
#915-000-036	.223 Wylde	16"	Mid-Length/.750"	Hanson	1/2"-28 tpi	1-8"	Silver	5A183A24	\$ 232.99
#915-000-043	.223 Wylde	18"	Rifle	SPR	1/2"-28 tpi	1-8"	Silver	5A204H06	\$ 237.99
#915-000-042	.223 Wylde	18"	Rifle	SPR w/OPS12	1/2"-28 tpi	1-8"	Silver	5A174I57	\$ 199.99
#915-000-046	.300 Blackout	6"	Pistol	DRP	5/8"-24 tpi	1-7"	Black	5A124J09	\$ 145.99
#915-000-055	.300 Blackout	8.3"	Pistol	Hanson	5/8"-24 tpi	1-7"	Black	5A157A63	\$ 199.99
#915-000-049	.300 Blackout	9"	Pistol	DRP	5/8"-24 tpi	1-7"	Black	5A111B21	\$ 152.99
#915-000-051	.300 Blackout	10"	Pistol	DRP	⁵/s"-24 tpi	1-7"	Black	5A111M30	\$ 156.99
#915-000-057	.300 Blackout	10.3"	Pistol	Hanson	⁵/ <sub>8</sub> "-24 tpi	1-7"	Black	5A157C83	\$ 209.99
#915-000-053	.300 Blackout	16"	Pistol	DRP	5/8"-24 tpi	1-7"	Black	5A146F19	\$ 171.99
#915-000-060	.308 Winchester	12.5"	Carbine	Government	5/8"-24 tpi	1-10"	Black	5A146K04	\$ 199.99
#915-000-061	.308 Winchester	16"	Mid-Length	Government	5/8"-24 tpi	1-10"	Black	5A146G86	\$ 218.99
#915-000-064	.308 Winchester	20"	Rifle	Heavy	5/8"-24 tpi	1-10"	Black	5A168G83	\$ 237.99
#915-000-088	9mm Luger	5.5"	Blowback	Straight	1/2"-28 tpi	1-10"	Black	5A84E99	\$ 99.99
#915-000-092	9mm Luger	5.5"	Blowback	Straight	1/2"-36 tpi	1-10"	Black	5A84L99	\$ 99.99
#915-000-089	9mm Luger	8.3"	Blowback	Government	1/2"-28 tpi	1-10"	Black	5A93H49	\$ 109.99

### **BROWNELLS** AR-15/M16 6.5MM BARRELS



Premium-Quality Barrels in a Popular **Calibers for Custom Builds** 

These top-grade barrels come in "non-standard" - but increase ingly popular calibers to help you a custom build that's ideal for your needs. Precision button rifling helps maximize accuracy potential with twist rates optimized for specific calibers. Available in black

nitride finish for superior hardness, lubricity and easy of cleaning, or in bare stainless for extra resistance to corrosion and weather. 6.5 Grendel has 5/8"-24 tpi muzzle threads and comes with matching bolt. Fits standard 5.56 mil-spec upper with M4 feed cuts. 6.5 Creedmoor has 5/8"-24 tpi muzzle threads and its DPMS Gen I and SR-25 pattern receivers.

SPECS: 416R stainless steel, natural finish, or 4150 chome moly steel with black Nitride finish. Includes installed barrel extension; gas block must be purchased separately.

STOCK #	CALIBER	LENGTH	GAS SYSTEM	CONTOUR	FINISH	TWIST	PRICE
#080-001-353	6.5mm Grendel	20"	Mid-Length/.750"	Medium	Nitride	1-8"	1D294J49 \$ <b>309.99</b>
#080-001-354	6.5mm Grendel	24"	Mid-Length/.750"	Medium	Stainless	1-8"	1D323C94 \$ <b>349.99</b>
#100-026-211	6.5 Creedmoor	24"	Rifle/.750"	Heavy Fluted	Stainless	1-8"	1D243D89 \$ 270.99

order on the web

brownells.com

# BLACKSTONE FIREARMS AR-15 CARBON FIBER BARRELS

#### Lightweight Barrel With Rigidity & Stability of a Heavy Bull Barrel

These barrels have a match-grade 416R stainless steel inner core sleeved in roll-wrapped carbon fiber that provides superb rigidity, weight savings, and excellent cooling. Three times stronger than steel, the carbon fiber sleeve puts an air pocket between the barrel and carbon, allowing air to flow around the stainless steel inner barrel, further enhancing cooling. Vent holes in the carbon fiber sleeve lets that internal heat escape, expediting barrel cooling even more. In the end, BSF AR-15 Barrels stay cool enough you can hold them with your bare hands, even after running 60 consecutive rounds down them! Match grade inner barrel of double stress-relieved 416R stainless steel. .936" O.D. bull barrel external contour. 95% of the carbon fiber wrap does not touch the inner barrel for plenty of heat dissipation. By using this sleeve system, BSF barrels are able to maintain remarkable stiffness and strength while keeping the barrel extremely lightweight. Rifling twist rates: .223 Wylde/6.5 Grendel/6.5 Creedmoor = 1-8"; .308 Win = 1-10". ML = mid-length gas tube; RL = rifle length gas tube; RL+2 = extended rifle-length tube (included with barrel).

#100-025-236	<b>.223 Wylde CF Barrel,</b> 16"/RL, 2H00LKJ	\$ 569.99
#100-025-237	<b>.223 Wylde CF Barrel,</b> 18"/RL, 2H00FLF	569.99
#100-025-235	<b>6.5 Grendel CF Barrel,</b> 20"/RL, 2H00HWJ	569.99
#100-026-798	<b>6.5 Creedmoor CF Barrel,</b> 20"/RL, 2H00LIF	597.99
#100-026-800	<b>6.5 Creedmoor CF Barrel</b> , 24"/RL+2, 2H00BZH	597.99
#100-026-801	<b>.308 Win CF Barrel,</b> 16.5"/ML, 2H00DQJ	569.99
#100-026-804	.308 Win CF Barrel, 18"/RL, 2H00IFM .308 Win CF Barrel, 20"/RL, 2H00KZP .308 Win CF Barrel, 24"/RL, 2H00JEL	

# CMMG AR-15/M16 300 AAC BLACKOUT BARRELS

#### Converts Your AR To A Hard-Hitting .30 Caliber -NO Other Modifications Required

Direct replacement for the standard .223/5.56mm barrel converts your AR-15 to the high-performance 300 AAC Blackout (300BLK) cartridge. The 300 AAC lets you upgrade your rifle to 7.62 x 39 ballistics, while retaining the standard AR-15/M16 bolt, carrier, and magazine at its full capacity, with no additional modifications. 1-8" rifling accepts bullet weights from 110 gr to 220 gr, and \*/s"-24 muzzle threads accept popular AR-308 flash suppressors and muzzle brakes. Finished with CMMG's "WASP" nitriding process that delivers outstanding resistance to surface wear and corrosion. \$\bigsimes\$ SPECS: Hardened 4150 chrome-moly steel, WASP nitride finish, matte black. \*/s"-24 tpi muzzle threads. .750" O.D. at gas port. 16" Carbine barrel accepts carbine-length gas systems. 12.5"/8.2" barrels accept pistol-length gas systems.

#100-009-125	<b>300 AAC Barrel,</b> 16", 3B165E74	194.99
#100-014-823	<b>300 AAC Barrel,</b> 12.5", <i>3B161J99</i>	179.99
#100-014-824	<b>300 AAC Barrel,</b> 8.2", <i>3B149F59</i>	175.99

#### CMMG AR-15/M16 5.56 BARRELS



#### Provides Excellent Balance Between Strength, Rigidity & Weight Savings

CMMG's medium profile, carbine-style, multi-role barrels are versatile enough to be an integral part of almost any custom build. Chambered in 5.56mm NATO, they come in lengths to suit pistol, SBR, carbine, or full rifle builds. Barrel extension is pre-installed and headspaced, with M4-type feed ramp cuts. Available in 416 stainless steel or 4140 chrome moly steel with a hard, black nitride finish. All come with gas port drilled, ready for the gas block of your choice.

12.5" has gas port drilled for carbine-length gas tube; 16" requires mid-length gas tube; 18" requires rifle-length gas system.

SPECS: 4140 chrome moly steel (CM) with matte black salt bath nitride finish, or 416 stainless steel (SS), natural silver finish. .750" O.D. at gas port. 1/2"-28 tip muzzle threads. 1-7" rifling, All NFA rules apply.

#100-014-830	16" SS Barrel,	3B00NCL	\$ 175.99
#100-014-831	18" SS Barrel,	3B188N99	 209.99



Genuine Colt factory mil-spec barrels feature chrome-lined bores for corrosion resistance and extended service life. Button-rifled and magnetic particle inspected (MPI) to ensure there are no hidden flaws in the metal. Traditional military Parkerized finish. Chambered for 5.56 NATO, with 1-7" rifling, ½"-28 tpi muzzle threads, and gas port drilled for carbine-length gas tube (rifle length on A2 rifle barrel). 750" OD at gas journal. Barrel extension has standard M4-type feed ramps. Barrels are available **Stripped** with ONLY a barrel extension installed or as a complete **Assembly** with barrel extension, front sight tower, handguard cap, and barrel nut. **LE6920 16**" barrel assembly includes an A2 flash suppressor, sling swivel, bayonet lug, and Delta ring kit. **M4/M4A1**, **M4CQB**, & **LE633** assemblies do not include flash suppressor. **M4/M4A1** & **M4 SOCOM** barrets have cutout for M203 grenade launcher. ■

SPECS: 4150 chrome-moly steel, nitride bath finish. All NFA rules apply.

	<b>10.3" M4CQB Bbl Assy,</b> 9B292N99 <b>10.3" M4CQB Stripped Bbl,</b>	\$ 307.99
	1C234P99	246.99
	<b>11.5" LE6933 Bbl Assy,</b> 7J307W99	323.99
<b>₩160-000-516</b>	11.5" LE6933 Stripped Bbl,	
	4Q234C99	246.99
EW 160-000-513	<b>14.5" M4/M4A1 Bbl Assy,</b> 7Z321L99	338.99
w 160-000-514	14.5" M4/M4A1 Stripped Bbl,	
	2N248A99	261.99
#160-000-399	14.5" M4 SOCOM Bbl Assy, 1-7",	
	6A340M74	349.99
<b>€W160-000-517</b>	14.5" M4 SOCOM Stripped Bbl,	
	5G234U99	246.99
<b>⊯</b> 160-000-509	16" LE6920 Bbl Assembly, 8K365X99	384.99
EW 160-000-510	<b>16" LE6920 Stripped Bbl,</b> 3E234S99	246.99
<b>₩160-000-518</b>	<b>20" M16A2 Stripped Bbl,</b> 4F248T99	261.99

#### CRITERION AR-15/M16/AR-STYLE.308 MATCH GRADE BARRELS

Made From Top-Grade Ordnance Steel - Engineered For Versatility & Superb Accuracy Various Lengths & Popular Chamberings



Button-rifled barrels feature precision-cut chambers and rifling for enhanced accuracy potential with a variety of ammunition. Cas ports are carefully optimized for barrel length and chambering to help ensure reliable cycling, and are available for carbine, mid-length and rifle gas systems. Many models feature muzzle threads for standard comps and flash hiders, plus M4 feed ramps on barrel extension to aid in smooth, reliable feeding. Models available in stainless steel (SS) or traditional carbon steel (CS). Chambers are finished, but headspace should be checked prior to installation. Hand-lapping helps ensure smooth, consistent lands and grooves, and Criterion uses a unique chrome-lining process on the CS barrels to maintains uniformity throughout the bore.

ALL barrels come with barrel extension installed. Hybrid contour barrels have a reduced and tapered contour under the handguard to save weight. HBAR contour barrels feature. 870° diameter under handguard for rigidity and extra heat absorption. Ultralight barrels omit excess metal from places it's not needed to give a significant weight reduction for better maneuverability without sacrificing accuracy potential. Bull barrels have extra metal for more rigidity and an 11° target crown. Fluted models allow a longer barrel tength for extra velocity without adding more weight. Eight flutes machined around the circumference of the barrel to the front and rear of the gas port, each flute neatly polished to smooth jagged edges yet retain a smart appearance.

**223 Wylde** barrels have 1-8" twist to give excellent performance with a wide variety of bullet weight and a chamber built to handle both .223 and 5.56 NATO ammunition. **308 Win/6.5 Creedmoor** barrels are compatible with DPMS, Remington, Bushmaster and Fulton Armory pattern AR-308 rifles. **.308** barrels have an M118 LR match chamber that accepts both .308 Winchester and 7.62x51mm NATO, and an M4-style barrel extension with feed ramps. Gauged at the factory with Fulton Armory .308 bolts; compatible with DPMS and JP Enterprises bolts.

SPEC.S: 4150 chrome-moly carbon steel with matte black Parkerized finish (CS/BIk) and chrome-lined bore OR 416R stainless steel with natural silver finish (SS/Silver) or Salt Bath Nitrided black finish (SS/SBN Black). Barrel O.D. at gas journal is listed in "Gas System" column below. ALL barrels come with barrel extension installed.

CTOCK #	CALIBED	LENGTH	CACCVCTEM	CONTOUR	THREAD	MATERIAL		O.D. GAS	PRICE
STOCK#	CALIBER	LENGTH		CONTOUR	SIZE	MATERIAL	TWIST	PORT	
#100-030-231	223 Wylde	10.5"	Carbine/.750" O.D.	Hybrid	¹/₂"-28 tpi	CS/Parkerized	1-8	.750"	5D00CHA \$ 269.99
#100-010-179	223 Wylde	16"	Carbine/.750"	Hybrid	¹/₂"-28 tpi	CS/Parkerized	1-8"	.750"	5D00LFQ \$ 269.99
#100-010-180	223 Wyldo	16"	O.D. Mid-Length/.750"	Hybrid	1/2"-28 tpi	CS/Parkerized	1_Q"	.750"	5D00DHB <b>\$ 275.99</b>
#100-010-100	223 Wylde	10	O.D.	Пурпа	/2 -20 tpi	C3/F di Relizeu	1-0	./30	3D00D11B <b>\$ 273.93</b>
#100-030-107	223 Wylde	16"	Mid-Length/.750" O.D.	Hybrid	¹/₂"-28 tpi	SS/SBN Black	1-8"	.750"	5D00ISR <b>\$ 296.99</b>
#100-010-181	223 Wylde	18"	Rifle/.750" O.D.	Hybrid	1/2"-28 tpi	CS/Parkerized	1-8"	.750"	5D252C44 \$ 296.99
#100-030-108	223 Wylde	18"	Rifle/.750" O.D.	Hybrid	1/2"-28 tpi	SS/SBN Black	1-8"	.750"	5D00FAQ \$ 296.99
#100-010-411	223 Wylde	18"	Rifle/.750" O.D.	HBAR	1/2"-28 tpi	CS/Parkerized	1-8"	.750"	5D00NUQ \$ 269.99
#100-019-284	223 Wylde	18"	Rifle/.936" O.D.	Fluted	1/2"-28 tpi	SS/Silver	1-8"	.750"	5D00JSN \$ 339.99
#100-010-531	223 Wylde	20"	Rifle/.750" O.D.	Hybrid	1/2"-28 tpi	CS/Parkerized	1-8"	.750"	5D00BLH \$ 269.99
#100-030-109	223 Wylde	20"	Rifle/.750" O.D.	Hybrid	1/2"-28 tpi	SS/SBN Black	1-8"	.750"	5D00CBE \$ 296.99
#100-010-532	223 Wylde	20"	Rifle/.750" O.D.	HBAR	1/2"-28 tpi	CS/Parkerized	1-8"	.750"	5D252B44 <b>\$ 296.99</b>
#100-030-110	223 Wylde	20"	Rifle/.750" O.D.	HBAR	1/2"-28 tpi	SS/SBN Black	1-8"	.750"	5D00PKA \$ 296.99
#100-019-285	223 Wylde	20"	Rifle/.936" O.D.	Fluted	1/2"-28 tpi	SS/Silver	1-8"	.936"	5D00DZS \$ 339.99
#100-019-283	223 Wylde	20"	Rifle/.936" O.D.	Bull w/Target	NONE	SS/Silver	1-8"	.936"	5D284M99 <b>\$ 299.99</b>
	,			Crown					
#100-030-105	6.5 Grendel	18"	Mid-Length/.750"	Hybrid	5/8"-24 tpi	SS/Silver	1-8"	.750"	5D00PKK \$ 299.99
			O.D.	-					
#100-030-106	6.5 Grendel	22"	Rifle/.750" O.D.	HBAR	5/8"-24 tpi	SS/Silver	1-8"	.750"	5D00NGH \$ 299.99
#100-019-351	6.5 Creedmoor	18"	Rifle/.750" O.D.	Hybrid	5/8"-24 tpi	SS/Silver	1-8"	.750"	5D00MRI \$ 301.99
#100-019-352	6.5 Creedmoor	22"	Rifle/.875" O.D.	Hybrid	5/8"-24 tpi	SS/Silver	1-8"	.875"	5D00GZI \$ 301.99
#100-030-103	6.5 Creedmoor	22"	Rifle/.875" O.D.	Hybrid	5/8"-24 tpi	SS/SBN Black	1-8"	.875"	5D00GIC \$ 339.99
#100-016-753	308 Win/7.62x51 NATO	16"	Mid-Length/.750" O.D.	Hybrid	5/8"-24 tpi	CS/Parkerized	1-10"	.750"	5D00BWF <b>\$ 359.99</b>
#100-030-098	308 Win/7.62x51 NATO	16"	Rifle/.750" O.D.	Hybrid	5/8"-24 tpi	SS/SBN Black	1-10"	.750"	5D00MRA \$ 305.99
#100-016-754	308 Win/7.62x51 NATO	18"	Mid-Length/.750" O.D.	Hybrid	5/8"-24 tpi	CS/Parkerized	1-10"	.750"	5D00PCE \$ 359.99
#100-030-099	308 Win/7.62x51 NATO	18"	Mid-Length/.750" O.D.	Hybrid	5/8"-24 tpi	SS/SBN Black	1-10"	.750"	5D00GAP \$ <b>305.99</b>
#100-030-100	308 Win/7.62x51 NATO	18"	Rifle/.750" O.D.	Hybrid	5/8"-24 tpi	SS/SBN Black	1-10"	.750"	5D00KPE <b>\$ 305.99</b>
#100-016-755	308 Win/7.62x51 NATO	20"	Rifle/.750" O.D.	Hybrid	5/8"-24 tpi	CS/Parkerized	1-10"	.750"	5D00LKN \$ 359.99
	308 Win/7.62x51 NATO		Rifle/.750" O.D.	Hybrid	5/8"-24 tpi	SS/Silver	1-10"	.750"	5D00PXP <b>\$ 288.99</b>
			Rifle/.750" O.D.	Hybrid	5/8"-24 tpi	SS/SBN Black	1-11"	.750"	5D00GKE \$ 305.99
#100-030-101									
#100-030-101 #100-016-757	308 Win/7.62x51 NATO		Rifle/.875" O.D.	Hybrid	5/8"-24 tpi	SS/Silver	1-10"	.875"	5D00MJR \$ 288.99

#### CMMG AR-15 .22 LR BARREL SUB-ASSEMBLIES

For Maximum Accuracy Build Your Rimfire AR With a Dedicated .22 LR Barrel

> These barrel assemblies are perfect for building a very accurate custom dedicated .22 Long

Rifle AR-15 upper receiver. While a standard .223/5.56 centerfire barrel can be used to shoot .22 LR ammo from your AR-15 - which is exactly what happens when you use a CMMG rimfire conversion unit - accuracy is not optimal because of slight differences in bullet diameter, the different rifling twist needed by rimfire ammo, and because the conversion unit uses a chamber insert to interface between the centerfire chamber and the much smaller .22 LR cartridge. The solution for a true, dedicated rimfire AR-15 is to install a barrel with an integral .22 LR chamber, CMMG's barrels are made from 4140 chrome-moly alloy steel with a tough salt bath nitride finish, 1-16" rifling, a .22 LR "sporting" chamber that will accept a wide variety of ammo, and ½"-28 tpi muzzle threads up front. You can get these barrels with and without the barrel collar kit.

ew100-044-563	<b>.22 LR Barrel Sub-Assembly,</b> 4.5", 9N106G62	\$ 119.95
#100-044-564	<b>.22 LR Barrel Sub-Assy w/Collar,</b> 4.5", 3B133G29	149.95
#100-044-567	.22 LR Barrel Sub-Assy, 9.2", 3B136/08	153.64
#100-044-565	<b>.22 LR Barrel Sub-Assy,</b> 16.1", 3B136E08	153.64
#100-044-566	.22 LR Barrel Sub-Assy w/Collar, 16.1", 3B177J73	200.67

CMMG AR-15 PISTOL BARREL + BOLT/

**CARRIER ASSEMBLIES** 

Build a Pistol-Caliber AR With an Operating System

That Reduces Weight & Felt Recoil

lar pistol calibers using CMMG's Radial Delayed Blowback operat-

ing system. Unlike typical direct blowback systems, Radial Delayed

Blowback not only reduces the weight of your BCG but it results in less felt recoil than a straight blowback system. These kits are designed to work with either a CMMG Mk57 lower receiver or with a standard AR-15 lower receiver (when using CMMG 5.7 AR Con-

version Magazines). CMMG MkG Barrel and Bolt Kits are designed

to work exclusively with their MkG Lowers, and a mil-spec upper

receiver with enlarged ejection port. Other manufacturers' receivers may work, but CMMG cannot guarantee function or reliability. Requires enlarged ejection port for reliable operation. 5.7x28mm & 9mm Luger models have 1/2"-28 tpi muzzle threads; .45 ACP has

5.7x28mm Barrel + BCG, 8.5",

5.7x28mm Barrel + BCG, 16.1",

9mm Luger Barrel + BCG, 5",

9mm Luger Barrel + BCG, 8",

100-061-549 (a) .45 ACP Barrel + BCG, 5", 6U00NPQ ... 374.95

3B00ACE.....

3B00KBČ.....

3B00ATI.....\$ **424.95** 

3B00MCR ..... 374.95

.578"-28 tpi threads.

#100-044-578

#100-044-580

#100-044-581

#100-044-582

CMMG's barrel and BCG kits enable you to build an AR in popu-



#### DANIEL DEFENSE AR-15/M16 HAMMER FORGED BARRELS

Cold Hammer Forged For Superb Accuracy; Chrome-Lined For Long Life

These barrels are cold hammer-forged from high-grade chromium-molybdenumvanadium alloy steel for exceptional strength and accuracy potential—like a high-end match rifle barrel. Magnetic particle inspection (MPI) ensures there are no internal flaws in the metal. Durable manganese phosphate finish give excellent resistance to surface wear. Available drilled for either Carbine or Mid-Length gas tube (indicated in table below). Lightweight barrel offers a slimmer profile than the M4 Carbine barrel. **Government** barrel is slim under the handguard, with standard .750" O.D. at the gas block. S2W° "Strength 2 Weight" barrel has extra length and starts with a heavy profile at receiver, tapering to .750" at gas block. All bores are chrome lined, except for 300 AAC Blackout (330 BLK). Barrel extension has M4-type feed ramps. Choose caliber, profile, and length to fit your needs.

SPECS: 4150 chome-moly-vanadium steel, manganese phosphate finish, matte black. All models have 1/2"-28 tpi muzzle threads, except for 300 AAC Blackout (300 BLK), which has 5/8"-24 tpi threads. All NFA rules apply.

,							
STOCK#	CALIBER	LENGTH	PROFILE	TWIST RATE	O.D. GAS PORT	PRI	CE
#100-009-472	5.56	16"	Lightweight Carbine	1-7"	.625"	8K00NQJ	\$ 275.99
#100-009-475	5.56	16"	Government Mid-Length	1-7"	.750"	8K00FRH	\$ 281.99
#100-009-473	5.56	16"	Lightweight Mid-Length	1-7"	.625"	8KOOKXR	\$ 281.99
#100-009-474	5.56	14.5"	M4 Carbine	1-7"	.750"	8K00QCF	\$ 289.99
#100-009-476	5.56	10.3"	Government Carbine	1-7"	.750"	8K00HRF	\$ 275.99
#100-014-986	5.56	11.5"	Government Carbine	1-7"	.750"	8K00EDI	\$ 289.99
#100-014-987	5.56	12.5"	Government Carbine	1-7"	.750"	8K275H00	\$ 275.99
#100-014-988	300 BLK	10.3"	S2W Carbine	1-8"	.750"	8K00BCB	\$ 275.99
#100-010-893	300 BLK	16"	S2W Carbine Length*	1-8"	.750"	8K00NSD	\$ 275.99

# **FAXON FIREARMS AR-15**

Mounting of Q & SIG Sauer Suppressors Faxon and Brownells have teamed up to bring this unique line of AR-15 suppressorfriendly barrels to market. One of the unique design features of these barrels is the tapered

**Tapered Muzzle Shoulder Enables Direct** 

muzzle shoulder which allows for direct mounting of suppressors from companies like Q LLC or Sig Sauer. If you don't yet have a suppressor that requires the tapered mounting system or you simple want to mount a conventional muzzle device don't worry; each barrel comes with an adapter that gives you a standard 90-degree shoulder angle. These barrels have a medium taper profile, 1/2-28 tpi threads, 1-8" rifling, and are made of 4150 carbon steel with a hard Black Nitride finish. Available in a variety of lengths, from a 7.5" Pistol model to 14.5" (M4) and 16" carbine lengths. Fits upper receivers with M4 feed ramp cuts.

SUPPRESSOR-OPTIMIZED BARRELS

18" Strength 2 Weight

Government Mid-Length

Government Carbine 10

M4 Carbine

Lightweight

	#100-034-893	<b>5.56 Suppressor Opt Bbl,</b> 12.5"/Carbine- Length, 1D150L29	166.99
	#100-034-894	5.56 Suppressor Opt Bbl, 14.5"/Mid-	
П		Length, 1D00DSH	171.99
	#100-034-895	<b>5.56 Suppressor Opt Bbl,</b> 16"/Mid- Length, 1D162Q89	180.99
		3 .	100.99
	#100-034-896	<b>300 BLK Suppressor Opt Bbl,</b> 7.5"/Pistol Length, <i>1D154C79</i>	171.99
	#100-034-897	<b>300 BLK Suppressor Opt Bbl,</b> 9" Pistol Length, <i>1D176G43</i>	180.99
	#100-034-898	<b>300 BLK Suppressor Opt Bbl,</b> 16" Carbine-Length, 1D170C99	189.99

#078-000-607 6mm ARC Bbl Mid-Length, 18", 1D183E32.. 210.99 #078-000-608 6mm ARC Bbl Rifle, 20", 1D189Q24.....

#### **FOXTROT MIKE AR-15** FM-9/FM-45 PISTOL-CALIBER BARRELS



These barrels are the same ones installed in the Foxtrot Mike Products pistol caliber AR-15s. They're precision-machined from high-grade, 41V50 chrome-moly-vanadium steel alloy, and button-rifled for impressive accuracy and match-grade performance. Deep-penetrating salt bath Nitride QPQ/Melonite finish for superb resistance to wear and corrosion. You can put a lot of rounds downrange because these barrels are built to handle rapid-fire shooting! FM-9 barrels have SAAMI-spec 9mm Luger chambers and are compatible with uppers designed designed to work with Colt and Glock® magazines. Integrated feed ramps ensure reliable chambering and smooth extraction of rounds, while the 1-10" rifling stabilizes all 9mm bullet weights. 1/2"-36 threaded muzzle is ready for the comp/hider/brake/suppressor of your choice! FM-45 barrels have all the same features but are, of course, chambered in .45 ACP, with 1-16" rifling and 5/8"-24 to muzzle threads

1-10 mining, and	1 /8 -24 (prinuzzie inreaus. ==	
	<b>FM-9 9mm 16" Barrel,</b> ½"-36 tpi, 6D00AXC	\$ 99.99
	<b>FM-9 9mm 8.5" Barrel,</b> ½"-36 tpi, 6D00ETE	85.99
	<b>FM-9 9mm 7" Barrel, ½"-36 tpi,</b> 6D73L09	85.99
	<b>FM-45 .45 ACP 16" Barrel,</b> 5/8"-24 tpi, 6D00NTD	99.00
	<b>FM-45 .45 ACP 9.5" Barrel,</b> 5/8"-24 tpi, 6D80175	85.00
	<b>FM-45 .45 ACP 5" Barrel,</b> 5/8"-24 tpi, 6D00/CG	65.00

**ARES DEFENSE** 

MCR BARREL ASSEMBLY

Extra barrel for the Ares MCR installs with just the push of a lever.

Chambered in 5.56mm NATO, these barrels are chrome-lined with

a 1-7" twist and include an adjustable gas system. Heavy contour

barrel has ½"-28 muzzle threads and comes with an A2 flash hider.

#100-019-949 12.5" MCR Bbl Assembly, 4D00PRP .. \$ 698.99

#100-019-948 16.25" MCR Bbl Assembly, 4D00KEE. 698.99

**LOOKING FOR A DEAL?** 

Fits Ares Defense MCR weapon systems only.

SPECS: 4140 steel, matte black, manganese phosphate finish.

Spare Barrel For

Your MCR

#### **FAXON FIREARMS AR-15** .223 WYDLE "FLAME" BARRELS

#### Looks So Hot - Stays Cool Under Pressure

Faxon's flame-fluted match barrels give serious AR accuracy shooters a specially fluted barrel that promotes cooling while giving their rifles a better look. Built using 416R stainless steel and featuring button-rifled 1-8" twist bores, the Flame has a .223 Wylde chamber, meaning it's optimized for both civilian .223 Remington and military 5.56 NATO ammo (the two are NOT the same), as well as target loads with longer, heavier bullets. All barrels have a tough, QPQ Black Nitride finish, with a 1/2"-28 tpi threaded muzzle and .750" O.D. nominal at gas journal. Faxon Flame-Fluted barrels are available in two lengths, with mid-length (ML) and rifle-length (RL) tube lengths to choose from. Comes with barrel extension installed.

#100-024-812 223 Wylde Match Bbl, 16"/ML, 1D00MUM .. \$ 295.99 #100-024-813 223 Wylde Match Bbl, 18"/RL, 1D00MRE. . 306.99

#### **FAXON FIREARMS AR-15 6MM ARC BARRELS**

#### Ideal for a Long-Range AR Built on a Standard Lower Receiver!

Premium-quality barrels for building an AR chambered in the hot, new, long-range 6mm ARC cartridge. Finally, a 1,000 yard cartridge that fits in a standard AR-15 magazine! Made from 416R stainless steel and finished with a black Nitride finish, these come in a heavy profile with a 1-8 5R twist rate, and 5/8"-24 muzzle threads. Available in multiple lengths, listed below. Machined from 416R stainless steel. with a tough Black Nitride finish. 1-8 5R twist rifling; .750" gas journal diameter; Heavy contour; 5/8"-24 tpi muzzle threads.

#078-000-605 6mm ARC Bbl Carbine, 14.5", 1D176D38....\$ 199.99 #078-000-606 6mm ARC Bbl Mid-Length, 16", 1D178P96... 205.99

Go online and click on our SALE & CLEARANCE TAB!!



order on the web

brownells.com

BROWNELLS. PAGE 27

#### FAXON FIREARMS AR-15/M16 BARRELS

Big Variety of Contours, Chambering, Finishes & Styles - a Barrel for Whatever Need You Have



Faxon's barrels are manufactured from high-grade stainless or carbon steel 100% in-house at their factory in Cincinnati, Ohio. They are fully stress-relieved, magnetic particle inspected for hidden flaws, and finished with an 11° target crown to ensure the bullet leaves the muzzle on the truest path possible. All barrels are individually checked for headspace with custom gauges before they're allowed out the door. M4-type feed ramps in the barrel extension are standard, to aid in reliable chambering of each round. Govt/SOCOM is a mix of the standard M4 profile and a heavy profile, skinny behind the gas block, with a thicker O.D. ahead of it for a good balance of rigidity (for accuracy) and manageable weight. Pencil is skinny both fore and aft of the gas block, for maximum weight saving. .625" O.D. at gas block journal. Gunner profile is a blend of the Government and Pencil profiles, matching the Govt taper from the extension to the gas block, with a Pencil profile from there to the muzzle. Removing the weight from the front mitigates muzzle whip, while keeping material at the rear maximizes heat resistance. Big Bore Gunner

 $profile is the standard Gunner scaled up for larger barrels that .450 \, Bushmaster and .458 \, SOCOM \, chamberings. \\ \textbf{9mm} \, barrels \, \bar{a} \, re \, chambered$ for 9mm Luger (Parabellum) and designed for blowback-operated AR-15 rifles and pistols, so they do not have a gas port. Pinned Brake minimal-length rifle barrels come with a Faxon SLIM muzzle brake pinned and welded on to get the barrel length up to the legally required 16". Integral Rifle Barrels come with Faxon's Integral Muzzle Device Barrels, so there is no need to spend time pinning and welding a muzzle device to a short barrel to make it NFA legal. Choose from a 3-port muzzle device or slotted flash hider, allowing the full assembly and disassembly of gas blocks and barrel nuts.

SPECS: 4150 chrome-moly vanadium steel (CS) or 416-R stainless steel (SS), both with black QPQ Nitride finish. 308 Winchester fits DPMS LR-308 platform and clones, Required qas tube lengths: PL = pistol length; CL = carbine length; RL = rifle-length; ML = mid-length. Gas Block (not included).

STOCK #	CALIBER	LENGTH	GAS SYSTEM	MATERIAL	CONTOUR	THREAD SIZE	TWIST			_
100-026-221	5.56	18"	Rifle/.750"	SS	MK 12 Profile	½"-28 tpi	1-8"	1D194B64	\$ 228.99	,
100-022-856	5.56	16"	Mid-Length/.750"	CS	Govt/SOCOM	½"-28 tpi	1-8"	1D164B34	\$ 172.99	•
100-019-290	5.56	16"	Mid-Length/.750"	CS	Gunner Lightweight	½"-28 tpi	1-8"	1D143I64	\$ 168.99	,
NEW 100-033-765	5.56	16"/.625" Flat Dark Earth	Mid-Length		Pencil	1/2"-28 tpi	1-8"	1D00BAN	\$ 236.99	,
NEW 100-033-766	5.56	16"/.625" Flat Dark Earth	Mid-Length		Gunner	1/2"-28 tpi	1-8"	1D00DTF	\$ 236.99	,
MEW 100-039-750 😵	5.56	16" w/3-Port Muzzle Brk	Mid-Length		Gunner	N/A	1-8"	1D00HDD	\$ 236.99	)
NEW 100-039-751 🗞	5.56	16" w/Flash Hider	Mid-Length		Gunner	N/A	1-8"	1D00KPP	\$ 236.99	)
NEW 100-039-752 😵	5.56	16" w/3-Port Muzzle Brk	Mid-Length		Pencil	N/A	1-8"	1D00NMN	\$ 246.99	)
MEW 100-039-753 🗞	5.56	16" w/Flash Hider	Mid-Length		Pencil	N/A	1-8"	1D00NPD	\$ 246.99	,
#100-019-291	5.56	14.5"	Mid-Length/.750"	CS	Gunner Lightweight	½"-28 tpi	1-8"	1D00JJB	\$ 160.99	,
#100-022-854	5.56	11.5"	Mid-Length/.625"	CS	Big Gunner	½"-28 tpi	1-8"	1D00ATA	\$ 152.99	,
#100-026-109	5.56	10.5"	Carbine/.625"	CS	Pencil	½"-28 tpi	1-8"	1D00FUL	\$ 155.99	,
#100-024-957	223 Wylde	14.5"	Mid-Length/.625"	SS	Pencil	½"-28 tpi	1-8"	1D00JRB	\$ 208.99	,
#100-024-958	223 Wylde	16"	Mid-Length/.625"	SS	Pencil	½"-28 tpi	1-8"	1D00CNI	\$ 218.99	,
#100-027-973	223 Wylde	14.5"	Mid-Length/.625"	SS	Gunner	½"-28 tpi	1-8"	1D208J99	\$ 219.99	,
MEW 100-039-757 🗞	.224 Valkyrie	20"	Rifle		Heavy Fluted	1/2"-28 tpi	1-6.5"	1D00GVC	\$ 341.99	,
MEW 100-039-759 🗞	.224 Valkyrie	24"	Rifle		Heavy Fluted	1/2"-28 tpi	1-6.5"	1D00DBB	\$ 360.99	j
#100-026-119	6.5 Grendel	16"	Mid-Length/.750"	SS	Gunner	5/8"-24 tpi	1-8"	1D00HSQ	\$ 228.99	)
#100-026-121	6.5 Grendel	18"	Mid-Length/.750"	SS	Heavy Fluted	5/8"-24 tpi	1-8"	1D00GQK	\$ 310.99	,
#100-026-122	6.5 Grendel	20"	Rifle/.750"	SS	Heavy Fluted	5/8"-24 tpi	1-8"	1D00CYK	\$ 319.99	,
#100-026-115	6.5 Creedmoor	18"	Rifle/.750"	CS	Big gunner	5/8"-24 tpi	1-8"	1D00LZB	\$ 274.99	,
#100-026-116	6.5 Creedmoor	20"	Rifle/.750"	SS	Big Gunner	5/8"-24 tpi	1-8"	1D00NZL	\$ 284.99	j
#100-026-118	6.5 Creedmoor	20"	Rifle/.750"	SS	Heavy Fluted	5/8"-24 tpi	1-8"	1D00HGD	\$ 388.99	)
#100-030-955	6.5 Creedmoor	22"	Rifle/.750"	SS	Heavy Fluted	5/8"-24 tpi	1-8"	1D00MBI	\$ 398.99	į
#100-030-956	6.5 Creedmoor	24"	Rifle/.750"	SS	Heavy Fluted	5/8"-24 tpi	1-8"	1D00LBJ	\$ 407.99	,
#100-026-131	300 AAC Blackout	7.5"	Pistol/.750"	CS	Gunner	5/8"-24 tpi	1-8"	1D00HZF	\$ 145.99	į
#100-026-132	300 AAC Blackout	10.5"	Pistol/.750"	CS	Gunner	⁵/s"-24 tpi	1-8"	1D00LED	\$ 156.99	j
#100-026-133	300 AAC Blackout	16"	Carbine/.750"	CS	Gunner	⁵/s"-24 tpi	1-8"	1D00MDE	\$ 165.99	)
#100-026-134	308 Winchester	16"	Mid-Length/.750"	CS	Big Gunner	⁵/s"-24 tpi	1-8"	1D00PRM	\$ 227.99	,
#100-026-135	308 Winchester	18"	Rifle/.750"	CS	Big Gunner	⁵/s"-24 tpi	1-8"	1D00PWA	\$ 236.99	,
#100-027-974	308 Winchester	20"	Rifle/.750"	SS	Heavy Fluted	⁵/ <sub>8</sub> "-24 tpi	1-8"	1D00BLB	\$ 338.99	)
иеW100-036-976 🍑	.350 Legend	20"	Carbine		Gunner	1/2"-28 tpi	1-16"	1D00EXP	\$ 213.99	)
MEW 100-036-548	.350 Legend	16"	Carbine		Gunner	1/2"-28 tpi	1-16"	1D00GIP	\$ 189.99	ĵ
NEW 100-039-755 🗞	9mm Luger	16" w/Flash Hider	None		Tapered	N/A	1-10"	1D00PKP	\$ 189.9	•
#100-019-288	9mm Luger	10.5"	None	CS	Straight	1/2"-28 tpi	1-10"	1D00DRJ	\$ 122.99	į
#100-019-287	9mm Luger	8.5"	None	CS	Straight	1/2"-28 tpi	1-10"	1D00EIE	\$ 116.99	į
#100-019-286	9mm Luger	4.5"	None	CS	Straight	1/2"-28 tpi	1-10"	1D00CHA		
#100-030-957	458 SOCOM	10.5"	Pistol/.875"	CS	Gunner Big Bore	11/16"-24 tpi	1-14"	1D00JGF	\$ 242.99	į
#100-030-958	458 SOCOM	16"	Carbine/.875"	CS	Gunner Big Bore		1-14"	1D00CKG		
										-

#### FNH USA AR-15/M16 HAMMER-FORGED BARRELS

#### Built For Strength, Durability & Reliability

Cold hammer-forged from high-grade chrome-moly alloy steel, these barrels are designed to have the same durability as FNH's full-auto machine gun barrels. Each barrel is magnetic particle inspected (MPI) to ensure it is free of micro-stresses and other flaws. Chrome-lined bore and chamber resist heat erosion and corrosion, enhancing barrel life, while delivering reliable chambering and extraction. The M4-type feed ramps and barrel extension further ensure reliable, consistent feeding. Durable manganese phosphate finish gives superior resistance to external corrosion and oxidation. All are chambered in 5.56x45mm NATO with a 1-7" right-hand twist (button-rifled) and 1/2"-28 tpi muzzle threads. All models have a Government profile and accept .750" gas blocks. Available with gas port drilled for carbine-, rifle-, or mid-length gas tubes in lengths indicated below. M4 models have the cutout for mounting a grenade launcher.

SPECS: Chromium-molybdenum-vanadium alloy steel, manganese phosphate finish, matte black. 1.6 lbs. (725.7g) wt. .750" (1.9cm) O.D. at

gas port. 1-7" rifling	1. ½" x 28 tpi muzzle threads.	
#100-700-160	14.5" Carbine Barrel, 9A00QZJ	299.99
#100-700-161	16" Carbine Barrel, 9A00CYG	299.99
NEW 100-055-414	16" Carbine Barrel w/Carbine-Length Gas Port, 1F235T00	235.00
NEW 100-055-419 🍅	16" M4 Carbine-Style BB Bbl w/ Carbine Gas Port, 9E235S00	235.00
NEW 100-055-420 🍅	16" M4 Carbine-Style HF Bbl w/ Carbine Gas Port, 6B299P00	299.00
#100-700-162	16" Mid-Length Barrel, 9A00PXR	299.99
NEW 100-055-415	<b>16" Carbine Barrel w/Mid-Length Gas Port</b> , <i>5A235N00</i>	235.00
#100-700-163	18" Rifle Barrel, 9A00DUJ	299.99
NEW 100-055-416	18" Rifle Barrel w/Rifle-Length Gas Port, 8D235R00	235.00
#100-700-164	20" Rifle Barrel, 9A00PXI	299.99
NEW 100-055-417	20" Rifle Barrel w/Rifle-Length Gas Port, 7C235Q00	235.00

#### SHILEN AR-15/M16 **DROP-IN BARREL/BOLT SET**

#### **Custom-Fitted For Match-Grade Performance**

Stainless steel barrel is precision machined to match-grade tolerances and custom-fit to its own bolt to give your rifle the ex-ceptional accuracy of a custom-shop barrel in a drop-in package. Each barrel is assigned a bolt before any machining begins, then chambered to the correct headspace for that bolt. Button rifled for superior land-to-groove dimensions required for match-rifle accuracy, with a recessed 90° target crown, and gas block shank machined to .001" tolerances for precise fit. Comes with M4-style barrel extension installed; extension has pre-cut feed ramp to help ensure reliable chambering of rounds. Available chambered in .204 Ruger with 24" heavy varmint/target barrel or .223 Wylde with 20" service-rifle contour barrel. Wylde chamber delivers enhanced accurracy and reliability with the widest variety of .223 or 5.56 NATO

SPECS: Stainless steel, natural finish, .223 Wylde - 20" (50.8cm) long, .750" O.D. at gas block. 1-8" twist, 6 groove rifling. .204 Ruger - 24" (60.1cm) long, .936" O.D. at gas block. 1-9" twist, 6 groove rifling.

#787-000-034 .223 Wylde Bbl/Bolt Set, 7H445M71 .. \$ 480.00 #787-000-035 .204 Ruger Bbl/Bolt Set, 7H455L99... 480.00



#### PROOF RESEARCH AR-15/M16/AR-308 CARBON FIBER BARRELS

#### Two-Thirds Less Weight Than All-Steel Barrels, Just as Accurate, Faster Cooling

Proof Research's match-grade carbon fiber barrels are stronger, lighter, and just as accurate as the finest precision-made steel barrels. The core of this barrel is a 416-R stainless steel barrel blank with an O.D. much narrower than a standard barrel. It is then wrapped with a high-strength, aerospace-grade resin-impregnated carbon fiber composite that has a specific strength up to 30 times greater than steel and a specific stiffness 7 times greater. The result is a barrel that's 64% lighter than an all-steel one, with outstanding heatdissipation properties, much greater resistance to accuracy-compromising harmonic vibration, and almost no point-of-impact shift during long shooting sessions. Barrels that stay cool also last longer. You can build an AR-pattern rifle capable of delivering outstanding accuracy, yet won't give you a hernia when you lug it around. .223 Wylde barrels have a "medium" exterior contour and a specially configured chamber that gives excellent performance from both military 5.56 NATO and civilian .223 Remington ammo. .750" O.D. at gas journal. 1/2"-28 tpi muzzle threads. 6mm ARC has .750" O.D. gas journal and 5/8"-24 tpi muzzle threads. AR-308 and 6.5 Creedmoor barrels fit DMPS LR-308 type upper receiver and clones. 6.5 Creedmoor barrels require an extra-long gas tube that combats the bolt carrier velocity and dwell time problems that sometimes plague AR-15s chambered for this cartridge. Gas tube is included with barrel. Also requires use of a JP Enterprises high-pressure EnhancedBolt (#452-000-113, sold separately) for best function. .875" O.D. at gas journal (.750" on 16" barrel). 5/8"-24 tpi muzzle threads. ■

SPECS: Required gas tube lengths: RL = rifle-length; ML = mid-length; CL = carbine-length; PL = pistol-length; IL = intermediate length (tube incl.

w/barrel); <b>+2RL</b> :	= 2" longer than standard rifle (tube included wi	th barrel).
#100-023-309	<b>11.5" .223 Wylde Barrel,</b> 1-7"/CL, 7Z00QPL	\$ 799.99
ew100-046-234	<b>14.5" .223 Wylde Bbl,</b> 1-7"/ML, 5N806F55	
EW100-046-233	<b>14.5" .223 Wylde Bbl,</b> 1-8"/ML, 9 <i>R806J55</i>	849.00
	<b>16" .223 Wylde Barrel,</b> 1-8"/ML, <i>7Z00LAL</i>	799.99
	<b>16" .223 Wylde Bbl,</b> 1-8"/ML, 4M806E55	849.00
	<b>18" .223 Wylde Barrel,</b> 1-7"/RL, 7Z00LSS	799.99
	<b>18" .223 Wylde Bbl,</b> 1-8"/RL, 8Q806H55	849.00
	<b>20" .223 Wylde Barrel,</b> 1-8"/RL, 7Z00KEI	799.99
	<b>16" 6mm ARC Bbl,</b> 1-7.5"/RL, 1J806B55	849.00
	<b>18" 6mm ARC Bbl,</b> 1-7.5"/RL, 2K806C55	849.00
	<b>20" 6.5 Creedmoor Bbl,</b> 1-8"/+2RL, 7Z00IIP	829.99
	<b>22" 6.5 Creedmoor Barrel,</b> 1-8"/+2RL, 7Z00AZM	829.99
#100-023-307	<b>24" 6.5 Creedmoor Barrel,</b> 1-8"/+2RL, 7Z00KQG	829.99
	<b>20" 6.5 Grendel Bbl,</b> 1-8"/RL, 15700K00	799.00
ew100-046-236	<b>12.5" .300 Blackout Bbl,</b> 1-7"/PL, 27806L55	849.00
	<b>16" .308 Winchester Bbl,</b> 1-10"/IL/.750" Gas Journal, <i>3L835D05</i>	849.00
	<b>18" .308 Winchester Bbl,</b> 1-10"/RL, 7Z00CEM	829.99
EW100-046-240	<b>20"</b> . <b>308</b> Winchester Bbl, 1-10"/RL, 6B34G50	879.00

# PROOF RESEARCH AR-15/AR-308 PR-10/PR-15 ALL-STAINLESS STEEL BARRELS



#### Match-Grade Barrels Chambered in Alternate, Long-Range Calibers

PR-series barrels are machined from double-stress relieved 416R stainless steel and cut-rifled for exceptional accuracy. They use Proof's innovative CamGas system, which works to reduce the speed of the bolt carrier for improved overall function and reliability of the rifle. Better cooling properties provide improved barrel life. POI shift does not occur during extended fire strings. This all adds up to enhanced accuracy on par with traditional match-grade barrels. The proprietary CamGas tube is included but requires use of a JP enhanced high-pressure bolt, not included, for best function (#452-000-113). PR-10 barrels provide owners of an AR-308 size rifle chambered in .260 Remington or 6.5 Creedmoor with a number of enhanced features over traditional barrel styles. These long-range specific barrels deliver exceptional in accuracy and will maintain their performance in the harshest of conditions. All come with a 5/8"-24 tpi threaded muzzle pitch for the addition of muzzle accessories, PR-15 barrel has .223 Wylde chamber that's optimized for both military 5.56 NATO ammo and civilian .223 Remington ammo. Comes with ½"-28 tpi muzzle threads.

THE 20 Spring22s sineads.	
<b>18" .223 Wylde PR-15 Bbl,</b> 1-8"/RL, 6P464G55	\$ 849.00
<b>22" 6.5 Creedmoor PR-10 Bbl,</b> 1-8"/+2RL, <i>7Z00BJL</i>	479.99
<b>24" 6.5 Creedmoor PR-10 Bbl,</b> 1-8"/+2RL, <i>7Z00LMH</i>	479.99
<b>20" .260 Rem Barrel,</b> 1-8"/+2RL, 7Z00DBH	829.99
	18".223 Wylde PR-15 Bbl, 1-8"/RL, 6P464C55. 22" 6.5 Creedmoor PR-10 Bbl, 1-8"/+2RL, 7Z00BJL. 24" 6.5 Creedmoor PR-10 Bbl, 1-8"/+2RL, 7Z00LMH.

# NEW Item SC

# SONS OF LIBERTY GUN WORKS AR-15 COMBAT- & MATCH-GRADE BARRELS



#### Designed for Sound-Suppressed & Unsuppressed Shooting Without the Need for an Adjustable Gas Block

A high-quality barrel is the foundation of any great rifle. Sons of Liberty Gun Works Combat-Grade barrels are built to hold up to any abuse. These barrels are intentionally gassed barrels on the smaller side to run suppressed or unsuppressed without the need for an adjustable gas block. Made from Mil-Std 11595-E CrMoV, high-pressure tested and magnetic particle inspected. Match-Grade barrels are built for accuracy and are "factree" guaranteed to shoot 1 MOA or better with match ammo. They are also intentionally gassed on the smaller side to run suppressed or unsuppressed without needing an adjustable gas block. Machined from ordnance-grade 416 stainless steel and QPQ treated for a long life, HP tested and MPI, so you can bet your life one of these barrels! Gas System Lengths - SOLGW's approach is to put the longest possible gas system on a barrel, which keeps recoil as gentle as possible, while maximizing reliability and minimizing wear on the rifle. Barrels are offered with gas ports drilled for Pistol, Carbine, Mid, and Rifle length gas tubes, as indicated below.

#100-038-788		_
	Carbine Gas, 6H143I65	\$ 169.00
#100-038-789	5.56 NATO Combat-Grade Bbl, 11.5"/	
	Carbine Gas, 6H143A65	169.00
MEW 100-041-103	5.56 NATO Combat-Grade Bbl, 13.7"/	
	Mid Gas, 2M178E99	178.99
#100-038-790	5.56 NATO Combat-Grade Bbl, 14.5"/	
	Mid Gas, 6H152H15	179.00
#100-038-791	5.56 NATO Combat-Grade Bbl, 16"/Mid	
	Gas, 6H152D15	179.00
#100-038-792	223 Wylde Match-Grade Barrel, 16"/	
	Mid Gas, 6H220H15	259.00
#100-038-793	223 Wylde Match Grade Barrel, 18"/	
	Rifle Gas, 6H228F65	269.00
#100-038-787	.300 Blackout Combat-Grade Bbl. 9"/	
	Pistol Gas, 6H152D15	179.00

# AERO PRECISION AR-15/AR-308 BAR BARREL NUT





Designed Specifically as an Attachment Point for Aero Precision Handguards

Got your hands on an Aero Precision handguard you're looking to put onto your AR-15? Grab the company's AR-15 BAR Bar-el Nut, designed specifically to interface with all of the company's Enhanced handguards when used for installation on a mil-spec, threaded upper receiver. The BAR barrel nut is purpose-built for use with the company's M4E1 Enhanced upper receiver, but it will work with pretty much any mil-spec AR upper receiver on the market. Each barrel nut is machined from 7075 T6 aluminum and includes 4 shims to aid in installation. Please Note: If you intend to connect an Aero Precision Handguard to a standard threaded upper receiver, you will need a M5E1 Handguard Barrel Nut. You will need to select between an Aero/DPMS threaded barrel nut and an Armalite threaded barrel nut, depending on your upper receiver.

#100-034-681	AR-15 BAR Barrel Nut, 3E00FPF	\$ 39.99
#100-035-811	M541 AR-308 BAR Barrel Nut, DPMS	
	Thread, 3E00HQJ	39.99

# VOLQUARTSEN SMITH & WESSON M&P15-22 CARBON FIBER BARREL

### A Premium Target Barrel To Help You Maximize the Accuracy of Your S&W .22 AR

The Lightweight THM Tension Barrel is a top-quality matchgrade barrel for the Smith & Wesson's dedicated .22 LR AR-15 rifle. It sets the standard for what a lightweight barrel should be. It features a sleeve that is used to create tension on the barrel itself. This unique design eliminates issues typically found in smaller barrel profiles. The THM tension barrel consists of a special taper honed match barrel and chamber. With the weight-reduction benefit of the carbon fiber sleeve, all-up weight is only 14 oz., while at the same time the barrel is extremely rigid and resistant to resonances that can compromise accuracy. This is the ultimate lightweight barrel. It has ¹/²-28 tpi muzzle threads up front, so this barrel will accept any standard .223/5.56 AR-15 muzzle device. ■

#930-000-161	M&P15-22 Match Carbon Barrel,	
	3Z266Q04\$ 312.99	



### WHITE OAK ARMAMENT MATCH BARRELS

#### Wylde Chamber Helps Maximize Performance With .223 Or 5.56 Ammo

Precision-machined stainless steel barrels feature a .223 Wylde chamber that helps maximize the long-range performance of your AR-15 with both .223 Remington and 5.56x45mm NATO ammunition. With 6-groove, 1-7" button rifling for accuracy and M4-type feed ramps for reliable feeding, these barrels help you reach out to distant targets with issued or magazine-length ammunition. 16" barrel is available in standard carbine profile. The 18" barrels offer the Special Purpose Rifle (SPR) profile designed to optimize accuracy out to 600 meters, and are available with Mid-Length or Rifle-Length gas systems. Threaded muzzle accepts a variety of compensators or flash suppressors. No Gas Port models comes with the standard .750" gas block journal, so you can drill a port of the correct size for the gas block you are using.

SPECS: Stainless steel, natural finish. 750" (1.9cm) O.D. at gas port. Barrel extension 999" (2.5cm) O.D. 6-groove 1-7" rifling Muzzle threads: 1/2"-28 toi

exterision.999 (2	.5Cm, O.D. 0-groove, 1-7 miling. Muzzle inreaus.	/2 <b>-</b> 20 tpi.
#100-009-769	.223 Wylde 16" Carbine Barrel, 8K252E89	280.99
#100-009-961	.223 Wylde 18" Mid-Length SPR Barrel, 8K264C29	275.00
MEW 100-034-254	.223 Wylde 18" Mid-Length SPR Barrel, NO Gas Port, 8K264E29	289.99
#100-009-962	.223 Wylde 18" Rifle SPR Barrel, 8K264I29	275.00
ww.100-034-255	.223 Wylde 18" Rifle SPR Barrel, NO Gas Port, 8K264N29	289.99



# AERO PRECISION AR-15/M16 STANDARD BARREL NUT

#### Can't Install The Barrel Without One!

So simple, yet so critical to finishing the job. A necessary component for installing the barrel on any new custom rifle. And when refurbishing an old gun, why reinstall a worn, dinged-up old barrel nut, when you can replace it with this high-quality Aero Precision



part instead? Unless you intend to install an Aero handguard, in which case you'll want one of the proprietary barrel nuts listed nearby. 

SPECS: Steel, black oxide finish. Fits mil-spec AR-15/M16 upper receiver with 15/s-16 to i threads.

#100-054-335 Standard AR-15 Barrel Nut, 6Z09M99.... \$ 9.99

# SONS OF LIBERTY GUN WORKS AR-15/M16 STANDARD BARREL NUT





Sometimes you fee like a nut, sometimes you just need one to anchor your AR-15's barrelto its upper receiver. This mil-spec barrel nut is exactly what SOLGW uses on barrels of their factory rifles. One end is grooved for the snap ring, the other has indentations to

engage the teeth of the barrel nut wrench (30 to 80 ft.-lbs. torque recommended - it's a liberal spec). Standard 1.25"-18 tpi threads.

#100-045-043 Mil-Spec AR-15 Barrel Nut, 6U13L99... \$14.99

### WILSON COMBAT AR-15/AR-308 MATCH-GRADE BARRELS Precision-Machined Stainless Steel Alloy for



Enhanced Accuracy, Durability & Service Life

Manufactured from high-grade 416R stainless steel, these AR-15 barrels from Wilson Combat are purpose-built to provide improved accuracy, reliability and long service life over similar barrel profiles currently available. Includes M4-style feed ramps. Howe contour provides match-grade performance. Lightweight Ranger is ideal for lightweight or hunting AR builds. Recon excels at a range of applications. The match-grade Super Sniper boasts tight-tolerance button rifling for a heightened level of accuracy. Pistol/SBR Tactical barrel is optimized for suppressors and subsonic loads. Tactical Hunter barrel have been profiled to deliver the ideal weight, balance, and harmonics in modern hunting rifles. Proprietary Intermediate-length gas tube is longer than mid-length but shorter than rifle-length. It's included with some barrels. If one is not included with the barrel you need - sold separately, below.

STOCK #	CALIBER	CONTOUR	GAS SYSTEM	LENGTH	MATERIAL	THREAD SIZE	TWIST	PRICE
#965-000-299	5.56 NATO	Howe Fluted	Mid-Length/.750"	14.7"	SS	1/2-28 tpi	1-8"	5F270G74 <b>\$ 284.95</b>
#965-000-302	5.56 NATO	Recon	Mid-Length/.750"	16"	SS	1/2-28 tpi	1-7"	5F237C49 <b>\$ 249.95</b>
#965-000-301	5.56 NATO	Recon Fluted	Mid-Length/.750"	16"	SS	1/2-28 tpi	1-7"	5F270B74 <b>\$ 284.95</b>
#965-000-303	5.56 NATO	Recon Fluted	Rifle/.750"	18"	SS	1/2-28 tpi	1-8"	5F270B74 <b>\$ 284.95</b>
#965-000-304	223 Wylde	Super Sniper Fluted	Rifle/.875"	20"	SS	1/2-28 tpi	1-8"	5F289P74 <b>\$ 304.95</b>
#965-000-305	6.5 Creedmoor	Super Sniper Fluted	Rifle/.875"	24"	SS	5/8"-24 tpi	1-8"	5F324F89 <b>\$ 334.95</b>
#965-000-307	6.8mm SPC II	Ranger	Mid-Length/.750"	16"	SS	5/8"-24 tpi	1-11"	5F237D49 <b>\$ 249.95</b>
#965-000-306	6.8mm SPC II	Recon Fluted	Mid-Length/.750"	16"	SS	5/8"-24 tpi	1-11"	5F270F74 <b>\$ 284.95</b>
#965-000-308	300 AAC Blackout	Pistol/SBR Tactical	Pistol/.750"	8"	SS	⁵/8"-24 tpi	1-7"	5F218G49 <b>\$ 229.95</b>
#965-000-310	300 AAC Blackout	Ranger	Pistol/.750"	16"	SS	5/8"-24 tpi	1-7"	5F237G49 <b>\$ 249.95</b>
#965-000-309	300 AAC Blackout	Recon Fluted	Pistol/.750"	16"	SS	5/8"-24 tpi	1-7"	5F242I24 <b>\$ 249.95</b>
#965-000-326	300 HAMR	Ranger	Intermediate/.750"	16.2"	SS	5/8"-24 tpi	1-15"	5F237E49 <b>\$ 249.95</b>
#965-000-327	300 HAMR	Bill W Ranch	Intermediate/.750"	18"	SS	5/8"-24 tpi	1-15"	5F237M49 <b>\$ 249.95</b>
#965-000-328	300 HAMR	Tactical Hunter Fluted	Intermediate/.750"	18"	SS	5/8"-24 tpi	1-15"	5F270P74 <b>\$ 284.95</b>
#965-000-329	300 HAMR	Tactical Hunter Fluted	Intermediate??	20"	SS	5/8"-24 tpi	1-15"	5F00GJP <b>\$ 304.95</b>
#965-000-311	308 Winchester	Recon Fluted	Intermediate	16"	SS	5/8"-24 tpi	1-11.25"	5F299P24 <b>\$ 314.95</b>
#965-000-330	Intermediate-L	ength Gas Tube, 5F1	2H34					\$ 12.95

order on the web

brownells.com

### CRY HAVOC TACTICAL AR-15/AR-308 — **QRB BARREL TAKEDOWN SYSTEM** 0







Barrel Plate (right) clamps

to the Receiver Plate (left)

#### You Want Compact, Concealed Storage? You Got It! Disassemble/Reassemble Your AR in 6 SECONDS: No Permanent Modifications To Gun Required

clamped togethe

A great poet said, "Cry 'Havoc!' and let slip the dogs of war." Except you can't let anything slip UNTIL you install the Cry Havoc Quick Release Barrel Takedown Adapter on your AR-15 or AR-308. Then, whenever you need to, you can slip the entire barrel/handguard/ gas tube assembly off your rifle for easy, compact carry and/or storage - and then slip it right back on when you need to use the gun. Cry Havoc's easy-to-use system lets you to remove and install the barrel assembly in 6 SECONDS or less without a loss of accuracy. It makes your AR exceptionally compact and easy to transport in a backpack, bugout bag, briefcase, stowed under the seat of your APC, etc. You can also convert it into a "switch barrel" rifle that lets you swap barrel assemblies for different kinds of shooting. Reassembling the two halves of the rifle uses your "gross motor skills," meaning it's a straightforward plug-n-play process, rather than a fiddly, finemotor-skills one, which may be critical IF you need to reconstitute your rifle super fact, under stress, in a life-threatening emergency.

The QRB adapter has two main assemblies, the receiver plate and the barrel plate. You install the receiver plate and its gas tube extension on the receiver, locked in place by a setscrew. The barrel plate goes on the barrel, and quick-release clamps on the barrel plate lock the barrel to the receiver. Cry Havoc included provisions to adjust the clamping tension. The handguard attaches to the front of the barrel plate just like it would to the receiver. Important: the QRB preserves your rifle's POA/POI relationship. The folks at Cry Havoc have extensively tested their device and found that accuracy deviates less than 1 MOA from the gun's original setup

There are AR-15 and AR-308 versions of the QRB, and actually two AR-15 models: the 1-Pin version and the 2-Pin. They both function the same. The 1-Pin is the standard, "civilian" version. The 2-Pin has a second locating pin for an extra strong, secure connection between receiver and barrel assembly. This version is used by the United States Air Force on their GAU-5A Aircrew Self-Defense Weapon that's part of the ACES II Ejection Seat Survival Kit. The QRB enables a downed pilot to land on the ground with four magazines (120 rounds) and, when the two halves are assembled, a full-sized rifle. (The AR-7 Survival Rifle is now relegated to backpackers and backyard plinkers!) Given those circumstances, the DoD required extra robustness in the QRB system. The good news is Brownells is offering both, so you decide which version suits your needs. (The AR-308 model has a 2-Pin configuration - the extra strength is needed for the more powerful caliber.)

Important Fitting Info: The AR-15 QRB Kit (both 1-Pin and 2-Pin models) can be used on guns with barrels no more than .985" O.D. and with only with free-floating handguards of 2" O.D. or less. AR-308 fits barrels no larger than 1.20" O.D. and handguards no larger than 2.20" O.D. BOTH versions will fit rifles chambered for calibers other than 5.56/.223 (AR-15), or 7.62/.308 (AR-308), as long as they are within the parameters listed above. The QRB Kit will add about 1.5" to the overall length of the handguard, and hence your rifle when its assembled. Choosing the correct one is easy: just purchase the Receiver Takedown Kit with the specified gas tube length that matches your AR-15's gas tube. Then if you want to set up an additional "switch" barrel, purchase a Barrel Locking Plate with, again, the same designated gas tube length as what your gun currently has. Installation is easy - we have a step-by-step video on Brownells. com. (The "great poet," by the way, was William Shakespeare, Marc Antony's line in Julius Caesar.)

#### FAILZERO AR-15/M16 EXO™ BARREL EXTENSION



#100-045-508

#100-045-509

#100-045-511

#100-045-507

#100-045-512

#100-045-513

#100-045-514

#100-045-515

#100-045-516

#100-045-517

#100-045-518

#100-045-519

#100-045-520

#100-045-521

#100-045-522

#100-045-523

#100-045-524

#100-045-525

#100-045-500

#100-045-501

#100-045-502

#100-045-503

#100-045-505

#100-045-506

#### **Self-Lubricating Surface Promotes** Smooth, Consistent Feeding

M4-type barrel extension has a selflubricating EXO finish that aids in smooth. consistent feeding and helps prevent hang-ups. High-tech coating lasts the life of the weapon, and won't rub off, flake off.

Kit Pistol Gas Tube, 2Z00BCD......\$ 375.00

QRB 1 Pin Upper Receiver Takedown

**QRB 1 Pin Upper Receiver Takedown** 

QRB 1 Pin Upper Receiver Takedown

QRB 1 Pin Upper Receiver Takedown

QRB 1 Pin Barrel Locking Plate Kit

QRB 1 Pin Barrel Locking Plate Kit

Kit Carbine Gas Tube, 8F00JKL.....

Kit Mid-Length Gas Tube, 1H00LMN...

Kit Rifle Gas Tube, 6B34G50 .....

Kit 9MM/45ACP Caliber, 6B34G50 . . . .

Pistol Gas Tube, 6B34G50 .....

Carbine Gas Tube, 6B34G50.....

QRB 1 Pin Barrel Locking Plate Kit Mid-

Length Gas Tube, 6B34G50.....

QRB 1 Pin Barrel Locking Plate Kit Rifle

Gas Tube, 6B34G50.....

Kit Pistol Gas Tube, 9V400H00.....

**QRB 2 Pin Upper Receiver Takedown** 

QRB 2 Pin Upper Receiver Takedown

**QRB 2 Pin Upper Receiver Takedown** 

**QRB 2 Pin Upper Receiver Takedown** 

QRB 2 Pin Upper Receiver Takedown

QRB 2 Pin Barrel Locking Plate Kit

QRB 2 Pin Barrel Locking Plate Kit

Kit Carbine Gas Tube, 8U400G00 . . . .

Kit Mid-Length Gas Tube, 1W400J00 . .

Kit Rifle Gas Tube, 5C00EFG.....

Kit Pistol Caliber, 3A00CDE.....

Pistol Gas Tube, 7E00HJK .....

Carbine Gas Tube, 4B00DEF.....

QRB 2 Pin Barrel Locking Plate Kit Mid-

Length Gas Tube, 2J00MNP .....

QRB 2 Pin Barrel Locking Plate Kit Rifle

**Gas Tube**, 6B34G50.....

Pistol Caliber, 6B34G50 .....

Carbine Gas Tube, 9G00KLM.....

Mid-Length Gas Tube, 6D00GHJ.....

Rifle Gas Tube, 1Y00ABC .....

Gas Tube, 6B34G50.....

Length Gas Tube, 6B34G50.....

**Tube,** 6B34G50.....

**QRB Barrel Locking Plate Kit Rifle Gas** 

QRB 2 Pin Barrel Locking Plate Kit

QRB Upper Receiver Takedown Kit

QRB Upper Receiver Takedown Kit

QRB Upper Receiver Takedown Kit

**QRB Barrel Locking Plate Kit Carbine** 

QRB Barrel Locking Plate Kit Mid-

or gall. Helps dissipate heat for cooler operation, too, Precision machined from 8620 steel to USGI specifications with integral M4-type feed ramps and predrilled locator pin hole.

SPECS: 8620 carbon steel, EXO coated, silver-grav, 998" O.D., 1.168" shoulder O.D. .8125"-16UNF thread. Barrel locator pin required, available

#100-005-443	EXO Barrel Extension.	8B22P94	\$ 26.99

#100-045-510 QRB 1 Pin Upper Receiver Takedown

#### Fits Rifle Or Carbine Barrels; Ramped To Help Guide Rounds Into Chamber

Economical, high-quality M4 barrel extension is machined to mil-spec standards with integral feed ramps and predrilled locator pin hole for fast, easy barrel installations. Machined from 4140 chrome-moly

steel and head-treated for additional surface hardness to resist erosion by hot combustion gases for years of reliable service. Great for custom barrel jobs and caliber conversions.

WHITWORTH TOOL AR-15/M16

M4 BARREL EXTENSION

SPECS: 4140 chrome-moly steel, in-the-white. .8125"-16UNF thread. Barrel locator pin required, available separately.

#100-004-728 M4 Barrel Extension	, 5B18M69	\$ 21.99
----------------------------------	-----------	----------

#### **BROWNELLS** AR-15/M16/AR-STYLE.308 **CRUSH WASHERS**

#### **Ensures Proper Fit of Flash Suppressor** Or Muzzle Brake

High-quality stainless steel crush washer ensures correct alignment of flash suppressor, compensator or muzzle brake. Replace a broken, corroded, or dinged up washer to guarantee proper fit and indexing of an aftermarket muzzle accessory. Washers available for AR-15, M16 and AR-style .308 barrels.

SPECS: 17-4 PH stainless steel.

#080-001-252	1/2" Crush Washer,	3G3E74	4.99
#080-001-253	5/8" Crush Washer	, 3G3G74	4.99

375.00

385.00

375.00

210.00

210.00

210.00

220.00

400.00

400.00

400.00

410.00

400.00

220.00

220.00

220.00

230.00

220.00

425.00

425.00

250.00

250.00

#### CMMG AR-15/M16/AR-308 **CRUSH WASHERS**

Easy, Fast, Inexpensive Way To Time the Muzzle Device

Simple, straightforward, traditional steel

crush washer with a black oxide finish. There are situations where you need a more complete, sophisticated, and expensive system for "timing" the flash hider. But for oridinary installations, this method has gotten the job done admirably since the birth of the AR-15 - why mess with suc-

#100-044-629	1/2" Crush Washer,	4Y02S43	\$ 2.43
#100-044-577	5/8" Crush Washer,	9L00RFH	2.68

#### LUTH-AR AR-15/M16/AR-308 CRUSH WASHERS

Traditional-Style Washers for Ensuring Proper "Timing" of Muzzle Device

Standard crush washer (not a peel washer!) for adjusting the gap between the rear of the muzzle device and the shoulder on the barrel behind the threads. Make sure the cupped face points toward the muzzle. Two sizes to choose from for AR-15s and AR-style .308s.

#100-028-048	.223/5.56 Crush Washer, 1/2"-28 tpi,	
	3D2D24	\$ 2.99
#100-028-067	.308/7.62 Crush Washer, 5/8"-24 tpi,	
	ZD2DZ0	2 01

#### PRECISION ARMAMENT AR-15/M16/AR-STYLE **308ACCU-WASHER MUZZLE DEVICE**

# **ALIGNMENT SYSTEM**

**Indexes Muzzle Accessories Precisely Without Peel Or** Crush Washers

These stainless steel washers are precisely machined to within .0001' to allow accurate indexing of muzzle brakes and flash hiders without

the need for peel or crush washers. Set includes 18 individual washers of different thicknesses to allow 360 degree timing in 20 degree increments. Only one washer is needed for each application. SPECS: Stainless steel, matte gray finish. Sets available for 1/2" x 28 and 5/8" x 24 threads. Set includes 18 washers and instructions.

#100-0

#100-009-793	1/2" x 28 Accu-Washer Alignment System,
	2D25I59\$ 31.99
#100-010-537	5/8" x 24 Accu-Washer Alignment
	System, 2D25Q59 31.99

#### PWS AR-15/M16/AR-STYLE.308 **MUZZLE DEVICE ALIGNMENT SHIMS**

**Ensures Correct Alignment Of Flash Hiders,** Compensators & Muzzle Brakes

Hardened steel shims ensure precise fit and correct alignment of flash suppressors, muzzle brakes, and compensators. Large (thick) shim allows 90° of rotation and can be used as a spacer for barrels not having a relief cut behind the threads. Medium shims add approximately 45° of rotation. Small shims used with large and medium shims provide smaller degrees of rotation for finely-tuned, critical alignment.

SPECS: Steel, Sold in 10 paks (1 small, 1 large, 8 medium), .223 - .748" O.D. Fits muzzles threaded 1/2"-28 tpi. .308 - .837" O.D. Fits muzzles threaded

**#100-005-379** .308 Shim Set, 4B4P24 ..... 4.99

#### **SONS OF LIBERTY GUN WORKS** AR-15/M16/AR-308 CRUSH WASHER

Classic, Mil-Spec Steel Washer

Standard mil-spec steel crush washer with phosphate finish. Given the quality of SOLGW's rifles, if they're OK with still using a traditional crush washer, you can

be suite it s intoit	e triarrauequate for a tot of muzzte device irista	ແວ. ===
#100-045-019	<sup>1</sup> / <sub>2</sub> " AR-15 Crush Washer, 1E04X99	\$ 4.99
#100-045-020	<sup>5</sup> / <sub>8</sub> " AR-308 Crush Washer, <i>3T04K99</i>	4.99

#### YANKEE HILL MACHINE AR-STYLE.308 **CRUSH WASHER**

For Accurate Alignment Of Flash Suppressors & Other Muzzle Accessories



COMPS/FLASH HIDERS

#### Keeps Threads Pristine When Flash Hider Or Muzzle Brake Isn't Installed

Prevent unwanted and expensive damage to your rifle's muzzle threads and crown with easyto-install thread protectors. Knurled exterior gives you a firm grasp to install or remove the protector in seconds. Available in popular thread sizes and diameters to match

most commonly available rifle barrels. SPECS: Stainless steel, silver finish, except FAL, black finish. 1/2 oz. (14g) wt.

STOCK #	THREADS	O.D.	PROFILE	PRICE	
#100-009-091	1/2"-28	.920"	Bull	9A11M89	\$ 13.99
#100-009-092	1/2"-28	.720"	Standard	9A12H79	\$ 15.99
#100-009-093	1/2"-28	.635"	Pencil	9A12H79	\$ 15.99
#100-009-094	5/8"-24	.920"	Bull	9A12A74	\$ 14.99
#100-009-095	5/8"-24	.720"	Standard	9A12I74	\$ 14.99



#### AREA 419 AR-15/M16/AR-308 **HELLFIRE SELF-TIMING MUZZLE BRAKE**



The Hellfire 2P Muzzle Brake maintains shooter comfort while offering superb reduction of felt recoil. Optimized for 20" or shorter barrel lengths, the 2P has slightly rearward facing ports to reduce recoil, while their proprietary

design controls muzzle rise without the need for top ports. Extremely easy to install, brake will not turn as you torque the collar to lock, and requires no tools to time the brake. Simple round knurled nut that requires no tools to time the brake. Return to zero is excellent. This means removal of your brake and re-installation will not require a zero change. Simply torque the universal adapter onto your barrel with a 5/8" wrench, this piece never has to come off. Next, LEFT HAND thread the brake/collar assembly onto the adapter until it is almost snug. Now rotate the brake until it is level, push the brake into the adapter and you will feel it lock onto the taper. Now tighten the collar fully by hand, and you are done! Made from heat-treated 17-4PH stainless steel, with Black Nitride finish, the brake has a 1" OD and a 1.1" OD collar that meets 3-Gun standard for limited class. Adapters allow you to quickly and easily swap Hellfire brakes between multiple guns. Built with a tapered surface that allows for precise alignment. Available for a variety of muzzle thread patterns, listed below.

#100-032-683	.223/5.56/6mm Hellfire Muzzle Brake - 1/2"-28, 6Z133/00
#100-032-684	6.5mm/7.62/.308 Hellfire Muzzle Brake - 5/s"-24, 6Z133M00
#100-029-557	1/2"-28 Hellfire Adapter, 6Z00FFS 40.00
#100-029-556	<sup>5</sup> / <sub>8</sub> "-24 Hellfire Adapter, 6Z00HNN <b>40.00</b>
w100-040-700	9/16"-24 Hellfire Adapter, 6Z00PMI 40.00
EW 100-040-705	5/8"-32 Hellfire Adapter, 6Z00FLL 40.00
EW 100-040-701	<sup>3</sup> / <sub>4</sub> "-24 Hellfire Hellfire Adapter,
	6Z00BIS
EW100-040-704	M15x1.0 Hellfire Adapter, 6Z00/QE 40.00
w100-040-702	<b>M18x1.0</b> Hellfire Adapter, 6Z00JJL <b>40.00</b>
EW 100-040-703	M18x1.5 Hellfire Adapter, 6Z00ADG . 40.00
#100-029-564	Hellfire Taper & Thread Protector, 6Z28Q50



#### **AREA 419** HELLFIRE MATCH **MUZZLE BRAKE**





#### Softer, Flatter, More Control & Even Less Blast Noise Than the Original Hellfire

In the five years after they released the original - highly successful - Hellfire muzzle brake, the crew at Area 419 learned a lot more about recoil, muzzle blast, and how muzzle brakes perform. They poured all that new knowledge and understanding into the Hellfire Match Muzzle Brake. It does everything the original Hellfire does, only MORE of it. It helps make your rifle as manageable as possible in that critical millisecond before the bullet exits the muzzle. The new 4-port design isn't simply stacking more of the same design on the end, but a complete redesign with each port having a different length, angle, and height port - optimizing each one to provide ideal control of pressure and volume of gas being acted on at its position. This results in optimal recoil management and excellent control of muzzle - without the usual penalty of louder muzzle blast. The Match retains the original Hellfire brake's self-timing capability AND uses the Hellfire Universal Adapter for easy interchangeability with other Area 419 muzzle devices. All models listed below have 5/8"-24 tpi threads. Available with Black Nitride (BLK) or natural silver

(SIL) finish.		
#100-047-595	<b>6mm Hellfire Match Brake,</b> 5/8"-24/BLK, <i>3X184Z99</i>	\$ 195.00
#100-047-598	<b>6mm Hellfire Match Brake,</b> 5/8"-24/SIL, 87184V99	195.00
#100-047-596	<b>6.5mm/.25</b> Hellfire Match Brake, <sup>5</sup> / <sub>8</sub> "-24/BLK, 4 <i>P184R99</i>	195.00
#100-047-599	<b>6.5mm/.25</b> Hellfire Match Brake, <sup>5</sup> /8"-24/SIL, 2W184Y99	195.00
#100-047-597	<b>7mm/.30</b> Hellfire Match Brake, <sup>5</sup> / <sub>8</sub> "-24/ BLK, 5Q184S99	195.00
#100-047-600	<b>7mm/.30</b> Hellfire Match Brake, 5/8"-24/ SIL, 9U184W99	195.00



#### AERO PRECISION AR-15/M16/AR-308 A2 "BIRDCAGE" FLASH **SUPPRESSOR**

Sometimes the Classic Hider from the M16A2 Rifle Is ALL You Need

Cool-looking muzzle devices that promise to do special things like control muzzle rise, eliminate felt recoil

make you a 10x better marksman, and possibly even help improve your love life are impressive and all. But sometimes you just need to guell the fireball coming out of the muzzle - and the classic A2 does that just fine. Costs a lot less, too. Aero's A2 is machined from high-grade carbon steel, given a perfectly serviceable Old School manganese phosphate Parkerized finish, and offered in two sizes. Also Old School: You'll need a crush washer.

#100-054-412	<b>AR-15 A2 Flash Suppressor</b> - 1/2"-28, 9K06R79	\$ 6.79
#100-054-413	<b>AR-308 A2 Flash Suppressor - 5/8"-24,</b> 3D09K34	9.34

#### BADGER ORDNANCE AR-15/M16/AR-STYLE .308 MICRO MUZZLE BRAKE

Compact Brake Reduces Felt Recoil & Muzzle Rise

At just 13/4" long, this high-performance muzzle brake adds minimal bulk to the muzzle. Left and right side ports vent gasses evenly to reduce felt recoil and muzzle rise - enabling quicker, more accurate follow-up shots. Underside is solid to eliminate dust printing when shooting from the prone position. SPECS: 4140 steel, matte black. 13/4" (4.4cm) long. 1" (2.5cm) O.D. Crush washer included. 5.56/.223 - 2.8 oz. (79.3g) wt. Fits barrels with 1/2"-28 tpi threads. 7.62/.308 - 2.5 oz. (70.8g) wt. Fits barrels with 5/8"-24 tpi threads #093-000-047 5.56/.223 Micro Muzzle Brake,

	3K00FYL	\$ 99.99
#093-000-046	7.62/.308 Micro Muzzle Brake,	
	3K00DZS	99.99

#### **BRAVO COMPANY AR-15/M16 GUNFIGHTER COMPENSATOR**

**Compensator Reduces Side** Blast & Accepts Suppressors

The Gunfighter compensator reduces muzzle rise and flash, with a special baffling system that also limits side blast and the noise associated with typical



compensators. Exterior dimensioned to accept blank firing adapter or flash hider mounted suppressors. Stainless steel construction and black oxide finish help resist heat and corrosion. Gunsmith installation recommended. Standard Length fits .223/5.56mm rifles. **Extended Length** models for both .223/5.56 and .308/7.62mm rifles brings 14.5" barrels up to 16", with a pre-drilled hole that allows permanent pinned attachment.

SPECS: Stainless steel, oxide finish, matte black. .830" (2.1cm) O.D. Washer included. Standard – 1.7" (4.4cm) long, with 1/2"-28 threads. Extended - 2.1" (5.5cm) long, with ½"-28 (.223/5.56) or 5/8"-24 threads (.308/7.62).

#100-011-242	<b>5.56 Gunfighter Comp,</b> Std Length, 1E76L49	\$ 89.99
#100-011-248	<b>5.56 Gunfighter Comp,</b> Ext. Length, 1E80J74	94.99
#100-014-858	<b>7.62 Gunfighter Comp,</b> Ext. Length, 1E84J99	99.99

#### CAVALRY ARMS AR-15/M16 **CAV COMP**



Reduces Muzzle Rise & Recoil

Machined from bar stock with an integral, solid baffle that won't shoot out. Top and side ports counter recoil and muzzle rise. Solid bottom controls dust

printing. A 2-style looks correct on pre- and post-ban rifles. SPECS: Steel, black, matte finish. 13/4" (4.4cm) long, 3/4" (19mm) diameter, 1/2"-28 tpi. For .223 (5.56 NATO) caliber.

#100-000-189 .2	23 Cav Comp,	2K30J39	\$ 37.99
-----------------	--------------	---------	----------

#### **AREA 419** LINEAR FLASH SUPPRESSOR BROWNELLS AR-15/M16/AR-STYLE.308 **SHORT MUZZLE BRAKE**

Sure, It's a Bit "Forward," But You'll Appreciate the Bold Way Quells the Muzzle Flash & Redirects Muzzle Blast

The LFS not only suppresses the muzzle flash from your carbine, SBR, or pistol, but it also takes that annoying concussive muzzle blast and directs it forward, AWAY

from you and the folks on either side of you on the line. So everybody has a better shooting experience. If you're shooting prone on a dusty range bay, you aren't going to kick up a whirlwind of dirt and dust around you with every trigger pull. Area 419 machines each LFS from hardened 17-4 PH stainless steel and finishes it with a tough black Nitride treatment. It has a .45-caliber bore, so it can be installed on guns chambered up to .458 SOCOM with ease. Includes Hellfire Universal Adapter for mounting on muzzles with thread pitches listed below. Bonus: You easily can swap the LFS back and forth with any Area 419 (or other) sound suppressor that fits the Hellfire Universal Adapter.

#100-044-851	<b>Linear Flash Suppressor,</b> ½"-28 tpi, 6R142T99	\$ 150.00
#100-044-852	<b>Linear Flash Suppressor,</b> 5/8"-24 tpi, 7S142U99	150.00



adds less than 1" length to the barrel. Two rows of ports evenly distribute exiting gases and pressure to really keep that muzzle down. Wrench flats give simple installation. The Short Muzzle Brake comes in both .223/5.56mm with black oxide or natural stainless steel finish and .308/7.62mm in stainless steel only.

SPECS: Machined stainless steel, matte black oxide (MB) or natural silver (SS) finish. 1" long. .223/5.56mm - .75" O.D. Fits 1/2"-28 tpi muzzle threads. .308/7.62mm - 1" O.D. Fits 5/8"-24 tpi muzzle threads.

#080-000-995	<b>.223/5.56 Short Muzzle Brake,</b> Black, 8K47H99	\$ 63.99
#080-000-996	.223/5.56 Short Muzzle Brake, SS, 8K47Q99	63.99
#080-102-578	<b>.308/7.62 Short Muzzle Brake,</b> SS, 8K50G39	62.99

#### DANIEL DEFENSE AR-15/M16 FLASH SUPPRESSOR

Powerful Flash Reduction, Plus Extreme Resistance To Corrosion

Five longitudinal slots effectively reduce muzzle flash to a minimum. Stainless steel construction and a salt bath nitride finish virtually eliminates the risk of corrosion caused by blast ero-



sion. Bottom is solid to prevent dust signature while shooting in prone position. Machined flats enable installation with a standard wrench. Comes with crush washer.

SPECS: Machined 17-4 stainless steel, nitride finish, matte black. 2.2" (58mm) long x .86" (21mm) O.D. 2.2 oz. (79g) wt. 1/2"-28 tpi muzzle threads. Fits .223/5.56 caliber rifles.

100-009-929	.223/5.56 Flash Suppressor,	
	8K103F49	\$ 137.99

order on the web

brownells.com

#### **GRIFFIN ARMAMENT AR-15** MINI FLASH SUPPRESSOR



A Minimal-Profile Muzzle Device -Keeps Rifle Weight Down Without **Compromising Effectiveness** 

Constructed of 17-4 PH stainless steel, the Mini weighs 2.9 oz. approxi-

mately 40% less than that of most competing sound suppressor mounts. The lighter weight helps keep the host firearm from becoming "forward heavy" and makes it more responsive to the shooter. The Mini does not require timing, and Griffin's Taper Mount Thread Protector is compatible with it for added protection of thread mounts. Serves as a mount for Recce, Paladin, Sportsman. and Optimus series silencers. The Minimalist series supports the Optimus® 9 Mid-Size configuration as well as Optimus micro with taper extension.

#100-036-486	AR-15 5.56 Mini Flash Suppressor, 1/2"-28	
	tpi, 4G00NYD\$79.95	

Reduces Muzzle Flash AND Works as a Compensator - Plus, Accepts a Variety of Sound Suppressors

Griffin's Universal Taper mount provides a rock-solid

sound suppressor interface for Recce, Paladin, and Sportsman Silencers. Not just another muzzle device, it is a recoil-reducing, flash-suppressing mid-length muzzle device that offers you all the suppression you need one package. Machined from heat-treat hardened 17-4 PH billet material, the FlashComp Taper Mount provides a sacrificial baffle to increase the service life of your far more expensive sound suppressor. OAL: 2.375". O.D. 1.075". Approx. 3 oz. wt Threads: 1/2"-28 tni

**GRIFFIN ARMAMENT AR-15** 

TAPER MOUNT FLASHCOMP

#100-036-485	5.56/.223 AR-15 FlashComp, 1/2"-28,	
	4G00NAN	\$ 9

**MIDWEST INDUSTRIES AR-15** 

**BLAST DIVERTER** 

#### **GRIFFIN ARMAMENT AR-15 GEN 2 QD BLAST SHIELD** NEW

**Directs Blast Concussion Forward** AWAY From the Shooter & Personnel Next to Shooter

Especially effective on short barrels, the unique design of the QD Blast Shield directs concussive force

forward when used alone AND it enables the shooter to rapidly reconfigure muzzle device function. Ultra strong 17-4PH stainless steel and Tig welded construction is robust enough to withstand intense use and full-auto fire without risk of failure. The body is fluted in the same way as Griffin's QD suppressors for an excellent strength-to-weight ratio, while increasing surface area for faster cooling. The Melonite QPQ surface treatment provides an extremely hard, durable, and attractive finish. The QD mechanism is fast. positive, and not prone to wear like traditional ratcheting devices. The QD Blast Shield comes with a shim set and overtravel stop to refit your A2 compensator for optimal use. Compatibility Note: The QD Blast Shield is compatible with Griffin's line of SDQD mounts in 7.62 and 5.56mm, including the Flash Comp. Muzzle Brake, Linear Comp, Compensating Flash Hider, and Tactical Compensator. It is also compatible with A2 Compensators that fall within true USGI A2-spec blueprinted dimensions. Not all A2-"style" flash hiders are dimensioned properly. NOT compatible with BCM, BCE or PWS muzzle devices. Silencer interface was designed to fit the USGI A2 government contract compliant muzzle devices.

#100-036-480 QD Blash Shield, 4G00CXG...... \$ 185.00

JP ENTERPRISES AR-15/M16/AR-STYLE .308

flip. The front sight or scope stays right on target for a faster second

shot, plus less felt recoil and shooter fatigue. Models available for

SPECS: Steel, blued, matte finish. 11/2" (3.8cm) dia., 21/4" (5.7cm) long. .223

-5.3 oz. (149g) wt. Fits 1/2"-28 tpi muzzle threads. .281" exit hole accommo-

dates bores up to .243/6mm without modification; may be enlarged for

bores up to .358". .308 - 4.8 oz. (136g) wt. Fits 5/8"-24 tpi muzzle threads.

rifles chambered in .223/5.56mm and .308/7.62mm.

.350" exit hole may be enlarged to fit bores up to .416"

RECOIL ELIMINATOR

Wipes Out Recoil & Muzzle Lift

tremendous amount of surface area stop

exiting barrel gases and pull the barrel

forward to counteract recoil and muzzle

Dual, curved restrictor plates with a

Sends the Muzzle Blast AWAY From the Shooter of AR Pistols & SBRs

Midwest calls this their "Pistol" Blast Diverter, and it is indeed designed to direct the muzzle concussion forward, away from the shooter, making it an ex-

cellent muzzle device for AR-15 pistols and SBRs. But there's no reason its benefits can't be enjoyed by carbine and rifle shooters, especially those who are more blast-sensitive. Internal chambers and radial exit holes surrounding the central bore ensure ALL of the combustion gases go forward. Makes you popular with the shooters in the bays on either side of you at the range. Compact, too, only 1.75" long, with a 1.090" O.D. Constructed of tool steel, so it'll stand up to diverting a LOT of blasts, with a dark gray/black phosphate finish. Fits AR-15s chambered in .223/5.56 NATO with 1/2"-28 tpi muzzle threads. Comes with a crush washer.

#100-061-584 5.56/.223 Blast Diverter. 1J29U95 ..... \$ 29.95

#### PRECISION ARMAMENT **HYPERTAP MUZZLE BRAKE**



Powerful Recoil Reduction + A Low Profile That Won't Interfere With Sight Picture

The Hypertap Muzzle Brake employs Precision Armament's proprietary Convergent-Divergent port

geometry, which reduces felt recoil by an incredible 84%. This improves on their earlier M4-72 design by almost 10%, while preserving the 35-degree baffle angles and bore clearance of the original design. These features are critical in ensuring the device produces less gas blowback, as well as improved accuracy and comfort - all to the benefit of the shooter. The other standout feature is "tunable gas biasing," meaning the user can adjust where excess gas vents from the device via the timing nut, thus ensuring the sight picture isn't disturbed by a column of hot gas with every shot. Machined stainless steel, with matte black finish, OAL 2.54".

#100-033-762 Hypertap 556/.223 Muzzle Brake, 1/2"-

28/Black, 2D162E44.....\$ 170.99

#100-036-357 Hypertap 6.5mm/.264" Muzzle Brake. <sup>5</sup>/<sub>8</sub>"-24/Black, 2D162I89.....



#### NOVESKE AR-15/M16/AR-STYLE.308 KX3 FLASH SUPPRESSOR



Reduces Muzzle Flash & Protects Nearby Personnel From Side Blast

Unique design redirects concussion forward to provide better flash

suppression than standard A2 suppressor on short-barreled rifles and other centerfire gas-operated weapons. Virtually eliminates side blast to protect nearby personnel during CQB, building entries, and when shooting from inside vehicles. Lessens felt recoil and reduces muzzle rise to help keep sights on the target for fast follow up shots and superior recoil management on full-auto assault rifles, especially with barrels 13" or shorter. High-carbon steel with matte black manganese phosphate finish stands up to the heat and pressure of thousands of rounds. Convenient. 3/4" wrench flats allow easy installation with the same wrench used to remove factory flash suppressor. Crush washer included. Each unit individually serial numbered for quality control.

SPECS: Heat-treated steel, phosphate finish, matte black. 3',4" (8.2cm) O.A.L. 1<sup>3</sup>/<sub>8</sub>" (3.5cm) diameter. 6.7 oz. (190q) weight. AR-15/M16/M4 fits rifles in 5.56mm/.223 with 1/2"-28 tpi muzzle threads. AR-308 fits rifles in 7.62mm/.308, and bolt-action rifles chambered up to .338 caliber with

-78 -24 (primuzzi	e uneaus.	
#100-003-335	KX3 Flash Suppressor, AR-15/M16/M4,	
	1A00JVH	\$ 132.99
#100-009-319	KX3 Flash Suppressor, AR-308,	
	1A00BUQ	146.99



#### Items LANTAC AR-15/M16/AR-STYLE.308 **DRAGON MUZZLE BRAKE**

Enhances Muzzle Control & Reduces Felt Recoil

The LANTAC Dragon Muzzle Brake has vertical ports in the primary discharge chamber to counteract muzzle rise, while the Short Energy Pulse system decreases recoil length, preventing "stacking" of repeating shot energy and enabling fast, accurate follow-up shots. Even with fully automatic fire, the Dragon delivers significant reduced recoil and muzzle climb,

so more shots land on target. Machined from ultra-hard steel, the Dragon is virtually impervious to heat, corrosion and wear. Flats on the side allow you to install it with any standard wrench. Includes crush washer for secure fit and proper indexing. **Keymo™** model is a plug-n-play mount for the entire range of Dead Air® Sandman® Keymount silencers.

SPECS: Carbon steel, nitride finish, black. Approx. 2.6" (6.6cm) long, .866" (22mm) O.D. .223 fits rifles chambered in .223/5.56mm NATO with 1/2"-28 toi muzzle threads. .308 fits .308/7.62mm NATO rifles with 5/8"-24 toi muzzle threads

<b>223 Dragon Muzzle Brake,</b> 6D116L09	\$ 128.99
223/5.56 Dragon Keymo Muzzle	128.99
	120.99
Brake, 6B34G50	163.99
	5D116L09 223/5.56 Dragon Keymo Muzzle Brake, 6B34G50 308/7.62 Dragon Keymo Muzzle

#100-036-299 Hypertap 7.62mm/.308" Muzzle Brake. 5/8"-24/Black, 2D162A89...... 180.99

#### PRECISION ARMAMENT AR-STYLE .308 SEVERE-DUTY MUZZLE BRAKE



#### Maximum Recoil Control Helps You **Quickly Reacquire The Target**



Heavy-duty AR-308 muzzle brake machined from solid stainless steel billet has large internal baffles for maximum recoil management, so you can get the sights back on the target quickly. Threads and bore aperture are machined in a single operation to ensure perfect alignment. M11 is optimized for tactical situations requiring minimal dust signature. Large blast baffles redirect gases to the sides and upward to

reduce recoil and keep the muzzle down. Wrench flats on top and bottom enable easy installation and removal. M41 is designed for long-range precision tactical or target rifles. Angled ports vent gases counter-clockwise to counteract recoil produced by heavy bullets and fast twist rates. Features 3/16" spanner wrench holes for easy installation and removal.

SPECS: Machined HTSR 416 stainless steel, hardened to Rc 26-32, lowluster natural silver or matte black IonBond® DLC finish. 5/8"-24 tpi threads. Both models available for rifles chambered in .308/7.62mm or .338. M11 - 2.675" (6.8cm) long, 1.375" (3.5cm) wide, 1.188" (3cm) high, 5.6 oz. (158a) wt. M41 - 2.75" (7cm) long. 1.312" (3.3cm) maximum O.D., .925" (2.3cm) O.D. at barrel. 5.3 oz. (150g) wt.

#100-010-538	.308 M11 Muzzle Brake, Blk, 2D118A14 \$	\$ 138.99
#100-011-352	<b>.308 M11 Muzzle Brake,</b> Silver, 2D97G74	114.99
#100-014-635	.338 M11 Muzzle Brake, Blk, 2D101J99	119.99
#100-022-957	6.5mm/.260 M11 Muzzle Brake, Blk,	
	2D111K14	116.99
#100-014-636	.338 M41 Muzzle Brake, Blk, 2D113Q99	119.99
#100-010-539	.308 M41 Muzzle Brake, Blk, 2D119J84	140.99
#100-011-977	<b>.308 M41 Muzzle Brake,</b> Silver, 2D110E49	129.99

# PRECISION ARMAMENT AR-15/M16


#### Reduces Recoil & Withstands **Heat From Automatic Fire**

Compensator features a large initial expansion chamber which dissipates combustion gases at a lower pressure, then directs the gases to the side and rear through precisely canted vents. Innovative reverse venting design reduces recoil and blowback while eliminating muzzle rise. Closed bottom in compensator greatly di-



minishes dust signature. Machined from high strength stainless steel for corrosion resistance, compensator will not erode due to the extreme heat of automatic fire. Fits .223/5.56mm AR-15 rifles with 1/2-28 muzzle threads. Accepts muzzle devices designed to fit over standard A2 flash suppressor. Available in Ionbond® DLC matte black finish or stainless steel in-the-white, satin finish. SPECS: HTSR 416 stainless steel bar stock, matte black or in-the-white stainless steel finish. AR-15 - 1/2"-28 tpi threads. 2.25" (5.2cm) OAL. 0.875" (22mm) O.D. AR-308 - 5/8"-24 tpi threads. 2.28" (5.8cm) OAL. .986"

(2311111) O.D.		
#100-013-093	M4-72 AR-15 Compensator, DLC Black, 2D79F04	\$ 92.99
#100-013-197	M4-72 AR-15 Compensator, Silver,	
	2D88N39	103.99
#100-018-057	AR-308 M4-72 Compensator, DLC Black,	
	2D85D84	100.99
#100-018-058	AR-308 M4-72 Compensator, Silver,	
	2D84E99	99.99



# AR-15/M16

COMPS/FLASH

HIDERS

#### OPS INC. AR-15/M16/AR-STYLE .308 **MUZZLE BRAKE**

Reduces Felt Recoil; Suppressor Ready

Low-profile muzzle brake effectively suppresses flash, tames recoil, and is threaded

to serve as an attachment device for OPS sound suppressors. Redirects muzzle blast laterally and slightly upward to reduce felt recoil and reduce muzzle flip to help you get back on target fast for followup shots. Accepts all Ops suppressors except 3rd Model.

SPECS: Carbon steel, oxide coated, matte black. Approx. 2.1" OAL. Fits ½"-28 tpi muzzle threads; comes with crush washer, thread protector, and barrel sleeve

#504-000-017 .223 Threaded Muzzle Brake,

4K187N19 . . . . . . . . . . . . . . . . . \$ 207.99

#### **PRECISION ARMAMENT EFAB HYBRID FLASH HIDER/BRAKE**



Superior Muzzle Control & **Effective Flash Suppression** 

"Enhanced Flash Arresting Brake" (EFAB) hybrid flash suppressor/muzzle brake combines maxi-

mum recoil reduction and minimum concussion with powerful flash suppression. An array of diverging expansion nozzles both cool combustive gases and diffuses them away from the shooter. Effective on barrels as short as 10", so the EFAB is ideal for carbines, SBRs, and pistols. The closed bottom helps reduce dust signature when shooting prone. Includes a pilot hole for permanent pinning on 14.5" barrels to bring them to legal civilian length.

SPECS: Machined stainless steel. IonBond® CrCN finish, matte black. 2.47" (6.27cm) long, .9" (2.3cm) O.D. 3.5 oz. (99g) wt. 1/2-28 threads. For .223/5.56mm caliber rifles. Caution: Do not use crush washers. Requires Precision Armament Accu-Washer™ Muzzle Alignment System, sold separately, below, for installation.

#100-015-978 EFAB Hybrid Flash Hider/Muzzle Brake, 

#100-009-793 1/2" x 28 Accu-Washer Alignment 

0

#### PRIMARY WEAPONS SYSTEMS AR-15 **CQB556 TACTICAL** COMPENSATOR

Tames Muzzle Jump for Improved Weapon Control During Rapid Fire



Aggressive, scallop-type cuts deliver superior gas dispersion to help stabilize the muzzle during periods of sustained fire. Special internal blast chamber with side-facing ports helps reduce recoil with no adverse effect on gas system function. Also provides enough flash suppression to keep flash out of the shooter's line of sight. Wrench flats directly over the internal threads ease installation. Peel washer included for precise indexing of the side ports. The CQB556 is designed primarily for entry teams and other operators working in confined spaces like buildings. Directs the entire force of the muzzle blast forward to protect the shooter and team members next to him from hot gasses and concussion. Also helps suppress muzzle flash and provides some recoil compensation.

SPECS: Steel, black, matte finish. Includes peel washer. 23/4" (7cm) long  $\times$  1<sup>3</sup>/<sub>8</sub>" (3.5cm) O.D. 9.1 oz. (258g) wt. Fits .223/5.56 rifles with with ½"-28

#100-004-609 CQB556 Compensator, 4B90E94.... \$ 106.99



1/2"-28 muzzle threads.

#### **PRECISION ARMAMENT** M11-SPR MUZZLE BRAKE

Outstanding Muzzle/Recoil Control For .223/5.56 Rifles

The M11-SPR (Special Purpose Rifle) is a compact, lightweight version of the M11 brake designed specifically for precision-shooting .223/5.56-chambered AR-15 rifles and long-range hunting rifles. Large, symmetrical blast baffle with compensated forward baffles provides unprecedented muzzle control and recoil management while keeping induced bullet yaw to a minimum for improved long range accuracy. Wrench flats for easy installation and removal. Bore may be enlarged up to .338 caliber by a qualified gunsmith. SPECS: Precision machined from HTSR 416 stainless steel barstock, heattreated to Rc 26-32, with matte black lonBond® (BLK) finish, 2,225" long x 1.125" wide x .990" high. .750" O.D. at barrel. Fits .223/5.56mm rifles with

#100-014-396 M11-SPR Muzzle Brake, BLK, 2D89M24.....\$104.99

0

#### **SMITH ENTERPRISE** AR-15/M16/AR-STYLE .308 **VORTEX FLASH ELIMINATOR**

#### Helical Flutes Dissipate Gas, Hide Muzzle Flash

Four, specially angled flutes hide nearly 100% of muzzle flash. even during full-auto fire, by dissipating gas and retaining unburned powder for increased residual burn. Constructed of the same 8620 bar stock steel used in the manufacture of AR-15/M16 bolts and carriers, then heat-treated to provide a high-strength core and tough. outer shell. Special, helix design helps align exiting barrel gas to improve accuracy with all bullet types.

AR-15/M16 G6-A2/G6-A3 VORTEX -Skirt extension conceals gap between

barrel shoulder and flash hider on AR-15. M16. and M4 rifles. Grooved base ring allows integration of Blank Firing Attachment (BFA) used by law enforce-

ment trainers, and permits installation of the Smith Enterprise M4DC CQB sound and flash suppressor (available factory direct to USG/LE and FMS customers). Thread-on design requires no washer. Torque to 10 ft. lbs. maximum, self-tightens as weapon is fired. Use M-193, SS-109 (M855), and MK 262 service ammo for highest degree of flash suppression. Can be permanently attached to 14.5" long, M4 barrels for an overall length of 16.1". G6-A2 has smooth exterior. G6-A3 model adds helical grooves on the outer surface that help minimize carbon buildup between the Vortex and the M4DC, making installation and removal of the suppressor is easier. SPECS: 8620 steel, Parkerized, black, matte finish.1/2"-28 tpi. 2.31" (5.9cm) long, .858" (22mm) dia. 3.1 oz. (88 g) weight. Fits AR-15, M16, and M4.

#851-000-047 AR-15/M16 G6-A2 Vortex, 1E61B19 . . . . \$ 71.99 #851-000-091 AR-15/M16 G6-A3 Vortex, 1E58H49 . . . 64.99

.308 VORTEX - Streamlined unit reduces muzzle flash with four, 15° helical flutes. Provides Vortex technology for AR-style .308 and Remington 700 Tactical rifles. Grooved to accept

a Smith Enterprise Direct Connect sound suppressor. Comes in standard 5/8"-24 thread pitch with .635" thread length so it will fit DPMS, Noveske, and other AR-style .308 rifles with the shorter thread spec. Also fits 6.8mm SPC rifles with these muzzle thread specs

SPECS: 8620 steel. Parkerized, black, matte finish. 5/8"-24 tpi. 3" (7.6cm) long. 905" dia.. .635" thread length. 4.6 oz. (130a) weight. Fits AR-style .308 rifles from DPMS. Noveske, and others, as well as Savage 110 FCP bolt action.


#851-000-084 .308 Vortex, 5/8"-24 tpi x .635", 1E89Q24 ..... \$ 104.99



#### SONS OF LIBERTY GUN WORKS AR-15/M16/AR-308 **A2 FLASH SUPPRESSOR**

A Basic Flash Hider That Gets the Job Done - Even the Military Hasn't Figured Out How To Break 'Em

If you've watched some of our videos with Mike Mihalski, SOLGW's founder and owner (and they're worth the time!), you



#100-045-065 AR-15 A2 Flash Suppressor - 1/2"-28, 

#100-045-066 AR-308 A2 Flash Suppressor - 5/8"-24, 4H25Z99..... 26.99

#### **SUREFIRE AR-15 SOCOM FLASH HIDER/** SUPPRESSOR MOUNT



Closed-Tine Configuration Looks & Works Like an A2, Does a LOT More

This "closed tine" muzzle device looks like the traditional A2 flash hider - and on its own, it does the A2's job like a champ. But it is also a quick-attach


mount for Surefire SOCOM sound suppressors. "Quick" doesn't mean sloppy - multiple bearing surfaces ensure proper suppressor alignment every time. This adapter/flash hider is precision machined from heat-treated stainless steel which is highly resistant to gas and particle erosion. Since standard Parkerizing won't stand up to the adverse environment inside a silencer, the finish is Black DLC ("diamond like coating"). A2-style wrench flats make installation easy. Comes with a pack of timing shims and some thread-locker. For 5.56/.223 caliber rifles with 1/2" -28 tpi muzzle threads.

#152-000-318 SOCOM Flash Hider/Suppressor Mount, 7L00XZH ...... \$ 134.00

#### PRECISION ARMAMENT AR-15/M16 **AFAB-556 HYBRID MUZZLE BRAKE**

**Dual-Duty Muzzle Device For Compact Tactical Rifles** 

Advanced Flash Arresting Brake fits onto standard 1/2"-28 threads and serves double-duty




barrels to up to ATF-legal 16" length. SPECS: 400-series stainless steel, lonbond finish, matte black. 2.2" (5.5cm) long, .865" (2.1cm) O.D. Fits 223/5.56 rifles with 1/2"-28 tpi muzzle threads. Requires Precision Armament Accu-Washer™ Muzzle Alignment System, sold separately.

#100-014-080 AFAB-Mini Flash Hider/Compensator, 

#### SONS OF LIBERTY GUN WORKS AR-15 NOX DEADAIR SANDMAN MUZZLE **DEVICE KEYMOUNT**

Controls Muzzle Rise + Provides **Superior Flash Suppression** 



first round you fire to the last. With screw-thread, 12 o'clock and 3 o'clock ports and advanced design, it delivers on its design goal feel confident in using NOX on your home defense or duty weapon without deafening the shooter next to you. The NOX works with the Dead Air Sandman Keymount for either 5.56 ½-28 tpi or .300 Blackout 5/8-24 tpi muzzle threads. Machined from hardened 4140 chrome-moly steel and QPQ treated for a long lasting finish.

#100-038-752 5.56 NOX Deadair Sandman Muzzle Device Keymount, 1/2"-28 tpi, 6H84A99 ... \$ 99.99

#100-038-753 .300 NOX Deadair Sandman Muzzle Device Keymount, 5/8"-24 tpi, 6H84F99.

#### SPIKE'S TACTICAL AR-15/M16 **CAR-1 FAKE SUPPRESSOR**

Gives Your Rifle The Appearance Of A Suppressor But Does Not Reduce Sound



Makes your AR-15 carbine with a 16" barrel look like it has a suppressor without needing a tax stamp. Replaces standard A2 flash suppressor and gives the appearance of a 10.5" barrel with suppressor mounted. 1/2" x 28 threads allow fake suppressor to easily install onto many AR barrels. Enhance the tactical look and range appeal of your AR-15 carbine.

SPECS: Machined 6061 aluminum, anodized, matte black. 5.5" (13cm) long, 1.25" (32mm) O.D. 7 oz (198g) wt. Fits 16" barrel with carbine-length gas system, 1/2"-28 tpi threads and O.D of .720" or less behind threaded portion. Not a sound suppressor.

#100-008-583 CAR-1 Fake Suppressor, 3B41C64 . . . . \$ 48.99

#### SUREFIRE AR-15/M16 PROCOMP MUZZLE BRAKE

Subdues Recoil & Muzzle Lift For **Fast Follow Up Shots** 

This muzzle brake features offset porting that reduces both felt recoil and muzzle rise, helping the shooter to get back on target faster between shots. Surefire's unique



"Impulse Diffusion" design minimizes side blast and rear-directed concussion, making the Procomp more comfortable to shoot. Blind pilot holes at the 3 and 9 o'clock positions permit fine-tuning of recoil to individual shooting styles or ammunition. Installation reguires no permanent modifications to the firearm.

SPECS: Machined, mill-certified barstock steel, Melonite finish, black. 2.5" (6.3cm) long. 3.4 oz. (97g) wt. Fits .223/5.56mm caliber rifles with 1/2"-28 muzzle threads.

#152-000-142 PROCOMP Muzzle Brake 5.56, 

order on the web

brownells.com

BROWNELLS. PAGE 33

Orders: 800-741-0015



#### SUREFIRE AR-15/M16/AR-STYLE.308 — MUZZLE BRAKES & FLASH SUPPRESSORS





### Get The Right Combination Of

Thread-on muzzle devices give the tactical rifle shooter a variety of options for recoil reduction, flash suppression, or a combination of both to meet his exact needs. Precision CNC machined to exact tolerances from high-quality stainless steel alloy that withstands extreme heat and gas particle erosion, even after thousands of rounds. Stands up to the intense tempo of combat conditions without loss of performance. Easily replaces factory flash suppressor on militaryconfiguration AR-15/M16/M4/AR-style .308 rifles with no permanent modifications to gun. Install on other assault rifles, semi-autos, and bolt actions with muzzle threaded to accept the device. Not only improves the performance and enhances the appearance of

Recoil Control & Flash Suppression

your rifle, but also provides a rock-solid mounting platform for Sure-Fire Fast-Attach® sound suppressors. SFMB and SF3P models accept SureFire SOCOM Series Fast-Attach® suppressors only, not earlier model Fast-Attach suppressors. Each kit includes a set of varyingthickness crush washers for proper indexing.

SPECS: Heat-treated stainless steel, matte black finish. Fits rifles with threaded muzzles only. Crush washer set, tube of Rocksett heat-resistant thread locker, and complete instructions included.

MUZZLE BRAKES - Substantially reduces muzzle rise and provides outstanding felt recoil reduction for better shot follow-through. improved accuracy, and faster follow-up shots. Advanced Impulse Diffusion™ technology diffuses muzzle blast to the sides, virtually eliminating gas dispersion back to the shooter and minimizing felt concussion to help keep the sights firmly on the target.

FLASH SUPPRESSORS - Advanced design provides superior muzzle flash reduction to help conceal the shooter's position and preserve night vision. Rugged stainless steel construction gives exceptional strength and durability, with a variety of styles to fit AR-type rifles and carbines in both 5.56/.223 and 7.62/.308, as well as other assault rifles, semi-autos, and bolt actions.

#### **MUZZLE BRAKES**

STOCK #	MODEL	FITS	CALIBER	DIAMETER	LENGTH	THREAD SIZE	ADDL BBL LENGTH	PRICE
#152-000-134	SFMB556/SOCOM	M16/M4/Colt Com- mando; any rifle w/ unobstructed barrel exterior .170" behind muzzle threads a O.D. less than .800"	5.56mm/.223	.865"	2.5" (6.4cm)	1/2-28	1.4" (3.5cm)	6H00JWN <b>\$ 131.99</b>
#152-000-136	SFMB762/SOCOM	AR-Style .308, including ArmaLite® AR-10®, DPMS LR-308, and 7.62mm rifles	7.62mm/.308	.865"	2.5" (6.4cm)	5/8-24	1.4" (3.5cm)	6H00PVA <b>\$ 131.99</b>
			FLASH SU	PPRESSORS				
STOCK #	MODEL	FITS	CALIBER	DIAMETER	LENGTH	THREAD SIZE	ADDL BBL LENGTH	PRICE

5.56mm/.223

7.62mm/.308

SUREF	IRE HEC	KLER & KOCH F	IK417

WARCOMP FLASH HIDER

#152-000-130 SF3P556/SOCOM M4/M16 variants

#152-000-132 SF3P762/SOCOM AR-style .308, in-

**Designed Specifically To** Maximize Performance of the HK417 & Similar H&K Rifles

deliver optimum performance from

with 1/2-28 threads

cluding Armalite AR-10. DPMS LR-308. and 7.62mm rifles

A muzzle device designed to

the HK417 (and similar) rifles. The ideal complement to the '417 you built using one of the Brownells parts kits! The Warcomp is a flash hider that eliminates 98% of all muzzle flash, even when used on short-barreled platforms, AND also works to combat muzzle rise, so you can keep your firearm on-target for fast follow-up shots. Serves as a rock-solid mounting point for all of SureFire's SOCOM and SOCOM2 Fast-Attach suppressors. Machined from stainlesssteel bar stock, with single-point cut threads that ensure an ideal thread interface. Finished with a black DLC coating that protects it against harsh environments.

#152-000-295	HK417 W	VarComp Flash Hider, M15x1	
	Threads,	6H00NFL	\$ 179.99

#### **TROY INDUSTRIES AR-15/M16 MEDIEVAL MUZZLE BRAKE**

1" (25mm)

6H00KSE \$ 116.99

1.1" (27mm) 6H00QNH \$ 134.99

**Gives Effective Recoil** Reduction & Aids In Hand-To-Hand Combat

2.7" (6.7cm)

2.7" (6.7cm)



for fast follow-up shots. Improves control and accuracy during full-auto fire. Specifically designed to enhance your CQB effectiveness with aggressive, diamond-shaped teeth that provide effective less-lethal muzzle strikes during hand-to-hand combat. Wide strike face lessens danger of a penetrative wound on contact. Also serves as a stand-off device for body contact shots. Accepts most over-the-barrel sound suppressors and actually increases their effectiveness

SPECS: 8620 carbon steel, Parkerized, matte black finish. .860" (2.2cm) O.D., 21/2" (6.4cm) long. 3.1 oz. (81g) wt. Fits barrels with 1/2"-28 tpi right-

#100-003-441 Medieval Muzzle Brake, 3B43D19 ..... \$ 47.99

#### TROY INDUSTRIES AR-15/M16/AR-STYLE .308 CLAYMORE MUZZLE BRAKE



**Enhances Control By** Directing Blast & Noise Away From Shooter


Compact brake is designed to direct both blast and noise forward, away from the shooter, to effectively dampen recoil for better control. Brake gives an

extremely low dust signature and features a recessed crown with a raised saw tooth rim that allows secondary use as a breeching device. Humorously inscribed with "Point Toward Enemy" and large arrow. SPECS: Hardened 4140 steel, Parkerized, matte black. 2.25" long, .970" O.D. Threads: 5.56/223 - 1/2" -28 tpi; 7.62/.308/6.8 - 5/8" -24 tpi. Crush washer included.

#100-008-088 5.56/.223 Claymore Brake, 3B51B29 . . . \$ 56.99 #100-008-089 7.62/.308/6.8 Claymore Brake,

#### **VG6 PRECISION DELTA MUZZLE BRAKE**

Comp/Brake Hybrids Deliver Impressive Muzzle Control



from blast-resistant, hardened 17-4PH stainless steel and available with either a natural Silver or Black finish, this brake employs an optimized gas flow pattern developed through the use of computational fluid dynamics and computer-aided engineering. It's designed for optimum performance on shorter 10.5"-18.5" barrels. Standard 1/2"-28 tpi threads. 2.21" OAL. Crush washer included.

#100-027-887	<b>556 Epsilon Muzzle Brake,</b> Black, <i>3E00GDI</i>	\$ 55.24
#100-025-669	556 Epsilon Muzzle Brake, Silver,	
	3E68M99	72.24



#### **VG6 PRECISION** AR-15/M16/AR-STYLE .308 GAMMA MUZZLE BRAKE

Hybrid Muzzle Device Dramatically Reduces Felt Recoil & Muzzle Rise



The Gamma is a muzzle brake/compensator hybrid, so it helps you stay on target during rapid fire. Unique internal chamber geometry virtually eliminates felt recoil and minimizes muzzle movement, letting you saturate the target no matter how fast you shoot, so you can make fast, accurate follow-up shots. Muzzle brake portion consists of two chambers, with one larger than the other, causing the escaping gases to drive the rifle forward, counteracting recoil. Slots on top vent gases upward and force the muzzle down, thus dramatically reducing

muzzle rise. Optimized for 10.5" to 18.5" barrel lengths, the Gamma will also work on SBRs and AR pistols, especially the 9mm version, which is optimized for pistol caliber carbines. 300BLK designed for pistols/carbines chambered in .300 AAC Blackout; it is shorter than the 762 model (1.72" vs. 2.21"). CAGE (Concussion Altering Gas Expansion) device works with the 5.56 and 300BLK Gammas to disrupt side concussion without hindering its recoil-reduction and muzzle control properties.

SPECS: 17-4 stainless steel, black Nitride (Blk) or bead-blasted natural silver (SS) finish. Crush washer included. 556 fits ½"-28 threads; 6.5 Creedmoor (2.175" OAL), 300BLK (1.72" OAL) & 762 (2.21" OAL) fit 5/8"x24 threads; 9mm ( 355") fits 1/2"-28 threads

JIIIII (.333 ) III3	72 -20 ti il eads.	
#100-019-275	<b>5.56 Gamma Muzzle Brake,</b> Blk, <i>3E68199</i>	\$ 72.24
#100-024-584	<b>6.5 Creedmoor Gamma Muzzle Brake,</b> Blk, <i>3E76E99</i>	80.74
#100-025-665	<b>6.5 Creedmoor Gamma Muzzle Brake,</b> SS, <i>3E76H99</i>	80.74
#100-027-886	<b>300BLK Gamma Muzzle Brake,</b> Blk, 3E68K99	72.24
#100-019-276	<b>7.62 Gamma Muzzle Brake,</b> Blk, 3E76E99	80.74
#100-029-393	9mm Gamma Muzzle Brake, Blk, 3E51D42	67.99
#100-024-587	Cage Device for Gamma/Epsilon, 3E00GRC	67.99



#### VLTOR AR-15/M16/AR-STYLE.308 VC-1 FLASH SUPPRESSOR/ COMPENSATOR



Dissipates Hot Gas To Minimize Muzzle Flash, Reduces Muzzle Jump

Highly-efficient internal helical design uses ten precisely contoured longitudinal ports combined with a unique, cloverleaf-shaped exit port to trap unburned powder particles long enough for full burn and dissipation of hot combustion gasses. Muzzle flash cancels itself out to minimize shooter exposure during daytime and low-light situations. Also serves as a compensator by directing venting gasses to help reduce muzzle jump and improve shooter control for better shot placement. Precision machined from 4140 steel to stand up to rough tactical operations. 21/8" overall length brings a 141/2" barrel up to legal length for civilian use when flash suppressor is permanently pinned or welded in place. Accepts most sound suppressors and Blank Firing Attachments designed to fit a M16/M4 flash hider.

SPECS: Steel, matte black Parkerized finish. 21/8" (5.4cm) long, .856" (2.2cm) O.D. Includes peel washer. Fits .223/5.56mm AR-15/M16/M4 rifles with 1/2"-28 tpi threaded muzzle.

#100-003-114 VC-1 Flash Hider/Compensator, 3A56D99......\$ **59.99** 

#### YANKEE HILL AR-15 MINI QD MUZZLE BRAKE

A Compact Muzzle Brake Designed for YHM's Suppressor Systems

Yankee Hill's suppressorcompatible muzzle device lineup is expanded with the Mini QD Brake, which accepts their fast-attach suppressor systems. The Mini QD is specifically built for competition use



and measures only 1.6" long and weighs just 3.2 oz. It can be shot comfortably suppressed or unsuppressed, and the unit features a through-bore of .350", allowing it to be paired with YHM's Phantom, Turbo, Turbo K, Resonator and Nitro suppressors. Available in 1/2"-28 tpi and 5/8"-24 tpi thread pitches. Tough Melonite-QPQ finish. Ships with a set of shims for adjusting the timing; YHM recommends a torque setting of between 20-30 ft.-lbs.

#100-039-239	<b>AR-15 5.56 MiniQD Muzzle Brake,</b> ½"-28, <i>9A00FLD</i>	\$ 70.9
#100-039-240	<b>AR-308 7.62 MiniQD Muzzle Brake,</b> 5/8"-24, 9A0011K	70.9

**BROWNELLS** PAGE 34

#### VG6 PRECISION AR-15 **EPSILON MUZZLE BRAKE**

#### Creates Low Energy Recoil for Absolute Muzzle Control

Combining elements of a muzzle brake, compensator, and flash hider, the Epsilon brake employs a two-step gas redirection process to produce a soft, low-energy recoil that's easy on your shoulder and helps you keep the



sights on the target at all times. Three prongs substantially reduce flash signature, and with no ports at the 12 o'clock position, there is no distracting flash to get in your view of the target. Dual chambers redirect gas to reduce recoil; six valve holes on the underside release the fastest-moving gases from the chamber closest to the muzzle, further decreasing recoil. Comes with a pre-drilled hole for pinning to a 14.5" barrel. **556** model also accepts VG6's CAGE (Concussion Altering Gas Expansion), sold separately.

SPECS: 17-4PH stainless steel, Blacknitride™ (Blk) or bead-blasted natural silver (SS) finish. Models for: .223/5.56mm rifles with ½"-28 threads (2.2" OAL. 9" O.D.). .308/7.62mm rifles with \( \mathbb{\text{\tinte\text{\tinte\text{\tinit}\text{\texi}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\tint{\text{\text{\texi}\text{\text{\texi}\tint{\text{\texi\tin\tinte\tinte\ta}\tin\tint{\text{\texi}\tint{\text{\texi}\tint{\text{\tex 9mm/.355 pistols/carbines/SBRs with 1/2"-28 threads. 6.5 (2.84" OAL) fits rifles and carbines chambered in 6.5 Creedmoor, 6.5 Grendel and 6.8 Rem SPC with muzzle \\mathbb{\tilde{\mathbb{O}}"-24 threads.

#100-019-277	<b>5.56 Epsilon Muzzle Brake,</b> ½"-28/Blk, <i>3E68Q99</i>	\$ 72.24
#100-025-669	<b>556 Epsilon Muzzle Brake,</b> Silver, <i>3E68M99</i>	72.24
#100-031-180	<b>6.5 Epsilon Muzzle Brake,</b> 5/8"-24/Blk, <i>3E76H99</i>	80.74
#100-031-179	<b>6.5 Epsilon Muzzle Brake,</b> 5/8"-24/SS, 3E57L85	76.99
#100-027-890	<b>7.62 Epsilon Muzzle Brake,</b> 5/8"-24/Blk, <i>3E76A99</i>	80.74
#100-027-888	<b>9mm Epsilon Muzzle Brake,</b> ½"-28/Blk, <i>3E51H42</i>	67.99
#100-027-889	9mm Epsilon Muzzle Brake, ½"-28/SS, 3E51M42	67.99

#### WILSON COMBAT AR-15/M16 Q-COMP MUZZLE BRAKE



Part Comp, Part Brake, Almost No Muzzle Flash

The Q-Comp was designed by Wilson's compensator experts to give shooters a big boost in recoil control during rapid fire with-

out the harsh blast and flash of some other AR-15 muzzle devices. It's a hybrid brake/compensator tuned to minimize side-blast and concussion with almost zero muzzle flash, while retaining excellent vertical and rearward recoil reduction. The Q-Comp's slotted expansion chamber has no prongs or tines to break off or snag, and it's Melonite QPQ coated alloy steel construction ensures maximum durability and corrosion resistance. Includes crush washer. Three caliber/thread pitches to choose from: 1/2"-28 fits barrels with an internal bore diameter of .375". 5/8"-24 fits barrels with an internal bore diameter of .375", including most .308/7.62 rifles and some 9mm. 11/16"-24 fits barrels with an internal bore diameter of .485".

#965-000-252	<b>5.56/.223 Q-Comp,</b> <sup>1</sup> / <sub>2</sub> "-28, 5F58N89	\$ 59.95
#965-000-253	.308/7.62 Q-Comp, 5/8"-24, 5F56Q99	59.95
#965-000-254	<b>Q-Comp,</b> 11/16"-24, 5F61D74	64.95

**FOLLOW US • FRIEND US • LIKE US** 

#### YANKEE HILL MACHINE AR-15/M16 PHANTOM COMPENSATOR/ **FLASH SUPPRESSOR**

One Device Provides Both Flash Suppression & Reduces Muzzle Rise; Aggressive Front End Cuts for CQB Maneuvers

PHANTOM 5C1 COMP/FLASH SUPPRESSOR - Flat, non-serrated

muzzle face helps prevent catching or snagging muzzle tip during storage or deployment. Five, longitudinal vents help hide flash while dispersing gases up and outward; tames muzzle rise and keeps your front sights on target. Outward facing ports and solid panel on bottom help eliminate dust signature when shooting in the



prone position. Grooved, base rings accept training attachments and sound suppression devices for LE and military personnel. SPECS: Steel, mil-spec phosphate finish, 1/2" - 28 tpi, 21/4" (5.7cm) long, 7/8" (2.2cm) diameter. 2.1 oz. (60 g) wt. Includes crush washer.

#100-002-859 .223 5C1 Comp/Flash Suppressor, 9A25Q49.....\$29.99

PHANTOM 5C2 COMP/FLASH SUPPRESSOR - Five, straight,

longitudinal vents hide flash while dispersing gases up and outward to tame muzzle rise. No downward facing port helps eliminate dust signature when shooting in the prone position. Chisel-shaped front notches keep muzzle planted on vour attacker during CQB situations.



For threaded barrels only, includes crush washer. .223 model has grooved base rings that accept training attachments and sound suppression devices for LE and military personnel.

SPECS: Steel, mil-spec phosphate coating. .223 - 1/2"-28 tpi. 21/4" (5.7cm) long x 7/8" (2.2cm) O.D. 2.1 oz. (60g) wt. .308 - 5/8"-24 tpi. 215/16" (7.5cm) long. 1" (2.5cm) O.D. 4.5 oz. (127g) wt.

#100-002-071 .223 5C2 Comp/Flash Supp., 9A23K79 .. \$ 27.99 #100-003-229 .308 5C2 Comp/Flash Supp., 9A40P79 . 47.99

5/8" CRUSH WASHER - Precision machined steel washer ensures exact alignment of flash suppressors and other muzzle accessories that require a washer. Fits AR-style .308 rifles with 5/8" threaded muzzles. SPECS: Steel, blued. 5/8" (.625"/1.59cm) I.D. 13/16" (.813"/2.06cm) O.D.



**Effectively Suppresses Flash** 

With No Loss Of Accuracy

suppressor effectively dissipates

combustion gas to suppress muzzle

flash without sacrificing accuracy.

External accurizing flutes improve

State of the art, three-prong flash

#100-003-123 5/8" Crush Washer, 9A3J99 . . . . . . . . . \$ 4.99

WILSON COMBAT AR-15/M16

ACCU-TAC FLASH HIDER

muzzle harmonics to minimize blast signature and dissipate flash.

Precision machined from 4140 steel bar stock and heat hardened for

extra resistance to blast erosion, with a durable matte black Parker-

SPECS: 4140 steel, Parkerized, matte black finish. 2" (5.1cm) long, .865"

(22mm) O.D. 2.4oz (68g). Fits rifles chambered in .223/5.56mm with 1/2"-

#965-000-086 Accu-Tac Flash Hider, 5F46L79...... \$ 49.95

ized finish to match most factory barrel finishes

28 toi RH muzzle threads

#### WILSON COMBAT AR-15/M16 A2 BIRDCAGE FLASH HIDER

A Bird(cage) in the Hand Beats a More Expensive Muzzle Device When You Don't Need One

Recently, we've seen a run of highend AR-15 makers start offering A2 flash hiders to the aftermarket. And that's probably because this basic muzzle



#965-900-018	5.56/.223 AR-15 A2 Flash Hider - 1/2"-28,	
	3K08R95	\$8.95

#### ALG DEFENSE AR-15 ENHANCED O MILITARY-STYLE TRIGGERS



Gives A Smoother Pull While Preserving Reliability

Trigger/hammer kits feature rugged military-type components carefully prepped to give a smoother trigger pull while maintaining the original geometry for maximum reliability. These are "enhanced standard" triggers, so the armorer continues to work with the configuration he's accustomed to. The QMS (Quality Mil-Spec) set has the sear

contact surface precision-honed to smooth and lighten the pull to around 61/2 lbs. The ACT (ALG Combat Trigger) adds nickel-boron coating on the trigger and nickel-Teflon coating on the hammer, disconnnector, and pins to increase surface hardness and reduce friction, with an average pull weight of about 6 lbs.

SPECS: Hammer/trigger – 8620 steel. Disconnnector – 1070 high-carbon steel. Hammer/trigger pins - heat treated 4140 chrome-moly steel. Both kits contain trigger, trigger spring, hammer, hammer spring, disconnnector, disconnnector spring, hammer and trigger pins, and instructions.

#100-009-796	QMS AR-15 T		8Z50Q39	\$ 55.99
#100-009-797	ACT AR-15 Tr	iaaer Set.	8Z00JDL	69.99

#### CMMG AR-15 USGITRIGGER



Sometimes you want your AR to have a high-end, customized, adjustable, target rifle trigger... and sometimes you just need a god-quality basic GI trigger that runs hard and won't fail you in a pinch. That's what CMMG has produced here. This kit includes all of the components necessary to install an M16-style, semi-



auto trigger into your build. It's not a one-piece drop-in module, but if you've been wrenching on AR-15s for a while, it's not that difficult to install. Kit includes curved trigger shoe, hammer, disconnector, hammer spring, trigger disconnect spring, trigger spring, disconnector spring, and .153" hammer and trigger pins. 🔙

#100-037-948 AR-15 Mil-Spec Trigger Kit, 3B29P39 . . \$ 31.99

#### **AMERICAN TRIGGER CORP** AR-15/M16/AR-308 AR GOLD TRIGGER MODULE



**Drop-In Fire Control** System Gives A Light, Safe, Match-Grade Pull

Self-contained trigger/assembly installs in minutes and delivers a light. smooth, match-grade trigger pull free of grittiness, with an ultra-crisp letoff and short reset. Simply remove factory trigger and safety selector, drop in the module, reinstall selector and pins, and you're ready to shoot. Completely new engagement geometry produces a light 3-lb. pull and crisp release without compromising reliability or safety (pull weight and over-travel ARE adjustable). The two-stage design is adjustable for sear engagement, with a firststage takeup of approximately 6 oz., followed by actual sear movement tak-



ing up the rest of the weight—the reverse of the military two-stage AR trigger pull profile. Instead, the shooter can build force steadily, maintaining precise control and keeping his attention on the target. After release, reset travel is only .030", less than half the .070" typical of standard match triggers, to aid in fast, accurate follow-up shots. The sear captures the hammer at the back instead of near the pivot point to help produce the light pull and maintain safety. A second, independent, intercepting sear is positioned to block the hammer if it slips off the primary sear, as when the weapon is dropped or suffers hard impact. If the intercepting sear captures the hammer, pulling the trigger will still fire the rifle, though with a heavier pull weight. In addition, the Gold system uses the rifle's factory safety to positively capture the hammer, like an M1 Garand, and roll it back below the primary sear for an extra margin of safety. A lightweight aluminum housing contains the entire system and maintains the correct tolerances between the working parts. The receiver pins serve only to anchor the module in the receiver, with no effect on trigger function. Fixed - For shooters who don't need adjustable pull weight, models with a fixed, factory-set 3.5 lb. pull weight are available for AR-15, AR-308, and AR-15 pistol caliber carbines (PCC). PCC model is specially configured to work with PCC bolts that have the cocking-line (bottom of the breech-bolt) sitting significantly higher relative to the trigger than a standard AR-15 bolt. It should also work with most examples of the less-common PCC bolt that has a lower cocking-line closer to that of a large frame .308 set up. All models available with traditional Curved shoe or a Flat target shoe.

SPECS: Trigger/Hammer - Wire EDM cut S7 tool steel. Housing - Aluminum, anodized, black. AR-15 fits any mil-spec AR-15 with .154" trigger and hammer pin holes. Will NOT fit rifles with Colt-type sear block. AR-308 fits ArmaLite® AR-10®, DPMS LR-308, Knight's Armament SR-25, and similar AR-style .308 rifles with .154" trigger and hammer pin holes.

#100-004-262	<b>AR-15 Adjustable Trigger,</b> Curved, 5A00PMG	\$ 279.99
#100-027-839	AR-15 Adjustable Trigger, Flat, 5A00FZF	279.99
MEW 100-041-449	<b>AR-15 Trigger Fixed 3.5 lb.,</b> Curved, 7U249G00	249.00
NEW 100-041-448	AR-15 Trigger Fixed 3.5 lb., Flat, 8V249H00	249.00
MEW 100-041-451	<b>AR-308 Trigger Fixed 3.5 lb.,</b> Curved, 6 <i>B34G50</i>	249.00
MEW 100-041-450	<b>AR-308 Trigger Fixed 3.5 lb.,</b> Flat, 6B34G50	249.00
NEW 100-041-452	<b>AR PCC Trigger Fixed 3.5 lb.,</b> Curved, 6B34G50	249.00
NEW 100-041-453	AR PCC Trigger Fixed 3.5 lb., Flat, 6B34G50	249.00

### CMCTRIGGERS AR-15 TACTICAL TRIGGER GROUP



**Drop-In Trigger** Module Is Factory Tuned For A Super-Smooth, Clean-**Breaking Pull** 

Self-contained. drop-in trigger module replaces the heavy fac-

tory trigger found in many commercial AR-15s and delivers a crisp, clean pull. Designed by competition shooter Chip McCormick to provide all the advantages of a fine, match-grade, single-stage trigger without having to fit and adjust multiple components. Rigid, steel, trigger housing holds all the factory-tuned, internal components in proper alignment for easy, fast installation. Generous, precision-ground sear/hammer engagement surfaces provide a remarkably clean, crisp release while preserving reliable function. Each trigger assembly is tweaked at the factory to minimize takeup and over-travel. Threaded sleeves provide ultra-smooth pivot surfaces for the hammer and trigger. Two, slightly oversized center pins replace the standard, trigger/hammer pins to save wear, reduce friction, and prevent trigger wobble; E-clips at both ends prevent pin walk. Natural steel silver-gray housing, matte black trigger shoe. Single-Stage has a consistent pull weight pre-set at the factory. Two-Stage pull is factory set, too, listed below in first stage/second stage values. Both triggers are available with traditional Curved trigger shoe, or skeletonized Flat shoe that provides a different feel some shooters prefer and gives your AR a distinctive look. Exclusive Black model is an available-only-at-Brownells model with a distinctive matte black housing instead of the silver-gray of the regular

SPECS: Hammer/Trigger - Steel, blued finish. Housing - Steel, in-thewhite. Includes (2) center pins w/E-clips. Fits AR-15 with .154" diameter

trigger and hamr	mer pins.	
#207-000-044	<b>1-Stage Curved Shoe TTG,</b> 2.5 lb., 7K00BSQ	\$ 167.99
#207-000-045	<b>1-Stage Flat Shoe TTG,</b> 2.5 lb., 7K00DNH	167.99
#207-000-017		184.99
#207-000-018	1-Stage Flat Shoe TTG, 3.5 lb., 7K00ILA.	167.99
	<b>EXCLUSIVE BLACK 1-Stage Flat Shoe TTG,</b> 3.5 lb., 1G179U99	189.99
	<b>1-Stage Curved Shoe TTG,</b> 4 lb., 7K00QXL	167.99
	1-Stage Flat Shoe TTG, 4 lb., $\ensuremath{\textit{7K00HNJ}}$ .	167.99
#207-000-048	<b>1-Stage Curved Shoe TTG,</b> 5 lb., 7K00FPH	167.99
#207-000-049	1-Stage Flat Shoe TTG, 5 lb., 7KOOKWE.	167.99
#207-000-050	<b>1-Stage Curved Shoe TTG,</b> 6 lb., 7K00IBK	167.99
#207-000-051	1-Stage Flat Shoe TTG, 6 lb., 7K00FAH.	167.99
#207-000-082	<b>Full-Auto 1-Stage, Curved Shoe,</b> 4.5 lb., 7K255F84	300.99
#207-000-083	9mm PCC 1-Stage Flat Shoe, 3 lb., 7K00/WK	167.99
#207-000-019	<b>2-Stage Curved Shoe TTG,</b> 1 lb./2 lb., 7KOOBKB	210.99
#207-000-020	<b>2-Stage Flat Shoe TTG,</b> 1 lb./2 lb., 7K179Q34	210.99
#207-000-052	<b>2-Stage Curved Shoe TTG,</b> 2 lb./2 lb., 7K219D44	230.99
#207-000-053	<b>2-Stage Flat Shoe TTG,</b> 2 lb./2 lb., 7K219G44	230.99
	<b>2-Stage Curved Shoe TTG,</b> 2 lb./3 lb., 7K219P44	230.99
#207-000-059	<b>2-Stage Flat Shoe TTG,</b> 2 lb./3 lb., 7K219Q44	230.99
#207-000-054	2-Stage Curved Shoe TTG, 2 lb./4 lb.,	270.00

#### **BRAVO COMPANY BCMGUNFIGHTER PNT TRIGGER**



Mil-Spec Compatibility, Durability & Reliability - Match-**Grade Performance** 


BCM's PNT trigger and hammer are built to surpass mil-spec standards without compromising the reliability of the USGI trigger. Both trigger and hammer are heat-

treated in a three-step process that hardens them with optimal grain alignment. To create perfect alignment for a smooth pull, the trigger and hammer bores are precisely honed, and the trigger and hammer pins are centerless ground to a fine finish with exacting tolerances. The disconnector is stamped from 1070 steel alloy, fine blanked for clean edges and double disc ground to ensure consistent, reliable operation. Hand polished sear engagement surfaces reduce friction by 300% beyond the GI-spec. A slick electroless nickel finish reduces creep and cleans up the grittiness commonly associated with an M16/M4 trigger. Teflon particles embedded in the nickel further reduce friction on a finish that is corrosion, rust and oxidation resistant

**#100-018-632** PNT Trigger, 1E64Q59.....\$ 67.99

#### FRANKLIN ARMORY AR-15 **BSFIII BINARY TRIGGER**

Enables a Dramatically Faster Rate of Fire From Your AR-15





#100-030-476 BSFIII Binary Trigger, 7D00NRB ..... \$ 390.99

#207-000-055	<b>2-Stage Flat Shoe TTG,</b> 2 lb./4 lb., 7K219G44	230.99
#207-000-081	<b>Full-Auto 2-Stage, Curved Shoe,</b> 2 lb./4 lb., 7K255M84	300.99

LOWER PARTS KIT WITH TRIGGER - The convenient, easy way

to complete a stripped lower receiver! This kit contains ALL of the small parts (mil-spec), plus one of CMC's most popular single-stage triggers. Why buy the CMC trigger you want, then go out and get a lower parts kit (LPK) that comes with a mil-spec trigger that you're not going to use? This way, you



ay for Extrement what you need.				
207-000-086	LPK w/1-Stage Curved Shoe, 3 lb.,			
	7K212Q49 \$ 249.99			
207-000-087	LPK w/1-Stage Flat Shoe, 3 lb.,			
	7K212C49 249.99			



O

#### GEISSELE AUTOMATICS AR-15/AR-308 — **TRIGGERS**

User-Adjustable, Adaptable Premium Triggers With Ultra-Fast Lock Times; Adjustable & Pre-Set Models

#### HI-SPEED NATIONAL MATCH TRIGGER -

Combines Geissele's exceptional two-stage match trigger with their Service Rifle, Designated Marksman Rifle, and Match Rifle Spring sets. The result is an adjustable trigger is ready for competition, hunting, and tactical sniper use - any application where exact trigger pull weight is essential for success. Each of the three included spring sets is applicable to a



different type of shooting: the Hi-Speed Service Spring is designed for NRA High Power Service Rifle competition and is approved for use in CMP sanctioned competitions. Easily switch to the Hi-Speed Designated Marksman Rifle spring set for tactical and military shooting where trigger pull weight is not regulated. The Hi-Speed Match spring set can be adjusted to low pull weights for enhanced trigger control, letting the shooter wring every ounce of accuracy out of his rifle. With the Geissele Hi-Speed National Match Trigger in your AR-15, you can easily adjust the trigger's first and second stage weights, as well as total pull weight and overtravel, to your exact preference. Service Rifle pull: 3.2-5 lbs. (1st), .5 to 1.5 lbs. (2nd), 4.5 lbs. min. (total). **DMR pull:** 2.5 to 3.6 lbs. (1st), .5 to 1.5 lbs. (2nd), 3 to 5.1 lbs. (total). Match Rifle pull: 1.5 to 2.5 lbs. (1st), 8 oz. to 14 oz. (2nd), 1.9 to 3.4 lbs. (total).

SPECS: Steel, black finish. Fits receivers with .154" hammer/trigger pin holes. Kit includes trigger and hammer assemblies, plus oversized hammer pin, and necessary items for installation.

#100-024-775 Hi-Speed National Match Trigger Set, 7B264A99 . . . . . . . . . . . . . . . . . \$ 279.00



SSA TRIGGER - Super Semi-Automatic (SSA) 2-stage combat trigger has a fixed 41/2 lb. total pull weight, non-adjustable sear engagement, and additional safety features ideal for CQB and mid-range carbine work. A secondary "safety sear" captures the hammer if the primary sear accidentally releases due to hard impact, ensuring the rifle can fire only when the shooter actually pulls the trigger. Trigger pull is optimized for both deliberate, aimed fire and quick, "snap shooting." The first stage builds gradually to 2½ lbs., with a 2 lb. second stage that breaks

clean, so the shooter can stay on target throughout the pull. A lightweight hammer driven by a full-power hammer spring speeds locktime and delivers positive ignition of all ammo types. All contact surfaces are wire-EDM cut to exact dimensions for precise engagement free of play. Direct replacement for factory trigger; may be installed without removing the safety. Operation and parts layout is similar to the USGI M16 trigger for easy maintenance. All springs are captive to simplify field disassembly for cleaning. Hammer and trigger pins are a close slip-fit in nominal .154" (small pin) mil-spec receiver holes to enable installation with basic tools. Super Semi-Automatic-Enhanced (SSA-E) offers an even lighter, 3½ lb. total pull weight, making it an excellent choice for precision Squad Designated Marksman type rifles where both accuracy and reliability are critical. First stage builds gradually to 2.3 lbs., followed by a 1.2 lb. second stage with a crisp, "candy cane-like" break. A semi-auto-only version of the Geissele full-auto combat trigger presently used in the U.S. Special Operations community. SPECS: Steel, black finish, Fits semi-automatic AR-15/M16 receivers with

.154" diameter hammer and trigger pin holes. May be installed in AR-style .308 rifles that accept AR-15 triggers. Kit includes trigger and hammer assemblies, springs, hammer pin, tube of grease, and illustrated instruc-

SSA-X GOVERNMENT - This version of the SSA trigger is a nonadjustable 2-stage trigger with the familiar M4 bow, that allows the trigger to be light enough for accurate and precise shots, but forgiving enough for dynamic close in work as well. The overall

pull weight is 5.25 to 6 lbs., with a 3.75 to 4.25 lb. first stage and a 1.5 to 2 lb. second stage. It comes from the factory set at this pull weight; includes a lighter trigger spring that, when installed, will bring the 1st stage down to 2.75 - 3 lbs. and the overall pull weight down to 4.25 - 5 lbs., if so desired. The trigger shoe and hammer are treated with Geissele's Nanocoating, which dra-



matically increases wear- and corrosion-resistance and keeps the trigger running smoothly, with a clean break, even after heavy use with minimal lubrication. A chrome-nitride disconnector adds to the SSA-X's smoothness and reliability.

100-042-824 SSA-X Government 2-Stage Trigger, 7B308I99..... \$ 325.00

**SD TRIGGER** - The Super Dynamic (SD) triggers have the same body geometry as the SSA models and feature a flat trigger shoe that reduces perceived pull weight, improves control, and gives excellent tactile feedback. Super Dynamic Combat (SD-C) trigger has a 2.5 lb. first stage and a 2 lb. second stage for a 4.5 lb total pull weight with a sharp, repeatable trigger release. Super Dynamic Enhanced (SD-E) trigger has a combined 3.5 lb. total pull weight, with a 2.3 lb. first stage and a 1.2 lb. second stage. Super Dynamic 3-Gun (SD-3G) single-stage trigger has 3.5 lb. pull weight with a short pull length and short reset - excellent for fast-action competitions.

SPECS: Steel, black finish. Fits semi-automatic AR-15/M16 receivers with .154" diameter hammer and trigger pin holes. May be installed in AR-style .308 rifles that accept AR-15 triggers. Does not fit HK416 weapons with firing pin safety. Kit includes



**#100-007-545** .154" SD-3G Trigger, 7B227P99.....

B-GRF RAPID FIRE TRIGGER - Gives semiauto only rifles a glass-smooth trigger pull very similar to the Geissele Super Select Fire trigger designed for full-auto weapons in the U.S. Special Operations Community. It pulls like a single-stage, but resets like a two-stage. Includes two trigger springs so it can be set up with a pull of either 4 lbs. or



SPECS: Steel, black finish, Fits semi-automatic AR-15 and clones with .154 hammer/trigger pin holes. May be installed on AR-Style .308 rifle that accepts AR-15 triggers. Includes trigger and hammer assemblies, springs, hammer pin and instructions.

#100-014-357 B-GRF Rapid Fire Trigger, 7B205/99....\$ 216.99

B-G2S-E TWO-STAGE ENHANCED TRIGGER - Gives a smooth, light first-stage take up of 2.3 lbs., and a

crisp second stage break of 1.2 lbs. Ideal for use in Squad Designated Marksman rifles and similar applications, where accuracy and reliability are critical. SPECS: Steel, black finish. Fits AR-15/M16/M4 and clones with .154" hammer/trigger pin holes. May be installed on AR-Style .308 rifle that accepts AR-15 triggers. Includes trigger

and hammer assemblies, springs, hammer

to fully automatic.

pin and instructions.




#100-014-358 2-Stage G-G2S-E Trigger, 7B205B99. \$ 216.99



# GEISSELE AUTOMATICS AR-15/M16 SUPER SPEED PRECISION TRIGGER

Easy-To-Install **Trigger Upgrades** That Give Excellent Results

The Geissele Automatics Super Speed Precision, or SSP trigger is their first true



single-stage trigger for the AR platform. Quick and easy to install the SSP has no take-up and a super clean break. The reset is short yet still distinct, giving excellent feedback to the shooter during target engagement. Combining these two capabilities the Super Speed Precision trigger provides the shooter with the confidence to take precise shots where accuracy is crucial and the speed for quick follow up hits is essential. The SSP is manufactured with the same top-quality materials and modern manufacturing techniques as all Geissele triggers. Perfectly designed for a varmint rig or as a starting point of a purpose built 3 Gun rifle, the Geissele SSP provides a fast, accurate and dependable single-stage trigger.

#100-023-410 Super Speed Precision Trigger M4 Curved Bow, 7B227D99 . . . . . .

#100-023-426 Super Speed Precision Trigger Dynamic Flat Bow, 7B227J99 ..... 240.00

# **GEISSELE AUTOMATICS AR-15/M16** TWO-STAGE TRIGGERS

Complete, High-Quality Trigger Systems For Unique Operating Environments

G2STRIGGER - The Geissele 2 Stage (G2S) semi-auto-only trigger drops into your AR-15 to give much of the performance and reliability of Geissele's proven SSA trigger at an economical price. Features a 41/2 lb. total pull weight, non-adjustable sear engagement, and a 2½ lb. first stage. Made of the same tool steel as the SSA with wire-EDM cut engagement surfaces. G2S uses a different method to retain the hammer pin, different pins, and lacks laser marking.



SPECS: Steel, black finish. Fits semi-automatic AR-15/M16 receivers with .154" diameter hammer and trigger pin holes. May be installed on AR-style .308 rifles that accept AR-15 triggers. Kit includes trigger and hammer assemblies, springs, hammer pin, tube of grease, and installation instructions.

#100-011-673 .154" G2S Trigger, 7B156Q99...... \$ 165.00

SUPER TRICON TRIGGER - Gives your AR-15 the same high performance and reliability of the SSA trigger with additional upgrades designed for operation in harsh environments. Trigger shoe is curved at the top and then becomes straight, and has pronounced surface texture with raised ribs for positive, non-slip finger contact in wet, muddy, or snowy conditions. Features a 41/2 lb. total pull weight with a 21/2 lb. first



stage, plus a full-power hammer spring to ensure positive ignition Stainless steel springs withstand rough use and resist corrosion in wet environments. Non-adjustable sear engagement.


SPECS: with .154" diameter hammer and trigger pin holes. May be installed on AR-style .308 rifles that accept AR-15 triggers. Kit includes trigger and hammer assemblies, springs, hammer pin, tube of grease and instructions.

#100-011-670 .154" Super Tricon Trigger, 7B227J99 .. \$ 240.00

# **GEISSELE AR-15/M16 SUPER 3-GUN TRIGGER**

Fast-Action Trigger Allows Rapid Follow-Up Shots

Single-stage trigger drops in to standard AR-15 lower receivers and gives a short, light pull with rapid reset. Makes follow-up shots easy. Reduces trigger pull to as little as 3 1/4 lbs. Designed as a semi-auto-only derivative



#100-013-883 Super 3-Gun Trigger, 7B227Q99..... \$ 240.00

# 0

# HIPERFIRE AR-15/AR-308 **EDT TRIGGERS**

Smooth, Consistent, Medium-Weight Pull - BIG Improvement Over G.I. Trigger

Hiperfire's EDT triggers give your AR-15 an upgraded single-stage trigger pull without sacrificing "mil-spec" reliability. All four Enhanced Duty Triggers deliver a medium pull weight of

4.5 or 5.5 lbs. - lighter than a plain G.I. trigger for sure, but safe enough for law enforcement, service rifle competition, and personal defense use. Mechanical advantage built into the EDT trigger geometry gives the lighter-than-mil-spec pull weight, while mil-spec hammer energy is preserved to ensure hard, positive primer strikes. Hiperfire coupled the lighter weight with an overall pull profile that is smooth and consistent, with a clean, decisive break, short overtravel, and a fast reset you can feel and hear, making the EDT a very comfortable "shooter's" trigger, with the following features:

- · Single-stage with minimal creep
- 2 interchangeable hammer springs for 4.5 or 5.5 lb. pull weight
- SwingFast Hammer Head™ gives unusually fast locktime
- Extra-power hammer spring for positive hammer strikes without increasing pull weight
- Self-cleaning designed to allow debris to fall out to prevent iams & reset problems
- Fits small-pin (.153") AR-15 lower receivers & AR-308 rifles that use small-pin AR-15 triggers

Hiperfire offers the EDT trigger in four configurations: Sharp Shooter is the base-model with features listed above and a curved trigger shoe. Heavy Gunner has the curved shoe and even heavier SwingFast hammer than the Sharp Shooter for ultra-reliable hammer strikes. The **Designated Marksman** has Hiperfire's Duplex Trigger Bow. Place your finger in a high position for a heavier pull and an extra measure of safety to prevent premature discharge under stress. Low position for precise, target-rifle control. Also has extraweight Swingfast hammer. Select Fire/Full-Auto model is beefed up for full-auto select-fire AR-15/M16/M4 type rifles carbines; curved shoe. Hiperfire has made the EDT trigger line all about choice: you get to choose the type of trigger pull profile that works best for you - without breaking the bank to do it.

	EDT Sharp Shooter Trggr Assy,	
	3D00CZÁ	\$ 99.99
#100-029-409	EDT Heavy Gunner Trggr Assy,	
	3D00GYA	99.99
#100-029-410	EDT Designated Marksman Trigger	
	Assembly, 3D00BUD	99.99
#100-029-411	EDT Select-Fire/Full-Auto Trigger Assy,	
	3D00NZJ	141.99



A Light, Refined Two-Stage Pull With Plenty of Hammer Oomph for Reliable Primer Ignition

While many AR shooters want a target trigger that offers a wide range of adjustability, most of us also want to be sure the rifle goes



"BANG!" when the firing pin hits the primer. Hiperfire's X2S triggers deliver on both ends of the bargain. These two-stage triggers have plenty of hammer strike energy, plus user-adjustable pull weights, miltary-grade components, and precision manufacturing technology. There is a distinct wall between the first and second stages that allows for effective "prepping" of the trigger for added control, followed by a clean, effortless break. Overtravel is "weightless" barely perceptible - followed by a distinct reset. Xtreme triggers will fit mil-spec AR-15s, AR-308s that use AR-15 triggers, 9mm PCCs. and the SIG MPX. MOD-2 has a minimal, user-adjustable, 2 to 3 lb. first stage and a minimal second-stage wall with a 11/2 lb. weight, for a 3½ to 4½ lb. total pull. Shorter first stage than MOD-1 for a more fine-tuned feel. Curved shoe. MOD-3 has a flat target shoe and a shorter first stage than the MOD-1 for a more fine-tuned feel. A minimal, user-adjustable, 2 to 3 lb. first stage AND a minimal 11/2 lb. second-stage wall, for a total pull weight of 3½ to 4½ lbs.

#100-041-029	<b>Xtreme MOD-2 Trigger,</b> Curved Shoe, 3D171F45	\$ 190.99
#100-041-030	Xtreme MOD-3 Trigger, Flat Shoe, 3D192L90	213.99

# HIPERFIRE AR-15 PDI POWER DROP-IN TRIGGER



Superb Target Rifle Trigger Pull With Full-Power Hammer Strike for Your PCC

Here's a drop-in trigger that delivers the target rifle "feel" and hard-hitting hammer Hiperfire's triggers are known for. Many aftermarket drop-in AR triggers are notorious for light primer strikes. To get the pull weight down, designers compromise the hammer force. Not

so with the Power trigger! The pull is around 2 lbs., aided by the Hipershoe adjustable trigger shoe that gives you excellent control and leverage. The hammer strike surpasses SAAMI's copper crusher spec and hits harder than a mil-spec M16/M4 hammer. That single-stage pull is short, sweet, and smooth as butter. And it's impervious to even the violent cycling of your new AR pistol or PCC due to the hammer collision bumper. The disconnector and its spring are impact and crush protected, too. And this trigger is NOT just for pistol caliber carbines. It's just an excellent trigger for ANY AR-15, excellent for shooting slow, fast, short-range, for long-range precision, and on the move. Comes with Hipershoe and anti-walk pins.

#100-039-960	<b>AR-15 Power Trigger,</b> 2 lb./Black Nitride, 3D154l29\$	171.00
#100-039-962	<b>AR-15 Power Trigger,</b> 2 lb./Gold, 3D154M29	171.00
#100-039-961	<b>AR-15 Power Trigger,</b> 2 lb./Rose Gold, 3D154/29	171.00
#100-039-963	<b>AR-15/MCX Power Trigger,</b> 2 lb./Black Nitride, <i>3D154C29</i>	171.00



Instructional videoes available at **brownells.com** 

# HIPERFIRE AR-15/AR-308 HIPERTOUCH TRIGGERS

Breathtakingly Smooth, Light Pull With Plenty of Hammer Oomph

Hiperfire's Hipertouch® trigger line gives the AR-15 shooter an impressive array of options in a single-stage trigger with short pre-travel, super-fast locktime, fast reset, and increased hammer energy than the standard



G.I.-type trigger. Dual coil springs across the top of the Hiperfire® trigger reduce friction on the sear and increase hammer striking power by 35% over a "mil-spec" trigger, while a pair of interchangeable color-coded springs let you choose between a 2.5 lb. or 3.5 lb. pull weight. Of course, all the Hipertouch® models give your AR-15 a smooth, consistent pull with just a hint of creep, a snappy break, and a very short over-travel, followed by fast reset so you're ready to take the next shot. A Hipertouch® trigger in your AR-15 will help you improve your shot timing, control, and confidence for more accurate hits on the target.

The Hipertouch's consistent pull doesn't signal hammer release like some triggers, so the shooter doesn't develop a flinch in anticipation of the rifle firing. The shooter can stay relaxed and doesn't build tension in the trigger finger. All of this adds up to better control over the gun, better shot timing, improved confidence and more accurate shooting. Features include: A consistent single-stage pull with a just a hint of "creep". There are NO fussy setscrews that can back out or otherwise lose your settings. Hard, positive hammer strikes don't come at the cost of a heavy pull weight. Fits small-pin (.153") AR-15 lower receivers and AR-308 rifles that use small-pin AR-15 triggers. Six models to choose from - read on...

**GENESIS** - The Hipertouch® base model, an excellent upgrade for law enforcement, military, service rifle competition shooters, and personal defense.

Hipertouch Genesis Trigger Assembly,
3D00MPE

**AUTO** - Offers the same functionality as Genesis for select-fire full-auto M16/M4-type rifles. Built like the proverbial tank to handle the punishment of fast-cycling operation.

```
#100-029-417 Hipertouch Auto Full-Auto Trigger
            Assembly, 3D00LKD ..... $ 249.99
```

**ELITE** - A match-quality trigger that breaks quickly, after even shorter pre-travel than the Genesis, with very quick, positive reset. Letoff is extremely easy to control.

#100-029-413 Hipertouch Elite Trigger Assembly, 3D00KKM . . . . . . . . . . . . . . . . . \$ 204.99

COMPETITION - Ideal for competitive shooters who want the bare minimum of pre-travel and a straight trigger shoe. The adjustable finger pad gives you even more refined control. It can be set at five different positions for further refinement of pre-travel and trigger weight. Position the shoe farther down the bow to increase leverage and effectively reduce pull weight. The result is effectively 10 pull weight options rather than two. Or leave the pad off and enjoy the enhanced tactile control of a straight trigger.

#100-029-415 Hipertouch Competition Trigger Assembly, 3D00ASP......\$ 252.99

**REFLEX** - Similar to Competition but with a traditional curved trigger shoe - same trigger pull with virtually no creep. Excellent for Designated Marksman rifles, LE use, and 3-gun competition.

#100-029-414 Hipertouch Reflex Trigger Assembly, 

**ECLIPSE** - The ultimate Hipertouch® trigger, with all the upgrades of the Competition model, including straight shoe and adjustable finger pad plus Hiperfire's Nickel Bliss electroless Nickel Boron (NiB) finish on all contact surfaces for enhanced corrosion protection and, more importantly, an EVEN SMOOTHER feel than its Hipertouch® siblings. This pull is so smooth, clean, and consistent you'll think the laws of physics have been broken. They haven't.

#100-029-416 Hipertouch ECLipse Trigger Assembly, 

order on the web

# 0

# **JP ENTERPRISES**

# AR-15/AR-STYLE.308 JPFC-1 ADJUSTABLE TRIGGER SYSTEM



Smooth, Even Trigger Pull, Precise Letoff; Easy Installation

Easy-to-fit replacement for factory trigger is fully adjustable for engagement and overtravel, and can be set with a pull weight as light as 3.5 lbs. Lets you upgrade an AR-15 or an AR-style .308 rifle that uses an AR-15 trigger, while keeping your current

hammer and pins. Redesigned sear geometry and advanced metallurgy result in a precision-ground sear edge that delivers a precise, consistent letoff and prevents the kind of wear that causes doubling and other problems. Extremely short reset enables fast follow-up shots, a critical advantage on tactical and competition rifles. Installs in minutes with no permanent alterations to the rifle. Disconnector spring, engagement screw, and over-travel screw are already installed; also includes disconnector, trigger return spring, and two hammer springs, and .050" hex key. Comes with a competition (yellow) hammer spring, for a trigger pull of between 3 and 3.5 lbs.—for competition and recreational shooting—plus a "tactical" spring (red) that gives a 3.5 to 4 lb. for applications demanding a high level of ignition reliability, including police/military use, mil-spec ammunition with hard primers, and in AR-style .308 rifles.

SPECS: Steel, Parkerized finish. Fits rifles with .154" (military and current aftermarket) diameter trigger pins. Measure your pins before ordering. Includes step-by-step installation instructions.

#452-015-000 JPFC-1 Adj. Trigger Kit, .154" Pins, 2E99F44 .....\$ 116.99

JPFC1-EZ TRIGGER™ SYSTEM - Complete trigger system installs

in five minutes without fitting or modification. of parts on the trigger or your receiver. All adjustments are made with setscrews, eliminating the risk of ruining the trigger due to errors in fitting. Includes the JP Speed Hammer for fast lock



time, plus "anti-walk" pins with button head cap screws for easy removal and reinstallation of the trigger system. Overtravel adjustment screw lets you set your trigger for a clean, crisp, single-stage release. Comes with two hammer springs: install the yellow spring to get a 3 to 3½ lb. pull for competition or recreational shooting with non-military ammunition. The red spring gives a 31/2 to 4 lb. pull and more hammer force for use with the harder primers found on military (5.56mm NATO) ammo and for law enforcement duty use. The red spring should be used in any installation on an AR-style .308 rifle. For a heavier, 41/2 lb. pull for tactical applications or NRA Service Rifle competition, install the JPS4.5 spring kit (available below).

SPECS: Steel, black oxide finish. Fits rifles with .154" dia. (military and current commercial rifles) hammer and trigger pin holes. Measure your pins before ordering. NOTE: Will not fit Colt rifles with pinned-in fullauto sear block. Kit includes trigger, hammer, disconnector/sear trigger spring, yellow hammer spring, red hammer spring, safety assembly, (2) anti-walk pins, disconnector spring, instructions, and DVD with video showing step-by-step installation.

#452-000-120 ( ) JPFCP-1EZ Trigger Kit, .154" Pins, 2E173J39.....\$ 203.99

JPS SERVICE RIFLE SPRING KIT - Replacement spring for the JP Adjustable Trigger Kit lets Service Rifle, law enforcement and tactical shooters achieve a clean-breaking, 4.5 lb. trigger when used with JP components. Can also be used with factory or aftermarket triggers and hammers to improve felt trigger pull. JPS4.0 gives 4 lb. trigger pull. **JPS4.5** gives 4½ lb. pull.

SPECS: High tensile strength steel spring wire. Includes (1) hammer and

#452-000-105	JPS4.0 Spring Kit,	2E9B34	\$ 10.99
#452-000-015	JPS4.5 Spring Kit.	2E9J34	10.99

# JAMES MADISON TACTICAL AR-15/M16 SABER EVO SINGLE-STAGE TRIGGER



Drop-In Installation - Instant Improvement In Smoothness, Weight & Crispness

JMT's single-stage trigger gives you an immediate upgrade in smoothness and weight of pull, plus a crips, clean release, followed by a lightning fast reset. It's a full-on trigger job you can instlal yourself. Light, factory-set 3.5-4 oz. pull and clean, decisive release helps improve

your accuracy. Curved, skeletonized trigger is comfortable on the finger, and also light enough to aid in the fast reset. Self-contained module is easy and fast to install with no fine-tuning and fiddiling needed; drop it in and go shoot. Note: The set screw should not be tampered with. Any attempts to modify the trigger will void the factory warranty.

SPECS: 17-4 stainless steel hammer, trigger, and disconnector. Housing machined from high-grade 6061 T6 aluminum alloy with low-key metallic silver anodized finish. Anti-rotation pins Included. Fits rifles that accept .153" hammer/trigger pins.

#100-023-249 AR-15 Saber Drop In Single Stage Trigger, 6B00LRN.....



# **KEARMS AR-15 RTS-1 REKLUSE TRIGGER**

RTS-1

Superb Reliability, Consistent Pull & Drop-In Installation; Safety Can Be Engaged With Hammer Cocked or Down!

The RTS-1 Rekluse is the next evolution of KE Arms's advanced "Sear Link Technology" trigger systems with an even more sealed design to isolate its moving parts from fouling and debris, which helps ensure excellent



mil-spec fire control pockets and is retained with standard hammer/ trigger pins captured by springs inside the housing bushings. #100-042-639 RTS-1 Rekluse Trigger, 5Y260Q96.... \$ 260.96 #100-042-640 RTS-1 Rekluse Trigger w/Amb Safety,

also been tested in the SIG Sauer MPX with no damage. Drops into

6G287Z96.....

# KEARMS AR-15 SLT TRIGGERS



Match-Grade Performance & Control in an Easy-To-Install **Self-Contained Module** 

Using their innovative "sear link" technology, the KE Arms team has eliminated the disconnector entirely.

producing a constant engagement between the sear and hammer that gives a smooth, consistent pull. Also ensures fast resets for speedy follow-up shots. Since there's no disconnector, energy is conserved and concentrated, producing that gratifyingly smooth pull with less wear and superior longevity. Just as important, this self-contained, drop-in module fits the fire control pocket in any mil-spec lower receiver. The single-stage 4.5 lb. "Goldilocks" pull is not to heavy, not too light, and it's pre-set at the factory to have minimal takeup/overtravel (not user adjustable). Fits standard .153" hammer/trigger pin receiver holes. You can engage the safety regardless of whether the hammer is cocked or down, reducing the risk of an accidental discharge when transitioning or clearing malfunctions. **SLT-1** has a traditional curved shoe guides your finger into the same location for every shot, ensuring a consistent pull. The straight shoe of the SLT-2 lets you place the pad of your finger exactly where you want it to produce maximum leverage with the least amount of effort. Focused leverage gives you the "feel" of a lighter pull without actually reducing the amount of force needed to release the hammer. Both modules are available alone or or packaged with the KE Arms ambidextrous safety that can be set to a 90 deg. or 45 deg. throw. Brownells Gun Tech™ Note: Both the SLT-1 and SLT-2 fit pistol caliber blow back systems and high-velocity bolt/carrier groups, too. It will even stand up to the trigger eating reputation of SIG Sauer's MPX (will not work with SIG MCX firing pin safety.)

#100-027-833 #100-027-834

3	SLT-1 Curved Trigger,	6A188P53 .	\$	219.99
4	SLT-1 Curved Trigger	w/Amb Safet	y,	
	6A214P24			249.99
5	SLT-2 Straight Trigger	61188457		210 00

#100-027-835 SLT-2 Straight Trigger, 6A188H53 . . . . 219.99

# LUTH-AR AR-15/M16 FIRE CONTROL COMPONENTS



High-Quality, Individual Mil-Spec Parts from a Name You Can Trust

Sometimes you want a high-end match trigger or a drop-in trigger upgrade module... and sometimes. when you just need high-quality milspec replacement parts, turn to Luth-AR - the newest old name in the AR-15 world. You may or may not recognize founder Randy Luth's name, but you

know the name of the first AR-15 company he started in 1986 -DPMS. Luth-AR brings to the table Randy's 40+ years of experience in the industry, as evidenced by a complete line of mil-spec AR-15 components sold individually, like these fire-control parts, so you can buy only what you need for your project. All parts made of hardened carbon steel with black Parkerized finish. Trigger & Hammer have standard .155" pin hole. Hammer includes hammer pin retainer & J spring; will fit AR-308 but requires heavier-weight .308 hammer spring. AR-15 Disconnector fits standard semi-auto rifles. M16 Disconnector is M16A1 configuration to work with auto sear. M16 Auto Sear includes spring; pin must be purchased separately.

	AR-15 Semi-Auto Trigger, 3D12D79	15.99
#100-028-041	AR-15 Mil-Spec Hammer w/Spring, 3D15G29	17.99
#100-028-037	AR-15 Disconnector, 3D4F24	4.99
#100-028-038	M16 Disconnector, 3D6K74	8.99
#100-028-042	M16 Auto Sear w/Spring, 3D14D99	23.49
#100-028-043	<b>M16</b> Auto Sear Pin, 3D1G49	1.99



# **MIDWEST INDUSTRIES AR-15 ENHANCED DROP-IN TRIGGER MODULE**

# A Superb Trigger With a Sweet 3.5 lb. Pull

We are a little surprised it took Midwest this long to introduce their own drop-in AR-15 trigger module.... but good things come to those who are patient. Of course, it drops into a small-pin (.154") mil-spec lower receiver, and you instantly get a 3.5 lb. single-stage pull that is breathtakingly smooth, with a clean, decisive break and

minimal overtravel, followed by a short reset so you're ready for a fast follow-up shot. All the internal components of the unit are machined from S7 tool steel, complete with a hard, anti-corrosion black Nitride finish that also enhances resistance to surface wear. We're not saying you can't wear out this trigger - you're just going to have to work VERY hard, and run up a sizeable ammo bill, to do it! All the moving parts are housed in an aluminum cassette housing with an anodized finish. Fits into most AR-15 lowers, as well as AR-308 lowers that use AR-15 trigger components. Comes with a set of anti-walk pins. About that setscrew in the center: Midwest warns users not to tamper with it, or you'll void your warranty.

**#100-041-061 Drop-In Trigger Module,** 3.5 lbs.,

# **KEARMS AR-15 DMR TRIGGER**

A Smooth, Reliable Drop-In Triggeer With a Mid-Weight 4.5 lb. Pull

A drop-in trigger system that provides a fantastic trigger feel, combined with excellent reliability, in a well-priced package. The fixed 4.5 lb. pull, combined with an adjustable reset, makes

for a smooth pull and fast engagement, as well as fast follow up shots. The critical components, including the trigger and hammer, are precision wire-EDM cut from A2 tool steel, then Melonite coated for extreme wear and corrosion resistance. The entire trigger system is, of course, contained in the aluminum "cassette" housing. The DMR trigger is designed to be compatible with a mil-spec lower. May not work with ammo that has hard military-type primers. Available with an optional ambidextrous safety selector.

#100-041-486 AR-15 DMR Trigger, 5W132Z99......\$ 139.99 #100-041-487 AR-15 DMR Trigger w/Amb Safety, 6B34G50..... 169.99

**LOOKING FOR** ADEAL?



GO ONLINE AND CLICK ON OUR SALE PAGE TAB!!

GUARANTEED. FOREVER.® **SINCE 1939** 

BROWNELLS, PAGE 38

Office/Tech: 641-623-5401

3T149M95.....\$ 149.95

TRIGGERS

# PATRIOT ORDNANCE FACTORY AR-15/M16 DROP-IN TRIGGER SYSTEM

## Self-Contained Unit Delivers A Light, Crisp Pull

Drop-in trigger module installs quickly and easily to give you an instant improvement of the trigger pull on a "small pin" AR-style rifle. It's a straightforward 4.5 lb. single-stage pull with a neat, crisp break. Pull weight is non-adjustable, and comes pre-assembled inside the bright red aluminum housing. Rubber urethane feet prevent marring the inside of the receiver. Includes KNS



Precision™ anti-walk pins for both standard AR-15 and POF-USA ambidextrous receivers.


SPECS: A2 steel shoe, disconnector, and hammer, heat-treated to Rc 70, with matte black Nitride finish. Machined aluminum module housing, hardcoat anodized, red. Fits "small pin" receivers with .154" trigger/ hammer nin holes

#100-014-090 Single Stage Trigger, 9Z157E13......\$ 199.99



### Lightens & Smoothes Trigger Pull For Improved Accuracy

Drop-in, match grade trigger provides a crisp, 41/2 to 5 lb., 2-stage, trigger pull to improve accuracy for competition or varmint shooting. Sear engagement point is located behind the hammer to reduce pull weight. Low mass hammer speeds



SPECS: Steel, matte black finish. Fits AR-15 receivers with .154" hammer/ trigger pins only.

### Replacement Parts OR Raw Materials for Folks Who Like To Build Their Triggers from Scratch

**SONS OF LIBERTY GUN WORKS** 

AR-15/M16

INDIVIDUAL FIRE CONTROL PARTS

These high-quality, mil-spec trigger system parts are the OEM items SOLGW uses to build their smooth-running, ultra-reliable. tough-as-nails rifles. "Mil-spec" does not mean cheap but rather built to the original dimensions specified for the M16 rifle. Fit and finish is superb. Hammer, trigger, and disconnector are hardened carbon steel. Hammer and trigger have an slick Nickel-Boron coating to resist fouling. Disconnector is black Nitrided.

#100-045-023	Nickel-Boron Coated AR-15 Trigger, 3A23S99	\$ 24.99
#100-045-021	AR-15 Mil-Spec Hammer, 5T23K99	
	•	24.99
#100-045-022	AR-15 Hammer Spring, 2S02J99	2.99
#100-045-025	AR-15 Disconnector, 8F06X99	7.99
#100-045-026	AR-15 Disconnector Spring, 1R02H99	2.99
#100-045-027	<b>AR-15 Hammer Pin</b> , 5M03D99	4.99
#100-045-024	AR-15 Trigger Spring, 5V02M99	2.99
	AR-15 Trigger Pin, 4L03C99	4.99
	M16 Auto Sear with Spring and Pin,	
7.0 020	8P15F99	17.99



#739-000-011 .154" 2-Stage Trigger, 9C00HMH..... \$ 101.47

# RISE ARMAMENT AR-15/M16 **DROP-IN SINGLE-STAGE TRIGGERS**



From a Drop-In Module! Drop one of Rise's super easy-to-install trigger modules in your AR to replace the factory mil-spec

Superbly Balanced,

Consistent Trigger Pullls -

unit and get a sweet pull without creep, "stacking" or indistinctness. followed by a reassuringly crisp, clean break. Machined from a combination of heat-treated tool steel and aluminum, this single stage trigger brings you high-performance at a budget friendly price. Includes a pair of anti-walk trigger pins, so you can be sure your pins won't ever work loose under strings of fire, plus an integrated drop safety feature. **LE-145** is a robust, ultra-reliable military-style trigger with a 4.5 lb. pull. RA-140 Rave Super Sporting model is the uprated Gen2 variant of the original RA-140 available with a 3.5 lb. pull. Choose either a straight or curved shoe, both with a matte black finish. RA-434 High Performance trigger has a lightened hammer and a friction-reducing premium nickel boron coating on all interior parts for ultra-smooth contact surfaces - and of ultra-fast locktimes. Provides a quick reset and short overtravel for serious speed, along with an ultra-smooth break and a crisp, clean release. 3.5 lb. pull. RA-524 Blitz has a 3 to 3.5 lb. pull, followed by an ultra-fast reset you can feel and hear for rapid follow-up shots. Hybrid shoe combines the best aspects traditional curved and flat target shoes for outstanding comfort, control, and speed. RA-535 Advanced Performance model has a bright-red anodized housing like a Ferrari because... it's crazy fast! Same 3.5 lb. pull weight as the other triggers but reset is exceptionally fast and over-travel nearly nonexistent- so fast, dead-on accurate follow-up shots become almost boringly predictable. The pull itself is delightfully smooth and consistent. Includes anti-rotation trigger pins included.

#100-039-626 🗞	LE-145 LE/Military Single-Stage Trigger 4.5 lb., 9Z109P65	\$ 129.00
#100-039-607 🗞	<b>RA-140 Rave Super Sport Trigger,</b> Curved, <i>9Z103H99</i>	129.99
#100-039-608 🗞	RA-140 Rave Super Sport Trigger, Flat, 9Z103H99	129.99
#100-039-609 🗞	<b>RA-524 Blitz Performance Trigger,</b> 9Z179N99	189.99
#100-040-275	<b>RA-434</b> High Performance Trigger, 3.5 lb./Black, 9Z141B25	159.99
#100-040-276	<b>RA-434 High Performance Trigger,</b> 3.5 lb./Silver, <i>9Z141B25</i>	159.99
#100-025-422	RA-535 Advanced Performance Trigger, 9Z181B04	212.99

# **SCHMID TOOL & ENGINEERING** AR-15/M16 TRIGGERS

Sometimes You Just Need a Great **Trigger - Precision Machined for Superb** Fit, Performance & Strength

> Schmid is a high-volume precisionmachinging firm that has built a LOT of tirggers for military rifles - so they know how to meet exacting specifications while



M16 Trigger

also hitting a budget. Ideal for your next build, re-build, or upgrade of an older rifle that's seen-better-days, their triggers are meticulously machined to correct dimensions for a drop-in fit with your mil-spec lower. Constructed from strong 8620 steel, these triggers have a Nickel Teflon coating for an exceptionally

smooth metal-on-metal contact, with superior durability and corrosion resistance. Fits "small pin" (.153") receivers. You can buy JUST the trigger itself, or the whole fire-control assembly. AR-15 Sporter trigger is configured for use in semi-auto rifles ONLY. M16 Full-Auto works in any full-auto AR-15, M16, or AR-308 rifle that uses an M16 "open back" trigger. AR-15 Trigger Assembly includes trigger, hammer, semi-auto disconnector, plus trigger, hammer, and disconnector springs. Kit does not include the hammer/trigger pins or a safety selector. All NFA rules apply.

#100-029-372	AR-15 Sporter Trigger Assembly,		
	8Z32E79\$	39.99	
#100-029-343	AR-15 Sporter Trigger, Only, 8Z15Q99	19.99	
#100-029-348	M16 Full-Auto Trigger, Only, 8Z15K19	18.99	



# **TIMNEY AR-15** IMPACT TRIGGER

## **Budget-Priced But Not Cheap Quality**

You're building a custom AR - but you've got a tight budget. Where to you cutback on costs? Go with a plain, mil-spec trigger? But a good-quality trigger is the heart of any good-shooting rifle. Timney knows a lot of AR builders face this dilemma, so they developed the Impact drop-in trigger module. It gives

you elevated performance AND helps you stay within your build's budget. You get a steady, non-adjustable 3 lb. pull, followed by a crisp, clean break. And this trigger drops seamlessly into any milspec AR-15 lower receiver (and AR-308s that use an AR-15 trigger). Internal parts are still machined from billet steel, and each Impact module is assembled and tested by hand at the factory. Available with a Curved or Straight trigger shoe; both have a matte black finish. Exclusive Tan model is available ONLY from Brownells and features a tan (some folks call it light brown) finish on the trigger housing. If you run multiple trigger modules, helps you identify your Impact mode by color.

#883-000-139	Impact AR-15 Trigger, Curved/3 lb., 3H00AQG	\$ 149.99
NEW 883-000-152	Impact AR-15 Trigger, Straight/3 lb., 8W149C99	149.99
NEW 883-000-156	<b>EXCLUSIVE TAN Impact AR-15 Trigger,</b> Curved/3 lb., 7V141B99	149.99

# STERN DEFENSE AR-15 **H2S HYBRID TRIGGER MODULE**

### **Drop-In Trigger Module Optimized for** Your AR Pistol or PCC

Stern's drop-in two-stage trigger is purpose-built for use in pistol-caliber AR-15s. It blends features from dependable mil-spec trigger units and finely tuned competition triggers. It has a 2-lb. first stage followed by a 4-lb. second stage that breaks cleanly. The trigger



has a duty-weight spring that prevents inadvertent bump fires and protects users against failures to reset, both features that can be found in many PCC triggers. Durability is also assured, as this trigger unit underwent a 250,000-round torture test without experiencing a single failure. If you more of a precision rifle pull, simply swap out the green, 3-lb. spring to get a "solid wall" that breaks with a light touch. The trigger, hammer, and disconnector are machined from A2 tool steel, so don't worry about long-term wear. Available with a matte **Black** or **Nickel Boron** (gray-silver) finish. Trigger shoe has a semi-flat bow. Installs in receiver using standard .153" trigger and hammer pins

#100-035-078	<b>H2S Hybrid 2-Stage Trigger Module,</b> Black, <i>9D00JZB</i>	\$ 137.99
#100-035-079	<b>H2S Hybrid 2-Stage Trigger Module,</b> Nickel Boron, <i>9D00INR</i>	167.99

# **TIMNEY AR-15** DROP-IN TRIGGER MODULE



Obtain A Super-Smooth Pull & Crisp Letoff In Minutes

Self-contained module is ready to install in your small-pin AR and deliver an exceptionally smooth, crisp, creep-free single-stage trigger pull

that feels more like a traditional bolt action than a combat rifle trigger. 100% drop-in-no gunsmithing, fitting, or adjusting required. All components are captive in the lightweight, aluminum alloy housing. Hammer is wire-EDM machined from \$7 tool steel that combines hardness to resist wear with superior impact resistance to withstand heavy use without chipping or breaking. Other components are EDM cut from A2 tool steel, then heat treated to Rc 56-60 for long service life. Precision-ground engagement surfaces ensure superb reliability and a crisp, clean hammer release. Installs using your rifle's original hammer/trigger pins; proprietary design eliminates pin walkout. Available with standard solid **Curved** or target-style **Straight** trigger shoe, or a distinctive-looking, lighter-weight Skeletonized shoe, all with choice of 3 lb., 4 lb. or 4.5 lb. pull weight. AR-308 model has a factory-set 4 lb. pull weight, a solid shoe, and more hammer mass to ensure positive ignition of harder .308/7.62mm primers. SPECS: Hammer – S7 tool steel, natural color, Teflon-Nickel coated. Trigger/Internal Components - Hardened A2 tool steel, black oxide finish. "Housing – 6061 T6 aluminum, gold anodized finish. Fits rifles with .154" diameter hammer/trigger pin holes. Will not fit Colt-manufactured AR-15s with sear block.

STOCK #	SHOE TYPE	<b>PULL WEIGHT</b>	PRI	CE
#883-000-024	Curved	3 lb.	3H00IFK	\$ 202.99
#883-000-041	Curved	4 lb.	3H00GUP	\$ 204.99
#883-000-042	Curved	4.5 lb.	3H00NCQ	\$ 199.99
#883-000-073	Straight	3 lb.	3H00NHN	\$ 199.99
#883-000-026	Skeleton	3 lb.	3H00IVG	\$ 249.99
#883-000-023	AR-308 Curved	4 lb.	3H00GPI	\$ 234.99
#883-000-063	AR-308 Skeleton	4 lb.	3H00ADC	\$ 279.99

order on the web

# TIMNEY AR-15 TARGATRIGGER

Choose Your Preference: Short or Long First Stage? Curved or Straight Shoe?

> Like all Timney triggers, the Targa is a self-contained, drop-in unit that will upgrade your AR-15 with an

exceptionally smooth, crisp, two-stage trigger. No gunsmithing, fitting, or adjusting required. It comes factory-calibrated with a 2 lb. first stage, followed by a 2 lb. second stage - a type of pull preferred by many long-range shooters. Available with a **Short** first-stage pull or a **Long** one - your choice. You also get to choose between a Curved trigger shoe or a Straight one, which some shooters feel gives them better control. The whole module is contained in a housing of light yet strong 6061 T6 aluminum alloy. Hammer is wire-EDM cut from S7 tool steel that merges hardness to resist wear with superb impact resistance to withstand hard use without failing. A Teflon-nickel coating provides permanent lubricity. The trigger shoe and other key components are wire-EDM cut from A2 tool steel, then heat-treated to Rc 58 for wear- and breakage-resistance. Install using your rifle's original hammer/trigger pins; the Timney module eliminates nin rotation and walkout

module cumina	tes pirrotation and wathout.	
#883-000-102	Short Targa Trigger, Curved, 3H00DFH	\$ 204.99
#883-000-103	Short Targa Trigger, Straight, 3H00QTL	
#883-000-104	Long Targa Trigger, Curved, 3H00AQP	199.99
#883-000-105	<b>Long Targa Trigger,</b> Straight, 3H00BUQ	199.99

# TRIGGERTECH AR-15 DIAMOND TRIGGER

# Drop-In Module With a Full Range of Adjustability

The Diamond Trigger was built for competition shooters who need a very precise, dependable trigger with consistent performance. Featuring Frictionless Release Technology™, this drop-in AR trigger has a short, two-stage action, designed to feel like a 1911



trigger. It provides a true zero-creep break, extremely short overtravel, a sub .015" tactical reset - and it offers outstanding reliability, even in the harshest environments. This is a two-stage trigger with the first stage weight set at 4 oz.; the second stage can be guickly adjusted from 1.5 to 4 lbs. total in 2 oz. increments using a setscrew that's exposed when the trigger is installed in the rifle. (All pull weights and measurements are approximate.) There is truly zero creep, so most shooters report the pull feeling half a pound lighter than a friction-based trigger of the same pull weight. Changing the pull weight DOES NOT affect hammer force so you always get dependable primer strikes. Frictionless Release Technology™, along with hardened 440C stainless steel internal components ensure corrosion resistance and an extended service life (the outer housing is anodized 7075 T6 aluminum). FRT does not rely on coating, polishing or lubricating the key engagement surfaces, so the trigger pull will be more consistent from shot to shot and after thousands of shots than you ever thought possible. Available with traditional Curved, Flat, or Pro (curved with a different geometry than plain

curvea) trigger	snoe155 hammer and trigger pins includ	ieu.
#100-035-989	<b>AR Diamond Trigger,</b> Curved Shoe, 5E284L99	\$ 299.99
#100-035-990	<b>AR Diamond Trigger,</b> Flat Shoe, 5E291J64	306.99
#100-035-991	<b>AR Diamond Trigger,</b> Pro Shoe, 5E303E99	319.99

### **TIMNEY TRIGGERS AR-15** 0 CALVIN ELITE CUSTOM TRIGGER



Timney's Calvin Elite Custom AR-15 Trigger is fully adjustable to accommodate your hand size and shooting style, for a truly custom fit to YOU. Like all Timney triggers, it is an easy-to-install drop-in module that completely replaces the factory trigger/hammer/ sear. What sets the Calvin Elite Custom AR-15

Trigger apart is its detachable trigger shoe that can be adjusted front to back, side to side, or even up and down to put the finger pad exactly where it's best for you. It comes with 4 interchangeable trigger shoes: curved, flat, heeled, and knurled - so you can choose the one that's best for you. As a true, high-end match target trigger, it has a fixed, factory-set 1.5 lb. trigger pull with zero creep and a crisp, consistent, glass-like break. Its remarkably quick and tactile reset means you can make those fast, precise follow-up shots, too. But Timney doesn't sacrifice reliability for a nice pull because the CE Custom is also fitted with their ultra-reliable 5 lb. hammer spring for reliable ignition. Drops into any standard, small-pin mil-spec AR-15 lower receiver (and AR-308s that use an AR-15 trigger).


#883-000-109 Calvin Elite Adjustable AR-15 Trigger. 3H00ESM ..... \$ 272.99



# TRIGGERTECH AR-308 TWO-STAGE TRIGGERS

## Adjust Pull Weight in 2 oz. Increments While Trigger Is in the Gun

When it comes to trigger feel, the 1911 pistol sets the bar with its short, crisp trigger pull. There's no way you could have



anggers mare or	noon nacco,	
#100-054-293	<b>AR-308 Adaptable Trigger,</b> Curved, 2Z236F99	\$ 249.99
#100-054-294	<b>AR-308 Adaptable Trigger,</b> Flat, 4B236H99	249.99
	<b>AR-308 Diamond Trigger,</b> Curved, 3A284G99	299.99
#100-054-296	AR-308 Diamond Trigger, Flat, 1Y284E99	299.99
#100-054-297	<b>AR-308 Diamond Trigger,</b> Pro Curved, 5C303J99	319.99

holes. Adaptable - Total pull weight adjustable from 2.5 to 5 lbs. Dia-

mond - Total pull weight adjustable from 1.5 to 4 lbs. Curved and Flat

triggers have smooth faces: Pro Curved has a deeply grooved face.





Super-Smooth Pull, Snappy-Crisp Release; Customize to Your Needs With Adjustable & Fixed Pull Weights

TriggerTech produces a trigger that drastically changes functionality by using a roller. Other trigger designs play with pivots and polishing to try to attain the best break

possible. TriggerTech uses patented Frictionless Release Technology™ that distinctly improves feel and accuracy. It uses rolling friction leading to unparalleled performance. Drop-in design for lowers with .154" pins. Adjustable - Short two-stage pull, zero creep release via TriggerTech's Frictionless Release Technology™. Pull is adjustable from 2.5 to 5 lbs. with Enhanced Reset Control™ and sub .030" reset travel. Hammer, sear and trigger are all stainless steel and all other components are corrosion resistant. Fixed - Pull weights are factory set at the weights listed below.

	with .154 harrimer/trigger pin holes in lower r	eceiver.
#100-022-912	<b>TT-AR-15 Trigger Adj. 2.5-5 lb.,</b> Curved, <i>5E206L54</i>	\$ 242.99
#100-022-913	TT-AR-15 Trigger Adj. 2.5-5 lb., Straight, 5E206F54	242.99
#100-022-916	<b>TT-AR-15 Trigger Fixed 3.5 lb.,</b> Curved, <i>5E186P99</i>	219.99
#100-022-917	TT-AR-15 Trigger Fixed 3.5 lb., Straight, 5E186G99	219.99



# TRIGGERTECH AR-15 **DROP-IN ADAPTABLE** TWO-STAGE TRIGGER

Versatile, Do-It-All Trigger With Adjustable Pull Weight - 2.5 to 5 lbs.

There are a lot of specialty drop-in AR-15 triggers out there (Triggertech offers many), but what if you just need a good, versatile, all-around trigger that's compatible with a lot of different types of shooting? Here it is.

This trigger provides a short, two-stage trigger pull that's free of creep and culminates in a distinct break. Overtravel is minimal, so reset is a mere .030". Built with Triggertech's Frictionless Release Technology, this trigger provides dependable service in any kind of environment, with a pull that won't degrade over time, since there are no sear surfaces to wear. The total pull weight can be adjusted anywhere from 2.5 to 5 lbs. in 2 oz. increments. Fits mil-spec AR-15 lower receivers that use the standard .154" trigger and hammer-pins. Traditional curved trigger shoe. Aluminum housing.

#100-041-536 AR-15 Adaptable Trigger, 9X00DEF... \$ 249.99

# ARMASPEC AR-15/M16 ANTI-WALK HAMMER/TRIGGER PINS



Lock 'Em In - But DON'T Throw Away the Key!

Your AR's hammer and trigger pins can actually back out of the receiver over time - called "walking." If they come out far enough, the trigger will malfunction. Armaspec anti-walk pins are secured in place with hex screws that

you lock down with the included hex key wrenches. Pins fit standard ÅR-15 receivers with .153" holes, as well as those of AR-308s that use AR-15 trigger assemblies. Machined from hardened stainless steel and with a tough black-oxide finish. Armaspec recommends using thread-locking compound on the screws during installation.

#100-038-378 Anti-Walk Hammer/Trigger Pins, 

# WILSON COMBAT AR-15/M16 TACTICAL TRIGGER UNIT



Match-Grade Pull From A Rugged. Reliable Drop-In Module

Wilson's drop-in trigger module fits any milspec small-pin AR-15 and delivers a light, superbly crisp trigger pull right from the box, with no adjustment or fine-tuning. Safe enough for tactical operations and combat, vet light enough to ensure an ultra-clean break that's closer to a

bolt action than a typical tactical rifle. Exceptionally short, positive reset gets you back on target and ready to take the next shot almost instantly. Unique hammer geometry keeps weight to a minimum for ultra-fast lock time, yet provides plenty of kick to ensure reliable ignition, even on hard military primers. A secondary "rescue" sear grabs the hammer if the primary sear fails when the weapon is dropped or severely jarred-meets military specifications for drop safety, CNC-machined, hardened tool steel hammer, sear, and trigger body with precision-ground contact surfaces are built to run hard in competition or combat, all contained in the rugged machined aluminum housing, TR-TTU - Single-stage 4 lb, pull has zero take-up and an ultra-clean break. TR-TTU-M2 - "Semi" two-stage, match-grade 4 lb. trigger has an abbreviated initial stage that establishes sear engagement for safe, reliable operation in high-stress tactical environments, followed by a clean second-stage release. TR-TTU-3G - Rolling two-stage trigger designed for 3 gun competition features a short pull with a 3.5 to 4 lb. break and super-fast reset for quick follow up shots. Eliminates "trigger freeze" in the heat of competition or during tactical shooting. TR-TTU-9MM is designed for ARs chambered in 9mm Luger, as well as the SIG MPX, and delivers a fixed, non-adjustable 3.5 to 4 lb. pull.

SPECS: Trigger/Hammer/Sear – Hardened tool steel, matte gray finish. Housing – Aluminum, anodized, matte black. Fits AR-15 with .154" trigger and hammer pins. Includes two .154" pins and installation instructions.

#965-00	0-071	TR-TTU Tactical Trigger Unit, 5F215D19.	\$ 268.99
#965-00	0-088	TR-TTU-M2 Tactical Trigger Unit, 5F00PJA	189.95
#965-00	0-179	TR-TTU-3G Tactical Trigger Unit, 5F175B49	189.95
#100-04	0-529	TR-TTU-9MM 9mm Tactical Trigger Unit, 5F180H49	189.95

# WILSON COMBAT AR-15/M16 TR-TTK TACTICAL TRIGGER KIT

The Robustness of a Basic Mil-Spec Trigger, Only a LOT Better

Rather than an allin-one drop-in module. Wilson's TR-TTK is a traditional "parts-n-pieces" military style trigger, but with a lot more refinement than you expect from a "mil-spec" trig-



ger, while retaining the basic trigger's simplicity and reliability. The single-stage 5.75 lb. pull is within mil-spec tolerances for pull weight, while an ultra-slick Nickel-Teflon coating on the moving parts removes the gritty feel common to mil-spec triggers, while it resists corrosion better and requires less lubrication than a standard USGI trigger. Enhanced chrome-silicon springs far outlast standard springs. A great bargain for folks who are comfortable assembling an old-style AR-15 trigger and want a simple, reliable "bang switch" on their rifle!

#965-000-416 TR-TTK Tactical Trigger Unit, Nickel-Teflon Coated, 2J61Q99..... \$ 64.95



# **VELOCITY TRIGGERS AR-15/M16/AR-STYLE.308 DROP-IN TRIGGER SYSTEM**

### Makes Your AR Feel Like A Bolt Action Rifle

Single-stage trigger gives your AR a crisp, clean break similar to the trigger pull on a bolt action rifle. Precision engineered Curved triggers virtually eliminate



take up and provide a super-fast reset. Trigger shoe, hammer and disconnector are wire EDM-cut from heat treated tool steel. Both the hammer and disconnect are given a nickel boron coating for an ultra-smooth release. Assembly housings are machined from 6061 T-6 billet aluminum with a hardcoat anodize finish for corrosion resistance and durability. Triggers are available with a curved shoe or a straight shoe, in the pull weights listed below.

#100-022-748	3 lbs. Curved Velocity Trigger,	
#100-022-753	1E121J59	\$ 151.99
	1E119P99	. 149.99
#100-022-749	4 lb. Curved Velocity Trigger, 1E123G19.	153.99
#100-022-754	4 lb. Straight Velocity Trigger, 1E119B99	. 149.99
#100-022-752	<b>4.5 lb. Curved Velocity Trigger,</b> 1E119M99	. 149.99

CMC TRIGGERS AR-15/S&W M&P15-22

ANTI-WALK HAMMER/

TRIGGER PINS

Pins That'll Ensure Your Rifle's

Fire Control System Stays Put

knows that the trigger and ham-

mer are held in by two pins that

push through corresponding

holes in the sides of the lower

receiver. However, what some

might not have experienced

is the "walking" of these pins,

caused by enlarged dimensions

on the holes or wear. To prevent

Every AR owner and builder

# WMD GUNS AR-15/AR-STYLE.308

# NIB-X™ COATED FIRE **CONTROL COMPONENTS**

Ultra-Hard, Ultra-Slick Finish Gives Smooth, Reliable Performance

These precision-machined components are coated with WMD's ultra-tough NiB-X nickel boron finish for superior durability, cor-

rosion resistance, and exceptionally smooth metal-on-metal contact. The coating allows the parts to function under extreme conditions with little or no lubrication, and gives carbon fouling nothing to adhere to, so cleanup is much easier than with ordinary finishes. Allows longer intervals between cleaning without loss of weapon performance. Components are available as a set or separately. SPECS: Steel with nickel boron silver finish. Hammer, disconnector, and trigger fit small-pin (154") AR-15 lower receivers only

ingger me simali p	in (:10 i / / iit 10 iower receivers only.	
#100-010-746	NiB-X Hammer/Trigger/Disconnect Set,	
	3C59F49	\$ 69.99
#100-010-178	NiB-X AR-15 Hammer, only, 3C23C79	27.99
#100-009-997	NiB-X AR-15 Trigger, only, 3C26N34	30.99
#100-009-990	NiB-X AR-15 Disconnector, only,	
	3C11D04	12.99



# RISEARMAMENT AR-15 ANTI-WALK HAMMER/ **TRIGGER PINS**



**Provides Extra Security** To Ensure Your Trigger Doesn't Shift Around

"Well, it didn't just sprout legs and walk away!" Your mother prob-

ably said that to you, didn't she? (If not, you're lucky.) Rise Armament's hammer/trigger pins are designed to NOT do precisely that. They'll stay put and ensure your rifle's fire control system does, too. These .154" diameter pins fit standard "small pin" lower receivers, and they come with a pair of hex wrenches to install them. (Rise recommends 8 in.-lbs. of torque - and no more than 11 in.-lbs.) Note: The external width of AR receivers varies in the trigger/hammer pin area, depending on the manufacturer. If the pins are too long for your receiver, you may shorten them a small amount by carefully filing material evenly from both ends of the pins. This will eliminate side-to-side play of the pins in the receiver, but this is not required. Longer pins will not affect the function or performance of the rifle.


#100-040-272	Anti-Walk Hammer/Trigger Pins,
•	3D10W99

# 0

# KNS PRECISION AR-15/M16 NON-ROTATING HAMMER & TRIGGER PINS

### Precision-Machined To Upgrade Your Existing Hammer & Trigger Pins; Available Standard & Oversized

Redesigned hammer pin and anti-rotation links provide the strongest possible system to eliminate pin rotation, and will withstand the additional force exerted by 9mm conversions and suppressed .223 upper receivers. Helps prevent wear to receiver holes, which is especially important for increasing-



SPECS: 416 stainless steel pins. .900" (22.8mm) long, .154" (3.91mm) or .155" (3.93mm) dia. Set includes (1) hammer pin, (1) trigger pin, (2) screws, (2) anti-rotation links, hex wrenches, and installation tool. Anti-Rotation Links - Steel, Parkerized finish. Retaining Screws - Steel, black oxide finish.

#923-000-036	AR-15 .154 Non-Rotating Locking Pins, 3B27A19	\$ 31.99
#923-000-040	AR-15 .155 Non-Rotating Locking Pins,	
	3B27F89	30 99

GEN. 2 MOD. 2 NON-ROTATING PIN SET - Identical function as the standard sets listed above, but with ultra-low-profile links that protrude even less above the receiver. Available with standard .154" diameter pins or oversized .155" pins.

SPECS: 416 stainless steel pins, carbon steel anti-rotation links and retaining screws, matte black finish. Kit includes hammer pin, trigger pin, (2) low-profile anti-rotation links, (2) screws, hex wrenches, and installation tool.

#923-000-046	.154" Gen. 2 Mod. 2 Non-Rotating Pin Set, 3B27A19
#923-000-047	.155" Gen. 2 Mod. 2 Non-Rotating Pin Set. 3B27A89 30.99

M16/M4 NON-ROTATING SEAR PIN - Steel pin replaces original pin and locks into place against the take-down pin on M16/M4 rifles to prevent rotation and wear on receiver holes. Drop-in installation requires no tools or gunsmithing. SPECS: Steel, matte black phosphate finish. Fits M16/M4 receivers only.

#923-000-043	M16/M4 Non-Rotating Sear Pin,	
	3B27H19	\$ 33.99



# **AERO PRECISION AR-15/M16 BILLET MACHINED TRIGGERGUARD**

### Extra Room for the Trigger Finger; Gives Your Rifle a Different Look, Too

A great upgrade on the old stamped aluminum triggerguard, which is pretty cramped for folks with larger fingers or who frequently operate their AR with gloves. Scalloped sides give you extra clearance to access the trigger PDQ. Aero's part is machined from billet 6061 alumunum, with an extra-large opening, AND it installs with three



button-head screws, not roll pins. No need to get out the hammer and punch and risk knocking off the triggerguard tabs on your lower receiver (youch!). Nice, sleek profile with engraved Aero Precision "A" logo. Hardcoat anodized Mil 8625 Type 3 Class 2 Black or Cerakote Flat Dark Earth (FDE) finish. Fits any AR-15 or AR-308 lower receiver that accepts the mil-spec triggerguard. 5/64" hex wrench needed for installation, not included, but c'mon you've got a bunch of those..... somewhere, right?

#100-054-407	Billet Triggerguard, Black, 1D24R99	\$ 24.9
#100-054-408	Billet Triggerguard, FDE, 9U16N99	16.9

# **BRAVO COMPANY AR-15/M16 BCMGUNFIGHTER®** TRIGGER GUARD MOD 0



Enhances Comfort & Trigger Access

Drops onto a standard AR-15 lower and offers a comfortable, ergonomic shape with beveled and rounded edges that won't scrape your finger and guides it more easily

to the trigger. Made of tough, reinforced molded polymer. Compatible with "duck-billed" style pistol grips. Pins included.

#100-017-597	Gunfighter Trigger Guard Mod 0, Black, 1E5F59	6.99
#100-017-598	<b>Gunfighter Trigger Guard Mod 0,</b> FDE, 1E5N59	6.99
#100-017-599	<b>Gunfighter Trigger Guard Mod 0,</b> Gray, 1E5J59	6.99

# 0

# **BROWNELLS** AR-15/M16 **TACTICAL TRIGGERGUARD**

Fast, Unobstructed Access To Trigger; End Of Trigger Pinch

Oversized, drop-in replacement for factory triggerguard provides plenty of extra room to

get your finger on the trigger quickly, even when you're wearing gloves. Comfortable, compound-curve shape helps prevent finger from being pinched between trigger pad and guard, while gently radiused edges protect finger from cuts or abrasions. Rugged, machined aluminum construction handles the abuse of intensive tactical operations. Installs easily using the original triggerguard's plunger, spring and roll pins; compatible with factory and aftermarket nistal arins

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. Fits AR-15/M16 rifles with mil-spec lower receivers. Uses existing plunger, spring and roll pins.

#080-000-535 Tactical Triggerguard, 8K21E67 ...... \$ 22.99

# YOUTUBE.COM/BROWNELLS

this issue, CMC Triggers designed its Anti-Walk Pin Set, which in-

cludes two posts, four screws, and the wrenches needed for as-

sembly. The anti-walk pins can be installed and removed with ease,

and there are no protrusions on the pin set that will interfere with the operation of an AR, even with gloved hands. Small pins set for rifles with standard .153" hammer/trigger pin holes; Large pins fit older

Colt lower receivers that have .171"-.174" hammer/trigger pin holes.

M&P15-22 pins fit Smith & Wesson M&P15-22 rifles and most other

.153", 7K13A59 ...... \$ **15.99** 

7K13G59 ..... **15.99** 

polymer composite AR platform lower receivers.

#207-000-094 AR-15 Small (Std) Anti-Walk Pin Set,

#207-000-095 AR-15 Large Anti-Walk Pin Set, .172",

#207-000-096 S&W M&P15-22 Anti-Walk Pin Set.

# ANTI-WALK HAMMER/TRIGGER PINS

STRIKE INDUSTRIES AR-15/M16

# **Keeps Fire Control Components in Place During Extended Shooting Sessions**

Walking can be a nice thing to do on a Sunday afternoon, or with Fido a crisp autumn morning but it's NOT something you want the hammer and trigger pins your AR doing during a competition or high-tempo operation. Strike's pins are linked together to prevent them from "walking" out of



the receiver during extended shooting sessions (also makes them harder to lose). Installation is toolless - no pin punch needed! - and certainly makes it easy to drop a self-contained trigger module for cleaning. The pins' smooth, polished surface provides a smoother trigger pull with a standard mil-spec trigger group, too. QPQ nitrided high strength steel prevents corrosion and wear providing for a lifetime of use. After you try it, you'll want a set for all your ARs.

<b>#100-037-084</b>	Anti-Walk Hammer/Trigger Pins,	
	2H12C34	\$ 12 99

order on the web

BROWNELLS PAGE 41

Orders: 800-741-0015 brownells.com

# **GEISSELE AR-15** TRIGGERGUARD



Super

**Provides Extra Trigger-Finger** Clearance AND It's Not Made by the Lowest Bidder

For get about flimsy plastic triggerguards - or even the GI 'guard that doesn't provide enough trigger finger clearance when you're wearing gloves. Geissele's triggerquards are precision machined from a solid piece of 7075 T6 aluminum and given a tough hard-andozied finish in either black (BLK) or Geissele's propriety Desert Dirt Color (DDC). Nicely radiused edges help your finger slide right in and land on the trigger when you need to snap off a quick shot. Super Duty model gives the operator a huge ergonomic advantage with extra space in the trigger

area that allows the comfortable use of gloves while shooting. **Ultra** Precision 5 Axis is produced using 5-Axis machining technology that results in a smooth, snag-free 'quard that fills in the irritating gap from the 'quard to the pistol grip. And let's be honest: its one AWESOME gnarly looking component that gives the look of your AR an extra tough of aggressiveness. Notice how the facets radiate out from the Geissele "G" logo on the underside. The finishing touch you need for your dream rifle build! #100-037-962 Super Duty Triggerquard RLK 7823K99 \$ 25.00

100-037-902	Super Duty Higgerguard, BLN, 7B23N33	25.00
100-037-963	<b>Super Duty Triggerguard,</b> DDC, 7B28N99	30.00
100-037-960	<b>Ultra Precision 5 Axis Triggerguard,</b> BLK, 7B32H99	35.00
100-037-961	<b>Ultra Precision 5 Axis Triggerguard,</b> DDC, 7B37M99	40.00



# MAGPUL AR-15/M16 MOE® TRIGGER GUARD



**Provides Extra Clearance When** Wearing Gloves; Drop-In Installation

Enhanced triggerguard has a shallow "V" shape that provides extra clearance for a shooter wearing gloves, and eliminates

the gap at the rear of the USGI triggerguard that can trap or pinch finger. Smooth, ergonomically contoured surface and rounded edges protect the trigger finger from abrasion and won't snag on the operator's glove to impede the speed of target engagement. Replaces factory guard in minutes and requires no permanent alterations to receiver; reinstall original guard any time. Manufactured from high-grade, reinforced polymer that's lightweight, almost as strong as aluminum, and resistant to heat, cold and moisture. Fits mil-spec AR-15/M16 and clones, as well as many AR-308 models; installation instructions included. MOE® Enhanced AR-15 Trigger Guard comes with pair of setscrews to secure it in the lower receiver instead of the traditional roll pins. Eliminates accidentally damaging your receiver when you hammer in the pins.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Stealth Gray. Includes roll pin, set screw, installation instructions. Fits most AR-15/M16 and AR style .308 rifles including ArmaLite® AR-10®, Knight SR-25, and DPMS LR-308. Due to variances in manufacturer specs, minor

titting may be red	quirea on some rities.	
#100-004-156	MOE Triggerguard, Black, 3K8Q09	\$ 8.50
#100-004-157	MOE Triggerguard, Dark Earth, 3K8N09	8.50
#100-004-158	MOE Triggerguard, OD Green, 3K8Q09	8.50
#100-019-346	MOE Triggerguard, Stealth Gray, 3K8Q09	8.50
100-042-843	MOE Enhanced Triggerguard, Black, 2E08Y99	9.45
100-042-844	<b>MOE Enhanced Triggerguard,</b> FDE, 3F08Z99	9.45
MEW 100-042-845	<b>MOE Enhanced Triggerguard,</b> OD Green, 4G08A99	9.45

# **SEEKINS PRECISION AR-15/M16 BILLET TRIGGERGUARD**

**Enlarged Triggerguard** Accepts Gloved Finger & Enhances Rifle's Appearance



Drop-in replacement for factory triggerguard triggerguard fills the gap between the triggerguard and front of the pistol grip. Larger opening makes rifle easier to operate when wearing winter gloves. Machined from solid aluminum billet for extra strength.

Unique machined flats enhance rifle's appearance, too. SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. 21/4" (5.7cm) long, 5/8" (1.6cm) wide. Fits mil-spec AR-15/M16 lower re-

#100-011-246 Billet Triggerguard, 8C00BIN . . . . . . \$ 18.99



# **SONS OF LIBERTY GUN WORKS** AR-15/M16 MIL-SPEC TRIGGERGUARD

**Direct Replacement** for the 'Guard Your Mil-Spec Rifle Came With

"Your rifle was made by the lowest bidder," as the saying goes - but that doesn't mean your replacement triggerguard has to be.

SOLGW's stamped aluminum part comes with the forward spring and plunger retained in the 'guard by a pin, plus the rear roll pin for anchoring the assembly in the lower receiver. Hard-anodized

#100-045-030 AR-15 Triggerguard Assy, 8M07D99 . . . . \$ 7.99

vironments in order to get to the trigger. Triggerguard gives you an oversized opening and is held in place with standard roll pins and set screws. Eliminates need for gap plug and works with most grips. SPECS: Aluminum, matte black, Fits AR-15/M16 rifles, Includes roll pin

#100-002-198 M16/AR-15 Enhanced Triggerguard,

# WILSON COMBAT AR-15/M16 TACTICAL TRIGGERGUARD



Oversized Opening For Easy Trigger Access; **Prevents Finger Pinch** 

Drop-in upgrade for AR-15 triggerguard provides an oversized opening for easy trigger access when wearing gloves. Also prevents finger from getting caught between trigger shoe and triggerguard, eliminating the need for a gap plug. Smooth contours and beveled edges won't scrape finger or snag on other gear. Precision machined from a solid billet of 6061 T6 aluminum and then hardcoat anodized for maximum durability.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black.

**#965-000-102** Tactical Triggerguard, 5F19B54 ...... \$ 19.95

# PHASE 5 TACTICAL AR-15/M16/AR-STYLE .308 WINTER TRIGGERGUARD



**Provides Extra Clearance For** Gloved Fingers & Gives Rifle A Truly Unique Look



Uniquely shaped, machined aluminum triggerquard provides plenty of clearance to let you operate your rifle with gloves on during cold weather. Dropin replacement for the factory has an usual "bat wing" shape that helps your rifle stand out visually from the rest of the pack. Larger opening makes this an excellent companion

modification for use with the Phase 5 EBRv1 and EBRv2 extended bolt releases. Also fits the DPMS LR-308 and similar AR-style .308 rifles that use an AR-15 type triggerguard.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel roll nin and screw black

#100-005-732 Winter Triggerguard, 1C23F39 . . . . . . . \$ 25.99

#078-000-091 AR-15 Ejection Port Cover Spring, 3-pak.

# BROWNELLS -

# AR-15/M16/M4 SPRINGS



### **Assorted Replacement Springs** Restore Performance In Tactical Rifles

Put the zing back into the rifle you thought was past its prime. Manufactured to precise tolerances, these high quality, replacement springs help keep your AR-15 functioning properly. Great for emergency spares or for assembling a parts rifle. Available singly,

SPECS: Materials and finish at least equal to OEM parts. Chrome silicon springs indicated by (CS).

#078-101-113 AR-15 A2 Action Spring (CS), each,

	8G3B74	\$ 4.99	
#078-000-102	AR-15 A2 Action Spring (CS), 3-pak,	-	#078-
	8G7P64	8.99	
#078-101-112	AR-15 A-2 Action Spring, each, 8G3I74	4.99	#078
#078-000-093	<b>AR-15 A-2 Action Spring,</b> 3-pak, 8G6P74	8.99	
#078-101-114	AR-15 Auto Sear Spring, ea., 8G2F24	2.99	#078
#078-000-089	AR-15 Auto Sear Spring, 3-pak, 8G2199 .	3.99	#078-
#078-101-115	Bolt Catch Spring, each, 8G2N99	3.99	#078
#078-000-096	Bolt Catch Spring, 3-pak, 8G2N99	3.99	#078
#078-000-099	Bolt Gas Ring, 3-pak, 8G3C74	4.99	#078
#078-101-117	AR-15 Buffer Retainer Spring, each,		#078
	8G2L24	2.99	#078
#078-000-084	AR-15 Buffer Retainer Spring, 3-pak,		#078
	8G2D99	3.99	#0/0
#078-101-118	AR-15 A2 Charging Handle Latch Spring, each, 8G2J24	2.99	#078-
#079 000 004	AR-15 A2 Charging Handle Latch Spring,	2.99	#078
#076-000-094	3-pak, 8G3B74	4.99	#078
#078-101-119	AR-15 Detent Takedown Spring, each,		#070
	8G2B24	2.99	#078-
#078-000-100	AR-15 Detent Takedown Spring, 3-pak,		
	8G5E24	6.99	#078-
#078-101-120	AR-15 Disconnector Spring, each,		
	8G2L24	2.99	#078
#078-000-095	AR-15 Disconnector Spring, 3-pak,	4.00	#078
U070 404 404	8G3H74	4.99	
#078-101-121	<b>AR-15 Ejection Port Cover Spring,</b> each, 8G2H24	2.99	#078
	0021127	2.33	

	0G3F74	7.3
#078-101-123	AR-15 Ejector Spring (CS), ea., 8G3B74.	4.9
#078-000-103	AR-15 Ejector Spring (CS), 3-pak, 8G6D74	8.9
#078-101-122	AR-15 Ejector Spring, each, 8G2Q99	3.9
#078-000-098	AR-15 Ejector Spring, 3-pak, 8G4F49	5.9
#078-000-112	<b>AR-15 Elevation Index Spring A3,</b> 3-pak, 8G2N99	3.9
#078-000-086	AR-15 Extractor Spring, 3-pak, 8G6H39.	7.9
#078-101-125	AR-15 Extractor Spring (CS), each, 8G3K74	4.9
#078-000-104		6.9
#078-101-126	AR-15 Forward Assist Spring, each, 8G2G24	2.9
#078-000-080	AR-15 Forward Assist Spring, 3-pak, 8G2J99	3.9
#078-101-127	AR-15 Front Sight Detent Spring, each, 8G2J69	3.9
#078-000-082	<b>AR-15 Front Sight Detent Spring,</b> 3-pak, 8G4l62	5.9
#078-101-129	M4 Action Spring, each, 8G4A49	5.9
#078-000-105	M4 Action Spring, 3-pak, 8G11P02	11.9
#078-101-130	M4 Action Spring (CS), ea., 8G4N49	5.9
#078-000-087	M4 Action Spring (CS), 3-pak, 8G8M79.	10.9
#078-101-132	AR-15 Mag Catch Spring, ea., 8G2H24	2.9
#078-000-083	AR-15 Mag Catch Spring, 3-pak, 8G2L99	3.9
#078-000-090	AR-15 Rear Sight Elev Knob Spring, 3-pak, 8G2N99	3.9
#078-101-136	Trigger Spring, each, 8G2C99	3.9
#078-000-088	<b>Trigger Spring,</b> 3-pak, 8G4G49	5.9
#078-000-097	AR-15 Triggerguard Spring, 3-pak, 8G2/99	3.9
#078-101-137	AR-15/M16 Hammer Spring, each, 8G2P99	3.9
#078-000-077	<b>AR-15/M16 Hammer Spring,</b> 3-pak, 8G4I79	5.9
#078-000-092		3.9
#078-101-128	M16/M4 Burst Fire Hammer Spring, each, 8G2D99	3.9
#078-000-081	M16/M4 Burst Fire Hammer Spring,	
	3-pak. 8G3L74	4.9

# MAGPUL AR-15/M16-ENHANCED TRIGGERGUARD

Keeps Trigger Accessible, **Even With Gloves** 

Aluminum triggerguard replaces factory guard and gives full access to the trigger, even when you're wearing gloves. Ends the complication of having to drop the triggerguard in cold weather en-

and set screw

**BROWNELLS**, PAGE 42

# CMMG AR-15/M16 **SPRINGS**

**Provides the Motive Power** To Make Critical Parts of Your Rifle Run



Standard mil-spec springs for key components of the AR-15/ M16 and some AR-308 rifles. Neither "extra power," nor "reduced power" - just standard factory weights.

#100-044-601	AR-15 Bolt Catch Spring, 5T01M41	\$ 1.41
#100-044-610	AR-15 Disconnector Spring, 6B34G50	1.07
#100-044-647	AR-15 Extractor Spring, 6B34G50	1.85
#100-044-613	AR-15 Hammer Spring, 9X01R85	1.85
#100-044-605	AR-15 Pivot Pin Detent Spring, 3G00A99.	1.07

# **SONS OF LIBERTY GUN WORKS** AR-15/M16 SPRINGS



### **High-Quality Replacement Springs**

Factory-weight springs to replace fatigued or broken springs on an old gun (though, frankly, AR springs rarely break). Or that spring that got lost somewhere on the floor under your workbench during that last overhaul

#100-045-016 AR-15 Buffer Retainer Spring, 9Q02G99 \$ 2.99	,
#100-045-002 AR-15 Bolt Catch Spring, 2J02A99 2.99	•
<b>#100-045-026</b> AR-15 Disconnector Spring, 1R02H99 2.99	,
#100-045-022 AR-15 Hammer Spring, 2S02J99 2.99	•
#100-045-007 AR-15 Magazine Catch Spring, 4B02T99 . 2.99	,

# FALCON INDUSTRIES AR-15/M16 LOWER RECEIVER SPRING KIT



Finish A Stripped Receiver Or Replace Worn, Fatiqued, Or Corroded Factory Springs

All the factoryweight springs needed to finish building up a stripped lower

receiver or refurbish an existing lower to like-new function. Replace worn, corroded, or fatigued springs before they fail—inexpensive insurance against game-ending stoppages caused by spring failure during competition or tactical operations. Kit includes springs for trigger, hammer, disconnector, safety selector, magazine catch, bolt catch, buffer retainer, and takedown pin detents.

#573-000-053 Lower Receiver Spring Kit, 3G5P59..... \$ 6.99

Orders: 800-741-0015

# SPRINCO AR-15/M16/AR-308 **SPRINGS**

Mission-Critical to the Reliable Operation of Your Rifle - Put the Wrong/Bad Springs in Your AR & It's Just a Fancy Club

As the company's name indicates, the folks at Sprinco are serious about gun springs. Extremely serious because springs are absolutely critical to the reliable operation of your AR-15. Springs store up and, when it's needed, release energy. If your gun's springs get prematurely weak or unexpectedly break, your AR-15 is now a fancy club - good luck in the hand-to-hand combat or the end of your chances of winning that match. Sprinco springs are made of ASTM Grade A877 Certified valve-quality chrome-silicon wirestock that's heat-treated, stress relieved, and dual-stage shot-peened after winding (and Sprinco insists their springs really ARE shot-peened) before being impregnated with a re-micronized molybdenum disulfide formulation. Moly is a super-slick lubricant coating that helps springs move smoothly AND resist wear to keep them running longer. And moly is highly resistant to wearing off; once it gets on a metal part, it's pretty much there for the life of the part.

### RECOIL BUFFER SPRINGS & RELIABILITY KITS - Sprinco's buffer

springs deliver consistent pressure throughout the duty cycle of the spring, resulting in fewer malfunctions related to spring operation, especially Type 3



malfunctions. The spring will not change performance for many hundreds of thousands of rounds, and it has greater resistance to heat-induced performance degradation. Sprinco offers standardpower (STD) buffer springs, or you can reduce the cyclic rate by installing one of their Enhanced- (EP), Intermediate- (IP), or Extra-Power (XP) springs, in conjunction with the right-weight buffer, to reduce or even eliminate bolt bounce. Standard-weight (STD) produces the equivalent spring load to a brand-new mil-spec M4 carbine spring. It will perform reliably in any properly configured and maintained 5.56-chambered AR-15 carbine, XP springs produce about 25% more spring force than STD spring, with EP and IP springs falling between STD and XP springs. AR-15 Rifle spring is for guns that have the A2 rifle receiver extension (aka "buffer tube"). Use this buffer spring in rifles fitted with the Vltor A5 stock/recoil system. M4/CAR-15 is for guns fitted with the M4-style, collapsible-stock carbine receiver extension. AR-308 Standard for AR-308 rifles with short buffer inside a standard 7" M4 carbine receiver extension, including DPMS and Bushmaster rifles. May also be used in Armalite AR-10 type extension tubes with a 3.25" carbine buffers IF the gun is over-gassed, shoots heavy weight bullets, and/or is used with a sound suppressor. AR-308 Carbine w/Extended Tube for use in rifles from Armalite, Noveske, LMT, and Larue Tactical that have an extended-depth receiver extension tube for use with a longer bolt/carrier group and standard-length carbine buffers. Reliability Kits include a Sprinco extractor spring; see description below of the different extractor spring weights.

#943-000-041	<b>M4/CAR-15 STD Buffer Spring</b> , 4D18V99	\$ 19.95
#943-000-035	M4/CAR-15 Enhanced Power Buffer Spring, 3C18U99	19.95
#943-000-038	M4/CAR-15 Intermediate Power Buffer Spring, 2L18C99	19.95
#943-000-032	M4/CAR-15 XP Buffer Spring, 5E18W99	19.95
#943-000-044	M4/CAR-15 RP Buffer Spring, 7G18Y99	19.95
#943-000-047	AR-15 Rifle STD Buffer Spring, 2B18T99	19.95
#943-000-049	AR-308 Carbine (Extended Tube) XP	
	Buffer Spring, 9J18A99	19.95
		19.

STOCK #	FITS	BUFFER SPRING	EXTRACTOR SPRING	PRICE
	R	ELIABILITY	KITS	
#943-000-040	M4/CAR-15	Standard	Enhanced	7H20B99 <b>\$ 21.95</b>
		Power	4-Coil	
#943-000-039	M4/CAR-15	Standard	XP 5-Coil	2V20M99 \$ 21.95
		Power		

STOCK #	FITS	BUFFER SPRING	EXTRACTOR SPRING	PRIC	CE
#943-000-034	M4/CAR-15	Enhanced Power	Enhanced 4-Coil	8S20J99	\$ 21.95
#943-000-033	M4/CAR-15	Enhanced Power	XP 5-Coil	6F20X99	\$ 21.95
#943-000-037	M4/CAR-15	Intermediate Power	Enhanced 4-Coil	6G20A99	\$ 21.95
#943-000-036	M4/CAR-15	Intermediate Power	XP 5-Coil	9T20K99	\$ 21.95
#943-000-030	M4/CAR-15	ХР	Enhanced 4-Coil	5F20Z99	\$ 21.95
#943-000-029	M4/CAR-15	XP	XP 5-Coil	6Q20G99	\$ 21.95
#943-000-050	M4/CAR-15	Extra-XP (for seriously over-gassed carbines)	XP 5-Coil	3W20N99	\$ 21.95
#943-000-043	M4/CAR-15	Reduced Power	Enhanced 4-Coil	4E20Y99	\$ 21.95
#943-000-042	M4/CAR-15	Reduced Power	XP 5-Coil	8J20C99	\$ 21.95
#943-000-046	AR-15 Rifle	Standard Power	Enhanced 4-Coil	9K20D99	\$ 21.95
#943-000-045	AR-15 Rifle	Standard Power	XP 5-Coil	1U20L99	\$ 21.95
#943-000-048	AR-308 Carbine	XP	Dual-Spring	3D22X99	\$ 23.95
#943-000-031	AR-308 Carbine w/ Extended Tube	XP	Dual-Spring	2C22W99	\$ 23.95

## EXTRACTOR SPRINGS, O-RINGS & UPGRADE KITS - Designed

to maintain performance specifications, through extreme duty cycles, and is unaffected by heat up to 750° F. Enhanced 4-Coil springs produce the standard force of a NEW mil-spec



spring and are recommended for use in 18" or longer barrels, especially for folks who retrieve their spent brass for reloading. XP 5-Coil has a heavier spring load than OEM springs and is totally reliable for in 5.56-chambered guns in all barrel lengths, it can be aggressive on case rims in guns with barrels 18" or longer AND may be too strong for bolts with extremely tight bolt face tolerances. It can be used with either a black extractor spring insert or a Viton O-ring - but not both. D-Fender™ rings are NOT recommended for use with 5-Coil extractor springs. AR-308 - Dual-spring setup with an XP 5-Coil outer spring and a separate inner spring. May be used with or without CRANE O-rings, though the O-ring may be required for use in DPMS G2 bolts in full-auto guns. Upgrade Kits include the extractor spring AND an O-ring insert. And what kind of O-rings are they? Viton Crane O-Ring Inserts meet MIL-R-83248C specifications. After searching for - and not finding - a supplier of these true mil-spec O-rings of consistent quality, Sprinco bought their own molds and contracted with top-tier injectionmolding vendors to make the rings for them. These rings actually exceed the current mil-spec performance requirements, so don't settle for "hardware store" rings or foreign imports of questionable heritage and materials.

#943-000-051	Enhanced 4-Coil Extractor Spring, 1 Only, 8T03M99\$4.39
#943-000-052	Enhanced 4-Coil Extractor Spring, 3-Pak, 4P09H99
#943-000-053	<b>XP 5-Coil Extractor Spring,</b> 1 Only, 9U03N95 <b>3.95</b>

#943-000-054	XP 5-Coil Extractor Spring, 3-Pak, 11 08F99.	9.95
#943-000-055		6.95
#943-000-056	<b>AR-308 XP 5-Coil + Inner Spring,</b> 3-Pak, 7R16H99	17.95
#943-000-057	AR-308 Inner Spring for XP 5-Coil Extractor Spring, 3N03G95	3.95
#943-000-060	Upgrade KIT - EP 4-Coil Extractor Spring + O-Ring Insert, 1 Only, 7S04L99.	5.39
#943-000-061	Upgrade KIT - EP 4-Coil Extractor Spring + O-Ring Insert, 3-Pak, 1B11V99.	12.95
#943-000-058	Upgrade KIT - XP 5-Coil Extractor Spring + O-Ring Insert, 1 Only, 8B04T95	4.95
#943-000-059	Upgrade KIT - XP 5-Coil Extractor Spring + O-Ring Insert, 3-Pak, 3M10D99	11.95
#943-000-062	Viton Crane O-Ring Extractor Insert, 1 Only, 6R00K99	1.00
#943-000-063	Viton Crane O-Ring Extractor Insert, 3-Pak, 5Q02J99	3.00
#943-000-064	"Lucky 13" Viton Crane O-Ring Insert, 13-Pak, 6Z12R00	

EJECTOR SPRINGS - Enhanced ejector springs are designed to deliver the load of a NEW mil-spec spring through their entire lifecycle.



They are impervious to heat up to 750° F, so will not degrade due to frequently operating in an "extreme" environment. Made of chrome-silicon wirestock that is heat-treated and stress relieve before winding, then cryogenically processed after winding before receiving the molybdenum disulfide surface treatment. Are these springs worth their small price premium over ejector springs made of "mystery material"? Do you really want to risk finding out?

#943-000-065	AR-15 Enhanced Ejector Spring, 1 Only, 9A03U99	\$ 4.39
#943-000-066	<b>AR-15 Enhanced Ejector Spring,</b> 3-Pak, 8H09Z99	
#943-000-067	<b>AR-308 Enhanced Ejector Spring,</b> 1 Only, 2M03F99	4.48
#943-000-068	<b>AR-308 Enhanced Ejector Spring,</b> 3-Pak, 4X10P99	11.95

**ENHANCED HAMMER SPRING** - Meets MIL-W-13855 specs. Made of 17-7 PH stainless steel that has been heat-treated, stress-relieved, and passivated to precise tolerances. The spring is then cryogenically treated processed and, as



with all Sprinco AR-15 springs, given a molybdenum disulfide coating for reduced surface wear.

#943-000-073 Enhanced Hammer Spring, 5Y03Q99....\$ 4.39

Always Giving You More... That's Value...That's

order on the web

# JP ENTERPRISES AR-15 JPS3.5T ENHANCED RELIABILITY **SPRING KIT**



For Smooth, Light Trigger Pull & Reliable Ignition

Precision-calibrated springs give produce a consistent 3.5 to 4 lb. pull on a

stock JP M15 rifle trigger, while preserving ignition reliability with U.S.-manufactured ammunition. Can also be used with properly prepared (instructions included) mil-spec trigger/hammer components to produce a 4- to 5-lb. pull with a smooth "roll off" feel and good control. Some Spring steel. Kit includes red-coded hammer spring, yellow-cod-

ed trigger return spring, and disconnector spring. Not for use on AR-style .308 rifles; not for defense or duty applications.

#452-000-104 Enhanced Reliability Spring Kit, 



# JP ENTERPRISES AR-15 REDUCED-POWER SPRING KIT

Gives A Smooth, Light Trigger Pull

Lighter springs provide a 3.5 lb. trigger pull when used with JP triggers, and a pull of 4.5 to 5 lbs. when used with standard trigger compo-

nents. Includes hammer spring, trigger return spring, and disconnector spring. Installation instructions also explain engagement surface polishing to obtain a smooth, reliable trigger. SPECS: Steel, yellow-coded hammer and trigger springs.

#452-000-007 JPS3.5 Reduced-Power Spring Kit, 

# STRIKE INDUSTRIES AR-15/M16 LOWER RECEIVER BULK SPRING KIT



Plenty Of Springs For **High-Volume Users** 

Tool box comes with 20 each of the springs required by the following AR-15 lower receiver components: bolt catch, buffer retainer, trigger, hammer, disconnector, magazine release, selector and selector detent. Ideal for department armorers, gun shops and gunsmiths, or anyone else who works on, builds or repairs large numbers of AR-15s. Clear plas-

tic box makes it easy to see the spring you need before you open the lid. Separate compartments to keep springs organized.

#100-014-131 Lower Receiver Bulk Spring Kit, 2H64B29.....\$ 75.99

# CALL OFTEN!!

We'll Be Your Supplier

# WOLFF AR-15/M16 EXTRA-POWER BUFFER SPRINGS

# 

### Extra Juice to Keep the Action Cycling Reliably Even When It's Dirty

Extra-power (XP) action/buffer spring improves reliability and function. Has just a little extra oomph to cycle the action when more fouling is present than is optimal because you're a bit behind on your cleaning regimen. Rifle spring fits AR-15 chambered in .223 with A1/ A2 rifle buffer system; Carbine fits rifles and carbines chambered in .223 with M4-type receiver extension.

#969-165-000 AR-15/M16 Rifle XP Buffer Spring, 9F11I99.....\$15.99 #969-165-010 AR-15/CAR-15 Carbine XP Buffer Spring,

# AFM AR-15/M16 **HEAVY DUTY EXTRACTOR SPRING**

9F12G74....

For Positive, Consistent Extraction Even On Carbines & SBRs

Extra-strong extractor spring increases extractor's grip on case groove and helps ensure reliable,

complete extraction. Especially effective for improving reliability of an AR 15 style carbine, pistol, or short barreled rifle (SBR) where a weak extractor spring can cause extractor lift, leading to failure to fully extract the spent case before the fresh round is fed from the magazine, resulting in a stoppage, Heavy-grade, high-quality spring steel and a proprietary heat-treating process ensure long service life with less weakening over time than ordinary springs.

SPECS: Tempered spring steel. Fits all AR-15/M16/M4-style rifles, car-

#100-004-041 Heavy Duty Extractor Spring, 2C5/99 .... \$ 7.99

# WOLFF AR-15/M16 EXTRA-POWER HAMMER SPRING



**Helps Eliminate Common Ignition** Problems: Great When Using **Ammo With Hard Primers** 

Durable, steel springs provide extra hammer power to ensure proper ignition. Replaces factory spring.

SPECS: Steel, Approximately 23/32" (18.2mm) wide, 2" (5.1cm) long. #969-000-100 XP AR-15 Hammer Spring, 9F5M24 . . . . . \$ 6.99

**#969-000-101** XP AR-15 Hmr Spring, 3-pak, 9F11H99 . . . **15.99** #969-000-102 XP AR-15 Hmr Spring, 10-pak, 9F25J49 . . 33.99

# WOLFF AR-15/M16 EXTRA POWER EXTRACTOR SPRING

Improves Extraction & Ejection Reliability

Stronger spring prevents "extractor bounce" during rapid semi-auto or full-auto fire. Provides extra force against case rim to give AR-15 rifles and carbines reliable extraction from a dirty chamber; ensures fired case is completely extracted and ejected from gun. Recommended for use with black, carbine, extractor spring insert.

#969-000-032 AR-15/M16 XP Ext. Spring, 3-pak, 9F11P24. . \$ 14.99

# TTI INTERNATIONAL CUSTOM SHOPPE AR-15/M16 REDUCED POWER ACTION KIT



Lighten AR-15/M16 Trigger Pull

Three-spring kit lightens trigger pull

and smoothes letoff. Drops in, requires no modifications to gun. SPECS: Stainless steel, spring steel. Kit includes hammer, trigger, and disconnect springs. Fits AR-15/M16.

#989-000-001 Reduced Power Action Kit, 9H6Q74.... \$ 8.99

# JP ENTERPRISES AR-15/M16 **TUNED BUFFER SPRING**

# Extra Power For Smoother, Quieter, More Reliable Cycling

Flat music wire buffer spring delivers 7% more compression tension than a factory-spec spring for a longer operating lifespan, more reliable cycling, and elimination of the "raspy" noise during cycling. After extensive testing, the folks at JP concluded that the extra power produces a faster, more controllable recoil impulse and enables the weapon to press fully into battery with even with a lot of fouling present. Outer-diameter is ground and polished for smooth,

quiet movement in the buffer tube. SPECS: Steel, polished finish. Rifle - 13<sup>1</sup>/<sub>4</sub>" (34cm) long. Fits fixed stock rifles with A1/A2 buffer tube. Carbine - 113/4" (30cm) Iong. Fits carbine buffer tube for M4-type collapsible stocks.

#452-000-118 Tuned Buffer Spring, Rifle, 2E18E04.....\$ 18.99 #452-000-119 Tuned Buffer Spring, Carbine, 2E18199 . . 19.99

# NEMO ARMS AR-15/M16 .300 AAC BLACKOUT CARBINE **BUFFER SPRING**

# Reduced Power Spring For Sub-Sonic Loads

Specially-engineered spring is designed to optimize performance of AR-15s with 16" barrels chambered for .300 AAC Blackout and carbine-length gas systems. Specifically helps produce reliable function with sub-sonic ammunition. An effective and easy way to cure short cycling in under-gassed guns. SPECS: 17-7 stainless steel.

#100-011-674 .300 BLK Buffer Spring, 6C14E44...... \$ 16.99

# $\mathcal{M}$

# WOLFF AR-15/M16 -REDUCED POWER ACTION SPRING

# Helps Reduce Bolt "Bounce" For Improved Feeding

High-quality, reduced power, action spring helps cure feeding problems caused by excessive bolt "bounce" in fixed-stock rifles configured for 3-shot burst or full-auto modes of fire. Helps shoot-

# LUTH-AR AR-15/M16/AR-308 **RECOIL BUFFER SPRINGS**

# \$MMMMAAAAAAAA I

High-Grade Springs Help Your Rifle Cycle Reliably

Luth-AR recoil buffer springs are spiral-wound, compressiontype springs that provide the necessary power to cycle the recoil buffer efficiently and keep your AR running smoothly. Other manufacturers offer exotic springs, "extra power," and whatnot - Luth focuses on producing standard mil-spec, spiral-wound, tempered stainless steel springs with neat "finished" ends that provide exactly the right amount of spring force your AR-15 rifle or carbine was designed to operate most efficiently with. "If it ain't broke, why fix it," right? Separate models for AR-15 and AR-style .308s, and separate carbine (for guns with M4-style adjustable stocks) and rifle (fixed A1/ A2-type stocks) buffers.

#100-028-015 AR-15 Rifle Buffer Spring, 3D3H19..... \$ 3.99 #100-028-014 AR-15 Carbine Buffer Spring, 3D3N99 ... 4.99 #100-028-025 AR-308 Rifle Buffer Spring, 3D00DSH ... 6.99 #100-028-026 AR-308 Carbine Buffer Spring, 3D5G39.. 5.99

# SUPERIOR SHOOTING SYSTEMS AR-15/CAR-15/AR-STYLE.308 CHROME SILICON SPRINGS

# 

### Flat Wire Construction For Maximum Reliability & Performance

These flat wire, high-quality action/buffer springs from champion shooter David Tubb will perform flawlessly and are duty rated for 500,000 compression cycles at maximum performance. Made to "extra pwer" specs without the extra material, these springs are surprisingly lightweight, yet extremely durable. Gives correct timing and resistance on the recoil stroke and a controlled reboujnd ensures reliable feeding with consistent forward thrust on every shot. Keeps the bolt locked a little longer to allow pressure more time to subside for perfect cycling.

SPECS: Chrome silicon steel. AR-15 fits both fixed and collapsible stocked AR-15 rifles and carbines without modification to spring or gun. AR-308 fits standard-length AR-style .308 rifles only.

#840-000-048 AR-15 CS Buffer Spring, 4H23G79 . . . . \$ 27.99 #840-000-047 AR-Style .308 CS Buffer Spring, 4H26H34.....

AR-15/CAR-15 EXTRACTOR/EJECTOR SPRING SET - Replacement, drop-in fit chrome silicon extractor and ejector springs from David Tubb provide long term durability and up to 80% more power than factory springs in AR-15 rifles. Precision manufacturing and high quality steel give extremely consistent compression cycle for smooth operation over thousands of rounds.

SPECS: Chrome silicon steel.

#840-000-051 CS Extractor/Ejector Spring Set. 

ers fine-tune action cycling for light, target/varmint loads in semiauto rifles.

SPECS: Tempered, spring steel, Fits ,223 cal, AR-15/M16 rifles with fixed A1/A2 rifle stocks. Not for use in adjustable stock carbines.

#969-000-140 Reduced Power Action Spring, 9F11D99 .. \$ 15.99

GUARANTEED. FOREVER.® **SINCE 1939** 

**BROWNELLS**, PAGE 44

Office/Tech: 641-623-5401

# **AERO PRECISION** AR-15/M16/AR-308/EPC-9 **RECOIL BUFFERS**



Sometimes We All Need a Buffer from AR-15 **Cycling Problems** 



Aero offers a selection

of different-weight buffers that are perfect for a scratch build or a direct replacement for a worn out part in your Old Faithful carbine or rifle. **AR-15 Rifle** buffer fits A2 or A4 type rifles with a fixed RIFLE buttstock. Weighs 5 oz. The mil-spec 3 oz. Carbine buffer is for use in AR-15 carbines with an M4-type collapsible buttstock and corresponding receiver extension. The 4 oz. H Buffer has extra weight to reduce felt recoil and reduce the cycling rate on full-auto rifles. For use in AR-15 carbines with an M4-type collapsible buttstock and carbine receiver extension. H2 Buffer weighs 4.65 oz. and provides even more weight to tame felt recoil and cyclic rate. H3 Buffer has three Tungsten weight inside and weighs 5.4 oz. to provide maximum felt recoil and cycling rate reduction. NOTE: Use caution when installing a heavier buffer in your AR-15, as a buffer that's too heavy can impair reliable function. AR-308 Rifle buffer weighs 5.4 oz. and is for use in .308 rifles with a fixed A2 buttstock. Will not work in AR-308 carbines or AR-15 platform firearms. AR-308 Carbine buffer weighs 3.8 oz. and is meant for use in AR-308 rifles fitted with an M4-type collapsible buttstock. Its short length is specific to .308 carbines and will not work in AR-308 rifles or AR-15s. EPC-9 Buffer is meant ONLY for use AR-15s chambered in 9mm Luger and fitted with Aero's Enhanced Carbine Buffer Tube, 7.7 oz. weight. AR-308 carbine buffer spring recommended for use with this buffer. Do not use in standard AR-15 firearms, as this buffer's extra weight and 4.2" length will not allow proper cycling. Can be used in PCCs chambered in .40 S&W, 10mm Auto, or .45 ACP, but a heavier buffer spring will be required. Also available: **EPC-9 Buffer Kit** that includes EPC buffer, Enhanced Carbine Buffer Tube, AR-308 carbine buffer spring, mil-spec receiver end plate, and castle nut.

#100-054-345	AR-15/M4 Carbine Buffer, 7R12D99	\$ 13.99
#100-054-349	AR-15 Rifle Buffer, 6B00GHJ	19.99
#100-054-346	AR-15/M4 H Carbine Buffer, 4X24K99	24.99
#100-054-347	AR-15/M4 H2 Carbine Buffer, 8H34V99	34.99
#100-054-348	AR-15/M4 H3 Carbine Buffer, 1K44X99	44.99
#100-054-351	AR-308 Rifle Buffer, 7C00KLM	24.99
#100-054-350	AR-308 Carbine Buffer, 1N37A99	37.99
#100-054-506	<b>EPC-9 Buffer 7.7 oz.,</b> 9J29W74	29.74
#100-054-507	<b>EPC-9 Buffer Kit 7.7 oz.,</b> 8E63S74	63.74

# D.S. ARMS AR-15/M16 **CARBINE RECOIL BUFFER**



Standard Weight Buffer Replaces Or Upgrades **Worn Part** 

Carbine-size, 3 oz. recoil buffer delivers enhanced reliability and smooth cycling.

With three steel weights encased in an anodized aluminum housing, this low-mass buffer ensures the bolt carrier consistently travels fully to the rear. Fits any AR-15/M16 with receiver extension (buffer tube) for M4-style adjustable buttstock.

SPECS: Anodized aluminum housing, polymer cap. 31/4" (8.3cm) OAL. 3 oz. (85g) wt

#274-000-023 Standard Weight Carbine Recoil Buffer, 

# COLT AR-15/M16 HEAVY BUFFER

Helps Rifle Cycle Reliably

Extra weight extends dwell time and slows down the cycling of the rifle for more reli-



able cycling in rifles with short gas systems. Also helps soften felt recoil and reduces bolt bounce in full-auto fire. Designed for use in rifles with M4 carbine-type receiver extension (buffer) tube and carbine buffer spring. An easy, fast way to fix cycling problems! SPECS: Aluminum exterior with Tunsten and steel weights inside. H2 is 4.6 oz.; **H3** is 5.4 oz. Replaces standard M4-type carbine buffer; must be used with a carbine buffer spring.

#160-307-200	H2 Heavy Buffer,	6A45L59	\$ 47.99
#160-000-394	H3 Heavy Buffer.	6A59L84	62.99

# **FM PRODUCTS AR-15** FM-45 PISTOL BUFFER



Keeps Your .45 AR Pistol or PCC Cycling Smoothly -With Less Felt Recoil


The heavy FM-45 buffer weighs 8 oz. for use in "AR-45" pistols and PCCs chambered in .45 ACP. This is the correct weight to ensure your blowback operated, pistol-caliber AR-15 cycles reliably and smoothly. Extended-length buffers do not require any spacers, plus it helps prevent bolt catch breakage. Internal Tungsten weights help cut down "bolt bounce" and improve reset on trigger. A salt bath Nitride Melonite/QPQ finish enhances lubricity and wear-resistance.

#100-035-371 FM-45 Ex-Heavy Pistol Buffer, 6D00BKL.. \$ 36.99

# **FM PRODUCTS** FM-9 EXTRA-HEAVY PISTOL BUFFER

Aids in Reliable Cycling of





of any blow-back operated AR-15 pistol action. With its extended length, this buffer requires no spacer and helps prevent bolt catch breakage. By installing this buffer, you'll enjoy smoother function, less felt recoil, and reduced rate of fire from your AR pistol. Compatible with any carbine bufer tube and all blow-back 9mm upper receivers. Salt bath Nitride Melonite/QPQ finish gives lubricity and wear-resistance. Heavy 6.5 oz. (pistol) weight is one full ounce heavier than a Colt H3 buffer! Foxtrot Mike's buffer is the secret ingredient to make your AR-15 pistol reliable and smooth-cycling.

#100-024-850	AR-15 Heavy 9mm Pistol Buffer,	
	6D18Q69	\$ 21.99

# 0

# GEISSELE AUTOMATICS AR-15/M16 -**SUPER 42 BUFFER & BRAIDED** WIRE SPRING




Tough, Durable Spring Enhances Rifle's Reliability

The Geissele Super 42 Spring improves the function and reliability of your AR-15 pattern rifle. Its unique spring design uses three independent strands of wire, just like the German MG42 Machine

# **HEAVY BUFFERS CAR-10 RECOIL BUFFER**

### Lets You Put An AR-15 Collapsible Stock On Your AR-308



AR-15 stock on an AR-style .308 rifle.

Correct weight to ensure proper bolt movement and reliability for .308 rifle. For maximum reliability, use with 308 Carbine Buffer Spring, sold separately below. Fits AR-308 rifles from ArmaLite, CMMG, DPMS, Remington, Knight's Armament, LMT, Larue, Patriot Ordnance Factory, Mega, and Fulton Armory. Not for use in early Rock River Arms, Bushmaster, or any AR-308 that uses an FAL magazine. Use with M4/CAR-type carbine collapsible stock receiver extension tubes only; not for use in any rifle-length extension tube. SPECS: 303 stainless steel with tungsten internal weight 5½ oz wt

#100-007-353	CAR-10 Recoil Buffer, 9B115E59\$ 13	5.9
#100-007-354	308 Carbine Buffer Spring, 9B19G54 2	2.9

# JP ENTERPRISES AR-15 JPSCS SILENT CAPTURED **SPRING SYSTEM FOR LAW TACTICAL** FOLDING STOCK ADAPTER



Get the Benefits of the SCS on Any AR Fitted With the Law Tactical Folder

Law Tactical's Gen 3-M

Folding Stock Adapter brought to the AR-15 platform something that had been difficult if not impossible to achieve since its inception: a straightforward, reasonably priced, reliable way to put a FOLDING stock on it. AR fans have embraced the "Law Folder" in droves (the Brownells Purchasing Dept. works hard to keep 'em in stock!). But until now you couldn't combine the Law unit with the JP Silent Captured Spring System. The folks at JP have developed this version of the SCS for Law Folder equipped rifles that delivers true duty-level durability and reliability standards. This kit contains everything you need to drop a JPSCS into an existing Law Tactical folding stock adapter setup, including a complete JPSCS assembly, SCS buffer retainer and spring, bolt carrier extension, spacer shims. and - oh yeah - installation instructions. Available with standard  ${\bf H}$ 

<b>Buffer</b> weight or h	eavy <b>H2 Buffer</b> weight.		
#452-000-282	AR-15 JPSCS for Law	Folder, H	
-	Buffer, 2E172H90		\$ 195.95
#452-000-283	AR-15 JPSCS for Law	Folder, H2	
•	Buffer, 2E216P13		244.95
CONVERSION KIT	Γ - Want to put	400	

a Law Folder on an AR already fitted with a JPSCS? Then you need this: the SCS Law Folder Conversion Kit converts an existing JPSCS unit for use with a Law Tactical Gen 3-M. It con-

tains an alternate SCS mass slider, SCS buffer retainer and spring, bolt carrier extension, and spacer shims, plus replacement SCS O-rings, snap ring, and slider retention screw. Instructions, too.

#452-000-286	JP-SCS Law Tactical Conversion Kit,
_	2E88E19\$ <b>99.95</b>

Gun, making it act as a harmonic damper and energy absorber by allowing the springs to flex separately from each other. This flex helps displace excess energy which decreases the chance of spring failure and assists with making your AR-15 more reliable.

#100-020-750	Super 42 Braided Wire Spring & Buffer,	
#100-050-130	Super 42 braided wire spring o burier,	
	7B61N99	\$ 65.00

# JP ENTERPRISES AR-15/AR-308/AR-9 JPSCS SILENT CAPTURED **SPRING SYSTEM GEN2**

Eliminates Annoying, Raspy Buffer & Spring Noises

Drop-in captured-spring recoil system helps your AR function more smoothly and



quieter without any permanent modifications. The carefully balanced, custom-ground buffer spring, combined with the JP LMOS buffer, greatly reduces friction and vibration - say goodbye to the annoying "spoon over a cheese grater" noise of conventional springs and buffers. Fits buffer tubes for both M4-style collapsible stocks and also, using the included spacer, the longer tubes for fixed rifle stocks. Heavy Mass (H) models are optimized for short-barreled rifles (SBRs), suppressed weapons, rifles that use an H2/H3 buffer, select-fire rifles, and piston-operated rifles. Auxiliary Spring Rate Kit allows you to fine tune the JP Silent Captured Spring System. Simply replace the original JPSCS spring with a slightly different spring rate from the kit to get the optimum performance from your rifle. Ideal for rifles without an adjustable gas block. Extra spring packs sold separately.

AR-308 model works in a standard 7" M4 carbine extension tube on rifles like the DPMS LR-308. It will function on an Armalite rifle with the standard M16 receiver extension and rifle-length stocks when you install with the supplied spacer. Armalite's .308 carbines use a slightly longer, non-standard carbine extension tube; you must either modify the spacer to fit OR install a standard 7" .223 carbine extension tube. AR-9 model is for pistol caliber carbines (PCCs) chambered in 9mm Luger. Short Stroke delivers reliable buffering but with a shorter overall stroke, ideal for competitors who want snappier cycling with minimal felt recoil thanks to the shorter stroke. Because of its shorter travel, this model will not actuate the bolt catch on 9mm carbine receivers such as the GMR-15™.

DOLL CALCIT OIT JIIII	in carbine receivers such as the arm 15	
#452-000-209	AR-15 JPSCSS Gen2, 2E132N99	\$ 139.9
#452-000-210	AR-15 JPSCSS Gen2 w/Aux Spring Kit, 2E146F19	171.9
#452-000-211	AR-15 JPSCSS Gen2 w/H2 Buffer, 2E172J89	181.9
#452-000-212	AR-15 JPSCSS Gen2 w/H2 & Aux Spring Kit, 2E199A49	209.9
#452-000-213	AR-308 JPSCSS Gen2, 2E120N69	141.9
#452-000-214	AR-308 JPSCSS Gen2 w/Aux Spring Kit, 2E139A39	163.9
#452-000-215	AR-308 JPSCSS Gen2 w/H2 Buffer, 2E174B79.	183.9
#452-000-216	AR-308 JPSCSS Gen2 w/H2 & Aux Spring Kit, 2E191N89	201.9
#452-000-267	AR-9 JPSCSS Gen2, Short Stroke Standard, 2E161F49	169.9
#452-000-268	AR-9 JPSCSS Gen2, Short Stroke 5H2 Heavy, 2E161K49	189.9

# **DOUBLE STAR AR-15/M16** TWANG BUSTER

Stops Annoying Buffer Noise During Recoil

Low-friction Delrin disk fits on the end of the buffer spring, opposite the buffer, and stops the annoying "twang" of the buffer hitting the rear of the receiver extension during recoil. Quick, easy installation, with no permanent alterations to gun. Simply remove buffer and spring, insert Twang Buster, then reinstall buffer and spring.

SPECS: Machined Delrin thermoplastic, black. Fits A2 rifle and M4-style carbine buffer spring/receiver extension tubes.

**#100-005-392** Twang Buster, 2Z5J09.....\$ 5.99

order on the web

# JP ENTERPRISES AR-15/M16 LOW-MASS RECOIL BUFFER



### Reduces Recoil Impulse For Precision Competitive Shooting

Lightweight, aluminum alloy buffer reduces the reciprocating mass of the operating system to reduce the overall recoil impulse felt by the shooter. Helps the competitive shooter keep the sights on the target for precise follow-up shot placement and tight groups. Designed for competition rifles with full-length receiver extension tubes and lightweight titanium or aluminum alloy bolt carriers, as well as any conventional mil-spec carrier where reduced mass is desired. Combine with a lightweight carrier to virtually eliminate felt recoil and increase bolt velocity without significantly impairing

SPECS: Aluminum, anodized, red. 3 oz. (86g) wt. Fits AR-15 chambered in .223/5.56mm with rifle-length receiver extensions for fixed buttstock. For competition only; not recommended for duty weapons.

#452-000-063 Low-Mass Recoil Buffer, 2E54N14..... \$ 56.99

# KYNTEC AR-15/M16/AR-STYLE.308 KYNSHOT RECOIL DAMPER

### Reduces Felt Recoil & Helps Keep You On Target

The KynSHOT™ damper is a drop-in replacement for vour rifle's standard recoil buffer that uses an internal hydraulic system to reduce felt recoil. Makes your rifle more comfortable to shoot, easier to control, with less muzzle rise on each shot for better shot-to-shot accuracy and tighter groups. The KynSHOT also slows cyclic rate on full-auto rifles, allowing the shooter to conserve ammunition, while decreasing wear and tear



on the gun. Easy installation requires no permanent modifications to your rifle; switch back to the standard buffer any time. Made of high-grade stainless steel throughout, with a slick, high-polish finish that aids in lubricity and won't attract dirt and fouling. Permanently sealed to keep the high-performance hydraulic oil inside, where it belongs. Oil is formulated to maintain optimal performance through a wide range of temperature extremes.

SPECS: 17-4 stainless steel, sealed hydraulic cylinder, High-impact striker cap. Nickel-plated cylinder rod. AR-308 Shorty Carbine fits DPMS M4style AR-308 stocks that use a 2.5" buffer. DO NOT USE ON Armalite® AR-10°, as damage to upper and lower receivers can occur. AR-308 Standard Carbine fits Armalite AR-10 carbine. Does not fit shorter DPMS carbine tubes. AR-9 for use in AR pistols and pistol caliber carbines chambered in 9mm Luger (9x19mm) with barrel lengths between 3.5" and 16". #100-014-774 AR-15 Carbine KynSHOT 30001115 \$ 110 00

#100-014-//4	AK-15 Carbine KynshO1, 3CUULUS	119.93
#100-014-775 🔘	AR-15 Fixed A1/A2 Stock KynSHOT, 3C00CTR.	134.99
#100-014-777 🔘	AR-308 Standard Collapsible Stock KynSHOT, 3C00JUJ	129.99
#100-014-776 🔘	AR-308 Shorty Collapsible Stock KynSHOT, 3C00QNQ	129.99
#100-014-778 🔘	AR-308 Fixed Stock KynSHOT, 3C00CWK	134.99
#100-033-218 🝅	AR-9 9mm PCC KynSHOT, 3C00EQG	134.99

# LUTH-AR AR-15/M16/AR-308

# RECOIL BUFFERS



Due to the AR-15's sensitive direct impingement operating system, a recoil buffer of the wrong weight can seriously hose up the reliability and cyclic smoothness of your rifle or carbine. That's why Luth-AR offers direct replacement buffers designed to work in a variety of AR configurations. They work with factory recoil springs to cushion carrier impact, lessen felt recoil, and minimize the overall beating your rifle and optics endure when shooting. These buffers have aluminum alloy bodies with shock-absorbing synthetic material on the tip and sliding tungsten or steel weights inside. If you're having trouble getting your rifle to cycle reliably, the solution may be as simple (and inexpensive) as changing the buffer! Rifle buffers are available for both AR-15/M16 and AR-style .308 platforms. AR-15 carbine buffers are available in several "flavors," including the Standard weight (3.2 oz.), plus three heavier weights: H1 with 1 tungsten and 2 steel weights (4 oz.), H2 with 2 tungsten and 1 steel (4.8 oz.), and H3 weighing in at 5.6 oz. (3 tungsten inside). The AR-308 Carbine buffer is 2.485" long and

	and the <b>AR-308 Rifle</b> buffer ( $5^{1}/_{4}$ " long) is 5.4 oz.	
#100-028-016	<b>AR-15 Rifle Buffer,</b> <i>3D16N79</i> \$ <b>2</b> 0	0.99
#100-028-017	AR-15 Standard Carbine Buffer, 3D11K191	3.99
#100-028-018	<b>AR-15 Heavy Carbine H1 Buffer,</b> 3D24F79	0.99
#100-028-019	AR-15 Double Tungsten H2 Buffer, 3D35C694	1.99
#100-028-020	AR-15 Triple Tungsten H3 Buffer, 3D45E04	2.99
#100-028-027	AR-308 Rifle Buffer, 3D25P59 3	1.99
#100-028-028	AR-308 Carbine Buffer, 3D30H39 3	7.99

PRIMARY WEAPON SYSTEMS AR-15/AR-308

ENHANCED STEEL-BODY CARBINE

new calibers and styles of AR-pattern firearms now being produced,

custom-built, and/or modified by Black Rifle (and Pistol) fans. These

buffers are made of heavy 4140 carbon steel with a fluted surface to

that helps prevent debris from jamming up the buffer's movement.

Also reduces the physical contact area between buffer and inside

of the receiver extension (aka "buffer tube") to promote faster, more

reliable cycling. The black finish is an FNC LIFE HD treatment with

lubrication chemically bonded in it to further ensure smooth, easy

movement of the buffer. Choose the weight that gets your carbine/

pistol/SBR cycling reliably: H2 (4.4 oz. - standard weight), H4 (6.8 oz.

- suppressor weight), AR-308 Short H2 (4.4 oz.), and Extended 9mm

**PCC** for AR pistol, pistol caliber carbine, or SBR (6.3 oz.). **H4** provides

4B40H84....

excellent weight for use with sound suppressors.

#100-031-926 5.56 Carbine H2 Recoil Buffer - 4.4 oz.,

#100-031-930 AR-308 Short H2 Recoil Buffer - 4.4 oz.,

#100-031-928 5.56 Carbine H4 Recoil Buffer - 6.8 oz...

#100-031-927 5.56 Carbine H3 Recoil Buffer - 5.1 oz.,

**BUFFER** 

Get the Right Buffer Weight

To Do the Job Reliably!

of weights to accommodate the many

PWS carbine buffers come in a variety

# **BUFFER** Easily Adjust Buffer Weight To Ensure

Reliable Cycling of Your Rifle -NO Need To Buy a Whole New Buffer!

> When you have problems with your AR's cycling reliability, the solution often comes down to changing the weight of the recoil buffer. Traditionally, that has meant buying a whole new buffer assembly - and

eventually having a bunch of old buffers sitting around. Odin's buffer uses a set of weights that you can swap in and out of the buffer to get a weight that's right for your rifle, the type of ammo you're shooting, and the type of shooting you're doing. Competition shooters like to use the lightest buffer possible to keep felt recoil to a minimum while maintaining reliable cycling. For law enforcement, military, and personal defense applications, you'll want a little extra weight to bolster reliability. There are buffer assemblies for AR-15 (light and heavy weight options), AR-308s, and 9mm PCCs. For even greater adjustment, you can even buy spare weights. Each kit comes with the necessary hex key wrenches to disassemble the buffer unit.

ODIN WORKS AR-15/AR-308/AR-9

**ADJUSTABLE CARBINE RECOIL** 

NOTE that these a	re CARBINE buffers. 🗮	
#100-036-211 🔘	<b>AR-15 Heavy Adjustable Buffer,</b> 3.7 to 5.8 oz., 4A39A94	\$ 46.99
#100-036-212	AR-15 Light Adjustable Buffer, 2 to 4.2 oz., 4A39M94	46.99
#100-036-210	<b>AR-308 Adjustable Buffer,</b> 3.45 to 4.65 oz., 4A39K94	46.99
#100-036-209	<b>9mm AR-15 Adjustable Buffer,</b> 5.4 to 7.4 oz., 4A51F84	60.99
#100-036-208	Extra Tungsten Weight & Spacer, 4A474854G20	14.99

# 17 DESIGN & MFG. AR-15 **HEAVY RECOIL BUFFER FOR** INTEGRATED FOLDING LOWER

# **RECEIVER**

during a buffer change.

Use When Extra Buffer Weight Is Needed on Your IFLR-Equipped AR



SPIKE'S TACTICAL AR-15/M16 **CARBINE RECOIL BUFFERS** 

Helps Control Felt Recoil & Bolt Bounce



Machined aluminum recoil

buffer comes in three weights, so you can select the buffer that gives the best combination of recoil control and reliability in your carbine with an M4-type adjustable stock. All have a mil-spec polyurethane bumper, durable hard-anodized finish, and the Spike's logo. ST-T1 is a standard-weight (3 oz.) buffer filled with low-density tungsten powder (LDTP) that eliminates the noise and shock caused by the hard reciprocating weights found in the original-style factory buffer. Aids in smoother cycling and helps minimize bolt bounce. ST-T2 is filled with high-density tungsten powder (HDTP) for extra weight (4.1 oz.) behind the carrier to reduce cycle rate. Help you stay on target in rapid-fire semi-auto operation and improves controllability in full-auto, ST-T3 gives the most aggressive reduction of felt recoil and bolt bounce with ultra-dense tungsten bar stock weights inside (5.4 oz.) for maximum recoil control in full-auto mode, suppressed weapons, or rifles that suffer from overgassing.

SPECS: Aluminum, hardcoat anodized, black. Polyurethane bumper. 31/4 (8.2cm) long. ST-T1 - 3 oz. (85g) wt.; ST-T2 - 4.1 oz. (117g) wt.; ST-T3 -5.4 oz. (153g) wt. Fits AR-15 carbines with M4-type collapsible stock only.

#100-008-580	ST-T1 Standard Weight Buffer,	
	3B30B59	\$ 35.99
#100-006-812	ST-T2 Heavy Buffer,	
	3B35L09	38.99
#100-008-581	ST-T3 Extra-Heavy Buffer,	
	3B41N79	43.99

H1 & A5 H2 buffers are specifically for guns fitted with the Vltro A5 extended receiver extension/buffer system. #100-042-458 IFLR H2 Heavy Buffer, 5R31E99...... \$ 35.00 #100-042-459 IFLR A5 H1 Heavy Buffer, 7T31G99..... 35.00 #100-042-460 IFLR A5 H2 Heavy Buffer, 6S31F99..... 35.00

The buffers are specifically designed for use in the 17 Design

Integrated Folding Lower Receiver. They are sometimes needed on

short-barreled AR-15 pistols or SBRs or just to smooth out operation

even on carbines. The **H2** buffer matches the standard-issue buffer

weight used on U.S. military M4 carbines. An H1 buffer is in the works

at 17 Design but not yet available as this catalog goes to print. A5

SONS OF LIBERTY GUN WORKS AR-15/M16

**RECOIL BUFFERS** 

carbine buffers are for guns fitted with a collapsible M4-style carbine

stock. They provide extra weight beyond the standard "mil-spec" M4

buffer to soften felt recoil or slow down the rate of a full-auto gun.

Rifle buffer is standard for guns fitted with fixed A1 or A2 rifle stock

and recoil system. **Buffer Retainer** also available, in case it gets lost

#100-045-034 AR-15 Rifle 4.8 oz. Buffer, 6N26E99. . . . 29.99

#100-045-015 AR-15 Buffer Retainer, 7X03P99...... 3.99

#100-045-032 AR-15 H2 Carbine 4.8 oz. Buffer,

#100-045-033 AR-15 H3 Carbine 5.4 oz. Buffer.

Choose the Correct Type/

Weight for Your AR

Keeping with

SOLGW's approach

of "not fixin' what

ain't broken," these

are mil-spec style

buffers. H2 and H3

# VLTOR AR-5/M16 **A5 RECOIL BUFFER**

Correct Buffer To Use With A5 Stock/Receiver Extension

> Specifically developed at the request of the United States Marine Corps, Vltor's A5 Buffer System is regarded as one the most

beneficial reliability upgrades for the AR-15 carbine. It helps tame felt recoil and enhances reliability in cycling. It does, however, require a specially weighted buffer. The A5 buffer is only compatible with other Vltor A5 buffer system components. It is longer than standard carbine buffers, so it cannot be used in standard M4 carbine receiver

#100-042-339 A5H4 Recoil Buffer - 6.83 oz., 6B56G99. . \$ 59.99

# AERO PRECISION AR-15/M16/AR-308 **BUFFER RETAINER & SPRING**

Small, Easy-To-Lose Part; Have Spares on Hand

CMMG's buffer retainer is available alone, or with the necessary spring. Small and inexpensive, so why struggle with a worn-out retainer on your rifle



that makes it a roll of the dice as to whether the buffer is going to stav in the receiver extension (buffer) tube?

#100-044-643 AR-15 Buffer Retainer & Spring,			
		6Y02K99	3.35
	#100-044-616	AR-15 Buffer Retainer ONLY, 6B00GHJ	1.85

# LUTH-AR AR-15/M16 RECOIL BUFFER RETAINER



Keeps the Buffer & Spring Where They Belong - in the Buffer Tube

Small hardened steel pin fits inside the lower receiver to capture the buffer and buf-


fer spring. Parkerized steel part: fits all makes and models of AR-15/ AR-style .308, rifles, carbines, fixed stocks, adjustable M4-stocks you name it, all these ARs need this pin to keep the buffer where it belongs. A small nub on the upper surface retains the buffer, while a recess in the bottom accepts the retainer spring (spring sold separately, below).

#100-028-034	AR-15 Recoil Buffer Retainer, 3D1/59	1.99
#078-101-117	<b>AR-15 Buffer Retainer Spring,</b> each, 8G2L24	2.99

# V SEVEN WEAPON SYSTEMS AR-15/M16 **TITANIUM BUFFER RETAINER**

Won't Fail Due to Corrosion

Constructed from Grade 5 Titanium, V Seven's buffer retainer is 100% non-corroding, with a stainless steel that's



small but critical part giving out and leaving you in the lurch. All this strength, yet it weights a mere 1.1 grams - one-half the weight of the standard part. Fully compatible with mil-spec lower receivers.

#100-500-041	AR-15 Buffer	Retainer Ti Raw.

7G00MWC		\$ 10.99
---------	--	----------

# **BROWNELLS** AR-15/M16 STANDARD CHARGING HANDLE



Basic Mil-Spec Style Charging Handle Gets the job Done

Sometimes

need fancy, sometimes basic is right for the job. Our economically priced standard AR-15 charging handle is machined from 6061 T6 aluminum, and has a durable matte black anodized finish. Insert it into your rifle, pull back and chamber a round - what could be simpler? #078-101-153 AR-15 Charging Handle, 3C17Q24..... \$ 22.99



# AERO PRECISION AR-15/M16/AR-308 CHARGING HANDLES

Choose from Mil-Spec. Ambidextrous & "Breach" Models

Aero's charging handles are made of extra-strong 7075 T6 aluminum alloy, with a black hardcoat anodized finish to resist surface wear and the Aero logo in contrasting white. Get it in a standard.



tried-and-true Mil-Spec configuration or an enhanced Ambidextrous configuration with easy-to-locate latches on either side that make charging your weapon equally easy with your strong hand or support hand, depending on circumstances. Ambidextrous Breach models have a gas-deflection shelf that directs gas away from the shooter's face when shooting with a silencer installed on the gun. Cuts help carbon fouling and debris clear upper receiver to enhance your rifle's reliability. Latch system is designed to take the strain of operation off the roll pins and direct it into the charging handle body. This enhances the handle's overall robustness and overcomes the weakness of many "ambi" charging handle designs: a higher failure rate. Available with small or large latches. AR-308 models fit Aero

Precision M5 ar	nd DPMS LR-308 pattern rifles. 🚞	
#100-054-359	AR-15 Mil-Spec Charging Handle,	
	7A20N99	\$ 20.99
#100-054-360	AR-15 Amb Charging Handle, 9Q79C99.	79.99
#100-054-361	AR-308 (M5) Amb Charging Handle, 2S89E99	89.99
#100-041-810	AR-15 Breach Amb Charging Handle, Small Levers, 7D71R99	71.99
#100-041-811	AR-15 Breach Amb Charging Handle, Large Levers, 5B71P99	71.99
#100-041-812	AR-308 Breach Amb Charging Handle, Small Levers, 5Y80L99	80.99
#100-041-813	AR-308 Breach Amb Charging Handle, Large Levers, 4K80X99	80.99

# 0

# **BRAVO COMPANY AR-15/M16 BCM GUNFIGHTER GEN2 CHARGING HANDLE**

Runs as Hard as You Do - Easy To Locate & Operate - Ambidextrous Model Available



The BCMGunfighter Gen 2 charging handle preserves the enhanced performance of BCM's original "tactical" AR-15 charging handle - with multiple improvements that make it even easier to 3X3/4X4 Closeup operate, more reliable, and yes, unique-looking. The updated Gunfighter continues to provide a larger grasping surface than a mil-spec handle, coupled with a smaller overall profile, while it eliminates the risk of breaking the latch roll pin when you yank the handle with some "oomph."

The Gen 2's redesigned geometry takes the stress off the latch pin and redirects it into the far stronger T-handle itself. The result is a straighter pull that keeps the energy closer to the centerline of the rifle, so you don't twist the handle, risking a break, especially when operating the charging with your supporting hand. Beveled edges provide an easy-to-grasp, while a top shield prevents gas from blowing back into your face when running the gun with a silencer. Robust forged 7075 T6 aluminum construction and Mil-A-8625F, Type III, Class 2 hardcoat anodized for enhanced surface strength. Fits all mil-spec direct impingement AR-15 upper receivers. Not compatible with adjustable gas keyed bolt/carrier groups. Standard Gen 2 latch is available in Mod 3B (large latch) and Mod 4B (medium latch) configurations. Plus, there's an Ambidextrous version in 3X3 (large latch) and 4X4 (medium latch) configurations. Whichever model you choose, it is sure to improve the reliability, ease of operation, and yes, looks of your AR-15.

SPECS: 7075 T6 aluminum, mil-spec Type III hardcoat anodized, matte

DIACK HITISTI. 07/8	(17.3CIII) O.A.L.		
#100-027-144	Mod 4B Charging Handle,	1E00IRI\$	39.95
#100-027-145	Mod 3B Charging Handle,	1E00EJA	39.95
#100-027-146	Mod 4X4 Ambd Charging I	Handle,	
	1E00MCG		56.95
#100-027-147	Mod 3X3 Ambd Charging I	Handle,	
	1E00MMG		56.95

# GRIP-N-RIP™ AMBIDEXTROUS **CHARGING HANDLE** The Name Says It All - Get

Your Mitt on Any Part of the "Ears" & Your Rifle Is Charged!



The name sums it up: grab hold of the the Grip-n-Rip<sup>™</sup> charging handle pretty much anywhere, even if it's by only the end of one of the "ears," and you can let 'er rip to rack the bolt/carrier. It's ambidextrous, of course, and the deep-cut serrations on both the front and the rear of the ears have just enough bite to not slip out of your hand, even when you're in a huge rush. The G-n-R is also engineered for suppressed fire with vents that redirect gas flow upward and away from the operator's face. The main body is machined from 7075 T6 aluminum so it won't torque or bend at an inopportune moment; the grasping ears and latch are made of 6061 T6, and it all has a tough, Type III hardcoat anodized finish. Roll pins are hardened stainless steel to prevent pin failure. AR-15 fits any upper receiver a mil-spec charging handle fits. AR-308 fits the DPMS LR-308 Gen1 platform and clones, plus the Daniel Defense DD5 Gen II (v3, v4, v5 - not compatible with DD5v1 or v2).

DANIEL DEFENSE AR-15/M16

66 AR-15 Grip-n-Rip Charging Handle,	
8K00MAM	\$ 94.00
7 AR-308 Grip-n-Rip Charging Handle,	
8K00NNB	. 94.00

# **DOUBLESTAR AR-15/M16** CHARGING HANDLE ASSEMBLY



Slick Teflon® Finish For **Ultra-Smooth Operation** Cycle loads with ease using this military-style charging handle assembly, complete and ready to drop-in any mil-spec upper re-

adds strength. A final, Teflon® coating provides a slick, self lubricating finish for exceptionally smooth operation. SPECS: 6061 T6 aluminum, hardcoat anodized, matte black, 67/s" (17.5cm) long. Fits mil-spec AR-15/M16 upper receivers.

ceiver. Precision machined from rugged, yet lightweight 6061 T6

aluminum, then hardcoat anodized for a wear-resistant surface that

#100-004-996 Charging Handle Assembly, 2Z21B59 . . \$ 23.99

# BADGER ORDNANCE AR-15/M16/AR-STYLE .308 **GEN 3 AMBIDEXTROUS CHARGING**





"Can't Miss" Design Helps You Get A Round In The Chamber Fast

Designed for competition shooters or anyone who may need to shoot from transitional positions, Gen 3 charging handle offers a huge, 3" wide grasping area that's equally accessible to your right or left hand. Enables use of either the standard finger and thumb grip or the palm of the hand to charge the rifle on both the strong and support side. Whatever the situation, you'll get a round in the chamber quickly and get your rifle on line. Deep ridges all around the latch and on the back of the handle give you a superb, no-slip purchase yet won't abrade the hand.

SPECS: Aluminum, hardcoat anodized, matte black finish. Models for AR-15/M16 (5.56 NATO/.223 Rem) and AR-style .308 (7.62 NATO/.308 Win). #093-000-058 AR-15/M16 Amb. Charging Handle,

	3K96M29	\$ 106.99
#093-000-059	AR-308 Amb. Charging Handle,	
	3K104l39	115.99



BREEK ARMS AR-15/M16

trous charging handle that enables you to easily grab either side of the handle to quickly charge the rifle. The deep, textured grooves cut into the latch handles mean you've got plenty of "purchase" even when your hands are wet or you're wearing bulky gloves. The wide set-back latches also provide plenty of clearance for larger optics. And yet the Warhammer's low profile keeps it slim and sleek without sacrificing functionality. Made entirely of 7075 aluminum for excellent strength and durability, with a tough black Type III hardanodized finish. The Mod2 design has an improved gas deflection system (over the original Warhammer) that keeps gas blowback out of the shooter's face. Relief cuts on the top and bottom of the stem help direct extra gas out the side, and if any gas still manages to go straight back toward you, a high shelf provides better cover on the back of the receiver. The result is a rifle you can get charged and

#100-042-969	Warham	mer Mod2 Amb	. Charging	
	Handle,	9W34J99		. \$ 39.99

into action extremely FAST, plus a safer, more enjoyable shooting

experience, especially when shooting with a sound suppressor.

The Warhammer Mod2 is an ambidex-

# **GEISSELE AUTOMATICS AR-15/M16 SUPER CHARGING HANDLE**

Ambidextrous - In a Pinch, Charge the Weapon With Either Hand



The SCH is ambidextrous for seamless operation from either side of the weapon. The contour of the levers is similar to the charging handle of an M14, with radius cuts on both the x-axis and the y-axis. Grasping surfaces are checkered to help you get a non-slip hold to charge the rifle on the first attempt. Rugged, too - the SCH is 3D machined from a solid billet of 7075 T6 aluminum, with a tough Type 3 hardcoat anodized finish in basic black or Desert Dirt Color (DDC). A raised rear mitigates gas blow back to the shooter when shooting SBRs and suppressed weapons.

#100-018-941	<b>AR-15/M16 Super Charging Handle,</b> Black, <i>7B86A44</i>	
#100-018-942	<b>AR-15/M16 Super Charging Handle,</b> DDC, <i>7B96189</i> <b>101.99</b>	

order on the web

brownells.com

**BROWNELLS** PAGE 47

Orders: 800-741-0015



# Won't Interfere With Optic or Other Gear - Still Easy To Operate

Geissele designed its Airborne Charging Handle (ACH) at the specific request of an "elite" unit of the United States armed forces so it won't interfere with a red dot sight or similar low-mounted optic. Its low-profile, ambidextrous lever is also less likely to get snagged on vegetation and other gear. "Low profile" doesn't mean you have to compromise accessibility or ease of use. The shortened levers have gently concaved radius cuts in both the vertical and horizontal planes so the hand can get a secure purchase. Geissele even gave the ACH checkered grasping to ensure your a positive hold, even when your hands are wet or you're wearing gloves. As an added benefit, the ACH comes with a raised lip at the aft end that redirects gas blow back away from the shooter when using short-barreled or suppressed weapon systems.

SPECS: Machined from extra-strong 7075 T6 aluminum, Type III hardcoat anodized in basic **Black** or Geissele's Desert Dirt Color **(DDC)**. Fits standard mil-spec AR-15 upper receivers.

#100-025-736 Airborne Chrging Hndle, Blk, 7B95G99...\$ 105.00 #100-025-737 Airborne Chrging Hndle, DDC, 7B97D84... 102.99

# ODIN WORKS AR-15 XCH CHARGING HANDLE

Extra-Large, Non-Slip Release Latch Gives You a Solid Hold on the FIRST Attempt

Have you mounted a scope with a large ocular bell on your AR? Or maybe you live up in Frostbite Falls and use your rifle a lot in cold weather? Odin's EXtended Charging Handle is the solution, with its oversized, extended release latch that's easy to catch with one fast swipe of your hand - even if you're wearing gloves or that scope bell sticks out way farther than you thought it would. Machined from extra-strong 7075 T6 aluminum, with deep, non-slip grooves cut into the grasping surface of the latch.

	<b>AR-15 XCH Charging Handle,</b> Black, 4A36P54
#100-036-170 (A)	AR-308 XCH Charging Handle Black

# LUTH-AR AR-15/M16 MIL-SPEC CHARGING HANDLE



Sturdy, Reliable, Basic Handle Gets the Job Done

 RADIAN WEAPONS AR-15/M16/AR-308

RAPTOR-LT™ AMBIDEXTROUS CHARGING HANDLES

> The Fast, Non-Slip Handle AR Shooters Love - Only Even LESS Slippery

Offering the same ambidextrous capability as the original Raptor, Raptor-LT handles are machined from 7075 aluminum, given a Type III hardcoat anodized finish, and then overmolded with highstrength, fiberglass reinforced polymer for the ultimate combination of strength, weight, and durability. Like the original, you can still charge the rifle from either side of the receiver by a fast, palm "blading" motion or the traditional finger/thumb hold. Mirror-image oversized release levers have deep vertical grooves for positive contact that lets you operate the handle in one fluid, fast motion with wet or gloved hands. Radiused edges won't cut the hand or snag on clothing and gear. Models available for AR15/M16 and AR-308 rifles (see list below) and clones in three colors: Black, Flat Dark Earth (FDE), and Gray, all designed to match standard Magpul® color offerings. AR-15 handle also available with a super-slick NP3 coating that needs minimal lubrication AND resists the accumulation of fouling or dust and dirt. DPMS G2 model fits the DPMS G2 AR-308 rifle, as well as Adams Arms, Mega Arms, and Zev Tech Small-Frame .308. Will NOT fit standard LR-308 pattern or Armalite AR-10 rifles. 💻

SPECS: Machined 7075 T6 aluminum, hardcoat anodized, with overmolded polymer covering. AR-15 fits AR-15/M16 rifles with mil-spec upper receiver. May not fit some SIG 516 model rifles. AR-308 fits Armalite® AR-10®, DPMS LR-308, Knight's Armament SR-25, M110, MK11, Larue Tactical OSR, Noveske 308, and Patriot Ordnance Factory 308; may not fit Rock River Arms or Sig 7.62/308 rifles. DPMS G2 AR-308 fits ONLY DPMS G2 rifles, Mega Arms, and Zev Tech small-frame AR-308. Will NOT fit standard LR-308 pattern or Armalite® AR-10® rifles.

nicotaniaana En o	oo pattern or runnante nut 20 miles.	
#100-024-307	AR-15 Raptor-LT, Black, 7Z55C67	\$ 64.99
#100-024-308	<b>AR-15 Raptor-LT,</b> FDE, <i>7Z56H09</i>	65.99
#100-024-309	<b>AR-15 Raptor-LT,</b> Gray, 7Z58L64	68.99
NEW 100-041-722	AR-15 Raptor-LT, NP3 Coated,	
	6B110G53	113.95
#100-024-310	AR-308 Raptor-LT, Black, 7Z67M14	78.99
#100-024-311	<b>AR-308 Raptor-LT,</b> FDE, 7Z65D44	76.99
#100-024-312	AR-308 Raptor-LT, Gray, 7Z65C44	76.99
NEW 100-040-490	DPMS G2 .308 Raptor-LT, Blk, 3U87M49	90.2
NEW 100-040-491	DPMS G2 .308 Raptor-LT, FDE, 4V92N10	94.95
NEW 100-040-492	DPMS G2 .308 Raptor-LT, Gray, 5W92P10	94.95

RAPTOR-LT+TALON SAFETY KIT - As long as you're "Raptorizing" your AR, why not also install Radian's Talon Safety Selector? It's ambidextrous AND it can be easily installed as a standard 90-deg. or a short-throw 45-deg. selector. Compatible with mil-spec AR-15 lower receivers and AR-308 lowers that use AR-15 selector levers.

NEW 100-034-722	<b>AR-15 Raptor-LT + Talon Safety,</b> Black, 7Z94J49	\$ 104.99
NEW 100-034-723	AR-15 Raptor-LT + Talon Safety, FDE, 7Z94/49	104.99
NEW 100-034-724	<b>AR-15 Raptor-LT + Talon Safety,</b> Stealth Gray, 7Z94B49	

# BROWNELLS Gift Cards & eGift Cards

Call or Order at brownells.com



# 



For Fast, No-Slip Charging of Rifle With Whichever Hand Is Free

Drop-in replacement for factory issue handle lets you charge the rifle from either side of the receiver with a rapid palm "blading" motion

or the traditional finger/thumb hold. Dual, over-sized release levers are mirror images of each other, with deeply grooved surfaces that ensure positive contact so you can operate the handle in one fluid, fast motion with wet or gloved hands. Radiused edges won't cut the hand or snag on clothing and gear. Gives top of rifle a unique, aggressive appearance, too. Raptor-SD is specifically engineered for use on guns fitted with a sound suppressor. Since suppressed guns operate a higher gas pressures, the SD has a ported shaft that redirects gases down and forward, away from the shooter's face. Works fine on non-suppressed guns, too. Raptor-SL, short for "Raptor SLim," has smaller, reduced-profile grasping ears that minimize the risk of getting caught up in chest rigs or other gear, which can lead to pulling the BCG out of battery unbeknownst to the operator. Deep vertical serrations on the front and rear of the ears still give you a secure, nonslip hold through the entire charging cycle. Raptor SD-SL - You knew this was coming, right? Combines the gas deflection capability of the Raptor-SD for comfortable suppressed fire with the slim profile of the Raptor-SL. With all these variations available, ANY AR-15 shooter can find the Raptor charging handle that's perfect for his/her needs! SPECS: Machined 7075 T6 aluminum, Type III hardcoat anodized, Cerakote topcoat in matte black (BLK), flat dark earth (FDE), O.D. Green (ODG), Tungsten Gray (T-Gray), or Radian Brown (BRN). Optional Robar NP3® electroless nickel finish embedded with PTFE gives added permanent lubricity for super-smooth operation. AR-15 fits AR-15/M16 rifles with mil-spec upper receiver. May not fit some SIG 516 model rifles. AR-308 fits Aero Precision M5. Armalite® AR-10®. Bushmaster ORC. DPMS LR-308 Gen 1, Knight's Armament SR-25, M110, MK11, Larue Tactical OSR, Noveske 308, Patriot Ordnance Factory 308, Ruger® SR-762®; will NOT fit Colt 901. DPMS Gen 2. Rock River Arms, SIG 7.62/308, S&W MP10. DPMS G2 fits DPMS Gen 2 and other small frame AR-308 rifles, including Adams Arms SF 308 & Zev Technologies SF-MATEN.

#100-023-416	AR-15 Raptor, BLK, 7Z75K59 \$ 83.99
#100-023-418	<b>AR-15 Raptor,</b> FDE, 7Z74L79 <b>87.99</b>
#100-023-417	<b>AR-15 Raptor,</b> T-Gray, <i>7Z74J79</i> <b>87.99</b>
#100-034-703	<b>AR-15 Raptor,</b> NP3+Black, <i>7Z89Q99</i> <b>99.99</b>
#100-034-704	<b>AR-15 Raptor,</b> Red, 7Z81G89 <b>90.99</b>
#100-023-419	<b>AR-308 Raptor,</b> BLK, 7Z82N44 <b>96.99</b>
#100-023-420	<b>AR-308 Raptor,</b> T-Gray, 7Z81E59 <b>95.99</b>
#100-034-711	<b>AR-308 Raptor,</b> NP3+Black, <i>7Z00LXF</i> <b>99.99</b>
#100-023-422	<b>AR-15 Raptor-SD,</b> BLK, <i>7Z95N19</i> <b>111.99</b>
#100-033-419	<b>AR-15 Raptor-SD,</b> FDE, 7Z93F59 <b>103.99</b>
	<b>AR-15 Raptor-SD,</b> ODG, 7Z93P59 <b>103.99</b>
	<b>AR-15 Raptor-SD,</b> T-Gray, 7Z93H59 <b>103.99</b>
	<b>AR-15 Raptor-SD,</b> BRN, 7Z93D59 <b>103.99</b>
	<b>AR-15 Raptor-SD,</b> NP3, 7Z106D19 <b>117.99</b>
	<b>AR-15 Raptor-SD,</b> NP3+Blk, 7Z107M09 <b>118.99</b>
	<b>AR-308 Raptor-SD,</b> BLK, 7Z102E59 <b>113.99</b>
	<b>AR-308 Raptor-SD</b> , FDE, 7Z102P59 <b>113.99</b>
	<b>AR-308 Raptor-SD,</b> T-Gray, 7Z102E59 <b>113.99</b>
	<b>AR-308 Raptor-SD,</b> BRN, 7Z102P59 <b>113.99</b>
	<b>AR-308 Raptor-SD,</b> NP3+Blk, 7Z116P09 <b>128.99</b>
#100-031-186	<b>AR-15 Raptor-SL,</b> BLK, 7Z74B79 <b>87.99</b>
	<b>AR-15 Raptor-SL,</b> BRN, 7Z75C59 <b>83.99</b>
	<b>AR-15 Raptor SD-SL,</b> BLK, 7Z89E99 <b>99.99</b>
	<b>AR-15 Raptor SD-SL,</b> FDE, 7Z89N99 <b>99.99</b>
#100-034-709	AR-15 Raptor SD-SL, T-Gray,
#400 074 740	7Z89G99 99.99 AR-15 Raptor SD-SI Brown 7Z89I99 99.99
#100-034-/10	<b>AR-15 Raptor SD-SL,</b> Brown, 7Z89I99 <b>99.99</b>

# 0

PRECISION REFLEX, INC. AR-15/M16/AR-STYLE .308

# GAS BUSTER CHARGING HANDLE Combat Military Flat Keeps Gas Blowback Away From Shooter's Face

Extra-thick handle includes a gas deflection groove to protect shooter from gas blowback. Extended finger latches aid in fast jam clearing. Flat Latch has a deep hook contour. Military (Mil) Latch has smooth face with round edges that are easy on fingers. Combat Latch — has a large grooved surface for easy handling.

SPECS: Aluminum, hardcoat anodized, matte black. AR-15/M16 models are compatible with AR-15/M16 uppers. AR-Style. 308 model is compatible bith ArmaLite® AR-10®, Knight's Armament SR-25 and DPMS LR-308 pattern models. Not compatible with Rock River Arms AR-style. 308 uppers.

<b>#556-000-005 Military Latch,</b> Only, 4A26N99	35.99
#714-000-024 AR-308 Combat Latch Chrg Hdle, 4A92L86 1	.08.99
#556-000-003 AR-15/M16 Mil Latch Chrg Hdle, 4A00BSN	96.99
#556-000-002 AR-15/M16 Flat Latch Chrg Hdle, 4A88D19\$	97.99
patterninoacis. Not compatible with Nock Niver Amis All Style . 300 ap	upers.



# SONS OF LIBERTY GUN WORKS AR-15/M16 MIL-SPEC CHARGING HANDLE

Built Right To Get the Job Done - Every Time

A straightforward standard charging handle built correctly to the original military specifications - no dubious "improvements," marketing gimmicks, or changes not tested and proven by decades of hard use and combat. Aluminum handle with matte black Type III hardcoat anodized finish, properly hardened steel latch and small parts.

#100-045-040 AR-15 Charging Handle, 3X24Q99.....\$ 24.99

RAPTOR HANDLE + TALON SAFETY KITS - As long as you're upgrading that AR to a Raptor charging handle, why not go the next step and upgrade to Radian's Talon Safety Selector? The Talon is ambidextrous AND it can be easily installed as a standard 90-deg. or a short-throw 45-deg. selector. Compatible with mil-spec AR-15 lower receivers and AR-308 lowers that use AR-15 selector levers. Kits available with the Original Raptor or the Raptor-SD handle.

manate.		
#100-034-713	<b>AR-15 Raptor + Talon Safety Kit,</b> BLK, 7Z108N29	\$ 113.99
#100-034-715	<b>AR-15 Raptor + Talon Safety Kit,</b> FDE, 7Z108M29	113.99
#100-034-716	<b>AR-15 Raptor + Talon Safety Kit,</b> T-Gray, 7Z108J29	113.99
#100-034-714	<b>AR-15 Raptor + Talon Safety Kit,</b> Red, 7Z111C59	123.99
#100-034-718	AR-15 Raptor-SD + Talon Safety Kit, BLK, 7Z111E59	123.99
#100-034-719	AR-15 Raptor-SD + Talon Safety Kit, FDE, 7Z111G59	123.99
#100-034-721	AR-15 Raptor-SD + Talon Safety Kit, Brown, 7Z111F59	123.99



# PHASE 5 TACTICAL AR15/M16/AR-STYLE .308 AMBIDEXTROUS BATTLE LATCH **CHARGING HANDLE**



Positive, One-Handed Operation for Both Right & Left Handed **Shooters** 

Tactical charging handle is machined from aluminum bar stock with thicker dimensions than standard charging handles to withstand wear and rough use. Large diameter coiled spring pin absorbs shock and flexes so it won't fail under extreme conditions. Broad contact points make traditional and tactical weapon manipulation easy, and grooved surfaces help weapon retention and assist positive charging operation while wearing gloves.

SPECS: 6061-T6 aluminum, Mil-spec type III hardcoat anodized, matte black finish.

#100-009-955	AR-15 Ambidextrous Battle Latch Charging Handle, 1C64G00	.\$ 80.00
#100-011-379	AR-308 Ambidextrous Battle Latch	80.00

# POWER CUSTOM AR-15/M16/AR-STYLE.308 STEEL CHARGING HANDLE

Rigid & Rugged; Extended Latch Makes Cycling Easy



AR-15/M16

steel so they will not bend or fail during tactical operations or competition. Extended, paddle-like latch is easy to locate and operate, even when wearing gloves, and its textured surface ensures you get a solid, non-slip grip when charging the rifle. AR-308 fits DPMS LR-308, Knight's Armament SR-25/MK11/M110, LaRue OSR, Noveske 308, and Patriot Ordnance Factory P-308; does NOT fit S&W MP10, ArmaLite® AR-10®, or Rock River Arms.

SPECS: Steel, phosphate finish, matte black. #713-000-153 AR-15 Steel Chrging Handle, 3A66J29 . \$ 77.99 #713-000-170 AR-308 Steel Chrging Hndle, 3A95K19. 111.99

# STRIKE INDUSTRIES AR-15 -LATCHLESS CHARGING HANDLE



No Traditional Latch To Worry About - Grab Either "Ear" and Pull Away!

Strike's charging handle truly IS latchless - no, not a hidden latch, or a latch that operates through a complex camming mechanism. There is NO latch. It achieves reliable receiver lockup via a unique hidden spring mechanism that locks into the charging handle insertion slot in the charging handle channel. This mechanism features a natural radius that will not wear rapidly like the external, 90-degree edge of the standard latch in the upper receiver notch. The flat spring bearing surface is much larger than a steel ball bearing, spreading force and wear out over a larger area. The result is a smooth-releasing latch that operates simply by grabbing either grasping ear. Another bonus is excellent service life and the peace of mind that come from knowing it doesn't have moving or external parts that can break or snag/catch on your gear

# STRIKE INDUSTRIES AR-15/M16/AR-308

# ARCH/ARCH-EL CHARGING HANDLES



Smooth-Operating, Comfortable To Grasp AND Won't Wear Your Receiver

Strike's ARCH - AR Charging Handle - offers extremely comfortable, ergonomic grasping ears that

give you an excellent hold to rack the bolt/carrier with authority. High-polished contact surfaces aid in fast, smooth operation, and rugged 7075 T6 aluminum construction prevents breakage. The ARCH-EL has an oversized, extended latch to enable extremely fast, positive operation even in high-stress situations where your adrenaline is pumping and fine motor control becomes more difficult. The extended latch itself is made of aluminum so it will not wear the latch notch in the receiver the way a steel latch will. AR-15 model fits any upper receiver that accepts a mil-spec charging handle. AR-**308** fits DPMS LR-308 uppers and clones, plus Knight's Armament SR-25, Armalite® AR-10®, Bushmaster ORC, Palmetto Armory PA-10, Ruger® SR-762®, Patriot Ordnance, Aero Precision M5. Will NOT fit S&W M&P10, Colt LE901, SIG 716, H&K 417/MR762, DPMS Gen II.

AR-15/M16 ARCH Charging Handle, Black, 2H00QMD	\$ 22.99
<b>AR-308 ARCH Charging Handle,</b> Black, 2H32J39	35.99
<b>AR-15 ARCH-EL Charging Handle,</b> Black, 2H00CSG	31.99
<b>AR-15 ARCH-EL Charging Handle,</b> FDE, 2H00BKB	33.99
<b>AR-308 ARCH-EL Charging Handle,</b> Black, <i>2H00IZP</i>	45.99
	Black, 2H00QMD AR-308 ARCH Charging Handle, Black, 2H32J39 AR-15 ARCH-EL Charging Handle, Black, 2H00CSG AR-15 ARCH-EL Charging Handle, FDE, 2H00BKB AR-308 ARCH-EL Charging Handle,

# TAC-LATCH USA AR-15/M16 **ADVANCED DESIGN CHARGING HANDLE**

Easy To Grasp Ambidextrous Handle For Fast Charging & Easy Jam



can be operated by either hand from almost any position to ensure fast, easy weapon charging and jam clearance. Large, 1" long extension on the right side is easy to access under stress, even with an oversized optic on the receiver. Provides plenty of leverage to operate the handle with the trigger hand in one, fluid motion without having to separately release the latch on the left side. Comfortable finger groove in the extension helps you operate the handle by feel, without taking your eyes off the target.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 71/8" (20. 8cm) long, 3" (7.6cm) wide across grasping surface. 1.9 oz. (53g) wt.

#100-005-308 Tac-Latch Charging Handle, 7B76149 ... \$ 89.99

and foreign objects. Rugged, all-aluminum construction. **Brownells** Gun Tech™ Note: Fits standard mil-spec AR-15 upper receivers. Not rated for sound suppressors or full-auto fire. Do not use in SBRs or

pistot terigti i ba	rreis.
#100-037-062	Latchless Charging Handle, Black,
	2H00FXQ\$ <b>32.99</b>
#100-037-064	Latchless Charging Handle, FDE,
	2H00LBD <b>34.99</b>

GUARANTEED. FOREVER.®

**SINCE 1939** 

# WILSON COMBAT AR-15/M16/AR-308 **BULLET PROOF® AMBIDEXTROUS** CHARGING HANDLE



Cycle the Bolt/Carrier With One Swipe of Your Hand From Either Side of the Rifle

When they designed this handle, Wilson's engineers got input from military, law enforcement, and competition AR-15 shooters. They

started with a blank slate and asked, in effect, "What would be the ideal charging handle?" The result is the Bullet Proof® ambidextrous charging handle that enables you to quickly load your AR and rack the bolt/carrier to charge the chamber in a smooth fluid motion, from either side of the firearm, with or without gloves. It's machined from solid billet 7075 T6 aluminum to hold up to hard use without the structural and design weaknesses of standard and most aftermarket charging handles. It is a rock-solid, drop-in addition to any AR rifle. It comes with different-sized latch options, so you can find the perfect charging handle for your needs. Compatible with all billet and mil-spec forged AR upper receivers. Matte black hardcoat anodized finish.

#965-000-384	<b>AR-15 BP Charging Handle,</b> Medium, <i>5F75C99</i>	
#965-000-385	<b>AR-15 BP Charging Handle,</b> Small, <i>5F75Q99</i>	
#965-000-383	<b>AR-308 BP Charging Handle,</b> Large, <i>5F75</i> Q99 <b>79.95</b>	

# V SEVEN WEAPON SYSTEMS AR-15/M16 **CHARGING HANDLE**



Forged from extra-hard 7075 T6 aluminum, with a tough Type III hardcoat anodized finish, V Seven's take on the mil-spec style charging handle is compatible with all standard forged upper receivers. An oversized, deeply grooved latch makes it easy to positively cycle the handle on the first try and not lose control of it half way through the pull - important in competition or tactical operation where economy of effort is critically important. Snappy-looking V Seven Logo is laser etched on the side.

#100-500-004 AR-15 Charging Handle, 7G00MZE . . . . \$ 47.99

# WMD GUNS AR-15/M16 NIB-X™ CHARGING HANDLE



Slick Nickel-Boron **Coating For Smooth** Operation & Easy

Replacement charging handle offers a quick reliability upgrade to your AR. Lightweight aluminum construction keeps weight to a minimum, while the super-slick, self-lubricating NiB-X nickel-boron surface coating ensures smooth cycling and gives nothing for fouling or grit to adhere to, so it facilitates guick, easy cleaning, too. SPECS: Aluminum, NiB-X nickel boron coating, silver-gray finish. 63/4" (17.1cm) long. 2" (5cm) wide gasping surface. Fits mil-spec AR-15/M16

#100-010-980 NiB-X Charging Handle, 3C34/19......\$ 37.99

# M&A PARTS AR-15/M16 AMBIDEXTROUS TACTICAL LATCH

Light, Quick-Grab Design; Gives Extra Leverage Large, extended latch levers are easy to find and grab, even on flat top receivers with low-mounted optics; gives

superior leverage for bolt retraction. Allows rapid, ambidextrous operation of charging handle. Made of rigid aluminum for durability and light weight. Replaces factory latch easily, without fitting. SPECS: Aluminum, black, anodized. 27/16" (11mm) long.

#553-000-006 Ambidextrous Tactical Latch, 3E15Q19. \$ 18.99



# BADGER ORDNANCE AR-15/M16 TACTICAL LATCH

One Hand Operation Of Charging Handle

Oversized for quick access from all shooting positions. Allows brisk, easy operation with left hand. Makes the charging handle easier to find and operate, especially on scopemounted flat top receivers. Great for three gun shooters; expedites reloads and immediate action drills. Legal for NRA High Power, Match Rifle shooters. Works on all AR 15/M16-type rifles including the AR-10 and SR-25. Easy, no-gunsmithing installation.

SPECS: Steel, matte blue. 1.46" (37.3mm) long, .644" (16.3mm) high contact area. Instructions included.

#093-249-020 Tactical Latch, 3K18Q69..... \$ 21.99

GEN II TACTICAL LATCH - Mid-sized latch for those who want a size between standard and oversized. Makes the charging handle easier to find for brisk operation with the left hand without protruding too far. Works on all AR-15/M16-type rifles including the AR 10 and SR-25. Easy, no-gunsmithing installation.

SPECS: Steel, matte blue. 1.25" (32mm) long, 1.25" wide. Instructions included.

#093-000-024 Gen II Tactical Latch, 3K18K69 . . . . . . \$ 21.99

# PHASE 5 TACTICAL AR-15/M16 AMBIDEXTROUS CHARGING HANDLE LATCH

For Fast, Efficient Charging Handle **Operation With Either Hand** 

Heavy-duty latch enables fast, efficient, unimpeded operation of the charging handle with either hand, even when wearing gloves. Extended, off-side design with gently rounded tips won't interfere with sling or catch on other equipment. Installs in place of your rifle's existing charging handle latch using existing spring and detent.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. 2½: (6.3cm) long. Includes replacement pivot roll pin.

#100-004-897 Ambidextrous Latch, 1C18A89 . . . . . \$ 20.99

# YANKEE HILL MACHINE AR-15/M16 TACTICAL CHARGING HANDLE LATCH

Fast, Easy & Simple But Effective Upgrade

Replacement latch has a deeply grooved face and large surface area to ensure a positive grip on the first try. Easy to get ahold of when wearing gloves, in stressful situations, or on a rifle with a big scope. SPECS: Steel, Melonite® finish, dark gray. Fits mil-spec AR15/M16 charging handles. Latch only - re-use your gun's existing roll pin and spring.

#100-015-922 Tactical Charging Handle Latch,

**BROWNELLS** PAGE 50


Office/Tech: 641-623-5401

# **AERO PRECISION AR-15 PDQ AMBIDEXTROUS BOLT**

RELEASE

Quick Access To Drop the Bolt from Either Side of the Gun

Aero's PDQ bolt release enables you to get your AR-15 into action Pretty.... Darned Quick by retaining your firing grip at all times. Move your trigger finger from



#100-054-411 AR-15 PDQ Amb Bolt Release, 2V69H99. \$ 69.99



# BADGER ORDNANCE AR-15/M16 **ENHANCED BOLT CATCH**

Eases Operation For Everybody & Helps Left-Handed Shooters Release Bolt With Index Finger

Replacement for factory latch offers a large surface area with grid knurling for easy, positive manipulation. Also makes it easy for lefthanded shooters to release bolt with index finger. Gives more area to catch the bolt, to help ensure lock open. Machined from high-grade billet steel for precise fit and extra strength to give long service life. SPECS: Machined 4140 steel billet, matte black finish.

#093-000-057 Enhanced Bolt Catch, 3K51K29...... \$ 56.99



# CMMG AR-15/M16 MIL-SPEC BOLT RELEASE

### Replacement for the Standard Part

Handy kit includes the bolt release (catch) lever, spring, plunger, and pin. Black oxide finish. Fits mil-spec AR-15 (5.56/.223) lower receivers. Lever and roll pin also sold separately.



#100-044-641	AR-15 Bolt Release Complete, 6M09Z99\$	10.12
#100-044-602	AR-15 Bolt Release Lever ONLY, 8M07F99	8.47
#100-044-599	AR-15 Bolt Release Roll Pin, 7L00E99	1.07
#100-044-601	AR-15 Bolt Catch Spring, 5T01M41	1.41
#100-044-604	AR-15 Bolt Catch Plunger, 9D01X85	1.85

# **SEEKINS PRECISION AR-15/M16 ENHANCED BOLT CATCH**

Enables Easy Locking & Fast Bolt Release

Steel bolt catch features an enlarged lower portion that makes it easy to lock bolt to the rear. Enlarged upper portion allows fast bolt release, and "Diamond Texture" thumb pad

gives positive engagement and enhances rifle's appearance. SPECS: Steel, Parkerized. 13/16" (3cm) long. Fits all standard AR-15s.

#100-011-243 Enhanced Bolt Catch, 8C11J69...... \$ 12.99



# FORWARD CONTROLS DESIGN AR-15 **AUGMENTED BOLT CATCH/**

### RELEASE

**Designed Specifically for Use With** Ambidextrous Mag Releases; Special Models for Left- & Right-Handed Shooters

Here's an upgraded bolt release with an ergonomically angled top paddle and a lower paddle with a larger surface area. It's designed for use on an AR-15/M16 equipped with an ambidextrous magazine release to address a specific problem involving the factory bolt release and an ambi mag release. The lower paddle of many ambi mag releases is on the same vertical plane as the



factory bolt release's lower paddle, making identification by feel difficult, especially with a gloved hand. The ABC/R's lower paddle protrudes farther and is angled 10 degrees to present more surface area, putting it and an ambi mag release's paddle on different vertical planes. For shooters who drop the bolt by hitting the bolt release button, the ABC/R's top paddle is larger and angled to make it easier for the palm or thumb to access. As you run your finger down the bolt catch towards the lower paddle, there is a tactile notch that tells you when you've reached the lower paddle, helping you distinguish one control surface from another without taking your eyes off the target to look. You can get your ABC/R with the upper paddle in one of three configurations: Forward Biased (Fwd) is for right-handed users who wrap their left hand around the magazine well and use their left thumb to press the bolt catch's upper paddle. The upper paddle is shifted toward the muzzle end to facilitate this reloading method. Standard upper paddle isn't biased towards the front or rear. Rearward Biased (Rwd) is for lefthanded shooters who use their extended left index finger to access the bolt catch paddles. The upper paddle is shifted toward the rear of the gun to make it more accessible. ALL are machined from billet 8620 alloy steel and heat-treated; black Nitride finish. Comes with bolt catch roll pin plunger and spring are included.

Doct Caterrion p	m, planger, and spring are medaded.	
#100-040-698	ABC/R Bolt Catch - Serrated, 2G52U35\$	55.10
#100-040-699	ABC/R Bolt Catch - Dimpled, 6B52G35	55.10
#100-040-761	ABC/R Bolt Catch - Serrated/Fwd Bias,	
	5K52X35	55.10
#100-040-762	ABC/R Bolt Catch - Dimpled/Fwd Bias,	
	7C52M35	55.10
#100-040-763	ABC/R Bolt Catch - Serrated/Rearward	
	Bias, <i>8D52N35</i>	55.10
#100-040-764	ABC/R Bolt Catch - Dimpled/Rearward	
	Bias, 9Q52P35	55.10

# MAGPUL AR-15/M16 B.A.D. LEVER™

Lets You Release The Bolt With The Trigger Finger; Improves Readiness & Efficiency

The Magpul Battery Assist Device (B.A.D.) is an extended bolt release that allows the shooter to keep his hand in the ready position on the pistol grip and operate the bolt catch with the trigger finger. Streamlines bolt catch manipulation to get the weapon into battery more quickly for improved operator readiness and weapon handling

efficiency. Easy to install and remove—no weapon disassembly reguired. The B.A.D. lever clamps securely to the factory bolt release with a Torx® head screw and extends a paddle through the front of the triggerguard to the right-hand side of the weapon. Trigger finger can stay outside the triggerguard as you operate the lever, and factory bolt catch retains normal function with B.A.D. installed. Made of a high-grade aluminum alloy, hardcoat anodized to MIL-A-8625F, Type III, Class 2 spec for extra strength and wear resistance.

SPECS: Aluminum, hardcoat anodized, matte black. Torx wrench and installation instructions included. Fits mil-spec AR-15/M16 receiver with factory bolt release lever.

#100-004-755	B.A.D. Lever,	3K24C64	\$ 28.99



# **GEISSELE AUTOMATICS AR-15/M16** MARITIME BOLT RELEASE

### Wet Hand? Wearing Gloves? Helps You Release the Bolt on the First Swipe


As its name indicates, Geissele's Maritime Bolt Release is designed for use in wet environments where the AR-15 operator needs an over-





# LUTH-AR AR-15/M16 **MAGAZINE & BOLT RELEASES**

Sturdy, Reliable Parts to Keep Your Rifle Operating Reliably



Parkerized steel with the follower "engagement arm" that protrudes from the face of the part. Mag Release is just the button, anodized aluminum, with the deep concentric "bullseye" grooves on the face. The his the original Colt factory design, threaded to accept the magazine catch's threaded shank.

#100-028-035	AR-15 Bolt Release,	3D5D94	\$ 6.99
#100-028-036	AR-15 Mag Release	<b>Button,</b> 3D1C42	1.83

# PHASE 5 TACTICAL AR-15/M16/AR-STYLE .308 EXTENDED BOLT RELEASE

Catch & Release Bolt With Trigger Finger For Fast Mag Changes & Jam Clearing

Extended release lever speeds magazine changes and enhances the shooter's ability to clear jams, double feeds, and malfunctions quickly and safely.



Lets you catch and release the bolt with the trigger finger inside the triggerguard, instead of with your off hand. Push upward on the lever to lock the bolt rearward; push lightly downward to release it. Both operations can be performed without removing your hand from the pistol grip. EBRv1 clamps to your rifle's existing bolt release. Can be installed or removed in minutes with no permanent alteration to your rifle. EBRv2/308 is a one-piece, drop-in replacement for the factory bolt release on DPMS LR-308 series and Remington R-25 (.308, .243, and 7mm-08) AR-308 rifles.

,	SPECS: Machined	d steel, matte black finish. 2º/4" (5.3cm) long. º/2 oz. (1	.4g) wt.
	#100-004-898	EBRv1 Bolt Release, 1C23P39 \$	25.99
	#100-005-733	EBRv2/308 Bolt Release, 1C53J19	55.99

# SONS OF LIBERTY GUN WORKS AR-15/M16 **BOLT RELEASE/CATCH**

### High-Quality Mil-Spec Part

Precision-machined steel latch with black phosphate finish made to original USGI specs. An excellent replacement for a broken or "seen better days" latch. Other parts you'll need to install the latch are listed below.

		-
#100-045-006	AR-15 Bolt Release Lever ONLY,	
	7V11M99	\$ 12.99
#100-045-008	AR-15 Bolt Release Roll Pin, 2Q02G99.	2.99
#100-045-004	AR-15 Bolt Release Plunger, 9G07Y99	3.99
#100-045-002	AR-15 Bolt Catch Spring, 2J02A99	2.99

# **TROY INDUSTRIES AR-15/M16** AMBIDEXTROUS BOLT RELEASE



### Eliminates Wasted Motion By Letting You Release Bolt With Your Trigger Finger

Troy's extended release lever enables you to operate the bolt release with your trigger finger while keeping your hand on the pistol grip in the ready position. Eliminates wasted time and motion by placing the control pad just outside the triggerquard. An upward push on the lever locks the bolt open; a downward press releases it. Keeps your support hand free for mag changes or to address jams or other malfunctions. Clamps

over factory bolt release; no permanent mods to gun. SPECS: Aluminum, hardcoat anodized, matte black. Fits mil-spec AR-15/ M16 lowers. Includes Allen wrench and instructions.

#100-011-190 Ambidextrous Bolt Release, 3B00DEN . . \$ 30.00



# WILSON COMBAT AR-15 TACTICAL BOLT RELEASE

Versatile, 3-Position Button Accommodates Individual **Shooting Styles** 

Innovative, two-in-one design is the perfect choice for setting up AR-15s that double as tactical and



sporting rifles. Large, tactical button installs vertically or horizontally removes quickly and easily by loosening the setscrew and sliding it off. Small, serrated pad underneath prevents snags on brush and clothing; will not interfere with your carry sling. CNC-machined from bar stock for added strength and reliability.

SPECS: Steel bar stock, parkerized finish, Removable Button - 11/8" (28.6mm)  $x^{3/4}$ " (19mm). Fixed Button -  $\frac{1}{2}$ " (12.7mm) long  $x^{1/4}$ " (6.4mm) wide.

**#965-000-037** Tactical Bolt Release, 5F30B39...... \$ **31.95** 



# NORGON AR-15/M16 AMBI-CATCHTM

Rapid Reloads With The Non-Firing Hand



Quicker, easier reloads for rightor left-hand shooters. Lets you activate the magazine release with the thumb of the non-firing hand while keeping the rifle on target. Distinctive design is the same size and configu-

ration as factory part; won't snag on clothes or branches, and does not interfere with rifle function. Drop-in installation. SPECS: Steel, parkerized. 1.45" (37mm) long, .246" (6.3mm) wide.

#635-001-015 Ambi-Catch, 5C95E19......\$118.99

order on the web

# **BROWNELLS** AR-15/M16 **OVERSIZE MAGAZINE RELEASE** BUTTON

"Can't Miss" Release Button Aids In **Ultra-Fast Magazine Changes** 

Extended, drop-in replacement for factory part offers a wide, flat finger pad for fast, "can't miss" magazine changes. Perfect for competition, tactical operations, and self-defense any high-stress situation where the speed of a magazine change makes the difference between success and failure. Nearly three times the surface area of the factory button with crisp, 24 lpi checkering for positive, nonslip finger contact, so you release the mag on the very first try. Stands .225" higher to give you extra leverage that ensures the mag catch disengages completely. Precision machined from 4140 steel and heat treated for added hardness and wear resistance, with a tough, black oxide finish. May require minor fitting.

SPECS: Steel, oxide finish, matte black. Fits any AR-15/M16/CAR-15/M4 with a USGI-spec magazine release.

#080-000-529 AR-15/M16 Oversize Mag Release, 8K16A79.....\$ 20.99



# CMMG AR-15/M16 **MAGAZINE CATCH**

Standard & Ambidextrous Models To Choose From

The AR-15 is a product of the time when it was created, more than 60 years ago, back in the days when

left-handed grade schoolers were often forced to learn to write with their right hands. So it was set up as a right-handed person's tool. CMMG's Ambidextrous Mag Catch makes it more of a tool that ANYONE can use comfortably, even left-handed shooters. And frankly, even right-handers can benefit from being able to release that mag from either side of the rifle. Drops in to replace the standard mag catch, so left-handed shooters release the mag without having to switch to their right hand for the mag release. Compatible with all mil-spec AR-15/M16 rifles; installs the same as factory mag catch. Works with original and any aftermarket mag release button that works with the mil-spec mag catch. For natural right-handers, Standard Mil-Spec mag catch also available.

#100-054-317	AR-15 Amb. Mag Catch, 2V29G99	\$ 29.99
#100-044-598	AR-15 Std Mag Catch, 3X06R99	7.41

# MAGPUL AR-15/M16/AR-308 **ENHANCED MAGAZINE RELEASE**



Big, Easy-To-Find & Hit Contact Surface for Speedy Mag Changes

Magpul's mag release button is an easy, clamp-on upgrade that provides an enlarged contact surface for guick and fumble free magazine changes. The large contact surface makes it easy to drop the mag in competition or more dire situations for a fast reload. It's easy to install yourself without enlisting the aid of a gunsmith because it simply screws onto the standard milspec button. Machined from mil-spec

hard-anodized aluminum to for strength and durability without excess weight weight OR unnecessary bulk, so it doesn't invite accidental activation from bumping other objects or snagging on your gear. Compatible with most 5.56 and 7.62 pattern receivers. Also fits Smith & Wesson M&P15-22

#100-900-003 Enhanced Mag Release, 3K17P99..... \$ 19.99

# **KEARMS AR-15/M16 EXTENDED MAG RELEASE BUTTON & AMBIDEXTROUS** MAG CATCH



Makes That Mag Much Easier To Drop -From Either Side of the Rifle

Ambidextrous Extended Amb Catch

We're not all built the same, and some of us have, lets face it, short fingers, making the standard mag release button difficult to operate. Your choice is to grow a longer finger OR install KE's Extended Magazine Release button. Made of hard-anodized aluminum: fits all standard AR-15 lowers. The Ambidextrous Magazine Catch is perfect for left-handed shooters AND shooters who want to be free to drop the mag from either side of the rifle. Fits mil-spec AR-15 lowers. Hardened steel with black Melonite coating. Extended Ambidextrous Mag Catch has an

extra-large paddle that makes it easier for the same folks who need the extended mag release button to operate. Useful upgrade for competition shooters, too.

#100-040-294	AR-15 Extended Mag Release Button,	
•	6B20G599	\$ 21.99
#100-040-296 🔘	AR-15 Amb. Mag Catch, 8Q46T99	49.99
#100-040-297 🔘	AR-15 Extended Amb. Magazine	60 00

**ODIN WORKS AR-15** 

an extra-large contact area to help you locate it and drop the mag

with exceptional speed. And it adds an aggressive look to your rifle.

More importantly, it is purpose-designed with the right clearances

so it will work on a rifle equipped with the Magpul® BAD Lever® AND

KNS Precision non-rotating hammer and trigger pins. This is an ideal

upgrade to any competition rifle where unhindered access to the

controls and speed are critical. Easy to install. Aluminum construc-

#100-036-179 XMR 3 Mag Release, Blk, 4A17A84 . . . \$ 20.99

**#100-027-914** XMR 3 Mag Release, FDE, 4A19K54 . . **22.99** 

Easy To Locate To Drop That Mag

PDQ - And Won't Interfere With

Other Extended Controls

magazine release (XMR 3) button has

tion with hardened steel screws.

Odin's third-generation extended

# POWER CUSTOM AR-15/M16 **EXTENDED OVERSIZED MAGAZINE**



Large Diameter & Extended Length Ensure Fast, Easy Reloads

Machined, steel magazine release extends more than half an inch and has a checkered oversized button for quick reloads. Installs just like the factory part. Includes replacement spring.

SPECS: Steel, black oxide finish. 33/64" (14mm) long, 5/8" (16mm) diameter. Spring - 13/8" (3.5cm) long.

#713-215-003 Ext. O'sized Mag Release, 3A18H39..... \$ 22.99

# **SEEKINS PRECISION AR-15/M16** BILLET MAGAZINE RELEASE BUTTON

Machined aluminum magazine release button has a proprietary "Diamond Texture" surface for receiver to replace the factory magazine release button.

#100-011-245	45 Billet Magazine Release Button,			
	8C00NSS	\$!	5.9	9

# Gives Ultra-Positive Thumb Engagement & **Enhanced Appearance**

secure thumb contact and easy "one-hit" mag drops. Also adds a distinctive visual touch to your rifle. Drops into any mil-spec lower SPECS: Machined from 6061 T6 aluminum billet, hardcoat anodized, matte black.

·011-245	Billet Magazine Release Button,	
	8COONSS\$ 5.99	)

# XMR 3 EXTENDED MAGAZINE RELEASE **SONS OF LIBERTY GUN WORKS** AR-15/M16



Part of a Special "Catch-and-Release" **Program That Ensures Your Rifle** Functions The Way It's Supposed To

Critical parts to ensure the mag stays properly locked and positioned in your rifle when it's supposed to and drops out of the gun when you want it to. Standard steel mil-spec parts manu-

factured to precise specs. Black phosphate finish.

#100-045-010	AR-15 Magazine Catch, 5J07A99 \$ 8.99	
#100-045-009	AR-15 Mag Release Button, 9N04E99 5.99	

# **V SEVEN WEAPON SYSTEMS ULTRA-LIGHT MAGAZINE RELEASE**



**Shaves More Unnecessary Weight Off** Your Tactical or Competition Rifle

V Seven's mag releases let you customize this critical part to suit your needs. For maximum weight savings, Aluminum model is 48% lighter than

factory steel part (only 4.9 grams). It's Type III hardcoat anodized for surface strength and corrosion resistance. Titanium model offers more strength but a bit more weight as well (7.4 grams) and is available in natural silver-gray finish or with a tough matte black IonBond finish. Both models available with Grooved or Diamond pattern surface texture.

#100-500-037	Aluminum Mag Release, Grooved/Black, 7G00ICK \$	34.99
#100-500-038	Aluminum Mag Release, Diamonds/ Black, 7G00ABG	34.99
#100-500-018	<b>Titanium Mag Release,</b> Grooved/Black, <i>7G00PWA</i>	49.99
#100-500-017	<b>Titanium Mag Release,</b> Grooved/Silver, 7G00LND	44.99
#100-500-020	<b>Titanium Mag Release,</b> Diamonds/Black, 7G00MDP	51.99
#100-500-019	<b>Titanium Mag Release,</b> Diamonds/Silver, 7G00LCB	46.99

# **BROWNELLS** AR-15/M16 **OLD-STYLE MIL-SPEC SAFETY SELECTOR**

No Tick Mark on the Off-Side for an Added Touch of Authenticity for Your Retro Rifle



Our safety selector is the standard, mil-spec part, except for one small difference Retro Rifle fans will appreciate: there is no tick mark on the offside, opposite the lever. Modern semi-auto AR-15 receivers have "Safe" and "Fire" marking on the right-hand side of the receiver, so the blank side of the selector's post has a tick mark to indicate the status of the safety if you look at the gun from that side. (This also means the receiver is already set up for an ambidextrous safety.) Early AR-15s and M16s DID NOT have the markings on that side of the receiver and so lacked the tick mark on the safety selector's offside. A small detail, but if you're going for full retro/replica/ clone authenticity on your build, why compromise? Fits Brownells Retro Rifle™ and any standard mil-spec lower, so it's a perfectly serviceable replacement part on any AR-15, as long as you don't need the tick mark.

#100-027-721 No Tick Mark Safety Selector, 8G9H34... \$ 9.99

# PHASE 5 AR-15/M16 MAGAZINE RELEASE TOOL

Gives California-Compliant Mag Release **Full Function** 

Magazine release tool fits most California "bullet button" mag releases and gives standard mag release function. Intended for use ONLY when you take your California-compliant AR-15 outside of California. Strong magnet holds tool in place. Solid billet construction makes tool rugged and durable. Do NOT install this item on your gun when in the state of

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black finish. Fits standard AR-15 bullet buttons. All federal, state and local laws apply.

**#100-011-382** Magazine Release Tool, 1C8/49 . . . . . . \$ 9.99

# **TROY INDUSTRIES AR-15/M16** AMBIDEXTROUS MAGAZINE RELEASE

Easy-To-Hit, Yet Low Profile So Won't Snag On Clothing Or Gear

Compact "weak" side mag release button lets you to drop the mag using either hand. Ultra-compact profile won't catch on gear or clothing, yet the shape replicates the feel of the standard, strong-side button for left-hand shooters. Simple installation - works with original factory mag release button, or with enlarged or extended tactical buttons. Will not interfere with most ambidextrous bolt releases.

#100-008-192 Ambidextrous Mag Release, 3B51E29.. \$ 56.99



# CMMG AR-15/M16 **MIL-SPEC SAFETY SELECTOR**

Replacement for the Standard Part

Made of hardened carbon steel, with a black phosphate finish. For use on semi-auto rifles. Thumb lever is .250" tall and 1.138" long. Tick mark on the blank side. Lever only: no detent or spring.

#100-044-611 AR-15 Safety Selector, 6A09U99 ..... \$ 10.36

**BROWNELLS** PAGE 52

# BATTLE ARMS DEVELOPMENT AR-15/M16 **BAD-ASS AMBIDEXTROUS**





### Oversized, Deeply Grooved Levers For Positive Operation With Either Hand

Machined steel safety selector puts oversized levers on both sides of the receiver for easy ambidextrous operation. Large surface area lets you operate the safety while wearing gloves, and eliminates fumbling in the dark. Pads are deeply grooved for an ultra-secure grip under stress or when hand is wet. May be customized by positioning the larger pad on either side of the receiver, or by applying high-visibility paint. Professional (PRO) selector works in any standard AR-15 receiver. Lite model has skeletonized levers for reduced weight for even faster.... Oh heck, let's just admit it - they look cool. Elite model comes with swappable short and long levers, and it can be set for a 90-deg. or 60-deg. throw, while being fully compatible with all mil-spec lower receivers and any trigger that works in a mil-spec lower. Nite model has a self-illuminating (i.e., "glow in the dark") Tritium insert that helps you find the selector even during the darkest nocturnal operations. Full-Auto fits mil-spec M16/ M4-pattern rifles and carbines capable of full-auto/burst fire. SPECS: Heat-treated 12L14 steel, Parkerized, matte black. Comes with de-

#100-040-792	BAD-ASS-PRO Safety Selector, 6D00GSG	\$ 39.95
#100-040-799	BAD-ASS-PRO Full-Auto Safety Selector, 6D50L00	
#100-040-794	BAD-ASS-LITE Safety Selector, 6D55E71	59.95
#100-040-791	BAD-ASS-ELITE Safety Selector, 6D68G57	74.95
#100-040-793	<b>BAD-ASS-NITE Trtitium Safety Selector,</b> 6D128B57	139.95

tent, detent spring, 2 Torx® paddle attachment screws, and L-key wrench.

# JP ENTERPRISES AR-15 JPFC-SA ADJUSTABLE/REVERSIBLE SAFETY SELECTOR



Eliminates "Fitting" The Safety; Works With Factory & Aftermarket Triggers

Easy-to-install, reversible safety selector ensures ultra-reliable engagement and eliminates the time-consum-

ing job of "fitting the safety" to a factory or aftermarket trigger—the perfect upgrade to accompany a JP Adjustable Trigger. Eliminates the risk of damaging the trigger during fitting and shortens installation time by as much as one-third. An adjustment screw on the selector drum lets you guickly and easily set the correct trigger/safety relationship to completely block trigger movement when the selector is set to "safe." A second screw inside the drum ensures the adjustment screw stays locked in place. Deeply grooved control pad gives positive thumb engagement even when wearing gloves, and can be installed in the standard position on the left-side of the receiver or on the right side for fast, natural operation by left-handed shooters. Includes a low-profile ambidextrous lever for the other side that adds minimal bulk while giving you the flexibility to operate the safety with the off hand in an emergency or if the strong hand is injured. SPECS: Steel with aluminum control pads, matte black finish. Installation

#452-000-043 JPFC-SA Adj./Rev. Selector, 2E60A29.. \$ 66.99

# CMMG AR-15/M16 AMBIDEXTROUS SAFETY SELECTOR

Gives Fast, Positive Control With **Either Hand** 

Safety selector drops in to standard AR-15 and DPMS-pattern AR-308 lower receivers to give ambidextrous function. Opposite-side lever secures with setscrew for easy



installation and removal. Pronounced ridges on the levers give you excellent purchase, even with wet hands, for fast, positive operation. SPECS: Machined steel matte black finish

					700000	\$ 30.99
#1U	10-01	4-547	Amn	Safety Selector	3R2X1199	5 50 99

# **GEISSELE AUTOMATICS AR-15** AMBIDEXTROUS POSI-LOCK SAFETY



A Crisp, Decisive, Positive-**Operating Selector Upgrade** 

Ever been annoyed by the soft, mushy engagement of a mil-spec safety selector? If you're looking for that definite, tactile "Click!" that gives

you a solid indication of your gun snapping into position during engagement, then the Geissele Posi-Lock Ambidextrous Safety is a must-have for your rifles. Not only does the Geissele Posi-Lock Ambidextrous Safety provide a secure, tactile feel when locked into position, it's also designed for easy access by either hand, and the unit's 400 Series stainless-steel construction ensures it'll provide dependable service without failure through the harshest conditions.

#100-037-958 AR-15 Posi-Lock Amb Safety, 7B37P99. . \$ 40.00



# **KEARMS AR-15/M16 KP-15 OPTIMIZED SAFETY**

**SELECTORS** 

Select the Selector That Gives You the Greatest Selection of Options

The KP-15 Optimized Mil-Spec Selector is a standard left-side lever only mil-spec selector modified with a ramp on the outside of the track that makes it easy to remove from the gun simply by placing it halfway between "Safe" and "Fire" and pushing it out



of the receiver. No tools required! The KP-15 Optimized Ambidextrous 90/45 Selector is designed for use in the KE Arms KP-15 Polymer Lower Receiver, and offers the same easy removal process PLUS, it can be set up for a traditional 90-degree throw arc or a short-throw 45-degree arc. Machined from 6061 T6 billet aluminum, Mil 8625 Type III Class 2 anodized. 17-4 stainless steel shaft is black Melonite coated. Allen wrench included. Available with a Wedge-shaped primary lever or one with a Bar, NOTE: Ambi selector has been tested with mil-spec fire control assemblies, KE Arms SLT Triggers, and KE Arms DMR Triggers. KE does not guarantee safety or function with the many match triggers on the market. Many will work just fine, but users should properly function-test their selectors with dry fire prior to actual use. NOT compatible with Geissele or LaRue MBT triggers.

#100-047-165	Optimized Mil-Spec Selector, 4V13Y99	\$ 14.99
#100-047-166	Optimized Amb Selector - Wedge, 9R37U99	39.99
#100-047-167	Optimized Amb Selector - Bar, 3U37X99	39.99

# **GEISSELE AUTOMATICS AR-15** SUPER CONFIGURABLE SAFETY

Long Lever on the Strong Side or the Offside? Configure the Selector the Way YOU Want It!

The Geissele Super Configurable Safety is a high-quality, ambidextrous replacement for the mil-spec safety. The levers are easily



swappable and exchangeable with other Geissele levers to find the perfect fit, look, and comfort for your desired operation. They are held in place by an internal setscrew, ensuring they remain securely attached during hard use and mitigating the possibility of misplacing or losing an attachment screw during cleaning or servicing of your carbine. Rugged, all-stainless steel construction, with a black nitride finish chosen for its durability and anti-corrosion properties.

#100-037-959 AR-15 Super Configurable Safety,

7B70M99......\$ **75.00** 

# **NOVESKE AR-15** SHORT THROW SELECTOR

60° Selector With Magpul SSG Levers



Noveske's STS (Short Throw Selector) gives your AR's selector a short 60° throw for fast, easy transition between the "Fire" and "Safe" positions. It uses Magpul's popular SSG selector lever (included) for the FN SCAR for enhanced ergonomic feel, and is

available in both standard right-hand and ambidextrous versions. For further versatility, the Noveske kit includes both long and short levers to help you get the best feel and function. The central shaft is machined from hardened stainless steel with a nitride coating for surface wear resistance.

SPECS: Selector shaft - Stainless steel, hard nitride finish, matte black. Levers - molded polymer, matte black.

#100-010-790 Standard (RH) STS Selector, 1A00EPI.... \$ 37.99 #100-010-789 Ambidextrous STS Selector, 1A00NTL... 39.99



# **ODIN WORKS AR-15 AMBIDEXTROUS SAFETY SELECTOR**

Configure the Levers for Best Fit To Your Shooting Style

Designed to enhance the ability of today's AR-15 owners to bettercontrol their firearms. Odin's safety features a user-configurable design that allows them to configure

the safety switch's orientation to best-fit their ergonomic needs. The lever can be configured into EIGHT different spots along the selector's travel path, using both the 90- and 45-degree selector barrel to customize the stopping and starting points.

#100-036-156 Amb. Modular Safety, Blk, 4A39E94. \$ 46.99



WANT MORE NEW PRODUCTS? **SHOP ON LINE!** PRODUCTS ADDED DAILY

# **ROCK RIVER ARMS AR-15** STAR SAFETY SELECTOR

Round Profile Rolls Under Your Thumb

Round thumb pad gives fast, positive operation; ideal when wearing gloves. SPECS: 4140 steel, black, matte finish. For AR-

#739-000-007 AR-15 Star Safety Selector, 9C11M19... \$ 13.99

# **RADIAN WEAPONS AR-15/M16** TALON SAFETY SELECTOR



**Ambidextrous Control** - Use as Standard or Short-Throw Lever



The Radian Weapons (formerly AXTS) Talon™ ambidextrous safety selector is a modular design that can be installed as a standard 90° or as a 45° short throw by simply rotating the shaft 180° inside the lower


receiver. Selector levers install using a precision machined dovetail interface with spring-loaded retention stud to lock the lever in place - no screws to come loose or break. The Talon is compatible with most semi-automatic AR-15 and AR-308/SR25-pattern rifles. M16 model fits select-fire rifles with a full-auto/burst position on the selector. 4-Lever Kit gives you more options in customizing the levers on your safetyto suit your particular shooting style. Includes Short, Medium, Medium Taper, and Long levers.

SPECS: Levers machined from billet 7075 T6 aluminum, with Type 3 hardcoat anodized finish. Center shaft machined from hardened steel with hlack Nitride finish

DIACK IVILITUE III II.	or r.	
#100-023-423	<b>AR-15 Talon Safety Selector Amb,</b> Black, 7Z44N19	\$ 51.99
#100-023-424	<b>AR-15 Talon Safety Selector Amb,</b> FDE, 7Z45L89	53.99
w100-040-608	AR-15 Talon Safety Selector Amb, Tungsten Grey, 7Z42M49	49.99
w100-034-725	<b>AR-15 Talon Safety Selector Amb,</b> Red, 7Z47P69	52.99
w100-034-726	<b>AR-15 Talon Safety Selector Amb,</b> Blue, 7Z47P69	52.99
ew100-040-609	M16 Talon Safety Full Auto Amb 2 Lever, Black, 7Z66J59	73.99
w100-039-875	AR-15 Talon Amb Safety Selector 4 Lever Kit, Black, 7Z61H75	66.99
w100-040-610	AR-15 Talon Amb Safety Selector 4 Lever Kit, Tungsten Grey, 7Z62Q09	68.99

# **SEEKINS PRECISION AR-15** AMBIDEXTROUS SAFETY SELECTOR

Long- & Short-Throw Models Available





needs best. Even better, Seekins made these ambidextrous, so you have a throw lever on the left side of the rifle, too. Unique texturing on the levers gives excellent thumb contact and looks neat, too. #100-018-841 Ambd. Safety Selector, Blk, 8C00GAM . . \$ 35.99 #100-023-051 Amb Safety Selector, Red, 8C36L59.... 42.99

order on the web

# **RADIAN WEAPONS AR-15** TALON-GI 45/90 SAFETY SELECTOR

**Ergonomic Enhancements of** Radian's Ambidextrous Selectors -Without the Off-Side Lever

Many AR-15 owners are moving to ambidextrous safety selectors today, but some shooters still prefer the support-side selector, and Radian Weapons offers this

enhanced, GI-style version of its popular Talon safety selector. The Talon-GI has no weak-side lever but instead comes with one long lever that is installed on a precision machined dovetail cut and retained with a spring-loaded retention stud to lock the lever in place - no screws to come loose or break. The Talon-GI can be configured in either a 45 degree short throw or standard 90 degree configuration. It has a "safe" and "fire" indicator on the weak side of the safety cylinder.

#100-034-727 AR-15 Talon-GI Safety Selector, Blk, 

**SELECTORS** 

Choose the Selector Style

That Works Best for You

GW in building their high-quality semi-

auto rifles. Ambidextrous Selector has

a full-length lever on the right side.

Comes with detent, detent spring, and

hex wrench. Standard Selector comes

as the lever alone, with the "tick" mark

on the right-hand side. Detent and

spring sold separately, below.

Mil-spec factory parts used by SOL-

**SONS OF LIBERTY GUN WORKS** 

AR-15/M16 SEMI-AUTO SAFETY

# **TROY INDUSTRIES AR-15 AMBIDEXTROUS SEMI-AUTO SAFETY**



Lets You Control Safety From Either Side Of Your AR

All-steel selector lever installs like the original and adds a lever to the right side of the gun for left-handed shooters or right-handed shooters shooting from unorthodox positions. Right-side lever

has a low profile to avoid interfering with the trigger finger of righthanded shooters and is retained with a detent - no screws or pins to work loose. Small and large lever can be reversed and used on either side. Made of tool steel to last a lifetime.

SPECS: Hardened tool steel, matte black oxide finish. Fits semi-auto AR-15s with mil-spec lower receiver.

V SEVEN WEAPON SYSTEMS AR-15/M16

**57/90-DEGREE AMBIDEXTROUS** 

throw. Fits any rifle that accepts a mil-spec AR-15/M16 lever. Dim-

pled exterior on the levers gives your rifle a unique appearance and

gives you a non-slip contact surface for times when having your

thump slip off the lever is a no-go. Comes as unassembled parts, so

you can configure it with the long lever on either side of receiver.

All components, including the Torx screws, are made from Grade 5

Titanium. Not compatible with Hyperfire triggers or Ruger® Preci-

sion Rifle®. V Seven recommends applying Blue Loctite to the screw

#100-500-026 ( 57/90-Deg. Amb. Safety Selector,

#100-008-880 AR-15 Ambidextrous Selector. 3B51K29.....\$ **56.99** 

**SELECTOR** 

Versatile - Use as Standard- or Long-

Throw: Unusual, Impressive Looks

convertible lever has both 57° and 90°

throw options, so you can choose between a standard throw or a faster short

V Seven's lightweight all-Titanium

# CMMG AR-15/M16/AR-308 PIVOT/TAKEDOWN PIN DETENTS



Handy 10-Pack of Replacements

They're tiny, they're easy to misplace, and they go zipping across your workbench and disappear into another dimension on the other side. And if you have carpet-

ing in your workroom, forget about finding the one you drop. The easy solution? Have a CMMG's 10-pack of pivot/takedown detents in your parts drawer, and the next time a detent goes AWOL, grab a replacement, install it in the gun, and move on with your life. Hardened steel, gold-colored finish. .335" long x .083" O.D.

#100-044-642 Pivot/Takedown Pin Detents 10-Pak, 

# JP ENTERPRISES AR-15



Oversize pins hold hammer and trigger in precise alignment without free play for consistent trigger letoff. Moly impregnated to reduce friction. Fits "small pin" receivers. Hex-head screws locate pins to frame, eliminate the hammer J spring. Installation may require reaming the hammer's pin hole for proper fit. SPECS: Tool steel, moly coated. .156" (3.9mm) diameter. 1" (2.5cm) long.

Pack of two pins.

# #452-015-028 Small Anti-Walk Pins, 2E14Q44 ...... \$ 16.99

# V SEVEN WEAPON SYSTEMS AR-15/M16 **ULTRA-LIGHT PIVOT/TAKEDOWN PIN**



V Seven's pin set is made with "Super Aluminum Construction" strength and blends in with the rest of your Black Rifle.

#100-500-031 AR-15 Ultra-Light Takedown & Pivot Pin

# JUGGERNAUT TACTICAL AR-15 **HELLFIRE MODE KIT**




Simple Drop-In Kit Makes Your AR California Compliant (For Now)

Juggernaut's cleverly engineered kit enables you to easily make your AR compliant with current California law without permanently altering the gun. The modified quick-release takedown pin acts as a button to separate the upper from the lower just enough to disengage semi-automatic operation and automatically disable the magazine

lock. Barrel tips down slightly under its own weight, but the upper won't separate from the lower, making the mag release operable. Then simply swap mags, slap the bottom of the handguard upward to re-engage the spring-loaded takedown pin and lock the upper back in place - so you're back in action ASAP. This kit allows you to keep your pistol grip, foregrip and adjustable stock. And best of all, should the CA law change or you someday move to a different state, the Hellfire kit is easily removed and your gun can be returned to its original configuration. Fits mil-spec AR-15 receivers with .250" dia. pivot/takedown pin holes. Laws and regulations can change at any time; the user is responsible for making sure his rifle stays compliant.

#100-027-291 Hellfire California Mod Kit. 4B51J84 . . . . \$ 60.99

# **ANTI-WALK PINS**






SET Lighter Than Traditional Steel Pins, Yet Strong

that is guaranteed against corrosion and is 64% lighter than a standard steel mil-spec pin. Unique dimple tip design aids in pushing pin during disassembly. Type III hardcoat anodized adds surface

Set, Blk, 7G00IMK.....\$ 27.99

# YANKEE HILL MACHINE AR-15/M16 **EZ PULL PIVOT & TAKEDOWN PIN SET**





for a punch and scratching the receiver. Pin shafts are designed to lock as securely as factory pins. Perfect for the shooter who mounts different top ends for different applications on a single lower receiver. Precision machined, heat-hardened steel with long-wearing mil spec Parkerized finish.

SPECS: Steel, matte black finish. Set of 1 front pivot pin, 1 rear takedown pin. Fits receivers with .250" (6.3mm) diameter pivot and takedown pins.

#100-003-690 EZ Pull Takedown Pin Set, 9A16C14.... \$ 18.99

# TRIGGERTECH AR-15 **AMBIDEXTROUS SAFETY**

#100-045-001 AR-15 Safety Selector, 1Y11Q99 ...... \$ 12.99

#100-045-000 AR-15 Amb Safety Selector, 3N29F99 . . 29.99

#100-045-013 AR-15 Selector Detent, 8C02V99..... 2.99

**#100-045-012** AR-15 Selector Spring, 7B02U99 . . . . . 2.99



A LOT of Configurability, Plus It Lets You Remove Your TT Trigger Module Without Removing the Safety

This safety is designed specifically to work with TriggerTech's triggers. It can be installed and removed without removing the pistol grip, after the initial install, made possible by a central "tumbler" and ball-tipped detent pin. This saves you time when swapping triggers - easy to do with a

TT module - cleaning or performing maintenance on your gun. The detent's silicon nitride ball tip offers extremely low friction and high durability, along with an unmatched smoothness when switching the selector from "Safe" to "Fire". The safety can be easily setup with a 45° or 90° degree throw. It comes with interchangeable short and long levers (it's up to you to decide which lever goes on which side). and a cap is provided to install on one side if you choose to have a lever only on one side. The tumbler is made of 440C stainless steel and DLC coated for smooth operation and excellent resistance to wear. The levers are made of 17-4 stainless steel, the black version coated with PVD, and the silver version polished.

**#100-054-292** AR-15 Amb. Safety, Black, 6D51K99.....\$ 54.99 #100-054-291 AR-15 Amb. Safety, Silver, 7E46L99 . . . . 49.99

# BATTLE ARMS AR-15/M16 ENHANCED PIVOT/TAKEDOWN PIN SETS



threads during assembly.

Pins Help Make AR-15 Assembly & Disassembly Easy

7G00EKP......\$ 76.99

Hardened steel pins fit standard AR-15 lowers to make rifle take down easy and fast. These pins are .030" longer than standard, giving purchase when pushing them from the left side of the receiver. Feature textured heads for easy handling and bullet tip guides that help center a bullet or other takedown tool.

Tapered cuts make pins easy to push. **Titanium** is 50% lighter than steel, perfect for a lightweight rifle build or just to add a little contrast to your black rifle.

SPECS: Hardened steel, black oxide finish, or Titanium, polished silver finish. Fits, 250" dia, receiver holes, Includes both front and rear pins. detents, springs, and magnetic assembly tool.

#100-013-491 Enhanced Takedown Pins, 6D25P49. \$ 29.99 #100-015-185 ( ) Titanium Enhanced Takedown Pins. 6D34Q84 .....

JEW.

# **SONS OF LIBERTY GUN WORKS** AR-15/M16 PIVOT & TAKEDOWN PINS

Quality Mil-Spec Parts to Keep Your AR's Upper & Lowers Halves Securely Joined

Hardened steel pivot and takedown pins, with what looks to us like a black oxide finish, are the correct size for mil-spec A2 and later receivers with .250" pivot/takedown pin holes.

Old-school "push"-style pins that are groved for the external detent (sold separately, below). These pins have a .248" O.D. with a 1.130" pivot pin shank length and 1.005" takedown pin shank length.

#100-045-011 Receiver Pivot Pin, 3R07H99......\$ 8.99 #100-045-014 Takedown Pin, 9D07W99..... 8.99 #100-045-005 Pivot/Takedown Pin Detent, 6A02T99 . . . 2.99 **BROWNELLS** AR-15/M16 **ACCU-WEDGE Drop-In Accuracy Fix; Stops Unwanted Movement Between Receiver Halves** 

One of the fastest, easiest, cheapest accuracyimprovements you'll ever find for your AR! Tough, high-density synthetic rubber wedge drops into the space behind

the takedown pin in the lower receiver to provide tension between the receiver halves and prevent movement for improved accuracy. Takes the "loose gun" factor out of the equation, so you shoot tight, consistent groups. Can be trimmed to accommodate any variation in upper-to-lower receiver fit.

SPECS: Synthetic rubber. 3/4" (1.9cm) high, 1/2" (1.3cm) diameter.

#080-000-663 Brownells ACCU-Wedge, 8K5P99 . . . . . \$ 7.99

# **BROWNELLS** AR-15 **EXTRACTOR BUFFER**



Stronger Base For Eliminating Extractor Bounce

Tough, dense rubber insert replaces factory buffer inside the extractor spring to prevent "extractor bounce" that can occur in rapid-fire conditions. Insert keeps the extractor from losing contact with casings and reducing faulty ejection of the spent casing. Sold in 10-paks. SPECS: Rubber, black. 15" (3.8mm) long, 11" (2.8mm) dia. Sold in 10-paks.

#078-000-071 Extractor Buffers, 10-pak, 2D11M99 . . . \$ 14.99

# **Z-M WEAPONS AR-15/M16 ACCU-WEDGE**

Instantly Tightens Loose Upper & Lower Receivers

Helps promote better accuracy by making the upper and lower receiver fit tighter. Open upper receiver; drop this long-wearing, rubber wedge into the rear of the lower, behind the push pin. Absolutely no modifications required. SPECS: High-density, thermo-plastic rubber, 1/2" (12.5mm) long.

WW993-150-100 AR-15/M16 Accu-Wedge, 3Z7D49 \$ 9.99

# POWER CUSTOM AR-15/M16 RECEIVER SHIMS

**Eliminates Unwanted Play** Between Upper & Lower Receiver

Tempered stainless steel shims help eliminate play between receiver halves for a tighter fit to help restore accuracy and reduce noise in older rifles. Install as many shims as needed on the pivot pin to reduce side-to-side movement. Sold in 10-Paks. SPECS: Stainless steel, heat-hardened. 10 shims per set.

#713-000-108 Upper/Lower Receiver Shims,

3A22Q39.....\$ 27.99

# **AERO PRECISION AR-15** FIELD REPAIR KIT



### Small Parts, Pins & Springs That Most Commonly Get Lost

No one likes their trip to the range OR competition ruined when something breaks on your rifle. Aero's Field Repair Kit contains the parts that most commonly break - or get lost when you disassemble your rifle for cleaning or upgrades. Carry one in your range bag and always have what you need to get your rifle up and running again! Contents: takedown pin detent (2), takedown pin spring (2), roll pin (fwd assist x 2), bolt catch spring (2), bolt catch buffer, bolt catch roll pin (2), trigger/hammer pins, safety selector spring, safety selector detent, buffer retainer, buffer retainer spring (2), triggerquard roll pin (2), pistol grip screw, pistol grip lock washer, trigger spring, hammer spring, disconnector spring, nylon tipped tension setscrew  $(\frac{1}{4}-28 \times \frac{1}{2})$ , 4-40 setscrew for threaded takedown pin detent hole (2), and threaded roll pin. AR-15 kit also contains an M4E1 lower bolt catch pin.

#100-036-983 M4E1 AR-15 Field Repair Kit, 3E00ACG. . \$ 14.99 #100-036-984 M5 AR-308 Field Repair Kit, 3E00NUJ. . . 14.99

# **BROWNELLS** AR-15/M16 **LOWER PARTS KIT**



### All the Small Parts You Need, Nothing Extra You Don't

Our AR-15 lower receiver parts kit contains top-quality, milspec compatible small parts to finish off a lower, except for the fire control group and pistol grip - which most custom builders want to choose separately. Each part is well made, durable and packaged in color coded bags for easy installation. This kit is an excellent choice for building or rebuilding an AR-15 rifle. With this kit, you get the parts you need, without picking up extras to roll around in your "miscellaneous parts drawer." Contains: takedown pin, receiver pivot pin, takedown pin detent (2) & spring (2), bolt catch, bolt catch plunger/ spring/pin, buffer retainer & spring, magazine catch & spring, magazine release button, triggerguard assembly & pin, safety selector, selector detent & spring, grip screw & washer.

SPECS: Fits standard, mil-spec, .223/5.56 AR-15 lower receivers. #078-000-330 Lower Parts Kit w/o Fire Control/Pistol

Grip, 1Z37L99 ..... \$ 41.99

# TANK'S RIFLE SHOP AR-15/M16 EXTRACTOR "DONUT"

Drop-In Part Helps Ensure Positive, Reliable Extraction

Tiny, high-stress synthetic rubber ring slips around the extractor spring to increase extractor tension for more reliable extraction. Eliminates spring "chatter" to prevent malfunctions caused by the extractor slipping off the cartridge rim. Helps ensure positive, consistent extraction during rapid-fire sequences. SPECS: Synthetic rubber. Sold in a pak of 5.

**#901-000-002 Extractor Donuts.** 5-pak. 1K5Q24........ \$ 6.99

# AERO PRECISION AR-15/AR-308 **FIX-IT KIT**



### Contains the Tiny Parts That Easily Get Lost During a Build/ Reconfiguration Project - Also Called the "Oops" Kit

Did you launch a detent and spring across the garage during your build and now you can't find it? Aero's Fix-It Kit contains the most commonly lost parts - just what you need so you can finish your build. All parts in the kit are compatible with mil-spec AR-15s, plus Aero's M4E1 and M5 (AR-308) receivers. Kit contains takedown pin detent (4), takedown pin spring (4), bolt catch roll pin (2), trigger/hammer pin (2), safety selector spring (2), safety selector detent (2), buffer retainer (2), buffer retainer spring (2), disconnector spring (2), 4-40 setscrew for threaded takedown pin detent hole (2), and threaded roll pin.

#100-036-985 AR-15/AR-308 Ooops Kit, 3E00CCK.... \$ 12.99

# MGI MILITARY AR-15/M16 D-FENDER D-RING **Drop-On Installation Gives A Lifetime**

Of Improved Extraction

SPECS: Rubber, black. .068" (1.7mm) thick.

M16 firearms.

Firm rubber D-shaped ring surrounds the extractor spring to

multiply extractor spring tension by 400%. Easy installation pre-

vents virtually all extraction problems associated with AR-15 and

#741-015-003 D-Fender D-Ring, 1D11C24 ...... \$ 14.99

Buy the Kit With Only the Parts You Need -With or Without Fire Control Group & Pistol Grip

their own trigger and adding a pistol grip of their choice, so why

pay extra for what you won't use - UNLESS you need it? Aero lower

parts kits are configured to provide with exactly what you need to finish a lower receiver. You can get just the small parts MINUS the

hammer/trigger/disconnector (fire control group - FCG), OR you

can get it with all the small parts and a Magpul® MOE® pistol grip in

Black or Flat Dark Earth (FDE). Or how about small parts, MOE grip,

and a mil-spec FCG? One more option: get all of the above, plus a

MOE Enhanced triggerguard. Relax - it's all spelled out in the table

below. Give it a gander, and select the kit that suits your build! Aside

from FCG, pistol grip, and triggerguard options, ALL kits contain the

following: pivot/takedown pins plus detents & springs, bolt catch,

bolt catch buffer, bolt catch roll pin, bolt catch spring, magazine

catch body, magazine catch button, magazine catch spring, buffer

retainer, buffer retainer spring, safety selector plus spring & detent,

4-40 setscrew for threaded takedown pin detent hole, trigger, ham-

mer, trigger spring, trigger/hammer pins, hammer spring, discon-

COLOR GRIP

Black MOE

Black MOE

Black MOE

Black MOE

Black MOE

Black MOE-SL MOE

Black MOE-SL No

Black MOE-SL MOE

MOE-SL MOE

MOE-SL No

MOE-SL MOE

Black No

FDE MOE

FDE MOE

FDE

FDE MOE No

FDE

FDE MOE

FDE

TRIGGER-

No

No

No

MOF

MOF

No

MOE

MOE

MOE

GUARD FCG

No

No

No

No

No

Yes

Yes

No

No

Aero Billet Yes 2H94V99 \$ 94.99

PRICE

9C49Q99 \$ 49.99 6B00LFH \$ 49.99

3C49Q99 \$ 49.99

7H49P99 \$ 49.99

8J49Q99 \$ 49.99

No 3E00KZP \$ 34.99

No 7C00KRH \$ 49.99

Yes 3E00EGK \$ 79.99

Yes 3E00DMN \$ 79.99

Yes 8D00ZBG \$ 79.99

Yes 4D79R99 \$ 79.99

Yes 9E00GHQ \$ 79.99

Yes 2M00JFK \$ 79.99

Yes 3E00MWM \$ 99.99

Yes 3E00BSN \$ 99.99

1G79U99 \$ 79.99

5H79V99 \$ 79.99

3E00MLR \$ 49.99

7X59K99 \$ 59.99

nector, and disconnector spring.

FITS

STOCK #

#100-036-671 AR-15

W100-054-395 AR-15

100-054-396 AR-15

100-054-386 AR-15

100-054-387 AR-15

100-054-388 AR-15

ww100-054-389 AR-15

#100-036-673 AR-15

#100-036-674 AR-15

100-054-399 AR-15

100-054-400 AR-15

100-054-391 AR-15

100-054-392 AR-15

100-054-390 AR-15

100-054-393 AR-15

100-054-394 AR-15

#100-036-672 M5/AR-308 Black No

100-054-401 M5/AR-308 Black MOE

#100-036-675 M5/AR-308 Black MOE

#100-036-676 M5/AR-308 FDE MOE

**AERO PRECISION AR-15/AR-308** 

LOWER PARTS KITS

# ALG DEFENSE AR-15/M16 LOWER PARTS KITS

# The Whole Shebang, With Your Choice of ACT or QMS Trigger & Ready To Install


JEW!

These kits all come with the standard parts: bolt catch/ plunger/spring/roll pin, magazine catch/spring, mag release button, buffer retainer & spring, safety selector/detent/spring, triggerguard & roll pin, and the pivot & takedown pins/detent/spring plus your choice of ALG's ACT or QMS triggers with or without A2



pistol grip (screw and washer in-

cluded). Parts and triggers fit mit-spec AR-15 lower receiver			rs. $\equiv$
	#100-042-563	AR-15 LPK w/ACT Trigger, 6T113F00	113.0
	#100-042-564	AR-15 LPK w/Grip+ACT Trigger,	
		8D00HJK	118.00
	#100-042-561	AR-15 LPK w/QMS Trigger, 6B00CFG	93.00
	#100-042-562	AR-15 LPK w/Grip+QMS Trigger,	
		7COOFHG	96.00



# **BRAVO COMPANY** AR-15/M16

# **BCMGUNFIGHTER LOWER PARTS KIT**



# Complete Set of Small Parts, Including Fire Control & Pistol Grip

Bravo Company's kit contains of complete suite of mil-spec compatible small parts to finish assembling a lower receiver. It also includes three important upgrades: the BCM PNT<sup>TM</sup> trigger assembly, BCM Mod 3 Pistol Grip, and BCM's Enhanced Triggerguard

#100-018-636 Enhanced Lower Parts Kit, Blk, 1E113L99 . . . \$ 119.99 #100-018-637 Enhanced Lower Parts Kit, FDE, 1E116E84... 122.99

# CMMG AR-15/M16 LOWER PIN & SPRING KIT

17 Critical Parts For Your Lower

Parts kit contains 17 essential pins and springs for your AR lower receiver. Saves time when assembling components for a build and makes a great emergency replacement kit for small parts that are most often lost or broken. SPECS: Kit contains: trigger spring,



hammer spring, hammer & trigger pins (2), takedown detent springs (2), disconnector spring, safety selector detent, safety selector spring, bolt catch spring, bolt catch plunger, bolt catch pin, triggerguard pin, buffer retainer, buffer retainer spring, & takedown detents (2).

#100-012-715 Lower Pin & Spring Kit, 3B13C59 . . . . . \$ 16.99

order on the web

brownells.com

BROWNELLS. PAGE 55

Orders: 800-741-0015

# **CRITICAL CAPABILITIES AR-15/M16** LOWER PARTS KITS



### Choose The Kit That's Right for YOUR Needs

Critical offers its lower parts kit in three forms, so you can buy the set of parts that fits your needs, without having little bits left over to rattle around in the spares drawer. Enhanced kit contains everything but the pistol grip, fire control system, and triggerguard. ELG (Enhanced Longitudinal Grind) kit is built around Critical's longitudinally-ground trigger, which is ground in-line with the direction of pull along the long axis of the trigger, and then finish-polished. This gives a smoother pull than a standard mil-spec trigger with reduced grittiness and second, an enhanced basis for performing a trigger job. **ELG Complete** kit includes the trigger, plus a pistol grip and its mounting holt

	.9	
#100-500-154	AR-15 Lower Parts Builder Kit,	
	3C26F99	\$ 35.99
	AR-15 LPK No Trigger Guard or Grip,	
	3C35D69	41.99
#100-500-156	AR-15 LPK Complete, 3C40M79	47.99

# CMMG AR-15/M16/AR-STYLE.308 **GUNBUILDER'S LOWER RECEIVER PARTS KITS**



The Parts You Need To Complete A Stripped Upper

CMMG's Lower Parts Gunbuilder's Kits contain all the parts necessary to complete a stripped AR-15 lower receiver, minus the three most-often customized components. trigger/hammer, pistol

grip, and triggerguard. Parts list for all kits includes: pivot/takedown pins, takedown pin detent w/spring (2), hammer/trigger pins (2), safety selector, selector detent, magazine catch w/spring, bolt catch w/plunger/spring/spring pin, and buffer retainer w/spring. AR-308 kit has components to fit DPMS LR-308 pattern receivers. Also includes an improved bolt catch and a bolt catch screw in place of the AR-15 pin

#100-014-538	AR-15 Gunbuilder's Kit, 3B37D99 \$ 39.99
#100-014-540	AR-308 Gunbuilder's Kit, 3B50Q99 59.99

# CMC TRIGGERS AR-15/M16 BASIC LOWER PARTS KIT



All the Parts You Need, Minues the Trigger/Hammer

One of the reasons why the AR-15 is so popular among firearm enthusiasts is the ability to buy a stripped lower receiver and complete it on your own, adding in all the components you want and none you don't. However, many lower-parts kits on the market include every component, including the components that builders often toss to the

side, like the mushy mil-spec trigger. Why pay for what you won't use? That's why CMC Triggers developed this AR-15 Lower Parts Kit that includes every small bit you need to complete a lower receiver, EXCEPT the trigger, hammer, disconnector, and the springs associated with them. That's because you're going aftermarket for the trigger, right? All parts included are guaranteed to meet or exceed military specifications.

#207-000-085	AR-15 Low	er Parts Kit, NO Trig	ger Assy/	
	Pistal Grin	7K34K84	-	\$ 40.99

# COLT AR-15 FACTORY LOWER RECEIVER PARTS KIT



Genuine Colt **Internal Parts** To Complete A Stripped Lower Receiver

Convenient kit of genuine Colt factory parts includes all the

small parts needed to finish a small-pin AR-15 lower receiver, and install the trigger group and pistol grip of your choice. Or, use the kit to rebuild the worn internals of an old rifle and restore it to likenew function and reliability. The single-manufacturer source-the company that developed the original AR-15/M16 platform and built them for the U.S. military—means the kit parts are designed to work together and will require minimal fitting. Also includes an Accu-Wedge, a high-density rubber insert that fills the space behind the takedown pin to prevent unwanted movement between the receiver halves. Helps the rifle shoot tight, consistent groups.

SPECS: Fits small pin (.154" diameter), mil-spec lower receivers and ARstyle .308 rifles that use AR-15 trigger groups. Kit contains bolt catch pin, bolt catch plunger, bolt catch spring, buffer retainer, buffer retainer spring, selector lever, selector detent, hammer/trigger pins (.154" O.D.), mag catch, mag release button, mag release button spring, pistol grip lock washer, pistol grip screw, .250" front pivot pin, .250" rear takedown pin, 2 takedown pin detents, 2 takedown pin detent springs, triggerguard, triggerguard pivot pin, bolt catch, ejector/selector spring, and Accu-Wedge. Does not include trigger, hammer, disconnector, or pistol grip.

#080-000-606 Colt Lower Rec'r Parts Kit, 6A135F99 \$ 159.99

# **BROWNELLS** AR-15/M16 **LOWER PARTS KITS** Complete With Mil-Spec



Ahead, Build Your Dream parts kit (LPK)

comes with the USGI mil-spec trigger because it's simple, reliable, affordable, and more than adequate for a whole lot of shooting done with an AR-15.

You can get it with a slick, smooth-operating Nickel-Teflon coated trigger or a plain **Black** oxide trigger. The black trigger kit is also part of the **Expanded Kit** that includes A2 pistol grip (screw and washer included) plus an M4 carbine receiver extension, buffer, buffer spring, end plate, and castle nut. ALL kits include hammer, trigger. disconnector, hammer & trigger pins, hammer/trigger springs, bolt catch/plunger/spring/roll pin, magazine catch/spring, mag release button, buffer retainer & spring, safety selector/detent/spring, oversized "winter" triggerguard & roll pin, and the pivot & takedown pins/ detent/spring.

#080-001-396	Exp 8E9
#080-001-398	
#080-001-399	

panded LPK w/M4 Buffer System, 99S99 . . . . . **\$ 104.99** K w/Mil-Spec Trigger, Black, 59.99 K w/Trigger Assembly, Nickel-Teflon, 6B34G50....

# tem CMMG AR-15/M16/AR-STYLE.308 OWER PARTS KIT WITH TRIGGER



### Everything To Complete or Rebuild a Stripped Lower Receiver; Includes Military Trigger

Complete kit contains every internal part needed to complete or rebuild an AR lower receiver. High-quality components are designed to work in coordination with each other to ensure smooth operation, and they come packaged in color-coded bags that organize related parts for easy assembly. Includes molded-polymer A2 pistol grip and a military-style trigger that offers a conventional, single-stage 6 to 61/2 lb. service rifle pull. AR-15/M16 kit also available with an Ambidextrous safety selector.

SPECS: Kit includes A2-style pistol grip, trigger, trigger spring, hammer, disconnector, hammer/trigger retaining pins, hammer spring, bolt stop and screw, selector, selector detent, bolt catch, magazine catch, magazine release button, front pivot pin, rear takedown pin, buffer retainer, triggerguard assembly, and all necessary pins, springs, detent and screws. AR-15/M16 fits mil-spec AR-15/M16 lower receivers. AR-Style .308 fits DPMS LR-308 pattern lower receivers.

21110 En 000 po	tterritorrer recerrers.	
#100-011-594	AR-15/M16 Lower Parts Kit w/Mil-Spec Trigger, 3B65C99	\$ 68.99
<b>⊯</b> 100-054-304	AR-15/M16 LPK w/Mil-Spec Trig. & Amb. Selector, 3J71W99	
#100-011-172	AR-308 Lower Parts Kit w/Mil-Spec Trigger, 3B80Q74	94.99

**FOLLOW US • FRIEND US • LIKE US** 

# CMC TRIGGERS AR-15/S&W M&P15-22 ANTI-WALK HAMMER/TRIGGER PINS

# Pins That'll Ensure Your Rifle's Fire Control System Stays Put

Every AR owner and builder knows that the trigger and hammer are held in by two pins that push through corresponding holes in the sides of the lower receiver. However, what some might not have experienced is the "walking" of these pins, caused by enlarged dimensions



on the holes or wear. To prevent this issue, CMC Triggers designed its Anti-Walk Pin Set, which includes two posts, four screws, and the wrenches needed for assembly. The anti-walk pins can be installed and removed with ease, and there are no protrusions on the pin set that will interfere with the operation of an AR, even with gloved hands. Small pins set for rifles with standard .153" hammer/trigger pin holes. M&P15-22 pins fit Smith & Wesson M&P15-22 rifles and most other polymer composite AR platform lower receivers.

	AR-15 Small (Std) Anti-Walk Pin Set, .153", 7K13A59.	
#207-000-096	<b>S&amp;W M&amp;P15-22 Anti-Walk Pin Set,</b> 7K13G59	15.99

RISE ARMAMENT AR-15/M16

LOWER PARTS KIT

# KEARMS AR-15/M16 **G.I. LOWER PARTS KIT**

Sometimes You Want To Customize -And Sometimes "Mil-Spec" Is Just What You Need

The KE Arms AR-15 GI Parts Kit has every part you need to assemble your bare lower receiver into a functional piece for your custom AR-15 or M4 build. Contains: Enhanced Polymer Winter Triggerguard (secures with included roll pin and setscrew for easy installation), A2 pistol grip ofinjection molded glass filled nylon, pistol grip screw, grip screw lock washer, hammer, hammer spring, trigger, trigger spring, disconnector, disconnector spring, safety selector, selector detent spring, safety selector detent, magazine release button, magazine catch, magazine catch spring, recoil buffer retainer & spring, bolt catch, bolt catch plunger/spring/roll pin, takedown/pivot pins, takedown pin detent springs (2) (longer than standard - trim to length needed for your lower), and takedown pin detents (2).

#100-040-579 AR-15 G.I. Lower Parts Kit, 6A56D99.... \$ 59.99

All the Necessary Bits, Minus the FCS & Triggerguard

A no-nonsense internal parts kit that contains everything you need to complete a lower, EXCEPT the fire control group (trig-

ger, hammer, disconnector), pistol grip, and triggerguard. Contents:

safety selector/detent/spring, mag catch/spring, mag release button, bolt catch/spring/plunger/roll pin, pivot & takedown pins (plus 2 each spring & detent), buffer retention pin/spring, and hammer & trigger pins (2 pcs).

#100-040-273 AR-15 Lower Parts Kit, 2C35V99..... \$ 37.99

# **GEISSELE AUTOMATICS AR-15 LOWER PARTS KIT**

**Necessary Internal** Components To Repair/Build/Rebuild a Custom Rifle

Geissele's kits contain all the parts necessary to get your lower receiver operational minus the trigger com-



ponents. Geissele is renowned for superbly designed, meticulously manufactured products, and these parts meet their high standards. Items in the AR-15 Lower Parts Kit are manufactured to "mil-spec" (M16/M4) dimensions to ensure optimum fit and function in your AR rifle or carbine. The fire control system - trigger, hammer, disconnector (and pins) - may be the most "personal" part of any custom AR-15. Along with the pistol grip, it's the area most customizers and custom builders prefer to select very carefully. As a result Geissele omits both components from one version of the kit; the other version still omits the fire control parts but comes with an A2 pistol grip and its mounting hardware. Either way, you don't have to spend money on parts you won't use!

SPECS: Both kits include: bolt catch, bolt catch plunger/spring/roll pin, mag release, mag release button, mag release spring, buffer retainer spring, buffer retainer, safety, safety detent & spring, triggerguard & roll pin, pivot & takedown pins, takedown detents & springs. #100-030-497 adds plastic A2 pistol grip, grip screw and washer.

#100-025-740	AR-15 Lower Parts Kit, 7B00BIS	\$ 49.00
#100-030-497	AR-15 Lower Parts Kit w/Grip,	
	7B00KBM	65.00

# **GEISSELE AUTOMATICS AR-15** ENHANCED LOWER PARTS KITS



An LPK With the **Quality To Match** a Geissele Trigger

Geissele's lower parts kits provides all of the internals you need to finish a standard AR-15 lower receiver, minus the trigger group. Includes proprietary

components that are machined from stainless steel in Geissele's own production facility. Stainless steel ensures that the internals of your AR-15 are highly resistant to corrosion or failure throughout the lifetime of your rifle, even in extreme-use conditions. Enhanced components in these kits include Geissele's Maritime Bolt Catch, Ambidextrous Posi-Lock Safety, and one of Geissele's upgraded triggerguards. Each of these components are constructed with an eye toward improving the usability of the AR platform by allowing for more tactile engagement and easier access to critical control components. Super Duty kit comes with Geissele's Super Duty triggerquard. Ultra Duty kit comes with the Ultra Duty triggerguard. Both are available in basic Black or Geissele's Desert Dirt Color (DDC), which is similar to Flat Dark Farth

***************************************	to riat barn cartin —
#100-037-954	<b>AR-15 Super Duty Lower Parts Kit</b> , Black, 7884Q99
#100-037-955	<b>AR-15 Super Duty Lower Parts Kit</b> , DDC, 7888A99
#100-037-956	<b>AR-15 Ultra Duty Lower Parts Kit,</b> Black, 7B122N99
#100-037-957	<b>AR-15 Ultra Duty Lower Parts Kit,</b> DDC, 7 <i>B</i> 126 <i>P</i> 99 <b>134.00</b>

# **DOUBLE STAR** LOWER RECEIVER PARTS KIT



### Convenient Pack o' Parts You Need To Complete A Stripped Lower

High-quality parts kit includes all necessary components minus the stock and buffer system to complete a stripped lower receiver or rebuild an old gun that's worn out. Kit includes complete fire control group with pins and springs, bolt catch assembly, magazine catch assembly, front pivot pin, rear takedown pin, both takedown pins and detents, trigger guard pin, pistol grip with screw and washer, buffer detent, and the buffer detent spring.

SPECS: Steel, matte black finish. Fits all standard mil-spec pattern AR-15 receivers. Buttstock, buffer tube, buffer and spring not included.

#100-010-669 Lower Receiver Parts Kit. 2Z62F99 .... \$ 69.99

# **BROWNELLS** AR-15 **BRN-180™ UPPER RECEIVER** REPLACEMENT PARTS



### Correct "Factree" Replacements for Critical Parts/Assemblies -Just in Case the Unthinkable Happens!

The Brownells BRN-180™/BRN-180S™ upper receiver is not an entry-level, loss-leader, bare-bones AR upper. It's built robustly so you can shoot it A LOT and it'll stand up to hard use. But accidents do happen, and parts sometimes get overstressed and "give up the ghost" prematurely. Since many of the 180's key components are not standard, mil-spec items, we've decided to make spares available. These are exactly the same components that are installed in current-production rifles. None are Gen2-specific items (except for the .300 Blackout adjustable gas system), so they'll fit any BRN-180 produced so far.

produced 30 ra	l. <del></del>	
#078-000-614	BRN-180 Cam Pin, 7D7Q50	\$ 9.99
#078-000-612	BRN-180 Complete Bolt, 7D108F33	129.99
#078-000-613	BRN-180 Charging Handle, 7D16A67	19.99
#078-000-616	BRN-180 Gas System - Fixed, 7D25I00.	29.99
#078-000-617	BRN-180 Gas System - Adjustable .223,	
	7D50A00	59.99
#078-000-618	BRN-180 Gas System - Adjustable	
	<b>300BLK,</b> 7D66H67	79.99
#078-000-619	BRN-180 Piston Rod Linkage, 7D11B67	14.99
#078-000-620	BRN-180 Piston Rod Std, 7D33J33	39.99
#078-000-621	BRN-180 Piston Rod Short, 7D25G00	29.99
#078-000-622	BRN-180 Piston Rod 300BLK, 7D25P00.	29.99
#078-000-615	BRN-180 Recoil Block with Guide Rods,	
	7D33J33	39.99
#078-000-611	BRN-180 Spring Kit, 7D11C67	14.99

# SONS OF LIBERTY GUN WORKS AR-15

# "BLASTER GUTS" LOWER PARTS KITS



### All the Small Parts To Complete a Lower Receiver -With or Without a Trigger

SOLGW AR-15 lower parts kits come with almost everything you need to finish building your lower receiver. You can even get it with the SOLGW Liberty Fighting trigger included. Every component in this kit is made to exceed Mil-Spec to ensure ultimate reliability in your AR. The SOLGW bolt catch and spring are cast from AISI 8620 per USGITDP while the KNS Precision Machine safety and takedown pivot detents are made from hardened stainless steel. Even the magazine release is made from steel as opposed to the commonly used aluminum. High quality materials are what set this LPK apart from the rest. This lower parts kit is a great way to finish that lower receiver on your workbench and eventually your full rifle. The kit can be obtained without the trigger and pistol grip AND configured for select-fire (full-auto) rifles.

#100-038-748	AR-15 Blaster Starter Lower Parts Kit, 6H00HHD	\$ 44.99	
#100-038-749	AR-15 Blaster LPK w/Liberty Fighting Trigger, 6H00AFG	99.99	ď
#100-038-750	AR-15 Enhanced Blaster LPK Customizable, 6H00IQC		
#100-038-751	AR-15 Blaster Full-Auto Lower Parts Kit, 6H00GIM	109.99	

STRIKE INDUSTRIES AR-15

ENHANCED LOWER PARTS KIT

builds, or to update a Plain Jane AR. This kit includes all the basics

that you will need to build out your AR minus the pistol grip, but with

Strike's enhanced lower parts where applicable. Includes fire control

group that offers a crisp 4.5 to 5.5 lb pull, with unmatched smoothness for mil-spec style AR-15 triggers. Longitudinally ground and polished sear engagement surfaces coupled with precision cut sear

angle equate a vastly improved trigger feel without sacrificing safety

Trigger, 2H00MJC..... \$ 47.99

Trigger, 2H00IHI....

or reliability. Kit also available WITHOUT the trigger.

#100-037-092 AR Enhanced Lower Parts Kit, NO

#100-037-093 AR Enhanced Lower Parts Kit, WITH

All the Necessary

Parts - With Added

Upgrades

Lower parts kit of-

fers a convenient

upgrade package

for those who want

a complete Strike

Industries solu-

tion for new AR-15

The Enhanced

# **BROWNELLS**/DOUBLESTAR AR-15/M16 ARMORER'S SMALL PARTS KIT

Convenient Bulk Kit With The Parts You Need To Keep AR-15s Running

Designed for the armorer or gunsmith who services a lot of ARs, this extensive kit includes the key components for both the upper and lower receiver to keep your customers', department's,



or agency's AR-15s ready for action. Also great for doing multiple builds as well as for replacing parts that have been damaged in use or been lost during installation. Handy insurance to make sure you always have a replacement part when you need one.

SPECS: Kit includes: 5 each - hammer, hammer spring, trigger, trigger spring, triggerquard, triggerquard roll pin, disconnector, disconnector spring, safety selector, magazine latch, magazine release button, magazine release spring, bolt catch, bolt catch plunger, bolt catch spring, bolt catch roll pin, front and rear takedown pins, extractor, ejector, ejector spring, grip screw, and washer. 10 each - trigger and hammer pin, buffer retainer, buffer retainer spring, cam pin, firing pin retaining pin, extractor spring, extractor buffer, and black extractor O-ring. 20 each - takedown pin spring and detent. 30 each - bolt gas rings.

#084-000-374	AR-15 Armorer's Small Parts Kit,	
	AH512PQ2	¢ 500 00

# WILSON COMBAT AR-15/M16 **BASIC LOWER PARTS KIT**



All the Small Parts You Need, Minus the Ones **Commonly Customized** 

We like to call this a "builder's kit" because it includes just the most commonly used parts needed to complete a custom AR-15 rifle, while leaving the build-

er free to select the exact trigger (fire control group), buffer system, pistol grip, and stock required by the build. You don't pay for parts in the kit that you don't use. And these are the same parts Wilson uses in their shop to build their custom AR-15s. These parts are made by USGI contractors to meet or exceed military specifications. Kit includes bolt release button, bolt catch plunger/pin/spring, magazine button/catch/spring, pivot/takedown pins, 2x pivot/takedown detents, 2x pivot/takedown detent springs, right-hand semi-auto safety selector/detent/spring, GI aluminum triggerguard (plus roll pin), and 2x hammer/trigger pins.

#965-900-014 Basic Lower Parts Kit. 1H46P99 ...... \$ 49.95

# WMD GUNS AR-15/M16 NIB-X™ FIRING PIN

Nickle-Boron Coating Resists Wear & Corrosion

AR-15 firing pin features proprietary NiB-X coating that gives superior lubricity, corrosion-resistance and surface hardness of Rc-70. Fits all standard AR-15s.

SPECS: Steel with Nickle-Boron coating.

#100-011-238 NiB-X Firing Pin, 3C16D14 . . . . . . . . \$ 18.99

order on the web

# TTI INTERNATIONAL AR-15/M16 MIL-SPEC SMALL PARTS



Replacement Pins, Springs & Rings Keep Your AR Shooting

Genuine, Mil-spec quality small pins, springs, washers and screws for the AR-15/M16 that wear out, break, or just get lost. Great for creating your own emergency parts kits. Or

get our economical pre-made **Kit I** contains one each of every part listed in the table. Kit II contains all the parts in the table plus the following: front sight detent, extractor pin, buffer retainer, bolt catch buffer, takedown/pivot pin detent, mag catch button, selector detent, hammer/trigger pins and crush washer.

STOCK #	DESCRIPTION	PRICE	
#989-015-004	Bolt Catch Pin	9H5K24	\$ 6.99
#989-015-005	Bolt Catch Spring	9H4L49	\$ 5.99
#989-015-006	5 paks of (3) Bolt Gas Rings	9H11P99	\$ 15.99
#989-015-007	Buffer Retainer Spring	9H4C49	\$ 5.99
#989-015-012	Ejection Port Cover Spring	9H5H99	\$ 7.99
#989-015-013	Ejector Retainer Pin	9H4N49	\$ 5.99
#989-015-014	Firing Pin Retainer Pin	9H5K24	\$ 6.99
#989-015-016	Forward Assist Pin	9H4M49	\$ 5.99
#989-015-020	Gas Tube Pin	9H4K49	\$ 5.99
#989-015-022	Mag Catch Spring	9H4I49	\$ 5.99
#989-015-023	Pivot Pin Spring	9H4K49	\$ 5.99
#989-015-024	Takedown Pin Spring	9H5M24	\$ 6.99
#989-015-027	Triggerguard Pin	9H4F49	\$ 5.99
#989-015-029	Pistol Grip Screw	9H5G24	\$ 6.99
#989-015-000	Small Parts Kit I	8K18Q99	\$ 26.99

# RUBBER CITY ARMORY AR-15/M16 ENHANCED FIRING PIN

### Made Of Upgraded Materials For Maximum Strength & Durability

Replacement firing pin made of high-grade stainless steel hardened to Rc 42-45, so it will help keep your AR running in extreme operating conditions. Exceptional strength to resist to breakage, and an incredibly hard nitride coating to resist surface wear.

SPECS: 17-4 stainless steel, hardened to Rc 42-45, black nitride coating. Fits standard mil-spec AR-15/M16/M4 bolt.

**#100-012-435** Enhanced Firing Pin, 9D16B79 . . . . . . . \$ 20.99

# BLACK RAIN ORDNANCE AR-15/M16 **ENGRAVED EJECTION PORT COVER**





Parkerized steel ejection port cover is engraved with "Let It Rain!!" on the

inside. Slogan is invisible with cover closed to retain the stock appearance. Ready to install in any mil-spec upper receiver. SPECS: Steel. Parkerized, black, Fits mil-spec .223/5.56mm caliber AR-15/M16 upper receivers. Comes with detent and detent spring installed. hinge pin, spring, and snap ring.

#100-007-004 ( "Let It Rain!!" Ejection Port Cover, 1G00FXJ . . . . . . . . . . . . . . . . . \$ 24.99

# WILSON COMBAT BULLETPROOF® **AR-9 FIRING PIN**



### Built To Withstand the Heat of a Pistol Calbier AR's Firing Cycle

This firing pin is specifically designed to withstand the intense pressure of a pistol-caliber AR-15's firing cycle, which often causes standard steel or Titanium pins to break or suffer excessive tip erosion. Wilson's pin lives up to the Bullet Proof® name because it is machined from erosion- and corrosion-resistant hardened 17-4 stainless steel, highly polished to resistance aid in easy cleanup. Drop one in your PCC, then sit back and enjoy shooting, knowing that you'll probably never need to buy another firing pin for it. Pair it up with Wilson's high-tensile steel wire firing pin spring, sold separately.

#965-900-005	AR-9 Bulletproof Firing Pin 9mm,	
	7Y18E99\$1	9.95
#965-900-006	AR-9 Firing Pin Spring 9mm, 6B00NPJ.	3.95

# COLT M16/M4 **FULL-AUTO PARTS**

**Factory Replacement** Parts For Military & Law **Enforcement Applications** 

Factory original, fire control parts keep your select-fire

Colt M16/M4 shooting reliably, so you'll be prepared to face intensive tactical operations with the confidence of knowing your weapon won't let you down. These parts are precision engineered and manufactured to strict quality control standards from the finest materials for correct fit in your gun. All NFA rules apply. SPECS: Steel. Matte black finish.

#160-000-375	Disconnect Spring, 6A3L74	\$ 4.99
	Hammer Spring, 6A4J49	-
	Key & Bolt Carrier, A2, 6A125H79	
	Trigger & Disconnect Spring Assy., A2,	
	6A39E09	45.99

# **AERO PRECISION AR-15/M16** UPPER SMALL PARTS KITS



Critical, Oft-Forgotten Small Parts You've Gotta Have To Finish the Build

Sometimes you do have to sweat the small stuff. This kit contains the small parts you need to

complete your AR15 upper receiver: forward assist, including spring and roll pin, ejection port cover door, port cover rod with C-clip and spring. Of course, to fully "complete" the upper, you'll need a charging handle, sights, barrel, handguard, and bolt/carrier group. With Aero Precision's kit, your build won't be held up because you're missing the "small stuff." Ejection Port Cover Kit contains just the cover door, rod with C-clip, and the spring.

		· 9· —	
#100-019-269	AR-15 Upper Parts Kit,	3E23F99	\$ 24.99
w 100-054-420	AR-15 Ejection Port Co	over Kit,	
	9M09Z99		9.99

# CMMG BRAVO 22AR CONVERSION **REPLACEMENT PARTS**



Factory Replacements for the Popular .22 LR Conversion Unit

CMMG's .22 LR conversion units have proven very popular with AR shooters over the years. Nothing beats getting to shoot your AR-15 a lot, and converting it quickly to shoot inexpensive .22 ammo lets you indulge your enthusiasm a lot more often. BUT putting a lot of rounds downrange means even the best constructed .22 conversion unit can wear out and/or suffer breakages. Rather than buy a whole new CMMG Bravo unit, why not just replace the parts that need it? Auto Sear Trip Kit enables the use of CMMG ARC 22 Conversion Kit in M16 lower receivers.

#100-036-080 22ARC Auto Sear Trip, 3B20L39	\$ 23.99
#100-036-079 22ARC Auto Sear Trip Kit, 3B34D84	40.99
#100-036-082 22ARC Bolt, 3B62A04	72.99
#100-036-083 22ARC Bolt Assembly, 3B88A39	103.99
#100-036-093 22ARC Chamber Adptr Assy, 3B52C69	61.99
#100-036-076 22ARC Charging Hdle Assy, 3B16F99	19.99
#100-036-086 22ARC Extractor, 3B13D59	15.99
#100-036-085 22ARC Extractor Spring, 3B2P24	2.99
#100-036-088 22ARC Firing Pin Spring, 3B1P59	1.99
#100-036-074 22ARC Fwd Assist Adptr Kit, 3B16N14	18.99
#100-036-075 22ARC Fwd Assist Adptr Kit, LH, 3B16L14	18.99
#100-036-078 22ARC SS Barrel Collar Assy, 3B54L39	63.99
#100-036-081 22ARC SS Bravo Rec'r Frame, 3B45K04	52.99
#100-036-089 22ARC SS Firing Pin, 3B13D59	15.99

# LUTH-AR AR-15/M16 **A3 UPPER RECEIVER SMALL PARTS**



### **Necessary Parts to Complete a Stripped Upper**

The forward assist and ejection port cover are small, utilitarian parts - but you can't finish a stripped upper without them. You can buy a complete kit with the whole schmear, separate kits for the forward assist and ejection port cover, or even individual parts, as listed below. The **Kit** is for A3 flattop uppers (basically just about any upper without a carry handle) and contains all the parts for the forward assist and port cover door: the whole forward assist assembly, spring, and retaining pin PLUS the ejection port cover door, retaining pin, spring, and "C" clip to keep the pin in place. Forward Assist comes assembled and consists of plunger, pawl, pawl, detent, detent spring, and pawl pin. Forward Assist Assembly adds to the forward assist the spring and retaining pin needed to install it on the receiver. Note: the forward assist button itself is the later, round, "bullseye" style found on current-production rifles, not the "teardrop" style of early Colt AR-15s and M16s. **Ejection Port Cover Assembly** consists of port cover. Calin spring and red

Assembly Consi	ists of port cover, c-clip, spring, and rod. $\equiv$	
#100-028-066	A3 Upper Rec'r Parts Kit, 3D15D29	\$ 17.99
#100-028-062	Forward Assist Assembly, 3D8M86	11.23
#100-028-063	Forward Assist ONLY, 3D9B34	10.99
#100-028-061	Forward Assist Spring, 3D0G79	.99
#100-028-060	<b>Ejection Port Cover Assy, </b> 3D5K99	6.99
#100-028-057	Ejection Port Cover Pin, 3D1Q49	1.99
#100-028-056	Ejection Hinge Pin Snap Ring, 3D0D74	.99
#100-028-059	Ejection Port Cover Spring, 3D0B79	.99

# RISE ARMAMENT AR-15/M16 **UPPER SMALL PARTS KIT**

Critical Parts for Completing a Stripped Receiver

If you're building from a completely stripped upper receiver, you'll need this kit containing the complete

ejection port cover and forward assist assemblies. Hardened steel parts with a very high-quality black phosphate finish.

#100-040-274 AR-15 Upper Small Parts Kit, 4E27X99 . . \$ 28.99

# **SONS OF LIBERTY GUN WORKS** AR-15/M16 **UPPER RECEIVER SMALL PARTS**

A Miscellany of "Gotta Have" Items for Any Build

Manufactured strictly to the original USGI specifications from the exact ma-

terials specified. The Ejecton Port Cover and Forward Assist are complete assemblies with a Parkerized finish. Forward assist has a crimped button, with no roll pin through cap or pawl. Firing Pin - Hardened, polished stainless steel.

#100-045-054	<b>AR-15 Firing Pin,</b> 7S10K99	11.99
#100-045-055	AR-15 Firing Pin Retaining Pin, 3G02Z99	2.99
#100-045-041	AR-15 Ejection Port Cover Assembly, 5Z11S99	12.99
#100-045-042	AR-15 Forward Assist Assembly, 9U17M99	19.99

#100-500-039	AR-15 Ultra-Light Ejection Port Cover Blk, 7G00EXM	\$ 39.99
	AR-15 Ejection Port Cover Ti Raw, 7G00PHR.	63.99
#100-500-023	AR-15 Ejection Port Cover Rod Blk, 7G00NAL	11.99


# V SEVEN WEAPON SYSTEMS AR-15/M16 ULTRA-LIGHT EJECTION PORT DOOR

Shave Off a Little More Weight, Give Your Rifle a Unique Appearance

Every bit of unnecessary weight on a tactical or competition rifle slows you down just a bit more. V Seven's lightweight ejection port doors do the job of the original factory part but weigh only half as much. Aluminum door is made from 7075 T6 alloy and is about 45% lighter (about 8.3 grams) than the mil-spec steel door. It's Type III hardcoat anodized to resist corrosion and comes with V Seven's Titanium plunger and stainless steel roll pin. **Titanium** door is made from Grade 2 Titanium that gets the weight down to 11.4 grams and is even more corrosion resistant. Comes in natural silver-gray finish to give your rifle a unique modern appearance. Titanium plunger and stainless roll pin included. Port Door Rod sold separately and recommended for use with both V Seven ejection port doors.

# AR-15/M16 MORE JPPER RECEIVER SMALL PARTS

FORWARD CONTROLS FORWARD ASSIST - Called the Low Snag Forward Assist or "LFSA", it's designed to provide extra clearance so the shooter can opright-hand side without snagging his/her fingernail or knuckle on the forward assist - a common probwith Jim Hodge of Hodge Defense Systems and Jordan Bowles, the LFSA has a smooth top and bot-




larger surface area, with its pad extending inward, toward the bore, creating a forward assist with a large contact surface AND low risk of snagging the shooter's hand. Machined from 4130 carbon steel billet, heat-treated, and given a Black Nitride surface treatment. Available with a **Serrated** or **Dimpled** contact pad.

#100-041-894 LSFA Fwd Assist, Serrated,	4J45W99	48.00
#100-041-895 LSFA Fwd Assist, Dimpled,	3H45V99	48.00

STRIKE INDUSTRIES EXTENDED FORWARD ASSIST - Strike's

deeply grooved button is a blend of the modern A2 circular button with the early M16 "tear drop" design, so you get a larger contact surface without adding a snaggy protrusion to your rifle. It's designed for control over your rifle. The low-drag / low-



snag contours also ensure the assist doesn't get in your way when you need to guickly cycle the charging handle with from an offcenter position. Made of lightweight 6061 T6 aluminum, but the pawl is made of tool steel to ensure positive engagement with the serrations on mil-spec bolt carriers AND a long service life.

#100-043-582 Ext. Low-Profile Fwd Assist. 2F21N99 . . . \$ 22.99

# AERO PRECISION M5 (AR-308) UPK -

Small upper parts kit for the big AR-308 platform includes the complete forward assist and ejection port cover door assemblies. Fwd Assist available separately; fits both AR-15 and AR-308 (M5) uppers.



#100-054-421 AR-15/AR-308 Fwd Assist Assv. 6G14N99.....

WILSON COMBAT EJECTION PORT COVER PARTS - High-quality replacement dust cover rod, C-clip, and

torsion spring for builds/upgrades that involve an aftermarket ejection port cover that doesn't come with these bits.

#965-900-019 Ejection Port Cover Parts ONLY, 4V02B95 . . . . . . . . . . . . . . . . \$ 2.95



# **J. DEWEY AR-15/M16** MIL-SPEC PARTS

Genuine Mil-Spec Individual Parts

Genuine AR-15/M16 parts made to military specifications by a government contractor. These often-replaced parts are supplied in individual bags.

SPECS: Gas tubes, stainless steel. Pins, steel. Knobs, aluminum.

STOCK #	ITEM	PRICE	
#234-901-020	Long Gas Tube (20" bbl)	9Z12K79 <b>\$ 15.99</b>	
#234-901-016	Short Gas Tube (16" bbl)	9Z11M99 <b>\$ 14.99</b>	
#234-902-100	Take Down Pin	9Z6A74 \$ 8.99	
#234-902-250	Pivot Pin (.250" dia.)	9Z4L79 <b>\$ 5.99</b>	
#234-902-101	Bolt Cam Pin	9Z7B49 <b>\$ 9.99</b>	

# V SEVEN WEAPON SYSTEMS AR-15/M16 **ULTRA-LIGHT FORWARD ASSIST**

Add To Your Rifle's Unique Look Without Adding Unwelcome Weight



V Seven's forward assist is constructed from ultra-hard, yet light 7075 T6 aluminum, with a durable Type III hardcoat anodized finish

Hardware Kit for

Adjustable Carbine

Buttstocks

that adds surface strength and resists wear. Ratchet is made of heattreat hardened 4140 steel, so it delivers a lifetime of service without giving out. Spring and roll pin included.

#100-500-033	<b>UL Fwd Assist,</b> Bullseye, <i>7G00PBP</i>	\$ 32.99
#100-500-034	UL Fwd Assist, Diamonds, 7G00GAR	32.99

Compatible with M4-type carbine stocks that fit a mil-spec re-

ceiver extension (1.146" O.D.), this kit contains all the necessary parts

to mount a stock assembly onto your lower receiver. Also lets you

convert a commercial carbine or A2-style fixed-stock rifle to accept

an adjustable buttstock that fits a "mil-spec" 1.146" O.D. tube. This

tube has 6 (SIX) precision-machined notches to securely grasp the

buttstock locking pin for fast positioning. Machined from 7075 T6

aluminum to mil-spec dimensions with a Type III hardcoat anod-

ized finish. Machined, high-carbon steel castle nut is heat treated

for extra strength and given a phosphate finish for durability. Kit also

contains a standard 3 oz. carbine buffer and a carbine action spring

SPECS: Buffer Tube - 7075 T6 aluminum, hardcoat anodized Type III fin-

ish, matte black. 7<sup>1</sup>/<sub>4</sub>" (18.2cm) long, 1.146" (2.9cm) O.D. Carbine Buffer - 3

oz. (85g) wt. Castle Nut - Steel. Carbine Spring - High-tensile spring steel.

ONLY, 1E37E99 ...... 39.99

**AERO PRECISION** 

**EPC-9 RECEIVER EXTENSION/** 

#100-014-185 Carbine Receiver Extension Assembly

#100-016-336 Mil-Spec Carbine Receiver Extension

BUFFER KIT

extra-robust buffer system. Aero's EPC-9 kit is designed to ensure

reliable cycling of ARs chambered in 9mm Luger. It comes with a 7.7

oz. EPC buffer and a beefier AR-308 carbine buffer spring to provide

the correct amount of buffer tension for the 9mm round. Kit includes Aero's Enhanced carbine-length buffer tube (mil-spec 1.146" O.D.), plus mil-spec end plate and castle nut. EPC buffer NOT for

use in AR-15 or AR-308 platforms; the additional length and weight

will prevent proper cycling in standard platforms. Buffer also sold

#100-054-507 EPC-9 Buffer Kit 7.7 oz., 8E63S74..... \$ 63.74

#100-054-506 EPC-9 Buffer 7.7 oz., 9J29W74 ...... 29.74

separately for folks who already have spare tubes and springs.

Designed Specifically for

Blowback-Operated 9mm Luger AR-15s

Due to their blowback operation, pistol-caliber AR-15s need an

made of high-tensile steel.

# BRAVO COMPANY AR-15/M16 PISTOL RECEIVER EXTENSION KIT

**Custom AR Pistol Build** 



Machined from 7075 T6 aluminum, pistol receiver extension tube is compatible with the SIG Sauer SB-15 Stabilizing Brace. Hardcoat anodized tube accepts carbine buffer and action springs. Includes a castle nut, carbine buffer, carbine action spring, and QD receiver end plate. All NFA rules apply.

SPECS: 7075 T6 aluminum, hardcoat anodized, matte black. 7<sup>1</sup>/<sub>4</sub>" (18.2cm) long, 11/4" (3.1cm) O.D.

#100-016-338 Pistol Receiver Extension Kit, 1E55109 .. \$ 57.99

### **BROWNELLS** AR-15/M16 BRAVO COMPANY AR-15/M16/M4 CARBINE RECEIVER EXTENSION KIT STOCK COMPLETION KITS



For Secure Installation Of Almost Any Rifle Or Carbine Buttstock

6-position models. SPECS: Receiver Extension & A2 Stock Spacer - Aluminum, anodized, matte black. Recoil Buffer – Aluminum and steel. Spring, Lock Ring, Receiver Plate - Steel. Kits fit standard, mil-spec AR-15/M16/M4 lower

and clones will not fit Commercial tubes. Available in both 5- and

#080-000-553 A1 Rifle Stk Completion Kit, 8K56F45 \$ 64.99	
#000-000-333 AI Kille 3tk Completion Kit, 8/(30) 43 \$ 04.33	
#080-000-554 A2 Rifle Stk Completion Kit, 8K56M39 64.99	
#080-000-556 Commercial Carbine Stock Completion Kit, 8K46P79 51.99	
#080-000-555 Mil-Spec 5-Pos. Carbine Stock Completion Kit, 8K46J96 59.99	
#080-001-039 Mil-Spec 6-Pos. Carbine Stock Completion Kit, 5A46D96	

# RECEIVER EXTENSION/RECOIL **BUFFER KITS Everything You Need To**

Items AERO PRECISION AR-15/AR-308

Complete Your AR's Rear End; **Bare Buffer Tubes Also Available** 



These kits contain the components you need to install an M4-style carbine stock on your AR-15 or AR-308. With the popularity of short, pistol-length, AR-style firearms on the market, more of today's AR owners are seeing a phenomenon that occurs on semi-automatic firearms with short gas systems: over-gassing. The result of over-gassing is increased wear on internal components, as well as increased felt recoil. To address these issues, Aero Precision launched its AR-15 Carbine Buffer Kit. Each kit ships with a mil-spec buffer tube machined from 7075-T6 aluminum and features slots for a six-position buttstock. The kits also include a buffer spring, end plate and castle-lock nut. However, where the kits differ is in the weight of the included buffer. Kits are available with a standard buffer (3 oz.), an H (Heavy, 4 oz.) buffer, an H2 (4.6 oz.) buffer, or an H3 (5.6 oz.) buffer, so you can fine-tune your AR's operating system to reduce over-gassing. **Enhanced** kits include upgrades like Aero's Carrier Support Extensions in the receiver extension to guide the bolt/carrier group back into the tube after a round is fired. This prevents carrier tilt and minimizes wear on key components. Also secures the buffer retaining pin to ensures the buffer tube won't back out under heavy recoil. Drain holes in the tube quickly evacuate water from your gun's operating system if you're operating in waterlogged environments. The holes also allow air to escape during the compression cycle of the buffer, leading to improved reliability. The ramped receiver extension design allows for easier installation of standard carbine buttstocks. Pistol Buffer Kit has 7.25" x 1.23" O.D. tube and a 3 oz. carbine recoil buffer. #100-036-679 AR-15 Carbine Buffer Kit, 3E00ITM . . . . \$ 42.49 #100-036-680 AR-15 Carbine Buffer Kit w/H Buffer.

	3E00EEA
#100-036-682	AR-15 Carbine Buffer Kit w/H2 Buffer, 3E00QFL
#100-036-681	AR-15 Carbine Buffer Kit w/H3 Buffer, 3E00IDE
MEW 100-054-343	AR-15 Mil-Spec Carbine Buffer Tube ONLY, 8B25P49
MW 100-054-344	AR-15 A2 Rifle Buffer Tube ONLY, 5Q29W99
#100-039-048	AR-15 Enhanced Carbine Buffer Kit w/ Carbine Buffer, 3E00IXM
#100-039-050	AR-15 Enhanced Carbine Buffer Kit w/ Heavy Buffer, 3E00QTN
#100-039-051	AR-15 Enhanced Carbine Buffer Kit w/ H2 Buffer, 3E00GPE
#100-039-052	AR-15 Enhanced Carbine Buffer Kit w/ H3 Buffer, 3E00LMJ
#100-039-053	M5 AR-308 Enhanced Carbine Buffer Kit, 3E00NNB
#100-039-047	AR-15/AR-308 Enhanced Carbine Buffer Tube ONLY, 3E00CE1
100-054-358	AR-15 Enhanced Pistol Buffer Kit, 9A49G99
MEW 100-054-342	Enhanced Pistol Buffer Tube ONLY,



contains all the components needed to mount the buttstock of your choice on an AR-15 rifle or carbine. Perfect for stock conversions such as altering a rifle to accept a collapsible carbine stock. All parts are manufactured from the highest quality materials and held to strict dimensional tolerances for proper fit and function. Kits available for the four standard buttstock types. A1 rifle kit contains receiver extension tube, recoil buffer, recoil buffer spring, and buttstock cap screw. A2 rifle kit adds to A1 kit contents the correct buttstock spacer required for A2 rifle stocks. Carbine kits contain receiver extension, carbine recoil spring, carbine recoil buffer, lock ring, and receiver plate. Commercial carbine kit comes with 1.17' O.D., six-position receiver extension for use with commercial or "universal" buttstocks. Mil-Spec kit has a 1.14" O.D., receiver extension for correct fit of military M4 carbine buttstocks. M4 buttstocks

# **BROWNELLS** AR-15/M16 PISTOL RECEIVER EXTENSION/ **BUFFER KIT**

### Complete Kit, Correct Specs for AR Pistol Use

Our AR-15 pistol buffer tube (aka "receiver extension") assembly is the correct length and has the right spring tension and buffer weight to operate reliably in your next AR pistol build. Because this is a PISTOL tube, the O.D. is 1.001" so it its ready for popular pistol braces that fit this size receiver extension. Assembly includes buffer tube, castle nut, endplate, spring, and carbine buffer. SPECS: 6061 T6 extruded aluminum, matte black hardcoat anodized finish. 71/4" long x 1.001" O.D. Included 3 oz. buffer.

	AR-15 Pistol Buffer Complete KIT, 5A45F89\$	53.99
NEW 080-001-330	AR-15 Pistol Buffer Tube ONLY, 5A27H19.	31.99

order on the web

# **BROWNELLS** AR15/M16/M4 MIL-SPEC CARBINE RECEIVER

**EXTENSION** 

Rugged, Six Position Tube For M4 Type Stocks

Mil-spec receiver extension tube has the correct 1.146" outside diameter to ensure proper fit of adjustable mil-spec carbine stock. Allows you to install a mil-spec stock on a commercial carbine, convert a rifle with a fixed A2 style stock to an adjustable M4 stock, or complete a custom build. Six (6) machined notches on the underside prevent the stock locking pin from slipping, yet still offer outstanding ease and flexibility in setting the buttstock length. Precision machined from strong, lightweight 7075 aluminum, then hardcoat anodized with a hard, wear-resistant matte black finish. SPECS: 7075 T6 aluminum, hardcoat anodized, matte black 7¼" (18.4cm) O.A.L, 1146" (2.9cm) O.D. Fits mil-spec AR15/M16 lower receivers. Rifle conversion requires a carbine spring and buffer, available separately.

**#078-000-625** Mil-Spec Rec'r Ext. Tube, 5A23F19 . . . . \$ 29.99



# CMMG AR-15 RECEIVER EXTENSIONS & MOUNTING HARDWARE

Handy Components Needed To Complete Pistol & Rifle Builds; Endplate & Castle Nut, Too

A miscellany of parts from CMMG to complete your more off-the-beaten-path AR-15 builds. Receiver extensions are machined aluminum with a

matte black hardcoat anodized finish. **Fastback Carbine Receiver Extension** is an upgrade on the standard M4 carbine tube that enables you to deploy



collapsed stock or brace to the rear, and the FRE will allow it to slide rearward until it hits the screw, and then it's locked into place and ready to shoot! Six stock extension positions. Comes with necessary P3 adjustment screw. Pistol Receiver Extension has a neat, checkered texture on the rear third of the tube. Get the tube alone or in a **Kit** that includes a carbine buffer and spring, plus an endplate with ambidextrous clip-on sling loops, and a castle nut to keep the tube properly located on the receiver. A1 Rifle Receiver Extension matches the length of the tube on the original M16A1 rifles, later replaced by the slightly longer A2 extension. But some folks prefer the shorter A1 stock, which CMMG now offers (listed separately). Fits standard mil-spec lower receivers and uses the standard rifle buffer/buffer spring (not included). May not fit SIG 716 and some AR-308 lower with more than .500" to the shoulder of the buffer retainer. 10.125" OAL. M4 carbine type Castle Nut fits both mil-spec and commercial buffer tubes. Has three staking indentations for staking to lower receiver. Square notches to engage the wrench. M4-type **End Plate** fits same. Both components made of carbon steel with a black Parkerized finish.

#100-054-310	AR-15 Fastback Carbine Rec'r Ext ONLY, 8D00JKL	51.99
#100-044-609	AR-15 Pistol Rec'r Ext/Buffer Sys,	
	4S59L99	62.79
#100-044-621	AR-15 Pistol Rec'r Ext. ONLY, 7C37Q99	39.95
#100-044-620	AR-15 A1 Rifle Rec'r Ext. ONLY, 6B37G99.	40.09
#100-044-623	MK4 Castle Nut, 7R09C95	8.95
#100-044-624	MK4 Receiver End Plate, 5Z04T83	4.83






All The Original Factory Parts Needed To Install Rifle & Carbine Buttstocks

From the original manufacturer of the M16 battle rifle, these convenient kits contain

all the components needed to securely mount the buttstock of your choice using original factory parts. Eliminates the hassle of tracking down every part and accidentally getting incorrect ones for your stock. Have everything you need to finish your build, so you won't be held up waiting for that one part you forgot to order. A2 Rifle kit is for mounting any fixed rifle buttstock based on the military M16A2 stock. Kit includes receiver extension tube, recoil buffer, buffer spring, buttstock spacer, and buttstock screw. Mil-Spec Carbine kit is for adjustable-length carbine buttstock that requires M4-type 1.14" O.D. buffer tube. Includes receiver extension tube, carbine recoil buffer, buffer spring, receiver plate, and lock nut. This is the four-position receiver extension used on the Colt M4 and Law Enforcement carbines. \$\bilde{\text{SPECS:}} A2 \text{ Rifle} - \text{ Receiver extension:} \text{ 10"/s" (25.7cm) OAL. Mil-Spec Carbine} - \text{ Receiver extension:} \text{ 70.AL (18.4cm), 1.14" O.D. Six locking positions for buttstock unless otherwise indicated.

# DOUBLESTAR CAR-15/M4 RECEIVER EXTENSION

For M4-Style Buttstocks; Gives 6-Position Adjustment



SPECS: Aluminum, hardcoat anodized, matte black. 7"/8" (20cm) long. Mil-Spec - 1.145" O.D. Universal - 1.168" O.D.

#100-004-978 Mil-Spec Receiver Extension, 2Z26E09. \$ 28.99 #100-010-683 Universal Rec'r Extension, 2Z25M19.... 27.99

# D.S. ARMS CAR-15/M4 RECEIVER EXTENSION

Provides Six-Position Adjustment

M4-style receiver extension tube has six precision-machined notches on the underside for maximum flexibility in setting length-of-pull with adjustable buttstocks. Lets you install a mil-spec stock on a civilian carbine or refit a rifle with an A2-style fixed buttstock with an adjustable M4 stock. Outside diameter of tube is machined approximately .003" oversized for snug, rattle-free fit of stocks designed for mil-spec extensions. Lightly sand interior of stock to get just the right combination of snugness and freedom over movement. Machined from a lightweight aluminum extrusion before hardcoat anodizing with a wear-resistant matte black finish. Rifle conversion also requires a carbine action spring and buffer, available separately.

SPECS: Aluminum, hardcoat anodized, matte black. 7½ (18.2cm) long, 1.149 °O.D. #274-000-018 Receiver Extension Tube, 4G20N24 ... \$ 26.99

# LUTH-AR AR-15/M16/AR-308 RECEIVER EXTENSION KITS



# Complete Assembly for Secure Installation of Stock & Reliable Cycling of Action

These handy kits contain what you need to install your preferred buttstock on an AR-15 rifle or carbine, and have the correct innards to ensure reliable, glitch-free cycling of the bolt/carrier assembly. The heart of each kit is the receiver extension, often called the "buffer tube." Different receiver extensions require different buffer/buffer spring combinations, so another benefit of these kits is that they ensure you have the correct-weight buffer and a spring with the proper level of tension to keep your AR running reliably. All parts are manufactured from the high-quality materials and held to strict dimensional tolerances for proper fit and function. Tubes are extruded aluminum with a tough, hardcoat anodized finish. Buffers have aluminum shells with tough polymer shock-absorbing tips and steel and/or tungsten weights inside. Rifle kits contain the receiver extension, rifle length/weight buffer, and rifle buffer spring for fixed, non-adjustable rifle stocks. These are correctly identified as "A1" kits because they DO NOT include the spacer required for the longer A2 buttstock (we do sell spacers separately, elsewhere). The upper stock screw that attaches the stock to the rear of the receiver extension tube is also NOT part of the kit. Get the A1 screw for an A1 stock, the A2 screw for the A2 stock - screws are sold separately below. Carbine kits contain an M4-type receiver extension with 6 locking notches for the stock, carbine recoil spring, carbine recoil buffer, lock ring, and receiver end plate. Mil-Spec tubes have a the original 1.14" O.D. of U.S. military carbines. Commercial tubes have the larger 1.17" O.D. of civilian commercial or "universal" M4-type stocks. If you're not sure what stube your stock fits, measure before ordering. (Yes, a Commercial stock will fit a Mil-Spec tube, but it will likely be loose and wobbly - not something you want on a buttstock!) Receiver extension tubes are also sold separately below as standalone components. Buffer Retainer fits inside the lower receiver to capture the buffer and buffer spring. Parkerized steel part; fits all makes and models of AR-15/AR-style .308. Buffer retainer spring IS required, sold separately below. #100 030 010 AD 15 A1 Diffe Dee's Extension Vit

#100-028-010	AR-15 A1 Rifle Rec'r Extension Kit, 3D38Q65	\$ 49.99
#100-028-009	AR-15 Carbine Rec'r Extension Kit, Mil-	
	Spec, 3D39G94	49.99
#100-028-008	AR-15 Carbine Rec'r Extension Kit, Commercial, 3D37D59	46.99
#400 000 007	AR-308 Rifle Rec'r Extension Kit.	70.33
#100-028-025	3D42L15	61.09
#100-028-021	AR-308 Carbine Rec'r Extension Kit, Commercial, 3D62B89	73.99
#100 020 022	AR-308 Carbine Rec'r Extension Kit. Mil-	73.33
#100-020-022	Spec, 3D65A44	76.99
#100-028-011	AR-15 Rifle Rec'r Extension ONLY,	
	3D18N39	22.99
#100-028-013	AR-15 Mil-Spec Carbine Rec'r Extension ONLY, 3D19P00	24.39
#100-028-012	AR-15 Commercial Carbine Rec'r	
	Extension ONLY, 3D19J00	23.45
#100-028-029	AR-15 "A1" Rifle Buttstock Upper Screw,	
	3D2F39	2.99
#100-028-030	AR-15 "A2" Rifle Buttstock Upper Screw,	4.00
	3D4A24	4.99
	AR-15 Recoil Buffer Retainer, 3D1/59	1.99
#078-101-117		
	8G2L24	2.99

# GEISSELE AUTOMATICS AR-15 PREMIUM MIL-SPEC BUFFER TUBE



A High-Quality Receiver Extension for Your High-End Rifle Build/Upgrade

Building an AR-15 in a color other than basic black? You might need Geissele's mil-spec M4 carbine buffer tubes hardcoat ANODIZED (not painted!) in O.D. Green, Gray, and their FDE-like Desert Dirt Color (DDC) – also in Basic Black, too. These receiver extensions (the correct, technical name for it) are machined from quality 7075 T6 aluminum alloy to the strict U.S. military specifications (7½° long x 1.146° O.D.), and have SIX machined notches on the underside to lock in the stud from an M4-carbine pattern buttstock. A mil-spec castle nut and receiver endplate are included, but the buffer and spring are NOT, so you can choose exactly the right combo for your rifle.

#100-042-604 AR-15 Prem. Buffer Tube, Blk, 3B61E99... \$ 65.00 #100-042-605 AR-15 Prem. Buffer Tube, DDC, 2A70D99... **75.00** #100-042-607 AR-15 Premium Buffer Tube, OD Green,



# MIDWEST INDUSTRIES PICATINNY STOCK TUBE

**ADAPTER** 

Convert a Rifle With a Picatinny Stock Mount To Use the Vast Array of AR-15 Buttstocks & Braces



Midwest's Picatinny Stock Tube Adapter is basically a faux receiver extension (buffer tube) you can install on any fireram that has a Picatinny rail interface at the back of the receiver for a stock or brace. Ml's product lets you install any AR-15 brace or stock on one of these guns.... We're thinking situations where you might now want to use a folding stock on your Brownells BRN-180™ lower receiver. It is machined out of billet 6061 aluminum and hardcoat anodized for resistance to corrosion and surface wear. Since this is for guns that DO NOT have an actual buffer assembly, the interior is an easily accessible, waterproof storage compartment, neatly sealed by the screw-on end cap. The exterior of the mil-spec diameter (1.146°) tube has 6 notches for an M4-type adjustable carbine stock or any stock that fits the carbine receiver extension.

#100-052-038 Picatinny Stock Tube Adptr, 4C72W50.. \$ 72.50

# PATRIOT ORDNANCE FACTORY AR-15/M16 ANTI-TILT BUFFER TUBE



Prevents Carrier-Tilt & Wear Of Buffer Tube

Designed for M4-style, adjustable carbine stocks, this innovative receiver extension tube has

integrated "fingers" that extend into the receiver and support the carrier, even when the both is fully forward. By cradling the carrier, it eliminates premature wear on the buffer tube caused by carrier-tilt. Machined from aircraft grade aluminum, this six position tube comes with three drainage holes, ideal for wet or marine environments. Buffer detent doubles as a lock to prevent the tube from rotating or coming loose under extreme operating conditions. \$\sume95\textit{EGS: 7075 T6 aircraft aluminum, hardcoat anodized, matte black. 7.4" (\$\textit{1.7.4"} (\textit{1.9.7.4"} OAL. 1.14" (\textit{2.9.7.4"} (\textit{2.9.7.4"}) O.

# PHASE 5 TACTICAL AR-15/M16 **HEX 2 PISTOL BUFFER TUBE**

Can Be Used Alone Or With A Pistol Brace

Specifically designed to fit the Sig Sauer pistol brace, this heavy duty buffer tube is machined from 7075 T7 billet aluminum and fea-



tures a raised shoulder to prevent the brace from moving forward. For added versatility, tube comes with an oil and chemical resistant nitrile foam pad for a comfortable shooting experience when not using the brace. Buffer Tube comes with castle nut, end plate, and foam pad. Kit also includes a buffer spring, carbine buffer, and an accessory plug which allows you to store batteries, small extra parts, or cleaning supplies inside the brace.

SPECS: 7075 T7 billet aluminum, anodized mil-spec Type 3 finish, black. 73/8" (18.7cm) OAL, 11/4" (3.2cm) dia.

#100-015-813 Hex 2 Pistol Buffer Tube, 1C56H99 . . . . \$ 59.99 **#100-015-812** Hex 2 Pistol Buffer Tube Kit, 1C67F99... **79.99** 

# PHASE 5 TACTICAL AR-15/M16 **PISTOL BUFFER TUBE**



Foam-Covered Tube For A Custom AR-Style **Pistol** 

Machined aluminum buffer tube assembly gives your AR-style pis-

tol a neat, finished look. Nitrile foam rest padding resists chemicals, abrasions and temperatures from -20° F to 220° F. Includes milspec endplate and castle nut; accepts a mil-spec carbine buffer and spring. All NFA rules apply.


SPECS: Aluminum, hardcoat anodized, matte black. 73/8" (18.7 cm) long. 1<sup>1</sup>/<sub>4</sub>" (3.1cm) O.D. **Tube** comes with endplate and castle nut. **Complete** Assembly includes tube, endplate, castle nut, recoil spring, and carbine buffer

#100-009-954	Pistol Buffer Tube, 1C41F64	\$ 48.99
#100-009-927	Pistol Buffer Tube Complete Assembly,	
	1C62Q04	72.99
#100-011-385	Pistol Buffer Tube Foam Cover, Only,	
	1C6F79	7.99



# VLTOR CAR-15/M4 MIL-SPEC RECEIVER EXTENSION

Correct Size For Rattle-Free Mounting Of Mil-Spec Collapsible Buttstocks



1.1 10 0.0.	
#100-003-750	CAR-15/M4 Mil-Spec Receiver
	Extension, 3A44D64 \$ 46.99



# WILSON COMBAT AR-15 SUPER-STOC™ RECEIVER **EXTENSION KIT**

Complete M4 Carbine Type Buffer Tube & Buffer System



Its fancy name is impressive, but far more

impressive is the quality and workmanship of the parts in Wilson's carbine receiver extension/buffer system kit. It contains everything to put a mil-spec "buffer tube" on a standard AR-15 lower receiver, including the machined 7075 T6 aluminum tube manufactured to correct U.S. military specification with the 1.146" O.D., with a tough Mil-A-8625F, Type III, Class 2 hardcoat anodized finish. The Super-Stoc works with USGI-type M4 and SOPMOD stocks, as well as similar ones by Bravo Company, Colt, Lewis Machine & Tool (LMT), Vltor, Stag Arms, Magpul, and others made to the mil-spec size receiver extension. Kit includes receiver extension, end plate, castle nut. standard carbine buffer, carbine buffer spring, and Wilson Combat quality and attention to detail. Receiver extension will fit AR-308 rifles that use an AR-15 extension, but the buffer and spring are not the correct weight for the 308 platform.

#965-900-013	Super-Stoc™ AR-15 Carbine Rec'r Ext
	Kit, 2T48Z99 \$ 51.95

# VLTOR AR-15/M16 **A5 RECOIL BUFFER SYSTEM**



Carbine Buffer System Upgrade Gives You a More Reliable Rifle With Gentler Felt Recoil

Specifically developed at the request of the United States Marine Corps, Vltor's A5 Buffer System is regarded as



one the most beneficial reliability upgrades for the AR-15 carbine. It softens the recoil impulse to tame recoil impact on the shooter, and it enhances reliability in cycling. It does this via a specially weighted buffer that is longer than standard carbine buffer, so it cannot be used in standard M4 carbine receiver extensions. The extra buffer weight turns the gun's cycling profile into something more like the original M16A2 profile, which is less violent and more reliable than carbine buffer systems. This buffer also requires a special buffer spring - and both of these components will fit ONLY in a Vltor A5 receiver extension. The A5 receiver extension is a little longer than a traditional M4/AR-15 carbine receiver extension, but the bonus is it has SEVEN (7) notches in the underside for the stock positioning stud. If you're wondering, it is not compatible with standard (3.25 OAL) carbine buffers or carbine springs. The outside diameter of this tube is mil-spec, and it will accept all mil-spec dimensioned M4-type adjustable stocks. White laser-etched numbers give you an immediate indication of stock position when viewed through the witness hole found in the tops of many carbine buttstocks. Some smaller, closed-back stocks, like the Vltor IMOD, won't fully index into position #1 on this tube.

SPECS: A5 Receiver Extension accepts M4-type buttstocks that fit milspec 1.15" O.D. receiver extension. 715/16" OAL. Heavier A5H4 Buffer (6.83 oz.) available separately. A5 Spring/Buffer kit includes A5H2 (5.33 oz.) buffer, buffer spring, end plate, and castle nut. Must be used only in the Vltor A5 receiver extension; attempting to use these parts in a standard M4 receiver extension will result in damage to the rifle. Not compatible with AR-Style .308 platforms.

#100-010-797	A5 Receiver Extension,	3A47I49 \$	49.99
#100-010-798	A5 Buffer & Spring Kit,	3A00PHR	56.99
#100-042-339	A5H4 Recoil Buffer, 6.8	3 oz., 6B56G99	59.99

# SONS OF LIBERTY GUN WORKS AR-15 **RECEIVER EXTENSIONS, END** PLATE & CASTLE NUT

Extended A5 Buffer Tubes To Choose From



SOLGW's carbine-length receiver extension is available in two flavors: Standard tube with 6 stock positions that is 73/16" long x 1.148" O.D. **A5** tube is slightly longer 7<sup>15</sup>/<sub>16</sub>", still mil-spec diameter 1.148" O.D., and has 9 stock positions. This tube requires the proprietary Vltor A5 buffer and recoil spring (sold separately, #100-010-798, see the Vltor listing nearby). These components are not the same as the standard carbine buffer and spring. Vltor's A5 system softens the

recoil impulse and helps many AR-15 carbines operate more reliably The three extra positions for stock adjustment are a bonus! Both receiver extensions are machined from extruded aluminum and are Type III hardcoat anodized matte black. Receiver End Plate & Castle Nut are made to U.S. military specifications of hardened steel, with a dark gray/black Parkerized finish. Can be used with Commercial or Mil-Spec M4-type carbine receiver extensions. Castle nut has three staking indentations on the surface that mates up to the receiver. End plate is .125" thick, front to rear.

#100-045-035	Mil-Spec Carbine 6-Pos Buffer Tube,	
	2W37P99	\$ 39.99
#100-045-036	A5 Carbine 9-Pos Buffer Tube, 1V54N99	54.99
#100-045-017	AR-15 Receiver End Plate, 1P05F99	6.99
#100-045-018	<b>AR-15 Castle Nut</b> , 4P10G99	10.99

# KNS PRECISION AR-15/M16 AR/MCX STOCK ADAPTER



Easy Way To Install a Folding Stock on ARs That Do Not Have the Traditional Recoil Buffer System

This adapter enables installation of a Picatinny-attachable folding buttstock on an AR-15 lower receiver in place of the standard receiver extension ("buffer tube"). Some AR-pattern firearms do not employ the standard recoil buffer system, including the old Armalite AR-180, carbines and pistols with new Brownells BRN-180™ upper receiver, and the SIG MCX. Also, an increasing number of other rifles (such as bolt action "chassis" rifles) are fitted with an AR-15 buffer tube to allow shooters

to take advantage of the multitude AR stock options now available but they do not need the buffer tube to function. ALL of these guns are candidates for the KNS AR/MCX Adapter Kit, which will let you install an MCX-type FOLDING stock, submachinegun stock, or similar stock on them. The adapter plug screws into the lower receiver in place of the buffer tube, and then the rail section attaches to the plug secured by the included hex-head bolt and lock washer. Attach your folding stock (or brace for AR pistols) and you are ready to hit the range with an extremely compact, maneuverable, versatile firearm! Machined aluminum construction with matte black hardcoat anodized finish; steel bolt and washer. Two models: With Flange rail body has a flange that fits in the recess of the lower receiver to retain the takedown pin's spring and plunger. Without Flange - fits lower receiver with a takedown pin that DOES NOT require the use of a spring and detent. Brownells Gun Tech<sup>TM</sup> Note: This product will work only on AR-type firearms where the carrier and buffer tube DO NOT protrude past the receiver ring while cycling.

	AR/MCX Stk Adptr With Flange, 3B00AMA\$	61.99
#923-000-070	AR/MCX Stk Adptr WithOUT Flange,	
	3B00HXS	59.99

V SEVEN WEAPON SYSTEMS AR-15/M16

# RECEIVER EXTENSION **CASTLE NUTS**



Strong Yet Lightweight Alloys Won't Weigh Down Your Rifle

V Seven's castle nuts are precision machined from lightweight alloys that won't add unnecessary weight to your rifle. They are more than strong enough to keep the receiver extension and lower receiver closely related to each other. They are sized to fit standard mil-spec extensions and lowers. These nuts have the hole drilled in the side that allows you to tighten them with the single-point hook wrench found on most AR-15 multi-tools. Lightweight model is made from a special aluminum alloy that is 30% stronger and harder than 7075 T6 and 62% lighter (only 6.7 grams) than a standard steel castle nut. Type III hardcoat anodized for extra surface strength. Torque to 25 ft lbs. **Titanium** models made

#100-500-040	Lightweight Castle Nut, 7G00EMP	\$ 25.99
#100-500-016	Titanium Castle Nut, Black, 7G00IFM	39.99
#100-500-015	Titanium Castle Nut, Silver, 7G00PPM	34.99

or left raw, natural silver-gray. Weights 9.7 grams.

from Grade 5 Titanium, with your choice of an lonBond black finish

# LAW TACTICAL AR-15/M16 **GEN 3 FOLDING STOCK ADAPTER**



Put A Folding Stock On Any AR-Pattern Rifle!

Law Tactical's adapter enables installation of a folding stock on any AR-15 to create a smaller-profile rifle for easy deployment from a vehicle or transport in "non-permissive"

environments. Works with standard gas impingement OR gas piston system. Accepts A2, mil-spec M4-style, and commercial carbine receiver extension tube and any stock that fits them. Compatible with all standard bolt carrier groups, including full-auto and .308 size. Single-button operation for quick folding and unfolding and steel locking latch keeps stock securely in place when extended. Gen 3 has hinge positioned lower than earlier generations to avoid interference when charging the weapon, and a setscrew keeps the adapter securely affixed to the receiver. Hinge tension is adjustable so you can choose how stiff the folding mechanism is. Includes special bolt carrier extension (no tools to install/remove) and buffer retainer and spring.

SPECS: Machined 4140 steel, matte black DLC finish. Adds 1.3" (3.4cm) to length of pull. 8.5 oz. (241g) wt. Do not fire rifle with stock folded.

#100-015-850 Folding Stk Adapter, Blk, 1D259199 . . . . \$ 269.99 #100-022-522 Folding Stk Adapter, FDE, 1D266N67... 289.99



# LUTH-AR AR-15/M16 **ALUMINUM A2 RIFLE STOCK SPACER**

Correct Part To Ensure a Secure Install of the Later-Style Rifle Stock

When the U.S. military upgraded the M16 rifle to the longer A2 stock, they did not increase the length of the receiver extension - they just specified the addition of a spacer. Luth-AR's spacer is machined to mil-spec dimensions from solid aluminum stock and given a tough hard-anodized finish.

#100-041-032 A2 Rifle Stock Spacer, 9J03G99......\$ 4.99

order on the web

brownells.com

# Orders: 800-741-0015

# SPIKE'S TACTICAL AR-15/M16 RIFLE STOCK BUFFER SPACER

Use Carbine Buffer & Spring In A1/A2 Receiver Tubes

Billet aluminum spacer slips into a rifle-

length receiver extension to let you install and use a carbine-length spring and buffer. Use in an A1, A2, or Magpul PRS receiver extension, along with a carbine-length spring and a Spike's Tactical ST-T2 or ST-T3 buffer to reduce the cycle rate in a full-auto weapon for improved control and better handling. Tough, hardcoat anodized coating increases surface strength and wear resistance.


SPECS: Aluminum, hardcoat anodized, matte black. .986" (2.5cm) diameter, 2.77" (7cm) long, 3.3 oz. (93.5g) wt.

#100-008-582 Rifle Stock Buffer Spacer, 3B25L49 . . . . \$ 29.99

# B5 SYSTEMS AR-15/M16/M4 SOPMOD STOCK

Improves Cheekweld & Provides Waterproof Storage For Small Items

this reinforced polymer stock fits M4-type receiver extensions and offers an improved cheekweld designed for increased comfort



the length of the stock hold 2 AA or 3 CR-123 batteries. Streamlined contours resist snagging on clothing, equipment, or vegetation to aid in safe and stealthy operation. Sure-Grip stock latch ensures convenient and intuitive length-of-pull adjustment, while the anti-slip rubber recoil pad secures the weapon to the operator's shoulder. Features a black, stainless steel QD swivel mount and two molded 11/4" wide sling slots. **Bravo** model retains same basic features of the SOPMOD. Angled buttplate tips inward at the toe for better use with body armor; does not have stock storage compartments. Government Issue model is an exact duplicate of the SOPMOD stock produced by B5 Systems for the U.S. Department of Defense. It does not have the QD sling swivel sockets found on the commercial SOPMOD stocks listed here, and no commercial logos/markings. Gives added accuracy to a clone/replica build. SPECS: Fiberglass-reinforced polymer, Black, Flat Dark Earth (FDE), O.D. Green, Wolf Grey, Coyote Brown, or Multi-Camo. 7<sup>1</sup>/<sub>4</sub>" (18.6cm) OAL, 4.9" (12.4cm) high. 12.4 oz. (352g) wt. Fits mil-spec 1.14" O.D. M4-type buffer tubes. Buffer tube, buffer spring, latch plate, and castle nut not included.

Rrayo - 7% (18.25 cm) OAL 4% (12.4 cm) high 8.9 oz (252.3g) wt

Dravo - /-/8 (10.	25 CITI) OAL, 478 (12.4 CITI) HIGH. 6.9 02 (252.5g) WL
#100-009-033	<b>SOPMOD Stock,</b> Black, <i>4H91K19</i> <b>\$ 95.99</b>
#100-016-915	<b>SOPMOD Stock,</b> FDE, 4H88C19 <b>97.99</b>
#100-029-286	<b>SOPMOD Stock,</b> O.D. Green, <i>4H86P39</i> <b>95.99</b>
#100-016-916	SOPMOD Stock, Wolf Grey, 4H86K39 95.99
#100-028-999	SOPMOD Stock, Coyote Brown,
	4H86P39 <b>95.99</b>
#100-016-917	<b>SOPMOD Stk,</b> Multi-Camo, <i>4H105F44</i> <b>110.99</b>
#100-011-669	<b>Bravo SOPMOD Stock,</b> Blk, <i>4H55J99</i> <b>58.99</b>
#100-016-918	Bravo SOPMOD Stock, FDE, 4H54N89 60.99
#100-029-288	<b>Bravo SOPMOD Stock,</b> O.D. Green, 4H53C09
#100-016-919	Bravo SOPMOD Stock, Wolf Grey,
	4H53P09
#100-029-287	<b>Bravo SOPMOD Stock,</b> Coyote Brown, 4H53M09
#100-016-920	<b>Bravo SOPMOD Stock,</b> Multi-Camo, 4H70C29
#100-027-684	<b>Gov't Issue SOPMOD Stock</b> , Black, 4H88N19
#100-027-685	<b>Gov't Issue SOPMOD Stock,</b> FDE, 4H88J19

# **BROWNELLS** AR-15/M16 **M4 BUTTSTOCK**



Rugged, Six-Position Adjustment For L.O.P. & Easy Storage

Collapsible buttstock similar to the current USGI M4 carbine stock

provides convenient six-position length-of-pull adjust-ment to fit different-size shooters, including those wearing body armor. Ready to install on any standard AR-15 rifle or carbine lower receiver; includes buffer tube, receiver lock plate, lock nut, toe-mounted steel sling loop, carbine recoil spring and buffer. Buttstock is made from extremely tough, fiberglass-reinforced, injection-molded nylon to resist impact, heat, moisture, extreme cold, and most cleaning solvents. Steel lock nut has four square notches and pre-cut detents for staking to lock plate. Available with Commercial (nominal 1.17" O.D.) or Mil-Spec (nominal 1.14" O.D.) receiver extension tube. Stock interior diameter is matched to buffer tube O.D. for a snug fit that eliminates unwanted play and rattles.

SPECS: Aluminum and fiberglass-reinforced, injection-molded nylon, matte black. 83/4" (22.2cm) OAL collapsed; 113/4" (29.9cm) OAL fully extended.

#080-000-545 Collapsible Buttstock, Commercial, #080-000-941 Collapsible Buttstock, Mil-Spec,



**BUTTSTOCK COMBO** 





### Minimialist Stock Gives Unique Appearance & Keeps Weight Down

Talk about keeping it simple! By combining the stock and buffer tube, the Sabertube keeps your AR light, trim, and maneuverable. Even the castle nut has been eliminated to save weight. The unique dimpled surface pattern further reduces weight without sacrificing structural strength AND it'll get your rifle noticed at the range. Fully machined from high-grade aluminum alloy billet, with a matte black Type III Class 2 hard-anodized finish for added surface strength and resistance to corrosion. Fits standard mil-spec AR-15 lowers with captive takedown pin spring. Includes end plate for with socket for QD pushbutton sling swivel. Each Combo contains the Sabertube, LBS lightweight buttstock, and endplate. You supply the exact buffer/spring setup you need for your AR rifle/carbine/pistol/SBR. Rifle-Length combo comes with a 9.25" buffer tube that accepts a standard RIFLE buffer/spring inside. Mid-Length combo accepts a CARBINE buffer/spring inside and sports an 8.125" Sabertube that's a bit shorter than the rifle model. Left/right side positionable sling swivel socket at the rear of the LBS. Includes endplate with QD socket for fast sling mounting and dismounting. Pistol Sabertube/ Tailhook combo is actually a BRACE for an AR-15 pistol build. The 6.625" long Sabertube take a CARBINE buffer inside and is mated to a Gearhead Works Tailhook Mod 1 pistol brace, plus the QD sling socket endplate (and some VC-3 threadlocker to hold it all together). This ATF-approved pistol stabilizing brace is NOT classified as

#100-027-481 🔘	Rifle-Length Sabertube Stock Combo, 6D00BMB\$	195.99
#100-021-002 🍅	Mid-Length Sabertube Stock Combo. 6D00BYB	179.99
#100-027-482	Pistol Sabertube Tailhook Combo, 6D00QEB	219.99

GUARANTEED. FOREVER.®

**SINCE 1939** 



# **BROWNELLS** AR-15/M16 Retro XM177 **CARBINE BUTTSTOCK**

Early-Style CAR-15 Buttstock for a Truly Authentic "Retro" Carbine Build


If you want the final, finishing touch to complete the look of your CAR-15 carbine reproduction, then our XM177 CAR Buttstock is a must-have. The predecessor for the modern-day M4 adjustable carbine buttstock, the XM177 CAR stock is a perfect reproduction of the original design used on the early XM177 and CAR-15 designs, but this stock looks great and fits onto any standard modern AR-15 platform. Constructed of reinforced, molded polymer (the originals were aluminum). Fits USGI-type (nominal 1.14" O.D.) "mil-spec" receiver extension/buffer tube.

#078-000-498 XM177 CAR Bttstk, Mil-Spec, 4H36G54.. \$ 42.99

# **BRAVO COMPANY AR-15/M16 BCMGUNFIGHTER™STOCK**

Secure Shooting Support In A Light, Minimal-Profile Package

Carbine stock combines light weight with minimal bulk - ideal for competition or tactical operations, especially those involving frequent ingress/egress from vehicles. It still provides a comfortable, supportive cheekweld, while a generous synthetic rubber recoil pad ensures secure shoulder placement. The exterior is smooth and free of protrusions or sharp edges that can snag the sling, the shooter's other MOLLE gear, or objects inside



the vehicle. Includes two ambidextrous QD swivel sockets plus a conventional sling attachment slot. New-design steel adjustment latch ensures the stock's interface with the receiver extension cannot be obstructed by dirt or debris, while providing increased torsional strength over conventional pins. The VBOST (Vehicle Borne Operations Sling Tab) works with the shooter's riggers' band or bungee to secure the sling against the stock when the rifle is not in use, another useful benefit when operating inside a vehicle. With all these features, the BCMGunfighter stock still weighs a mere 7 oz., so the vast increase in versatility it gives your rifle doesn't come with the penalty of weighing you down.

SPECS: Reinforced, high strength-to-weight-ratio molded polymer, steel latch. Fits mil-spec receiver extension with 1.14" O.D. Kit includes an M4type carbine receiver extension tube, buffer spring, buffer, castle nut, and QD swivel mount end plate. Extension tube - 7075 T6 aluminum extrusion, hard-anodized, matte black,

#100-016-238 BCMGunfighter Stock, Blk, 1E49Q29.... \$ 57.99 #100-016-239 BCMGunfighter Stock, FDE, 1E47E59 . . . 55.99 #100-016-337 BCMGunfighter Stk Kit, Blk, 1E99F44 ... 116.99



# CAVALRY ARMS AR-15/M16 BUTTSTOCK

Mil-Spec Quality, Durability & Appearance

Traditional-length rifle buttstock features an easy-to-open storage compartment for emergency field tools, parts, or a Brownells AR-15 Buttstock Cleaning Kit. Fits both A1 and A2. SPECS: Injection-molded, heat-stabilized fiberglass-reinforced nylon polymer, black. 9<sup>s</sup>/<sub>8</sub>" (23.8cm) long, 5" (12.7cm) high at tallest point, 2<sup>1</sup>/<sub>8</sub>" (5.4cm) high at shortest point, 15/8" (4.1cm) wide.

#100-000-939 AR-15 Rifle Stock, 2K41F64 . . . . . . . \$ 48.99

# B5 SYSTEMS AR-15/AR-308 COLLAPSIBLE PRECISION STOCK





### Precision Rifle Stock Adjustability for Your Carbine!

Interested in a precision rifle stock that isn't the bulky, fixedstock options that dominate the market? The B5 Systems Precision Stock for AR-15 fits M4-type carbine buffer tubes and has a ton of precision rifle features. Adjustable cheek riser; easy LOP (lengthof-pull) adjustment, including a click detent fine adjustment wheel; comfy non-slip rubber recoil pad; two sling mounting options; M-LOK® slots for a monopod. Comes fully assembled. Fits mil-spec (1.14" O.D.) receiver extension (aka "buffer") tubes.

(1.14 O.D.) Tecely	ei exterision (and burier ) tubes.	
#100-036-231 🗞	AR-15 CP Stock, Black, 4H192L09 \$	225.99
#100-036-232 🗞	AR-15 CP Stock, FDE, 4H192G09	225.99
#100-036-233	AR-15 CP Stk, Coyote Brown,	
	4H192H09	225.99
#100-036-234	AR-15 CP Stk, Foliage Green,	
	4H192A09	225.99
_	<b>AR-15 CP Stk,</b> Olive Drab, 4H192G09.	225.99
#100-036-236 🗞	<b>AR-15 CP Stk,</b> Wolf Grey, 4H192D09	225.99
#100-036-237 🗞	AR-15 CP Stk, Multi-Cam, 4H213C34	250.99
#100-036-238 🗞	AR-15 CP Stock, Woodland Camo,	
_	4H213H34	250.99
	<b>AR-308 CP Stock,</b> Blk, 4H192Q09	225.99
#100-036-224 🗞	<b>AR-308 CP Stock,</b> FDE, 4H192N09	225.99
#100-036-225 🗞	AR-308 CP Stock, Coyote Brown,	
	4H192C09	225.99
#100-036-226	AR-308 CP Stock, 308 Foliage Green,	
	4H192B09	225.99
#100-036-227 🗞	AR-308 CP Stk, Olive Drab,	
	4H192A09	225.99
	<b>AR-308 CP Stk,</b> Wolf Grey, <i>4H192E09</i>	225.99
_	<b>AR-308 CP Stk,</b> Muti-Cam, 4H213I34	250.99
#100-036-230 🗞	AR-308 CP Stock, Woodland Camo,	
	4H213P34	250.99

# 0

# **BRAVO COMPANY AR-15 BCMGUNFIGHTER SOPMOD** MOD 1 STOCK

SOPMOD-Style Enhancements to the **Proven Gunfighter Stock** 

SOPMOD-style stocks offer an enhanced cheek weld for shooters, and that's one of the primary benefits found in the BCMGunfighter SOPMOD Mod 1 stock, which is designed for use with all standard, mil-spec receiver extensions. Getting a solid cheek weld on your stock means you can stay in your sight picture longer, allowing shooters to take their time in making solid hits at distance. This is a completely snag-free design, so you won't suffer from lost time and focus from getting your stock hung up with your sling, MOLLE gear or other equipment. One of the highlights of this stock is the inclusion of the Modular Vehicle Borne Operations Sling Tab, which secures a rifle sling against the rifle's stock when not in use. The Mod 1 also includes two different ambidextrous sling-mounting spots, as well as quick-detach sling-swivel sockets. The stock also features a storage compartment in the buttpad, and the rubber pad also anchors the stock into a shooter's shoulder when the gun is brought up into action. #100-036-263 SOPMOD Mod 1 Stock, Black, 1E59I49 . . \$ 69.99

#100-036-264 SOPMOD Mod 1 Stock, FDE, 1E66M49 . . 69.99

# DANIEL DEFENSE AR-15/M16 COLLAPSIBLE BUTTSTOCK

Lightweight, Secure, Comfortable To Shoulder - No Rattles, No Wobble



Ergonomically advanced substitute for the M4-type carbine buttstock gives the shooter a comfortable, repeatable cheekweld and a secure fit to the shoulder for superb control of the rifle. Molded from reinforced industrial-grade polymer, the stock is designed to fit tightly - no lock or tensioning device required! - without the rattle and lateral movement common to collapsible buttstocks. Soft, overmolded rubber on top for a secure, non-slip cheekweld. Comes with two interchangeable recoil pads, a .8" thick convex pad and a .5" thick concave pad. Choose the pad - or use none at all - that works best with the clothing and gear you are wearing. Limited rotation QD sling swivel sockets on each side enable quick sling attachment/remove.

SPECS: Fiberglass-reinforced hard polymer, with overmolded rubber cheekweld area, black or brown. 7" (17.8cm) long, 51/2" (13.9cm) tall, 13/4" (4.4cm) wide. 8 oz. (226.8g) wt. Fits mil-spec buffer tubes with 1.14" O.D. only.

**#100-015-025** Collapsible Buttstock, Blk, 8K00QFJ.... \$ 69.99 #100-015-026 Collapsible Buttstock, Brown, 8K00IIK... 68.99



Loaded With Ergonomic **Enhancements For** Maximum Comfort & Control

Stock, pistol grip, and vertical grip form an ergonomically

engineered, integrated system that makes your AR more comfortable to shoot and easier to control. Overmolded, soft-touch, textured, rubber on grasping surfaces gives you a positive hold and eliminated hard edges. DD's Collapsible Buttstock replaces M4style stocks and provides significant enhancements. Gives comfortable, repeatable cheekweld, and won't wobble or rattle. Comes with interchangeable rubber recoil pads, so you can customize to your needs. Limited-rotation QD sling swivel sockets. Pistol Grip has the same angle as 1911 pistol's grip for familiar, natural hand position; oversized integral trigger quard completely fills the gap between grip and lower receiver, eliminates for roll pins for simplified installation. Vertical Foregrip clamps to Picatinny rail and offers a comfortable fit to the hand, thicker in the middle than at the ends. Waterproof, dual O-ring sealed internal storage compartment for small items. SPECS: Glass-filled polymer, black or brown. Stock fits mil-spec buffer tubes with 1.14" (2.8cm) O.D. only.

**#100-017-088 Furniture Set, Black**, *8K00HAJ*......\$ **112.99 #100-017-089 Furniture Set, Brown**, 8KOOKFM . . . . . **109.99** 

# **LUTH-AR AR-15 MBA-4 ADJUSTABLE CARBINE STOCK**

Lightweight, Comfortable Shooting Support & Unique Looks

The MBA-4 is the ideal buttstock for your favorite AR carbine. It's comfortable and lightweight, and also aesthetically pleasing!

Designed to fit both commercial and mil-spec buffer tubes and works with all 5.56/.223 rifles and any .308/7.62 AR that uses an AR-15 buffer tube. Bottom Picatinny rail for additional accessories. Flat setscrew allows you to lock your favorite position in while eliminating rattles. Comes with a black medium soft rubber buttplate. Uses 4 positions on a 6 position buffer tube. NOT interchangeable with A2 standard buffer tube. If you're looking for a lightweight polymer skeleton stock, the the MBA-4 is a great option!

#100-024-568 MBA-4 Carbine Stock, Blk, 3D56J09... \$ 65.99

# DOUBLE STAR AR-15/M16 ACE STOCKS

Light & Strong For Fast Handling In Extreme Environments

Double Star's line of Ace aluminum-framed buttstocks are ideal for tactical and competition. They are lightweight, compact, and fast-handling - ideal for dynamic shooting environments - while still offering =surprisingly comfortable and stable shooting plat-

ARFX SKELETON STOCK - A lightweight, fast handling stock for sporting, tactical and competition use. Gives three sling attachment points. Uses your existing A2 fixed stock buffer tube as the top tube to keep weight to a minimum. Closed-cell foam sleeve provides a soft, comfortable cheek weld, plus insulates your face from vibration and inclement weather. Sleeve is formulated to withstand cleaning solvents and gun oils, UV radiation, freezing temperatures, salt water and rough handling. Machined aluminum buttplate is drilled and tapped for the rubber recoil pad (included). Comes with 1.25" sling swivel



SPECS: 6061-T6, heat-treated, aircraft grade aluminum, Type 3 mil-spec hard-anodized, matte black.

#100-000-809 ARFX Skeleton Stock. 2Z92N69 ...... \$ 102.99 #100-015-269 ARFX-E Entry-Length Skeleton Stock,

2Z00NXQ ...... 116.99

AR-UL ACE ULTRALIGHT STOCK -

Carries the ARFX concept a step further by eliminating the aluminum bar on the underside of the stock, resulting in just about the lightest, least bulky stock



Carbine Shown

Entry-Length

(assembled)

you'll ever find for your AR. Still engineered to provide a secure, stable interface with the shoulder. Uses an A2 rifle receiver extension tube (not included - available separately) as the backbone of the stock, thoroughly reinforced by an machined billet aluminum gusset at its weakest point directly behind the receiver. The machined aluminum buttplate clamps directly to the receiver extension and accepts the included rubber recoil pad. Gusset has a sling swivel mounting point on each side (swivel included); buttplate also has a machined-in sling loop. Foam sleeve slides over the receiver extension for a comfy cheekweld. Approx. 10" OAL when installed.

#100-015-270 AR-UL Ultralight Stock, 2Z90M94 .... \$ 106.99

M4 SOCOM STOCK - Tactical stock, with a built-in M4 carbine length buffer tube, features a full 2" of length adjustment. Quick-release button switches the stock length to five different positions. Soft foam cover on tube provides a



comfortable cheekweld. Also features three, 11/2" wide sling slots, a rubber recoil pad, and receiver end plate with ambidextrous attachment points for HK-style single-point clip-on slings. There's even a machined-in hammer on the butt for breaching doors and hand-to-hand combat. Precision-machined from a solid, heattreated, aluminum billet for superb durability and strength. Quick release button can be replaced with the included machine screw to convert it into a rock-solid, fixed-length stock.

SPECS: 6061 T6 heat-treated aluminum, Type 3 mil-spec hard-anodized, matte black. Includes 1/2" thick, rubber recoil pad and screws. 71/2" (19cm) OAL collapsed, extends to 9<sup>1</sup>/<sub>2</sub>" (24cm) OAL, 10<sup>1</sup>/<sub>2</sub>" (27cm) L.O.P. collapsed. extends to 121/2" (32cm) L.O.P.

#100-001-173 M4 SOCOM Carbine Stock, 2Z00PQR. . \$ 221.29

# CMMG AR-15/M16 A1 RIFLE STOCK ASSEMBLY

Another Fixed Rifle Stock Option for Your AR

Sometimes "Old School" is best. While retractable carbine stocks are useful to folks serving in the mobile those who have less need for com-



pactness and want a secure, stable, comfortable cheekweld for some precision shooting. As a result, the old M16A2 rifle stock still has a place on some AR-15s, but what about folks who have shorter arms or want something more compact without resorting to an M4 stock? CMMG brought out their classic A1 rifle stock just for you. This is the original-style M16A1 rifle stock, though it is made of black/ dark gray reinforced molded polymer, and if you already have a rifle buffer tube on your gun, you just need to omit the A2 spacer when installing this stock. If you're building a rifle from parts or making a complete conversion to an A1 stock, CMMG's handy kit includes the stock, rifle receiver extension, rifle buffer and spring, and the receiver end plate. This stock even comes with the a traditional sling loop attached to the toe like the original, but the buttplate is made of polymer, though it does have a trap door (also, the core of the stock is not foam-filled). 2.875" length-of-pull.

#100-044-608 AR-15 A1 Rifle Stock Kit w/Rec'r Ext & Buffer, 7N94A99..... \$ 99.95 #100-044-614 AR-15 A1 Rifle Stock ONLY, 3B43J13... 48.70

# LUTH-AR AR-15/M16 **MODULAR RIFLE BUTTSTOCK**

Fully Adjustable Or Minimalist & Lightweight - Your Choice

Why should carbine shooters have all the fun? Luth's Modular Stock gives AR-15 rifle with A1/A2 buffer tubes a new level of adjust-

ability in length and comb height. It has an adjustable cheekrest, plus length-of-pull adjustability, yet it is very lightweight. Enhances overall shooting comfort and control for better shot placement and, ultimately, better performance from your rifle. (Also fits AR-style .308 rifles with a standard AR-15 A1/A2 buffer tube.) Includes rubber recoil pad and two QD sling swivel sockets.

SPECS: Glass-filled nylon, black or flat dark earth (FDE). 101/2" long. Cheekrest height adjusts 1". LOP adjusts 11/16". 1 lb. 3 oz. (539g) wt.

	Modular Stock, Black, 3D113189 \$ 133.99
#100-017-940	<b>Modular Stock,</b> FDE, <i>3D114N74</i> <b>134.99</b>

# **LUTH-AR AR-15** MBA-3 ADJUSTABLE CARBINE STOCK

Adjustable Carbine Stock With a Whole Lot of Adjustability

This fully adjustable buttstock assembly by Luth-AR is a perfect upgrade for your favorite rifle or your latest build. Featuring adjustment options for length



fit commercial and mil-spec buffer tubes. Works with all .223/5.56

and most .308 AR type rifles. Comes with a black medium soft butt plate. NOT interchangeable with A2 standard buffer tube. The Luth-AR adjustable buttstock is constructed of durable lightweight polymer and available in basic black or flat dark earth (FDE).

#100-024-566 MBA-3 Carbine Stock, Blk, 3D130N04.. \$ 152.99 #100-024-567 MBA-3 Carbine Stock, FDE, 3D131A74. . 154.99

# LWRC INTERNATIONAL AR-15/M16 **ULTRA-COMPACT BUTTSTOCK**

Makes Your Carbine More Compact, More Nimble, Easier To Handle




LWRC's complete kit sets you up to give your rifle a shorter, more maneuverable, more comfortable adjustable carbine stock

than the traditional M4 stock. Hard-polymer stock can be installed on any standard AR-15 lower with the included carbine receiver extension/buffer tube, and is 1" shorter than an M4 stock, with 4 length-ofpull adjustment notches, making your rifle fast handling. Wide top provides a comfortable, secure cheekweld. Pushbotton QD sling sockets enable fast sling mounting and dismounting. One-stoip installation: comes with everything you need to install on your rifle, including buffer tube, buffer spring, and buffer, index plate, castle nut.

SPECS: Stock fully extended: 9" (22.8cm) long. Stock fully collapsed: 5.8"

#100-016-401 Ultra-Compact Stk Kit, Blk. 2C00MZG .. \$ 131.00

# MAGPUL AR-15/M16 MOE® SL-STM CARBINE STOCK



The MOE SL-S adds on-board storage capability to the SL tactical carbine stock, while maintaining the original's slim pro-

file, enhanced cheekweld, and body-armor friendly buttplate. Two O-ring sealed, storage tubes accept extra batteries and other small items. Compartments are waterproof to a depth of 10 meters (32.8 ft.). Fits mil-spec (1.14" O.D.) receiver extensions only. Unique leaf-spring tension system provides a solid fit with slightly less friction than the original SL, while still virtually eliminating wiggle and rattle.

#100-018-694	MOE SL-S, Black, 3K70N19	\$ 77.99
#100-018-695	MOE SL-S, FDE, 3K68P39	75.99
#100-018-697	MOE SL-S, ODG, 3K68D39	75.99

# MAGPUL AR-15/M16 MOE® BUTTSTOCK

Economical, Drop-In Upgrade For Carbine Collapsible Stock

Magpul Original Equipment (MOE) carbine buttstock provides the quality, durability, and ergonomic benefits of Magpul's CTR® stock in a rugged, economical, drop-



TOCI

in package. Strong, A-frame design is lightweight and comfortable, yet provides operator with plenty of support. Comb contour is wider than standard issue M4 stock to help shooter maintain a solid, consistent cheekweld. Streamlined exterior and protected release lever won't snag on clothing, gear, vehicle interior, or vegetation. Heavy duty, spring-loaded release lever allows fast length-of-pull adjustments and won't dig into your hand. Impact- and heat-resistant, polymer construction includes molded-in reinforcements at stress points, plus two slots for web slings and a hole for a toe-mounted sling swivel or clip-on sling. Soft, synthetic rubber buttpad increases shooting comfort and helps prevent slippage.

SPECS: Reinforced molded polymer. 7<sup>1</sup>/<sub>4</sub>" (18.4cm) OAL, 5<sup>1</sup>/<sub>4</sub>" (13.3cm) high. Buffer tube, carbine buffer, receiver extension nut, and carbinelength action spring not included. Mil-Spec fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. Commercial fits larger, 1.17" O.D. commercial carbine buffer tubes.

#100-003-535	Mil-Spec MOE Bttstk, Blk, 3K35B09\$	38.99
#100-003-536	Mil-Spec MOE Bttstk, DE, 3K34N19	37.99
#100-003-786	Mil-Spec MOE Bttstk, O.D. Green, 3K34K19	37.99
#100-014-407	Mil-Spec MOE Bttstk, Stealth Gray, 3K34Q19	37.99
#100-003-538	Commercial MOE Bttstk, Blk, 3K34I19	37.99

order on the web

# MAGPUL® AR-15/M16 **MOE® RIFLE STOCK**

Drop-In Upgrade For A1/A2 Rifles Or Conversion From A Carbine Stock

Direct replacement for A1- or A2-type stocks brings MOE ergonomics and versatility to your fixed-stock rifle. Sloping comb provides a comfortable, secure cheekweld, while keeping the stock's overall profile slim. Rubberized recoil pad keeps the rifle firmly and comfortably against the shoulder. Hinged buttplate opens to reveal a spacious compartment for internal storage of small items. Integral sling loop accepts a 11/4" sling. Also includes front and rear attachment points on both sides for the Type 1 Sling Mount Kit (sold separately) to enable use of slings with pushbutton QD swivels. Two bosses on underside may be knocked out for attachment of an MOE accessory rail (available separately). Accepts Magpul PRS® extended recoil pads.

SPECS: Injection-molded hard polymer, Black, Dark Earth, O.D. Green, or Stealth Gray. 101/2" (26.7cm) OAL. Provides a 131/4" (33.7cm) LOP. 5" (12.7cm) high. Mounts to A1/A2 rifle-length receiver extension tubes. Rifle Stock Kit includes black MOE Rifle Stock, rifle-length receiver extension tube, rifle buffer, and buffer spring.

#100-009-585	MOE Rifle Stock, Black, 3K61N19	67.99
#100-009-586	MOE Rifle Stock, Dark Earth, 3K60K29	66.99
#100-009-587	MOE Rifle Stock, O.D. Green, 3K60G29	66.99
#100-014-425	MOE Rifle Stk, Stealth Gray, 3K60A29	66.99

# MAGPUL AR-15/M16 **MOE® FURNITURE SETS**

Give Your AR A Magpul Makeover In One Swoop

Our handy kit contains just what you need to outfit your AR-15/M16 carbine with the basic, most critical components of Magpul's ergonomically-enhanced Magpul Original Equipment (MOE) system. It contains a MOE® buttstock, MOE® M-LOK™ carbine handquard, and standard



MOE® pistol grip. All three items are easy to install - like field stripping your gun for cleaning then reassembling - and require no permanent alterations to gun. You can remove the MOE components and reinstall original parts any time.

SPECS: Reinforced molded polymer, Black, Flat Dark Earth (FDE), O.D. Green (ODG), and Gray. Commercial fits 1.17" O.D. commercial buffer tubes. Mil-Spec fits M4-type military-pattern buffer tubes with 1.14" O.D.

STOCK #	TYPE	FITS	COLOR	PRICE	
#100-017-600	Commercial	1.17" O.D.	Black	3K87P19 <b>\$ 108.99</b>	
#100-017-604	Mil-Spec	1.14" O.D.	Black	3K87P19 <b>\$ 108.99</b>	
#100-017-605	Mil-Spec	1.14" O.D.	FDE	3K87G19 <b>\$ 108.99</b>	
#100-017-606	Mil-Spec	1.14" O.D.	ODG	3K87J19 <b>\$ 108.99</b>	
#100-017-607	Mil-Spec	1.14" O.D.	Gray	3K87P19 <b>\$ 108.99</b>	

# MAGPUL AR-15/M16 **SLING MOUNT KIT – TYPE 1**





Magpul MOE butttocks and SGA shotgun stock. Mounting hardware in-

ciuded. Swiveis i		71/4 40.00	* * * * * *
#100-010-975	Sling Mount Kit/Type 1.	3K14P62	\$ 14.20

# MAGPUL AR-15/M16 MOE® SLTM STOCK



Optimized For Efficient Shoulder Transitions, Even With Body Armor

Enhanced replacement buttstock for M4-pattern carbines is designed to withstand the rigors of the modern battlefield or tactical competition. Slim comb gives

a sloping cheek weld for a firm fit and excellent shooter comfort. Low-profile, no-snag dual-latch release enables easy length-ofpull adjustment. Premium chrome-silicon locking spring ensures a positive hold on the receiver extension tube. Internal anti-rattle mechanism maintains a snug, wobble-free fit on the tube. Rolled toe and recoil pad allow for easy shoulder transitions and good fit when using body armor. Non-slip rubber recoil pad helps keep the carbine on your shoulder and increases recoil absorption. Two sling mounts give you extra freedom in sling choice. Enhanced Recoil Pad is a direct replacement that adds 1/2" to the length of pull and even more recoil absorption. Also fits MOE AK and Zhukov-S stocks.

SPECS: Molded polymer, Black, Flat Dark Earth (FDE), O.D. Green (ODG), Stealth Grav. LOP adjustment range: 3.3" (8.4cm), 7.2" OAL, 9.6 oz. (272.2g) wt. Mil-Spec fits mil-spec 1.14\* O.D. carbine buffer tubes. Com-

THE CIAL IIIS large	er 1.17 O.D. Commercial Carbine burier lubes.	
#100-015-169	Mil-Spec MOE-SL Stock, Blk, 3K53K99 \$	56.95
#100-015-170	Mil-Spec MOE-SL Stock, FDE, 3K51J29	56.99
#100-015-171	Mil-Spec MOE-SL Stk, ODG, 3K51L29	56.99
#100-015-172	Mil-Spec MOE-SL Stk, Gray, 3K51Q29	56.99
#100-015-173	Commercial MOE-SL Stock, Black,	
	3K51P29	56.99
#100-018-084	MOE-SL/AK/Zhukov Enhanced Recoil	
	<b>Pad,</b> 3K17C09	18.95

# MAGPUL AR-15/M16 MOE® SLTM FURNITURE SET

Optimizes Your Rifle For Excellent **Control In Tactical Operations** 

The MOE SL (Slim Line) furniture kit is an easy, one-stop way to improve the fit and feel of your AR-15 with the advanced MOE SL buttstock as the centerpiece. The stock has a sloping cheek weld for excellent shooter



comfort and an angled rubber buttpad with rolled toe to aid in fast. smooth shoulder transitions, even when wearing body armor. The slim MOE SL handguard fits rifles with carbine-length gas systems and an A2-pattern front sight tower. The internal aluminum heat shield keeps the hand cool, even during extended rapid-fire situations, while the front lip and long side extensions shield the hand from the hot gas block. M-LOK slots at the 2, 6, and 10 o'clock positions give plenty of accessory-mounting options. The slim profile and steep angle of the MOE-SL pistol grip gives a short length of pull and brings the control hand closer to the shooter's body for excellent control in CQB situations.

SPECS: Reinforced molded hard polymer, Black, Flat Dark Earth (FDE), O.D. Green (ODG). Handguard - 8.9" (22.6cm) OAL, 1.8" (4.6cm) wide, 2.4" (6.1cm) high. Stock - 7.2" (18.3cm) OAL. Mil-Spec fits rifles with 1.14" O.D. carbine buffer tubes. Commercial fits rifles with larger 1.17" O.D. commercial carbine huffer tubes

COITITIEI Clat Cari	UILIE DULLEL LUDES.	
#100-015-967	MOE SL Mil-Spec Furniture Set, Black, 3K93C59	\$ 103.99
#100-015-968	MOE SL Mil-Spec Furniture Set, FDE, 3K93B59	103.99
#100-015-969	MOE SL Mil-Spec Furniture Set, ODG, 3K93H59	103.99
#100-015-970	MOE SL Commercial Furniture Set, Black, 3K93C59	103.99
#100-015-971	<b>MOE SL Commercial Furniture Set</b> , FDE, <i>3K93J59</i>	

# MAGPUL AR-15/M16 MOE® SL-KTM CARBINE STOCK



Slim, Maneuverable Tactical Stock With Plenty Of Versatility

Further developing Magpul's original SL stock, the SL-K is designed for com-

pact PDW-style weapons or users who simply desire a small, light, highly maneuverable stock. Drop-in replacement for M4-type adjustable stocks that fit mil-spec (1.14" O.D.) buffer tubes. It offers a short, slim profile, comfortably sloped cheekweld, a rubber recoil pad with a "rolled" toe for easy shouldering and better fit when wearing body armor. Built-in 1.25" sling loop, and also accepts Magpul ASAP® and M-LOK QD Sling Mount (available separately) for pushbutton QD sling swivels. Ambidextrous latch enables easy extension/retraction of stock, plus it minimizes rattle on the receiver extension without requiring additional locks, levers, or springs, Latch made of steel, too, so it won't fail under hard use.

SPECS: Reinforced injection-molded hard polymer, Black, Flat Dark Earth (FDE), O.D. Green (ÓDG), or Stealth Gray. LÓP adjustment range: 3.3". LOP collapsed: 10.5". LOP extended: 13.8". Fits AR-15/M16/M4 rifles with 1.14" O.D. carbine buffer tubes.

#100-006-740	MOE SL-K Stock, Black, 3K35J09	38.99
#100-018-595	MOE SL-K Stock, FDE, 3K34N19	37.99
#100-018-597	MOE SL-K Stock, ODG, 3K34C19	37.99
#100-018-596	MOE SL-K Stock, Gray, 3K34L19	37.99
	·	

# MAGPUL AR-15/M16 **MOE® BUTTSTOCK KIT**



Flat Dark Earth

**Everything You Need** To Give Your Rifle An Adjustable Carbine Stock

This kit has all the components to mount the versatile MOE adjustable carbine stock to your rifle - including the stock! Use it to finish a custom build or to convert

a fixed-stock rifle. It's built around the extremely popular "Magpul Original Equipment" (MOE) carbine buttstock that's designed for fast action. Comfortable, too, with easy length adjustment, recoil-taming rubber buttpad and a wide comb contour to help you maintain a consistent, solid cheekweld. You get a mil-spec (1.14" O.D.) receiver extension (buffer tube) with the correct-weight carbine buffer and buffer spring, plus end plate and castle nut.

#078-000-216	MOE Carbine Buttstock Kit, Black, 8G84P14	\$ 98.99
#078-000-217	MOE Carbine Buttstock Kit, Dark Earth, 8G81B59	95.99
#078-000-218	<b>MOE Carbine Buttstock Kit,</b> O.D. Green, 8G81N59	95.99
#100-015-124	MOE Buttstock Kit, Stealth Gray, 4H81G59	95.99

# HOGUE OVERMOLDED CARBINE **BUTTSTOCK & GRIP**

Adjustable-Length Carbine Stock - Rubber Coated For Secure, Non-Slip Grip





that provides snag-free shouldering. This unique design creates a snug anti-rattle friction fit that prevents unwanted movement along the buffer tube. The buttstock provides multiple swivel sleeve and sling mounting locations. Fits Mil-Spec buffer tubes. Hogue's 2 Piece Kit contains a finger grooved beavertail rubber grip and a collapsible buttstock. The beavertail grip is specifically designed to retain the important lines and aesthetics of tactical rifles. It provides a comfortable grip with palm swells and and features Hogue's exclusive Cobblestone™ pattern.

#408-000-170	AR-15 FG BT Grip& OverMold Buttstock Collapsible MilSp, Blk, 8K55D99	\$ 59.46
#408-000-169	AR-15 FG BT Grip& OverMold Buttstock Collapsible MilSp, FDE, 8K59G49	69.99

# MAGPUL AR-15/M16 **MOE® FIXED CARBINE STOCK**

### All The MOE Ergonomics & Appearance In A Non-Collapsible Format

All of the comfort, convenience, and ergonomic benefits of the Magpul MOE carbine stock for situations where a fixed-length, nonadjustable format is needed. Installs without removing the castle nut or lock plate - just remove the collapsible stock and clamp the MOE Fixed in its place. Comes with two end caps, one standard and one compatible with ASAP® sling adapter. Install Sling Mount Kit -

Type 1, sold separately, so you can use pushbutton QD sling. Accepts PRS® extended buttpad, also sold separately.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Stealth Gray. 71/2" (19cm) OAL. 11/2" (3.8cm) wide. 5" (12.7cm) high. Mil-Spec fits 1.14" O.D. buffer tube. Commercial fits 1.17" O.D. buffer tube.

#100-011-565	Mil-Spec MOE Fixed Carbine Stock, Black, 3K25D49	\$ 29.99
#100-011-566	Mil-Spec MOE Fixed Carbine Stock, Dark Earth, 3K24M64	28.99
#100-011-567	Mil-Spec MOE Fixed Carbine Stock, O.D. Green, 3K24N64	28.99
#100-014-414	Mil-Spec MOE Fixed Carbine Stock, Stealth Gray, 3K24C64	28.99
#100-011-569	Commercial MOE Fixed Carbine Stock, Black, 3K24C64	28.99

# **IMPACT WEAPONS AR-15/M16** MOUNT-N-SLOT SLING ATTACHMENT



**Enables Attachment Of A QD Sling** To A Magpul MOE® Stock

Add-on aluminum receptacle lets you attach a pushbutton QD sling to a Magpul MOE® buttstock. Quickly installs in the webbing slot at the rear of the stock, and accepts both heavy-duty and standard QD sling swivels. Limits sling rotation to prevent wrapping and twisting, keeping your rifle accessible and ready for quick deployment. Rounded edges resist snagging on clothing and equipment. Mounts on either side of stock and blends in seamlessly with overall appearance.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 1.3" (33mm) long. .84" (21mm) wide. .5 oz. (14g) wt. Includes mounting hardware.


#100-008-453 Mount-N-Slot For MOE Stk, 2C26M43.. \$ 29.95



# MAGPUL AR-15/M16 **CTR® BUTTSTOCK**

### Locking System Eliminates "Play"

Features a friction locking mechanism that eliminates movement between the buf-



SPECS: Impact-resistant nylon polymer, Black, Dark Earth, O.D. Green, or Stealth Grav. LOP adjustment range. 31/2" (8.9cm), Mil-Spec - 67/8" (17.5cm) OAL, 5<sup>1</sup>/<sub>4</sub>" (13.34cm) high. Fits 1.14" O.D. carbine buffer tubes on Colt-manufactured M4 and similar mil-spec carbines. Commercial - 71/8" (21cm) OAL, 5<sup>1</sup>/<sub>4</sub>" high. Fits 1.17" O.D. commercial carbine buffer tubes.

#100-002-946	Mil-Spec CTR Bttstk, Blk, 3K53G99 \$	56.95
#100-003-137	Mil-Spec CTR Bttstk, DE, 3K53M99	56.95
#100-003-135	Mil-Spec CTR Bttstk, ODG, 3K53E09	58.99
#100-014-416	Mil-Spec CTR Bttstk, Gray, 3K51C29	56.99
#100-002-982	Commercial CTR Bttstk, Blk, 3K53P09	58.99

CTR BUTTSTOCK KIT - Convenient buttstock mounting kit eliminates the hassle of buying all the parts individually. Kit includes: Magpul buttstock, Mil-Spec aluminum buffer tube, buffer spring, end plate, castle nut and a rocall buffor Stocks avail



riut, and a recoil burier. Stocks avait-	
able in Black, Flat Dark Earth, O.D. Green, or Gray. 💻	
#078-000-203 CTR Buttstock Kit, Black, 8G98E59 \$ 115.9	99
#078-000-204 CTR Buttstock Kit, FDE, 8G98J59 115.9	99
#078-000-205 CTR Buttstock Kit, ODG, 8G98/59 115.9	99
#078-000-239 CTR Buttstock Kit, Gray, 8G98D59 115.	99

# MAGPUL AR-15/M16 CTR®/MOE® STOCK CHEEK RISER



Raises The Checkweld For More Comfortable Shooting: Snap-On Fit

Molded polymer cheek riser snaps onto Magpul CTR and MOE buttstocks to provide added support and ensure correct eye alignment with open sights or optics for fast target acquisition. Creates a stable

platform for accurate, long-range shooting. Three models let you to raise the cheekweld by 1/4", 1/2", or 3/4" for a personalized fit. No stock modification required. Designed for non-AR installations of CTR/ MOE stocks; if installed on AR-15, stock must be left fully extended to allow operation of charging handle.

SPECS: Fiber-filled polymer composite, Black, Flat Dark Earth (FDE), O.D. Green (ODG), and Stealth Gray (Gray). Fits all Magpul CTR and MOE buttstocks

STOCK #	HEIGHT	COLOR	PRI	CE
#100-004-221	.25"	Black	3K16L14	\$ 18.99
#100-019-337	.25"	FDE	3K16C14	\$ 18.99
#100-019-339	.25"	ODG	3K16N14	\$ 18.99
#100-019-338	.25"	Gray	3K16E14	\$ 18.99
#100-004-222	.50"	Black	3K16M14	\$ 18.99
#100-019-340	.50"	FDE	3K16G14	\$ 18.99
#100-019-342	.50"	ODG	3K17D09	\$ 18.95
#100-019-341	.50"	Gray	3K16A14	\$ 18.99
#100-004-223	.75"	Black	3K16E14	\$ 18.99
#100-019-343	.75"	FDE	3K16A14	\$ 18.99
#100-019-345	.75"	ODG	3K16N14	\$ 18.99
#100-019-344	.75"	Gray	3K16Q14	\$ 18.99



# MAGPUL AR-15/M16 ACS-L™ CARBINE STOCK

### Extra-Slim Profile For Added Maneuverability

Adaptable Carbine Stock-Light (ACS-L) is a slimmeddown, lightweight version of Magpul's popular ACS™ stock. The ACS-L provides extra maneuverability by



eliminating the ACS's side storage compartments, while retaining the wide, sloping top for a secure, comfortable cheekweld. Also retained is the storage compartment in the tail of the stock, and the friction locking system that prevents unwanted wobble after extending the stock. Includes a reversible socket for QD pushbutton sling swivels and a 1" sling loop molded in the toe of the stock. The .3" thick rubber recoil pad can be replaced by Magpul Tactical Recoil Pads (sold separately). Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. SPECS: Reinforced molded polymer. 8" (20.32cm) OAL, 21/4" (5.7cm) wide, 5<sup>1</sup>/<sub>2</sub>" (13.97cm) high. 12.8 oz. (362.87g) wt. Length-of-pull adjustment range: 3<sup>1</sup>/<sub>4</sub>" (8.3cm): 15" (38.1cm) LOP, extended: 11<sup>3</sup>/<sub>4</sub>" (29.85cm) LOP, retracted. Mil-Spec fits 1.14" O.D. buffer tube. Available in Black, Dark Earth, O.D. Green, or Stealth Gray. Commercial fits 1.17" O.D. buffer tube. Measure your rifle's tube before ordering. Available in Black only.

#100-009-325	Mil-Spec ACS-L Stock, Blk, 3K71G99	75.95
#100-009-326	Mil-Spec ACS-L Stock, DE, 3K68G39	75.99
#100-010-523	Mil-Spec ACS-L Stock, ODG, 3K68M39.	75.99
#100-014-420	Mil-Spec ACS-L Stock, Gray, 3K68F39	75.99
#100-009-327	Commercial ACS-L Stk, Blk, 3K68I39	75.99

# ACS-L BUTTSTOCK KIT

Convenient kit eliminates the hassle of buying buttstock mounting parts individually. Kit includes: Magpul buttstock, Mil-Spec aluminum buffer tube, buffer spring, end plate, castle nut, and a recoil buffer. Stocks avail-



able in black, r	ial Dark Earth, O.D. Green, or Steatth Gray.	
#078-000-228	ACS-L Buttstock Kit, Blk, 8G114D74	\$ 134.99
#078-000-229	ACS-L Buttstock Kit, DE, 8G114D74	134.99
#078-000-230	ACS-L Buttstock Kit, ODG, 8G114C74	134.99
#078-000-240	ACS-L Buttstock Kit, Gray, 8G114J74	134.99



# MAGPUL AR-15/M16 ACS™ BUTTSTOCK

### Drop-In Replacement For M4 Stock With Storage & Enhanced Comfort Features

Adaptable Carbine/Storage (ACS) stock is a drop-in replacement for standard USGI M4 collapsible stock that gives



the tactical operator extra storage options, a secure, comfortable cheekweld, and an advanced dual-locking lever. Smooth, streamlined exterior contours prevent snagging on clothing, sling, or vegetation, and help ensure fast exits from vehicles without snagging on gear. Removable battery storage compartments run the full length of the extra-wide comb and hold 2 AA or 3 CR-123 batteries, while providing a wide, contoured area for an exceptionally solid, comfortable cheekweld. Secure rubber caps keep water and dust out of compartments. Positive-locking trapdoor on right side of the stock reveals a storage compartment for small items. Magpul's dual locking system uses an additional cam lever to protect the release lever from accidental operation, yet still allows you to adjust length of pull by simply pushing on the release lever. Slot molded in the toe provides an attachment point for a 11/4" wide sling. Also includes the same detachable rubber buttpad found on Magpul CTR® and UBR® buttstocks to help keep stock firmly mounted on shoulder. SPECS: Reinforced molded polymer. 7'/8" (20cm) OAL, 5<sup>1</sup>/<sub>4</sub>" (13.3cm) high. 13.6 oz. (385g) wt. Buffer tube, carbine buffer, receiver extension nut, and carbine-length action spring not included. Mil Spec fits 1.14" O.D. buffer tubes on Colt-manufactured M4 and similar mil-spec tubes that accept both four- and six-position collapsible stocks. Commercial fits larger, 1.17 O.D. commercial carbine buffer tubes.

#100-003-527	Mil-Spec ACS Stock, Black, 3K79H19	87.99
#100-003-529	Mil-Spec ACS Stock, DE, 3K77J39	85.99
#100-003-784	Mil-Spec ACS Stock, ODG, 3K77P39	85.99
#100-014-422	Mil-Spec ACS Stock, Gray, 3K77P39	85.99
#100-003-531	Commercial ACS Stock, Blk, 3K77N39	85.99

ACS BUTTSTOCK KIT - Convenient buttstock mounting kit eliminates the hassle of buying all the parts individually. Kit includes: Magpul buttstock, Mil-Spec aluminum buffer tube, buffer spring, end plate, castle nut, and a recoil buffer. Stocks



available in Black, riat Bank Earth, or O.B. Green.	
#078-000-220 ACS Buttstock Kit, Black, 8G124L09\$	145.99
<b>#078-000-221</b> ACS Buttstock Kit, DE, 8G124P09	145.99
<b>#078-000-222</b> ACS Buttstock Kit, ODG, 8G124E09	145.99
<b>#084-000-400 ACS Buttstock Kit, </b> Gray, <i>8K118G99</i>	139.99

# MAGPUL AR-15/M16 -STR™ BUTTSTOCK

Adjustable Carbine Stock With Internal Battery Storage

An enhanced version of the Magpul CTR® stock, the STR ("Storage/Type Restricted") buttstock features two 41/4" left- and right-side positioned battery storage tubes and a wider cheekweld for extra comfort. Rubber caps at the rear keep the storage compartments resistant to water incursion, yet pop off easily for access to two AA or two CR-123 batteries inside. Features two integral 11/4" sling loops and a socket for a pushbutton QD sling swivel on each side of the stock. Friction locking mechanism minimizes wobble between the buffer tube and the buttstock for a solid, secure "feel", which is enhanced by the detachable .30" thick rubber buttpad that adds plenty of "grab" to prevent shoulder slippage. SPECS: Reinforced nylon polymer. 71/4" (18.4cm) OAL, 51/4" (13.3cm) high LOP adjustment range: 31/4" (8.3cm). 12.5 oz. (354q) wt. Mil-Spec fits milspec 1.14" O.D. carbine buffer tubes. Commercial fits larger 1.17" O.D. commercial carbine buffer tubes.

#100-009-321 Mil-Spec STR Buttstock, Blk, 3K69Q29.. \$ 76.99

#100-009-322 Mil-Spec STR Buttstock, DE, 3K68N39 . . 75.99 #100-010-519 Mil-Spec STR Bttstk, ODG, 3K68C39.... 75.99 #100-014-418 Mil-Spec STR Bttstk, Gray, 3K68M39.... 75.99 #100-009-323 Commercial STR Bttstk, Blk, 3K68C39 .. 75.99

STR BUTTSTOCK KIT - Eliminate the hassle of buying individual buttstock mounting parts with this convenient kit. Kit includes: Magpul buttstock, Mil-Spec aluminum buffer tube, buffer spring, end plate, castle nut, and a recoil

	end plate, castle nut, and a recoil buffer.	<b>EULIUMANNAMANAMANA</b>
	#078-000-224 STR Buttstock Kit	, Black, 8G114M74 <b>\$ 134.99</b>
	#078-000-225 STR Buttstock Kit	, DE, 8G114F74 134.99
	#078-000-226 STR Buttstock Kit	, ODG, 8G114A74 134.99
•	#084-000-399 STR Buttstock Kit	, Gray, 4H114A74 134.99

# MAGPUL AR15/M4 **UBR® 2.0 COLLAPSIBLE STOCK**

### Lightweight, Adjustable Stock With Fixed Stock Comfort & Stability

Offering the same strength and stability as a fixed stock, this 2.0 version of Magpul's adjustable stock provides a consistent cheekweld in any position,



while offering a unique set of convenience and comfort features to provide a highly versatile, stable shooting platform. The Utility/ Battle Rifle (UBR) stock's tough, reinforced polymer construction can handle high-tempo tactical operations, and is built to handle hard-kicking large-bore (.308/7.62 and up) AR rifles while protecting the shooter from the effects of recoil. An integrated, proprietary preset system lets user pull a release lever and instantly snap the stock into one of eight (yes, 8!) different positions. Set your preferred preset position simply by moving a machine screw. The UBR 2.0 mounts on a durable buffer tube (included) to accommodate common M4 carbine buffers and springs, as well as aftermarket A5 buffer systems and even SR-25 rifle buffers. The rubber MOE-SL™ recoil pad offers an anti-slip surface and increases impact protection. Rollover on the toe allows for easier shoulder transitions and better fit when using body armor. A small storage compartment in the stock has a positive-locking door that may be positioned on either side - or remove the compartment entirely for a more skeletonized look. Stock has front and rear QD pushbutton sling receptacles that may be positioned on either side of the stock plus a slot at the toe for a 11/4" sling.

SPECS: Polymer, Black, Field Dark Earth (FDE), O.D. Green and Gray. 8.5" (21.6cm) OAL. 1.7" (4.3cm) wide. 4" (10.2cm) LOP adjustment range. 21.3 oz. (g) wt. w/receiver extension. Includes custom receiver extension tube, buffer spacer, and all mounting hardware. Buffer & recoil spring NOT

micraded.		
#100-018-748	UBR 2.0 Collapsible Stock, Black, 3K179C99	\$ 189.95
#100-018-749	UBR 2.0 Collapsible Stock, FDE, 3K184E29	193.99
#100-018-763	<b>UBR 2.0 Collapsible Stock,</b> OD Green, <i>3K180G49</i>	189.99
#100-018-762	<b>UBR 2.0 Collapsible Stock,</b> Gray, <i>3K180G49</i>	189.99

# MAGPUL AR-15/M16/AR-STYLE.308 PRS® GEN3 PRECISION-ADJUSTABLE STOCK



Gives Your Rifle The Full PRS Feature Set Without Changing **Buffer Tubes** 

STOCKS

Updated edition of the Magpul Precision Rifle Stock lets you benefit from the ergonomic enhancements of the PRS system without having to change your rifles receiver extension (buffer tube), buffer, or buffer spring. Fits rifle-length receiver extensions, as well as mil-spec and A5-length carbine receiver extensions. Positive-locking detent wheels enable precision adjustments for both length-of-pull and comb height. The thick rubber recoil pad is built to stand up to the recoil of a .50 BMG and can be adjusted vertically or canted 5° to either side. Two limitedrotation QD sling swivel sockets and a simple thread-through sling loop that can be placed on either side to match your carrying preference. Underside has M-LOK slots for mounting a monopod. SPECS: Polymer, Black, Field Dark Earth (FDE), O.D. Green (ODG), and Stealth Grav. 11.5" (29.2cm) OAL. 1.4" (3.5cm) LOP adjustment. 0.8" (2cm) cheek height adjustment, 25 oz. (708.7a) wt.

	PRS GEN3 Stock, Black, 3K218G69\$	243.99
#100-018-766	PRS GEN3 Stock, FDE, 3K221B39	245.99
#100-018-768	PRS GEN3 Stock, ODG, 3K223F19	247.99
#100-018-767	PRS GEN3 Stock, Gray, 3K223A19	247.99

order on the web



# MAGPUL AR-15/M16 PRS® LITE STOCK



Much of the Support & Stability of the PRS Gen3 in a Far Lighter Package

Magpul's PRS stock has been a mainstay of precision rifle shooters ever since it debuted in its original incarnation. But nobody will claim

it's a lightweight, trim stock! The PRS Lite is designed to provide much of the support and even the adjustability of the original in a stock with a much lighter, trimmer form factor. Built to military standards of strength and durability, the PRS Lite is intended for installation on mil-spec diameter M4 carbine, SR-25, and A5 receiver extensions. It is 10 oz. lighter than the PRS Gen3, yet still provides a superb shooter interface with plenty of adjustability. The LOP can be adjusted from 13.85" to 15.25" in .14" increments, while the comb height adjusts from flush to +0.8" in 0.1" increments. The low-profile rubber recoil pad provides pleasantly comfortable and stable contact with the shooter's shoulder. It can be raised or lowered 3/4" from center and canted 5 degrees to the left or right. Multiple sling attachment options; an ambidextrous 1.25" footman's loop at the rear of the cutout section, a reversible, rotation-limited QD sling swivel socket up front, and an attachment point for another Magpul QD sling swivel cup (you'll have to purchase separately) at the rear. Of course, the PRS Lite is made of Magpul's proprietary reinforced molded polymer.

#100-075-121	<b>PRS Lite Stock -</b> Black, <i>9W107Q99</i>	113.94
#100-075-122	PRS Lite Stock - FDE, 1X107R99	113.94
#100-075-123	PRS Lite Stock - OD Green, 2Y107S99	113.94



# MAXIM DEFENSE INDUSTRIES AR-15/M16 CQB STOCK

Minimal Profile Stock With Built-In Buffer System - It's Comfortable, Too



Maxim aimed to create a tactical stock built

for hard real-world use that's also comfortable and easy to use. We think they nailed that goal and then some. No buttons or levers or manual locking sequences – just pull to deploy. Fully extended, it gives you a standard M4 stock's LOP, with 3 other in-between positions. Retracted, it adds less than 5.5" to your rifle's OAL. Wide top surface gives a solid, comfortable cheekweld. Comes with a standard carbine buffer and spring; or run it with or with the special JP Enterprises Silent Captured Spring System listed below to help your AR run smoother and more quietly, too. Fits mil-spec (1.14" O.D.) buffer tube.

#100-020-892	CQBS		
	Black,	4E00HGS	\$ 339.99

JP SILENT CAPTURED SPRING FOR CQB STOCK - Designed by JP Rifles specifically for guns fitted with the Maxim Defense CQB Stock, this version of the JP Silent Captured Spring helps cushion felt recoil and helps your gun run quieter. By eliminating the friction found in standard buffer setups, the JPSCS also allows for smoother action resulting in less sound as the bolt cycles. Built exclusively for Maxim Defense by JP Rifles. Available in a Standard with the standard s

weight and a <b>Heavy</b> weight for select-fire rifles.			- 3
	#100-020-895	Standard JPSCSS for Maxim Stock,	-
		4E00LXS	\$ 139.99
	#100-020-896	Heavy JPSCSS for Maxim Stock,	
		AEOO IDNI	16/ 00



# MIDWEST INDUSTRIES PICATINNY-MOUNT STOCKS, BRACES & ADAPTERS

A Game-Changing Upgrade for Your BRN-180, AK-47, SIG MCX/MPX or Similar Firearm

This situation is about to go sideways.... but in a totally good way! Midwest's modular side-folding stocks will install on any firearm with a Picatinny attachment point (or adapter) at the rear of the receiver, like a SIG Sauer MCX, certain AK-47/AK-74 rifles, and the Brownells BRN-180™ lower receiver (typically mated to a BRN-180M™ upper). These stocks / braces fold to EITHER side of the receiver, and while they may look spindly, they are solid-built entirely from aluminum. When you lock one open, it is rigid, without a hint of wobble! You can get complete assemblies, ready to attach to the firearm, OR buy individual components, mix and match, and customize your installation. There are also models with an AR-15 receiver extension (buffer tube), which opens up the whole universe of AR stocks and braces for your non-AR rifle/pistol/SBR. Since these guns don't actually have buffers, the inside of the tube is now a handy storage compartment. You can even get just get the adapters and supply your own buffer tubes and other components. If you live in a place that has banned folding stocks or just don't need the folding capability, fixed, nonfolding models are also available. So it's time to decide: Do you know when to hold and when to fold? Folding mechanisms are made of 4140 steel with a tough black manganese phosphate Parkerized finish. A full-length locking lug grabs onto the receiver an won't let go. Skeletonized stock extensions are made of 6061 T6 aluminum, hardcoat anodized matte black. All NFA rules apply.

LIGHTWEIGHT SIDE-FOLDING STOCK - Complete assembly, in-

cluding M1913 Picatinny adapter for attaching to receiver, lightweight skeletonized stock tube, and minimialist yet surprisingly comfortable buttplate. 8.75" extended. Includes 3 anti-rotation QD sling swivel sockets.



#100-042-322 Lghtwght Side-Folder Stk Assy, 9F151Z99 ... \$ 159.95

FIXED STOCK ASSEMBLY - Same construction, looks, and features as the Lightweight Side-Folder, EXCEPT this version does not fold. 8.25" OAL. Complete assembly with



M1913 Picatinny receiver adapter, stock tube, and buttplate.

#100-041-899 Fixed Lightweight Stk Assy, 2A94U99...\$ 99.95

<u>SIDE-FOLDING AR-15 BUFFER TUBE ADAPTER</u> - Clamps to M1913 Picatinny stock mount on the receiver and enables you to install an

AR-15 carbine receiver extension (buffer tube) for mounting the AR stock of your choice. Can be installed to fold LEFT or RIGHT. Steel folding mechanism. Portion that accepts the receiver extension is made of 6061 aluminum, hardcoat anodized, matte black. Available as **Adapter** alone that adds 2.5" to length of firearm when extended or **Adapter Plus Mil-Spec Car-**

	Side-Folding AR-15 Buffer Tube Adapter,	
	2A94Q99\$ 99.95	
#100-042-320	Side Folding Adapter w/Mil-Spec	
	Carbine Buffer Tube, 2H122B99 129.95	

FIXED AR-15 BUFFER TUBE ADAPTER - Clamps to M1913 Picatinny stock mount on the receiver an enables you to install an AR-15 carbine receiver extension (buffer tube) for mounting the AR stock of your

bine Receiver Extension that adds 7.375" OAL).



choice. Made of 6061 aluminum, hardcoat anodized, matte black.
#100-041-898 Fixed AR-15 Buffer Tube Adptr, 7F59Z99 . \$ 59.95

**#100-042-319** Fixed Pistol Brace Adapter, 2A64K29... **74.95** 





A Surprisingly Solid, Comfortable Stock for a Rifle With a Picatinny Stock Mount on the Receiver

Midwest's rugged, "minimalist" skeletal stock is made of lightweight extruded aluminum and is specifically designed for rifles and carbines with Picatinny receiver mounts. MI is renowned for the innovation of their engineering and for not skimping on quality in manufacturing, so it's no surprise that this stock provides a secure shooting platform. We like it because it is an excellent stock for our BRN-180<sup>†M</sup> lower receiver: MI's design enables you to fire your '180 with this stock FOLDED. It can be used on AK-47s and various SIG Sauer carbines as well - and in fact ANY firearm with a MIL-STD 1913 Picatinny stock/brace attachment rail on the rear of the receiver. The one-piece aluminum construction means this stock does its job while adding minimal bulk to your gun. The Side-Folding Extruded Stock is dehorned, so it won't snag on your clothing or other gear, yet the ergonomically curved top surface provides a surprisingly comfortable, secure cheekweld. The deep horizontal texturing on the buttplate ensures it stays put on your shoulder, even during rapid fire, and there are 5 (FIVE!) QD sling swivel attachment sockets. The smooth, tight lockup of Midwest's folding mechanism means you get the stability of a traditional fixed stock when it's extended. But when it's time to pack up and go home, the mechanism easily unlocks to fold. The folding mechanism itself is made of strong heattreated 4140 carbon steel, with a full-length locking lug to clamp tenaciously to the receiver. It can be configured to fold to the LEFT or the RIGHT side, with a solid, positive lockup in both positions, so the folded stock won't unexpectedly open on you. Length when extended: 9.5".


#100-042-916	Side-Folding Extruded Stock,	
	9H171A99	\$ 174.9



# SB TACTICAL AR-15 SBA3 STABILIZING BRACE

Five (5!) Positions for Maximum Versatility

SB Tactical's SBA3 extends the freedom to install "The Brace" on any AR-15 pattern firearm with a mil-spec (1.14" O.D.) M4 carbine receiver exten-



must be purent	заси эсригисту. —	
#100-027-153	<b>SBA3 AR-15 Pistol Brace,</b> Black, <i>5Z124B99</i>	\$ 129.99
#100-027-154	<b>SBA3 AR-15 Pistol Brace</b> , FDE, <i>5Z124C99</i>	129.99
w 100-035-773	<b>SBA3 AR-15 Pistol Brace,</b> O.D. Green, <i>5Z119M69</i>	132.99
EW 100-035-772	<b>SBA3 AR-15 Pistol Brace,</b> Stealth Gray, 5Z119H69	132.99



Minimalist Adjustable Stock for Your Long-Range/Target Rifle - Built-In Buffer Tube Serves as Cheek Rest

You know you're going to need a stock along with that buffer tube for your next build, so why not just get

combined into one, saving you time and money? ODIN Works combined its ZULU 2.0 stock with this padded buffer tube and back plate, so you can get your rifle or carbine set up straight from the box. The stock is machined from 6061 aluminum and is designed for ambidextrous use. The kit even ships with a reversible quick-detach adapter, so you can configure this setup for left- or right-handed shooting. Includes a Limbsaver recoil pad, plus a secondary buffer system that helps reduce felt recoil. Length-of-pull: Min-12.75° Max-15.88°

#100-036-213 ZULU Adj. Stk, Blk, 4A120L69.....\$ 141.99

# SB TACTICAL AR-15 SBM4 PISTOL STABILIZING BRACE

"The Brace" Redesigned & Upgraded - Enhances Control & Accuracy of Your AR Pistol



Upgraded variant of SB's original "Brace" that started the brace revolution for AR-15 (and other) pistols. Gives the shooter extra support when shoot-

ing an AR pistol by strapping to the forearm, resting on the cheek, or shouldering like a traditional stock. Fits AR-15 pistol buffer and offers a thin, minimalist profile while still providing plenty of support. The SBM4 Pistol Stabilizing Brace® is the evolution of the original SB15™. It's thinner and lighter thant the original SB15 brace, with enhanced cheekweld ergonomics for improved stability, enhance accuracy potential, and an overall more comfortable shooting experience. The SBM4 has been redesigned to be thinner and lighter than the original SB15 with better ergonomics, with a more comfortable cheekweld and a more balanced feel shooter - without sacrificing strength and durability. The SB Tactical SBM4 AR-15 Pistol Stabilizing Brace is the best of a proven design that delivers the ultimate in comfort and stability.

#100-023-438 SBM4 Stabilizing Brace, Blk, 5Z92J69... \$ 119.99 #100-023-439 SBM4 Stabilizing Brace, FDE, 5Z89N99... 119.99

# STRIKE INDUSTRIES AR-15 PDW STOCK



An Ultra-Compact Minimalist Stock That Doesn't Skimp on Adjustability or Comfort

This ultra-compact PDW stock allows for effortless maneuverability particularly in close quarters and

vehicular operations. With the press of a button, the rapid deployment system instantly springs to the extended position for greater shot stability. Previous PDW systems for ARs have been notorious for expensive proprietary systems, spotty reliability and poor ergonomics. Drops onto your existing AR, with a buffer system that is carefully engineered to provide for high reliability while allowing for the use of standard bolt carriers, allowing for multi-role use with a single system. The included flat wire spring increases bolt load despite the compact dimensions for greater reliability, even in extreme short barrel configurations. Ergonomic enhancements: The low footprint shoulder weld is shaped to conform to the shoulder pocket for maximum stability and control even in compromised or unconventional shooting positions. Includes a rubberized cheek rest to create a comfortable cheekweld, a criticism of many competitor PDW systems.

#100-037-249 Viper PDW Stock, Black, 2H00LPS . . . . \$ 274.99

# **SIG SAUER** MCX/MPX PIVOTING **CONTOUR BRACE & MCX**

# **ADAPTER KIT**

Easy-To-Install Picatinny-Mount Brace for Your SIG Pistol or BRN-180™

SIG Sauer's Pivoting Contour Brace is designed for their MCX/ MPX pistols, AND it's an excellent brace for use on a Brownells BRN-180™ lower receiver, too.

In fact, it will fit any AR-15 or AK-type pistol with a Picatinny rail (MIL-STD 1913) attachment interface for a brace. The unique, low-profile forearm cuff opens up like a clamshell to reveal a nylon-web forearm strap. When not in use, this brace folds (pivots) forward parallel



#100-043-071 MCX/MPX Folding Brace, Black,

2C00NZJ.....\$199.99 #100-043-072 MCX/MPX Folding Brace, Coyote, 

#100-043-070 MCX Brace/Stock Adapter, 2C00KEC . . 99.99

# VLTOR AR-15/M16 IMPROVED MODSTOCK COMBO KIT

Gives You Better Control & More Options In **Tactical Situations** 

Tactical stock system contains all the parts you need to replace an existing carbine or rifle stock with a



highly versatile, five-position, carbine stock. The IMOD buttstock's unique, "clubfoot" shape provides better overall control and firm, stable shoulder contact in combat situations. Removable, non-slip rubber buttpad angles slightly forward from heel to toe for a better hold in the "ready" stance and when the weapon is held above the shoulder pocket in the heads-up position. Snag-free design won't hangup on clothing, web gear, or equipment. Two detachable storage compartments with waterproof caps hold up to four AA or six. CR-123 spare batteries. Two sling loops are wide enough for military-style, nylon web slings, plus there's a socket for a quick-detach, pushbutton sling swivel on each side of the stock.


SPECS: Molded polymer, black. 7" (17.8cm) to 95/8" (24.5cm) l.o.p. Kit contains stock, mil-spec 1.15" O.D. receiver extension, carbine buffer, buffer spring, endplate, locking Nut, and two detachable storage compartments with caps

#100-005-448 IMOD Combo Kit, Black, 3A137K74 .... \$ 144.99

# XLR INDUSTRIES AR-15 TR-2 ADJUSTABLE AR BUTTSTOCK

Adjustability Up the Wazoo for Perfect Shooter-to-Rifle Integration

XLR's TR-2 buttstock is designed specifically for AR-15 and AR-308 rifles and is the



receiver extension for stock mounting - see the Stocks & Chassis subsection of the Rifles section. #100-039-506 TR-2 Adjust Bttstk, BLK, 9Z00AEI . . . . . \$ 225.00 #100-039-507 AR TR-2 Carbine Adjustable Buttstock,

specifically for bolt action rifle chassis systems that use an AR-15

BLK, 9Z00NDF...... 225.00

# MAGPUL AR-15/M16 TACTICAL RECOIL PADS

**Enhances Shoulder Purchase For Comfort** & Better Weapon Control

Replacement recoil pads give you enhanced shoulder purchase and recoil control



SPECS: Rubber exterior over hard molded polymer core, black. Extended - .55" thick (14mm): Enhanced - .70" (17mm) thick.

#100-004-167	Extended Recoil Pad,	3K17P09	\$ 18.95
#100-004-168	Enhanced Recoil Pad.	3K17C09	18.95



# A2 RIFLE STOCK SPACER

**BROWNELLS** AR-15/M16

Can't Install the Fixed A2 Stock Without It!

Our spacer is made of lightweight reinforced polymer. Fills the space between the end of the receiver extension, originally designed for the shorter A1 stock, and the longer A2 stock. End result: a neat, snug, no-slop stock fit.

#080-001-393 A2 Rifle Stock Spacer, 6B34G50...... \$ 3.99



# VLTOR AR-15/M16 **ENHANCED MODSTOCK**



Precise Weapon Control In All **Tactical Situations; Comes With Customizable Storage Options** 

"Clubfoot"-style adjustable stock with modular storage options gives the tactical shooter exceptional versatility

and weapon control. The EMOD is 11/2" longer than the original Modstock to ensure a solid, comfortable cheekweld even on rifles with long eye relief scopes. Two, detachable, full-length storage compartments provide additional cheek support for more comfort and stability. Each waterproof compartment holds up to 3 AA or 4 CR123 batteries, and a permanent flip-open compartment on the left side of the stock holds two more AA batteries or other small items. Extralength buttplate with removable rubber pad angles forward from heel to toe for a better hold in the "ready" position and when the weapon is held above the shoulder pocket in the heads-up position. Two, molded-in sling loops accept military-style, nylon web slings; molded-in sling socket accepts a quick-detach, push-button swivel for ambidextrous single-point sling attachment. Basic EMOD Kit includes buttstock and detachable storage compartments only, available for Mil-Spec and Commercial buffer tubes.

SPECS: Molded polymer, black. 7<sup>3</sup>/<sub>4</sub>" (19.7cm) long. L.O.P adjusts from 11<sup>1</sup>/<sub>2</sub>" (29.2cm) to 14<sup>3</sup>/<sub>4</sub>" (37.5cm). Kit includes buttstock and two (2) detachable storage compartments. Mil-Spec fits 1.14" O.D. carbine buffer tubes only. Commercial fits larger, 1.17" O.D. commercial buffer tubes.

#100-003-222 Commercial EMOD Basic Kit, Black. 

#100-003-186 Mil-Spec EMOD Basic Kit, Black, 



# WILSON COMBAT AR-15 ROGERS SUPER-STOC™

Locks Down Tight With ZERO Slop, Yet Allows Easy, Fast LOP Adjustments; Fits Mil-Spec AND **Commercial Buffer Tubes** 



The Rogers Super-Stoc™ is the ultimate refinement in AR/M4 carbine stock ergonomics and adjustability. Its innovative cam-lock system. developed by famed shooting instructor Bill Rogers (inventor of holsters, target systems, and other related products, too) and his staff of engineers, makes this stock uncommonly secure and stable. The cam-lock completely removes the slop or "play" inherent with collapsible stocks. Once you've selected your desired stock position, the stock can be locked down solid simply by clicking the cam-lock lever upward. Pressing the guickrelease lever will disengage both the cam-lock, and the detent pin, allowing you to quickly adjust the stock position. The Super-Stoc™ also removes the guesswork involved choosing a buffer tube because it will fit BOTH Mil-Spec AND Commercial diameter buffers tube with a few simple adjustments. It weighs only 7.3 oz, too, making it one of the lightest AR-15 stocks available, but it's rugged enough to pass a fully loaded drop test from a height of 36". Other features: a sling loop on top, plus a QD sling swivel mount at the toe, and a removable, non-slip rubber recoil pad.

#965-900-012 Super-Stoc Carbine Bttstk, 4L56S99.... \$ 59.95

# SIMS VIBRATION LABORATORY AR-15/M16 LIMSAVER® CARBINE RECOIL PAD

Reduces Felt Recoil & Improves Weapon Control

Synthetic rubber recoil pad slips over the hard plastic buttplate on an M4-type adjustable carbine stock for secure, non-slip shouldering and as much as 70% reduction in felt recoil. Made from proprietary NAVCOM™ shockabsorbing material that won't crack, split, or take a "set." Spreads recoil over a larger area and prevents the stock from digging into your shoulder during long periods in the ready position. Improves weapon control and reduces muzzle jump to aid in fast, accurate follow-up shots. Secure snap-on design for quick installation and removal.

SPECS: NAVCOM synthetic material, black. 51/4" (13.3cm) high, 2" (5.1cm) wide. Fits M4-type adjustable carbine stocks with buttplate up to 53/16" (13.2cm) high x 17/8" (4.8cm) wide.

#100-005-457 Limbsaver Recoil Pad, 7K34N19 ...... \$ 37.99



# LUTH-AR AR-15/M16 **ALUMINUM A2 RIFLE** STOCK SPACER

**Correct Part To Ensure a Secure Install** of the Later-Style Rifle Stock

When the U.S. military upgraded the M16 rifle to the longer A2 stock, they did not increase the length of the receiver extension - they just specified the addition of a spacer. Luth-AR's spacer is machined to mil-spec dimensions from solid aluminum stock and given a tough hard-anodized finish.

#100-041-032 A2 Rifle Stock Spacer, 9J03G99......\$ 4.99

# AR-15/M16 **BUTTSTOCK WEIGHT**



**Balances The Rifle For Consistent Accuracy** 

Pre-formed lead ingot increases rear weight to balance out muzzle-heavy, match AR-15's for best accuracy. Denser than loose, lead shot; conveniently drops into the A-2 buttstock and is retained by the trap door. Can be cut. drilled or trimmed to achieve perfect balance. SPECS: Lead. 8" (20cm) long, 3 lb. 11 oz. (1.7 kg) wt.

#776-015-001 AR-15 A-2 Bttstk Weight, 6G29F24 . . \$ 38.99

# **AERO PRECISION AR-308** M5 GEN2 ENHANCED M-LOK® **HANDGUARD**

Plenty of Accessory-Mounting Real Estate for Your .308 Build



Aero's Enhanced M-LOK® handquards pro-

vide a lightweight free-floating platform for your custom AR-308 build. The M-LOK® system allows additional flexibility beyond the earlier MIL-STD 1913 Picatinny rail system. Machined from 6061 T6 aluminum, the M5 handguard eliminates excess bulk while retaining strength and stability. Built in anti-rotation tabs keep the 'guard oriented correctly so sights or optics mounted on it retain their proper zero. This Gen2 model adds quick-disconnect sling sockets at the 3, 6 and 9 o'clock positions, plus additional milling along the flats to aid with support hand grip - and to add visual appeal. It also now has a continuous top Picatinny rail. Fits Aero Precision M5 and other AR-308 receivers with a DPMS High Profile (.210") tang. NOT compatible with the AR-15/Aero M4E1 platform. 1.72" inside diameter (from barrel nut cut to forward end) fits most muzzle devices and 1.5" suppressors; 1.78" inside barrel nut cut area diameter. Barrel nut not included.

#100-035-841 M5 AR-308 15" Enhanced M-LOK H'Guard Gen2, Black, 3E00KUR . . \$ 178.49 #100-035-842 M5 AR-308 15" Enhanced M-LOK H'Guard Gen2, FDE, 3E00NUN . . . . . 191.24

# **CALL OFTEN!!**

We'll Be Your Warehouse 800-741-0015

order on the web

brownells.com

BROWNELLS. PAGE 67

Orders: 800-741-0015

# **BROWNELLS** AR-15/M16 WRENCHMAN® LW FREE-FLOAT M-LOK® HANDGUARD

A Robust, Feature-Packed Modular Handguard That's Easy To Install AND Won't Break the Bank!



man®. The Lightweight edition is a very skinny, slimline handquard with lotsa slots of the M-LOK® variety and an MIL-STD 1913 Picatinny on top. We call this handguard the "Wrenchman" because you can install it easily with the two simple wrenches that come WITH the handguard. It requires NO expensive proprietary wrench that you have to buy separately. The Wrenchman® free-floats the barrel, and it has a Picatinny rail on top and rows of true M-LOK® slots in the 3, 6 and 9 o'clock positions. Includes integral, anti-rotation QD sling swivel sockets on both sides at the rear. All edges are carefully dehorned and deburred, so this ultra-slim handguard sits exceptionally comfortably in the support hand. These requirements are a "given" on a modern, up-to-date tactical handguard. Developed in partnership with Primary Weapon Systems, we insisted it also had to be easy to install (more on that in a bit) and one more thing: it had to come in WAY below the current price point for such handguards without sacrificing quality. We believe we have succeeded on all counts.

The core of the Wrenchman's ease of installation is the hefty steel barrel nut that you install using the included wrench with a 1/2" torque drive. Teeth on the handguard mesh into notches on the exterior of the barrel nut, making it very easy to get the handquard aligned properly with the receiver's Picatinny rail and the gas tube. Once the handguard is positioned on the barrel nut, use the included hex key wrench to clamp it down via two hefty, hardened steel crossbolts. The crossbolts clamp a steel lock piece into place in the barrel nut to lock the Wrenchman in place so it can't slip forward, while anti-rotation tabs keep it from twisting on the barrel nut. And that's all there is to the installation process. When installed, the Wrenchman™ offers an extremely solid accessory-mounting platform with an "of a piece" feel with the rest of the rifle. It's machined from 6061 aluminum alloy with plenty of weight- (but not strength-) reducing cuts and mil-spec Type III hardcoat anodized with a matte black finish. Given its importance in the Wrenchman's stability, the barrel nut is made of heat-treat hardened 4140 carbon steel.

SPECS: Machined aluminum construction with mil-spec hardcoat anodized finish, matte black. 1.25" I.D. clearance for low-profile gas block.

#078-000-661	10.5" Wrenchman LT M-LOK	
	<b>Handguard</b> , 2Y132L99	\$ 139.95
#078-000-662	12.625" Wrenchman LT M-LOK	
	<b>Handguard</b> , <i>3Z137M99</i>	144.95
#078-000-663	14" Wrenchman LT M-LOK Handguard,	
	1X141K99	149.95

# BROWNELLS AR-308 — BRN-10 Retro SLIPRING

An Extra Touch of Retro Authenticity for Your "Vintage" .308 AR

Our BRN-10 Retro Slip Ring replicates the contour of the slip rings used on early M16 rifles, so it'll add an extra touch of period authenticity to your next "retro" AR-style .308 build. Just combine the BRN-10 slip ring with a .308 barrel

nut, handguard spring, and snap ring to add the correct handguard retention hardware to your barrel. The "flat" exterior of the Brownells BRN-10 Retro Slip Ring enables the use of non-free-float drop-in

# BRAVO COMPANY AR-15/M16 MCMR HANDGUARD



Free-Float Aluminum Handquard Ready for M-LOK® Accessories



Bravo Company's BCM MCMR "M-LOK® Compatible Modular Rail Handquard" gives

you a full-length topside Picatinny and seven rows of M-LOK slots to ensure you have vast expanse of room for mounting accessories. Engineered to minimize bulk, the MCMR is essentially Bravo Company's popular KMR handguard adapted for the M-LOK accessory mounting system originally developed by Magpul. The MCMR gives you a streamlined, clean-looking rifle that is also easy to grasp and maneuver, and it free-floats your barrel, so the weight of the handquard and attached accessories won't compromise the gun's accuracy. Engineered for exceptional cross-sectional strength. Top Picatinny rail is T-marked. INCLUDES proprietary steel barrel nut (same one used on BCM KMR, MCMR and QRF handguards) and installation instructions. The MCMR is fully dehorned so there are no sharp edges to bite into your hand or snag on your gear. It's machined from 6061 T6 aluminum for the optimum balance of strength vs. weight, then given a hardcoat anodized finish for extra surface strength and corrosion resistance (yes, aluminum will corrode - look at an older car with factory alloy wheels!).

#100-026-759	MCMR M-LOK HG 7", 1E163L39	\$ 171.99
#100-026-760	MCMR M-LOK HG 8", 1E163C39	171.99
#100-026-761	MCMR M-LOK HG 9", 1E171K94	180.99
#100-026-762	MCMR M-LOK HG 10", 1E174J79	183.99
#100-026-763	MCMR M-LOK HG 13", 1E182D39	191.99
#100-026-764	MCMR M-LOK HG 15", 1E192K99	202.99

**BRAVO COMPANY AR-15/M16** 

KMR ALPHA HANDGUARD

Machined aluminum handguard free-floats the barrel for bet-

ter accuracy potential while it provides plenty of KeyMod slots for

add-on rail segments and accessories. Built-in Picatinny top rail is supplemented by KeyMod slots at - and between - the 3, 6 and 9

o'clock positions. The KMR Alpha flares slightly at the front into a

special, flat-bottomed shape that's comfortable to hold, and pro-

vides stable support when shooting off barricade or obstacle. Fits

standard AR-15 upper receiver. Comes with one KeyMod rail seg-

#100-018-327 KMR Alpha, 7". 1E163M39...... \$ 171.99

#100-018-332 KMR Alpha, 10", 1E170C99...... 179.99

#100-018-333 KMR Alpha, 13", 1E184J29...... 193.99

handguards on your AR-308. All-aluminum construction with flat

exterior, no taper like modern delta rings. Fits both DPMS LR-308

and Armalite® AR-10® rifles and clones. (Barrel nut, handguard

spring, and snap ring not included, available separately.) The BRN-

10 Retro Slip Ring is even finished in the correct XM gray anodizing

of the 1950s and 1960s. All in all, a "vintage" detail that enhances the

#078-000-388 BRN-10 Slip Ring, 3G17P84......\$ 20.99

vintage feel of a retro Big AR-308 build.

ment, proprietary barrel nut, and mounting hardware.

Free-Floats Barrel & Covered

With KeyMod™ Slots For Easy,

Fast Accessory Mounting

# BRIGAND ARMS AR-15/AR-308 **EDGE & BLADE HANDGUARDS**



Super Lightweight, Unrestricted Cooling & Looks Different From Any Other Handquard

Constructed of braided carbon fiber, these ultra-lightweight handguards employ a "fishnet" design that lets air pass freely around the barrel and dissipate heat faster than other styles. Don't let the handguard's fragile appearance fool you, it can withstand 100 lbs. of pressure in any direction and 400 lbs. lengthwise. These handguards are comfortable to grasp, while they give your rifle a unique, aggressive appearance. And the tough Cerakote finish easily withstands the heat from sustained firing. With a 1.75" inner diameter, there is plenty of clearance for tucking suppressors, large muzzle devices or clamp-on gas blocks under the handguard. Free-floats the barrel; billet aluminum caps at both end add stability, while Brigand's ultra-light aluminum barrel nut (included) keeps the 'quard securely in place. AR-308 fits Armalite® AR-10® and DPMS LR-308 "high" receivers and clones. Compatible with all Brigand Arms handquards. the 2.5" Picatinny Rail Segment comes with a special backing plate to ensure any accessory added to the handguard stays in place. Rail seament comes with Allen wrench

SPECS: Braided carbon fiber rods, Cerakote, matte black. All metal components are 6061 aluminum and hardcoat anodized, matte black. 1.75" (4.4cm) I.D., 2" (5.1cm) O.D.

#100-022-531	AR-15 12.375" Edge HG, 3K282Q14	\$ 296.99
#100-022-532	<b>AR-15 15" Edge HG,</b> 3K324M89	341.99
#100-024-765	AR-308 12" Edge HG, 3K294K85	309.99
#100-022-537	2.5" Picatinny Rail Segment, 3K34M19	35.99



# DANIEL DEFENSE AR-15/M16 **OMEGA RAIL 7.0**

Lightweight, Versatile & Easy To Install Rail Systems Maximize Accessory **Mounting Options** 



Free-float carbine handguard with four MIL-STD 1913 Picatinny rails installs in minutes with no permanent modifications to weapon. Two-piece design allows installation using basic tools and the included hex key. Tighten the four Allen-head screws against the barrel nut with the hex key to eliminate movement and align the extended top rail with the receiver rail for an exceptionally long expanse of uninterrupted accessory mounting space. Plenty of ventilation cuts keep barrel cool and minimize weight-perfect for tactical rifles where every ounce saved improves speed and maneuverability. Rail slots are indexed with white letters and numbers for precise positioning and remounting of accessories. Receptacles for push-button QD sling swivels in the side rails have built-in rotation limiters. Precision machined from 6061 T6 aluminum and mil-spec Type 3 hardcoat anodized for added strength and a rock-hard surface that resists wear and scuffing. Clamps directly to factory barrel nut; remove it and reinstall factory handguard any time.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Includes mounting screws, ladder-style rail covers, and instructions. 63/8" (16.2cm) long. Top Rail - 7" (17.8cm) long. 7.6 oz. (217g) wt. Fits AR-15 with carbine-

#100-003-309 Omega Rail 7.0 Carbine, 8K00MZC....\$ 193.99



Instructional Video Available Online

# DANIEL DEFENSE MFR XS HANDGUARD

Easy Handling & Plenty Of Room For Accessories

Daniel Defense's MFR XS M-LOK free-floating handguard combines the popular M-LOK accessory attachment system with excellent weight savings, as well as superior cooling and ergonomics. Daniel Defense employs a unique bolt-on system that lets you attach the MFR XS to a standard AR-15 barrel nut, which helps keep the outside diameter of this handguard to a minimum, making it easy to grasp, helping you control your rifle. The MFR XS offers seven rows of M-LOK attachment points on the sides and bottom, along with an uninterrupted MIL-STD 1913 Picatinny top rail. Integrated in both the left and right side rails are ambidextrous QD pushbutton sling swivel attachment points. Anti-rotation tabs to keep the handquard aligned with the receiver. Can be used with a pinned low-profile gas block on pistol, carbine, mid-length or rifle length gas systems. SPECS: Machined 6061 T6 aluminum, Type III hardcoat anodized finish, matte black. Grade 8 military specification fasteners used throughout.

#100-024-353	MFR XS Handguard 9", 8KOOIWA\$	256.99
#100-024-354	MFR XS Handguard 10", 8K00QLQ	256.99
#100-024-355	MFR XS Handguard 13.5", 8KOONEJ	265.99
#100-024-356	MFR XS Handguard 15", 8K00AGE	284.99

# DOUBLE STAR AR-15/M16/M4

# CARBINE HANDGUARD

Rugged, Drop-In Replacement For M4-Style Factory Handguard




Snap-on USGI-type replacement for your carbine's factoryoriginal handguard is made of tough, fiberglass-reinforced, injection-molded polymer that delivers superior impact and abrasion resistance. The ridged gripping surface and top/bottom vent holes retain the weapon's authentic military look, while an internal heat shield of lightweight aluminum protects your hand from barrel heat. M4 is the standard-issue model with a single-layer heat shield inside. Skinny M4 model has narrower diameter for operators who prefer a minimal bulk handquard. Both models fit AR-15/M16/M4 with carbine-length gas system.

SPECS: Fiberglass-reinforced polymer, matte black. 61/2" (16.5cm) long. Standard – Approx. 2<sup>1</sup>/<sub>a</sub>" (6.4cm) O.D. at rear tapering to 2<sup>1</sup>/<sub>a</sub>" (5.7cm) O.D. at front. Skinny – Approx. 2<sup>1</sup>/<sub>a</sub>" O.D. at rear tapering to 2" (5.1cm)

#100-004-513 M4 Carbine HG, Single Shield, 2Z11E89. . \$ 13.99 #100-004-515 Skinny M4 Carbine HG, 2Z11L24..... 14.99

# DOUBLE STAR FREE-FLOAT HANDGUARD



**Includes Barrel Nut** For Fast Installation

Machined aluminum handquard mounts onto your AR-15 and free floats the barrel to relieve stress and help enhance accuracy potential. Fits

Carbine Handguard all standard size uppers and includes barrel nut for fast and easy installation. Accepts standard barrel nut wrenches and features knurled center section for secure grip. Rifle handguard has 5 longitudinal flutes to save weight, and 10 slots cut in

the muzzle end to help improve air flow and help speed cooling. Carbine handguard has 8 longitudinal flutes to save weight. Pistol handquard has no flutes or slots.

SPECS: 6064 T6 aluminum, hardcoat anodized, matte black finish. 2"(5cm) O.D., 13/4"(4.4cm) I.D. Includes barrel nut. Rifle - 12.5" (32cm) long, 13.1 oz. (371q) wt. Carbine - 7" (18cm) long, 8.1 oz. (229g) wt. Pistol - 4" (10cm) long. 5.3 oz.(150g) wt.

#100-012-509 Rifle Handguard, 2Z62H99	\$ 69.99
<b>#100-012-511</b> Carbine Handguard, 2Z52D24	54.99
#100-012-510 Pistol Handguard, 2Z44K99	49.99



# **FAXON FIREARMS AR-15/M16** STREAMLINE FREE-FLOAT HANDGUARD

All the Accessory-Mounting Versatility of an Aluminum Handquard Without the Weight



This carbon fiber handquard is lightweight for sure (only 8 oz. for the 15" model), but it is actually stronger than aluminum - and 40% lighter. This keeps the weight of your rifle down, making it significantly more maneuverable. Saving weight doesn't mean you give up accessory mounting flexibility. The Streamline has 8 full-length rows of M-LOK slots so you can put your accessories exactly where you want them. Low heat-transference properties protect your hand from hot barrel during long shooting sessions. Plenty of clearance inside for common suppressors to fit under the handguard. Easy to install using the included standard AR-15 barrel nut. When mounted correctly, the Streamline is locked in to position across all three axes, ensuring a stable platform that's going to stay up, even in the most demanding circumstances.

#100-026-114	Streamline HG, 10", 1D00CVM	\$ 312.99
#100-026-113	Streamline HG, 13", 1D00NBQ	322.99
#100-026-112	Streamline HG, 15", 1D00QQJ	338.99

# FM PRODUCTS AR-15/M16 FM-9 FREE-FLOAT HANDGUARD



Plenty of Acreage for **All Your Accessories** 

The ultra lightweight, super-slim handguard from Foxtrot Mike Products are completely compatible with M-LOK accessories and engineered to be as slim as possible. Manufactured from 6061 T6 aluminum, the FM handguard free-floats the barrel and come with Foxtrot Mike's proprietary steel barrel nut for easy, secure installation. With seven rows of M-LOK slots and a full-length Picatinny rail up top. this handguard gives you acres of real estate for mounting accessories exactly where you want them. Manufactured in ISO:9001 & AS:9100 quality-certified facility. Tough, mil-spec Type III hardcoat anodized finish resists corrosion, blends with most receiver finishes. This lightweight handguard delivers the whole package: the accuracy-preserving benefits of a free-floated barrel plus incredible accessory-mounting freedom.

#100-026-235	<b>FM-9 FF Handguard,</b> 8.5", <i>6D00PVE</i>	59.99
#100-024-849	FM-9 FF Handguard, 10.5", 6D00LLB	81.99
#100-024-848	FM-9 FF Handguard, 15", 6D00LHQ	90.99

# GEISSELE **AUTOMATICS**

### NOTE ABOUT GEISSELE'S "DESERT DIRT COLOR" (DDC)

Due to the chemical process involved in anodizing, the ultimate color of the finish can vary from one handguard to the next, even within the same batch. And the way these colors appear in photos will vary from real life. Differing shades of DDC are not a problem, and actually desired, on a military small arm to breakup the outline of the weapon. The only way to achieve a uniform color match on all parts and accessories is to coat it with a different finish, for example Cerakote ™ or DuraCoat. However please be aware, that these finishes will not be as durable as the original anodizing and may be more easily prone to scratches and scrapes.



# GEISSELE AR-15/M16 MK4 & MK4 "FEDERAL" SUPER **MODULAR RAIL**

An M-LOK®/Picatinny Hybrid Handguard Designed for Maximum Modularity & Versatility



modular handquard is designed to let the user tailor the

platform to meet their specific needs. Handquard has a full length MIL-STD 1913 Picatinny rail section along the top with shorter rail sections at the 3, 6 and 9 o'clock around the muzzle to accommodate popular accessories. M-LOK® slots are located at the 3, 6 and 9 o'clock positions as well as the upper 45° quadrants, allowing the user to maintain versatility for accessory attachment. Receptacles for QD swivels are located at both the muzzle and receiver ends of the handquard. The MK4 has Geissele's proprietary 2.25" long barrel nut for a large surface contact between the nut and the handquard to a solid platform that's straight and true. This aids in maintaining accuracy and repeatability of zero during disassembly and reassembly when performing maintenance. Machined from a single piece of aircraft grade aluminum billet, the rigid handguard has maximum ventilation for heat dissipation and weight reduction. Hardcoat anodized finish in basic black (BLK). or Geissele's proprietary Desert Dirt Color (DDC)

#100-015-365	<b>9.3" MK4 Super Modular Rail,</b> BLK, 78238J44	\$ 250.99
₩100-018-960	<b>9.3" MK4 Super Modular Rail,</b> DDC, 78260899	275.00
₩100-042-896	<b>10.5" MK4 Super Mod Rail,</b> BLK, 9T00TUV	300.00
NEW 100-042-897	<b>10.5" MK4 Super Mod Rail,</b> DDC, 2J00PTV	325.00
#100-015-366	<b>13.5" MK4 Super Modular Rail,</b> BLK, 7B262L19	275.99
NEW 100-018-961	<b>13.5" MK4 Super Modular Rail,</b> DDC, 7B284J99	300.00
#100-017-389	<b>15" MK4 Super Modular Rail,</b> BLK, 7B285D94	300.99

MK4 "FEDERAL" MODEL - This amped-up version of the MK4 SMR was originally built by Geissele under contract for the Federal Bureau of Investigation to meet the requirements of the FBI's tactical units. It has a full-length MIL-STD



1913 Picatinny rail across the top, plus short segments of M1913 up front in the 3 and 9 o'clock positions and a longer segment on the underside (6 o'clock) extending halfway back from the front of the 'quard. The rest of the 3, 6 and 9 o'clock positions are covered with M-LOK slots, plus full-length M-LOK rows in the 1:30 and 11:30 positions (upper 45° quadrants). Extra venting allows for maximum heat dissipation during rapid fire and also dramatically reduces the rail's overall weight. The result is a light handguard that also gives maximum versatility in where accessories can be mounted. Comes with a Geissele barrel nut, all necessary mounting hardware, and two hex key wrenches

NEW 100-042-827	<b>10" MK4 Federal Super Mod Rail,</b> Black, 7B332D99	\$ 350.00
MEW 100-042-828	<b>10" MK4 Federal Super Mod Rail,</b> DDC, 7B355B99	375.00
NEW 100-042-819	<b>10" MK4 Federal Super Mod Rail,</b> OD Green, <i>7B355H99</i>	375.00
MEW 100-042-818	<b>10" MK4 Federal Super Mod Rail,</b> Gray, 7B355D99	375.00

# **FOLLOW US • FRIEND US • LIKE US**

# **GEISSELE AUTOMATICS AR-15** MK14 SUPER MODULAR RAIL





### Narrow Profile for a Comfortable Hold -**Plenty of Accessory Mounting Possibilities**

Geissele's MK14 Super Modular Rail handguard has a slim crosssection that makes it ideal for shooters who use rail covers and/or a vertical grip, and who also like a thumb-over-the-bore grasp. Similar to their MK13 SMR, the Geissele MK14 delivers acres of real estate for mounting accessories, with M-LOK slots running the handguard's full length at the 3, 6, and 9 o'clock positions. It also sports a Picatinny rail running the full length of the top. Geissele even thoughtfully includes sockets for QD pushbutton sling swivels at the 11 and 1 o'clock positions at the rear. The MK14 free-floats the barrel using an easy-toinstall proprietary barrel nut (wrench included). The nut is 2.25" long, so there's plenty of surface area for secure, rigid, straight anchoring of the handguard in place. AND a low-profile stainless steel Geissele Super Gas Block is included, to round out the package so you don't have to buy anything more to install and enjoy the many benefits of vour MK14 SMR.

SPECS: Machined 6061 T6 aluminum, Type III hardcoat anodized, matte black (BLK) or Geissele's special Desert Dirt Color (DDC). Available in lengths listed below. Proprietary free-float barrel nut & stainless steel lowprofile gas block included.

#100-025-746	<b>9.5" MK14 Super Mod Handguard,</b> BLK, 78238G44\$	250.99
#100-027-829	<b>9.5" MK14 Super Mod Handguard,</b> DDC, 7B260A99	275.00
#100-025-747	<b>13" MK14 Super Mod Handguard,</b> BLK, 7B244M14	256.99
#100-027-830	<b>13" MK14 Super Mod Handguard,</b> DDC, 7B260E99	275.00
#100-025-748	<b>15" MK14 Super Mod Handguard,</b> BLK, 7B292C59	307.99
#100-027-831	<b>15" MK14 Super Mod Handguard,</b> DDC, 7B335Q99	350.00

# tems GEISSELE AUTOMATICS AR-15/M16 MK7/MK8 SUPER MODULAR RAIL **HANDGUARDS**

Versatile Handquard Systems Optimized for Specific Types of Shooting



These free-floating handguards have Geissele's proprietary 2.25" long barrel nut, which offers an unusually large area of surface contact with the handguard. The result is an an extremely solid platform between the receiver and the handquard that's straight and true the entire length of the handguard. This increases accuracy and repeatability of zero after disassembly/reassembly for maintenance. You want modular? Geissele's MK8 SMR delivers it in spades! It's strong, yet super lightweight because it's covered with M-LOK® slots (at 3, 6, 9 o'clock and upper 45° quadrants) that also minimize weight and provide ventilation to disperse barrel heat. Extra-long barrel nut gives rock solid attachment and makes it easy to align

in the lower 45° quadrants allow maximum heat dissipation to keep the barrel cool while also dramatically reducing weight. 1.350" I.D. The MK7 National Match is a CMP-legal rail system devloped specifically for use in National Match High Power Competition. It is a full quad rail, with a traditional sling loop up front, in the appropriate competition-legal location. The sling loop is attached to a steel bar which is fastened directly to the rail using screws. The MK7 is completely free-floating so the handguard will have no accuracy-

the MK8. Even comes with a low-pro (.750") gas block. Large vent

compromising	effects on your rifle's barrel.	
#100-015-372	9.5" MK8 Super Modular Rail, BLK, 78244814	5 256.99
MEW 100-042-898	<b>10.5" MK8 Super Mod Rail,</b> BLK, 7F00PQR	300.00
MEW 100-042-899	<b>10.5" MK8 Super Mod Rail,</b> DDC, 5P00STU	325.00
#100-015-373	<b>13" MK8 Super Modular Rail,</b> BLK, 7B267C89	281.99
#100-015-374	<b>15" MK8 Super Modular Rail,</b> BLK, 7B285E94	300.99
MW 100-018-964	<b>15" MK8 Super Mod Rail,</b> DDC, 7B308P99	325.00
#100-030-495	<b>12.7" MK7 National Match Handguard,</b> DDC, <i>7B380F94</i>	400.99

# GEISSELE AUTOMATICS AR-15/M16 -JEW. **MK16 SUPER MODULAR RAIL**



The Model Adopted bv USASOC; Pic Rail on Top, M-LOK® Slots All Around

This Super Modular Rail variant has been adopted by the U.S. Army Special Operations Command (USASOC) for the URG-I program (Upper Receiver Group Improved). It's a compendium of all the innovations Geissele has brought to their AR-15 handguard design, so it mounts to the rifle via their proprietary barrel nut, making the MK16 easy to install, remove, and reinstall, while serving as an exceptionally strong, secure accessory mounting platform. Anti-rotation tabs and setscrews ensure this rail will won't shift or rotate, even under the most extreme operational conditions. The MK16 offers a remarkably clean overall profile without sacrificing accessory mounting options. The Tmarked MIL-STD 1913 rail on top (no Picatinny slots anywhere else), plus rows of M-LOK® slots in every quadrant ensures maximum versatility in dropping each accessory exactly where you need it. There are QD sling sockets flanking the Picatinny top rail toward the rear of each handguard. Each MK16 is precision machined from 6061 T6 aluminum and finished with a Type 3 hardcoat anodized finish. It's outer diameter is 1.59" (2.39" high top to bottom), with 1.26" I.D. Available in multiple lengths in both Basic Black (BLK) and Geissele's own Desert Dirt Color (DDC). Handquard comes with barrel nut and all necessary mounting hardware. Installation requires a Geissele's inexpensive barrel wrench, sold separately. The 13.5" model is the one adopted by USASOC (NSN# 1005-01-672-4794)

one adopted by	y USASOC (NSN# 1005-01-6/2-4/94). ■	
#100-041-110	<b>9.3" MK16 Super Mod Rail,</b> BLK, 3S00FGH	\$ 325.00
#100-041-111	<b>9.3" MK16 Super Mod Rail,</b> DDC, 7W00KLM	350.00
#100-042-820	<b>10.5" MK16 Super Mod Rail,</b> BLK, 1Z00MNP	325.00
#100-042-821	<b>10.5" MK16 Super Mod Rail,</b> DDC, 8G00QRS	350.00
#100-041-112	<b>13.5" MK16 Super Mod Rail,</b> BLK, <i>4T00GHJ</i>	325.00
#100-041-113	<b>13.5" MK16 Super Mod Rail,</b> DDC, <i>5U00HJK</i>	350.00
#100-042-822	<b>15" MK16 Super Mod Rail,</b> BLK, <i>3M00RST</i>	325.00
#100-042-823	<b>15" MK16 Super Mod Rail,</b> DDC, 6B00QVC	350.00

order on the web

# JP ENTERPRISES AR-15/M16/AR-308 MK III SIGNATURE SERIES MODULAR

**HANDGUARDS** 

Latest-Generation Modular 'Guard Gives Superb Versatility, Minimal Weight & Sleek Appearance

The MK III series is the latest development in the on-going evolution of JP's modular free-float handquard system. with outstanding versatility and a clean,

streamlined appearance. MK III tubes accept all standard JPTR bolt-on rails and accessories, sold separately, so you can install rails only where you need them, for great savings in weight and bulk. Ergonomically optimal 2" tube diameter is comfortable for most hands while still providing enough internal clearance for most lowprofile gas blocks. Redesigned steel barrel nut enables easy, fast barrel installation and replacement, and won't distort under stress like one-time-use aluminum barrel nuts. For extra versatility, when the JP nut is installed, you can remove the current handguard any time and swap on any other JP handguard. Attachment system for the handguard dramatically improves structural integrity AND allows for perfect alignment to bore axis like a one-piece, monolithic upper receiver/handguard. MK III system offers perfect continuity between the receiver rail and (when installed) the top rail on the handguard with no gaps, for complete flexibility in mounting optics. Exterior surface is rock-blasted to provide a highly effective non-slip grip. All MK III handguards come with two JPHGS bolt-on quickdetach sling swivel studs. AR- 308 has unique "eccentric" barrel nut that enables the narrow 2" OD tube to cover the 308's larger barrel nut to give your 308 an unusually slim, streamlined handguard. Rail Kits are all sold separately; designed for JP system, will also work with many other free-float tubes.

SPECS: 6061 T6 aluminum tube, 4140 steel barrel nut, matte black finish. 151/2" OAL. 2" O.D. 1.75" internal clearance. AR-308 model fits DPMS LR-308. Knights Armament SR-25. Bushmaster .308 rifles. and other .308 rifles with: 17/16"-18 tpi receiver thread pattern and max. 1.170" barrel O.D.

#452-000-187	JPHG3-6M AR-15 MK III Handguard, 15½", 2E205l71	\$ 241.99
#452-000-185	JPHG3-1D AR-308 MK III Handguard,	<b>4</b> = 1=155
	15½", 2E209M09	245.99
#452-000-035	2" JP Tactical Rail, 2E31Q34	32.99
#452-000-036	4" JP Tactical Rail, 2E44K64	46.99


JPHGS SLING SWIVEL STUD - Heavy duty steel stud clamps securely into any of the cooling slots on a V-Tac handguard to provide a forward slingmounting point. Also accepts a folding bipod that attaches to a swivel stud.



**#452-000-076** JPHGS Swivel Stud, 2E10N79 . . . . . . . . \$ 11.99

# KNIGHT'S ARMAMENT AR-15/M16/M4 RAS FREE-FLOAT HANDGUARDS

**Authentic Part for Clone** Builds of Early SOCOM Rifles









### An SMR for H&K's Close Relatives To the AR-15

Geissele's MK15 handquard brings SMR stability, security, and strength plus M-LOK® accessory-mounting convenience - to the Heckler & Koch HK416 and MR556 rifles. These rails replace the standard HK416/MR556 handguard and have an ultra-solid mounting system that

perfectly clamps to the H&K's extended barrel nut. You have a fulllength Picatinny rail across the top and rows of M-LOK® slots in the 3, 6, and 9 o'clock positions, with short lengths of Picatinny rail at the front of each row. QD sling swivel sockets flanking the top rail toward the rear of the handquard. Between the accessory mounting surfaces, as much extra material as possible has been removed to lighten up this handguard without compromising its structural strength. Machined from 6061 T6 aluminum alloy, with a military Type 3 hardcoat anodized finish in black (BLK) or Geissele's Desert Dirt Color (DDC), Designed for drop-in installation to HK416/MR556 barrel nut via the included crossbolt, 2.08" O.D. 1.35" I.D.

barret ria tria	ie irietadea erossbott. E.oo O.D. 1.55 i.E	· ==
#100-055-358	10.5 HK Rail M-LOK, Blk, 9Y459C99.	\$ 463.00
#100-055-359	10.5 HK Rail M-LOK, DDC, 6Q445L99	9 <b>469.00</b>
#100-055-360	14.5 HK Rail M-LOK, Blk, 7R479M99 .	494.00
#100-055-361	14.5 HK Rail M-LOK, DDC, 8D499G99	525.00



# HOGUE AR-15/M16 FREE-FLOAT FORENDS

Ultra-Secure. Non-Slip Gripping Surface For Maximum Weapon Control




Machined aluminum free-float forends provides an exceptionally positive, non-slip gripping surface for the support hand to help ensure maximum weapon control. Cobblestone-texture Overmolded™ rubber grasping surface is easy on the hand. Easy-toinstall, two-piece free-float design eliminates handguard stress on the barrel that can compromise accuracy. Use with rifle's factory gas tube; if changing barrel length, purchase replacement gas tube of appropriate length. Available in **Rifle-** and **Carbine-**length models. Further enhance comfort and controlability of your rifle by pairing up with Hoque pistol grip, below.

SPECS: Aluminum, hardcoat anodized, matte black, with synthetic rubber covering Overmolded on grasping surface. 2" (5cm) O.D., 1.625" (41.3mm) I.D. Rifle - 12<sup>1</sup>/<sub>4</sub>" (31.1cm) long. Fits AR-15/M16 and clones with rifle-length gas system. Carbine - 7<sup>1</sup>/<sub>8</sub>" (17.8cm) long, 2" diameter. Fits AR-15/M16/M4 with carbine-length gas system.

#408-150-020 Rifle Forend, Overmolded/Blk. 8K68E84. . \$ 80.99 **#408-150-120 Carbine Forend.** Overmolded. 8K68I84... **80.99** 

**PISTOL GRIP** - Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance. SPECS: Molded synthetic rubber exterior over fiberglass core. black.



mounted accessories. Handguards have a 1.444" ID and require a carbine or mid length gas system and a low profile gas block. Compatible with AR-15/SR-15 based platforms only; will not work with SR-25 variants.

#100-027-604 Long Carbine RAS Handguard, 81/8", 

#100-027-606 MRE RAS Handguard w/Filler Rail Kit, 

# KNIGHT'S ARMAMENT AR-15/M16 RAS MARK 12 FREE-FLOAT FOREND



### **Essential Component For Mark** 12 Mod 1 Clone Builds

Versatile, rugged Rail Adapter

Mid-Lenath

System handguard for the Mark 12 Mod 1 Special Purpose Rifle has been in service with a variety of military units, and is used for replica or clone builds. Full-length MIL-STD 1913 Picatinny rails in the 12, 3, 6, and 9 o'clock positions enable shooters countless ways to equip their rifle with the best tactical tool combination, from performance-enhancing flashlights, slings, or vertical grips, to scopes, lasers, and other aiming devices. Free-float design means weights of mounted accessories aren't added to the front of the barrel, thus improving accuracy and consistency. Requires disassembly of rifle's gas system and removal of the factory barrel nut. Proprietary barrel nut installs using a standard AR-15 armorer's barrel nut wrench, sold separately. Comes with three Knight's Armament 11 Rib Panels that help enhance grip, insulate the support hand from barrel heat, and protect unused rails from damage.

SPECS: Aluminum, hardcoat anodized, matte black, 12" (30,5cm) long. 19.2 oz. (544.3g) wt. Fits AR-15 and Knight's Armament SR-15 based platforms with carbine- or mid-length gas system and a low-profile gas block. Not compatible with SR-25 variants. Installation instructions included. 11 Rib Panel - Reinforced polymer, black.

#100-015-196 RAS Free-Float Forend, 4C00BAQ . . . . \$ 362.99

# KNIGHT'S ARMAMENT AR-15/M16 **URX 3.1 FREE-FLOAT FOREND**

**Abundant Mounting Space Without** Weighing Down Your Rifle

The Upper Receiver Extending rail adapter system is a free-floating. fully modular handguard that optimizes the AR-15 platform's acces-



sory mounting options without compromising its accuracy potential. A continuous MIL-STD 1913 Picatinny top rail is accompanied by either additional Picatinny slots or a universal KeyMod interface, depending on model. Gives plenty of space for mounting sights, optics, and other tactical accessories. Machined aluminum is hardcoat anodized for strength and corrosion-resistance. Two-piece design incorporates short Picatinny rail sections in the 3, 6, and 9 o'clock positions both the front and rear of the handguard. Eliminates the (typically) unused middle cross slots to reduce overall weight, and replaces them with slick segments that accept bolt-on handstops or grip panels to create a secure, comfortable grip. Quick-detach swivel sockets are positioned on both sides for ambidextrous sling compatibility. Requires disassembly of gas system and removal of factory barrel nut. Forend's proprietary barrel nut installs using URX Barrel Nut Wrench, sold separately.

SPECS: Fits AR-15/M16 and Knight's Armament SR-15 based platforms. Not compatible with SR-25 variants. Requires low-profile gas block. Includes barrel nut, mounting hardware, and instructions.

#100-015-199 URX 3.1 Forend, 131/2", 4C00MIR...... \$ 301.99 #100-015-204 URX Barrel Nut Wrench, 4C00PWA.... 117.99

# **MAGPUL** M-LOK™ T-NUT HARDWARE SET



Replaces Dinged, Damaged Or Lost M-LOK Hardware

Replacement hardware pack for use with all M-LOK accessories. This hardware set contains two T-nuts as well as two different-length button-head cap screws to ensure full compatibility with varying hand-

guard/forend wall thicknesses. A reusable, self-locking thread patch is included to ensure a secure fit of the screws that resists backing out. Made of 4140 chrome-moly carbon steel with a tough manganese phosphate finish. Always have a spare set on hand, J.I.C.! #100-016-264 M-LOT T-Nut Set, 3K5K09 ...... \$ 5.99

# MAGPUL AR-15/M16

MOE® M-LOK™ HANDGUARD Gives A Secure, Comfortable Grip, Excellent Weapon Control & Versatile **Accessory Mounting** The Magpul MOE M-LOK

handguard for AR15/M4 firearms with carbine-length gas systems combines the light weight of a standard hand quard with modular flexibility. Designed with versatility in mind, M-LOK slots at the two, six, and ten o'clock positions

allow the attachment of optional 1913 Picatinny rail sections and other M-LOK accessories for the direct mounting of tactical lights. slings, grips, etc. Reinforced, heat-resistant polymer construction provides operational durability without the weight and expense of an aluminum rail hand guard. Front extensions and lower lip provides additional operator protection from hot front sight assembly. Rails sold separately.

SPECS: Reinforced molded polymer, Black (Blk), Flat Dark Earth (FDE), O.D. Green **(ODG)**, or Stealth Gray **(Gray)**. **Carbine** – 7.1" (18cm) OAL. 6.8 oz. (192.8g) wt. **Mid-Length** – 9.2" (23.4cm) OAL. 8.7 oz. (246.6g) wt. Rifle - 12.6" (32cm) OAL, 12.1 oz. (343a) wt.

#100-016-531 M-LOK Carbine HG, Blk, 3K25F49	9 \$ 29.99
#100-016-532 M-LOK Carbine HG, FDE, 3K24D	<i>64</i> <b>28.99</b>
#100-016-534 M-LOK Carbine HG, ODG, 3K24A	4 <i>64</i> <b>28.99</b>
#100-016-533 M-LOK Carbine HG, Gray, 3K240	64 28.99
#100-016-535 M-LOK Mid-Length HG, Blk, 3K2	8N89 <b>33.99</b>
#100-016-536 M-LOK Mid-Length HG, FDE, 3K2	28E89 <b>33.99</b>
#100-016-538 M-LOK Mid-Length HG, ODG, 3h	(28K89 <b>33.99</b>
#100-016-537 M-LOK Mid-Length HG, Gray, 3K	28E89 <b>33.99</b>
#100-016-539 M-LOK Rifle Handguard, Blk, 3K3	34N19 <b>37.99</b>
#100-016-540 M-LOK Rifle HG, FDE, 3K34K19	37.99
#100-016-542 M-LOK Rifle HG, ODG, 3K34P19.	37.99
#100-016-541 M-LOK Rifle HG, Gray, 3K34B19	37.99

# MAGPUL AR-15/M16 **MOE-SL HANDGUARD**

Sleek, Lightweight Design Replaces **Bulky M4 Type Handguards** 

The MOE-SL expands on the original MOE handguard by providing a light, sleek, slim profile that's easy to grasp and

control, with plenty of accessory mounting versatility. M-LOK slots at the 2, 6, and 10 o'clock positions enable attachment of optional Picatinny rail sections (available separately) and direct-attach M-LOK accessories for mounting tactical lights, slings, grips, etc. Large front extension and lower lip protects the shooter's from the hot gas block and maximizes usable handguard length. Reinforced, heat-resistant polymer construction provides operational durability without the weight and expense of an aluminum railed handguard. Internal aluminum heat shield gives added protection from barrel heat. Easy-toinstall drop-in replacement for military-style plastic handguards using the existing delta ring and round front handguard retaining cap. SPECS: Reinforced, heat-resistant polymer, Black, Flat Dark Earth (FDE), O.D. Green (ODG), Stealth Gray. 1.8" (4.6cm) wide s 2.4" (6.1cm) high. Models for rifles with Carbine-length and Mid-Length gas systems. Must be used with triangular A2 front sight assembly; not compatible with other gas blocks.

#100-015-165 MOE-SL Carbine HG, Black, 3K29L/4 \$	34.99
<b>#100-015-166 MOE-SL Carbine HG,</b> FDE, <i>3K28H89</i>	33.99
<b>#100-015-167 MOE-SL Carbine HG,</b> ODG, <i>3K28A89</i>	33.99
<b>#100-015-168 MOE-SL Carbine HG,</b> Gray, 3K28M89	33.99
<b>#100-018-025 MOE-SL Mid-Length,</b> Black, <i>3K34F19</i>	37.99
<b>#100-018-026 MOE-SL Mid-Length,</b> DE, 3K34A19	37.99
<b>#100-018-027 MOE-SL Mid-Length,</b> ODG, 3K34D19	37.99
<b>#100-018-028 MOE-SL Mid-Length,</b> Gray , 3K34G19	37.99

### Mount Picatinny Rail Accessories Onto M-LOK Handgaurds

Compatible with all M-LOK hand-guards and forends, these bolt-on rail sections enable you to attach MIL-STD 1913 Picatinny rail-mounted accessories to your firearm. Machined aluminum construction means these sections are plenty strong to anchor load-bearing accessories like vertical grips or heavy laser/night vision electronics. Beveled ends eliminate sharp corners and edges that can snag on hands or clothing. Includes all necessary mounting hardware for attaching rails to M-LOK slots on aluminum or polymer handquards and forends.

SPECS: Machined aluminum, hard-anodized, matte black. 3 Slots - 1½\* (3.8cm) OAL. 5 Slots - 2³/s" (6cm) OAL. 7 Slots - 3³/s" (7.9cm) OAL. 9 Slots - 3³/s" (9.8cm) OAL.

#100-015-357	3-Slot Alum M-LOK	Rail Sect.,	3K16N14\$	18.99
#100-015-358	5-Slot Alum M-LOK	Rail Sect.,	3K16G99	19.99
#100-015-359	7-Slot Alum M-LOK	Rail Sect.,	3K18L69	21.99
#100-015-360	9-Slot Alum M-LOK	Rail Sect.,	3K19J54	22.99

# MAGPUL M-LOK® EXTENDED CANTILEVER SCOUT MOUNT



THE Way To Mount a Weapon Light on an M-LOK Handguard

The M-LOK® Extended Cantilever Scout Mount lets you mount a flashlight as far forward as possible on an M-LOK handguard. Forward mounting frees up handguard space and minimizes shadows cast in the beam by the

barrel or accessories on your gun. The MECSM uses easy-to-operate cammed T-nuts to attach directly to the handguard's M-LOK slots. You can even mount it on any MOE® or Zhukov handguard using an M-LOK to MOE adapter (#100-016-263, sold separately). Sturdy machined aluminum construction, with non-reflective black hard-coat anodized finish. Recoil/limpact mitigation lugs protect light & handguard, while the minimal overall profile won't add unecessary bulk to your rifle. Accepts the SureFire Scout and Streamlight ProTac rail-mount lights. (Sorry, not compatible with the SureFire DS00 dual activation switch.) It's a low-cost upgrade that helps you get the maximum utility from your rifle AND your light.

#100-026-240 M-LOK Scout Mount, 3K30F59...... \$ 33.20

# MIDWEST INDUSTRIES SIG 516 EXTENDED M-LOK® HANDGUARD

Sturdy, Expanded Accessory Mounting Platform for Your SIG



Midwest's extended free-floating handguard clamps directly to your 516's factory barrel nut on both rifles fitted with a bayonet lug AND without a bayonet lug. You get a continuous MIL-STD 1913 Picatinny top rail, plus rows of M-LOK slots at the 3, 6 and 9 o'clock positions and FIVE anti-rotation, pushbutton QD sling swivel sockets. Handguard extends well past the front sight tower so you have plenty of additional space for mounting accessories. Machined from 6061 T6 aluminum alloy, hardcoat anodized, matte black. Plenty of weight-reduction holes keep this rail from weighing down your rifle while retaining maximum structural strength. 7.25" OAL x1.840" wide x 2.17" high.

# MAGPUL AR-15/M16 M-LOKTM-TO-MOE® ADAPTER KIT

# Mounts M-LOK Accessories To MOE Forends

Specially designed adapter kit enables easy mounting of M-LOK compatible accessories on original MOE® hand guards and forends. Adapter plate length is easily custom-



ized by snapping sections off at the pre-determined locations. Kit includes different-length adapter plates and all necessary hardware. Note: M-LOK QD Sling Mount requires longer socket head cap screws, which are not included in the kit.

SPECS: Reinforced molded polymer, black.
#100-016-263 M-LOK To MOE Adapter Kit, 3K8C99 .... \$ 9.45

# MIDWEST INDUSTRIES AR-15/M16 G4-SERIES M-LOK® FREE-FLOAT



HANDGUARDS

Narrow Diameter With
M1913 Rail on Top & SEVEN
Rows of M-LOK Slots®

With a MIL-STD 1913 Picatinny top rail and seven rows of M-LOK slots, this lightweight, one-piece, free-floating handguard gives you darned-near total freedom in choosing accessory-mounting locations. Slim, too, with a 1.5" outside diameter for an exceptionally low profile. Fully "dehorned" and deburred, so NO sharp edges to abrade your hand or catch on other gear. Comes with its own special 4140 carbon steel barrel nut (wrench included), plus a steel "torque plate" that keeps the guard from sliding forward OR rotating around the barrel nut so any sight (red dot, NVG, laser) mounted on the G4 will retain its zero. Two crossbolts tie the handguard, barrel nut, and torque plate together for a rock-solid, wobble-free installation. Comes with a segment of polymer Picatinny rail that clamps to M-LOK slots. Five anti-rotation QD sling swivel sockets. Designed to fit forged mil-spec AR-15 upper receivers; due to dimensional differences in billet uppers, the G4 may not fit all of these receivers. Not for use on gas piston AR-15s.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel barrel nut and torque plate. Comes with barrel nut, barrel nut wrench, torque plate, polymer Picatinny rail segment, 2x crossbolts, and hex wrenches for the crossbolts and M-LOK clamps.

#100-052-043	<b>10.5" G4 Handguard,</b> 7N151G99	\$ 159.95
#100-052-044	<b>12.625" G4 Handguard,</b> 5L170E99	179.95
#100-052-045	<b>13.375</b> " <b>G4</b> Handguard, 6M172F99	182.00
#100-052-046	<b>14" G4 Handguard,</b> 1R175K99	185.00
#100-052-047	<b>15" G4 Handguard</b> , 4K179D99	189.95

# MAGPUL M-LOK POLYMER RAIL SECTIONS

Adds A Picatinny Rail Section To Any M-LOK Handguard



Lightweight, polymer snapon rail sections let you mount MIL-STD 1913 Picatinny compatible accessories on to any M-LOK handguard or forend. Rails have beveled ends to eliminate sharp edges and prevent snagging on corners. SPECS: Injection-molded polymer, black. Includes mounting hardware. 3 Slots - 1.6" OAL. 5 Slots - 2½" OAL. 7 Slots - 3.3" OAL. 9 Slots - 4.1" OAL. 11 Slots - 4.9" O.A.L.

#100-016-260	3-Slot Polymer M-LOK Rail,	3K8L99	\$ 9.45
#100-015-363	5-Slot Polymer M-LOK Rail,	3K8N99	9.45
#100-016-259	7-Slot Polymer M-LOK Rail,	3K11C89	13.99
#100-016-258	9-Slot Polymer M-LOK Rail,	3K12G74	14.99
#100-016-257	11-Slot Polymer M-LOK Rail	, 3K13B59	15.99

NEW! Ite

# AR-15/AR-308 M-LOK® FREE-FLOAT HANDGUARDS





Easy To Install, Acres of

Accessory-Mounting Real Estate, Won't Rotate, Shift or Come Loose Under Extreme Conditions

These free-floating handguards are made to offer a range of accessory-attachment options, allowing users to customize their rifle for their own unique needs. Combat handquards have a continuous Picatinny top rail for optics and other accessories, while the seven rows of M-LOK compatible slots lets the user further trick out their rifle. Sling attachment is easy thanks to the two, anti-rotation QD sling swivel sockets. Machined entirely from 6061 aluminum, handguard has an integrated insert inside the clamping mechanism to prevent overtightening and cracking the handguard. AR-308 Combat handquard fits DPMS LR-308 pattern upper receivers, Low model fits DPMS receivers with .150" tang height. High model fits receivers with .210" tang height. For those who don't want all the "rail estate" of the Combat handguards, the budget friendly Slim Line SLH Handguards come with just three rows of M-LOK slots. The incredibly lightweight, professional grade, one-piece Lightweight Handguard comes with four rows of M-LOK slots, one five slot Magpul® M-LOK polymer rail section, plus five anti-rotation QD sling swivel sockets. Ultralight Handguard has attachment hardware made of Titanium for further weight reduction beyond the Lightweight models. ALL handguards have a hardcoat anodized finish and include a 4140 heat treated barrel nut and installation wrench. May not fit all billet upper receiver designs. Not for use with gaspiston AR rifles. Colors - Most models are available in any color you want as long as it's black. Just for Brownells, Midwest has produced some with an RAL8000 Cerakote finish. Sometimes found on certain German guns, RAL8000 is a medium brown with a yellowishfaintly-greenish hue. It contrasts nicely with a black rifle and makes a unique complement to FDE (flat dark earth).

#100-041-147	Combat HG, 4.5", 2A116L99	\$ 129.9
#100-041-148	Combat HG, 6", 2A00MWM	134.9
#100-030-223	Combat Handguard, 7", 2A00EBI	139.9
NEW 100-041-889	Combat HG, 8", 9Y144S95	144.9
#100-030-224	Combat Handguard, 91/4", 2A142H49	149.9
#100-030-225	Combat Handguard, 91/2", 2A146N29	153.9
NEW 100-043-873	RAL8000 Combat HG, 9.5", 9E182Q86	192.9
#100-030-226	Combat Handguard, 101/2", 2A155E79	163.9
NEW 100-043-874	RAL8000 Combat HG, 10.5", 1F194K29	203.9
NEW 100-041-890	Combat HG, 11.5", 5D160X99	169.9
#100-030-227	Combat Handguard, 125/8", 2A174/99	183.9
NEW 100-041-891	Combat HG, 13.375", 1Z172T99	182.0
	Combat Handguard, 14", 2A179I54	
	RAL8000 Combat HG, 14", 3J212M86	
	Combat Handguard, 15", 2A184G29	
	Combat HG, 17", 2A232Q15	239.9
NEW 100-041-114	AR-308 Combat HG DPMS High,	
	12.625", 6W170Q99	
MEW 100-041-115	<b>AR-308 Combat HG DPMS Low,</b> 12.625" <i>4U170N99</i>	
NEW 100-041-116	AR-308 Combat HG DPMS High, 15",	
100 044 447	2S179L99 AR-308 Combat HG DPMS Low, 15",	189.9
MSW 100-041-11/	9Q179J99	189.9
#100-030-991	<b>Slim Line Handguard,</b> 91/4", 2A125/99	
	Slim Line HG, 10½", 2A130M49	
	Slim Line HG, 12 <sup>5</sup> /8", 2A134N99	
	Slim Line Handquard, 14", 2A140E24	
	Slim Line Handquard, 15", 2A147N59	
	<b>Lightweight HG</b> , 10.5", 2A170B99	
	Lightweight HG, 12.625", 2A179E99	189.9



# MIDWEST INDUSTRIES SP M-LOK HANDGUARD

### Overlaps Suppressor For A Smoother Appearance

With its generous 1.75" inside diameter, this one-piece, free floating handguard over-



laps your suppressor, giving the rifle a smoother, uninterrupted appearance. Boasting a 2" outside diameter, the handguard offers superb ergonomics without adding any extra bulk. Seven rows of M-LOK compatible slots and a T-marked 1913 Picatinny top rail provide plenty of options for mounting accessories. Handguard is fully dehorned for a comfortable, non-abrasive feel. Comes with one, five slot M-LOK polymer rail section and barrel nut wrench. SPECS: 6061 aluminum, hardcoat anodized, matte black. 1.75" I.D. (4.4cm), 2" O.D. (5.1cm). Includes proprietary barrel nut, barrel wrench and a polymer five slot M-LOK rail section. Fits standard AR-15 upper receivers. Not for use with piston gas systems. Will not fit some billet uppers due to the tabs on the forend.

#100-019-317	<b>7.25" SP Series HG</b> , 2A132E99	\$ 139.99
#100-019-318	<b>9.25" SP Series HG</b> , 2A134A99	149.99
#100-019-319	<b>10.5" SP Series HG</b> , 2A139K49	154.99
#100-019-328	<b>12.6" SP Series HG</b> , 2A156L74	164.99
#100-019-329	15" SP Series Handguard, 2A166P24	174.99

# MIDWEST INDUSTRIES AR-15/M16/AR-STYLE .308 "GEN 2" TWO-PIECE FORENDS



Versatile, Easy To Install, Snap-On Forend Rails For Optics & Accessories

Carbine-length, two-piece vented forearm snaps solidly in place and re-

places factory plastic handguard with no gunsmithing, no permanent alterations to rifle. Each of the four MIL-STD 1913 Picatinny rails contains 15 mounting slots for an optic, laser sight, vertical grip, bipod, light, and any other accessory that readily clamps to a Picatinny rail. Two-piece design permits removal of lower section to install a grenade launcher or shotgun. Rails are laser etched with white alphanumeric position markings to aid in fast mounting and remounting of optics and accessories. Four sockets for QD pushbutton sling swivels. Provides enough internal clearance for gas piston conversion systems.

SPECS: Machined 6061 billet aluminum, hardcoat anodized, matte black finish. 63/8" (16.8cm) long. Fits mil-spec 16" carbine-length barrels with round front handguard cap. Will not fit Colt-made AR-15/M4.

MID-LENGTHTWO-PIECE FOREND - Four Picatinny rails contain 20 mounting slots for lasers, optics, bipods, vertical grips, and lights and each MIL-STD rail is USGI type la-



ser etched with lettering and numbering. Plenty of internal clearance for an gas piston conversion system. Two-piece design permits removal of lower section for installation of a shotgun or grenade launcher.

SPECS: Machined from 6061 billet aluminum, hard coat anodized to Mil-Spec. Black. 8½ (21.5cm) overall length. Fits carbine length barrels with extended gas system as made by Rock River Arms and Armalite.

#100-041-136 Lightweight HG, 14", 2A184J99	194.99
#100-041-137 Lightweight HG, 15", 2A189199	199.99
#100-041-138 Ultralight HG w/Ti, 10.5", 2A223H24	234.99
#100-041-139 Ultralight HG w/Ti, 12.625", 2A227E99	239.99
#100-041-140 Ultralight HG w/Ti, 14", 2A242K24	254.99
#100-041-141 Ultralight HG w/Ti, 15", 2A00PBA	259.99

order on the web

# MIDWEST INDUSTRIES AR-15/M16 "GEN 2" FREE-FLOAT FOREND



Eliminates Stress On Barrel; Fits Most Gas Piston Systems

Free-float forend system clamps firmly in place without having to re-

move the barrel or front sight. Helps improve accuracy by eliminating stress placed on the barrel by the standard handquard. Simply cut off the delta ring and install the handquard over the barrel nut. Plenty of internal clearance for gas piston conversion systems. Four MIL-STD 1913 Picatinny rails with 15 slots laser-etch T-marked for precise mounting/remounting of accessories. Four sockets for QD pushbutton sling swivels.

SPECS: Machined 6061 T6 aluminum, hardcoat anodized, matte black. Mounts over existing barrel nut without removing front sight base. Requires removal of Delta ring. Carbine - 7" (17.7cm) long. Fits 16" carbine barrels. Mid Length - 81/2" (21.5cm) overall length. Fits carbine-length barrels with extended gas system as made by Rock River Arms and ArmaLite.

#100-008-588	Carbine FF Forend,	2A142B49	\$ 149.99
#100-008-891	Mid-Length FF Fore	end, 2A157K69	165.99

# **ODIN WORKS AR-15 O2 LITE** FREE-FLOAT M-LOK HANDGUARD

Minimal Weight, **Maximum Accessory** Placement Options & A Very Distinct Appearance



Odin's O2 Lite modular M-LOK handguard lives up to its name with an unusually open framework that adds the bare minimum of weight to your rifle yet is strong and rigid. It free-floats the barrel, and it's ready for you to install M-LOK rails and direct-attach accessories in the 3, 6 and 9 o'clock positions. There are lengths of Picatinny rail on top at the front and rear of the 'guard, further saving weight and making the O2 Lite unusually comfortable in the hand. QD sling pushbutton swivel sockets are at the 3 and 9 o'clock positions at the rear. Made of extruded 6005 T651 aluminum-magnesium-silicon alloy that is exceptionally lightweight yet strong. Steel barrel nut and ALL other mounting and timing hardware is included (except for a 11/4" wrench - who doesn't have one of those?), making installation the simplest and fastest in the industry. Fits mil-spec AR-15 uppers and most billet uppers. One 5-slot accessory rail included. 1.9" O.D., 1.6" I.D. clearance for gas block.

#100-022-674 AR-15 O2 Lite Free Float Forend 9.5"	
M-LOK Black, 4A153E84	. \$ 180.99
#100-022-675 AR-15 O2 Lite Free Float Forend 12.5"	
M-LOK Black, 4A162C34	. 190.99
#100-022-676 AR-15 O2 Lite Free Float Forend 15.5"	
M-I OK Black. 4A174A24	204.99

# ROCK RIVER ARMS AR-15/M16 NM FREE FLOAT BARREL SLEEVE



DCM Legal, A2-Style **Relieves Barrel Tension** For Better Accuracy

Two-piece steel tube isolates barrel from forend

pressure for consistent accuracy on target and tactical rifles. Lets you use a tight shooting sling or a bipod without putting external pressure on barrel and shifting point of impact. Furnished with A2 handquards, sling swivel and gas tube. DCM legal, does not alter exterior profile. SPECS: Steel, parkerized finish. High-temp injection-molded handguards, black. 13" (33cm) long. 16 oz. (454 g) weight. Fits AR 15 with 20" barrel.

#739-000-003 Free Float Barrel Sleeve, 9C114F29 . . . . \$ 133.99

# RISE ARMAMENT AR-15 **RA-905 LIGHTWEIGHT M-LOK® HANDGUARD**



Six Rows of M-LOK

Slots, Pic Rail Where You Need It, Plus a Slim Profile

The RA-905 is more versatile than a Swiss army knife - and nearly as lightweight. It combines a whole lot of desirable features a tactical AR-15 handguard. The slim cross-section makes for an easy and comfortable to grip for excellent control and accurate shooting. Rather than a full-length Picatinny rail up top, which adds a lot of weight, there's a segment of M1913 slots at the very front, where you're likely to mount a flip-up sight. You get six rows of M-LOK slots for mounting points 360 degrees around the handguard for maximum customization. Installation is simple using the included steel barrel nut, and the RA-905 is free-floating so it won't exert any pressure on the barrel that can adversely affect accuracy. Machined from 6061 T6 aluminum billet to AS9100 aerospace standard, which are more stringent than firearm manufacturing requirements, with a MIL-A-8625F, Type III, Class 2, hard-anodized matte black finish,

#100-040-266 🗞 RA-905 13.5" Lightweight

Handguard, 5F170Y99.....\$ 189.99

# SONS OF LIBERTY GUN WORKS AR-15 EXO2 M-LOK HANDGUARD

Picatinny Rail on Top, M-LOK® Slots on Sides & Bottom - Extra-Robust Throughout



The EXO2 Rail is a super tough new handguard designed to meet demanding duty requirements while remaining light and affordable. The EXO-2 features M-LOK® slots at 1, 3, 6, 9 and 11 o'clock, plus a lightweight aluminum barrel nut with steel hardware. Its light weight and versatility in placement of accessories makes the EXO2 perfect for duty rifles and competition rifles. Includes an M-LOK® QD sling swivel socket and a bolt-on 5-slot aluminum rail section. The nonreflective matte black anodized finish is perfect for any occasion.

#100-038-763	Exo2 M-LOK HG, 9.5", 6H00HFS	\$ 158.99
#100-038-764	<b>Exo2 M-LOK HG,</b> 10.5", 6H00NVN	164.99
#100-038-765	<b>Exo2 M-LOK HG,</b> 15", 6H00LPH	168.99

# SONS OF LIBERTY GUN WORKS AR-15 M76 WEDGE HANDGUARD



This 'Guard Won't Budge -Rugged Locking System Clamps to a Steel Barrel Nut

M76 is the most advanced handguard system from SOLGW. Featuring the proven Wedge Lock locking system and a 4140 Steel barrel nut. The M76 is the pinnacle of rail development. The M76 does not have a built in QD socket. Instead, SOLGW has included

an industry leading 4140 Steel M-LOK QD socket with every rail, allowing you to place it where you want. The M76 Wedge Lock Rail is available in multiple lengths, including 8", 9.5", 10.5", 13", 15", and 16.5". Find the perfect length for your rifle!

10.5 . I illu tile perieet teligtii	ioi your rinc: ==	
#100-038-766 8" M76 Wedg	je Lock HG, 6H00QXJ \$ 268.99	•
#100-038-767 9.5" M76 Wed	dge Lock HG, 6H00QLF 274.99	,
#100-038-768 10.5" M76 We	edge Lock HG, 6H00FMF 278.99	,
#100-038-769 13" M76 Wed	ge Lock HG, 6H00KGK 278.99	,
#100-038-772 14" M76LT W	edge Lock HG, 6H00LDN 348.99	,
#100-038-770 15" M76 Wed	ge Lock HG, 6H00KBI 288.99	,
#100-038-771 16.5" M76 We	edge Lock HG, 6H00FMF 289.00	)
	=	



# YANKEE HILL MACHINE AR-15/M16 TACTICAL HANDGUARDS

### Fixed Or Removable Rail Models For Extreme Tactical Duty

Lightweight, vented handguards allow the shooter to choose fixed, permanent Picatinny rails or easily removable ones for highlevel customization. Precision machined from aircraft grade aluminum, then mil-spec hardcoat anodized for extra strength and superior abrasion resistance

DIAMOND-PATTERN FREE-FLOAT HANDGUARD - Diamondshaped vents in a unique, latticework pattern give your weapon

distinctive look and provide superb airflow to prevent barrel from overheating. Helps keep vour hand cool, too, while reducing weapon's overall weight. Provides four full-length Picatinny rails for

maximum flexibility in mounting tactical accessories. Four, full-length Picatinny rails provide maximum flexibility in mounting tactical accessories. Machined from highgrade 6061 T6 aluminum and mil-spec hardcoat anodized to withstand combat

and heavy-duty usage. Extended top rail gives a gap-free fit to receiver rail. Slots are marked alphanumerically to help identify accessory locations. Threaded front end accepts Yankee Hill screwin end cap, available separately. Comes with jam nut, barrel nut and anti-rotation screws to ensure handquard stays locked in place. SPECS: 6061 T6 aluminum, mil-spec hardcoat anodized, matte black. Carbine - 7<sup>1</sup>/<sub>4</sub>" (23.5cm) OAL, 2<sup>1</sup>/<sub>2</sub>" (6.4cm) dia. 12.5 oz. (354g) weight. Fits AR-15/M16 with carbine-length gas system. Mid-Length - 9<sup>1</sup>/<sub>4</sub>" (23.5cm) OAL, 2<sup>1</sup>/<sub>2</sub>" dia. 15.2 oz. (431g) wt. Fits AR-15/M16 with mid-length gas system. Rifle - 121/2" (31.8cm) OAL, 21/2" dia. 16.6 oz. (471g) wt. Fits AR-15/ M16 with rifle-length gas system.

#100-004-311	Diamond HG, Carbine, 9A105J44\$	110.99
#100-004-312	Diamond HG, Mid-Length, 9A113E39	125.99
#100-004-314	Diamond HG, Rifle, 9A138I54	162.99

FOREARM END CAP - Screws into the front of any Yankee Hill free-float handguard to provide added protection for the end of the forearm. Hides view of the barrel from the front of the handquard for a clean, finished look, and keeps large debris out. Cooling ports allow rapid escape of barrel heat and promote airflow under the handguard. Install using supplied threadlocker. SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 15/16" (2.4cm) I.D.

#100-002-897 AR-15 Forearm End Cap 15/16" ID. 9A15P29.....

FOREARM WRENCH - Heavy, steel, spanner wrench makes it easy to tighten handquard barrel nuts to the correct torque. Notched end engages the indexing ring on Yankee Hill handguards and others with similar, slotted indexing rings for aligning the accessory rails. SPECS: Steel, black oxide finish. 8" (20.3cm) long, 2" (5.1cm) wide, 1/4" (6.4mm) thick.

**#100-002-090** Forearm Wrench, 9A29E51.....\$ 33.75



# CMMG AR-15/M16 HANDGUARD HARDWARE

Small Parts You Need for Installing/ Refurbishing Military-Type Handguards

Slip Ring Kit includes slip ring, spring, and handguard retainer ring. Retainer ring is anodized aluminum. Triangular Handguard Cap accepts both round crosssection A2-style handquards and

old "A1" type triangular 'quards, Steel, Parkerized, M4 Handguard Cap is for use with mil-spec plastic carbine handquard. Fits any M4-



Diamond Rifle

# STRIKE INDUSTRIES AR-15 GRIDLOK LITE HANDGUARD



Flip-up front sight

Flip the Quick-Release Lever & Off the 'Guard Comes from the Rifle; Plenty of Accessory-Mounting Options

Strike is claiming this handguard is the fastest to install/remove in the world right now - and we're inclined to believe them. With a simple push and pull of the of the quick detach latch, the whole handquard can be removed in seconds. You have instant access to work on the gas block, gas tube, or muzzle device and then just slide the Gridlok back on and close the latch. A built-in locking button

ensures the latch STAYS closed and the 'quard firmly secured to the barrel nut until you're ready to remove it again. And that's just the beginning. You have full-length rows of M-LOK slots at the 1, 3, 5, 6, 7, 9 and 11 o'clock positions, giving you as many options as any handguard on the market. There are Picatinny rail slots at the front and the rear of the top. Integrated into the front of the Gridlok Lite is a built-in flip-up backup iron sight (BUIS) with A2 post, while at the rear you'll find an integrated 360° free swivel QD sling socket for a 2-point setup. Below that backup sight is a wide-cut opening that accommodates suppressors up to 1.57" in diameter. All Strike muzzle devices fit neatly in that opening. The Gridlok is machined from 6061 T6 aluminum alloy and hardcoat anodized matte black. Setscrews and tabs at the rear help center the top rail to the upper receiver to ensure proper alignment on the barrel nut machined from extra-strong 7000-series aluminum for a great combination of strength and light weight. The cut in front was designed to help fit suppressors up to 1.57"" (39.9mm) in diameter and of course all SI muzzle devises including the SI OPPRESSOR for those looking for that tucked look. Fits mil-spec forged M4-type upper receivers. Not compatible with piston gas blocks and some billet and sidecharging uppers.

#100-047-162	8.5" Gridlok Lite HG,	, 4H151Q99	\$ 159.99
#100-047-160	15" Gridlok Lite HG,	5J209R99	209.99
#100-047-159	11" Gridlok Lite HG.	3G169P99	169.99

# TROY INDUSTRIES AR-15/M16 MRF-DI CARBINE HANDGUARD

Quick Drop-In Replacement for Military Plastic Carbine Handquard



Troy's robust, Picatinny quad-railed handquard is a direct, drop-in replacement for the plastic military-type carbine handguard. It provides the accessory mounting benefits of a tactical 'guard without the removal of the delta ring or changing of the barrel nut. Secure clamping twopiece design installs in minutes and gives a rock-solid mount for optics, vertical grips, laser, and all the other accessories commonly mounted up front on an AR. Four positions for 360° pushbutton sling swivels; numbered cross slots. Removable bottom rail allows installation on rifles equipped with M203 Grenade Launcher, including the Brownells M203 37mm Launcher. Rugged machined 6061 T6 aluminum, mil-spec Type III hardcoat anodized, matte black finish. As long as you don't need to free-float the barrel, this is an excellent drop-in upgrade.

#100-003-459 7" Standard MRF-DI, 3B129M07......\$ 141.99

type barrel with a .750" O.D. at the gas port. Has side cuts for M203 grenade launcher. Steel, Parkerized, with pre-dip blackening for a matte black finish.


#100-044-627	AR-15 HG Slip Ring,	3W11F	195	\$ 1	L1.95
#100-044-625	AR-15 M4 Handguard	d Cap,	3B00XBJ		3.86
#100-044-626	AR-15 A2 HG Cap Tria	angle,	4C00QMT		4.09

BROWNELLS. PAGE 72 Battery Core

#### LUTH-AR AR-15/M16 HANDGUARD CAPS & PARTS

Small Parts You Need to Keep Classic Military Style 'Guards in Place

AR-15 handguards have come a long way since that first, somewhat fragile fiberglass 'quard on the early M16 rifles. But even with all the ergonomically enhanced, Picatinny-railed, M-LOK'd up, free-float tactical handguards to choose from, some folks still find the simple, snap-on military parts are all they need. These components will add an extra touch of period detail to any "retro repro" rifle build using Brownells Retro parts. So here's the steel hardware you need up front, just behind the gas block, for mounting standard military style handguards. Handguard caps are all stamped steel with a durable satin black oxide finish. AR-15 Round Cap is correct part for all standard AR-15 rifles with .750" barrel



and protes protes or a recent conductation, sold separately sold re-			
#100-028-051	AR-15 Round Handguard Cap, 3D2J99	\$ 3.99	
#100-028-053	M4 Handguard Cap, 3D2B99	3.99	
#100-028-052	Old-Style Triangular Handguard Cap,		
	3D2F99		
	<b>AR-15 Slip Spring</b> , <i>3D5K24</i>		
#100-028-050	AR-15 Front Swivel, 3D3L19	3.99	
160-301-051	AR-15 Front Sling Swivel Rivet ONLY, 6A4P49	5.99	



#### YANKEE HILL MACHINE AR-15 FOREND BARREL NUT & JAM NUT

The Correct Parts For All Yankee Hill Free-Float Forearms



Original factory parts to replace damaged or lost pieces for your Yankee Hill free-float

forearm. Barrel nut is compatible with any standard AR-15 or M16 receiver. Both parts are designed to work with Yankee Hill forearms

SPECS: Barrel Nut - aluminum, hardcoat anodized, matte black. Jam Nut - steel, black oxide finish. Fit Yankee Hill free-float forearms only.

#100-009-657	YHM-9483 Barrel Nut	, 9A27P54	\$ 28.99
#100-009-658	YHM-9433 Jam Nut,	9A13N59	15.99

#### TROY INDUSTRIES AR-15/M16 **SQUID GRIP RAIL COVERS**

Improves Your Hold On A Troy Modular Railed Handquard



Heat-resistant rubber rail covers quickly snap into the circular cooling holes on Troy modular rail-and-chassis systems to provide you with a extra-comfortable, greatly improved grip while keeping added bulk to an absolute minimum. Each cover fills 6 holes and may be cut down to shorter lengths or installed end-to-end for longer lengths.

SPECS: Heat-resistant rubber, black. One strip measures 4.5" (11.4cm) long. Fits Troy TRX-Extreme, Alpha, and Delta rails. 7 strips per pak.

#100-010-793	Squid Grip Rail Covers, 7-Pak,	
	3B23J39	\$ 25.99

#### TROY INDUSTRIES AR-15/M16 **BATTLE RAIL COVERS**

Easy Slide-On Installation



tinny handquard rail to provide a comfortable, secure grasping surface. Protects the hand from sharp rail edges and barrel heat during long shooting sessions. Molded-in knurled bands enhance your grip, especially when hand is wet, and match the Troy Modular Combat Grip to give your rifle a neat, unified appearance. No struggling to stretch the cover over the rail: simply hold up the retaining clip, slide on rail, and close the positive-locking clip to keep the cover firmly in place.

**SPECS:** Polymer, black. 6<sup>1</sup>/<sub>8</sub>" (15. 6cm) long, 1<sup>7</sup>/<sub>16</sub>" (2.6cm) wide. Sold in 3-paks.

**#100-011-035** Rail Covers, 3-Pak, 3B15B29 . . . . . . . . . \$ 16.99

#### MAGPUL AR-15/M16 **ACCESSORY RAIL COVER**



Improves Grip, Protects Rails From Damage

Tough, polymer cover slides over Picatinny rails to protect shooter's hand from sharp edges of

unused rails, and shield exposed rails from damage during rough tactical operations. Makes rail less likely to snag clothing and equipment and gives the rounded contour of a smooth, circular handguard with the freedom to reconfigure accessories whenever you need to. Rubber-like, pebble-texture grip surface helps shooter maintain better weapon control. Each panel covers 15 rail slots the correct length to fit many carbine-length handguards without modification. Pre-segmented construction for ease in cutting to length to custom fit on other handguards. Multiple sections can be mounted one after the other for smooth, visually continuous cover on longer handquards.

SPECS: Synthetic polymer, pebble finish, in Black, Flat Dark Earth (FDE), and O.D. Green (ODG). 61/4" (15.9cm) long x 13/8" (3.5cm) wide. Fits Picatinny accessory rails. Covers 15 rail slots.

#100-003-074	AR-15 Rail Cover, Black, 3K10J19 \$	11.99
#100-019-334	AR-15 Rail Cover, FDE, 3K10H19	11.99
#100-019-335	AR-15 Rail Cover, ODG, 3K10N19	11.99



Combining the benefits of a hand stop and a vertical grip, the Shift gives you plenty of "meat" to grab onto and pull the stock tight against your shoulder for better muzzle control. The an-

gled design provides a more ergonomic gripping area that won't cause your fingers to bunch up. A deep notch in the front gives you a solid anchor point for your little or index finger when using the grip as a handstop. Skeletonized frame saves weight without sacrificing strength and permits air to flow around your palm. The hybrid design of the Shift Vertical Grip allows the operator to use it as a full-on vertical grip or as a comfortable hand stop when going with the thumb over method. Shift Short Angled Grip makes an ideal handstop or can be pressed against a barrier for added stability when shooting from concealment.

SPECS: 6061 T-6 aluminum, hard coat anodized, matte black, Short Angled Grip - 1.7" (4.3cm) high. 2.5 oz. (70.8g) wt. Vertical Grip - 3.3" (8.4cm) high. 3.4 oz. (96.4g) wt.

#100-020-603	<b>Shift Short Angled Grip,</b> Picatinny, 4Z00AQM	\$ 69.99
#100-020-605	Shift Short Angled Grip, MLOK, 4Z00MWE	74.99
#100-020-606	Shift Vertical Grip, Picatinny, 4Z00EHI	79.99
#100-020-608	<b>Shift Vertical Grip,</b> MLOK, 4Z00NEJ	84.99



Stabby Device on an AR That Doesn't Have a Bayonet Lug

Do you want to put a bayonet on your AR-15 but don't have the standard lug under the gas block? NO problem with Geissele's Super Stabby Bayonet Mount, which clamps neatly to a Picatinny handguard rail, so you can even side mount that bayonet. The SSBM requires five Picatinny sections to be mounted securely. It is optimized for the M9 Bayonet, and is compatible with other bayonets that interface with mil-spec M16 bayonet lugs and front barrel/ muzzle rings. Made of 7075 T6 aluminum, with a pair of crossbolts to lock it securely to the Pic rail, the SSBM is both extremely rigid and lightweight. Note: Just the mount - bayonet is NOT included. Also.... The SSBM has only been tested on Geissele rails. Use, wear, and fit on other rails is unknown. Due to the lack of control over the operational use of the SSBM, Geissele Automatics specifically disclaims any responsibility for damage to the firearm it is installed on or its parts or accessories. A bayonet blade is sharp. Handle it with care and keep the tip and edge of the blade pointed away from your body or anything you do not intend to use it on at all times. #100-042-582 Super Stabby Bayonet Mnt, Blk, 4C142F99 .... \$ 150.00

#100-042-583 Super Stabby Bayonet Mnt, DDC, 6E00NPQ... 150.00 #100-042-584 Super Stabby Bayonet Mnt, ODG, 9H156H99.. 165.00

#### SONS OF LIBERTY GUN WORKS AR-15/M16 HANDGUARD SMALL PARTS



Mil-Spec Parts That Are Getting Hard To Find Nowadays

Carbine Handguard Cap is standard round cap without M4 cutouts. Fits all AR-15/M16/M4 rifles, carbines, and pistols with .750" O.D. barrel at gas journal. Steel, Parkerized. Delta (Slip) Ring Kit includes the ring, weld spring, and snap ring. Delta ring is anodized aluminum. Other parts are steel with black oxide finish. Front Sling Loop is the classic military style, made of steel and Parkerized with a rubber coating over the loop itself. Technically not a

handquard part, but we had to put it somewhere! Fits any AR-15/ M16/M4/AR-308 with a standard front side base. Original mil-spec steel **Rivet** is sold separately.

#100-045-062	M4 Round Handguard Cap, 4U06L99 \$ 6.99
#100-045-063	AR-15 Delta Ring Assembly, 8T18L99 19.99
#100-045-057	<b>AR-15 Front Sling Loop</b> , <i>2F07Y99</i> <b>7.99</b>
#100-045-058	AR-15 Front Sling Loop Rivet, 9X02P99 2.99

#### MAGPUL **LADDER RAIL PANEL**

**Press Into Empty Cross Slots** For Enhanced Grip & Rail Protection

Flexible ladder-style panel snaps securely into unused cross slots on Picatinny rails, protecting against dirt and dings and improving grip and weapon control. Prevents sharp rail edges from digging into your hand, snagging on clothing, and causing damage to gear, like cut and frayed slings or repelling ropes. Made of rubbery, slip-resistant Santoprene™ thermoplastic elastomer, the ultra-low-profile design keeps your handquard diameter slim. Covers 18 slots or can easily be trimmed to custom lengths and fitted between mounted accessories. To remove, simply pry up a corner and peel off. Manufactured by Falcon Industries.

SPECS: Santoprene rubber. 615/16" (17.6cm) long. Fits one side of standard carbine-length 1913 Picatinny rail.

#100-015-128	Ladder Rail Panel, Black, 3K10K39	12.99
#100-015-129	Ladder Rail Panel, O.D. Green,	11.99
#100-015-130	3K10Q19	11.99
		11.99

#### FALCON INDUSTRIES ERGO GRIP® **SURESTOP HANDSTOP**

Fast, Precise, Tactile Hand Placement On Railed Forends

During competition or a tactical situation, you can't afford to lose time fumbling to position your hand on the forearm, or, worse yet, have it slide off when racking a pump action shotgun. This rubber-coated, ergonomically shaped handstop attaches to any Picatinny rail forend to provide precise, tactile indexing of the support hand, so you keep your eyes on the target while mounting the weapon. Helps keep hand in position during recoil, too, for fast follow-up shots. Dual cross-bolts clamp the stop tightly to the rail for a solid, movement-free installation.

SPECS: Synthetic-rubber coated molded polymer, black. Steel crossbolts, oxide finish, matte black. 11/4" long x 11/4" wide at base. Extends 13/4" (4.5cm) below rail

#573-000-052 SureStop Rail Handstop, 3G10D19..... \$ 11.99

#### MAGPUL XTMTM ENHANCED RAIL PANELS

Protect You & Your Gear From Sharp Rail Edges



Low-profile, two-piece panels snap easily onto any Picatinny rail, no need to remove existing mounts. The heat-absorbing polymer shields your hand from barrel heat,



while the aggressive, anti-slip texture gives you positive control of your rifle. Panels are reinforced in high stress areas to ensure they stay put during hard use. Interior clips on either side of the panels allow you to keep light or laser wires tucked securely in place. SPECS: Molded polymer, Black, Flat Dark Earth, O.D. Green, or Stealth Gray. 6 <sup>3</sup>/<sub>8</sub>" (16.2cm) OAL, 1 <sup>1</sup>/<sub>2</sub>" (3.8cm) wide, when assembled. Fits 1913 Picatinny rails

#100-009-571	Enhanced Rail Panels, Black, 3K6I39	\$ 7.99
#100-009-572	Enhanced Rail Panels, FDE, 3K6N39	7.99
#100-009-573	Enhanced Rail Panels, ODG, 3K6F39	7.99
#100-014-463	Enhanced Rail Panels, Gray, 3K6D39	7.99

order on the web



#### **GEISSELE AUTOMATICS** M-LOK® RAIL PANELS

Provides Excellent Non-Slip Grasping Surface on Your Handquard. Protects Hand from Barrel Heat

Originally designed for Geissele's URGI rail (Upper Receiver Group Improved), these M-LOK panels have an aggressive texture that greatly increases your ability to grip and handle the forend for better control of your rifle. Unlike a lot of smooth rail covers, these

have some serious "tooth" on the surface so they stick to your hand like a burr, but texturing is not overly sharp so they'll leave the skin on your fingers. Made from a tough, defense-grade flexible polymer that has not only proven for its durability under hard use but also a highly effective heat shield. These Rail Panels are designed to work on Geissele's Super Modular Rail handguards. Compatibility with other M-LOK handguards is unknown. Sold in packs of 6 (SIX).

#100-040-939 M-LOK Rail Panels, Black, 5D22G99 ... \$ 24.00 #100-040-940 M-LOK Rail Panels, DDC, 5F22G99 .... 24.00

#### MAGPUL M-LOK™ RAIL COVER, TYPE 1



**Easily Snaps Onto Any** M-LOK Compatible Handguard

Minimal-profile covers snap directly onto any handguard with slots to provide a comfort-

able, enhanced grasping surface. Lightweight, flexible polymer rubber is extremely heat resistant to protect the hand. Omni-directional design means no required up/down, left/right or front/back orientation, so easy to install quickly. Each cover is 9.5" long and covers six full M-LOK slots. Easy to cut for a customized installation. Available in standard Magpul colors: Black, Flat Dark Earth (FDE), O.D. Green (ODG), and Stealth Gray. Two (2) rails per pack.

#100-017-431 Type 1 M-LOK Rail Cover, Blk, 3K13M59\$	15.99
<b>#100-017-432</b> Type 1 M-LOK Rail Cover, FDE, 3K13G59	15.99
<b>#100-017-434</b> Type 1 M-LOK Rail Cover, ODG, 3K13J59	15.99
#100-017-433 Type 1 M-LOK Rail Cover, Gray, 3K13K59	15.99

#### STRIKE INDUSTRIES AR-15/M16 COBRA TACTICAL FORE GRIP

Low-Profile, Ergonomically-Enhanced **Grip Increases Weapon Control** 

Developed with input from combat veterans, this lightweight, low-profile grip helps the operator maintain greater control of the rifle regardless of firing position. Helps the shooter achieve a comfortable grip, with a natural placement of the fingers, a pronounced hand stop at the rear, and an anti-slip textured surface that keeps the hand in place, even when wet. The ridged front face lets the shooter brace the rifle against barricades, ledges, or other available support surfaces, creating a dependable shooting platform without worrying about slippage. Mounts easily and securely to Picatinny handguard rail with a super-stable, wobble-free, friction lock. Minimal bulk: extends only 1" below handguard. Molded hard polymer construction delivers strength without a weight penalty. SPECS: Molded, reinforced, impact-resistant hard polymer, matte black or FDE. 41/4" (10.8cm) OAL, 1.7 oz. (48.1g) wt. Extends approximately 1" (2.5cm) below rail.

#100-011-008 Cobra Tactical Fore Grip, Blk, 2H14A29. . \$ 20.00 #100-011-871 Cobra Tactical Fore Grip, FDE, 2H14H29 ... 20.00

#### DANIEL DEFENSE AR-15/M16 **PISTOL GRIP Gives Enhanced Ergonomic**

Comfort & Weapon Control

Based on the classic 1911 grip angle, with its natural hand positioning, this ergonomic pistol grip features soft-touch, rubberized overmolding for com-

fort and enhanced wet or dry grasp. Integral triggerguard is oversized to easily accommodate gloved hands and neatly fills the gap between the grip and lower receiver. No roll pin required, reducing risk of scratching or damaging lower receiver during installation. SPECS: Polymer, black or military brown. 4.25" (10.8cm) tall, 2" (5.1cm) wide, 1.4" (3.5cm) thick. 3.2 oz. (90.7q) wt. Includes screw and washer.

<b>‡100-015-027</b>	Pistol Grip,	Black,	8K00NQB	\$ 29.99
<b>‡100-015-028</b>	Pistol Grip,	Brown	, 8KOODJS	 28.99

#### **Provides A Consistent Index Point** & Prevents Support Hand From Reaching Past Handquard

Improve your weapon control with this lightweight, low-profile XTM hand stop kit. Index point lets shooter pull the rifle tighter against the shoulder for better muzzle control and consistent rifle presentation. Forward stop prevents shooter's support hand from reaching past the handquard and coming in contact with the hot muzzle or



front sight assembly. Enhanced XTM panels feature an aggressive anti-slip texture. Fits any Picatinny rail and can be configured to the shooter's preference. Comes with all necessary mounting hardware and instructions.

SPECS: Molded polymer. Kit contains 1 hand stop, 1 index panel, 1 full XTM enhanced panel, 1 XTM enhanced half panel. 5 1/2" (13.9cm) combined OAL, 1 ½ (3.8cm) wide, 1 ¾ (3.5cm) high. Fits Picatinny rails. Includes mounting hardware and instructions.

#100-009-593	Hand Stop Kit, Black, 3K17K09 \$	18.99
#100-009-594	Hand Stop Kit, FDE, 3K17G09	18.99
#100-009-595	Hand Stop Kit, O.D. Green, 3K17N09	18.99

#### MAGPUL AR-15/M16 M-LOK™ TYPE 2 RAIL COVER

Protects Unused M-LOK Points & Adds **Grippy Grasping Surface** 

Polymer rail covers snap into M-LOK mounting slots and protect them from impact damage. while keeping them from accidentally snagging on gear or vegetation. Also adds a textured grasping surface to the handguard. Adds slightly more than 1/8" thickness to surface - so minimal bulk. Locking tab is pre-scored to allow user to snap off sections and mix and match colors as desired.

Each panel cov	vers one M-LOK slot. 6 panels per pak. 💳	
#100-016-545	M-LOK Rail Cover Type 2, Blk, 3K11Q19 \$ 13.99	
#100-016-546	M-LOK Rail Cover Type 2, FDE, 3K11E04 12.99	
#100-016-547	M-LOK Rail Cover Type 2, Gray, 3K11I04 12.99	
#100-016-548	M-LOK Rail Cover Type 2, ODG, 3K11G04 12.99	

#### **BRAVO COMPANY AR-15/M16 GUNFIGHTER GRIP**

For Maximum Control In Modern **Gunfighting Stances** 

Reduced angle, ergonomically enhanced grips are designed to improve rifle control for shooters preferring the "squared Block Dark Earth off" stance. Constructed of durable, impact-



resistant polymer, they feature a texturized surface for a sure-hold and a water-resistant, hinged door that opens to reveal a small compartment for storing batteries or other small items. Two interchangeable modular triggerquard inserts (smooth and extended) may be used to close the gap between the triggerguard and grip depending on your preference; inserts also work well on rifles with larger triggerguards. MOD-0 model is similar in size to the standard A1/A2-style grip. **MOD-1** model features a high-rise back strap to fill the grip-to-receiver gap. MOD-2 is a 1/4" wider than MOD-0/1 for a more hand-filling grip, plus it adds three interchangeable backstrap pieces that let you customize the grip to your hand and your rifle's receiver. MOD-3 is a non-modular grip with a fixed triggerguard tab and a contour that combines the extra width of the MOD-2 with the extended beavertail of the MOD-1.

SPECS: Impact resistant polymer, Black or Flat Dark Earth (FDE). All models approx. 41/4" (10.8cm) high. Mounting hardware included. Fits rifles that accont standard A2 tune AD 15/M16 nistel arin

accept standard	AZ-type AK-15/M16 pistol grip.	
#100-009-900	MOD-0 Gunfighter Grip, Blk, 1E22P94 \$	26.99
#100-009-901	MOD-0 Gunfighter Grip, FDE, 1E22H09	25.99
#100-009-904	MOD-1 Gunfighter Grip, Blk, 1E22109	25.99
#100-009-906	MOD-1 Gunfighter Grip, FDE, 1E22H09	25.99
#100-014-276	MOD-2 Gunfighter Grip, Blk, 1E25L49	29.99
#100-014-277	MOD-2 Gunfighter Grip, FDE, 1E25L49	29.99
#100-013-641	MOD-3 Gunfighter Grip, Blk, 1E16M14	18.99
#100-013-642	MOD-3 Gunfighter Grip, FDE, 1E15F29	17.99
	· ·	

#### CAVALRY ARMS AR-15/M16 **A2-STYLE GRIP**

Proven, Mil-Spec A2 Design

Provides a comfortable hold for those who prefer the straight, uncluttered lines of the standard A2-style grip. Extremely rigid and durable with hand-filling contours and molded-in ledges that

lock your hand into position. Available in black only **SPECS:** Polymer. 4" (10.2cm) high, 2" (5.1cm) wide, 1<sup>7</sup>/<sub>32</sub>" (3.1cm) thick. Fits both rifle and carbine. #100-002-830 A2-Style Pistol Grip, Black, 2K7C19 ..... \$ 8.99

#### BRIGAND ARMS AR-15/M16 **CARBON BLACK PISTOL GRIP**

Superior Ergonomic Shape Feels Like It Was Made To Fit Your Hand

Weighing just a tad under 2 oz. (including its Titanium screw), this reinforced carbon fiber pistol grip is so lightweight, it's barely noticeable even on the lightest carbine builds. Designed to fit of your hand's natural contours, the grip supports your entire palm, not just the web between thumb



and index finger, meaning you can maintain a consistent hold for repeatable trigger pulls. Comfortable surface that won't leave you with a sore hand after for those long days at the range. Molded grip provides rigidity and style, with no milled or trimmed edges that could splinter or wear over time, plus it will fit a wide range of hand sizes. The included a self-adhesive "grip strip" can be attached to the back strap for extra traction.

#100-027-944 Carbon Black Pistol Grip, 3K109C85... \$ 119.99

#### ERGO GRIPS AR-15 TDX-0™ TACTICAL DEFENSE **ZERO ANGLE PISTOL GRIP**

Provides a More "Straight-Up" Grip Angle Some Shooters Prefer; Ideal for Chassis Rifles The TDX-0™ pistol grip offers a more vertical

hand position, without the rearward rake of other Ergo Grips. This positions the hand for easier access to controls on a chassis rifle system that uses an AR-15 pistol grip - and some AR-15 shooters just find that a more straight up hand position gives them better

control of the rifle. The TDX-0 also does not have a beavertail at the rear, so it will fit lower receivers, such as "billet" models, that are not entirely "mil-spec" on the exterior. Of course, the TDX-0 provides all the ergonomic and comfort advantages of having an Ergo Grip on your rifle. The Overmolded SureGrip material provides a solid texture that anchors the grip in a shooter's hand. Molded finger grooves and a modest palm swell makes these grips truly comfortable for a variety of hand sizes.

#573-000-092	TDX-0 Tactical Deluxe Grip, Black,	
	3G31J49	\$ 34.9
#573-000-093	TDX-0 Tactical Deluxe Grip, Flat Dark	
	Earth, 3G31F49	34.9

### MAGPUL M-LOK™ HANDSTOP KIT

Positions Shooter's Hand On Forend To Improve Weapon Control

Low-profile hand stop components easily snap into standard M-LOK slots to provide a tactile index point for better weapon control. Forward stop further enhances control by keeping the shooter's hand from sliding off the handquard and getting burned on a hot gas block or barrel. Aggressive TSP texturing further

secures the shooter's control of the rifle. Kit includes one M-LOK Hand Stop, one M-LOK Index Panel, and one M-LOK Type 2 Rail Cover, plus one adapter to enable installation on Magpul polymer M-LOK Hand Guards or other forends with wide-profile rails. Lightweight molded polymer. Colors: Black, Flat Dark Earth (FDE), O.D. Green (ODG), and Stealth Gray.

#100-017-435	M-LOK Handstop Kit, Black, 3K21Q24	\$ 24.99
#100-017-437	M-LOK Handstop Kit, FDE, 3K20L39	23.99
#100-017-440	M-LOK Handstop Kit, ODG, 3K20Q39.	23.99
#100-017-438	M-LOK Handstop Kit, Gray, 3K20M39	23.99

#### TRUE NORTH CONCEPTS AR-15/M16 **GRIPSTOP**

Helps You Maintain a Secure Hold on the Handguard, Even During Strenuous Operations & Competition

 Created by a Marine combat veteran, a GripStop installed on the underside of your AR's handquard will help you maintain a firm hold and control over your rifle. The unique serrated front radius allows the shooter to "pull" the firearm rearward into the shoulder pocket and maintain a

solid purchase on the gun with the support hand. This feature also works great as a barrier-stop against walls, rocks, vehicles. and barricades. Combat-proven by American Special Operations Forces and Marines in multiple combat theaters and built to survive the toughest abuse. Rugged 6061 T6 aluminum construction because... sometimes plastic just isn't enough. Tough mil-spec Type III hard-anodized finish. GripStop comes in a Standard length, plus a shorter "K" (Kurz?) model. Picatinny and M-LOK® attachment options available, both in basic Black and Earth Brown (a stand-in for Elat Dark Earth)

i tat Dark Lartin.		
#100-036-441	Picatinny GripStop, Black, 5D53109	\$ 58.99
#100-036-442	Picatinny GripStop, Earth Brown,	
	5D53D09	58.99
#100-034-900	M-LOK GripStop Std, Black, 5D45F89	50.99
#100-034-901	M-LOK GripStop Std, Earth Brown,	
	5D45K89	50.99
#100-034-902	M-LOK GripStop-K, Black, 5D45H89	50.99
#100-034-903	M-LOK GripStop-K, Earth Brown,	
	5D45L89	50.99

PISTOL

. GRIPS

### AR-15/M16 ERGO GRIP

#### Improves Trigger & Recoil Control

Hand-filling, tactical pistol grips offer an ergonomic profile with finger grooves, palm swells, and many other features to improve shooting comfort and accuracy. SureGrip has a hard polymer core overmolded with soft rubber for a superior grip and added cushion. Rigid grip features Rhino Hide™, a hard, non-slip textured finish molded directly into the polymer.

**STANDARD** - Slightly thinner than the factory grip but with additional depth front to back. Pebble grain, non-slip surface and subtle finger grooves improve grasp and promote correct trigger finger position. Curved rear backstrap fills web of hand. Ambidextrous (Amb.) model has a rigid surface texture. RH SureGrip model has a distinct thumb shelf for righthanded shooters. Aggressive Texture (AT) gives an even more secure hold (but still won't hurt the bare hand). SPECS: Polymer, hard texture or overmolded rubber, black, 4" (10cm) long.

or zoon organica,	nora textore or overmotional about, black in (100)	1, 10119
#573-000-008	Amb. Rigid ERGO Grip, Blk, 3G18P69 \$	21.99
#573-000-076	Amb. ERGO SureGrip, Blk, 3G18G69	21.99
#573-000-077	Amb. ERGO SureGrip, DE, 3G18N69	21.99
#573-000-078	AT Amb. ERGO SureGrip, Blk, 3G18L69	21.99
#573-000-026	RH SureGrip ERGO, Black, 3G22Q94	26.99
	·	

ERGO 2 SUREGRIP - Ergonomic finger grooves improve grip and trigger finger angle. Overmolded material won't get slippery and resists oils and solvents. Fits both 5.56 and .308 AR-style rfles without using any spacer inserts. A2-sized inner cavity accepts small accessories. Includes grip, Gapper, and washer. Does not inloude grip screw or grip plug.



TACTICAL DELUXE - Upward-curved grip extension fills the web of the shooting hand, spreads recoil over a large area for excellent feel and comfort. Available with a palm shelf that adjusts vertically 1/2" providing a custom fit for maximum recoil control. All models have textured finish. SPECS: Polymer, hard texture, or overmolded rubber, black. 2-5/8" (6.6cm) long. Palm shelf 3" (7.6cm) wide, 4"

#573-000-062	SureGrip Tactical Deluxe Grip w/Palm	
	3G51M84	. \$ 60.99
#573-101-405	Tact. Deluxe Grip w/Palm Shelf,	
(10cm) long, 1" (.	2.5cm) thick. Includes attachment screw.	

**Shelf**, 3G48D59.....

AR-15 GAPPER - Soft, polyurethane pad fits between pistol grip and frame to fill the gap under the triggerguard latch. Prevents the sharp edges of the frame from rubbing or cutting your index finger. SPECS: Polyurethane, black. 1/2" (12mm) long. Solvent resistant.



#### LUTH-AR AR-15/M16 **A2 PISTOL GRIP**

#### Combat Tried & Proven for Stable Weapon Control

This is the standard M16A2-type pistol grip used on military rifles and civilian AR-15s for decades. Molded from durable reinforced polymer this is the original Colt A2 design with the single finger ledge

on the front, vertical serrations on the rear, and deeply checkered panels on each side. All in all, it's surprisingly ergonomic and gives you a comfortable, secure hold on the firearm in all weather conditions or when wearing gloves. Fits all mil-spec A2-pattern AR-15 lower receivers. **NOTE:** This is just the pistol grip - bolt and washer are not included.

#100-028-040	A2 Pistol Grip,	3D3A74	\$ 4.99
--------------	-----------------	--------	---------

#### LUTH-AR AR-15/M16 "CHUBBY" PISTOL GRIP

#### Makes the Rifle Feel Like an Extension of Your Hand

Hey, who you callin' "Chubby"? Well, in this case, extra plumpness is good because it makes this ergonomically enhanced pistol grip sit so naturally and comfortably in your hand that it'll improve the way you handle and shoot your AR-

15. Still has the front finger ledges and even the horizontal serrations of the classic A2 grip, with the addition of a rounded palm swell that fills your hand for secure, natural hand positioning each and every time you grasp the grip. A left-side thumb rest works in conjunction with the palm shelf to hold your hand in place for a consistent hold. A raised surface on the trigger finger side forces your finger into a natural curved position for better comfort and improved trigger control. Deep texturing ensures a positive gripping surface in all-weather conditions or when wearing gloves. For right-handed shooters only. Drop-in installation; bolt and washer not included. so be sure save your rifle's originals or order separately. So if one of your range buddies calls your new Luth-Ar grip "Chubby," just smile, say "Yep, sure is," and outshoot him/her on the next round!

#100-	028-071	"Chubby" Pi	stol Grip,	3D17P24.	\$ 22.99

#### TANGODOWN AR-15/M16 **BG-17 BATTLEGRIP**

#### Tough, Combat-Tested Grip With Built-In Utility Features

Handy storage grip features a large internal storage compartment for batteries, small spare parts, or supplies. Flexible cap includes integral seals to protect contents from dirt and moisture. Front grip extension covers the triggerguard/receiver gap to prevent pinching. Curved backstrap is shaped to fill and support the hand and provides the correct finger-to-trigger position; aggressive grip texture ensures positive hold. Comfortable, handfilling shape really sucks up the recoil. A "beavertail" at the top rear of the grip covers the gap between the grip and the receiver to protect the web of your hand from getting caught or pinched. Includes stainless steel, Dry-Lok attaching screw and installation tool. SPECS: Resin-impregnated polymer, black. 41/2" (11.4cm) high. Base 23/8" (6cm) long, 1<sup>1</sup>/<sub>4</sub>" (3,2cm) wide, Fits AR-15/M16/M4 series rifles and clones. and other rifles that accept an A2 grip, including ArmaLite® AR-10®, FN SCAR Mk-16/Mk-20, and Knight's Armament SR-25/MK-11 Mod 0 & 1.

<b>#100-006-309 BG-17 Rifle Grip,</b> Black, 9B33B99 <b>\$ 3</b>	9.		)
--	----	--	---

### SONS OF LIBERTY GUN WORKS AR-15/M16 **A2 PISTOL GRIP & HARDWARE**

#### Classic, Long-Serving Grip from the M16A2 Rifle

SOLGW's approach to AR-15 parts has been to update what needs improvement - and not fix what's not broken. Good-quality parts built to the original U.S. military specifications have proven themselves on millions of service rifles over the decades. So SOLGW's A2 pistol grip is just that: the classic grip with a finger shelf in the middle and one for the pinky finger at the bottom. It has vertical serrations on the backstrap and crisply molded-in checkered texturing on the sides. Despite many later ergonomic designs, some folks still find the A2's angle and the way it sits in the hand just fine. Reinforced molded polymer, black. The Grip Screw and Lock Washer are sold separately. If you already have spares on hand, SOLGW doesn't make you pay for more!

	<b>A2 Pistol Grip,</b> 6D05V99\$	5.99
#100-045-037	Pistol Grip Screw, 5C02U99	2.99
#100-045-038	Pistol Grip Lock Washer, 3K01B99	1.99

# NEW!

#### STRIKE INDUSTRIES AR-15/M16 **OVERMOLDED ENHANCED PISTOL GRIP**

#### Keep Total Control Over Your AR -And Do It Comfortably

Strike offers this pistol grip in three different grip angles - 15, 20, and 25 degrees - so you can get just the right amount of sweep that's comfortable for you. All versions are overmolded with a textured rubberized material that keeps the grip securely nestled in your hand for excellent overall control. This grip is

more streamlined and tapered where the web of the hand contacts it to allow for more range of movement of the firing hand when operating the controls. It has enough width in the palm area to fill the hand for maximum comfort during extended use. A comfortable beavertail at the top keeps your hand from riding up too far so it stays properly located. A storage compartment inside is accessed by removing the rubber end cap. Get a solid and cozy hold on your AR every time you shoot it - and the look of this grip sets your rifle apart from generic ARs. We like the sleek overall contours, too; sure, the old A2 grip has a classic look... but it's SO mid-20th century! Fits mil-spec dimensioned AR-15 lower receiver and AR-308 receivers that accept AR-15 grips. Grip screw and washer included.

#100-043-584	15° Overmolded Pistol Grip, Black, 1E21M99	\$ 22.99
#100-043-585	<b>15° Overmolded Pistol Grip,</b> FDE, 6821G99	22.99
#100-043-586	<b>20° Overmolded Pistol Grip,</b> Black, 6K21S99	22.99
#100-043-587	<b>25° Overmolded Pistol Grip,</b> Black, 5A21H99	22.99

### HOGUE AR-15/M16 OVERMOLDED™ PISTOL GRIP Non-Slip Grip Surface; Increases Comfort

Strong, fiberglass insert fits solidly against the frame, resists wear, won't loosen. Orthopedic design with palm swells and finger grooves reduces shock, increases shooting comfort; maintains a stock appearance. Available in black or Desert Tan.

SPECS: Fiberglass core, rubber covered. #408-150-000 Pistol Grip, Black, 8K22G99...... \$ 23.96

**#408-000-111 Pistol Grip,** Desert Tan, 8K22H99 . . . . . **23.96** 

OVERMOLDED BEAVERTAIL PISTOL GRIP - fea-
tures the same ergonomic feel as the Hogue AR-
15 pistol grip, but adds an extended "beavertail"
that adds extra cushion for the web of the hand.
Fills in the gap at the rear of the receiver and gives
comfortable padding all the way to the back.
Available in black or Desert Tan

#408-000-116	Overmolded Beavertail Pistol Grip,		
	Black, 8K22B99	\$ 23.96	
#408-000-117	Overmolded Beavertail Pistol Grip,		

# Desert Tan, 8K22A99 . . . . . . . . . . 23.96

#### - ARMSTECH AR-15/M16 RITE-PULL GRIP ADAPTER

#### Positions The Trigger Finger For Precision Shooting

Relocates the grip so just the tip of your finger is on the trigger. Gives precise trigger control for more accurate shot placement. Adapter fits between the grip and frame without alteration to the rifle. Moves the grip .75"

#### **WAYNE STUDIOS AR-15** "MONSTERMAN" GRIP

**Eliminates The Pistol Grip** To Comply With California Law

Replaces the pistol grip to make an AR-15 fitted with an A2type, non-adjustable buttstock meet the requirements of California Penal Code §12276.1(a)(1)(A). Gives the rifle a "sporter" look and feel. Rounded edges and aggressive surface texturing give your hand a comfortable yet secure grasp. Uses existing grip screw. Laws and regulations can change at any time; the user is responsible for making sure his rifle stays compliant.

SPECS: Molded polymer, black. 61/8" (15.6cm) long, 11/8" (2.9cm) wide, 45/32" (10.6cm) high. 4.6 oz. (130g) wt. Fits AR-15 with an A2 buttstock installed.

#100-006-291 AR-15 MonsterMan Grip, 3Z45L89.....\$ 53.99

#### STARK EQUIPMENT CORP AR-15/M16 SE-1 PISTOL GRIP Ergonomic Comfort, Less Fatigue, SF-2 w/ **Maximum Control During Rapid Fire**

Drop-in replacement for factory pistol grip is designed to give the tactical operator maximum weapon control with minimum fatigue. Every aspect of the shooter-to-weapon interface was analyzed and tested to improve on the USGI A2 grip and give the shooter the best control in any type of operational environment. One-piece construction with integral triggerguard ensures the operator's finger doesn't get caught between the guard and the trigger and eliminates other pinch points. Over-molding where the grip meets the receiver helps keep the hand positioned exactly where it should be during fast movement, long periods in the ready position, and during rapid or full-auto fire. Palm swell, arched backstrap, flared bottom with forward finger ledge, and molded-in stippling further ensure to a firm, stress-free grip on the weapon. Molded from durable, reinforced polymer that resists impact, temperature extremes, moisture, and most cleaning solvents and oils. Snug-fitting, synthetic rubber plug in the bottom pulls out to allow storage inside the grip. Cavities inside the plug provide rattle-free storage for two spare CR-123 batteries.

SPECS: Reinforced molded polymer, black. Includes mounting hardware and instructions

#100-004-343 SE-1 Pistol Grip, Black, 5C33N99 ..... \$ 39.99

#### CMMG AR-15/M16 PISTOL GRIP SCREW & WASHER

#### Properly Spec'd & Manufactured Replacement Parts

Correcrt mil-spec parts for securing an A2 pistol grip to a mil-spec AR-15 lower receiver or for an aftermarket grip that uses the same screw and star washer. Screw is 1.3" OAL with a 1" shank with .250"-28 tpi threads and vertical serrations on the head that accepts a standard hex key wrench.

Steel with matte black oxide (or Parkerized) finish. The star washer gets slightly crushed by the screw head and keeps the screw from backing out so you can maintain a firm hold on your rifle. Sold sepa-

**#100-044-600** AR-15 Pistol Grip Screw, 4H00B99 . . . . . \$ 1.07 #100-054-319 AR-15 Pistol Grip Star Washer, 6B34G50 . 1.49

(19mm) to the rear SPECS: Plastic, black. Includes attaching screws and instructions. #432-001-015 Rite-Pull Adapter, 2C23A99......\$ 29.99

order on the web

brownells.com

BROWNELLS PAGE 75

Orders: 800-741-0015

### NEW!

0

#### Items MAGPUL® AR-15/M16/AR-STYLE.308-**PISTOL GRIPS**

#### Improves Comfort For Better Weapon Handling & Control; Fixed & Adjustable Models

Ergonomically enhanced pistol grips provide a more comfortable, secure grasp than standard, A2-style grip for better trigger control and recoil management with less fatigue. Improves weapon handling during precisely aimed shots as well as sustained semi- or full-auto fire. Hand-filling palm swells and non-slip "crackle" texturing keep your hand firmly in place, even when wet. Removable grip cap provides access to a roomy internal storage compartment for spare batteries, cleaning supplies, small bottle of oil, or even a spare bolt. Reinforced, high-impact, molded polymer construction stands up to the rigors of harsh operational environments. Drop-in installation in minutes with included mounting hardware and in-



the grip-to-receiver junction to help you maintain a comfortable hold and protect the web of your hand during sustained firing. Compatible with Magpul MIAD Grip Cores and Enhanced Aluminum Triggerguard, available separately.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Stealth Gray. Drop-in replacement for AR-15/M16/M4 A2-type pistol grip. Can be installed on most AR-style .308 rifles; however, depending on model, there may be gap between the grip's beavertail and the receiver. Mounting hardware included.

#100-003-515	MOE Grip, Black, 3K16H99	19.99
#100-003-516	MOE Grip, Dark Earth, 3K16C14	18.99
#100-004-165	MOE Grip, O.D. Green, 3K16C14	18.99
#100-014-432	MOE Grip, Stealth Gray, 3K16N14	18.99

MOE+™ GRIP - Same contours and hard-molded polymer construction as the original MOE Grip with the addition of an anti-slip overmolded rubber coating for enhanced weapon control in wet conditions or when hand is sweaty. A polymer cap secures small items inside the internal storage compartment, and the MOE+ accepts Magpul MIAD grip cores (sold separately). SPECS: Reinforced molded polymer, Black, Dark

Earth, O.D. Green, or Stealth Gray. Fits standard milspec AR-15/M16 lower receiver. Also fits most AR-style .308 rifles that accept AR-15/M16 grip. Mounting hardware included.

#100-006-786	MOE+ Grip, Black, 3K20H39	23.99
#100-007-570	MOE+ Grip, Dark Earth, 3K20H39	23.99
#100-007-572	<b>MOE+ Grip,</b> O.D. Green, <i>3K19K54</i>	22.99
#100-014-441	MOE+ Grip, Stealth Gray, 3K19M54	22.99

MOE-K™ GRIP - Slimmed-down version of the original MOE grip for shooters with smaller hands or those who simply prefer a slimmer grip profile. Fits most AR-15/M16 type rifles, including AR-style .308s that use a standard AR-15 pistol grip. Narrower and shorter front to back than the original MOE or the standard A2 grip, the MOE-K is designed specifically for personal defense weapons and their operators by adding more vertical grip angle that brings the primary hand closer to the shooter's body, thus improving control and retention.

SPECS: Reinforced molded polymer, Black, Flat Dark Earth, O.D. Green, or Stealth Gray. Fits standard mil-spec AR-15/M16 lower receiver. Also fits most AR-style .308 rifles that accept AR-15/M16 grip. Mounting hardware

#100-008-866	MOE-K Grip, Black, 3K16B14	\$ 18.99
#100-008-966	MOE-K Grip, Dark Earth, 3K16N14	18.99
#100-014-442	MOE-K Grip, Stealth Gray, 3K16I14	18.99

MOE-K2™ GRIP - Offers the same slimmed-down profile and aggressive, grippable surface texture as the MOE-K™ grip, plus an even steeper vertical grip angle optimized for use with short LOP weapons. Brings the primary hand even closer to the shooter's body for better control. Beavertail at the top rear fills the gap between the top of the grip and the receiver to protect and support the web of the hand, further enhancing control. Internal storage compartment accessible via removable plug in bottom.

SPECS: Reinforced molded polymer, Black, Flat Dark Earth, O.D. Green, or Stealth Gray. Fits standard mil-spec AR-15/M16 lower receiver. Also fits most AR-style .308 rifles that accept AR-15/M16 grip. Mounting hardware

#100-011-679	MOE-K2 Grip, Black, 3K17P84	20.99
#100-011-680	MOE-K2 Grip, Dark Earth, 3K16I99	19.99
#100-011-681	MOE-K2 Grip, O.D. Green, 3K16P99	19.99
#100-011-682	MOE-K2 Grip, Stealth Gray, 3K16G99	19.99

MOE-K2+™ GRIP - Reinforced polymer grip features wrap around rubber overmolding and a steeper vertical angle than the MOE-K grip. Optimized for short length of pull weapons, the vertical grip brings the shooter's hand closer to the body for improved weapon control. Full size grip features a unique back strap design which encourages proper trigger finger placement. Aggressive side texture combined with the pronounced an-

gles on the front and back, provides a secure grip in wet conditions. Grip has storage area for spare parts or batteries, and will accept all standard Magpul grip cores.

SPECS: Reinforced polymer, Black, Flat Dark Earth, Gray, and O.D. Green. Mounting hardware included.

#100-016-407	MOE-K2+ Grip, Black, 3K21E24\$	24.99
#100-016-408	MOE-K2+ Grip, FDE, 3K21K24	24.99
#100-016-409	MOE-K2+ Grip, Gray, 3K20I39	23.99
#100-016-410	<b>MOE-K2+ Grip,</b> O.D. Green, <i>3K20D39</i>	23.99

MOE K2-XL GRIP® - So you don't have the daintiest hands, huh? In fact, to be honest, you've got huge mitts, and while you like the ergonomics of the MOE K2 grip, it kinda swims in your hand. Then the K2-XL is for you - same contours but nearly 25% larger than the standard K2. It offers a more vertical grip angle, which tends to improve comfort and control on short LOP rifles and SBRs because it brings the primary hand in closer to the shooter's body. The larger size of

this grip also enables better finger placement for precision shooting, which helps improve accuracy, while the beavertail backstrap further solidifies your grip, helps keep your trigger finger properly placed, and keep the web of your hand from getting pinched in the grip-to-receiver gap. The K2-XL also has aggressive TSP (Trapezoidal Surface Projections) texturing and front/rear serrations that work together to give you excellent for traction. It also comes with a grip cap with an oil bottle grip core (other Magpul grip cores will not fit the K2-XL - the cost of being bigger). Grip screw included.

MEW 100-075-124	MOE K2-XL Grip, Black, 6121M99	\$ 22.75
₩100-075-125	MOE K2-XL Grip, FDE, 7U21N99	22.75
MEW 100-075-126	MOE K2-XL Grip, OD Green, 8V21P99	22.75

MOE-SL™ GRIP - Ideal for weapons with a short length of pull, this pistol grip gives a more vertical hold position. Angle of grip reduces strain on the wrist, brings the primary hand closer to the shooter's body, and enhances weapon control in tactical situations. The aggressive raised texture provides a positive, non-slip grip even when wearing gloves. Grip is slightly smaller for a slimmer, more ergonomic feel.

Can be installed on most AR-style .308 rifles; depending on the gun, there may be gap between the beavertail and the receiver. SPECS: Reinforced molded polymer, Black, Flat Dark Earth (FDE), O.D. Green (ODG), Stealth Gray. All mounting hardware included

#100-015-154	MOE-SL Grip, Black, 3K16Q14	\$ 18.99
#100-015-159	<b>MOE-SL Grip,</b> FDE, <i>3K16E14</i>	18.99
#100-015-160	MOE-SL Grip, ODG, 3K16L14	18.99
#100-015-161	MOE-SL Grip, Gray, 3K16J14	18.99

#### SIERRA PRECISION RIFLES AR-15/M16 SPR PISTOL GRIP

#### Enhanced Grip & Comfort For Accurate Shooting

Repositions the hand for a comfortable grasp and improved trigger finger location. Hand filling design with thumbrest and palmswell provide enhanced gripping endurance. Matte surface gives good, nonslip purchase. SPECS: Black, glass filled Polypropylene, matte finish. Fits

AR-15, AR-10 and AR-25 rifles. Right-hand only.

#936-001-015 SPR Handgrip, 6C24G79 ...... \$ 30.99

storing batteries and other items are available sepa-

rately, below. Front- and backstrap inserts slide on

easily, yet snap firmly into place and require no glue

frontstrap insert.

Stealth Gray.

or screws to stay put. Comes with one straight and two different

beavertail backstrap inserts, plus one straight and one finger-ledge

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or

#100-014-095 AR-15/M16 MIAD GEN 1.1 Kit, Blk, 3K30J59. . \$ 35.99

#100-014-096 AR-15/M16 MIAD GEN 1.1 Kit, DE, 3K29M74 .. 34.99

#100-019-347 AR-15/M16 MIAD GEN 1.1 Kit. ODG. 3K29G74 ... 34.99

#100-014-428 AR-15/M16 MIAD GEN 1.1 Kit, Gray, 3K29B74 . 34.99

#100-014-098 AR-308 MIAD GEN 1.1 Kit, Blk, 3K29Q74. 34.99

#100-014-099 AR-308 MIAD GEN 1.1 Kit, DE. 3K29H74... 34.99

#100-019-348 AR-308 MIAD GEN 1.1 Kit. ODG. 3K29D74. 34.99

#100-014-431 AR-308 MIAD GEN 1.1 Kit, Gray, 3K29K74. 34.99

MIAD GRIP CORES - Further custom-

ize your MIAD grip to suit your specific

needs with one of these interchange-

able internal storage compartments. No

tools or permanent alternations required.

123 Battery Core holds two spare CR123

batteries in a sealed, waterproof com-

partment, keeping them ready for quick

deployment if the batteries in your laser,

included internal spacer installed, two

AAA batteries. Reversible rubber cap has

"SPENT" stamped on one side, so you al-

ways know the status of the batteries in

the compartment. Bolt & Firing Pin Core

securely holds one, standard AR-15/M16

bolt, plus a spare firing pin, should your

ing a critical operation.



Helps You Get On Target Fast & Improves Recoil Control; Folds Away For Storage

Fold-away vertical grip clamps to any forend with a bottom accessory rail and provides a comfortable platform for the support hand to improve control. Makes weapon easier to point to help you get on target—or change targets—fast. Pronounced finger grooves, textured surface, and a hand-filling shape help you maintain steady downward force to counteract muzzle rise

during rapid fire. Hit the pushbutton on the left side of the grip to change between five locking positions: vertical, 45° forward/rearward, or folded forward/backward parallel with the handguard for storage or carry. Constructed of lightweight, yet robust, fiberglassreinforced molded nylon to stand up to hard use; slides over Picatinny forend rail and locks in place with a steel crossbolt for solid, wobble-free installation.

V SEVEN WEAPON SYSTEMS AR-15/M16

TITANIUM PISTOL GRIP SCREW

tant Titanium parts to the hidden but critically important pistol grip

screw. This is a drop-in replacement for the standard screw that fits

mil-spec lower receivers. Shaves off a bit of weight, too - weighs a

mere 3.2 grams. This button-head screw is machined from Grade

5 Titanium, with a natural silver-gray finish. Install with a 5/32" hex

wrench; you'll need an oil-based lubricant or thread-locker for a

proper bond with your rifle's receiver (dry installation is not recom-

#100-500-027 Titanium Grip Screw, 7G00PEC . . . . . . \$ 10.99

Don't Lose Your Grip - Lightweight, Strong,

Highly Corrosion-Resistant Screw Keeps It On

V Seven extends its line of corrosion-resis-

SPECS: Fiberglass-reinforced, injection-molded nylon, black. 43/4" (12.1cm) long fully extended. Requires 21/8" (5.4cm) rail space. 4.4 oz. (125a) weiaht

#019-000-025 Folding Vertical Grip, 9A23A99......\$ 24.99



light. or red dot sight fail. AA/AAA Bat- AA/AAA Battery Core & Spacer



gun suffer a failure in competition or dur- 123 Battery Bolt & Firing Pin

SPECS: Molded polymer, black #100-003-043 MIAD 123 Battery Grip Core, 3K11J99...\$ 14.99 #100-003-044 MIAD AA/AAA Battery Grip Core, 3K11M99 ..... #100-003-045 MIAD Bolt & Firing Pin Grip Core. 3K11H99 .....

MIAD MOE LUBE BOTTLE GRIP CORE - Inserts securely into the pistol grip and contains a 1/2 fl. oz. reusable plastic bottle for lubricant. Comes standard with MIAD GEN 1.1 Grips, also fits in MOE®, MOE-K2®, and MOE® AK Grips. Base is molded hard polymer, black. #100-016-543 Lube Bottle Grip Core, 3K11/99. . \$ 14.99

14.99

#### GG&G AR-15/M16 **VERTICAL FOREGRIP**

Better Control & Recoil Management; Reduced Hand Fatigue In The Ready Position

Lightweight vertical grip clamps securely to Picatinny forend rail to give the operator a more comfortable shooting stance and better weapon control. Helps control muzzle climb during sustained fire for quicker, more accurate follow-up shots, and minimizes hand fatigue when holding weapon in the ready position for long periods of time. Shape is narrow at the top for secure purchase by the thumb and forefinger, with a palm-filling swell at the middle, and wide, deep, concentric ribs around the lower 1/3 of the grip for a comfortable, ultra-secure grasp. Removable core has a large, waterproof storage compartment that can hold a spare bolt assembly, two AA or CR123 batteries, or other small parts, Screw-on. O-ring sealed cap removes easily and has padded interior to prevent rattling of items inside. Easy-to-use clamping system attaches simply by unscrewing the entire core, sliding the grip onto the rail, and lining it up over a slot with the aid of the alignment windows. Then screw the core back in tight for a rock-solid attachment that won't let loose. Reinforced, Acetal cold polymer construction handles the knocks and dings of tactical operations, as well as extremes of heat, cold and humidity

SPECS: Acetal polymer, matte black. Grip extends 43/4" (12.1cm) below rail. Approx. 15/16" (3.3cm) at widest point. 2.4 oz. (69g) weight.

#336-000-022 Vertical Foregrip, 6C31G49 ...... \$ 34.99



# BRAVO COMPANY BCMGUNFIGHTER™ VERTICAL GRIPS



Angled Grips Mount Forward Or Rearward; Full-Size Or Short Lengths

Slightly angled vertical grip attaches facing forward or in reverse to help improve weapon handling and comfort while accommodating shooting preference. A forward tilt increases the rigidity of the forearm and allows for more natural wrist position, or switch to a rearward mount to enhance stability when grabbing the handguard and grip. Flat sides with aggressive texturing as well as raised horizontal ridges on the frontstrap and backstrap ensure rotational control and superior grasp. Full-Size/Short Picatinny clamp to any MIL-STD 1913 Picatinny rail with field expedient tools, like a coin or cartridge rim. Storage compartment with a hinged trap door and water-resistant rubber gasket holds spare batteries or other accessories. Short KeyMod<sup>TM</sup> indexes on three KeyMod hole points for quick, tool-less attachment. Also minimizes snagging and delivers the same interior storage as Picatinny style. MOD 3 is an ultra lightweight version of the Short grips, with a narrower profile and no storage area. Attaches to Picatinny OR KeyMod rails. Requires T15 Torx driver to install and remove.

**SPECS:** Impact-resistant polymers. **Full-Length** - 4¾" (12.1cm) high. 3.6 oz. (102.1g) wt. **Short** - 3" (7.6cm). 2.75 oz. (78g) wt. **MOD** 3 - 2¾" (7cm). 2 oz. (56.7d) wt.

02. (30.7 g) W.		
#100-012-516	Full-Size Picatinny Vert Grip, Flat Dark Earth, 1E29Q99	39.99
#100-013-646	Short Picatinny Vert Grip, Blk, 1E30H59	35.99
#100-013-647	Short Picatinny Vert Grip, FDE, 1E30P59	35.99
#100-015-178	Short KeyMod Vert Grip, Blk, 1E33D99	39.99
#100-015-179	Short KeyMod Vert Grip, FDE, 1E33J99	39.99
#100-016-496	MOD 3 Picatinny Vert Grip, Blk, 1E17G84	20.99
#100-016-497	MOD 3 Picatinny Vert Grip, FDE, 1E16Q99.	19.99
#100-016-498	MOD 3 Picatinny Vert Grip, Wolf Gray, 1E16N99	19.99
#100-016-493	MOD 3 KeyMod Vert Grip, Blk, 1E16Q99	19.99
#100-016-494	MOD 3 KeyMod Vert Grip, FDE, 1E16J14	18.99
#100-016-495	MOD 3 KeyMod Vert Grip, Wolf Gray,	
	1E16M14	18.99

MAGPUL AR-15/M16

**RVG® VERTICAL GRIP** 

to help you maintain maximum weapon control at all times. Ergo-

nomically shape is optimized for use with the "thumb break" method

of grasping the weapon, yet works just as well with a traditional

vertical grip stance. Aggressive horizontal serrations on the front

and back, plus crackle texturing on the sides ensure a secure grasp

in all weather conditions. Clamps securely to Picatinny handguard

rails. Includes an adapter that enables installation on many non-

SPECS: Reinforced injection-molded polymer, available in Black, Flate

Dark Earth (FDE), O.D. Green (ODG), or Stealth Gray. All mounting hard-

#100-005-592 RVG Rail Vertical Grip, Blk, 3K21H24 . . . . \$ 24.99

**#100-005-593 RVG Rail Vertical Grip, FDE, 3K20H39... 23.99** 

#100-005-595 RVG Rail Vertical Grip, ODG, 3K20A39 . . 23.99

#100-014-450 RVG Rail Vertical Grip, Stealth Gray,

railed forends, too.

ware and instructions included.

Picatinny Rail Mount Grips Provides

Positive, Comfortable Weapon

Control at All Times

lightweight vertical grip that positions

your support hand close to the barrel

The Rail Vertical Grip or RVG® is a

### 0

### GRIP POD SYSTEMS AR-15/M16 GRIP POD GRIP POD

Vertical Forend Grip With Built-In Quick-Deploy Bipod

Dual-function vertical grip locks to the bottom accessory rail of your tactical rifle's forend to give you enhanced control during CQB and a stable bipod rest for precise long-range fire. The grip's hand-filling contours and deep grooves provide a solid



SPECS: Reinforced polymer, black. 6<sup>1</sup>/<sub>\*</sub>" (15.9cm) long with legs retracted. 8<sup>1</sup>/<sub>\*</sub>" (21.6cm) high with legs extended. 1<sup>5</sup>/<sub>\*</sub>" (3.5cm) diameter. GPS-02 – Steel inserts in legs. 7.8 oz. (220g) weight. GPS-LE - 7 oz. (197g) weight.

Steet in isents in ite	95. 7.0 02. (LLOG) Weight. Gr	3 LL / 02. (13/9) Weight.	- 4
#100-003-226	GPS-02 Grip Pod, Black,	3B150A29 <b>\$ 166.99</b>	*
#100-003-633	GPS-LE Grip Pod, Black,	3B103I49 <b>114.99</b>	

### TANGODOWN AR-15/M16 BATTLEGRIP VERTICAL GRIP

Improves Weapon Control; Standard & "Stubby" Models

Large diameter, ribbed vertical grip helps prevent hand fatigue and cramping during long periods in the ready position. Improves weapon control and keeps hand away from hot handguard during sustained fire. Dual locking bars provide a rock-solid



gun racks. No pressure switch pocket. ■

SPECS: Injection-molded, fiberglass-reinforced polymer resin, Black or Dark Earth, Standard - 4½" (12.1cm) long, Stubby - 3½" (8.6cm) long.

Dank Lartin. Stant	12.1011/1011g. 3(4bby 378 (6.0011))	Jily.
#071-000-034	Battlegrip, Black, 9B65F69	72.9
#071-000-038	Battlegrip, Dark Earth, 9B65L69	72.9
#071-000-040	Stubby Battlegrip, Black, 9B60A29	66.9
#071-000-041	Stubby Battlegrip, Dark Earth, 9B60B29	66.9

MAGPUL AR-15/M16

M-LOK™ MVG VERTICAL GRIP®

### MAGPUL AR-15/M16 M-LOK ANGLED FORE GRIPS

Provides Greater Comfort & Ensures Correct Wrist Angles

Made of reinforced polymer, angled fore grip helps reduce wrist fatigue and improves weapon control. Stream-



and improves weapon control. Streamlined grip positions the shooter's hand high on the centerline of the bore. Forward finger index provides additional options in gripping and hand placement. Minimalist design and low profile permits a much wider range of mounting location options. One piece grip includes all hardware for mounting to either aluminum or polymer

SPECS: Reinforced polymer, Black, Flat Dark Earth, Gray, O.D. Green. 4" (10.2cm) long. 1.2 oz. (34g) wt.

h	(10.2011) (0119. 1	02: (0 19) ***:	
-	#100-016-476	M-LOK Angled Fore Grip, Blk, 3K22J94	26.9
n	#100-016-477	M-LOK Angled Fore Grip, FDE, 3K22L09	25.9
/"	#100-016-478	M-LOK Angled Fore Grip, Gray, 3K22N09	25.9
-	#100-016-479	M-LOK Angled Fore Grip, O.D.Green,	
e		3K22L09	25.9

handguards and forends that have M-Lok slots.

### TROY INDUSTRIES AR-15/M16 MODULAR COMBAT GRIP

Easily Converts From Full-Length To Stubby Configuration



Deeply knurled vertical forend grip provides a comfortable, secure grasp for outstanding recoil control and ultra-fast pointability. Modular design lets you choose a secure, full-palm configuration, or by unscrewing and removing the center section, a low-profile "stubby" grip. Full-length, spring-loaded locking bar, plus front and rear rail lugs ensure a rock-solid installation on any Picatinny rail. Flush-fit crossbolt minimizes risk of snagging on other gear. Rugged, all aluminum construction with waterproof O-ring seals to keep contents of the roomy internal storage compartment dry.

SPECS: Aluminum, hardcoat anodized, Black or Dark Earth. 4<sup>1</sup>/<sub>2</sub>" (11.43 cm) long, 3" (7.62 cm) long in stubby configuration, 1<sup>1</sup>/<sub>4</sub>" (3.2 cm) O.D. 5.9 oz. (167q) weight. Fits Picatinny rail systems.

#100-004-377	Modular Grip, Black,	3B65M69	\$ 72.99
#100-004-378	Modular Grip, Dk Ear	th, <i>3B64L07</i>	70.99

### MAGPUL AR-15/M16 — ANGLED FORE-GRIP



Enhances Control & Pointability While Minimizing Fatigue In The "Ready" Position

Low-profile grip/hand stop takes advantage of natural body mechanics to give the shooter more precise control, faster pointing, and less operator fatique. The Magpul AFG® (Angled Fore-Grip) positions the support hand close to the centerline of the bore for maximum recoil control to aid in fast, accurate follow-up shots. Provides a consistent reference point for finding the correct hand position quickly when mounting the weapon under stress. The natural, ergonomic hand position with the palm facing up results in better blood flow than the "clenched fist" stance often used with vertical grips that leads to fatigue and loss of sensation during long periods in the ready position. Improves on the "thumb break" hold often used with standard vertical grips by allowing the thumb to rest comfortably alongside the top rail, pointing forward, with the rest of the hand in full contact with the forend. Heavy-duty reinforced molded polymer construction stands up to the hard knocks of tactical operations, and deep, molded-in grooves help you maintain a firm grip even with wet hands. Interchangeable inserts give the choice of a straight, uninterrupted gripping surface or one with a convenient ledge to support the index finger. Slides over any Picatinny-style rail and locks securely in place with a hardened steel crossbolt. The original AFG1<sup>TM</sup> provides a large grasping surface and covers approximately 51/2" of rail. The more compact AFG2TM is shorter and narrower to take up even less rail space, with enough clearance to fit a larger variety of weapons. Both models may be installed on tactical shotguns and other rifles with railed forends; won't interfere with insertion and removal of magazines on AK-47s.

SPECS: Reinforced molded polymer, Black, Dark Earth, O.D. Green, or Stealth Gray, Fits Picatinny-type rails. AFC1 - 5½° (14cm) long, approximately 15/6° (4.1cm) wide, extends approximately 1¾° (4.5cm) below rail. 2.8 oz. (79g) wt. AFG2 - 4¾° (12cm) long, 1 ¾° (3.5cm) wide, extends approximately 2° (5.1cm) below rail.

# Con

Gives You A Secure Hold & Excellent Control Of Any M-LOK Compatible Weapon

Following in the footsteps of Magpul's original MOE MVG, the M-LOK MVG is a lightweight vertical foregrip that attaches directly to any M-LOK compatible handguard or forend without requiring Picatinny rails. Made from

the same high-strength molded reinforced polymer as other Magpul products, the M-LOK MVG has the new TSP texture that gives a sure hold and positive weapon control in all environments. Ergorounded contours and a shorter length, it has been optimized for use with the "thumb break method" of shooting, yet also functions well as a traditional vertical foregrip. Comes with all hardware necessary for attachment directly to M-LOK Slots on aluminum or polymer handguards and forends. Available in Black (Blk), Flat Dark Earth (FDE), O.D. Green (ODG), and Stealth Gray.

#100-016-130	M-LOK MVG Vert Grip, Blk, 3K19Q54\$	22.99
#100-016-134	M-LOK MVG Vert Grip, FDE, 3K18J69	21.99
#100-016-139	M-LOK MVG Vert Grip, ODG, 3K18L69	21.99
#100-016-136	M-LOK MVG Vert Grip, Gray, 3K18J69	21.99

o f d d	#100-004-990 #100-004-991 #100-014-451 #100-006-196	Magpul AFG1, Black, 3K29D74	
- !. S	#100-010-590 #100-010-591	•.	33.99 33.99 33.99

#### ARMALITE® AR-10® MAGAZINES

Same Factory-Built Magazines That Ship With New AR-10s

Brand-new, factory-made, Generation II magazines built by Armalite® feature a spot-welded, heavy gauge steel body that won't distort when fully loaded



and a contoured follower designed to ensure exceptionally smooth, reliable feeding. These aren't converted M14 magazines, but mags purpose-built specifically for the AR-10 - the same mags that come with new rifles. Factory marked floorplate.

SPECS: Steel, Parkerized, matte black. Fits Armalite AR-10 chambered in 308/7.62mm

#062-000-003	<b>AR-10 Magazine,</b> 15-Rd, <i>2F29L44</i>	\$ 30.99
#062-000-004	<b>AR-10 Magazine,</b> 10-Rd, 2F32K29	37.99
#062-000-005	<b>AR-10 Magazine,</b> 5-Rd, <i>2F28G79</i>	31.99

3K20F39 ...... 23.99 approximately 2\* (5.1cm) below rail.

#### A.S.C. AMMUNITION STORAGE AR-15 **BIG-BORE MAGAZINES**



Rugged, All-Steel Mags Get the Job Done in Your Large-Caliber AR

These robust, all-steel magazines stand up to the demands of the popular new big bore AR-15 cartridges. Mag bodies are formed from .020" thick 410 stainless steel alloy and heat-treated for extra

strength so the mag won't flex or warp under recoil. Chrome-silicon springs resist taking a "set" if you leave the mag loaded for a long time, and the enhanced anti-tilt follower, permanently lubricated with PTFE (same material used on non-stick pots and pans!) keeps the round aligned so the next round cycles smoothly into the chamber. Tough Black Oxide corrosion-resistent finish.

**#100-039-302 .350 Legend Mag,** 5-Rd, 9Z00MWM..... **\$ 14.99** #100-039-301 .450 Bushmaster Mag. 5-Rd. 9Z00ADR. . 27.99

#### **BROWNELLS** AR-15 32-ROUND 9MM MAGAZINE

capacity magazine fits 9mm AR-15 "pistol caliber carbine" (PCC) conversions that accept Colt-pattern magazines. The Xylan® finish greatly reduces friction while offering excellent protection against wear and corrosion. Reliable and smooth ammunition feed is further ensured by

load. Numbered round-count windows let you guickly determine the amount of remaining ammunition in a partial mag after a tactical reload. Comes with bolt hold-open tab for those ARs fitted with a hold-open feature on the conversion block. The easy-to-remove floorplate makes maintenance and cleaning guick and simple. SPECS: All steel body. Matte black Xylan finish. Steel follower and spring. Remov-

#078-000-320 32-Rd 9mm AR-15 Mag, Ea., 8G30F39 .. \$ 37.99 #078-000-198 32-Rd 9mm AR-15 Mag, 3-Pak, 8G90N94 . . 106.99



able steel floorplate. Fits 9mm AR-15 rifles that accept Colt-style magazines.

# 0

#### **BLACK DOG MACHINE AR-15/M16 MAGAZINES FOR .22 LR** CONVERSIONS

Shoot More, Reload Less; Full-Body Design Handles Like A Mil-Spec Magazine

Dependable, high-capacity Sonic X magazine handles like a standard AR-15/M16 magazine and delivers 10 rounds of .22 LR ammunition in a rifle fitted with the CMMG .22 LR Conversion Kit or any Atchisson-type conversion system. Rigorously range-tested for superb reliability in both semi- and full-auto rifles. Extended, anti-tilt follower acts as a

bolt stop after last round is fired. Tough, impact-resistant polycarbonate shell and follower are self-lubricating, so they work with the constant-force spring to deliver smooth, uniform feeding for consistent operation. Nylon feed lips; mag body halves are permanently bonded together. Base plate, follower, plug, and spring can be removed for cleaning.

SPECS: Injection-molded polycarbonate, transluscent Smoke. Fits AR-15/ M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system. Also fits SIG 522.

#100-014-665 10-Rd Sonic X .22 LR Mag, 1B16K14..... \$ 18.99

50-RD DRUM MAGAZINE - Dependable, supercapacity drum magazine lets you shoot extended 50-round strings for plenty of plinking fun with a semi- or full-auto .22 LR conversion. Same rugged polycarbonate construction as the Black Dog .22 LR box magazine. Easy to disassemble for cleaning (instructions included).

SPECS: Injection-molded polycarbonate, smoke, Standard model fits AR-15/M16 with a CMMG .22 LR conversion kit or similar Atchisson-type conversion system. May require some fine tuning to ensure proper feeding in full-auto rifles. M&P15-22 fits Smith & Wesson M&P15-22 rifle only.

#100-005-584	Standard 50-Rd Drum Magazine, 1862804	\$ 72.99
#100-009-124	<b>M&amp;P15-22 50-Rd Drum Magazine,</b> 1B71Q19	88.99

.22 LR MAGAZINE LOADER - Easy to use loader helps you quickly fill up your Black Dog .22 LR AR-15 conversion magazines without finger strain. Slide the loader over the magazine, push down, insert round, release and repeat until magazine is full. Molded from durable, fiberglass-reinforced polymer that resists impact and solvents to provide years of service.

Magazine not included SPECS: Fiberglass-reinforced molded polymer, black, Fits Brownells, Black Dog Machine, and Ciener magazines for .22

#100-005-583 .22 LR Magazine Loader, 1B11K69 ..... \$ 12.99

### **BROWNELLS** AR-15/M16 Retro EARLY-STYLE 20-RD "WAFFLE" MAGAZINE

Forget About Scrounging for Battered Originals! Brand-New "Waffle" Mags Are Available Again

Our Retro Waffle magazine is a close replica of the original military M16 magazines issued in the late 1950s and early '60s. With the distinctive waffle pattern stamped into its steel (NOT aluminum!) body, just like the originals, our Waffle magazine gives the final touch of period accuracy to your "Retro" reproduction rifle. Most of the original USGI waffle mags were destroyed by the Department of Defense and so are extremely rare and hard to come by - and the few that survive are collector's items too valuable to shoot. Our mags give you the period-correct appearance at a fraction of the cost, with 100% up-to-date and reliable innards for dependable function in ANY AR-15 - new, old, or reproduction. It has a fully heat-treated (for strength) carbon steel magazine body with the waffle pattern crisply stamped into the sheet metal and a durable, period-correct matte black Parkerized finish. The floorplate and spring are from the Brownells USGI 20-round aluminum magazines.

With a Retro Waffle 20-round M16 magazine, you give your retro AR-15 build the right vintage military look. The waffle texture gives any AR-15 shooter extra "purchase" to aid in fast mag changes in non-retro rifles, too.

**#078-000-365** Early AR-15 "Waffle" Mag, 20-Rd, 9Z43K99 . . \$ 54.99

#### CMMG AR-15 MKW-15.458 SOCOM MAGAZINE

Optimized To Feed Big Bore AR Ammo Smoothly & Reliably

Big bore cartridges that are short enough to fit the standard AR-15 platform are becoming ever more popular, including the hard-hitting .458 SOCOM. In theory, the .458 is supposed to feed from a standard 5.56/.223 magazine, but

in practice.... reliability can be a problem. CMMG has solved it with this dedicated magazine optimized for the .458 SOCOM round. It's built on a proven Lancer L5 Advanced Warfighter Magazine polymer shell, with the steel feed lips modified to better control the squat .458 cartridges and keep them feeding RELIABLY. As a bonus, these mags will still hold and feed 30 rounds of .223/5.56 NATO ammo and function fine in your standard AR-15.

#100-037-946 .458 SOCOM MKW-15 Mag, 10-Rd, 3B27M19 . . \$ 31.99

### **BROWNELLS AR-15/M16 MAGAZINES**

#### The Most Up-To-Date & Reliable Civilian Magazine Available

We've offered these aluminum-bodied, military-type AR-15/M16 magazines for many years. The difference between ours and similar-looking but cheaper alternatives is not in the configuration but in the quality of the materials and workmanship. When we originally decided to sell AR-15/M16 magazines, reliability was our first priority. According to our customers, who have purchased hundreds of thousands of these mags over the years, we succeeded!

But magazine technology has moved on in the last 15 years, even for the classic Brownells 30-rounder. This new edition of Old Faithful has been upgraded with a Magpul® Enhanced Self-Levelling Follower<sup>TM</sup>. Its four-way anti-tilt design fully supports the round stack and helps keep it moving steadily, smoothly, and consistently to ensure flawless feeding in the harshest tactical or competition conditions. A small upgrade, maybe – most of the time the old green

plastic USGI follower works just fine. But why skimp? The other components are made of mil-spec materials and manufactured under strict ISO quality-control standards. The heat-treated, welded aluminum body is hardcoat anodized for superior corrosion resistance, then given a tough, dry-lube coating to eliminate the need for additional lubricants that would attract dust, sand, or dirt. Inside, a corrosionresistant stainless steel spring provides the power. Load these mags to maximum capacity, and fire the full 30 rounds you expect. No jams, no misfeeds, no hangups. The straight-body 20-round model has the same features but retains the older-style military-type follower.

We've often said it: your rifle is only as reliable as its magazine. When the difference between a "bang" and a "click" is life and death, magazine failure is more than inconvenient – it can be fatal. You need a magazine of uncompromising quality and reliability that's built to last and ready to run hard. Make sure the magazine in your AR-15 is from Brownells.

SPECS: Aluminum body, hard-anodized, with dry-lube coating. Stamped steel floorplate, black oxide finish. Green reinforced polymer resin follower. Stainless steel spring. NOTE: Exterior of magazine bodies will show some scuff marks where they have been tested in jigs at the factory for dimensional compliance


	#078-000-454	<b>30-Rd AR-15 Magazine,</b> Gray, <i>5C12l74</i>	\$ 14.99
	#078-000-595	<b>30-Rd AR-15 Magazine,</b> Gray - 10-Pak, <i>8G117L04</i>	119.99
	#078-000-596	<b>30-Rd AR-15 Magazine,</b> Gray - 100-Pak, <i>8G00NFF</i>	1399.99
	#078-000-455	<b>30-Rd AR-15 Magazine,</b> Desert Tan, <i>5C13F59</i>	16.99
	#078-000-597	30-Rd AR-15 Magazine, Desert Tan - 10-Pak, 8G00AYI.	159.99
	#078-000-598	<b>30-Rd AR-15 Magazine,</b> Desert Tan - 100-Pak, <i>8G00FYJ</i>	1399.99
	#078-000-160	<b>20-Rd AR-15 Magazine</b> , <i>9Z14P04</i>	15.99
	NEW 078-000-186	<b>20-Rd AR-15 Magazine,</b> 10-Pak, <i>8G121N54</i>	142.99
	NEW 078-000-181	<b>20-Rd AR-15 Magazine,</b> 25-Pak, <i>8G297C49</i>	349.99
•	NEW 078-000-183	<b>20-Rd AR-15 Magazine,</b> 100-Pak, <i>8G1189M14</i>	1398.99

5.7x28mm

#### CMMG AR-15 — **CENTERFIRE CONVERSION MAGAZINES**

Purpose-Built for Reliable Operation in PCC Conversions

The problem with pistolcaliber AR-15 conversions is that you need either a purpose-built lower receiver OR a magwell insert so you can



ammo. CMMG has solved that with these magazines that have standard 5.56/.223 30-round mag exterior dimensions but hold the smaller pistol cartridges inside. They're designed to work with CMMG's Radial Delayed Blowback upper receivers. They will trip the last-round bolt hold open function of these receivers. 9mm mags use a Magpul® PMAG® Gen M3 mag body with CMMG's 9mm ARC magazine conversion assembly inside. CMMG recommends using a standard carbine buffer and action spring to reliably cycle the action when using these mags and the RDB upper. So go ahead - grab that old mil-spec lower and make a Pistol Caliber Carbine out of it! .350 Legend mag is a straight-body steel mag with a yellow polymer follower for AR rifles converted to this popular new deer cartridge.

#100-044-583	<b>5.7x28mm Conversion Mag, 40-Rd,</b> 3B38D05	\$ 39.95
#100-044-584	3-Pak of 5.7x28mm Conversion Mags, 40-Rd, 3B00KXC	99.95
#100-035-781	9mm ARC Conversion Mag, 10-Rd, 3B00MVM	47.99

#### CMMG AR-15/M16 .22 LR CONVERSION MAGAZINE

Rugged, Smooth-Feeding Full-Size Magazine For AR-15.22 Conversions

Rugged, dependable "22ARC" magazine is specifically designed to help ensure reliable feed and function with CMMG and similar Atchissontype .22 LR rimfire conversion systems. Injection-molded polymer construction stands up to the rigors of intensive plinking or tactical training. Mag body is the same size as a curved, USGI style



30-round magazine, so it fits conveniently in your existing magazine pouches and carriers. Self-lubricating follower keeps the round stack moving smoothly, and serves as a bolt hold-open device when the magazine runs dry. Easy to remove floorplate allows easy access for cleaning, or remove six hex-head screws for complete disas-

SPECS: Reinforced, injection-molded polymer, matte gray. Fits AR-15/ M16 with a CMMG .22 LR Conversion Kit or other Atchisson-type conversion system

#100-004-635	25-Rd .22 LR AR-15 Mag	, 3B22F94 <b>\$ 2</b>	6.99
#100-036-072	10-Rd .22 LR AR-15 Mag	, 3B21G24 <b>2</b>	4.99

#100-035-780	9mm ARC Conversion Mag, 30-Rd,	
	3B00MFR	47.99
NEW 100-054-308	.350 Legend Steel Mag - 20 Rd,	
	4X24J95	24.95



#### C-PRODUCTS/DURAMAG AR-15 "OTHER CALIBER" MAGAZINES

High-Quality Mags from a Major Manufacturer for Your Alternate-Caliber AR

C Products has long been a major supplier of M16/M4 magazines to the United States Department of Defense - and now they bring all their experience to making durable, reliable mags for ARs chambered in centerfire calibers other than the traditional .223/5.56 and .308/7.62. These mags are engineered with interior geometry and feed lips optimized for each individual cartridge to ensure reliable feeding and snag-free movement of the round stack internally. Mag bodies made of 410 stainless steel that won't flex, bend.



or bulge, plus EverFlex™ anti-fatigue springs ensure you can store these mags fully loaded with ammo for long periods of time without compromising their reliability. In certain applications, you can't send Plastic to do Steel's job! Duramag's T-360™ coating ensures smooth operation and product longevity through the harshest conditions. Each mag has clear markings on the exterior that indicate what cartridge goes in it to help reduce the risk of grabbing a mag and loading it up with the wrong ammo! 9mm magazines are for use in pistol-caliber AR-15s that use Colt-style SMG stick magazines.

#100-040-916	.350 Legend Mag, 5-Rd, 6H00JFS	\$ 17.99
#100-040-915	. <b>350 Legend Mag,</b> 10-Rd, 6H00IXM	17.99
#100-040-914	.350 Legend Mag, 20-Rd, 6H00DCS	19.99
#100-040-913	Colt-Style 9mm Mag, 10-Rd, 6H22L99	23.99
#100-040-912	Colt-Style 9mm Mag, 20-Rd, 6H00LDN	19.99
#100-040-911	Colt-Style 9mm Mag, 32-Rd, 6H00PLC	19.99
#100-040-917	.450 Bushmaster Mag, 5-Rd, 6H00FLF	24.99
#100-040-918	.450 Bushmaster Mag, 7-Rd, 6H00NBD	24.99

#### E-LANDER AR-15 "OTHER-CALIBER" MAGAZINES



A Purpose-Built All-Steel Mag To Help Your Grendel Growl, Your Valkyrie Fly & Your Big Bore .458 Boom

Feed your "other caliber" AR-15 the right way with these purpose-built magazines from E-Lander, designed for optimum feeding of these alternate (but increasingly popular) cartridges from mag to chamber. Constructed from stainless steel that has

been heat-treated for extra strength, and fitted with a heavy-duty steel floorplate, a high-strength magazine spring, and an anti-tilt follower for kickass reliability. Special exterior coating resists up to 96 hours of salt spray WITHOUT corroding. Made in Israel and thoroughly tested by elite Israeli military and anti-terror units - folks who don't joke around about magazine reliability.

#100-035-862			
#100-035-862 .224 Valkyrie Mag, 17-Rd, 8A22O94. 26. #100-035-863 .224 Valkyrie Mag, 24-Rd, 8A22M94 .26. #100-027-896 .6.5 Grendel AR-15 Mag, 4-Rd, 8A2DP24 .26. #100-026-279 .6.5 Grendel AR-15 Mag, 10-Rd, 8A22F49 .29. #100-026-280 .6.5 Grendel AR-15 Mag, 17-Rd, 8A22M49 .29. #100-026-281 .6.5 Grendel AR-15 Mag, 24-Rd, 8A22K49 .29.	#100-035-860	.224 Valkyrie Mag, 4-Rd, 8A22B94\$	26.99
#100-035-863	#100-035-861	.224 Valkyrie Mag, 10-Rd, 8A22J94	26.99
#100-027-896 6.5 Grendel AR-15 Mag, 4-Rd, 8A20P24	#100-035-862	.224 Valkyrie Mag, 17-Rd, 8A22Q94	26.99
8A20P24 . 26. #100-026-279 6.5 Grendel AR-15 Mag, 10-Rd, 8A22F49 . 29. #100-026-280 6.5 Grendel AR-15 Mag, 17-Rd, 8A22M49 . 29. #100-026-281 6.5 Grendel AR-15 Mag, 24-Rd, 8A22K49 . 29.	#100-035-863	.224 Valkyrie Mag, 24-Rd, 8A22M94	26.99
#100-026-279 6.5 Grendel AR-15 Mag, 10-Rd, 8A22F49 29. #100-026-280 6.5 Grendel AR-15 Mag, 17-Rd, 8A22M49 29. #100-026-281 6.5 Grendel AR-15 Mag, 24-Rd, 8A22K49 29.	#100-027-896	6.5 Grendel AR-15 Mag, 4-Rd,	
8A22F49 29. #100-026-280 6.5 Grendel AR-15 Mag, 17-Rd, 8A22M49 29. #100-026-281 6.5 Grendel AR-15 Mag, 24-Rd, 8A22K49 29.		8A20P24	26.99
<b>8</b> A22M49. <b>29.</b> <b>#100-026-281 6.5 Grendel AR-15 Mag</b> , 24-Rd, 8A22K49. <b>29.</b>	#100-026-279		29.99
8A22K49 29.	#100-026-280		29.99
#100-035-864 .458 SOCOM Mag, 10-Rd, 8A26H24 34.	#100-026-281		29.99
	#100-035-864	<b>.458 SOCOM Mag,</b> 10-Rd, <i>8A26H24</i>	34.99

#### **D&H INDUSTRIES AR-15 BIG BORE/ALTERNATE CALIBER**

**MAGAZINES** 

**Built To Ensure Another Round** Hits the Chamber Every Time the Action Cycles

Nothing fancy or high-tech here - just sturdy, well-made magazines built to run reliably. When you fire one round, you want the assurance of knowing a fresh round is going to hit



retions coated for resistance to surface wear.	
#100-034-425 6.5 Creedmoor Mag, 5-Rd (Pinned),	
9Z19D91	19.91
#100-034-423 6.5 Creedmoor Mag, 20-Rd, 9Z00GUP	20.59
#100-040-932 6.5 Grendel Mag, 10-Rd, 9Z00GCE	25.49
<b>100-040-930</b> 9x39mm Mag, 20-Rd, 7C52Q99	55.99
#100-034-422 .450 Bushmaster Mag, 4-Rd, 9Z22L94	26.99
#100-034-421 .458 SOCOM Mag, 4-Rd, 9Z22A94	26.99
#100-034-420 .458 SOCOM Mag, 10-Rd, 9Z22K94	26.99
_	

#### LANCER SYSTEMS AR-15/M16 L5AWM POLYMER MAGAZINE



For Professional Use Advanced Warf-Magazines iahter (AWM) fill the gap between the current metal and polymer magazine designs. These liahtweiaht

molded polymer magazines stand up to the rough handling and extreme conditions of tactical operations, including the heat and impact of sustained full-auto fire. Permanently attached, wraparound feed lips are made from a single piece of precision-formed, hardened steel that is PTFE coated for corrosion resistance. They help promote smooth ammo movement and will not deform when the magazine is stored fully loaded over a long period of time. Tested to withstand temperature extremes of -50°F to +180°F and a 5-foot drop fully loaded, onto concrete without impairment of function. Non-reflective exterior has molded-in ridges that improve structural strength and provide a solid grasping surface. Drops free from mil-spec magwells; load to full capacity and insert into weapon with bolt closed. 30-round model fits pouches designed for standard USGI-spec magazines. Anti-tilt follower and constant-radius body curve help ensure smooth, snag-free feeding. Hard polymer base plate provides a positive gripping surface for extracting mag from tight-fitting pouches and removes easily for cleaning.

SPECS: Molded hard polymer, translucent Smoke Gray, Black, or Dark Earth, Hardened steel feed lips, Fits AR-15/M16/M4 and clones chambered for .223/5.56mm. Also fits HK416, SA80, SCAR16, and Beretta ARX160.

#100-008-531	<b>L5AWM 30-Rd Mag,</b> Smoke Gray, 1C17Q47	19.99
#100-009-395	<b>L5AWM 30-Rd Mag,</b> Blk, 1C14D39	15.99
#100-009-396	L5AWM 30-Rd Mag, Dk Earth, 1C14I44	16.99
#100-008-532	<b>L5AWM 20-Rd Mag,</b> Smoke Gray, 1C17N09	17.99

### MAGPUL AR-15/M16

PMAG® GEN M3

Super-Durable & Ultra-Dependable PMAG -Refined & Battle-Hardened By Combat Experience

The polymer magazine that revolutionized magazine technology for the AR-15/M16/M4 platform just got even better. The third-generation PMAG further expands the strength, reliability, and versatility of the original




30-Rd GEN M3

40-Rd GEN M3 GEN M3

PMAG. Along with all variants of the AR-15/M16/M4, the GEN M3 is fully compatible with the HK® 416 and MR556A1, M27 IAR, British SA-80, and even the FN® SCAR™ MK 16/16S. It's molded from a new polymer formula that delivers distinctly greater resistance to crushing and all forms of impact, with extra reinforcement in the mag catch and feed lip areas. A new-design four-way anti-tilt follower ensures even smoother feeding, even when contaminated by dust or grit. Pop-off dust cover, included, helps minimize debris intrusion and prevent damage during storage. The removable floorplate is both stronger and slimmer for easier side-by-side carry in tight mag pouches. A pen dot matrix on each side allows consistent ID marking that resists handling wear. PMAG 30 is available with plain, solid sides or a clear polymer window on each side that lets you see the load status at a glance. Windows are made from an all-new, advanced clear polymer formula that offers even more resistance to chemicals and impact than the original MagLevel PMAG. PMAG 30 available in Black or "Medium Coyote Tan" (MCT). PMAG 40 has solid sides. The added capacity means fewer reloads, saving precious seconds for competition shooters. PMAG 30 AR 300 B is purpose-designed for the .300 AAC Blackout cartridge with internal geometry optimized to handle the wide variety of bullet profiles used in 300 BLK ammo. External texturing is distinctly different from 5.56 PMAGs to help prevent accidentally loading a mag with 300 BLK ammo in a 5.56 rifle, with potentially disastrous results.

SPECS: Impact/crush-resistant molded hard polymer, black. 30-round models also available in Medium Coyote Tan (MCT). Compatible with AR-15/M4/M16. HK® 416. MR556A1. M27 IAR. British SA-80. FN® SCAR™

MK 16/165, and 0	otner similar lowers. 5.56mm/.223 ammunitior	i oniy.
#100-011-220	PMAG 30 GEN M3, Each, 9Z13F31	\$ 14.99
#100-012-634	PMAG 30 GEN M3, 10-Pak, 9Z129E99	134.99
#100-024-603	MCT PMAG 30 GEN M3, Ea., 9Z12M79	15.99
#100-011-219	PMAG 30 GEN M3 Window, Ea., 9Z16P11.	17.99
	<b>PMAG 30 GEN M3 Window,</b> 10-Pak, 92154G99	161.99
	MCT PMAG 30 GEN M3 Window, Each, 9Z16D14	18.99
	<b>PMAG 40 GEN M3,</b> Each, <i>9Z18N31</i>	
#100-012-635	PMAG 40 GEN M3, 10-Pak, 9Z00HTB	182.99
	<b>PMAG 30 AR 300 B GEN M3,</b> Each, 9214K15	15.99
	<b>PMAG 30 AR 300 B GEN M3,</b> 10-Pak, 9 <i>2</i> 139 <i>G</i> 85	153.99
ments of the 30 form factor. De dard, the GEN I constant-curve not only helps	IM3 - Brings all the GEN M3 enhance- D-round model to the compact 20-round parting from the previous PMAG 20 stan- M3 features a curved body with the same e geometry of the 30 round model. This ensure more reliable feeding, but it gives	



position. Available in basic Black only. PMAG 20 AR 300B mag is specifically rifles chambered in .300 Blackout.


#100-011-413	<b>PMAG 20 GEN M3,</b> Each, <i>9Z12F59</i>	\$ 13.99
#100-015-263	PMAG 20 GEN M3, 10-Pak, 9Z00QNH	127.99
MEW 100-075-149	PMAG 20 AR 300B GEN M3, Each,	
	5H14B20	14.20

PMAG 10 GEN M3 - For the first time, there's an ultracompact 10-round PMAG model, perfect for hunting and other applications where the lowest possible magazine profile is desired. Ideal when shooting off a backpack or

#### **CROSS INDUSTRIES AR-15 10/10 COUPLING MAGAZINE**

Live in a Jurisdiction With a 10-Rd Mag Capacity Restriction? Don't Get Mad, Get CROSS!

Much as freedom-loving Americans hate to see it, there are a few places in this great country that restrict how many rounds its citizens can have in their magazines, 10 being the common number. Fortunately, the restrictions don't extend to preventing having more than one magazine or how close together two spare magazines can be. That's where the folks at Cross In-



#100-040-647	Cross 10/10 Coupling Mags, 10-Rd x
	2. 5C37H99 \$ 39.95

hinders you as little as legally possible!

using a bipod. Even better, the 10-round GEN M3 has all the durability, strength, and reliability enhancements of the rest of the GEN M3 line – including the anti-tilt follower and constant-curve radius of the body to aid in round-feeding. Available in basic Black only.

#100-011-418 PMAG 10 GEN M3, Each, 9Z12Q77..... \$ 13.99 #100-015-264 PMAG 10 GEN M3, 10-Pak, 9Z00DTJ.... 133.99

PMAG 10/30 GEN M3 - For folks who live in cities or states that don't trust you with more than 10 rounds in your gun, the Magpul PMAG 10/30 AR/M4 Gen M3 magazine holds only the restricted number of rounds BUT has the exterior dimensions and look of the standard, full-capacity 30-round PMAG. A riveted locking plate prevents these mags from being converted to standard 30-round capacity. Aside protecting you from being called "shorty" by your friends who live in jurisdictions where the Second Amendment is still the law, the PMAG 10/30 also lets you use readily available 30-round mag pouches!

100-075-150 PMAG 10/30 GenM3 Mag. 10-Rd. 1D17X05..... \$ 17.05

PMAG 30 AR 300 B GEN M3 - As the name indicates, this PMAG is purpose-built for rifles chambered for .300 AAC Blackout (BLK), with internal geometry optimized to accommodate the wide variety of bullet profiles used in 300 BLK cartridges. The external ribbing is different from the 5.56 PMAG 30, providing a distinct visual and tactile difference that helps prevent accidental loading and firing of a 300 BLK round in a 5.56 rifle, which can lead to disastrous results

#100-023-566 PMAG 30 AR 300B GEN M3, Each, \$ 15.99 9Z14K15.....

PMAG + MAGLINK KITS - Kit features a polymer magazine coupler and two 30 round mags. Select coupler and two M3 PMAGs, or coupler and two M3 Maglevel PMAGs with windows.

#100-015-739 AR15/M16 M3 PMAGs + MAGLINK, 9Z43I34.....

\$ 50.99 #100-015-740 AR15/M16 M3 MAGLEVEL PMAGs + MAGLINK, 9Z43M34.....

order on the web brownells.com



# MAGPUL AR-15/M16 PMAG® GEN M2 MOE® POLYMER MAGS

Rugged, Dependable & Nearly Indestructible

Exceptionally rugged, combat- and competition-ready 30-round magazine functions flawlessly and is plenty strong to stand up to hard use. The Magpul Original Equipment (MOE) GEN M2 PMAG has a one-piece body of corrosion-proof, self-lubricating, molded

polymer. The seamless body has nothing inside to impair follower movement, and the constant-radius internal curve further ensures smooth, unobstructed movement of the round stack. An anti-tilt follower stabilizes the stack to help prevent nose-diving and boltover-head failures. Magpul's reinforced polymer withstands the heat from prolonged full-auto fire and is not harmed by most bore cleaners and solvents. Exterior ribbing provides an excellent gripping surface when hands are wet or when you're wearing gloves. A notch for the magazine catch, rather than the traditional hole through the body, keeps dirt and debris out. The heat-treated, stainless steel spring is stress-relieved for optimal performance. Easy-to-grasp ledge on floorplate aids in extracting magazine from pouches; floorplate removes easily for cleaning. MagLevel model has windows on both sides of the magazine and a bright orange indicator to display ammo level.

**SPECS:** Reinforced molded polymer, stainless steel spring. 30-round capacity. Available in Black only.

pacity. Available in i	Black only.	
#100-003-119 🔘	<b>30-Rd PMAG GEN M2 MOE,</b> Each, 9 <i>Z</i> 111/53	\$ 12.99
#100-006-987	<b>30-Rd PMAG GEN M2 MOE,</b> 10-Pak, 9Z112D99	119.99
#100-003-144	<b>30-Rd MagLevel PMAG GEN M2 MOE,</b> Each, <i>9Z13K59</i>	16.99
#100-006-988	<b>30-Rd MagLevel PMAG GEN M2 MOE,</b> 10-Pak, <i>9Z142P99</i>	150.99

**PMAG+MAGLINK KITS** - Kits feature a polymer magazine coupler and two 30 round PMAGs.

**SPECS:** Includes polymer coupler and two 30 round magazines.

_	-	
#100-015-738	AR15/M16 MOE PMAGs + MAGLINK,	
	9Z40G79	. \$ 50.99

RANGER° FLOORPLATE - Replacement floorplate brings the speed and controllability of the original Magpul Ranger Floorplate to both 20- and 30-round GEN M2 MOE PMAGs for fast, secure tactical magazine changes under stress. Smoothly contoured, easy-to-grasp finger loop and grooved




thumb dimple aid in positive extraction from tight mag pouches and help you hang onto the empty magazine with just a finger after a tactical reload. Made from tough, reinforced polymer overmolded with soft, non-slip synthetic rubber that also cushions the magazine from impact if dropped on a hard surface. Includes molded-in para-cord hole for custom loop configurations. Easy, drop-in installation: simply remove the PMAG's factory floorplate as you do for cleaning, and replace it with the Ranger Floorplate. Sold in 3-pak.

SPECS: Reinforced polymer, rubber coated. 3 per pak. Fits all 30-rd GEN M2 PMAG models and older straight-body 20-rd PMAGs

M2 PMAG Models and older straight-body 20-rd PMAG	5.
#100-003-501 PMAG Ranger Floorplate, Black,	
9Z12C74	\$ 14.99
DUST COVER FOR GEN M2 PMAG - Quick-rele	ease

DUST COVER FOR GEN M2 PMAG - Quick-release coverseals out dirt, dust, and debris. Also alleviates feed lip deformation caused by pressure from long-term storage with a full ammo stack. Made from the same shock-resistant polymer as the PMAG body. ■

SPECS: Reinforced molded polymer, black. Fits all 20- and





# BROWNELLS AR-15/M16 MAGPUL PMAG® + AMMO CAN BUNDLES



Ten 30-Rd PMAGs, Plus a Convenient, Weatherproof Storage Container for Them

Handy bundles combine 10 of the ever-popular Magpul P-MAG 30-round

magazines in a sturdy ammo can for easy storage and transport of empty or loaded mags. The Gen M2 is the workhorse P-MAG, in service for well over 10 years and pretty much the magazine that proved even to die-hard critics that a polymer AR-15/M16 magazine was not only the equivalent to mil-spec aluminum body mags, but actually superior to them in some aspects. The Gen M3 PMAG has some upgrades (see separate listing) that some AR shooters prefer. All of our bundles come in a hard polypropylene MTM ammo can with a rubber gasket and secure compression latches that keep out moisture and dirt. Bundle 1 - standard Magpul GEN M2 PMAGs with no window. Bundle 2 - GEN M3 PMAGs no window.

Bundle 3 - Mangul GEN M3 PMAGs no window.

Dullate 5 Mag	parativis i mas, no window.	
#100-012-806	Bundle 1 - 10 Gen M2 PMAGs + Ammo Can, 1X128D34	\$ 150.99
#100-012-807	Bundle 2 - 10 Gen M2 MagLevel PMAGs + Ammo Can, 1X153M84	
#100-012-805	Bundle 3 - 10 Gen M3 PMAGs + Ammo Can, 1X144J49	169.99

### MAGPUL PMAG DRUM MAGAZINES

Huge Capacity Lets You Keep Sending Rounds Down Range While Others Are Reloading!

Magpul's entry into the super-high-capacity drum magazine business is configured so it's no taller than a standard 30-round mag, allowing for prone firing. Translucent window on back lets you keep track of ammo consumption. Ratcheting loading lever takes tension off the spring to make loading easier. Feed tower

works with USGI stripper clips and guides, the StripLULA™ and most other loading devices. Fully loaded drum will seat on a closed bolt, and it will lock the bolt back on the last round. Robust stainless-steel internals withstand corrosion and long-term storage while loaded with no spring fatigue or loss of reliability. Included slip-on dust cover keeps debris out of mag during storage and transport. Easy to disassemble for cleaning with a simple flat-blade screwdriver. Dot matrix pattern molded into rear of drum allows for easy marking and identification.

PMAG D-60 is compatible with "STANAG 4179" platforms chambered in 5.56 NATO and .223 Remington, including the AR-15, M4, M16, FN SCAR 16/165, HK416, MR556, M27 IAR, IWI Tavor, and others. PMAG D-50 LR/SR Gen M3 is designed for 7.62x51 NATO/.308 Winchester ammunition for SR-25/M110 pattern rifles and rifles that accept DPMS LR-308 steel mags, including Remington R-25. It can accept longer-than-SAAMI-spec match ammo, up to 2.830" OAL, such as M118LR. Will work in but not optimized for bolt lock open on DPMS Gen 2 LR-308 and clones. Not compatible with Armalite AR-10B, Springfield Armory M1A, Rock River Arms LAR-8, FN SCAR 175, PTR-91, HK417, or other rifles that use M14, FN FAL or H6K 91/G3 pattern magazines. ■

SPECS: Polymer, black. 7.4" (18.8cm) high, 4.1" (10.4cm) wide. Compatible with AR-15, M4, M16, SCAR MK16/16S, HK416, MR556, M27 IAR, IMI

<b>#100-016-592</b>	PMAG D-60 5.56/.223 Drum Magazine, 9Z121P42	\$ 124.99
#100-035-732	<b>PMAG D-50 7.62/.308 Drum Magazine,</b> <i>9Z135E84</i>	142.99



### MAGPUL AR-STYLE.308 PMAG® LR/SR GEN M3<sup>TM</sup>

Brings Third Generation Of Improvements To A Variety of .308 Rifles

Molded polymer magazines deliver all the benefits of the AR-15/M16 PMAG GEN M3s for ultra-reliable function in a

variety of AR-style rifles chambered in .308/7.62mm. They include the same anti-tilt follower, constant-curve body, low-profile ribs, snapon dust cover, and slim floorplate. Optimized for .308/7.62mm NATO ammunition within SAAMI overall length specifications. PMAG 25 LR/ SR comes with the anti-glare, transparent window on both sides and painted indicator on the spring to rapidly track remaining rounds. PMAG 25 M118 is specifically designed for enhanced reliability in rifles that accept longer than SAAMI-spec match ammunition with an OAL up to 2.830", such as Winchester .308 Match ammo. PMAG **20 LR/SR** is designed specifically for military-issue MK11/M110 rifles and is less than half the weight of a standard-issue steel magazine. Like the AR-15/M16 GEN M3, both 25- and 20-round models have aggressive front and rear texture for positive grip, plus a pen dot matrix on the lower panel of each side for durable, consistent identification marking. PMAG 10 LR/SR offers true 10-round capacity that does not require limiters, pins, rivets, etc.

SPECS: Impact/crush-resistant molded polymer, black. Stainless steel spring. Fits AR-style. 308 rifles built for the SR-25/M110 magazine pattern, including Armalite® AR-10A, Bushmaster 308 ORC, Colt LE901-165™, CORE Rifle Systems CORE30®, DPMS LR-308, JP Enterprises LRP-07™, Knights Armament SR-25, LaRue OBR™, Les Baer. 308, LMT®. 308 MWS, LWRCI™ R.E.P.R., Mega Arms MATEN, Patriot Ordnance Factory P308, Remington® Model R-25™, Ruger® SR-762™, S6W M6P10, and SIG716. Not compatible with Armalite AR-10B, Noveske N6, Springfield Armory, M1A™, Rock River Arms LAR-8, FN SCAR® 17S, PTR-91, HK417, or any rifle using M14. FN FAL. or HK 91/G3 patterned mags.

using 1-11 1, 11111	rie, or rin 51, as patterned mags.	
#100-011-564	PMAG 25 LR/SR GEN M3 Window, Each, 9Z21K84	\$ 22.99
#100-015-747	PMAG 25 LR/SR GEN M3 Window, 5-Pak, 9Z00EZK	109.99
#100-015-748	PMAG 25 LR/SR GEN M3 Window, 10-Pak, 9Z00HJB	209.99
#100-011-563	PMAG 20 LR/SR GEN M3, Ea, 9Z16D99	19.99
#100-015-745	PMAG 20 LR/SR GEN M3, 5-Pak, 9Z82G79	91.99
#100-015-746	PMAG 20 LR/SR GEN M3, 10-Pak, 9Z162Q50	182.99
#100-011-562	<b>PMAG 10 LR/SR GEN M3,</b> Ea, 9Z18J04	18.99
#100-015-743	PMAG 10 LR/SR GEN M3, 5-Pak, 9Z00LUN	87.99
	PMAG 10 LR/SR GEN M3, 10-Pak, 9Z00HLJ	170.99
#100-016-530	PMAG 25 M118 LR/SR GEN M3 Window,	
	Each, 9Z21B84	22.99

# MAGPUL AR-15/M16 ENHANCED SELF-LEVELING FOLLOWER

Won't Tilt; Feeds Rounds Smoothly; Helps Prevent Magazine-Related Failures

Drop-in replacement follower for USGI 30-round

magazines won't tilt, so it helps prevent jams, misfeeds, and other magazine-related failures. Rectangular extensions at the front and rear prevent tilt of the round stack to eliminate jams caused by over-compression and binding of the spring. Self-lubricating polymer composition helps ensure smooth movement for easy loading and ultra-smooth feeding. Extended bolt catch makes sure bolt locks open after the last round is fired. A spring stabilizer molded into the underside keeps spring force centered no matter how many rounds are in the mag, rounded edges on the extensions for even slicker movement in the mag body, and more streamlined ramp geometry for easier travel of the round from the magazine into the chamber.

**SPECS:** Molded polymer, high-visibility yellow. Fits standard 30-round magazine. Instructions included. Sold in 3-paks.

#### MAGPUL AR-15/M16 L-PLATETM

Protects USGI Mags From Impact On Hard Surfaces & Aids Extraction From Mag Pouches



The L-Plate is a replacement floorplate for current-issue USGI 30-round magazines that gives your AR mag a soft, rubber bumper pad that cushions it from damage when ejected on the hard ground. Low-profile – adds only ½ to mag when installed – yet also provides a secure grasping point for pulling mags quickly from mag pouches. Stainless steel core is overmolded with tough, durable Santoprene rubber, so the L-Plate handles all the tactical and competition abuse you can dish out. Holes through the L-Plate let you add paracord pull loops. Perfect enhancement for Brownells 20- and 30-round AR-15/MI6 magazines.

SPECS: Stainless steel internal plate overmolded with Santoprene rubber. Molded polymer spring plate. Fits current-issue USGI-type aluminum magazines. Will not fit Maguul PMAG or EMAG. Sold in 3-paks.

#100-007-635 USGI L-Plate 3-Pak, Black, 9Z16E14 . . . . \$ 18.99

### MAGPUL AR-15/M16 RANGER PLATE® FOR PMAG GEN M3

Easy-To-Grasp Loop For Fast, Positive Mag Handling



Replacement floorplate improves the handling of GEN M3 PMAGs and helps bring superior speed, precision and control during high-stress, tactical magazine changes. Similar to the original Magpul USGI Ranger Plate, the ergonomic design incorporates an easy-to-grasp finger loop and grooved thumb dimple that aid in positive extraction from tight mag pouches. Made of reinforced polymer with overmolded, nonslip rubber loop that also cushions the magazine from impact if dropped on hard ground.

SPECS: Reinforced polymer base, overmolded rubber loop, black. 3 per pak. 5.56 fits GEN M3 PMAGs for rifles chambered in 5.56x45 NATO/.223 Rem; 7.62 fits GEN M3 PMAGs for rifles in 7.62x51 NATO/.308 Win. Do not file SEN M2 MOE® PMAGS, EMAGTM, 30G MagLevelTM, old 7.62x51 PMAGS, or any metal magazine.

n ariy iriclaliria	gazirie.	
100-011-590	5.56 PMAG GEN M3 Ranger Plate 3-Pak,	
	9Z12I74\$:	14.99
100-014-094	7.62 PMAG GEN M3 Ranger Plate 3-Pak,	
	9Z16A14	18.99

# MAGPUL AR-15/M16 RANGER® FLOORPLATE



Easier Mag Changes With Just A Finger

Two-piece, slide-on replacement for factory floorplate has a smoothly con-

toured, easy-to-grasp finger loop that helps you perform lightning-fast magazine changes in high stress situations. Aids in fast, positive extraction from tight mag pouches and helps you hang onto the empty magazine with just a finger after a tactical reload. Also cushions magazine from impact when dropped concrete or other hard surfaces. Made from tough, yet soft, non-slip synthetic rubber over a stainless steel core that snaps into a reinforced polymer insert to keep the Rangerplate firmly locked to the magazine. Includes molded-in para-cord hole for custom loop configurations. Sold in 3-paks and available in Black, Dark Earth and O.D. Green.

**SPECS:** Synthetic rubber, stainless steel, and reinforced polymer. Fits 20-and 30-round USGI-style magazines. Instructions included. Sold in 3-paks.

#100-002-196	Ranger Floorplate, Black, 9Z16E14	\$ 18.99
#100-003-720	Ranger Floorplate, FDE, 9Z16B14	18.99
#100-003-721	Ranger Floorplate, OD Green, 9Z16G14	18.99

#### MAGPUL AR-15/M16/AR-STYLE.308 ROUND LIMITERS FOR GEN M3 PMAG®

Drop-In Insert Temporarily Reduces Mag Capacity

Hard polymer insert snaps into the floorplate to limit capacity for sporting or hunting applications. Installs easily without tools and requires no permanent alteration of the magazine. Will not make a banned magazine legal, as



capacity reduction is not permanent. Fits Magpul Gen M3 PMAGs only. **5.56 Minus 5** fits 10-, 20- and 30-rd mags. **5.56 Minus 10** fits 20- and 30-rd mags. **7.62 Minus 5** fits 10-, 20- or 25-rd mags. **7.62** Minus 10 fits 20- and 25-rd mags.

#100-011-629	<b>5.56 Minus 5 Limiter,</b> <i>9Z11C89</i>	\$ 13.99
#100-011-631	<b>5.56 Minus 10 Limiter</b> , <i>9Z11P89</i>	13.99
#100-014-092	<b>7.62 Minus 5 Limiter,</b> 9Z11/89	13.99
#100-014-093	<b>7.62 Minus 10 Limiter</b> , 9Z11/89	13.99

#### ORIGINAL BOB SLED PRODUCTS AR-15/M16

ORIGINAL BOB SLED

Single Round Loading For Competition & Varminting

Self-lubricating, Delrin® loading block replaces the magazine and follower for smooth, single round loading. Bolt holds open after every shot.



CNC-machined loading tray ensures proper cartridge alignment and reliable feeding. OBS10 provides a short, match-length loading block. **OBS20** is the same size and shape as a 20-round AR-15 magazine; approved for Service Rifle competitions.

SPECS: Delrin. OBS10 - Approx. 21/2" (6.4cm) long, 7/8" (2.2cm) wide, 3" (7.6cm) high. **OBS20 -** Approx. 2<sup>1</sup>/<sub>2</sub>" long, <sup>7</sup>/<sub>8</sub>" wide, 5" (12.7cm) high. Fits

AIN-13/14110, .223	Cal.		
#100-001-736	OBS10 Bob Sled,	7A47L19	\$ 58.99
#100-001-737	OBS20 Bob Sled,	7A44L79	55.99

#### PRO MAG AR-STYLE.308 20-ROUND MAGAZINE

Fits Most AR-Style .308 Rifle Platforms

Rugged steel, phosphate-treated magazine stands up to the harsh conditions of combat and competition. Self-lubricating polymer follower and heat-treated, precision-wound spring delivers 20 rounds of ammo reliably and

consistently. Steel floorplate easily removes for cleaning. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight's Armament SR-25, Remington R-25 (.308), and Stoner SR-25.

SPECS: Steel, heat treated, black oxide finish, polymer follower, 20-round capacity. 55/8 long. Fits DPMS Panther LR series rifles (.243, .260, .308 cal.), Knight SR-25, Remington R-25 (.308), and Stoner SR-25. Does not fit the ArmaLite® AR-10®, Rock River Arms, or any rifle using an FN/FAL magazine.

#687-000-069 AR-Style .308 Magazine, 7H22A94...... \$ 26.99

### POLYMER80 AR-15/AR-50



#### The Reliable Mag You Want in Your Big Bore AR

Polymer80's magazine features a heavyduty, reinforced polymer body, with an innovative floorplate design that ensures it'll consistently hold a full 10 rounds of .50 Beowulf. At the same time, this mag extremely strong - ready to take the knocks and bumps of competition shooting - AND also lightweight. Most

importantly, the P80 team designed this magazine expressly for the unique size, shape, and characteristics of .50 Beowulf cartridge. It's not a modified mag meant for a different round that was "lashed up" to sort of work for .50 Beowulf. When you lock this into your Big 50's magwell, you can be sure it'll deliver all 10 rounds reliably, without hang-ups, jams, or leaving you high and dry with a disabled rifle. Available in Black (BLK), Flat Dark Earth (FDE) or O.D. Green (ODG) to match your Polymer80 "AR-50" receiver.

#100-030-124	<b>10-Rd .50 Beowulf Mag,</b> BLK, <i>9D10B20</i> \$	12.00
#100-030-125	<b>10-Rd</b> . <b>50 Beowulf Mag,</b> FDE, 9D10G20	12.00
#100-030-126	10-Rd .50 Beowulf Mag, ODG, 9D10F20 :	12.00

SMITH & WESSON M&P15-22

ited full-length mag body or compact short body (SB)

### **10-RD.50 BEOWULF MAGAZINE**



### NEW

#### THRIL AR-15 PMX MAGAZINE

SUREFIRE AR-15/M16 **60-ROUND MAGAZINE** 

More Firepower & Fewer Mag Changes

running longer between mag changes during com-

petition or tactical operations. These magazines

meet NATO STANAG 4179 specifications and are

compatible with all rifles that accept AR-15/M16/M4

magazines. Less than two standard magazines wide.

so it's easy to hold and handle with one hand - and

fits most dual-mag pouches for 30-round magazines. Weight is

centered under the weapon to help you maintain a normal shooting

grip and stance. Seats fully loaded on a closed bolt. "Nesting" nylon

followers require no lubrication and fully support the round stack to

aid in reliable feeding. Cadmium coating on springs reduces friction

SPECS: Aluminum body, hardcoat anodized, matte gray finish. Nylon followers. Cadmium-coated springs. 8.7" (22.1cm) tall, 1.66" (4.2cm) wide at base. 6.4 oz. (181g) wt. empty, 2 lbs. (907g) wt. fully loaded. #152-000-096 Surefire 60-Rd Magazine, 6H121G30 .. \$ 130.99

Ultra-high capacity magazine keeps your rifle

Robust, Reliable, Ergonomically Contoured 30-Rd Mag That's Easy To Grab Hold Of



and resists corrosion.

We are thrilled to offer these 5.56x45 NATO mags from THRIL, a relatively new brand in the Brownells lineup. THRiL, whose name stands for "Tactical, Hunting, Recreation, Loyalty," has developed this 30-round magazine with an "elastomeric" (rubberized) base plate for those times you need to steady the rifle on the mag to take a shot. The mag body has impact-resistant polymer-matrix (PMX) construction to give exceptional strength and extreme durability. The ergonomic shape of the exterior, along with the distinct but non-abrasive texturing means you have

an excellent grip on the PMX mag for super-fast magazine changes. There's a tough stainless steel mag spring inside propelling the bright red polymer anti-tilt follower that gives instant visual feedback that the mag is indeed empty when you peek through ejection port. Fits mil-spec AR-15/M16/M4 rifles and pistols chambered in 5.56 NATO or .233 Remington. Also fits FN SCAR 16, Heckler & Koch HK416/MR556, and SIG MCX.

#100-054-280	30-Rd PMX Magazine, Black, 8M10199 \$	11.99
#100-054-281	<b>30-Rd PMX Magazine,</b> FDE, 9N10U99	11.99
#100-054-282	<b>30-Rd PMX Magazine,</b> Gray, 1P10V99	11.99

#### **MEAN ARMS AR-15 ENDOMAG 9MM MAGAZINE ADAPTER** Mag Adapter that Lets You Build a PCC

on a Standard Lower

The EndoMag® conversion unit slips inside a Magpul® GEN M2 or GEN M3 PMAG® 30-round .223/5.56 magazine and converts it to 9mm Luger. The result is that you can use a standard AR-15 lower receiver for your "AR-9" pistol or PCC build. You can also continue to use all your .223/5.56 magazine pouches, and mag changes feel the same with your PCC - nothing conflicts with your existing "muscle memory" because you're us-

ing the same magazine! NO need for a magwell adapter or for an expensive, dedicated 9mm lower receiver. The EndoMag is NOT a picky eater - it handles all 9mm Luger (9x19mm) ammo, even hollowpoints. Its built-in ejector tab means it will work in guns with bolt/ carrier groups designed to handle both Glock® pistol or Colt subgun stick magazines. The last-round bolt hold open function can be easily modified from 10-round to 30-round capacity in five-round increments. Complete EndoMag Magazine - If you live in a jurisdiction that prohibits you from owning magazines that hold more than 10 rounds.... we feel for you. And Mean Arms has developed their complete, 10-round EndoMag for you. A 10-round limited conversion unit already inserted into a PMAG, it helps folks who can't buy 30-round mags in the first place to convert them.

#100-036-246	<b>AR-9 EndoMag,</b> 30-Rd, <i>8G00PYA</i>	\$ 29.99
#100-036-247	<b>3-Pak of AR-9 EndoMag,</b> 30-Rd, <i>8G00ISE</i>	79.99
#100-036-248	AR-9 EndoMag, 10-Rd/Blk, 8G00MZG	44.99
#100-036-249	AR-9 EndoMag, 10-Rd/Coyote, 8G00ELG	44.99

METALFORM AR-15/M16

9MM COLT-STYLE MAGAZINE

All-Steel Construction For Reliability & Durability

Rugged, all-steel, high-capacity magazines

for 9mm AR-15 conversions that use a Colt-style

### 6.8MM MAGAZINE

**Durable Steel Magazines Resist Wear,** Maintain Their Shape

bered AR with long-wearing, extra-tough steel magazines. Hardened steel bodies with tempered feed lips hold their shape



#714-000-002	10-Round 6.8mm Mag,	4A37B39	\$ 43.99
#714-000-010	15-Round 6.8mm Mag,	4A36Q54	42.99
#714-000-001	25-Round 6.8mm Mag,	4A39E09	45.99



assist button for fast reloads, and viewing slot to show you exactly how many rounds you have left. SPECS: Reinforced injection-molded polymer. Approx. 81/4" (21cm)" long  $x^{7/8}$ " (2.2cm) thick. Fits M&P15-22. **10-Rd** available with round-count lim-

#940-001-027	<b>M&amp;P15-22 Magazine,</b> 25-Rd, 4Z27A19	\$ 33.99
#940-001-044	<b>M&amp;P15-22 Magazine,</b> 10-Rd, 4Z22B09	25.99
#940-001-043	<b>M&amp;P15-22 Magazine,</b> 10-Rd SB, 4722G09	25.99

#### **BOONIE PACKER PRODUCTS AR-15** S&W RIMFIRE MAGAZINE ADAPTER

Lets You Use S&W M&P15-22 Mags With Your CMMG .22 Conversion

Easy-to-install adapter converts the reliable, easy-toload Smith & Wesson M&P15-22 magazine for use in an AR-



15 fitted with a dedicated .22 LR upper or a CMMG conversion unit. Unique design has an independent bolt catch that locks the bolt back on the last shot and keeps it there when the magazine is removed, just like on a standard centerfire AR-15. This allows easier reloads and provides a visual indicator that the gun is empty after the last round is fired. Will not fit DPMS, Chiappa, and Tactical Solutions units. SPECS: 6061 aluminum body, natural finish. 1018 steel bolt catch, case-

order on the web

brownells.com

BROWNELLS PAGE 81

#620-000-024 10-Rd 9mm Colt-Style Mag, 2F31/49.... 41.99

Orders: 800-741-0015

magazine. Metal follower won't distort under a full load and aids smooth, reliable feeding. Hold-open feature works with ARs fitted with hold-open on the conversion block. Easy-to-remove floorplate makes disassembly fast and simple. Fits Colt and Rock River conversions with a lower receiver con-

version block. SPECS: Steel, Parkerized, dark grav (32 round), or black oxide finish (10 round & 20 round).

#620-000-021 32-Rd 9mm Colt-Style Mag, 2F33Q74 . . \$ 44.99 #620-000-020 20-Rd 9mm Colt-Style Mag, 2F30L39... 37.99

Item AMERICAN TACTICAL IMPORTS AR-15 SCHMEISSER S60 MAGAZINE

If a Standard 30-Rd Mag in Your AR Is Good, This 60-Rd Mag Is Twice as Good!

Made for American Tactical by the German arms manufacturer Schmeisser GmbH, the S60 magazine is designed to do one thing well: feed twice as many rounds into your rifle as a standard-capacity magazine without hangups or failures. The benefit for you is having to make mag changes only HALF as often. Made from glass-reinforced polymer, it has a proprietary follower system that enables double mag capacity without being bulky or cumbersome. And it's equally happy feeding .223 Remington or military 5.56x45mm NATO.

(It may not work with all brands of .300 Blackout ammo. Don't buy a 1,000-round case of 300BLK ammo before you've tested it to make sure it feeds!) The S60 even has a last-round bolt-hold-open tab integrated in the follower. Window model has clear polymer window in both sides to give your a precise read on remaining ammo.

#100-040-535	<b>60-Rd Schmeisser AR-15 Mag</b> , 3E50J00	\$ 57.99
<b>100-042-366</b>	60-Rd Schmeisser AR-15 Mag w/ WINDOW, 4Z63B99	67.74

PRECISION REFLEX, INC. AR-15/M16

Make the most of your 6.8mm cham-

steel springs help maintain reliable feeding and function even with the heavier 6.8mm cartridge. Lightweight, Magpul brand, nylon composite followers are marked 6.8 to avoid confusion with AR magazines for other calibers. Available in 10-, 15-, or 25-round ca-

SPECS: Steel, blue, Fits, AR-15/M16 rifles chambered for 6.8 x 43mm Rem, SPC.

#714-000-002	10-Round 6.8mm Mag,	4A37B39	\$ 43.99
#714-000-010	15-Round 6.8mm Mag,	4A36Q54	42.99
#714-000-001	25-Round 6.8mm Mag,	4A39E09	45.99

#### Sinclair AR-15 **ALUMINUM SINGLE SHOT FOLLOWER**



Allows Single Loading Of Long Varmint/Target Cartridges

Easy to install, one-piece insert machined from solid aluminum bar stock

rests on top of factory magazine follower to allow single shot loading of long cartridges with heavy varmint bullets. Prevents bullet or case damage caused by normal feeding from magazine. Perfect for precision target competition or varmint hunting. Fits Brownells 20and 30-round magazines and similar USGI-type mags. No need to disassemble magazine to install because follower slides in from the top. Locks bolt open after the shot. Clear anodized to resist wear: silver color contrasts with plastic factory follower to give you instant visual recognition that the insert is installed.

SPECS: Aluminum, anodized, natural silver finish. Fits USGI-style metal magazines.

**#749-002-692** Single Shot Follower, 8H14M99 . . . . . \$ 19.99



Magazines not

#### **BROWNELLS** AR-15/M16 **MAGAZINE COUPLER**

Keeps A Spare Mag Ready For An Instant Reload

Tough, molded nylon magazine coupler binds a backup magazine directly to the mag in the gun for lightning fast tactical reloads without moving your trigger hand. Three, steel bolts let you adjust retention force, so the magazines won't slip out even during vigorous combat maneuvers. Side-by-side configuration with staggered heights, plus fixed standoff points between the compartments further ensure the magazines won't shift position or rattle. Includes a Top Round Protector (TRP) to protect the

feed lips of the backup mag, prevent accidental dislodgement of the top round, and keep out dirt. TRP instantly detaches by applying downward thumb pressure on the release tab while pushing forward. Rubber retention strap keeps TRP from getting lost. SPECS: Molded nylon, black, with steel tension adjustment bolts. 23/4" (7cm) long, 27/16" (6.2cm) wide, 31/4" (8.3cm) high,

#080-000-511 Mag Coupler For AR-15, 9B15M99..... \$ 19.99

### MERCOB SECURITY GROUP AR-15/M16 PMAG® MAG GRIP

Securely Clamps Two PMAGs For Fast Reloads In Combat Or Competition

Lightweight, low-profile clamping system attaches the backup magazine directly to the one in the gun for ultra-fast reloads. Holds two 20- or 30-round Magpul PMAGs side by-side, with a tension-adjustable coupling that prevents the spare magazine from shifting. Precision-machined from billet aluminum with minimal bulk and smooth, radiused edges that won't abrade the hand. Rugged and reliable enough for tactical and competition use. 💻

SPECS: Tempered aluminum, hardcoat anodized, matte black. Fits all models of 20- and 30-round .223/5.56mm Magpul PMAGs.

#100-004-542 PMAG Mag Grip. 8K23B99 ...... \$ 29.99

**OLONGAPO OUTFITTERS AR-15/M16** 

**GRAB & GO MAGAZINE POUCH** 



#### MAGPUL AR-16/M16 MAGLINK FOR PMAG®

Links Two 30-Round PMAGs Together So You Always Have A Reload With The Weapon

Reinforced polymer magazine coupler allows you to clamp two 30-round PMAGs to each other for super-fast reloads because you'll always have an additional 30 rounds with the gun. The two polymer links secured by two steel bolts hold both

mags firmly, with no rattling or play. Designed for use with currentproduction PMAG and MagLevel PMAG only.

SPECS: Reinforced hard polymer, matte black. Fits current-production 30-round PMAG, including Gen M2 MOE and Gen M3. Not compatible with the first-generation PMAG with black follower, 20-round PMAG, EMAG, PMAG 30G, or 7.62/.308 PMAG.

#100-009-583 Magpul MagLink, 9Z16A14...... \$ 18.99

#### **BOONIE PACKER AR-15/M16 IMPROVED REDI-MAG**

#### Holds A Spare Magazine On The Receiver For Ultra-Fast Reloads

Don't lose precious seconds in competition or combat fumbling for a spare magazine during a reload. This rugged speed loading system clamps directly to the lower receiver of any AR-15/ M16 rifle or carbine and securely holds a second, fully loaded magazine alongside the mag well for super-fast mag changes. More reliable and easier to use than improvised methods, like taping two



Machined Aluminum

magazines together, that can cause malfunctions at critical moments. Closed-top design protects the spare mag from rain, dirt, dust, and debris and prevents the top round from jumping forward under recoil. Independent release system lets you drop the spare mag and the mag in the weapon separately to allow tactical reloads and greater flexibility in clearing malfunctions. Installation requires no permanent alterations to receiver or mag well. Designed for milspec receivers; may not fit custom billet receivers. Standard Steel model features Boonie Packer's cleverly-designed Bolt Catch Extension (BCE) for mounting it directly to the factory bolt catch. Lets you release the bolt, with or without the Redi-Mag attached to the gun, simply by slapping the BCE with an open palm. Machined Aluminum model offers lighter weight and a hinged mounting bracket for easy attachment to your rifle; does not have BCE.

SPECS: Steel, Parkerized, or 6061 T6 aluminum, hardcoat anodized, both dark gray, with reinforced molded polymer BCE and spacer. 31/2" (8.9cm) long, 21/2" (6.4cm) wide, 23/4" (7cm) high. Weight: 8.4 oz. (234g) (steel), 5.6 oz. (159 g) (aluminum). Fits AR-15/M16/M4 rifles and carbines with

STOCK#	BCE	MODEL	PRICE
#100-004-455	YES	Standard Steel	7K93N59 \$ 103.99
#100-009-308	NO	Machined Aluminum	7K151L99 <b>\$ 159.99</b>

#### **MAGPUL INDUSTRIES AR-15/M16** standard forged lower receiver. THE ORIGINAL MAGPUL® Fast, Fumble-Free Mag Changes The product that launched Magpul! Thermo-



**AR-15 MAG WELL** 

Extra-Big Mag Well Lets You Insert Magazines On Feel Alone

Durable, black, polycarbonate mag well is oversized and ultra smooth on the inside for easy, friction-free magazine insertion. Easy-to-install, drop-in unit clamps together with three hex screws and makes it possible to change magazines without ever taking your eyes off your target! Black, matte finish matches most AR-15s. SPECS: Polycarbonate, black, matte finish. Approximately 311/16" (9.4cm) wide, 115/16" (2.4cm) tall. 2.4 oz. (68 g) wt.

#069-000-007 AR-15 Mag Well, 9F39F09 ...... \$ 45.99

#### CENTER MASS AR-15/M16 **PATROL RIFLE** INTEGRATED MAG POUCH

Ensures You Have A Critical Rifle Reload In An Emergency

Tough, molded polymer magazine pouch lets you carry an extra 20- or 30-round AR-15/ M16 magazine, including a Magpul PMAG, on

your duty belt behind any standard pistol magazine pouch. Provides a single ammunition management point, saves valuable belt space, and ensures you have a critical rifle reload with you when you need it. Open-top design and the adjustable, spring-loaded tension system holds the magazine securely, while allowing fast extraction under stress. Set screws let you adjust mag retention force and prevent shifting on belt. Can be worn in the vertical or horizontal position on duty belts up to 21/4" wide.

SPECS: Molded polymer, black. 41/4" (10.8cm) tall, 31/2" (8.9cm) wide, 1<sup>3</sup>/<sub>4</sub>"(4.4cm) thick. Fits mil-spec 20- and 30-round AR-15/M16 magazines and similar-dimensioned commercial magazines, including PMAGs.

#100-004-396 Integrated Mag Pouch, 1C44Q99..... \$ 49.99

wet conditions. Finger loop acts as shock absorber to protect maga-

zine from damage when dropped from rifle. Silences magazines

SPECS: Industrial thermoplastic, black, flat dark earth or olive drab de-

pending on model. Impervious to most chemical compounds. Pak of 3. **5.56 NATO** fits 20- and 30-round AR-15/M16. **7.62 NATO** fits AR-Style

#100-000-308 5.56 NATO Magpul, Black, 9Z8K49...... \$ 9.99

**#100-003-424 5.56 NATO Magpul, FDE, 9Z8C49...... 9.99** 

#100-003-425 5.56 NATO Magpul, OD Green, 9Z8M49.. 9.99

#100-000-310 9mm Subgun Magpul, Black, 9Z8Q49.... 9.99

stored next to each other in pouch.

.308. 9mm Subgun fits Colt SMG.

plastic loop installed on the base of a rifle or sub-

gun magazine provides an easy-to-grasp handle

for unsurpassed speed and controllability during

high stress, tactical magazine changes. Recessed,

#### Easy Carry Heavy-duty magazine pouch made from top-quality mil-spec materials slings over your shoulder, so you can easily carry up to eight, fully loaded magazines while on the move. Constructed of woven, water-repelling ballistic nylon that resists tearing and fraying. Heavy-duty stitching won't

Holds Plenty Of Spare Mags At The

Ready; Sling Over Shoulder For

edges are protected with tape binding.

you need a fast reload. Grommetted

#### give way under stress, and all exposed Magazines not included Adjustable carry strap of extra-tough nylon webbing lets you position the pouch exactly where you need it for fast reloads. Each compartment has a separate flap, so you won't expose the other mags to the elements when you retrieve one. Generously proportioned hook-and-loop fasteners keep the flaps securely closed, yet release easily when

7.62 G&G in O.D. Green

drain holes ensure mags don't get water logged when you're on patrol in the rain. Large pocket behind the mags, with full-width hook-and-loop closure, provides storage for maps or other flat items. .223 holds eight (8) 30-round .223/5.56mm AR-15/M16/M4 magazines. Has plenty of length to accommodate magazines fitted with the Magpul Ranger® Floorplate, including Brownells Tactical Magazines. 9mm holds six (6) UZI-style 9mm stick mags. 7.62 holds eight (8) 20-round magazines for M14/M1A, FN FAL, HK91, SCAR-H (SCAR 17), and Magpul 7.62 PMAGs.

SPECS: Heavy duty ballistic nylon, Coyote Brown or O.D. Green. .223 - 121/2" (31.8cm) long 8" (20.3cm) high. Holds eight (8) 30-round AR-15/ M16/M4 magazines. 9mm - 12<sup>1</sup>/<sub>2</sub>" long 9<sup>1</sup>/<sub>2</sub>" (24.1cm) high. Holds six (6) UZI-style 9mm stick magazines. **7.62 -** 14" long x 7" high. Holds eight (8) 20-round 7.62/.308 magazines, including M14/M1A, FN FAL, HK91, SCAR-H (SCAP 17) and Magnul 762 DMAGE

H (SCAR 1/), and M	agpul 7.62 PMAGS.	
#100-004-231	<b>.223 Grab &amp; Go Pouch,</b> Coyote, 3860Q29	\$ 66.99
#100-004-232	<b>.223 Grab &amp; Go Pouch,</b> O.D. Green, <i>3B54A89</i>	60.99
#100-004-233	<b>9mm Grab &amp; Go Pouch,</b> Coyote, <i>3B62l99</i>	69.99
#100-004-234	<b>9mm Grab &amp; Go Pouch,</b> O.D. Green, <i>3B64K79</i>	71.99
#100-012-179	<b>7.62 Grab &amp; Go Pouch,</b> Coyote, <i>3B57J59</i>	63.99
#100-012-180	<b>7.62 Grab &amp; Go Pouch,</b> O.D. Green, <i>3B58K49</i>	64.99

#### **BUTLER CREEK AR-15/M16** NEW! L.U.L.A. MAGAZINE

### LOADER/UNLOADER



Tough, lightweight, reinforced, polymer loader/ unloader saves fingers, thumbs, and wasted time. Extends magazine life and lessens wear and tear on feed lips. Staggered, triangular pieces of plastic securely grasp rounds for effortless loading/unloading when you move the lever back and forth. Fits in your pocket.



SPECS: Reinforced polymer. AR-15/M16 fits 10, 20, 30, 100-round .223/5.56mm magazines. AR-308 fits 5, 10, 20, 25 round magazines for DPMS LR-308 and Knight's Armament SR-25, including Magpul, POF USA, Lancer, LaRue Tactical, C-Products, and Oberland Arms. AR-10B® Gen II fits 5, 10, 15, 20, 25-round Armalite® AR10B® Gen. II metal magazines. Colt SMG fits Colt SMG 9mm-type metal and polymer magazines.

AR-15/M16 Mag Loader, 3Z00DUJ	26.99
AR-15/M16 Mag Loader - Dark Green,	
6B34G50	26.95
AR-308 Magazine Loader, 3Z27A54	28.99
AR-10B Gen II Mag Loader, 3Z27B54	28.99
Colt SMG Mag Loader, 3Z27H54	28.99
	AR-15/M16 Mag Loader - Dark Green, 6834G50

#### CALDWELL AR-15/M16 AR MAG CHARGER



Quickly Fills Up ANY AR-15 Magazine

Benchtop mag loader charges any AR magazine - aluminum, polymer, even high-capacity Beta mags - in seconds! Dump up to 50 rounds right

from the box into the AR Mag's reservoir, and load 5 rounds into the magazine every time you push the plunger. Spring-loaded carrier automatically advances the next row of 5 rounds into the loading chute until the mag is fully loaded. Comes with a transfer tray that lets you stage bulk ammo for dumping into the charger.

SPECS: Polymer construction. Works with .223, 5.56 NATO, or .204 Ruger

#100-014-051 AR Mag Charger, 7A00EMG......\$ 49.99

MAGAZINE

**ACCESSO** 

RES



#### MAGLULA AR-15/M16 **STRIPLULATM**

Easy, Painless Way To Load AR-15/M16 Magazines In The Field

Thumb-saving, lightweight magazine loader provides fast, painless 30-round magazine loading in less than 13 seconds. Accepts 10-round stripper clips or loose rounds for easy loading of 10-, 20-, and 30-round magazines, and is capable of unloading a 30-round magazine in 15 seconds. Ambidextrous, grooved thumb slide provides a

non-slip grip for right- or left-hand loading. Constructed of durable, reinforced polymer for dependable operation under extreme field conditions. Fits all AR 15/M16 metal and plastic magazines.

**SPECS:** Polymer, black. 5<sup>15</sup>/<sub>16</sub>" (13.5cm) long, 1<sup>1</sup>/<sub>8</sub>" (2.8cm) wide, 1<sup>3</sup>/<sub>16</sub>" (3cm) high. 1.2 oz. (34g) weight. Accepts 10-round stripper clips or loose rounds. Fits all AR-15/M16 magazines.

#100-003-330 AR-15/M16 Striplula, 3Z00GN/...... \$ 26.99



**PACK** Pick The Exact Blade You Need For Fast, Accurate Sighting

Seven, A2-style, front posts let you choose the right sight picture for improved hunting and target shooting

accuracy. Complete set of 7 blades: tapered, round post with .072" (1.8mm) ball top; tapered post with .052" (1.3mm) ball top; tapered post with .034" (.87mm) ball top; square post with .072" (1.8mm) square top; square post with .052" (1.3mm) square top; square post with .034" (.87mm) square top; and two-way .072" square post with V-notch top and inverted V (point up) top. SPECS: Steel, black, matte finish.

#923-000-038 AR-15 A2 Front Sight Pack, 3B28H04 . . . \$ 32.99



#### THERMOLD AR-15/M16 MAGAZINE CHARGER

Speeds Magazine Loading & **Preserves Fingers** 

Compact, economical, easyto-use stripper clips help you load AR-15 mags faster. Slide individual rounds on the 10-round

stripper clips, then push down on the top round to insert all 10 in the magazine without misalignment or damage to the bullet tips. Sold in paks of three, 10-round stripper clips.

SPECS: Zytel nylon, black.

**#100-005-864** Stripper Clip, 7C4A49 ...... \$ 5.99

#### MEPROLIGHT AR-15/M16 TRITIUM SIGHTS

For Low Light Tactical Operations

Replacement sights equipped with Meprolight's standard, Tritium inserts guaranteed by

the manufacturer for 12 years. Rear sight features a large, 2-dot peep with Tritium inserts for low light shooting, plus a smaller diameter peep sight without inserts for improved accuracy at longer ranges. Front post has single, short Tritium stripe.

SPECS: Steel sight body, blued. Tritium inserts. Set - Includes front and rear sight. Fits AR-15/M16 A1/A2 sight configurations.

#387-304-117	Front/Rear Sight Se	<b>t,</b> 2B81N70	\$ 86.00
#387-304-115	Front Sight, only, 21	334P20	36.00



#### TRIJICON AR-15/M16 **TRITIUM SIGHT**

**Self-Luminous Replacement Sights** 

The ultimate, self-luminous AR-15 sight. Improves sight pickup and visibility during low-light hours when game is most active. All sights include rugged

sapphire crystal, self-illuminating Tritium lamps for a bright, welldefined aiming point and extra-long life. Lamps guaranteed by the manufacturer to remain self-luminous for 12 years.

SPECS: Steel body, blued. Tritium insert. Includes front and rear sight unless shown in chart.

STOCK #	FITS PRICE	
#892-415-125	AR-15 A1/A2 front only	2H00LJS \$ 49.99
#892-415-025	AR-15 A1/A2 with 10-36 windage screws	2H00GBG \$ 68.99



#### HIVIZ AR-15/M16 FIBER OPTIC FRONT SIGHT

**Bright Fiber Optic For Easy Aiming** 

Replacement front sight post uses a light-gathering fiber optic rod to produce a bright, easy-to-acquire dot in all light conditions. Easily replaces the post in A1and A2-style sights, no gunsmithing re-

quired. Unique, U-shaped design of rod gathers far more light than a standard straight rod, perfect for low-light situations. Kit comes with two green and two red interchangeable rods that are easily removed and installed using the included removal tool, so you can customize the sight picture or replace a damaged rod quickly. Fully adjustable in 180° increments using supplied sight wrench, for a total elevation adjustment of up to 2.5" at 100 yards.

SPECS: Black steel post with 2 green and 2 red fiber optic rods. Includes replacement detent pin, sight wrench, optic rod removal tool, carrying case, and instructions

#638-000-081 AR-15 Fiber Optic Front Sight, 8C21A59. \$ 23.99

#### XS SIGHT SYSTEMS AR-15/M16 HIGH VISIBILITY SIGHTS

Fast, Accurate Sighting In All Light Conditions

WHITE LINE FRONT POST - Draws your eye to the sight and increases contrast on dark targets. Double-faced, 30° angle blade offers 2.5 MOA elevation per click. .080" wide version for improved accuracy at long range. 100" wide version is faster to acquire at close range.

SPECS: Stainless steel, black, matte finish. Includes sight adjustment tool. .080" (2mm) or .100" (2.5mm) wide post. .030" (7.6mm) wide, white stripe, square top.

#006-111-080 .080" White Front Post, 6K30E39.... \$ 31.99 #006-111-100 ( .100" White Front Post, 6K30N39.... 31.99

24/7 TRITIUM STRIPE POST - Features a strip of glowing, green, Tritium gas inset against a white stripe, surrounded by a .100" wide black blade. Ideal for lowlight tactical situations where rapid sight acquisition is

SPECS: Stainless steel, black, matte finish. .100" (2.5mm) wide post. square top. Green Tritium stripe is inset against the .030" (7.6mm) wide, white stripe.

#006-000-103() 24/7 Tritium Stripe Front Post, 6K57A59 .....

ROUND TOP TRITIUM DOT FRONT POST - Round Top, single-faced, .080" wide front post with a bright, green tritium dot with a .11" O.D. white ring for fast, low light, target acquisition. 5 MOA elevation per click. SPECS: Stainless steel, black, matte finish, Includes sight ad-

justment tool. .080" (2mm) wide, round top with .11" (2.8mm) O.D. white ring with tritium center.

#006-111-181 ( Round Top Tritium Dot Front Post, 6K57M59 . . . . . . . . . . . . . . . . . \$ 63.99

REAR APERTURE - Features two, flip-style apertures for close engagement and precision, distance shooting. Large, ghost-ring for close ranges has .230" I.D. opening; precision, long distance aperture with .100" I.D. opening. Elevation does not change when switching apertures. Direct replacement for factory rear sight, no modifications to the rifle are required. SPECS: Stainless steel, black matte finish. .230"

(5.8mm) I.D. large aperture, .100" (2.5mm) I.D. small aperture.

#006-111-001 ( ) AR-15/M16 Rear Aperture, 6K30E39 . . \$ 31.99

\$ 63.99

### A.R.M.S. AR-15/M16 **#71L FLIP-UP COMBAT SIGHTS**

XS SIGHT SYSTEMS AR-15/M16

**CSAT COMBAT SIGHT** 

Switch From CQB Mode To Long-Range

**Targeting Without Changing The Aperture** 

aperture allows the shooter to engage targets at

Easy-to-use replacement for standard A2 rear

ranges up to 300 yards without changing the aperture, eliminating

the need to reposition your head or take hands off weapon. The

.095" wide notch at the top of the dual-function aperture face pro-

vides point-of-impact zero that lets the operator engage close range

targets with ease by simply shooting to the point of aim like a pis-

tol. Takes the thinking out of the equation for fast, instinctive target

acquisition. Use the .070" diameter aperture below the notch for

precise long-range target engagement. Flip the CSAT face down to

reveal a standard, A2-style .200" diameter peep for close-range only

operations. CSAT is easy to zero; even easier to train shooters to use.

Zero the notch at 7 yards by aligning the front sight in the notch like a

handgun sight, then move back to 100 yards and zero the aperture.

Fire test shots sighted through the notch in 5-yard intervals, starting at 10-yards to determine where offset sets in; that's the range where

you should transition to the peep hole. Precision machined from

steel, with a serrated rear face that minimizes glare, and a dished

area around the peep hole that helps the eye acquire the front sight

quickly. Adjusts for windage and elevation just like a standard A2

peep. Developed by Paul Howe, combat shooting trainer and retired

#006-000-163 CSAT Combat Rear Sight, 6K35D99...\$ 39.99

U.S. Army assault team leader, sniper, and senior instructor.

SPECS: Steel, matte black finish. Fits A2-style AR-15/M16 rear sights.



Rugged, Lightweight Backup Sights For Your AR

Front and rear flip-up sights are made of tough, metal-reinforced polymer with steel apertures for both light weight and durability. Sights snap up into position in-

stantly under robust spring pressure when the finger pad is depressed, and can be easily retracted to the folded position with one hand. Front sight is designed to be mounted to a handguard rail on the same plane as the receiver rail; it is not designed to be mounted on a gas block. Rear sight has flippable apertures, large for close-range shooting (0-100m) and small for longer-range applications (100-300m), with a notch at the top for guick CQB sighting or engaging targets at 500-600m range. Sold individually and in a front/rear Set.

SPECS: Reinforced polymer, matte black. Steel apertures, matte black. Both sights are 5/8" high when folded, 13/4" total height when deployed. #71L-F Front Sight –  $2^{1}/4^{"}$  long,  $1^{3}/16^{"}$  wide. Not for use on a gas block. #71L-R Rear Sight - 21/4" long, 11/4" wide.

#100-007-994 #71L-F Flip-Up Front Sight, 3A38A24 ... \$ 44.99 #100-007-995 #71L-R Flip-Up Rear Sight, 3A57F79 ... 67.99 #100-008-108 #71L Front/Rear Flip-Up Sight Set, 3A90J09. . 105.99

#### KNS PRECISION AR-15/M16 KNS PRECISION FRONT SIGHT

Crosshair Sight Gives Scope-Like Sight Picture

CNC machined sight post has integral crosshairs to provide quick, consistent sight alignment for improved accuracy at any range. Large diameter aperture offers a wide field of view that does not obscure target; gives a sight picture that's like looking through a scope. Compatible with factory rear sights and variable-diopter target sights. A .250" hood shields crosshair from reflected light and offers excellent

protection of crosshairs for duty use. Fits AR-15, M16 and AR-style .308 rifles with standard AR-15 sight housings. **STD** has thin wire crosshair. Duplex is styled after the popular duplex scope reticle to improve low light visibility.

SPECS: Brass, black, matte finish. Beryllium crosshairs, heat treated. STD -.010" (.25mm) wire, Duplex .010"/.020" (.5mm) wire. .240" (6.1mm) dia.

STOCK #	STYLE	TYPE	PRICE
#923-015-002	STD	AR-15 Hood	3B25Q49 \$ 29.99
#923-000-002 🔘	Duplex	AR-15 Hood	3B25A49 <b>\$ 29.9</b>

#### A.R.M.S. AR-15/M16 — **#40L LOW-PROFILE FLIP-UP SIGHTS**



Spring-Loaded, Flip-Up Sights For Use With Or Without Optics

Compact sights stand only 5/8" high from top of flattop when folded. Sights mount easily to MIL-STD 1913 Picatinny rails; locknut

is retained by a safety wire, so you can't lose it. Non-snagging lever instantly releases the spring-loaded sight into the ready position. #40L Rear Sight is calibrated for 250 and 300 meter combat ranges, with windage adjustable in 3/4 MOA increments per click. NSN #1005-01-575-3508. Regulates properly with A2-height front sights and can be co-witnessed through an optic. Dual apertures are calibrated for close- and mid-range targets, simply aim through both or fold the first one down and use the second aperture. A dualfunction notch in the top of the aperture leaves is designed for ultrafast target acquisition at ranges under 50 meters AND also serves as a handy ranging aperture at longer distances. #40L-F Front Sight mounts to a handguard rail or gas block rail that is same height as receiver rail. Regulates with all A.R.M.S. rear sights. Front post is the same width as the standard M16A2 sight post.

SPECS: Apertures – Steel, matte black, Hardware - Stainless steel, matte black. Base - aluminum, hardcoat anodized, matte black. 23/16" (5.6cm) long, 13/8" (3.5cm) wide, #40L Rear Sight - 5/8" (1.6cm) high from flattop (folded), 15/8" (4.1cm) tall (deployed). #40L-F Front Sight - 5/8" (1.5cm) high from rail (folded), 13/4" (4.4cm) high deployed. For proper regulation with A2-type rear sight, must be mounted on a handguard rail or railed gas block that is the same height as the receiver rail.

#100-003-317 #40L Low Profile Rear Sight, 3A150P09. . \$ 157.99 #100-011-048 #40L-F Low Profile Front Sight, 152.99 3A141N43 .....

For more choices of A.R.M.S. SIGHTS visit brownells.com

order on the web brownells.com

**BROWNELLS** PAGE 83

Orders: 800-741-0015



#### CMMG AR-15/M16 FRONT SIGHT BASE

Standard Mil-Spec "F'-Type FSB & Gas Block Assembly; Stripped Base Also Available

Military-type "F"-marked front sight base/gas block made of hardened steel with a Parkerized finish. Fits barrels with .750" O.D. at the gas journal. Complete Front Sight Assembly includes an "F"-marked front sight base with A2 front sight post and sling swivel installed. Includes bayonet lug. Also available as a **Stripped Front Sight Base** alone. **Note:** Both models must be drilled for taper pins.

#100-044-628 Complete "F" Front Sight Base Assembly, #100-054-327 "F" Front Sight Base ONLY, 3B00HKF... 31.99



#### DANIEL DEFENSE AR-15/M16 **FIXED BACKUP SIGHTS**

Rugged, Reliable, Always-**Deployed Relief Sighting** 

Lightweight, streamlined backup sights are built on the K.I.S.S. principle to ensure the tactical operator has a reliable, always-deployed sighting option if the main optic fails. One-




piece design slides easily on a MIL-STD 1913 rail and clamps securely with a single machine screw. Rounded edges and recessed attachment screws resist snagging on other gear. A1.5 Rear Sight combines the windage adjustment drum of the original USGI A1 rear sight and a flip-up A2 aperture with large .190" peep for close range and .060" peep for long- range targeting. Compact profile doesn't hang over the rear of the receiver to interfere with the shooter's access to the charging handle. Front Sight has a standard, elevation-adjustable A2 post and a smooth, concave radius on the sides of the housing to provide a natural resting place for the support hand thumb to enable quick activation of a compact weapon-light or laser sight. SPECS: 6061 T6 aluminum, Type III hardcoat anodized, matte black. A1.5 **Rear Sight**  $-1^3/8$ " (3.5cm) long,  $1^1/4$ " (3.2cm) wide,  $1^5/8$ " (4.1cm) high from top of receiver rail to top of sight housing. 1.7 oz. (49g) weight. Front Sight - 1" (2.5cm) long,  $1^{1}/8^{\circ}$  (2.8cm) wide,  $1^{3}/4^{\circ}$  (4.5cm) high from top of receiver rail to top of sight housing. 1.1 oz. (30g) weight. For proper regulation with A1.5 or USGI A2-type rear sight, must be mounted on a handguard rail or railed gas block that is the same height as the receiver rail.

#100-004-457	A1.5 Rear Sight, 8KOOIMA	\$ 71.99
#100-004-759	Fixed Front Sight, 8KOOFEF	61.99

#### GG&G AR-15/M16 -A2-STYLE FLIP-UP REAR SIGHT

Fast Deployment, With Excellent Accuracy



surface. Clamps to Picatinny flattop rails and with proper setup will co-witness with an Aimpoint, EOTech, or similar red-dot sight system. Military A2-style double peep apertures give an excellent field of view for both short- and long-range targets. Includes a .062" diameter aperture for precision accuracy during daylight, especially at long range. Large, .195" diameter aperture provides a wide field of view for close quarters operations. Large, knurled windage knob is easy to grab and provides 0.48 MOA adjustment on M162E4 rifles

#### DIAMONDHEAD AR-15/M16 FLIP-UP SIGHT SET



#### Distinctive Diamond Shape **Helps Fast Sighting**

Flip-up backup sights have a unique diamond shape to both the rear aperture and the "ears" that both sights to give specific reference points that help your eye instantly center the target in the

sights. Clamps to securely Picatinny rail, with a locking system that ensures sights stay up securely and remain zeroed. When not in use, sights fold down with the push of a button Front sight has angled ears protect the A2-type post and serve as visual reference point. Rear sight offers dual same-plane short and long-range apertures, horizontal white reference marks, and 1/2 MOA windage adjustments. Folds and deploys with either aperture active.

SPECS: Machined 6061 T6 aluminum, Type III hardcoat anodized, matte black finish. Fits Picatinny rail. Front Sight - 1.1" (2.9cm) long deployed. 2.3" (5.9cm) long folded. 1.3" (3.4cm) wide. 1.9" (5cm) high deployed. .66" (1.6cm) high folded. Rear Sight - 1.1" (2.9cm) long deployed. 2.3" (5.9cm) folded 1.3" (3.4cm) wide, 1.9" (5cm) high deployed, .66" (1.6cm) high folded. #100-011-420 Integrated Sight System, 8D205G69... \$ 241.99

#### **GEISSELE AUTOMATICS AR-15 FOLDING BUIS SIGHTS**

Robust, Smooth-Operating "Back Up Iron Sights" With Geissele Quality

Whether running them as your primary aiming system or relying on them as a back-up in case your main optic goes down, Geissele Folding Sights will give you the



#100-040-937 BUIS Folding Sight Set, Blk, 7B189K99 \$	200.00
#100-040-938 BUIS Folding Sight Set, DDC, 7B203L99	215.00
#100-040-933 BUIS Folding Front Sight, Blk, 7B99M99	105.00
#100-040-934 BUIS Folding Front Sight, DDC, 7B108N99.	115.00
#100-040-936 BUIS Folding Rear Sight, DDC, 7B00BWB.	115.00

and 0.65 MOA on M4 carbines.

SPECS: Base - 6061 T6 aluminum, matte, black, hardcoat anodized finish. Aperture/Hardware - 4140 steel, matte, black, mil-spec manganese phosphate coating. 2" (5.1cm) overall length (folded), 15/32" (2.9cm) high extended, 11/16" (1.7cm) high folded.

#100-003-548 Std Backup Iron Sight, 6C113/89 . . . . \$ 133.99

#### KNIGHT'S ARMAMENT AR-15/M16 FOLDING SIGHTS

Low-Profile Backup Sights Won't Interfere With Primary Optic

Currently in use by the U.S. Army, Marine Corps, and various law enforcement agencies, these small, lightweight folding sights can be used in conjunction with most scopes, red dots or other optics. They attach to any Picatinny rail, and have a very small footprint, even when folded down.

FOLDING REAR SIGHTS - Calibrated for the trajectory of the 55-grain 5.56 NATO round, and set for either 300 or 600 meters. 300 Meter Folding - fixed-post aperture and adjustable for windage only. Includes a snap-in polymer insert to reduce aperture size for more precise aiming. 600 Meter Folding is adjustable for windage and



Foldina

features a rotating drum for fast elevation changes between 200 and 600 meters. 600 Meter Micro model has the same features, but have a smaller base and even lower profile when folded.

SPECS: Machined aluminum, hardcoat anodized, matte black. 300 Meter Folding - 2.2" long folded. 1.6 oz. wt. 600 Meter Folding - 2.2" long folded. 1.5 oz. wt. **600 Meter Micro -** 2.1" long folded. 1.5 oz. wt.

#100-015-205	<b>300 Meter Folding Rear Sight,</b> 4C208I24	\$ 244.99
#100-015-207	<b>600 Meter Folding Rear Sight,</b> 4C00NAB	201.99
#100-015-208	600 Meter Micro Rear Sight, 4C00ABE	158.99

FOLDING FRONT SIGHT - Designed to pair with the folding rear sights, these folding front sights mount to any Picatinny rail, and provide front posts shielded with protective ears. Micro has a proprietary front post and a thumbwheel for fast elevation adjustments. SPECS: Machined aluminum, hardoat anodized, matte black

finish. Folding M4 - 1.9" long folded. 1.6 oz. wt. Micro - 1.9" long folded.

#100-015-210	Folding M4 Front Sight, 4C00LZJ	195.99
#100-015-209	Micro Front Sight, 4C00DFB	158.99

45° OFFSET SIGHT SETS -

Front/rear sets have 45° offset mounts that let these sights clear low-mounted scopes, red dots, or other optics. Enables instant change from



optic to "iron" sight for CQB-style shooting - just tilt the rifle off center to instantly see sights. Folds out of the way when not in use. Front is Micro profile, with a 600 Meter Micro Rear Folding. Clamps securely to any Picatinny rail for superior, no-fail performance in strenuous combat and competition conditions.

SPECS: Machined aluminum, hardcoat anodized, matte black finish.

#100-016-833 Offset Sight Set, Clamp, 4C00BIH . . . . \$ 283.99

#### MATECH AR-15/M16 -**USGI BACKUP IRON SIGHT** Deploys Quickly; Fast, Easy Range Setting: Compact Profile When Folded

Current U.S. Army standard-issue backup rear sight for M4 carbines and M16A4 rifles flips up instantly at the touch of your thumb when primary sight fails or tactical situation makes iron sights preferable. Designed in conjunction with Picatinny Arsenal engineering staff and rigorously tested at Fort Benning and Aberdeen Proving Ground for robustness, ease of use, and effective targeting out to 600 meters. Detent-locking lever lets you quickly switch to one of eight range settings: 200, 300, 350, 400, 450, 500, 550, and 600 meters. Adjust windage easily with grooved, A2-style windage knob and position markers on the back of the sight for repeatability of settings. Bright, white, laser etched numbers and markers are clearly visible even in low light. Rugged

DUECK DEFENSE AR-15/M16 **RAPID TRANSITION SIGHTS** 



Mounts At 45° Offset For **Instant Shift From Primary Optic To Backup Sights** 

Machined aluminum backup sights mount at a 45° offset angle to enable instant transition from primary optic simply by tilting the rifle. Rear sight mounts on receiver rail, front sight on handquard top rail. Can be installed on the left or right side of receiver, and eliminates the need to co-witness backup sights through your optic. Provides the same bore height and sight picture as standard USGI A2 sights. A2-style rear sight has flip-up long- and short-range apertures, and is adjustable for windage and elevation in 1/2 MOA clicks. Locking bar and crossbolt attachment system clamps securely to MIL-STD 1913 Picatinny rails and sits only .20" above the rail, so there's no interference with the main sighting system. Front sight base won't interfere with the beam path of military IR laser/illuminators. No special tools needed: installs using a slot tip screwdriver. SPECS: 7075 aluminum, hardcoat anodized, black. Front – 13/8" (3.5cm) long, 3" (7.6cm) wide. 3.1 oz. (88g) weight. Rear – 1" (2.5cm) long, 23/4" (7cm) wide. 1.5 oz. (43g) weight.

#100-006-162 AR-15/M16 Rapid Transition Sights, 



#### LUTH-AR AR-15/M16 **EARLY-STYLE A1 REAR SIGHT**

Gives Your Retro Rifle a True "Old School" Look

A Luth-AR A1 Rear Sight Assembly adds an extra touch of authenticity to your retro build. It's designed to look and act the part of the original-style rear sight found



on early "carry handle" AR-15 and M16A1 rifles. While the modern AR offers many improvements, there's nothing wrong with having an appreciation for Eugene Stoner's original design. This sight has the same pair of "flippable" apertures as the later rifles, but these measure .070" and .080" in diameter. All-steel construction, with a non-reflective a matte black finish. Includes the aperture, windage drum, detent, detent spring, windage screw, and roll pin, so it is ready to install on your next "retro" build. It comes as a kit because the A1 sight is actually assembled as you install it in the upper receiver. The ideal rear sight for your Brownells M16A1 "Retro" upper receiver. Note that this sight will not fit the later M16A2-type carry handle receivers. A2 Rear Sight Aperture is the later style with "0-2" stamped on the larger aperture face. It has the standard (nowadays) .070" long-range peep for targets farther than 200 meters, and the .195" peep for targets at 0 to 200m. If you're accustomed to this configuration, you can swap the A1 assembly's old-style aperture for this one. Or replace a lost or damaged aperture on a later rifle.

#100-024-755 AR-15 A1 Rear Sight Assy, 3D15/50..... \$ 21.61 #100-028-065 AR-15 A2 Rear Sight Aperture ONLY,

machined steel construction ensures sight retains zero even under heavy, full-auto fire. Clamps securely to the rearmost slot of MIL-STD 1913 Picatinny accessory rail on flattop receiver via simple but strong locking bar and bolt. Rounded corners and beveled edges further reduce danger of snagging on other gear when sight post is down. Regulates correctly with A2 front sight on any AR-15-style rifle or carbine; instructions included for adjusting front sight post height to set exact zero. Designed to co-witness with most nonmagnifying optical sights.

SPECS: Steel, matte black finish

#100-003-702 AR-15/M16 USGI Backup Iron Sight, 6B112B19.....\$ 131.99

Office/Tech: 641-623-5401

ភ

#### MAGPUL® AR-15/AR-308 **MBUS® SIGHTS**





#### Reliable, Low-Profile, Quick-Deploy Backup Sights

Low-profile, flattop-mounted, polymer sights deploy instantly at the touch of a finger to provide backup sighting if a primary optic fails. Streamlined contours mean there's nothing to snag on brush, sling, or other gear when folded. Spring-loaded ambidextrous release mechanism lets you hit the grooved tab on either side of the sight to deploy, and lock it in place. Hitting the same tabs retract the sight when you're done. Uses less than 1" of MIL-STD 1913 Picatinny receiver rail space and locks securely in place with the included steel crossbolt. Provides the same height over bore as standard A2 iron sights. Windage-adjustable rear sight has two apertures: a large, .185" peep and a .070" peep. Designed for AR-type rifles and carbines, fits any weapon with Picatinny rails. Front sight must be mounted on a railed forend on the same plane as the receiver rail to witness correctly with rear sight. Not compatible with railed gas blocks or the MOE® handguard. Sets contain a front and a rear sight.

SPECS: Reinforced, injection-molded polymer, Black, Dark Earth, O.D. Green, or Stealth Gray. Heights measured from top of rail to top of sight. Rear Sight - 1.5" (3.8cm) long deployed, 2.6" (6.8cm) long folded, 1.2" (3cm) wide, .5" (1.3cm) high folded, 1.6" (4cm) high extended. Large aperture, .185" (4.7mm) diameter. Small aperture, .070" (1.8mm) dia. Front Sight - 1.5" long deployed, 2.5" (6.3cm) long folded, 1.2" wide, .5" high

folded, 1.5" high	extended. Sight post, .070" (1.7mm) wide.	
#100-006-941	MBUS Sight Set, Black, 3K99Q99	109.99
#100-007-327	MBUS Sight Set, Dark Earth, 3K89D99	106.99
#100-018-407	MBUS Sight Set, O.D. Green, 3K89J99	107.99
#100-015-975	MBUS Sight Set, Stealth Gray, 3K89J99	111.99
#100-006-787	MBUS Rear Sight, Black, 3K48C44	55.05
#100-006-788	MBUS Rear Sight, Dk Earth, 3K51E99	55.05
#100-006-789	MBUS Rear Sight, O.D. Green, 3K47M59	55.05
#100-014-406	MBUS Rear Sight, Stealth Gray, 3K47J59	55.05
#100-006-791	MBUS Front Sight, Black, 3K33A14	37.95
#100-006-792	MBUS Front Sight, Dk Earth, 3K35B99	37.95
#100-006-793	MBUS Front Sight, O.D. Green, 3K32A29	37.95
#100-014-400	MBUS2 Front Sight, Stealth Gray,	
	3K32A29	37.95

MAGPUL AR-15/M16

#### MAGPUL AR-15/M16 **MBUS PRO SIGHT SET**

Minimal-Profile Steel Backup Sights For Extreme Operating Environments

Made from case hardened steel, this version of Magpul's popular MBUS flip up sights is ready for tough competition and tactical operations. Clamps directly to MIL-STD 1913 Picatinny rails. Both sights

have positive detents to keep them in position at standard AR sight height when deployed, yet they maintain a low, no-snag profile when stowed. Dual aperture rear sight has a tool-free windage adjustment and sits only 3/8" above the rail when folded. Front sight has a finger adjustable elevation knob on the post, eliminating the need for a sight adjustment tool; it sets 7/16" above the rail when stowed. Narrow width front sight avoids interference with aiming laser, night vision device, and light installation. Offset models have a righthanded 45° offset for near-instantaneous transition from optics to iron sights with a simple cant of the rifle. Sights are standard AR height over the bore when deployed. Low-profile footprint reduces interference and ensures compatibility with most rifle setups.

SPECS: Steel, melonite finish, black. Rear Sight - 2" (5cm) OAL, 17/16" (3.7cm) wide, 3/8" (1cm) above the rail when stowed. 17/8" (4.8cm) high deployed. Front Sight – 11/2" (3.8cm) OAL, 11/4" (3.2cm) wide, 7/16" (1.1cm) above the rail when stowed 111/16" (4.3cm) high when deployed

ADD TO THE TON THE	remoterred: 1 /10 ( noem) mgm mmem deptoyed:	
#100-012-617	MBUS Pro Sight Set, 3K150Q44	172.99
#100-012-616	MBUS Pro Rear Sight, 3K94F99	99.70
#100-012-615	MBUS Pro Front Sight, 3K76G99	80.70
#100-016-450	MBUS Pro Offset Sight, Front, 3K68E84	80.99
#100-016-451	MBUS Pro Offset Sight, Rear, 3K84K99	99.99
#100-016-524	MBUS Pro Offset F/R Sight Set, 3K147P89	171.99

MBUS® PRO LR REAR SIGHT - Adds to the original MBUS Pro rear sight elevation adjustments for more accurate engagement of targets at variable distances. Easy to operate, positive detent-locking elevation wheel is marked with numeric settings that are easy to read from the shooting position. Same rugged all steel construction, no-tool adjustments, and functionality as the original MBUS

Pro. Deploys to standard AR rear sight height. Set includes LR rear sight and standard MBUS Pro front sight. SPECS: Steel, Melonite finish, matte black.

#100-016-569	MBUS Pro LR Rear Sight, 3K105E39	\$ 123.99
#100-016-572	MBUS Pro LR Sight Set, 3K168A29	190.99



#### MIDWEST INDUSTRIES **AR-15/M16/AR-STYLE.308** FLIP-UP SIGHTS

Instant Back-Up Sighting At All Ranges

Deploy with the flick of a finger to provide instant back-up, so you stay in the fight if your optic or laser sight fails. Super-smooth pivot mechanism with sturdy ball-bearing detent locks positively in the raised position and stays locked until you hit the pushbutton release. Sight folds down neatly out of your sight path when not in use. Machined from high-quality 6061 T6 aluminum and hardcoat anodized for increased wear-resistance. Hex wrench included with all models for easy installation.

**REAR SIGHTS** - Clamp securely to flattop receivers. Flip-style A2 aperture features a small peep opening for long-range daylight shots and a large opening for close-range and low-light work. Same-plane calibration ensures the point of impact will not change when switching from



one aperture to the other. Deeply grooved knob provides positive clicks for windage adjustment in .65 MOA increments on rifles and carbines with 16" barrels and .49 MOA on rifles with 20" barrels. MCTAR-ERS - Emergency Rear Sight with protective "ears" to guard the aperture from accidental damage. Aperture has .060" and .200" diameter peep openings; same windage knob as standard A2 sight. MCTAR-SPLP - Low-profile design is less than 1/2" high when folded, yet provides full windage adjustment like the ERS model. Aperture has .070" and .200" diameter peeps.

SPECS: Aluminum, hardcoat anodized, matte black. Fits flattop AR-15/ M16 rifles. MCTAR-ERS - 13/8" (3.5cm) long,1-3/8" wide, 13/4" (4.4cm) high deployed, 1" (2.5cm) high folded, 2.2 oz. (61a) weight, MCTAR-SPLP - $2^{1}/4^{*}$  (5.7cm) long folded,  $1^{1}/8^{*}$  (2.9cm) long deployed,  $1^{1}/4^{*}$  (3.2cm) wide, 15/8" (4cm) high deployed, 7/16" (1.1cm) high folded. 1.5 oz. (41g) weight.

#100-001-992 MCTAR-ERS Rear Sight, 2A99K44 ..... \$ 116.99 #100-003-432 MCTAR-SPLP Rear Sight, 2A106G24 ... 119.99

FRONT SIGHTS - Designed to work with Midwest Industries flip-up rear sights, all models have standard A2 front sight post and clamp directly to Picatinny rails. MCTAR-FFR mounts on AR-15/M16 handquard rail; Ultra-low profile MI-LFFR clamps to any railed handquard or gas block that is the same height as the upper receiver rail. Stands less than 1/2" above rail when folded.



SPECS: Aluminum, hardcoat anodized, matte black, Approx, 21/4" (5.7cm) long folded, 11/4" (3.2cm) long deployed, 11/4" wide, 5/8" (4cm) high folded 1.7 oz. (50g) weight. MCTAR-FFR - 15/8" (4cm) high deployed. MI-LFFR -15/8" high deployed, 7/16" (11.1mm) high folded.

	-422 MCTAR-FFR Forearm Front Sight,	#100-003-422
\$ 89.99	2A76L49	
99.99	-190 MI-LFFR Front Sight. 2A84K99	#100-005-190

### TROY INDUSTRIES AR-15/M16 FIXED FRONT BATTLESIGHT



Rugged, Reliable, Always Deployed; Globe-Shaped Ears Focus Sight Picture

Rail-mounted, fixed, same-plane front sight works with any AR-style flip-up rear sight as a backup for a scope or red dot. Distinctive HK-style "globe" shaped ears aid in fast target acquisition, while the serrated, angled ramp eliminates glare. Elevation

adjustable in 1/2 MOA increments; positive-locking detent ensures settings change only when you want them to. Base with sturdy side clamp and steel crossbolt attaches to any Picatinny railed forend or gas block that is the same height as the receiver rail. Installs with a standard flathead screwdriver—no protruding knobs or levers to catch on brush, clothing, or other equipment. SPECS: 6061 T6 aluminum, hardcoat anodized, with stainless steel cross-

#### **MEPROLIGHT AR-15** FRBS SELF-ILLUMINATING **BACKUP SIGHTS**

Triitium Inserts Look Like White Dots by Day, Glow in the Dark at Night; Choose 2- OR 4-Dot Rear Sight

Flip-up Front and Rear backup Sights (FRBS) clamp to MIL-STD 1913 Picatinny rails and provide instant backup if your primary optic fails. The front sight has an exceptionally bright Tritium dot, while you can get the rear sight with a pair of Tritium dots flanking the aperture OR a 4-dot arrangement that really helps you center the front sight FAST. In fact, these sights are so effective that some shooters use them as their primary sights in situations that don't require an optic. Low-profile design means



that when folded down, these sights are hardly noticeable. The front sight post elevation can be adjusted easily and quickly without tools. Durable fiberglass-reinforced polymer and metal construction, with a spring-loaded locking mechanism that will not break or deform,

ise.	
FRBS Tritium Sight Set w/2-Dot	
Rear, Black, 2B00EFE	\$ 129.00
FRBS Tritium Sight Set w/2-Dot	
Rear, Tan, 2B00MNI	129.00
FRBS Tritium Sight Set w/4-Dot	
<b>Rear,</b> Black, 2B141N99	149.00
FRBS Tritium Sight Set w/4-Dot	
<b>Rear,</b> Tan, 2B00PPG	149.00
	FRBS Tritium Sight Set w/2-Dot Rear, Tan, 2B00MNI. FRBS Tritium Sight Set w/4-Dot Rear, Black, 2B141N99. FRBS Tritium Sight Set w/4-Dot

#### MIDWEST INDUSTRIES AR-15/M16 **COMBAT RIFLE SIGHT SETS**

Low-Profile BUIS Stavs Out of the Way - Until You Need It

Excellent as a primary or back-up sight system, these flattop-mounted, low-profile sights deploy with the flick of a finger. No buttons to hit when deploy-Offset Model ing or stowing sights, dual locking detent

springs hold the sights firmly in place, yet allows the sights to fold down if bumped in the field. Intermediate rear aperture provides for fast target accusation, plus it means you don't have to fumble between a small and large aperture when engaging targets at either long or short range. Both sights deploy to mil-spec height when extended. Front sight has a standard A2 post that can be adjusted for elevations (1.5 MOA per click) using the included sight tool. Rear sight adjusts for windage in .65 (carbine) or .50 (rifle) MOA increments. Both sights clamp securely to any MIL-STD 1913 Picatinny rail. NOTE: Front sight needs to be mounted on the same plane as the rear, such as on a flattop-rail height handguard rail. Constructed from a combination of 6061 T6 aluminum and hardened steel. Offset Sight Set clamps to the topside Picatinny rail but projects the sights at a 45-degree offset, so you can deploy them and instant transition from main optic to BUIS simply by slightly canting the weapon. All other features are the same as the standard model. #100-032-612 MI-CRS-SET Combat Rifle Sight Set,

	2A143N99	\$ 151.99
#100-033-477	MI-CRS-OSS Offset Combat Sight Set, 2A144A49	169.99

bolt, matte black finish. 11/4" (3.18cm) long, 11/4" (3.18cm) wide, 2" (5.08cm) high. 1.5 oz (45g) wt.

#100-005-211 Fixed Front BattleSight, 3B51F29 . . . . . \$ 56.99

order on the web

brownells.com

**BROWNELLS** PAGE 85

# MBUS® 3 SIGHTS

Rear Sight

Ultra-Compact AR-15 Carbines, Pistols & SBRs What does Magpul do after

they introduce a "game-changing" product that fills a previously unfilled need - or fills it better than previous products? They improve

Lower Profile for Today's

on it! The latest evolution of their "Magpul Back-Up Sight" is the MBUS® 3, incorporating the best benefits of their original MBUS® and MBUS® Pro back-up sights in an even more compact package that's ideal for today's minimalist carbines and AR-15 pistols. The MBUS 3 sits only 0.44" high above the rail when folded and is 1.15" at its widest point. Its shape and aesthetics are derived from the MBUS Pro, but the MBUS 3 is constructed of Magpul's proprietary impact-resistant polymer, making it extremely lightweight and durable AND affordable. Using the same spring-loaded mechanism as the MBUS 2, the MBUS 3 can be deployed instantly by hitting its ambidextrous pushbutton. The MBUS 3 Rear Sight sits at the standard AR-15 rear sight height when deployed and includes rapid-select dual apertures for short- and long-range targets. The MBUS 3 Front Sight offers toolless elevation adjustment and a dual-width, enhanced front sight similar to the MBUS Pro.

#100-041-834	MBUS 3 Front+Rear Sight SET, Black, 3Q83J99	\$ 87.99
#100-041-835	MBUS 3 Front+Rear Sight SET, FDE, 4R83K99	87.99
#100-041-836	MBUS 3 Front+Rear Sight SET, OD Green, 5S83L99	87.99
#100-075-127	MBUS 3 FRONT Sight, Black, 6J35C99	37.95
#100-075-128	MBUS 3 FRONT Sight, FDE, 7K35D99	37.95
#100-075-129	MBUS 3 FRONT Sight, OD Green, 8L35E99.	37.95
#100-075-145	MBUS 3 REAR Sight, Black, 9M53F99	56.95
#100-075-146	MBUS 3 REAR Sight, FDE, 1N53G99	56.95
#100-075-147	MBUS 3 REAR Sight, OD Green, 2P53H99	56.95

Orders: 800-741-0015

### SCALARWORKS AR-15 PEAK ULTRALIGHT FIXED

### "IRON" SIGHTS



Simplicity & Reliability of Classic Fixed Sights, Plus Functional Upgrades

These sights are for shooters who want the familiarity of classic AR-15 fixed sights, with upgrades to make

them more suitable for modern tactical carbines. The Scalarworks crew designed the Peaks for a 15" sight radius, making them far more suitable for AR-15 carbine use than old "A2" sights designed for an M16A2 rifle's 20" radius. The streamlined profiles of both assemblies are free of protruding levers and knobs, so they won't rap your knuckles or get caught on clothing, gear, and surroundings. Peak Iron sights are manually adjustable for elevation (front) and windage (rear) in 1/2 MOA clicks. The front sight post is machined to the correct width for the 15" sight radius, and its flat face eliminates highlight bias. The rear sight's peep presents a flat surface to the shooter that prevents distorting shadows and/or glare caused by the mil-spec A2 peep's concave rear face. These sights are machined from 7075 T6 aluminum - far stronger than standard 6061 alloy - and given a tough black Mil-A-8625 Type III hardcoat anodized finish. Steel components are made of 4140H steel with a Black Nitride finish, 1.42" (36mm) height over rail, Front post; 1.35mm wide, Rear flip apertures: 1.78mm (.07") and 5.08mm (.20"). As a bonus, Peak Fixed Sights are designed to sit 36mm above the rail, making them ideal as backup sights for an Aimpoint optic mounted on a Scalarworks Leap Mount. Mount a set on your carbine and see just how effective iron sights can be!

#100-043-531 Peak Fixed Front Sight, 7S00PTM..... \$ 129.00 #100-043-532 Peak Fixed Rear Sight, 7S00GLI...... 129.00



#### SONS OF LIBERTY GUN WORKS AR-15/M16 A2 FRONT SIGHT PARTS

Manufactured With Meticulous Attention to Detail; "Mil-Spec" Does Not mean "Sloppy"!

SOLGW's steel front sight components are manufactured strictly to original USGI specs to be high-quality replacements for the worn, broken, or



#100-045-059	AR-15 A2 Front Sight Post, 4S07J99 \$	7.99
#100-045-061	AR-15 Front Sight Spring, 6W02N99	2.99
#100-045-060	AR-15 Front Sight Detent, 2Z04R99	4.99
#100-045-064	AR-15 Front Sight Taper Pin, 7E02W99	2.99



Stock numbers shown in red indicate the product is made or assembled in the U.S.A

This information is not available for all products at time of catalog production, but will be regularly updated on our website.



#### TROY INDUSTRIES AR-15/M16 -**BATTLE SIGHTS**







HK-Style Rear

HK-Style Front M4/M16-style Front

#### Rugged, Reliable Backup Sighting; Same Height As Factory Iron Sights

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Sight body flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver. No protruding knobs or levers to catch on brush, clothing, or other equipment. Sturdy, protective "ears" shield posts and apertures from impact. Rear sights bolt to flattop receiver rail and are only .460" high when folded. Detentlocking adjustment wheel lets you change the windage setting in 1/2 MOA increments. HK-Style Rear - two same-plane apertures: large 190" aperture provides a wide field of view for close-in targets, while .070" aperture is calibrated for engaging long-range targets. Also available with a Tritium dot on each side of large aperture. Front sights clamp to handguard accessory rail and are only 1/2" high when folded. All models have M4-type post that's elevation adjustable in 1/2 MOA increments. HK-Style Front - distinctive "globe" shape that aids in fast target acquisition under stress. Also available with a self-illuminating Tritium dot on the post for precise shot placement in low-light conditions. M4/M16-Style Front - deep grooves in the sides of the housing to ensure a firm grasp for fast deployment. SPECS: Stainless steel and aluminum, Black or Dark Earth finish. Rear Sights - All models 1.17" (3cm) long, 1.25" (3.2cm) wide, 1.85" (4.7cm) high extended. 1.8 oz. (52g) wt. **HK-Style Front –** 1.17" long, 1.25" wide, 1.9" (4.9cm) high extended. 1.6 oz. (45g) weight. M4/M16-Style Front - 1.17"

	1.75" (4.5cm) high extended. 1.6 oz. weight.	,
#100-003-442	HK-Style Rear, Blk, 3B112P49	124.99
#100-003-443	HK-Style Rear, Dark Earth, 3B110B50	121.99
#100-005-085	Tritium HK-Style Rear, Blk, 3B152L29	167.99
#100-003-444	HK-Style Front, Black, 3B78D46	99.99
	HK-Style Front, Dark Earth, 3B91D93	101.99
#100-005-084	Tritium HK-Style Front, Blk, 3B133D71	146.99
	M4/M16-Style Front, Black, 3B91D93	101.99
#100-003-447	M4/M16-Style Front, Dk Earth,	
	3B91D93	101.99
	HK-Style Front/Rear, Black, 3B215J04.	252.99
#100-011-227	HK-Style Front/Rear, Dk Earth,	
	3B212I49	249.99
#100-011-229	<b>Tritium HK-Style Front/Rear,</b> Black, 3B300B89	353.99
#100-011-226	HK-Style Rear + M4/M16 Front, Black, 3B217H59	255.99
#100-011-228	<b>HK-Style Rear + M4/M16 Front,</b> Dark Earth, <i>3B212N49</i>	249.99

FIXED REAR BATTLE SIGHT - Tactical backup sight is always deployed, so there's absolutely no delay, no fumbling when you need to transition from the primary optic. Troy designed this sight to be simple, rugged, and reliable—and it takes up onl 11/8" of rail space. Precision machined from solid aluminum, with plenty of metal on the protective "ears" around



the two-position aperture. All edges and corners are rounded, and there are no protruding knobs or levers to catch on brush, clothing, or other equipment. Rear of the base is undercut to provide clearance for access to the charging handle. Same-plane aperture flips easily between .190" and .070" diameter peeps, just like the Folding Rear Battle Sight. Windage adjustable in ½ MOA clicks us-



#### WILSON COMBAT AR-15 BACK-UP SIGHT SET

Instant-Deploying Flip-Up Sights With Classic A2 Post & Two-Leaf Rear Aperture

Wilson's same-plane sights clamp securely to MIL-STD 1913 Picatinny rails to provide you with a rugged, click-adjustable backup

option for your next AR-15 build or to upgrade your existing gun. A positive, steel locking mechanism ensures rigid deployment and retention of accuracy, even under heavy use. The elevation adjustable front sight has a standard A2 post, while the low profile anti-snag rear sight is finger adjustable for windage and equipped with a dual peep offering .200" and .075" apertures. Sight bodies are machined from high-grade aluminum alloy, with a tough, matte black hardcoat anodized finish to resist corrosion and surface wear. The sleek, trim, all-business good looks with the distinctive Wilson Combat logo in white are a no-cost bonus!

#965-900-010 Rail-Mount AR-15 Back-Up Sight Set, 5F119B95.....\$ **129.95** 

#### YANKEE HILL MACHINE AR-15/M16 **QDS SIGHT SYSTEM**



#### Rugged, Quick-Deploy Backup System; Minimal Profile When Folded

Spring-loaded sights deploy at the push of a button to provide instant backup sighting. Quick Deploy System locks (QDS) securely and requires a firm, positive press of the button to deploy or retract the sight, so it won't accidentally activate when bumped - these sights stay where you put them. Minimal profile when folded - only .435" high - with radiused edges and a smoothly curved front surface to prevent snagging on foliage, gear, or clothing. Crossbolt and side bar provide solid attachment to MIL-STD 1913 Picatinny rail systems. All-aluminum construction is lightweight, yet plenty strong to handle the hard knocks of tactical operations, with a durable, scratch-resistant hardcoat anodized finish for extra surface strength. Front Sight has mil-spec A2 post that adjusts for elevation; same-plane alignment with rear sights. Thick, protective ears shield the post for excellent security in abusive operating environments. Rear Sight adjusts for windage with the easy-to-grasp knurled knob and has two-position, A2-style aperture that lets you flip between .065" and .200" peeps. Sold as a **Set**.

SPECS: Aluminum, hardcoat anodized, matte black. All models 1" (2.5cm) deployed length, 1<sup>1</sup>/<sub>4</sub>" (3.2cm) wide, .435" (11mm) folded height. Front Siaht – 21/8" (5.4cm) folded length, 1.420" (3.61cm) deployed height from top of base to top of blade. Rear Sight - 21/4" (5.7cm) folded length, 1.425" (3.62cm) deployed height from top of base to center of aperture. Dualaperture configuration with .065" and .200" peep holes.

#100-004-315 QDS Front & Rear Sight Set, 9A179K54.. \$ 188.99

ing a coin in the slot of the flush A1-style detent-locking adjustment wheel. Clamps to any Picatinny rail; installs with a standard flathead screwdriver.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black finish, 1.5" (3.8cm) OAL, 1.25" (3.2cm) maximum width, 1.875" (4.8cm) high from top of rail to top of sight housing. 1.8 oz. (52g) weight.

#100-004-381 Fixed Rear Sight, 3B60Q36 ...... \$ 66.99

#### YANKEE HILL MACHINE AR-15/M16 BACKUP FLIP SIGHTS

Rugged Steel Construction; Deploys Fast For Instant Emergency Use

Heavy-duty, steel construction makes these emergency rear/ front flip sights the tactical shooter's choice for LE and military tasks requiring a compact, backup, sight system of superior strength and dependability. Deploys easily with the flick of your thumb; disengages down, out of your sight path when not in use by depressing the spring-loaded pushbutton. Extra thick, protective ears guard against blows that could potentially bend or break the sight post or aperture. Solid clamp with large crossbolt provides rock solid attachment to Picatinny rail systems. Knurled and slotted, quick-release thumbscrew makes sight easy to install/remove.

YHM-9584 GAS BLOCK FRONT FLIP SIGHT - Designed specifically to regulate properly when attached to a gas block rail. Positions the front sight post approximately 11/4" above the accessory rail. All steel components; includes standard sight post. Does not function as a gas block.

SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long. 11/2" (3.8cm) wide, 2" (5.1cm) high when raised, 2.5 oz. (71 g) wt.

#100-002-089 Gas Block Flip Sight, 9A64J59..... \$ 75.99



construction. Includes standard sight post. SPECS: Steel, Mil-Spec phosphate coating. 1" (2.5cm) long, 11/2" (3.8cm) wide, 11/2" high when raised. 2.5 oz. (71 g) wt.

#100-002-091 Forearm Front Flip Sight, 9A65F54.

YHM-9680 REAR FLIP SIGHT - Low-profile design attaches to A4 flattop receivers and regulates correctly with standard, M16/M4 front sights, as well as all Yankee Hill front sights. Rugged, steel base features an aluminum stem to keep weight to a minimum. Deploys instantly with thumb pressure. Large,



knurled, screw head provides 1/2 M.O.A. windage adjustment. Includes flip-style aperture with .065" and .200" diameter peepholes for short- and long-range accuracy. Also available in a matched Front/Rear Flip-Up Sight Set with the popular YHM-9394 clampon front sight/gas block with bayonet lug and sling loop.

SPECS: Steel, Mil-Spec phosphate coating. YHM-9680 Rear Sight - 1" (2.5cm) long, 1½ (3.8cm) wide, 1½ (3.5cm) high when raised, 2.5 oz. (71 g) wt. YHM-9394 Front Sight in front/rear sight set - 17/8" (4.8cm) long,  $^{13}$ / $_{16}$ " (3cm) wide. Sight Post –  $^{21}$ / $_{2}$ " (6.3cm) high when raised. Fits .750" O.D. barrels. 5.4 oz. (153q) wt.

**#100-002-094** Rear Flip Sight, 9A78K19...... \$ 91.99 #100-007-622 YHM-9394/9680 Front/Rear Sight Set. 



#### **AERO PRECISION AR-15/M16 DETACHABLE A2-TYPE CARRY** HANDLE



Easy To Install On/Remove From Your Flattop AR

The AR-15 was designed with a built-in carry handle for a reason, and while many modern rifles are flattops, there are times when you may still need a convenient way to carry your rifle. Aero's A2-style handle attaches securely to a Picatinny receiver rail via two locking clamps each secured by a steel hex nut to convert your flattop to the "Old School" M16A2 configuration. Forged from 7075 T6 aluminum, with a matte black (or dark gray) mil-spec hardcoat anodized finish. The A2 rear sight assembly has the dual short- and long-range flip apertures, AND it is adjustable for windage and elevation.

#100-054-419 Detachable A2 Carry Handle, 3E00IJG.. \$ 79.99

**BROWNELLS** PAGE 86

\$ 18.99

#### COLT AR-15/M16 CARRY HANDLE ASSEMBLY

Original Factory Part Converts A Flattop To A2 Configuration



Detachable carry handle fits flattop Colt AR-15 rifles and carbines. Clamps securely to the receiver rail using two easy-to-grasp thumb nuts. Rear sight has standard small and large military apertures, plus A2-style adjustment mechanism for easy windage and elevation changes. Made of rugged forged aluminum with a hardcoat anodized finish for abrasion resistance; all steel components have a durable black oxide finish.

SPECS: Forged aluminum body, hardcoat anodized, matte black. Steel components, black oxide finish. 7" (18.8cm) OAL x 1.1" (2.8cm) wide x

**#160-303-040** Carry Handle Assembly, 6A164F34 .... \$ 172.99



### BROWNELLS **COMPETITOR PLUS TM** RIFLE SLING

• PREMIUM LEATHER • EXTRA-HEAVY HOOKS • STITCHED KEEPERS • U.S. MADE

If you love fine leather, fine craftsmanship and a superbly functional, useful sling, our Competitor Plus is going to make you extremely happy! What you get is a no-compromise reproduction of the original 1907 Military Sling; the one that's become the standard among hi-power service rifle shooters and many knowledgeable hunters; the one that's sought after by collectors and restorers of pre-WWII military firearms and the one that's carried more guns, more miles on more shoulders than darn near any other. Ours has all the good stuff: (1) It's all U.S. made of the finest, oak-tanned, top grain, 9-10 ounce, U.S. steer hide. (2) It's fitted with thick, forged, blued steel hooks. (3) Each extra-thick, steel hook is attached with three rivets. (4) The Keepers are skived at a taper, overlapped and glued; then stitched with 5-cord waxed linen thread. They fit TIGHT! The Competitor Plus sling is also avail-

able with 16 numbered reference points, making it easy to return to your preferred sling setting for each shooting position. Also available with two 11/4" easy-on, easy-off, quick-detachable sling loops. SPECS: 11/4" (3.2cm) wide. 9-10 oz. leather. .108" (2.75mm) thick hooks. Front strap length = 54" (1.37m). Instructions.

**Allows Rapid Switch From** 

Right- To Left-Hand Carry

receiver plate to provide a rock solid at-

tachment point for fast handling, tacti-

cal slings on CAR-15 rifles. Ambidextrous

slots accept 11/4" wide webbing, rings ac-

Steel, sling adapter replaces the issue,

#084-270-110	Tan Competitor Plus Sling, 4H51K74	68.99
#084-270-210	Black Competitor Plus Sling, 8K48E74	64.99
#084-270-120	Tan Numbered Competitor Plus Sling, 8K53/99	71.99
#084-270-112	Tan Competitor Plus Sling w/ 1¹/4" Swivels, 8K61M49	81.99
#084-270-211	Black Competitor Plus Sling w/ 1 <sup>1</sup> / <sub>4</sub> " Swivels, 8K56G99	75.99

— GRSC CAR-15/M4 —

Orders: 800-741-0015

**CAR AMBIDEXTROUS SLING ADAPTER** 

#### BLACKHAWK INDUSTRIES STORM SINGLE-POINT TACTICAL SLING



#### Quiet, Adjustable, Dependable Weapon Retention

Adjustable single-point sling is constructed of heavy-duty 11/4" nylon webbing and 1" elliptical elastic bungee cord for optimum performance and stealth. High-density bungee allows 4" of flexjust right for weapon agility in CQB maneuvers—and is covered with tough, weather-resistant compressed tubular nylon sheathing that prevents noise, limits bounce, and provides optimum retention. Strong, single-piece, quick attach/detach "mash" clip snaps securely to any single point sling adapter to keep your weapon within easy reach when you need it most. Elastic sleeve slides over clip to prevent rattling against gun. Heavy duty tri-glide nylon buckle allows adjustment to permit wear over bulky tactical vests and gear on all body sizes. A 300-lb test nylon "quick ditch" buckle instantly opens the sling if you need to release your weapon quickly.

SPECS: Nylon and elastic bungee cord, black. Carry strap is 11/4" (3.2cm) wide. Adjustable from approximately 46" (117 cm) to 64" (163 cm) diameter.

#100-003-349 Storm Single-Point Tactical Sling, 8K28M89.....\$ 33.99



strap lets the operator change sling length without creating loose ends that can tangle with other gear. Allows for a variety of carry and shooting positions based on the required tactical response. Fits rifles and carbines with side sling swivels that have 11/4" wide loop. Composed of two, sepa-

rate sections of Cordura® nylon webbing; 17" forearm end, including quick adjustment loop, and 30" rear buttstock end; joined together with a high-strength steel loop. The sliding adjustment buckles are made of tough molded Acetal military-grade hard polymer. Combat-proven; deployed with all branches of U.S. military. Developed by Larry Vickers, noted firearms expert and former operational member of 1st SFOD Delta (aka "Combat Applications Group"). For added comfort, Padded model adds a 2" wide closed-cell foam pad inside a tubular nylon webbing sleeve.

SPECS: Cordura® nylon web. Steel mid-section connector. Acetal hard polymer adjustment hardware. 11/4" (3.1cm) wide. Adjusts 39" (99cm) to 65" (165cm) OAL.

#100-009-562	Vickers Sling, Black, 7A50I29	\$ 52.95
#100-009-563	Vickers Sling, Coyote, 7A47N49	49.99
#100-017-893	Padded VCAS, Black, 7A59C79	62.95
#100-017-894	Padded VCAS, Coyote, 7A56M99	59.99
#100-017-896	Padded VCAS, O.D. Green, 7A56J99	59.99
#100-017-895	Padded VCAS, Multi Camo, 7A56199	59.99

#### commodate carry straps with snap fasteners. Allows the sling to be switched from right or left side of receiver in seconds. Keeps sling tangle-free and provides the proper balance and stability for hands-free carry.

SPECS: Steel, Parkerized finish. 29/16" (6.5cm) long, 21/16" (5.2cm) high, 3/32 (2.4mm) thick. Fits CAR-15 rifles.

#100-001-467 CAR-15 Ambidextrous Sling Adapter. 6A10D19 ..... \$ 11.99

### **GALCO INTERNATIONAL**

### **SLC TACTICAL SLING** Allows Hands-Free Carry & Quick

Weapon Access

strap™ (SLC) features a steel, HK-style

snap hook for quick and effortless

Simple Lanyard and Carrying

modates right- and left-hand shooters.

ment clasps, black. 44" (112cm) long x 1" (2.5cm) wide.

#### IMPACT WEAPONS COMPONENTS AR-15/M4 LIMITED ROTATION QD END PLATE

Prevents QD Sling Swivel Rotation & Sling Wrap Up

Machined from a single piece of 1018 billet steel, this limited rotation QD end plate has no parts to work loose or gaps to rust and corrode. Limited rotation permits easy, ambidextrous use without sling wrap-up. End plate's slightly thicker design provides for proper staking and added strength. The durable, black melonite finish matches the receiver and enhances resistance to rust, corrosion, and wear.

#100-013-594 Limited Rotation QD End Plate,

2C16B14 .....

#### HALEY STRATEGIC PARTNERS D3 SLING

transition from a conventional two-point sling to a single-point

sling position that keeps your tactical rifle or shotgun in front of you

for easy cross-shoulder transition. Conventional, two-point sling

position allows muzzle-up or muzzle down carry over the shoulder

or across the back. Polycarbonate clasps allow easy adjustment to

fit any shooter. Built from durable, 1" wide, nylon webbing for maxi-

mum strength and long service life. Ambidextrous design accom-

SPECS: Nylon webbing with steel snap hook and polycarbonate adjust-

#100-003-978 SLC Tactical Sling, 7A00GGE..... \$ 28.99



#### Provides Stability & Comfort Without **Adding Bulk**

The D3 is a versatile 2-to-1 point sling that lets you seamlessly transition between the two carry configurations. It's a plug-and-play sling with hardware already attached, including two positive-locking QD swivels and the proven

SDI single-hand, quick-adjustment system. Inspired by climbing harnesses, the low-profile pad is made of a five-layer laminated, stretchy, woven fabric that's strong and without being bulky.

SPECS: Ballistic nylon, black or coyote. Steel hardware, black. 1" (2.5cm) wide strap. 2" (5.1cm) wide pad.

#100-019-788	<b>D3 Sling,</b> Black, 2D85P49	\$ 89.99
#100-019-789	<b>D3 Sling,</b> Coyote, 2D85D49	89.99

#### **OUTDOOR CONNECTION** TACTICAL SLINGS



Single- & Two-Point Models

tions to a shooting stance. These slings are manufactured from durable, milspec materials, featuring close-weave nylon webbing, heavy-duty 800-lb.

tensile strength elastic, double stitching and shockproof polymer hardware that won't rattle or rust. Quick-release buckles can be disengaged with one hand, and tri-glide slip locks let the operator adjust overall length quickly for rapid shifts from strong side to support side and back. A-Tac - Single-point sling fits any weapon that accepts an HK-type snap hook. Provides maximum range of weapon movement for fast transition from many carry positions, including over either shoulder, across the back, under the opposing arm, and around the neck. Three-point polymer buckle allows selective release of the left side of the strap, the right side, or both simultaneously to free the weapon from the sling. Duty - Basic twopoint sling of straight 11/4" wide nylon webbing attaches easily to USGI sling swivel. Loops through rear swivel, secures at front with two steel screw closures.

SPECS: Mil-spec nylon webbing, polymer hardware, black

#683-000-016	A-Tac Single-Point Slin	ı <b>g,</b> 3A17I99	\$ 19.99
#683-000-017	Duty Two-Point Sling,	3A8G24	10.99

### 0

#### **SPECTER GEAR TACTICAL SLINGS**



Keeps Your Hands Free & Your Weapon Ready

Specter Gear provides heavy-duty, nylon-web slings, with durable, polycarbonate clasps and keepers that hold your weapon in a comfortable, ready position until it's time to fire.

Double-stitched with #69 thread at all stress points for maximum strength and a long service life. Available in a number of tactical styles for a wide variety of guns. All slings are configured for ambidextrous use.

CLOSE QUARTERS COMBAT (CQB) SLING - Provides a choice of six carry options. Lets you keep your hands free and bring the weapon into action quickly. Soft and flexible for quiet, comfortable carry; will not generate a noise signature. Easily adjustable with no unnecessary straps, buckles or fasteners. Fits all M16 variants, as well as AR-15s with A2-type fixed rifle stock, round or triangular handguards, and bottom-mounted front sling swivel.

SPECS: Nylon web, Velcro fasteners, black. 11/4" (3.2cm) wide. Approximately 38" (96.5cm) long.

#100-000-376 CQB Sling for AR-15 w/Fixed Rifle Stock,

#### GEN II VIPER SLING -

Single-point, nylon sling with two elastic shock cords lets you wear the sling a little tighter, yet easily allows cross shoulder transition. Heavy-duty double-ring



mash hook clips securely to any loop-style sling adapter. Built-in release buckle lets you disconnect the weapon guickly and keep the sling on your body—ideal for fast mounting/dismounting from vehicle or transition to unconventional shooting position. A second, "emergency" release buckle in the loop itself allows quick egress from the entire sling. 11/2" wide nylon webbing provides optimal comfort with heavier weapons. Additional Mash hook attachments available separately, below.

SPECS: Nvlon web. polycarbonate buckles and clasp, black, Steel Mash hook. 30" (76cm) diameter, 11/2" (3.8cm) wide.

#100-005-966 Gen II Viper Sling, 4K38K69......\$ 42.99

**FOLLOW US • FRIEND US • LIKE US** 

order on the web

BROWNELLS. PAGE 87

# VIKING TACTICS V-TAC QUICK ADJUST SLING



#### Simple One-Hand Transition From Firing Position To Carry

Nylon web sling adjusts from carry to firing while moving into position. After firing, a quick tug on the lanyard returns sling to carry position. Designed to carry gun, muzzle down on your back. Padded model features a closed-cell foam shoulder pad for greater comfort when carrying heavy weapons long distances. Upgraded Padded has metal buckles and hardware, plus a textured rubber pull tab to aid in fast adjustments. Buttstock Adapter provides a correct, top-of-stock sling mounting point on fixed-stock rifles and shotguns.

SPECS: Nylon web, Black (BLK), Coyote, O.D. Green (ODG), or Foliage

SPECS: Nylon web, Black (BLK), Coyote, O.D. Green (ODG), or Foliage Green (FolGr). 1\* (2.5cm) wide. Padded model includes 20\* (50.8cm) long x 1\*/\* (4.7cm) wide shoulder pad. Adjusts 58\* (147cm) to 63\* (160cm).

#100-000-669	<b>V-TAC Sling,</b> BLK, <i>7K40Q49</i>	\$ 44.99
#100-005-403	V-TAC Sling, Coyote, 7K40J49	44.99
#100-005-404	V-TAC Sling, ODG, 7K40A49	44.99
#100-005-405	V-TAC Sling, FolGr, 7K40K49	44.99
#100-002-868	Padded V-TAC Sling, BLK, 7K44H99	49.99
#100-005-406	Padded V-TAC Sling, Coyote, 7K44L99	49.99
#100-005-407	Padded V-TAC Sling, ODG, 7K44F99	49.99
#100-005-408	Padded V-TAC Sling, FolGr, 7K44H99	49.99
#100-007-482	Upgraded Padded V-TAC Sling, BLK,	
	7K53M99	59.99
#100-000-670	V-TAC Bttstk Adptr, Blk Only, 7K12C14	12.99

# BRAVO COMPANY AR-15/M16 ENDPLATE/QD SLING ADAPTER

For The "Minimalist" Approach To Sling Attachment

Low-profile endplate has a receptacle for a quick-detach pushbutton sling swivel directly below the receiver extension tube for fast, convenient, ambidextrous sling attachment, with full 360° of rotation. Made of solid steel to enable proper staking of buffer tube lock nut on the lower receiver. QD swivel not included. SPECS: Steel, Parkerized, matte black finish. Fits mil-spec AR-15/M16 lower receiver. #100-016-335 Gunfighter QD End Plate, 1E15Q29.... \$17.99

# BROWNELLS AR-15/M16 A2 SINGLE-POINT SLING ADAPTER



Gives Your Fixed-Stock Rifle The Versatility Of Quick-Detach Sling Mounting

Low-profile adapter gives an AR-15/M16 with an A2-style buttstock the convenience and versatility of single-point clip-on

sling attachment. Lets you combine the stable cheekweld of a fixed rifle buttstock with the ease of the latest, quick-attach tactical slings. Precision machined from 4140 carbon steel for extra strength, with extra metal on the attachment loop, so no matter how hard you pull or twist the sling, this adapter won't break. Right Hand (RH) model has the loop on the left side to accommodate right-handed shooters. Left Hand (LH) model has the loop on the right for left-handed shooters. Requires no permanent alterations to rifle: simply remove the butt-stock, slide the adapter over the receiver extension tube, and reinstall the stock using the included spacer and extended buttplate screw.

#080-000-687 RH A2 Single-Point Sling Adptr, 8K39M89...\$ 41.99 #080-000-658 LH A2 Single-Point Sling Adptr, 8K39H89... 41.99

# **BROWNELLS**CAR-15 RECEIVER END PLATE

Maintains Proper Alignment Of Stock & Buffer Tube

M4-style receiver plate includes the engagement tab required to align the buttstock and buffer tube with the lower receiver on carbine models. Precision, fine-blanking process ensures precise edges and superior flatness for correct fit and solid installation.

SPECS: Steel, black oxide finish.

#080-000-290 CAR-15 Receiver End Plate, 8K5K99 . . . . \$ 7.99

# CROSSTAC CAR-15/M4 AMBIDEXTROUS SINGLE-POINT SLING CONNECTOR

Ultra-Low Profile, Snag-Free Design

Minimal profile sling adapter plate provides secure, ambidextrous attachment for single-point tactical slings on carbines or converted shotguns with M4 collapsible buttstocks. The attachment loop centers under the receiver extension nut, out of the way, where it can't snag on clothing, gear, brush or the sling, and won't interfere with access

to the selector lever. Helps weapon hang flat against your body when released, yet also allows fast, positive re-grip when needed. Accepts most sling hooks, including MASH hooks, H&K connectors, and ZM-style clasps. Fits M4-type collapsible stocks with mil-spec and commercial buffer tubes, including shotgun conversions that use the M4 tube. Precision machined from high-quality steel, then Parkerized dark gray for wear resistance and a close match to factory rifle finishes.

SPÉCS: Steel, black, matte, Parkerized finish.

#100-003-181 CAR-15/M4 Single-Point Sling Connector, 5A19B94.....\$20.99

### DANIEL DEFENSE AR-15/M16 EZ CARBINE SLING MOUNT



Clamps On Any Adjustable Stock Carbine In Seconds

Aluminum mount clamps directly to the receiver extension tube of an adjustable-stock carbine to provide an ambidextrous, near-receiver attachment point for a single point sling. Installs in seconds and requires no disassembly of the stock or tube—ideal for agencies, departments, and military units that are restricted from modifying issued weapons. Built-in rotation limiter lets you position swivel horizontally or vertically to prevent sling tangling and maintain optimal weapon control. The included heavy-duty quick-detach, pushbutton swivel accepts slings up to 11/4". SPECS: Mount – 6061 T6 aluminum, hardcoat anodized, matte black. 5/8" (1.6cm) long, 21/8" (5.4cm) wide, 2" (5cm) tall, 2.8 oz. (79a) weight.

Fits mil-spec and commercial receiver extension tubes for M4-type adjustable buttstock. QD Swivel — Steel, matte black oxide finish. Accepts slings up to 11/4".

#100-005-805 EZ Sling Mount, 8K00BJL..... \$ 71.99

### DOUBLE STAR AR-15/M16 SLING ADAPTER END PLATE



Increases Sling-Attachment Versatility on Collapsible-Stock Rifles & Carbines

Machined steel replacement for the factory receiver plate gives an AR fitted with an M4-type collapsible buttstock a convenient, low-profile at-

tachment point for clip-on, single-point slings. Precision machined from 1018 carbon steel for superior strength and an exact fit to receiver, with a durable manganese phosphate Parkerized finish that resists surface abrasion and corrosion - and matches the finish on mil-spec anodized receivers. Available in single-loop Right-Hand (RH) model and Ambidextrous (Amb) configuration that lets you swap the sling from one side of the receiver to the other. 

SPECS: 1018 steel, Parkerized, matte black finish. Fits AR-15/M16/M4 and clones fitted with M4-style collapsible buttsfor.

#100-004-532	<b>Amb Sling Adapter Plate</b>	e, 2Z10H79	\$ 11.99
#100-004-533	RH Sling Adapter Plate,	2Z11N69	12.99

### 0

### MAGPUL AR-15/M16 ASAP® SLING ADAPTER



Gives You A Major Tactical Advantage With 180° Of Unrestricted Sling Movement

Ambidextrous Sling Attachment Point helps the operator adapt quickly to changing tactical situations by rapidly switching weapon from one shoulder to the other. An unrestricted 180° of sling movement lets you change shoulders to take maximum advantage of available cover, ad-

dress targets around corners and other barriers, or shift weapon position if one arm is injured. Works with any single-point sling that attaches with a quick-release snap-hook, and fits any AR with an M4-type adjustable buttstock. Remove factory receiver end plate and replace with the ASAP; keep the original receiver extension, buttstock, and sling. ASAP® QD provides the same functionality for a sling with a quick-detach, pushbutton swivel, such as the Magpul MS4® Dual QD GEN 2 Sling and the MS1® Multi-Mission Sling with the QD swivel option. Socket is angled slightly downward for better clearance and freedom of motion.

SPECS: Precision cast, case-hardened steel, black Melonite™ finish. Fits both mil-spec and commercial/universal M4-type receiver extensions.

<b>#100-004-450</b>	ASAP Sling Adapter,	3K27K54	\$ 28.45
<b>#100-015-153</b>	ASAP QD Sling Adap	ter, 3K27C54 .	28.45

### MIDWEST INDUSTRIES AR-15/M16 SLING ADAPTER

Installs Easily; Choose Your Sling Position On Collapsible Stocks; Made In The U.S.A

Hard anodized, 6061 aluminum sling adapter clamps to collapsible stock buffer tubes with no need for special tools or to remove the buffer tube. offers a pair of loops for clip-on sling swivels. Can be used with single-point, two-point, or three-point tactical slings

and are ambidextrous for use with right- or left-hand operation. Does not interfere with normal operation of collapsible stock. **SPECS**: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No aunsmithing required.

#100-002-123 Loop Sling Adapter, 2A33E24 ..... \$ 34.99

END PLATE SLING ADAPTER - Ambidextrous, quick-detach sling swivel can be mounted on either side of the mounting plate on adjustable M4-type buttstocks so you can position your sling for optimum comfort and versatility. Hard coat anodized, 6061 aluminum body with a matte black finish holds up to the toughest use and won't crack or break over years of shooting. Won't interfere with the operation of stock and works well with

single-point, two-point, or three-point tactical slings.

SPECS: 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

MCTAR-30HD SLING ADAPTER - No gunsmithing required, extra heavy-duty ambidextrous sling swivel mount simply clamps onto the buffer tube. Includes 11/a\*, mil-spec., push-button, quick-detach sling swivel that can be mounted on either side or the center of the adapter body. Fits adjustable M4-type buttstocks Hard coat anodized, 6061 alumi-


butstocks Hard coat anodized, boto aluminum body with a matte black finish is built to take extreme duty use without failure. Won't interfere with the operation of stock. Makes an excellent choice for adding an easy quick-release feature to any single-point, two-point, or three-point tactical sling. Made in the USA

**SPECS:** 6061 aluminum, hard anodized, matte black. Fits 4- or 6-position collapsible stocks. No gunsmithing required.

#100-002-876 MCTAR30HD Sling Adapter, 2A55E09... \$ 57.99

### NOVESKE AR-15/M16 QD SLING ADAPTER

Replacement Receiver End Plate For Mounting Pushbutton Sling Swivel



of steel to allow proper staking of buffer tube lock nut on the lower receiver. Compatible with mil-spec lower receivers with M4-style collapsible stocks. Lets collapsible stocks collapse fully. SPECS: Steel, Parkerized, dark gray finish. Fits AR-15/M16 with M4-type collapsible stock. End plate and swivel sold separately.

#100-004-756 QD Receiver End Plate, 1A28G49 ..... \$ 29.99

# PRIMARY WEAPON SYSTEMS AR-15/M16 RATCHET LOCK CASTLE NUT & END PLATE



Eases Installation of Buffer Tube - Eliminates Staking of Castle Nut

PWS's updated mounting system enables you to install a commercial OR mil-spec receiver extension ("buffer tube") quickly and easily without having to stake the castle to the end

plate. The underside of the nut has serrations that engage a pin on the end plate. Get the tube correctly oriented, tighten the castle nut down using a standard stock wrench (not included - you'll have to provide your own), and it locks securely in place. It's easy to remove if you ever want to change the buffer tube. End plate has an integral socket for a QD pushbutton sling swivel. Steel construction with a matte black finish. Fits M4-type carbine receiver extensions and standard mil-spec lower receiver.

#100-031-925 Ratchet Lock Castle Nut/End Plate,

4B25D64.....\$ 26.99

BROWNELLS, PAGE 88

#### **TROY INDUSTRIES AR-15/M16**

**M4 END PLATE SLING MOUNT** 

For Secure, Ambidextrous Attachment Of Slings With Pushbutton QD Swivels

Replaces factory receiver end plate and provides secure, ambidextrous at-

tachment for the pushbutton QD sling swivel. Made of hardened aluminum with extra metal at the stress points to ensure this mount won't fail during hard use. Rounded edges resist snagging on sling or other gear. Hardcoat anodized for extra strength and wear resistance, with a matte black finish that matches most factory buffer tubes. Heavy-duty stainless steel swivel accepts slings up to 11/4" wide and allows a full 360° of rotation.

SPECS: Mount - Aluminum, hardcoat anodized, matte black. Swivel -Stainless steel, matte black finish. Accepts slings up to 11/4" (3.2cm) wide. Fits M4-style carbines with adjustable buttstock.

**#100-004-383** M4 Sling Mount, 3B45M59.....\$ 47.99



#### TROY INDUSTRIES AR-15/M16 **PROFESSIONAL-GRADE SLING**



### **ADAPTER**

Provides Quick-Detach, Ambidextrous Sling Mounting: Built To Handle The Stress Of Tactical Use

Heavy-duty sling adapter slides over collapsible stock buffer tubes to provide secure, ambidextrous attachment for the push-button QD sling swivel. No gun-

smithing required-simply tighten down the steel crossbolt with the included hex key wrench. Solid aluminum construction with plenty of extra metal at the stress points to ensure this mount won't twist, flex, or bend under pressure. Beveled and rounded edges help resist snagging on sling or other gear. Indexes to upper receiver to prevent unwanted rotation of buffer tube. Stainless steel swivel with non-reflective black finish allows a full 360° of rotation.

SPECS: Aluminum, hardcoat anodize, matte black or dark earth, with stainless steel sling swivel, matte black finish. Accepts slings up to 11/4" (3.2cm) wide.

#100-004-055 Pro-Grade Sling Adptr, Blk, 3B47E36.... \$ 51.00 **#100-004-056 Pro-Grade Sling Adptr, DE,** *3B47N36....* **51.00** 



#### V SEVEN WEAPON SYSTEMS AR-15/M16 TITANIUM END PLATES

Minimal Bulk & Weight, Maximum Utility & Strength

Like many of V Seven's AR-15 upgrade parts, their M4-style carbine endplates are machined from Grade 5 Titanium to provide the optimal combination of strength with the bare minimum of weight. The mil-spec dimension endplate is 50% lighter than a comparable steel endplate. At the bottom there's a socket for a standard QD pushbutton sling swivel, Endplate, Black

so you get maximum utility without adding bulk to your rifle. Combo Pack contains endplate plus a V Seven Titanium castle nut. SPECS: Fits M4-type carbine buffer tube



Endplate/Nut Kit, Silver

#### VLTOR AR-15/M16 SINGLE ATTACHMENT SLING **ENDPLATE**



#### Unique Indexing Washer Allows Fast, Easy Installation For Right- Or Left-Hand Shooters

Ambidextrous, all steel endplate provides secure, balanced single-point sling attachment, so your collapsible-stock rifle or carbine can be carried tangle-free in the ready position at all times. Special indexing washer with screw interfaces with the rear of the receiver to allow easy installation for right- or left-hand use. **SASE-1** features a single slot that accepts conventional 11/4" wide webbing. SASE-2 has loop to accept HK-style hook or carabiner clips. SASE-2E has a larger loop to accommodate large HK-style hooks.

SPECS: Steel, black, matte finish. 21/16" (5.2cm) long, 13/6" (3.5cm) wide, 1/6" (3mm) thick. .7 oz. (20g) wt. Fits AR-15/M16/M4 and clones with collapsible stock.

#100-003-184 SASE-1	L Slotted Endplate, 3A22J49 \$ 24	.99
#100-003-185 SASE-2	2 HK-Style Endplate, 3A22K49 24	.99
#100-009-339 SASE-2	2E HK-Style Endplate, 3A18C99 19	.99

#### **BLUE FORCE GEAR AR-15/M16** RAIL MOUNT SLING LOOP



Versatile, Low-Profile Forward Sling Mount

Low-profile sling loop clamps to Picatinny handguard rail and provides a secure, versatile forward mounting point for a 1" sling.

Precision machined from billet aluminum with rounded edges to prevent snagging on other gear. Fixed, non-pivoting design prevents rattles and unwanted sling shifting.


SPECS: Aluminum, hardcoat anodized, black. Stainless steel crossbolt, black oxide finish. 11/2" (3.8cm) long. .6 oz. (17g) wt.

#100-005-192 Rail Mount Sling Loop, 7A33P24...... \$ 34.99

#### **COLT DEFENSE USGI BARREL MOUNT SWIVEL**

The Same, Tactical Sling Mount Used By Our Armed Forces

This genuine, Colt factory part is the one used by our GI's on the M4 carbine to allow attachment of M203 grenade launchers or forward mounted lights



SPECS: Black, hardened steel. 9/16" (1.4cm) long, 111/16" (4.3cm) wide. Fits barrels .650" (16.5mm) to .750" (19.1mm) diameter

#160-000-352 Tactical Front Sling Mount, 6A50M39... \$ 55.99

### COMMAND ARMS AR-15/M16

### **PUSHBUTTON SLING SWIVEL**

For Secure, Quick-Detach Installation Of Extra-Wide Slings

Extra-wide steel swivel accepts slings up to 15/8" wide for attachment to a Command Arms Modular Buttstock or similar

component that accepts a standard push button swivel. Smoothoperating, centrally located button and polished ball-bearing locking mechanism ensure easy attachment.

SPECS: Steel, black oxide finish. Accepts slings up to 15/8" wide.

#100-004-881 Pushbutton Sling Swivel, 6C17H99 . . . . \$ 19.99

#### QUICK RELEASE SLING SWIVEL STUDS Tough, Parkerized Finish, Greater Sling

**Attachment Options** 

Swivel studs with cross drilled mounting holes allow vertical or side carry. Accepts Uncle Mike'sstyle QD sling swivels (sold separately). Front swiv-

el stud attaches to free float or A2-style detachable handquards. Reguires drilling a single mounting hole in free float tubes. Rear QD sling stud replaces fixed military-type without modification to stock. SPECS: Steel, parkerized, dark gray finish.

KNS PRECISION AR-15/M16

#923-000-027 Parkerized Front Swivel Stud, 3B14J24. . \$ 14.99 #923-000-028 Parkerized Rear Swivel Stud, 3B14Q24. 14.99

#### DANIEL DEFENSE AR-15/M16 RAIL MOUNT QD SLING SWIVEL

Helps Stabilize Weapon To Prevent Gun Roll



Uniquely designed, quickdetach swivel mount limits rotational movement to help achieve optimum weapon balance and control with popular tactical slings. Attach anywhere

along railed forearms; robust, aluminum clamping block with hex head cross-bolt locks mount securely to any Picatinny rail. Extra heavy-duty, steel, pushbutton swivel removes quickly, so operator can break-away from the sling in emergency situations. Can be mounted for right- or left-hand use and adapts to 2- and 3-point sling configurations. Swivel rotation is limited to approximately 45° to help stabilize the weapon and eliminate sling tangle.

SPECS: 6061 T6 aluminum, Mil-Spec Type III, hardcoat anodized, black. 1<sup>1</sup>/<sub>4</sub> (3.2cm) long, 1" (2.5cm) wide, <sup>5</sup>/<sub>8</sub>" (1.6cm) high, 1 oz. (28g) wt.

#100-002-987 Rail Mount QD Sling Swivel, 8K00MQA . . \$ 40.99



#### **MAGPUL QD SLING SWIVEL**

Plugs Into Quick-Detach Sockets To Firmly Mount Your Sling

Heavy-duty steel sling swivel features a 11/4" loop and is compatible with standard quick-detach cups commonly found on lower receivers, receiver end plates, buttstocks, and many low-profile forward QD sling mounts, including the Magpul RSA®-QD. Smooth-operating push button and polished ball-bearing lock system allow for secure attachment and easy release. Slip one onto each end of Magpul's MS1™ Multi Mission Sling for dedicated dual-point functionality, or combine with an MS1 MS4<sup>TM</sup> Adapter to rapidly switch between oneand two-point modes. Mount, sling, and adapter sold separately. SPECS: Steel, manganese-phosphate finish, black. Accepts slings up to

#### **FALCON INDUSTRIES AR-15/M16** RAIL SLING ADAPTER

Locks To Accessory Rail For Instant Sling Attachment

Solid, one-piece aluminum mount with steel, pivot pin and swivel attaches to any Picatinny accessory rail for instant sling attachment. Nylon tip set screw locks mount to rail. Quiet, rubber-coated swivel prevents metal-to-metal slap and eliminates sling wear at point of contact. Accepts slings up to 11/4" wide. SPECS: Base - Aluminum. Swivel/Hardware - Steel. Matte black finish. 9/16 (1.4cm) long, 11/4" (3.2cm) wide, 15/8" (4.1cm) high. Fits slings up to 11/4" wide.

#573-000-034 Rail Sling Adapter, 3G21K59......\$ 23.99

### 11/4" (3.2cm) wide. Assembly instructions included. **#100-013-937 QD Sling Swivel**, 3K13H89.....

MAGPUL RSA® RAIL SLING ATTACHMENT

Clamp-On Loop Lets You Attach Your Sling Where You Need It

Low-profile sling loop clamps to any MIL-STD 1913 Picatinny or STANAG 4694 handguard rail to provide a secure forward attach-

ment point for the Magpul MS2 or similar clip-on sling. Can be installed on left or right side of top rail, or side or bottom rails for multiple alternate sling configurations. Loop is angled to resist snagging on other gear. Rugged, all-steel construction withstands up to 300 pounds of stress pressure, so it won't fail under hard use. SPECS: Steel, MIL-DTL-16232 manganese phosphate coated, black. 2" (5cm) long x 1" (2.5cm) wide. Projects 3/16" (4.8mm) from rail. 1.3 oz. (87g) weight.

#100-006-197 Magpul RSA Rail Sling Attachment, 3K27P54.....\$ 28.45

### **IMPACT WEAPONS COMPONENTS** 2-TO-1 POINT TRIGLIDE ADAPTER

Converts Your 2-Point Sling To A Single-Point Sling

Aluminum adapter threads on the rear strap of any 1" wide sling to quickly convert a 2-point sling into a highly maneuverable single-point sling, and back. "Universal" socket accepts any

pushbutton QD sling swivel, HK-style clip, and MASH connectors amazingly handy and easy to use. Instructions included. Separate models for 1" and 11/4" wide slings. SPECS: 6061 T6 aluminum, Type III hardcoat anodized, black. 27/32" (2.1cm)

long, 11/2" (3.8cm) high. #100-006-831 1" Triglide Sling Adapter, 2C17L60 . . . . \$ 19.95 #100-007-208 11/4" Triglide Sling Adapter, 2C17A99... 19.99



#### MAGPUL PARACLIP

Compatible With A Variety Of Sling-Attachment Mounts

Specifically made for  $1^1/4^{"}$  webbing, this clipin sling attachment point is compatible with ASAP Plate, RSA, MSA, SGA receiver sling mount, and other

clip-in attachment points with at least 3/8" loops. Made from melonite finished steel and reinforced polymer hardware, clip features a locking bar for added security. Combine with the MS1 sling for a dedicated two-point sling, or with MS1 MS3 adapter or MS1 MS3-QD adapter for a two to one-point convertible sling.

SPECS: Steel and reinforced polymer, melonite finish, black. 2" (5.1cm) long, 1 3/4" (4.4cm) wide, 1/2" (1.3cm) thick.

order on the web



#### **MAGPUL** RSA®-QD RAIL SLING ATTACHMENT

#### Connects Push-Button Sling Swivels Anywhere On Your Rail

Quick-detach version of Magpul's RSA loop provides a secure forward attachment point for the Magpul MS4<sup>TM</sup> and other push-button QD sling swivels. Position the two-piece clamping system anywhere along your 1913 Picatinny rail and in whatever orientation you prefer, then tighten the slotted-head shoulder screw to lock in place. Socket is angled off the rail for comfortable two-point sling use while maintaining convenient, easy access to the push button. Limited rotation ensures the sling doesn't become twisted or tangled. Made from Melonite-coated steel for wear and corrosion resistance. SPECS: Steel, Melonite finish, matte black. 1.8" (4.6cm) long, .7" (1.8cm) wide. 1.1 oz. (31.2q) wt. Fits any 1913 Picatinny rail. Installation instruc-

#100-011-577 Magpul RSA-QD, 3K27D54..... \$ 28.45

#### MAGPUL

#### MSA®-QD MOE® SLING ATTACHMENT

Adds Quick-Detach Socket To Handquards & Forends

Forward connection point for pushbutton sling swivels mounts directly to Magpul Original Equipment handquards



#100-015-152 MSA-QD Sling Attachment, 3K18M04... \$ 18.95



#### **TROY INDUSTRIES AR-15/M16 PUSHBUTTON SWIVEL RAIL MOUNT**

Tangle-Free Sling Mount Clamps To Accessory Rail Where You Want It

Aluminum mount clamps to any Picatinny rail to provide a front sling attachment point exactly where you need it. Non-rotating quick-detach swivel has four locking positions and accepts a 11/4" wide sling. Push-button release allows quick break-away from sling in emergency situations. Use a slot-head screwdriver to tighten the steel cross-bolt that locks the mount to the rail. Bolt head fits flush with mount body, so it won't snag on sling or gear. SPECS: Mount - Machined aluminum, hardcoat anodized, matte black. Swivel/Cross-Bolt - Steel, black oxide finish.

#100-005-083 Pushbutton Swivel Rail Mnt. 3B32D50 . . \$ 35.00

#### **UNCLE MIKE'S MIL-SPEC SWIVELS**

Withstands The Toughest, **Most Demanding Conditions** 



Heavy duty, 11/4 inch swivels provide necessary stamina and durability for extended tactical and field use. 500 pounds of pull strength plus stainless steel construction that meets the weather resistance standards of the U.S. Military. SwivelLock® prevents accidental opening, provides fast attachment.

SPECS: MIM 4600 stainless steel, matte finish, 11/4" loops.

#593-000-002 Mil-Spec Swivels, 8K17F09..... \$ 18.99



#### **MIDWEST INDUSTRIES AR-15/M16** FRONT SLING ADAPTER







#### Provides Strong, Reliable Sling Attachment

Two-piece clamp with single cross-bolt secures adapter to Picatinny handquard rails so you have a front sling attachment point. MCTAR-06 has pivoting, 11/4" wide swivel for direct sling attachment. Rubber coating on swivel prevents noisy, metal-to-metal contact. MCTAR-07 includes a fixed, dome-shaped stud that accepts your own, standard quick-detach swivel. MCTAR-08 includes a 11/4" wide, 360° rotating, push-button swivel for rapid sling removal. MCTAR-08HD has heavy duty base and swivel that stands up to extreme tactical operations. 11/4" wide, quick-detach swivel limits travel to prevent sling wrapping yet allows necessary movement. SPECS: Bases - 6061 aluminum, mil-spec hardcoat anodized, matte black; steel setscrew, matte black oxide. Swivels/Studs - Steel, black fin-

#100-001-923	MCTAR-06 Swivel Sling Adptr, 2A00MHI . \$ MCTAR-07 Stud Mnt Adptr, 2A00ADM	21.99
	MCTAR-08 Swivel Mnt Adptr, 2A00BQD	31.99
#100-003-198	MCTAR-08HD Front Sling Adptr, 2A00DLH	36.99

ish. Swivels accept slings up to 11/4" (3.2cm) wide.

QUICK DETACH SWIVEL - Machined steel swivels with 11/4" loops

feature a smoothoperating, centrally-located push-button and polished ball



bearing surfaces for easy attachment on firearms equipped with quick-detach bases. Provides quiet, 360° rotation of the swivel to eliminate sling tangle and improve all day carry comfort. Standard model features a standard weight loop formed from 1/8" diameter round stock. Base is knurled for a positive grip, even when wearing heavy gloves. Available with polished blue finish. Heavy Duty swivel is constructed with an extra beefy base and push-button, plus a 3/16" diameter loop to handle maximum weight and abuse; available with gray Parkerized finish. Heavy Duty Flush Button is same as Heavy Duty, but with push button that is flush with the swivel body for lowprofile design that helps eliminate accidental release.

SPECS: Steel. Accept slings up to 11/4" wide. Standard - Polished blue. Heavy Duty - Parkerized. Sold singly. Heavy Duty Flush Button - Parkerized. Sold Singly.

#100-003-223	Standard Swivel, each, 2A10K19	\$ 11.99
#100-003-224	Heavy Duty Swivel, each, 2A13J49	14.99
#100-008-814	Heavy Duty Flush Button Swivel,	
	2A00PWC	12.99

### **VLTOR**

Heavy-Duty, Dependable & Strong Stainless Steel Construction

Heavy-duty push button sling swivel made from durable stainless steel fits QD swivel receptacles on the Vltor Modstock and other

accessories for quick attachment of tactical slings. Features a 11/4" loop to accept a variety of standard sling types. Easy operating pushbutton allows quick attachment and release.

quick-detach swivel receptacles on accessories from Vltor, Magpul, LMT, KAC, Midwest Industries, Daniel Defense, GG&G, Uncle Mikes, and others. #100-004-880 Quick-Detach Sling Swivel, 3A15K29....\$ 16.99

#### VIKING TACTICS AR-15/M16 LOW-PROFILE SLING MOUNT



#### **Instant Sling Attachment Point** On Any Picatinny Rail

Low-profile, aluminum mount clamps to any Picatinny rail to provide an attachment point for a quick-detach, pushbutton sling swivel exactly where you need

it. Recessed crossbolt and locking bar attachment system installs with a flat-blade screwdriver—no protruding hex nuts to snag other gear. Limits swivel rotation to 45° to help prevent sling tangling. SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Steel locking plate, black finish. 13/8" (3.5cm) long x 1" (2.5cm) wide x 1/2" (1.2cm) high. #100-005-521 Low-Pro Sling Mount, 7K40A25 . . . . . . \$ 44.99



#### VIKING TACTICS AR-15/M16 **VTAC-LUSA FRONT** SLING ADAPTER

**Accepts Most Swivel Types** 

Universal, four-in-one adapter accepts traditional Uncle Mike's style sling swivels, quick-release push-button swivels, H&K-style clip-on swivels, or simply thread your sling through the 1" wide loop. Eliminates the need to change sling adapters to match different style sling swivels. Lightweight aluminum clamping block with single cross-bolt locks mount securely to any Picatinny rail. Quick-release push-button swivels, when installed, are limited to 45° rotation to help prevent sling twist. SPECS: 6061 aluminum, hardcoat anodized, black. 15/16" (3.3cm) long x

!¹/s" (2.9cm) wide. #100-004-331 VTAC-LUSA Sling Adapter, 7K44J73.... \$ 49.99

**BLACKHAWK INDUSTRIES** 

TACTICAL RIFLE CASE

Added Padding Protects Rifle & Optics

taneon nylon surrounds 3/8" of padding on the top and bottom of

the case for snug, no-slip protection of your rifle and its expensive

optics. Padding on the bottom of the case covers the zipper tracks

to protect your rifle from scratches. A double-stitched, nylon carry

handle is attached to the case with multi-reinforced stitching; an

adjustable, padded sling offers a tactical-carry option. All cases ac-

cept rifles with mounted optics and fully unzip to be used as a shoot-

ing mat. Standard Rifle case is available in 34", 37", and 41" lengths

and features four high-capacity magazine pouches (five on 41" case)

with positive-close hook-and-loop patch closures, plus zippered

compartments in the front for additional storage.

SPECS: 1000 denier, Nytaneon nylon, black

A shell of abrasion- and mildew-resistant, 1000 denier, Ny-



#### E&L MANUFACTURING AR-15/M16 **BRASS CATCHER**

(7.6cm) deep x 11" (27.9cm) high.

Saves Brass, Keeps It From Hitting Nearby Shooters

Lightweight, molded polymer brass catcher snaps over ejection port to save brass for reloading. Holds up to 60 expended shells, and won't interfere with moving parts on the firearm. No gunsmithing or permanent alterations to install. Attaches to any flattop upper receiver, including those fitted with riser rails. SPECS: Molded hard polymer, black. Holds up to 60 shells.

#100-005-435 Universal Brass Catcher, 2A55C79 ..... \$ 61.99

**BULLDOG CASES AR-15/M16** 

**ULTRA-COMPACT DISCREET** 

**RIFLE CASE** 

Maximum Concealment & Protection During Transport

protection for a short-barreled AR, a rifle disassembled into upper

and lower halves, or other expensive gear during transport. Fea-

tures a durable, heavy-duty, water-resistant nylon outer shell and

21/2" thick foam padding that provides a snug, firm hold on the gun.

Protects the gun's finish with a no-scratch lining of brushed Tricot

that won't sag, billow, or deform. Full-length, padded, 1/2" thick di-

vider has two mag pouches double stitched to one side, so loose

magazines won't damage your gun. Heavy-duty zipper with large

SPECS: Nylon exterior, navy blue, Tricot lining. 29" (73.6cm) long x 3"

aluminum pull tabs for an easy grasp with thumb and forefinger.

#100-005-304 Ultra-Compact Discreet Case, Navy Blue,

Low-profile case provides discreet concealment and maximum



O

#### 3BUCC-LLP AR-15/M16 **BRASS-SAVR BRASS CATCHER**


Stop Crawling Around On The Ground



Cotton-poly bag, supported by steel frame. Holds 70 rounds of .223 brass; easy-open bottom unloads fast. Separate models to fit carry handle and flattop AR-style rifles. SPECS: Cotton-poly cloth bag, steel frame, polymer mount, black, matte finish. 4<sup>1</sup>/<sub>4</sub>" (10.8cm) wide, 3<sup>1</sup>/<sub>2</sub>" (9cm) long, 71/4" (18.4cm) deep.

#100-000-428 Carry Handle Brass-Savr, 4K58C49 . . . . \$ 64.99 #100-000-735 Flattop Mount Brass-Savr, 4K57H79 ... 67.99

#### **BROWNELLS** AR-15/M16 **DUST COVER SAFETY FLAG**






Bright, highly-visible yellow insert instantly lets the RSO and other shooters know your weapon is unloaded and safe. Perfect for training exercises and classroom activities where it's vital to quickly identify that weapons are safe at all times. Blocks the chamber to ensure that a round cannot be loaded when the flag is installed. Completely seals the ejection port to keep out dust, dirt, and other debris. SPECS: Plastic, yellow.

#084-000-300 Dust Cover Safety Flag AR15/M16, 

### **QUICK-DETACH SLING SWIVEL**

SPECS: Stainless steel, matte black finish. Accepts slings up to 11/4" wide. Fits



#### BROWNELLS **AR-15/M16 SAFE PORT**

Clearly Marks Rifle As Unloaded; **Ejects When Bolt Is Charged** 

Safety orange, plastic flag clearly indicates, either close up or at a distance that there is no ammunition in the chamber. Ideal for range and class-



room safety when identifying that a weapon is clear is of utmost importance. SafePort cannot be placed in chamber if there is a round loaded, but can be used when a loaded magazine is in the rifle and will eject from the chamber when the bolt is charged. Safe Port can be marked with serial numbers for ease of identification in storage. SPECS: Plastic, safety orange. Fits AR-15/M16 rifles.

#084-000-194	SafePort.	8K13A59	\$ 15.99



rounds in the tray, so no more guessing how many rounds have been loaded. Easily handles a vast array of 5.56/.223 AR-15/M16/M4 magazines, including metal USGI-pattern mags like those made by Brownells, Magpul PMAGs, older Lancer models (may not work on new L5AWM), Surefire 60- and 100-round mags, SA80, H&K metal 416 (may not work on H&K plastic), and most polymer magazines. Easy to operate, even when wearing gloves in cold weather, and it's portable, too, so it fits easily in your range bag.

MAGLULA AR-15/M16

BENCHLOADER™

SPECS: Reinforced molded hard polymer, black. Stainless steel magazine retention bar. 16.5" (42cm) long. 12.7 oz. (360g) wt. Does not load blank rounds; may not load rounds with irregular bullet styles.

#100-016-523 Maglula BenchLoader, 3Z00HGD...... \$ 136.99

# ing. Numbered indicators show the number of

### Sinclair AR-15 CHAMBER SAFETY FLAG


Clearly Indicate Safe Weapon To Range Officers

Improve range safety with bright yellow flag that clearly indicates a safe weapon to range safety officers. Withstands accidental bolt slamming. Curved probe stays in chamber with bolt open. SPECS: Plastic, vellow, 51/2" (14cm) long, Pak of 3.

#988-004-001 AR-15 Chamber Safety Flag, 8H10J49. \$13.99

### TC ACCESSORIES AR-15/M16 **BRASS DEFLECTOR** Collects All Your Empty Brass In One

Area; Saves Yourself & Others From **Being Burned** 



from hot, discharging brass. Installs with little to no gunsmithing: attaches to either picatinny rail or carry handle, depending upon model ordered. Models to fit A2 (carry handle) and A3 (flattop) receivers: **EOTech** model is designed to sandwich between a flattop rail and an EOTech Holographic Weapon Sight.

SPECS: Steel, black, matte. Available for guns listed below.	
#100-001-133 A2 Brass Deflector, 9K21I59\$	23.99
#100-001-134 A3 Brass Deflector, 9K20E69	22.99
#100-002-568 FOTech Brass Deflector 9K21C24	24 99

#### **CHAMBERSAFE** CHAMBER BLOCKING DEVICE



**Visibly Confirms That** Firearm Is Unloaded

Prevent chambering of a round & provide positive visual confirmation that the firearm is unloaded with a

bright orange chamber blocker in the ejection port. Instantly bring the weapon into operation by pulling the large, easy-to-grasp ring to clear the chamber. Stands up to years of insertion & removal cycles SPECS: Molded polymer, orange. Fits AR-15/M16, M14/M1A, and other semi- and full-auto rifles and carbines with extractor enclosed within the bolt. Should not be used on any firearm with an extractor that extends forward from the holt

**#100-003-782** Chamber Blocking Device, 6B10M19.... \$ 11.99



#### **PRECISION GUN SPECIALTIES** SAF-T-TRAINERS

"Dummies" For Training Exercises Can't Be Mistaken For Live Ammo

Brightly colored orange or vellow plastic and a different "feel" makes sure you won't confuse these for live rounds. Popular with many departments and agencies for use in Immediate Action training for just that reason. These do not duplicate weight

and balance of loaded rounds or function-testing dummies. SPECS: Orange or yellow plastic. Rifle and Handgun calibers supplied 50 or 10 rounds per bag, Shotgun calibers supplied 25 or 10 rounds per bag. 9mm Makarov: (9mm Mak).

STOCK #	CAL./GA.	QTY.	COLOR	PRI	CE
#729-050-223	.223 Rem.	50	Orange	9B23L66	\$ 25.99
#729-000-045	.223 Rem.	10	Orange	9B8I38	\$ 9.99
#729-050-308	.308 Win.	50	Orange	9B24G67	\$ 34.99
#729-000-034	.308 Win.	10	Orange	9B8A24	\$ 9.99
#729-051-009	9mm	50	Yellow	9B26F60	\$ 30.99
#729-050-009	9mm	50	Orange	9B17H06	\$ 18.99
#729-000-038	9mm	10	Orange	9B9I90	\$ 12.99

#### MAGPUL .223/5.56 DUMMY ROUNDS

For Testing & Dry-Firing An Unloaded Rifle

Solid, inert, dummy rounds let you safely test the feeding, extraction, and magazine function of your rifle without the worry of accidental discharge. Lets you dry fire without risking damage to the firing pin. Glass-fiber reinforced polymer material can't corrode or cause corrosion. Precision molded to duplicate the Remington .223/5.56mm NATO round in five critical dimensions, and can be cycled and eiected the same as live ammunition. Sold in 5-Paks. SPECS: Fiberglass-reinforced injection-molded polymer, black. **#100-004-885** .223/5.56 Dummies, 5-Pak, 3K4L49..... \$ 4.70

#### **ARMSPORT DELUXE SNAP CAP**

Save Firing Pins - Shoot Better With Safe, Dry-Fire Practice

The spring-loaded "primers" in these snap caps act much like a live primer and cushion the blow so firing pin and bushing damage won't occur. Bright color and "different" feel to prevent mixing with live rounds or function-testing dummies.

(Don't use snap caps as dummies - they don't duplicate loaded round weight/balance.) SPECS: Brass base, plastic body

STOCK # CALIBER/GA. CAPS PER PAK PRICE #055-811-223 .223 Rem 6H9I19 \$ 10.99

.308 Win

# JP ENTERPRISES AR-15/M16/AR-STYLE.308



#055-812-308

MATCH CASE GAUGE Helps Prevent Ammo-Related Malfunctions

6H9E19 \$ 10.99

Precision machined aluminum gauge is the quick, accurate, easy way to check reloaded ammunition—or suspect factory ammo—to verify that it is dimensionally correct for proper function in your rifle. A majority of semi-auto jams are caused by oversized cases; if your ammo doesn't fit the case gauge, it won't fit your chamber. Anodized red or blue for easy caliber identification. Red .223/5.56 Wylde gauge fits .223 SAAMI and 5.56 NATO. Blue .308/7.62 gauge fits .308 SAAMI and 7.62mm NATO.

SPECS: Aluminum, anodized red (.223/5.56 Wylde) or blue (.308/7.62).

#452-000-102 .223/5.56 Wylde Case Gge, 2E00ARG . . . \$ 36.99 #452-000-103 .308/7.62 Case Gauge, 2E00QKL ...... 36.99

#### **BROWNELLS** BROWNELLS/M-PRO 7° AR-15/M16/AR-308 CLEANING KIT

**Complete System Ensures** Thorough Cleaning To Keep Your AR Functioning Reliably

Brownells has teamed up with M-Pro 7 to develop this cleaning kit specifically for maintaining an AR-type rifle in peak operating condition. Inside the kit's compact hardshell case you'll find M-Pro 7 Gun Cleaner that safely penetrates deep beneath even tough, scorched-on carbon fouling to lift away the gunk and leave the bore

sparkling clean. M-Pro 7 Gun Oil LPX delivers superior lubrication and corrosion protection, and can even be used for guick cleaning in the field. You get a military-style multi-section steel cleaning rod, plus high-quality bronze bore brushes for ARs chambered in .223/5.56mm, .308/7.62mm, 9mm, and .45. There's a brush for cleaning the bolt carrier way—critical for maintaining reliable weapon cycling-plenty of absorbent cotton flannel patches, and the M-Pro 7 Weapons Maintenance Guide. Due to its non-hazardous and non-flammable contents, this kit meets TSA regulations for legal transport in checked baggage aboard commercial airliners. SPECS: Kit contains polycarbonate box, black; 2 fl. oz (59ml) M-Pro 7 Gun Cleaner; 2 fl oz. Gun Oil LPX; five-section steel cleaning rod w/30" maximum extended length; (4) bronze bore brushes to fit .22/.223/5.56mm, .308/7.62mm, 9mm, and .45; bronze bolt way cleaning brush; polymer patch loop; 1" circular, 2" square, and 21/2" square cotton flannel patches; lint-free gun cloth; and Weapons Maintenance Guide.

#080-000-686 AR-15 Cleaning Kit, 9K40Q49..... \$ 44.99





**Premium-Quality Components For Detail Cleaning Of The Entire Rifle** 

Convenient, professional-grade cleaning system contains everything you need to thoroughly clean an AR-15 to ensure it operates with peak reliability and accuracy. We packed this kit with our best, premium-grade components and supplies to help you detail clean all parts of your rifle's operating system, including bore, chamber, gas system, and bolt carrier way. You get a top-quality Dewey cleaning rod long enough for any AR-15 barrel, our own Special Line bronze bore brushes, and our deep-scrubbing all-cotton, flannel patches, plus tools specifically developed for the AR15. A hold-open link separates the upper and lower receivers and locks them in place so you can clean the bore and chamber the correct way, from the breech. Rugged Delrin® plastic bore guide centers the cleaning rod in the bore and protects the rifling from damage; silicone O-ring seals the chamber and keeps solvent out of the action and trigger. Our upper receiver cleaning tool has a properly sized bronze brush and cotton mop to let you quickly scrub stubborn carbon fouling from the bolt carrier way and lug recesses. Combination bronze and stainless steel chamber brush, originally designed for the USGI M16, makes short work of fouling that can prevent proper extraction of spent shells. All this gear comes packed in a rugged plastic storage/ carry box with a roomy top compartment and three slide-out drawers with plenty of storage space for extra items.

SPECS: Kit contains Dewey 36" cleaning rod w/jag and 8-32 thread adapter, O-ring bore guide, cleaning link, (12) Special Line .22 bore brushes, (3) cotton bore mops. (250) 1<sup>1</sup>/<sub>4</sub>" round cotton patches. (6) gas tube cleaners. (3) chamber brushes, gun parts cleaning brush, (2) shop cloths, 4 oz. Break Free CLP, and 24 oz. TCE Cleaner/Degreaser, plus Upper Receiver Cleaning Kit that includes handle, bronze brush, and cotton mop. For AR-15/ M16 rifles and carbines chambered in .223/5.56mm only

#080-000-573 ( Brownells Professional AR-15 Cleaning System, 8K136J53..... \$ 149.99

#### **MASEN** MIL-SPEC CLEANING KIT



Authentic, Issue Kits For Field Use

Genuine cleanina components make a great takealong kit for range and field use. Kit includes sectional

cleaning rod with combo handle, patch loop, bore brush, chamber brush, double-ended parts brush, oiler bottle, and storage pouch. Fits snuggly inside the trap-door compartment on A2 buttstocks. SPECS: Rod/Handle - Steel, parkerized. Bore Brush - Bronze. Chamber Brush - Bronze w/stainless steel lug recess bristles. Oil Bottle - Plastic. Parts Brush - Nylon bristles, plastic handle. Fits .223 caliber.

#555-000-005 M16 Cleaning Kit, 6E16P88 ..... \$ 19.99

order on the web

brownells.com

BROWNELLS PAGE 91

Orders: 800-741-0015

#### **BROWNELLS** AR-15/M16 **BUTTSTOCK CLEANING KIT**



#### Compact, Field-Ready Kits That Go Wherever Your Rifle Goes

Our crew of tactical weapons experts developed these fine 5.56mm cleaning kits to give the M16/AR-15 shooter a handy, carry-along system that fits snug in the storage compartment of A1/ A2 buttstocks. **Standard Kit** includes a government-type 5-piece cleaning rod (with loop), bronze bore brush, bronze chamber brush, double-ended parts cleaning brush, and a heavy Nylon pouch tapered correctly for a rattle-free fit. Deluxe Kit adds a solvent-resistant nylon chamber brush, 25-Pak of mil-spec cleaning patches, and 4ml of Brownells Friction Defense™ Xtreme Gun Oil for superior weapons lubrication and corrosion protection. Detailed instructions in both kits guide you through the cleaning process. SPECS: For 5.56mm (.223) caliber only. Fits A-1 and A-2 style buttstocks. Both kits include 5-piece cleaning rod, bore brush, bronze chamber

brush, parts cleaning brush, buttstock pouch, and instructions. Deluxe Kit adds nylon chamber brush, 25-Pak cleaning patches, and 4ml of Friction Defense Xtreme Gun Oil. #084-000-229 ( Standard Buttstock Cleaning Kit,

8K24L29 ..... \$ 26.99 #084-000-233 ( Deluxe Buttstock Cleaning Kit, 



#### IOSSO® AR-15/M16 ELIMINATOR™ **AR-15 CLEANING KIT**

#### Cleans Bore & Hard To Reach Areas. **Including Gas Tube**

Handy, all-in-one kit contains tools custom-designed to clean an AR from chamber to muzzle. Dense, durable Nyflex™ fiber brushes offer maximum bristle area per square inch to thoroughly clean specific parts of the weapon without risk of scratching bore or the aluminum components. Includes brushes for .223/5.56mm bore, upper receiver, chamber, bolt carrier, and carrier key, plus a dedicated gas tube brush. Clean-



CHAITIDGI DIUSII,	and bott carrier brasin	
#073-000-007	AR-15 Cleaning Kit, 3G39G84	\$ 54.99
#073-000-005	<b>AR-15 Brush Pak,</b> 3G11B05	14.99
#073-000-027	Replacement Gas Tube Brushes, 2-Pak,	
	3G6H06	7.99

and carry pouch. Brush Pak contains bore brush, upper receiver brush,

#### **REAL AVID GUN BOSS AR15/M16 CLEANING KIT**



Cleaning Kit Made To Go Wherever Your AR15 Goes

Compact, rod-type cleaning kit contains everything you need to protect the accuracy and reliability of your AR15. Kit includes combination bore illuminator/safe chamber indicator that also pushes out takedown

pins, aluminum rod sections, brushes, slotted tip, picks, and patches packed into a rugged, weatherproof, zippered case with a digital camouflage exterior. Internal tray holds cleaning tools securely, so there's no rattling.

SPECS: EVA-molded case, digital camouflage exterior. 2" high, 3 1/2" across, 6" long. Contains: 6 threaded anodized aluminum rod sections, T-handle. 5.56/.223 brass brush. brass chamber brush. nvlon bolt carrier brush, nylon slotted tip, 25 synthetic cleaning patches, 1 straight pick, 1 angled pick, combination bore light/pin punch/safety flag.

#100-012-144 Gun Boss Ar15 Cleaning Kit, 8C25K84 \$ 29.99



#### The Right Tools For A Difficult Cleaning Job

Make short work of cleaning heavily fouled AR-15 upper receivers, right down to the locking lug recess. Specially sized and shaped bronze receiver brush and cotton mop quickly remove stubborn carbon residue that can hinder your rifle's reliability. Standard Kit is for cleaning upper receiver and bolt carrier way. Deluxe Kit has a longer rod and a chamber brush that lets you thoroughly clean the bolt carrier way, the chamber, and the locking lug recess. This kit also available with a tough-scrubbing wool mop.

SPECS: Standard Kit includes bronze receiver brush, mop, and brass cleaning rod with plastic handle. Overall length - 61/2" (16.5cm) long, threaded 5/16"-27 tpi. Deluxe Kit includes bronze receiver brush, mop, AR-15 chamber brush, thread adapter and brass cleaning rod with plastic handle. Overall length – 14<sup>1</sup>/<sub>4</sub>" (36.2cm) long, threaded 8-32 tpi. Replacement brush and mop are threaded 5/16"-27 tpi.

#084-000-028	Standard Kit, Cotton Mop, 8K26B96\$	32.99
#084-000-029 🔘	Deluxe Kit, Cotton Mop, 8K23K34	26.99
#084-823-115	Deluxe Kit, Wool Mop, 8K26F74	28.99
#084-223-003	Replcmt Receivr Brush, 8K4N99	4.99
#084-223-004	Replacement Wool Mop, 8K8H99	11.99
#084-000-027	Replacement Cotton Mop, 8K5N49	7.99

#### OTIS AR-15/M16/AR-STYLE.308 TACTICAL RIFLE CLEANING ITEMS

**Necessities for Keeping Your AR Running Reliably** 

AR-15 GRIP KIT - Provides a very useful, field and emergency cleaning kit that's always ready for use. All components are contained in a secure, grip insert that stores in the standard A2 pistol



**CLEANING PATCHES** - The same patches for .22-.30 caliber rifles included in the tactical by pinching at the various slots.

rifle cleaning system. Pre-slotted to fit loopstyle rod tip. Each patch can be varied in size

#668-000-002 Small Caliber Patches, 100-Pak, 8F5K60. . \$ 6.53

SPECS: 100% virgin cotton. 2" (5cm) diameter.

#### OTIS AR-15/M16 MSR/AR & MSPR CLEANING SYSTEMS



Quick & Effective Breech-To-Muzzle® Cleaning For Your AR

Versatile, go-anywhere cleaning kit is the all-in-one cleaning solution for your AR-pattern. Use it at the range or in the field without disassembly for quick touch-ups or at home for a thorough breech-to-muzzle cleaning. MSR/AR kit features Otis's B.O.N.E. (Bolt Operational Necessary Equipment) Tool® for servicing the bolt, 8" and 30" Memory-Flex®

cleaning cables, two Mongoose® brush/swab combos, a chamber brush, slotted tip, and a 1/2 oz. tube of O85 Ultra Bore® solvent. Also has an assortment of brushes, scrapers, cleaning patches, picks, and other tools to help you keep your AR clean. Comes in a durable, belt-attachable nylon carry case. MSPR kit contains many of the same components, plus items specifically designed for cleaning ARpattern rifles with gas piston operating systems.

#668-000-109	.223/5.56 MSR/AR Cleaning System, 8F44J14	\$ 51.50
#668-000-137 🔘	.308/7.62 MSR/AR Cleaning System, 8F44M14	51.50
#668-000-135 🔘	.223/5.56 MSPR Cleaning System, 8F36N79	42.92

#### BROWNELLS **MILITARY THREAD BRASS LOOP**

No Bore Damage; Fits Military Rods



Soft, brass loop threaded for 8-36 tpi Military-type cleaning rods helps prevent loss of accuracy due to bore wear caused by cleaning. Securely holds cleaning patch for .22-.30 calibers without damage to rifling. SPECS: Brass. .22-.30 Cal., 8-36 tpi male threads.

#084-000-259 (a) .22-.30 Cal., 8-36 Brass Loop, 8F3D59 ..\$ 3.99


#### MILITARY CLEANING ROD ADAPTER

For 8-32 Attachments

Adapts the small arms military cleaning rods to accept 8-32 commercial brushes and jags.

SPECS: Steel, parkerized finish. 31/4" (8.26cm) long. Pak of 2. #084-116-362 8-32F/8-36M Adapters, 4H5Q96......\$ 6.99

#### **DEWEY BRASS CHAMBER ROD**



#### The Right Length For Upper Receiver Cleaning

Dewey's CHR brass chamber rod combined with a bronze/steel bristle brush cleans the chamber and critical locking lug area. SPECS: Brass rod, plastic handle. 8-32 tpi. 121/4" (31.1cm) long.

#234-000-021 AR-15 Combo, 4C10G77...... \$ 15.49 #234-000-041 AR-Style .308 Combo, 4C12C48.... 15.79



Centers the cleaning rod in the bore to prevent rifling damage. Extra long for scoped rifles. O-ring seals chamber and keeps solvents out of the action and trigger, holds bore guide firmly in

SPECS: Delrin<sup>®</sup>. Silicone rubber O-ring. 9<sup>1</sup>/<sub>2</sub>" (24cm) long.

#528-101-019 O-Ring Bore Guide, for AR-15/M16, 

BROWNFLLS

**CLEANING ROD** 

**SMALL ARMS** 

Original Military M16 Rod

New production of the original, military issue "Cleaning Rod, Small Arms" (NSN #1005-00-089-3994). Designed for the M16/AR-

15's and perfect for range kit or hunting pak. Fold-over handle.

SPECS: 8-36 military thread . 204" (5.2mm) dia. rod. 4 sections, each 7-16" (18.7cm). Overall length, with Jag, 29<sup>3</sup>/<sub>4</sub>" (75.6cm). All parts steel. O.D.

#084-116-100 Cleaning Rod, Small Arms, 4H16E23.. \$ 17.99

#084-116-362 8-32F/8-36M Adapters, 4H5Q96..... 6.99

BROWNELLS

MIL-SPEC GUN CLEANING PATCHES

holds bore fouling and doubles as a "scrubber" for tough surface dirt.

SPECS: 100% cotton flannel. 1000 patches per package. .223 - 11/4"

**DEWEY** 

**GRENADE LAUNCHER CLEANING KIT** 

(40mm) grenade launcher and 37mm variants. Two-piece, alumi-

num cleaning rod with 5/16"-27 female threads can also be used for

SPECS: Kit includes: (1) 14" (36cm) aluminum rod w/fixed handle, (1) 8"

(20cm) aluminum rod extension, (1) 5/16"-27 phosphor bronze brush, and

#234-000-051 Complete Cleaning Kit, 4C37P35......\$ 49.99

#234-000-058 37/40mm Replement Brush, 4C5C86.... 11.29

#234-000-059 37/40mm Replcmnt Mop , 4C6H15..... 10.09

POSSUM HOLLOW AR-15/M16

O-RING BORE GUIDE

The Right Kit

For The M203

tary issue M203

Cleans mili-

#546-100-223 .223 Mil Spec Cleaning Patches, 1,000-

#546-100-030 .30 Mil Spec Cleaning Patches, 1,000-

parkerized finish. Includes 8-36 to 8-32 adapter.

From The Same Supplier

Uncle Sam Uses

bleached flannel patches made

to get guns clean efficiently. The

coarse, open weave side grabs and

(3.2cm) square. .30 - 21/2" (6.4cm) square.

short-barreled shotguns.

(1) 5/16"-27 cotton mop.

**Protects Chamber** 

& Bore

100% cotton, single-nap, un-

Soft, napped side holds solvents and oils.



#### DEWEY AR-15/M16/AR-STYLE .308 **CLEANING ROD GUIDE**



#### Keeps Solvent Out Of The Action

Allows cleaning from the breech to protect the muzzle from cleaning rod damage. Rubber "O" ring seals the chamber and keeps solvent out of the lower receiver.

SPECS: Aluminum, anodized. Delrin handle. Rubber O-rings. Approximately 9" (22.9cm) long. Includes spare O-rings and O-ring installation tool. Models available for AR-type rifles chambered in .223/5.56, 6.8mm, .300 AAC Blackout, and .308/7.62.

#234-015-000 🔘	.223/5.56 AR Rod Guide, 4C16N67	\$ 22.99
#234-000-075	6.8mm AR Rod Guide, 4C24L01	32.99
#234-011-000 🔘	.300 AAC AR Rod Guide, 4C23J42	28.99
#234-010-000 🔘	.308/7.62 AR Rod Guide, 4C18I76	25.99

#### JP ENTERPRISES AR-15/AR-STYLE .308 **CLEANING ROD GUIDE**



SPECS: Machined aluminum, AR-15 - red, anodized finish. 10" (25cm) long. Fits .223 only. AR-Style .308 - blue, anodized finish. 11.5" (29.2cm)

#### SATERN® AR-15 **BORE GUIDE**



#### Prevents Damage To Chamber & Bore

Clean your AR-15 from the breech to prevent muzzle or chamber damage. Insert into the upper receiver, replacing the bolt carrier, for safe and easy cleaning. Self-centers in the receiver with O-ring seals. Solvent port keeps chemicals out of the action.

SPECS: Machined Delrin®. 91/2" (24cm) long. For AR-15s chambered in .223/5.56mm NATO.

#812-015-002	.223/5.56 Bore Guide.	2A33Q85.	\$ 52.99

WHEELER ENGINEERING AR-15/M16 **ADJUSTABLE RECEIVER LINK** 

Holds AR-15 Open For

Cleaning & Maintenance

and lower receivers of an AR-15 in an open position to give easy access

for cleaning and maintenance. The

upper link engages the upper re-

ceiver with an integral pin, and has a

threaded lower portion that fits the lower

takedown hole and pin. Two lower links

give from 1.2" to 1.8" of opening to allow

easy insertion of bore guide or give access

Handy tool secures the upper



solvent dripping into the action.

SPECS: Delrin and stainless steel.

**Bolt & Carrier** 

Handy, two-in-one tool quickly and easily removes carbon fouling from critical areas of the bolt and carrier to ensure proper bolt function and reliable cycling. Scrape carbon from the carrier with the reamer end of the tool, then clean the bolt tail with the other end. The unique, lathe-like design adjusts to fit any bolt tail radius, ensuring a universal-fit tool for any AR bolt. Made from hardened carbon steel, zinc plated for corrosion resistance. An ideal tool for the range bag, field armorer's kit, or "necessaries" bag.

#100-004-436	CRT-15 Carbon Removal Tool,	
	4D30M50	\$ 39.99

#### **BROWNELLS** AR-15/M16 **BOLT RADIUS SCRAPER**

**Easily Removes Carbon Deposits From Bolt Tail** With A Few Gentle Turns



Easy to use hand-held tool is for serious AR-15

shooters who want to quickly eradicate the carbon buildup on the bolt tail that's difficult to remove with conventional cleaning methods. Helps ensure efficient gas system function and reliable cycling. This hard-working, stand-alone tool does the whole job no need for brushes, solvents, or breakdown sprays. Just remove the bolt from your rifle and insert the bolt tail into scraper, then turn the scraper clockwise to remove the carbon. The comfortable, contoured handle provides excellent leverage. A few gentle turns should be all that's needed for the bolt tail to be clean and ready for action.

SPECS: Hardened tool steel, plastic handle. Approximately 51/2" (14cm) long. #080-000-639 Bolt Radius Scraper, 8K16I37..... \$ 19.99



#### Helps Prevent Crown, Throat & Chamber Damage

Replaces the bolt carrier, seals the upper receiver with rubber O-rings to keep solvents and crud out of the action. Solid aluminum rod guide helps prevent throat and chamber damage caused by cleaning rod contact.

long. Fits .308 only.

#452-015-220	AR-15 Rod Guide, 2E311/2	\$ 34.99
#452-015-221	AR-Style .308 Rod Guide, 2E34L48	37.99

#### MAGNA-MATIC AR-15/M16/AR-STYLE.308 **CRT-15 CARBON REMOVAL TOOL**

Sinclair AR-15/M16/AR-STYLE.308

the link plus a Sinclair cleaning rod guide custom-designed for the

AR-15 that enables bore cleaning from the breech without risk of

#749-002-497 AR-15 Cleaning Link, 8H13C59...... \$ 15.99

#749-002-620 AR-308 Cleaning Link, 8K18A00...... 22.99

#749-011-465 AR-15 Link + Rod Guide Kit, 8K23H67. . 30.99

**CLEANING LINK** Locks AR Receivers Open For Fast, Easy Cleaning

Lets you easily clean and lube the action or swab

out barrel, from the breech, Hold-open link separates

upper and lower receiver assemblies, locks them

solid, prevents the receiver from constantly flopping

closed. Stainless steel and Delrin® link installs in sec-

onds, is impervious to solvents. Handy **Kit** includes



**Quickly Removes Carbon Fouling From** 

SPECS: Hardened carbon steel, zinc plated. 51/2" (14cm) long, 1/2" (1.3cm) wide, 1½°" (2.8cm) high. Fits .223/5.56mm AR-15/M16/M4 bolt and bolt carrier.

#100-004-436	CRT-15 Carbon Removal Tool.	
		\$ 39.99

#### MARK BROWN AR-15/M16/AR-STYLE.308 CARRIER CARBON SCRAPER



**Solves Cycling Problems** Caused By Carbon **Buildup In Bolt Recess** 

Breaks loose and removes hard-to-get-at carbon buildup without damaging the bolt carrier. Quickly solves function-related cycling problems caused by excessive carbon deposits inside the bolt recess. Hardened steel scraper tip will last indefinitely with proper use.

recs. Steet rea	rrier, plastic riaridle. 0 /2 (10Crri) lorig.	
<b>#133-100-016</b>	AR-15/M16 Carrier Carbon Scraper,	
	3C24M68\$34.	99
<b>#133-000-001</b>	AR-308 Carrier Carbon Scraper,	
	3C25K79 38.9	99

#### OTIS RIPCORD®

#### Fast, Easy "One & Done" Bore Cleaning Hot Off The Firing Line

The one-pass Ripcord cleans barrels hot off the firing line for quick and easy field maintenance. Tightly woven DuPont™ Nomex® fibers withstand temperatures up to 700° F, while they act as both a brush and patch to loosen then trap fouling. The aggressive clean-

ing surface is 10" long and has a helix shape that digs deep into the rifling. Molded rubberized core/cable combination that keeps the Nomex pressed against the bore for an all-around thorough cleaning. Simply insert the Ripcord into the chamber and pull through the muzzle. Unlike gravity-fed bore snakes, the stiffer Ripcord works at any angle and also can safely dislodge jammed cases and other blockages. Brass ends won't scratch the bore and are threaded to accept standard 8-32 accessories.

#668-000-130 🔘	.223/5.56 Ripcord, 8F10J01	\$ 11.6
#668-000-138	.243/6.5mm Ripcord, 8F10A01	11.6
#668-000-139 🔘	.270/6.8mm Ripcord, 8F10M01	11.6
	.30/7.62 Ripcord, 8F10F01	11.6
#668-000-132	9mm/.357/.38 Ripcord, 8F10N01	11.6
#668-000-134 🔘	.40/10mm Ripcord, 8F10D01	11.6
	.44/.45 Ripcord, 8F10G01	11.6
#668-000-140 🔘	12 Ga. Shotgun Ripcord, 8F12M76	14.8

### Sinclair AR-15/M16 **LUG RECESS CLEANING TOOL**

to interior parts.

#100-012-249 Adjustable Receiver Link, 7A9L27..... \$ 12.41

SPECS: Steel, matte black finish



#### Scrubs Lug Recesses Clean For Secure Bolt Lockup & Reliable Cycling

Easy-to-use cleaning tool helps remove accumulated powder residue, grease, and carbon from AR-15 lug recesses. Helps ensure secure bolt lockup, reliable cycling, and consistent accuracy. Simply remove the bolt, bolt carrier, and charging handle, and insert the tool with the disposable cotton cleaning tip retracted into the protective sleeve of solvent-resistant Delrin®. When the sleeve bottoms out on the barrel extension, push a little farther to expand the cleaning tip in the lug recesses, rotate the tool several times, and remove. Also perfect for cleaning the barrel extension face. May be used dry or with your favorite bore cleaning solvent. Models for 5.56/.223 chambered AR-15 and 7.62/.308 chambered AR-308 rifles. SPECS: Stainless steel & Delrin. 111/2" (29.2cm) long. Includes 50 cotton

#749-003-995	AR-15 Lug Recess Tool w/50 Rolls, 8H29C71	\$ 35 99
#749-004-531	AR-308 Lug Recess Tool w/50 Rolls, 8H29H40	•
#749-000-170	Sinclair AR-15 Chamber Safety Flag,	4.99

#### **BROWNELLS** M16/AR-15/AR-STYLE.308 **CHAMBER MOP**

Popular Military-Style Brush Distributes Lubricants & Rids Fouling

Unique, dual-purpose design cleans and lubricates both the chamber and locking lug recesses of your M16, AR-15 or AR-Style .308 with one mop. Long, skinny portion reaches the chamber with individually-tied strands that do the work of a thousand tiny fingers. Short, large-diameter section cleans and lubricates locking lug recesses

#084-424-003 AR-15/M16 .223 Cotton Chamber Mop, **3-Pak**, 4H7D04.....\$ **7.99** #084-424-004 AR-15/M16 .223 Cotton Chamber Mop, #084-426-003 AR-Style .308 Cotton Chamber Mop, 8.99

SPECS: Cotton or wool. 8-32 threads. Approximately 3" (7.6mm) longs.

	3-rak, 4mol33	0.33
#084-426-004	AR-Style .308 Cotton Chamber Mop, Dozen. 4H26J30.	29 99
#084-426-001	<b>AR-15/M16 Wool Chamber Mop,</b> 3-Pak, 4H5F82	
#084-426-002	AR-15/M16 Wool Chamber Mop, Dozen, 4H22J32	30.99
#084-426-005	<b>AR-Style .308 Wool Chamber Mop,</b> 3-Pak, 4H7A62	9.99
#084-426-006	AR-Style .308 Wool Chamber Mop, Dozen, 4H31N70	35.99

### **BROWNELLS** M16/AR-15/AR-STYLE .308 CHAMBER BRUSH

Original M16 Style **Chamber Brushes** 



Original military design, M16, with 8-36 thread for direct threading into the "Cleaning Rod, Small Arms," or AR-15 with 8-32 thread to fit standard rods. AR-Style .308 cleans the larger .308 chamber used on these rifles. Bronze bristles fit chamber, longer, stainless steel tufts clean locking lug recesses.

SPECS: M16 - NSN 1005-00-999-1435, has 8-36 military thread. Meets Mil Spec: MIL-B-20100C. AR-15 and AR-Style .308 have 8-32 standard thread. M16 and AR-15 are 37/8" (9.8cm) overall. AR-Style .308. 43/8" (11.2cm).

#084-116-016	M16 Chamber Brush, 8-36 Thread,	
	8K4K04	\$ 4.99
#084-116-015	AR-15 Chamber Brush, 8-32 Thread,	
_	8K4M49	4.99
#084-116-025	AR-Style .308 Chamber Brush, 8-32	
_	Thread, 4H4M79	5.99

WE'RE HERE TO HELP.

order on the web

brownells.com

BROWNELLS. PAGE 93

Orders: 800-741-0015

### BROWNELLS AR-15/M16/AR-STYLE.308 NYLON CHAMBER BRUSH



Long-Wearing Bristles Won't Break Down In Solvents

Durable, tough, nylon bristles aggressively scrub your chamber; nylon tufts reach and clean the locking lug recess. Available for M16, AR-15, and AR-5tyle, 308 rifles. M16 has an 8-36 thread to directly thread into the military's "Cleaning Rod, Small Arms".

SPECS: Nylon brush, brass stem. M16 - 37/s\* (9.8cm) overall. 8-36 military thread. AR-15 - 37/s\* (9.8cm) overall. 8-32 standard thread. AR-Style. 308 -41/s\* (11.2cm). 8-32 standard thread.

#084-117-002	M16 Heavy Weight Nylon Chamber Brush, 8K4B91\$	5.99
#084-117-001	AR-15 Heavy Weight Nylon Chamber Brush, 8K5B49	6.99
#084-117-003	AR-Style .308 Heavy Weight Nylon Chamber Brush, 8K6N50	8.99

# BROWNELLS GUN/PARTS CLEANING BRUSH

Military-Approved, Double-Ended Cleaning Power For Guns & Parts

Developed for the U.S. Armed Forces to clean M16/M4 rifles quickly and effectively and get them back into action. Double-ended, solvent-proof, polypropylene handle provides a large, contoured series of nylon bristles to cover curves and open areas, while the short, extra-stiff, narrow line of bristles tackles the really tough crud in those hard to reach areas. Provides superior scrubbing action for individual parts Enough bristle backbone to remove greasy gun dirt, yet won't scratch metal finishes. An exceptionally good, practical, cleaning brush for use at the bench or in the field.

31 LC3. Harrate 30tverit resistant potypropyterie, O.B. green. Bristles	
Nylon. 7" (17.8cm) long. Meets Mil Spec 129J, NSN# 1005-00-494-6602.	
#676-450-001 Gun/Parts Brush, each, 8K3I01 \$ 3.99	
#676-450-006 Gun/Parts Brush, 10-pak, 8K17H90 23.99	

### WHEELER ENGINEERING AR MAINTENANCE MAT



#### Protects Your AR & Has Handy Reference Schematic

Padded neoprene mat with rubber backing protects gun's finish during cleaning. Big enough to accommodate a full-size AR-15/M16 rifle. Features a big exploded drawing of an AR-15 organized by major groups - even a schematic of a disassembled 30-round magazine. Absorbs excessive oils and solvents and keeps your work surface dry and clean. Rolls up easily for storage.

SPECS: Rubber-backed neoprene, gray. 47" (119cm) long x 20" (50cm) wide.

#100-012-247 AR Maintenance Mat, 7A21M99 ..... \$ 25.99

### OTIS B.O.N.E. TOOL

#### Keeps Your AR-15 Clean & Functioning Properly

"Bolt Operational Necessary Equipment" tool removes carbon fouling from the bolt, bolt carrier, and firing pin of any AR-15. To clean the bolt, simply insert it

into the end of the tool and rotate. Clear fouling from inside the carrier by sliding the long end of the tool into the carrier and giving it a few turns. Remove carbon from the back of the firing pin by using the scraper hole on the side of the tool. An 8-32 threaded hole allows the B.O.N.E. to serve as a T-handle for conventional cleaning rods. too.

SPECS: CNC-machined 1144 steel, Parkerized finish. 2.7" (6.8cm) OAL Models for .223/5.56 or .308/7.62mm AR-style rifles.

#668-000-129 Otis B.O.N.E. Tool, .223/5.56, 8F20N10...\$ 24.99 #668-000-762 Otis B.O.N.E. Tool, .308/7.62, 8F22B51... 26.27

#### TEKMAT AR-15/M16 AR-15 GUN MAT



#### Protective Work Mat Has Schematic For Instant Reference

Heavy-duty, flexible pad cushions your gun and protects your work bench or table top during cleaning, repair or maintenance while simultaneously serving as an easy reference for disassembly and assembly. Schematics are printed right onto the pad, along with additional information about the AR-15. Large enough accomdate long-barreled guns, pads have soft polyester top to prevent scratches to the gun's finish and no-slip neoprene rubber backing keeps mat in place. Helps prevent solvents and oils from penetrating to your work area. Cleans up easiy with warm water and mild detergent. SPECS: Neoprene rubber, polyester top. 36\* (91.4cm) long, 11\*/\* (29.8cm) wide, 1/6\* (3mm) thick. Black, OD Green or Grav.

#100-015-989	Black AR-15 Gun Mat,	5C17L33\$	21.99
#100-015-990	OD Green AR-15 Mat,	5C17M33	21.99
#100-015-991	Gray AR-15 Mat, 5C17	L33	21.99

### BROWNELLS AR-15/M16 WRENCH SET

Helps You Quickly Perform Important Maintenance Tasks The Right Way

We've bundled two of our most-popular AR wrenches into a handy kit that sets you up to perform critical maintenance, repair, and new-gun building tasks. Our Combination Wrench is an exact duplicate of the original military tool used for removal/installation of the barrel nut, old- and new-style flash suppressors, and the A2-type rifle lower receiver extension. The Buttstock Tool has a spanner wrench to fit the receiver extension castle nut on M4-style collapsible buttstocks, and it includes interchangeable pins to fit both old- and new-style nuts, so you're ready for either type of nut. For fixed rifle buttstocks, it has a screwdriver blade to remove the buttplate screws and a wrench for the nut on the receiver extension (buffer) tube. There's even a ½ square opening for a torque wrench. Steel, black oxide finish. ■

BROWNELLS AR-15/M16
CRITICAL TOOLS KIT



Essential Tools Needed To Build, Customize Or Rebarrel Any AR

Convenient kit has essential tools you need to build, repair, or modify a custom AR-15/M16 rifle - without duplicating the common tools you already have. Includes our top-quality Brownells Armorer's Wrench, necessary for installation and

removal of any barrel with either encapsulated or peg-style barrel nuts. Also has wrenches for flash hiders, M4-style castle nut, and A2 buffer tube nut. Lower Receiver Vise Block snaps into the magwell just like a magazine to provide a secure clamping surface for a vise without risk of damaging or distorting the receiver. Heavy-duty clamshell Upper Receiver Action Block lets you clamp the upper in a vise to remove or install the barrel or perform other work without crushing, twisting, or damaging it. Fits carry handle and flattop receivers. Two pivot pin tools: one retracts the spring-loaded detent, so you can remove the pivot pin completely from the receiver; the other retains the detent and spring while installing the pivot pin. Bolt Catch Pin Punch has a flat handle that clears the left side of the magwell for easy removal of the bolt catch pivot pin by driving it to the rear.

black. Receiver Action Block - Injection-molded Rynite, black. Fits A1, A2, and standard flattop receivers. Pivot Pin Detent Tools/Bolt Catch Pin Punch – Steel, black oxide finish.

#080-000-812 AR-15/M16 Critical Tools Kit, 8K122I39. . \$ 139.99

### AR-15/M16 MULTI-TASKER® SERIES 3X MULTITOOL

Pocket-Packable Multitool For Field Repair & Adjustment Of Your AR-15

This is the Pocket Toolbox® that'll service your AR platform rifle and its accessories. Only

4" long when folded, so the entire package slips into your pocket. All-steel construction with grips of durable, no-slip G10 fiberglass, available in Black or Tan. Includes general-purpose pliers, spanner wrench for tightening an M4 castle nut (also doubles as a bottle opener), and a 1/16.

slotted screwdriver tip. The pliers are built strong to handle tough jobs - machined (not cast!) from D2 tool steel billet and finished with an ultra-tough Titanium CarboNitride (TiCN) finish. The four-prong M16A2 front sight tool also serves as the magnetic drive socket for the 8 interchangeable, AR-centric ¼-"-drive hex bits (1 slot-head, 1 Phillips, 4 hex-head, plus T10 and T15 Torx® bits). Combo ³/s" box wrench for accessory mounts and ½" wrench for scope rings. Carbon scraper also serves as a bolt override device and helps pull MALICE clips through PALS webbing. The ³/sz" pin punch is fitted with 8-32 male threads to accept popular Otis cleaning kit components. The 3" drop point knife blade, also made of D2 tool steel with TiCN finish, is swedged with jimping on the spine for excellent hold. A thumb stud makes for easy opening, and the liner lock keeps the blade in place. Don't go to the range without the Multitasker!

#100-023-585 Multitasker Series 3X, Blk, 5C142G49 .. \$ 149.99 #100-023-586 Multitasker Series 3X, Tan. 5C142L49 ... 149.99

# **BROWNELLS** AR-15/M16/M4 FIELD MAINTENANCE PACK



Compact, model-specific field kit has all the required tools to service military, law enforcement, and civilian AR-15/M16 rifles in the field or on the bench. Allows complete weapon breakown for routine maintenance and repair, and includes tools for sight adjustment, plus removal of barrel nut, flash hider, and receiver extension without damage to any rifle component. This is not a run-of-the-mill cleaning kit with generic tools but a carefully selected high-quality field armorer tool set dedicated to working on AR-pattern rifles. So there's no confusion, no down time spent scrounging through a big tool box of loose odds and ends. Individual pouches and compartments inside the water and abrasion-resistant, heavy-duty Cordura® nylon field pack case keep all tools secure and separated to help minimize noise. YKK zippers with oversize pulls, clear I.D. card sleeve on front panel, and loop strip for name tape. Field Pack Case also available separately.

SPECS: Includes #81 MAGNA<sup>1</sup>-TIP<sup>®</sup> hóllow screwdriver handle w/Leupold windage (L/B) and #185-10 bits; ½\*, ½\*, ½\* and ½\* pin punches; ½\* drive handle; ¾\*, nylon/brass hammer; buttstock tool; combination wrench; lower receiver vice block; A1/A2 sight wrench; carrier carbon scraper; Deluxe model buttstock cleaning kit. Approx. 5 lb. (2.3 kg) wt. Field Case - Cordura nylon, O.D. green. 12\* (30.5cm) long x 10½\* (26.7cm) high x ¾½\* (8.9cm) thick.

#080-000-458 © M16/M4 Field Pack, 8K268J99 . . . . \$ 268.99 #080-000-459 © Field Pack Case, Only, 8K66H49 . . . . 75.99

### WHEELER ENGINEERING AR-15 "ULTRA" ARMORER'S KIT



#### The Tools an AR Owner Needs for General Maintenance, Adjustment & Cleaning

Wheeler's tool kit contains most of the tools needed by the hobby AR-builder or AR owner who wants to wrench on his/her own gun will need. It includes: Armorer's Vise, AR-15 Combo Tool, Torque Wrench, AR-15 bench block, roll pin install tool kit, upper receiver vise block clamp with gas tube alignment tool, bench mat with exploded view of AR-15 parts, pivot pin  $\theta$  roll pin installation tool, front sight tool, delta ring tool, strap wrench, bore guide, AR-15 adjustable receiver link, bore brush, .223/5.56 bolt carrier brush, chamber brush, magazine/upper receiver brush, nylon brush handle, double-ended general cleaning brush, and cleaning pick set... ALL packed in a custom-fitted carrying case.

#100-042-061 Ultra AR-15 Armorer's Kit, 8F289M99 . \$ 289.99

#### FIX IT STICKS AR-15/M16 MAINTENANCE TOOL KIT

Compact, Go-Anywhere Tool Kit for Comprehensive AR Maintenance

Here's a suite of tools to help maintain your AR-15 and keep it running like the proverbially sewing machine! It's built around the innovative Fix-It-Sticks - a pair of components that fit together to form a robust T-handle tool for driving the



One Master Set & Two Add-On

Sets - So You Only Buy the

**Punches You Need** 

made of 4140 alloy steel, heat-treated for

hardness and QPQ-finished for corrosion-

resistance. The 12-Piece set contains all the

punches you need to build, repair, and disas-

semble an AR-15. It includes starter punches,

roll-pin punches, flat-sided punches for the

bolt-catch pin, Delrin punch, drift pin and

even a special tool for installing pivot-pin de-

9G00NYF.....

Obsidian's punches are

1/4" hex bit attachments that comprise all the necessary tools to maintain the accuracy and reliability of your AR-15. It comes with a set of 12 chrome-plated steel bit drivers to handle all the screws and fasteners found on the AR-15 itself, popular accessories, and optics. Kit also includes: bolt/carrier group carbon scraper, pin punch for trigger/hammer pins, castle nut wrench, bronze scraper, steel pick, non-marring plastic pin punch for pivot/takedown pins, cleaning brush bit, A2 front sight adjustment bit, set of brass cleaning rods, and a pair of bit adapters for 8-32 threaded cleaning attachments. Tool kit comes inside a durable, soft-sided nylon carrying case, with MOLLE type webbing one side, for go-anywhere convenience.

#100-027-821 AR-15 Maintenance Kit, 2F87K42 .... \$ 99.99

**OBSIDIAN ARMS AR-15 PUNCH SETS** 

#### WHEELER ENGINEERING AR-15/M16 COMPACT AR MULTI-TOOL

A Cleaning/Repair Tool Kit that Fits on Your Belt

The AR-15 is

not prone to breaking down a lot in the field, but when something does need adjustment or repair, this compact tool is darned handy to have in your pocket. Think

of it as a specialized Swiss army knife for your AR. It has extensions to perform a plethora of quick tasks in the field or at the range. Make adjustments to the gun's itself or your optic, scrape away carbon build-up from the bolt face, do a tweak here, a bit of tightening up there. Robust, all-stainless-steel construction means the AR Multitool is totally weather resistant, and it comes with a handy nylon belt sheath, so you can always have it with you. Its fold-out tools include a carbon scraper, bolt waist scraper, interior BCG scraper, pivot/ takedown pin punch, A2 front sight post tool, castle nut wrench, 1/2" & 3/4" wrenches. It has the following screw bits: 5/64", 7/64" & 1/8" hex; #2 Phillips bit: T10, T15, T20 Torx<sup>®</sup>: <sup>3</sup>/<sub>16</sub>" flat slot-head. As long the AR Multi-Tool is on your belt, there's not much that can do wrong on an AR-15 that you can't fix with it!

100-032-918	AR-15 Multi-Tool.	7A28G90	\$ 32.27

**REAL AVID AR-15** 

**ACCU-PUNCH HAMMER & AR PIN** 

**PUNCH SET** 

cessorize, repair, and generally work on any AR-15. Includes 3/32",

 $^{1}/_{8}$ ", and  $^{5}/_{32}$ " standard punches, plus  $^{1}/_{16}$ ",  $^{5}/_{64}$ ", and  $^{1}/_{8}$ " roll pin punches.

There's a staking punch, flat-sided 3/32" bolt catch roll pin punch AND

starter punch. Pin Alignment Tool makes aligning and starting tiny

pins easy and accurate. The hammer comes with 4 interchangeable

heads of different materials, and it is perfectly balanced to give both

precise control for tapping tiny pins and optimal force for those that

need a little "persuasion". Punches are made of hardened steel with

a nickel-plating to resist corrosion; hex-shaped handles and rubber

#100-034-148 ( ) Hammer & AR-15 Pin Punch Set,

O-rings for precise control.

# BROWNELLS AR-15/M16/M4 **BUTTSTOCK TOOL**

#### One Tool Covers Multiple Disassembly/Reassembly Jobs

Our handy, compact tool is uniquely designed to combine several tools into one. It has a spanner wrench that fits the receiver extension castle nut on M4-style collapsible buttstocks, with interchangeable pins to fit nuts with both old (round) and new (square) teeth, so you're ready for whatever type of nut is on the gun in front of you. Pins for both styles are included and easily changed by loosening a hex screw in the tool. For fixed rifle buttstocks, there's a screwdriver blade to remove the buttplate screws and a wrench for the nut on the receiver extension (buffer) tube. There's even a 1/2" square opening for a torque wrench, and even a hole for hanging the tool on your peg-board. Fits easily in a range bag or in your pocket for use outside the shop.

SPECS: Steel, black oxide finish, 7" (17.8cm) long, Includes pins for oldand new-style receiver extension nuts. Replacement pins sold below.

#080-000-291	Buttstock Tool,	8K53N12	\$ 59.99

REPLACEMENT PINS - Keeps your Brownells Buttstock Tool functioning like new. Helps keep the edges of the receiver extension nut slots undamaged and lessens the chance of marring the metal. Square fits the newer, M4 style collapsible buttstock receiver extension nuts with .164" wide, square engagement slots. Round fits the older style collapsible buttstock extension nuts with 1/8" diameter, round pin engagement recesses.

SPECS: Round - Stainless steel silver finish 124" (3mm) diameter Square

#080-000-451	Square Repl. Pins, 3-pak,	8K17M66 <b>\$ 19.99</b>	
#080-000-452	Round Repl. Pins, 3-pak,	8K6K99 <b>7.99</b>	



<b>#080-000-451</b> Square Repl. Pins, 3-pak, 8K17M66 \$ 19.9
- Steel, blue finish164" (4mm). Available in 3-Paks.

A High-Quality

**Punch Set That** 

**Punches Above Its** 

Weight

every standard and

roll pin punch needed

to build, rebuild, ac-

This set includes

0

#### **BROWNELLS** AR-15/M16 COMBINATION WRENCH

**Original Factory Design Simplifies** Disassembly/Reassembly

An exact duplicate of the original factory/ military design so you know it will fit and work. Use for several jobs: to remove the barrel nut; to remove and install old and new flash sup-

pressors; to remove and install the lower receiver extension. . SPECS: Blued steel. 5" (12.7cm) long x 2" (5cm) wide x ½ " (6.35mm) thick.

#080-216-015 AR-15 Combo Wrench, 8K29K99...... \$ 33.99

#### WHEELER ENGINEERING AR-15/M16 **TOOL KITS**

Orders: 800-741-0015

tents. If you already have some AR punches, the 4-Piece specialty

set includes the 3/32" flat-sided bolt catch pin punch, the Delrin punch

for starting hammer and trigger pins, a drift pin for positioning the

trigger and hammer, and the pivot-pin detent tool.

#100-039-524 AR-15 Complete 12-Pc Punch Set,

#100-039-526 AR-15 Specialty 4-Pc Punch Set,

All The Tools Required To Build & Maintain AR-15 Rifles

Handy kits contain all the tools required to build, maintain and repair AR-15 rifles. Each tool is selected to perform a specific function with precision and ease and all tools fit inside a durable nylon carry case for convenient storage and transport. Essentials Kit contains AR-15 combo tool, torque wrench, upper vise block clamp with gas tube alignment tool, pivot pin and roll pin



installation tool, mag well vise block and adjustable receiver link. **Professional Kit** includes the contents of the Essentials Kit plus. AR armorer's vise, front sight tool, delta ring tool, strap wrench, bore guide, bore brush, bolt carrier brush, chamber brush, magazine/ upper receiver brush, nylon handle brush, double-ended cleaning brush, cleaning pick set and AR maintenance mat with printed schematic. AR Combo Tool with torque wrench. Adjustable Receiver Link, and maintenance mat also available separately.

#100-012-246 AR Professional Tool Kit, 7A00FYL	\$ 199.99
#100-012-245 AR Armorers Essentials Tool Kit,	
7A00GII	101.99
#100-012-248 ( ) AR Combo Tool w/Torque Wrench,	
7A41C50	44.99
#100-012-249  Adjustable Receiver Link, 7A9L27	12.41
#100-012-247 (a) AR Maintenance Mat 7421M99	25 99

#### **REAL AVID AR-15 ARMORER'S MASTER WRENCH**

A Wrench for All Seasons & AR Maintenance Chores

Here's a wrench that lives up to its name - master! It enables you to install barrel nuts, castle

nuts, muzzle devices, and fixed-stock receiver extensions. There's a hammer on the reverse side of the head, complete with interchangeable contact pads, so you can select the non-marring head when installing pins and other components. The wrench is coated with a special, non-slip material so you maintain a secure hold as you work, so "oops, I slipped" moments are a thing of the past!

#100-036-435	AR-15 Armorer's Master Wrench,
_	8C00EHA



SPECS: American-made steel, heat-treated for superior hardness, with a grip-

order on the web

brownells.com

BROWNELLS. PAGE 95

# MAGPUL AR-15/M16 ARMORER'S WRENCH

**BROWNELLS** CAR-15/M4

**BUTTSTOCK WRENCH** 

Solidly Engages The Receiver Extension Nut For

black oxide finish

plete instructions.

Easy Installation & Removal Of Carbine Buttstocks

Dedicated wrench has four precision-machined teeth that en-

sure full, non-slip engagement of all four notches in an M4-type

receiver extension nut for easy removal and installation of collaps-

ible carbine buttstocks. Transfers all the torquing force to the nut

for fast tightening or removal without risk of damage to nut, ex-

tension tube, or receiver caused by the wrench slipping. Includes

the handy add-on features of our universal M4 buttstock tool: pry

blade/screwdriver, 1/2" square torque drive opening, fixed stock re-

ceiver extension remover, and a convenient hole in the handle for

hanging the wrench on a pegboard. Heavy duty steel construction,

machined from a single piece of .312" thick steel, with a durable

SPECS: Steel, hardened, black oxide finish. 71/8" (18.1cm) long. Fits current-

#080-000-670 M4 Buttstock Wrench, 9A69Q98..... \$ 79.99

**BROWNELLS** AR-15/M16

ARMORER'S WRENCH

Multiple Tools In One - You'll Always Want It Close By!

reaching for often, whenever you're building, repairing, or maintain-

ing AR-15s. The standard 6-pin barrel nut wrench works on both

peg-style and encapsulated barrel nuts for standard and free-float

handguards. "Can't slip" 4-pin castle nut wrench enables secure

installation and removal of M4-carbine type receiver extensions.

There's a cutout for an A2 receiver extension nut, and another cutout

accepts a 1/2" torque drive. There are also slots that fit 2 different-

sized wrench flats commonly found on flash hiders and muzzle

brakes. Of course, it has the last-a-lifetime quality you expect from

Brownells tools - heavy-duty investment-cast steel construction,

precise dimensions, a comfortable matte anti-slip finish, and com-

#080-001-208 AR-15/M16 Armorer's Wrench.

The Brownells Armorer's Wrench is a tool you'll find yourself

model M4-type receiver extension nuts with four square notches.

#### Magpul-Quality Tool Eases A Variety Of Key AR Maintenance Tasks

Magpul's hefty all-steel tool helps you perform a variety of key maintenance tasks on the AR platform. It engages both GI-style and pin-style barrel nuts for free-float tubes. Installs and removes rifle receiver extensions and carbine castle nuts, with extended teeth for use with Magpul ASAP plates. Fits the 3/4" flats on standard-sized flash hiders. Can be used as a driver for a 1/2" torque wrench, with relevant torque specifications stamped on the Magpul tool for quick reference. It even has two flat hammer faces AND a convenient built-in bottle opener for refreshments after the build is complete (fits both metric and SAE bottle caps!).

enhancing manganese phosphate finish, 11.7" (29.7cm) OAL, 35" (9mm) thick.



### **BROWNELLS** GEN II TOOL KITS FOR AR-15/M16/M4

RECENTLY UPDATED! Complete Tool Kits To Service & Repair Military & Civilian AR-15/M16 Rifles & M4 Carbines

An updated edition of our classic, more-than-complete sets of professional tools. The RIGHT way to repair and service the AR-15/M16/M4! These kits contain the tools the gunsmith or armorer needs to perform full maintenance and repairs of these rifles in the field or shop. Each tool is designed to do its job in the simplest, most effective manner to maintain and repair these guns correctly – and save time doing it. Standard Gen II Kit contains the tools needed to work on the AR-15 and the M16A1 through A4. Premium Gen II Kit contains all the tools of the Standard Kit, plus an additional 11 items necessary to repair and maintain the M4 carbine as well. Both kits come in a custom-fitted, hard-side tool box that's made from nearly indestructible molded polymer resin and meets mil-spec MIL-C-4150 and ATA specifications. The Standard kit's foam inserts are pre-cut with spaces for the M4 tools, so you can turn it into a Premium Kit anytime simply by adding the Upgrade Kit.

#080-001-388	AR-15/M16 Standard Gen II Armorer's Kit, complete with tools & case, 8K1515K89	\$ 1768.53
#080-216-003	Upgrade Kit for AR-15/M16 Standard Gen II Armorer's Kit, 8K313P34	349.99
#080-001-389	AR-15/M16/M4 Premium Gen II Armorer's Kit, complete with tools & case, 8K1826F15	2130.50

12 OZ. BALLPEEN HAMMER - Heavy enough to drive out stubborn tapered front sight retaining pins, yet light enough for installation/removal of solid and roll pins.

SPECS:  $12^{1}\sqrt{*}$  (31.1cm) long overall. Head has  $1^{3}/_{16}$ " (3cm) dia. flat face,  $1^{*}$  (2.5cm) dia. peen.

2) \*/-!" PLASTIC/BRASS HAMMER - For the thousand and one instances when a part needs a gentle tap during assembly/disassembly. Great when fitting stocks.

SPECS: <sup>2</sup>/<sub>4</sub>" (19mm) diameter faces. 10" (25.4cm) hickory handle. Weighs approximately 4 oz. (113 g).

#818-600-343 ( 3/4" Plastic/Brass Hammer, 8A16L02. \$ 17.99

FIRING PIN PROTRUSION GAUGE - Essential for properly measuring the amount of the firing pin projecting through the bolt. Too little causes misfires; too much, pierced primers. SPECS: Steel. 2" (5 Lcm) long, ½" (6 Jmm) wide.

#080-216-013 AR-15/M16 Firing Pin Gauge, 8K21/99... \$ 25.99

4) \*!s:"SQUARE DRIVE TORQUE WRENCH - Necessary to apply the manufacturer's recommended 30 foot pounds of torque to the barrel nut when installing barrel on receiver. Self-limiting design \*clicks\* at torque setting.

SPECS: Chrome-plated steel. 17<sup>-</sup>/<sub>6</sub>" (43.5cm) long. 1" (2.5cm) diameter handle. 30-150 ft. lb. range.

#018-150-050 <sup>1</sup>/<sub>2</sub>" Torque Wrench, 4B71Q27 ..... \$ 80.17

**BROWNELLS SHOP APRON** - High quality, durable apron keeps clothing clean and free of grease, oil, and carbon.

**SPECS:** 39<sup>1</sup>/<sub>2</sub>\* (100.3cm) long. 30<sup>1</sup>/<sub>2</sub>\* (77.5cm) wide. Upper and lower pockets. Ties: each 27<sup>1</sup>/<sub>2</sub>\* (69.8cm) long. Neck strap: 21<sup>3</sup>/<sub>4</sub>\* (55.2cm) long.

#084-071-000 Brownells Long Shop Apron, 4A29J99..\$ 33.99

(6) ACCU-GRIP BARREL VISE JAWS (Premium Kit Only) - Massive aluminum jaws lined with non-slip polyurethane elastomer padding grip tight without marring the barrel. Has grooves for both standard and heavy barrel contours.

SPECS: Machined aluminum with blue polyurethane elastomer lining. 5\* (12.7cm) wide, 1\* (2.5cm) thick, 3\*/s\* (9.8cm) long. Fits 4\* and wider vises.

**#852-015-000** Accu-Grip Vise Jaws, 2E114M99......\$ **149.99** 

<u>VISE JAWS (Standard Kit)</u> - Jaws hold a barrel securely in a bench vise without damaging it. Non-marring aluminum is softer than the barrel, so it can't score it or damage it. Milled grooves for both standard and heavy-contour barrels. *Not shown; photo shows the Accu-Grip Vise Jaws from the Premium Kit (listed above).* 

#100-043-837 Standard Barrel Vise Jaws, 3D23D99 ... \$ 29.95

**BROWNELLS BENCH MAT** - Neoprene rubber mat provides a smooth, non-marring, oil-and solvent resistant work surface no matter where you are.

SPECS: 17<sup>1</sup>/<sub>2</sub>" (44.4cm) long. 12" (30.5cm) wide. <sup>3</sup>/<sub>16</sub>" (4.7mm) thick.

#358-128-316 Assy/Disassy Mat, 8E25M25......\$ 28.99

8 10<sup>1</sup>/<sub>2</sub>" LONG, <sup>1</sup>/<sub>2</sub>" SQUARE DRIVE HANDLE - Use with AR-15/ M16 Combination Wrench to loosen the barrel nut and remove barrel. Long enough to provide ample leverage.

SPECS: Chrome-plated steel. 10<sup>1</sup>/<sub>2</sub>" (26.7cm) long. <sup>13</sup>/<sub>16</sub>" (20.6mm) diameter handle.

#221-141-600 10<sup>1</sup>/<sub>2</sub>"x1/2" Drive Handle, 3D11H66..... \$ 17.99

MAGNA-TIP® #81 HANDLE - Preferred by many for general use, shank is long enough to reach inside the pistol grip. Use with Stubby Handle to remove Pivot Pin.

(10) MAGNA-TIP® STUBBY HANDLE - Use with various MAGNA-TIP® bits on butt plate screws, windage screw, AR-15 pivot pin head, etc. When removing the pivot pin, use Stubby Handle with the "RED" bit on the left side of the pin and the regular handle with the 445-6 bit on the right side.

SPECS: 2<sup>1</sup>/<sub>2</sub>" (6.3cm) overall. 1<sup>7</sup>/<sub>8</sub>" (4.8cm) handle. <sup>5</sup>/<sub>8</sub>" (15.9mm) shank.

(1) <u>SNAP RING PLIERS</u> - For removal and installation of the handguard snap ring. Extra tips included for other uses. SPECS: Blued steel with vinyl dipped handles. Tip sizes - Straight, .045\*

(1.1mm); Straight, .060° (1.5mm); .45°; 90°.
#531-460-000 Snap Ring Pliers, 1C12H26......\$ 17.99

(2) <u>BARREL NUT ALIGNMENT GAUGE</u> - Fits into the end of the bolt carrier key to ensure that the barrel nut is properly aligned during installation of AR-15/M16 barrel. Improper alignment can damage the bolt carrier key and/or the gas tube. SPECS: Steel. 178° (4.5mm) diameter x 3° (7.6cm) long.

#080-216-014 Barrel Nut Align. Gauge, 8K5M99...... \$ 6.99

(3) 5.56mm (.223) HEADSPACE GAUGE - Measures maximum headspace. Essential for checking out rifles that have seen heavy use or that have been rebarreled. Not a regular "field" gauge but made to Colt factory dimensions.

SPECS: 1.65" (4.2cm) overall (this is NOT the "Headspace" dimension). .3655" (9.3mm) diameter.

#319-418-033 5.56 Headspace Gauge, 8K27P99...... \$ 30.99

BROWNELLS #250 CHAMBER MIRROR - Highly polished, steel mirror drops into the chamber to aid in detailed inspection. Will not move beyond throat.

SPECS: 13/16" (3cm) long.

#084-174-250 #250 Chamber Mirror, 8K11N99...... \$ 14.99

(15) <u>CLEANING ROD SMALL ARMS (W/ADAPTER)</u> - Threaded for 8-36 U.S. military cleaning brushes; includes adapter that accepts commercial 8-32 brushes and accessories.

**SPECS:** Steel, parkerized finish. .204" (5.2mm) diameter rod. 4 sections, each  $7^2/s^*$  (18.7cm) long - 3 thread into 4th handled section. Overall length, with Jag,  $29^5/s^*$  (75.6cm). Adapter is  $3^5/s^*$  (8.2cm). Jag is  $2^5/s^*$  (7cm) with oval slot.

#084-116-100 Cleaning Rod, Small Arms, 4H16E23.. \$ 17.99

(6) COMBINATION WRENCH - Removes the barrel nut. Removes/installs flash suppressor and lower receiver extension. SPECS: Blued steel. 5" (12.7cm) lg x 2" (5cm) w x 1/4" (6.3mm) thick.

#080-216-015 AR-15 Combo Wrench, 8K29K99...... \$ 33.99

(17) BROWNELLS ROLL PIN PUNCHES - The ONLY way to properly install or remove roll pins without damage to either the pin or the surrounding metal. A small raised projection in the face of the punch automatically centers the punch and prevents the roll pin from collapsing.

SPECS: #1, <sup>1</sup>/<sub>1</sub>/<sub>6</sub>" (1.6mm) x 2<sup>5</sup>/<sub>4</sub>" (7cm) L; #2, <sup>5</sup>/<sub>6</sub>\*" (2mm) x 3<sup>2</sup>/<sub>4</sub>" (8.2cm) L; #3, <sup>3</sup>/<sub>2</sub>" (2.4mm) x 3<sup>2</sup>/<sub>2</sub>" (9cm) L; #4, <sup>1</sup>/<sub>6</sub>" (3.2mm) x 4" (10.2cm) L; #6, <sup>3</sup>/<sub>16</sub>" (4.8mm) x 4<sup>2</sup>/<sub>2</sub>" (11.4cm) L.



#230-112-105 Roll Pin Punch Kit, set of 5, *TH24L02*.... **\$ 26.99**(B) CARRIER KEY BIT KIT - Two hex bits for installing the bolt carrier key socket head screws, plus an adapter that will connect the Carrier Key Bits to the <sup>3</sup>/<sub>8</sub>" Drive Torque Wrench. Small and large bits handle both early and late guns.

SPECS: Heat-treated steel. 185-2 Bit - 1/8" (3.2mm) hex bit. 185-10 Bit - 9/64" (3.6mm) hex bit. 1" (2.5cm) long. Adapter - Heat-treated steel with retention clip adapts 3/8" square drive to accept 1/4" shank hex bits.

#080-216-050	Carrier Key Bit Kit, 8K9M11	9.99
#080-185-200	<b>185-2 Hex Bit,</b> 8K3B14	3.99
#080-185-010	<b>185-10 Hex Bit</b> , <i>8K4M99</i>	4.99
#080-430-025	Socket Drive Adapter, 8K5L06	5.99
	•	

**QD** BROWNELLS ROLL PIN HOLDERS (STARTER/SETTER PUNCHES) - Easily hold even the smallest roll pins for positioning. Complete installation with Brownells Roll Pin Punches. SPECS: '/s' (3.2mm), 3.5mm (.138") diameter - 5" (12.7cm) long. <sup>3</sup>/x<sup>2</sup> (2.4mm), <sup>3</sup>/s<sup>4</sup> (2mm), <sup>1</sup>/s<sup>6</sup> (4.40mm) diameter - 4<sup>4</sup>/s' (11.4cm) long.

#080-685-000 Roll Pin Holders, set, 8K43D96...... \$ 49.99

② BOLT CATCH PIN PUNCH - Specially made, slab-sided punch clears left side of the magazine well allowing bolt catch pivot pin to be removed by driving it to the rear.

SPECS: Steel. 4" (10.2cm) long. ½" (2.4mm) diameter tip.

TAPER PIN STARTER - This tool's radiused face matches the end of the front sight housing taper pin to prevent damage during removal. The taper pin is removed by driving from left to right; the small end is on the left side of the barrel, the large end is on the right side!

SPECS: 4" (10.2cm) long. 3/32" (2.4mm) diameter tip.

#827-530-320 Taper Pin Starter, 7B14B44......\$ 20.99

(24) STARRETT: 1/4" PUNCH - Facilitates removal of the takedown

STARRETT 5/32" CENTER PUNCH - Stakes socket-head cap screws securing the bolt carrier key to the bolt carrier. SPECS: 4" (10.2cm) long. 5/32" (4mm) punch. 3/6" diameter body.

#827-512-820 Starrett 5/32" Center Punch, 7B9D16 . . . . . \$ 9.99

PIVOT PIN DETENT REMOVAL TOOL - Depresses spring-loaded detent to free the pivot pin for removal. Virtually impossible to do without this tool. Does not fit Colt Mfg. AR-15. SPECS: Blued steel. I'/s" (4.8cm) long.

#080-216-010 Pivot Pin Detent Removal Tool, 8K5H99 .. \$ 5.99

PIVOT PIN DETENT INSTALLATION TOOL - Makes installation of the M16 pivot pin and its detent faster and easier. Prevents loss of detents. Guides detent and spring into place and serves as

a slave pin when installing the pivot pin. SPECS: Blued steel. 1/4" (6.3mm) diameter. 21/2" (6.3cm) and 11/2" (3.8cm)

long 'legs'.

#080-216-011 Pivot Pin Installation Tool, 8K10J81..... \$ 11.99

BROWNELLS BROKEN SHELL EXTRACTOR - Fastest way to

remove the front portion of a separated 5.56mm (.223) case without field stripping. Engages the rim of case mouth and pulls case from the chamber when charging handle is pulled back. Adjustable to ensure complete engagement of case mouth.

SPECS: Blued steel. 2" (5cm) long.

#080-000-441 .223 Broken Shell Extractor, 8K17Q98 ... \$19.99

445-6 BIT - Use on the AR-15 windage screw, pistol grip screw, and right side of the pivot pin.

SPECS: 1½\* (3.8cm) long. Approximately .360\* (9.1mm) diameter x .055\*

(1.4mm) thick. #080-445-655 445-6 Bit, 8K3P13. \$3.99

RED BIT - Use on left side of the pivot pin.

SPECS: 1½\* (3.8cm) long. Approximately .398\* (10.1mm) diameter x .078\* (1.98mm) thick

#080-430-430 L/B Clamp Screw Bit, 8K6/99. . . . . . . \$ 6.99

SIGHT TOOLS - Quickly adjust front and rear sights. A1 fits older AR-15s and M16s. A2 fits M16A2 configuration rifles.

(3) 3/8" SQUARE DRIVE T-HANDLE TORQUE WRENCH - Precisely calibrated to apply the required 40 foot pounds of torque to tighten the two socket-head cap screws on the bolt carrier key

SPEČS: Chrome-plated steel. 3<sup>1</sup>/<sub>2</sub>\* (8.9 cm) long. 4<sup>1</sup>/<sub>8</sub>\* (10.5 cm) wide handle #792-000-005 <sup>3</sup>/<sub>8</sub>\* Drive Torque Wrench, 2G149N99 ... \$ 169.99

3/8" SQUARE DRIVE T-HANDLE TORQUE WRENCH - Precisely calibrated to apply the required 40 foot pounds of torque to tighten the two socket-head cap screws on the bolt carrier key SPECS: Chrome-plated steel. 31/2" (8.9 cm) long. 41/8" (10.5cm) wide handle

#792-000-005 3/8" Drive Torque Wrench, 2G149N99 .. \$ 169.99

BROWNELLS ARMORER's WRENCH - Does a bunch of important jobs: 6-pin barrel nut wrench for both peg-style and encapsulated barrel nuts, "can't slip" 4-pin castle nut wrench for M4-type receiver extensions, plus cutouts for A2 receiver extension nut, 1/2" torque drive, and flash hiders/muzzle brakes.

#### #080-001-208 AR-15/M16 Armorer's Wrench, 8K49Q49..... \$ **54.99**

HEAVY-DUTY TOOL BOX - Heavy-duty case with four drawers, top compartment, and double latches. O-ring seals keep dust and moisture out; built-in wheels and a sturdy, retractable pull handle for easy transport. Extra storage space for parts, manuals. etc. Meets 81-41/STANAG 4280 military standard.

SPECS: 24" (61cm) wide. 18" (45.7cm) high. 143/4" (38.1cm) deep. 41 lb. wt. #080-001-387 Heavy Duty Tool Box, 8K931H41......\$ 959.99

#### ADDITIONAL TOOLS IN PREMIUM KIT:

(36) FRONT SIGHT BENCH BLOCK - Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec AR-15 rifles and carbines. SPECS: 4" (10.2cm) dia. x 111/16" (4.3cm) high.

#### #080-000-252 AR-15 Front Sight Bench Block,

(37) <u>UPPER RECEIVER ACTION BLOCK</u> - Tough Rynite block and insert surround the entire upper receiver to let you tightly clamp an A1, A2, or standard flattop receiver in a large bench vise for barrel removal/installation without twisting the receiver or damaging barrel detent pin and receiver detent notch.

SPECS: Block - 2.5" (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. Insert - 8" (20cm) long, 1" (2.5cm) diameter.

#080-000-661 Upper Receiver Action Block, 8K37F62. . \$ 42.99

LOWER RECEIVER VISE BLOCK - Unbreakable, high-density urethane vise block inserts into magazine housing and takes all the clamping force, so the lower receiver won't be damaged or distorted. Magazine catch locks to the block.

SPECS: 5" (12cm) high, 21/4" (5.7cm) wide, 3/4" (19cm) thick.

#080-000-662 Lower Receiver Vise Block, 8K19C49 ... \$ 25.99

HANDGUARD REMOVAL TOOL - Takes the fumbling and frustration out of installing or removing AR-15, M16A1/A2, and AR-10 handguards. Rubber coated steel won't mar gun. **SPECS:** 11<sup>1</sup>/<sub>4</sub>" (28.6cm) long.

#100-000-438 AR-15 Handguard Removal Tool, 5K23L54.....\$ 34.99

MAGAZINE CATCH INSTALLATION & REMOVAL TOOL Compresses the spring for easy removal of the magazine catch. SPECS: High-impact plastic, black

(41) TAKEDOWN PIN REMOVAL TOOL - Drives out the front and rear takedown pins without marring the metal. SPECS: High-impact plastic, black.

#100-002-125 Bench Model Pushtool, Black, 3A9D62. \$ 11.99

42 BOLT EJECTOR TOOL - Steel clamp captures the bolt head, and turnscrew depresses the ejector for faster, easier removal and installation of plunger-style ejectors.

SPECS: Steel, blued. Plastic handle.

**#080-792-002 Bolt Ejector Tool,** only, 8K17Q60 . . . . . \$ **20.99** 

(43) MAGAZINE FEED LIP TOOL - Bends the feed lips back into place, so they guide the cartridge body properly to prevent problems and jams caused by bent magazine feed lips. SPECS: Steel shank, blued; plastic handle. 51/2" (14cm) long.

#080-000-314 AR-15 Mag Feed Lip Tool, 8K11C99 . . . . \$ 12.99

GAS TUBE WRENCH - Clamps around the fragile gas tube to prevent damage during both removal and installation. SPECS: Steel, blued. 6" (15.2cm) long.

#133-100-015 Gas Tube Wrench. 3C24B68 ...... \$ 35.99



JEW

Maintenance, Repair & Building Done With This One Handy Tool!

AR Armorer's wrenches tend to be a lot alike, but MI has added some features that get even veteran AR-15/AR-308 mechanics pretty stoked: (1) Barrel nut wrench that'll work on any standard AR-15 or AR-308 barrel nut, including encapsulated and pin types. (2) Rifle receiver extension (buffer tube) wrench. (3) Flash hider / muzzle device wrench re-designed to work on an unusually wide variety of devices, even ones with thin flats like Surefires and many suppressor mounts. (4) Castle nut wrench for carbine buffer tubes that ALSO doubles as a wrench for Midwest Industries barrel nuts. Bonus: it's an open-ended wrench, so it'll even work on those older. larger-than-normal-diameter pistol buffer tubes. (5) Two 1/2" torque wrench drive sockets. (6) A hammer and a (7) "Tactical" bottle opener for folks who enjoy some "cold snacks" while working on their ARs. Bonus: torque values for the barrel nut, castle nut, and flash hider are forged right INTO the side of the tool! So it's clear this ain't no sissy bargain-bin gadget but a proper, sturdy, hefty AR-15 wrench made of solid steel in the U.S.A. and built to last. Also available conveniently bundled with Midwest's Upper Receiver Rod for AR-15 or AR-308. See separate listing for receiver rod details.

#100-041-627	AR Professional Armorer's Wrench, 2A53D57	\$ 59.95
#100-042-848	Armorer's Wrench + AR-15 Receiver Rod. 2A143G56	154.90
#100-042-849	Armorer's Wrench + AR-308 Receiver	184 90

REAL AVID AR-15 MASTER-FIT



Equips You To Handle Almost Any Muzzle Device, Barrel Nut, Receiver Extension, or Free-Float Handguard

Real Avid claims this is the "most comprehensive all-in-one AR-15 armorer's torque wrench kit ever assembled," and we're not inclined to dispute that. It contains 13 specialized "Master-Fit" single-purpose

crowfoot wrenches that are made specifically for AR-15 work, including installation, removal, and adjustment of mil-spec and freefloat barrel nuts, muzzle devices (both aftermarket and standard A2), and castle nuts. These Titanium-coated stainless steel wrenches are manufactured to tight tolerances for solid nut-gripping strength and excellent non-slip tool control. They come with a heavy-duty, adjustable Master-Fit 1/2" drive torque wrench that can deliver torque from 10 to 150 ft-lbs, for superb control and enough leverage to loosen even the stubbornest nuts.

#100-047-707 AR-15 Wrench Set 13-Piece, 9A299T99 . \$ 299.99

BOLT CARRIER CARBON SCRAPER - Removes hard-toget-at carbon buildup without damaging the bolt carrier. Solves cycling problems caused by carbon deposits in the bolt recess SPECS: Steel reamer, plastic handle. 61/2" (16cm) long.

#133-100-016 AR-15/M16 Carrier Carbon Scraper, 3C24M68.....\$ 34.99


46) BUTTSTOCK TOOL - Combines several tools into one for taking apart M4-style collapsible buttstocks. Includes pins for oldand new-style receiver extension nuts. SPECS: Steel, black. 7" (17.8cm) long.

0

#### **ROCK RIVER ARMS AR-15** M4 STOCK WRENCH

Install M4 Carbine Stocks Without Damage

Steel, dual function



#739-000-010 M4 Stock Wrench, 9C8F34 ...... \$ 9.99

# Castle Nut Wrench

#### SPIKES TACTICAL AR-15/M16 WRENCHES

Wrenches Help Assemble AR-15s

Chromoly-steel wrenches accept standard torque wrench drives and help quickly assemble AR-15 rifles. Wrenches feature black phosphate finish for resistance to

wear and corrosion, and Spikes Tactical logo. Castle Nut Wrench accepts 3/8" drive and has cutouts to fit onto standard AR-15 carbine buffer tube castle nut. USGI Barrel Nut Wrench accepts 1/2" drive. Features seven pins made of tool steel and TIG welded into place. Fits standard AR-15 barrel nuts. All wrenches sold separately. #100-014-394 Castle Nut Wrench, 3B44P99 ..... \$ 47.79

#100-014-395 USGI Barrel Nut Wrench, 3B45L15..... 47.95

# **SMITH ENTERPRISE AR-15/M16**



#### Fits All Standard Models: Encapsulated & Peg-Style Nut Wrench

Extra-heavy duty armorers wrench provides easier installation and removal of all barrels up to 11/4" diameter with either encapsulated or peg-style barrel nuts. Extra-long handle features smooth. contoured edges for comfortable use. Includes 1/2" square drive opening for torque wrench application; 5/8" and 3/4" slots fit receiver extensions and A1/A2 flash suppressors.

SPECS: 17-4 stainless steel, black oxide finish. 12" (30cm) long, 1" (2.5cm) wide handle. Fits AR-15/M16 rifles chambered in .223/5.56 NATO.

#851-000-068 .223 Armorers Wrench, 1E68L00 . . . . . \$ 83.33

#### LAW TACTICAL AR-15 ARMORER'S FLANGE TOOL



Eases & Speeds Installation of the Law Tactical Gen3-M Folding Stock Adapter

Given the popularity of Law Tactical's Gen3-M folding stock adapter, this tool is a manna from heaven for folks who regularly install or swap the adapter. Makes installing the adapter's flange a lot faster - the required

torque spec is marked right on the tool. Has a 3/8" square drive to fit your current torque wrench for flange installation. Machined from carbon steel barstock; heat treated for the strength and hardness needed for a long service life. 💻

#100-035-808 Armorer's Flange Tool, 1D00LTD . . . . . . \$ 46.67

### **AR-15/M16/AR-STYLE.308** HANDGUARD REMOVAL TOOL Makes Taking The Handguard Off Fast, Easy & Painless

Handy tool eliminates the need for a second pair of hands when removing AR-type hand-

guards. Simply insert the hooked end of the tool into the mag well, position handles over delta ring, and push down to compress the delta ring spring. Made of strong 1/4" (6.4mm) steel rod, with synthetic rubber coating to protect gun from surface scratches. SPECS: Steel, rubber-coated, black. 11" (27.9cm) long. Fits AR-15, M16A1

& A2, and AR-Style .308 rifles with delta rings.

#080-000-487 Handguard Removal Tool, 8K16Q99....\$ 19.99

#### ARRINGTON ACCURACY WORKS AR-15/M16 FREE-FLOAT HANDGUARD STRAP WRENCH



Plenty Of Leverage To Remove & Reinstall Anv **Diameter Float Tube** 

Heavy-duty strap wrench gives you plenty of leverage to remove

screw-on free-float handguard tubes, even those sealed with thread locker or "frozen" on by corrosion between the barrel nut and quard. Large, adjustable strap of tough, reinforced rubber wraps securely around any diameter handguard, with no risk of scratching the finish, and grasps the guard tighter as you apply pressure. Lets you position the strap right over the threaded end of the tube for maximum torque transfer where it's needed most. Hefty steel handle won't bend, no matter how much force you apply, and machined aluminum head maintains optimal alignment of handguard, strap, and handle. Indispensable time-saver for professional armorers or anybody who regularly faces the chore of changing handguards. SPECS: Steel handle, aluminum head, rubber strap. 10" (25.4cm) O.A.L.

#100-004-209 Free-Float Handguard Wrench, 3C62C54.....

### **BROWNELLS** AR-15/M16 FREE-FLOAT HANDGUARD **ALIGNMENT TOOL**

Maintains Precise Handquard Alignment While Tightening The Locking Ring

Eyeballing a railed, free-float handguard for perfect alignment with your flat-

top receiver is only half the battle. Keeping it from going cockeyed as you tighten the locking ring is another story. Talk about frustrating! Avoid the hassle with this handy jig that aligns the top handguard rail with the receiver rail and keeps it there. Just slide the jig on the rails, secure its setscrews, and tighten the locking ring—you're done! With the time it saves, this tool will pay for itself the first few times you use it. A must for maintaining handguard alignment to ensure night vision devices, vertical grips, flip-up front sights, and other add-on accessories are also properly aligned. Designed for use with railed. free-float tubes that have a locking ring.

SPECS: Machined 6061 T6 billet aluminum, hardcoat anodized, black. 31/2" (8.9cm) long, 1" (2.5cm) wide, 11/2" (3.8cm) high,

#080-000-368 Handguard Alignment Tool, 8K50K99 .. \$ 59.99

order on the web

#### DARREL'S CUSTOM AR-15/M16 HANDGUARD REMOVAL TOOL

Fast & Fumble-Free Handquard Removal

Takes all the fumbling. grumbling and frustration

Safer, Easier Installation

& Removal Of Tube

Handguards

Easily grips all types and sizes of AR-15/M16

tube handquards, for faster

out of installing or removing AR-15 handguards. Easy-to-use, just hook tool into mag well and push down on the handles. Pushes the retaining ring straight down, allows both handquards to be removed in just seconds.

SPECS: Steel, rubber handles, matte finish, black, 111/4" (28.6cm) long, Fits AR-15 A1. A2. M-16 and AR-10.

#100-000-438 AR-15 Handguard Removal Tool, 5K23L54.....\$ **34.99** 

#### PRECISION REFLEX AR-15/M16 **FOREARM WRENCH**

Eases Installing & Removing AR Handguards

Stainless steel wrench helps tighten the forearm collar on the forearm tube for AR-style rifles.

Features hole at the rear of the handle to let you hang it from a peg board at your bench for easy access.

SPECS: Stainless steel, natural finish, 7 3/4" long.

#714-000-027 AR-15/M16 Forearm Wrench. 4A17H90 . . . . . . . . . . . . . . . . . \$ 20.99

GLENAIR AR-15/M16 STRAP WRENCH

installation and removal. Fiber reinforced rubber strap with steel

handle gives plenty of leverage, and you can attach a 3/8" drive torque

SPECS: Nickel-plated aluminum handle, 63/8" (16cm) long. Fits hand-

#382-100-015 AR Strap Wrench, 2H00KWM ...... \$ 70.99

### BROWNELLS AR-15/M16/AR-308 **BARREL EXTENSION TORQUE TOOL**



Fast, Easy Way To Tighten Barrel Nut Without Damaging It Or The Receiver

Handy tool aids in applying straight-line torque for fast, easy installation of the barrel nut without scratching the exterior of the upper receiver. Helps ensure the right amount of torque is evenly applied, while maintaining proper alignment of the barrel, upper receiver, and gas tube ports. Use with any barrel nut wrench or free-float tube wrench and a torque wrench with a 1/2" square drive. Simply clamp the barrel nut wrench handle firmly in a bench vise, insert the barrel into the upper receiver, and finger tighten the barrel nut. Slide the barrel through the wrench, insert the Torque Tool in the back of the receiver until the teeth lock into the locking lugs in the receiver extension, and apply torque with the torque drive through the Tool to tighten the barrel nut. Precision machined from heavyduty steel bar stock for years of reliable service.

SPECS: Machined steel, black oxide finish. Requires a 1/2" square drive torque wrench. Instructions included. AR-15/M16 - 9" (22.9cm) long, 1" (2.5cm) diameter. Fits barrel extensions of AR-15/M16/M4 and clones chambered in .223/5.56. AR-Style .308 - 10" (25.4cm) long .1.18" (3cm) diameter. Fits barrel extensions of ArmaLite® AR-10® and DPMS-pattern ARstyle .308 rifles, except does NOT fit DPMS G2 uppers or barrel extensions.

#080	)-OC	10-63	57

AR-15/M16 Barrel Ext. Torque Tool, 

Securely Locks Upper & Barrel Together During Barrel

Installation With NO Stress on the Receiver

15. Insert the tool into the rear of the upper receiver to eliminate

unwanted stress on the receiver when installing a barrel or when

doing other work. You don't even have to remove the rifle's sights

or optic! Use it on any AR-15 barrel with a standard barrel extension.

It also works on both mil-spec forged and machined upper receiv-

ers. A simple twist-and-lock operation ensures the receiver rod is

locked in place so you can go about your work. A gas port indexing

rod makes it easy for you to get the barrel nut positioned so the gas

#100-042-022 AR-15 Upper Rec'r Action Rod, 6B34G50. \$ 59.99

A must-have tool when building or working on any kind of AR-

#080-001-040 AR-308 Barrel Ext. Torque Tool, 8K45H62..... 51.99

WHEELER ENGINEERING AR-15/M16

UPPER RECEIVER ACTION ROD



#### MIDWEST INDUSTRIES AR-15/M16/AR-308 UPPER RECEIVER ROD



**Holds Upper Securely** in Bench Vise While You Work on It

This tool secures an AR-15 upper receiver from inside so you can clamp it in a bench vise to work on it. It's a champ for removing stubborn or seized barrel nuts without damaging the barrel or the receiver. Use it to hold the receiver while installing a muzzle device, gas block/tube, forward assist, dust cover, or optic. Works equally well with stripped or complete uppers. Teeth on the front of the tool engage the bolt locking lugs in the receiver extension, while a spine on the tool's shank locks into the charging handle recess. A cutout on the tool enables you to work on a receiver with a close dust cover and can be used to aid in installing a dust cover. Flats at the rear are clamped in your bench vise; the entire tool/receiver unit can be rotated in the vise at 90-degree increments to position it for ease of access while working. Secured both standard forged mil-spec upper receivers and billet receivers with unusual exterior contours that will not fit into traditional clamshell receiver clamping tools. Hardened 4140 carbon steel with a tough black oxide finish. Not compatible with .22 LR or pistol caliber upper receivers. AR-308 rod fits both forged and billet Armalite® AR-10® and DPMS LR-308

#400 072 022		÷ 04 0F
#100-032-822	Upper Receiver Rod, 2A85J99	\$ 94.95
MEW 100-040-789	AR-308 Upper Receiver Rod, 1G111A45	124.95

#### **SOUTH SHORE AR-15/AR-10** BARREL EXTENSION WRENCH



Plenty Of Strength To Get Even The **Tightest Barrels Loose** 

Two models install or remove AR-15/AR 10 barrel extensions safely and easily without making a "wrench" from an old bolt head. Machined, hardened, steel engagement

teeth fully engage locking lugs for precise fit; alignment sleeve holds wrench square with barrel, prevents slipping or damage. 3/4" hex drive gives plenty of leverage to get really tight extensions loose. SPECS: 8620 steel, blue. 27/8" (7.3cm) long. Heat treated to Rc 48-52.

#841-015-001 (a) AR-15 Barrel Extension Wrench, 1D47H00.....\$ **73.99** 

#841-000-001 ( AR-10 Barrel Ext. Wrench, 1D57Q99 . 87,99

### 1/2" TORQUE WRENCH

### For Barrel Nuts & Any Bolts You Want Precisely Tight

Set the dial handle to desired torque; wrench "clicks" when the number is reached. The right tool for AR-15/M16 barrel nuts, bolt carrier key, or action screws on any rifle.

SPECS: Chrome-plated steel. 1/2" (12.7mm) drive. 171/8" (43.5cm) long. 1" (2.5cm) diameter handle, 30 - 150 foot pound range.

#018-150-050 1/2" Torque Wrench, 4B71Q27 ..... \$ 80.17

#### PRECISION REFLEX AR-15/M16/AR-10° BARREL NUT WRENCH

Plenty Of Leverage For Quick Barrel Removal & Installation

Heavy-duty wrench provides plenty of leverage for installing and removing barrel

nuts when used with a 3/8" or 1/2" drive breaker bar, socket wrench, or torque wrench. Cut from 3/8" thick steel, with plenty of metal so it won't flex under pressure while transferring the torque evenly to the nut. Models available for AR-15/M16, ArmaLite® AR-10® and DPMS/KAC ARstyle .308 rifles. Armorer's AR-15/M16 model has a built-in 10"-long handle for convenience, plus additional holes between pins help with proper gas tube alignment. Still includes 3/8" and 1/2" drive cutouts. SPECS: 1018 steel, black oxide finish. AR-15 fits mil-spec AR-15/M16/M4 and clones. AR-10 fits ArmaLite AR-10 only. DPMS/KAC fits DPMS and

	ent AR-style .308 rifles only.	
#714-000-007	AR-15 Barrel Nut Wrench, 4A31H04 \$	34.99
#714-000-020	AR-15 Armorer's Barrel Nut Wrench,	
	4A37I66	59.99
#714-000-008	AR-10 Barrel Nut Wrench, 4A21B46	29.99
#100-010-967	DPMS/KAC .308 Barrel Nut Wrench,	
	4A25G89	34.99

### 0

#### **BROWNELLS** AR-15/M16 FRONT SIGHT BENCH BLOCK



Two Working Sides For Installation & Removal

Big, tough, polyethylene block gives fitted support for installing/removing the front sight assembly on mil-spec, AR-

15 rifles and carbines. Precision-machined and clearly marked on both sides for driving the mounting pins "IN" or "OUT" of the sight. Accommodates the sling swivel, plus, includes provisions for removing the gas tube roll pin. The Front Sight Housing Maintenance Kit includes the front sight bench block, a taper pin starter punch for removing and installing the factory front sight housing, plus an AR-15 sight wrench for easy sight adjustments.

SPECS: Polyethylene, orange. 4" (10.2cm) dia. x 111/16" (4.3cm) high.

#080-000-252	AR-15 Front Sight Bench Block, 8D35A93	38.99
#080-001-156	Front Sight Housing Maintenance Kit, 8K68L36	76.99

#### ARRINGTON ACCURACY WORKS AR-15/M16 **COLT LAW ENFORCEMENT CARBINE** ARMORER'S WRENCH

For Removing/Installing Barrel Nut On Colt LE6940 Carbine

quards up to 3" (7.6cm) in diameter.

wrench.

Dedicated, heavy-duty wrenches are designed to enable easy removal and installation of the proprietary



	-	1. 3C87N02	-
#100-005-370		3C124G99	\$ 135.99



JEW

tube will be properly aligned.

#### **GEISSELE AUTOMATICS AR-15/M16 BARREL NUT WRENCH**

Inexpensive Tool for Installing Geissele Barrel Nuts: Also Works on Standard Nuts

This wrench is required for installing Geissele's proprietary barrel nut that is required for Geissele MK-series handguards. But there are

three items of good news: (1) it's not every expensive, (2) it is configured so it can also be used on standard mil-spec barrel nuts, and (3) it also serves a castle nut wrench for an M4-type receiver extension. So a very handy tool to have on your bench! You do have to supply your own 1/2" drive wrench to use it. Hardened steel; you can see discoloration from the heat-treating process, which is completely and OK. #100-018-943 Geissele Barrel Nut Wrench, 7B9M00....\$ 9.00

#### MIDWEST INDUSTRIES AR-15/M16 BARREL NUT WRENCH

For Maximum Torque Without Marring Or Slipping

Custom barrel nut wrench is specifically designed to make installing Midwest Industries handguards fast and easy. Engineered to transmit maximum torque smoothly and evenly to the nut without slipping and marring the gun. Long, easy-to-grasp plate steel handle provides plenty of leverage. Also fits standard handguards and most standard pin-type barrel nuts, too.

SPECS: Steel black oxide finish. Approximately 71/8" (20cm) long x 1/4" (6.4mm) thick #100-005-397 Barrel Nut Wrench, 2A10P92...... \$ 14.99



### BROWNELLS **EXTRA-LARGE BENCH BLOCK**

Large, 4" Diameter, Useable Surface Will Not Embed Or Mar

Extra size and weight helps keep these blocks where you put them and the big face eliminates much of the "balancing act" when you're driving

pins. Cannot mar even the most highly polished surface. Drilled with four through holes for easy pin removal and disassembly. Convenient, center "V" holds cylindrically shaped parts steady so they won't roll. Can be drilled or modified with hand tools; will not melt when machined. SPECS: Polyethylene, green, 4" (10cm) diameter, 11/8" (2,8cm) high

#080-000-492 Rifle Bench Block - Green, 8D18B99... \$ 19.99

**BROWNELLS**, PAGE 98




#### WHEELER ENGINEERING AR-15/M16/AR-308 AR ARMORER'S BLOCK

Keeps the Upper/Lower in Place While You Work

This bench block is is specifically designed for to retain the upper receiver, lower, front sight, and charging handle for assembly/disassembly and maintenance. Made of super-durable, non-marring,

reinforced molded urethane so it provides excellent support while you work AND protects the finish of the firearm from scrapes and scuffs. Plenty of handy notches, grooves. and holes on both sides to temporarily retain small parts. Just darned handy to have on the bench.





Helps You Complete 80% Lower Receiver

Kit contains the fixtures, guides and drill bits required to complete final machining on 80% AR-15 lowers. Plates and templates screw together to give accurate precise geometry for properly drilling the required holes and clearances. Includes instructions.



#100-016-684 80% Lower Receiver Jig, 8Z78C46 .. \$ 112.99



#### BROWNELLS AR-15/M16 SIGHT WRENCH



Models For A1 & A2 Make Sight Adjusting Quick & Easy

Even tho' you're supposed to be able to adjust these sights with nothing more than a round of ammo, folks who've tried know it's just not that simple. This decidedly handy little Sight Wrench does the job, quick and easy. SPECS:  $1^{3}/8$ " (3.5cm) long x  $^{3}/4$ " (19.0mm) dia. Blued steel. Models for A1, five-prong (adjusts front and rear) and A2, four-prong.

#078-015-001	A1 Sight Wrench,	6E9F81	\$ 10.99
#078-015-002	A2 Sight Wrench,	8K9D99	11.99

### **BROWNELLS** AR-15/M16 REAR SIGHT ELEVATION SPRING TOOL

Fases Installation & Removal Of Rear Sight **Elevation Spring** 



Hardened, drill-rod steel shaft depresses the elevation spring to ease installation or removal of the rear sight elevation spring retaining pin. Hand-filling plastic handle ensures a firm, comfortable grip while applying pressure to the spring.

SPECS: Steel shank, in-the-white; plastic handle, black. 4" (10.2cm) OAL, 250" (6mm) O D

#080-000-079	AR-15 Rear Sight Elevation Spring Tool,
	8K9C33

### **BROWNELLS** AR-15/M16 **UPPER RECEIVER LAPPING TOOL**



Helps True The Upper Receiver For Precise Barrel Fit & Maximum Accuracy

Cold-rolled steel lapping tool chucks into a 3/8" hand

drill to easily "square" the upper receiver face on your AR-15. Helps ensure precise mating of barrel and receiver for added accuracy. Coat face of receiver with aluminum-oxide lapping compound; extra long pilot slides into the bolt carrier tunnel to maintain perfect concentricity with the receiver.

SPECS: Cold-rolled steel, in-the-white, 8<sup>1</sup>/<sub>4</sub>" (21cm) long, <sup>3</sup>/<sub>8</sub>" (9.5mm) diameter shank

#080-000-182	AR-15 Lapping Tool,	8K30E62	\$ 34.99
--------------	---------------------	---------	----------



#### BROWNELLS **AR-15 SIGHT WRENCH**



Two Styles, For A1 & A2, Give Fast, Convenient Sight Adjustment

Precision machined from tough, stressproof steel with square-profile fingers that grip the sight notches firmly and won't "roll out"; provides easy, exact sight adjustment. Plus, they resist bending and breaking to give years of service. Deeply drilled body fits both issue and tall blade sights. An extra-nice touch are the hex-shaped bodies; they're easy to grasp, easy to turn and won't roll off your bench. Three tools: A1 five-prong and A2 four-prong fit front and rear sights. A1/

A2 is double ended to fit both five-detent A1 and four-detent, square blade, A2 front sights only. A2 wrenches also fit FN SCAR. SPECS: Stressproof steel, blue finish, A1: five-prong and A2: four-prong (adjusts front and rear).  $1^{3}/8$ " (3.5cm) long x  $^{3}/_{4}$ " (19mm) dia. A1/A2:  $2^{1}/_{2}$ (6.4cm) long four-propa/five-propa front only wrench

	A1 AR-15 Sight Wrench, 8K13F99	\$ 15.99
#078-000-009	A2 AR-15 Sight Wrench, 8K14H99	17.99
#078-000-010	A1/A2 AR-15 Sight Wrench, $8G15G93$	19.99

#### **REAL AVID AR-15** MASTER BENCH BLOCK & SMART-FIT VISE BLOCK

Handy Many-in-1 Bench Block & a Lower Receiver Block With a Twist Real Avid's Master Bench Block pro-

vides AR builders with the proverbial extra pair of hands needed when assembling an AR-15. It enables you to hold FIVE separate components in place while you assemble/work on them, and aids you in installing the 13 different pins found in the AR-15 platform. Block has

a non-slip coating, so it stays put on your workbench, and the parts you're working on won't slip at the wrong moment. A built-in magnet even ensures the little pins, springs, and detents don't wander away! Smart-Fit Lower Receiver Vise Block - Traditional, one-size-fits-all lower receiver vise blocks... usually don't, due to variations in magazine

well dimensions from one AR manufacturer to another. RA's solves this with a built-in adjustment knob that enables you to tighten the block securely in the magwell. It also works on inverted lower receivers, so you can work on pistol grips, triggerguards and other components with ease.

#100-036-434	AR-15 Master Bench Block,	8C00PCM	34.99
#100-036-438	Smart-Fit AR-15 Vise Block,	8C00PUI	34.99

#### 80 PERCENT ARMS AR-15 EASY JIG GEN 2

#### Makes Finishing 80% Lowers Fast, Easy & Precise

This latest edition of the Easy Jig is engineered to be both easy to use (hence the name) AND precise, so every 80% lower completed on it fits and functions properly. No holes drilled off-axis and ruined lowers! Heavy-duty 3/4" thick steel side plates hold the lower securely, while a selfcentering mechanism ensures even



exotic lower receiver designs will fit in the jig. To use the Easy Jig, you need only a hand drill and a router. No need to disassemble any part of the jig to insert or remove the lower. Built-in depth gauges mean no separate measuring tools are required, and going from an AR-15 lower to AR- 308 is done simply by flipping the rear buffer tube mount and side plates. Downward force on the end mill can't separate the press taper chuck, and you move the router by hand rather than moving the jig. Even cleanup is easy, due to the integral vacuum cleaner hose attachment to remove the chips while you work. Due to its robust construction, the Easy Jig 2 will last as long as you continue build ARs with 80% lowers. Multi-Platform model works on AR-15, AR-9 (pistol caliber), and DPMS Gen 1 pattern .AR-308 lowers. Universal AR-15 is for AR-15 and AR-9 lowers. (Cannot be retrofitted for AR-308 lowers.) Cutting Tool Kit contains 3/8", 21/64 and 5/32" drill bits, plus a 5/16" solid carbide end mill with 1/4" shank. necessary to complete most 80% lower receivers.

	necessary to complete most continue receivers.				
#100-033-187	Easy Jig Gen2 Multi-Platform,				
_	1H209Ā81	\$ 249.99			
#100-033-188	Easy Jig Gen2 Universal AR-15,				
_	1H161F02	189.99			
#100-027-578	Easy Jig Gen2 Tool Kit, 1H42J61	50.99			

#### ERGO GRIPS AR-15/M16/AR-STYLE.308 SPIKE'S BLOCK



Provides A Stable Cleaning/Work Platform On Your Workbench

One-piece, molded polymer stand securely supports the lower receiver for cleaning, maintenance or storage. Base has a small footprint and clamps to your

workbench, while the top fits in the magwell of any AR-15 pattern rifle. Grooves in both sides of insert accept the mag catch to lock your rifle on the block. Can also be used as a wall mount for your rifle. AR-308 fits rifles that use SR-25 pattern magazines.

SPECS: Molded, glass-filled resin, black. Permanent installation requires four 1/4" bolts or screws, not included.

#573-000-063	<b>AR-15 Spike's Block</b> , 3G18K80 \$	24.00
#573-000-088	<b>AR-308 Spike's Block</b> , <i>3G18E80</i>	24.00

#### MAGPUL AR-15/M16 BEV™ BLOCK

Super-Secure Support Of Upper & Lower **Receivers For Maintenance Work** 

The Barrel Extension Vise (BEV) block securely supports the rifle for installing barrel nuts, attaching muzzle devices, and other assembly/maintenance operations. The BEV block mounts securely in your bench vise and fits snugly in the mag well to support the lower receiver during maintenance. For upper receiver work, the BEV's steel lugs engage the barrel

extension at the front, while a post at the rear engages the bolt carrier to provide full-length support, without unwanted flexing, during barrel installation. Included pin helps keep the upper in the proper position. The hardness of the forward lugs' steel is optimized for durability, yet won't damage the barrel extension. Magpul's heavyduty reinforced polymer is used for other engagement surfaces to

protect the atai			
#100-015-280	Bev Block,	3K43D19	 \$ 47.45

# 0

### BROWNELLS AR-15/M16/AR-STYLE.308 **RECEIVER BLOCKS**

Protects Receiver From Damage When Clamping

Heavy-duty blocks allow you to firmly clamp AR-15/M16 receiver halves in a vise without risk of crushing, twisting, or otherwise distorting them when applying vise pressure or torquing the barrel nut. Made of dense polymer that absorbs the clamping force, yet is incapable of scratching or marring the receiver's finish.

#### UPPER RECEIVER ACTION BLOCK -

High pressure, solvent resistant, structural Rynite block and insert surround the entire upper receiver and support it inside and out to make rebarreling the AR-15/M16 an easy, one-man job. Lets you tightly clamp an A1/A2 carry handle receiver or flattop receiver in a large bench vise for barrel removal/installation. Torque generated while tightening



the barrel nut is transmitted to the block and insert, not the receiver. Minimizes the possibility of damage to the barrel detent pin and receiver detent notch. Holds securely without marring the finish. SPECS: Injection-molded Rynite, black. Fits A1, A2, and standard flattop receivers, Block - 2.5" (6.3cm) thick, 3.5" (8.8cm) wide, 4.5" (11.4cm) high. Insert - 8" (20cm) long, 1" (2.5cm) diameter. Torque tested to 200 ft. lbs.

#080-000-661 Upper Receiver Action Block, 8K37F62. \$ 42.99

LOWER RECEIVER VISE BLOCK - Heavy-duty vise block takes all the clamping force, so your expensive lower receiver won't get scratched, distorted, or otherwise damaged. Insert block into the mag well, just like an ordinary magazine, then clamp the other end in your bench vise. The magazine catch locks to the block, safely and securely holding the rifle for assembly, disassembly, cleaning, or repair. Will not mar or scratch weapon's finish. AR-15/M16 model fits mil-

spec .223/5.56mm rifles and carbines. Dual-purpose design can be inserted into mag well from bottom or, when upper receiver is removed, from the top. AR-Style .308 model is a double-ended design to fit ArmaLite® AR-10®, Bushmaster .308, DPMS Panther™ LR-308, and Remington R-25. Does not fit Rock River Arms lower receivers. Machined from rugged, durable, chemical-resistant Delrin® polymer.

SPECS: AR-15/M16 - Injection-molded high-density urethane plastic, black, 5" (12cm) high, 21/4" (5.7cm) wide, 3/4" (1.9cm) thick, Fits mil-spec .223/5.56mm rifles and carbines. AR-Style.308 – Machined Delrin, white. 5<sup>1</sup>/<sub>8</sub>" (13cm) high, 3" (7.6cm) wide, 1" (2.5cm) thick. Fits most AR-Style .308 rifles except Rock River Arms.

#080-000-662	Lower Receiver Vise Block, 8K19C49	25.99
#080-000-659	AR-15/M16 Action Block/Vise Block Set, 6K53A99	59.99
#080-000-494	AR-Style .308 Lower Rec'r Vise Block, 8K37M79	
	ON3/141/3	77.77

#### **OBSIDIAN ARMS AR-15** UPPER RECEIVER VISE BLOCK



Classic Block Supports the Upper So You Can Clamp It Securely in Your Bench Vise

Obsidian's vise - not vice! (though we may have a few of those, too) - block fits securely in any standard AR-15 upper, so you can clamp it in a bench vise to work on it without fear of distorting it or damaging its finish. Machined from

high-density polyethylene (HDPE) to hold your upper receiver in a bench vise without fear of crushing, marking or scratching the finish. Simply secure the assembly into your vice, slide the upper onto the block, and insert the included locking pins.

#100-035-928 AR-15 Upper Rec'r Vise Block, 9G35H00.....\$40.00

order on the web

Smart Fit

#### WHEELER ENGINEERING **AR-15 ARMORER'S VISE**

Secure Support for Your Rifle While You Work on It

Whether you're building a new AR, revamping an old favorite, or just need support for cleaning one, this vise gives you a solid work platform. It can hold a fully assembled rifle, one broken open a the pivot pin, or even just the lower receiver itself. The vise's integral magwell insert (for guns with magwells for standard, mil-spec AR-15/M16 magazines) securely engages the lower receiver and locks it down while you work on it. Angle can be adjusted for advantageous positioning the part of the receiver

your working on. Front support with tapered profile is angle adjustable, too, allowing a barrel or a handguard to be secured. Both front and rear supports have multiple positions in the base and are reversible to give you plenty of versatility. Magwell insert includes a hammer stop, and there's a bolt service station that secures the bolt face for disassembly/assembly. Base is constructed of rigid steel with non-slip rubber feet that can be removed for permanent bench-top mounting. Cutouts in the base keep small parts or tools from rolling away. Not compatible with .22 LR rifles, AR-308, or pistol caliber conversions that use narrow "stick" or pistol magazines.

#100-032-912 AR Armorer's Vise, 7A48C40 ...... \$ 53.00

#### WHEELER ENGINEERING AR-15/M16 **MAGWELL INSERT FOR TIPTON GUN VISE**

Supports Rifle By the Magwell for Maintenance & Cleaning

Handy add-on part that clamps to the Tipton Best Gun Vise (#100-012-229, sold separately), this vise block slides into the magazine well of an AR-15 rifle/carbine/pistol and supports it securely for cleaning or light gunsmithing. Center section rotates 180° in 7° increments and locks into place where you want it so the gun is easy to work on. Works with the breech or closed, and locks bolt in for servicing extractor pin. Built-in

hammer stop prevents damage to lower receiver. Rugged, solventresistant, non-marring hard polymer construction. Can also be mounted directly to their bench top with the included fasteners.

#100-032-919 AR-15 Magwell Vise Block for Tipton Gun Vise, 7A16M90 . . . . . . . . . . . . . . . . . \$ 18.26

#### **GEISSLE AUTOMATICS AR-15/M16** REACTION ROD Secures Receiver & Barrel For

Assembly & Maintenance

Sturdy steel rod slips into the upper receiver to give needed support for barrel changes and parts installation. Makes removal and installation of barrels, flash suppressors, gas blocks, and handguards much easier. Designed to be gripped in a bench vise so that the rod is either horizontal or vertical. The upper receiver is then slid onto the rod and the rod's integral splines enter the barrel extension and secure the barrel extension from turning, allowing all the torque from barrel nut wrenches to go directly into the barrel extension. Unique design can't mar the barrel's exterior finish and eliminates the need to remove sights or optics when installing the barrel on

the upper receiver. SPECS: 4140 steel. 111/2" (29 cm) long, .995" (25.3 cm) O.D., .745"(18.94 cm) across the flats.

#### AR-15/M16 **ACCU-GRIP BARREL VISE JAWS**



**Fully-Lined Barrel Grooves Prevent** Slipping & Damage

Massive aluminum jaws lined with space age, polyurethane elastomer, grip tight and prevent marring. Two grooves fit standard and heavy barrel contours.

SPECS: Machined aluminum with permanently bonded green polyurethane elastomer lining. 5" (12.7cm) wide, 1" (2.5cm) thick, 37/8" (9.8cm) long, 2 lb, 6 oz. (1 kg) wt. Fits 4" and wider vises.

#852-015-000 Accu-Grip Vise Jaws, 2E114D99.... \$ 149.99

#### JP ENTERPRISES AR-15/M16 UNIVERSAL VISE CLAMPS

Securely Holds The Upper While You Do Other Work




handguard, and muzzle brake installations. Both pieces have imbedded magnets to hold them to the vise jaws and feature cut outs for the top rail and the pivot pin lug to ensure a rock-solid, no-slip grip. Special "soft" anodized coating prevents jaws from marring the receiver finish.

SPECS: Aluminum with matte black, soft-anodized coating. 5" (12.7 cm) long, /s" (2.2 cm) &  $1^3$ /16" (3 cm) wide,  $1^4$ /2" (3.8 cm) high. Fits flattop receivers only.

#452-000-155 Universal Vise Clamps, 2E69P94 ...... \$ 79.95

#### WHEELER ENGINEERING AR-15/M16/AR-308 UPPER RECEIVER/PICATINNY RAIL





Machined aluminum insert attaches to just about any AR upper receiver - AR-15, M4, M16, AR-308 - by engaging the pivot/ takedown pin holes so it can be clamped in a bench vise. Will also attach to an Picatinny rail on a standard flattop, high-rise rail, or many other integrated accessory rails by sliding onto and clamping the rail. Block is machined to precise tolerances to ensure a secure. slop-free hold essential for tasks like removal/installation of stubborn barrel nuts, installing optics, gas tube work, and similar tasks. #100-032-920 Upper Rec'r/Picatinny Rail Vise Block,

7Å36J77.....\$ **39.60** 

### **JME INNOVATIONS AR-15** RECEIVER EXTENSION



Cleans Up Rough or Damaged Threads

Innovative two-piece, hardened-steel die quickly and easily repairs damaged threads on an AR-15 receiver extension (aka "buffer tube"). Simply place the two pieces of the die together on the good threads above or below the damaged area, then turn the die to recut/cleanup the damaged threads. Fits the 1  $^{13}/_{16}$  - 16" tpi threads on rifle and carbine AR-15 buffer tubes. 💻

#100-016-681 Buffer Tube Die 1 13/16-16", 6A47F06.. \$ 64.99

#### PRECISION REFLEX AR-15/M16 UPPER RECEIVER VISE BLOCK



Two Ways To Support Upper Receiver In A Vise Without Risk Of Damage

Heavy duty, machined aluminum vise block lets you clamp an AR-15/M16 upper receiver in a bench vise without risk of marring the finish or distorting the receiver from over-tightening. Dual-use design allows the receiver to be positioned top side up or, if it's a flattop, upside down; either way, the vise grasps the block and never touches the receiver. One side of the block fits in the underside of the receiver and is held securely in place with two, steel. T-pins inserted through the takedown pin holes, so you can install optics, perform thorough cleaning, and do other work on the exterior. Or, slide a flattop receiver rail into the grooves on the other side of the block and tighten the locking bar with the large thumbscrew to hold the receiver upside down for easy access to the underside.

SPECS: Body - Aluminum, hardcoat anodized, matte black. 7" (17.8cm) long, 11/4" (3.2cm) wide, 11/4" high. Pins – Steel, black oxide finish. Fits AR-15/ M16/M4 and clones with .250" diameter takedown pin holes.

#714-000-006 Upper Receiver Vise Block, 4A48N08... \$ 57.99

#### REAL AVID AR-15/AR-308 **LUG-LOK UPPER RECEIVER VISE BLOCK**

Secure, Safe Way To Lock Down an Upper in a Bench Vise

Real Avid's block attaches to

the strongest part of the gun - the barrel locking lug recesses. This transfers all the stress from the receiver to the barrel itself, which eliminates the risk of distorting the receiver. It fits all standard milspec AR-15 uppers and mates securely in the lug recess, while allowing you to rotate the upper to be able to work on different sides. Two vise pins allow you to hold the upper at multiple working angles and prevent unwanted rotation during high-torque operations, such as tightening a barrel nut or muzzle device. A lock knob keeps Lug-Lok seated into the barrel lugs. The result is an extremely safest, easy-to-use tool for locking down an AR-15 upper in a bench vise. AR-308 model fits Armalite® AR-10® and DPMS LR-308 pattern rifles.

#100-036-437 ( Lug-Lok AR-15 Upper Rec'r Vise Block, 8COOKZP.....\$ 79.99

#100-047-722 Lug-Lok AR-308 Upper Rec'r Vise 

#### **10-8 PERFORMANCE ARMORER TOOL**

#### Sturdy Non-Marring Tool Has Dozens Of Uses

Handy tool of extremely tough, non-marring glass-reinforced nylon is perfect for prying and pushing applications where a metal tool can damage the part or gun finish. Rigid chisel point on one end is useful for depressing springs and spring-loaded partseven use to thread MOLLE straps through webbingwhile the semi-flexible flat blade on the other end can get into tight spots or serve as a temporary shim. Great to have around during disassembly of semiauto pistols like the 1911, Glock, or Smith & Wesson M&P or when working on service rifles like the AR-15/ M16. Multiple ridges molded into the grasping area in the middle of the tool help prevent slippage when

working with oily or greasy hands. SPECS: Glass reinforced nylon, Black, Flat Dark Earth, or Foliage Green. Approximately 5" (12.7cm) long, 1/4" (6.4mm) diameter.

#100-003-708			\$ 10.99
#100-003-709	Armorer's Too	ol, FDE, B10P35	11.99



#### SAMSON MANUFACTURING CORP. AR-15/M16 FIELD SURVIVOR TOOL



#### Indispensable All-In-One Tool System Stores In Pistol Grip

Versatile multi-tool is like an armorer's kit that fits in the palm of your hand and stores in the pistol grip of your rifle, so you have it when you need it. İnside, you'll find an array of tools for performing emergency repairs to get your AR

back in action fast in combat, on the range, or in the field. There's a flat-blade screwdriver, broken shell extractor, carbon scraper, cotter pin hook for removing firing pin from bolt, A2 front sight tool, magazine feed lip gauge, and a feed lip adjustment tool. A refillable stainless steel tube holds just enough oil for one field lube. Use the wire brush for cleaning the bolt and carrier key, or remove the brush and attach it to the pull cable for bore cleaning using the shell extractor as a T-handle. A2 fits standard A2-type pistol grip. Twist the base to activate the compression lock system and anchor the tool securely-no movement, no rattling. Aggressive, molded "teeth" on the base serve as an emergency strike plate during hand-tohand combat. Teeth are designed to create painful pressure points on impact, but won't snag on your gear during ordinary activity. Available packaged with a **Hogue Monogrip**® A2-style pistol grip. Rigid fiberglass core is "overmolded" with non-slip rubber with palm swells and finger grooves to reduce shock, improve comfort, and aid in positive weapon control. MOE fits inside Magpul MOE® pistol grip and has same tools as above, without the strike plate; sold alone or in a kit with a black MOE pistol grip included.

SPECS: Stainless steel and reinforced molded polymer. A2 fits in standard A2 pistol grip and similar grips with same-size cavity. Available alone or with Hoque Monogrip rubber-covered, fiberglass-cored pistol grip, black. MOE fits Magpul MOE and old MIAD pistol grips only.

#100-004-235	A2 Field Survivor Tool, Only, 1B77C51	\$ 90.24
#408-000-105	<b>A2 Field Survivor Tool,</b> w/Monogrip, 8K95/18	106.99
#100-004-951	MOE Field Survivor Tool, Only, 1B77M51	90.24
#100-007-040	$\textbf{MOE FS Tool,} \text{ w/MOE Grip, } 9Z101C08. \ .$	109.99

#### AR-15/AR-STYLE.308 FLASH SUPPRESSOR TAP & DIE





#### Accurately Thread Custom Barrels Or **Recondition Damaged Threads**

A must when threading custom barrels or chasing threads on standard barrels. Use to make custom suppressors or clean up existing factory threads. Custom-made to factory specs. Dies available in circular adjustable profile or hex profile.

SPECS: 1/2"-28 tpi cuts threads for AR-15/M16. 5/6"-24 tpi cut threads for AR-style . 308. Taps - High-speed steel (HSS). Dies available in standard (Std) circular profile, made of high-speed steel (HSS), or in Hex profile, made of hardened carbon steel (CS). "OD" of hex dies is measured across flats.

#080-598-528 🗞	1/2"-28 tpi Flash Supp Tap, 7C18N13	19.99
#080-598-529	<b>1/2"-28 tpi Flash Supp Die,</b> Std/1" OD, 7C19/03	20.99
#081-598-100	<sup>1</sup> / <sub>2</sub> "-28 tpi Flash Supp Die, Hex/1" OD, 7C20L90	29.99
#080-598-531	5/8"-24 tpi Flash Supp Tap, 8K23K02	24.99
#080-598-530	<b>5/8"-24 tpi Thread Cutting Die,</b> Std/1½" OD, <i>5F22C37</i>	25.99
#081-598-101	<b>5/8"-24 tpi Flash Supp Die,</b> Hex/1 <sup>1</sup> / <sub>4</sub> " OD, 7C20E78	23.99

# **BARREL THREAD RESTORATION KIT**

**Repair Damaged Threads** Or Makes New Ones

This handy tap and die kit from Brownell's allows you to cut or restore 1/2"-28 threads. Tap is made from high speed steel and is ideal for cleaning the threads on



your flash hider, muzzle brake, or compensator. Innovative split die allows you to start the die on clean barrel threads, and work your way over the damaged areas. Die is made from A-2 tool steel, and are heat treated for extra strength and durability.

SPECS: Fits 1/2"-28 threads. Tap - High speed steel. Die - A-2 tool steel.

#080-001-158 Barrel Thread Restoration Kit,

#### **CLYMER** .223 & .308 CHAMBER REAMING KITS

Safe, Accurate Chambering



High-quality finish reamer and precision made headspace gauges make easy work when chambering a new barrel. Precision machined from high-quality steel for a lifetime of service when properly cared for. Finish reamers can be used in your lathe or handturned; perfect for fitting short chambered barrels. Includes headspace gauge to accurately measure chamber size and ensure a tight, safe chamber. Gauges are etched with "Go" or "No-Go" and caliber/ gauge name for easy identification. Made to SAAMI specs.

SPECS: Reamer - M7 high speed steel, in-the-white. Right-hand cutting, six flutes. Solid pilot, integral throat. 7/16" round shank with 3/8" square drive. Headspace Gauge - Steel, in-the-white.

#184-000-043 .223 Chamber Reaming Kit, 4H163D00 .. \$ 163.00 #184-000-044 .308 Chamber Reaming Kit, 4H163E00... 163.00

### **BROWNELLS** AR-15/M16 **RECEIVER TAPS & DIES**

**Uniforms Threads For** Easy Installation Of Receiver Extension & Barrel Nut

Chases and cleans the most important threads on the AR-15/ M16 receivers. 11/4"-18 tpi corrects out-of-spec or cross-threaded upper receivers and barrel nuts. 13/16"-16 tpi makes receiver extension (recoil buffer) tube and lower receiver threads uniform for easy installation

SPECS: Taps - High-speed steel (HSS). Dies available in standard (Std) circular profile, made of high-speed steel (HSS), or in **Hex** profile, made of hardened carbon steel (CS). 2-1/2" (6.3cm) "OD" of hex dies is measured

<b>#080-598-126 1</b> 1/4"- <b>18</b> tpi Std Die, <i>8K53N00</i> <b>59.99</b>	
#080-598-180 1 <sup>3</sup> / <sub>16</sub> "-16 tpi Tap, 7C54K99 59.99	
#080-598-181 1 <sup>3</sup> / <sub>16</sub> "-16 tpi Std Die, 7C66H57 <b>75.99</b>	
#081-598-102 1 <sup>3</sup> / <sub>16</sub> "-16 tpi Hex Die, 7C31C14 35.99	

#### CLYMER AR-15/M16/AR-STYLE.308 GO/NO-GO GAUGE SETS



Headspace Gauge Sets In Popular AR Calibers

Convenient kits contain "Go" and "No-Go" gauges for accurately checking chamber length to make sure it meets SAAMI specs. These

gauges are essential tools for ensuring a tight, accurate, safe chamber when chambering a new barrel. Always have a set on hand to check for correct headspace before buying or firing a new gun. Comes in a handy, durable plastic carrying case.

SPECS: Steel, precision machined to SAAMI specs. Each set contains one go gauge and one no-go gauge in a single caliber as listed below.

¥184-000-037	.223 Rem. Headspace Gauge Kit, 4H00KNP	\$ 66.00
<b>#184-000-038</b>	.308 Win. Headspace Gauge Kit, 4H00FBS	66.00
<b>#184-000-039</b>	<b>7.62 x 39 Headspace Gauge Kit,</b> 4H00HMN	66.00
<b>#184-000-042</b>	9mm Luger Headspace Gauge Kit, 4H00QBH	66.00

BROWNFLLS

**BROKEN SHELL EXTRACTOR** 

### **BROWNELLS/FORSTER** MATCH RIFLE HEADSPACE GAUGES

**Factory Specified Size** 

Measures M16/AR-15

Maximum Headspace



Covers every size chamber all the way from Go to Field. Perfect for match shooters, armorers, or sportsmen looking for the most accurate way to track locking lug and chamber wear on high quality, match grade barrels.

In .001" Increments For

Measurement Of "Match

Grade" Chambers

BROWNFLLS

5.56MM/.223 HEADSPACE GAUGE

NATO maximum length headspace gauge used to make sure the

chamber does not have excessive headspace. With this gauge in the

chamber, the bolt should not close. Type of gauge used by the Colt

factory to measure maximum acceptable headspace. Also essential

for checking well-used guns or those that have been reparreled.

SPECS: Hardened and ground steel. 1.65" (4.2cm) overall (this is NOT the

#319-418-033 5.56 Headspace Gauge, 8K27A99...... \$ 30.99

"headspace" dimension). .3655" (9.3mm) diameter

SPECS: Individual high speed steel gauges, hardened and ground. .308 Match Gauge Kit contains 1 of each .308 size listed in table, packaged in plastic case. NOTE: Some .308/7.62 gauges will be marked ".243"

STOCK #	CALIBER	SIZE	TYPE
#319-223-464	.223 Rem/5.56 NATO	1.4636"	GO
#319-223-467	.223 Rem/5.56 NATO	1.4666"	NO-GO
#319-223-470	.223 Rem/5.56 NATO	1.4696"	FIELD
#319-308-630	.243 Winchester	1.630"	GO
#319-308-631	.308 Win/7.62 NATO	1.631"	Match
#319-308-632	.308 Win/7.62 NATO	1.632"	Match
#319-308-634	.243 Winchester	1.634"	NO-GO
#319-308-638	.243 Winchester	1.638"	FIELD
— Advise # —	Forster Headspace Gauge	, 9A27P86	\$ 31.99
— Advise # —	Match Gauge, 9A25Q71		30.99

#079-308-000 .308 Match Gauge Kit, 9A237H51.....\$ 259.99

#### **BROWNELLS** AR-15/M16 **CARRIER KEY STAKING TOOL**

Fast, Foolproof Staking Without Damaging Key, Screws, Or Carrier

Precision-machined, solid steel tool lets you stake the carrier key screws the best way-from the sides-to ensure they don't back out under the most strenuous rapid-fire conditions. Elimi-



#080-000-638	Carrier Key Staking Tool, 8K60K68	\$ 69.99
#080-001-118	Carrier Key Tool Repl. Screws, 4-Pak,	
	8K13K11	14 46

**HEADSPACE GAUGES** 

#### **Essential For Safe Chambering**

STK# GO

Gives the proper chamber headspace dimensions so you



CALIBER

know a firearm is safe to fire. GO gauge gives the SAMMI-recommended, minimum chamber depth. NO-GO is slightly shorter than the SAMMI-recommended to give a small safety margin maximum chamber depth.

MANSON PRECISION - Precisely made by Dave Manson. SPECS: M7 high speed steel, in-the-white, hardened.

#513-100-240	#513-100-241	.223 Remington
#513-100-260	#513-100-261	.308 Winchester
— Advise # —	Manson Headspace Ga., 3A0	00QLJ <b>\$ 40.00</b>
- Advise # -	Clymer Headspace Ga., 4H3	3D00 <b>33.00</b>
- Advise # -	Forster Headspace Ga., 9A2	7P86 <b>31.99</b>

STK# NO-GO

**CLYMER** - Clymer GO gauges are marked with a green band, Clymer NO-GO gauges are marked with a red band. SPECS: Machined Steel

STK# CLYMER GAUGE GO	STK# CLYMER GAUGE NO-GO	CARTRIDGE
#184-100-240	#184-100-241	.223 Rem
#184-000-035	#184-000-036	5.56 NATO
#100-011-283	#100-011-311	300 AAC Blackout
#184-100-260	#184-100-261	.243 Winchester

<ul><li>Advise # — Ma</li></ul>	nson Headspace Ga., 3A00QLJ	\$ 40.00
- Advise # - Cly	mer Headspace Ga., 4H33D00	33.00
- Advise # - For	ster Headspace Ga., 9A27P86	31.99

FORSTER - Long-time industry standard made to the highest guality standards.

SPECS: Machined Stee

STK# FORSTER GAUGE GO	STK# FORSTER GAUGE NO-GO	CALIBER
#319-223-464	NA	.223 Rem/5.56 NATO
#319-308-630	NA	.243 Winchester
NA	#319-223-467	.223 Rem/5.56 NATO
NA	#319-308-634	.243 Winchester

- Advise # - Forster Headspace Gauge, 9A27P86 .... \$ 31.99

### **BROWNELLS** BOLT EJECTOR TOOL

Faster Removal Of Plunger-Style Ejectors

Tough, steel clamp captures the bolt head, and the large-handled turnscrew

depresses the ejector so the ejector pin can be safely removed or installed from bolts with plunger-style ejectors and forward-positioned locking lugs. Set includes turnscrews to fit both Standard and Small bolt faces plus separate bolt head retainers. One fits bolt bodies up to .720" diameter and the other fits AR-15/M16 bolts only. AR-15/M16 Bolt Ejector Tool also available separately.

SPECS: Steel, blued. Plastic handle. Includes instructions.

#080-792-100	Bolt Ejector Tool Set,	8K30D09	\$ 35.99
#080-792-002	Bolt Ejector Tool, only	y, 8K17N60	20.99

#### GEISSELE AUTOMATICS AR-15/M16/AR-308 TRIGGER FITTING PIN

Tool Makes It Easy To Install Trigger Pins

Steel tool features ergonomic plastic handle, and makes it easy to install and remove AR-15 trigger pins. Lets you use your palm to put pressure against the pin and helps save your fingertips. Works with all .154 trigger pins. SPECS: Steel 154" O.D.

#### Top Brands Cut Precise Chambers For Superb Accuracy

CHAMBERING REAMERS

MANSON PRECISION - Ground from M-7 steel by one of the most respected names in the industry. Made to SAAMI specs with an integral throater and fixed pilot.

SPECS: M7 High speed steel, in-the-white. Solid pilot, six, straight flutes. right-hand cut. 3/8" (9.5mm) square drive shank.

STK# FINISH	STK# ROUGH	CALIBER	PRICE
#513-050-120	NA	.223 Remington	\$ 105.00
#513-050-400	#513-050-401	.308 Winchester	\$ 105.00

**CLYMER** - Made from best quality, M-7 High-Speed Steel. These are precision tools for the professional gunsmith.

SPECS: Six, right-hand cutting, straight flutes. Solid pilot, integral throat. 7/16" round shank with 3/8" square drive.

STK# FINISHER	STK# ROUGHER	CALIBER	FITS	PRICE
#184-050-004	NA	5.56 NATO	5.56 NATO	\$ 105.27
#184-050-120	NA	.223 Rem.	.223 Rem.	\$ 105.09
#184-050-400	#184-050-401	.308 Win.	.308 Win.	\$ 105.33
NA	#184-050-101	.223 Rem.	.223 Rem.	\$ 105.33



Without Field Stripping Case head separation from over-fired or out of spec brass

won't ruin your shooting experience if you keep one of these handy tools in your pocket or field kit.

**Easily Removes Broken Cases** 

Hardened, steel tool reliably and easily removes broken cases from AR-type or any other firearm chambered for the .223/5.56 NATO or .308/7.62 NATO cartridges. Exclusive, threaded, two-piece design is adjustable for overall length, so the tool completely engages the rim of the case mouth; cannot slip through or strip out. Very simple to use, drop the broken shell extractor into the chamber directly inside the broken case. Allow the bolt to close so the extractor engages the rim of the tool and draw back the bolt to open the chamber. The broken case will eject along with the broken shell extractor. SPECS: Steel, blue. Models for .223 Remington/5.56 NATO or .308 Winchester/7.62 NATO cartridges

#080-000-441 .223 Broken Shell Extractor, 8K17Q98 .. \$ 19.99 #080-000-530 .308 Broken Shell Extractor. 8K23N49 . . 25.11

order on the web

brownells.com

BROWNELLS PAGE 101

Orders/Tech: 800-741-0015



### BROWNELLS EJECTOR REMOVAL TOOL



Eliminates The "Lost Parts" Hassle When Working On Rifle Bolts


Versatile fixture lets you remove plunger-style ejectors from standard .700" and .510" diameter bolts

quickly and safely without launching parts across the room. Works for a variety of popular rifles, including AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako. Rugged, lightweight body machined from 6061 billet aluminum securely holds bolt while threaded, tool steel shank compresses and captures ejector spring and aligns the roll pin for easy removal with a punch. Gradually loosen the shank to relieve spring tension.

SPECS: Ánodized 6061 aluminum body, dark green, steel shank. 3"1/s" (9.7cm) long with shank fully screwed in, 2"/s" (5.7cm) wide, 1"/s" (4.5cm) high. Fits AR-15, AR-style .308 rifles, Remington 700, Winchester 70, Savage, and Sako rifles.

#080-000-420 Ejector Removal Tool, 8K55F99 . . . . . \$ 63.99

# Sinclair AR-15/M16 BOLT VISE





SPECS: Aluminum body, anodized, black. Stainless steel compression screw natural finish

#749-003-708 Sinclair AR-15 Bolt Vise, 8H22J49 . . . . \$ 24.99

# **BROWNELLS** AR-15/M16 SLING SWIVEL STAKING TOOL



Makes Installing Front Sling Swivel Rivet Fast & Easy

Precision-machined steel tool eliminates the struggle of staking an original, M16-style front sling swivel rivet with a hammer and punch. Wide throat easily fits around the swivel and dual, screw-adjustable stakes

with large, easy-to grasp handles let you apply just the right amount of pressure to quickly and accurately expand the rivet for a neat, factory-finish job—no slips or dings.

SPECS: Frame -1018 steel, black oxide finish. 3" (7.6cm) long, 1"/." (4.6cm) high, '/." (12.7mm) thick. Throat: 2" (5 cm) wide. Stakes - heat-treated 4140 steel, black oxide finish. 3" (7.6) long handles.

#080-000-756 Swivel Staking Tool, 8K45I62...... \$ 49.99

QUESTIONS BEFORE YOU BUY?
Call Or Email Our Full-Time Tech Staff

#### BROWNELLS AR-15 HAMMER DROP BLOCK



Saves The Frame & Your Thumb When Tuning AR-15 Triggers

Drop-in, Delrin block helps you gain a true feeling of trigger movement and pull weight without sacrificing your thumb. Go ahead, drop the hammer; this shock-absorbing block prevents the hammer from striking the wall of the magazine well.


Helps eliminate expensive receiver damage and broken hammers. Fits into the magazine well with the upper receiver open or removed, withstands thousands of hammer strikes.

SPECS: Delrin, black, 21/8" (5.4cm) high, 3" (7.6cm) long.

#080-953-000 AR-15 Hammer Drop Block, 8K26N30 .. \$ 29.99

#### YOUNG MANUFACTURING AR-15/M16/AR-308 BOLT EJECTOR TOOL

Safe, Effective Bolt Maintenance, Prevents Loss Of Parts



#939-000-003	AR-15/M16 Bolt Ejector Tool, 90	:42E62 <b>\$ 59.99</b>
#939-000-005	AR-Style .308 Bolt Ejector Tool,	
	9C45A51	58 00

### ROTOR CLIP AR-15/M16 EJECTION COVER HINGE PIN CLIP TOOL



Makes It Easy To Install Ejection Cover Hinge Pin Clip

C-clip tool features split-lip design that lets you easily install

ejection cover hinge pin clip. No more c-clips shooting across the room. Just slide c-clip into recess in the tool and snap into place. Squared handle makes it easy to grip and manipulate.

#100-013-629 Ejection Cover Hing Pin Clip Tool,

8F31A42.....\$ **35.99** 

### LITTLE CROW GUNWORKS AR-15/M16 RPP ROLL PIN PUSHER

Eases Installation Of Triggerguard Roll Pin

Pocket-sized tool helps prevent breaking the triggerguard tab or marring lower receiver finish when installing or re-

moving the roll pin. Tool fully supports triggerguard tab while slowly pushing the roll pin in or out of its channel. Includes steel alignment pin and push pin to aid in roll pin removal and installation. **SPECS:** Aluminum body, anodized. Molded thermoplastic handle, 17/12° (3.6cm) diameter. Steel screw, push pin and alignment pin.

**#100-011-602** Roll Pin Pusher, 3B39195......\$ 39.95

### POWER CUSTOM AR-15/M16 SERIES II STONING FIXTURE



Provides Precise, Controlled Stoning For A Perfect Trigger Pull

Provides an accurate, repeatable method to achieve a crisp, clean-breaking trigger pull on AR-15 rifles with .154" diameter hammer and trigger pins. Included adapter attaches to a precision-ground indexing elevator column and clamps both

the hammer and sear in the correct position. Adjustable to allow you to change both hammer and sear angle. **Adapter** is also available separately if you already own the Series II fixture. Use with Series II India or Hard Arkansas stones sold separately.

SPECS: Steel, blued, precision ground and hardened. 5" (12.7cm) 4" (10cm) high, 3" (7.6cm) wide. Fixture includes. 154" adapter, ham¬mer and sear clamp, three Allen wrenches, and instructions. 154" Adapter fits AR-15/M16 with .154" dia. hammer and trigger pins.

#713-270-016 Fixture w/.154" Adapter, 3A181B11	\$ 217.99
<b>#713-271-016</b> .154" Adapter, only, 3A37M33	47.99
#080-815-000 Series II India Stone, 8K18P99	20.99
#080-815-001 Series II Hard Arkansas Stone, 8K67I89.	79.99

### BROWNELLS AR-15/M16 MAGAZINE FEED LIP GAUGE

Ensure Proper Specs For Reliable Ammo Feed

Convenient "Go/No-Go" gauge lets you quickly and accurately check for correct feed lip gap. Helps ensure reliable feeding and prevent weapon failure caused by



#080-000-744 Magazine Lip Gauge, 8K52M79...... \$ 59.99

# MAGAZI

### BROWNELLS AR-15/M16 MAGAZINE FEED LIP TOOL



Reforms Feed Lips For Improved Magazine Performance

Magazine Not

Feeding problems and jams in your AR-15 can often be attributed to bent or malformed magazine feed lips. This easy to-use tool is designed specifically to bend the feed lips back into place, so they guide the cartridge body like they're supposed to. Trying to straighten the lips with pliers can create rough, unsightly gouges, or worse yet, cracks in the metal that can't be repaired. The machined, steel shank with bevel cut and slot allows you to hook the lips and keep them supported, while you tweak their angle of contact on the cartridge case. Helps you recondition those old magazines, and saves the cost of buying new ones.

SPECS: Impact-resistant polymer, black. Shank - Steel, blued finish. 5<sup>1</sup>/<sub>2</sub>\* (14cm) long.

#080-000-314 AR-15 Mag Feed Lip Tool, 8K11B99 . . . . \$ 12.99

# **BROWNELLS** AR-15/M16 GAS BLOCK TAPER PIN REAMER



#### Precisely Finishes Gas Block/Front Sight Tower Pin Holes

High-speed steel reamer is precisely tapered to match the shape of the standard A2 gas block retaining pin. Cleans up existing holes or tapers newly drilled holes to ensure a positive, secure fit and precise alignment of the sight tower.

SPECS: Reamer – High-speed steel, 2/0 reamer. Tapers from .1137" (2.8mm) O.D. at the tip to .1462" (3.7mm) O.D. near the shank. Handle – 2½," (70mm) long, 5/6" (16mm) diameter.

#080-000-674 Taper Pin Reamer, 8K00QGL..... \$ 23.99



### State-Of-The-Art Technology Gives Fast & Accurate Readings

Just place the hook on the trigger and pull. The large, easy to read LCD quickly displays the results. Strain gauge technology provides accuracy to ½10 of an ounce from 1 oz. to 5 pounds and to ½ oz. from 5 to 12 pounds. Lets you take up to ten readings and display the average. Displays either English or Metric format. SPECS: Plastic case. Steel hook, 5¾4 (14.6cm) long. 11½1 (29.2cm) overall. 1 oz (28.35 g) to 12 pds. (5.4 kg) range.

Includes ballistic nylon storage case. #539-000-005 Electronic Trigger Pull Gge, 5K46G99... \$ 46.99

# BRD ENGINEERING AR-15/M16 GAS BLOCK DIMPLE JIG



Easy Way To Make Sure Gas Block Is Precisely Placed & Securely Anchored

BRD's jig enables you to precisely drill the dimples in the exterior of an AR-15 barrel required for anchoring gas block setscrews. It slides over any barrel with a .750" O.D. at the gas journal and gently locks in place with the two included setscrews, one of which locates

in the gas port to ensure the dimples will be perfectly positioned. Once the jig is installed, clamp the barrel securely in a padded bench vise, and drill the dimples with an "Jos" drill bit. Machined from rugged 1045 carbon steel heat treated to Rc 60 to resist damage from drill bit. Comes with both pointed and soft-tip setscrews. Works with gas blocks that require .420", .460" or .500" center-to-center dimple holes.

#100-032-039 Gas Block Dimple Jig, 2E51P95......\$ 55.00

### BRD ENGINEERING AR-15/M16 GAS BLOCK PINNING JIG

Drilling Fixture For Permanent Attachment
Of Low-Profile Gas Block



Heavy steel fixture securely holds and aligns a low-profile Vitor gas block to enable precise drilling of a straight or taper pin hole for permanent installation of the block. Can be modified with file or rotary tool to fit other low-profile gas blocks, such as Yankee Hill and Stag Arms. Instructions included.

**SPECS:** 836 plate steel, black oxide coating. 1" (2.54cm) long, 2" (5.08cm) wide. 2<sup>3</sup>/<sub>8</sub>" (5.99cm) tall. 17.3 oz. (490a) weight.

**#100-006-129** Gas Block Pinning Jig, 2E83L99......\$ 83.99

#### **BROWNELLS** AR-15/M16 **GAS BLOCK ROLL PIN PUNCH KIT**

EasesInstallation & Removal Of Gas **Tube Roll Pin** 



install and remove the 5/64" roll pin that secures the gas tube into AR-15 gas block. Kit includes a roll pin holder, starter punch and standard punch. Pin holder helps keep pin perfectly aligned as it starts into the hole and features knurled grip for easy manipulation. Starter roll pin punch has a short shaft, giving more control when starting pins or removing pins. The standard-length roll pin punch makes it easy to seat pin into final position. Both starter and standard-length

clearly stamped in for fast identification. #080-001-127 Brownells Gas Block Roll Pin Punch Kit, 8K22K99 ..... \$ 26.99

TWO TWO THREE INNOVATIONS AR-15/M16

punches feature smoothly-machined flats for easy grip with specs



Fast, Easy & Ultra-Precise Way To Properly Align the Gas Block **BEFORE You Lock It Down** 

This simple plastic gizmo helps you install a gas block fast - and get the holes in the barrel and the block lined up correctly on the first try. Puts an end to the annoying problem of a slightly off-kilter gas block restricting gas flow and impeding the reliability of your rifle! Insert the Genie into the gas block, line up the hole on the Genie with the gas port in the block, then mark the end of the gas block on the outside of the Genie. Using the Genie, mark the barrel accordingly and slide the gas block into place. The Genie even ensures you get the proper gap between the gas block shoulder on the barrel and the end of the block itself. It's not magic - it just seems like it. 

#### GEISSELE AUTOMATICS AR-15/M16/AR-STYLE .308 **GAS BLOCK PUNCH KIT**

Makes It Easy To Install & Remove Gas Tube Roll Pin

Steel punches are specifically designed to remove and install the .078" roll pin that secures the gas tube into AR-15 gas blocks. One punch is tapered, and has thick shaft to make driving pin into place fast and easy. Other punch has slim section to fit down into roll pin hole, making it easy to remove rusted pins. Flats on the handle allow you to grip and control the punch. Includes two punches per set. SPECS: Steel. 5/64" O.D.

#100-015-137 Gas Block Punch Kit, 7B00HHH . . . . . \$ 25.00

#### GEISSELE AUTOMATICSAR-15/M16/AR-STYLE 308 GAS BLOCK ROLL PIN TOOL



For Easy Installation Of Gas Tube Pin

Ingenious tool holds the tiny gas tube roll pin securely to make installation easy and fast. No more fumbling with needle nose pliers or tweezers, only to have the pin fly fly off and get lost! Pin is pressed into the tool for a rock-solid hold while the tapered tip enables precise control and correct placement. Safely gets the pin partially in, so the job can be finished with a normal roll pin punch. All-steel construction, matte black oxide finish.

#### PRECISION REFLEX **GAS BLOCK ASSEMBLY FIXTURE**

Takes The Aggrevation Out Of Installing Gas Tube & Roll Pin

Designed to make it easier to install the gas tube and start the roll pin into the gas block. Notched nylon block offers solid support for the gas block and has three predrilled holes for roll pin removal. Comes with a roll pin punch. 💻



SPECS: Nylon, white. 3" (7.6cm) long, 1" (2.5cm) high, 1" (2.5cm) wide. Punch – steel. black finish. 31/4" (8.3cm) long.

#714-000-028 Gas Block Assembly Fixture, 4A25D67 .. \$ 27.99

#### 0 **BROWNELLS** AR-15/M16 FRONT PIVOT PIN TOOL KIT



Makes Pivot Pin Removal/ Installation Fast & Easy

Long available as part of our AR-15/ M16 Armorer's Tool Kits, we now offer these two simple yet indispensable tools on their own in a handy "two-fer" kit. Both tools eliminate the scenario that has driven AR-15 fans nuts; accidentally launching the tiny but critical

pivot pin detent across the room, never to be found again. Use the Pivot Pin Detent Removal Tool to compress the spring-loaded detent to free the pivot pin for removal - a truly frustrating chore made simple. Works on all mil-spec AR-15s, except those from Colt Mfg. On the flip side, the **Pivot Pin Detent Installation Tool** guides the detent and spring into place and serves as a slave pin when installing the pivot pin itself. Prevents the loss of the detent ball and makes pivot pin installation easy, fast, and stress-free. Both tools are made of properly hardened, high-grade steel. You can get a Kit contains both tools; each tool can also be purchased separately.

#080-001-159 Front Pivot Pin Tool Set, 8K12Q71 ..... \$ 14.95 #080-216-010 Pivot Pin Detent Removal Tool, 8K5D99 . . 5.99 **#080-216-011** Pivot Pin Installation Tool, 8K10J81..... **11.99** 

### **REAL AVID AR-15 PIVOT PIN INSTALLATION TOOL**

Install That Fiddly Pivot Pin in Less Than 60 Seconds On the First Try!

A simple, inexpensive tool that takes all the headaches out of the fiddly job of installing pivot pin that joins the upper and lower receivers. Anyone who's ever built an AR



knows the pain of launching the pivot pin detent and its spring across a room, never to be seen again! Real Avid's tool makes installing pivot pins fast and easy, and you'll never again find yourself on the floor with a flashlight searching for the detent. Made from polymer, the tool is simple to use: put the tool over the pivot pin housing on the lower receiver, insert the tool's plastic "dummy" pivot pin, insert the spring and pivot pin detent in the receiver, then compress them with the tool's screw-down plunger, rotate the tool to lock in the detent/ spring, then insert the pivot pin from the other side, displacing the tool's "dummy" pin, and... you're done! Takes longer to describe the process than it does to do it. This inexpensive tool is a must-have for anyone looking to build an AR-15 or disassemble the rifle they already have.

#100-041-088 Pivot Pin Installation Tool, 6X09Q99.....\$ 9.99

#### SPORTING CONVERSIONS AR-15/M16 **TAKEDOWN TOOLS**

Remove Takedown Pins & Mag Catch Quickly

High-impact plastic tools drive out the front and rear takedown pins or help get the magazine catch out from your M16/AR-15 without scratching or marring the metal. **Pushtool** for the takedown



pins comes in two versions: a bench model or a handy key ring model. Bench model available in black or high-visibility green so you can easily spot it in the "bench clutter." Magcatch tool compresses the spring to make it easy to remove the magazine catch.

SPECS: High-impact plastic, black or high-visibility green.			
#100-002-125 Bench Model Pushtool, Black, 3A9J62 \$	11.99		
<b>#100-011-496 Bench Model Pushtool,</b> Green, 3A8C48	9.99		
<b>#100-002-126</b> Key Ring Pushtool, 3A10M08	11.99		
<b>#100-002-127</b> Magcatch Tool, 3A10/08	11.99		

#### WHEELER ENGINEERING AR-15/M16 PIN INSTALLATION TOOLS

Tools that Make Those Tricky or Time-Consuming Chores Easier & Faster

Here's a series of specialized tools for performing tasks that are often necessary in AR-15 building, repair, or maintenance. These chores are not be the trickiest in the world of gunsmithing, but they can be fiddly and frustrating - kind of like what threading a need is to sewing! These tools help you get specific tasks done right on the first try without false starts or "oopses" that lead to scratched, scuffed, or otherwise marred oun finishes.

BOLT CATCH INSTALLATION PUNCH SET - Includes a starter punch and finisher, both with flat sides to enable access to the pin without marring the receiver

#100-032-915 Bolt Catch Installation Punch, 7A11/87. . \$ 13.45

GAS BLOCK TAPER PIN REMOVAL TOOL For fast, easy, safe removal of A2-type front sight towers and Smith & Wesson M&P15 single-pin tower. Rugged, all-steel construction.



PIVOT PIN INSTALLATION TOOL - Helps you quickly and easily remove and install the pivot pin spring and detent as needed. Starter punch plus main punch work on all .250" dia. lower receiver roll pins.

#100-032-913 Pivot Pin/Roll Pin Installation Tool, 7A6B35....

TRIGGERGUARD INSTALLATION TOOL - Gives precision control over installing the trigger quard roll pins to prevent damage to the receiver. Eliminates hammering in the pins, which can lead to damage to the pins, triggerguard itself, or the receiver. Comes with both an install pin and an uninstall pin that store conveniently

inside the tool frame. Anodized aluminum tool body; steel pins. #100-032-916 Triggerguard Installation Tool, 7A24K09 . . \$ 28.32

**ROLL PIN INSTALLATION TOOL KIT - In**cludes the Bolt Catch and Triggerguard installation tools listed above, plus everything else needed to install/remove all the roll pins in an AR-15, including: two-sided nylon/brass hammer and 6 steel punches (3 sťarter/3 driver in 1/16", 5/16" & 3/32" each).

#100-032-914 AR-15 Roll Pin Installation Kit, 7A46/10. . \$ 52.05

#### MARK BROWN AR-15/M16/AR-STYLE .308 GAS TUBE WRENCH

**Protects Tube From Crushing During** Installation & Removal



Clamps around those fragile, easy-to-bend gas tubes to prevent damage during both removal and installation and adds a convenient "handle."

SPECS: Steel, blued, Approximately 6" (15.2cm) long.

#133-100-015 Gas Tube Wrench, 3C24E68 ...... \$ 35.99

#### MARK BROWN CUSTOM AR-15/M16 **GAS TUBE GAUGE**

Checks Gas Tube For Optimum Gas Flow

CNC machined, mechanical "No-Go" gauge tells you instantly if your gas tube is out of spec and needs replacement. Simply insert into the gas tube to check for flat spots, dents, kinks, and loss of concentricity. Perfect for armorers, competition shooters and others looking for the most accurate, reliable way to check for tube damage and maintain optimum rifle function. Each gauge is precision ground to exact tolerances. Works on all AR-15, M16, and AR-style .308 rifles.

SPECS: Steel, black, matte finish, 83/4" (22.2cm) long.

**#133-000-002** Gas Tube Gauge, 3C31L32......\$ 37.99

#### **AMERICAN DEFENSE** QUICK-RELEASE ACCESSORY MOUNT

Easy-On/Easy-Off System For Mounting Lights, Vertical Grips & Other Accessories



Convenient, quick-detach mount clamps solidly to almost any Picatinny or Weaver-style rail for mounting weaponlights, vertical grips, lasers, optics, and other accessories that need to be removed and reinstalled guickly. Increases the flexibility of your weapon and allows quick changes of accessory configuration to meet individual mission requirements. Lever-lock system will not work loose under recoil; the more force acting on the lever, the tighter it locks, yet when you depress the release tab, the lever swings open easily. Adjust gripping force with a flat head screwdriver or coin for an ultrasecure fit even on non-mil-spec, over- or under sized rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Locking bar on the side of the mount engages maximum rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement with rail slots. Has 5 rail slots. SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 21/4" (5.7cm) long. Provides .615" (1.6cm) standoff from weapon rail.

#100-017-102 5-Slot Quick-Release Acc. Mnt. 7B89G99 .. \$ 93.99

#### ATLAS METAL PARTS AR-15/M16 **ACCESSORY LIGHT MOUNT**



Rock Solid Mounting For Lights & Lasers

Solidly clamps to either side of an AR-15, front sight base. Features two Picatinny rails to hold lights, lasers, sling adapters and other accessories. Machined for a secure fit so it won't rotate or twist out of alignment.

SPECS: Aluminum, anodized, black, matte. 13/4" long. 2.3 oz. (66 g) wt.

#100-000-727 AR-15 Light Mount, 7K46P79...... \$ 51.99

order on the web

MOUNTS

### **BROWNELLS** AR-15/M16 MINI RAIL



#### Adds Extra Elevation For Sights & Other Accessories

Add-on riser rail gives an additional 1/2" of elevation or offset sometimes needed to mount a red dot sight, light, laser, or

other essential accessory. Clamps securely to any MIL-STD 1913 Picatinny rail and provides three Picatinny cross slots. Steel crossbolt and oversized, hex-head slotted thumbscrew enable fast, easy installation and removal, with or without tools.

SPECS: Rail - 6061 T6 aluminum, hardcoat anodized, black. Crossbolt/ Thumbscrew – 4140 steel, black oxide finish. 13/8" (3.5cm) long, 11/2" (3.8cm) wide. Provides 1/2" (12.7mm) additional elevation, 1.4 oz. (38g) weight.

#### DANIEL DEFENSE AR-15/M16 ONE O'CLOCK OFFSET RAIL

For Convenient Mounting Of Auxiliary Optics, Lights & Other Accessories

Lightweight, low-profile, rail clamps to handguard side rail to allow easy off-axis mounting of red dot sights in the 1:00 or 11:00 position. Lets

operator transition almost instantly from long-range primary optic to non-magnified CQB sight without breaking cheekweld. Viewing tunnel through the mount helps minimize obstruction of operator's view of area around the target. Plenty of other uses, too; clamps to any MIL-STD 1913 Picatinny rail. Install on underside of handquard to position a laser or weaponlight close to vertical forend grip for easy operation of controls with support hand. Precision machined from 6061-T6 aluminum billet, then mil-spec Type III hardcoat anodized for added strength. Side bar and crossbolt locking system ensures secure, zero-movement attachment to primary rail, yet allows removal and reinstallation of backup sight without loss of zero. SPECS: 6061-T6 aluminum, hardcoat anodized, matte black, 1,2 oz. (34g) weight

#100-003-943 One O'Clock Offset Rail, 8K00NMD .... \$ 39.00

#### DOUBLE STAR AR-15/M16 PICATINNY ANGLE MOUNT



Offsets Add-On Tactical Accessories For **Unobstructed Use of Primary Sights** 

Low-profile, add-on rail lets you mount a flashlight, laser, red dot sight, or other tactical accessory at a 45° angle, so it's close to

the rifle's center line without obstructing your primary sight system. Precision-machined aluminum body uses a full-length steel clamping bar and three hardened steel socket head bolts to anchor the mount securely to any Picatinny rail with minimal weight increase to your weapon. Five cross-slots; accepts Picatinny accessories. SPECS: Aluminum, anodized, matte black finish. 21/8" (5.4cm) long, 17/8" (4.8cm) wide, 11/16" (1.8cm) high. 2.3 oz. (66g) wt.

#100-003-301 45 Degree Angle Mount, 2Z23E39..... \$ 25.79

#### ERGO GRIPS AR-15/M16 UNIVERSAL MOUNTING PLATFORM

**Quickly Mount Accessories To AR Handquards** 

Aluminum Picatinny mount attaches to AR-15 handguards to give quick, sturdy mounting for lights, vertical grips, bipods, and other accessories. Fits standard, round, plastic, AR-15

and CAR-15 handguards without removing the heat shield. Requires removal of heat shield to fit M4 handquards. Can be attached to top or bottom handguard. Accepts accessories that fit Picatinny rails. SPECS: Aluminum, hard-anodized, black. 2" (5cm) long, with 5 Picatinny slots. Includes mounting hardware and include low-profile rail covers.

#573-000-017 2"/5-Slot Univ. Mnting Platform, 3G14G44 . \$ 16.99

#### **FALCON INDUSTRIES AR-15/M16** UNIVERSAL ACCESSORY MOUNTING **PLATFORM**

Easy Installation; Mount **Tactical Accessories** 

Injection-molded, nylon-based, polymer platform installs easily on tube and conventional two-piece AR-15 handguards to mount lights, lasers, and tactical gear. Six mounting holes and lots of slots make it adaptable to different situations. Comes complete with three mounting screws and flat nuts. Accepts Picatinny accessories. SPECS: Injection-molded polymer, black. 55/8" (14.3cm) OAL

#573-000-027 Univ. Acc. Mnting System, 3G9L34 ..... \$ 10.99

#### GG&G AR-15/M16 UNDER FOREARM INTEGRATED RAIL

**Accessory Rail Bolts To Factory** Plastic Handquard

Aluminum acces-

sory rail bolts to the underside of the standard factory plastic handguard to enable fast, easy mounting of lights, vertical grips, bipods, and other accessories. The "UFIR" features 11 cross slots machined to MIL-STD-1913 specifications to provide a variety of accessory options depending on the mission. Attaches to the underside of USGI-style plastic AR-15/M16 rifle or M4-style carbine handguard using the included mounting hardware

SPECS: 6061 T6 aluminum, mil-spec Type III hardcoat anodized, matte black. 45/8" (11.7cm) long. Steel mounting hardware included.

#336-000-037 UFIR Accessory Rail, 6C23/93 ...... \$ 25.99

#### JP ENTERPRISES AR-15/M16 **45° OFFSET ADAPTER**



Machined aluminum mount allows simple, no-gunsmith mounting of iron or micro red dot sights at a 45° position in line with your rifle's bore. Helps

improve your short-range speed-shooting without changing your optics. The offset position keeps your tactical sights from interfering with your main optic but keeps them easily accessible by simply tilting your rifle to the side without changing your head position. Mount attaches easily to all Picatinny rails on rifle receiver or handguard. Fully reversible for right- or left-handed shooters. **SPECS**: 6061 aluminum, hard anodized coating, black. 11/4" (3.1cm) long,

.13/4" (4.4 cm) wide. 7.7 oz. (209g) wt. Fits MIL-STD 1913 Picatinny rails only.

#100-008-905 U JP 45° Offset Adapter, 2E54J14 ..... \$ 56.95

STREAMLIGHT® AR -15/M16

TACTICAL ILLUMINATOR MOUNT

SPECS: Polymer, black. 1.925" (4.9cm) long, .825" wide (2.1cm), .25"

(6.4mm) high. Accepts Streamlight M3, M5, M6, TLR-1, and TLR-2 lights.

#100-000-831 Tactical Illuminator Mount, 1K18I04 . . . . \$ 18.99

Fits Standard Handguards For Mounting

Streamlight Lights & Lasers

USGI-style AR-15 handguards to accept your

Instructions included

Tough, polymer mount attaches to plastic

Streamlight TLR-1, TLR-2, M3, M5, or M6 light/laser.

#### **VLTOR SM-E SCOUT LIGHT MOUNT**





#### Turns Handheld Flashlight Into Compact, Rail-Mounted Weaponlight

All-metal, low-profile mount converts a SureFire or similar handheld tactical flashlight into a compact weaponlight that gives you the versatility of weapon-mounted illumination without the expense of a separate light. Quick-detach design lets you remove the light from the gun and return it to handheld use in seconds. Triplefunction cross-bolt with large, easy-grasp thumbscrew tightens the mount around the light body to prevent slippage under recoil and clamps the mount to any MIL-STD 1913 Picatinny accessory rail. Also serves as a recoil lug to prevent unwanted movement of the mount on the rail. Retaining pin captures cross-bolt so it can't fall off when the mount is removed from the weapon. Models available to fit three flashlight body diameters, listed below. Off-set models let you position the light to the left, right, or below the rail, approximately 11/4" off-set from the centerline of the rail.

SPECS: Aluminum, hardcoat anodized, matte black. Steel cross-bolt, black. Fits lights with .810" to .826" O.D., including SureFire Executive series.

#100-003-714 SM-E Scout Mount, 3A33D24 ..... \$ 34.99



#### **VIKING TACTICS** FLASHLIGHT/LASER MOUNT

Offset For Fast, Easy Access To Activation Switches





Extra-wide, offset base mounts flashlights and lasers to any railed handguard for easy light/ laser activation using your thumb without your hand ever leaving the handguard or vertical grip. Ambidextrous design can be installed at the 3- or 9- o'clock positions to accommodate right- or lefthanded shooters. Two, steel, Allen head screws pull the clamp tight to the rail, so it won't shoot loose. Made from lightweight, PVC allov thermoplastic that's resistant to most solvents. Adjustable to fit flashlights and lasers from .800" to 1" diameter.

SPECS: PVC alloy themoplastic, Black, Covote Tan, or Flat Dark Earth, 11/2" (3.8cm) long, 2<sup>1</sup>/<sub>2</sub>" (6.3cm) wide, 1<sup>1</sup>/<sub>4</sub>" (3.2cm) high. 1.8 oz. (51g) weight. Fits .800" (20mm) to 1" (2.5cm) diameter flashlight and laser.

#100-004-371 Flashlight/Laser Mnt, Blk, 7K22F34.....\$ 24.99 #100-004-372 Flashlight/Laser Mnt. Covote. 7K22L34. 24.99 #100-005-402 Flashlight/Laser Mnt. FDE. 7K22P34..... 24.99

#### YANKEE HILL AR-15/M16 MINI RISER ASSEMBLY

Adds Extra Mounting Space For Small Accessories

Compact, Picatinny mini-riser is perfect for raising lasers, lights, sights, and other essential accessories that need a little extra lift or clearance. Constructed of aircraft grade aluminum and hardcoat anodized for extra-durability and long-lasting wear. Milled out center slot considerably cuts down on weight. Fits Picatinny rail systems with two slightly oversize screws to increase clamping power. SPECS: Aluminum, hardcoat anodized, black. 15/16" long, 11/4" (3.1cm) wide, .72" (1.8cm) overall height. 1.1 oz. (31g) weight.

#100-002-858 Mini Riser Assembly, 9A00GZP...... \$ 13.30

### **AERO PRECISION** ULTRALIGHT SCOPE MOUNT

Rock Solid Mount That Weighs Only 3 Oz.

Ultra-lightweight, one-piece scope mount locks securely on any Picatinny receiver rail with a rock solid fit. A side locking bar with three Torx® head bolts and

three cross bars that drop into the rail slots ensure this mount won't budge. Vertically split rings have grooved locking system and two Torx® screws to firmly hold the scope against recoil-induced slippage. Torx wrenches included, Models for 1" or 30mm scope tubes.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black or flat dark earth (FDE). 43/4" long x 13/16" wide x 21/2" high. 3.1 oz. wt.

#953-000-002 1" Ultralight Scope Mount, 3E68N48. #953-000-003 30mm Ultralight Scope Mount, Black, 3E68N48..... 72.99

#953-000-011 30mm Ultralight Scope Mount, FDE, 

#### ULTRALIGHT EXTENDED & SPR SCOPE MOUNTS - Rigid, mini-

malist mount has the rear ring pushed farther forward for use with optics that require extra eye relief. Extended mount has the rear ring 1" farther forward, while the SPR mount positions the rear ring 2" forward, making it ideal for use with the high-end optics often used on "Special Project Rifles". Excellent mounts for optics with short body tubes, also. Still offers three strong crossbolts for installation on MIL-STD 1913 Picatinny rails, with a cross-slot



keyway, provides excellent recoil protection.

#953-000-007 1" Extended Scope Mnt, Blk, 3E72D51 ... \$ 76.99 #953-000-008 30mm Ext. Scope Mnt. Blk. 3E72H51.... 76.99 #953-000-009 30mm Ext. Scope Mnt, FDE, 3E80L56... 84.99 **#953-000-013 30mm SPR Scope Mnt, Black**, 3E76P53. 89.99 **#953-000-014 30mm SPR Scope Mnt, FDE**, *3E84H59* 84.99 **\*\*\*100-054-469 34mm Ext. Scope Mnt,** BLK, 6B34G50. **\*\*\*100-054-470 34mm Ext. Scope Mnt,** FDE, 6B34G50 **100-054-471 34mm SPR Scope Mnt**, BLK, 6B34G50 89.24 **100-054-472 34mm SPR Scope Mnt.** FDE. 6B34G50 .

#### ULTRALIGHT CANTILEVER SCOPE MOUNT -

Single-ring version of the mount above is ideal for mounting a red dot optic on a flattop reciever. Offers the proper height for absolute co-witness with factory "iron" sights. Accepts both optics with 1" or 30mm tubes.



SPECS: 6061 T6 aluminum, hardcoat anodized, matte black or flat dark earth (FDE). 25/8" long, 11/16" wide, 25/8" high. 1.6 oz. wt. Includes Torx wrench and instructions.

#953-000-004 30mm Cantilever Mnt, Black, 3E64K45...\$ 67.99 #953-000-006 30mm Cantilever Mnt, FDE, 3E72D51 . . . 76.99



#### YANKEE HILL MACHINE **DOVETAIL ANGLE MOUNT**

Solid, Offset Mount For Lights & Lasers; **Prevents Interference With Primary Sights** 

Compact, lightweight clamp-on rail has 3 MIL-STD 1913 slots for mounting a light, laser, or iron sight at a 45° offset to keep main sights or optics clear. Machined aluminum clamping jaw provides superior holding strength with minimal weight increase.

SPECS: Aluminum, mil-spec hardcoat anodized, matte black. 13/8" (3.5cm) long, 13/8" wide, 7/8" (2.2cm) high. 1.2 oz. (34g) wt.

#100-002-095 3-Slot Dovetail Angle Mount, 9A20189.. \$ 21.99

**BROWNELLS**, PAGE 104




#### AMERICAN DEFENSE AR-15/M16 — **QUICK-RELEASE OPTICS MOUNTS**

#### Rock-Solid Mounts With Quick-Detach System

Quick-release lever-lock system clamps solidly to flattop rail and will not work loose even under heavy recoil—the more force acting on the lever, the tighter it locks. Depress the release tab to swing the lever open, and the mount easily lifts off the rifle. Adjustable with a flat head screwdriver or even a coin for an ultra-secure, no-slip fit on any Picatinny rail, including over- or under-sized commercial rails. Lever may be configured to lock to the front or the rear to suit the operator's preference. Large locking bar on the side of the mount engages the maximum amount of rail area, while the crossbolt and two integral locking lugs ensure rock-solid engagement of rail slots to prevent movement under recoil. Five heavy duty steel hex head screws (three on top, two on bottom) clamp the vertically split ring halves together. Cutouts in the ring sides and in the base reduce weight without sacrificing strength.

AD-68 AIMPOINT MOUNT - Designed for Aimpoint optics or similar aiming devices requiring a single, 30mm ring, including the Comp C3 and M2/ML2/ M3/ML3 series. Available in two configurations: Standard co-witnesses "iron" sights near the center of the optic when mounted on an AR-15/M16/ M4 with standard-height mil-spec sights. Low po-



**High** positions the backup sight picture in the lower 1/3 of the optic viewing area.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Height measured from top of rail to bottom of scope body. Standard - .940" high. High - 1.120" high.

#100-003-650	Standard Aimpoint Mnt, 7B106H99	112.99
#100-003-652	Low Aimpoint Mount, 7B106H99	112.99
#100-003-651	High Aimpoint Mount, 7B106N99	112.99

ACOG MOUNTS - The AD-B2 mount replaces original factory base on 1.5x, 2x, and 3x Trijicon ACOG scopes and allows quick-detach installation on Picatinny receiver rails. Attaches with two steel Torx® screws (included) for a tight hold under heavy recoil. The AD-B3 is designed for full-size ACOG mounts and will fit TA01, TA11, TA31 or similar scopes with ACOG style bases. The AD-B3 will accept several different risers and uses the QD Auto



Lock™ Lever system to fit on both in-spec and out-of-spec rails. SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. Height measured from top of rail to bottom of scope body - .25" (7.8mm). AD-B2 - Fits 1.5x, 2x, and 3x ACOG only. AD-B3 - Fits full-size ACOG mounts. 3.5" (8.9cm) OAL.

#100-004-583	AD-B2 Mount,	7B72K99 \$	76.99
#100-017-100	AD-B3 Mount,	<i>7B77199</i>	81.99

AD-RECON MOUNT - All-in-one mount combines a rock-solid platform for mounting high-power optics on flattop rails with the versatility of a quick-detach tactical mount. Dual re-



lease lever system grabs the rail in two places. Cantilever extends 2" to aid in achieving proper eye relief and height above receiver with conventional scopes – no need for an extended riser or separate rings. Some models also available with built-in 20 MOA of elevation for long-range shooters who want to avoid maxing out the built-in elevation adjustment of their scopes.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 6" (15.2cm) long, 17/8" (4.8cm) wide, 21/2" (63.5cm) high. 21/2" space between rings. Centerline of rings is 1½" (3.81cm) above the rail.

#100-005-757	1" AD-RECON Mount, 7B00HAL	\$ 179.9
#100-005-758	30mm AD-RECON Mnt, 7B00MWG	179.9
#100-017-120	30mm AD-RECON w/20 MOA,	
	7B00EEM	185.9
#100-017-117	34mm AD-RECON Mount, 7B00QTS	179.9

#100-017-121 34mm AD-RECON w/20 MOA,	
7B00BTQ	185.99
#100-017-118 35mm AD-RECON Mount, 7B00ARM	179.99
#100-017-122 35mm AD-RECON w/20 MOA,	
7B00DDJ	185.99

#### AD-RECON-H/X SCOPE MOUNTS -

One-piece integral base and rings with dual-lever system provides a quick attach/detach platform for mounting optics onto flattop-style AR-15s. Extra-high mounts are available in two different lengths for proper eye relief or night-vision device attachment. AD-RECON-H cantilever positions optics forward, leaving 11/2" space to the rear of the back ring. AD-RECON-X uses the same cantilever design, but places the optics farther forward leaving 23/4" space to the rear of the back ring.



(226q) wt. (all models). Heights measured from top of rail to centerline of scope tube. AD-RECON-H - 6" (15.2cm) OAL. 21/2" (6.3cm) space between rings. 1" and 30mm model - 17/8" (4.7cm) height. 34mm model - 2" (5.1cm) high. **AD-RECON-X** – 7" (17.8cm) OAL. 2¼" (5.7cm) space between rings. 1" model – 13/8" (3.5cm) height. 30mm model – 11/2" (3.7cm) height. 34mm model - 1 9/16" (3.9cm) height.

#100-005-761 AD-RECON-H Mnt, 30mm, 7B00PBR . 186.99 #100-017-131 AD-RECON-H Mnt, 34mm, 7B00EEP 186.49 #100-005-759 AD-RECON-X Mnt, 1", 7B00LVN 189.99
• • • • • • • • • • • • • • • • • • • •
#100-005-759 AD-RECON-X Mnt, 1", 7B00LVN 189.99
<b>#100-005-760 AD-RECON-X Mnt,</b> 30mm, 7B00JLL <b>189.99</b>
<b>#100-017-129 AD-RECON-X Mnt,</b> 34mm, 7B00NPF <b>189.99</b>

AD-SCOUT CANTILEVER OPTIC MOUNT - One-piece integral

base and rings designed for traditional optics or similar sights that require two, 30mm rings for additional support. AD-Scout Cantilever mount positions optics far enough forward to provide 11/2" of extra space at the rear for mounting night-



vision devices or when additional eye-relief is needed.

SPECS: 6061 T6 aluminum, Type 3 mil-spec hardcoat anodized, matte black. 7" (17.8cm) OAL. Height measured from top of rail to bottom of scope body - .87" (2.2cm) high. Distance between rings - 21/2" (6.3cm.) high. 7.1 oz. (201g) wt.

#100-004-025	30mm AD-Scout Cantilever Mnt,
	7B00IGI

QUICK-RELEASE SCOPE MOUNT - Onepiece base with dual-lever system provides the same solid mounting and fast removal and reattachment of AD-68 Aimpoint Mount for traditional scopes requiring two rings. Also available with built-in **20 MOA** of elevation.



SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 41/2" (11.4cm) long. Each ring covers 1" (2.5cm) of scope tube length. Height measured from top of rail to bottom of scope body (both models): .890"

#100-003-653	1" Scope Mount, 7B00ABC	\$ 159.99
#100-003-654	30mm Scope Mount, 7B00NVL	159.99
#100-017-126	30mm Scope Mount w/20 MOA,	
	7B00NDN	169.99
#100-017-123	34mm Scope Mount, 7B00LUQ	159.99
#100-017-127	34mm Scope Mount w/20 MOA,	
	7B00JHD	169.99
#100-017-124	35mm Scope Mount, 7B00BPH	159.99
#100-017-128	35mm Scope Mount w/20 MOA,	
	7B00ENP	169.99

AIMPOINT MICRO CO-WITNESS MOUNTS -Lightweight, quick-detach mount lets you install and remove your Aimpoint Micro series red dot in seconds. Replaces original factory base and secures to the Aimpoint sight with four, highstrength, steel Torx® screws for a tight hold under heavy recoil.

#### BURRIS AR-15/M16 P.E.P.R.TM MOUNT

**Provides Extra Clearance For** Long Eye Relief Scope; Ring-Top Slots For Additional Accessories



One-piece cantilever mount with integral rings positions the optic almost 2" farther forward to provide extra clearance needed for a night vision device (NVD), add-on magnifier, or long eye relief scope. The "Proper Eye Position Ready" mount also features built-in, two-slot rails on the tops of the rings for convenient mounting of reflex sights or other accessories. Each top ring strap is secured with six Torx® screws to prevent recoil-induced slippage. Side locking bar with two. steel hex nuts and cross-bolts hold tight on any Picatinny receiver rail. SPECS: Aluminum, hardcoat anodized, matte black. 5.3" (13.5cm) long,

#749-101-260 ( 30mm P.F.P.R. Scope Mnt. 8A00DQQ 89.99	٩
#118-000-028 ( 1" P.E.P.R. Mount, 8A00JBB \$ 89.99	9
Mounts to MIL-STD 1913 Picatinny rails.	
bottom of ring: 1" (2.5cm). 8.7 oz. (247g) weight. Fits scopes with 1" tube	٥.
1.0 (1.1611) Wide, 2.1 (0.1611) Overdit Height: Height Holli top of fall to	

1.6" (4.1cm) wide, 2.4" (6.1cm) overall height. Height from top of rail to

#### **AMERICAN DEFENSE AR-15/M16 EOTECH RISER**

Raises The EOTech Sight For **Better Iron Sight Alignment** 

Quick-release riser system


mounts to any flattop upper receiver and raises the EOTech sight 1/4" so the iron sights appear in the lower one third of its view for easier sighting. Locking throw lever makes installation and removal easy; adjustable for precise fit without special tools. Stepped section at the rear allows mounting a magnifier

or night vision device. SPECS: 6061 T6 aluminum, matte black finish. Length - 51/2" (14 cm). 3 oz. (86g) wt. #100-010-786 EOTech Riser, 7B106E99..... \$ 112.99

#### M&A AR-15/M16 FLAT TOP SCOPE MOUNT

Integrated Mount & Rings For Rugged Strength

One-piece mount provides strong, secure scope attachment that withstands the bumps and knocks of hard tactical use. Positions scope well



SPECS: Aluminum, hardcoat anodized, black, matte finish. Fits scopes with 1" O.D. tubes. 5<sup>1</sup>/<sub>8</sub>" (13cm) O.A.L. Height measured from top of rail to bottom of ring - 1.18" (2.99cm). 10.7 oz. (303g) wt.

#553-000-005 Flattop Scope Mount, 1", 3E47/59...... \$ 55.99

Available with either a lower 1/3 co-witness or absolute co-witness. SPECS: 6061 T6 aluminum, hardcoat T3 mil-spec anodized, matte black. Fits Aimpoint Micro series red dot sights only. 1/3 Co-Witness Mount - 1" (2.5mm) centerline height with optic. Absolute Co-Witness Mount - 1.5" (3.8cm) centerline height with optic

,	3	
#100-017-114	Aimpoint Micro Mount, 1/3 Co-Witness,	
	7BOOLNF	\$ 85.99
#100-017-113	Aimpoint Micro Mount, Absolute Co-	
	Witness, 7B00LRS	85.99



#### GG&G AR-15/M16 **QUICK-DETACH OPTIC MOUNTS**

#### Rock Solid, Quick-Detach Mounts With Repeatable Accuracy

Quick-detach mounts provide a rock-solid platform for a variety of optical sights on Picatinny flattop rails. GG&G's innovative Accucam latch system provides quick removal and installation in just seconds while maintaining 1/2 MOA repeatable accuracy. Plus, it's tension adjustable for a solid fit even on out-of-spec rails. All mounts are precision machined from 6061 T6 aluminum and hardcoat anodized for added durability; clamping systems are 4140 steel for maximum strength. Non-reflective matte black finish.

ACCUCAM MOUNT w/INTEGRAL 30mm RINGS - Designed spe-

cifically for the AR weapon platform with rings spaced 4.400" center-tocenter for excellent eye relief adjustment. Height from top of dovetail to centerline of ring is 1.400" for good cheekweld. Top ring straps secured with four Allen head screws for recoilproof hold. 5" (12.7cm) long x 23/16" (5.6cm) wide.



#336-000-012 Accucam Mount w/30mm Rings, 6C200N44 . . . . . . . . . . . . \$ 210.99

AC-30 ACCUCAM MOUNT w/30mm INTEGRAL RINGS - Gives

the shooter additional eye relief when crouching, sitting, or prone position, Tall enough to provide clearance for large objective lenses on long-range rifle scopes, while skeletonized frame reduces weight. Not recommended for use on .50 BMG. 5" (12.7cm) OAL, 4" (10.2cm) mounting base length. 3 3/4" (9.5cm) inside ring-to-ring



#336-000-054 AC-30 Accucam Mount w/30mm Integral Rings, 6C203L29..... \$ 213.99

FLT ACCUCAM MOUNT - Designed to meet the needs of SPR shooters, with 30mm integral rings, this mount permits forward scope mounting and positions the scope 11/2" further forward than standard GG&G scope mounts. 5" (12.7cm) OAL, 33/4" (9.5cm) inside ringto-ring.



#336-000-055 PLT Accucam Mount, 6C00PLE..... \$ 196.99

ACCUCAM LEVER FOR EOTECH - Camoperated quick-detach lever replaces existing thumbnut mounting screw on EOTech sights for rapid installaton and removal. Does not change the mounting height of EOTech and allows cowitnessing with iron sights. 500 Series



fits EOTech models 511, 512, 551, and 552. XPS Series fits EOTech XPS2 and XPS3 sights.

#336-000-017 Accucam Lever For EOTech 500 Series, 6C00GRP ..... \$ 86.99 #336-000-041 Accucam Lever For EOTech XPS 

ACCUCAM MOUNT FOR TRIJICON ACOG - Low-profile, steeland-aluminum mount attaches directly to the body of the ACOG with two large Allen head screws for a rock-solid installation. Cam-operated quick-detach lever allows easy removal and installation of sight. Fits all standard and compact ACOG scopes designed for mounting to flattop receivers.



#336-000-018 Accucam Mount For ACOG, 6C125H39.....\$ 131.99

order on the web



# JP ENTERPRISES JPOINT MOUNT

#### Expanded Mounting Options & Versatility For JPoint Sight

Rugged, lightweight, aluminum mount allows the proven JPoint Reflex or Trijicon RedDot holographic sights to be mounted JPA-TANSN piggyback on an ACOG or standard-diameter scope, as well as directly to a flattop receiver. Helps you get an effective secondary sight system that delivers fast, both-eyesopen engagement for close-range targets. JPA-TANSN can be installed directly to the

TA01NSN model ACOG scope as a standalone mount that replaces the existing rear aperture assembly and utilizes the factory mounting holes. Integral, raised "wings" fully guard the sides and top of your JPoint from blows incurred during combat or competition. JPA-TAS Bottom Strap allows the JPA-TANSN mount to be clamped around the eveniece on all other models of ACOG scopes.

SPECS: Aluminum, black, matte, anodized finish. JPA-TANSN Mount -15/8" (4.13cm) long, 13/4" (4.4cm) wide, 111/16" (4.3cm) high. Fits TA01NSN model ACOG. Includes wrench, mounting screws, and instructions. JPA-TAS Bottom Strap - 5/16" (.79cm) long, 13/4" (4.4cm) wide, 7/8" (2.2cm) high. Includes mounting screws. Requires purchase of JPA-TANSN mount to fit all models of ACOG scopes except TA01NSN.

#452-000-041 JPA-TANSN Mount, 2E63B04 ..... \$ 66.45 **#452-000-042** JPA-TAS Bottom Strap, 2E22E51...... **23.70** 



#### JP ENTERPRISES AR-15/M16 **FLATTOP OPTIC MOUNT**

#### Integral Offset Rings For Rock-Solid Mounting

One-piece, aluminum mount with integral rings is precision ma-tinny specs for a secure fit on flattop receiver rails. Ring height and forward offset are ideal for use with long eye



relief scopes. Accepts scopes with BOTH 30mm tubes and, using the included polymer adapter shims, 1" tubes. Four Torx® head screws secure each top ring strap to hold the optics tight under heavy recoil. Full-length base clamps to the receiver with five, equally spaced crossbolts for a rock-solid fit and zero movement.

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black, Includes instructions and T15 and T20 Torx wrenches. 1"/30mm - Approximately 5½" (14cm) long, 1¾" (4.4cm) wide, 2½" (5.4cm) high. 7.1 oz. (201 g) weight. Elevates a 30mm optic .965" (24.5mm), measured from top of receiver rail to bottom of scope. **34mm -** 5<sup>3</sup>/<sub>4</sub>" (14.6cm) long, 11<sup>5</sup>/<sub>16</sub>" (4.9cm) wide, 21/2" (6.3cm) overall height. 7 oz. (198g) weight. Height -.760" (1.9cm), measured from top of receiver rail to bottom of scope tube.

#452-000-044 1"/30mm Flattop Optic Mount,

2E162L44......\$ 170.95

#### YANKEE HILL MACHINE AR-15/M16/AR-308 **SCOPE RISER**



Minimalist Design Raises Optics 1/2"

This streamlined mount

raises any scope or red dot sight 1/2" for easier eye alignment without adding needless bulk or weight to the gun. Precision-machined, 5½" base mounts quickly and easily to any Picatinny rail to provide a secure and stable base for your sighting equipment. SPECS: Aircraft grade aluminum, hardcoat anodized matte black. 51/4

length, 3/4" total height, 11/4" width. Raises equipment 1/2". #100-010-687 227A Scope Riser, 9A00LKJ......\$ 26.90



#### **NIGHTFORCE AR-15/M16** UNIMOUNT

Solid, Yet Easily Detachable One-Piece Scope Mount For Your Flattop

Quick-attach/detach flattop scope mount is designed to stay permanently in-

stalled on the scope at all times. Quick-release hex nuts make it easy to remove it from the rifle to swap onto a different rifle or replace with a different optic. A built-in 20 MOA elevation maximizes long-range capability. Machined from strong, rigid 7075-T6 aluminum to precise tolerances to ensure the scope is not subjected to stress, torquing, or bending as the ring screws are tightened. Titanium crossbolts and laws hold securely to the rifle's MIL-STD 1913 Picatinny without adding excess weight. Micro-radiused and inside edges honed to prevent the rings from scratching the scope tube.

SPECS: Machined 7075 T6 aluminum, hardcoat finish, matte black, Accepts scopes with 30mm O.D. tubes. Clamping footprint: 2.725" of rail space. Heights measured from top of receiver rail to centerline of scope.

#749-012-016 UniMount, High (1.125"), 4B00CUC.... \$ 260.00 #749-012-017 UniMount Extra High (1.375"), 4B00GFI . . 260.00

#### WARNE AR-15/M16 R.A.M.P. TACTICAL MOUNT

Cantilevered For Long Eye Relief Scopes, Plus 45° Offset Rails For Secondary Sights

The Rapid Acquisition Multisight Platform (R.A.M.P.) is a one-piece cantilever mount with integral scope rings

that positions optics farther forward to provide 13/4" of extra space at the rear for mounting a long eye relief scope, night vision device, or magnifier. Features removable MIL-STD 1913 Picatinny rails on the left and right sides that let you mount secondary sights 45° off-axis from the main optic. Each top ring strap is secured with four Torx® screws for recoil-proof holding power. Two large hex nuts and 33/4" long steel clamping bar lock the mount to a Picatinny receiver rail. Smooth contours and radiused edges give a streamlined appearance, reduce weight, and prevent snagging. Models available for 1" or 30mm scope body.

SPECS: 6061 T6 aluminum, hardcoat anodized, and steel hardware, magnesium phosphate finish, matte black. 7½ (18.1cm) long, 2¾ (6cm) wide, 21/4" (5.7cm) high. Height measured from top of rail to bottom of ring: .75" (1.9cm). Approximately 9.7 oz. (275g) weight.

#947-000-263 1" R.A.M.P. Tactical Mount, 7D129J19 . . \$ 151.99 #947-000-264 30mm R.A.M.P. Tactical Mnt. 7D129E19 . . 151.99

#### **NIGHTFORCE ULTRALITE MAGMOUNT**

For Ultra-Secure, Recoil-Resistant **Mounting Of Large Scopes** 

Offering the same one-piece QD concept as the Nightforce Uni-Mount, the Ultralite™ MagMount™ has a third crossbolt for even greater protection against recoil. Tall enough to allow clearance of 56mm objective riflescopes when mounted on a con-

tinuous rail. MagMount does not have built-in elevation. Available for 30mm and 34mm scope tubes. SPECS: Machined 7075 T6 aluminum, hardcoat finish, matte black.

Heights measured from top of receiver rail to centerline of scope. #100-012-609 30mm MagMount, 1.375" High.

4B00CTE.....\$ 295.00 100-012-610 34mm MagMount, 1.440" High, 




#### SWAMPFOX OPTICS AR-15/M16 **OPTIC MOUNTS**

Secure, Sturdy, Easy-On/Off Mounts for Your AR's Glass

These convenient, quick-attach/release mounts clamp onto MIL-STD 1913 Picatinny receiver rails to provide secure, customized mounting for your optic. Machined from exceptionally lightweight 7075 T6 aluminum, with a tough, anti-corrosion/wear hardcoat anodized finish.

**INDEPENDENCE 30mm CANTILEVER MOUNT** - A forward offset

30mm ring mount that puts the centerline height 1.5" above the receiver. The cantilever offset lets you mount your scope in a forward position to maximize eye relief. This tough, sturdy mount built to locks down your scope so it won't shift under recoil, and it eradicate any movement



#100-047-522 30mm Independence AR Cantilever Mount, 6V00MSI......\$49.00

HOSTILE ENGAGEMENT w/45° OFFSET RMR PLATES - For optics

with 30mm tubes. Extends the center of the forward ring 2" beyond the edge of the flattop receiver rail. This configuration is perfect for LPVOs with generous eye relief. Flush-fit T-25 Torx head bolts provide more clamping power than traditional thumb nuts, while integrated



recoil lugs ensure the mount stays locked down and won't shift under recoil, messing up your optic's zero. Built-in RMR mounts on both sides of BOTH ring caps are placed at 45° angles are threaded 6-32x for installing an offset back-up reflex sight. When you need to call the reflex sight into action, simply tilt the rifle slightly to

#100-047-523 30mm Mount w/45° RMR Plate, 

#### **UNITY TACTICAL AR-15 FAST™ OPTIC RISER MOUNT**

**Provides Extra Elevation for Your** Red Dot So You Can Maintain a More Comfortable "Heads-Up" Posture

Unity's FAST™ Riser elevates block-type red dot sights with a standard lower 1/3 co-witness Pica-

tinny mount to a 2.26" optical center line height that enables faster/ easier reticle acquisition than standard-height with mounts. That's a big help when you're wearing electronic earpro/communications headset, night vision goggles, or a gas mask. It also improves your peripheral vision of the surrounding area because you can maintain a heads-up posture. The heads-up posture helps you maintain a neutral spine position, which is more comfortable. A LOT of benefits from a simple, clamp-on riser mount! The FAST<sup>TM</sup> Riser provides an elevated M1913 Picatinny platform for optics such as EOTech EXPS, Leupold LCO, Vortex UH-1, and similar "lower 1/3 co-witness" optics. It will also support "absolute co-witness" optics like the EOTech XPS and Sig Sauer Romeo8H. Machined from extra-strong, extra lightweight 7075 T6 aluminum alloy, with a tough Type III hardcoat anodized finish in **Black** or Flat Dark Earth (FDE). Comes standard with a "rail-grabber" clamp that grasps the MIL-STD 1913 Picatinny rail on your receiver like an iguana.

#100-043-330 FAST Optic Riser, Black, 9Z00QVL . . . . . \$ 86.00 #100-043-331 FAST Optic Riser, FDE, 9Z00NEF...... 86.00

# BROWNELLS AR-15/M16

### **FLATTOP RISER**

Raises Optical Sights To Eye Level For Quick, Precise, **Target Acquisition** 

Machined aluminum riser clamps to flattop AR-15 receiver to position primary optic sights at eye level. Raises mounting height .750" to eliminate the need for extra-high rings in most applications. True, MIL-STD 1913 cut accepts Picatinny rings. Two, easy-to-grip, slotted hex nuts accept a U.S. quarter for extra tightening leverage; full-length clamping bar locks riser securely to flattop receiver for zero movement even during harsh tactical operations. Precision CNC-machined to ensure an exceptionally secure lock on the receiver rail. Smooth, curved front and rear contours on the underside provide a streamlined appearance, reduce weight, and minimize the chance of catching on gear. SPECS: 6061 T6 aluminum, hardcoat anodized, matte black, Approximately 5" (12.7cm) long, 1" (2.5cm) wide at the base, .975" (2.45cm) high overall. Adds .75" (1.9cm) to height of flattop. 4.8 oz. (136 g) weight.

#080-000-506 Flattop Riser Assembly, 8K41M59..... \$ 51.99

#### EGW AR-15/M16 EXTENDARISER FLATTOP MOUNT



#### Elevates Optic For Fast Target Acquisition: Extra Length For More Eve Relief

Precision-machined aluminum riser mount adds approximately .600" to height of flattop so primary optic can be positioned higher for a more comfortable, heads-up shooting stance and faster target acquisition. Eliminates the need for extra-high rings in most installations. Top of mount is available in 0 or 20 MOA to compensate for added height and minimize effect on point-of-impact. Provides a full 7" of usable mounting length, 11/2" more than receiver rail; underside of extension is relieved to provide clearance over handguard. Precision machined from aluminum billet, with MIL-STD 1913 Picatinny slot-and-rail spacing that allows fast and simple adjustment of eye relief, plus greater flexibility in choice of optics. Clamps securely to receiver rail with three heavy duty steel cross-bolts to prevent movement under recoil, and matches receiver profile for a smooth, seamless look ==

SPECS: 6061 T6 aluminum, hardcoat anodized, matte black. 8.875 (22.5cm) long, 1.125" (2.9cm) wide at base. Adds .600" (1.5cm) to height of flattop at rear, .570" (1.4cm) at front. 7.7 oz. (219g) weight.

#296-000-103 Extendariser Flattop Mount, 20 MOA, 6B107F34..... \$ 112.50 #296-000-228 Extendariser Flattop Mount, 0 MOA, 

### **BROWNELLS** AR-15/M16 **CARRY HANDLE SCOPE MOUNT**



Fast, Easy Mounting For Scopes & Dot Sights

Mounts directly on carry

handle. Open sight channel allows use of sights. Cross-bar supports prevent crushing. Has true MIL-STD 1913 Picatinny cut cross-slots along its entire length

SPECS: Aluminum, black, matte. 71/2" (19cm) long. 31/2 oz. (99g) wt.

#080-000-660 Picatinny Carry Handle Base, 9A25M49.....\$29.99

### SMITH ENTERPRISE AR-15/M16 CARRY HANDLE SCOPE MOUNT

Lightweight, Streamlined Quick-Detach Mount Won't Block Iron Sights



Precision-machined aluminum scope mount attaches securely to the carry handle of your AR-15/M16/M4 to provide a solid, lightweight platform for tactical optics. MIL-STD 1913 rail cut accepts Picatinny and STANAG mounting systems, while hollow, 335° diameter sight channel offers unobstructed use of standard-issue iron sights without removing mount. Locks tightly in place with hardened steel stud and knurled nut that also allow fast, easy removal and reattachment of mount and attached optics without loss of zero. Positions scope to provide adequate eye relief when wearing a protective chemical/biological mask. Standard issue for Israeli Defense Forces, and deployed with the U.S. Armed Forces. NSN #1005-01-534-8696.


**SPECS:** Machined 6061 T6 aluminum, hardcoat anodized, black, matte finish. 5<sup>3</sup>/<sub>8</sub>" (13.6cm) long. 2.5 oz. (71g) weight. Made in U.S.A.

#851-000-071 Carry Handle Scope Mount, 1E00FWL .. \$ 80.99



### TACTICAL PRECISION TSRTM & TSR "W" RINGS

Super Holding Power, Precision Alignment



Radiused edges and corners help prevent snagging while providing attractive appearance. TSR - 7075-T6 aluminum, fits MIL-STD 1913 Picatinny base. TSR "W" Series - 1215 alloy steel, fits Weaver bases. 34mm - Accepts Schmidt & Bender-type 34mm scope tubes. Heights in tables below are measured from top of base to center of ring. <sup>EB</sup>

SPECŠ.\*/s." (15.8 mm) wide. TSR - 7075-T6 Aluminum black, hard anodized to Mil-A-8625 standards. TSR "W" Series - 1215 alloy steel, Mil-C-13924 oxide finish, matte black.

#### **TSR ALUMINUM RINGS**

STOCK #	HEIGHT	SIZE	PRI	CE
#100-000-951	Low785"	1"	9K67G10	\$ 86.33
#100-000-952	Med985"	1"	9K67M10	\$ 86.33
#100-000-953	High - 1.185"	1"	9K70D11	\$ 90.21
#100-000-957	Low925"	30mm	9K71L60	\$ 92.15
#100-000-958	Med - 1.075"	30mm	9K71K60	\$ 92.15
#100-000-959	High - 1.225"	30mm	9K74F59	\$ 96.03

#### **TSR "W" SERIES STEEL RINGS**

STOCK #	HEIGHT	SIZE	PRICE
#100-001-403	Low - 785"	1"	9K87l29 <b>\$ 96.03</b>
#100-001-404	Med - 985"	1"	9K87C29 \$ 96.03
#100-001-405	High - 1.185"	1"	9K83B11 \$ 99.99
#100-001-409	Low925"	30mm	9K95Q39 \$ 105.73
#100-001-410	Med - 1.075"	30mm	9K95l39 <b>\$ 105.73</b>
#100-001-411	High - 1.225"	30mm	9K98K99 <b>\$ 109.61</b>
#100-003-300	Med - 1.185"	34mm	9K130E49 \$ 144.53

QUESTIONS BEFORE YOU BUY?
Ask Our Full-Time Tech Staff

# WARNE MAGNUM SPECIAL APPLICATION MAXIMA RINGS

Rugged Steel, Close-Tolerance Dovetails For Secure Mounting

Vertically split rings, precision-machined from steel barstock, hold large objective, heavy scopes firmly against recoil. Finished to exacting tolerances so the scope returns to zero, even after repeated dismounting and remount-



ing. Permanent mount (Perm) uses two socket screws to solidly lock rings to base. Quick detach (QD), double lever rings clamp quickly and tightly; dismount instantly when you lift the lever. Levers can be repositioned so both rest at the same angle. Ultra High rings give correct height for flattop AR-15 and H&K SL7 rifle.

SPECS: Steel, blued, marte finish. Height measured from top of base to bottom of ring saddle. QD: 1" (2.5cm): X-High - .650" (16.5mm) and Ultra-High -.935" (23.7mm); 30mm (1.18"): X-High -.650" and Ultra-High -.850" (21.6mm). Perm: 1" X-High -.650" and 30mm X-High -.650". All models fit Warne Maxima, Weaver, and Picatinny bases.

STOCK #	DIA./HEIGHT	TYPE	PRICE	
#947-000-003	1"/X-High	Perm	7D55G79	\$ 61.19
#947-000-004	1"/X-High	QD	7D75B64	\$ 88.39
#947-000-005	1"/Ultra High	QD	7D75I64	\$ 88.39
#947-000-008	30mm/X-High	Perm	7D55N79	\$ 61.19
#947-000-009	30mm/X-High	QD	7D88I39	\$ 103.59
#947-000-010	30mm/Ultra High	QD	7D88N39	\$ 103.59





# COUNTRY PROTECT CONSERVATION



Orders/Tech: 800-741-0015